

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS)

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
A01-A02.....	43	4	-	-	-	-	3	5	3	11	12	5	-
A03,A06.....	12	-	1	-	1	-	2	2	3	1	1	1	-
A04,A07-A09.....	3,956	16	9	5	8	14	53	102	212	600	1,464	1,473	-
A16-A19.....	1,434	3	1	1	13	32	93	157	197	292	410	235	-
A16.....	1,186	2	1	-	8	25	73	130	154	237	350	206	-
A17-A19.....	257	1	-	1	5	7	20	29	44	59	61	30	-
A37.....	19	19	-	-	-	-	-	-	-	-	-	-	-
A38,A46.....	9	-	-	-	-	-	-	1	-	1	4	3	-
A39.....	168	17	12	20	33	17	9	20	13	7	12	8	-
A40-A41.....	143,232	760	294	377	730	1,557	4,468	10,544	16,370	27,908	44,576	35,640	8
A50-A53.....	142	3	1	-	-	3	6	16	24	26	34	29	-
A80.....	3	1	-	-	-	-	-	-	-	1	1	-	-
A83-A84,A85.2.....	10	-	-	-	1	1	-	2	1	1	3	1	-
B05.....	1	-	-	-	-	-	-	-	-	-	-	1	-
B15-B19.....	12,419	6	4	2	39	205	1,746	5,018	2,403	1,536	1,149	311	-
B20-B24.....	15,475	10	5	29	183	1,896	6,112	4,998	1,619	486	116	17	4

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
B50-B54.....	22	-	-	-	1	1	1	7	6	3	2	1	-
A00---B99.....	19,564	394	143	209	265	540	1,230	2,331	2,593	3,731	4,963	3,164	1
C00-C97	616,747	85	418	1,122	1,793	4,009	16,660	51,551	98,244	156,613	189,101	97,143	8
C00-C14.....	9,475	1	3	8	29	60	293	1,246	2,116	2,368	2,233	1,118	-
C15.....	13,859	-	-	1	6	19	324	1,464	2,959	4,018	3,781	1,286	1
C16.....	13,314	-	1	-	29	139	449	1,139	1,908	3,055	4,114	2,480	-
C18-C21.....	67,444	1	-	1	52	296	1,459	4,762	9,051	15,284	21,498	15,039	1
C22.....	15,225	5	28	19	30	108	437	2,168	2,795	3,885	4,029	1,721	-
C25.....	31,586	1	-	-	8	40	612	2,504	5,263	8,553	10,030	4,574	1
C32.....	5,049	-	-	-	-	11	80	510	1,100	1,490	1,429	428	1
C33-C34.....	167,655	-	2	5	30	165	2,737	12,449	31,963	53,493	51,906	14,905	-
C43.....	8,340	-	3	1	42	200	627	1,171	1,422	1,767	2,046	1,060	1
C50.....	51,452	-	-	-	11	433	2,805	6,748	8,556	10,072	13,085	9,742	-
C53.....	4,470	-	-	-	20	209	687	951	805	747	673	378	-
C54-C55.....	8,122	-	-	-	-	26	162	609	1,316	2,081	2,425	1,503	-
C56.....	15,808	1	1	2	37	102	487	1,801	2,898	3,856	4,638	1,985	-

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
C61.....	43,640	-	-	-	2	1	33	448	2,411	8,320	18,383	14,041	1
C64-C65.....	14,148	4	9	30	20	53	324	1,409	2,534	3,734	4,096	1,935	-
C67.....	16,615	-	-	3	2	15	132	540	1,495	3,639	6,327	4,461	1
C70-C72.....	13,467	14	118	348	219	410	1,045	2,129	2,675	3,100	2,607	802	-
C81-C96	66,708	31	128	416	745	1,000	2,005	4,396	8,525	15,649	22,167	11,646	-
C81.....	1,816	-	-	6	91	171	208	260	245	320	356	159	-
C82-C85.....	26,415	3	18	64	155	333	841	1,808	3,528	6,236	8,953	4,476	-
C91-C95.....	25,816	23	113	348	500	501	834	1,578	2,976	5,652	8,327	4,964	-
C88,C90.....	13,575	2	-	2	2	12	152	800	1,924	3,697	4,830	2,154	-
C96.....	97	3	-	-	1	-	1	12	5	23	31	21	-
C17---C97.....	117,048	31	142	319	600	1,044	3,770	10,909	19,754	29,487	34,084	16,905	3
D00-D48.....	22,716	103	68	113	120	234	534	1,074	1,986	4,106	8,111	6,267	-
D50-D64.....	47,577	50	57	103	219	466	957	2,026	3,138	6,689	14,606	19,266	-
E10-E14.....	224,089	3	8	48	265	1,136	4,613	14,322	28,862	51,785	75,617	47,425	5
E40-E64.....	24,368	17	8	13	43	132	439	996	1,712	3,510	7,776	9,720	2
E40-E46.....	22,375	12	8	9	41	126	422	932	1,590	3,275	7,175	8,783	2

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
E50-E64.....	2,018	5	-	4	2	7	17	68	124	238	609	944	-
G00,G03.....	1,688	123	29	56	39	71	141	282	281	312	245	108	1
G20-G21.....	33,813	-	1	-	1	-	15	115	616	4,270	15,971	12,823	1
G30.....	95,957	-	-	1	-	2	21	89	740	5,860	33,195	56,048	1
I00-I78.....	1,395,580	2,271	802	1,174	3,248	7,704	28,323	72,630	126,081	235,126	444,299	473,859	63
I00-I09,I11,I13, I20-I51.....	1,240,279	1,978	676	958	2,853	6,896	25,592	66,585	115,529	211,625	392,385	415,141	61
I00-I09.....	7,434	8	5	12	25	58	171	456	849	1,473	2,597	1,780	-
I11.....	37,708	2	3	3	51	470	2,100	5,108	5,833	6,381	8,839	8,905	13
I13.....	3,073	-	-	-	7	40	123	236	376	511	908	872	-
I20-I25	652,812	63	19	40	261	1,489	9,936	32,469	62,273	115,802	212,401	218,016	43
I21-I22.....	220,812	41	11	19	124	587	3,947	13,207	25,202	43,122	70,348	64,199	5
I24.....	7,462	6	3	3	23	53	228	712	1,020	1,351	2,003	2,060	-
I20,I25	520,918	18	8	19	140	1,042	7,378	24,059	46,820	89,969	171,122	180,304	39
I25.0.....	94,691	3	-	1	26	299	2,264	7,304	11,767	16,346	26,822	29,832	27
I20, I25.1-I25.9	431,238	15	8	18	115	757	5,220	17,073	35,596	74,413	145,909	152,101	13

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
I26-I51	791,269	1,923	662	924	2,623	5,313	16,159	37,871	66,913	128,509	250,837	279,511	24
I33.....	2,450	8	4	4	19	90	191	373	375	491	616	278	1
I30-I31,I40.....	4,659	59	32	34	110	191	417	729	915	934	863	375	-
I50.....	286,690	273	86	108	251	615	1,953	5,968	14,622	37,587	94,303	130,916	8
I26-I28,I34-I38, I42-I49,I51..	600,623	1,668	584	829	2,405	4,823	14,673	33,541	56,899	103,372	188,780	193,029	20
I10,I12.....	238,790	17	6	8	93	565	3,063	10,553	20,914	41,608	78,955	83,004	4
I60-I69.....	273,201	328	153	249	418	991	3,793	9,487	17,229	39,850	94,420	106,277	6
I70.....	66,075	10	-	2	11	62	412	1,472	3,725	9,280	21,907	29,191	3
I71-I78	53,569	37	8	19	102	226	667	1,865	4,308	10,650	19,311	16,375	1
I71.....	20,770	3	2	6	50	125	340	807	1,794	4,651	8,116	4,875	1
I72-I78.....	33,671	34	6	13	52	102	334	1,083	2,581	6,208	11,587	11,671	-
I80-I99.....	35,854	541	37	51	141	414	1,432	3,393	4,305	6,431	10,283	8,823	3
J10-J18	219,262	552	298	348	707	1,233	3,528	7,774	13,800	30,786	71,657	88,574	5
J10-J11.....	899	7	5	13	10	7	14	28	53	80	228	454	-
J12-J18.....	218,391	548	294	335	697	1,226	3,515	7,746	13,750	30,706	71,438	88,131	5
J20-J22	1,054	103	47	16	8	13	33	52	58	119	230	375	-

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
J20-J21.....	822	100	45	16	7	13	27	49	49	94	176	246	-
J22.....	232	3	2	-	1	-	6	3	9	25	54	129	-
J40-J47	256,301	61	91	175	286	530	2,099	7,925	24,667	61,896	99,337	59,220	14
J40-J42.....	2,689	42	19	13	12	27	60	134	218	419	759	986	-
J43.....	26,936	1	5	1	10	38	274	1,041	3,168	7,509	10,319	4,566	4
J45-J46.....	9,740	7	57	146	224	364	792	1,212	1,236	1,536	2,228	1,937	1
J44,J47.....	217,830	13	10	18	42	113	997	5,593	20,171	52,645	86,326	51,893	9
J60-J66,J68.....	2,740	2	-	-	1	3	11	45	187	604	1,218	669	-
J69.....	59,925	31	49	67	171	237	635	1,459	2,697	7,212	21,251	26,114	2
J00-J06,J30-J39, J67,J70-J98.....	226,942	1,204	531	685	1,311	2,066	5,494	12,820	23,924	46,525	75,859	56,512	11
K25-K28.....	9,451	2	1	3	5	39	193	532	897	1,630	3,070	3,079	-
K35-K38.....	803	5	-	9	16	15	45	85	99	151	213	165	-
K40-K46.....	3,406	79	8	11	9	17	60	149	257	490	1,031	1,295	-
K70,K73-K74	42,328	13	3	9	51	497	4,510	11,093	9,344	8,588	6,518	1,691	11
K70.....	9,187	-	1	-	6	167	1,430	3,060	2,384	1,462	586	89	2

K73-K74.....	33,831	13	2	9	45	337	3,181	8,285	7,143	7,222	5,979	1,606	9

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
K80-K82.....	6,059	1	-	4	20	52	132	291	467	1,051	2,057	1,984	-
N00-N07,N17-N19, N25-N27.....	208,979	820	92	159	414	1,381	4,669	11,534	20,476	40,603	69,679	59,151	1
N00-N01,N04.....	453	10	8	5	5	7	16	44	46	88	140	84	-
N02-N03 N05-N07,N26....	1,236	4	-	4	6	31	73	116	128	215	357	302	-
N17-N19.....	207,894	808	87	151	406	1,357	4,613	11,438	20,352	40,403	69,388	58,890	1
N25,N27.....	146	-	1	2	1	9	8	10	20	35	39	21	-
N10-N12,N13.6,N15.1.	1,679	8	2	5	12	28	74	116	168	242	467	556	1
N40.....	2,807	-	-	-	-	-	4	20	93	384	1,080	1,225	1
N70-N76.....	294	2	-	-	2	10	26	24	24	38	94	74	-
000-099	427	2	107	190	118	8	-
000-007.....	31	1	6	11	12	1	-
010-099.....	404	1	102	181	110	8	-
P00-P96.....	18,403	18,049	166	69	45	20	17	9	7	6	9	3	3
Q00-Q99.....	15,081	6,562	681	585	652	711	937	1,247	1,210	891	977	626	2
R00-R99.....	296,051	5,084	905	1,004	2,464	4,110	9,545	16,840	24,161	42,842	84,319	104,652	125

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
RESIDUAL.....	608,675	2,514	1,236	1,697	4,762	8,648	24,853	47,955	59,578	91,887	169,429	196,079	37
V01-X59,Y85-Y86	143,234	1,036	1,706	2,823	15,678	13,036	18,087	16,777	10,520	12,287	23,814	27,379	91
V01-V99,Y85	49,317	133	639	1,743	11,844	7,524	7,773	6,711	4,316	3,525	3,656	1,414	39
V02---V89.2.....	46,158	129	609	1,617	11,483	7,118	7,137	6,046	3,881	3,265	3,473	1,365	35
V01---V89.9.....	1,116	2	17	71	160	139	227	218	112	74	72	20	4
V90-V99,Y85.....	2,045	2	13	55	201	268	409	447	323	186	112	29	-
W00-X59,Y86	94,253	903	1,068	1,087	3,896	5,563	10,377	10,124	6,241	8,778	20,184	25,980	52
W00-W19.....	20,885	20	39	44	257	322	720	1,154	1,309	2,425	6,297	8,295	3
W32-W34.....	803	1	11	49	213	143	127	100	61	41	43	14	-
W65-W74.....	3,588	64	457	325	649	452	546	393	229	187	179	87	20
X00-X09.....	3,305	36	223	253	198	271	370	463	362	424	465	237	3
X40-X49.....	20,321	30	31	46	1,793	3,383	6,772	5,551	1,367	544	480	314	10
W20-W31,W35-W64, W75-W99, X10-X39, X50-X59,Y86....	46,226	753	312	372	861	1,102	2,043	2,615	2,978	5,205	12,817	17,151	17
X60-X84,Y87.0	31,831	264	4,017	5,060	6,880	6,340	3,649	2,483	2,281	847	10
X72-X74.....	17,157	86	2,093	2,402	3,166	3,146	2,245	1,780	1,686	551	2

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
X60-X71,X75-X84, Y87.0.....	14,715	178	1,928	2,664	3,724	3,204	1,410	706	596	297	8
X85-Y09,Y87.1	17,787	313	425	358	5,228	4,504	3,256	1,938	860	447	311	106	41
X93-X95.....	11,855	9	49	206	4,322	3,472	2,048	1,027	411	162	116	20	13
X85-X92,X96-Y09, Y87.1.....	6,007	304	376	153	927	1,050	1,228	918	453	287	196	87	28
Y35,Y89.0.....	390	-	-	3	91	102	115	56	16	6	1	-	-
Y10-Y34,Y87.2,Y89.9	5,168	128	59	69	500	865	1,591	1,231	348	165	119	79	14
Y22-Y24.....	247	-	1	6	79	46	50	32	12	15	6	-	-
Y10-Y21,Y25-Y34, Y87.2,Y89.9....	4,923	128	58	63	421	820	1,541	1,200	336	150	113	79	14
Y36,Y89.1.....	65	-	-	-	-	1	1	4	9	6	37	7	-
Y40-Y84,Y88.....	33,051	244	195	278	451	595	1,475	3,085	4,697	7,420	9,762	4,848	1
S00-T98.....	210,025	1,593	2,305	3,695	25,566	23,706	30,542	27,881	17,964	19,129	29,905	27,587	152
S02.....	3,663	37	59	139	826	527	573	452	299	258	286	204	3
S12,S22,S32,T08.....	7,425	11	21	86	622	470	578	601	529	755	1,627	2,123	2
S72.....	16,803	2	-	10	67	42	69	134	339	1,236	5,026	9,878	-

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
S42,S52,S62,S82,S92, T10,T12.....	2,565	1	5	5	90	74	112	162	158	283	675	1,000	-
T02.....	763	1	4	7	106	85	94	77	78	92	105	114	-
S03,S13,S23,S33,S43, S53,S63,S73,S83, S93,T03.....	649	3	9	29	96	80	100	84	46	46	91	65	-
S05.....	78	1	3	1	7	1	4	7	5	9	13	27	-
S06.....	15,870	109	212	325	2,056	1,490	1,720	1,669	1,258	1,591	3,027	2,405	8
S26-S27,S36-S37.....	5,819	20	57	93	1,144	894	877	672	496	454	635	472	5
S07---T05.....	906	3	30	23	145	135	165	138	119	75	55	18	-
S00---T14.....	93,777	364	984	2,112	18,930	14,672	14,807	12,719	8,397	7,173	8,553	4,986	80
T15-T19.....	15,059	107	128	111	204	254	570	844	1,156	2,115	4,683	4,886	1
T20-T32.....	2,944	24	115	113	312	313	419	401	329	338	378	197	5
T36-T50.....	26,727	32	32	48	2,256	4,490	8,970	7,461	1,885	676	544	322	11
T51-T65.....	8,051	46	257	307	647	1,068	1,958	1,699	791	548	494	230	6
T74.....	207	84	63	11	3	1	3	3	6	9	15	9	-
T33-T35,T66-T73, T75-T78.....	18,325	801	683	722	2,843	2,833	3,469	2,660	1,459	1,086	1,047	671	51

--	--	--	--	--	--	--	--	--	--	--	--	--	--

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 2002

(CAUSE CATEGORIES BASED ON 113 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS) - CONTINUED

CAUSE OF DEATH	AGE												
	ALL AGES	UNDER 1 YEAR	01-04 YEARS	05-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS & OVER	NOT STAT.
T79-T88.....	21,447	188	140	224	447	522	1,157	2,116	3,072	4,666	6,027	2,887	1
T90-T98.....	4,207	3	36	58	155	247	455	618	490	544	854	746	1

- QUANTITY = 0