

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 IDN Variables Thursday, June 5, 2014
 Unweighted Frequencies

1

**Continuous variables in the frequency
 report only show the range of valid numbers**

IDN.000_00.000: File type identifier

| RECTYPE | Frequency | Percent |
|--------------------------------|-----------|---------|
| 10 Household | 0 | 0.00 |
| 20 Person | 0 | 0.00 |
| 25 Income Imputation | 0 | 0.00 |
| 30 Sample Adult | 0 | 0.00 |
| 38 Functioning and Disability | 17326 | 100.00 |
| 40 Sample Child | 0 | 0.00 |
| 60 Family | 0 | 0.00 |
| 63 Family Disability Questions | 0 | 0.00 |
| 65 Paradata | 0 | 0.00 |
| 70 Injury/Poisoning Episode | 0 | 0.00 |
| 75 Injury/Poisoning Verbatim | 0 | 0.00 |

IDN.000_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|-------------|-----------|---------|
| Survey Year | 17326 | 100.00 |

IDN.000_04.000: Household Number

| HXX | Frequency | Percent |
|-----------------|-----------|---------|
| Range of Values | 17326 | 100.00 |

IDN.000_25.000: Interview Quarter

| INTV_QRT | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 4159 | 24.00 |
| 2 Quarter 2 | 4160 | 24.01 |
| 3 Quarter 3 | 4637 | 26.76 |
| 4 Quarter 4 | 4370 | 25.22 |

IDN.000_30.000: Interview Month

| INTV_MON | Frequency | Percent |
|--------------|-----------|---------|
| 01 January | 1366 | 7.88 |
| 02 February | 1389 | 8.02 |
| 03 March | 1404 | 8.10 |
| 04 April | 1412 | 8.15 |
| 05 May | 1371 | 7.91 |
| 06 June | 1377 | 7.95 |
| 07 July | 1579 | 9.11 |
| 08 August | 1524 | 8.80 |
| 09 September | 1534 | 8.85 |
| 10 October | 1634 | 9.43 |
| 11 November | 1678 | 9.68 |
| 12 December | 1058 | 6.11 |

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 IDN Variables Thursday, June 5, 2014
 Unweighted Frequencies

2

IDN.000_35.000: Family Number

| FMX | Frequency | Percent |
|----------------------------|-----------|---------|
| ----- | | |
| 01-25 Family number 1 - 25 | 17326 | 100.00 |

IDN.000_40.000: Person Number (Within family)

| FPX | Frequency | Percent |
|-------------------------------|-----------|---------|
| ----- | | |
| 01-25 Person number 1 thru 25 | 17326 | 100.00 |

IDN.000_70.000: Weight - Final Annual Functioning and Disability file

| WTFA_AFD | Frequency | Percent |
|-----------------|-----------|---------|
| ----- | | |
| Range of Values | 17326 | 100.00 |

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 UCF Variables Thursday, June 5, 2014
 Unweighted Frequencies

3

UCF.000_00.000: Pseudo-stratum for public-use file variance estimation

| STRAT_P | Frequency | Percent |
|---------|-----------|---------|
| 001-300 | 17326 | 100.00 |

UCF.000_00.000: Pseudo-PSU for public-use file variance estimation

| PSU_P | Frequency | Percent |
|-------|-----------|---------|
| 01-02 | 17326 | 100.00 |

2013 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
FDB Variables Thursday, June 5, 2014
Unweighted Frequencies

4

FDB.001_00.000: Disability Questions flag

FDRN_FLG

1 Families selected to receive AFD (sample adults) section
2 Families selected to receive FDB (all persons 1 year and older) section

FDB.001_00.000: Disability Questions flag

| Frequency | Percent |
|-----------|---------|
| ----- | |
| 17326 | 100.00 |
| 0 | 0.00 |

2013 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Thursday, June 5, 2014
Unweighted Frequencies

5

AFD.090_00.000: Does respondent wear glasses?

| VIS_0 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 10474 | 60.45 |
| 2 No | 6288 | 36.29 |
| 7 Refused | 31 | 0.18 |
| 8 Not ascertained | 528 | 3.05 |
| 9 Don't know | 5 | 0.03 |

AFD.100_00.000: Degree of difficulty seeing

| VIS_SS2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13690 | 79.01 |
| 2 Some difficulty | 2708 | 15.63 |
| 3 A lot of difficulty | 333 | 1.92 |
| 4 Cannot do at all/unable to do | 36 | 0.21 |
| 7 Refused | 21 | 0.12 |
| 8 Not ascertained | 532 | 3.07 |
| 9 Don't know | 6 | 0.03 |

AFD.140_00.000: Do you use a hearing aid?

| HEAR_1R | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 578 | 3.34 |
| 2 No | 16190 | 93.44 |
| 7 Refused | 23 | 0.13 |
| 8 Not ascertained | 532 | 3.07 |
| 9 Don't know | 3 | 0.02 |

AFD.145_00.000: How often do you use a hearing aid?

| HEAR_2R | Frequency | Percent |
|--------------------|-----------|---------|
| 1 All of the time | 323 | 55.88 |
| 2 Some of the time | 174 | 30.10 |
| 3 Rarely | 51 | 8.82 |
| 4 Never | 29 | 5.02 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.17 |

Frequency Missing = 16748

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

6

AFD.150_00.000: Degree of difficulty hearing

| HEAR_SS2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13680 | 78.96 |
| 2 Some difficulty | 2753 | 15.89 |
| 3 A lot of difficulty | 310 | 1.79 |
| 4 Cannot do at all/unable to do | 23 | 0.13 |
| 7 Refused | 24 | 0.14 |
| 8 Not ascertained | 534 | 3.08 |
| 9 Don't know | 2 | 0.01 |

AFD.170_00.000: Difficulty hearing conversation with one person in quiet room

| HEAR_3 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 15249 | 90.94 |
| 2 Some difficulty | 1316 | 7.85 |
| 3 A lot of difficulty | 162 | 0.97 |
| 4 Cannot do at all/unable to do | 10 | 0.06 |
| 7 Refused | 27 | 0.16 |
| 8 Not ascertained | 1 | 0.01 |
| 9 Don't know | 4 | 0.02 |

Frequency Missing = 557

AFD.170_00.001: Diff hearing one person in noisier room even w/ hearing aid

| HEAR_4 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 11697 | 69.80 |
| 2 Some difficulty | 4191 | 25.01 |
| 3 A lot of difficulty | 779 | 4.65 |
| 4 Cannot do at all/unable to do | 48 | 0.29 |
| 7 Refused | 28 | 0.17 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 15 | 0.09 |

Frequency Missing = 568

AFD.180_00.000: Degree of difficulty walking or climbing steps

| MOB_SS2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13424 | 77.48 |
| 2 Some difficulty | 2165 | 12.50 |
| 3 A lot of difficulty | 792 | 4.57 |
| 4 Cannot do at all/unable to do | 380 | 2.19 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 536 | 3.09 |
| 9 Don't know | 4 | 0.02 |

2013 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Thursday, June 5, 2014
Unweighted Frequencies

7

AFD.200_00.000: Use equipment or receive help for getting around?

| MOB_2R | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1474 | 8.51 |
| 2 No | 15289 | 88.24 |
| 7 Refused | 23 | 0.13 |
| 8 Not ascertained | 538 | 3.11 |
| 9 Don't know | 2 | 0.01 |

AFD.200_00.001: Use cane or walking stick?

| MOB_3A | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 982 | 66.62 |
| 2 No | 492 | 33.38 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 15852

AFD.200_00.002: Use a walker or Zimmer frame?

| MOB_3B2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 590 | 40.03 |
| 2 No | 883 | 59.91 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 1 | 0.07 |

Frequency Missing = 15852

AFD.200_00.003: Use crutches?

| MOB_3C | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 115 | 7.80 |
| 2 No | 1359 | 92.20 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 15852

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

8

AFD.200_00.004: Use a wheelchair or scooter?

| MOB_3D2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 377 | 25.58 |
| 2 No | 1097 | 74.42 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 15852

AFD.200_00.005: Use artificial limb (leg/foot)?

| MOB_3E2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 74 | 5.02 |
| 2 No | 1400 | 94.98 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 15852

AFD.200_00.006: Use someone's assistance?

| MOB_3F | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 565 | 38.33 |
| 2 No | 909 | 61.67 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 15852

AFD.200_00.007: Use other type of equipment or help?

| MOB_3G | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 178 | 12.08 |
| 2 No | 1296 | 87.92 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 0 | 0.00 |

Frequency Missing = 15852

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

9

AFD.210_00.000: Diff walking 100 yards on level ground w/o aid or equipment

| MOB_4 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13892 | 84.65 |
| 2 Some difficulty | 1369 | 8.34 |
| 3 A lot of difficulty | 491 | 2.99 |
| 4 Cannot do at all/unable to do | 623 | 3.80 |
| 7 Refused | 27 | 0.16 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 7 | 0.04 |

Frequency Missing = 915

AFD.220_00.000: Diff walking 1/3rd mile on level ground w/o aid or equipment

| MOB_5 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13025 | 82.51 |
| 2 Some difficulty | 1650 | 10.45 |
| 3 A lot of difficulty | 708 | 4.48 |
| 4 Cannot do at all/unable to do | 347 | 2.20 |
| 7 Refused | 29 | 0.18 |
| 8 Not ascertained | 2 | 0.01 |
| 9 Don't know | 25 | 0.16 |

Frequency Missing = 1540

AFD.230_00.000: Diff walking up or down 12 steps w/o aid or equipment

| MOB_6 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13557 | 82.61 |
| 2 Some difficulty | 1767 | 10.77 |
| 3 A lot of difficulty | 616 | 3.75 |
| 4 Cannot do at all/unable to do | 431 | 2.63 |
| 7 Refused | 29 | 0.18 |
| 8 Not ascertained | 4 | 0.02 |
| 9 Don't know | 7 | 0.04 |

Frequency Missing = 915

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

10

AFD.240_00.000: Diff walking 100 yards on level ground w/ aid or equipment

| MOB_7 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 332 | 30.26 |
| 2 Some difficulty | 271 | 24.70 |
| 3 A lot of difficulty | 162 | 14.77 |
| 4 Cannot do at all/unable to do | 329 | 29.99 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.27 |

Frequency Missing = 16229

AFD.250_00.000: Diff walking 1/3rd mile on level ground w/ aid or equipment

| MOB_8 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 272 | 35.42 |
| 2 Some difficulty | 218 | 28.39 |
| 3 A lot of difficulty | 163 | 21.22 |
| 4 Cannot do at all/unable to do | 112 | 14.58 |
| 7 Refused | 0 | 0.00 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 3 | 0.39 |

Frequency Missing = 16558

AFD.270_00.000: Degree of difficulty communicating using usual language

| COM_SS | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 15874 | 91.62 |
| 2 Some difficulty | 745 | 4.30 |
| 3 A lot of difficulty | 94 | 0.54 |
| 4 Cannot do at all/unable to do | 43 | 0.25 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 543 | 3.13 |
| 9 Don't know | 2 | 0.01 |

AFD.290_00.000: Use sign language?

| COM_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 504 | 2.91 |
| 2 No | 16253 | 93.81 |
| 7 Refused | 22 | 0.13 |
| 8 Not ascertained | 543 | 3.13 |
| 9 Don't know | 4 | 0.02 |

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

11

AFD.300_00.000: Degree of difficulty remembering or concentrating

| COG_SS | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 13719 | 79.18 |
| 2 Some difficulty | 2632 | 15.19 |
| 3 A lot of difficulty | 382 | 2.20 |
| 4 Cannot do at all/unable to do | 20 | 0.12 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 543 | 3.13 |
| 9 Don't know | 5 | 0.03 |

AFD.310_00.000: Difficulty remembering, concentrating, or both?

| COG_1 | Frequency | Percent |
|--|-----------|---------|
| 1 Difficulty remembering only | 983 | 32.08 |
| 2 Difficulty concentrating only | 388 | 12.66 |
| 3 Difficulty with both remembering and concentrating | 1659 | 54.14 |
| 7 Refused | 28 | 0.91 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 6 | 0.20 |

Frequency Missing = 14262

AFD.320_00.000: How often have difficulty remembering?

| COG_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Sometimes | 1916 | 71.60 |
| 2 Often | 513 | 19.17 |
| 3 All of the time | 216 | 8.07 |
| 7 Refused | 26 | 0.97 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 5 | 0.19 |

Frequency Missing = 14650

AFD.330_00.000: Amount of things you have difficulty remembering?

| COG_3 | Frequency | Percent |
|---------------------|-----------|---------|
| 1 A few things | 2119 | 79.19 |
| 2 A lot of things | 386 | 14.42 |
| 3 Almost everything | 134 | 5.01 |
| 7 Refused | 26 | 0.97 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 11 | 0.41 |

Frequency Missing = 14650

2013 National Health Interview Survey (NHIS)
 Functioning and Disability Public Use File (funcdisb)
 AFD Variables Thursday, June 5, 2014
 Unweighted Frequencies

12

AFD.360_00.000: Degree of difficulty with self-care

| UB_SS | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 16029 | 92.51 |
| 2 Some difficulty | 544 | 3.14 |
| 3 A lot of difficulty | 114 | 0.66 |
| 4 Cannot do at all/unable to do | 68 | 0.39 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 544 | 3.14 |
| 9 Don't know | 2 | 0.01 |

AFD.370_00.000: Diff raising 2 liter bottle of water from waist to eye level

| UB_1 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 15677 | 90.48 |
| 2 Some difficulty | 743 | 4.29 |
| 3 A lot of difficulty | 167 | 0.96 |
| 4 Cannot do at all/unable to do | 166 | 0.96 |
| 7 Refused | 24 | 0.14 |
| 8 Not ascertained | 545 | 3.15 |
| 9 Don't know | 4 | 0.02 |

AFD.380_00.000: Degree of difficulty using hands and fingers

| UB_2 | Frequency | Percent |
|---------------------------------|-----------|---------|
| 1 No difficulty | 15199 | 87.72 |
| 2 Some difficulty | 1229 | 7.09 |
| 3 A lot of difficulty | 255 | 1.47 |
| 4 Cannot do at all/unable to do | 70 | 0.40 |
| 7 Refused | 25 | 0.14 |
| 8 Not ascertained | 545 | 3.15 |
| 9 Don't know | 3 | 0.02 |

AFD.410_00.000: How often feel worried, nervous, or anxious?

| ANX_1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Daily | 1632 | 9.42 |
| 2 Weekly | 1872 | 10.80 |
| 3 Monthly | 1558 | 8.99 |
| 4 A few times a year | 4898 | 28.27 |
| 5 Never | 6714 | 38.75 |
| 7 Refused | 63 | 0.36 |
| 8 Not ascertained | 550 | 3.17 |
| 9 Don't know | 39 | 0.23 |

AFD.420_00.000: Take medication for worried, nervous, or anxious feelings?

| ANX_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1601 | 9.24 |
| 2 No | 15105 | 87.18 |
| 7 Refused | 55 | 0.32 |
| 8 Not ascertained | 550 | 3.17 |
| 9 Don't know | 15 | 0.09 |

AFD.430_00.000: Level of feelings when last felt worried, nervous, or anxious?

| ANX_3R | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 5744 | 56.66 |
| 2 A lot | 1189 | 11.73 |
| 3 Somewhere in between a little and a lot | 3092 | 30.50 |
| 7 Refused | 68 | 0.67 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 43 | 0.42 |

Frequency Missing = 7188

AFD.450_00.000: How often do you feel depressed?

| DEP_1 | Frequency | Percent |
|----------------------|-----------|---------|
| 1 Daily | 756 | 4.36 |
| 2 Weekly | 926 | 5.34 |
| 3 Monthly | 1038 | 5.99 |
| 4 A few times a year | 4012 | 23.16 |
| 5 Never | 9929 | 57.31 |
| 7 Refused | 69 | 0.40 |
| 8 Not ascertained | 555 | 3.20 |
| 9 Don't know | 41 | 0.24 |

AFD.460_00.000: Take medication for depression?

| DEP_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes | 1460 | 8.43 |
| 2 No | 15225 | 87.87 |
| 7 Refused | 61 | 0.35 |
| 8 Not ascertained | 557 | 3.21 |
| 9 Don't know | 23 | 0.13 |

2013 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Thursday, June 5, 2014
Unweighted Frequencies

14

AFD.470_00.000: How depressed you felt last time you were depressed?

| DEP_3R | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 3847 | 55.07 |
| 2 A lot | 970 | 13.88 |
| 3 Somewhere in between a little and a lot | 2051 | 29.36 |
| 7 Refused | 70 | 1.00 |
| 8 Not ascertained | 2 | 0.03 |
| 9 Don't know | 46 | 0.66 |

Frequency Missing = 10340

AFD.500_00.000: Frequency of pain in past 3 months

| PAIN_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Never | 6636 | 38.30 |
| 2 Some days | 6556 | 37.84 |
| 3 Most days | 1227 | 7.08 |
| 4 Every day | 2245 | 12.96 |
| 7 Refused | 63 | 0.36 |
| 8 Not ascertained | 564 | 3.26 |
| 9 Don't know | 35 | 0.20 |

AFD.520_00.000: How much pain you had last time you had pain?

| PAIN_4 | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 4865 | 48.04 |
| 2 A lot | 1869 | 18.46 |
| 3 Somewhere in between a little and a lot | 3296 | 32.55 |
| 7 Refused | 63 | 0.62 |
| 8 Not ascertained | 3 | 0.03 |
| 9 Don't know | 30 | 0.30 |

Frequency Missing = 7200

AFD.540_00.000: How often felt very tired or exhausted in past 3 months

| TIRED_1 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Never | 5619 | 32.43 |
| 2 Some days | 8391 | 48.43 |
| 3 Most days | 1632 | 9.42 |
| 4 Every day | 1019 | 5.88 |
| 7 Refused | 61 | 0.35 |
| 8 Not ascertained | 569 | 3.28 |
| 9 Don't know | 35 | 0.20 |

2013 National Health Interview Survey (NHIS)
Functioning and Disability Public Use File (funcdisb)
AFD Variables Thursday, June 5, 2014
Unweighted Frequencies

15

AFD.550_00.000: How long most recent tired or exhausted feelings lasted?

| TIRED_2 | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Some of the day | 8036 | 72.15 |
| 2 Most of the day | 1955 | 17.55 |
| 3 All of the day | 1036 | 9.30 |
| 7 Refused | 62 | 0.56 |
| 8 Not ascertained | 0 | 0.00 |
| 9 Don't know | 49 | 0.44 |

Frequency Missing = 6188

AFD.560_00.000: Level of tiredness last time felt very tired or exhausted

| TIRED_3 | Frequency | Percent |
|---|-----------|---------|
| 1 A little | 4912 | 44.10 |
| 2 A lot | 2087 | 18.74 |
| 3 Somewhere in between a little and a lot | 4030 | 36.18 |
| 7 Refused | 64 | 0.57 |
| 8 Not ascertained | 2 | 0.02 |
| 9 Don't know | 43 | 0.39 |

Frequency Missing = 6188

AFD.000_00.000: Record completion status

| RCS_AFD | Frequency | Percent |
|---|-----------|---------|
| 1 Not ascertained answers only | 526 | 3.04 |
| 2 Refused and don't know answers only | 15 | 0.09 |
| 3 Refused, DK, and not ascertained answers only | 2 | 0.01 |
| 4 At least one valid answer | 16783 | 96.87 |