

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|--------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| ALL RACES | | | | | | |
| TOTAL (ALL BIRTHWEIGHTS).... | 4,058,882 | 27,960 | 18,733 | 14,893 | 3,841 | 9,227 |
| NUMBER.. | | | | | | |
| RATE.. | | 6.9 | 4.6 | 3.7 | .9 | 2.3 |
| LESS THAN 2,500 GRAMS..... | 308,074 | 18,299 | 14,929 | 12,536 | 2,393 | 3,370 |
| NUMBER.. | | | | | | |
| RATE.. | | 59.4 | 48.5 | 40.7 | 7.8 | 10.9 |
| LESS THAN 500 GRAMS..... | 6,406 | 5,420 | 5,306 | 5,147 | 159 | 114 |
| NUMBER.. | | | | | | |
| RATE.. | | 846.1 | 828.3 | 803.4 | 24.8 | 17.8 |
| 500-749 GRAMS..... | 11,181 | 5,325 | 4,648 | 3,807 | 841 | 678 |
| NUMBER.. | | | | | | |
| RATE.. | | 476.3 | 415.7 | 340.5 | 75.2 | 60.6 |
| 750-999 GRAMS..... | 11,942 | 1,861 | 1,413 | 972 | 441 | 448 |
| NUMBER.. | | | | | | |
| RATE.. | | 155.8 | 118.3 | 81.4 | 36.9 | 37.5 |
| 1,000-1,249 GRAMS..... | 13,355 | 1,033 | 722 | 517 | 205 | 311 |
| NUMBER.. | | | | | | |
| RATE.. | | 77.3 | 54.1 | 38.7 | 15.4 | 23.3 |
| 1,250-1,499 GRAMS..... | 15,926 | 726 | 526 | 412 | 115 | 200 |
| NUMBER.. | | | | | | |
| RATE.. | | 45.6 | 33.0 | 25.8 | 7.2 | 12.6 |
| 1,500-1,999 GRAMS..... | 60,864 | 1,721 | 1,125 | 867 | 258 | 596 |
| NUMBER.. | | | | | | |
| RATE.. | | 28.3 | 18.5 | 14.2 | 4.2 | 9.8 |
| 2,000-2,499 GRAMS..... | 188,400 | 2,212 | 1,189 | 815 | 374 | 1,023 |
| NUMBER.. | | | | | | |
| RATE.. | | 11.7 | 6.3 | 4.3 | 2.0 | 5.4 |
| 2,500-2,999 GRAMS..... | 671,080 | 3,064 | 1,274 | 749 | 525 | 1,790 |
| NUMBER.. | | | | | | |
| RATE.. | | 4.6 | 1.9 | 1.1 | .8 | 2.7 |
| 3,000-3,499 GRAMS..... | 1,510,754 | 3,600 | 1,237 | 696 | 541 | 2,363 |
| NUMBER.. | | | | | | |
| RATE.. | | 2.4 | .8 | .5 | .4 | 1.6 |
| 3,500-3,999 GRAMS..... | 1,164,773 | 1,943 | 648 | 371 | 277 | 1,295 |
| NUMBER.. | | | | | | |
| RATE.. | | 1.7 | .6 | .3 | .2 | 1.1 |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|----------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| ALL RACES | | | | | | |
| 4,000-4,499 GRAMS.....NUMBER.. | 340,467 | 502 | 187 | 106 | 81 | 315 |
| RATE.. | | 1.5 | .5 | .3 | .2 | .9 |
| 4,500-4,999 GRAMS.....NUMBER.. | 54,764 | 112 | 55 | 42 | 13 | 57 |
| RATE.. | | 2.0 | 1.0 | .8 | * | 1.0 |
| 5,000 GRAMS OR MORE.....NUMBER.. | 6,208 | 38 | 26 | 22 | 4 | 11 |
| RATE.. | | 6.1 | 4.3 | 3.6 | * | * |
| NOT STATED.....NUMBER.. | 2,762 | 403 | 378 | 371 | 7 | 25 |
| RATE.. | | 146.0 | 136.8 | 134.2 | * | 9.2 |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST-NEONATAL |
|--------------------------------|--------------------|--------|----------------|----------------|---------------|---------------|
| WHITE | | | | | | |
| TOTAL (ALL BIRTHWEIGHTS).... | NUMBER.. 3,194,049 | 18,246 | 12,179 | 9,614 | 2,565 | 6,067 |
| | RATE.. | 5.7 | 3.8 | 3.0 | .8 | 1.9 |
| LESS THAN 2,500 GRAMS..... | NUMBER.. 209,477 | 11,326 | 9,348 | 7,862 | 1,486 | 1,979 |
| | RATE.. | 54.1 | 44.6 | 37.5 | 7.1 | 9.4 |
| LESS THAN 500 GRAMS..... | NUMBER.. 3,523 | 2,998 | 2,939 | 2,849 | 90 | 58 |
| | RATE.. | 850.9 | 834.3 | 808.8 | 25.5 | 16.6 |
| 500-749 GRAMS..... | NUMBER.. 6,590 | 3,222 | 2,877 | 2,394 | 484 | 345 |
| | RATE.. | 488.9 | 436.6 | 363.3 | 73.4 | 52.3 |
| 750-999 GRAMS..... | NUMBER.. 7,326 | 1,179 | 934 | 662 | 272 | 245 |
| | RATE.. | 160.9 | 127.4 | 90.4 | 37.1 | 33.4 |
| 1,000-1,249 GRAMS..... | NUMBER.. 8,678 | 695 | 514 | 378 | 136 | 181 |
| | RATE.. | 80.1 | 59.2 | 43.6 | 15.7 | 20.8 |
| 1,250-1,499 GRAMS..... | NUMBER.. 10,711 | 475 | 357 | 297 | 60 | 118 |
| | RATE.. | 44.4 | 33.3 | 27.7 | 5.6 | 11.0 |
| 1,500-1,999 GRAMS..... | NUMBER.. 41,894 | 1,191 | 827 | 653 | 173 | 364 |
| | RATE.. | 28.4 | 19.7 | 15.6 | 4.1 | 8.7 |
| 2,000-2,499 GRAMS..... | NUMBER.. 130,755 | 1,567 | 899 | 628 | 271 | 667 |
| | RATE.. | 12.0 | 6.9 | 4.8 | 2.1 | 5.1 |
| 2,500-2,999 GRAMS..... | NUMBER.. 479,038 | 2,105 | 948 | 574 | 373 | 1,158 |
| | RATE.. | 4.4 | 2.0 | 1.2 | .8 | 2.4 |
| 3,000-3,499 GRAMS..... | NUMBER.. 1,174,842 | 2,571 | 924 | 527 | 396 | 1,647 |
| | RATE.. | 2.2 | .8 | .4 | .3 | 1.4 |
| 3,500-3,999 GRAMS..... | NUMBER.. 977,221 | 1,479 | 514 | 296 | 218 | 965 |
| | RATE.. | 1.5 | .5 | .3 | .2 | 1.0 |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|----------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| WHITE | | | | | | |
| 4,000-4,499 GRAMS.....NUMBER.. | 297,564 | 401 | 153 | 81 | 72 | 248 |
| RATE.. | | 1.3 | .5 | .3 | .2 | .8 |
| 4,500-4,999 GRAMS.....NUMBER.. | 48,344 | 86 | 44 | 34 | 10 | 42 |
| RATE.. | | 1.8 | .9 | .7 | * | .9 |
| 5,000 GRAMS OR MORE.....NUMBER.. | 5,357 | 29 | 20 | 16 | 4 | 9 |
| RATE.. | | 5.5 | 3.8 | * | * | * |
| NOT STATED.....NUMBER.. | 2,206 | 248 | 229 | 223 | 6 | 19 |
| RATE.. | | 112.6 | 103.8 | 101.1 | * | * |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|--------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| BLACK | | | | | | |
| TOTAL (ALL BIRTHWEIGHTS).... | 622,621 | 8,391 | 5,684 | 4,582 | 1,102 | 2,707 |
| RATE.. | | 13.5 | 9.1 | 7.4 | 1.8 | 4.3 |
| LESS THAN 2,500 GRAMS..... | 81,116 | 6,145 | 4,898 | 4,099 | 799 | 1,248 |
| RATE.. | | 75.8 | 60.4 | 50.5 | 9.8 | 15.4 |
| LESS THAN 500 GRAMS..... | 2,624 | 2,196 | 2,145 | 2,084 | 60 | 51 |
| RATE.. | | 836.8 | 817.3 | 794.3 | 23.0 | 19.6 |
| 500-749 GRAMS..... | 4,158 | 1,906 | 1,592 | 1,262 | 330 | 314 |
| RATE.. | | 458.4 | 382.8 | 303.5 | 79.3 | 75.5 |
| 750-999 GRAMS..... | 4,067 | 576 | 391 | 248 | 143 | 185 |
| RATE.. | | 141.7 | 96.2 | 61.0 | 35.1 | 45.6 |
| 1,000-1,249 GRAMS..... | 4,060 | 291 | 171 | 113 | 58 | 120 |
| RATE.. | | 71.7 | 42.2 | 27.8 | 14.4 | 29.5 |
| 1,250-1,499 GRAMS..... | 4,460 | 200 | 130 | 86 | 43 | 71 |
| RATE.. | | 44.9 | 29.0 | 19.3 | 9.7 | 15.8 |
| 1,500-1,999 GRAMS..... | 15,762 | 439 | 238 | 161 | 77 | 202 |
| RATE.. | | 27.9 | 15.1 | 10.2 | 4.9 | 12.8 |
| 2,000-2,499 GRAMS..... | 45,985 | 536 | 231 | 144 | 88 | 305 |
| RATE.. | | 11.7 | 5.0 | 3.1 | 1.9 | 6.6 |
| 2,500-2,999 GRAMS..... | 142,917 | 806 | 265 | 143 | 122 | 541 |
| RATE.. | | 5.6 | 1.9 | 1.0 | .9 | 3.8 |
| 3,000-3,499 GRAMS..... | 236,517 | 855 | 249 | 128 | 122 | 606 |
| RATE.. | | 3.6 | 1.1 | .5 | .5 | 2.6 |
| 3,500-3,999 GRAMS..... | 128,202 | 363 | 106 | 56 | 50 | 257 |
| RATE.. | | 2.8 | .8 | .4 | .4 | 2.0 |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|----------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| BLACK | | | | | | |
| 4,000-4,499 GRAMS.....NUMBER.. | 28,757 | 69 | 27 | 20 | 7 | 41 |
| RATE.. | | 2.4 | 1.0 | .7 | * | 1.4 |
| 4,500-4,999 GRAMS.....NUMBER.. | 4,308 | 18 | 9 | 7 | 2 | 9 |
| RATE.. | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER.. | 543 | 5 | 4 | 4 | - | 1 |
| RATE.. | | * | * | * | - | * |
| NOT STATED.....NUMBER.. | 261 | 129 | 125 | 125 | - | 4 |
| RATE.. | | 495.0 | 479.4 | 479.4 | - | * |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|--------------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| AMERICAN INDIAN 1/ - | | | | | | |
| TOTAL (ALL BIRTHWEIGHTS)....NUMBER.. | 41,668 | 346 | 183 | 143 | 40 | 164 |
| RATE.. | | 8.3 | 4.4 | 3.4 | .9 | 3.9 |
| LESS THAN 2,500 GRAMS.....NUMBER.. | 2,825 | 176 | 140 | 118 | 22 | 36 |
| RATE.. | | 62.4 | 49.5 | 41.6 | 7.9 | 12.8 |
| LESS THAN 500 GRAMS.....NUMBER.. | 49 | 44 | 44 | 42 | 2 | - |
| RATE.. | | 894.7 | 894.7 | 853.4 | * | - |
| 500-749 GRAMS.....NUMBER.. | 77 | 35 | 33 | 30 | 3 | 2 |
| RATE.. | | 450.2 | 424.0 | 384.5 | * | * |
| 750-999 GRAMS.....NUMBER.. | 112 | 32 | 26 | 16 | 10 | 5 |
| RATE.. | | 283.5 | 235.3 | * | * | * |
| 1,000-1,249 GRAMS.....NUMBER.. | 107 | 12 | 9 | 6 | 3 | 3 |
| RATE.. | | * | * | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER.. | 148 | 8 | 4 | 4 | - | 4 |
| RATE.. | | * | * | * | - | * |
| 1,500-1,999 GRAMS.....NUMBER.. | 607 | 18 | 10 | 9 | 1 | 8 |
| RATE.. | | * | * | * | * | * |
| 2,000-2,499 GRAMS.....NUMBER.. | 1,725 | 27 | 14 | 11 | 3 | 13 |
| RATE.. | | 15.7 | * | * | * | * |
| 2,500-2,999 GRAMS.....NUMBER.. | 6,346 | 39 | 10 | 5 | 5 | 29 |
| RATE.. | | 6.1 | * | * | * | 4.5 |
| 3,000-3,499 GRAMS.....NUMBER.. | 14,957 | 71 | 21 | 12 | 9 | 49 |
| RATE.. | | 4.7 | 1.4 | * | * | 3.3 |
| 3,500-3,999 GRAMS.....NUMBER.. | 12,579 | 38 | 5 | 3 | 2 | 33 |
| RATE.. | | 3.0 | * | * | * | 2.6 |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|----------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| AMERICAN INDIAN 1/ - | | | | | | |
| 4,000-4,499 GRAMS.....NUMBER.. | 4,029 | 14 | 2 | 1 | 1 | 12 |
| RATE.. | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER.. | 794 | 2 | - | - | - | 2 |
| RATE.. | | * | - | - | - | * |
| 5,000 GRAMS OR MORE.....NUMBER.. | 108 | 2 | 1 | 1 | - | 1 |
| RATE.. | | * | * | * | - | * |
| NOT STATED.....NUMBER.. | 30 | 4 | 3 | 3 | - | 1 |
| RATE.. | | * | * | * | - | * |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
 UNITED STATES, 2000 PERIOD DATA
 (INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|--------------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| ASIAN OR PACIFIC ISLANDER | | | | | | |
| TOTAL (ALL BIRTHWEIGHTS)....NUMBER.. | 200,544 | 977 | 688 | 553 | 135 | 289 |
| RATE.. | | 4.9 | 3.4 | 2.8 | .7 | 1.4 |
| LESS THAN 2,500 GRAMS.....NUMBER.. | 14,656 | 651 | 544 | 458 | 85 | 107 |
| RATE.. | | 44.4 | 37.1 | 31.3 | 5.8 | 7.3 |
| LESS THAN 500 GRAMS.....NUMBER.. | 210 | 182 | 178 | 171 | 7 | 4 |
| RATE.. | | 868.8 | 849.7 | 816.1 | * | * |
| 500-749 GRAMS.....NUMBER.. | 356 | 163 | 146 | 121 | 24 | 17 |
| RATE.. | | 457.3 | 409.0 | 341.1 | 67.9 | * |
| 750-999 GRAMS.....NUMBER.. | 437 | 74 | 62 | 46 | 16 | 12 |
| RATE.. | | 169.9 | 142.2 | 105.4 | * | * |
| 1,000-1,249 GRAMS.....NUMBER.. | 510 | 35 | 27 | 19 | 8 | 7 |
| RATE.. | | 67.7 | 53.8 | * | * | * |
| 1,250-1,499 GRAMS.....NUMBER.. | 607 | 43 | 36 | 25 | 11 | 7 |
| RATE.. | | 70.3 | 58.6 | 40.5 | * | * |
| 1,500-1,999 GRAMS.....NUMBER.. | 2,601 | 72 | 50 | 43 | 7 | 22 |
| RATE.. | | 27.7 | 19.2 | 16.5 | * | 8.6 |
| 2,000-2,499 GRAMS.....NUMBER.. | 9,935 | 82 | 45 | 33 | 12 | 37 |
| RATE.. | | 8.3 | 4.5 | 3.3 | * | 3.8 |
| 2,500-2,999 GRAMS.....NUMBER.. | 42,779 | 114 | 52 | 26 | 25 | 63 |
| RATE.. | | 2.7 | 1.2 | .6 | .6 | 1.5 |
| 3,000-3,499 GRAMS.....NUMBER.. | 84,438 | 103 | 43 | 29 | 14 | 61 |
| RATE.. | | 1.2 | .5 | .3 | * | .7 |
| 3,500-3,999 GRAMS.....NUMBER.. | 46,771 | 62 | 22 | 15 | 7 | 40 |
| RATE.. | | 1.3 | .5 | * | * | .8 |

DOCUMENTATION TABLE 4

LIVE BIRTHS, INFANT DEATHS, AND INFANT MORTALITY RATES BY BIRTHWEIGHT, RACE OF MOTHER, AND AGE AT DEATH:
UNITED STATES, 2000 PERIOD DATA
(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL,
7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 1000 LIVE BIRTHS)-Continued

| BIRTHWEIGHT AND RACE OF MOTHER | LIVE BIRTHS | INFANT | TOTAL NEONATAL | EARLY NEONATAL | LATE NEONATAL | POST- NEONATAL |
|----------------------------------|-------------|--------|-------------------|-------------------|------------------|-------------------|
| ASIAN OR PACIFIC ISLANDER | | | | | | |
| 4,000-4,499 GRAMS.....NUMBER.. | 10,117 | 18 | 4 | 3 | 1 | 14 |
| RATE.. | | * | * | * | * | * |
| 4,500-4,999 GRAMS.....NUMBER.. | 1,318 | 6 | 2 | 1 | 1 | 4 |
| RATE.. | | * | * | * | * | * |
| 5,000 GRAMS OR MORE.....NUMBER.. | 200 | 1 | 1 | 1 | - | - |
| RATE.. | | * | * | * | - | - |
| NOT STATED.....NUMBER.. | 265 | 21 | 20 | 19 | 1 | 1 |
| RATE.. | | 81.0 | 77.1 | * | * | * |

* FIGURE DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION; BASED ON FEWER THAN 20 BIRTHS IN THE NUMERATOR.
1/ INCLUDES ALEUTS AND ESKIMOS.

-