

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, ALL BIRTHWEIGHTS						
ALL CAUSES.....	NUMBER... 4,058,882	27,960	18,733	14,893	3,841	9,227
	RATE.....	688.9	461.5	366.9	94.6	227.3
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 5,756	4,170	3,185	985	1,587	
	RATE.....	141.8	102.7	78.5	24.3	39.1
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER... 4,401	4,323	4,198	126	77	
	RATE.....	108.4	106.5	103.4	3.1	1.9
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 2,522	198	29	169	2,324	
	RATE.....	62.1	4.9	.7	4.2	57.3
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 1,391	1,379	1,363	16	11	
	RATE.....	34.3	34.0	33.6	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 1,042	1,027	990	37	14	
	RATE.....	25.7	25.3	24.4	.9	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 1,007	936	742	194	71	
	RATE.....	24.8	23.1	18.3	4.8	1.7
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)....	NUMBER... 876	92	28	63	784	
	RATE.....	21.6	2.3	.7	1.6	19.3
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 774	741	336	405	32	
	RATE.....	19.1	18.3	8.3	10.0	.8
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)....	NUMBER... 658	251	140	111	407	
	RATE.....	16.2	6.2	3.4	2.7	10.0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)...	NUMBER... 625	583	422	161	42	
	RATE.....	15.4	14.4	10.4	4.0	1.0
ALL OTHER CAUSES.....	NUMBER... 8,910	5,032	3,459	1,573	3,878	
	RATE.....	219.5	124.0	85.2	38.8	95.5

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	308,074	18,299	14,929	12,536	2,393	3,370
		5,939.7	4,845.8	4,069.2	776.7	1,093.8
CONGENITAL MALFORMATIONS (Q00-Q99).....		3,300	2,595	2,190	404	705
		1,071.2	842.2	711.0	131.2	229.0
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		4,191	4,115	3,991	124	76
		1,360.4	1,335.7	1,295.5	40.1	24.7
SUDDEN INFANT DEATH SYNDROME (R95).....		521	44	7	37	477
		169.1	14.4	*	12.1	154.7
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		1,306	1,296	1,281	15	10
		423.9	420.6	415.8	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		904	894	871	23	10
		293.6	290.3	282.8	7.5	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		974	913	723	190	60
		316.0	296.4	234.6	61.7	19.6
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		123	15	8	7	108
		40.1	*	*	*	35.1
BACTERIAL SEPSIS OF NEWBORN (P36).....		653	627	278	349	26
		211.9	203.4	90.3	113.1	8.5
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		287	117	73	43	170
		93.2	37.9	23.8	14.0	55.3
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		291	281	223	57	10
		94.4	91.1	72.5	18.6	*
ALL OTHER CAUSES.....		5,748	4,032	2,889	1,143	1,716
		1,865.9	1,308.9	937.9	371.0	557.0

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 3,748,046	9,259	3,427	1,986	1,441	5,832
	RATE.....	247.0	91.4	53.0	38.5	155.6
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 2,425	2,425	1,549	970	580	876
	RATE.....	64.7	41.3	25.9	15.5	23.4
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER... 34	34	33	32	1	1
	RATE.....	.9	.9	.9	*	*
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 1,998	1,998	153	21	132	1,845
	RATE.....	53.3	4.1	.6	3.5	49.2
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 26	26	25	24	1	1
	RATE.....	.7	.7	.6	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 99	99	94	80	14	4
	RATE.....	2.6	2.5	2.1	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 26	26	16	12	4	10
	RATE.....	.7	*	*	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 749	749	76	19	56	674
	RATE.....	20.0	2.0	*	1.5	18.0
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 116	116	110	55	55	6
	RATE.....	3.1	2.9	1.5	1.5	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 368	368	132	64	68	237
	RATE.....	9.8	3.5	1.7	1.8	6.3
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....	NUMBER... 326	326	294	192	102	32
	RATE.....	8.7	7.8	5.1	2.7	.9
ALL OTHER CAUSES.....	NUMBER... 3,090	3,090	945	515	429	2,146
	RATE.....	82.5	25.2	13.7	11.5	57.2

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	2,762	403	378	371	7	25
		14,596.8	13,679.3	13,423.5	*	917.4
CONGENITAL MALFORMATIONS (Q00-Q99).....		31	26	25	1	5
		1,114.4	930.8	894.6	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		175	175	174	1	-
		6,343.4	6,343.4	6,306.9	*	-
SUDDEN INFANT DEATH SYNDROME (R95).....		3	1	1	-	2
		*	*	*	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		59	59	59	-	-
		2,137.1	2,137.1	2,137.1	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		39	39	39	-	-
		1,396.6	1,396.6	1,396.6	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		7	7	7	-	-
		*	*	*	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		3	1	1	-	2
		*	*	*	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....		5	5	3	2	-
		*	*	*	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		2	2	2	-	-
		*	*	*	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		8	8	6	2	-
		*	*	*	*	-
ALL OTHER CAUSES.....		71	55	54	1	16
		2,574.0	1,986.8	1,950.6	*	*

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, ALL BIRTHWEIGHTS						
ALL CAUSES.....	NUMBER... 3,194,049	18,246	12,179	9,614	2,565	6,067
	RATE.....	571.3	381.3	301.0	80.3	189.9
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 4,425	4,425	3,277	2,510	767	1,148
	RATE.....	138.5	102.6	78.6	24.0	35.9
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER... 2,386	2,386	2,340	2,261	78	46
	RATE.....	74.7	73.2	70.8	2.4	1.4
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 1,653	1,653	126	17	109	1,527
	RATE.....	51.8	3.9	*	3.4	47.8
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 834	834	828	820	8	6
	RATE.....	26.1	25.9	25.7	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 712	712	705	680	25	7
	RATE.....	22.3	22.1	21.3	.8	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 626	626	578	456	122	48
	RATE.....	19.6	18.1	14.3	3.8	1.5
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)....	NUMBER... 576	576	56	18	37	521
	RATE.....	18.0	1.7	*	1.2	16.3
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 469	469	453	214	238	16
	RATE.....	14.7	14.2	6.7	7.5	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)....	NUMBER... 446	446	173	97	76	274
	RATE.....	14.0	5.4	3.0	2.4	8.6
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)...	NUMBER... 436	436	408	297	111	28
	RATE.....	13.7	12.8	9.3	3.5	.9
ALL OTHER CAUSES.....	NUMBER... 5,683	5,683	3,238	2,243	995	2,446
	RATE.....	177.9	101.4	70.2	31.1	76.6

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	209,477	11,326	9,348	7,862	1,486	1,979
	RATE.....	5,406.9	4,462.4	3,753.0	709.4	944.5
CONGENITAL MALFORMATIONS (Q00-Q99).....		2,512	2,028	1,728	301	484
	RATE.....	1,199.2	968.3	824.8	143.5	230.8
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		2,268	2,223	2,147	76	45
	RATE.....	1,082.9	1,061.4	1,025.1	36.3	21.4
SUDDEN INFANT DEATH SYNDROME (R95).....		299	28	4	24	271
	RATE.....	142.8	13.5	*	11.6	129.3
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		786	780	773	7	6
	RATE.....	375.2	372.3	368.9	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		610	606	592	14	3
	RATE.....	291.0	289.5	282.8	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		606	564	445	120	41
	RATE.....	289.1	269.4	212.2	57.2	19.7
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		66	8	4	4	58
	RATE.....	31.5	*	*	*	27.6
BACTERIAL SEPSIS OF NEWBORN (P36).....		376	365	168	197	11
	RATE.....	179.6	174.3	80.4	93.9	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		179	79	50	29	100
	RATE.....	85.4	37.7	23.8	13.9	47.7
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		178	172	139	32	6
	RATE.....	84.8	81.9	66.5	15.4	*
ALL OTHER CAUSES.....		3,447	2,493	1,811	682	954
	RATE.....	1,645.5	1,190.1	864.6	325.6	455.4

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 2,982,366	6,672	2,602	1,529	1,073	4,069
	RATE.....	223.7	87.3	51.3	36.0	136.4
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 1,889	1,889	1,229	763	466	660
	RATE.....	63.3	41.2	25.6	15.6	22.1
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER... 24	24	23	22	1	1
	RATE.....	.8	.8	.7	*	*
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 1,351	1,351	97	12	85	1,255
	RATE.....	45.3	3.2	*	2.8	42.1
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... 12	12	12	11	1	-
	RATE.....	*	*	*	*	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 77	77	73	62	11	4
	RATE.....	2.6	2.5	2.1	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... 16	16	9	7	2	7
	RATE.....	*	*	*	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... 508	508	47	13	33	462
	RATE.....	17.0	1.6	*	1.1	15.5
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 89	89	84	45	39	5
	RATE.....	3.0	2.8	1.5	1.3	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... 267	267	93	46	47	174
	RATE.....	8.9	3.1	1.5	1.6	5.8
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....	NUMBER... 252	252	230	153	77	22
	RATE.....	8.5	7.7	5.1	2.6	.7
ALL OTHER CAUSES.....	NUMBER... 2,185	2,185	705	394	312	1,479
	RATE.....	73.3	23.6	13.2	10.4	49.6

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	2,206	248	229	223	6	19
		11,256.0	10,384.9	10,109.8	*	*
CONGENITAL MALFORMATIONS (Q00-Q99).....		24	20	20	-	4
		1,072.3	889.1	889.1	-	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		93	93	92	1	-
		4,205.2	4,205.2	4,159.6	*	-
SUDDEN INFANT DEATH SYNDROME (R95).....		3	1	1	-	2
		*	*	*	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		36	36	36	-	-
		1,609.6	1,609.6	1,609.6	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		25	25	25	-	-
		1,147.0	1,147.0	1,147.0	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		4	4	4	-	-
		*	*	*	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		2	1	1	-	1
		*	*	*	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....		3	3	1	2	-
		*	*	*	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		1	1	1	-	-
		*	*	*	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		6	6	4	2	-
		*	*	*	*	-
ALL OTHER CAUSES.....		52	40	39	1	12
		2,345.4	1,795.1	1,749.7	*	*

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, ALL BIRTHWEIGHTS						
ALL CAUSES.....	622,621	8,391	5,684	4,582	1,102	2,707
		1,347.7	912.9	735.9	176.9	434.8
CONGENITAL MALFORMATIONS (Q00-Q99).....		1,040	685	513	172	355
		167.0	110.0	82.4	27.6	57.0
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		1,828	1,799	1,757	42	29
		293.6	288.9	282.1	6.8	4.7
SUDDEN INFANT DEATH SYNDROME (R95).....		760	67	10	57	693
		122.1	10.8	*	9.2	111.3
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		501	496	489	7	5
		80.5	79.6	78.5	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		284	278	267	11	6
		45.6	44.6	42.8	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		342	324	260	64	18
		55.0	52.1	41.7	10.3	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		254	32	10	22	222
		40.8	5.2	*	3.6	35.6
BACTERIAL SEPSIS OF NEWBORN (P36).....		271	256	108	149	15
		43.6	41.2	17.3	23.9	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		166	57	25	31	110
		26.7	9.1	4.1	5.0	17.6
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		149	137	97	40	12
		24.0	22.1	15.6	6.5	*
ALL OTHER CAUSES.....		2,794	1,552	1,046	505	1,242
		448.8	249.2	168.1	81.1	199.5

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	81,116	6,145	4,898	4,099	799	1,248
		7,576.0	6,037.7	5,053.0	984.7	1,538.3
CONGENITAL MALFORMATIONS (Q00-Q99).....		615	430	347	82	185
		758.2	529.7	428.0	101.7	228.5
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		1,750	1,721	1,679	42	29
		2,157.4	2,121.5	2,069.3	52.2	35.9
SUDDEN INFANT DEATH SYNDROME (R95).....		203	16	3	13	186
		249.7	*	*	*	229.8
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		468	464	457	7	4
		577.3	572.3	563.6	*	*
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		256	250	242	8	6
		316.0	308.6	298.7	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		331	316	253	63	15
		408.5	389.9	311.7	78.2	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		53	7	4	3	46
		65.9	*	*	*	57.2
BACTERIAL SEPSIS OF NEWBORN (P36).....		249	235	99	137	14
		307.3	289.9	121.5	168.4	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		88	27	13	14	60
		108.2	33.7	*	*	74.5
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		87	84	64	20	3
		107.1	103.4	78.6	24.8	*
ALL OTHER CAUSES.....		2,045	1,347	938	409	698
		2,520.6	1,660.2	1,156.5	503.7	860.4

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... RATE.....	541,244 2,116 391.0	661 122.1	358 66.2	303 55.9	1,455 268.9
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... RATE.....	423 78.1	253 46.8	164 30.3	90 16.5	169 31.3
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER... RATE.....	9 *	9 *	9 *	- -	- -
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... RATE.....	558 103.1	51 9.5	7 *	44 8.2	507 93.6
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... RATE.....	11 *	10 *	10 *	- -	1 *
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... RATE.....	17 *	17 *	14 *	3 *	- -
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... RATE.....	8 *	5 *	4 *	1 *	3 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER... RATE.....	201 37.1	25 4.6	6 *	19 *	175 32.4
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... RATE.....	20 3.7	19 *	7 *	12 *	1 *
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER... RATE.....	78 14.3	28 5.2	11 *	17 *	49 9.1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....	NUMBER... RATE.....	61 11.2	51 9.5	31 5.8	20 3.7	9 *
ALL OTHER CAUSES.....	NUMBER... RATE.....	731 135.1	191 35.3	94 17.4	97 17.9	540 99.8

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	261	129	125	125	-	4
	RATE.....	49,502.2	47,938.9	47,938.9	-	*
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER...	2	2	2	-	-
	RATE.....	*	*	*	-	-
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER...	69	69	69	-	-
	RATE.....	26,453.0	26,453.0	26,453.0	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER...	-	-	-	-	-
	RATE.....	-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER...	21	21	21	-	-
	RATE.....	8,230.4	8,230.4	8,230.4	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER...	10	10	10	-	-
	RATE.....	*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER...	3	3	3	-	-
	RATE.....	*	*	*	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....	NUMBER...	-	-	-	-	-
	RATE.....	-	-	-	-	-
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER...	2	2	2	-	-
	RATE.....	*	*	*	-	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....	NUMBER...	1	1	1	-	-
	RATE.....	*	*	*	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....	NUMBER...	2	2	2	-	-
	RATE.....	*	*	*	-	-
ALL OTHER CAUSES.....	NUMBER...	18	14	14	-	4
	RATE.....	*	*	*	-	*

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, ALL BIRTHWEIGHTS						
ALL CAUSES.....	41,668	346	183	143	40	164
		831.2	438.7	343.7	95.0	392.4
CONGENITAL MALFORMATIONS (Q00-Q99).....		61	42	31	11	19
		145.8	101.0	74.3	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		46	44	41	3	2
		110.6	105.4	97.7	*	*
SUDDEN INFANT DEATH SYNDROME (R95).....		50	2	-	2	48
		119.4	*	-	*	114.6
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		6	6	6	-	-
		*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		12	12	12	-	-
		*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		6	5	4	1	1
		*	*	*	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)....		24	-	-	-	24
		58.6	-	-	-	58.6
BACTERIAL SEPSIS OF NEWBORN (P36).....		10	10	4	6	-
		*	*	*	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)....		7	4	3	1	3
		*	*	*	*	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)...		8	7	6	1	1
		*	*	*	*	*
ALL OTHER CAUSES.....		116	50	36	14	65
		277.2	120.3	86.2	*	157.0

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	2,825	176	140	118	22	36
	RATE.....	6,238.5	4,953.8	4,159.4	794.3	1,284.8
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER...	28	23	19	4	5
	RATE.....	993.9	806.5	*	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER...	43	41	38	3	2
	RATE.....	1,518.6	1,441.9	1,329.5	*	*
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER...	7	-	-	-	7
	RATE.....	*	-	-	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER...	6	6	6	-	-
	RATE.....	*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER...	11	11	11	-	-
	RATE.....	*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER...	6	5	4	1	1
	RATE.....	*	*	*	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)....	NUMBER...	3	-	-	-	3
	RATE.....	*	-	-	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER...	9	9	4	5	-
	RATE.....	*	*	*	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)....	NUMBER...	1	1	1	-	-
	RATE.....	*	*	*	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)...	NUMBER...	5	5	4	1	-
	RATE.....	*	*	*	*	-
ALL OTHER CAUSES.....	NUMBER...	56	39	31	8	18
	RATE.....	1,997.4	1,376.2	1,090.6	*	*

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER... 38,813	166	40	23	17	126
	RATE.....	427.5	102.3	58.1	*	325.2
CONGENITAL MALFORMATIONS (Q00-Q99).....	NUMBER... 33	33	19	12	7	13
	RATE.....	84.2	*	*	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....	NUMBER... -	-	-	-	-	-
	RATE.....	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....	NUMBER... 43	43	2	-	2	41
	RATE.....	109.7	*	-	*	104.5
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....	NUMBER... -	-	-	-	-	-
	RATE.....	-	-	-	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....	NUMBER... 1	1	1	1	-	-
	RATE.....	*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....	NUMBER... -	-	-	-	-	-
	RATE.....	-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)....	NUMBER... 20	20	-	-	-	20
	RATE.....	52.5	-	-	-	52.5
BACTERIAL SEPSIS OF NEWBORN (P36).....	NUMBER... 1	1	1	-	1	-
	RATE.....	*	*	-	*	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)....	NUMBER... 6	6	3	2	1	3
	RATE.....	*	*	*	*	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)...	NUMBER... 3	3	2	2	-	1
	RATE.....	*	*	*	-	*
ALL OTHER CAUSES.....	NUMBER... 59	59	11	5	6	48
	RATE.....	152.2	*	*	*	123.3

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
AMERICAN INDIAN 1/, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	30	4	3	3	-	1
		*	*	*	-	*
CONGENITAL MALFORMATIONS (Q00-Q99).....		-	-	-	-	-
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		3	3	3	-	-
		*	*	*	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....		-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		-	-	-	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		-	-	-	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)....		1	-	-	-	1
		*	-	-	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....		-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)....		-	-	-	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)...		-	-	-	-	-
ALL OTHER CAUSES.....		-	-	-	-	-

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ASIAN OR PACIFIC ISLANDER, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	14,656	651	544	458	85	107
	RATE.....	4,440.7	3,709.6	3,126.4	583.2	731.1
CONGENITAL MALFORMATIONS (Q00-Q99).....		145	114	97	17	31
	RATE.....	990.0	776.3	659.8	*	213.7
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		130	130	128	2	-
	RATE.....	885.9	885.9	872.0	*	-
SUDDEN INFANT DEATH SYNDROME (R95).....		12	-	-	-	12
	RATE.....	*	-	-	-	*
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		46	46	45	1	-
	RATE.....	311.2	311.2	304.4	*	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		27	26	25	1	1
	RATE.....	187.3	180.5	173.7	*	*
RESPIRATORY DISTRESS OF NEWBORN (P22).....		30	27	21	6	3
	RATE.....	207.6	187.0	145.9	*	*
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		1	-	-	-	1
	RATE.....	*	-	-	-	*
BACTERIAL SEPSIS OF NEWBORN (P36).....		18	17	7	10	1
	RATE.....	*	*	*	*	*
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		19	9	9	-	10
	RATE.....	*	*	*	-	*
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		21	20	16	4	1
	RATE.....	145.7	138.6	*	*	*
ALL OTHER CAUSES.....		200	154	109	44	47
	RATE.....	1,366.0	1,048.8	747.1	301.6	317.3

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)
 (INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ASIAN OR PACIFIC ISLANDER, NOT STATED BIRTHWEIGHT						
ALL CAUSES.....	265	21	20	19	1	1
		8,102.5	7,714.0	*	*	*
CONGENITAL MALFORMATIONS (Q00-Q99).....		5	4	3	1	1
		*	*	*	*	*
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)....		10	10	10	-	-
		*	*	*	-	-
SUDDEN INFANT DEATH SYNDROME (R95).....		-	-	-	-	-
		-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (P01).....		2	2	2	-	-
		*	*	*	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (P02).....		3	3	3	-	-
		*	*	*	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22).....		-	-	-	-	-
		-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59).....		-	-	-	-	-
		-	-	-	-	-
BACTERIAL SEPSIS OF NEWBORN (P36).....		-	-	-	-	-
		-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM (I00-I99).....		-	-	-	-	-
		-	-	-	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)....		-	-	-	-	-
		-	-	-	-	-
ALL OTHER CAUSES.....		1	1	1	-	-
		*	*	*	-	-

* FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION; BASED ON FEWER THAN 20 DEATHS IN THE NUMERATOR.
 1/ INCLUDES ALEUTS AND ESKIMOS.

-