

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
All races						
All birthweights						
All causes	4,021,825	27,970 695.4	18,791 467.2	15,020 373.5	3,771 93.8	9,179 228.2
Congenital malformations (Q00-Q99)		5,630 140.0	3,992 99.3	3,001 74.6	991 24.6	1,637 40.7
Short gestation and low birthweight nec (P07)		4,636 115.3	4,538 112.8	4,417 109.8	122 3.0	98 2.4
Sudden infant death syndrome (R95)		2,295 57.1	192 4.8	36 0.9	156 3.9	2,103 52.3
Maternal complications of pregnancy (P01)		1,704 42.4	1,691 42.0	1,673 41.6	18 *	13 *
Complications of placenta, cord, membranes (P02)		1,013 25.2	998 24.8	961 23.9	37 0.9	15 *
Respiratory distress of newborn (P22)		949 23.6	881 21.9	707 17.6	173 4.3	68 1.7
Accidents (unintentional injuries) (V01-X59)		940 23.4	108 2.7	32 0.8	75 1.9	832 20.7
Bacterial sepsis of newborn (P36)		753 18.7	707 17.6	330 8.2	377 9.4	46 1.2
Diseases of the circulatory system (I00-I99)		662 16.5	236 5.9	145 3.6	90 2.2	426 10.6
Intrauterine hypoxia, birth asphyxia (P20-P21)		582 14.5	542 13.5	425 10.6	117 2.9	40 1.0
All other causes		8,806 219.0	4,905 122.0	3,291 81.8	1,614 40.1	3,901 97.0
Less than 2,500 grams						
All causes	315,028	18,758 5,954.4	15,324 4,864.4	12,904 4,096.0	2,421 768.4	3,434 1,090.0
Congenital malformations (Q00-Q99)		3,279 1,040.8	2,595 823.7	2,144 680.6	451 143.1	684 217.1
Short gestation and low birthweight nec (P07)		4,455 1,414.3	4,362 1,384.6	4,240 1,346.1	122 38.6	94 29.7
Sudden infant death syndrome (R95)		462 146.6	43 13.7	10 *	33 10.6	418 132.8
Maternal complications of pregnancy (P01)		1,593 505.6	1,582 502.1	1,566 497.0	16 *	11 *
Complications of placenta, cord, membranes (P02)		899 285.2	890 282.4	868 275.7	21 6.7	9 *
Respiratory distress of newborn (P22)		922 292.5	861 273.4	690 219.1	171 54.3	60 19.1
Accidents (unintentional injuries) (V01-X59)		168 53.3	24 7.7	10 *	14 *	144 45.7
Bacterial sepsis of newborn (P36)		670 212.6	629 199.8	285 90.4	345 109.4	40 12.8
Diseases of the circulatory system (I00-I99)		271 85.9	117 37.0	77 24.5	39 12.5	154 48.9

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
All races						
Less than 2,500 grams						
Intrauterine hypoxia, birth asphyxia (P20-P21)		311 98.7	296 94.0	245 77.7	51 16.2	15 *
All other causes		5,730 1,818.7	3,925 1,246.1	2,768 878.6	1,158 367.4	1,804 572.7
2,500 grams or more						
All causes	3,705,556	8,840 238.6	3,103 83.7	1,760 47.5	1,343 36.3	5,737 154.8
Congenital malformations (Q00-Q99)		2,319 62.6	1,366 36.9	829 22.4	537 14.5	953 25.7
Short gestation and low birthweight nec (P07)		32 0.9	30 0.8	30 0.8	- -	2 *
Sudden infant death syndrome (R95)		1,831 49.4	148 4.0	25 0.7	122 3.3	1,683 45.4
Maternal complications of pregnancy (P01)		33 0.9	31 0.8	29 0.8	2 *	2 *
Complications of placenta, cord, membranes (P02)		82 2.2	77 2.1	61 1.6	16 *	5 *
Respiratory distress of newborn (P22)		23 0.6	15 *	13 *	2 *	8 *
Accidents (unintentional injuries) (V01-X59)		771 20.8	84 2.3	22 0.6	61 1.7	687 18.5
Bacterial sepsis of newborn (P36)		83 2.2	77 2.1	45 1.2	32 0.9	6 *
Diseases of the circulatory system (I00-I99)		387 10.4	116 3.1	65 1.8	51 1.4	271 7.3
Intrauterine hypoxia, birth asphyxia (P20-P21)		264 7.1	239 6.5	175 4.7	64 1.7	25 0.7
All other causes		3,015 81.4	921 24.9	466 12.6	455 12.3	2,094 56.5
Not stated birthweight						
All causes	1,241	371 29,907.2	363 29,254.2	356 28,684.2	7 *	8 *
Congenital malformations (Q00-Q99)		32 2,543.0	32 2,543.0	29 2,300.1	3 *	- -
Short gestation and low birthweight nec (P07)		148 11,909.2	146 11,743.6	146 11,743.6	- -	2 *
Sudden infant death syndrome (R95)		2 *	1 *	1 *	- -	1 *
Maternal complications of pregnancy (P01)		79 6,357.0	79 6,357.0	79 6,357.0	- -	- -
Complications of placenta, cord, membranes (P02)		33 2,619.0	31 2,538.2	31 2,538.2	- -	1 *
Respiratory distress of newborn (P22)		4 *	4 *	4 *	- -	- -
Accidents (unintentional injuries) (V01-X59)		1	-	-	-	1

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
All races						
Not stated birthweight						
Accidents (unintentional injuries) (V01-X59)		*	-	-	-	*
Bacterial sepsis of newborn (P36)		1 *	1 *	1 *	-	-
Diseases of the circulatory system (I00-I99)		4 *	3 *	3 *	-	1 *
Intrauterine hypoxia, birth asphyxia (P20-P21)		7 *	7 *	5 *	2 *	-
All other causes		61	59	57	2	2
		4,919.9	4,755.8	4,592.3	*	*
White						
All birthweights						
All causes	3,174,807	18,395 579.4	12,352 389.1	9,804 308.8	2,548 80.3	6,044 190.4
Congenital malformations (Q00-Q99)		4,309 135.7	3,121 98.3	2,370 74.7	751 23.6	1,188 37.4
Short gestation and low birthweight nec (P07)		2,564 80.7	2,511 79.1	2,451 77.2	60 1.9	52 1.6
Sudden infant death syndrome (R95)		1,538 48.5	130 4.1	25 0.8	105 3.3	1,409 44.4
Maternal complications of pregnancy (P01)		1,053 33.2	1,046 32.9	1,031 32.5	15 *	7 *
Complications of placenta, cord, membranes (P02)		660 20.8	647 20.4	623 19.6	24 0.8	13 *
Respiratory distress of newborn (P22)		589 18.6	551 17.4	457 14.4	95 3.0	38 1.2
Accidents (unintentional injuries) (V01-X59)		595 18.7	68 2.1	22 0.7	45 1.4	527 16.6
Bacterial sepsis of newborn (P36)		499 15.7	468 14.7	224 7.0	244 7.7	31 1.0
Diseases of the circulatory system (I00-I99)		438 13.8	170 5.4	100 3.1	70 2.2	268 8.4
Intrauterine hypoxia, birth asphyxia (P20-P21)		412 13.0	388 12.2	311 9.8	76 2.4	24 0.8
All other causes		5,738 180.7	3,252 102.4	2,189 69.0	1,063 33.5	2,486 78.3
Less than 2,500 grams						
All causes	216,373	11,830 5,467.3	9,787 4,523.0	8,238 3,807.4	1,548 715.6	2,043 944.3
Congenital malformations (Q00-Q99)		2,476 1,144.4	2,009 928.7	1,687 779.5	323 149.2	467 215.7
Short gestation and low birthweight nec (P07)		2,476 1,144.5	2,425 1,120.8	2,365 1,092.9	60 27.9	51 23.7
Sudden infant death syndrome (R95)		280 129.2	30 14.0	6 *	24 11.2	249 115.2
Maternal complications of pregnancy (P01)		989	984	971	13	5

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
White						
Less than 2,500 grams						
Maternal complications of pregnancy (P01)		457.1	454.8	448.7	*	*
Complications of placenta, cord, membranes (P02)		583	573	559	14	9
		269.2	265.1	258.5	*	*
Respiratory distress of newborn (P22)		569	538	445	94	31
		263.1	248.7	205.5	43.3	14.4
Accidents (unintentional injuries) (V01-X59)		99	17	8	9	81
		45.6	*	*	*	37.6
Bacterial sepsis of newborn (P36)		441	413	189	224	27
		203.6	191.1	87.5	103.6	12.5
Diseases of the circulatory system (I00-I99)		163	76	47	29	87
		75.1	35.2	21.7	13.5	40.0
Intrauterine hypoxia, birth asphyxia (P20-P21)		202	196	168	28	6
		93.3	90.5	77.6	13.0	*
All other causes		3,553	2,524	1,794	729	1,030
		1,642.2	1,166.3	829.1	337.1	475.9
2,500 grams or more						
All causes	2,957,532	6,366	2,370	1,374	996	3,996
		215.3	80.1	46.5	33.7	135.1
Congenital malformations (Q00-Q99)		1,806	1,085	659	427	721
		61.1	36.7	22.3	14.4	24.4
Short gestation and low birthweight nec (P07)		17	17	17	-	-
		*	*	*	-	-
Sudden infant death syndrome (R95)		1,258	99	19	80	1,158
		42.5	3.4	*	2.7	39.2
Maternal complications of pregnancy (P01)		24	22	20	2	2
		0.8	0.8	0.7	*	*
Complications of placenta, cord, membranes (P02)		59	55	45	10	4
		2.0	1.8	1.5	*	*
Respiratory distress of newborn (P22)		18	11	10	1	7
		*	*	*	*	*
Accidents (unintentional injuries) (V01-X59)		496	50	14	36	446
		16.8	1.7	*	1.2	15.1
Bacterial sepsis of newborn (P36)		59	55	34	20	4
		2.0	1.8	1.2	0.7	*
Diseases of the circulatory system (I00-I99)		272	92	51	41	180
		9.2	3.1	1.7	1.4	6.1
Intrauterine hypoxia, birth asphyxia (P20-P21)		205	187	139	47	18
		6.9	6.3	4.7	1.6	*
All other causes		2,152	697	366	331	1,456
		72.8	23.6	12.4	11.2	49.2
Not stated birthweight						
All causes	902	199	195	191	4	4
		22,059.1	21,609.0	21,158.9	*	*
Congenital malformations (Q00-Q99)		26	26	25	1	-
		2,928.2	2,928.2	2,817.4	*	-

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
White						
Not stated birthweight						
Short gestation and low birthweight nec (P07)		70	69	69	-	1
		7,754.2	7,640.6	7,640.6	-	*
Sudden infant death syndrome (R95)		1	-	-	-	1
		*	-	-	-	*
Maternal complications of pregnancy (P01)		40	40	40	-	-
		4,384.0	4,384.0	4,384.0	-	-
Complications of placenta, cord, membranes (P02)		19	19	19	-	-
		*	*	*	-	-
Respiratory distress of newborn (P22)		2	2	2	-	-
		*	*	*	-	-
Accidents (unintentional injuries) (V01-X59)		-	-	-	-	-
		-	-	-	-	-
Bacterial sepsis of newborn (P36)		-	-	-	-	-
		-	-	-	-	-
Diseases of the circulatory system (I00-I99)		3	2	2	-	1
		*	*	*	-	*
Intrauterine hypoxia, birth asphyxia (P20-P21)		5	5	4	1	-
		*	*	*	*	-
All other causes		33	32	29	2	1
		3,609.3	3,494.9	3,270.0	*	*
Black						
All birthweights						
All causes	593,743	8,201	5,533	4,506	1,027	2,668
		1,381.3	931.9	759.0	173.0	449.4
Congenital malformations (Q00-Q99)		1,016	657	482	175	359
		171.1	110.6	81.1	29.5	60.5
Short gestation and low birthweight nec (P07)		1,865	1,824	1,769	55	41
		314.2	307.2	297.9	9.3	6.9
Sudden infant death syndrome (R95)		653	54	8	46	598
		109.9	9.1	*	7.8	100.8
Maternal complications of pregnancy (P01)		561	555	552	3	6
		94.5	93.5	93.0	*	*
Complications of placenta, cord, membranes (P02)		314	312	302	10	2
		52.9	52.5	50.8	*	*
Respiratory distress of newborn (P22)		328	301	228	72	27
		55.2	50.7	38.5	12.2	4.6
Accidents (unintentional injuries) (V01-X59)		305	36	8	28	269
		51.4	6.1	*	4.7	45.3
Bacterial sepsis of newborn (P36)		231	219	96	122	12
		38.9	36.9	16.2	20.6	*
Diseases of the circulatory system (I00-I99)		182	54	38	16	129
		30.7	9.0	6.3	*	21.7
Intrauterine hypoxia, birth asphyxia (P20-P21)		139	124	95	29	15
		23.5	20.9	16.0	4.9	*
All other causes		2,607	1,397	928	469	1,209
		439.0	235.4	156.3	79.0	203.7

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
Black						
Less than 2,500 grams						
All causes	79,137	6,056 7,652.6	4,830 6,103.9	4,079 5,154.1	752 949.9	1,226 1,548.7
Congenital malformations (Q00-Q99)		629 794.7	450 568.4	353 446.1	97 122.3	179 226.3
Short gestation and low birthweight nec (P07)		1,784 2,254.6	1,746 2,206.3	1,691 2,136.5	55 69.8	38 48.3
Sudden infant death syndrome (R95)		161 203.5	12 *	3 *	9 *	149 188.3
Maternal complications of pregnancy (P01)		519 655.6	513 647.9	510 644.1	3 *	6 *
Complications of placenta, cord, membranes (P02)		284 358.3	284 358.3	277 350.6	6 *	- -
Respiratory distress of newborn (P22)		322 406.8	296 373.8	224 283.6	71 90.2	26 33.0
Accidents (unintentional injuries) (V01-X59)		66 83.9	7 *	2 *	5 *	59 75.1
Bacterial sepsis of newborn (P36)		211 266.3	201 253.6	87 110.2	113 143.4	10 *
Diseases of the circulatory system (I00-I99)		95 119.9	37 47.3	28 35.9	9 *	57 72.6
Intrauterine hypoxia, birth asphyxia (P20-P21)		91 114.9	83 104.8	67 84.5	16 *	8 *
All other causes		1,895 2,394.1	1,203 1,519.6	836 1,056.1	367 463.5	692 874.6
2,500 grams or more						
All causes	514,367	1,993 387.5	554 107.7	282 54.7	272 52.9	1,439 279.8
Congenital malformations (Q00-Q99)		382 74.3	202 39.3	126 24.4	76 14.9	180 35.0
Short gestation and low birthweight nec (P07)		13 *	11 *	11 *	- -	2 *
Sudden infant death syndrome (R95)		491 95.4	41 8.0	4 *	37 7.2	449 87.4
Maternal complications of pregnancy (P01)		7 *	7 *	7 *	- -	- -
Complications of placenta, cord, membranes (P02)		18 *	17 *	13 *	4 *	1 *
Respiratory distress of newborn (P22)		4 *	3 *	2 *	1 *	1 *
Accidents (unintentional injuries) (V01-X59)		238 46.2	29 5.7	6 *	23 4.5	208 40.5
Bacterial sepsis of newborn (P36)		19 *	17 *	8 *	9 *	2 *
Diseases of the circulatory system (I00-I99)		88 17.0	16 *	9 *	7 *	71 13.9

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
Black						
2,500 grams or more						
Intrauterine hypoxia, birth asphyxia (P20-P21)		46 9.0	39 7.6	27 5.3	12 *	7 *
All other causes		688 133.7	170 33.1	68 13.2	103 19.9	517 100.5
Not stated birthweight						
All causes	239	152 63,616.3	149 62,345.2	146 61,084.0	3 *	3 *
Congenital malformations (Q00-Q99)		5 *	5 *	3 *	2 *	- -
Short gestation and low birthweight nec (P07)		68 28,376.3	67 27,945.2	67 27,945.2	- -	1 *
Sudden infant death syndrome (R95)		1 *	1 *	1 *	- -	- -
Maternal complications of pregnancy (P01)		35 14,775.7	35 14,775.7	35 14,775.7	- -	- -
Complications of placenta, cord, membranes (P02)		12 *	11 *	11 *	- -	1 *
Respiratory distress of newborn (P22)		2 *	2 *	2 *	- -	- -
Accidents (unintentional injuries) (V01-X59)		1 *	- -	- -	- -	1 *
Bacterial sepsis of newborn (P36)		1 *	1 *	1 *	- -	- -
Diseases of the circulatory system (I00-I99)		- -	- -	- -	- -	- -
Intrauterine hypoxia, birth asphyxia (P20-P21)		2 *	2 *	1 *	1 *	- -
All other causes		24 10,235.7	24 10,235.7	24 10,235.7	- -	- -
American Indian ¹						
All birthweights						
All causes	42,367	366 864.8	195 461.1	137 323.5	58 137.6	171 403.7
Congenital malformations (Q00-Q99)		80 188.1	50 119.1	30 71.5	20 47.5	29 69.1
Short gestation and low birthweight nec (P07)		46 108.0	46 108.0	45 105.6	1 *	- -
Sudden infant death syndrome (R95)		52 123.3	3 *	- -	3 *	49 116.1
Maternal complications of pregnancy (P01)		22 52.6	22 52.6	22 52.6	- -	- -
Complications of placenta, cord, membranes (P02)		7 *	7 *	7 *	- -	- -
Respiratory distress of newborn (P22)		9 *	8 *	4 *	4 *	1 *

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
American Indian ¹						
All birthweights						
Accidents (unintentional injuries) (V01-X59)		16 *	2 *	1 *	1 *	14 *
Bacterial sepsis of newborn (P36)		4 *	4 *	2 *	2 *	- -
Diseases of the circulatory system (I00-I99)		7 *	3 *	2 *	1 *	4 *
Intrauterine hypoxia, birth asphyxia (P20-P21)		10 *	9 *	2 *	7 *	1 *
All other causes		113 266.4	40 95.5	21 50.5	19 *	72 170.9
Less than 2,500 grams						
All causes	3,072	197 6,421.8	146 4,748.9	115 3,734.4	31 1,014.5	51 1,672.9
Congenital malformations (Q00-Q99)		38 1,250.3	27 888.6	20 658.7	7 *	11 *
Short gestation and low birthweight nec (P07)		44 1,423.1	44 1,423.1	43 1,390.5	1 *	- -
Sudden infant death syndrome (R95)		14 *	- -	- -	- -	14 *
Maternal complications of pregnancy (P01)		22 725.9	22 725.9	22 725.9	- -	- -
Complications of placenta, cord, membranes (P02)		7 *	7 *	7 *	- -	- -
Respiratory distress of newborn (P22)		9 *	8 *	4 *	4 *	1 *
Accidents (unintentional injuries) (V01-X59)		1 *	- -	- -	- -	1 *
Bacterial sepsis of newborn (P36)		2 *	2 *	1 *	1 *	- -
Diseases of the circulatory system (I00-I99)		3 *	2 *	1 *	1 *	1 *
Intrauterine hypoxia, birth asphyxia (P20-P21)		5 *	4 *	- -	4 *	1 *
All other causes		51 1,674.4	29 954.2	16 *	13 *	22 720.1
2,500 grams or more						
All causes	39,286	168 427.9	49 125.9	22 56.9	27 69.0	119 302.0
Congenital malformations (Q00-Q99)		41 105.1	23 58.9	10 *	13 *	18 *
Short gestation and low birthweight nec (P07)		2 *	2 *	2 *	- -	- -
Sudden infant death syndrome (R95)		38 97.1	3 *	- -	3 *	35 89.3
Maternal complications of pregnancy (P01)		-	-	-	-	-

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
American Indian ¹						
2,500 grams or more						
Maternal complications of pregnancy (P01)		-	-	-	-	-
Complications of placenta, cord, membranes (P02)		-	-	-	-	-
Respiratory distress of newborn (P22)		-	-	-	-	-
Accidents (unintentional injuries) (V01-X59)		15*	2*	1*	1*	13*
Bacterial sepsis of newborn (P36)		2*	2*	1*	1*	-
Diseases of the circulatory system (I00-I99)		4*	1*	1*	-	3*
Intrauterine hypoxia, birth asphyxia (P20-P21)		5*	5*	2*	3*	-
All other causes		60	11	5	6	49
		153.8	*	*	*	125.4
Not stated birthweight						
All causes	9	1	-	-	-	1
		100.0	-	-	-	100.0
Congenital malformations (Q00-Q99)		-	-	-	-	-
Short gestation and low birthweight nec (P07)		-	-	-	-	-
Sudden infant death syndrome (R95)		-	-	-	-	-
Maternal complications of pregnancy (P01)		-	-	-	-	-
Complications of placenta, cord, membranes (P02)		-	-	-	-	-
Respiratory distress of newborn (P22)		-	-	-	-	-
Accidents (unintentional injuries) (V01-X59)		-	-	-	-	-
Bacterial sepsis of newborn (P36)		-	-	-	-	-
Diseases of the circulatory system (I00-I99)		-	-	-	-	-
Intrauterine hypoxia, birth asphyxia (P20-P21)		-	-	-	-	-
All other causes		1	-	-	-	1
		100.0	-	-	-	100.0
Asian or Pacific Islander						
All birthweights						
All causes	210,908	1,006	710	573	138	296
		477.2	336.7	271.5	65.3	140.5
Congenital malformations (Q00-Q99)		225	164	119	45	61

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
Asian or Pacific Islander						
All birthweights						
Congenital malformations (Q00-Q99)		106.8	77.8	56.3	21.4	29.1
Short gestation and low birthweight nec (P07)		161 76.4	157 74.5	152 72.1	5 *	4 *
Sudden infant death syndrome (R95)		51 24.3	5 *	3 *	2 *	46 21.9
Maternal complications of pregnancy (P01)		68 32.1	68 32.1	68 32.1	- -	- -
Complications of placenta, cord, membranes (P02)		32 15.0	32 15.0	29 13.5	3 *	- -
Respiratory distress of newborn (P22)		22 10.6	20 9.6	18 *	2 *	2 *
Accidents (unintentional injuries) (V01-X59)		24 11.4	2 *	1 *	1 *	22 10.5
Bacterial sepsis of newborn (P36)		19 *	16 *	8 *	8 *	3 *
Diseases of the circulatory system (I00-I99)		34 16.2	9 *	6 *	3 *	25 11.9
Intrauterine hypoxia, birth asphyxia (P20-P21)		21 10.1	21 10.1	16 *	5 *	- -
All other causes		348 165.1	216 102.3	152 72.3	63 30.0	133 62.8
Less than 2,500 grams						
All causes	16,446	675 4,103.2	561 3,413.3	472 2,869.6	89 543.6	113 689.9
Congenital malformations (Q00-Q99)		136 824.5	108 659.4	84 512.7	24 146.8	27 165.1
Short gestation and low birthweight nec (P07)		151 918.9	147 894.5	142 864.1	5 *	4 *
Sudden infant death syndrome (R95)		7 *	1 *	1 *	- -	6 *
Maternal complications of pregnancy (P01)		63 381.3	63 381.3	63 381.3	- -	- -
Complications of placenta, cord, membranes (P02)		25 154.2	25 154.2	24 148.2	1 *	- -
Respiratory distress of newborn (P22)		21 129.4	19 *	17 *	2 *	2 *
Accidents (unintentional injuries) (V01-X59)		2 *	- -	- -	- -	2 *
Bacterial sepsis of newborn (P36)		16 *	13 *	7 *	6 *	3 *
Diseases of the circulatory system (I00-I99)		10 *	1 *	1 *	- -	9 *
Intrauterine hypoxia, birth asphyxia (P20-P21)		13 *	13 *	10 *	3 *	- -
All other causes		230	170	122	48	60

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
Asian or Pacific Islander						
Less than 2,500 grams						
All other causes		1,400.2	1,034.1	740.9	293.1	366.1
2,500 grams or more						
All causes	194,371	313 160.8	130 66.7	82 41.9	48 24.8	183 94.0
Congenital malformations (Q00-Q99)		90 46.2	56 28.6	35 17.8	21 10.8	34 17.6
Short gestation and low birthweight nec (P07)		- -	- -	- -	- -	- -
Sudden infant death syndrome (R95)		44 22.8	4 *	2 *	2 *	40 20.7
Maternal complications of pregnancy (P01)		1 *	1 *	1 *	- -	- -
Complications of placenta, cord, membranes (P02)		5 *	5 *	3 *	2 *	- -
Respiratory distress of newborn (P22)		1 *	1 *	1 *	- -	- -
Accidents (unintentional injuries) (V01-X59)		22 11.4	2 *	1 *	1 *	20 10.3
Bacterial sepsis of newborn (P36)		3 *	3 *	1 *	2 *	- -
Diseases of the circulatory system (I00-I99)		23 11.9	7 *	4 *	3 *	16 *
Intrauterine hypoxia, birth asphyxia (P20-P21)		8 *	8 *	6 *	2 *	- -
All other causes		115 59.2	43 22.0	28 14.2	15 *	72 37.2
Not stated birthweight						
All causes	91	19 *	19 *	19 *	- -	- -
Congenital malformations (Q00-Q99)		- -	- -	- -	- -	- -
Short gestation and low birthweight nec (P07)		10 *	10 *	10 *	- -	- -
Sudden infant death syndrome (R95)		- -	- -	- -	- -	- -
Maternal complications of pregnancy (P01)		4 *	4 *	4 *	- -	- -
Complications of placenta, cord, membranes (P02)		1 *	1 *	1 *	- -	- -
Respiratory distress of newborn (P22)		- -	- -	- -	- -	- -
Accidents (unintentional injuries) (V01-X59)		- -	- -	- -	- -	- -
Bacterial sepsis of newborn (P36)		- -	- -	- -	- -	- -

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age at death, birthweight, and race of mother for 10 major causes of infant death: United States, 2002 period data - Con.

[Infant deaths weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live births	Infant Deaths	Total Neonatal	Early Neonatal	Late Neonatal	Post-Neonatal
Asian or Pacific Islander						
Not stated birthweight						
Diseases of the circulatory system (I00-I99)		1 *	1 *	1 *	-	-
Intrauterine hypoxia, birth asphyxia (P20-P21)		-	-	-	-	-
All other causes		3 *	3 *	3 *	-	-

* Figure does not meet standard of reliability or precision; based on fewer than 20 deaths in the numerator.
 - Quantity zero.
 1 Includes Aleuts and Eskimos.