

FEDERAL SECURITY AGENCY  
OSCAR R. EWING, ADMINISTRATOR



PUBLIC HEALTH SERVICE  
LEONARD A. SCHEELE, SURGEON GENERAL

# VITAL STATISTICS OF THE UNITED STATES

1946

## PART II NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF  
HALBERT L. DUNN, M. D.  
*Chief, National Office of Vital Statistics*

UNITED STATES GOVERNMENT PRINTING OFFICE  
WASHINGTON : 1948



---

# NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SAMUEL C. NEWMAN, *Marriage and Divorce Analysis*

ALBERT E. BAILEY, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*



# CONTENTS

## INTRODUCTION

	Page		Page
The value of vital statistics tabulated by place of residence.....	v	Relation of geographic code to the identification of nonresidents.....	ix
Previous tabulations by place of residence.....	vi	Allocation of deaths to place of residence.....	ix
Nonresident tabulations by State offices.....	vi	Special residence instructions for military personnel.....	x
Definition of residence.....	viii	Allocation of births to place of residence.....	x

## RATE TABLE

Table	
I. Death rates for selected causes: United States, each division and State, 1946.....	2

## GENERAL NATALITY AND MORTALITY TABLES

### LIVE BIRTHS

1. Live births by State of occurrence distributed according to State of residence: United States and each State, 1946.....	7
2. Births by person in attendance, deaths in institutions, deaths under 1 year and infant mortality rates, and stillbirths and stillbirth ratios: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1946.....	10
3. Live births by specified race and sex: United States and each State, 1946.....	112
4. Live births by sex, race, and month: United States and each State, 1946.....	113
5. Live births by race, nativity of white mother, and age of mother in urban and rural areas: United States and each State, 1946.....	118
6. Live births by sex, race, and nativity of white parents: United States and each State, 1946.....	142
7A. Live births by age of mother, sex of child, race, nativity of white mother, and birth order (excluding stillbirths): United States, 1946.....	144
7B. Live births by age of mother, race, nativity of white mother, and birth order (excluding stillbirths): Each State, 1946.....	147
8. Live births by race, single year of age of mother, and birth order (excluding stillbirths): United States, 1946.....	183
9. Live births by race, sex, and age of father: United States and each State, 1946.....	185
10. Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1946.....	192

### STILLBIRTHS

11. Stillbirths by State of occurrence distributed according to State of residence: United States and each State, 1946.....	197
12. Stillbirths by sex, race, nativity of white mother, and age of mother, urban and rural areas: United States, 1946.....	200
13. Stillbirths by sex, age of mother, birth order (including stillbirths), race, and nativity of white mother: United States, 1946.....	202
14. Stillbirths by race, in urban and rural areas: United States and each State, 1946.....	204
15. Stillbirths by race and person in attendance: United States and each State, 1946.....	206

### TOTAL DEATHS

16. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1946.....	207
17. Deaths by specified race and sex: United States and each State, 1946.....	210
18. Deaths by sex, race, and month: United States and each State, 1946.....	211
19. Deaths from selected causes, by month: United States and each State, 1946.....	216
20. Deaths from selected causes, by age, race, and sex: United States and each State, 1946.....	250
21. Deaths from each cause, by race and sex: United States and each State, 1946.....	454
22. Deaths from selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1946.....	522

### INFANT DEATHS

23. Deaths under 1 year and under 1 month of age, by race and month: United States and each State, 1946.....	626
24. Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1946.....	631
25. Deaths under 1 year by detailed age and race: United States and each State, 1946.....	632
26. Deaths under 1 year, in institutions, by detailed age and race: United States and each State, 1946.....	634
27. Deaths under 1 year of age, from selected causes, by month: United States, 1946.....	639
28. Deaths under 1 year, from selected causes, by detailed age, race, and sex: United States, 1946.....	640
29. Deaths under 1 year of age, from selected causes, by race, in urban and rural areas: United States, 1946.....	646



## SYMBOLS USED

	Symbol
Class or item not applicable (3 dots).....	...
Data not available (series of dashes).....	----
Quantity is zero, in frequency tables (1 dash).....	--
Quantity is zero, in rate or percent tables (1 cipher).....	0
If rate or percent is more than 0, but less than 0.05.....	0. 0
If both frequency and population base are zero in rate or percent tables (1 dash).....	—



# VITAL STATISTICS OF THE UNITED STATES

## PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

### INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics for the calendar year 1946, tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I." The tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts or microfilm copies of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a re-allocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

### THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value

only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.



Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called *recorded* rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute *resident* rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

#### PREVIOUS TABULATIONS BY PLACE OF RESIDENCE <sup>1</sup>

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of

<sup>1</sup> For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, National Office of Vital Statistics (formerly Bureau of the Census), Washington, D. C., 1939.

a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports."<sup>2</sup>

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

#### NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau

<sup>2</sup> For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, National Office of Vital Statistics (formerly Bureau of the Census), Washington, D. C., 1939.



of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for

all States. Some indication of the amount of variation among States can be seen in the following table. In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios do not completely represent the differences in State procedures. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.



## VITAL STATISTICS OF THE UNITED STATES

## FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1946

[Exclusive of stillbirths. Includes only transcripts exchanged through National Office of Vital Statistics; excludes transcripts exchanged directly between State offices]

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
UNITED STATES.....	79,911	50,689	0.63	79,911	50,276	0.63	38,321	31,775	0.83	38,321	31,775	0.83
Alabama.....	921	723	0.79	1,987	2,056	1.03	478	496	1.04	744	754	1.01
Arizona.....	790	650	0.82	249	215	0.86	817	669	0.82	267	327	1.22
Arkansas.....	1,486	1,345	0.91	1,375	941	0.68	522	472	0.90	774	629	0.81
California.....	1,204	587	0.48	1,876	1,074	0.57	1,751	1,329	0.76	1,304	1,168	0.89
Colorado.....	963	152	0.16	621	420	0.68	665	802	1.21	340	376	1.11
Connecticut.....	645	443	0.69	1,507	1,065	0.70	465	437	0.94	508	648	1.08
Delaware.....	478	370	0.78	317	224	0.71	167	187	1.12	136	171	1.26
District of Columbia.....	8,855	158	0.02	907	254	0.28	1,026	226	0.22	732	185	0.25
Florida.....	2,688	1,413	0.53	1,122	976	0.87	2,032	1,261	0.62	874	865	0.99
Georgia.....	2,269	1,893	0.83	1,471	1,211	0.82	799	841	1.05	697	774	1.11
Idaho.....	598	811	1.36	830	625	0.75	281	302	1.07	362	440	1.22
Illinois.....	1,735	1,711	0.99	5,241	3,708	0.71	1,629	1,956	1.20	2,740	2,035	0.74
Indiana.....	2,429	540	0.22	2,093	1,338	0.64	883	425	0.48	1,170	1,064	0.91
Iowa.....	2,370	2,001	0.84	1,334	859	0.64	921	966	1.05	767	495	0.65
Kansas.....	1,575	1,163	0.74	2,612	2,575	0.99	778	1,006	1.29	779	866	1.11
Kentucky.....	1,801	1,289	0.72	1,987	1,064	0.54	584	483	0.83	932	699	0.75
Louisiana.....	747	476	0.64	824	338	0.41	645	246	0.38	387	278	0.72
Maine.....	272	565	2.08	554	503	0.91	219	523	2.39	260	237	0.91
Maryland.....	2,430	1,337	0.55	4,784	658	0.14	1,287	455	0.35	918	357	0.39
Massachusetts.....	1,070	1,127	0.57	1,318	1,112	0.84	1,024	828	0.81	961	853	0.89
Michigan.....	1,210	794	0.66	1,448	1,030	0.71	824	785	0.95	1,092	919	0.84
Minnesota.....	1,684	37	0.02	1,675	1,447	0.86	1,259	136	0.11	602	671	1.11
Mississippi.....	1,150	427	0.37	1,000	776	0.78	382	896	2.35	660	482	0.73
Missouri.....	4,262	4,949	1.16	2,260	1,767	0.78	1,521	1,104	0.73	1,367	1,048	0.77
Montana.....	251	267	1.06	452	472	1.04	189	113	0.60	239	247	1.03
Nebraska.....	957	737	0.77	977	529	0.54	407	429	1.05	498	537	1.08
Nevada.....	224	113	0.50	114	74	0.65	235	0	0	104	94	0.90
New Hampshire.....	1,133	754	0.67	735	583	0.79	362	337	0.93	293	211	0.72
New Jersey.....	987	1,203	1.32	3,654	2,933	0.80	1,296	1,179	0.91	2,062	1,628	0.79
New Mexico.....	857	852	0.99	692	276	0.40	543	315	0.58	328	325	0.99
New York.....	3,618	4,459	0.74	2,490	2,404	0.97	2,553	3,330	1.33	2,521	2,038	0.81
North Carolina.....	1,922	1,735	0.90	1,423	918	0.65	789	828	1.05	707	443	0.63
North Dakota.....	1,053	772	0.73	834	382	0.46	234	215	0.92	306	165	0.54
Ohio.....	3,264	93	0.03	3,264	1,272	0.39	1,351	0	0	1,655	1,305	0.79
Oklahoma.....	928	356	0.38	1,862	1,145	0.61	371	291	0.78	847	681	0.80
Oregon.....	1,106	1,264	1.14	891	739	0.83	534	503	0.94	448	523	1.17
Pennsylvania.....	3,434	2,908	0.85	3,523	2,384	0.68	1,625	1,714	1.05	2,137	1,622	0.76
Rhode Island.....	666	713	1.07	508	630	1.24	231	225	0.97	303	239	0.79
South Carolina.....	650	228	0.35	978	886	0.91	368	102	0.28	385	668	1.74
South Dakota.....	579	383	0.66	943	509	0.54	273	217	0.79	300	159	0.53
Tennessee.....	4,143	4,218	1.02	1,754	1,328	0.76	1,482	1,373	0.93	712	670	0.94
Texas.....	1,194	0	0	2,568	1,350	0.53	831	1	0.00	1,125	830	0.74
Utah.....	510	123	0.24	283	220	0.78	285	207	0.73	140	157	1.12
Vermont.....	351	492	1.40	737	634	0.86	158	224	1.42	188	192	1.02
Virginia.....	2,415	1,136	0.47	6,251	1,321	0.21	865	506	0.58	1,062	765	0.72
Washington.....	1,959	1,786	0.91	1,158	953	0.82	691	1,558	2.25	672	511	0.76
West Virginia.....	2,291	0	0	1,993	687	0.34	709	276	0.39	698	359	0.51
Wisconsin.....	1,113	844	0.76	1,690	689	0.41	753	461	0.61	850	381	0.45
Wyoming.....	189	273	1.44	445	312	0.70	227	256	1.13	188	160	0.85

1 Includes allocations outside of continental United States.

## DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as

direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of non-resident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Be-



cause of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

**Relation of geographic code to the identification of nonresidents.**—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the

number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

**Allocation of deaths to place of residence.**—The allocation of deaths to the place of residence is based on the following general principles and rules

1. Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.
2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.
3. Decedents in nonresident institutions such as general hospitals, tuberculosis sanatoriums, convalescent homes, jails, et cetera, are reallocated to the usual place of residence, if they had been in the institution less than 1 year.
4. Decedents in resident institutions, where length of stay is usually long, such as mental institutions; orphanages; homes for the aged, blind, and deaf; et cetera, are not reallocated to the place of prior residence.
5. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.
6. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.



For the purpose of coding mortality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.<sup>3</sup>

**Special residence instructions for military personnel.**—On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of

call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

**Allocation of births to place of residence.**—The allocation of live births and stillbirths is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.<sup>3</sup>

---

<sup>3</sup> National Office of Vital Statistics (formerly Bureau of the Census), "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1946," Washington, D. C., 1946.



---

---

## **RATE TABLE**

---

---

(1)



## VITAL STATISTICS OF THE UNITED STATES

TABLE I—DEATH RATES FOR SELECTED CAUSES

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Rates per 100,000 estimated population, and based

DIVISION AND STATE	Total	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1 UNITED STATES-----	997.6	0.3	0.9	0.1	0.9	0.9	36.4	0.7	0.2	9.3	0.9	1.3	130.1	0.6
GEOGRAPHIC DIVISIONS														
2 New England-----	1,092.8	0.1	0.7	0.1	0.6	0.8	32.6	0.1	0.0	5.4	0.5	0.8	163.0	0.6
3 Middle Atlantic-----	1,095.5	0.1	0.9	0.1	0.7	0.4	39.0	0.3	0.1	9.0	0.7	0.4	164.0	0.9
4 East North Central-----	1,051.9	0.2	0.8	0.2	0.7	0.6	32.5	0.3	0.1	9.3	0.7	1.6	142.8	0.7
5 West North Central-----	1,019.5	0.2	0.7	0.2	0.6	0.8	22.0	0.5	0.1	8.2	0.9	4.3	140.6	0.7
6 South Atlantic-----	907.3	0.4	1.1	0.2	1.4	1.3	38.5	0.8	0.3	11.0	1.1	0.6	92.2	1.1
7 East South Central-----	951.4	0.6	1.4	0.2	1.6	1.3	47.8	1.1	0.8	9.5	1.9	0.7	90.1	0.8
8 West South Central-----	844.0	0.7	0.8	0.1	1.2	1.6	39.9	2.2	0.9	10.4	1.2	1.4	92.9	0.8
9 Mountain-----	978.5	0.4	0.9	0.2	1.5	1.5	45.2	2.6	0.1	9.1	1.6	2.4	104.6	1.1
10 Pacific-----	990.6	0.2	0.8	0.1	0.5	1.0	37.8	0.3	0.1	9.6	0.7	1.1	131.6	0.5
NEW ENGLAND														
11 Maine-----	1,147.9	0.3	1.0	0.2	1.7	2.1	24.7	0.2	0	5.6	1.4	0.3	159.0	0.8
12 New Hampshire-----	1,170.6	0.4	0.8	0.2	1.7	0.4	22.4	0.2	0.4	7.2	1.4	2.9	161.2	0.6
13 Vermont-----	1,172.8	0.3	0.8	0.6	0.8	0.6	36.5	0	0	4.2	1.1	1.4	160.1	0.3
14 Massachusetts-----	1,119.7	0.0	0.5	0.0	0.3	0.8	36.3	0.2	0	5.1	0.3	0.5	169.1	0.5
15 Rhode Island-----	1,083.6	0	1.2	0	0.5	0.3	31.1	0	0	5.8	0	0.9	156.0	0.9
16 Connecticut-----	974.1	0.1	0.8	0.1	0.3	0.3	30.0	0.1	0	5.8	0.2	0.9	154.4	0.7
MIDDLE ATLANTIC														
17 New York-----	1,112.4	0.1	0.9	0.1	0.5	0.4	40.8	0.3	0.0	9.5	0.5	0.5	174.6	0.7
18 New Jersey-----	1,077.9	0.1	0.9	0.1	0.6	0.3	38.3	0.4	0.0	6.9	0.7	0.6	168.3	0.8
19 Pennsylvania-----	1,074.3	0.2	0.8	0.1	0.9	0.6	36.9	0.2	0.1	9.2	1.2	0.3	147.5	1.2
EAST NORTH CENTRAL														
20 Ohio-----	1,043.8	0.2	0.8	0.3	0.8	0.7	34.4	0.2	0.0	10.4	0.4	0.8	141.4	0.8
21 Indiana-----	1,036.1	0.3	0.9	0.1	1.1	1.0	29.9	0.5	0.1	10.4	1.4	1.3	128.4	1.0
22 Illinois-----	1,115.6	0.1	1.0	0.1	0.4	0.4	37.5	0.3	0.2	9.4	0.6	2.3	160.8	0.7
23 Michigan-----	909.6	0.1	0.7	0.0	0.7	0.5	31.2	0.2	0.0	9.1	0.8	1.5	125.3	0.4
24 Wisconsin-----	1,020.9	0.1	0.7	0.2	0.8	0.6	20.5	0.2	0.0	5.4	0.7	2.8	152.6	0.8
WEST NORTH CENTRAL														
25 Minnesota-----	954.7	0.1	0.5	0.1	0.6	1.5	20.7	0.2	0.0	8.7	0.4	7.7	141.1	0.8
26 Iowa-----	1,012.7	0.2	0.6	0.4	0.7	0.6	12.9	0.5	0.2	8.1	0.9	2.1	145.6	0.6
27 Missouri-----	1,124.2	0.3	0.8	0.1	0.8	0.6	33.6	0.8	0.2	12.3	1.3	2.6	146.9	0.7
28 North Dakota-----	945.8	0.2	0.7	0	0.2	1.3	17.9	1.1	0	5.4	0	4.8	125.7	1.5
29 South Dakota-----	1,005.7	0	0.5	0.2	0.2	1.1	31.4	0.2	0.2	4.9	1.1	6.6	131.1	1.3
30 Nebraska-----	975.1	0.2	1.3	0.2	0.3	0.6	13.9	0.4	0.2	6.5	0.7	4.3	137.5	0.5
31 Kansas-----	970.3	0.1	0.6	0.2	0.7	0.6	16.5	0.2	0.1	7.7	1.2	4.9	129.6	0.5
SOUTH ATLANTIC														
32 Delaware-----	1,126.9	0	1.4	0	1.0	0.7	46.4	0.3	0	12.2	0.7	1.0	130.2	0.3
33 Maryland-----	996.1	0.2	0.9	0.1	0.7	1.4	54.2	0.3	0.0	15.4	0.7	0.3	127.4	0.7
34 District of Columbia-----	982.7	0.7	0.9	0	0.4	0.2	57.9	0	0.1	13.6	0.8	0.5	154.4	1.1
35 Virginia-----	942.9	0.2	1.4	0.4	1.9	1.4	43.5	0.9	0.1	11.3	1.3	0.5	92.7	1.1
36 West Virginia-----	898.6	0.6	1.2	0.5	1.8	1.2	39.7	1.6	0	10.8	0.6	0.4	94.1	1.1
37 North Carolina-----	789.0	0.2	0.8	0.1	1.6	1.3	32.5	0.4	0.2	6.7	1.2	0.4	69.3	1.0
38 South Carolina-----	856.4	1.2	1.1	0	1.6	1.5	28.4	0.8	1.0	13.1	1.6	0.4	70.0	1.5
39 Georgia-----	879.4	0.4	1.0	0.0	1.9	1.4	34.2	1.1	0.4	10.9	1.3	0.3	79.0	1.1
40 Florida-----	995.8	0.5	1.3	0.0	0.4	1.3	31.2	0.9	0.9	12.9	1.2	1.9	110.3	1.2
EAST SOUTH CENTRAL														
41 Kentucky-----	998.3	1.1	1.4	0.4	1.7	1.9	58.3	1.5	0.2	7.9	2.5	0.5	102.2	0.6
42 Tennessee-----	922.3	0.7	1.8	0.1	1.7	0.8	54.4	0.9	0.6	8.9	1.4	0.6	95.1	1.1
43 Alabama-----	880.6	0.3	1.1	0.0	1.3	1.0	40.0	0.8	1.1	11.3	1.6	0.8	80.5	0.9
44 Mississippi-----	924.8	0.5	1.1	0.1	1.5	1.5	35.3	1.3	1.4	10.3	2.0	0.8	79.7	0.9
WEST SOUTH CENTRAL														
45 Arkansas-----	760.8	0.9	0.9	0.2	1.1	2.1	37.1	0.8	1.3	7.9	1.4	1.4	76.2	1.1
46 Louisiana-----	874.4	0.9	1.0	0.1	1.0	1.7	45.2	0.8	0.9	16.7	0.9	0.9	99.5	0.7
47 Oklahoma-----	836.9	0.3	0.6	0.3	1.1	1.2	31.8	0.4	0.5	8.9	1.3	1.5	101.7	0.6
48 Texas-----	857.9	0.7	0.8	0.1	1.3	1.6	42.0	3.6	0.9	9.2	1.2	1.5	92.3	0.8
MOUNTAIN														
49 Montana-----	1,169.3	0.4	0.6	0	0.4	1.0	34.3	0.2	0.2	9.8	0.6	1.0	138.4	0.6
50 Idaho-----	970.8	0.6	1.1	0.4	1.3	0.4	14.2	0.2	0	4.0	1.1	0.4	119.4	1.1
51 Wyoming-----	812.1	0	1.1	0	0.8	1.1	10.7	0.8	0.4	8.7	0	2.7	86.7	1.1
52 Colorado-----	1,060.0	0.5	1.0	0.3	0.5	1.7	35.3	1.3	0	9.3	1.0	4.9	127.2	1.9
53 New Mexico-----	1,027.6	0.2	0.9	0.2	4.2	2.3	73.3	12.7	0.2	14.4	2.5	1.9	75.6	1.3
54 Arizona-----	921.2	0.8	1.0	0.2	2.6	2.7	116.7	3.7	0.3	10.4	4.2	1.9	79.5	1.0
55 Utah-----	751.4	0.2	0.9	0.2	0.9	0.6	13.0	0.6	0	4.7	0.8	1.4	83.1	0.6
56 Nevada-----	1,109.2	0	0	0	1.5	0.7	53.9	0	0.7	16.2	3.0	2.2	110.0	0.7
PACIFIC														
57 Washington-----	976.5	0.2	0.8	0.0	0.7	1.1	32.7	0.2	0	8.3	0.9	1.5	124.6	0.7
58 Oregon-----	916.8	0.4	1.0	0.1	0.5	0.7	21.4	0.2	0	8.3	0.5	0.6	125.5	0.7
59 California-----	991.3	0.2	0.9	0.1	0.5	1.0	41.5	0.4	0.1	10.1	0.7	1.0	134.2	0.4



# RATE TABLE

3

## UNITED STATES, EACH DIVISION AND STATE, 1946

on population excluding armed forces overseas. Numbers under causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200		
24.6	0.6	39.8	306.8	44.6	5.8	58.4	3.7	58.8	11.5	6.3	23.9	46.2	19.7	115.9	1
33.6	0.1	100.5	390.6	45.1	4.5	52.0	2.7	54.1	11.2	1.4	15.0	46.2	7.0	123.5	2
35.8	0.1	95.7	394.0	40.8	4.2	56.7	2.8	51.6	12.1	3.2	16.9	44.2	6.8	124.1	3
29.8	0.1	96.5	336.4	39.2	4.3	60.8	2.9	55.0	12.1	4.3	24.6	44.8	10.6	119.2	4
25.4	0.1	106.9	308.2	45.4	5.0	60.1	2.8	53.8	12.4	3.5	22.7	49.8	16.1	127.4	5
17.1	1.4	89.0	228.9	47.7	5.9	73.3	5.4	64.9	9.9	12.3	26.3	45.8	27.3	101.4	6
13.9	2.1	91.5	212.4	58.3	7.3	64.3	6.5	62.8	8.0	13.8	24.9	44.9	64.2	96.8	7
13.4	1.6	75.1	204.9	47.4	9.8	49.7	4.5	60.0	8.1	10.2	23.8	46.0	34.3	101.1	8
17.5	0.2	71.8	246.4	55.6	13.5	48.9	4.9	68.4	13.6	5.0	33.7	59.9	45.7	122.0	9
20.5	0.2	80.3	312.2	40.6	4.7	45.2	2.7	53.3	16.7	5.0	36.9	47.0	9.0	122.0	10
28.8	0	119.8	352.9	54.3	5.8	71.0	3.7	67.4	13.8	1.4	22.0	55.8	21.5	134.2	11
32.9	0	118.8	404.5	54.6	6.2	56.7	2.7	49.9	12.6	0.8	19.4	48.4	14.1	149.6	12
30.9	0	116.4	393.8	56.7	3.4	51.8	3.4	61.5	12.7	1.7	24.9	51.8	15.0	141.9	13
34.5	0.1	103.5	411.8	48.6	4.9	46.6	2.7	52.2	10.2	1.4	13.5	48.5	3.4	124.2	14
38.3	0	93.8	408.0	36.2	2.7	74.6	3.2	57.6	7.7	1.5	12.9	38.1	3.2	111.0	15
33.7	0.2	79.6	348.0	31.6	3.6	46.4	1.9	51.0	12.9	1.6	13.4	38.1	7.2	111.4	16
38.7	0.1	75.0	423.3	39.5	3.7	45.8	2.5	49.6	12.2	3.5	15.3	45.2	5.3	124.1	17
32.6	0.0	91.6	377.5	36.0	3.7	62.4	2.9	50.1	13.4	2.5	17.6	40.4	5.8	123.3	18
33.2	0.1	92.3	360.8	44.6	5.0	69.2	3.3	54.8	11.4	3.0	18.0	44.5	9.4	124.4	19
28.2	0.1	109.0	324.9	41.6	4.6	60.7	2.8	55.6	13.1	5.2	25.0	46.0	15.2	120.6	20
25.6	0.1	115.1	307.0	41.9	5.3	78.3	3.0	53.6	13.3	3.9	25.6	48.4	11.3	127.5	21
32.1	0.0	89.3	398.2	38.4	3.7	70.4	3.0	53.2	11.8	5.9	23.3	46.4	4.9	125.2	22
25.4	0.1	85.9	292.5	35.0	4.5	42.0	2.8	57.6	10.0	3.2	28.0	37.6	11.0	107.5	23
32.2	0.0	101.3	330.9	40.6	3.6	51.9	3.4	55.1	13.2	0.9	23.4	47.8	12.8	118.4	24
26.3	0.1	99.0	296.1	42.2	3.5	32.3	2.2	56.7	12.1	1.6	20.8	46.3	11.4	124.5	25
26.5	0.1	114.0	308.6	41.2	5.3	57.3	2.3	53.2	12.9	1.8	21.6	50.7	15.1	128.8	26
24.0	0.1	110.1	348.1	59.4	6.0	84.1	3.5	50.5	15.7	7.5	22.0	52.5	13.0	128.4	27
28.5	0	89.0	258.8	36.9	6.9	41.1	3.0	68.3	11.2	1.5	26.8	55.5	29.2	130.3	28
21.9	0	99.1	268.2	46.4	5.5	47.5	2.7	57.5	12.6	1.1	29.4	54.4	41.4	139.1	29
27.9	0.2	109.1	277.2	41.0	4.4	59.0	2.3	53.3	12.8	2.1	22.7	48.1	22.3	126.2	30
23.5	0.3	110.1	290.9	32.9	4.2	67.5	3.2	52.1	9.8	2.8	25.1	46.6	15.5	122.7	31
24.1	0	98.6	374.1	45.4	5.6	107.1	3.1	51.3	11.5	8.4	26.5	48.9	7.3	120.4	32
24.6	0.2	78.3	318.4	38.1	7.5	81.1	2.6	56.2	12.4	7.9	19.6	44.1	4.1	100.5	33
25.2	0.4	68.9	274.7	33.9	9.5	81.6	3.7	72.7	17.1	13.3	11.6	41.5	2.4	114.5	34
18.1	0.8	96.1	249.1	49.7	7.6	69.3	4.2	66.4	11.3	11.3	27.1	47.4	22.6	105.2	35
16.9	0.1	82.1	222.1	51.1	6.7	51.0	4.0	73.6	9.8	7.4	22.5	63.3	34.4	100.1	36
13.7	2.0	83.8	183.5	43.4	6.8	75.1	5.6	67.3	8.0	9.9	28.9	36.1	23.6	85.5	37
13.6	2.1	94.7	185.4	54.6	6.2	77.4	7.8	66.0	6.5	12.9	32.8	41.6	44.6	87.0	38
12.8	3.0	95.7	189.5	55.7	6.4	81.5	7.2	60.0	7.4	18.0	25.9	41.7	37.0	105.9	39
18.6	1.4	95.6	249.3	47.1	5.9	63.8	6.9	64.8	11.4	17.0	30.9	56.9	40.1	122.2	40
16.2	0.7	101.3	260.3	84.6	9.9	61.6	5.2	66.9	9.9	11.1	26.6	50.7	20.9	112.3	41
13.1	2.0	92.8	217.8	58.4	7.8	55.2	4.7	60.8	9.3	15.0	22.5	41.5	58.8	97.6	42
11.9	3.4	84.8	189.5	84.3	6.1	67.4	7.4	64.0	7.2	15.0	27.3	44.1	66.7	91.0	43
14.8	2.1	85.9	172.9	55.3	4.6	76.7	9.2	58.5	6.2	16.9	22.8	43.6	125.4	93.4	44
10.8	1.4	74.8	175.9	54.4	4.6	60.5	5.0	40.0	6.0	9.9	19.5	40.8	39.1	87.9	45
14.2	0.9	70.6	236.4	51.6	5.8	57.2	5.5	69.8	7.6	10.4	20.1	44.8	17.7	93.9	46
15.8	1.2	89.2	205.6	43.5	4.5	46.6	3.7	52.5	7.5	5.8	24.2	45.0	34.2	107.5	47
13.0	2.1	72.3	201.7	45.3	14.5	45.0	4.2	64.4	9.1	11.6	26.2	48.1	39.1	105.5	48
28.6	0	102.4	340.5	54.3	7.1	57.7	3.8	67.5	20.5	4.6	34.7	73.4	35.1	151.5	49
20.3	0	85.5	288.0	40.0	3.4	60.8	4.7	73.0	15.9	4.7	38.5	62.5	51.5	117.7	50
12.2	0	68.5	227.1	38.4	5.7	49.4	3.8	54.4	16.7	3.8	39.9	56.7	19.8	101.6	51
19.1	0.2	88.3	280.1	66.2	10.1	63.5	5.0	71.7	15.5	5.4	31.7	57.2	19.5	144.9	52
11.5	0.6	47.3	151.2	73.7	44.0	36.7	7.0	92.3	6.8	7.0	35.2	54.8	161.2	108.7	53
10.1	0	50.4	205.4	60.9	21.2	33.7	5.6	51.1	11.4	6.1	30.5	60.7	42.5	106.6	54
18.7	0.3	53.1	215.3	35.0	4.1	34.2	3.9	63.3	6.4	2.2	29.1	51.2	31.2	96.3	55
17.7	0	92.3	300.6	62.0	4.4	39.9	4.4	65.0	30.3	6.6	47.3	90.1	34.0	125.5	56
21.4	0.1	86.9	315.2	38.9	3.4	43.1	2.8	58.3	15.7	3.6	28.1	57.2	17.4	112.9	57
20.9	0.1	86.0	260.5	42.9	2.5	65.3	2.1	45.3	14.0	3.8	33.9	53.4	19.5	106.9	58
20.2	0.2	77.9	319.4	40.7	5.3	42.7	2.8	53.3	17.4	5.8	39.5	43.6	5.4	126.5	59



---

---

0

**GENERAL NATALITY AND MORTALITY TABLES**

---

---



## GENERAL TABLES—LIVE BIRTHS

7

TABLE 1—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE:  
UNITED STATES AND EACH STATE, 1946

STATE OF OCCURRENCE	Total births occurring in State	Births to residents occurring in place of residence	BIRTHS TO NONRESIDENTS <sup>1</sup>															
			Total	Intra- state non- residents	Total	Interstate nonresidents												
						State of residence												
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	
UNITED STATES-----	3,268,672	2,136,731	1,451,941	1,072,030	79,911	1,987	249	1,375	1,876	621	1,507	317	907	1,122	1,471	830	5,241	
Alabama-----	78,797	58,112	20,685	19,764	921	...	1	14	15	6	2	1	-	231	164	2	11	
Arizona-----	16,886	11,286	5,600	4,810	790	7	...	13	169	19	5	-	2	7	2	3	27	
Arkansas-----	45,391	31,971	13,520	12,034	1,486	4	3	...	28	2	1	-	-	2	3	1	27	
California-----	217,902	123,969	93,933	92,639	1,294	19	52	40	...	41	10	1	5	20	8	21	68	
Colorado-----	29,960	19,495	10,385	9,402	963	10	9	13	70	...	9	-	4	8	8	12	31	
Connecticut-----	40,595	24,112	16,483	15,839	645	4	2	5	8	2	...	1	5	11	3	-	5	
Delaware-----	6,958	3,727	3,231	2,758	473	1	-	-	-	-	-	...	-	3	1	-	-	
District of Columbia-----	26,049	17,694	8,355	-	8,355	3	3	5	10	2	8	2	...	8	7	-	11	
Florida-----	55,254	36,469	18,785	16,097	2,689	269	7	25	139	17	44	8	18	...	301	6	109	
Georgia-----	86,465	61,905	24,560	22,291	2,269	983	-	6	12	3	3	1	6	568	...	1	17	
Idaho-----	13,555	7,262	6,293	5,895	599	-	3	-	31	-	2	-	-	2	-	...	2	
Illinois-----	171,519	113,212	58,107	56,572	1,735	4	1	2	14	2	2	1	4	10	2	3	...	
Indiana-----	85,851	52,867	32,984	30,555	2,429	2	1	3	3	1	-	-	4	5	8	-	1,496	
Iowa-----	57,222	30,710	26,512	24,142	2,370	1	2	1	20	5	-	-	-	1	-	-	975	
Kansas-----	38,714	23,958	14,756	13,181	1,575	4	4	29	43	91	1	1	2	11	6	3	19	
Kentucky-----	72,356	55,613	16,743	14,942	1,801	21	1	13	15	1	6	-	4	15	12	4	101	
Louisiana-----	68,593	46,144	20,449	19,702	747	17	-	108	17	3	2	-	4	20	8	-	17	
Maine-----	20,044	12,689	7,355	7,083	272	3	-	-	15	1	17	1	5	1	2	-	2	
Maryland-----	47,993	33,555	14,658	12,208	2,430	15	2	8	66	7	17	201	575	27	19	1	32	
Massachusetts-----	94,940	56,297	36,643	34,673	1,970	1	2	-	7	1	500	-	3	3	3	-	11	
Michigan-----	139,039	85,056	54,001	52,791	1,210	3	-	5	11	3	1	-	5	8	1	-	51	
Minnesota-----	67,275	41,352	25,945	24,259	1,684	1	1	-	37	3	4	2	2	2	2	3	36	
Mississippi-----	61,940	49,161	12,679	11,529	1,150	257	1	30	15	5	2	-	5	20	16	2	25	
Missouri-----	92,686	53,543	29,143	24,881	4,262	12	3	191	50	28	2	1	7	9	11	5	1,220	
Montana-----	12,657	8,133	4,524	4,273	251	-	-	-	3	1	-	-	1	1	-	19	3	
Nebraska-----	26,032	16,031	10,001	9,044	957	1	2	4	25	54	1	-	2	2	-	5	14	
Nevada-----	3,393	2,306	1,067	863	224	1	4	2	148	7	1	-	-	2	-	-	2	
New Hampshire-----	11,490	7,361	4,129	2,996	1,133	2	-	-	3	-	24	-	-	2	-	-	4	
New Jersey-----	92,551	43,309	49,242	48,255	987	-	-	-	1	-	16	7	5	3	1	-	4	
New Mexico-----	18,252	13,312	4,940	4,083	857	6	72	9	67	69	8	1	5	6	2	6	22	
New York-----	287,674	198,204	89,470	85,852	3,618	6	2	3	41	1	503	10	34	32	18	2	31	
North Carolina-----	101,178	67,515	33,663	31,741	1,922	26	4	17	60	13	11	2	25	51	92	7	46	
North Dakota-----	15,483	7,761	7,722	6,669	1,053	1	-	2	9	1	1	-	-	1	2	-	8	
Ohio-----	169,600	108,668	60,932	57,668	3,264	9	2	5	26	5	7	-	6	15	15	-	39	
Oklahoma-----	49,482	33,696	15,786	14,858	928	5	3	38	54	29	-	-	5	13	11	-	26	
Oregon-----	30,291	17,300	12,991	11,865	1,106	-	4	2	198	4	-	-	1	1	1	262	4	
Pennsylvania-----	218,287	127,419	90,869	87,454	3,434	7	2	1	15	3	17	64	39	17	6	-	19	
Rhode Island-----	16,619	9,646	6,975	6,507	686	1	-	-	-	-	223	-	1	1	2	-	-	
South Carolina-----	53,635	39,779	13,856	13,206	650	4	-	2	7	3	1	-	9	25	99	-	7	
South Dakota-----	14,216	7,661	6,555	5,976	579	1	-	-	3	-	1	-	1	-	4	-	7	
Tennessee-----	79,725	56,903	22,822	18,679	4,143	205	6	587	101	11	13	4	16	76	571	4	96	
Texas-----	180,205	136,722	43,483	42,289	1,194	5	8	151	43	15	3	-	1	7	4	1	23	
Utah-----	18,447	11,352	7,095	6,585	510	2	31	2	78	39	1	-	2	3	1	104	8	
Vermont-----	7,976	4,516	3,460	3,109	351	-	-	-	2	-	11	-	3	-	-	2	1	
Virginia-----	72,025	49,243	22,782	20,367	2,415	29	3	19	69	8	19	6	75	52	42	3	64	
Washington-----	52,789	32,131	20,658	18,699	1,959	11	7	20	109	67	8	1	1	10	10	355	50	
West Virginia-----	48,971	33,960	15,011	12,720	2,291	4	1	-	4	-	1	1	17	5	3	-	4	
Wisconsin-----	74,178	43,430	30,748	29,635	1,113	-	-	1	10	6	-	-	2	5	1	2	466	
Wyoming-----	5,932	4,552	1,380	1,191	189	-	-	-	10	42	-	-	-	-	-	1	4	

<sup>1</sup>See discussion in text for definition of nonresident.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE  
UNITED STATES AND EACH STATE, 1946—Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS <sup>1</sup> —Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES—	2,093	1,534	2,612	1,987	824	554	4,784	1,318	1,448	1,575	1,000	2,260	452	977	114	735	3,654	692	2,490
Alabama—	8	6	4	13	12	1	12	5	12	7	109	10	—	2	1	1	6	—	22
Arizona—	14	10	5	4	5	—	—	3	20	9	8	18	2	4	1	—	11	197	15
Arkansas—	5	7	11	2	43	—	2	1	6	2	25	242	—	—	1	—	—	—	10
California—	18	34	35	9	22	5	7	35	34	33	6	53	16	26	35	1	15	16	56
Colorado—	17	21	69	11	8	2	1	10	19	25	1	40	17	99	2	1	7	79	32
Connecticut—	4	2	3	2	—	7	5	127	6	1	1	1	1	—	—	4	14	—	348
Delaware—	—	1	—	—	—	—	113	2	—	—	—	—	—	—	1	—	154	—	19
District of Columbia—	5	6	9	4	7	5	3,644	6	6	4	—	5	1	2	—	1	10	2	22
Florida—	61	48	25	48	41	14	35	86	64	45	38	53	6	23	1	14	86	5	207
Georgia—	9	11	3	9	14	2	6	15	15	9	18	4	—	—	—	—	19	—	36
Idaho—	—	2	1	5	—	—	—	1	5	2	2	—	42	2	10	2	—	—	2
Illinois—	637	125	17	108	4	2	4	4	74	18	5	380	—	6	—	—	6	2	20
Indiana—	—	6	3	169	2	1	2	1	225	2	2	10	—	4	—	—	—	—	6
Iowa—	5	—	11	1	1	—	—	1	17	167	—	390	1	412	—	2	4	—	2
Kansas—	6	18	—	7	5	1	3	7	9	20	7	637	1	84	1	—	3	10	18
Kentucky—	558	7	12	—	9	1	17	11	32	8	7	19	1	5	—	—	13	1	29
Louisiana—	3	11	7	3	—	—	2	7	6	2	161	6	1	3	—	—	—	3	12
Maine—	5	—	1	2	3	—	5	48	—	—	—	1	—	—	—	104	5	—	19
Maryland—	11	12	13	20	11	1	—	29	16	15	8	11	1	4	1	—	34	—	71
Massachusetts—	2	2	1	2	—	78	3	—	5	2	1	3	—	—	—	350	22	1	191
Michigan—	269	7	5	9	—	1	4	5	—	9	3	14	2	3	—	2	3	1	15
Minnesota—	6	211	5	1	—	—	1	6	23	—	1	8	3	7	—	—	4	—	11
Mississippi—	14	2	10	10	392	—	5	5	6	7	—	22	3	2	—	1	5	3	20
Missouri—	43	227	1,610	19	14	3	5	11	26	73	13	—	3	63	1	—	9	5	33
Montana—	1	3	7	—	—	1	—	—	1	9	2	3	—	3	2	—	—	—	3
Nebraska—	1	264	242	1	—	—	1	3	7	10	2	35	1	1	1	—	1	1	4
Nevada—	—	—	—	2	4	—	—	—	—	2	—	1	1	—	—	—	2	1	3
New Hampshire—	—	—	1	2	—	385	1	142	4	—	—	—	—	—	—	—	7	—	20
New Jersey—	1	—	—	—	—	1	8	14	2	3	—	2	—	—	—	1	—	—	304
New Mexico—	14	9	36	6	6	1	3	8	9	4	4	15	2	6	1	—	6	—	20
New York—	12	3	4	10	9	9	22	85	27	10	2	9	—	7	1	11	1,341	2	—
North Carolina—	30	14	19	28	15	4	21	48	39	16	19	23	6	3	—	7	24	4	91
North Dakota—	3	2	2	—	—	—	—	1	1	—	—	2	169	3	—	—	—	—	2
Ohio—	387	6	2	705	1	1	11	13	405	7	6	13	1	1	—	1	13	3	79
Oklahoma—	10	10	159	7	14	2	1	7	12	7	9	39	7	1	2	—	4	9	13
Oregon—	—	6	5	2	—	—	1	4	5	3	—	5	9	4	2	—	—	2	7
Pennsylvania—	7	1	2	6	3	7	544	18	13	4	3	4	—	2	—	3	1,697	1	381
Rhode Island—	—	—	—	—	—	—	—	401	3	1	1	1	—	—	—	—	5	—	9
South Carolina—	2	3	3	2	2	1	8	7	8	1	3	5	1	—	—	—	9	—	21
South Dakota—	—	68	1	1	—	—	—	—	—	51	—	2	20	117	—	—	1	—	—
Tennessee—	60	13	18	395	51	4	22	31	79	9	507	100	4	12	2	2	31	6	74
Texas—	3	3	13	1	103	—	1	4	6	4	5	4	—	2	—	—	2	314	12
Utah—	4	1	2	3	3	—	1	2	3	1	—	5	8	3	45	—	2	10	8
Vermont—	—	—	—	—	—	5	1	44	1	—	—	—	—	—	—	216	7	—	50
Virginia—	25	25	12	44	14	6	79	39	45	16	16	23	3	13	1	5	43	6	104
Washington—	22	37	21	15	10	2	2	16	24	56	6	52	63	22	2	1	14	2	49
West Virginia—	5	1	2	299	4	—	181	1	7	1	1	4	—	1	—	—	7	1	9
Wisconsin—	6	87	—	1	2	1	2	—	118	324	—	5	1	—	—	—	3	—	8
Wyoming—	—	2	1	—	—	—	—	1	1	2	—	2	55	24	—	—	—	3	2

<sup>1</sup>See discussion in text for definition of nonresident.



# GENERAL TABLES-LIVE BIRTHS

9

TABLE 1.-LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE.  
UNITED STATES AND EACH STATE, 1946-Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS <sup>1</sup> -Continued																			Total births to resi- dents
	Interstate nonresidents-Continued																			
	State of residence-Continued																			
	N. C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.		
UNITED STATES	1,423	834	5,264	1,882	891	3,523	808	978	943	1,754	2,568	283	737	6,251	1,158	1,993	1,690	445	3,288,672	
Alabama	12	-	20	5	-	17	3	6	2	140	18	-	1	10	5	1	3	-	79,863	
Arizona	7	3	28	50	7	13	2	-	7	9	58	7	-	2	8	1	7	1	16,345	
Arkansas	5	3	8	453	3	4	-	1	-	36	534	1	-	-	1	2	4	1	45,280	
California	16	5	36	99	68	51	1	2	12	18	100	22	6	12	61	9	27	8	218,484	
Colorado	6	4	18	32	8	22	1	2	14	6	73	30	-	7	21	3	12	67	29,518	
Connecticut	4	-	9	-	1	13	23	1	-	2	2	1	2	7	4	4	-	-	41,457	
Delaware	1	-	1	-	-	187	-	-	-	-	1	-	-	6	-	2	-	-	6,802	
District of Columbia	28	-	12	6	2	32	2	13	-	3	22	3	1	4,417	5	8	1	2	18,801	
Florida	93	11	111	45	19	130	19	51	9	63	107	8	6	70	20	29	37	2	53,688	
Georgia	101	-	21	4	1	33	4	358	-	128	17	2	1	14	4	3	6	2	85,667	
Idaho	5	1	1	2	74	3	1	-	1	-	6	61	-	-	290	-	1	36	13,787	
Illinois	3	1	38	-	6	7	-	1	3	9	10	1	-	4	4	2	208	1	174,825	
Indiana	1	1	411	2	1	11	1	-	1	8	26	2	-	2	1	3	2	-	85,515	
Iowa	-	1	9	2	2	4	-	-	-	216	3	10	2	-	2	1	-	97	56,188	
Kansas	4	2	17	375	7	17	2	2	10	8	49	4	1	4	7	2	8	4	39,751	
Kentucky	6	-	364	8	2	18	-	6	7	434	25	2	1	85	4	100	16	-	72,342	
Louisiana	5	3	8	4	1	9	1	9	4	9	253	-	1	5	2	3	2	-	68,670	
Maine	-	-	5	2	1	7	9	-	-	3	2	-	3	-	-	-	-	-	20,326	
Maryland	30	4	47	11	5	411	7	16	8	15	23	8	1	231	15	357	9	3	50,347	
Massachusetts	-	1	2	1	2	15	669	2	-	1	5	-	68	4	3	2	1	-	94,288	
Michigan	3	2	137	1	1	25	1	-	4	7	77	-	-	4	3	5	503	-	138,277	
Minnesota	3	411	7	4	1	5	-	1	278	1	22	2	-	2	4	2	559	2	67,266	
Mississippi	9	2	12	7	2	12	1	4	3	157	47	-	1	7	1	4	6	2	61,890	
Missouri	8	8	40	104	8	32	-	3	9	19	56	5	1	12	6	6	34	6	80,684	
Montana	-	105	-	2	9	-	-	-	17	1	8	2	-	1	15	1	1	26	12,858	
Nebraska	2	2	6	6	2	2	-	1	136	2	20	1	1	2	8	-	1	86	28,052	
Nevada	-	1	-	3	6	1	-	-	-	2	3	17	-	-	2	-	-	-	3,283	
New Hampshire	1	-	1	1	-	5	2	-	-	1	-	-	521	3	-	-	1	-	11,092	
New Jersey	2	-	5	1	-	595	2	5	-	-	-	-	1	3	-	-	-	-	95,218	
New Mexico	1	1	16	71	6	16	1	3	3	6	275	2	-	6	10	3	6	8	18,087	
New York	16	1	74	8	6	1,034	17	9	2	6	24	4	109	34	11	8	7	1	286,546	
North Carolina	...	2	46	15	6	78	6	390	4	131	43	6	1	368	18	17	23	3	100,678	
North Dakota	-	...	2	3	1	-	-	-	142	-	12	1	-	1	7	-	5	1	15,264	
Ohio	13	2	...	14	3	350	1	6	5	16	47	3	-	19	2	986	14	-	169,600	
Oklahoma	8	3	20	...	16	21	2	3	5	9	312	2	1	6	9	4	8	2	80,416	
Oregon	6	6	4	6	...	3	-	1	1	1	1	4	-	-	546	-	5	-	30,076	
Pennsylvania	27	3	392	4	5	...	6	9	1	2	6	1	1	25	-	58	7	1	218,376	
Rhode Island	-	-	2	2	1	2	...	3	-	-	1	1	1	1	-	-	-	-	16,761	
South Carolina	352	2	8	-	3	14	-	...	-	13	5	-	1	14	3	2	-	-	53,983	
South Dakota	-	210	3	-	2	-	1	-	...	2	1	-	-	-	-	2	2	78	14,580	
Tennessee	183	5	62	36	12	48	10	38	9	...	92	8	1	456	21	25	14	3	77,336	
Texas	1	1	7	411	1	7	-	1	2	7	...	4	-	8	2	2	2	-	181,579	
Utah	-	-	6	5	7	3	-	-	1	2	9	...	-	4	8	3	6	84	18,220	
Vermont	-	-	3	-	-	2	2	-	-	-	-	-	...	-	-	1	-	-	8,362	
Virginia	436	3	50	14	9	98	8	21	4	448	48	6	4	...	20	318	18	2	75,861	
Washington	11	17	18	33	571	28	3	8	14	16	77	57	1	13	...	14	20	9	51,988	
West Virginia	12	2	1,152	4	1	158	-	1	2	7	7	2	-	373	-	...	5	1	48,673	
Wisconsin	-	5	5	2	1	-	-	-	4	3	31	1	-	6	2	1	...	1	74,755	
Wyoming	-	-	-	4	1	-	-	1	3	-	3	20	-	1	4	-	2	...	6,188	

<sup>1</sup>See discussion in text for definition of nonresident.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946

(By place of residence. Births, deaths, and deaths under 1 year exclusive of stillbirths. Deaths exclusive of deaths among armed forces overseas. Stillbirths include only those for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Infant mortality rates and stillbirth ratios per 1,000 live births in a specified group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
UNITED STATES-----	5,288,672	2,708,225	402,759	167,048	1,395,617	740,659	80,020	557,356	111,063	33.9	74,849	22.6
White-----	2,913,645	2,536,882	327,585	40,171	1,232,537	-----	-----	-----	92,510	31.8	59,494	20.4
Nonwhite-----	375,027	169,341	75,174	126,877	163,080	-----	-----	-----	18,553	49.5	15,355	40.9
Urban-----	1,977,245	1,828,859	107,474	37,768	884,747	427,378	36,079	410,438	66,595	33.7	45,465	23.0
White-----	1,785,217	1,694,169	74,263	12,809	787,130	-----	-----	-----	56,535	31.7	36,970	20.7
Nonwhite-----	194,028	134,690	33,211	24,959	97,617	-----	-----	-----	10,050	51.8	8,495	43.8
Places of 100,000 or more-----	937,505	892,939	35,558	7,897	442,138	199,779	16,509	221,223	29,467	31.4	22,378	23.8
White-----	825,285	799,515	20,411	4,795	396,114	-----	-----	-----	23,985	29.1	17,673	21.4
Nonwhite-----	112,222	93,423	14,927	5,104	56,024	-----	-----	-----	5,482	48.8	4,705	41.9
Places of 25,000 to 100,000-----	407,057	380,908	17,507	8,091	175,916	84,672	8,834	80,088	13,891	34.1	9,036	22.2
White-----	372,718	358,682	11,415	2,198	158,769	-----	-----	-----	11,949	32.1	7,381	19.8
Nonwhite-----	34,339	22,226	6,092	5,895	17,157	-----	-----	-----	1,942	56.6	1,655	48.2
Places of 10,000 to 25,000-----	285,280	258,264	16,582	8,182	118,556	61,135	4,767	50,687	10,005	35.3	6,266	22.1
White-----	261,262	248,162	10,977	1,787	107,374	-----	-----	-----	8,953	33.9	5,283	20.2
Nonwhite-----	22,018	10,102	5,405	6,395	10,962	-----	-----	-----	1,152	52.3	983	44.6
Places of 2,500 to 10,000-----	349,403	296,749	38,247	15,598	148,337	81,792	5,950	58,240	13,222	37.8	7,785	22.3
White-----	323,954	287,810	31,460	4,031	134,885	-----	-----	-----	11,748	36.3	6,633	20.5
Nonwhite-----	25,449	8,939	6,787	9,567	13,452	-----	-----	-----	1,474	57.9	1,152	45.3
Rural-----	1,311,427	879,364	295,285	129,280	510,870	313,280	43,941	146,818	44,478	33.9	29,384	22.4
White-----	1,130,428	844,713	253,522	27,362	445,207	-----	-----	-----	35,975	31.8	22,524	19.9
Nonwhite-----	180,999	34,651	41,963	101,918	65,663	-----	-----	-----	8,503	47.0	6,860	37.9
Section A (States)												
ALABAMA-----	79,863	39,317	22,310	18,067	24,727	17,318	533	6,625	3,025	37.9	2,287	28.6
White-----	51,944	33,749	16,263	1,836	14,431	-----	-----	-----	1,663	32.0	1,145	22.0
Nonwhite-----	27,919	5,569	6,047	16,231	10,296	-----	-----	-----	1,362	48.8	1,142	40.9
Urban-----	27,070	19,815	4,156	3,097	10,027	6,174	277	3,505	1,125	41.6	804	29.7
White-----	17,785	15,957	1,691	135	5,570	-----	-----	-----	590	33.2	383	21.5
Nonwhite-----	9,285	3,866	2,465	2,952	4,457	-----	-----	-----	535	57.6	421	45.3
Places of 10,000 or more-----	19,926	15,087	2,751	2,080	7,559	4,502	274	2,727	814	40.9	594	29.8
White-----	12,501	11,671	776	53	4,025	-----	-----	-----	401	32.1	272	21.8
Nonwhite-----	7,425	3,416	1,975	2,027	3,534	-----	-----	-----	413	58.6	322	43.4
Places of 2,500 to 10,000-----	7,144	4,726	1,405	1,007	2,468	1,672	3	778	311	43.5	210	29.4
White-----	5,284	4,286	915	82	1,545	-----	-----	-----	189	35.8	111	21.0
Nonwhite-----	1,860	440	490	925	923	-----	-----	-----	122	66.6	99	53.2
Rural-----	52,793	19,504	16,154	14,980	14,700	11,144	356	3,120	1,900	36.0	1,485	28.1
White-----	54,159	17,791	14,572	1,701	8,861	-----	-----	-----	1,073	31.4	762	22.3
Nonwhite-----	18,634	1,713	5,582	13,279	5,839	-----	-----	-----	827	44.4	721	38.7
ARIZONA-----	16,345	13,949	1,325	516	5,737	2,756	185	2,699	679	41.5	330	20.2
White-----	14,379	12,609	1,131	445	4,813	-----	-----	-----	492	34.2	265	18.4
Nonwhite-----	1,966	1,340	194	71	924	-----	-----	-----	187	95.1	65	33.1
Urban-----	9,584	8,595	569	289	3,057	1,629	64	1,511	332	34.6	179	19.7
White-----	9,025	8,136	518	282	2,829	-----	-----	-----	293	32.5	160	17.7
Nonwhite-----	561	457	50	37	228	-----	-----	-----	39	69.5	19	33.9
Places of 10,000 or more-----	6,557	5,745	359	140	2,057	1,142	2	891	200	31.5	114	17.9
White-----	5,956	5,406	315	115	1,980	-----	-----	-----	172	29.0	102	17.2
Nonwhite-----	421	339	43	25	177	-----	-----	-----	28	66.5	12	28.5
Places of 2,500 to 10,000-----	3,227	2,648	210	149	1,000	487	62	420	132	40.9	65	20.1
White-----	3,087	2,730	203	137	949	-----	-----	-----	121	39.2	58	18.8
Nonwhite-----	140	118	7	12	51	-----	-----	-----	11	59.6	7	50.0
Rural-----	6,761	5,356	757	227	2,680	1,127	121	1,398	347	51.3	151	22.3
White-----	5,556	4,473	613	193	1,984	-----	-----	-----	199	37.2	105	19.6
Nonwhite-----	1,405	883	144	34	696	-----	-----	-----	148	105.3	46	32.7
ARKANSAS-----	45,290	24,248	13,524	7,218	14,339	9,603	600	3,984	1,283	28.3	883	19.5
White-----	35,165	22,680	11,286	838	10,307	-----	-----	-----	971	27.6	590	16.8
Nonwhite-----	10,115	1,568	2,238	6,380	4,031	-----	-----	-----	312	30.8	293	29.0
Urban-----	13,959	10,875	1,831	1,223	5,931	3,271	454	2,156	516	37.0	298	21.3
White-----	11,293	9,982	1,218	78	4,221	-----	-----	-----	378	33.5	218	19.3
Nonwhite-----	2,666	893	613	1,145	1,710	-----	-----	-----	138	51.8	80	30.0
Places of 10,000 or more-----	7,584	6,555	552	467	3,518	1,737	482	1,300	249	33.7	160	21.7
White-----	5,987	5,626	285	40	2,493	-----	-----	-----	174	29.2	122	20.8
Nonwhite-----	1,427	729	267	427	1,025	-----	-----	-----	78	52.6	38	26.6
Places of 2,500 to 10,000-----	6,578	4,520	1,279	756	2,413	1,534	2	856	267	40.6	138	21.0
White-----	5,356	4,356	953	38	1,728	-----	-----	-----	204	38.2	95	18.0
Nonwhite-----	1,239	164	346	718	685	-----	-----	-----	63	50.8	42	33.9
Rural-----	31,321	13,373	11,693	5,995	8,407	6,332	146	1,829	767	24.5	585	18.7
White-----	23,672	12,698	10,069	760	6,086	-----	-----	-----	593	24.8	372	15.6
Nonwhite-----	7,449	475	1,625	5,235	2,321	-----	-----	-----	174	23.4	213	28.6
CALIFORNIA-----	218,484	212,050	5,367	456	94,678	41,243	5,063	46,809	6,705	30.7	4,024	16.4
White-----	205,159	200,090	4,150	416	89,938	-----	-----	-----	6,177	30.1	3,640	17.7
Nonwhite-----	13,525	11,960	1,217	40	4,740	-----	-----	-----	528	39.6	384	28.6
Urban-----	164,740	160,835	3,184	353	69,423	30,723	1,195	36,259	4,864	29.5	2,984	16.1
White-----	153,867	150,898	2,244	331	65,875	-----	-----	-----	4,454	29.9	2,650	17.2
Nonwhite-----	10,873	9,637	940	22	3,548	-----	-----	-----	410	37.7	334	30.7

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

11

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
CALIFORNIA—Continued												
Places of 10,000 or more—	139,836	136,606	2,608	339	60,652	27,077	1,067	31,469	4,016	28.7	2,575	18.4
White—	129,519	127,285	1,701	319	57,284	—	—	—	3,633	28.0	2,264	17.4
Nonwhite—	10,317	9,321	907	20	3,368	—	—	—	383	37.1	321	31.1
Places of 2,500 to 10,000—	24,904	24,229	576	14	8,771	3,646	128	4,789	846	34.1	409	16.4
White—	24,348	23,713	543	12	8,591	—	—	—	821	33.7	396	16.3
Nonwhite—	556	516	33	2	180	—	—	—	27	49.6	13	23.4
Rural—	53,744	51,215	2,183	103	25,255	10,520	3,868	10,551	1,841	34.3	1,040	19.4
White—	51,292	49,092	1,906	85	24,063	—	—	—	1,723	33.6	990	19.3
Nonwhite—	2,452	2,123	277	18	1,192	—	—	—	118	48.1	50	20.4
COLORADO—	29,518	25,921	3,360	115	12,058	5,300	664	5,928	1,180	40.0	650	22.0
White—	28,680	25,344	3,304	115	11,747	—	—	—	1,150	39.8	632	21.9
Nonwhite—	638	577	56	—	311	—	—	—	30	47.0	18	28.2
Urban—	18,580	17,105	1,355	44	8,243	3,387	558	4,207	706	39.1	419	22.6
White—	18,039	16,631	1,319	44	7,997	—	—	—	687	38.1	402	22.3
Nonwhite—	541	474	36	—	246	—	—	—	19	37.2	17	33.3
Places of 10,000 or more—	14,589	13,619	910	33	6,628	2,618	548	3,398	520	35.6	310	21.3
White—	14,115	13,179	879	33	6,392	—	—	—	501	35.5	293	20.8
Nonwhite—	473	441	31	—	236	—	—	—	19	40.2	17	35.9
Places of 2,500 to 10,000—	3,962	3,486	445	11	1,615	769	10	619	196	46.9	109	27.5
White—	3,924	3,453	440	11	1,605	—	—	—	186	47.4	109	27.8
Nonwhite—	38	33	5	—	10	—	—	—	—	0	—	0
Rural—	10,968	8,818	2,005	71	3,815	1,913	106	1,721	474	43.2	251	21.1
White—	10,841	8,713	1,985	71	3,750	—	—	—	463	42.7	250	21.2
Nonwhite—	127	105	20	—	65	—	—	—	11	86.6	1	7.9
CONNECTICUT—	41,457	41,001	433	4	19,127	8,754	1,330	8,643	1,154	27.8	669	16.1
White—	40,354	39,921	393	2	18,639	—	—	—	1,113	27.6	643	15.9
Nonwhite—	1,123	1,080	40	2	489	—	—	—	41	36.5	26	23.2
Urban—	28,578	28,341	229	3	13,239	5,708	694	6,500	848	29.7	515	18.0
White—	27,568	27,370	192	1	12,949	—	—	—	810	29.4	494	17.9
Nonwhite—	1,010	971	37	2	410	—	—	—	38	37.6	21	20.8
Places of 10,000 or more—	27,093	26,883	203	3	12,609	5,395	683	6,291	785	29.0	489	18.0
White—	26,094	25,923	166	1	12,204	—	—	—	748	28.7	469	17.9
Nonwhite—	999	960	37	2	405	—	—	—	37	37.0	21	21.0
Places of 2,500 to 10,000—	1,485	1,458	26	—	680	315	11	309	63	42.4	26	17.5
White—	1,474	1,447	26	—	645	—	—	—	62	42.1	26	17.6
Nonwhite—	11	11	—	—	5	—	—	—	1	90.9	—	0
Rural—	12,879	12,660	204	1	5,868	3,048	636	2,043	308	23.8	154	12.0
White—	12,766	12,551	201	1	5,790	—	—	—	305	23.7	149	11.7
Nonwhite—	113	109	3	—	78	—	—	—	3	26.5	5	44.2
DELAWARE—	6,802	6,032	383	336	3,229	1,661	324	1,220	202	29.7	141	20.7
White—	5,811	5,466	270	64	2,643	—	—	—	149	25.6	101	17.4
Nonwhite—	991	566	113	272	586	—	—	—	53	53.5	40	40.4
Urban—	3,531	3,382	53	106	1,687	824	30	820	97	27.5	75	21.2
White—	3,019	2,965	37	17	1,384	—	—	—	76	25.2	52	17.2
Nonwhite—	512	397	16	89	303	—	—	—	21	41.0	23	44.9
Places of 10,000 or more—	2,659	2,694	24	38	1,322	616	28	665	73	27.5	55	20.7
White—	2,255	2,231	15	9	1,098	—	—	—	56	24.8	39	17.3
Nonwhite—	404	363	9	29	224	—	—	—	17	42.1	16	39.6
Places of 2,500 to 10,000—	872	768	29	68	365	208	2	155	24	27.5	20	22.9
White—	764	734	22	6	296	—	—	—	20	26.2	13	17.0
Nonwhite—	108	34	7	60	69	—	—	—	4	37.0	7	64.8
Rural—	3,271	2,670	330	230	1,542	837	294	400	105	32.1	66	20.2
White—	2,792	2,501	253	47	1,259	—	—	—	73	26.1	49	17.6
Nonwhite—	479	169	97	183	283	—	—	—	32	66.9	17	35.5
DISTRICT OF COLUMBIA—	18,601	17,661	932	4	8,289	3,190	673	4,388	767	41.2	484	26.0
White—	12,279	12,159	117	1	5,347	—	—	—	440	35.8	256	20.6
Nonwhite—	6,322	5,502	815	3	2,942	—	—	—	327	51.7	228	36.1
FLORIDA—	53,688	39,363	6,013	8,165	23,005	12,833	596	8,922	2,116	39.4	1,599	29.6
White—	40,114	35,201	3,959	922	16,396	—	—	—	1,387	34.6	874	21.9
Nonwhite—	13,574	4,162	2,054	7,243	6,609	—	—	—	729	53.7	725	53.4
Urban—	30,817	25,148	1,890	3,707	14,797	7,470	465	6,426	1,244	40.4	890	28.9
White—	22,986	22,012	780	183	10,592	—	—	—	810	35.2	474	20.6
Nonwhite—	7,831	3,137	1,110	5,524	4,205	—	—	—	434	55.4	416	53.1
Places of 10,000 or more—	23,527	19,978	1,028	2,478	11,247	5,627	67	5,205	930	39.5	678	28.8
White—	17,820	17,331	352	129	8,151	—	—	—	619	34.7	397	20.6
Nonwhite—	5,707	2,647	676	2,347	3,096	—	—	—	311	54.5	311	54.5
Places of 2,500 to 10,000—	7,290	5,171	882	1,231	3,550	1,843	398	1,221	314	43.1	212	29.1
White—	5,166	4,681	428	54	2,441	—	—	—	191	37.0	107	20.7
Nonwhite—	2,124	490	434	1,177	1,109	—	—	—	123	57.9	105	49.4
Rural—	22,871	14,234	4,123	4,458	8,208	5,363	131	2,496	872	39.1	709	31.0
White—	17,128	13,189	3,179	739	5,804	—	—	—	577	33.7	400	23.4
Nonwhite—	5,743	1,045	944	3,719	2,404	—	—	—	295	51.4	309	53.8

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See heading on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
GEORGIA-----	85,667	51,054	15,603	18,688	27,511	18,058	1,075	8,089	3,075	35.9	2,285	26.7
White-----	56,395	44,310	10,377	1,589	16,285	-----	-----	-----	1,707	35.9	1,093	19.4
Nonwhite-----	29,282	6,744	5,226	17,099	11,246	-----	-----	-----	1,368	46.7	1,192	40.7
Urban-----	35,247	29,193	3,674	3,306	12,934	7,713	216	4,903	1,379	38.0	1,039	28.7
White-----	25,608	23,900	1,518	169	7,374	-----	-----	-----	767	30.0	501	19.6
Nonwhite-----	10,639	5,293	2,156	3,139	5,560	-----	-----	-----	612	57.5	538	50.6
Places of 10,000 or more-----	27,129	23,185	2,222	1,669	9,780	5,550	209	3,960	976	36.0	814	30.0
White-----	19,031	18,385	544	88	5,457	-----	-----	-----	515	27.1	384	20.2
Nonwhite-----	8,098	4,800	1,678	1,581	4,323	-----	-----	-----	461	56.9	430	53.1
Places of 2,500 to 10,000-----	9,118	6,008	1,452	1,637	3,154	2,163	7	943	403	44.2	225	24.7
White-----	6,577	5,515	974	80	1,917	-----	-----	-----	252	39.3	117	17.8
Nonwhite-----	2,541	483	478	1,557	1,237	-----	-----	-----	151	59.4	108	42.5
Rural-----	49,420	21,861	11,929	15,362	14,577	10,345	859	3,186	1,696	34.3	1,246	25.2
White-----	30,777	20,410	8,859	1,421	8,081	-----	-----	-----	940	30.5	592	19.2
Nonwhite-----	18,643	1,451	3,070	13,961	5,686	-----	-----	-----	756	40.6	654	35.1
IDAHO-----	13,787	13,300	400	13	4,585	2,224	212	2,060	453	32.9	251	18.2
White-----	13,571	13,098	391	12	4,500	-----	-----	-----	446	32.9	243	17.9
Nonwhite-----	216	202	9	1	85	-----	-----	-----	7	32.4	8	37.0
Urban-----	6,136	6,005	118	3	2,153	950	50	1,151	239	39.0	116	18.9
White-----	6,077	5,948	117	3	2,131	-----	-----	-----	238	39.2	112	18.4
Nonwhite-----	59	57	1	-	27	-----	-----	-----	1	16.9	4	67.6
Places of 10,000 or more-----	3,738	3,705	24	3	1,320	540	21	748	141	37.7	70	18.7
White-----	3,705	3,672	24	3	1,296	-----	-----	-----	140	37.8	69	18.6
Nonwhite-----	33	33	-	-	24	-----	-----	-----	1	30.3	1	30.3
Places of 2,500 to 10,000-----	2,398	2,300	94	-	838	410	9	403	98	40.9	46	19.2
White-----	2,372	2,276	93	-	835	-----	-----	-----	98	41.3	43	18.1
Nonwhite-----	26	24	1	-	3	-----	-----	-----	-	0	3	115.4
Rural-----	7,651	7,295	282	10	2,427	1,274	182	909	214	28.0	135	17.6
White-----	7,494	7,150	274	9	2,369	-----	-----	-----	208	27.8	131	17.5
Nonwhite-----	157	145	8	1	58	-----	-----	-----	6	58.2	4	25.5
ILLINOIS-----	174,825	162,957	11,706	100	89,566	42,797	6,170	39,985	5,316	30.4	3,687	21.0
White-----	162,314	152,843	9,354	77	82,574	-----	-----	-----	4,742	29.2	3,188	19.6
Nonwhite-----	12,511	10,114	2,352	23	6,992	-----	-----	-----	574	45.9	479	38.3
Urban-----	134,052	126,205	5,720	92	66,827	31,346	2,074	32,956	4,080	30.4	2,919	21.6
White-----	122,068	116,359	3,614	71	60,584	-----	-----	-----	3,836	29.0	2,466	20.2
Nonwhite-----	11,984	9,846	2,106	21	6,243	-----	-----	-----	544	45.4	453	37.6
Places of 10,000 or more-----	115,260	110,680	4,267	91	57,996	26,594	1,975	29,080	3,465	30.1	2,504	21.7
White-----	103,559	101,253	2,244	71	51,946	-----	-----	-----	2,956	28.4	2,064	19.9
Nonwhite-----	11,701	9,427	2,023	20	6,042	-----	-----	-----	529	45.2	440	37.6
Places of 2,500 to 10,000-----	18,792	17,325	1,453	1	8,659	4,764	99	3,886	615	32.7	415	22.1
White-----	18,509	17,126	1,370	-	8,658	-----	-----	-----	600	32.4	402	21.7
Nonwhite-----	283	199	83	1	201	-----	-----	-----	15	53.0	13	45.9
Rural-----	40,773	34,752	5,986	8	22,739	11,449	4,096	7,029	1,236	30.3	748	18.3
White-----	40,246	34,464	5,740	6	21,890	-----	-----	-----	1,206	30.0	722	17.9
Nonwhite-----	527	288	246	2	749	-----	-----	-----	30	56.9	26	49.3
INDIANA-----	65,515	74,686	10,756	42	39,034	23,026	2,160	13,502	2,697	31.5	1,583	18.5
White-----	62,279	72,599	9,621	32	37,023	-----	-----	-----	2,512	30.5	1,464	17.8
Nonwhite-----	3,236	2,087	1,135	10	2,011	-----	-----	-----	185	57.2	119	36.6
Urban-----	53,034	49,828	4,151	40	22,594	12,455	532	9,402	1,728	32.6	1,020	19.2
White-----	49,893	46,783	3,089	30	20,765	-----	-----	-----	1,550	31.1	908	18.2
Nonwhite-----	3,141	2,045	1,062	10	1,809	-----	-----	-----	179	56.7	114	36.3
Places of 10,000 or more-----	44,298	40,996	3,250	39	18,427	9,877	435	7,956	1,436	32.4	950	19.2
White-----	41,213	38,962	2,193	29	16,672	-----	-----	-----	1,260	30.6	738	17.9
Nonwhite-----	3,085	2,014	1,057	10	1,755	-----	-----	-----	176	57.1	112	36.3
Places of 2,500 to 10,000-----	8,735	7,832	801	2	4,167	2,578	97	1,446	292	33.4	170	19.5
White-----	8,680	7,801	876	2	4,113	-----	-----	-----	280	33.4	168	19.4
Nonwhite-----	56	31	25	-	54	-----	-----	-----	2	35.7	2	35.7
Rural-----	32,481	25,689	6,605	2	16,440	10,571	1,628	4,100	969	29.8	563	17.3
White-----	32,366	25,616	6,552	2	16,238	-----	-----	-----	962	29.7	558	17.2
Nonwhite-----	95	42	53	-	202	-----	-----	-----	7	73.7	5	52.6
IOWA-----	56,186	51,603	4,290	10	25,759	13,416	1,469	10,346	1,681	29.3	1,020	18.2
White-----	55,774	51,451	4,257	4	25,501	-----	-----	-----	1,658	29.7	1,007	18.1
Nonwhite-----	412	372	33	6	257	-----	-----	-----	23	55.8	13	31.6
Urban-----	26,531	25,784	723	4	13,727	6,086	787	6,557	943	35.5	488	18.4
White-----	26,163	25,445	697	2	13,506	-----	-----	-----	924	35.3	477	18.2
Nonwhite-----	368	339	26	2	221	-----	-----	-----	19	51.6	11	29.9
Places of 10,000 or more-----	19,483	19,057	409	3	8,949	3,840	161	4,789	684	35.1	353	18.1
White-----	19,136	18,736	386	1	8,763	-----	-----	-----	667	34.9	344	18.0
Nonwhite-----	347	321	23	2	186	-----	-----	-----	17	49.0	9	25.9
Places of 2,500 to 10,000-----	7,048	6,727	314	1	4,778	2,246	626	1,768	259	36.7	135	19.2
White-----	7,027	6,709	311	1	4,743	-----	-----	-----	257	36.6	133	18.9
Nonwhite-----	21	18	3	-	35	-----	-----	-----	2	95.2	2	95.2
Rural-----	29,655	26,019	3,567	6	12,031	7,330	682	3,789	738	24.9	532	17.9
White-----	29,611	25,986	3,580	2	11,995	-----	-----	-----	734	24.8	530	17.9
Nonwhite-----	44	33	7	4	36	-----	-----	-----	4	90.9	2	45.5

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

13

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
KANSAS-----	35,751	35,090	3,081	7	18,059	9,426	847	7,539	1,217	30.6	689	17.3
White-----	36,266	34,873	3,367	5	17,066	-----	-----	-----	1,165	30.4	636	16.6
Nonwhite-----	1,485	1,025	454	2	993	-----	-----	-----	52	35.0	53	35.7
Urban-----	21,706	20,531	1,163	2	9,802	4,484	161	4,803	768	35.4	390	18.0
White-----	20,579	19,595	775	1	8,828	-----	-----	-----	721	35.4	343	16.8
Nonwhite-----	1,527	936	388	1	773	-----	-----	-----	47	35.4	47	35.4
Places of 10,000 or more-----	18,403	15,573	822	1	6,749	3,102	145	3,417	576	35.1	301	18.4
White-----	15,199	14,733	460	-----	6,034	-----	-----	-----	536	35.3	256	16.8
Nonwhite-----	1,204	840	362	1	715	-----	-----	-----	40	33.2	45	37.4
Places of 2,500 to 10,000-----	5,303	4,958	341	1	2,853	1,392	56	1,386	192	36.2	89	16.8
White-----	5,180	4,862	315	1	2,795	-----	-----	-----	185	35.7	87	16.8
Nonwhite-----	123	96	26	-----	58	-----	-----	-----	7	56.9	2	16.3
Rural-----	18,045	15,567	2,658	5	8,457	4,942	666	2,735	449	24.9	299	16.6
White-----	17,887	15,278	2,592	4	8,237	-----	-----	-----	444	24.8	293	16.4
Nonwhite-----	158	89	66	1	220	-----	-----	-----	5	31.6	6	38.0
KENTUCKY-----	72,542	36,749	30,765	4,836	27,410	18,976	919	7,311	2,900	40.0	1,514	20.9
White-----	69,142	35,375	28,874	4,706	24,053	-----	-----	-----	2,644	38.2	1,358	19.6
Nonwhite-----	3,400	1,374	1,891	130	3,357	-----	-----	-----	256	75.3	156	45.9
Urban-----	24,190	19,798	4,519	66	11,346	6,779	280	4,189	1,039	43.0	550	22.7
White-----	22,124	18,689	3,567	60	9,107	-----	-----	-----	878	39.7	449	20.3
Nonwhite-----	2,066	1,107	952	6	2,239	-----	-----	-----	161	77.9	101	46.9
Places of 10,000 or more-----	17,946	15,654	2,274	12	8,443	4,808	267	3,303	747	41.6	394	22.0
White-----	16,544	14,662	1,666	11	6,771	-----	-----	-----	636	38.9	319	19.5
Nonwhite-----	1,602	992	608	1	1,672	-----	-----	-----	111	69.3	75	46.8
Places of 2,500 to 10,000-----	6,244	4,142	2,045	54	2,903	1,971	13	888	292	46.8	156	25.0
White-----	5,780	4,027	1,701	49	2,336	-----	-----	-----	242	41.9	130	22.5
Nonwhite-----	464	115	344	5	567	-----	-----	-----	50	107.8	26	56.0
Rural-----	46,352	16,955	26,446	4,770	16,064	12,197	638	3,122	1,861	38.5	964	19.9
White-----	47,018	16,686	25,507	4,646	14,946	-----	-----	-----	1,768	37.6	909	19.3
Nonwhite-----	1,334	267	939	124	1,118	-----	-----	-----	95	71.2	55	41.2
LOUISIANA-----	68,670	48,860	7,326	12,402	22,030	12,625	700	8,526	2,553	37.2	1,685	27.2
White-----	43,244	36,628	4,992	1,589	12,957	-----	-----	-----	1,272	29.4	836	19.3
Nonwhite-----	25,426	12,232	2,334	10,814	9,073	-----	-----	-----	1,281	50.4	1,029	40.5
Urban-----	31,622	28,224	1,301	2,256	11,398	5,957	499	5,454	1,278	40.2	923	29.0
White-----	21,422	20,408	675	323	7,439	-----	-----	-----	665	31.0	441	20.6
Nonwhite-----	10,400	7,816	626	1,933	4,559	-----	-----	-----	613	58.9	482	46.3
Places of 10,000 or more-----	23,368	21,611	712	1,008	9,048	4,447	166	4,391	869	37.2	645	27.8
White-----	15,170	14,728	269	159	5,677	-----	-----	-----	439	28.9	311	20.5
Nonwhite-----	8,198	6,883	444	849	3,371	-----	-----	-----	430	52.5	334	40.7
Places of 2,500 to 10,000-----	8,454	6,613	589	1,248	2,950	1,510	333	1,063	409	48.4	278	32.9
White-----	6,252	5,678	407	164	1,762	-----	-----	-----	226	36.1	130	20.8
Nonwhite-----	2,202	935	182	1,084	1,188	-----	-----	-----	183	63.1	148	67.2
Rural-----	36,848	20,636	6,025	10,146	10,032	6,668	201	3,072	1,275	34.6	942	25.6
White-----	21,822	16,222	4,317	1,265	5,518	-----	-----	-----	607	27.8	395	18.1
Nonwhite-----	15,026	4,414	1,709	8,881	4,514	-----	-----	-----	668	44.5	547	86.4
MAINE-----	20,326	17,666	2,577	12	10,058	5,687	472	3,512	833	41.0	345	17.0
White-----	20,290	17,638	2,570	11	10,025	-----	-----	-----	829	40.9	345	17.0
Nonwhite-----	36	28	7	1	33	-----	-----	-----	4	111.1	-----	0
Urban-----	8,448	7,998	443	1	4,229	2,076	401	1,676	326	38.6	131	15.5
White-----	8,429	7,982	440	1	4,216	-----	-----	-----	325	38.6	131	15.5
Nonwhite-----	19	16	3	-----	13	-----	-----	-----	1	62.6	-----	0
Places of 10,000 or more-----	6,176	5,927	242	1	3,129	1,444	391	1,243	222	35.9	98	15.9
White-----	6,166	5,919	240	1	3,118	-----	-----	-----	221	35.8	98	15.9
Nonwhite-----	10	8	2	-----	11	-----	-----	-----	1	100.0	-----	0
Places of 2,500 to 10,000-----	2,272	2,071	201	-----	1,100	632	10	433	104	45.8	33	14.5
White-----	2,263	2,063	200	-----	1,098	-----	-----	-----	104	46.0	33	14.5
Nonwhite-----	9	8	1	-----	2	-----	-----	-----	-----	0	-----	0
Rural-----	11,878	9,668	2,134	11	5,829	3,611	71	1,836	507	42.7	214	18.0
White-----	11,861	9,658	2,130	10	5,807	-----	-----	-----	504	42.5	219	18.0
Nonwhite-----	17	12	4	1	22	-----	-----	-----	3	176.5	-----	0
MARYLAND-----	50,347	40,647	7,454	2,195	21,793	12,508	1,064	8,021	1,713	34.0	1,274	25.3
White-----	41,063	35,597	4,882	580	17,237	-----	-----	-----	1,207	29.4	847	20.6
Nonwhite-----	9,264	5,050	2,592	1,615	4,546	-----	-----	-----	506	54.6	427	46.1
Urban-----	28,477	24,063	3,540	858	13,241	7,385	304	5,421	977	34.3	743	26.1
White-----	22,394	20,281	1,620	268	10,235	-----	-----	-----	665	29.7	473	21.1
Nonwhite-----	6,083	3,772	1,720	590	3,006	-----	-----	-----	312	51.3	270	44.4
Places of 10,000 or more-----	25,580	21,424	3,327	798	12,310	6,849	279	5,061	901	35.3	688	26.9
White-----	19,676	17,747	1,655	264	9,434	-----	-----	-----	802	30.6	425	21.6
Nonwhite-----	5,884	3,677	1,672	534	2,876	-----	-----	-----	299	50.8	263	44.7
Places of 2,500 to 10,000-----	2,917	2,639	213	60	931	536	25	360	76	26.1	55	18.9
White-----	2,718	2,544	165	4	801	-----	-----	-----	63	23.2	49	17.7
Nonwhite-----	199	95	48	56	130	-----	-----	-----	13	65.3	7	55.2
Rural-----	21,870	16,584	3,914	1,887	8,542	5,123	760	2,600	736	33.7	531	24.3
White-----	18,689	15,306	3,042	312	7,002	-----	-----	-----	542	29.0	374	20.0
Nonwhite-----	3,181	1,278	872	1,025	1,540	-----	-----	-----	194	61.0	157	49.4

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
MASSACHUSETTS	94,288	91,692	2,595	3	51,399	25,161	4,370	20,926	2,984	31.6	2,113	22.5
White	92,787	90,313	2,463	1	50,487	24,982	4,370	20,926	2,914	31.4	2,065	22.5
Nonwhite	1,501	1,379	120	2	911	179	—	—	70	46.6	54	36.0
Urban	84,356	82,160	2,197	2	45,376	21,982	3,431	18,124	2,671	31.7	1,887	22.5
White	82,967	80,888	2,072	2	44,545	21,982	3,431	18,124	2,605	31.4	1,849	22.3
Nonwhite	1,369	1,272	95	2	831	179	—	—	66	48.2	48	35.1
Places of 10,000 or more	78,002	76,109	1,895	2	42,225	20,028	3,342	18,134	2,491	31.9	1,766	22.6
White	76,678	74,677	1,794	2	41,417	20,028	3,342	18,134	2,428	31.7	1,720	22.4
Nonwhite	1,324	1,231	91	2	808	179	—	—	63	47.6	46	34.7
Places of 2,500 to 10,000	6,354	6,052	282	—	3,151	1,954	139	990	160	28.4	131	20.7
White	6,288	6,011	278	—	3,128	1,954	139	990	177	28.1	129	20.5
Nonwhite	45	41	4	—	23	—	—	—	3	66.7	2	44.4
Rural	9,952	9,532	416	1	6,022	3,179	889	1,802	313	31.5	222	22.3
White	9,820	9,425	391	1	5,942	3,179	889	1,802	309	31.5	216	22.0
Nonwhite	132	107	25	—	80	—	—	—	4	30.3	6	45.5
MICHIGAN	139,277	130,068	9,214	139	55,167	27,316	4,309	22,591	4,552	32.7	3,141	22.6
White	130,945	123,243	7,404	92	51,844	26,982	4,309	22,591	4,169	32.0	2,827	21.6
Nonwhite	8,332	6,825	1,410	47	3,323	334	—	—	363	43.6	314	37.7
Urban	97,678	93,905	3,623	51	34,661	16,161	852	17,066	3,123	32.0	2,313	23.7
White	89,904	87,356	2,472	18	31,747	16,161	852	17,066	2,789	31.0	2,006	22.3
Nonwhite	7,774	6,549	1,151	33	2,914	334	—	—	354	43.0	307	39.5
Places of 10,000 or more	83,756	80,679	2,984	32	29,676	13,426	812	14,984	2,653	31.7	1,998	23.9
White	76,357	74,402	1,903	8	26,858	13,426	812	14,984	2,530	30.5	1,702	22.3
Nonwhite	7,399	6,277	1,061	24	2,818	334	—	—	323	43.7	296	40.0
Places of 2,500 to 10,000	13,922	13,228	659	19	4,985	2,733	40	2,102	470	33.8	315	22.6
White	13,547	12,954	589	10	4,899	2,733	40	2,102	459	33.9	304	22.4
Nonwhite	375	273	80	9	86	—	—	—	11	29.3	11	29.3
Rural	41,599	36,163	5,191	88	20,506	11,155	3,457	5,525	1,429	34.4	828	19.9
White	41,041	35,897	4,932	74	19,797	11,155	3,457	5,525	1,400	34.1	821	20.0
Nonwhite	558	276	259	14	709	—	—	—	29	52.0	7	12.5
MINNESOTA	67,266	64,048	2,861	164	26,937	12,112	1,872	12,609	1,925	28.6	1,329	19.8
White	68,511	63,366	2,852	161	26,577	12,112	1,872	12,609	1,869	28.1	1,301	19.6
Nonwhite	755	681	29	3	360	—	—	—	56	74.2	28	37.1
Urban	36,019	35,322	575	109	15,612	5,621	1,530	8,140	1,133	31.5	714	19.8
White	35,685	35,006	562	106	15,432	5,621	1,530	8,140	1,114	31.2	705	19.7
Nonwhite	333	316	13	3	180	—	—	—	19	57.1	11	35.0
Places of 10,000 or more	27,451	27,007	339	94	11,720	4,333	1,014	6,285	602	29.2	554	20.2
White	27,136	26,709	326	91	11,553	4,333	1,014	6,285	585	28.9	544	20.0
Nonwhite	315	298	13	3	167	—	—	—	17	54.0	10	31.7
Places of 2,500 to 10,000	8,967	8,315	226	15	3,892	1,488	516	1,855	331	39.6	160	18.7
White	8,549	8,297	256	15	3,879	1,488	516	1,855	329	39.5	159	18.6
Nonwhite	18	18	—	—	13	—	—	—	2	111.1	1	55.6
Rural	31,248	28,727	2,306	55	11,325	6,291	342	4,469	792	25.3	615	19.7
White	30,826	28,362	2,290	55	11,145	6,291	342	4,469	755	24.5	599	19.4
Nonwhite	422	365	16	—	180	—	—	—	37	87.7	17	40.3
MISSISSIPPI	61,690	25,837	15,096	22,600	19,417	13,988	511	4,732	2,311	37.5	1,882	30.5
White	29,975	20,787	8,299	841	9,130	—	—	—	1,036	34.6	608	20.3
Nonwhite	31,715	3,050	6,797	21,759	10,287	—	—	—	1,275	40.2	1,274	40.2
Urban	18,922	11,204	2,129	3,571	5,652	3,376	92	2,106	707	41.8	466	27.5
White	10,989	9,833	641	1,07	3,020	—	—	—	436	41.2	198	19.7
Nonwhite	6,333	1,371	1,488	3,464	2,632	—	—	—	271	42.8	268	42.3
Places of 10,000 or more	9,892	6,958	957	1,966	3,473	2,008	90	1,323	401	40.5	309	31.2
White	6,205	5,991	163	44	1,815	—	—	—	233	37.6	126	20.3
Nonwhite	3,687	967	794	1,922	1,658	—	—	—	168	45.6	183	49.6
Places of 2,500 to 10,000	7,030	4,246	1,172	1,605	2,179	1,568	2	783	306	43.5	157	22.3
White	4,384	3,842	478	63	1,205	—	—	—	205	48.5	72	16.4
Nonwhite	2,646	404	694	1,542	974	—	—	—	108	38.9	85	32.1
Rural	44,788	12,633	12,967	19,029	13,765	10,612	419	2,626	1,604	35.8	1,416	31.6
White	13,586	10,954	7,658	734	6,110	—	—	—	600	31.0	410	21.1
Nonwhite	25,382	1,679	5,309	18,295	7,655	—	—	—	1,004	39.6	1,006	39.6
MISSOURI	80,684	63,122	16,194	905	42,451	23,326	2,172	16,499	2,665	33.0	1,824	22.6
White	74,637	58,717	15,064	488	36,209	—	—	—	2,352	31.2	1,558	20.6
Nonwhite	6,047	4,405	1,130	417	4,242	—	—	—	313	55.1	266	47.3
Urban	47,073	43,104	3,593	312	25,724	11,798	1,297	12,387	1,656	34.8	1,098	23.3
White	42,042	38,925	2,895	190	22,133	—	—	—	1,350	32.1	849	20.2
Nonwhite	5,031	4,179	700	122	3,591	—	—	—	266	56.8	249	49.5
Places of 10,000 or more	39,056	37,026	1,798	198	21,446	9,261	1,009	10,984	1,359	34.8	923	23.6
White	34,376	32,946	1,251	157	18,171	—	—	—	1,001	31.7	697	20.3
Nonwhite	4,680	4,080	537	41	3,275	—	—	—	268	52.3	226	48.3
Places of 2,500 to 10,000	8,017	6,078	1,805	114	4,278	2,537	288	1,403	277	34.6	175	21.8
White	7,886	5,978	1,642	33	3,962	—	—	—	269	33.8	152	19.8
Nonwhite	351	99	163	81	316	—	—	—	18	51.3	23	55.5
Rural	33,611	20,018	12,601	593	16,727	11,528	875	4,112	1,029	30.6	726	21.6
White	32,595	19,792	12,171	298	16,076	—	—	—	962	30.1	699	21.1
Nonwhite	1,016	226	430	295	651	—	—	—	47	46.3	37	36.4

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

15

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
MONTANA	12,858	12,422	326	43	5,595	2,222	231	3,072	448	34.8	224	17.4
White	12,229	11,908	294	14	5,301	—	—	—	383	31.3	213	17.4
Nonwhite	629	514	32	29	294	—	—	—	65	103.3	11	17.5
Urban	6,338	6,280	74	3	3,003	1,036	18	1,930	238	37.6	118	18.6
White	6,290	6,216	72	1	2,960	—	—	—	236	37.5	118	18.6
Nonwhite	48	44	2	2	43	—	—	—	2	41.7	—	0
Places of 10,000 or more	3,921	3,891	27	2	1,959	624	4	1,322	148	37.7	86	21.9
White	3,897	3,868	27	1	1,933	—	—	—	148	38.0	86	22.1
Nonwhite	24	23	—	1	26	—	—	—	—	0	—	0
Places of 2,500 to 10,000	2,417	2,369	47	1	1,044	412	14	608	90	37.2	32	15.2
White	2,393	2,348	45	—	1,027	—	—	—	88	36.8	32	15.4
Nonwhite	24	21	2	1	17	—	—	—	2	63.3	—	0
Rural	6,520	6,162	252	40	2,592	1,188	213	1,142	210	32.2	108	16.3
White	5,939	5,692	222	15	2,541	—	—	—	147	24.8	95	16.0
Nonwhite	581	470	30	27	251	—	—	—	63	108.4	11	18.9
NEBRASKA	28,052	25,505	2,528	2	12,440	6,575	591	5,009	846	30.2	514	18.3
White	27,477	25,012	2,454	2	12,147	—	—	—	814	29.6	500	18.2
Nonwhite	575	493	75	—	293	—	—	—	32	55.7	14	24.3
Urban	13,583	13,072	504	1	6,020	2,847	141	2,952	434	32.0	257	18.9
White	13,131	12,693	443	1	5,763	—	—	—	412	31.4	246	18.7
Nonwhite	452	389	61	—	259	—	—	—	22	48.7	11	24.3
Places of 10,000 or more	10,584	10,228	351	1	4,478	2,057	95	2,269	323	30.5	201	19.0
White	10,151	9,887	290	1	4,247	—	—	—	303	29.8	191	18.8
Nonwhite	433	371	61	—	231	—	—	—	20	46.2	10	23.1
Places of 2,500 to 10,000	2,999	2,844	153	—	1,545	790	46	683	111	37.0	56	18.7
White	2,980	2,826	153	—	1,534	—	—	—	109	36.6	55	18.5
Nonwhite	19	18	—	—	11	—	—	—	2	105.3	1	52.6
Rural	14,469	12,433	2,025	1	6,420	3,728	450	2,057	412	28.5	257	17.8
White	14,348	12,329	2,011	1	6,368	—	—	—	402	28.0	254	17.7
Nonwhite	123	104	14	—	54	—	—	—	10	61.3	3	24.4
NEVADA	3,283	3,156	106	9	1,502	643	44	810	130	39.6	69	21.0
White	3,037	2,957	75	2	1,364	—	—	—	116	38.2	58	19.1
Nonwhite	246	199	31	7	138	—	—	—	14	56.9	11	44.7
Urban	1,606	1,579	26	—	764	260	27	476	84	39.9	37	23.0
White	1,530	1,514	15	—	716	—	—	—	83	37.9	35	22.9
Nonwhite	76	65	11	—	48	—	—	—	6	78.9	2	26.3
Places of 10,000 or more	752	745	7	—	399	126	16	255	26	34.6	20	26.6
White	736	730	6	—	384	—	—	—	26	35.3	19	25.8
Nonwhite	16	15	1	—	14	—	—	—	—	0	1	62.5
Places of 2,500 to 10,000	854	854	19	—	366	154	11	221	58	44.5	17	19.9
White	794	784	9	—	332	—	—	—	32	40.3	16	20.2
Nonwhite	60	50	10	—	34	—	—	—	6	100.0	1	16.7
Rural	1,677	1,577	80	9	738	383	17	334	66	39.4	32	19.1
White	1,507	1,443	60	2	648	—	—	—	58	38.5	23	15.3
Nonwhite	170	134	20	7	90	—	—	—	8	47.1	9	52.9
NEW HAMPSHIRE	11,092	10,704	384	1	6,043	3,124	639	2,142	348	31.4	244	22.0
White	11,074	10,686	384	1	6,038	—	—	—	346	31.2	244	22.0
Nonwhite	18	18	—	—	11	—	—	—	2	111.1	—	0
Urban	6,463	6,353	110	—	3,419	1,591	420	1,549	208	32.2	144	22.3
White	6,447	6,337	110	—	3,412	—	—	—	207	32.1	144	22.3
Nonwhite	16	16	—	—	7	—	—	—	1	62.5	—	0
Places of 10,000 or more	5,617	5,526	91	—	3,001	1,362	418	1,171	161	32.2	126	22.4
White	5,601	5,510	91	—	2,994	—	—	—	160	32.1	126	22.5
Nonwhite	16	16	—	—	7	—	—	—	1	62.5	—	0
Places of 2,500 to 10,000	846	827	19	—	418	228	2	178	27	31.9	18	21.3
White	846	827	19	—	418	—	—	—	27	31.9	18	21.3
Nonwhite	—	—	—	—	—	—	—	—	—	—	—	—
Rural	4,629	4,351	274	1	2,630	1,533	219	793	140	30.2	100	21.6
White	4,627	4,349	274	1	2,626	—	—	—	139	30.0	100	21.6
Nonwhite	2	2	—	—	4	—	—	—	1	500.0	—	0
NEW JERSEY	95,218	90,793	5,761	628	46,892	23,134	3,189	19,732	2,715	28.5	2,110	22.2
White	88,620	85,149	2,878	572	43,109	—	—	—	2,398	27.1	1,857	21.0
Nonwhite	6,598	5,644	883	56	3,283	—	—	—	317	48.0	253	38.3
Urban	77,181	74,261	2,337	562	36,074	18,092	1,119	16,608	2,176	28.2	1,696	22.0
White	71,567	69,324	1,710	518	33,460	—	—	—	1,913	26.7	1,470	20.5
Nonwhite	5,614	4,937	627	44	2,614	—	—	—	263	46.8	226	40.3
Places of 10,000 or more	62,843	60,334	1,730	501	29,407	14,516	606	14,079	1,781	28.4	1,402	22.4
White	57,509	55,793	1,237	466	27,083	—	—	—	1,544	26.8	1,190	20.7
Nonwhite	5,134	4,541	533	35	2,324	—	—	—	237	46.2	212	41.3
Places of 2,500 to 10,000	14,538	13,927	547	61	6,667	3,576	513	2,529	395	27.2	294	20.2
White	14,058	13,531	475	52	6,377	—	—	—	369	26.2	280	19.9
Nonwhite	480	396	74	9	290	—	—	—	26	54.2	14	29.2
Rural	18,037	16,532	1,424	66	10,318	5,042	2,070	3,124	539	29.9	414	23.0
White	17,053	15,625	1,168	54	9,649	—	—	—	485	28.4	387	22.7
Nonwhite	984	707	256	12	669	—	—	—	54	54.9	27	27.4

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
NEW MEXICO-----	18,087	11,137	3,750	2,518	5,436	3,101	110	2,072	1,415	78.2	380	21.0
White-----	16,674	10,269	3,664	2,190	4,814	---	---	---	1,201	72.0	338	20.3
Nonwhite-----	1,413	868	86	128	622	---	---	---	214	151.5	42	29.7
Urban-----	7,267	5,487	1,009	627	2,145	1,064	1	1,004	501	68.9	137	18.9
White-----	7,035	5,292	977	626	2,057	---	---	---	477	67.8	126	17.9
Nonwhite-----	232	195	32	1	88	---	---	---	24	103.4	11	47.4
Places of 10,000 or more-----	3,557	2,944	300	211	1,023	481	1	486	220	61.8	61	17.1
White-----	3,429	2,828	291	211	964	---	---	---	210	61.2	55	16.0
Nonwhite-----	128	116	9	---	59	---	---	---	10	78.1	6	46.9
Places of 2,500 to 10,000-----	3,710	2,643	709	416	1,122	593	---	518	281	75.7	76	20.5
White-----	3,606	2,464	686	415	1,093	---	---	---	267	74.0	71	19.7
Nonwhite-----	104	79	23	1	29	---	---	---	14	134.6	5	48.1
Rural-----	10,820	5,650	2,741	1,691	3,291	2,037	109	1,068	914	84.5	243	22.5
White-----	9,839	4,977	2,687	1,564	2,757	---	---	---	724	75.1	212	22.0
Nonwhite-----	1,181	673	54	127	534	---	---	---	190	160.9	31	26.2
NEW YORK-----	286,546	277,629	8,157	582	152,966	69,083	12,772	69,039	8,345	29.1	7,392	25.8
White-----	268,271	261,329	7,368	427	144,289	---	---	---	7,506	27.9	6,458	24.0
Nonwhite-----	17,275	16,300	789	155	8,577	---	---	---	839	48.6	934	54.1
Urban-----	235,299	230,116	4,514	556	125,419	54,120	7,198	60,719	6,989	28.7	6,432	27.3
White-----	218,709	214,405	3,613	404	115,568	---	---	---	6,176	28.2	5,522	25.2
Nonwhite-----	16,590	15,711	701	152	7,850	---	---	---	813	49.0	910	54.9
Places of 10,000 or more-----	219,594	215,027	3,914	547	115,375	49,764	7,051	57,375	6,492	29.6	6,097	27.8
White-----	205,235	199,530	3,228	397	107,640	---	---	---	5,690	28.0	5,194	25.8
Nonwhite-----	16,359	15,497	686	150	7,735	---	---	---	802	49.0	903	58.2
Places of 2,500 to 10,000-----	18,708	15,089	600	9	8,044	4,356	147	3,344	497	31.6	335	21.3
White-----	15,474	14,675	585	7	7,828	---	---	---	466	31.4	328	21.2
Nonwhite-----	231	214	15	2	115	---	---	---	11	47.6	7	30.3
Rural-----	51,247	47,513	3,643	26	29,447	14,965	5,574	8,320	1,356	26.5	960	18.7
White-----	50,562	46,924	3,555	23	28,720	---	---	---	1,330	26.3	935	18.5
Nonwhite-----	885	589	88	3	727	---	---	---	26	38.0	24	35.0
NORTH CAROLINA-----	100,679	62,001	25,094	13,417	28,724	18,148	980	9,307	3,742	37.2	2,394	23.8
White-----	71,062	53,799	15,169	1,998	19,096	---	---	---	2,324	32.7	1,343	18.9
Nonwhite-----	29,617	8,202	9,925	11,419	9,628	---	---	---	1,418	47.9	1,051	35.5
Urban-----	29,427	24,957	2,690	1,761	9,764	5,236	209	4,203	1,158	39.4	768	26.8
White-----	21,627	20,495	1,072	65	6,267	---	---	---	730	33.8	453	20.9
Nonwhite-----	7,800	4,472	1,618	1,698	3,497	---	---	---	428	54.9	335	42.9
Places of 10,000 or more-----	22,285	18,480	1,549	1,251	7,454	3,863	198	3,311	841	37.7	583	26.1
White-----	15,821	15,473	406	39	4,597	---	---	---	466	30.5	308	18.3
Nonwhite-----	6,374	4,007	1,143	1,212	2,857	---	---	---	355	58.7	275	43.1
Places of 2,500 to 10,000-----	7,132	5,477	1,141	510	2,510	1,373	11	892	317	44.4	205	28.7
White-----	5,706	5,012	666	24	1,870	---	---	---	244	42.8	145	25.4
Nonwhite-----	1,426	465	475	486	640	---	---	---	73	51.2	60	42.1
Rural-----	71,252	37,044	22,404	11,656	18,960	12,912	771	5,104	2,584	36.3	1,606	22.5
White-----	49,455	33,514	14,087	1,935	12,829	---	---	---	1,594	32.2	890	18.0
Nonwhite-----	21,817	8,730	8,307	9,721	6,131	---	---	---	990	45.4	715	32.8
NORTH DAKOTA-----	15,264	13,869	1,214	40	5,090	2,235	226	2,578	519	34.0	264	17.5
White-----	14,893	13,581	1,204	24	4,955	---	---	---	495	33.2	256	17.2
Nonwhite-----	371	308	10	16	125	---	---	---	24	64.7	8	21.6
Urban-----	4,058	3,992	62	---	1,500	472	42	989	172	42.4	85	16.0
White-----	4,034	3,970	61	---	1,489	---	---	---	170	42.1	65	16.1
Nonwhite-----	24	22	1	---	11	---	---	---	2	85.3	---	0
Places of 10,000 or more-----	2,527	2,489	36	---	857	279	12	559	101	40.0	42	16.6
White-----	2,515	2,478	36	---	850	---	---	---	99	39.4	42	16.7
Nonwhite-----	12	11	---	---	7	---	---	---	2	166.7	---	0
Places of 2,500 to 10,000-----	1,531	1,503	28	---	643	193	30	410	71	46.4	23	15.0
White-----	1,519	1,492	25	---	639	---	---	---	71	46.7	23	15.1
Nonwhite-----	12	11	1	---	4	---	---	---	---	0	---	0
Rural-----	11,206	9,877	1,152	40	3,580	1,763	184	1,609	347	31.0	199	17.8
White-----	10,859	9,591	1,143	24	3,466	---	---	---	325	29.9	191	17.6
Nonwhite-----	347	286	9	16	114	---	---	---	22	63.4	8	23.1
OHIO-----	169,600	152,039	17,165	36	78,484	43,923	4,125	28,996	5,312	31.3	4,044	23.8
White-----	159,693	144,094	15,251	19	72,980	---	---	---	4,893	30.6	3,640	22.9
Nonwhite-----	9,907	7,944	1,914	17	5,504	---	---	---	419	42.3	404	40.8
Urban-----	119,438	112,423	6,895	17	54,655	28,630	1,994	25,131	3,756	31.3	2,885	24.1
White-----	110,165	104,829	5,252	4	49,751	---	---	---	3,346	30.4	2,509	22.8
Nonwhite-----	9,273	7,594	1,643	13	4,904	---	---	---	390	42.1	374	40.3
Places of 10,000 or more-----	102,861	97,602	5,164	17	46,746	23,689	1,704	20,631	3,221	31.3	2,505	24.4
White-----	94,022	90,302	3,659	4	42,102	---	---	---	2,859	30.4	2,144	22.8
Nonwhite-----	8,839	7,300	1,505	13	4,644	---	---	---	362	41.0	361	40.8
Places of 2,500 to 10,000-----	16,577	14,821	1,751	---	7,809	4,941	290	2,500	515	31.1	378	22.8
White-----	16,143	14,527	1,593	---	7,649	---	---	---	487	30.2	365	22.6
Nonwhite-----	434	294	158	---	280	---	---	---	28	64.5	13	30.0
Rural-----	50,182	39,615	10,270	19	23,809	15,293	2,131	5,665	1,576	31.4	1,161	23.1
White-----	49,526	39,265	9,989	15	23,209	---	---	---	1,547	31.2	1,151	22.8
Nonwhite-----	654	350	271	4	600	---	---	---	29	45.7	30	47.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

17

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>2</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
OKLAHOMA	50,416	39,190	9,806	1,138	18,620	10,907	848	6,550	1,639	32.5	1,091	21.6
White	44,843	36,249	8,216	242	16,401	—	—	—	1,386	30.9	909	20.3
Nonwhite	5,573	2,941	1,590	896	2,219	—	—	—	253	45.4	182	32.7
Urban	26,271	23,538	2,285	402	10,092	5,308	585	4,005	898	33.8	539	20.5
White	23,556	21,316	1,579	39	8,952	—	—	—	768	32.6	446	18.9
Nonwhite	2,715	1,622	706	363	1,140	—	—	—	120	44.2	93	34.3
Places of 10,000 or more	19,045	17,650	1,087	289	6,991	3,537	361	2,961	607	31.9	375	19.7
White	17,027	16,383	611	16	6,129	—	—	—	519	30.5	304	17.9
Nonwhite	2,018	1,257	476	273	862	—	—	—	88	43.6	71	35.2
Places of 2,500 to 10,000	7,228	5,888	1,198	113	3,101	1,771	224	1,044	281	38.9	164	22.7
White	6,528	5,323	969	33	2,823	—	—	—	249	38.1	142	21.7
Nonwhite	697	365	230	90	278	—	—	—	32	45.9	22	31.6
Rural	24,145	15,852	7,521	736	8,528	5,599	283	2,545	751	31.1	553	22.9
White	21,267	14,333	6,637	203	7,449	—	—	—	618	29.0	463	21.8
Nonwhite	2,858	1,319	884	533	1,079	—	—	—	133	46.5	89	31.1
OREGON	30,076	29,472	447	15	13,318	6,067	882	6,019	833	27.7	521	17.3
White	29,504	28,945	432	8	13,050	—	—	—	802	27.2	503	17.0
Nonwhite	572	527	15	5	268	—	—	—	31	54.2	18	31.5
Urban	16,744	16,597	124	2	8,699	3,355	666	4,492	479	28.6	289	17.3
White	16,475	16,332	121	1	8,552	—	—	—	472	28.6	282	17.1
Nonwhite	269	265	3	1	147	—	—	—	7	26.0	7	26.0
Places of 10,000 or more	10,820	12,735	69	2	6,203	2,500	470	3,138	316	24.6	221	17.2
White	12,586	12,506	67	1	6,060	—	—	—	311	24.7	214	17.0
Nonwhite	232	229	2	1	123	—	—	—	5	21.6	7	30.2
Places of 2,500 to 10,000	3,924	3,862	55	—	2,496	855	196	1,354	163	41.5	69	17.3
White	3,687	3,626	54	—	2,472	—	—	—	161	41.4	68	17.5
Nonwhite	37	36	1	—	24	—	—	—	2	54.1	—	0
Rural	13,332	12,075	323	11	4,619	2,712	216	1,527	354	28.6	232	17.4
White	13,029	12,613	311	7	4,499	—	—	—	330	25.3	221	17.0
Nonwhite	303	262	12	4	121	—	—	—	24	79.2	11	36.3
PENNSYLVANIA	218,376	192,318	25,854	138	107,663	57,415	7,165	42,234	7,196	33.0	4,639	21.2
White	205,449	181,449	23,829	113	100,581	—	—	—	6,528	31.8	4,159	20.2
Nonwhite	12,927	10,869	2,025	25	7,102	—	—	—	688	51.7	481	37.2
Urban	149,891	140,512	9,252	97	74,203	38,162	2,539	—	4,957	33.1	3,217	21.5
White	137,924	130,290	7,536	76	67,937	—	—	—	4,342	31.5	2,772	20.1
Nonwhite	11,967	10,222	1,716	21	6,266	—	—	—	615	51.4	445	37.2
Places of 10,000 or more	121,336	114,740	6,482	85	61,105	30,113	2,339	28,115	4,101	33.8	2,613	21.5
White	109,759	104,832	4,841	65	55,041	—	—	—	3,506	31.9	2,185	19.9
Nonwhite	11,577	9,908	1,641	20	6,064	—	—	—	595	51.4	428	37.0
Places of 2,500 to 10,000	28,555	25,772	2,770	12	13,099	6,049	200	4,784	856	30.0	604	21.2
White	28,185	25,453	2,695	11	12,696	—	—	—	836	29.7	587	20.8
Nonwhite	390	314	75	1	202	—	—	—	20	51.3	17	43.6
Rural	68,485	51,808	16,602	41	33,480	19,253	4,626	9,355	2,239	32.7	1,422	20.8
White	67,525	51,158	16,293	37	32,644	—	—	—	2,186	32.4	1,366	20.5
Nonwhite	960	647	309	4	836	—	—	—	53	55.2	56	37.5
RHODE ISLAND	16,761	15,960	777	14	8,073	4,348	583	3,030	494	29.5	527	19.5
White	16,425	15,648	754	13	7,906	—	—	—	476	29.0	521	19.5
Nonwhite	336	312	23	1	167	—	—	—	18	53.6	6	17.9
Urban	14,874	14,162	692	14	7,286	3,688	519	2,763	452	30.4	268	19.4
White	14,571	13,880	672	13	7,129	—	—	—	437	30.0	262	19.4
Nonwhite	303	282	20	1	157	—	—	—	15	49.5	6	19.8
Places of 10,000 or more	14,208	13,605	886	11	6,991	3,710	519	2,674	431	30.2	275	19.2
White	13,987	13,325	646	10	6,837	—	—	—	416	29.7	269	19.2
Nonwhite	301	280	20	1	154	—	—	—	15	49.8	6	19.9
Places of 2,500 to 10,000	596	557	26	3	295	178	—	109	21	35.8	13	22.2
White	584	555	26	3	292	—	—	—	21	36.0	13	22.3
Nonwhite	2	2	—	—	3	—	—	—	—	0	—	0
Rural	1,887	1,798	85	—	787	460	64	247	42	22.3	39	20.7
White	1,854	1,768	82	—	777	—	—	—	39	21.0	39	21.0
Nonwhite	33	30	3	—	10	—	—	—	3	90.9	—	0
SOUTH CAROLINA	53,963	26,804	11,233	15,879	16,351	10,958	480	4,871	2,235	41.4	1,736	32.2
White	31,010	23,622	8,607	770	8,501	—	—	—	1,053	34.0	689	22.2
Nonwhite	22,953	3,182	4,826	15,109	7,850	—	—	—	1,182	51.5	1,047	45.6
Urban	16,464	12,203	2,403	1,855	5,745	3,122	218	2,387	696	42.3	531	32.3
White	11,621	10,561	933	66	3,354	—	—	—	409	35.2	268	23.1
Nonwhite	4,843	1,642	1,410	1,789	2,392	—	—	—	287	59.3	263	54.3
Places of 10,000 or more	10,316	8,099	1,207	1,009	3,652	1,721	217	1,706	435	42.2	322	31.2
White	7,108	6,804	271	32	2,139	—	—	—	243	34.2	145	20.4
Nonwhite	3,208	1,294	936	977	1,513	—	—	—	192	59.9	177	55.2
Places of 2,500 to 10,000	6,148	4,105	1,196	846	2,094	1,401	1	681	261	42.5	209	34.0
White	4,513	3,757	722	34	1,215	—	—	—	166	36.8	123	27.3
Nonwhite	1,635	348	474	812	879	—	—	—	98	58.1	86	52.6
Rural	37,499	14,601	8,830	14,024	10,605	7,836	262	2,484	1,539	41.0	1,205	32.1
White	19,389	13,061	5,614	704	5,147	—	—	—	644	33.2	421	21.7
Nonwhite	18,110	1,540	3,216	13,320	5,458	—	—	—	895	49.4	784	43.3

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
SOUTH DAKOTA	14,560	13,115	1,242	81	5,506	2,730	296	2,566	432	29.6	239	16.4
White	15,952	12,669	1,189	46	5,173				362	26.0	223	16.0
Nonwhite	648	446	53	35	535				70	108.0	16	24.7
Urban	4,392	4,276	109	2	1,992	735	210	1,005	140	31.9	68	15.5
White	4,350	4,243	106	-	1,943				135	31.0	67	15.4
Nonwhite	42	33	3	2	49				5	119.0	1	23.8
Places of 10,000 or more	3,074	3,023	49	-	1,088	429	20	623	78	26.4	47	15.3
White	3,060	3,012	48	-	1,084				77	26.2	47	15.4
Nonwhite	14	11	1	-	24				1	71.4	-	0
Places of 2,500 to 10,000	1,318	1,253	60	2	904	306	190	362	62	47.0	21	15.9
White	1,280	1,251	56	-	879				59	45.0	20	15.5
Nonwhite	28	22	2	2	25				4	142.9	1	35.7
Rural	10,188	8,839	1,133	79	3,516	1,995	86	1,561	292	28.7	171	16.8
White	9,582	8,426	1,093	46	3,230				227	23.7	156	16.3
Nonwhite	606	413	50	33	286				65	107.3	15	24.8
TENNESSEE	77,336	46,974	24,272	5,145	27,650	17,969	1,126	8,506	2,974	36.5	1,744	22.6
White	65,507	42,358	20,361	2,576	21,157				2,329	35.6	1,319	20.1
Nonwhite	11,829	4,616	3,911	2,567	6,493				645	54.5	425	35.9
Urban	30,586	24,977	4,487	550	11,948	6,746	61	5,038	1,228	40.1	762	24.9
White	28,811	21,131	2,570	126	7,883				832	34.8	467	19.5
Nonwhite	6,777	3,786	1,917	424	4,083				396	59.3	285	44.2
Places of 10,000 or more	23,718	20,070	2,748	332	9,442	5,047	59	4,260	943	39.8	613	25.8
White	17,906	16,497	1,324	62	5,918				595	35.2	346	19.3
Nonwhite	5,812	3,573	1,424	270	3,524				349	59.9	267	45.9
Places of 2,500 to 10,000	6,870	4,907	1,739	218	2,506	1,699	2	778	285	41.5	149	21.7
White	6,005	4,594	1,246	84	1,937				237	39.5	121	20.1
Nonwhite	865	213	493	154	569				48	55.5	28	32.4
Rural	46,748	21,997	19,786	4,595	15,702	11,223	1,065	3,268	1,746	37.3	982	21.0
White	41,696	21,167	17,791	2,452	13,302				1,487	36.0	852	20.5
Nonwhite	5,152	830	1,994	2,143	2,400				249	48.3	130	26.2
TEXAS	181,579	131,229	26,381	19,756	59,706	36,722	1,696	20,741	7,564	41.7	4,515	24.9
White	160,269	121,542	23,566	13,364	49,652				6,387	39.9	3,482	21.7
Nonwhite	21,310	9,687	4,815	6,392	10,054				1,177	55.2	1,033	48.5
Urban	112,189	89,915	12,375	10,077	37,169	20,606	928	15,340	4,937	44.0	2,640	25.3
White	100,199	81,227	9,947	8,313	30,658				4,178	41.7	2,196	21.9
Nonwhite	11,991	7,689	2,428	1,764	6,511				759	63.3	644	53.7
Places of 10,000 or more	81,156	68,270	5,551	6,876	26,878	14,056	708	11,948	3,448	42.5	2,042	25.2
White	71,754	61,549	4,082	5,738	21,815				2,837	39.5	1,535	21.4
Nonwhite	9,402	6,722	1,469	1,138	4,864				611	65.0	507	53.8
Places of 2,500 to 10,000	51,053	20,645	6,824	3,201	10,290	6,550	220	3,381	1,488	48.0	798	25.7
White	28,444	19,679	5,865	2,575	8,743				1,341	47.1	661	23.2
Nonwhite	2,589	666	959	626	1,547				148	57.2	137	52.9
Rural	69,380	42,314	16,006	9,679	22,537	16,116	768	5,401	2,627	37.9	1,675	24.1
White	60,071	40,315	13,619	5,051	18,994				2,209	36.8	1,266	21.4
Nonwhite	9,319	1,999	2,387	4,628	3,543				418	44.3	369	41.7
UTAH	10,220	17,516	685	11	4,785	2,435	176	2,096	496	27.2	293	16.1
White	17,949	17,255	676	11	4,692				489	27.2	285	15.9
Nonwhite	271	261	9	-	93				8	29.5	8	29.5
Urban	10,687	10,692	190	3	3,088	1,423	119	1,500	306	28.1	165	15.2
White	10,746	10,552	189	3	3,021				300	27.9	160	14.9
Nonwhite	141	140	1	-	67				6	42.6	5	35.5
Places of 10,000 or more	7,907	7,800	104	3	2,291	991	96	1,167	207	26.2	123	15.6
White	7,787	7,680	104	3	2,237				204	26.2	119	15.3
Nonwhite	120	120	1	-	54				3	25.0	4	35.3
Places of 2,500 to 10,000	2,980	2,892	86	-	797	432	23	333	99	33.2	42	14.1
White	2,959	2,872	85	-	784				96	32.4	41	13.9
Nonwhite	21	20	1	-	13				3	142.9	1	47.6
Rural	7,333	6,824	495	8	1,697	1,012	57	596	190	25.9	128	17.5
White	7,203	6,703	487	8	1,671				188	26.1	125	17.4
Nonwhite	130	121	8	-	26				2	15.4	3	23.1
VERMONT	8,362	7,397	962	2	4,140	2,259	268	1,566	284	34.0	189	22.6
White	8,359	7,394	961	2	4,137				284	34.0	188	22.5
Nonwhite	4	3	1	-	3				-	0	1	250.0
Urban	3,278	3,129	149	-	1,749	766	254	705	120	36.6	74	22.6
White	3,275	3,127	148	-	1,746				120	36.6	73	22.3
Nonwhite	3	2	1	-	1				-	0	1	333.3
Places of 10,000 or more	1,476	1,439	37	-	646	289	10	345	62	42.0	31	21.0
White	1,473	1,437	36	-	645				62	42.1	30	20.4
Nonwhite	3	2	1	-	1				-	0	1	333.3
Places of 2,500 to 10,000	1,802	1,690	112	-	1,103	477	244	360	59	32.2	45	23.9
White	1,802	1,690	112	-	1,103				59	32.2	45	23.9
Nonwhite	-	-	-	-	-				-	-	-	-
Rural	5,084	4,266	813	2	2,391	1,493	14	861	164	32.3	115	22.6
White	5,083	4,267	813	2	2,389				164	32.3	115	22.6
Nonwhite	1	1	-	-	2				-	0	-	-

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

19

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section A (States)—Continued												
VIRGINIA	75,861	49,517	16,415	9,589	28,154	17,446	1,540	8,880	2,835	38.7	2,188	38.8
White	58,348	44,095	12,202	1,794	19,285	—	—	—	1,976	35.9	1,511	22.5
Nonwhite	17,513	5,422	4,213	7,774	8,869	—	—	—	859	54.8	677	50.1
Urban	30,559	26,393	2,451	1,696	11,912	6,089	832	4,842	1,124	36.8	860	29.8
White	24,244	22,992	1,153	109	8,185	—	—	—	758	31.3	548	22.6
Nonwhite	6,315	3,401	1,316	1,577	3,727	—	—	—	366	56.0	332	52.6
Places of 10,000 or more	24,706	21,841	1,544	1,499	9,898	5,025	456	4,118	924	37.4	751	29.6
White	19,046	18,539	432	89	6,382	—	—	—	593	31.1	435	22.8
Nonwhite	5,860	3,102	1,112	1,430	3,516	—	—	—	331	58.5	296	52.5
Places of 2,500 to 10,000	5,853	4,752	907	187	2,214	1,064	378	724	200	34.2	149	25.5
White	5,198	4,453	701	40	1,825	—	—	—	165	31.7	115	21.7
Nonwhite	655	299	206	147	391	—	—	—	35	53.4	56	55.0
Rural	45,302	23,124	13,964	7,892	16,242	11,357	708	4,038	1,811	40.0	1,308	20.9
White	34,104	21,103	11,069	1,685	11,100	—	—	—	1,218	35.7	763	22.4
Nonwhite	11,198	2,021	2,895	6,197	5,142	—	—	—	593	53.0	545	49.7
WASHINGTON	51,988	51,034	844	30	22,011	8,905	1,241	11,294	1,734	33.4	903	17.4
White	50,547	49,662	809	13	21,349	—	—	—	1,634	32.3	872	11.3
Nonwhite	1,441	1,372	35	17	662	—	—	—	100	69.4	31	21.5
Urban	32,274	32,070	180	5	13,972	5,160	224	8,274	1,037	32.1	554	17.2
White	31,301	31,114	169	4	13,579	—	—	—	992	31.7	534	17.1
Nonwhite	973	956	11	1	393	—	—	—	45	46.2	20	20.6
Places of 10,000 or more	26,271	26,121	133	1	12,161	4,528	153	7,236	885	31.3	491	17.4
White	27,354	27,226	124	1	11,785	—	—	—	843	30.8	471	17.2
Nonwhite	907	895	9	—	376	—	—	—	42	46.3	20	22.1
Places of 2,500 to 10,000	4,003	3,949	47	4	1,811	632	71	1,038	152	38.0	63	15.7
White	3,937	3,888	45	3	1,793	—	—	—	149	37.8	63	16.0
Nonwhite	66	61	2	1	18	—	—	—	3	45.5	—	0
Rural	19,714	18,964	664	25	8,039	3,745	1,017	3,020	697	35.4	349	17.7
White	19,246	18,548	640	9	7,770	—	—	—	642	33.4	338	17.6
Nonwhite	468	416	24	16	269	—	—	—	55	117.5	11	23.5
WEST VIRGINIA	48,673	26,501	20,737	1,130	16,238	10,538	465	5,153	1,990	40.9	1,543	31.7
White	46,228	25,798	19,060	1,075	14,908	—	—	—	1,868	40.4	1,420	30.7
Nonwhite	2,445	703	1,677	55	1,330	—	—	—	122	49.9	123	50.3
Urban	14,995	12,962	1,989	34	6,417	3,516	310	2,554	864	44.3	481	32.1
White	14,303	12,589	1,678	27	5,900	—	—	—	826	43.8	447	31.3
Nonwhite	692	373	311	7	517	—	—	—	38	54.9	34	49.1
Places of 10,000 or more	10,377	9,627	731	12	4,336	2,310	118	1,881	428	41.2	323	31.1
White	9,906	9,351	558	11	3,973	—	—	—	400	40.4	305	30.8
Nonwhite	471	298	173	1	363	—	—	—	28	59.4	18	39.2
Places of 2,500 to 10,000	4,618	3,335	1,258	22	2,061	1,206	192	673	236	51.1	158	34.2
White	4,397	3,258	1,120	16	1,927	—	—	—	226	51.4	142	32.3
Nonwhite	221	77	138	6	134	—	—	—	10	45.2	16	72.4
Rural	33,678	13,559	18,748	1,096	9,821	7,022	155	2,699	1,326	39.4	1,082	31.5
White	31,925	13,209	17,382	1,048	9,008	—	—	—	1,242	36.9	973	30.5
Nonwhite	1,753	350	1,366	48	813	—	—	—	84	47.9	89	50.8
WISCONSIN	74,755	70,240	4,299	67	32,345	15,379	1,859	14,900	2,245	30.0	1,521	17.7
White	73,934	69,532	4,177	65	32,001	—	—	—	2,205	29.8	1,297	17.5
Nonwhite	821	698	122	2	344	—	—	—	41	48.9	24	29.2
Urban	42,119	41,084	971	24	18,225	8,038	421	9,629	1,264	30.0	714	17.0
White	41,674	40,718	893	24	18,040	—	—	—	1,249	30.0	698	16.7
Nonwhite	445	366	78	—	185	—	—	—	15	33.7	16	36.0
Places of 10,000 or more	35,524	34,773	692	24	14,962	6,337	386	8,126	1,034	29.1	593	16.7
White	35,086	34,412	616	24	14,788	—	—	—	1,020	29.1	577	16.4
Nonwhite	438	361	76	—	174	—	—	—	14	32.0	16	36.5
Places of 2,500 to 10,000	6,595	6,311	279	—	3,263	1,701	35	1,503	230	34.9	121	18.3
White	6,588	6,306	277	—	3,252	—	—	—	229	34.8	121	18.4
Nonwhite	7	5	2	—	11	—	—	—	1	142.9	—	0
Rural	32,656	29,156	3,529	43	14,120	7,341	1,458	5,271	982	30.1	607	18.6
White	32,260	28,854	3,264	41	13,961	—	—	—	956	29.6	599	18.6
Nonwhite	376	322	44	2	159	—	—	—	26	69.1	8	21.3
WYOMING	6,188	5,752	408	3	2,135	888	99	1,128	205	33.1	110	17.6
White	6,044	5,642	385	2	2,064	—	—	—	192	31.6	108	17.9
Nonwhite	144	110	23	1	71	—	—	—	13	90.3	2	13.9
Urban	2,960	2,795	159	1	1,092	369	58	658	91	30.7	51	17.2
White	2,830	2,766	156	1	1,068	—	—	—	91	31.1	49	16.7
Nonwhite	30	27	3	—	24	—	—	—	—	0	2	66.7
Places of 10,000 or more	1,988	1,934	50	1	706	229	2	469	53	26.7	31	15.6
White	1,969	1,916	49	1	683	—	—	—	53	26.9	30	15.2
Nonwhite	19	18	1	—	13	—	—	—	—	0	1	52.6
Places of 2,500 to 10,000	972	889	109	—	386	140	56	188	38	39.1	20	20.6
White	961	880	107	—	375	—	—	—	38	39.5	19	19.8
Nonwhite	11	9	2	—	11	—	—	—	—	0	1	80.9
Rural	3,228	2,969	247	2	1,043	519	41	470	114	35.3	59	18.3
White	3,114	2,876	229	1	986	—	—	—	101	32.4	59	18.9
Nonwhite	114	83	18	1	47	—	—	—	13	114.0	—	0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)												
ALABAMA-----	79,863	39,317	22,310	18,067	24,727	17,318	683	6,625	5,025	37.9	2,287	38.6
Autauga-----	540	239	66	234	150	121	1	26	21	36.9	9	16.7
White-----	279	217	39	23	71	-----	-----	-----	10	35.8	3	10.8
Nonwhite-----	261	22	27	211	79	-----	-----	-----	11	42.1	6	23.0
Baldwin-----	1,150	506	409	229	294	230	-----	54	39	33.9	31	27.0
White-----	687	499	349	33	225	-----	-----	-----	24	27.1	20	22.5
Nonwhite-----	263	7	60	196	69	-----	-----	-----	15	57.0	11	41.8
Barbour-----	840	227	200	412	286	228	-----	58	42	50.0	36	42.9
White-----	331	204	122	5	133	-----	-----	-----	20	60.4	6	18.1
Nonwhite-----	509	23	78	407	153	-----	-----	-----	22	43.2	30	58.9
Bibb-----	490	150	159	174	169	134	-----	35	19	38.8	14	28.6
White-----	311	138	125	45	111	-----	-----	-----	13	41.8	7	22.5
Nonwhite-----	179	12	34	129	58	-----	-----	-----	6	33.5	7	39.1
Blount-----	701	127	552	18	191	152	-----	38	20	28.5	13	18.5
Bullock-----	541	66	63	411	201	179	-----	22	31	57.3	21	58.8
White-----	95	56	33	6	38	-----	-----	-----	6	63.2	3	31.6
Nonwhite-----	446	10	30	405	163	-----	-----	-----	25	56.1	18	40.4
Butler-----	825	306	208	309	239	201	-----	37	34	41.2	26	31.5
White-----	417	279	125	12	137	-----	-----	-----	12	28.8	13	31.2
Nonwhite-----	408	27	83	297	102	-----	-----	-----	22	53.9	13	31.9
Calhoun-----	2,195	1,275	739	181	572	373	-----	197	86	39.2	52	25.7
White-----	1,778	1,171	580	27	434	-----	-----	-----	70	39.4	40	22.5
Nonwhite-----	417	104	159	154	138	-----	-----	-----	16	39.4	12	28.8
Armiston-----	940	682	160	98	277	188	-----	89	39	41.5	25	26.6
White-----	673	590	78	5	178	-----	-----	-----	30	44.6	16	23.8
Nonwhite-----	267	92	82	93	99	-----	-----	-----	9	33.7	9	35.7
Balance of county-----	1,255	593	579	83	285	185	-----	108	47	37.5	27	21.5
White-----	1,105	581	502	22	256	-----	-----	-----	40	36.2	24	21.7
Nonwhite-----	150	12	77	61	39	-----	-----	-----	7	46.7	3	20.0
Chambers-----	975	553	180	240	317	224	-----	90	39	40.0	23	23.6
White-----	588	504	82	2	187	-----	-----	-----	21	35.7	11	18.7
Nonwhite-----	387	49	98	238	130	-----	-----	-----	18	46.5	12	31.0
Cherokee-----	430	146	198	72	127	105	-----	22	7	16.3	9	20.9
Chilton-----	705	317	266	121	239	181	-----	58	32	45.4	17	24.1
White-----	563	304	234	24	193	-----	-----	-----	26	46.2	13	23.1
Nonwhite-----	142	13	32	97	40	-----	-----	-----	6	42.3	4	28.2
Choctaw-----	523	151	67	302	133	109	-----	25	21	40.2	21	40.2
White-----	204	137	50	16	41	-----	-----	-----	7	34.3	9	44.1
Nonwhite-----	319	14	17	286	92	-----	-----	-----	14	43.9	12	37.6
Clarke-----	850	162	102	385	197	157	-----	39	26	40.0	20	30.8
White-----	239	148	71	20	72	-----	-----	-----	7	29.3	5	12.6
Nonwhite-----	411	14	31	365	125	-----	-----	-----	19	46.2	17	41.4
Clay-----	359	68	239	52	135	114	-----	21	20	55.7	9	35.1
White-----	266	67	192	7	107	-----	-----	-----	13	48.9	6	22.6
Nonwhite-----	93	1	47	45	28	-----	-----	-----	7	75.3	3	32.3
Cleburne-----	307	70	219	18	67	69	-----	17	14	45.6	10	32.6
Coffee-----	723	210	490	33	175	129	-----	45	20	27.7	21	29.0
White-----	587	207	345	5	132	-----	-----	-----	15	26.9	19	34.1
Nonwhite-----	166	3	135	28	43	-----	-----	-----	5	30.1	2	12.0
Colbert-----	1,115	731	225	159	295	192	-----	103	30	26.9	26	23.3
White-----	859	676	163	20	199	-----	-----	-----	22	25.6	18	21.0
Nonwhite-----	256	55	62	139	96	-----	-----	-----	8	31.3	8	31.3
Conasaub-----	628	115	163	326	168	149	-----	19	27	43.0	32	51.0
White-----	309	103	159	43	74	-----	-----	-----	9	25.9	4	12.9
Nonwhite-----	319	12	24	283	94	-----	-----	-----	19	59.6	28	87.8
Cook-----	281	123	66	101	117	98	-----	19	8	27.5	6	20.8
White-----	185	118	42	5	90	-----	-----	-----	2	12.1	1	6.1
Nonwhite-----	126	5	24	96	37	-----	-----	-----	6	47.6	5	39.7
Covington-----	1,048	514	393	141	302	217	-----	85	45	42.9	23	21.9
White-----	689	483	357	36	253	-----	-----	-----	40	45.0	15	16.9
Nonwhite-----	160	19	36	105	49	-----	-----	-----	5	31.3	8	50.0
Crenshaw-----	526	149	253	124	178	136	-----	40	23	43.7	12	22.8
White-----	351	146	190	15	131	-----	-----	-----	14	39.9	4	11.4
Nonwhite-----	175	3	63	109	47	-----	-----	-----	9	51.4	8	45.7
Cullman-----	1,390	979	368	41	303	210	-----	93	43	30.9	34	24.5
Dale-----	599	159	311	129	160	124	-----	36	21	35.1	15	26.0
White-----	432	152	255	25	124	-----	-----	-----	16	37.0	10	23.1
Nonwhite-----	167	7	56	104	36	-----	-----	-----	5	29.9	5	29.9
Dallas-----	1,625	528	126	967	626	460	-----	166	89	54.8	70	43.1
White-----	465	436	17	12	158	-----	-----	-----	16	34.4	8	17.2
Nonwhite-----	1,160	92	109	955	468	-----	-----	-----	73	62.9	62	55.4
Selma-----	631	361	89	181	294	190	-----	104	34	53.9	24	38.0
White-----	319	311	5	3	107	-----	-----	-----	12	37.6	7	21.9
Nonwhite-----	312	50	84	178	187	-----	-----	-----	22	70.5	17	54.5
Balance of county-----	994	167	37	786	332	270	-----	62	55	56.3	46	46.3
White-----	146	125	12	9	51	-----	-----	-----	4	27.4	1	6.8
Nonwhite-----	848	42	25	777	281	-----	-----	-----	51	60.1	45	53.1
DeKalb-----	1,153	423	676	52	289	247	-----	30	39	33.8	24	20.8
Elmore-----	807	418	84	302	286	217	1	67	35	43.4	30	37.2
White-----	428	361	59	6	149	-----	-----	-----	10	23.4	16	37.4
Nonwhite-----	379	57	25	296	139	-----	-----	-----	25	66.0	14	36.9
Escambia-----	679	370	249	258	293	231	7	48	43	48.9	21	23.8
White-----	577	341	206	29	198	-----	-----	-----	21	36.4	6	13.8
Nonwhite-----	302	29	42	229	105	-----	-----	-----	22	72.8	13	43.0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

21

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ALABAMA—Continued												
Etowah	2,282	1,262	909	79	573	406	1	156	86	38.2	56	24.9
White	1,946	1,214	686	44	452				72	37.0	46	23.6
Nonwhite	306	48	223	35	121				14	45.8	10	32.7
Gadsden	1,228	802	410	16	328	226		96	49	39.9	27	22.0
White	999	760	238	1	238				36	36.0	18	18.0
Nonwhite	229	42	172	15	90				13	56.8	9	39.3
Balance of county	1,024	460	499	65	245	180	1	60	37	36.1	29	28.3
Fayette	531	145	334	49	156	115		21	16	30.1	21	39.8
White	485	143	290	20	110				13	28.6	16	35.2
Nonwhite	76	2	44	29	26				3	39.5	5	65.8
Franklin	734	298	416	21	174	129		43	26	35.4	21	28.6
Geneva	674	228	362	84	198	155		43	18	26.7	19	28.2
White	587	228	339	20	166				16	27.3	15	25.6
Nonwhite	87		23	64	32				2	25.0	4	46.0
Greene	468	25	61	390	165	149		17	35	70.5	26	55.6
White	52	21	30	1	20				4	76.9	3	57.7
Nonwhite	416	4	31	379	137				29	69.7	23	55.3
Hale	676	80	516	203	182			20	18	26.6	17	25.1
White	157	70	47	20	50				2	14.6	4	29.2
Nonwhite	599	10	29	496	133				16	29.7	13	24.1
Henry	588	124	160	296	147	129		18	15	25.7	19	32.6
White	258	120	113	24	85				7	27.1	9	34.9
Nonwhite	325	4	47	274	64				8	24.6	10	30.8
Houston	1,241	590	379	265	368	290		77	47	37.9	31	25.0
White	892	574	264	50	229				30	33.6	14	15.7
Nonwhite	349	16	115	215	140				17	49.7	17	48.7
Dothan	504	334	99	70	161	117		43	26	51.6	11	21.8
White	358	319	37	2	83				17	47.5	3	8.4
Nonwhite	146	15	62	68	78				9	61.6	8	54.8
Balance of county	737	258	280	195	207	173		34	21	28.5	20	27.1
White	534	255	227	48	145				13	24.3	11	20.6
Nonwhite	203	1	53	147	62				8	39.4	9	44.3
Jackson	1,184	204	846	119	271	220		50	38	32.1	30	25.3
Jefferson	13,048	9,447	3,516	76	4,750	2,809	26	1,874	508	38.8	368	28.2
White	7,848	5,594	1,239	11	2,468				258	30.1	173	22.0
Nonwhite	5,200	2,853	2,277	65	2,282				270	51.9	195	37.5
Bessemer	710	422	278	9	282	184		90	43	60.6	27	58.0
White	300	231	69		91				13	43.5	10	33.3
Nonwhite	410	191	209	9	191				30	73.2	17	41.5
Birmingham	7,160	5,810	1,332	16	2,853	1,610	2	1,222	278	38.8	213	28.7
White	4,166	3,959	205	2	1,451				119	28.6	96	23.0
Nonwhite	2,994	1,851	1,127	14	1,402				159	53.1	117	39.1
Fairfield	348	194	53	1	92	49		41	9	25.9	6	17.2
White	135	131	4		30				2	14.8	1	7.4
Nonwhite	213	163	49	1	62				7	32.9	5	23.5
Balance of county	4,830	2,921	1,953	50	1,523	966	24	521	176	36.4	122	25.3
White	3,247	2,273	961	9	896				102	31.4	68	20.3
Nonwhite	1,583	648	992	41	627				74	46.7	56	35.4
Lamar	441	100	292	48	102	89		13	11	24.9	9	20.4
White	364	100	244	19	88				10	27.5	8	18.5
Nonwhite	77		48	29	14				1	13.0	3	39.0
Lauderdale	1,328	885	308	135	338	239		99	39	28.6	29	21.8
White	1,146	828	251	66	260				34	29.7	24	20.9
Nonwhite	182	85	57	70	78				4	22.0	5	27.5
Florence	532	474	39	19	158	97		61	20	37.6	11	20.7
White	446	431	10	5	106				17	39.1	8	17.9
Nonwhite	66	43	29	14	52				3	34.9	3	34.9
Balance of county	796	409	269	117	180	142		38	18	22.8	18	22.6
White	700	397	241	61	154				17	24.3	18	22.9
Nonwhite	96	12	28	56	26				1	10.4	2	20.8
Lawrence	854	428	275	150	152	121		31	20	23.4	20	23.4
White	676	425	218	32	105				15	22.2	14	20.7
Nonwhite	178	3	57	118	47				5	28.1	6	33.7
Lee	1,070	445	160	465	301	239		61	39	36.4	30	28.0
White	505	412	73	20	107				11	21.8	5	9.9
Nonwhite	565	33	87	445	194				28	49.6	25	44.2
Limestone	990	475	341	173	274	223		51	37	37.4	18	18.2
White	740	466	251	23	187				24	32.4	14	18.9
Nonwhite	250	9	90	150	87				13	52.0	4	16.0
Lowndes	586	60	7	519	189	169		20	28	47.8	27	46.1
White	58	48	1	9	37				4	69.0		0
Nonwhite	528	12	6	510	152				24	45.5	27	51.1
Macon	739	262	78	395	327	205	19	103	34	46.0	30	40.6
White	104	58	40	5	33				1	9.6	1	9.6
Nonwhite	635	204	38	390	294				33	52.0	29	45.7
Madison	1,996	958	595	442	588	452		154	70	35.1	61	30.6
White	1,449	882	501	66	374				53	36.6	39	26.9
Nonwhite	547	76	94	376	214				17	31.1	22	40.2
Huntsville	635	471	75	88	242	167		74	28	40.9	18	28.3
White	467	424	42	1	139				20	42.8	12	25.7
Nonwhite	168	47	33	88	103				6	35.7	6	35.7
Balance of county	1,361	467	520	353	346	265		60	44	32.3	43	31.6
White	982	458	459	65	235				35	33.6	27	27.5
Nonwhite	379	29	61	288	111				11	29.0	16	42.2

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ALABAMA—Continued												
Morengo	817	123	84	610	312	262	-	49	38	46.5	23	28.2
White	187	113	59	15	101	-	-	-	13	69.5	3	16.0
Nonwhite	630	10	25	595	211	-	-	-	25	39.7	20	31.7
Marion	699	223	376	100	159	124	1	30	31	44.3	18	25.8
Marshall	1,219	589	566	61	291	219	-	72	39	32.0	31	25.4
Mobile	6,523	4,802	277	1,435	2,028	1,098	244	682	280	39.9	216	35.1
White	4,283	3,875	209	196	1,001	-	-	-	134	31.3	98	20.5
Nonwhite	2,240	927	68	1,239	1,027	-	-	-	126	56.3	128	57.1
Mobile	3,213	2,530	58	623	1,119	677	13	419	130	40.5	113	35.2
White	1,946	1,900	29	17	605	-	-	-	63	32.4	46	23.6
Nonwhite	1,267	630	29	606	514	-	-	-	67	52.9	67	52.9
Balance of county	3,310	2,272	219	812	909	411	231	283	130	39.3	103	31.1
White	2,337	1,975	180	179	396	-	-	-	71	30.4	42	18.0
Nonwhite	973	297	39	633	513	-	-	-	59	80.6	61	62.7
Monroe	738	78	239	420	231	205	-	26	27	36.6	15	20.3
White	300	72	195	32	96	-	-	-	10	33.3	4	13.5
Nonwhite	438	6	44	398	135	-	-	-	17	36.8	11	25.1
Montgomery	3,135	1,651	121	1,162	1,241	834	23	373	123	39.2	96	31.3
White	1,674	1,627	40	7	523	-	-	-	37	22.1	37	22.1
Nonwhite	1,461	224	81	1,155	718	-	-	-	86	56.9	61	41.8
Montgomery	2,276	1,596	39	650	971	847	9	307	93	40.9	79	34.7
White	1,405	1,392	12	1	440	-	-	-	51	22.1	34	24.2
Nonwhite	871	194	27	649	531	-	-	-	62	71.2	45	51.7
Balance of county	858	265	82	512	270	187	14	66	30	34.9	19	22.1
White	269	235	28	6	83	-	-	-	6	22.3	3	11.2
Nonwhite	590	30	54	506	187	-	-	-	24	40.7	16	27.1
Morgan	1,240	763	355	120	301	214	-	85	36	29.0	36	29.0
White	1,071	738	292	39	244	-	-	-	29	27.1	31	26.9
Nonwhite	169	25	63	81	57	-	-	-	7	41.4	5	29.6
Decatur	441	356	46	38	112	74	-	38	13	29.5	9	20.4
White	377	344	21	11	79	-	-	-	11	29.2	9	25.9
Nonwhite	64	12	25	27	33	-	-	-	2	51.3	-	0
Balance of county	799	407	309	82	189	140	-	47	23	26.8	27	33.8
White	694	394	271	28	165	-	-	-	18	25.9	22	31.7
Nonwhite	105	13	38	54	24	-	-	-	5	47.6	5	47.6
Perry	617	84	87	465	165	144	-	21	23	37.3	20	32.4
White	138	53	58	27	38	-	-	-	2	14.5	2	14.5
Nonwhite	479	11	29	438	127	-	-	-	21	43.8	18	37.6
Pickens	636	94	235	303	201	175	-	26	14	22.0	19	29.9
White	290	93	189	6	100	-	-	-	2	6.9	9	31.0
Nonwhite	346	1	46	297	101	-	-	-	12	34.7	10	28.9
Pike	831	366	160	303	297	227	-	70	31	37.3	31	37.3
White	462	344	94	24	134	-	-	-	10	21.6	13	28.1
Nonwhite	369	22	66	279	163	-	-	-	21	56.9	18	48.8
Randolph	567	235	197	124	194	155	-	39	21	37.7	17	30.5
White	401	223	151	26	142	-	-	-	12	29.9	13	32.4
Nonwhite	156	12	46	98	52	-	-	-	9	57.7	4	25.6
Russell	1,109	518	40	543	354	265	-	86	55	49.6	31	28.0
White	522	483	27	12	162	-	-	-	19	36.4	9	17.2
Nonwhite	587	35	13	531	192	-	-	-	36	61.3	22	37.5
Phenix City	518	363	11	124	171	116	-	54	23	44.4	12	23.2
White	368	357	7	4	107	-	-	-	14	39.0	7	19.0
Nonwhite	150	26	4	120	64	-	-	-	9	60.0	5	33.3
Balance of county	591	135	29	419	183	149	-	32	32	54.1	19	32.1
White	154	126	20	8	55	-	-	-	5	32.5	2	13.0
Nonwhite	437	9	9	411	128	-	-	-	27	61.6	17	38.9
St. Clair	646	276	311	85	229	171	-	56	23	35.6	17	26.3
White	521	254	246	19	184	-	-	-	20	38.4	13	25.0
Nonwhite	125	22	65	36	44	-	-	-	3	24.0	4	32.0
Shelby	751	186	489	73	209	169	-	37	29	38.6	25	33.3
White	548	175	359	11	147	-	-	-	21	38.3	18	32.8
Nonwhite	203	11	129	62	62	-	-	-	8	39.4	7	34.5
Sumter	669	106	71	491	212	171	-	41	25	37.4	31	46.3
White	100	69	27	4	44	-	-	-	4	40.0	-	0
Nonwhite	569	37	44	487	168	-	-	-	21	56.9	31	54.5
Talladega	1,678	1,069	417	391	439	318	-	120	60	31.9	54	28.8
White	1,256	977	242	38	266	-	-	-	31	24.7	28	22.3
Nonwhite	622	92	175	355	172	-	-	-	29	46.6	26	41.8
Tallapoosa	920	545	255	118	238	185	-	53	19	20.7	13	14.1
White	639	495	141	2	156	-	-	-	9	14.1	7	11.0
Nonwhite	281	50	114	116	82	-	-	-	10	35.6	6	21.4
Tuscaloosa	1,955	1,219	348	386	920	408	310	200	79	40.4	52	26.6
White	1,323	1,090	209	22	659	-	-	-	45	34.0	26	19.7
Nonwhite	632	129	139	364	261	-	-	-	34	55.8	26	41.1
Tuscaloosa	790	582	62	146	499	180	250	89	31	39.2	19	24.1
White	542	522	19	1	371	-	-	-	16	29.5	8	9.2
Nonwhite	248	60	43	145	128	-	-	-	15	60.5	14	56.5
Balance of county	1,165	631	266	240	421	248	60	111	43	41.2	33	28.3
White	781	568	190	21	288	-	-	-	29	37.1	21	26.9
Nonwhite	384	69	96	219	133	-	-	-	19	49.5	12	31.3
Walker	1,745	656	1,040	45	444	276	-	168	73	41.8	37	21.2
White	1,604	640	949	12	376	-	-	-	63	39.3	30	18.7
Nonwhite	141	16	91	33	68	-	-	-	10	70.9	7	49.6

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

23

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ALABAMA--Continued												
Washington	475	89	207	177	131	109	-	22	26	54.7	9	18.9
White	311	87	182	40	79	-	-	-	16	51.4	3	9.8
Nonwhite	164	2	25	137	52	-	-	-	10	61.0	6	36.6
Wilcox	811	67	90	652	242	215	-	27	29	35.8	30	37.0
White	103	51	41	11	54	-	-	-	1	9.7	2	19.4
Nonwhite	708	16	49	641	188	-	-	-	28	39.5	28	39.5
Winston	492	304	150	27	105	80	-	25	10	20.7	7	14.5
ARIZONA	16,345	13,949	1,325	516	5,737	2,756	185	2,699	679	41.5	330	20.2
Apache	486	283	104	1	184	71	-	109	43	89.5	5	10.3
White	167	90	73	1	46	-	-	-	13	77.8	1	6.0
Nonwhite	319	193	31	-	138	-	-	-	30	94.0	4	12.5
Cochise	919	739	110	62	323	147	-	174	23	25.0	19	20.7
Cocconino	501	412	45	2	173	70	-	102	35	69.3	17	33.9
White	343	306	35	2	90	-	-	-	10	29.2	11	32.1
Nonwhite	158	106	10	-	83	-	-	-	25	158.2	6	38.0
Gila	630	544	71	1	227	114	31	81	23	36.5	18	28.6
White	553	484	68	-	199	-	-	-	16	28.9	15	27.1
Nonwhite	77	60	3	1	28	-	-	-	7	90.9	3	39.0
Graham	365	251	79	3	96	57	-	38	12	32.9	2	5.5
Greenlee	335	323	10	2	79	36	-	43	8	23.9	6	17.9
Maricopa	7,038	6,416	322	226	2,479	1,217	119	1,102	251	35.7	131	18.6
Phoenix	4,101	3,851	105	116	1,434	742	2	670	127	31.0	73	17.8
Balance of county	2,937	2,565	217	110	1,045	475	117	432	124	42.2	58	19.7
Mohave	222	192	7	8	60	24	-	36	10	45.0	10	45.0
Navajo	751	582	77	17	257	124	-	132	67	89.2	20	26.6
White	453	413	24	14	112	-	-	-	27	59.6	13	28.7
Nonwhite	298	169	53	3	145	-	-	-	40	134.2	7	23.5
Pima	2,817	2,364	278	38	968	465	-	500	102	36.2	48	17.0
White	2,581	2,229	242	27	831	-	-	-	78	30.2	40	15.5
Nonwhite	236	135	36	11	137	-	-	-	24	101.7	8	33.9
Tucson	2,256	1,894	253	24	623	400	-	221	73	32.4	41	18.2
Balance of county	561	470	25	14	345	65	-	279	29	51.7	7	12.5
White	433	403	15	9	259	-	-	-	17	39.3	4	9.2
Nonwhite	128	67	10	5	86	-	-	-	12	93.8	3	23.4
Pinal	852	658	103	52	298	167	3	126	53	62.2	25	29.3
White	672	529	98	40	217	-	-	-	36	53.6	15	22.3
Nonwhite	180	129	5	12	81	-	-	-	17	94.4	10	55.6
Santa Cruz	270	181	46	27	78	38	-	38	8	28.6	3	11.1
Yavapai	522	476	34	7	317	122	32	125	24	46.0	9	17.2
Yuma	637	528	39	70	198	104	-	92	20	31.4	17	26.7
White	561	478	23	60	179	-	-	-	18	32.1	13	23.2
Nonwhite	76	50	16	10	19	-	-	-	2	26.3	4	52.6
ARKANSAS	45,280	24,248	13,524	7,218	14,338	9,603	600	3,984	1,283	28.3	883	19.5
Arkansas	605	360	133	110	157	118	-	32	16	26.4	6	9.9
White	475	355	98	20	127	-	-	-	14	29.5	6	12.6
Nonwhite	130	5	35	90	30	-	-	-	2	15.4	-	0
Ashley	626	292	161	172	174	136	-	38	16	26.6	14	22.4
White	358	245	105	7	79	-	-	-	5	14.0	6	16.8
Nonwhite	268	47	56	165	95	-	-	-	11	41.0	8	29.9
Baxter	202	121	75	3	75	58	-	16	10	49.5	5	24.8
Benton	736	542	194	-	344	231	4	99	21	28.5	19	25.8
Boone	345	222	121	2	126	112	-	11	13	37.7	9	26.1
Bradley	438	253	139	46	98	64	-	34	11	25.1	9	20.5
White	298	251	45	2	73	-	-	-	7	23.5	4	13.4
Nonwhite	140	2	94	44	25	-	-	-	4	26.6	5	35.7
Calhoun	141	30	84	24	67	59	-	8	2	14.2	1	7.1
White	91	28	61	2	43	-	-	-	2	22.0	-	0
Nonwhite	50	2	23	22	24	-	-	-	-	0	1	20.0
Carroll	289	176	101	11	135	114	-	18	16	55.4	6	20.8
Chicot	548	201	89	254	226	160	-	65	12	21.9	12	21.9
White	284	186	68	31	77	-	-	-	6	21.1	4	14.1
Nonwhite	264	16	21	223	149	-	-	-	6	22.7	8	30.3
Clark	509	233	143	126	154	129	-	24	9	17.7	12	23.6
White	350	226	114	8	105	-	-	-	6	17.1	11	31.4
Nonwhite	159	7	29	118	49	-	-	-	3	18.9	1	6.3
Clay	594	162	415	13	153	125	2	26	17	28.6	16	26.9
Cleburne	315	243	58	14	103	59	-	44	11	34.9	5	15.8
Cleveland	195	73	89	27	73	55	-	18	3	15.4	5	25.6
White	143	72	66	4	49	-	-	-	3	21.0	3	21.0
Nonwhite	52	1	23	23	24	-	-	-	-	0	2	38.5
Columbia	595	328	145	108	165	125	-	38	11	18.5	7	11.8
White	354	294	55	3	87	-	-	-	6	16.9	3	8.5
Nonwhite	241	34	90	105	78	-	-	-	5	20.7	4	16.6
Conway	513	263	156	94	133	93	-	40	17	33.1	15	29.2
White	376	254	113	9	87	-	-	-	11	29.3	9	21.3
Nonwhite	137	9	43	85	46	-	-	-	6	43.6	7	51.1

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ARKANSAS—Continued												
Craighead-----	1,244	663	525	48	343	228	-	114	53	42.6	26	20.9
Jonesboro-----	337	282	27	28	136	82	-	54	13	38.6	8	23.7
White-----	310	276	27	7	118	-	-	-	11	35.5	8	25.8
Nonwhite-----	27	6	-	21	18	-	-	-	2	74.1	-	0
Balance of county-----	907	386	498	20	207	146	-	60	40	44.1	18	19.8
Crawford-----	582	365	194	22	158	103	-	53	11	18.9	9	15.5
Crittenden-----	1,189	189	264	731	405	340	-	65	45	37.8	38	32.0
White-----	581	171	176	34	104	-	-	-	14	36.7	3	7.9
Nonwhite-----	608	17	88	697	301	-	-	-	31	39.4	35	43.3
Cross-----	667	279	246	136	145	93	-	51	22	33.0	7	10.5
White-----	494	272	213	10	72	-	-	-	19	38.5	5	10.1
Nonwhite-----	173	7	36	126	73	-	-	-	3	17.3	2	11.6
Dallas-----	360	119	167	53	100	74	-	26	6	16.7	7	19.4
White-----	227	115	111	1	56	-	-	-	5	22.0	4	17.6
Nonwhite-----	133	4	76	52	44	-	-	-	1	7.5	3	22.6
Desha-----	608	249	71	284	169	125	-	44	12	19.7	10	16.4
White-----	337	237	53	46	75	-	-	-	7	20.8	4	11.9
Nonwhite-----	271	12	18	238	94	-	-	-	5	18.5	6	22.1
Drew-----	418	219	89	109	119	92	-	26	10	23.9	14	33.5
White-----	290	216	67	6	48	-	-	-	2	6.9	6	20.7
Nonwhite-----	128	3	22	102	71	-	-	-	8	62.5	8	62.5
Faulkner-----	618	426	120	88	188	125	-	63	30	48.7	11	17.9
White-----	535	408	116	10	155	-	-	-	26	48.6	9	16.8
Nonwhite-----	81	18	4	58	33	-	-	-	4	49.4	2	24.7
Franklin-----	313	251	59	3	112	85	-	26	9	28.8	5	16.0
Fulton-----	167	35	125	3	57	49	-	8	7	41.8	3	18.0
Garland-----	1,039	840	119	76	465	276	-	189	57	55.6	22	21.2
White-----	957	831	67	55	382	-	-	-	29	50.3	19	19.9
Nonwhite-----	82	9	52	21	83	-	-	-	8	97.6	3	36.6
Hot Springs-----	675	580	67	26	402	228	-	174	33	49.0	16	25.8
White-----	600	572	17	11	324	-	-	-	29	41.7	13	21.7
Nonwhite-----	75	8	50	15	78	-	-	-	8	109.6	3	41.1
Balance of county-----	366	260	52	50	63	48	-	15	4	10.9	6	16.4
Grant-----	210	72	130	5	41	30	-	11	3	14.3	3	14.3
Greene-----	596	305	278	5	181	130	-	48	20	34.1	13	22.2
Hamptstead-----	546	273	121	151	205	155	-	49	16	29.5	11	20.1
White-----	293	250	35	8	119	-	-	-	7	23.9	6	20.5
Nonwhite-----	253	23	86	143	86	-	-	-	9	36.6	5	19.8
Hot Spring-----	550	375	131	42	120	80	-	39	18	32.7	13	23.6
White-----	493	373	120	-	104	-	-	-	17	34.5	10	20.3
Nonwhite-----	57	2	11	42	16	-	-	-	1	17.5	3	52.6
Howard-----	319	185	100	31	109	75	-	30	7	22.0	3	9.4
White-----	263	177	80	6	82	-	-	-	4	15.2	3	11.4
Nonwhite-----	55	8	20	25	27	-	-	-	3	54.5	-	0
Independence-----	567	407	139	13	176	115	1	60	14	24.7	10	17.6
Izard-----	239	81	154	1	63	56	-	7	6	25.1	5	20.9
Jackson-----	731	318	375	31	212	155	-	57	31	42.4	9	12.3
White-----	651	296	333	15	172	-	-	-	25	38.4	8	12.3
Nonwhite-----	80	20	42	16	40	-	-	-	6	75.0	1	12.5
Jefferson-----	1,750	848	253	645	581	427	10	135	34	19.4	40	22.9
White-----	951	799	134	16	301	-	-	-	27	28.4	17	17.9
Nonwhite-----	799	49	119	627	280	-	-	-	7	8.8	23	29.9
Fine Bluff-----	737	549	82	135	355	238	7	102	27	36.6	19	25.8
White-----	530	512	15	3	222	-	-	-	21	39.6	14	26.4
Nonwhite-----	207	37	37	132	133	-	-	-	6	29.0	5	24.2
Balance of county-----	1,013	299	201	510	226	169	3	33	7	6.9	21	20.7
White-----	421	287	119	15	79	-	-	-	6	14.3	3	7.1
Nonwhite-----	592	12	82	495	147	-	-	-	1	1.7	18	30.4
Johnson-----	385	286	55	12	119	74	-	42	9	25.4	6	16.9
Lafayette-----	328	94	121	109	90	71	-	19	8	24.4	5	15.2
White-----	127	92	28	7	38	-	-	-	2	15.7	-	0
Nonwhite-----	201	2	93	102	52	-	-	-	6	29.9	5	24.9
Lawrence-----	530	257	268	2	126	64	-	33	17	32.1	6	11.3
Lee-----	518	40	158	317	192	159	-	33	12	23.2	16	30.9
White-----	174	37	117	18	55	-	-	-	4	23.0	2	11.5
Nonwhite-----	344	3	41	289	137	-	-	-	8	23.3	14	40.7
Lincoln-----	368	71	122	166	118	102	2	13	9	24.5	9	24.5
White-----	163	66	88	6	46	-	-	-	2	12.3	3	18.4
Nonwhite-----	205	5	34	160	72	-	-	-	7	34.1	6	29.3
Little River-----	334	121	108	104	62	45	-	11	3	9.0	6	18.0
White-----	218	113	100	5	35	-	-	-	1	4.6	3	13.8
Nonwhite-----	116	8	8	99	27	-	-	-	2	17.2	3	25.9
Logan-----	504	376	128	-	143	86	-	55	8	15.9	6	11.9
Lonske-----	752	244	365	137	163	120	-	38	14	18.6	21	27.9
White-----	573	231	326	15	114	-	-	-	8	14.0	14	24.4
Nonwhite-----	179	13	39	122	49	-	-	-	6	33.5	7	39.1
Madison-----	288	114	144	24	66	49	-	17	3	10.4	1	3.5
Marion-----	164	62	93	7	60	46	-	14	4	24.4	1	6.1

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

25

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ARKANSAS—Continued												
Miller	783	461	138	179	245	183	-	62	25	31.9	26	33.2
White	585	437	96	30	154	-	-	-	14	24.8	15	26.5
Nonwhite	218	24	42	149	91	-	-	-	11	50.5	11	50.5
Texarkana	384	284	33	65	155	110	-	45	17	44.3	12	51.3
White	294	273	15	5	99	-	-	-	7	23.8	6	27.2
Nonwhite	90	11	18	60	56	-	-	-	10	111.1	4	44.4
Balance of county	399	177	105	114	90	73	-	17	8	20.1	14	55.1
White	271	164	81	25	55	-	-	-	7	25.8	7	25.8
Nonwhite	128	13	24	89	35	-	-	-	1	7.8	7	54.7
Mississippi	2,286	933	1,002	343	490	367	-	119	77	35.5	52	22.6
White	1,767	915	781	55	313	-	-	-	60	34.0	32	18.1
Nonwhite	529	18	221	288	177	-	-	-	17	32.1	20	37.8
Blytheville	397	227	109	61	168	103	-	65	27	68.0	11	27.7
White	312	223	83	6	109	-	-	-	23	73.7	8	25.6
Nonwhite	85	4	26	55	59	-	-	-	4	47.1	3	35.3
Balance of county	1,899	706	893	282	322	264	-	54	50	26.3	41	21.6
White	1,455	692	698	49	204	-	-	-	37	25.4	24	16.5
Nonwhite	444	14	195	233	118	-	-	-	13	29.3	17	39.3
Monroe	399	78	169	141	132	106	-	25	12	30.1	9	22.6
White	215	74	129	11	80	-	-	-	4	18.6	5	23.3
Nonwhite	184	4	40	130	82	-	-	-	8	43.5	4	21.7
Montgomery	149	48	96	5	41	31	-	10	5	33.6	-	0
Nevada	338	143	112	82	119	93	-	25	4	11.8	8	23.7
White	208	134	72	2	84	-	-	-	4	19.2	3	14.4
Nonwhite	130	9	40	80	35	-	-	-	-	0	5	38.5
Newton	149	38	88	19	34	30	-	4	-	0	1	6.7
Ozark	850	480	143	217	234	169	-	62	26	30.6	23	27.1
White	531	469	55	7	125	-	-	-	19	35.9	11	20.7
Nonwhite	319	11	88	210	109	-	-	-	7	21.9	12	37.6
Perry	159	73	85	-	26	18	-	8	2	12.7	5	31.6
Phillips	1,163	323	144	690	428	334	-	92	26	22.4	26	22.4
White	442	298	109	32	140	-	-	-	12	27.1	5	11.3
Nonwhite	721	25	35	658	288	-	-	-	14	19.4	21	29.1
Pike	158	70	84	4	47	41	-	6	1	6.3	1	6.3
Poinsett	1,226	355	615	51	216	156	-	60	42	34.3	11	9.0
White	1,125	351	764	5	175	-	-	-	38	35.8	8	7.1
Nonwhite	101	4	51	46	41	-	-	-	4	39.6	3	29.7
Polk	371	247	122	1	143	101	-	42	14	37.7	9	24.3
Pope	607	369	210	26	169	109	-	59	17	28.0	10	15.5
Prairie	264	98	110	55	58	40	-	18	5	18.9	4	15.2
White	213	97	107	8	47	-	-	-	5	14.1	4	16.8
Nonwhite	51	1	3	47	11	-	-	-	2	39.2	-	0
Pulaski	4,484	3,648	418	212	2,115	898	522	672	142	31.7	83	18.5
White	3,433	3,127	290	13	1,418	-	-	-	90	26.2	64	18.6
Nonwhite	1,051	721	128	199	695	-	-	-	52	49.5	19	18.1
Little Rock	2,422	2,256	132	31	1,517	525	438	539	62	25.6	49	20.2
White	1,911	1,853	75	1	1,033	-	-	-	42	22.0	40	20.9
Nonwhite	511	423	57	30	484	-	-	-	20	39.1	9	17.6
North Little Rock	866	761	64	39	241	174	5	60	34	39.3	18	20.8
White	642	611	30	-	150	-	-	-	16	24.9	12	18.7
Nonwhite	224	150	34	39	91	-	-	-	18	60.4	6	28.8
Balance of county	1,196	831	222	142	355	199	79	73	46	38.5	16	15.4
White	880	683	185	12	235	-	-	-	32	36.4	12	15.6
Nonwhite	316	148	37	130	120	-	-	-	14	44.3	4	12.7
Randolph	340	97	241	2	93	78	-	19	8	23.5	4	11.8
St. Francis	875	244	192	421	282	193	-	88	48	54.9	12	13.7
White	372	229	113	25	117	-	-	-	27	72.6	4	10.8
Nonwhite	503	15	79	396	165	-	-	-	21	41.7	8	15.9
Saline	516	217	284	11	217	100	57	59	24	46.5	13	28.2
Scott	205	83	120	2	78	54	-	7	4	19.5	2	9.8
Searcy	265	195	42	22	66	47	-	17	6	22.6	1	3.8
Sebastian	1,537	1,376	191	17	523	286	2	233	56	22.7	20	12.6
Fort Smith	1,035	1,029	40	15	396	185	2	197	25	21.2	15	13.9
White	996	963	16	6	333	-	-	-	18	18.3	12	12.2
Nonwhite	39	66	24	9	53	-	-	-	5	50.5	3	30.3
Balance of county	502	347	151	2	137	101	-	36	13	25.9	5	10.0
Sevier	346	246	93	7	98	85	-	32	10	28.9	5	14.5
White	324	237	86	1	86	-	-	-	10	30.9	4	12.3
Nonwhite	22	9	7	6	12	-	-	-	-	0	1	45.5
Sharp	173	56	113	1	52	38	-	14	1	5.8	-	0
Stone	142	55	71	5	44	31	-	13	4	28.2	1	7.0
Union	1,046	670	124	245	302	206	-	93	19	18.2	26	24.9
White	702	628	63	10	199	-	-	-	14	19.9	11	15.7
Nonwhite	344	42	61	235	103	-	-	-	5	14.5	15	45.6
El Dorado	463	387	28	67	158	92	-	64	13	28.9	12	24.8
White	372	363	7	1	106	-	-	-	11	29.8	7	16.8
Nonwhite	111	24	21	66	53	-	-	-	2	18.0	5	45.0
Balance of county	583	293	96	178	144	114	-	29	6	10.7	14	24.9
White	330	265	56	9	94	-	-	-	3	9.1	4	12.1
Nonwhite	233	18	40	169	50	-	-	-	3	12.9	10	42.9
Van Buren	189	56	130	1	81	62	-	19	7	37.2	2	10.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.-BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ARKANSAS—Continued												
Washington-----	930	788	120	20	333	185	-	140	21	22.6	16	17.2
White-----	851	564	272	11	229	152	-	76	14	16.5	20	23.5
Woodruff-----	563	176	294	89	98	82	-	14	11	18.5	12	21.3
White-----	343	128	198	14	51	-	-	-	7	20.4	8	23.3
Nonwhite-----	220	48	96	74	47	-	-	-	4	18.2	4	18.2
Yell-----	356	196	164	6	77	68	-	9	9	24.6	4	10.9
CALIFORNIA-----	218,484	212,050	5,367	456	94,678	41,243	5,063	46,809	6,705	30.7	4,024	18.4
Alameda-----	17,582	17,295	287	5	7,055	3,245	184	3,483	494	28.1	305	17.3
Alameda-----	2,174	2,147	24	1	495	244	10	235	65	29.9	36	16.6
Albany-----	395	377	8	-	109	61	-	48	11	28.6	7	18.2
Berkeley-----	2,783	2,742	40	1	1,038	523	-	497	68	24.4	51	18.3
Oakland-----	9,197	9,054	124	3	4,181	1,863	127	2,123	255	27.7	157	17.1
White-----	8,052	7,985	56	2	3,839	-	-	-	208	25.8	115	14.3
Nonwhite-----	1,145	1,071	68	1	342	-	-	-	47	41.0	42	36.7
San Leandro-----	929	917	11	-	209	105	-	97	22	23.7	13	14.0
Balance of county-----	2,114	2,056	50	-	1,004	449	47	483	73	34.5	41	19.4
Alpine-----	5	4	-	-	6	4	-	2	2	400.0	-	0
White-----	3	3	-	-	2	-	-	-	-	0	-	0
Nonwhite-----	2	1	-	-	4	-	-	-	2	1,000.0	-	0
Amador-----	156	121	14	-	111	52	33	26	3	22.1	1	7.4
Butte-----	1,182	1,160	21	1	628	278	2	325	49	41.5	21	17.8
Calaveras-----	153	137	15	-	94	50	22	22	2	13.1	3	19.6
Colusa-----	239	228	10	-	126	52	-	74	4	16.7	4	16.7
Contra Costa-----	7,550	7,131	397	2	1,491	684	4	788	217	28.7	134	17.7
Richmond-----	4,133	3,942	274	-	506	212	-	286	116	28.1	81	19.6
Balance of county-----	3,417	3,289	123	2	985	452	4	502	101	29.6	53	15.5
Del Norte-----	125	124	1	-	71	28	-	41	3	24.0	4	32.0
El Dorado-----	289	268	20	1	162	74	16	72	11	38.1	2	6.9
Fresno-----	6,159	5,947	287	9	2,203	933	19	1,207	247	40.1	107	17.4
Fresno-----	2,249	2,192	56	1	1,202	399	1	764	97	43.1	39	17.3
Balance of county-----	3,909	3,655	231	7	1,001	534	18	443	150	38.4	68	17.4
Glenn-----	294	275	19	-	134	76	-	55	8	27.2	3	10.2
Humboldt-----	1,125	1,116	8	1	643	252	32	353	36	32.0	15	13.3
Eureka-----	516	516	-	-	311	92	26	189	14	27.1	10	19.4
Balance of county-----	609	600	6	1	332	160	6	164	22	36.1	5	8.2
Imperial-----	1,787	1,279	414	30	548	318	-	227	100	56.6	35	19.8
White-----	1,624	1,169	363	29	489	-	-	-	92	56.7	34	20.9
Nonwhite-----	143	90	51	1	59	-	-	-	8	55.9	1	7.0
Bradley-----	420	198	198	18	117	74	-	42	35	63.3	7	16.7
El Centro-----	373	300	87	2	106	66	-	40	22	59.0	6	16.1
White-----	341	282	53	2	93	-	-	-	19	55.7	6	17.6
Nonwhite-----	32	18	14	-	13	-	-	-	3	33.8	-	0
Balance of county-----	974	781	149	10	325	178	-	145	43	44.1	22	22.6
White-----	891	716	133	9	287	-	-	-	38	42.6	21	23.8
Nonwhite-----	83	65	16	1	38	-	-	-	5	60.2	1	12.0
Inyo-----	169	166	2	1	100	47	4	43	9	47.6	10	52.9
White-----	166	165	1	-	61	-	-	-	8	46.2	10	60.2
Nonwhite-----	23	21	1	1	19	-	-	-	1	43.5	-	0
Kern-----	5,098	4,880	181	1	1,389	508	-	861	177	34.7	87	17.1
Bakersfield-----	2,129	2,102	20	-	381	142	-	236	52	24.4	27	12.7
Balance of county-----	2,969	2,778	161	1	1,008	366	-	625	125	42.1	60	20.2
Kings-----	1,198	1,129	67	1	366	135	-	230	57	47.6	26	21.7
Lake-----	209	205	4	-	164	90	2	64	9	43.1	1	4.8
Lassen-----	383	372	10	-	131	58	16	57	15	39.2	5	13.1
Los Angeles-----	80,000	77,796	1,635	342	37,796	17,437	1,308	18,302	2,243	28.0	1,546	19.4
Alhambra-----	903	798	4	-	448	260	5	178	21	26.2	12	14.9
Bell-----	372	372	-	-	116	59	-	55	9	24.2	4	10.8
Beldere (twp.) <sup>4</sup> -----	438	257	92	80	282	112	-	166	39	39.0	17	38.8
Beverly Hills-----	95	95	-	-	206	169	-	35	3	31.6	2	21.1
Burbank-----	1,850	1,818	10	-	435	225	3	199	33	18.0	22	12.0
Compton-----	907	899	5	1	241	106	11	115	25	27.6	15	16.5
Glendale-----	1,909	1,900	6	1	944	452	-	477	40	21.0	34	17.8
Huntington Park-----	694	692	1	1	314	159	-	148	17	24.5	10	14.4
Inglewood-----	1,169	1,167	1	-	413	198	-	210	27	23.1	11	9.4
Long Beach-----	5,843	5,824	16	2	2,404	1,037	2	1,323	163	27.9	80	13.7
Los Angeles-----	42,418	41,083	1,044	204	21,009	9,610	223	10,761	1,195	28.2	864	20.4
White-----	38,565	37,685	633	131	19,483	-	-	-	1,062	27.5	733	19.0
Nonwhite-----	3,853	3,418	411	13	1,526	-	-	-	133	34.4	131	33.9
Lynwood-----	485	484	1	-	139	62	1	76	15	30.9	12	24.7
Maywood-----	317	314	3	-	101	45	-	56	11	34.7	7	22.1
Monrovia-----	351	338	14	-	202	100	2	91	13	37.0	5	14.2
Pasadena-----	2,394	2,377	16	-	1,405	722	5	645	59	24.6	45	18.8
Pomona-----	665	659	5	-	322	192	8	116	21	31.6	12	18.0
Redondo Beach-----	460	444	11	-	176	94	12	66	10	21.7	5	10.9
San Gabriel-----	452	437	14	1	178	93	10	71	14	31.0	3	6.6
Santa Monica-----	1,522	1,522	17	-	759	418	1	310	52	33.3	33	21.1
South Gate-----	959	956	3	-	275	139	-	132	17	17.7	21	21.9
South Pasadena-----	282	279	3	-	174	91	11	68	6	21.3	29	102.8
Whittier-----	502	500	1	-	244	110	1	132	15	29.9	8	15.9
Balance of county-----	15,093	14,592	360	52	7,000	2,993	1,013	3,872	438	29.0	297	19.7
White-----	14,668	14,224	317	46	6,637	-	-	-	428	29.2	292	19.9
Nonwhite-----	425	358	52	6	172	-	-	-	10	23.5	5	11.8

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

27

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
CALIFORNIA—Continued												
Madara	871	856	9	-	285	91	-	193	37	42.5	27	31.0
Marin	1,614	1,614	11	-	584	272	76	226	44	27.1	36	22.0
Mariposa	83	76	5	1	45	24	-	20	3	36.1	-	0
Mendocino	548	529	14	2	444	152	125	167	21	38.3	11	20.1
Merced	1,607	1,584	16	3	474	205	-	270	44	27.4	41	25.5
Merced	524	522	-	1	144	46	-	97	15	28.6	15	28.6
Balance of county	1,083	1,062	16	2	330	157	-	173	29	26.8	26	24.0
Modoc	206	203	2	-	113	46	-	67	21	101.9	3	14.0
Mono	24	21	-	-	13	8	-	5	2	83.3	2	83.3
White	14	14	-	-	6	-	-	-	-	0	2	142.9
Nonwhite	10	7	-	-	7	-	-	-	2	200.0	-	0
Monterey	2,687	2,544	137	1	819	359	3	449	69	25.7	35	13.0
Monterey	450	444	5	-	100	44	-	56	8	13.3	1	2.2
Salinas	557	550	7	-	163	68	-	94	16	16.7	4	4.2
White	892	885	7	-	186	-	-	-	16	17.9	4	4.5
Nonwhite	65	65	-	-	7	-	-	-	-	0	-	0
Balance of county	1,280	1,150	125	1	556	247	3	299	47	36.7	30	23.4
Napa	785	779	5	-	953	169	621	153	18	22.9	9	11.5
Nevada	394	392	11	-	236	85	1	152	9	22.8	8	20.3
Orange	4,451	4,244	196	-	1,853	966	8	857	152	34.1	79	17.7
Anaheim	407	399	17	-	168	75	1	90	9	22.1	10	24.6
Fullerton	282	279	3	-	118	54	-	64	14	49.6	8	28.4
Santa Ana	1,241	1,200	39	-	473	250	7	204	41	33.0	20	16.1
Balance of county	2,521	2,576	139	-	1,094	587	-	499	68	34.9	41	16.3
Placer	755	722	29	-	376	167	3	201	13	17.5	14	18.6
Plumas	275	271	3	-	131	48	-	73	12	43.6	3	10.9
Riverside	3,549	3,442	94	4	1,445	667	8	759	137	39.6	62	23.1
Riverside	1,393	1,383	10	-	527	207	8	310	46	33.0	25	16.5
Balance of county	2,156	2,059	84	4	918	460	-	448	91	42.2	59	27.4
Sacramento	5,366	5,295	60	2	2,423	1,012	17	1,339	152	28.3	100	18.6
Sacramento	3,083	3,059	18	1	1,711	644	4	1,025	83	26.9	65	21.1
Balance of county	2,283	2,236	42	1	712	368	13	314	69	30.2	35	15.3
White	2,145	2,105	35	1	656	-	-	-	63	29.4	34	15.9
Nonwhite	138	131	7	-	56	-	-	-	6	43.4	1	7.2
San Benito	387	348	34	-	130	77	10	43	9	23.3	11	28.4
San Bernardino	5,680	5,393	253	5	2,646	987	492	1,133	199	35.2	105	18.6
Ontario	567	560	6	-	155	101	11	36	17	30.0	9	15.9
Redlands	431	399	31	-	220	110	-	106	17	39.4	3	7.0
San Bernardino	1,950	1,857	88	-	860	258	1	594	65	33.3	35	17.9
Balance of county	2,712	2,577	128	5	1,411	518	480	397	100	36.9	58	21.4
San Diego	12,841	12,645	143	5	4,066	1,704	73	2,185	391	30.4	226	17.6
National City	648	636	10	1	164	53	1	105	21	32.4	11	17.0
San Diego	8,883	8,762	90	-	2,698	1,140	2	1,495	259	29.2	185	18.6
Balance of county	3,310	3,247	43	4	1,204	511	70	595	111	33.5	80	15.1
San Francisco, coextensive with San Francisco (city)	16,604	16,455	98	18	9,266	3,894	559	4,737	472	28.4	327	19.7
White	15,073	14,966	49	14	8,716	-	-	-	417	27.7	279	18.5
Nonwhite	1,531	1,469	49	4	550	-	-	-	55	35.9	48	31.4
San Joaquin	4,145	4,084	52	-	2,236	775	386	1,128	172	41.5	68	16.4
Lodi	259	259	-	-	163	66	-	97	10	38.6	7	27.0
Stockton	1,448	1,438	8	-	715	328	2	381	73	50.4	28	19.3
Balance of county	2,438	2,387	44	-	1,418	581	394	650	89	36.5	33	13.5
White	2,237	2,188	42	-	1,288	-	-	-	73	32.6	28	12.5
Nonwhite	201	199	2	-	130	-	-	-	16	79.6	5	24.9
San Luis Obispo	1,081	1,048	29	-	414	165	12	213	39	35.2	16	14.8
San Mateo	3,998	3,976	14	1	1,320	561	109	640	74	19.5	66	16.5
Burlingame	377	377	-	-	96	58	4	34	2	5.3	3	8.0
Redwood City	562	558	2	-	111	72	1	36	7	12.5	18	32.0
San Mateo	668	667	1	-	405	114	-	291	14	21.0	10	15.0
Balance of county	2,391	2,374	11	1	708	317	104	279	51	21.3	35	14.6
Santa Barbara	2,104	2,064	38	-	882	387	-	483	45	21.4	27	12.8
Santa Barbara	1,001	982	18	-	519	225	-	294	20	20.0	13	13.0
Balance of county	1,103	1,082	20	-	363	162	-	199	25	22.7	14	12.7
Santa Clara	5,685	5,597	70	5	2,901	1,025	498	1,227	183	33.2	96	16.9
Palo Alto	486	486	-	-	268	99	-	169	10	20.6	6	12.3
San Jose	2,442	2,411	25	2	801	430	1	353	87	35.6	44	18.0
Balance of county	2,757	2,700	45	3	1,732	496	497	705	92	33.4	46	16.7
Santa Cruz	1,210	1,197	13	-	836	370	20	426	49	39.7	15	12.4
Santa Cruz	402	400	2	-	343	165	6	166	22	54.7	8	7.5
Balance of county	808	797	11	-	493	205	14	260	26	32.2	12	14.9
Shasta	608	572	34	1	310	142	1	167	22	36.2	12	19.7
Sierra	37	34	3	-	24	17	-	6	1	27.0	2	54.1
Siskiyou	611	595	11	2	281	117	-	162	12	19.6	7	11.5
Solano	3,281	3,168	110	-	774	321	-	450	116	35.4	39	11.6
Vallejo	2,445	2,416	28	-	330	125	-	202	73	29.9	25	10.2
Balance of county	856	752	62	-	444	196	-	248	43	51.4	13	15.6
Sonoma	1,924	1,910	13	1	1,090	404	129	542	63	32.7	30	15.6
Santa Rosa	712	708	4	-	212	75	-	130	16	22.5	8	11.2
Balance of county	1,212	1,202	9	1	878	329	129	412	47	38.8	22	18.2
Stanislaus	2,830	2,769	59	1	936	413	3	498	75	26.5	59	20.8
Modesto	935	931	4	-	376	89	-	283	20	21.4	20	21.4
Balance of county	1,895	1,838	55	1	580	324	3	215	55	29.0	39	20.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
CALIFORNIA—Continued												
Sutter	557	549	8	-	226	109	1	114	20	35.9	10	18.0
Tehama	374	374	-	-	184	73	-	110	13	34.8	4	10.7
Trinity	50	50	-	-	50	21	-	29	1	20.0	2	40.0
Tulare	3,493	3,273	190	8	1,092	508	25	549	180	51.5	71	20.3
Tuolumne	205	201	4	-	162	50	-	108	11	53.7	5	24.4
Ventura	2,366	2,171	201	3	934	304	237	398	89	37.3	42	17.6
San Buenaventura	484	477	7	-	105	52	-	53	19	39.3	9	18.6
Balance of county	1,902	1,694	194	3	629	252	237	535	70	36.8	33	17.4
Yolo	972	841	29	-	316	163	2	149	20	22.9	11	12.6
Yuba	655	623	7	2	252	88	-	160	25	39.4	13	20.5
COLORADO	29,518	25,921	3,360	115	12,058	5,300	664	5,928	1,180	40.0	650	22.0
Adams	640	544	81	10	225	99	1	125	19	29.7	18	28.1
Alamosa	261	243	13	4	93	42	-	51	29	111.1	9	34.5
Arapahoe	1,257	1,194	56	5	312	148	5	157	59	50.2	20	15.9
Archuleta	80	44	35	-	21	17	-	4	2	25.0	2	25.0
Baca	198	115	83	-	53	36	-	12	5	25.3	7	35.4
Bent	205	194	11	-	99	35	34	30	8	39.0	7	34.1
Boulder	963	878	85	-	396	170	-	225	27	28.0	27	28.0
Boulder	481	488	2	-	188	73	-	114	13	26.5	15	30.5
Balance of county	472	389	83	-	208	97	-	111	14	29.7	12	25.4
Chaffee	141	126	14	1	77	34	-	43	3	21.3	1	7.1
Cheyenne	64	51	13	-	17	8	-	8	1	15.6	3	46.9
Clear Creek	62	43	19	-	40	24	-	16	5	80.6	1	16.1
Conejos	244	177	51	1	92	67	-	25	19	77.9	4	16.4
Costilla	156	85	58	23	39	23	-	16	5	32.1	4	25.6
Crowley	159	104	55	-	37	19	-	18	4	25.2	3	18.9
Custer	32	30	2	-	13	6	-	7	-	0	-	0
Delta	567	227	135	4	145	95	7	41	14	38.1	7	19.1
Denver, coextensive with Denver (city)	9,485	9,022	427	29	4,196	1,690	70	2,390	289	30.5	205	21.6
Dolores	53	43	10	-	10	8	-	2	2	37.7	2	37.7
Douglas	60	56	4	-	38	14	-	24	2	33.3	-	0
Eagle	95	85	12	-	32	15	-	17	6	63.2	2	21.1
Elbert	86	77	11	-	37	15	-	22	4	45.5	2	22.7
El Paso	1,568	1,309	52	1	776	316	105	349	71	51.9	34	24.9
Colorado Springs	1,123	1,083	36	-	692	272	90	325	63	56.1	29	25.8
Balance of county	245	226	16	1	64	44	15	24	8	32.7	5	20.4
Fremont	369	332	36	-	207	92	4	111	14	37.9	13	35.2
Garfield	265	205	60	-	93	45	-	48	11	41.5	3	11.3
Gilpin	11	11	-	-	6	6	-	8	-	0	-	0
Grand	109	85	24	-	25	15	-	10	3	27.5	1	9.2
Gunnison	125	101	24	-	49	23	-	26	7	56.0	1	8.0
Hinsdale	5	3	-	-	2	1	-	1	-	0	-	0
Huerfano	280	124	142	4	128	88	-	40	15	53.6	7	25.0
Jackson	27	24	3	-	11	7	-	4	1	37.0	1	37.0
Jefferson	989	942	43	3	384	153	28	185	22	22.2	27	27.3
Kiowa	75	71	4	-	29	6	-	20	4	53.3	2	26.7
Kit Carson	195	168	29	-	54	21	-	22	2	10.3	2	10.3
Lake	164	163	1	-	77	32	-	45	15	91.5	7	42.7
La Plata	351	294	55	1	134	53	-	80	15	42.7	19	54.1
Larimer	925	879	45	-	333	174	1	150	34	36.8	11	11.9
Fort Collins	426	421	5	-	99	69	1	28	16	37.6	1	2.3
Balance of county	499	458	40	-	234	105	-	122	18	36.1	10	20.0
Las Animas	717	421	286	1	299	165	-	130	49	68.3	18	25.1
Trinidad	409	282	142	1	160	100	-	59	27	66.0	10	24.4
Balance of county	308	159	144	-	139	65	-	71	22	71.4	8	26.0
Lincoln	134	111	23	-	33	23	-	10	3	22.4	2	14.9
Logan	406	373	33	-	150	64	-	86	11	27.1	5	12.3
Mesa	875	774	95	2	336	168	20	127	33	37.7	20	22.9
Grand Junction	466	431	33	2	166	82	10	80	13	27.9	6	12.9
Balance of county	409	343	62	-	150	66	10	47	20	48.9	14	34.2
Mineral	13	12	-	-	5	2	-	3	1	76.9	-	0
Moffat	126	100	26	-	40	23	-	17	5	39.7	1	7.9
Montezuma	247	217	25	-	75	44	-	31	12	49.6	5	20.2
Montrose	304	265	36	-	131	81	-	50	24	78.9	8	26.3
Morgan	404	353	49	-	166	77	-	89	22	54.5	5	12.4
Otero	695	596	90	3	240	122	-	118	43	61.9	24	34.5
Ouray	30	23	7	-	25	17	-	3	3	100.0	-	0
Park	44	36	8	-	18	7	-	11	1	22.7	2	45.5
Phillips	129	103	26	-	39	17	-	22	6	46.5	-	0
Pitkin	26	23	3	-	16	11	-	5	-	0	-	0
Provers	352	329	23	-	106	64	-	27	10	28.4	6	17.0
Pueblo	1,993	1,661	309	10	1,011	288	367	352	93	46.7	45	22.6
Pueblo	1,705	1,481	212	1	881	250	383	265	73	42.8	37	21.7
Balance of county	288	180	97	9	130	38	4	87	20	69.4	8	27.8
Rio Blanco	77	55	20	-	27	17	-	9	4	51.3	4	51.9
Rio Grande	363	244	116	-	136	64	1	68	43	118.5	6	16.5
Routt	214	166	29	-	73	37	-	36	6	28.0	7	32.7
Saguache	141	105	24	10	42	21	-	21	13	92.2	6	42.6

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

29

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
COLORADO--Continued												
San Juan	34	32	2	-	11	5	-	6	1	29.4	1	29.4
San Miguel	61	44	18	1	24	11	-	11	3	49.2	1	16.4
Sedgwick	136	120	16	-	43	20	-	23	7	51.5	-	0
Summit	13	13	-	-	19	6	3	9	-	0	-	-
Teller	83	76	6	-	55	19	4	32	7	84.3	1	12.0
Washington	153	144	9	-	59	24	-	34	8	52.3	2	13.1
Weld	1,629	1,214	407	1	509	259	14	232	71	43.6	21	12.9
Grealey	483	430	53	-	226	82	14	127	26	53.8	7	14.5
Balance of county	1,146	794	354	1	285	177	-	105	45	39.3	14	12.2
Yuma	253	248	4	1	84	48	-	34	5	19.8	8	31.8
CONNECTICUT	41,457	41,001	433	4	19,127	8,754	1,330	8,643	1,154	27.8	669	16.1
Fairfield	10,224	10,130	94	-	4,721	2,112	305	2,211	259	26.3	205	19.9
Bridgeport	3,725	3,690	35	-	1,673	715	62	884	101	27.1	92	24.7
Danbury	538	538	-	-	351	141	2	179	22	40.9	13	24.2
Norwalk	969	946	23	-	476	226	-	234	22	22.7	20	20.6
Shelton	211	208	3	-	95	44	9	42	5	23.7	1	4.7
Stamford	1,431	1,422	9	-	647	284	1	349	39	27.3	31	21.7
Stratford (town)	700	695	5	-	165	101	-	61	18	25.7	17	24.3
Balance of county	2,650	2,631	19	-	1,335	601	231	482	52	19.6	29	10.9
Hartford	11,449	11,379	66	1	4,693	2,075	127	2,335	304	26.6	163	14.2
Bristol	852	849	3	-	282	120	-	148	24	28.2	20	23.5
East Hartford (town)	825	824	1	-	221	112	-	105	23	27.9	8	9.7
Hartford	3,903	3,898	5	-	1,619	676	32	1,017	102	26.1	53	13.6
New Britain	1,500	1,499	11	1	640	308	8	319	39	26.0	31	20.7
West Hartford (town)	749	749	-	-	340	151	14	167	33	44.1	8	10.7
Balance of county	3,620	3,571	46	-	1,591	708	73	579	83	22.9	43	11.9
Litchfield	2,025	2,006	17	1	934	487	6	406	63	31.1	32	15.8
Torrington	587	582	5	-	249	117	-	129	16	27.3	13	22.1
Balance of county	1,438	1,424	12	1	685	380	6	279	47	32.7	19	13.2
Middlesex	1,281	1,274	7	-	892	329	296	261	42	32.8	21	16.4
Middletown	595	595	-	-	521	103	283	129	21	35.3	13	21.8
Balance of county	686	679	7	-	371	226	8	132	21	30.6	8	11.7
New Haven	11,339	11,219	108	2	5,324	2,473	266	2,512	329	29.0	170	15.0
Ansonia	421	412	8	-	193	119	2	72	15	35.6	3	7.1
Dorby	263	262	1	-	132	56	-	74	14	53.2	5	19.0
Meriden	897	897	-	-	417	159	7	250	19	21.2	17	19.0
Naugatuck	355	352	3	-	159	81	2	67	10	28.2	-	0
New Haven	3,673	3,628	42	2	1,897	813	118	949	98	26.7	65	17.7
Wallingford	315	314	1	-	170	75	35	59	7	22.2	2	6.3
Waterbury	2,181	2,164	17	-	1,068	414	85	557	86	39.4	46	21.1
West Haven (town)	859	848	10	-	258	156	4	92	13	19.7	8	12.1
Balance of county	2,575	2,542	26	-	1,030	600	13	392	67	26.0	24	9.3
New London	3,192	3,149	39	-	1,622	712	310	576	105	32.9	42	13.2
New London	706	699	6	-	323	146	7	169	24	34.0	6	8.5
Norwich	715	707	8	-	391	197	5	185	25	35.0	13	18.2
Balance of county	1,771	1,743	25	-	908	369	298	222	58	31.6	23	13.0
Tolland	680	671	9	-	329	189	7	128	12	17.8	18	28.5
Windham	1,287	1,175	93	-	612	367	13	212	40	31.6	20	15.8
Williamantic	323	315	7	-	143	81	2	54	9	27.9	4	12.4
Balance of county	944	857	86	-	469	286	11	158	31	32.8	16	16.9
DELAWARE	6,802	6,032	383	336	3,229	1,661	324	1,220	202	29.7	141	20.7
Kent	804	575	118	101	542	264	168	109	24	29.9	21	26.1
White	654	549	83	20	413	-	-	-	21	32.1	15	22.9
Nonwhite	150	26	35	81	129	-	-	-	3	20.0	6	40.0
New Castle	4,688	4,535	60	88	2,065	988	151	906	119	25.4	93	19.8
White	4,106	4,037	40	27	1,728	-	-	-	92	22.4	69	16.8
Nonwhite	582	498	20	61	337	-	-	-	27	46.4	24	41.2
Wilmington	2,659	2,594	24	38	1,322	616	28	665	73	27.5	55	20.7
White	2,255	2,231	15	9	1,088	-	-	-	56	24.8	39	17.3
Nonwhite	404	363	9	29	234	-	-	-	17	42.1	16	39.6
Balance of county	2,029	1,941	38	50	743	372	123	241	46	22.7	38	18.7
Sussex	1,310	922	205	147	622	409	5	205	59	45.0	27	20.6
White	1,051	880	147	17	502	-	-	-	36	34.3	17	16.2
Nonwhite	259	42	58	130	120	-	-	-	23	89.8	10	58.6
DISTRICT OF COLUMBIA	18,601	17,661	932	4	8,289	3,190	673	4,398	767	41.2	484	26.0
FLORIDA	53,698	39,393	6,013	8,165	23,005	12,833	596	8,922	2,116	39.4	1,599	29.8
Alachua	1,122	690	164	268	440	314	9	112	41	36.5	50	44.6
White	732	630	82	20	221	-	-	-	18	24.6	14	19.1
Nonwhite	390	60	82	248	219	-	-	-	23	59.0	36	92.3
Gainesville	517	427	12	78	193	118	2	71	18	34.8	20	38.7
White	388	382	5	1	110	-	-	-	12	30.9	6	15.5
Nonwhite	129	45	7	77	83	-	-	-	6	46.5	14	108.5
Balance of county	605	263	152	190	247	196	7	41	23	38.0	30	49.6
White	344	246	77	19	111	-	-	-	6	17.4	6	23.3
Nonwhite	261	15	75	171	136	-	-	-	17	65.1	22	84.3
Baker	181	63	42	76	56	39	-	17	4	22.1	10	55.2
White	136	62	33	41	35	-	-	-	1	7.4	6	44.1
Nonwhite	45	1	9	35	21	-	-	-	3	66.7	4	88.9

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio	
		Physician (in hospital)	Physician (not in hospital)	Midwife									
Section B (Counties)—Continued													
FLORIDA—Continued													
Bay-----	918	706	90	121	243	155	3	80	45	49.0	39	42.5	
White-----	770	695	26	50	176	-----	-----	-----	34	44.2	21	27.3	
Nonwhite-----	148	13	64	71	67	-----	-----	-----	11	74.3	18	121.6	
Panama City-----	443	337	59	47	144	94	-----	48	22	49.7	22	49.7	
White-----	339	325	8	6	94	-----	-----	-----	13	38.3	11	32.4	
Nonwhite-----	104	12	51	41	50	-----	-----	-----	9	86.5	11	105.8	
Balance of county-----	475	369	31	74	99	61	3	32	23	48.4	17	35.8	
White-----	431	368	18	44	82	-----	-----	-----	21	48.7	10	25.2	
Nonwhite-----	44	1	13	30	17	-----	-----	-----	2	45.5	7	159.1	
Bradford-----	317	98	118	103	127	98	-----	29	17	53.6	14	44.2	
White-----	238	95	109	34	85	-----	-----	-----	11	46.0	10	41.8	
Nonwhite-----	78	3	9	68	42	-----	-----	-----	6	76.9	4	51.3	
Brevard-----	468	269	50	148	213	145	2	65	12	25.6	12	26.6	
White-----	291	260	19	12	144	-----	-----	-----	8	27.5	6	20.6	
Nonwhite-----	177	9	31	137	69	-----	-----	-----	4	22.6	6	33.9	
Broward-----	1,390	1,042	132	216	522	269	4	249	53	38.1	44	31.7	
White-----	909	661	45	3	345	-----	-----	-----	27	29.7	19	20.9	
Nonwhite-----	481	181	87	213	177	-----	-----	-----	26	54.1	25	52.0	
Fort Lauderdale-----	624	527	47	50	240	120	-----	120	19	30.4	15	24.0	
White-----	461	451	9	1	179	-----	-----	-----	13	28.2	8	17.4	
Nonwhite-----	163	76	38	49	61	-----	-----	-----	6	36.8	7	42.9	
Balance of county-----	766	515	85	166	282	149	4	129	34	44.4	29	37.9	
White-----	448	410	36	2	166	-----	-----	-----	14	31.3	11	24.6	
Nonwhite-----	318	105	49	164	116	-----	-----	-----	20	62.9	18	56.8	
Calhoun-----	206	47	124	34	69	47	-----	21	10	48.5	11	53.4	
White-----	174	45	118	10	58	-----	-----	-----	9	51.7	10	57.5	
Nonwhite-----	32	2	6	24	11	-----	-----	-----	1	31.3	1	31.3	
Charlotte-----	60	40	16	4	36	29	-----	7	1	16.7	2	33.3	
White-----	54	39	15	-----	27	-----	-----	-----	1	18.5	2	37.0	
Nonwhite-----	6	1	1	4	9	-----	-----	-----	-----	0	-----	0	0
Citrus-----	130	50	42	37	43	34	-----	9	2	15.4	1	7.7	
White-----	91	49	37	4	27	-----	-----	-----	2	22.0	-----	0	0
Nonwhite-----	39	1	5	33	16	-----	-----	-----	-----	0	1	25.6	
Clay-----	197	125	27	45	124	80	9	32	11	55.8	9	45.7	
White-----	151	117	25	9	102	-----	-----	-----	10	66.2	6	39.7	
Nonwhite-----	46	8	2	36	22	-----	-----	-----	1	21.7	3	65.2	
Collier-----	86	63	7	14	33	21	-----	12	6	69.0	4	46.5	
White-----	72	58	6	8	16	-----	-----	-----	4	55.6	3	41.7	
Nonwhite-----	14	5	1	6	17	-----	-----	-----	2	142.9	1	71.4	
Columbia-----	492	282	69	141	167	104	-----	82	19	38.6	21	42.7	
White-----	325	269	45	11	96	-----	-----	-----	9	27.7	6	18.5	
Nonwhite-----	167	13	24	130	71	-----	-----	-----	10	59.9	15	89.8	
Dade-----	7,758	6,880	197	681	3,357	1,607	7	1,641	271	34.9	205	26.4	
White-----	6,347	5,235	95	11	2,774	-----	-----	-----	204	32.1	128	20.2	
Nonwhite-----	1,411	625	102	680	583	-----	-----	-----	67	47.5	77	54.6	
Miami-----	4,507	3,880	122	500	2,184	1,032	4	1,076	165	36.6	115	25.5	
White-----	3,551	3,491	48	8	1,761	-----	-----	-----	116	32.7	85	18.3	
Nonwhite-----	956	389	74	492	423	-----	-----	-----	49	51.3	50	52.3	
Miami Beach-----	540	533	2	-----	305	148	-----	150	20	37.0	18	33.3	
Balance of county-----	2,711	2,442	73	191	868	427	3	415	66	31.7	78	26.6	
White-----	2,256	2,206	45	3	709	-----	-----	-----	68	30.1	46	20.4	
Nonwhite-----	455	236	28	188	159	-----	-----	-----	18	39.6	26	57.1	
De Soto-----	180	178	2	-----	84	31	-----	33	4	22.2	9	50.0	
White-----	143	142	1	-----	46	-----	-----	-----	3	21.0	5	35.0	
Nonwhite-----	37	36	1	-----	18	-----	-----	-----	1	27.0	4	108.1	
Dixie-----	106	16	71	19	28	24	-----	4	2	16.9	4	37.7	
White-----	89	15	68	5	19	-----	-----	-----	2	22.7	4	45.5	
Nonwhite-----	19	1	3	14	9	-----	-----	-----	-----	0	-----	0	0
Duval-----	6,514	5,648	289	542	2,679	1,459	16	1,139	264	40.5	161	24.7	
White-----	4,770	4,536	170	60	1,633	-----	-----	-----	200	41.9	88	18.4	
Nonwhite-----	1,744	1,112	119	482	1,046	-----	-----	-----	64	36.7	73	41.9	
Jacksonville-----	5,287	4,617	210	409	2,246	1,181	16	1,006	220	41.8	134	25.4	
White-----	3,706	3,568	104	13	1,290	-----	-----	-----	162	43.7	70	18.9	
Nonwhite-----	1,581	1,029	106	396	956	-----	-----	-----	58	37.2	64	41.0	
Balance of county-----	1,247	1,031	79	133	433	277	-----	133	44	35.3	27	21.7	
White-----	1,084	943	66	47	343	-----	-----	-----	38	35.7	18	16.9	
Nonwhite-----	163	83	13	86	90	-----	-----	-----	6	32.8	9	49.2	
Escambia-----	2,676	2,063	294	315	848	493	2	322	110	41.1	91	34.0	
White-----	2,070	1,858	191	20	557	-----	-----	-----	72	34.8	58	28.0	
Nonwhite-----	606	205	103	285	291	-----	-----	-----	38	62.7	33	54.5	
Pensacola-----	1,365	1,052	132	180	524	300	-----	200	63	46.2	41	30.0	
White-----	923	661	42	-----	302	-----	-----	-----	35	37.9	21	22.8	
Nonwhite-----	442	171	90	160	222	-----	-----	-----	28	63.3	20	45.2	
Balance of county-----	1,311	1,011	162	135	324	193	2	122	47	35.9	50	38.1	
White-----	1,147	977	149	20	255	-----	-----	-----	37	32.5	37	32.3	
Nonwhite-----	164	34	13	115	69	-----	-----	-----	10	51.0	13	79.3	
Flagler-----	76	29	10	37	44	29	-----	14	5	65.8	2	26.3	
White-----	31	24	7	-----	24	-----	-----	-----	2	64.5	-----	0	0
Nonwhite-----	45	5	3	37	20	-----	-----	-----	3	66.7	2	44.4	
Franklin-----	175	97	42	36	50	36	-----	10	5	28.6	5	28.6	
White-----	141	92	38	11	34	-----	-----	-----	2	14.2	-----	0	0
Nonwhite-----	34	5	4	25	16	-----	-----	-----	3	48.2	5	147.1	

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

31

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
FLORIDA—Continued												
Gadsden	738	231	105	401	640	203	363	47	34	46.1	35	47.4
White	254	210	32	12	304				11	43.3	5	19.7
Nonwhite	484	21	73	389	336				23	47.5	30	62.0
Gilchrist	96	31	44	21	46	38		8	4	41.7	4	41.7
White	78	31	41	6	35				3	38.5	3	38.5
Nonwhite	18		3	15	11				1	55.6	1	55.6
Glades	42	11	26	2	14	12		1		0		0
White	29	11	18		10					0		0
Nonwhite	13		8	2	4					0		0
Gulf	224	169	17	36	49	50		14	7	31.3	5	22.3
White	165	159	10	14	33				4	24.2	3	18.2
Nonwhite	59	30	7	22	16				3	50.8	2	33.9
Hamilton	245	62	112	71	91	76		15	18	65.3	3	12.2
White	136	62	65	9	43				8	59.8	1	7.4
Nonwhite	109		47	62	48				8	73.4	2	18.3
Hardee	212	162	49	1	88	55		31	10	47.2	5	23.6
Hendry	153	112	3	35	41	24		17	7	45.8	11	71.9
White	107	102	3	2	21				5	46.7	5	46.7
Nonwhite	46	10		33	20				2	43.5	6	130.4
Hernando	152	98	52	2	64	45		21	6	39.5	2	13.2
White	117	91	28		45				5	42.7	1	8.5
Nonwhite	35	7	26	2	19				1	28.6	1	28.6
Highlands	312	248	29	35	99	65		33	11	35.3	7	22.4
White	231	204	25	4	74				7	30.3	3	13.0
Nonwhite	81	44	6	31	25				4	49.4	4	49.4
Hillsborough	5,380	4,719	228	432	2,107	1,065	5	1,008	231	42.9	141	26.2
White	4,569	4,372	136	59	1,627				169	37.0	90	19.7
Nonwhite	811	347	90	373	480				62	76.4	51	62.9
Tampa	5,598	2,965	80	342	1,424	668	5	731	131	38.7	99	29.2
White	2,771	2,684	42	44	1,045				88	31.8	59	21.3
Nonwhite	617	281	38	298	379				43	69.7	40	64.8
Balance of county	1,992	1,754	146	90	685	397		227	100	50.2	42	21.1
White	1,798	1,688	94	15	582				81	45.1	31	17.2
Nonwhite	194	66	52	75	101				19	97.9	11	56.7
Holmes	420	196	169	34	115	92		23	6	14.3	7	16.7
Indian River	185	138	31	25	122	70		42	11	56.4	7	35.9
White	124	113	10	1	86				5	40.3	5	40.3
Nonwhite	71	25	21	24	36				6	84.5	2	28.2
Jackson	893	339	318	331	256	193		58	34	34.2	35	35.2
White	651	323	268	59	137				14	21.5	20	30.7
Nonwhite	342	16	50	272	119				20	58.5	15	43.9
Jefferson	279	55	40	183	119	104		15	11	39.4	12	43.0
White	87	42	22	3	41				4	59.7	3	44.8
Nonwhite	212	13	18	180	78				7	33.0	9	42.5
Lafayette	76	11	62	3	32	25		7	3	39.5	1	13.2
Lake	715	564	28	123	334	191		133	32	44.8	21	29.4
White	542	512	15	15	250				22	40.6	12	22.1
Nonwhite	173	52	13	108	84				10	57.8	9	52.0
Lee	481	367	15	98	219	125	5	86	15	31.2	18	37.4
White	366	349	9	7	158				10	27.3	11	30.1
Nonwhite	115	18	6	91	61				5	43.5	7	60.9
Fort Myers	324	242	—	74	166	92	5	67	12	37.0	16	49.4
White	233	226	3	4	118				8	34.3	10	42.9
Nonwhite	91	16	5	70	48				4	44.0	6	65.9
Balance of county	157	125	7	24	53	33		19	3	19.1	2	72.7
White	133	123	6	3	40				2	15.0	1	7.5
Nonwhite	24	2	1	21	13				1	41.7	1	41.7
Leon	868	500	90	272	301	185	1	91	40	46.1	32	36.9
White	486	433	42	10	139				17	35.0	13	26.7
Nonwhite	382	67	48	262	162				23	60.2	19	49.7
Tallahassee	502	363	40	96	164	91		70	19	37.8	16	31.9
White	331	319	11		82				8	24.2	7	21.1
Nonwhite	171	44	29	96	82				11	64.3	9	52.6
Balance of county	366	137	50	176	137	94	1	21	21	57.4	16	43.7
White	155	114	31	10	57				9	58.1	6	38.7
Nonwhite	211	23	19	166	80				12	56.9	10	47.4
Levy	246	89	89	68	112	69		22	12	48.8	9	36.6
White	169	65	74	10	56				7	41.4	5	29.6
Nonwhite	77	4	14	58	56				5	64.9	4	51.9
Liberty	68	45	6	17	37	22		13		0	1	14.7
White	58	45	6	7	24					0	1	17.2
Nonwhite	10			10	13					0		0
Madison	395	150	34	210	159	129		29	18	40.5	23	56.2
White	179	139	25	15	77				6	33.6	5	27.9
Nonwhite	216	11	9	195	82				10	46.3	18	63.3
Manatee	616	455	12	125	315	182	4	126	28	45.5	19	30.8
White	412	405	6	1	260				22	53.4	9	21.8
Nonwhite	204	50	6	124	55				6	29.4	10	49.0
Marion	807	423	117	267	363	250		112	33	40.9	24	29.7
White	441	390	44	7	180				15	34.0	12	27.2
Nonwhite	366	33	73	260	183				18	49.2	12	32.8
Martin	137	114	9	14	62	33		29	9	65.7	3	21.9
White	88	84	3	1	39				5	56.8	2	22.7
Nonwhite	49	30	6	13	24				4	81.6	1	20.4

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
FLORIDA--Continued												
Monroe	367	246	19	102	182	105	1	74	21	57.2	13	35.4
White	283	231	15	37	143				10	35.3	9	31.8
Nonwhite	84	15	4	65	39				11	151.0	4	47.6
Key West	354	233	19	102	172	99	1	70	21	59.3	13	36.7
White	270	218	15	37	136				10	37.0	9	35.5
Nonwhite	84	15	4	65	36				11	151.0	4	47.6
Balance of county	13	13	-	-	10	6	-	4	-	0	-	0
White	13	13	-	-	7				-	0	-	0
Nonwhite	-	-	-	-	3				-	-	-	-
Nassau	332	210	35	87	114	72	1	33	8	24.1	12	36.1
White	229	203	24	2	71				7	30.6	5	21.8
Nonwhite	103	7	11	85	43				1	9.7	7	68.0
Ocala	410	286	73	50	125	98	-	22	15	36.6	12	29.3
Okeechobee	81	52	3	26	20	10	-	10	4	49.4	1	12.3
White	64	45	3	16	18				4	62.5	1	15.6
Nonwhite	17	7	-	10	2				-	0	-	0
Orange	2,155	1,602	337	216	892	484	13	319	79	36.7	69	32.0
White	1,669	1,560	99	10	748				52	31.2	42	25.2
Nonwhite	486	42	238	206	204				27	55.6	27	55.6
Orlando	1,228	940	188	100	633	314	6	216	44	35.8	43	35.0
White	941	912	27	2	495				27	28.7	26	27.6
Nonwhite	287	28	161	98	138				17	59.2	17	59.2
Balance of county	927	662	149	116	319	170	7	103	35	37.8	26	28.0
White	728	649	72	8	253				25	34.3	16	22.0
Nonwhite	199	14	77	108	66				10	50.3	10	50.3
Osceola	205	153	29	21	165	107	-	67	5	24.4	3	14.6
White	180	150	26	2	153				5	27.8	2	11.1
Nonwhite	25	3	2	19	32				-	0	1	40.0
Palm Beach	2,145	1,736	95	322	920	456	24	417	108	49.4	63	29.4
White	1,416	1,393	18	5	611				50	35.3	18	12.7
Nonwhite	729	343	67	317	309				56	76.8	45	61.7
West Palm Beach	875	764	9	102	425	186	23	208	36	41.1	27	30.9
White	652	649	3	-	297				21	32.2	8	12.5
Nonwhite	223	115	6	102	128				15	67.3	19	35.2
Balance of county	1,270	972	76	220	495	270	1	209	70	55.1	36	28.3
White	764	744	15	5	314				29	38.0	10	13.1
Nonwhite	506	228	61	215	181				41	81.0	26	51.4
Pasco	361	248	84	29	206	134	1	67	12	33.2	12	33.2
White	309	245	62	2	169				7	22.7	10	32.4
Nonwhite	52	3	22	27	37				5	86.2	2	38.5
Pinellas	2,031	1,771	109	151	1,671	781	24	827	83	40.9	56	27.6
White	1,703	1,646	51	6	1,478				62	36.4	36	21.1
Nonwhite	328	125	58	145	193				21	64.0	20	61.0
Clearwater	272	234	9	29	175	87	-	86	15	55.1	6	22.1
White	215	212	2	1	132				9	41.9	3	14.0
Nonwhite	57	22	7	28	43				6	105.3	3	52.8
St. Petersburg	1,237	1,092	34	111	1,123	537	3	356	43	36.4	37	29.3
White	1,007	995	10	2	992				31	30.8	22	21.8
Nonwhite	230	97	24	109	131				14	60.9	15	65.2
Balance of county	522	445	66	11	373	157	21	185	23	44.1	13	24.9
Polk	2,647	1,745	585	312	1,019	583	35	367	105	39.7	70	26.4
White	2,118	1,685	403	87	800				73	34.5	52	24.6
Nonwhite	529	60	182	285	219				32	60.5	18	34.0
Lakeland	571	488	20	82	292	160	-	114	31	54.3	19	33.3
White	439	425	11	3	233				20	45.6	10	22.8
Nonwhite	132	43	9	79	59				11	83.3	9	68.2
Balance of county	2,076	1,277	565	230	727	423	35	253	74	35.8	51	24.6
White	1,679	1,260	392	24	567				53	31.6	42	25.0
Nonwhite	397	17	173	206	160				21	52.9	9	22.7
Putnam	461	232	122	107	234	174	3	51	28	60.7	16	34.7
White	275	224	39	12	134				10	36.4	9	32.7
Nonwhite	186	8	83	95	100				18	96.8	7	37.6
St. Johns	495	432	14	47	248	105	1	134	17	34.3	21	42.4
White	334	329	2	3	167				11	32.9	12	35.9
Nonwhite	161	103	12	44	81				6	37.3	9	55.9
St. Augustine	375	355	3	16	193	78	1	107	12	32.0	14	37.3
White	266	265	-	1	139				8	30.1	9	33.8
Nonwhite	109	90	3	15	54				4	36.7	5	45.9
Balance of county	120	77	11	31	55	27	-	27	5	41.7	7	59.3
White	68	64	2	2	28				3	44.1	3	44.1
Nonwhite	52	13	9	29	27				2	36.5	4	76.9
St. Lucie	404	271	16	117	130	79	-	51	25	61.9	10	24.8
White	223	209	8	6	70				15	67.3	2	9.0
Nonwhite	181	62	8	111	60				10	55.2	8	44.2
Santa Rosa	491	171	278	42	156	128	-	27	17	34.6	18	36.7
White	455	167	263	25	134				16	35.2	13	28.6
Nonwhite	36	4	15	17	22				1	27.8	5	158.9

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

33

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
FLORIDA—Continued												
Sarasota	407	380	4	22	231	95	-	131	13	31.9	8	19.7
White	318	312	4	2	186	-	-	-	7	22.0	1	3.1
Nonwhite	89	68	-	20	45	-	-	-	6	67.4	7	78.7
Sarasota	286	247	2	16	183	87	-	112	10	37.6	3	11.3
White	192	190	2	-	145	-	-	-	5	28.0	1	5.2
Nonwhite	74	57	-	16	38	-	-	-	5	67.6	2	27.0
Balance of county	141	133	2	6	48	28	-	19	3	21.3	5	35.5
White	126	122	2	2	41	-	-	-	2	15.9	-	0
Nonwhite	15	11	-	4	7	-	-	-	1	66.7	5	333.3
Seminole	608	417	36	153	238	148	6	74	25	41.1	20	32.9
White	318	278	22	15	121	-	-	-	9	28.5	6	19.0
Nonwhite	292	139	14	138	117	-	-	-	16	54.8	14	47.9
Sanford	289	218	3	68	128	81	1	44	11	38.1	9	31.1
White	162	155	2	5	84	-	-	-	4	24.7	2	12.3
Nonwhite	127	63	1	63	44	-	-	-	7	55.1	7	55.1
Balance of county	319	199	33	85	110	67	5	30	14	43.9	11	34.5
White	154	123	20	10	57	-	-	-	5	32.5	4	28.0
Nonwhite	165	76	13	75	53	-	-	-	9	54.5	7	42.4
Sumter	246	142	51	53	109	73	-	32	8	32.5	7	28.5
White	177	134	38	5	72	-	-	-	5	28.2	4	22.6
Nonwhite	69	8	13	48	36	-	-	-	3	43.5	3	43.5
Suwannee	425	112	208	105	169	136	-	31	12	28.2	15	35.2
White	300	108	170	22	101	-	-	-	8	26.7	7	23.3
Nonwhite	126	4	38	83	68	-	-	-	4	31.7	8	63.5
Taylor	244	24	152	68	82	74	-	7	6	24.6	6	24.6
White	174	24	139	11	40	-	-	-	4	23.0	3	17.2
Nonwhite	70	13	13	57	42	-	-	-	2	28.6	3	42.9
Union	132	54	51	27	76	34	31	9	2	15.2	3	22.7
White	99	52	41	6	43	-	-	-	1	10.1	2	20.2
Nonwhite	33	2	10	21	33	-	-	-	1	30.3	1	30.3
Volusia	1,282	994	94	193	759	440	6	285	49	38.2	24	18.7
White	985	897	59	8	562	-	-	-	32	33.2	9	9.3
Nonwhite	317	97	35	185	197	-	-	-	17	53.6	15	47.3
Daytona Beach	593	479	29	74	333	173	-	153	16	27.4	11	18.9
White	433	425	6	1	233	-	-	-	9	20.8	3	6.9
Nonwhite	150	54	23	73	100	-	-	-	7	46.7	8	53.3
Balance of county	699	515	65	119	426	266	6	132	33	47.2	13	18.6
White	532	472	53	7	329	-	-	-	23	43.2	6	11.3
Nonwhite	167	43	12	112	97	-	-	-	10	59.9	7	41.9
Wakulla	134	52	12	70	33	22	-	11	3	22.4	5	37.3
White	85	49	9	27	20	-	-	-	1	11.8	1	11.8
Nonwhite	49	3	3	43	13	-	-	-	2	40.8	4	81.6
Walton	406	260	47	98	117	96	-	21	7	17.2	9	22.2
White	343	259	44	39	95	-	-	-	5	14.6	5	14.6
Nonwhite	63	1	3	59	22	-	-	-	2	31.7	4	63.5
Washington	316	139	81	96	102	85	-	17	8	25.3	7	22.2
White	237	139	70	28	75	-	-	-	4	16.9	6	25.3
Nonwhite	79	-	11	68	27	-	-	-	4	50.6	1	12.7
GEORGIA	65,667	51,054	15,603	18,698	27,511	18,058	1,075	8,089	3,075	36.9	2,285	26.7
Appling	428	140	204	84	82	65	-	16	5	11.7	8	18.7
White	338	137	175	26	61	-	-	-	3	8.9	6	17.8
Nonwhite	90	3	29	58	21	-	-	-	2	22.2	2	22.2
Atkinson	215	101	78	33	37	22	-	13	5	23.3	4	18.6
White	170	100	63	6	29	-	-	-	5	29.4	3	17.6
Nonwhite	45	1	15	27	8	-	-	-	-	0	1	22.2
Bacon	220	110	73	37	64	52	-	12	5	22.7	3	13.6
White	190	110	65	15	56	-	-	-	5	26.3	3	15.8
Nonwhite	30	-	8	22	8	-	-	-	-	0	-	0
Baker	184	29	17	137	28	20	-	8	3	16.3	5	27.2
White	47	27	8	12	15	-	-	-	1	21.3	1	21.3
Nonwhite	137	2	9	125	13	-	-	-	2	14.6	4	29.2
Baldwin	450	220	14	213	906	111	748	47	24	53.3	7	15.6
White	222	202	3	15	483	-	-	-	12	54.1	-	0
Nonwhite	228	18	11	198	423	-	-	-	12	52.6	7	30.7
Banks	185	59	112	14	43	36	-	6	7	37.8	2	10.8
Barrow	322	183	100	39	110	87	-	23	18	35.9	5	15.5
White	240	157	78	5	83	-	-	-	12	50.0	4	16.7
Nonwhite	82	6	22	34	27	-	-	-	6	73.2	1	12.2
Bartow	700	456	200	40	260	187	1	70	39	55.7	20	28.6
White	600	428	159	10	207	-	-	-	32	53.3	16	26.7
Nonwhite	100	28	41	30	53	-	-	-	7	70.0	4	40.0
Ben Hill	406	257	16	133	141	115	-	26	17	41.8	10	24.6
White	266	251	13	2	90	-	-	-	14	52.6	6	22.6
Nonwhite	140	6	3	131	51	-	-	-	3	21.4	4	28.6
Berrien	452	253	152	46	102	59	-	39	11	24.3	3	6.6
White	395	241	139	14	84	-	-	-	10	25.3	2	5.1
Nonwhite	57	12	13	32	18	-	-	-	1	17.5	1	17.5
Bibb	2,778	2,433	56	286	938	507	12	417	91	32.8	93	33.5
White	1,750	1,721	21	8	485	-	-	-	35	20.0	40	22.9
Nonwhite	1,028	712	35	278	453	-	-	-	56	54.5	53	51.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
GEORGIA—Continued												
Bibb—Continued												
Macon	2,381	2,134	44	200	809	439	1	367	73	30.7	80	33.6
White	1,513	1,493	14	6	415				27	17.9	36	23.8
Nonwhite	868	641	30	194	394				46	53.0	44	50.7
Balance of county	397	299	12	86	129	69	11	50	18	45.3	13	32.7
White	237	228	7	2	70				8	33.8	4	16.9
Nonwhite	160	71	5	84	59				10	62.5	9	56.3
Blackley	247	71	76	100	89	70		19	16	64.8	8	32.4
White	164	70	70	24	53				10	61.0		0
Nonwhite	83	1	6	76	36				6	72.3	8	96.4
Brantley	196	62	111	21	51	37		14	7	35.7	6	30.6
White	171	61	97	12	40				4	23.4	5	29.2
Nonwhite	25	1	14	9	11				3	120.0	1	40.0
Brooks	576	265	36	273	160	106		50	25	43.4	24	41.7
White	263	234	20	9	74				11	41.8	6	22.8
Nonwhite	313	31	16	264	86				14	44.7	18	57.5
Bryan	159	37	71	51	58	41		17	9	56.6	5	31.4
White	90	35	50	5	33				3	33.3	3	33.3
Nonwhite	69	2	21	46	25				6	87.0	2	29.0
Bulloch	659	344	123	191	197	128		69	28	42.5	18	27.3
White	567	288	67	11	129				13	55.4	9	24.5
Nonwhite	292	56	56	180	68				15	51.4	9	30.8
Burke	718	143	68	504	201	158		42	24	35.4	13	18.1
White	150	116	19	14	49				5	33.3	3	20.0
Nonwhite	568	27	49	490	152				19	35.5	10	17.6
Butts	206	48	111	47	91	76		15	5	24.3	4	19.4
White	91	48	45		50				3	33.0	3	33.0
Nonwhite	115	2	66	47	41				2	17.4	1	8.7
Calhoun	253	56	8	187	89	76		13	8	31.6	14	55.3
White	56	49	2	5	27				2	35.7		0
Nonwhite	197	7	6	182	62				6	50.5	14	71.1
Candler	188	74	10	103	61	43		17	8	42.6	4	21.3
White	88	69	6	12	22				2	22.7	1	11.4
Nonwhite	100	5	4	91	39				6	60.0	3	30.0
Candler	216	66	105	45	50	38		12	1	4.6	3	13.9
White	142	62	75	5	32					0	1	7.0
Nonwhite	74	4	30	40	18				1	13.5	2	27.0
Carroll	823	424	290	107	261	181	2	51	39	47.4	23	27.9
White	633	418	201	14	194				30	47.4	14	22.1
Nonwhite	190	6	89	93	67				9	47.4	9	47.4
Catoosa	282	244	28	10	68	38		28	19	67.4	7	24.8
Charlton	140	77	11	52	36	21		15	4	28.6	2	14.3
White	102	77	9	16	27				4	39.2	1	9.8
Nonwhite	38		2	36	9					0	1	26.3
Chatam	3,635	2,861	613	154	1,547	834	18	685	172	47.3	164	45.1
White	2,227	2,183	39	4	737				77	34.6	51	22.9
Nonwhite	1,408	678	574	150	810				95	67.5	113	80.3
Savannah	3,119	2,469	545	98	1,293	673	18	595	140	44.9	151	48.4
White	1,923	1,890	29	3	611				62	32.2	46	25.9
Nonwhite	1,196	579	516	95	682				78	65.2	105	87.8
Balance of county	516	392	68	56	254	161	2	90	32	62.0	13	25.2
White	304	233	10	1	126				15	49.3	5	16.4
Nonwhite	212	99	58	55	128				17	80.2	8	37.7
Chattahoochee	191	157	6	27	39	14		25	3	15.7	1	5.2
White	157	152	3	1	23				1	6.4		0
Nonwhite	34	5	3	26	16				2	58.8	1	29.4
Chattooga	566	446	89	32	119	82		37	14	24.7	18	31.8
Cherokee	521	297	212	11	152	102		48	16	30.7	12	23.0
Clarke	907	583	98	135	293	160	1	130	32	39.7	25	31.0
White	587	560	22	5	152				18	30.7	8	13.6
Nonwhite	220	23	66	130	141				14	63.6	17	77.3
Athens	620	493	51	86	236	120		114	26	41.9	20	32.3
White	469	463	3	2	121				14	29.9	5	10.7
Nonwhite	152	20	48	84	115				12	78.9	15	98.7
Balance of county	187	100	37	49	57	40	1	16	6	32.1	5	26.7
White	119	97	19	3	31				4	33.6	3	25.2
Nonwhite	68	3	18	46	26				2	29.4	2	29.4
Clay	187	25	17	145	61	55		6	7	37.4	7	37.4
White	37	23	13	1	19					0		0
Nonwhite	150	2	4	144	42				7	46.7	7	48.7
Clayton	358	206	87	64	81	56		25	11	30.7	8	22.3
White	262	204	52	6	57				7	26.7	4	15.3
Nonwhite	96	2	35	59	24				4	41.7	4	41.7
Clinch	166	63	31	72	33	25		7	5	30.1	2	12.0
White	101	61	23	17	14				1	8.9		0
Nonwhite	65	2	8	55	19				4	61.5	2	30.8
Cobb	1,485	1,220	215	49	348	218		129	41	27.6	33	22.2
White	1,362	1,178	174	10	278				36	26.4	29	21.3
Nonwhite	123	42	41	39	70				5	40.7	4	32.5
Coffee	720	390	178	150	200	141		59	34	47.2	22	30.6
White	534	365	147	22	140				22	41.2	17	31.6
Nonwhite	186	25	31	128	60				12	64.5	5	26.9

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section 2 (Counties)—Continued												
GEORGIA—Continued												
Colquitt	1,028	880	162	183	209	135	-	74	30	29.2	57	36.1
White	786	633	134	18	152	-	-	-	22	28.0	24	30.5
Nonwhite	240	47	28	165	57	-	-	-	8	33.3	13	54.2
Moultrie	382	273	27	82	112	66	-	46	19	49.7	12	31.4
White	256	237	16	3	72	-	-	-	14	54.7	9	35.2
Nonwhite	126	36	11	78	40	-	-	-	5	39.7	3	23.8
Balance of county	644	407	135	101	97	69	-	28	11	17.1	25	36.8
White	530	396	118	15	80	-	-	-	8	15.1	15	26.3
Nonwhite	114	11	17	86	17	-	-	-	3	26.3	10	67.7
Columbia	207	70	22	115	70	52	-	18	3	14.5	7	35.8
White	74	59	9	6	36	-	-	-	1	13.5	2	27.0
Nonwhite	133	11	13	109	35	-	-	-	2	15.0	5	37.6
Cook	338	104	175	58	95	75	-	17	11	32.5	6	17.8
White	248	99	141	7	84	-	-	-	7	28.2	5	20.2
Nonwhite	90	5	34	51	31	-	-	-	4	44.4	1	11.1
Coweta	697	318	174	203	193	130	-	63	21	30.1	11	15.8
White	375	275	85	14	126	-	-	-	12	32.0	2	5.3
Nonwhite	322	43	89	189	67	-	-	-	9	28.0	9	28.0
Crawford	171	48	15	108	35	27	-	8	7	40.9	3	17.5
White	53	43	5	5	16	-	-	-	2	37.7	1	18.9
Nonwhite	118	5	10	103	19	-	-	-	5	42.4	2	16.9
Crisp	459	181	32	245	152	113	-	38	31	67.5	19	41.4
White	219	172	18	29	77	-	-	-	13	59.4	9	41.1
Nonwhite	240	9	14	216	75	-	-	-	18	75.0	10	43.7
Dade	195	58	114	20	47	29	-	16	12	61.5	2	10.3
Dawson	92	49	24	19	20	14	-	6	4	43.5	-	0
Decatur	618	357	85	175	209	151	-	57	25	40.5	17	27.5
White	305	276	23	5	96	-	-	-	11	36.1	4	13.1
Nonwhite	313	81	62	170	113	-	-	-	14	44.7	13	41.5
De Kalb	2,492	2,127	204	189	755	494	2	255	51	20.5	62	24.9
White	2,130	1,976	146	7	621	-	-	-	31	14.6	45	21.1
Nonwhite	362	151	58	152	134	-	-	-	20	55.2	17	47.0
Atlanta (part)	997	979	8	10	249	169	-	79	12	(5)	18	(5)
White	931	926	4	1	229	-	-	-	9	(5)	15	(5)
Nonwhite	66	53	4	9	20	-	-	-	3	(5)	3	(5)
Decatur	522	453	28	41	155	106	-	49	13	24.9	12	25.0
White	420	412	7	1	121	-	-	-	5	11.9	6	14.3
Nonwhite	102	41	21	40	34	-	-	-	8	78.4	6	58.8
Balance of county	973	695	168	108	351	219	2	127	26	26.7	32	32.9
White	779	638	135	5	271	-	-	-	17	21.8	24	30.8
Nonwhite	194	57	33	103	80	-	-	-	9	46.4	8	41.2
Dodge	513	163	169	180	108	87	-	10	5	9.7	9	17.5
White	338	163	149	26	69	-	-	-	4	11.8	9	26.6
Nonwhite	175	-	21	154	39	-	-	-	1	5.7	-	0
Dooly	395	108	103	183	123	102	5	6	14	35.4	10	25.3
White	153	106	41	5	55	-	-	-	9	58.8	4	26.1
Nonwhite	242	2	62	178	70	-	-	-	5	20.7	6	24.8
Dougherty	960	613	174	173	535	238	-	96	32	33.3	25	26.0
White	547	535	10	2	127	-	-	-	12	21.9	9	16.5
Nonwhite	413	78	164	171	208	-	-	-	20	46.4	16	39.7
Albany	787	543	131	113	279	193	-	65	24	30.5	20	25.4
White	485	478	7	-	117	-	-	-	11	22.7	8	16.5
Nonwhite	302	65	124	113	162	-	-	-	13	43.0	12	39.7
Balance of county	173	70	43	60	56	45	-	11	8	46.2	5	28.9
White	62	57	3	2	10	-	-	-	1	16.1	1	16.1
Nonwhite	111	13	40	58	46	-	-	-	7	63.1	4	36.0
Douglas	242	130	71	39	68	53	-	15	4	16.5	6	24.8
White	190	124	57	8	54	-	-	-	4	21.1	4	21.1
Nonwhite	52	6	14	31	14	-	-	-	-	0	2	38.5
Early	542	200	21	321	126	94	-	25	11	20.3	18	33.2
White	218	189	10	19	57	-	-	-	3	13.8	-	0
Nonwhite	324	11	11	302	69	-	-	-	8	24.7	18	55.6
Echols	53	20	18	15	20	15	-	5	4	75.5	1	18.9
White	39	20	11	8	16	-	-	-	4	102.6	1	25.6
Nonwhite	14	-	7	7	4	-	-	-	-	0	-	0
Effingham	226	106	43	77	91	67	-	24	12	53.1	8	35.4
White	135	104	28	3	56	-	-	-	5	37.0	3	22.2
Nonwhite	91	2	15	74	35	-	-	-	7	76.9	5	54.9
Elbert	470	253	80	136	134	103	-	26	12	25.5	11	23.4
White	280	224	47	8	74	-	-	-	6	21.4	1	3.6
Nonwhite	190	29	33	128	60	-	-	-	6	31.6	10	52.6
Emanuel	522	213	101	207	159	113	-	29	23	44.1	13	24.9
White	294	199	82	12	98	-	-	-	10	34.0	4	13.6
Nonwhite	228	14	19	195	61	-	-	-	13	57.0	9	39.5
Evans	170	43	65	62	52	41	-	11	6	35.3	8	47.1
White	98	41	56	1	28	-	-	-	2	20.4	3	30.6
Nonwhite	72	2	9	61	24	-	-	-	4	55.6	5	69.4
Fannin	365	146	194	19	122	100	-	17	21	57.5	7	19.2
Fayette	176	53	35	88	64	50	-	14	9	51.1	7	34.8
White	92	52	29	11	38	-	-	-	3	32.6	5	54.3
Nonwhite	84	1	6	77	26	-	-	-	6	71.4	2	23.8

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
GEORGIA—Continued												
Floyd-----	1,576	1,337	133	99	420	234	2	181	52	33.0	35	22.2
White-----	1,362	1,233	106	19	319				42	30.8	21	15.4
Nonwhite-----	214	104	27	60	101				10	46.7	14	65.4
Rome-----	910	825	25	57	242	133	1	106	31	34.1	15	16.5
White-----	769	747	16	6	170				23	29.9	9	11.7
Nonwhite-----	141	78	9	51	72				8	56.7	6	42.6
Balance of county-----	666	512	108	42	178	101	1	75	21	31.5	20	30.0
White-----	593	486	90	13	149				19	32.0	12	20.2
Nonwhite-----	73	26	18	29	29				2	27.4	8	109.8
Forayth-----	263	157	87	19	71	60	-	11	9	34.2	10	38.0
Franklin-----	392	161	175	54	101	79	-	22	8	20.4	8	20.4
White-----	338	159	159	17	83				7	20.8	5	14.9
Nonwhite-----	56	2	16	37	18				1	17.9	3	53.6
Fulton-----	10,775	10,047	597	119	4,272	2,420	173	1,656	402	37.5	302	28.0
White-----	7,788	7,434	333	18	2,513				232	29.8	169	21.7
Nonwhite-----	2,985	2,613	264	101	1,759				170	57.0	133	44.6
Atlanta (part) <sup>a</sup> -----	8,602	8,148	390	57	3,430	1,872	136	1,401	286	(5)	257	(5)
White <sup>b</sup> -----	6,020	5,839	177	3	1,865				146	(5)	135	(5)
Nonwhite <sup>b</sup> -----	2,582	2,308	213	54	1,565				140	(5)	124	(5)
Atlanta (total) <sup>c</sup> -----	9,598	9,127	398	67	3,679	2,041	136	1,480	298	31.0	275	28.6
White <sup>c</sup> -----	6,951	6,765	181	4	2,094				155	22.3	148	21.3
Nonwhite <sup>c</sup> -----	2,648	2,362	217	63	1,585				143	54.0	127	46.0
District 1511, Carter Hill <sup>d</sup> -----										0		0
White <sup>e</sup> -----										0		0
Nonwhite <sup>e</sup> -----										0		0
East Point-----	417	398	15	3	98	65	-	33	18	43.2	8	19.2
White-----	344	331	12	-	71				12	34.9	6	17.4
Nonwhite-----	73	67	3	3	27				6	82.2	2	27.4
Balance of county-----	1,754	1,501	192	59	744	483	37	222	98	55.9	37	21.1
White-----	1,424	1,264	144	15	577				74	52.0	30	21.1
Nonwhite-----	330	237	48	44	167				24	72.7	7	21.2
Gilmer-----	275	203	41	31	67	48	-	16	11	40.0	4	14.5
Glaucok-----	101	21	54	25	33	21	-	12	3	29.7	1	9.9
White-----	68	21	43	4	22				-	0	1	14.7
Nonwhite-----	33	-	11	21	11				3	90.9	-	0
Glynn-----	915	594	203	117	294	180	-	113	65	71.0	24	26.2
White-----	616	561	27	28	141				27	43.8	11	17.9
Nonwhite-----	299	33	176	89	153				38	127.1	13	43.5
Brunswick-----	708	457	172	78	230	140	-	90	58	79.1	20	28.2
White-----	463	434	11	18	106				22	47.5	9	19.4
Nonwhite-----	245	23	161	60	124				34	138.8	11	44.9
Balance of county-----	207	137	31	39	64	40	-	23	9	43.5	4	19.3
White-----	153	127	16	10	35				5	32.7	2	15.1
Nonwhite-----	54	10	15	29	29				4	74.1	2	37.0
Gordon-----	465	357	92	16	107	75	-	31	12	25.8	3	6.5
Grady-----	487	227	177	82	132	111	-	21	25	51.3	13	26.7
White-----	330	215	109	6	85				16	48.5	7	21.2
Nonwhite-----	157	12	68	76	47				9	57.3	6	38.2
Greens-----	307	69	78	157	137	112	-	24	11	35.8	5	16.3
White-----	121	68	48	5	52				4	33.1	2	16.5
Nonwhite-----	186	1	30	152	85				7	37.6	3	16.1
Gwinnett-----	630	325	269	33	217	178	-	37	28	44.4	15	23.8
White-----	560	312	233	11	137				22	39.3	11	19.6
Nonwhite-----	70	13	35	22	30				6	85.7	4	57.1
Habersham-----	457	291	149	16	121	99	-	22	16	35.0	12	26.3
Hall-----	950	598	266	85	232	163	-	68	28	29.5	31	32.6
Ga. Newville-----	365	254	85	26	116	80	-	35	12	32.9	16	43.9
White-----	295	253	34	8	94				10	35.9	10	33.9
Nonwhite-----	70	1	51	18	22				2	28.6	6	65.7
Balance of county-----	585	344	181	59	116	83	-	33	16	27.4	15	25.6
Hancock-----	538	53	41	242	93	79	-	14	10	29.6	5	14.8
White-----	70	46	19	4	37				3	42.9	-	0
Nonwhite-----	268	7	22	238	56				7	26.1	5	18.7
Heraldson-----	326	157	135	33	86	68	-	18	11	33.7	3	9.2
White-----	301	157	120	23	74				9	29.9	2	6.6
Nonwhite-----	25	-	15	10	12				2	60.0	1	40.0
Harris-----	294	67	54	172	109	82	1	21	8	27.2	4	13.6
White-----	83	60	18	5	83				5	60.2	1	12.0
Nonwhite-----	211	7	36	167	56				3	14.2	3	14.2
Hart-----	341	152	137	51	76	59	-	14	8	23.5	10	29.3
White-----	239	152	81	6	54				4	16.7	6	25.1
Nonwhite-----	102	-	56	45	22				4	39.2	4	39.2
Heard-----	146	51	46	42	58	45	-	15	6	41.1	2	13.7
White-----	96	50	39	5	32				2	20.8	1	10.4
Nonwhite-----	50	1	9	37	26				4	60.0	1	20.0
Henry-----	386	97	85	198	119	97	-	22	9	23.3	13	33.7
White-----	165	96	61	7	57				3	18.2	3	18.2
Nonwhite-----	221	1	24	191	62				6	27.1	10	45.2
Houston-----	591	330	116	143	127	95	-	31	17	28.8	13	22.0
White-----	321	286	32	3	54				6	18.7	4	12.5
Nonwhite-----	270	44	84	140	73				11	40.7	9	53.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

37

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
GEORGIA—Continued												
Irwin	297	182	10	103	76	56	-	20	14	47.1	9	30.3
White	181	165	10	6	46	-	-	-	10	55.2	6	33.1
Nonwhite	116	17	-	97	30	-	-	-	4	34.5	3	25.9
Jackson	543	208	288	47	135	108	-	26	15	27.6	6	11.1
White	443	202	224	17	108	-	-	-	12	27.1	4	9.0
Nonwhite	100	6	64	30	27	-	-	-	3	30.0	2	20.0
Jasper	160	25	50	85	90	81	-	9	5	31.3	3	18.8
White	48	25	21	2	35	-	-	-	4	83.3	-	0
Nonwhite	112	-	29	83	54	-	-	-	1	8.9	3	26.8
Jeff Davis	235	69	153	62	64	52	-	12	6	21.1	8	28.1
White	220	69	144	6	44	-	-	-	3	13.6	4	18.2
Nonwhite	65	-	9	56	20	-	-	-	3	46.2	4	61.5
Jefferson	525	90	84	349	113	81	-	30	12	22.9	12	22.9
White	150	82	46	22	47	-	-	-	4	26.7	-	0
Nonwhite	375	8	38	327	66	-	-	-	8	21.3	12	32.0
Jenkins	308	154	19	135	123	85	-	36	10	32.5	5	16.2
White	120	108	8	4	52	-	-	-	1	8.3	1	8.3
Nonwhite	188	46	11	131	71	-	-	-	9	47.9	4	21.3
Johnson	303	110	90	102	69	52	-	17	8	26.4	11	36.3
White	180	103	70	6	40	-	-	-	4	22.2	2	11.1
Nonwhite	123	7	20	96	29	-	-	-	4	32.5	9	75.2
Jones	185	25	47	113	60	52	-	8	7	37.8	5	27.0
White	55	22	30	3	21	-	-	-	-	0	1	18.2
Nonwhite	130	3	17	110	39	-	-	-	7	53.8	4	30.8
Lowndes	277	61	88	128	107	90	-	16	12	43.3	3	10.8
White	137	59	78	-	63	-	-	-	4	29.2	1	7.3
Nonwhite	140	2	10	125	44	-	-	-	8	57.1	2	14.3
Lawler	103	34	47	22	21	17	-	4	-	0	4	39.6
White	73	31	38	4	13	-	-	-	-	0	1	13.7
Nonwhite	30	3	9	18	8	-	-	-	-	0	3	100.0
Laurens	866	425	116	319	288	178	-	110	32	37.0	21	24.2
White	499	383	82	30	136	-	-	-	15	30.1	9	18.0
Nonwhite	367	42	34	289	152	-	-	-	17	46.3	12	32.7
Lee	221	41	11	169	64	55	-	9	5	22.6	9	40.7
White	48	35	5	8	12	-	-	-	1	20.8	2	41.7
Nonwhite	173	6	6	161	52	-	-	-	4	23.1	7	40.5
Liberty	274	79	58	133	68	50	-	18	9	32.8	4	14.6
White	94	61	30	3	21	-	-	-	5	53.2	-	0
Nonwhite	180	18	28	130	47	-	-	-	4	22.2	4	22.2
Lincoln	150	29	65	51	22	13	-	9	1	6.7	5	33.3
White	89	28	29	1	9	-	-	-	-	0	3	50.8
Nonwhite	61	1	36	50	13	-	-	-	1	11.0	2	22.0
Long	102	29	52	21	25	23	-	2	1	9.8	1	9.8
White	64	29	34	1	14	-	-	-	1	15.6	1	15.6
Nonwhite	38	-	18	20	11	-	-	-	-	0	-	0
Lowndes	933	475	86	366	289	228	-	59	41	43.9	23	24.7
White	518	444	55	18	125	-	-	-	13	25.1	9	17.4
Nonwhite	415	31	31	348	164	-	-	-	28	67.5	14	33.7
Valdosta	552	309	39	200	185	139	-	46	25	45.3	12	21.7
White	321	291	25	5	80	-	-	-	8	24.9	6	18.7
Nonwhite	231	18	14	195	105	-	-	-	17	73.6	6	26.0
Balance of county	381	168	47	166	104	89	-	13	16	42.0	11	28.8
White	197	153	30	13	45	-	-	-	5	25.4	3	15.2
Nonwhite	184	15	17	153	59	-	-	-	11	58.8	8	43.5
Lumpkin	158	82	59	17	45	36	-	9	6	38.0	4	25.3
McDuffie	299	123	37	139	78	59	-	19	8	26.8	10	33.4
White	136	118	13	4	32	-	-	-	1	7.4	6	44.1
Nonwhite	163	4	24	135	46	-	-	-	7	42.9	4	24.5
McIntosh	178	41	9	128	60	51	-	9	6	33.7	8	44.9
White	61	38	9	14	14	-	-	-	1	16.4	-	0
Nonwhite	117	3	-	114	46	-	-	-	5	42.7	8	68.4
Macon	389	128	51	207	136	93	-	42	21	54.0	10	25.7
White	119	100	18	1	38	-	-	-	4	33.6	-	0
Nonwhite	270	28	33	206	98	-	-	-	17	63.0	10	37.0
Madison	289	90	127	70	89	61	-	28	7	24.2	9	31.1
White	211	84	112	13	60	-	-	-	4	19.0	8	37.9
Nonwhite	78	6	15	57	29	-	-	-	3	38.5	1	12.8
Marion	181	23	49	109	58	51	-	7	7	38.7	5	27.6
White	62	21	39	2	23	-	-	-	1	18.1	1	18.1
Nonwhite	119	2	10	107	35	-	-	-	6	50.4	4	33.6
Meriwether	613	200	149	262	168	148	-	12	14	22.8	14	22.8
White	250	190	55	5	82	-	-	-	7	28.0	5	20.0
Nonwhite	363	10	94	257	86	-	-	-	7	19.3	9	24.8
Miller	280	164	17	109	65	42	-	9	6	20.7	5	17.2
White	180	160	10	10	42	-	-	-	5	27.8	1	5.6
Nonwhite	110	4	7	99	23	-	-	-	1	9.1	4	36.4
Mitchell	650	204	175	269	179	143	-	29	21	32.3	22	33.8
White	284	179	104	11	90	-	-	-	11	37.4	8	27.2
Nonwhite	356	25	71	258	89	-	-	-	10	28.1	14	39.3
Monroe	280	102	35	119	112	96	-	15	9	34.6	7	26.9
White	125	100	22	2	55	-	-	-	3	24.0	2	16.0
Nonwhite	135	2	13	117	57	-	-	-	6	44.4	5	37.0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
GEORGIA—Continued												
Montgomery	191	51	62	76	42	32	-	10	1	5.2	-	0
White	95	51	43	1	30	-	-	-	1	10.5	-	0
Nonwhite	96	-	19	75	12	-	-	-	-	0	-	0
Morgan	325	76	64	182	104	90	-	14	11	33.8	9	27.7
White	150	74	48	8	25	-	-	-	3	23.1	6	46.2
Nonwhite	195	4	16	174	79	-	-	-	8	41.0	3	15.4
Murray	277	109	129	38	84	66	-	18	7	25.3	5	18.1
Muscogee	2,906	2,476	173	257	791	430	5	354	128	44.0	65	22.4
White	2,205	2,141	56	8	497	-	-	-	87	39.5	45	20.4
Nonwhite	701	335	117	249	294	-	-	-	41	58.5	20	28.5
Columbus	2,519	2,203	181	165	674	362	1	292	100	39.7	58	23.0
White	1,955	1,900	52	3	426	-	-	-	68	34.8	40	20.5
Nonwhite	564	303	99	162	248	-	-	-	32	56.7	18	31.9
Balance of county	387	275	22	92	117	68	4	42	28	72.4	7	18.1
White	250	241	4	5	71	-	-	-	19	76.0	5	20.0
Nonwhite	137	32	18	87	46	-	-	-	9	65.7	2	14.6
Newton	486	262	69	135	140	101	-	37	16	32.9	15	30.9
White	333	278	47	6	86	-	-	-	11	33.2	3	9.1
Nonwhite	155	4	22	129	54	-	-	-	5	32.3	12	77.4
Oconee	133	51	50	29	63	44	-	19	5	36.2	3	22.9
White	64	50	34	-	43	-	-	-	4	47.6	1	11.9
Nonwhite	47	1	16	29	20	-	-	-	1	21.3	2	42.6
Oglethorpe	295	61	60	150	80	64	-	15	10	35.9	5	16.9
White	127	73	36	16	40	-	-	-	2	15.7	4	31.5
Nonwhite	168	8	22	134	40	-	-	-	8	47.6	1	6.0
Paulding	307	149	142	12	79	64	-	15	7	22.8	9	29.3
White	266	146	115	3	69	-	-	-	5	18.8	8	30.1
Nonwhite	41	3	27	9	10	-	-	-	2	46.8	1	24.4
Peach	253	89	39	125	118	99	-	18	16	63.2	3	11.9
White	99	82	12	5	32	-	-	-	2	20.2	2	20.2
Nonwhite	154	7	27	120	86	-	-	-	14	90.9	1	6.5
Pickens	215	181	22	12	57	42	-	7	5	23.3	5	23.3
Pierce	385	140	153	71	72	57	-	14	12	32.9	8	21.9
White	297	140	140	16	52	-	-	-	9	30.5	5	16.8
Nonwhite	88	-	13	55	20	-	-	-	3	44.1	3	44.1
Pike	232	63	65	86	88	81	-	7	12	51.7	4	17.2
White	103	62	40	1	47	-	-	-	4	38.8	2	19.4
Nonwhite	128	1	43	85	41	-	-	-	8	62.0	2	15.5
Polk	719	276	389	53	201	154	-	46	22	30.6	22	30.6
White	617	272	333	11	163	-	-	-	21	34.0	19	30.0
Nonwhite	102	4	56	42	38	-	-	-	1	9.8	3	29.4
Pulaski	264	99	25	140	59	48	-	11	11	41.7	2	7.6
White	129	97	19	13	27	-	-	-	2	15.5	2	15.5
Nonwhite	135	2	6	127	32	-	-	-	9	66.7	-	0
Putnam	176	31	49	95	78	70	-	8	11	62.5	5	28.4
White	72	31	37	3	29	-	-	-	4	55.6	1	13.9
Nonwhite	104	-	12	92	49	-	-	-	7	67.3	4	38.5
Quitman	89	19	16	53	24	18	-	6	7	78.7	2	22.5
White	21	17	2	2	7	-	-	-	-	0	1	47.6
Nonwhite	68	2	14	51	17	-	-	-	7	102.9	1	14.7
Rabun	253	216	20	17	30	20	-	8	4	15.6	4	15.6
Randolph	415	80	34	301	133	116	-	17	25	60.2	9	21.7
White	104	77	14	13	53	-	-	-	6	57.7	-	0
Nonwhite	311	3	20	288	80	-	-	-	19	61.1	9	28.9
Richmond	2,309	1,669	309	120	995	552	61	381	63	27.3	48	20.8
White	1,448	1,381	51	11	569	-	-	-	35	24.2	15	10.4
Nonwhite	861	488	258	109	426	-	-	-	28	32.5	33	38.3
Augusta	1,826	1,504	287	29	845	468	53	323	49	25.3	40	21.9
White	1,104	1,065	36	1	468	-	-	-	28	25.4	10	9.1
Nonwhite	722	439	251	28	376	-	-	-	20	27.7	30	41.6
Balance of county	483	365	22	91	150	84	8	58	15	31.1	8	16.6
White	344	316	15	10	100	-	-	-	7	20.5	5	14.5
Nonwhite	139	49	7	81	50	-	-	-	8	57.6	3	21.6
Rockdale	186	56	74	56	66	53	-	11	4	21.5	3	16.1
White	120	56	62	2	36	-	-	-	2	16.7	3	25.0
Nonwhite	66	-	12	54	30	-	-	-	2	30.3	-	0
Schley	116	17	48	48	44	39	-	5	6	51.7	3	25.9
White	34	15	19	1	26	-	-	-	2	58.8	-	0
Nonwhite	82	2	30	47	18	-	-	-	4	46.8	3	36.6
Screven	507	128	52	314	94	74	-	20	13	25.6	14	27.6
White	155	111	32	11	31	-	-	-	3	19.4	1	6.5
Nonwhite	352	17	20	303	63	-	-	-	10	28.4	13	36.9
Seminole	241	149	8	84	72	44	-	24	4	16.6	3	12.4
White	132	124	6	2	44	-	-	-	3	22.7	1	7.6
Nonwhite	109	25	2	82	28	-	-	-	1	9.2	2	18.3
Spalding	794	517	102	171	273	203	1	69	26	32.7	27	34.0
White	585	496	56	12	176	-	-	-	16	28.3	17	30.1
Nonwhite	229	21	46	159	97	-	-	-	10	43.7	10	43.7
Griffin	468	324	57	85	182	134	-	48	12	25.6	18	38.5
White	333	305	25	2	109	-	-	-	8	24.0	11	33.0
Nonwhite	135	19	32	83	73	-	-	-	4	28.6	7	51.9
Balance of county	326	193	45	86	91	69	1	21	14	42.9	9	27.6
White	232	191	31	10	67	-	-	-	9	34.5	6	25.9
Nonwhite	94	2	14	76	24	-	-	-	6	63.9	3	31.9

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

39

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
GEORGIA—Continued												
Stephens	398	257	66	70	69	44	-	25	9	22.6	4	10.1
White	340	251	63	24	50	-	-	-	6	17.6	3	8.8
Nonwhite	58	6	3	46	19	-	-	-	3	51.7	1	17.2
Stewart	225	35	26	166	94	77	-	17	7	31.1	7	31.1
White	52	30	21	1	36	-	-	-	1	19.2	1	19.2
Nonwhite	173	5	5	165	58	-	-	-	6	34.7	6	34.7
Sumter	756	306	67	363	268	181	-	87	31	42.1	23	34.0
White	270	257	10	3	84	-	-	-	9	33.3	2	7.4
Nonwhite	466	49	57	360	184	-	-	-	22	47.2	23	49.4
Talbot	215	30	28	158	79	69	-	6	8	37.2	9	41.9
White	40	27	11	2	29	-	-	-	-	0	5	125.0
Nonwhite	175	3	17	154	50	-	-	-	8	45.7	4	22.9
Taliaferro	106	22	4	80	48	41	-	7	4	37.7	6	56.6
White	26	22	2	2	22	-	-	-	1	36.5	-	0
Nonwhite	80	-	2	78	26	-	-	-	3	37.5	6	75.0
Tattnall	396	179	155	57	103	60	29	14	8	20.2	16	40.4
White	294	169	116	5	62	-	-	-	5	17.0	7	23.8
Nonwhite	102	10	39	52	41	-	-	-	3	29.4	9	96.2
Taylor	230	94	27	109	62	48	-	14	6	26.1	3	13.0
White	107	82	15	10	25	-	-	-	5	46.7	-	0
Nonwhite	123	12	12	98	37	-	-	-	1	6.1	3	24.4
Telfair	340	135	96	95	82	70	-	9	10	29.4	11	32.4
White	218	135	73	8	48	-	-	-	3	13.8	5	22.9
Nonwhite	122	-	23	87	34	-	-	-	7	57.4	6	49.2
Terrell	456	88	77	293	159	138	1	20	21	45.9	17	37.1
White	112	65	25	4	53	-	-	-	3	26.8	1	6.9
Nonwhite	346	5	52	288	106	-	-	-	18	52.0	16	46.2
Thomas	651	456	73	313	296	215	2	78	36	42.3	26	32.9
White	476	418	43	13	134	-	-	-	19	39.9	9	18.9
Nonwhite	375	40	30	300	162	-	-	-	17	45.3	19	50.7
Thomasville	389	255	14	120	158	110	1	46	18	46.3	12	30.8
White	234	227	3	4	67	-	-	-	10	42.7	4	17.1
Nonwhite	155	28	11	116	91	-	-	-	8	51.6	8	51.6
Balance of county	462	203	59	193	138	105	1	32	18	39.0	16	34.6
White	242	191	40	9	67	-	-	-	9	37.2	5	20.7
Nonwhite	220	12	19	184	71	-	-	-	9	40.9	11	50.0
Tift	598	355	89	151	151	102	-	48	18	30.6	29	49.3
White	420	345	70	5	101	-	-	-	11	26.2	17	40.5
Nonwhite	168	20	19	128	50	-	-	-	7	41.7	12	71.4
Tombs	395	173	129	93	120	62	9	29	14	35.4	19	48.1
White	279	166	99	12	80	-	-	-	8	26.7	10	35.8
Nonwhite	116	5	30	81	40	-	-	-	6	51.7	9	77.5
Town	67	34	28	5	17	15	-	4	3	44.8	-	0
Treutlen	153	44	61	46	42	27	-	15	1	6.5	-	0
White	112	44	60	8	39	-	-	-	1	8.9	-	0
Nonwhite	41	-	1	38	3	-	-	-	-	0	-	0
Troup	1,269	840	126	300	400	271	-	127	64	50.4	30	23.6
White	832	743	78	11	215	-	-	-	36	43.3	13	15.6
Nonwhite	437	97	48	289	185	-	-	-	28	64.1	17	36.9
La Grange	615	437	54	124	184	112	-	71	29	47.2	19	30.9
White	426	390	30	6	101	-	-	-	12	28.2	8	16.8
Nonwhite	189	47	24	118	83	-	-	-	17	89.9	11	56.2
Balance of county	654	403	72	176	216	159	-	56	35	53.5	11	16.8
White	406	353	48	5	114	-	-	-	24	59.1	5	12.3
Nonwhite	248	50	24	171	102	-	-	-	11	44.4	6	24.2
Turner	233	106	24	101	55	49	-	7	6	25.8	6	25.8
White	127	104	20	3	25	-	-	-	-	0	-	0
Nonwhite	106	2	4	98	30	-	-	-	6	56.6	6	56.6
Twiggs	270	40	25	205	87	47	-	20	11	40.7	9	33.3
White	71	35	21	15	22	-	-	-	1	14.1	-	0
Nonwhite	199	5	4	190	45	-	-	-	10	50.3	9	45.2
Union	202	44	140	18	34	29	-	5	8	39.6	2	9.9
Upson	687	185	391	106	208	157	1	42	32	46.6	18	26.2
White	528	184	340	3	134	-	-	-	21	38.8	12	22.7
Nonwhite	159	1	51	105	74	-	-	-	11	69.2	6	37.7
Walker	945	861	67	13	213	140	1	59	36	38.1	13	13.8
Walton	599	365	66	160	168	121	-	47	23	39.4	16	26.7
White	363	311	41	9	110	-	-	-	15	41.3	8	22.0
Nonwhite	236	54	25	151	58	-	-	-	8	33.9	8	33.9
Ware	837	517	196	110	261	160	-	101	23	27.5	20	23.9
White	646	487	136	19	170	-	-	-	16	24.8	7	10.8
Nonwhite	191	30	60	91	91	-	-	-	7	36.6	13	68.1
Waycross	521	350	72	86	184	107	-	77	11	21.1	17	32.6
White	368	323	35	7	104	-	-	-	4	19.0	4	10.9
Nonwhite	153	27	37	79	80	-	-	-	7	26.1	13	65.0
Balance of county	316	167	124	24	77	53	-	24	12	38.0	3	9.5
White	278	164	101	12	66	-	-	-	9	32.4	3	10.8
Nonwhite	38	3	23	12	11	-	-	-	3	78.9	-	0
Warren	286	57	82	165	95	87	-	8	16	55.9	5	17.5
White	72	46	21	5	37	-	-	-	-	0	-	0
Nonwhite	214	11	41	160	58	-	-	-	16	74.8	5	23.4

See footnotes on p. 111.

793002 O - 48 - 4



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
GEORGIA—Continued												
Washington-----	553	167	57	327	189	137	-	52	29	52.4	27	48.8
White-----	191	144	37	10	90	-	-	-	7	36.8	5	26.2
Nonwhite-----	362	23	20	317	99	-	-	-	22	60.8	22	60.8
Wayne-----	413	298	55	69	97	69	-	28	15	36.3	7	16.9
White-----	337	279	41	16	86	-	-	-	11	32.6	6	17.6
Nonwhite-----	76	9	14	53	31	-	-	-	4	52.6	1	13.2
Webster-----	113	19	25	69	30	26	-	4	4	35.4	6	70.8
White-----	28	16	11	1	9	-	-	-	-	0	2	71.4
Nonwhite-----	85	3	14	68	21	-	-	-	4	47.1	6	70.6
Wheeler-----	147	42	86	37	47	36	-	11	5	34.0	3	20.4
White-----	99	42	51	5	34	-	-	-	3	30.3	1	10.1
Nonwhite-----	48	-	15	32	13	-	-	-	2	41.7	2	41.7
White-----	156	68	73	15	31	26	-	5	4	25.6	3	19.2
Whitfield-----	849	743	70	28	217	121	-	94	36	42.4	13	15.5
Dalton-----	429	387	27	9	119	62	-	57	23	53.6	9	21.0
White-----	403	381	8	9	109	-	-	-	19	47.1	9	22.3
Nonwhite-----	26	6	19	-	10	-	-	-	4	153.8	-	0
Balance of county-----	420	356	43	19	98	59	-	37	13	31.0	4	9.5
Wilcox-----	254	48	106	92	45	38	-	6	2	7.9	15	59.1
White-----	144	47	89	6	32	-	-	-	2	13.9	3	20.8
Nonwhite-----	110	1	17	86	13	-	-	-	-	0	12	109.1
Wilkes-----	369	147	61	150	113	91	-	21	13	35.2	10	27.1
White-----	136	126	7	3	44	-	-	-	5	36.8	2	14.7
Nonwhite-----	233	21	54	147	69	-	-	-	6	34.3	8	34.3
Wilkinson-----	243	62	63	114	77	57	-	16	3	12.3	11	45.3
White-----	116	57	53	6	39	-	-	-	-	0	3	25.9
Nonwhite-----	127	5	10	108	38	-	-	-	3	23.6	8	63.0
Worth-----	612	122	239	248	126	109	-	16	20	32.7	16	26.1
White-----	272	117	144	10	50	-	-	-	5	18.4	8	29.4
Nonwhite-----	340	5	95	238	76	-	-	-	15	44.1	8	23.5
IDAHO-----	13,787	13,300	400	13	4,585	2,224	212	2,060	453	32.9	251	18.2
Ada-----	1,517	1,504	10	-	545	270	24	248	40	26.4	32	21.1
Boise City-----	1,087	1,079	5	-	367	185	1	179	28	25.8	23	21.2
Balance of county-----	430	425	5	-	178	85	23	69	12	27.9	9	20.9
Adams-----	75	72	3	-	28	9	-	13	7	93.3	-	0
Bannock-----	1,198	1,186	11	-	312	121	-	180	52	43.4	18	15.0
Pocatello-----	822	819	3	-	227	79	-	148	38	46.2	10	12.2
Balance of county-----	376	367	8	-	85	42	-	43	14	37.2	9	21.3
Bear Lake-----	189	180	8	-	76	64	-	11	7	37.0	1	5.3
Beneviah-----	130	108	19	-	67	38	1	28	4	30.8	-	0
Bingham-----	607	595	10	-	211	90	73	46	9	14.8	9	14.8
Blaine-----	122	119	1	-	38	23	-	15	2	16.4	1	8.2
Boise-----	28	28	-	-	15	9	-	5	-	0	1	34.5
Bonner-----	371	345	21	-	149	67	-	82	17	45.8	5	13.5
Bonneville-----	784	762	1	1	176	67	-	108	30	39.3	15	19.6
Idaho Falls-----	487	485	1	1	126	38	-	88	24	49.3	9	18.5
Balance of county-----	277	277	-	-	50	29	-	20	6	21.7	6	21.7
Boundary-----	126	122	2	2	50	25	-	22	7	55.6	4	31.7
Butte-----	58	57	1	-	17	11	-	6	1	17.2	1	17.2
Camas-----	28	20	5	-	9	6	-	3	-	0	-	0
Canyon-----	1,181	1,154	16	3	449	189	40	211	38	32.2	21	17.8
Mampa-----	364	360	3	1	167	52	14	99	14	38.5	9	24.7
Balance of county-----	817	794	13	2	282	137	26	112	24	29.4	12	14.7
Caribou-----	41	41	-	-	17	8	-	9	3	73.2	3	73.2
Cassida-----	399	354	43	-	91	57	-	34	8	20.1	6	15.0
Clark-----	21	20	-	-	5	1	-	4	-	0	2	95.2
Clearwater-----	155	142	11	-	106	42	34	30	6	38.7	3	19.4
Custer-----	47	47	-	-	29	19	-	9	3	63.8	1	21.3
Elmore-----	152	145	6	-	42	24	-	13	5	32.9	1	6.6
Franklin-----	258	198	60	-	49	29	-	20	7	27.1	10	58.9
Fremont-----	246	236	9	-	73	48	-	25	5	20.3	4	16.3
Gen-----	216	213	2	-	75	41	-	32	8	37.0	5	23.1
Gooding-----	252	247	2	2	74	33	-	40	4	15.9	5	19.8
Idaho-----	243	209	32	-	103	46	1	55	7	28.8	7	28.8
Jefferson-----	284	275	8	-	67	33	-	23	14	49.3	2	7.0
Jerome-----	323	322	1	-	67	41	-	24	7	21.7	2	6.2
Kootenai-----	504	485	7	3	231	98	6	122	19	37.7	7	13.9
Coeur d'Alene-----	283	255	5	1	140	51	6	81	11	41.8	4	15.2
Balance of county-----	241	230	2	2	91	47	-	41	8	33.2	3	12.4
Latah-----	418	401	14	-	156	73	-	78	14	33.5	5	12.0
Lemhi-----	144	122	21	-	69	39	10	17	6	41.7	1	6.9
Lewis-----	97	80	7	-	45	30	-	14	7	72.2	1	10.3
Lincoln-----	81	80	-	-	31	21	-	10	1	12.3	1	12.3
Madison-----	288	262	6	-	66	41	-	23	16	59.7	6	22.4
Minidoka-----	243	232	10	-	83	35	-	27	3	12.3	5	20.6
Nez Perce-----	500	484	14	-	196	71	5	113	19	38.0	12	24.0
Lewiston-----	324	317	6	-	138	44	-	91	11	34.0	10	30.9
Balance of county-----	176	167	8	-	58	27	5	22	8	45.5	2	11.4
Oneida-----	126	124	1	1	41	22	-	18	5	38.7	-	0
Owyhee-----	121	108	7	-	34	15	-	19	4	33.1	4	33.1

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

41

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
IDAHO—Continued												
Payette	297	295	2	-	76	37	2	37	11	37.0	3	10.1
Power	97	94	2	-	28	9	-	19	4	41.2	-	0
Shoshone	478	473	4	-	177	77	14	86	13	27.2	22	46.0
Teton	100	97	2	-	10	8	-	2	1	10.0	3	30.0
Twin Falls	884	878	6	-	304	180	2	120	28	28.5	16	16.3
Twin Falls	391	390	1	-	155	91	-	62	15	38.4	5	12.8
Balance of county	593	588	5	-	149	89	2	58	13	21.9	11	18.5
Valley	104	90	7	1	29	17	-	5	2	19.2	1	9.6
Washington	193	183	8	-	89	40	-	44	9	46.6	5	25.9
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	(5)	-	(5)
ILLINOIS	174,825	162,957	11,706	100	89,586	42,797	6,170	39,985	5,316	50.4	3,667	21.0
Adams	1,282	1,245	37	-	820	380	72	380	54	42.1	33	25.7
Quincy	917	911	6	-	569	232	28	302	41	44.7	26	28.4
Balance of county	365	334	31	-	251	128	44	78	13	35.6	7	19.2
Alexander	480	318	152	1	261	133	-	128	22	45.8	21	43.8
White	346	301	45	-	166	-	-	-	18	46.2	8	23.1
Nonwhite	134	17	107	1	95	-	-	-	6	44.8	13	97.0
Cairo	282	204	70	-	178	85	-	93	14	49.6	9	31.9
White	189	185	4	-	105	-	-	-	10	50.3	1	5.0
Nonwhite	85	9	66	-	73	-	-	-	4	48.2	8	96.4
Balance of county	198	114	82	1	83	49	-	35	8	40.4	12	60.6
White	147	106	41	-	61	-	-	-	6	40.8	7	47.6
Nonwhite	51	8	41	1	22	-	-	-	2	39.2	5	99.0
Bond	282	245	37	-	141	89	-	50	11	39.0	7	24.8
Boone	373	369	3	-	177	73	2	94	14	37.5	8	21.4
Brown	150	77	52	-	84	59	-	25	6	46.2	1	7.7
Bureau	762	738	23	-	407	212	4	184	17	22.3	16	21.0
Calhoun	156	55	102	1	66	49	-	17	9	57.7	8	51.3
Carroll	386	358	28	-	212	145	2	65	14	36.3	15	38.9
Cass	321	273	46	-	182	86	3	92	14	43.6	8	24.9
Champaign	2,101	2,055	46	-	660	313	2	342	49	23.3	26	12.4
Champaign	735	726	9	-	239	104	-	134	16	21.8	11	15.0
Urbana	499	497	2	-	168	71	-	95	19	38.1	2	4.0
Balance of county	867	832	35	-	255	128	2	115	14	16.1	13	15.0
Christian	798	744	54	-	361	182	-	172	30	37.6	12	15.0
Clark	324	221	103	-	190	147	-	42	7	21.6	4	12.3
Clay	583	222	161	-	180	117	-	62	13	33.9	9	23.5
Clinton	499	441	58	-	232	136	10	86	18	36.1	11	22.0
Centralia (part)	18	18	-	-	3	2	-	1	-	(5)	3	(5)
Balance of county	481	423	58	-	229	134	10	85	18	37.4	8	16.6
Coles	857	715	141	-	450	280	28	137	23	26.8	17	19.8
Mattoon	405	368	35	-	204	120	26	57	10	24.8	8	19.3
Balance of county	454	347	106	-	246	160	2	80	13	28.6	9	19.8
Cooke	90,528	87,048	3,382	88	46,042	21,476	2,048	22,240	2,498	27.6	1,919	21.2
Berwyn	1,029	1,026	3	-	443	280	-	181	26	25.3	10	9.7
Blue Island	418	417	1	-	185	92	-	91	5	12.0	10	24.0
Brookfield	250	248	2	-	104	70	6	28	5	20.0	1	4.0
Calumet City	335	330	5	-	94	57	-	37	11	32.8	4	11.9
Chicago	75,087	71,821	3,171	86	38,511	18,203	635	19,460	2,143	29.5	1,680	22.4
White	65,345	63,635	1,632	70	33,481	-	-	-	1,730	26.5	1,329	20.3
Nonwhite	9,744	8,186	1,539	16	5,030	-	-	-	413	42.4	351	36.0
Chicago Heights	593	556	37	-	206	92	-	113	13	21.9	17	28.7
Cicero	1,302	1,293	9	-	527	321	-	205	24	19.4	22	16.9
Elgin (part)	7	7	-	-	8	3	-	5	2	(5)	-	(5)
Elmwood Park	345	339	6	-	83	47	-	34	6	17.4	-	0
Evanston	1,267	1,259	8	-	609	260	27	311	24	18.9	23	18.2
Forest Park	336	336	-	-	182	87	31	63	9	26.8	6	17.9
Harvey	586	581	5	-	167	87	-	79	12	20.5	10	17.1
La Grange	313	311	2	-	125	69	-	54	11	35.1	6	19.2
Maywood	619	610	9	-	247	132	15	99	18	29.1	12	19.4
Melrose Park	438	434	3	1	105	51	-	52	9	20.5	7	16.0
Oak Park	1,188	1,177	9	-	695	379	-	311	37	31.1	21	17.7
Park Ridge	289	286	2	-	97	51	-	46	5	17.3	3	10.4
Wilmette	293	292	1	-	163	87	-	75	2	6.8	11	37.5
Winnetka	219	218	1	-	85	50	-	35	3	13.7	4	18.3
Balance of county	5,614	5,505	108	1	3,412	1,078	1,334	963	133	23.7	72	12.8
Crawford	382	304	78	-	213	133	1	76	7	18.3	10	28.2
Cumberland	217	145	71	-	118	86	-	31	7	32.3	5	23.0
De Kalb	859	830	8	-	385	202	8	180	37	44.1	14	16.7
De Witt	335	298	37	-	203	109	-	94	14	41.8	5	14.9
Douglas	357	313	44	-	179	101	-	73	9	25.2	10	28.0
Du Page	2,464	2,446	18	-	1,039	557	16	410	68	27.6	47	19.1
Elmhurst	353	352	1	-	144	66	-	56	17	48.2	10	28.3
Balance of county	2,111	2,094	17	-	895	491	16	354	51	24.2	37	17.5
Edgar	508	468	41	-	246	168	-	128	22	43.2	7	13.8
Edwardes	180	111	89	-	109	87	-	21	4	22.2	4	22.2
Effingham	498	427	71	-	205	106	-	96	12	24.1	13	26.1
Fayette	462	342	120	-	268	199	9	52	26	56.3	11	23.8
Ford	319	296	23	-	180	112	1	44	6	16.8	5	15.7

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ILLINOIS—Continued												
Franklin	1,057	665	392	-	524	411	1	111	35	33.1	23	21.8
West Frankfort	232	205	27	-	125	95	-	30	8	34.5	7	30.2
Balance of county	825	460	365	-	399	316	1	81	27	32.7	16	19.4
Fulton	913	845	68	-	453	244	1	202	28	30.7	9	9.9
Ganton	280	279	1	-	143	59	-	85	12	42.9	6	21.4
Balance of county	633	566	67	-	310	185	1	119	16	25.3	3	4.7
Gallatin	231	187	73	-	112	81	-	31	19	82.3	7	30.3
Greene	398	306	92	-	204	132	-	70	12	30.2	10	25.1
Grundy	433	413	15	-	217	131	2	84	10	23.1	15	34.6
Hamilton	249	192	56	-	119	92	-	20	8	32.1	5	20.1
Hancock	477	409	66	-	293	161	3	104	14	29.4	12	25.2
Hardin	171	61	90	-	80	64	-	16	5	29.2	10	58.5
Henderson	175	152	23	-	80	46	-	34	2	11.4	2	11.4
Henry	915	890	24	1	481	246	5	228	29	31.7	22	24.0
Kewanee	358	350	7	1	204	87	-	116	11	30.7	14	39.1
Balance of county	557	540	17	-	277	159	5	112	18	32.3	8	14.4
Troquais	651	574	77	-	318	205	2	111	30	46.1	17	26.1
Jackson	832	712	116	1	390	256	-	133	25	30.0	16	19.2
Jasper	219	182	57	-	155	94	-	58	5	22.8	4	16.3
Jefferson	714	466	287	-	350	276	-	70	21	29.4	19	26.6
Mount Vernon	360	265	95	-	164	117	-	43	10	26.3	13	34.2
Balance of county	334	171	162	-	166	159	-	27	11	32.9	6	18.0
Jersey	311	188	123	-	132	87	-	43	10	32.2	9	26.9
Jo Daviess	528	422	106	-	262	155	-	102	16	34.1	16	30.3
Johnson	197	61	135	-	105	86	-	19	6	30.5	4	20.3
Kane	3,038	3,024	14	-	1,907	610	483	798	109	35.9	47	15.5
Aurora	1,232	1,228	4	-	569	258	1	307	51	41.4	18	14.6
Elgin (part)	733	731	2	-	664	149	463	244	22	( <sup>3</sup> )	7	( <sup>3</sup> )
Elgin (total)	740	738	2	-	672	152	463	249	24	32.4	7	9.5
Balance of county	1,073	1,065	8	-	474	203	19	247	36	33.6	22	20.5
Kankakee	1,370	1,245	125	-	1,439	291	955	180	37	27.0	26	19.0
Kankakee	634	597	37	-	285	144	6	103	15	23.7	15	23.7
Balance of county	736	648	88	-	1,184	147	949	87	22	29.9	11	14.9
Kendall	233	226	7	-	118	58	-	59	12	51.5	6	26.8
Knox	1,118	1,091	27	-	647	322	20	302	29	25.9	17	15.2
Galesburg	675	673	2	-	399	183	4	211	15	22.2	12	17.8
Balance of county	443	418	25	-	248	139	16	91	14	31.6	5	11.8
Lake	3,217	3,154	49	-	1,315	510	107	675	102	31.7	72	22.4
Highland Park	301	301	-	-	115	64	3	46	4	13.3	5	16.6
Waukegan	957	947	9	-	348	123	-	221	38	39.7	25	26.1
Balance of county	1,959	1,906	40	-	852	323	104	409	60	30.6	42	21.4
La Salle	2,051	2,018	33	-	1,062	537	33	468	61	29.7	45	21.9
La Salle	239	238	1	-	147	50	-	97	8	33.5	5	20.9
Ottawa	356	355	1	-	170	92	11	66	12	33.7	6	16.9
Streator	396	390	6	-	196	97	-	98	17	42.9	10	25.3
Balance of county	1,060	1,035	25	-	549	298	22	227	24	22.6	24	22.6
Lawrence	422	254	168	-	215	166	4	41	13	30.8	7	16.6
Lee	752	713	38	-	573	207	234	131	50	66.5	7	9.3
Dixon	295	290	5	-	132	63	-	68	13	44.1	4	13.6
Balance of county	457	423	33	-	144	144	234	63	57	81.0	3	6.6
Livingston	733	700	33	-	368	199	26	140	25	34.1	15	20.5
Logan	491	472	19	-	379	103	101	171	32	65.2	8	16.3
Lincoln	210	209	1	-	205	34	63	104	20	95.2	4	19.0
Balance of county	281	263	18	-	174	69	39	67	12	42.7	4	14.2
McDonough	569	501	68	-	321	165	-	156	16	28.1	13	22.8
McHenry	987	975	12	-	461	259	7	192	30	30.4	17	17.2
McLean	1,573	1,513	60	-	656	343	5	506	61	38.9	21	13.4
Bloomington	772	758	14	-	432	149	-	283	32	41.5	11	14.2
Balance of county	801	755	46	-	424	194	5	223	29	36.2	10	12.5
Mason	2,112	2,070	41	-	907	393	20	491	69	32.7	45	21.3
Decatur	1,542	1,526	16	-	678	284	1	391	55	35.7	37	24.0
Balance of county	570	544	25	-	229	109	19	100	14	24.6	8	14.0
Mason	805	706	97	-	502	288	3	207	29	36.0	15	18.6
Madison	3,944	3,541	403	-	1,602	676	332	788	147	37.3	65	21.6
Alton	928	811	117	-	378	143	3	230	42	45.3	22	23.7
Granite City	672	663	9	-	205	76	-	128	17	25.3	12	17.9
Balance of county	2,344	2,067	277	-	1,219	457	329	430	68	37.5	51	21.9
Marion	955	852	103	-	397	230	-	159	36	37.7	35	36.6
Centralia (part)	293	277	16	-	154	74	-	78	10	( <sup>3</sup> )	7	( <sup>3</sup> )
Centralia (total)	311	295	16	-	157	76	-	79	10	32.2	10	32.2
Balance of county	662	575	87	-	243	156	-	81	26	39.3	28	42.3
Marshall	225	207	18	-	145	99	-	44	6	26.7	5	22.2
Mason	286	228	60	-	197	122	-	75	11	39.5	6	21.0
Massac	290	138	152	-	149	122	-	27	15	51.7	9	31.0
White	262	134	128	-	136	-	-	-	15	57.3	7	26.7
Nonwhite	26	4	24	-	13	-	-	-	-	0	2	71.4
Menard	192	146	46	-	102	61	-	40	4	20.8	4	20.8
Mercer	329	310	19	-	197	112	2	81	14	42.6	4	12.2
Monroe	219	203	16	-	113	83	1	29	3	13.7	9	41.1
Montgomery	640	560	59	-	374	215	1	156	17	26.6	8	12.5
Morgan	589	534	55	-	698	183	327	182	18	30.6	19	32.3
Jacksonville	306	295	11	-	528	88	327	110	11	35.9	10	32.7
Balance of county	283	239	44	-	167	95	-	72	7	24.7	9	31.8

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

43

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
ILLINOIS—Continued												
Moultrie	283	204	79	-	141	75	30	36	6	21.2	8	28.3
Ogle	665	616	49	-	322	192	5	125	19	28.6	8	12.0
Peoria	3,564	3,411	153	-	1,813	793	381	735	111	31.1	54	15.2
Peoria	2,594	2,529	65	-	1,199	573	18	605	87	33.5	41	15.8
Balance of county	970	882	88	-	714	220	363	130	24	24.7	13	13.4
Perry	482	396	86	-	229	159	-	69	18	37.3	18	37.3
Piatt	275	266	9	-	142	72	1	68	9	32.7	5	18.2
Pike	427	358	68	-	247	140	-	103	8	21.1	5	11.7
Pope	109	39	70	-	70	58	-	12	4	36.7	2	18.3
Pulaski	257	100	147	1	156	125	-	31	18	70.0	12	46.7
White	182	96	66	-	83	-	-	-	11	67.9	6	37.0
Nonwhite	95	4	81	1	73	-	-	-	7	73.7	6	63.2
Putnam	100	97	3	-	39	18	-	19	1	10.0	1	10.0
Randolph	551	408	142	-	334	193	41	100	16	29.0	14	25.4
Richland	385	348	39	-	153	67	-	83	21	54.5	12	31.2
Rock Island	2,708	2,676	33	-	1,458	541	275	639	104	38.4	52	19.2
East Moline	236	233	3	-	356	41	275	39	5	21.2	5	21.2
Moline	742	740	2	-	385	174	-	211	31	41.8	18	24.3
Rock Island	1,095	1,078	17	-	517	227	-	289	49	44.7	23	21.0
Balance of county	636	625	11	-	200	99	-	101	19	29.9	6	9.4
St. Clair	4,124	3,833	289	2	1,929	969	14	941	170	41.2	121	29.3
White	3,366	3,326	60	-	1,600	-	-	-	119	35.1	79	23.3
Nonwhite	738	507	229	2	329	-	-	-	51	69.1	42	56.9
Bellville	807	796	11	-	326	136	14	176	22	27.3	12	14.9
East St. Louis	1,928	1,726	200	2	989	476	-	511	98	50.8	76	39.4
White	1,300	1,285	15	-	729	-	-	-	57	43.8	40	30.8
Nonwhite	628	441	185	2	260	-	-	-	41	65.3	36	57.3
Balance of county	1,389	1,311	78	-	614	357	-	254	50	36.0	33	23.8
Saline	781	579	179	2	404	284	-	110	24	31.5	8	10.5
Harrisburg	258	229	29	-	132	88	-	34	8	31.0	3	11.6
Balance of county	503	350	151	2	272	196	-	76	16	31.9	5	9.9
Sangamon	2,817	2,512	103	2	1,299	431	10	853	79	30.2	56	21.4
Springfield	1,908	1,890	17	1	904	254	6	639	62	32.5	46	24.1
Balance of county	709	622	86	1	395	177	4	214	17	24.0	10	14.1
Schuyler	156	126	30	-	125	79	-	48	3	19.2	1	6.4
Scott	135	111	24	-	87	66	-	21	7	51.9	4	29.6
Shelby	485	369	116	-	259	174	7	76	10	20.6	7	14.4
Stark	198	179	17	-	98	47	-	50	6	30.6	4	20.4
Stephenson	847	810	37	-	451	219	8	221	13	15.3	18	21.3
Freeport	460	445	15	-	285	133	8	143	8	17.4	11	23.9
Balance of county	387	385	22	-	166	86	-	78	5	12.9	7	16.1
Tazewell	1,458	1,398	60	-	504	261	1	237	42	28.8	31	21.3
Peoria	438	425	13	-	177	90	-	86	17	38.8	11	25.1
Balance of county	1,020	973	47	-	327	171	1	151	25	24.5	20	19.6
Union	396	328	66	1	487	120	301	66	15	37.9	15	37.9
Vermilion	1,788	1,667	118	-	1,046	436	137	473	58	32.5	38	21.3
Danville	856	811	44	-	483	192	-	271	32	37.4	19	22.2
Balance of county	930	856	74	-	583	244	137	202	26	28.0	19	20.4
Wabash	291	199	92	-	145	106	-	23	15	51.5	5	17.2
Warren	468	446	20	-	233	128	6	119	11	23.5	6	12.6
Washington	245	181	64	-	163	120	-	43	6	24.5	3	12.2
Wayne	473	226	247	-	196	144	1	49	15	51.7	5	10.6
White	448	207	241	-	190	149	-	40	10	22.3	10	22.3
Whiteside	1,081	960	120	-	426	240	9	167	28	25.9	21	19.4
Storling	312	279	32	-	180	80	2	46	8	25.6	4	12.8
Balance of county	769	681	88	-	296	180	7	121	20	26.0	17	22.1
Will	2,616	2,559	57	-	1,281	631	42	617	84	32.1	39	14.9
Joliet	1,622	1,607	15	-	899	255	-	443	56	34.5	22	13.6
Balance of county	994	952	42	-	562	346	42	174	28	28.2	17	17.1
Williamson	1,042	704	338	-	463	304	-	159	33	31.7	23	22.1
Winnebago	3,182	3,118	64	-	1,228	506	15	701	107	33.6	66	20.7
Rockford	2,092	2,065	27	-	881	348	2	529	77	36.8	47	22.5
Balance of county	1,090	1,053	37	-	347	160	13	173	30	27.5	19	17.4
Woodford	376	331	45	-	183	109	5	69	10	26.6	4	10.6
INDIANA	65,515	74,696	10,786	42	39,034	23,028	2,180	13,502	2,697	31.5	1,583	18.5
Adams	598	499	96	-	221	156	-	62	21	35.8	10	17.1
Allen	4,177	4,017	158	-	1,625	746	126	747	104	24.9	72	17.2
Fort Wayne	3,256	3,204	51	-	1,273	563	66	640	76	23.3	55	16.9
Balance of county	921	813	107	-	352	185	60	107	28	30.4	17	18.5
Bartholomew	832	763	69	-	325	188	7	146	29	34.9	12	14.4
Columbus	422	403	19	-	150	69	3	77	16	37.9	10	23.7
Balance of county	410	360	50	-	175	99	4	69	13	31.7	2	4.9
Benton	279	234	45	-	110	76	3	31	4	14.3	10	35.8
Blackford	311	285	26	-	140	104	4	32	6	19.3	7	22.5
Boone	493	465	28	-	257	163	3	85	11	22.3	2	4.1
Brown	112	75	37	-	51	38	2	11	3	26.8	-	0
Carroll	328	266	62	-	167	107	-	55	10	30.5	6	18.3
Cass	739	701	38	-	637	223	209	198	21	28.4	12	16.2
Logansport	447	435	12	-	280	134	3	137	14	31.3	8	17.9
Balance of county	292	266	26	-	357	89	206	61	7	24.0	4	13.7

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
INDIANA—Continued												
Clark	1,172	894	277	-	407	230	1	173	49	41.8	19	16.2
Jeffersonville	431	383	47	-	184	85	1	106	23	53.4	6	13.9
White	394	359	35	-	167	-	-	-	17	43.1	4	10.2
Nonwhite	37	24	12	-	27	-	-	-	8	162.2	2	54.1
Balance of county	741	511	230	-	213	145	-	67	26	35.1	13	17.5
Clay	463	401	62	-	251	168	2	81	15	32.4	12	25.9
Clinton	608	564	44	-	320	194	25	99	24	39.5	10	16.4
Frankfort	312	303	9	-	166	81	17	56	11	35.3	6	19.2
Balance of county	286	261	35	-	154	103	6	43	13	43.9	4	13.5
Crawford	213	55	158	-	117	105	-	12	8	37.6	7	32.9
Daviess	576	421	155	-	276	175	-	99	29	50.3	11	19.1
Dearborn	517	400	117	-	259	180	2	66	17	32.9	13	25.1
Decatur	428	356	72	-	264	159	40	64	13	30.4	14	32.7
De Kalb	527	491	36	-	303	205	5	88	19	36.1	7	13.3
Delaware	2,051	1,977	73	-	796	406	26	365	56	27.3	48	23.4
Muncie	1,506	1,463	42	-	554	267	2	285	44	29.2	36	25.2
Balance of county	545	514	31	-	244	139	24	80	12	22.0	10	18.3
Dubois	569	321	248	-	227	166	4	52	13	22.8	9	15.8
Elkhart	1,953	1,874	89	-	779	543	20	211	66	33.6	25	12.7
Elkhart	856	840	16	-	372	249	-	123	28	32.7	8	9.3
Goshen	352	344	8	-	126	84	4	35	15	42.6	6	17.0
Balance of county	755	690	65	-	281	210	16	53	23	30.5	11	14.6
Fayette	531	508	25	-	196	118	3	71	24	45.2	9	15.9
Connersville	585	572	13	-	135	79	3	51	15	39.0	8	20.8
Balance of county	148	134	12	-	61	39	-	20	9	61.6	1	6.8
Floyd	1,028	850	178	-	442	292	12	136	40	38.9	15	14.6
New Albany	825	685	139	-	332	222	2	106	28	33.9	10	12.1
Balance of county	203	155	48	-	110	70	10	30	12	59.1	5	24.6
Fountain	372	327	45	-	202	129	5	67	9	24.2	11	29.6
Franklin	297	204	93	-	173	111	19	32	10	33.7	7	23.6
Fulton	328	282	46	-	199	139	4	53	6	18.3	4	12.2
Gibson	564	478	186	-	286	212	3	67	18	27.1	9	13.6
Grant	1,419	1,295	123	-	708	407	99	199	37	26.1	28	19.7
Marion	801	734	67	-	368	218	4	143	25	31.2	20	25.0
Balance of county	617	561	56	-	340	189	95	56	12	19.4	8	13.0
Greene	674	609	65	-	325	232	1	93	14	20.8	4	5.9
Hamilton	593	567	24	1	300	206	1	98	22	37.1	13	21.9
Hancock	375	302	73	-	219	163	4	48	18	48.0	11	29.3
Harrison	394	130	264	-	165	144	-	20	9	22.8	8	20.3
Hendricks	440	384	55	1	249	182	6	60	8	18.2	4	9.1
Henry	1,031	969	62	-	465	242	80	162	38	36.9	19	18.4
New Castle	522	504	18	-	164	87	-	77	17	32.6	7	13.4
Balance of county	509	465	44	-	302	155	80	85	21	41.3	12	23.6
Howard	1,261	1,100	161	-	509	342	12	152	41	32.5	18	14.3
Kokomo	949	846	103	-	361	238	1	119	31	32.7	12	12.6
Balance of county	312	254	58	-	148	104	11	33	10	32.1	6	19.2
Huntington	678	617	61	-	404	282	17	87	9	13.3	7	10.3
Huntington	361	348	33	-	208	144	-	58	5	13.1	3	7.9
Balance of county	297	269	26	-	196	139	17	29	4	13.5	4	13.5
Jackson	641	498	143	-	255	191	2	62	15	23.4	16	28.1
Jasper	375	322	53	-	169	98	-	70	16	42.7	3	8.0
Jay	507	477	30	-	259	162	2	94	18	35.5	9	15.8
Jefferson	459	357	101	-	361	175	151	35	10	21.8	9	17.5
Jennings	275	139	136	-	141	89	28	24	9	32.7	7	25.5
Johnson	595	436	159	-	310	192	38	75	14	25.5	12	20.2
Knox	1,005	886	119	-	463	267	2	172	38	37.8	10	10.0
Vincennes	493	473	20	-	228	120	-	106	20	40.6	4	8.1
Balance of county	512	413	99	-	235	167	2	66	18	35.2	6	11.7
Kosciusko	687	632	55	-	376	261	6	102	21	30.6	12	17.8
Lagrange	376	233	143	-	172	126	-	45	9	23.9	2	5.3
Lake	7,995	7,497	457	37	2,812	1,262	60	1,460	278	34.8	179	22.4
East Chicago	1,597	1,279	102	15	521	238	1	261	55	37.9	31	22.2
White	1,168	1,099	53	15	440	-	-	-	31	26.5	21	16.0
Nonwhite	229	180	49	-	81	-	-	-	22	96.1	10	45.7
Gary	3,202	2,930	251	18	1,158	473	-	659	116	36.2	71	22.2
White	2,438	2,450	38	9	810	-	-	-	79	31.6	47	16.8
Nonwhite	704	480	213	9	348	-	-	-	37	52.6	24	34.1
Hammond	1,677	1,640	36	1	614	268	15	327	55	32.8	34	20.3
Whiting	440	435	4	1	84	45	-	39	13	29.5	6	13.6
Balance of county	1,279	1,213	64	2	437	238	44	153	41	32.1	37	28.9
La Porte	1,634	1,579	54	-	764	380	34	349	59	36.1	37	22.6
La Porte	504	492	12	-	275	128	2	144	26	51.6	8	15.9
Michigan City	616	597	19	-	302	142	33	137	19	30.8	18	29.2
Balance of county	514	490	23	-	187	110	9	68	14	27.2	11	21.4
Lawrence	879	653	225	1	363	226	3	133	40	45.5	19	21.6
Bedford	338	297	40	1	153	81	-	72	21	62.1	3	8.9
Balance of county	541	356	185	-	210	145	5	61	19	35.1	16	29.6
Madison	2,340	2,294	46	-	919	578	15	322	61	34.6	51	21.8
Anderson	1,213	1,193	20	-	462	286	-	136	52	42.9	20	16.5
Elwood	276	273	3	-	120	73	-	47	5	18.1	12	43.5
Balance of county	851	828	23	-	337	239	15	82	24	28.2	19	22.3

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
INDIANA—Continued												
Marion	12,415	11,003	1,407	-	5,665	3,152	362	2,108	412	33.2	271	21.8
White	11,186	10,259	922	-	4,834	-	-	-	333	29.8	229	20.5
Nonwhite	1,229	744	485	-	831	-	-	-	79	64.3	42	34.2
Indianapolis	11,269	9,957	1,307	-	4,992	2,810	220	1,921	375	33.3	255	22.6
White	10,046	9,215	826	-	4,203	-	-	-	296	29.5	213	21.2
Nonwhite	1,223	742	481	-	789	-	-	-	79	64.6	42	34.3
Balance of county	1,146	1,046	100	-	673	342	142	185	37	32.3	16	14.0
Marshall	590	557	33	-	287	186	3	86	17	28.8	10	16.9
Martin	308	131	177	-	87	61	-	26	5	16.2	5	16.2
Miami	631	576	54	-	305	181	7	115	10	15.8	7	11.1
Peru	307	295	12	-	148	72	-	74	6	19.5	5	16.3
Balance of county	324	281	42	-	157	109	7	41	4	12.3	2	6.2
Monroe	961	782	174	1	337	225	15	92	28	29.1	12	12.5
Bloomington	568	520	47	1	181	112	13	53	12	21.1	4	7.0
Balance of county	393	262	127	-	156	113	2	39	16	40.7	8	20.4
Montgomery	604	559	45	-	355	209	3	135	19	31.5	4	6.6
Crawfordsville	265	245	20	-	178	87	-	96	8	30.2	3	11.3
Balance of county	339	314	25	-	177	122	3	49	11	32.4	1	2.9
Morgan	507	433	74	-	274	185	2	86	19	37.5	12	23.7
Newton	211	176	34	-	107	72	1	33	5	23.7	3	14.2
Noble	553	499	54	-	281	170	29	79	17	30.7	9	16.3
Ohio	85	60	25	-	58	42	-	16	3	35.3	-	0
Orange	385	212	173	-	208	171	3	33	10	26.0	5	13.0
Owen	182	104	78	-	150	132	-	18	8	44.0	-	0
Parke	317	232	85	-	190	136	6	46	8	25.2	3	9.5
Perry	343	119	223	-	132	105	-	26	5	14.6	8	23.5
Pike	321	232	89	-	182	137	1	45	8	24.9	6	18.7
Porter	629	609	20	-	297	163	10	124	23	36.6	6	9.5
Posey	403	201	202	-	198	137	-	61	8	19.9	10	24.8
Pulaski	270	186	84	-	87	64	-	23	6	22.2	4	14.8
Putnam	402	372	30	-	246	156	4	84	9	19.9	6	14.9
Randolph	541	511	30	-	308	208	11	86	19	35.1	13	24.0
Ripley	452	372	80	-	195	135	1	59	12	26.5	6	13.3
Rush	432	406	26	-	262	181	5	87	19	44.0	13	30.1
St. Joseph	4,274	4,186	73	-	1,561	853	38	651	106	24.8	59	13.8
Mishawaka	771	767	4	-	275	148	-	125	19	24.6	10	13.0
South Bend	2,635	2,643	38	-	986	543	-	433	64	23.9	38	14.2
Balance of county	820	788	31	-	300	162	36	98	28	28.0	11	13.4
Scott	510	204	105	-	105	62	3	19	13	41.9	5	16.1
Shelby	618	549	68	-	300	217	3	79	17	27.5	9	14.6
Shelbyville	298	259	29	-	135	93	-	42	6	20.8	4	13.9
Balance of county	330	280	39	-	165	124	3	36	11	33.3	5	15.2
Spencer	335	109	226	-	153	107	3	38	9	26.9	5	14.8
Starke	325	185	140	-	148	102	4	39	13	40.0	9	27.7
Steuben	313	290	28	-	178	125	5	45	7	22.0	3	9.4
Sullivan	516	448	67	-	304	232	1	70	16	31.0	11	21.3
Switzerland	164	85	78	-	98	79	-	19	5	30.5	2	12.2
Tipton	1,484	1,452	32	-	650	276	76	296	51	34.4	27	18.2
Lafayette	904	896	8	-	430	162	39	227	53	36.5	16	17.7
Balance of county	580	556	24	-	220	114	37	69	18	31.0	11	19.0
Tipton	339	304	35	-	163	113	4	44	5	14.7	5	14.7
Union	116	102	14	-	69	45	3	19	3	25.9	2	17.2
Vanderburgh	3,502	2,868	635	1	1,561	817	170	558	109	31.1	84	24.0
Evansville	2,908	2,490	495	1	1,224	703	11	495	93	31.1	72	24.1
Balance of county	518	376	140	-	337	114	159	63	16	31.0	12	23.3
Vermillion	373	331	42	-	217	123	1	93	12	32.2	5	13.4
Vigo	2,276	1,960	316	-	1,223	718	49	453	83	36.5	39	17.1
Terre Haute	1,678	1,497	181	-	865	522	1	360	58	34.6	29	17.5
Balance of county	598	463	135	-	338	196	48	93	25	41.8	10	16.7
Wabash	617	590	27	-	321	190	17	106	15	24.3	10	16.2
Warren	176	142	34	-	80	49	3	27	10	56.8	2	11.4
Warrick	426	232	194	-	232	174	5	53	20	46.9	6	14.1
Washington	352	169	183	-	179	141	6	30	13	36.9	4	11.4
Wayne	1,438	1,370	68	-	616	438	220	252	57	39.6	23	16.0
Richmond	973	944	34	-	395	261	4	125	34	34.8	10	10.2
Balance of county	460	426	34	-	221	177	216	127	23	30.0	13	28.3
Wells	420	397	22	-	244	148	4	90	17	40.5	7	16.7
White	376	304	72	-	180	114	7	58	10	26.6	6	16.0
Whitley	423	395	28	-	197	125	11	58	8	18.9	8	18.9
IOWA	56,188	51,803	4,290	10	25,758	13,416	1,489	10,346	1,681	29.9	1,020	18.2
Adair	255	170	84	-	116	87	3	23	10	39.2	1	3.9
Adams	171	145	26	-	80	55	-	24	5	29.2	4	23.4
Allamakee	366	332	29	-	189	129	12	47	12	32.8	8	21.9
Appanoose	453	412	39	-	275	172	9	91	12	26.5	6	13.2
Audubon	251	193	58	-	113	76	2	35	7	27.9	6	23.9
Benton	489	448	40	-	231	138	6	82	17	34.8	10	20.4
Black Hawk	2,238	2,194	43	1	819	384	37	384	63	28.2	30	13.4
Waterloo	1,380	1,365	14	1	486	241	-	242	49	35.5	21	15.2
Balance of county	858	829	29	-	333	143	37	142	14	16.3	9	10.5

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
IOWA—Continued												
Boone	569	548	21	-	365	151	88	125	17	29.9	10	17.6
Boone	280	278	2	-	183	75	22	85	6	21.4	6	21.4
Balance of county	289	270	19	-	182	76	88	40	11	58.1	4	15.9
Brainer	379	356	43	-	176	109	5	60	7	18.5	9	21.1
Buchanan	479	452	36	1	353	113	160	79	15	31.3	11	23.0
Bussa Vista	410	399	11	-	178	108	-	70	14	34.1	3	7.3
Butler	348	300	48	-	155	105	1	47	13	37.4	6	17.2
Calhoun	376	349	25	-	156	87	8	55	10	28.6	9	23.9
Carroll	548	508	40	-	221	116	1	93	13	23.7	7	12.8
Cass	378	321	57	-	183	98	5	76	12	31.7	10	26.5
Cedar	335	300	35	-	159	106	9	40	5	14.9	7	20.9
Cerro Gordo	971	944	26	-	425	159	24	232	44	45.3	22	22.7
Macon City	639	629	10	-	287	84	19	184	30	46.9	19	29.7
Balance of county	332	315	16	-	138	74	5	48	14	42.2	3	9.0
Cherokee	397	363	12	-	250	85	115	49	11	27.7	4	10.1
Chickasaw	338	335	3	-	131	75	1	55	11	32.5	7	20.7
Clarke	205	194	11	-	98	52	-	42	6	29.3	6	29.3
Clay	412	398	13	-	153	84	3	65	14	34.0	12	29.1
Clayton	451	312	138	-	238	172	6	57	10	22.2	14	31.0
Clinton	1,041	997	39	-	598	302	23	269	45	43.2	26	25.0
Clinton	659	644	11	-	402	194	2	205	31	47.0	18	27.3
Balance of county	382	353	28	-	196	108	21	64	14	36.6	8	20.9
Crawford	447	362	82	-	187	125	1	59	13	29.1	9	20.1
Dallas	478	428	49	-	231	138	9	78	16	33.5	7	14.6
Davis	203	150	53	-	100	74	1	25	7	34.5	4	19.7
Decatur	258	248	9	-	128	75	3	50	4	15.5	2	7.8
Delaware	435	384	51	-	161	115	2	41	10	23.0	11	25.3
Des Moines	884	874	9	-	456	153	12	287	29	32.8	13	14.7
Burlington	684	689	4	-	363	116	-	246	26	37.5	11	15.9
Balance of county	190	185	5	-	95	57	12	41	3	15.8	2	10.5
Dickinson	262	235	27	-	100	64	3	31	9	34.4	2	7.6
Dubuque	1,509	1,446	63	-	808	340	56	409	70	43.4	28	16.6
Dubuque	1,036	1,021	15	-	592	235	55	301	51	49.2	16	15.4
Balance of county	473	425	48	-	216	105	1	108	19	40.2	12	23.4
Emmet	340	331	8	-	117	55	1	59	8	23.5	9	26.5
Fayette	644	581	62	-	302	184	21	96	6	9.3	18	23.0
Floyd	463	444	19	-	204	102	2	99	10	21.6	11	23.8
Franklin	334	316	15	-	156	90	1	61	22	65.9	6	18.0
Fremont	271	248	23	-	124	77	2	45	7	25.8	3	11.1
Greene	321	307	14	-	169	98	1	65	7	21.8	7	21.8
Grundy	267	246	21	-	106	64	-	40	7	28.2	6	22.5
Guthrie	321	259	62	-	153	101	5	33	6	18.7	4	12.5
Hamilton	442	426	16	-	168	86	2	74	8	18.1	5	11.3
Hancock	341	304	37	-	128	67	6	42	10	29.3	4	11.7
Hardin	459	442	16	1	210	135	3	72	13	28.3	5	10.9
Harrison	430	255	175	-	223	149	1	68	13	30.2	8	18.6
Henry	342	322	20	-	364	112	156	89	7	20.5	10	29.2
Howard	313	289	24	-	89	50	4	35	5	16.0	8	25.6
Rumboldt	290	258	31	-	100	61	1	37	7	24.1	10	34.5
Ia	242	215	27	-	79	47	-	29	4	18.5	2	8.3
Iowa	333	281	52	-	175	113	5	57	12	36.0	7	21.0
Jackson	375	319	56	-	189	106	2	72	23	61.3	5	13.3
Jasper	672	599	73	-	305	156	5	139	22	32.7	16	23.8
Newton	255	244	11	-	139	61	-	78	13	51.0	7	27.5
Balance of county	417	355	62	-	165	95	5	61	9	21.6	9	21.6
Jefferson	312	292	20	-	145	76	4	65	3	9.6	12	36.5
Johnson	965	928	39	-	344	156	9	179	20	20.7	16	16.6
Iowa City	594	591	3	-	215	85	4	125	17	28.6	12	20.2
Balance of county	371	335	36	-	128	71	4	54	3	6.1	4	10.8
Jones	436	424	12	-	202	105	7	84	16	36.7	6	13.8
Keokuk	342	280	61	-	175	113	5	54	14	40.9	8	23.4
Kossuth	642	572	69	-	215	135	-	76	25	38.9	10	15.6
Lee	982	956	26	-	472	186	14	267	34	34.6	19	19.3
Fort Madison	331	316	13	-	149	64	4	79	10	30.2	5	15.1
Keokuk	371	368	3	-	210	65	-	144	18	48.5	7	18.9
Balance of county	280	270	10	-	115	59	10	44	6	21.4	7	25.0
Linn	2,198	2,126	68	-	1,005	486	20	479	83	37.8	43	19.6
Cedar Rapids	1,612	1,598	14	-	717	311	10	381	60	37.2	31	19.2
Balance of county	586	528	54	-	288	175	10	96	23	39.2	12	20.5
Louis	200	162	37	-	96	58	3	34	4	20.0	-	0
Lucas	218	185	33	-	156	94	4	47	11	50.5	7	32.1
Lyon	343	288	55	-	103	69	-	38	6	17.5	4	11.7
Madison	263	183	80	-	122	89	-	24	3	11.4	2	7.6
Mahaska	503	463	40	-	275	153	19	97	13	25.8	5	9.9
Oakaloosa	211	196	15	-	138	73	-	60	6	28.4	3	14.2
Balance of county	292	267	25	-	137	90	19	37	7	24.0	2	6.8
Marion	480	440	49	-	282	139	59	83	13	26.5	9	18.4
Marshall	745	730	15	-	847	139	34	178	23	30.9	14	18.8
Marshalltown	442	437	5	-	208	72	1	135	17	38.5	6	18.1
Balance of county	303	293	10	-	139	87	33	38	6	19.8	6	19.8

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

47

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
IOWA—Continued												
Mills	243	203	40	-	173	89	37	44	5	20.6	10	41.2
Mitchell	308	298	10	-	137	93	1	43	10	32.5	4	13.0
Monona	346	270	76	-	138	78	-	59	6	17.3	4	11.8
Monroe	234	176	57	-	138	99	8	22	9	38.5	3	12.8
Montgomery	319	309	10	-	167	97	1	66	6	18.8	7	21.9
Muscatine	753	735	18	-	359	199	8	150	19	25.2	14	18.6
Muscatine	472	469	3	-	243	123	1	119	12	25.4	13	27.5
Balance of county	281	268	15	-	116	76	7	31	7	24.9	1	3.6
O'Brien	455	376	76	-	160	106	5	42	11	24.2	6	13.2
Osceola	257	237	19	-	66	43	-	23	4	15.6	5	19.5
Pago	502	492	9	-	386	114	174	97	13	25.9	6	12.0
Palo Alto	384	328	38	-	141	86	-	49	9	24.7	6	16.5
Plymouth	525	486	38	-	208	124	8	78	12	22.9	4	7.6
Pocahontas	347	299	47	-	124	78	3	42	6	17.3	6	17.3
Polk	4,787	4,544	236	1	2,083	931	37	1,029	145	30.3	75	15.7
Des Moines	3,985	3,795	182	1	1,801	783	14	939	126	31.6	68	17.1
Balance of county	804	749	54	-	282	148	23	90	19	23.6	7	8.7
Pottawattamie	1,521	1,453	67	-	639	294	2	325	36	25.7	31	20.4
Council Bluffs	989	964	25	-	448	187	-	246	20	20.2	18	18.2
Balance of county	532	489	42	-	191	107	2	79	16	30.1	13	24.4
Poweshiek	416	386	30	-	177	90	9	75	14	33.7	9	21.6
Ringgold	195	180	35	-	90	67	-	21	7	35.9	3	15.4
Sac	371	352	17	1	122	79	1	41	9	24.3	7	18.9
Scott	2,151	2,130	20	-	970	423	34	499	87	40.4	40	18.6
Davenport	1,646	1,633	12	-	786	348	8	417	66	40.1	29	17.6
Balance of county	505	487	8	-	184	75	26	82	21	41.6	11	21.8
Shelby	368	270	98	-	130	76	8	43	15	40.8	7	19.0
Sioux	622	511	111	-	207	124	-	85	17	27.3	8	12.9
Story	945	892	11	-	303	173	12	115	23	24.3	11	11.6
Ames	548	546	1	-	119	65	-	53	13	25.7	7	12.8
Balance of county	397	386	10	-	184	108	12	62	10	25.2	4	10.1
Tama	430	380	36	4	195	122	8	59	12	27.9	6	18.6
Taylor	235	171	63	-	149	110	11	25	7	29.8	3	12.8
Union	300	287	13	-	176	101	2	67	9	30.0	7	23.3
Van Buren	194	129	64	-	154	94	6	30	2	10.3	2	10.3
Wapello	1,078	1,004	74	-	452	258	20	150	26	24.1	18	16.7
Ottawa	825	799	26	-	325	186	-	116	20	24.2	10	12.1
Balance of county	253	205	48	-	127	72	20	34	6	23.7	8	31.6
Warren	350	277	72	-	157	103	-	44	3	8.6	11	31.4
Washington	441	394	47	-	235	128	7	97	9	20.4	10	22.7
Wayne	217	185	33	-	159	118	-	38	9	41.5	4	18.4
Webster	1,013	977	32	1	421	172	12	235	39	38.5	17	16.8
Fort Dodge	605	600	3	1	265	93	4	167	29	47.9	10	16.5
Balance of county	408	377	29	-	156	79	8	68	10	24.5	7	17.2
Winnebago	285	260	25	-	104	66	3	32	6	21.1	7	24.6
Winnebask	434	409	25	-	198	131	8	55	9	20.7	8	18.4
Woodbury	2,383	2,276	105	-	1,058	487	39	520	74	31.1	46	19.3
Sioux City	1,911	1,873	37	-	873	379	17	467	64	33.5	34	17.8
Balance of county	472	405	68	-	185	108	22	53	10	21.2	12	25.4
Worth	213	185	17	-	91	56	2	35	8	37.6	3	14.1
Wright	409	380	28	-	172	113	4	50	9	22.0	8	19.6
KANSAS	39,751	35,698	3,821	7	18,059	9,426	847	7,538	1,217	30.6	689	17.3
Allen	427	379	48	-	224	154	4	64	14	32.8	8	18.7
Anderson	221	191	30	-	109	68	13	19	5	22.6	5	22.6
Atchison	417	398	19	-	253	150	6	97	18	43.2	7	16.8
Atchison	272	266	6	-	184	110	-	74	14	51.5	4	14.7
White	256	255	1	-	161	-	-	-	12	46.9	2	7.9
Nonwhite	16	11	5	-	23	-	-	-	2	125.0	2	125.0
Balance of county	145	132	13	-	69	40	6	23	4	27.6	3	20.7
Barber	194	175	19	-	65	32	-	31	3	15.5	1	5.2
Barton	712	696	16	-	210	80	2	128	18	25.3	15	21.1
Bourbon	407	377	30	-	263	140	5	113	22	54.1	5	12.3
Fort Scott	245	238	7	-	183	81	4	93	18	73.5	4	16.3
Balance of county	162	139	23	-	80	59	1	20	4	24.7	1	6.2
Brown	297	276	20	-	158	102	11	45	5	16.9	3	10.1
Butler	614	580	33	-	259	132	-	124	11	17.9	11	17.9
El Dorado	239	237	2	-	111	46	-	64	6	25.1	8	33.5
Balance of county	375	343	31	-	148	86	-	60	5	13.3	3	8.0
Chase	88	70	18	-	47	33	-	14	4	45.5	-	0
Chautauque	147	102	41	2	78	53	1	21	3	20.4	5	34.0
Cherokee	584	368	175	1	296	189	8	97	14	24.8	12	21.3
Cheyenne	119	105	14	-	32	21	-	11	2	16.8	-	0
Clark	89	81	8	-	24	15	-	9	2	22.5	1	11.2
Clay	258	227	10	1	128	94	-	33	3	12.6	5	21.0
Cloud	339	310	29	-	203	107	11	84	12	35.4	8	23.6
Coffey	212	113	99	-	93	71	1	21	6	28.3	1	4.7
Comanche	80	74	6	-	19	13	-	6	2	25.0	4	50.0
Cowley	779	752	25	-	424	177	65	180	28	35.9	11	14.1
Arkansas City	502	288	12	-	144	78	-	66	12	39.7	5	16.6
Balance of county	477	464	13	-	280	99	65	114	16	33.5	6	12.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
KANSAS—Continued												
Crawford	787	625	157	-	501	287	5	202	26	33.0	20	25.4
Pittsburg	420	350	60	-	198	142	-	49	18	42.9	12	28.6
Balance of county	357	285	97	-	303	145	5	153	8	21.8	8	21.8
Decatur	128	123	5	-	48	36	-	12	4	31.3	2	15.6
Dickinson	387	370	17	-	266	165	3	95	13	33.6	4	10.3
Doniphan	207	96	111	-	110	75	-	33	7	53.8	1	4.8
Douglas	665	636	28	1	289	152	1	130	15	22.6	12	18.0
Lawrence	447	437	10	-	200	91	1	102	12	26.8	8	17.9
Balance of county	218	189	18	1	89	61	-	28	3	13.8	4	18.3
Edwards	114	93	21	-	56	26	-	27	1	8.8	4	35.1
Ellis	90	75	15	-	66	42	3	20	3	33.3	-	0
Ellis	498	470	18	-	116	51	-	65	19	38.9	9	18.4
Ellsworth	158	153	5	-	101	55	3	43	3	19.0	-	0
Finney	339	308	31	-	87	38	-	48	9	28.5	5	14.7
Ford	416	410	6	-	184	67	7	102	17	40.9	8	14.4
Franklin	402	360	42	-	251	148	9	91	14	34.8	12	29.9
Ottawa	211	203	8	-	152	76	8	66	10	47.4	7	33.2
Balance of county	191	157	34	-	99	72	1	25	4	20.9	5	26.2
Geary	303	299	4	-	132	56	-	76	8	26.4	2	6.6
Gove	128	113	13	-	35	23	-	12	5	39.7	-	0
Graham	98	65	33	-	36	24	-	12	3	30.6	1	10.2
Grant	71	66	5	-	18	11	-	7	2	28.2	3	42.3
Gray	97	87	10	-	30	12	-	18	6	61.9	1	10.3
Greely	39	37	2	-	15	11	-	4	2	51.3	-	0
Greenwood	284	255	29	-	138	69	1	58	6	21.1	5	17.6
Hamilton	88	86	2	-	39	19	-	18	6	68.2	2	22.7
Harper	219	212	7	-	112	50	-	61	6	27.4	6	27.4
Harvey	432	422	10	-	212	65	6	138	16	37.0	11	25.5
Newton	242	241	1	-	133	37	6	88	10	41.3	8	33.1
Balance of county	180	181	9	-	79	28	-	50	6	31.6	3	15.8
Haskell	61	55	6	-	13	6	-	7	3	49.2	2	32.8
Hodgeman	59	56	3	-	20	5	-	15	2	33.9	1	16.9
Jackson	229	215	12	1	130	94	5	36	2	8.7	7	30.6
Jefferson	213	148	65	-	121	89	-	31	4	18.8	5	23.5
Jewell	181	153	27	-	61	53	1	27	2	11.0	3	16.6
Johnson	1,044	985	59	-	261	190	3	94	19	18.2	18	14.4
Kearny	66	64	2	-	15	6	-	9	3	45.6	-	0
Kingman	239	227	11	-	95	50	-	42	7	29.4	5	21.0
Kiowa	110	88	22	-	27	13	-	14	3	27.3	2	18.2
Labette	574	467	106	-	359	177	41	120	20	34.8	22	38.3
Parsons	308	281	26	-	168	92	38	37	11	35.7	11	35.7
Balance of county	266	186	80	-	171	85	3	83	9	33.8	11	41.4
Lane	84	68	16	-	23	10	-	12	3	35.7	-	0
Leavenworth	672	644	27	-	518	147	35	334	21	31.3	19	28.3
White	615	590	24	-	427	-	-	-	21	34.1	15	24.4
Nonwhite	57	54	3	-	91	-	-	-	-	0	4	70.2
Leavenworth	470	467	2	-	277	98	15	162	15	31.9	11	23.4
White	420	417	2	-	226	-	-	-	15	35.7	8	19.0
Nonwhite	50	50	-	-	51	-	-	-	-	0	3	60.0
Balance of county	202	177	25	-	241	49	20	172	6	29.7	8	39.6
Lincoln	120	94	26	-	62	49	1	12	1	6.3	-	0
Linn	149	67	82	-	137	97	6	33	6	40.3	3	20.1
Logan	101	88	13	-	37	19	-	18	5	49.5	2	19.8
Lyon	538	520	18	-	298	112	-	186	18	33.5	9	16.7
Emporia	360	358	2	-	213	59	-	154	9	25.0	5	13.9
Balance of county	178	164	14	-	85	53	-	32	9	50.6	4	22.5
McPherson	514	502	12	-	239	119	8	107	16	31.1	10	19.5
Marion	343	319	24	-	176	86	5	82	8	23.3	4	11.7
Marshall	379	322	57	-	210	142	6	59	10	26.4	9	23.7
Meads	111	65	46	-	46	34	-	12	5	45.0	-	0
Miami	316	237	77	-	321	138	124	49	11	34.8	3	9.5
Mitchell	198	196	2	-	124	69	1	52	9	45.5	4	20.2
Montgomery	1,121	948	170	-	546	360	10	166	30	26.8	27	24.1
Coffeyville	462	370	91	-	170	125	-	42	8	17.3	12	26.0
White	402	356	46	-	137	-	-	-	7	17.4	8	19.9
Nonwhite	60	14	45	-	33	-	-	-	1	18.7	4	66.7
Independence	285	274	11	-	180	84	8	84	13	45.6	10	35.1
White	251	244	7	-	164	-	-	-	13	51.8	7	27.9
Nonwhite	34	30	4	-	16	-	-	-	-	0	3	88.2
Balance of county	374	304	68	-	196	151	2	40	9	24.1	5	13.4
Morris	196	169	27	-	116	87	-	27	7	35.7	4	20.4
Morton	82	78	4	-	18	8	-	10	1	12.2	1	12.2
Neosho	320	267	53	-	151	72	-	78	10	31.3	9	28.1
Neosho	431	306	125	-	244	158	3	83	11	25.5	3	7.0
Chanute	227	176	51	-	140	80	1	59	9	39.6	1	4.4
Balance of county	204	130	74	-	104	78	2	24	2	9.8	2	9.8
Nes	116	103	13	-	36	18	-	18	2	17.2	2	17.2
Norton	169	143	26	-	105	42	-	62	3	17.8	-	0
Osage	228	164	62	-	144	112	6	26	2	8.8	5	22.1
Osborne	128	110	18	-	89	69	1	16	4	31.3	1	7.8

See footnotes on p. 111



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

49

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
KANSAS—Continued												
Ottawa	133	89	46	-	79	64	1	10	3	22.2	-	0
Pawnee	171	168	5	-	168	36	91	37	3	17.5	3	17.5
Phillips	180	75	105	-	88	68	1	18	10	55.6	-	0
Pottawatomie	217	202	15	-	108	63	-	32	5	23.0	4	18.4
Prairie	291	285	6	-	120	65	-	55	12	41.2	8	27.5
Rawlins	119	106	13	-	30	21	-	9	2	16.9	4	33.6
Reno	1,270	1,213	56	-	467	195	10	247	36	28.3	20	15.7
Hutchinson	865	871	13	-	358	125	1	208	27	30.5	10	11.3
Balance of county	385	342	43	-	129	70	9	39	9	23.4	10	26.0
Republic	196	169	27	-	115	82	-	33	6	30.6	1	5.1
Rice	332	314	18	-	140	86	1	52	6	16.1	7	21.1
Riley	622	613	8	1	208	77	12	113	23	37.0	12	19.3
Manhattan	485	480	4	1	142	50	-	92	17	35.1	10	20.6
Balance of county	137	133	4	-	64	27	12	21	6	43.8	2	14.8
Rooks	171	142	29	-	66	44	1	19	6	35.1	4	23.4
Rush	133	124	9	-	53	34	-	25	3	22.6	1	7.5
Russell	301	276	25	-	80	46	-	34	7	23.3	2	6.6
Saline	780	738	22	-	307	133	-	173	24	31.6	8	10.5
Salina	617	600	17	-	242	93	-	149	23	37.3	7	11.3
Balance of county	143	138	5	-	65	40	-	24	1	7.0	1	7.0
Scott	134	85	39	-	41	20	-	21	12	89.6	1	7.5
Sedgwick	5,089	4,808	180	-	1,586	622	37	891	172	33.8	89	17.5
Wichita	4,538	4,430	107	-	1,359	508	37	780	155	34.4	79	17.4
Balance of county	551	478	73	-	227	116	-	111	16	29.0	10	18.1
Seward	208	203	5	-	56	25	-	30	6	28.8	5	24.0
Shawnee	2,225	2,069	156	-	1,148	564	200	378	76	34.2	40	18.0
Topeka	1,977	1,868	111	-	809	458	24	319	65	35.9	39	19.2
Balance of county	248	203	45	-	339	106	176	57	11	44.4	2	8.1
Sheridan	75	59	16	-	36	25	-	11	3	40.0	2	26.7
Sherman	183	179	4	-	65	32	-	32	8	43.7	1	5.5
Smith	177	140	37	-	96	80	-	14	3	16.9	4	22.6
Stafford	194	183	11	-	98	42	-	46	4	30.9	4	20.6
Stanton	36	35	1	-	12	5	-	7	-	0	-	0
Stevens	86	67	19	-	25	12	-	13	4	46.5	2	23.3
Sumner	478	450	28	-	224	117	8	91	9	19.8	12	25.1
Thomas	192	189	3	-	68	26	-	42	7	36.5	2	10.4
Trego	112	102	10	-	39	22	-	17	2	17.9	1	8.9
Wabamsee	121	100	21	-	57	39	-	17	1	8.3	-	0
Wallace	42	40	2	-	14	10	-	4	-	0	-	0
Washington	240	207	32	-	129	106	-	21	6	25.0	1	4.2
Wichita	60	52	8	-	17	10	-	4	1	16.7	-	0
Wilson	322	245	77	-	105	94	8	77	7	21.7	6	18.6
Woodson	96	47	49	-	80	68	-	12	3	31.3	4	41.7
Wyandotte	3,812	3,495	317	-	1,582	759	56	763	134	35.2	56	14.7
White	3,180	3,071	109	-	1,256	-	-	-	116	36.5	44	13.8
Nonwhite	632	424	208	-	346	-	-	-	18	28.5	12	19.0
Kansas City	3,411	3,132	279	-	1,406	671	2	729	123	36.1	51	15.0
White	2,809	2,728	81	-	1,085	-	-	-	105	37.4	39	13.9
Nonwhite	602	404	198	-	321	-	-	-	18	29.9	12	19.9
Balance of county	401	363	38	-	176	88	54	34	11	27.4	5	12.5
KANSAS	72,542	36,749	30,765	4,838	27,410	18,976	918	7,311	2,900	40.0	1,514	20.9
KENTUCKY												
Adair	365	52	317	16	162	137	-	21	26	67.5	11	29.6
Allan	287	93	194	-	182	139	-	13	17	59.2	11	39.3
Anderson	190	66	124	-	86	73	-	12	3	15.8	5	26.3
Ballard	179	100	79	-	95	73	-	22	4	22.3	5	27.9
Barren	631	346	277	8	247	197	-	48	28	44.4	12	19.0
Bath	256	95	159	10	88	74	-	14	14	54.7	4	15.6
Bell	1,396	535	740	114	410	270	-	140	80	57.3	24	17.2
Middlesborough	297	221	71	5	181	101	-	80	36	121.2	8	20.2
Balance of county	1,099	314	669	109	229	169	-	60	44	40.0	18	16.4
Boone	237	153	84	-	117	84	1	31	6	25.3	7	29.5
Bourbon	417	242	175	-	219	169	-	49	16	38.4	13	31.2
White	373	229	144	-	151	-	-	-	14	37.5	8	21.4
Nonwhite	44	13	31	-	68	-	-	-	2	45.5	5	113.6
Boyd	1,267	1,079	168	17	388	263	3	122	47	37.1	28	20.5
Ashland	866	796	87	2	267	167	1	99	34	39.4	18	20.5
Balance of county	381	283	81	15	121	96	2	23	13	34.1	8	21.0
Boyle	394	289	104	-	173	109	5	65	20	50.8	8	20.3
White	371	280	90	-	133	-	-	-	16	43.1	7	18.9
Nonwhite	23	9	14	-	40	-	-	-	4	173.9	1	43.3
Bracken	180	60	120	-	90	72	-	18	7	38.9	2	11.1
Breathitt	553	43	115	390	107	84	-	23	8	14.5	7	12.7
Breckinridge	393	31	353	9	175	150	-	23	28	66.2	4	10.2
Bullitt	241	54	183	2	87	70	-	17	11	45.6	7	29.0
Butler	300	86	173	61	97	80	-	17	10	33.3	5	16.7
Caldwell	307	109	197	1	143	122	-	19	15	48.9	7	22.8
White	291	108	182	1	126	-	-	-	11	37.8	7	24.1
Nonwhite	16	1	15	-	17	-	-	-	4	250.0	-	0
Calloway	395	269	126	-	168	120	-	48	12	30.4	10	25.3

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
KENTUCKY—Continued												
Campbell	1,636	1,440	196	-	941	510	4	325	63	33.5	27	16.5
Fort Thomas	158	153	5	-	110	65	-	44	7	44.3	3	19.0
Newport	772	653	119	-	394	227	-	157	31	40.2	16	20.7
Balance of county	706	634	72	-	347	218	4	124	25	35.4	9	11.3
Carlisle	110	42	68	-	80	68	-	12	2	18.2	-	0
Carroll	202	76	125	1	119	99	-	20	14	59.3	6	29.7
Carter	690	186	373	116	169	139	1	29	28	40.6	14	20.3
Casey	546	82	442	20	113	108	-	5	16	29.3	5	9.2
Christian	753	383	314	51	686	334	241	99	36	47.8	14	18.6
	591	358	217	12	483	-	-	-	19	32.1	8	13.5
	162	25	97	39	203	-	-	-	17	104.9	6	37.0
Hopkinsville	260	170	89	2	200	157	-	35	15	57.7	9	34.6
	195	154	40	1	112	-	-	-	7	35.9	6	30.8
	65	16	49	1	88	-	-	-	8	123.1	3	46.2
Balance of county	493	213	226	49	486	177	241	64	21	42.6	5	10.1
	396	204	177	11	371	-	-	-	12	30.3	2	5.1
	97	9	49	38	115	-	-	-	9	92.8	3	30.9
Clark	422	247	172	3	209	135	2	72	17	40.3	16	37.9
	395	243	149	3	181	-	-	-	17	43.0	15	38.0
	27	4	23	-	28	-	-	-	-	0	1	37.0
Clay	795	383	196	195	113	94	-	17	28	35.2	9	10.1
Clinton	262	63	189	11	66	51	-	14	4	15.3	1	3.8
Crittenden	218	85	133	-	132	102	-	27	17	78.0	3	13.8
Cumberland	251	74	107	70	82	89	-	13	6	23.9	5	19.9
Daviess	1,540	1,002	535	3	535	343	5	176	74	48.1	35	23.7
Owensboro	952	711	241	-	354	227	4	114	50	52.5	20	21.0
Balance of county	598	291	294	3	181	116	1	62	24	40.8	15	25.5
Edmonson	317	48	245	24	81	70	-	11	13	41.0	3	9.5
Elliot	209	32	133	41	38	31	-	7	3	14.4	4	19.1
Estill	464	127	271	65	115	98	-	17	19	40.9	9	19.4
Fayette	1,962	1,689	272	1	1,290	610	292	371	65	33.1	39	19.4
	1,735	1,559	175	1	951	-	-	-	45	25.9	29	16.7
	227	130	97	-	339	-	-	-	20	89.1	9	39.6
Lexington	1,399	1,189	209	1	978	461	221	289	46	32.9	30	21.4
	1,218	1,089	126	1	708	-	-	-	31	25.5	21	17.3
	183	100	83	-	270	-	-	-	15	82.0	9	49.2
Balance of county	563	500	63	-	302	149	71	82	19	33.7	8	14.2
	519	470	49	-	243	-	-	-	14	27.0	6	15.4
	44	30	14	-	59	-	-	-	5	113.6	-	0
Fleming	284	91	187	6	143	112	-	31	15	52.8	-	0
Floyd	1,669	453	971	244	307	214	-	92	43	25.8	23	13.8
Franklin	530	444	86	-	250	144	16	86	25	47.2	14	26.4
Frankfort	288	250	38	-	160	83	16	59	15	52.1	4	13.9
	270	239	31	-	133	-	-	-	14	51.9	4	14.8
	18	11	7	-	27	-	-	-	1	55.6	-	0
Balance of county	242	194	46	-	90	61	1	27	10	41.3	10	41.3
Fulton	401	209	187	25	144	104	-	39	19	47.4	8	20.0
	346	200	133	13	112	-	-	-	13	37.6	7	20.2
	55	9	54	12	32	-	-	-	6	109.1	1	18.2
Gallatin	83	23	60	-	52	37	-	15	5	60.2	-	0
Garrard	235	119	114	1	103	86	-	17	11	46.8	8	34.0
	225	118	105	1	83	-	-	-	11	48.9	7	31.1
	10	1	9	-	20	-	-	-	-	0	1	100.0
Grant	221	65	156	-	134	107	-	27	4	18.1	2	9.0
Graves	668	480	183	5	292	206	1	78	26	38.9	11	16.5
Grayson	431	44	346	40	169	139	-	30	22	51.0	12	27.6
Green	285	27	230	8	101	95	-	6	12	45.3	12	45.3
Greene	666	292	316	55	207	151	-	54	31	46.5	11	16.5
Hancock	185	68	97	-	72	56	1	15	12	73.7	6	36.4
Hardin	666	256	406	3	278	200	-	77	28	42.0	16	24.0
Harlan	2,260	636	1,571	48	442	353	-	89	96	42.5	56	24.8
	2,157	586	1,520	46	385	-	-	-	86	39.9	45	20.9
	103	50	51	2	57	-	-	-	10	97.1	11	106.8
Harrison	269	202	65	1	173	121	9	43	8	29.7	4	14.9
Hart	362	47	312	3	161	143	-	17	12	33.1	8	16.6
Henderson	700	475	225	-	327	258	1	68	24	34.3	27	36.6
	636	466	170	-	255	-	-	-	21	33.0	19	29.9
	64	9	55	-	72	-	-	-	3	46.9	8	125.0
Henderson	354	293	61	-	198	156	-	42	12	33.9	17	48.0
	323	285	38	-	142	-	-	-	10	31.0	10	31.0
	31	8	23	-	56	-	-	-	2	64.5	7	225.8
Balance of county	346	182	164	-	129	102	1	26	12	34.7	10	28.9
	313	181	132	-	113	-	-	-	11	33.1	9	28.8
	33	1	32	-	16	-	-	-	1	30.3	1	30.3
Henry	301	152	146	2	131	104	2	25	10	33.2	1	3.3
Hickman	145	68	75	1	88	75	-	12	5	34.5	5	34.5
	123	66	56	-	77	-	-	-	4	32.5	4	32.5
	22	2	19	1	11	-	-	-	1	45.5	1	45.5
Hopkins	899	451	444	3	422	349	1	71	35	38.9	29	32.3
	831	444	383	3	345	-	-	-	29	34.9	26	31.3
	68	7	61	-	77	-	-	-	6	88.2	3	44.1
Jackson	414	147	168	98	69	62	-	7	8	19.3	7	16.9

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

51

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
KENTUCKY—Continued												
Jefferson-----	11,326	10,028	1,292	2	5,165	2,724	272	2,131	445	39.3	227	20.0
White-----	10,215	9,228	992	2	4,146	-----	-----	-----	376	36.8	180	17.6
Nonwhite-----	1,111	800	310	-----	1,019	-----	-----	-----	69	62.1	47	42.3
Louisville-----	9,873	8,878	999	2	4,328	2,377	6	1,911	391	39.6	201	20.4
White-----	8,835	8,120	710	2	3,420	-----	-----	-----	327	37.0	155	17.5
Nonwhite-----	1,038	758	279	-----	908	-----	-----	-----	64	61.7	46	44.3
Balance of county-----	1,453	1,150	303	-----	837	547	266	220	54	37.2	26	17.9
Jessamine-----	263	127	132	3	113	87	-----	26	12	45.6	5	19.0
White-----	241	118	120	2	98	-----	-----	-----	11	45.6	3	12.4
Nonwhite-----	22	9	12	1	25	-----	-----	-----	1	45.5	2	90.9
Johnson-----	644	344	255	40	176	126	-----	50	30	46.6	9	14.0
Kenton-----	2,519	2,162	155	1	1,003	560	20	420	85	55.8	50	21.6
Covington-----	1,547	1,473	73	-----	702	377	20	302	64	41.4	38	24.6
Balance of county-----	772	689	82	1	301	183	-----	118	19	24.6	12	15.5
Knott-----	555	37	385	132	81	59	-----	22	12	21.6	10	18.0
Knox-----	907	157	632	107	228	196	-----	26	43	47.4	25	27.6
Larus-----	224	36	184	4	78	67	-----	11	4	17.9	4	17.9
Laurel-----	682	187	427	67	201	168	-----	29	26	39.1	17	24.9
Lawrence-----	389	166	129	72	125	95	-----	30	15	38.6	7	18.0
Lee-----	190	57	57	76	51	41	-----	10	3	15.8	3	15.8
Leslie-----	522	225	72	192	57	44	-----	13	11	21.1	7	15.4
Letcher-----	1,393	186	977	222	298	216	-----	81	71	51.0	37	26.6
Levin-----	364	45	245	73	150	118	2	29	14	58.5	10	27.5
Lincoln-----	455	175	258	22	173	146	-----	26	14	30.8	5	11.0
Livingston-----	144	63	75	5	95	82	-----	12	3	20.8	5	20.8
Logan-----	515	158	349	7	254	217	2	16	23	44.7	13	28.2
White-----	466	151	309	5	206	-----	-----	-----	22	47.2	9	19.3
Nonwhite-----	49	7	40	2	48	-----	-----	-----	1	20.4	4	81.6
Lyon-----	140	31	104	5	84	66	9	9	7	50.0	3	21.4
White-----	134	30	102	2	77	-----	-----	-----	7	52.2	3	22.4
Nonwhite-----	6	1	2	3	7	-----	-----	-----	-----	0	-----	0
McCracken-----	1,030	734	296	-----	511	362	2	147	59	37.9	24	23.3
White-----	941	716	225	-----	403	-----	-----	-----	34	36.1	22	23.4
Nonwhite-----	89	18	71	-----	108	-----	-----	-----	5	56.2	2	22.5
Paducah-----	693	536	157	-----	368	243	-----	125	29	41.8	19	27.4
White-----	613	519	96	-----	277	-----	-----	-----	25	40.7	17	27.6
Nonwhite-----	78	17	61	-----	91	-----	-----	-----	4	51.3	2	28.6
Balance of county-----	337	198	139	-----	143	119	2	22	10	29.7	8	14.8
McCreary-----	525	97	341	82	117	102	-----	12	24	45.9	17	32.5
McLean-----	250	76	147	6	114	103	-----	11	12	52.2	7	30.4
Madison-----	682	493	171	18	290	188	2	100	24	35.2	13	19.1
White-----	655	477	158	19	232	-----	-----	-----	23	35.2	12	18.4
Nonwhite-----	29	16	13	-----	58	-----	-----	-----	1	54.5	1	54.5
Magoffin-----	358	24	258	76	64	76	-----	8	18	53.3	6	17.8
Marion-----	526	230	287	7	154	125	-----	27	25	47.5	16	30.4
Marshall-----	255	124	130	1	126	109	-----	17	7	27.5	7	27.5
Martin-----	320	45	169	105	51	41	-----	10	7	21.9	6	18.9
Mason-----	424	274	145	5	227	150	7	70	20	47.2	8	18.9
White-----	393	270	108	5	190	-----	-----	-----	16	41.8	5	13.1
Nonwhite-----	41	4	37	-----	37	-----	-----	-----	4	97.6	3	73.2
Meade-----	198	42	155	1	86	60	-----	26	15	75.8	5	25.3
Menifee-----	137	67	65	15	43	33	-----	8	7	51.1	2	14.6
Mercer-----	325	271	53	1	151	111	-----	35	10	30.8	3	9.2
Metcalf-----	220	44	168	7	85	75	-----	8	4	18.2	1	4.5
Morice-----	358	41	290	27	107	96	-----	11	18	50.3	5	14.0
Montgomery-----	310	182	121	6	136	100	-----	35	11	35.5	4	12.9
White-----	293	182	104	6	110	-----	-----	-----	11	37.5	4	15.7
Nonwhite-----	17	-----	17	-----	26	-----	-----	-----	-----	0	-----	0
Morgan-----	408	72	238	88	71	61	-----	8	5	12.4	7	17.4
Muhlenberg-----	913	564	524	25	343	260	-----	83	62	67.8	22	24.1
Nelson-----	572	154	417	1	197	155	7	33	32	55.9	10	17.5
Nicholas-----	153	88	63	2	98	73	-----	23	6	39.2	6	39.2
Ohio-----	454	142	303	9	184	160	-----	24	20	44.1	6	13.2
Oldham-----	189	127	61	1	108	64	8	36	5	26.5	2	10.6
White-----	174	125	48	1	99	-----	-----	-----	5	28.7	2	11.5
Nonwhite-----	15	2	13	-----	8	-----	-----	-----	-----	0	-----	0
Owen-----	194	76	118	-----	98	84	-----	14	6	30.8	6	30.8
Owens-----	211	80	36	95	45	40	-----	4	5	23.7	-----	0
Pendleton-----	170	49	121	-----	129	104	-----	25	10	58.8	6	35.3
Perry-----	1,604	333	1,016	240	282	170	-----	111	73	45.5	40	24.9
Pike-----	2,449	868	999	580	507	346	-----	160	108	42.9	54	22.0
Powell-----	199	26	160	12	58	52	-----	6	15	75.4	4	20.1
Pulaski-----	992	251	652	89	297	257	-----	31	23	23.2	24	24.2
Robertson-----	54	18	36	-----	28	21	-----	7	2	37.0	1	18.5
Rockcastle-----	463	129	219	114	70	52	-----	15	10	21.6	4	8.6
Rowan-----	579	63	233	82	87	74	-----	12	10	26.4	7	18.5
Russell-----	244	44	168	30	104	96	-----	8	13	53.3	2	8.2
Scott-----	516	233	83	-----	157	104	-----	53	3	9.5	6	19.0
White-----	294	231	53	-----	121	-----	-----	-----	1	3.5	6	21.1
Nonwhite-----	32	2	30	-----	36	-----	-----	-----	2	62.5	-----	0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
KENTUCKY—Continued												
Shelby-----	425	263	142	-	193	132	-	60	18	42.4	6	14.1
White-----	371	251	120	-	149	-	-	-	13	35.0	3	8.1
Nonwhite--	54	32	22	-	44	-	-	-	5	92.6	3	55.6
Simpson-----	265	189	95	1	127	87	-	39	17	64.2	3	11.3
White-----	238	161	75	-	110	-	-	-	12	50.8	3	12.7
Nonwhite--	29	8	20	1	17	-	-	-	5	172.4	-	0
Spencer-----	168	34	132	-	67	57	-	10	12	72.3	5	30.1
Taylor-----	338	89	249	1	130	119	-	10	11	32.4	13	36.3
Todd-----	261	68	159	33	134	119	-	14	9	34.5	4	15.3
White-----	216	64	130	21	104	-	-	-	6	27.8	2	9.3
Nonwhite--	45	4	29	12	30	-	-	-	3	66.7	2	44.4
Trigg-----	247	130	104	13	122	99	-	20	16	64.8	5	20.2
White-----	220	127	89	4	100	-	-	-	13	59.1	5	22.7
Nonwhite--	27	3	15	9	22	-	-	-	3	111.1	-	0
Trimble-----	138	63	73	2	42	26	-	16	6	45.6	-	0
Union-----	403	155	248	-	142	119	-	23	15	32.3	6	14.9
White-----	378	153	225	-	129	-	-	-	12	31.7	6	15.9
Nonwhite--	25	2	23	-	13	-	-	-	1	40.0	-	0
Warren-----	911	518	380	13	405	330	1	74	38	41.7	19	20.9
White-----	836	518	307	11	337	-	-	-	34	40.7	15	17.9
Nonwhite--	75	-	73	2	68	-	-	-	4	53.3	4	53.3
Bowling Green-----	467	331	136	-	213	167	-	46	17	36.4	13	27.8
White-----	420	331	89	-	167	-	-	-	14	33.3	10	23.8
Nonwhite--	47	-	47	-	46	-	-	-	3	83.9	3	63.9
Balance of county-----	444	187	244	13	192	163	1	28	21	47.3	6	13.5
Washington-----	306	135	164	6	108	89	1	18	8	26.1	11	35.9
Wayne-----	447	17	364	65	108	97	-	9	14	31.3	17	38.0
Webster-----	350	113	237	-	192	166	-	26	16	45.7	5	14.3
White-----	324	113	211	-	164	-	-	-	16	49.4	3	9.3
Nonwhite--	26	-	26	-	28	-	-	-	-	0	2	76.9
Whitley-----	853	234	560	55	260	229	-	30	34	39.9	25	29.3
Wolfe-----	276	49	100	120	73	67	-	6	12	43.5	12	43.5
Woodford-----	270	236	34	-	102	64	-	38	8	29.6	3	11.1
White-----	249	219	30	-	85	-	-	-	7	28.2	2	8.1
Nonwhite--	22	13	4	-	17	-	-	-	1	45.5	1	45.5
LOUISIANA-----	68,670	48,860	7,326	12,402	22,030	12,625	700	8,526	2,553	37.2	1,865	27.2
Acadia-----	1,317	902	155	256	365	235	-	123	58	44.0	28	31.3
White-----	1,035	792	128	112	269	-	-	-	32	30.9	15	14.5
Nonwhite--	282	110	27	144	96	-	-	-	26	92.2	13	46.1
Allen-----	486	366	74	45	123	98	1	34	15	30.9	12	24.7
White-----	354	298	54	2	84	-	-	-	10	28.2	7	19.8
Nonwhite--	132	68	20	43	39	-	-	-	5	37.9	5	37.9
Ascension-----	639	366	150	122	180	141	-	39	25	39.1	25	39.1
White-----	408	265	130	12	83	-	-	-	15	36.8	13	31.9
Nonwhite--	231	101	20	110	97	-	-	-	10	43.3	12	51.9
Assumption-----	555	239	155	161	160	121	-	39	24	43.2	18	32.4
White-----	263	183	46	34	75	-	-	-	6	22.8	7	26.6
Nonwhite--	292	66	109	127	85	-	-	-	18	61.6	11	37.7
Avoyelles-----	940	562	129	249	271	193	-	74	20	21.3	12	12.8
White-----	699	489	116	94	186	-	-	-	10	14.3	6	8.6
Nonwhite--	241	73	13	155	105	-	-	-	10	41.5	6	24.9
Beauregard-----	464	308	125	31	139	96	-	43	25	53.9	9	19.4
White-----	403	301	97	5	112	-	-	-	24	59.6	7	17.4
Nonwhite--	61	7	28	26	27	-	-	-	1	16.4	2	32.8
Bienville-----	525	241	122	162	167	116	-	50	26	49.5	14	26.7
White-----	232	169	59	6	88	-	-	-	8	34.5	5	21.6
Nonwhite--	293	73	64	156	79	-	-	-	18	61.4	9	30.7
Bossier-----	890	660	41	167	238	143	-	94	35	39.3	22	24.7
White-----	495	458	35	2	88	-	-	-	7	14.1	9	18.2
Nonwhite--	395	202	6	165	150	-	-	-	28	70.9	13	32.9
Caddo-----	4,302	3,823	87	385	1,426	693	4	709	195	45.3	131	30.5
White-----	2,375	2,329	41	2	691	-	-	-	63	26.5	50	21.1
Nonwhite--	1,927	1,494	46	383	735	-	-	-	132	68.5	81	42.0
Shreveport-----	3,113	2,939	58	115	1,052	456	4	578	151	48.5	94	30.2
White-----	1,905	1,873	31	-	560	-	-	-	54	28.3	38	19.9
Nonwhite--	1,208	1,066	25	115	492	-	-	-	97	80.3	56	46.4
Balance of parish-----	1,189	884	31	270	374	237	-	131	44	37.0	37	31.1
White-----	470	456	10	2	131	-	-	-	9	19.1	12	25.5
Nonwhite--	719	428	21	268	243	-	-	-	35	48.7	25	34.8
Calcasieu-----	2,201	1,658	288	255	562	372	-	188	94	38.2	54	24.5
White-----	1,896	1,499	170	27	381	-	-	-	46	26.3	25	14.7
Nonwhite--	505	159	118	228	181	-	-	-	36	71.3	29	57.4
Lake Charles-----	982	751	86	145	318	202	-	116	42	42.8	28	28.5
White-----	687	666	17	4	192	-	-	-	22	32.0	10	14.6
Nonwhite--	295	85	69	141	126	-	-	-	20	67.8	18	61.0
Balance of parish-----	1,219	907	202	110	244	170	-	72	42	34.5	26	21.3
White-----	1,009	833	153	23	169	-	-	-	26	25.8	15	14.9
Nonwhite--	210	74	49	87	55	-	-	-	16	76.2	11	52.4
Caldwell-----	230	184	53	53	84	54	-	30	11	37.9	8	27.6
White-----	205	150	48	7	63	-	-	-	10	48.8	4	19.5
Nonwhite--	85	34	5	46	21	-	-	-	1	11.8	4	47.1

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

53

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
LOUISIANA—Continued												
Cameron	129	41	86	2	41	37	-	3	5	38.8	2	15.5
Catahoula	310	157	49	104	85	58	-	24	3	9.7	8	25.8
	206	144	43	19	42	-	-	-	1	4.9	2	9.7
	104	13	6	85	43	-	-	-	2	19.2	5	57.7
Clatborne	615	237	41	337	194	139	-	55	20	32.5	21	34.1
	217	181	32	4	76	-	-	-	1	4.6	4	18.4
	398	56	9	333	118	-	-	-	19	47.7	17	42.7
Concordia	352	160	8	184	135	91	-	44	16	45.5	5	14.2
	135	124	3	6	34	-	-	-	3	22.6	-	0
	219	36	5	178	101	-	-	-	13	59.4	5	22.8
De Soto	750	333	43	374	236	149	-	84	20	26.7	19	25.3
	255	213	32	8	96	-	-	-	9	35.6	4	15.8
	497	120	11	366	140	-	-	-	11	22.1	15	30.2
East Baton Rouge	3,318	2,632	105	572	938	534	1	402	107	32.2	104	31.3
	2,227	2,170	39	17	489	-	-	-	56	25.1	46	20.7
	1,091	462	66	555	449	-	-	-	51	46.7	58	53.2
Baton Rouge	1,397	1,232	27	136	390	217	1	171	30	21.5	57	40.8
	940	928	7	5	198	-	-	-	18	19.1	29	30.9
	457	304	20	131	192	-	-	-	12	26.3	28	61.3
Balance of parish	1,921	1,400	78	438	548	317	-	231	77	40.1	47	24.5
	1,287	1,242	32	12	291	-	-	-	58	29.5	17	13.2
	834	158	46	424	257	-	-	-	39	61.5	30	47.3
East Carroll	497	74	149	274	138	103	-	35	15	30.2	14	28.2
	168	69	95	4	29	-	-	-	3	17.9	1	6.0
	329	5	54	270	109	-	-	-	12	36.5	13	39.5
East Feliciana	392	137	30	225	438	75	328	35	9	23.0	9	23.0
	89	73	13	2	206	-	-	-	3	34.1	1	11.4
	304	64	17	223	232	-	-	-	6	19.7	8	26.3
Evangeline	733	410	71	251	210	149	-	54	37	50.5	6	8.2
	443	369	54	19	155	-	-	-	15	33.9	4	9.0
	290	41	17	232	55	-	-	-	22	75.9	2	6.9
Franklin	667	365	198	302	204	146	-	54	26	30.0	43	48.6
	510	328	147	34	112	-	-	-	16	31.4	22	45.1
	357	37	52	268	92	-	-	-	10	28.0	21	59.8
Grant	362	241	67	54	119	70	-	49	13	35.9	15	41.4
	268	200	61	7	77	-	-	-	6	22.4	6	22.4
	94	41	6	47	42	-	-	-	7	74.5	9	35.7
Iberia	1,058	644	272	142	356	257	-	97	49	46.3	31	29.3
	675	531	136	8	211	-	-	-	29	43.0	13	19.3
	383	113	136	134	145	-	-	-	20	52.2	18	47.0
New Iberia	467	380	57	30	158	107	-	51	28	60.0	10	21.4
	333	315	17	1	102	-	-	-	18	54.1	8	24.0
	134	65	40	29	56	-	-	-	10	74.6	2	14.9
Balance of parish	581	264	215	112	198	150	-	46	21	35.5	21	35.5
	342	216	119	7	109	-	-	-	11	32.2	5	14.6
	249	48	96	105	89	-	-	-	10	40.2	16	64.3
Iberville	798	417	55	326	259	168	-	71	36	45.1	33	41.4
	373	328	23	22	95	-	-	-	16	42.9	9	21.4
	425	89	32	304	184	-	-	-	20	47.1	25	56.8
Jackson	490	363	23	104	322	86	-	233	60	122.4	14	26.6
	331	309	15	7	232	-	-	-	45	156.0	11	33.2
	159	54	8	97	90	-	-	-	15	94.3	3	18.9
Jefferson	3,127	1,920	128	78	301	246	-	55	15	7.1	37	17.4
	1,727	1,549	106	71	232	-	-	-	12	6.9	25	14.5
	400	371	22	7	69	-	-	-	3	7.5	12	30.0
Gretna	295	269	11	15	81	48	-	33	6	20.3	5	16.9
	212	193	7	12	62	-	-	-	4	18.9	3	14.2
	83	76	4	3	19	-	-	-	2	24.1	2	24.1
Balance of parish	1,832	1,651	117	63	220	198	-	22	9	4.9	32	17.5
	1,515	1,356	99	59	170	-	-	-	8	5.3	22	14.5
	317	295	18	4	50	-	-	-	1	8.2	10	31.5
Jefferson Davis	770	399	222	149	197	134	-	25	26	32.5	23	29.9
	579	362	177	40	144	-	-	-	16	27.6	15	25.9
	191	37	45	109	53	-	-	-	9	47.1	8	41.9
Lafayette	1,335	893	170	266	427	269	-	156	60	44.9	39	28.5
	921	619	142	59	282	-	-	-	29	35.3	15	18.3
	514	274	33	207	185	-	-	-	51	60.3	23	44.7
Lafayette	688	501	103	84	246	150	-	98	30	43.6	27	39.2
	474	380	80	14	149	-	-	-	16	33.8	12	25.3
	214	121	23	70	97	-	-	-	14	65.4	15	70.1
Balance of parish	647	392	72	182	181	119	-	60	30	46.4	11	17.0
	347	239	62	45	113	-	-	-	13	37.5	3	8.6
	300	153	10	137	68	-	-	-	17	56.7	8	26.7
Lafourche	1,160	738	163	259	275	171	1	95	35	30.2	37	31.9
	1,003	689	154	160	218	-	-	-	25	24.9	27	26.9
	157	49	9	98	57	-	-	-	10	63.7	10	63.7
La Salle	302	220	72	10	100	60	-	34	5	18.6	6	19.9
	276	213	62	1	87	-	-	-	5	18.1	3	10.9
	26	7	10	9	13	-	-	-	-	0	3	115.4

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
LOUISIANA—Continued												
Lincoln	588	334	72	182	183	112	-	70	14	23.8	13	22.1
White	307	278	27	2	103	-	-	-	2	6.5	3	9.8
Nonwhite	281	56	45	180	80	-	-	-	12	42.7	10	35.6
Livingston	537	254	225	58	105	64	1	39	10	18.6	13	24.2
White	480	223	222	15	86	-	-	-	9	18.6	10	21.7
Nonwhite	77	31	3	43	19	-	-	-	1	13.0	3	39.0
Madison	480	148	27	302	166	113	-	53	16	33.3	20	61.7
White	140	113	21	4	37	-	-	-	3	21.4	2	14.3
Nonwhite	340	35	6	298	129	-	-	-	13	38.2	18	52.9
Morehouse	783	407	147	229	226	142	-	82	23	29.4	28	35.8
White	386	344	33	9	89	-	-	-	9	23.3	5	13.0
Nonwhite	397	63	114	220	139	-	-	-	14	35.3	23	57.9
Natchitoches	1,140	517	181	442	327	207	-	119	45	39.5	39	34.2
White	573	416	128	29	166	-	-	-	19	33.2	11	19.2
Nonwhite	567	101	53	413	161	-	-	-	26	45.9	28	49.4
Orleans, coextensive with New Orleans	14,024	13,519	242	233	5,886	2,800	157	2,904	476	33.9	348	24.8
White	9,157	8,953	70	121	3,928	-	-	-	261	28.5	183	20.0
Nonwhite	4,867	4,566	172	112	1,958	-	-	-	215	44.2	165	33.9
Cumohita	1,762	1,410	162	190	622	332	4	285	73	41.4	59	33.5
White	1,112	1,021	80	11	344	-	-	-	34	30.6	25	22.5
Nonwhite	650	389	82	179	278	-	-	-	39	60.0	34	32.3
Mource	917	752	71	94	413	217	4	190	46	50.2	35	36.2
White	518	505	13	-	212	-	-	-	14	27.0	14	27.0
Nonwhite	399	247	58	94	201	-	-	-	32	80.2	21	52.6
Balance of parish	845	669	91	96	209	115	-	93	27	32.0	24	26.4
White	594	516	67	11	132	-	-	-	20	33.7	11	18.5
Nonwhite	251	142	24	85	77	-	-	-	7	27.0	13	51.8
Plaquemines	561	254	25	81	90	54	-	35	19	52.6	11	30.5
White	194	171	15	7	50	-	-	-	10	51.5	3	15.5
Nonwhite	167	83	10	74	40	-	-	-	9	53.9	8	47.9
Pointe Coupee	656	240	128	287	195	143	-	40	24	36.6	15	22.9
White	244	181	54	8	83	-	-	-	7	28.7	5	20.5
Nonwhite	412	59	74	279	112	-	-	-	17	41.3	10	24.3
Rapides	2,432	1,989	105	336	902	373	168	341	97	39.9	70	28.8
White	1,820	1,507	72	40	510	-	-	-	48	29.6	36	22.2
Nonwhite	612	482	33	296	392	-	-	-	49	60.3	34	41.3
Alexandria	1,013	882	25	104	337	173	-	164	40	39.5	27	26.7
White	624	618	5	-	170	-	-	-	20	32.1	10	16.0
Nonwhite	389	264	20	104	167	-	-	-	20	51.4	17	43.7
Balance of parish	1,419	1,107	80	232	565	200	188	177	57	40.2	43	30.3
White	996	889	67	40	340	-	-	-	28	28.1	26	26.1
Nonwhite	423	218	13	192	225	-	-	-	29	68.6	17	40.2
Red River	334	167	39	128	108	59	-	48	21	62.9	12	35.9
White	152	121	25	6	51	-	-	-	8	52.6	3	19.7
Nonwhite	182	46	14	122	57	-	-	-	13	71.4	9	49.5
Richland	754	305	250	199	218	147	-	71	26	34.5	23	30.5
White	444	238	195	11	80	-	-	-	13	29.3	10	22.5
Nonwhite	310	67	55	188	138	-	-	-	13	41.9	13	41.9
Sabine	592	405	75	111	165	112	-	53	22	37.2	14	23.6
White	484	374	61	19	120	-	-	-	15	33.0	8	17.6
Nonwhite	138	31	14	92	45	-	-	-	7	50.7	6	43.5
St. Bernard	243	238	2	3	53	34	-	19	4	16.5	5	20.6
White	186	182	2	2	42	-	-	-	3	16.1	3	16.1
Nonwhite	57	56	-	1	11	-	-	-	1	17.5	2	35.1
St. Charles	395	332	33	27	83	45	-	38	14	35.4	12	30.4
White	262	230	27	4	43	-	-	-	4	15.3	6	22.8
Nonwhite	133	102	6	23	40	-	-	-	10	75.2	6	45.1
St. Helena	184	106	17	61	53	36	-	16	4	21.7	6	32.6
White	84	69	12	3	23	-	-	-	3	35.7	2	23.8
Nonwhite	100	37	5	58	30	-	-	-	1	10.0	4	40.0
St. James	500	122	233	145	126	97	-	29	18	36.0	8	18.0
White	213	73	145	3	47	-	-	-	5	22.8	1	4.6
Nonwhite	281	49	90	142	79	-	-	-	13	46.3	7	24.9
St. John the Baptist	407	196	120	91	124	94	-	30	13	31.9	11	27.0
White	190	84	98	8	54	-	-	-	7	36.8	7	36.8
Nonwhite	217	112	22	83	70	-	-	-	6	27.6	4	18.4
St. Landry	2,398	1,044	511	1,042	587	432	-	159	135	56.3	70	29.2
White	1,081	771	195	117	277	-	-	-	44	40.7	13	12.0
Nonwhite	1,317	273	118	925	320	-	-	-	91	69.1	57	43.3
St. Martin	787	415	112	259	187	146	-	39	32	40.7	16	20.3
White	435	309	90	36	99	-	-	-	12	27.6	8	18.4
Nonwhite	352	106	22	223	88	-	-	-	20	56.8	8	22.7
St. Mary	1,066	502	269	297	297	203	-	94	31	29.1	31	29.1
White	645	443	146	56	157	-	-	-	16	24.8	14	21.7
Nonwhite	421	59	123	236	140	-	-	-	15	35.6	17	40.4
St. Tammany	628	390	132	106	235	153	-	82	24	38.2	15	25.8
White	408	294	105	11	166	-	-	-	14	34.3	10	24.5
Nonwhite	220	96	29	95	69	-	-	-	10	45.5	5	22.7
Tangipahoa	1,464	1,109	185	167	380	216	3	157	53	36.2	42	28.7
White	947	751	170	23	239	-	-	-	33	34.8	23	24.3
Nonwhite	517	358	15	144	141	-	-	-	20	38.7	19	36.9

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

55

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
LOUISIANA—Continued												
Tensas	362	108	20	235	139	119	-	20	18	49.7	8	16.6
White	121	99	11	11	34	-	-	-	5	41.3	1	8.3
Nonwhite	241	10	9	222	105	-	-	-	13	53.9	5	20.7
Terrebonne	1,443	1,098	135	207	296	187	-	109	53	36.7	36	24.9
White	1,096	893	116	86	203	-	-	-	35	31.9	20	19.2
Nonwhite	347	206	19	121	93	-	-	-	18	51.8	16	45.1
Union	426	212	97	117	159	113	-	46	17	38.8	5	11.7
White	255	183	63	9	100	-	-	-	8	31.4	2	7.8
Nonwhite	171	29	34	108	59	-	-	-	9	52.6	3	17.5
Vernilion	963	796	75	112	237	158	-	79	38	39.7	30	30.5
White	840	717	64	59	189	-	-	-	29	34.5	23	27.4
Nonwhite	143	79	11	53	48	-	-	-	9	62.9	7	49.0
Vernon	598	427	87	84	187	100	-	86	54	56.9	15	25.1
White	523	407	84	32	161	-	-	-	28	53.5	10	19.1
Nonwhite	75	20	3	52	26	-	-	-	6	80.0	5	66.7
Washington	1,046	770	123	153	328	185	-	158	37	35.4	29	21.7
White	698	602	82	14	207	-	-	-	22	31.5	16	22.9
Nonwhite	348	168	41	139	119	-	-	-	15	43.1	13	37.4
Bogalusa	472	388	34	52	187	77	-	68	20	42.4	14	29.7
White	320	297	21	2	104	-	-	-	12	37.5	4	12.5
Nonwhite	152	89	13	50	63	-	-	-	8	52.6	10	55.8
Balance of parish	574	384	89	101	159	88	-	70	17	29.6	15	26.1
White	378	305	61	12	103	-	-	-	10	26.5	12	31.7
Nonwhite	196	79	28	89	56	-	-	-	7	35.7	3	15.3
Webster	953	693	80	178	258	166	-	92	42	44.1	23	24.1
White	597	555	42	-	129	-	-	-	15	25.1	5	8.4
Nonwhite	356	138	38	178	128	-	-	-	27	75.8	18	50.6
West Baton Rouge	259	121	25	113	104	80	-	24	12	48.3	12	46.3
White	104	92	11	1	30	-	-	-	3	28.8	1	9.6
Nonwhite	155	29	14	112	74	-	-	-	9	58.1	11	71.0
West Carroll	538	215	211	112	116	83	-	33	16	29.7	10	18.6
White	427	212	184	31	82	-	-	-	12	28.1	7	16.4
Nonwhite	111	3	27	81	34	-	-	-	4	36.0	3	27.0
West Feliciana	214	44	26	142	75	65	12	8	4	18.7	10	46.7
White	29	16	12	1	12	-	-	-	-	0	1	34.5
Nonwhite	185	28	16	141	63	-	-	-	4	21.6	9	48.6
Winn	359	281	13	62	117	71	-	43	14	39.0	10	27.9
White	281	263	11	8	84	-	-	-	8	28.5	2	7.1
Nonwhite	78	19	5	54	33	-	-	-	6	76.9	8	102.6
MAINE	20,326	17,666	2,577	12	10,058	5,887	472	3,512	833	41.0	345	17.0
Androscoggin	1,787	1,603	178	-	893	438	96	344	62	34.7	38	21.3
Auburn	414	399	11	-	188	96	15	69	15	36.2	8	19.3
Lewiston	837	754	83	-	442	192	80	168	27	32.3	21	25.1
Balance of county	536	450	84	-	263	150	-	107	20	37.3	9	16.8
Aroostook	2,549	1,608	928	5	738	501	1	235	134	52.6	32	12.6
Cumberland	3,956	3,829	124	-	1,859	970	36	813	155	39.2	61	15.4
Portland	1,854	1,806	27	-	931	412	19	485	64	34.9	26	14.2
South Portland	595	591	3	-	203	125	-	70	23	38.7	10	16.8
Westbrook	242	227	15	-	125	71	1	50	15	62.0	5	20.7
Balance of county	1,285	1,205	79	-	600	362	16	208	53	41.2	20	15.6
Franklin	426	335	88	-	238	178	2	50	20	46.9	5	11.7
Hancock	643	570	68	-	387	289	-	96	20	31.1	18	28.0
Kennebec	1,812	1,717	92	-	1,029	514	130	358	71	39.2	24	13.2
Augusta	385	382	3	-	264	82	104	72	22	57.1	3	7.8
Waterville	419	406	13	-	169	101	2	65	15	35.6	4	9.5
Balance of county	1,008	929	76	-	596	331	24	219	34	33.7	17	16.9
Knox	556	471	84	-	368	236	25	100	16	29.8	7	12.6
Lincoln	374	321	45	-	228	141	1	79	10	26.7	10	26.7
Oxford	979	915	64	-	439	275	1	149	39	38.8	24	24.5
Penobscot	2,346	2,060	279	1	1,294	729	162	383	98	41.8	37	15.8
Bangor	693	656	37	-	503	194	161	143	24	34.6	8	11.5
Balance of county	1,653	1,404	242	1	791	535	1	240	74	44.8	29	17.5
Piscataquis	448	388	57	-	213	151	-	58	10	22.3	8	17.9
Sagadahoc	526	491	34	1	255	137	8	108	17	32.3	10	19.0
Bath	285	270	14	1	127	59	8	59	7	24.6	5	17.5
Balance of county	241	221	20	-	128	78	-	49	10	41.5	5	20.7
Somerset	774	653	114	4	481	309	-	168	33	42.6	14	18.1
Waldo	502	353	147	-	259	152	2	101	29	57.8	8	15.9
Washington	626	432	182	1	423	294	-	133	39	62.3	7	11.2
York	2,022	1,820	98	-	954	573	8	339	81	40.1	42	20.8
Biddeford	472	436	36	-	177	112	-	62	10	21.2	8	16.9
Balance of county	1,550	1,484	62	-	777	461	8	277	71	45.8	34	21.9
MARYLAND	50,347	40,647	7,454	2,195	21,783	12,508	1,064	8,021	1,713	34.0	1,274	25.3
Allegany	2,257	2,012	233	7	900	504	37	358	81	35.9	60	26.6
Cumberland	980	903	74	1	504	260	37	206	38	38.8	26	26.5
Balance of county	1,277	1,109	159	6	396	244	-	152	43	35.7	34	26.5

See footnotes on p. 111.

793002 O - 48 - 5



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MARYLAND—Continued												
Anne Arundel	2,059	1,458	420	175	688	458	169	259	53	25.7	57	27.7
White	1,586	1,307	238	35	551				40	25.2	34	21.4
Nonwhite	473	151	182	140	337				13	27.5	23	48.6
Annapolis	354	281	26	45	166	101	1	64	7	19.8	13	36.7
White	238	222	2	12	93				4	16.8	7	29.4
Nonwhite	116	59	24	33	73				3	25.9	6	51.7
Balance of county	1,705	1,177	394	130	722	357	168	195	46	27.0	44	25.8
White	1,348	1,085	236	23	458				36	26.7	27	20.0
Nonwhite	357	92	158	107	264				10	28.0	17	47.6
Baltimore	5,669	4,823	1,031	15	1,885	979	228	634	175	29.8	118	20.1
District 12 <sup>a</sup>	733	485	246	2	152	62	-	89	32	43.7	12	16.4
District 13 <sup>a</sup>	119	94	25	-	87	59	-	27	2	16.8	4	33.6
Balance of county	5,017	4,244	760	13	1,626	858	228	518	141	28.1	102	20.3
White	4,757	4,058	688	11	1,516				127	26.7	87	18.3
Nonwhite	260	186	72	2	110				14	53.8	15	57.7
Baltimore (city)	21,419	17,974	2,777	666	10,438	5,607	213	4,319	766	35.8	564	26.3
White	16,118	14,586	1,297	234	7,835				491	30.5	327	20.3
Nonwhite	5,301	3,388	1,480	432	2,603				275	51.9	237	44.7
Calvert	320	213	30	77	125	95	-	29	15	46.9	18	56.3
White	144	129	12	3	69				7	49.6	4	27.8
Nonwhite	176	84	18	74	56				8	45.5	14	79.5
Caroline	395	249	77	59	237	191	-	43	15	39.0	10	26.0
White	300	226	58	16	191				11	36.7	4	13.3
Nonwhite	95	23	19	43	46				4	47.1	6	70.6
Carroll	864	542	315	4	615	270	211	129	26	30.1	19	22.0
Cecil	800	651	148	-	369	188	70	108	25	31.3	20	25.0
Charles	696	390	29	277	205	133	-	72	26	37.4	17	24.4
White	401	344	6	51	146				13	32.4	8	20.0
Nonwhite	295	46	23	226	59				13	44.1	9	30.5
Dorchester	529	387	56	86	363	242	45	76	22	41.6	26	49.1
White	363	325	27	11	244				13	35.8	11	30.3
Nonwhite	166	62	29	75	119				9	54.2	15	90.4
Cambridge	233	186	8	39	146	99	8	39	8	34.3	16	68.7
White	164	154	5	5	91				6	36.6	6	36.6
Nonwhite	69	32	3	34	55				2	29.0	10	144.9
Balance of county	296	201	48	47	217	143	37	37	14	47.3	10	33.8
White	199	171	22	6	153				7	35.2	5	25.1
Nonwhite	97	30	26	41	64				7	72.2	5	51.5
Frederick	1,393	1,018	347	25	666	388	8	266	49	35.2	47	33.7
Frederick	459	398	64	6	192	101	3	86	11	24.0	19	41.4
White	396	345	50	-	165				7	17.7	18	45.5
Nonwhite	63	43	14	6	27				4	63.5	1	15.9
Balance of county	934	630	283	19	474	287	5	180	39	40.7	29	30.0
Garrett	517	216	197	100	180	136	3	41	21	40.6	23	44.5
Harford	1,231	1,000	226	2	418	272	6	134	40	32.5	14	11.4
White	1,118	926	188	1	352				33	29.5	11	9.8
Nonwhite	113	74	38	1	66				7	61.9	3	26.5
Howard	461	303	186	2	186	134	-	51	16	34.7	13	28.2
White	374	275	99	-	158				14	37.4	9	24.1
Nonwhite	87	28	87	2	28				2	23.0	4	46.0
Kent	291	197	76	18	180	134	2	40	12	41.2	7	24.1
White	213	177	36	-	158				9	37.6	4	18.9
Nonwhite	78	20	40	18	42				4	51.3	3	38.5
Montgomery	2,997	2,753	211	29	960	475	-	377	76	25.4	61	20.4
White	2,707	2,565	134	4	752				53	19.6	46	17.0
Nonwhite	290	188	77	25	108				23	79.3	15	51.7
Prince Georges	3,586	3,306	143	136	933	475	35	419	119	33.1	73	20.3
White	3,102	2,997	68	27	710				78	25.1	45	14.5
Nonwhite	484	309	75	109	223				41	83.0	28	56.7
Queen Anne's	252	125	103	24	146	124	2	18	7	27.8	10	39.7
White	181	104	77	-	95				5	27.6	6	33.1
Nonwhite	71	21	26	24	51				2	28.2	4	56.3
St. Marys	649	366	147	135	201	131	-	68	24	37.0	19	29.3
White	446	355	73	17	142				16	35.9	7	15.7
Nonwhite	203	11	74	118	59				8	39.4	12	59.1
Somerset	417	270	82	64	264	204	-	60	27	64.7	11	26.4
White	260	226	31	2	175				15	57.7	7	26.9
Nonwhite	157	44	51	62	89				12	76.4	4	25.5
Talbot	366	279	30	57	237	162	1	72	22	60.1	14	38.3
White	242	223	14	5	164				11	45.5	5	20.7
Nonwhite	124	56	16	52	73				11	68.7	9	72.6
Washington	1,747	1,328	408	8	772	497	30	235	51	29.2	45	25.8
Hagerstown	904	810	91	1	424	341	14	152	29	32.1	26	28.8
Balance of county	843	518	317	7	348	246	16	83	22	26.1	19	22.5
Wisconsin	740	541	91	105	445	299	3	143	21	28.4	16	21.6
White	571	501	42	26	343				14	24.5	11	19.3
Nonwhite	169	40	49	79	102				7	41.4	5	29.6
Salisbury	359	303	16	38	201	119	3	79	8	22.3	8	22.3
White	301	281	7	11	162				6	19.9	4	13.3
Nonwhite	58	22	9	27	39				2	34.5	4	69.0
Balance of county	381	258	75	67	244	180	-	64	13	34.1	8	21.0
White	270	220	35	15	181				8	29.6	7	25.9
Nonwhite	111	18	40	52	63				5	45.0	1	9.0
Worcester	492	246	121	124	290	220	-	70	24	48.6	12	24.4
White	312	222	79	10	192				7	22.4	3	9.6
Nonwhite	180	24	42	114	98				17	94.4	9	50.0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

57

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MASSACHUSETTS	94,268	91,692	2,583	3	51,398	25,161	4,370	20,926	2,984	31.6	2,119	22.5
Barnstable	786	717	70	-	521	339	24	145	27	34.3	19	24.1
Berkshire	2,739	2,661	77	-	1,416	815	7	543	84	30.7	50	18.3
Adams (town)	285	276	9	-	139	109	2	21	8	29.1	5	17.5
North Adams	436	405	31	-	255	174	2	72	15	34.4	6	13.8
Pittsfield	1,196	1,189	7	-	593	366	2	314	39	32.6	23	19.2
Balance of county	821	791	30	-	429	267	1	136	22	26.8	16	19.5
Bristol	7,747	7,152	593	1	4,493	2,393	594	1,456	261	33.7	227	29.3
Attleboro	614	604	10	-	279	137	4	135	16	26.1	8	13.0
Fairhaven (town)	198	183	15	-	129	83	2	29	9	45.5	10	50.5
Fall River	2,422	2,145	276	-	1,531	726	230	561	91	37.6	90	37.2
New Bedford	2,337	2,170	167	-	1,176	689	80	597	66	26.2	68	29.1
North Attleborough (town)	166	161	5	-	114	82	2	29	7	42.2	5	30.1
Taunton	771	739	32	-	612	234	252	121	27	35.0	19	24.6
Balance of county	1,239	1,150	88	1	652	432	24	184	45	36.3	27	21.8
Dukes	71	69	3	-	97	65	-	32	3	42.3	1	14.1
Essex	10,735	10,444	290	-	5,994	3,014	489	2,325	342	31.9	216	20.1
Amesbury (town)	241	234	7	-	143	70	24	47	5	20.7	4	16.6
Andover (town)	228	225	3	-	115	78	9	27	4	17.5	4	17.5
Beverly	585	583	2	-	293	146	6	132	15	25.6	15	25.6
Danvers (town)	275	272	3	-	397	72	278	42	9	32.7	2	7.3
Gloucester	517	487	30	-	277	142	8	118	21	40.6	7	13.5
Haverhill	972	915	57	-	589	284	36	251	24	24.7	19	19.5
Lawrence	1,779	1,742	37	-	972	492	16	452	64	36.0	43	24.2
Lynn	2,151	2,092	58	-	1,174	609	28	482	63	29.3	38	17.7
Marblehead (town)	234	233	1	-	130	63	-	64	8	34.2	2	8.5
Methuen (town)	439	428	11	-	215	141	28	42	10	22.8	10	22.8
Newburyport	340	326	14	-	198	99	5	87	12	35.3	9	26.5
Peabody	454	446	8	-	225	107	4	110	19	41.9	7	15.4
Salem	940	919	21	-	450	213	4	227	41	43.6	24	25.5
Saugus (town)	344	338	6	-	143	101	1	40	12	34.9	3	8.7
Swampscott (town)	212	210	2	-	95	67	-	26	5	25.6	4	18.9
Balance of county	1,024	992	32	-	580	350	42	176	30	29.3	25	24.4
Franklin	1,079	1,018	61	-	587	341	3	225	33	30.6	14	13.0
Greenfield (town)	381	376	5	-	195	83	2	105	12	31.5	4	10.5
Balance of county	698	642	56	-	392	258	1	120	21	30.1	10	14.3
Hampden	7,922	7,779	142	-	3,625	1,813	252	1,512	210	29.9	163	23.2
Chicopee	949	923	26	-	362	214	28	113	24	25.3	19	20.0
Holyoke	1,393	1,368	25	-	613	288	42	300	39	28.2	25	18.1
Springfield	3,806	3,742	66	-	1,871	804	100	741	90	25.6	78	20.5
West Springfield (town)	258	252	6	-	153	108	-	45	12	46.5	7	27.1
Westfield	461	457	4	-	239	117	3	116	10	21.7	12	26.0
Balance of county	1,063	1,037	26	-	567	302	79	197	35	32.9	22	20.7
Hampshire	1,526	1,483	43	-	1,076	410	293	355	45	29.5	39	24.9
Easthampton (town)	217	207	10	-	94	59	-	34	8	36.9	4	18.4
Northampton	808	794	14	-	458	125	281	146	11	21.7	11	21.7
Balance of county	801	782	19	-	424	226	12	175	26	32.5	23	28.7
Middlesex	22,491	22,113	378	-	10,872	5,584	685	4,398	632	29.1	544	24.2
Arlington (town)	786	784	2	-	419	253	1	159	19	24.2	14	17.8
Belmont (town)	463	460	3	-	209	130	19	57	14	30.2	15	32.4
Cambridge	2,897	2,851	46	-	1,419	573	129	693	95	32.8	66	22.8
Everett	1,170	1,156	14	-	384	217	-	144	29	24.8	22	18.8
Framingham (town)	601	593	7	-	282	125	6	111	18	30.0	16	28.6
Lexington (town)	242	235	7	-	312	72	217	19	2	8.3	7	28.9
Lowell	2,262	2,161	100	-	1,285	549	54	674	78	34.5	60	26.5
Malden	1,357	1,345	12	-	621	319	14	280	26	19.2	21	15.5
Marlborough	306	303	3	-	193	122	5	64	5	19.6	9	29.4
Medford	1,388	1,374	14	-	626	379	14	216	43	31.0	39	28.1
Melrose	517	516	1	-	302	175	10	111	10	19.3	15	29.0
Natick (town)	392	389	3	-	204	103	5	70	17	43.4	10	25.5
Newton	1,529	1,527	2	-	790	438	5	320	45	29.4	29	19.0
Reading (town)	281	278	3	-	140	81	-	44	7	24.9	5	17.8
Roseville	2,498	2,454	44	-	1,032	589	65	374	66	26.4	61	24.4
Stoneham (town)	277	275	2	-	132	75	5	47	9	32.5	1	3.6
Wakefield (town)	398	391	7	-	189	135	2	50	14	35.2	10	25.1
Waltham	1,012	995	17	-	489	213	45	221	23	22.7	28	27.7
Watertown (town)	739	731	8	-	274	180	11	82	19	25.7	25	33.8
Winchester (town)	292	289	3	-	111	71	-	38	2	6.8	10	34.2
Woburn	442	438	4	-	199	125	1	73	12	27.1	9	20.4
Balance of county	2,642	2,568	74	-	1,310	670	77	541	78	29.5	72	27.3
Nantucket	48	48	-	-	58	34	-	24	2	41.7	2	41.7
Norfolk	7,189	7,105	82	-	3,745	1,986	460	1,181	172	23.9	138	19.2
Braintree (town)	432	429	3	-	183	128	-	50	9	20.8	4	9.3
Brookline (town)	825	816	9	-	666	397	50	211	23	27.9	16	19.4
Dedham (town)	332	325	7	-	138	88	3	45	10	30.1	7	21.1
Milton (town)	321	320	1	-	205	140	3	59	9	28.0	8	24.9
Needham (town)	282	280	2	-	124	74	-	45	5	17.7	7	24.8
Morwood (town)	366	365	1	-	165	65	4	92	10	27.3	3	8.2
Quincy	1,817	1,804	12	-	716	342	21	325	43	22.4	44	23.0
Wellesley (town)	276	275	1	-	114	70	-	39	10	36.2	8	29.0
Weymouth (town)	725	716	9	-	258	170	3	81	15	20.7	13	17.9
Balance of county	1,712	1,675	37	-	1,176	522	376	244	38	22.2	28	16.4

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MASSACHUSETTS—Continued												
Plymouth	3,763	3,609	154	-	2,106	1,273	113	630	99	28.3	72	19.1
Brookton	1,342	1,299	43	-	719	395	45	241	34	25.3	31	23.1
Plymouth (town)	330	320	10	-	162	94	-	55	8	18.2	4	12.1
Balance of county	2,091	1,990	101	-	1,225	766	68	334	59	28.2	37	17.7
Suffolk	16,932	16,579	352	2	10,736	4,296	661	5,695	668	39.3	371	21.9
Boston	14,828	14,537	289	2	9,757	3,805	525	5,354	602	40.6	334	22.5
White	14,095	13,843	252	-	9,297	-	-	-	562	39.9	311	22.1
Nonwhite	733	694	37	2	460	-	-	-	40	54.6	23	31.4
Chelsea	964	818	46	-	509	207	133	189	27	31.3	16	18.5
Revere	790	775	15	-	299	191	2	98	21	28.6	12	15.2
Winthrop (town)	450	449	2	-	171	93	1	74	18	35.6	9	20.0
Worcester	11,260	10,917	340	-	6,072	2,799	789	2,407	408	36.2	264	23.4
Athol (town)	236	222	14	-	108	79	4	25	4	16.9	8	33.9
Clinton (town)	276	275	1	-	161	94	2	64	13	47.1	4	14.5
Fitchburg	969	950	19	-	444	214	1	218	24	24.8	20	20.6
Gardner	426	396	29	-	297	86	97	111	18	42.3	12	28.2
Leominster	585	580	6	-	255	149	10	90	22	37.5	26	44.4
Millford (town)	306	304	2	-	195	115	1	73	6	26.1	6	19.6
Northbridge (town)	208	196	12	-	84	47	1	36	3	14.4	4	19.2
Southbridge (town)	430	425	5	-	176	110	-	65	21	48.8	6	14.0
Webster (town)	291	283	8	-	128	78	-	48	10	34.4	6	27.5
Worcester	4,244	4,162	81	-	2,502	944	349	1,195	178	41.9	99	23.3
Balance of county	3,288	3,124	163	-	1,722	883	324	484	107	32.5	71	21.6
MICHIGAN	139,277	130,068	8,814	139	55,167	27,316	4,309	22,591	4,552	32.7	3,141	22.6
Alcona	139	84	55	-	51	36	2	10	4	28.8	1	7.2
Alger	268	228	37	1	90	44	-	46	5	18.7	16	59.7
Allegan	947	865	82	-	514	296	31	171	28	29.6	10	10.6
Alpena	550	517	29	2	214	116	6	92	26	47.3	20	36.4
Alpena	349	343	5	1	164	81	4	79	19	54.4	13	37.2
Balance of county	201	174	24	1	50	35	2	13	7	34.8	7	34.9
Antrim	228	141	84	3	122	96	4	18	6	26.3	5	21.9
Arenac	216	160	45	6	103	56	-	46	15	69.4	4	18.5
Baraga	165	131	25	4	87	56	-	30	7	42.4	2	12.1
Barry	439	479	17	-	265	178	6	74	5	10.0	6	16.1
Bay	2,184	1,924	255	1	724	422	33	263	79	36.2	41	18.9
Bay City	1,511	1,414	97	-	503	275	21	202	50	33.1	31	20.5
Balance of county	675	510	159	1	221	147	12	61	29	45.1	10	14.9
Benzie	160	127	32	-	105	78	2	21	13	81.3	2	12.5
Benzie	2,497	2,281	213	2	1,080	576	66	413	85	34.0	53	21.2
Benton Harbor	674	655	19	-	223	110	-	110	28	41.5	24	35.6
Wiles	277	275	2	-	135	60	1	72	12	45.3	3	10.8
Balance of county	1,546	1,351	192	2	722	406	65	231	45	29.1	26	16.8
Branch	590	544	46	-	366	206	48	108	13	22.0	7	11.9
Calhoun	2,621	2,575	42	1	1,147	527	130	459	81	30.9	51	19.5
Battle Creek	1,591	1,573	17	-	577	240	3	308	44	27.7	29	18.2
Balance of county	1,030	1,002	25	1	570	287	127	151	37	35.9	22	21.4
Cass	527	473	52	-	309	212	2	92	15	28.5	7	13.3
Charlevoix	330	262	66	1	167	105	-	60	17	51.5	5	15.2
Cheboygan	337	271	61	3	151	106	-	44	10	29.7	7	20.8
Chippewa	740	670	60	6	272	134	7	128	23	31.1	21	28.4
Sault Ste. Marie	455	429	26	-	180	80	2	98	19	41.8	14	30.8
Balance of county	285	241	34	6	92	54	5	30	4	14.0	7	24.6
Clare	217	164	51	1	95	64	-	30	8	36.9	10	46.1
Clinton	671	620	49	-	277	166	8	94	19	28.3	11	16.4
Crawford	70	67	3	-	52	26	-	25	12	171.4	2	29.6
Delta	797	707	74	2	362	196	9	154	42	52.7	24	30.1
Escanaba	378	355	20	-	183	92	-	91	21	55.6	13	34.4
Balance of county	419	352	54	2	179	106	9	63	21	50.1	11	26.3
Dickinson	505	457	43	2	248	163	2	73	21	41.7	17	33.8
Dron Mountain	265	236	26	-	133	80	-	49	11	41.6	6	30.4
Balance of county	240	221	17	2	115	83	2	24	10	41.7	9	37.5
Easton	920	860	39	-	409	281	14	103	35	38.0	17	18.5
Emmet	362	366	14	1	206	108	-	93	15	39.3	5	13.1
Genesee	6,341	6,075	248	11	1,940	903	-	1,019	208	32.8	129	20.3
Flint	4,661	4,545	102	11	1,335	548	-	773	144	30.9	103	22.1
Balance of county	1,680	1,530	146	-	605	355	-	246	64	39.1	26	15.5
Gladwin	227	177	47	1	83	58	1	22	15	66.1	7	30.8
Gogebic	556	518	34	-	345	171	-	171	27	49.6	10	18.0
Ironwood	240	224	16	-	106	70	-	36	9	37.5	5	20.8
Balance of county	316	294	18	-	239	131	-	135	19	57.0	5	15.9
Grand Traverse	605	559	45	-	516	141	276	82	21	34.7	10	16.5
Traverse City	354	345	9	-	137	74	2	52	15	42.4	2	5.6
Balance of county	251	214	36	-	379	67	274	30	6	23.9	8	31.9
Gratiot	962	763	96	1	396	266	28	94	24	27.8	16	18.6
Hillsdale	590	562	28	-	345	206	2	131	25	36.2	21	30.4
Houghton	864	770	75	9	558	325	32	199	37	42.8	21	24.3
Huron	764	642	122	-	311	188	6	98	25	32.7	16	20.9
Ingham	3,912	3,759	50	-	1,313	693	12	575	114	29.9	67	17.6
Lapeer	2,496	2,481	15	-	819	386	1	405	59	23.6	41	16.4
Balance of county	1,316	1,278	35	-	494	307	11	170	55	41.8	26	19.8
Ionia	844	748	95	-	452	305	36	107	33	39.1	14	16.6
Iosco	214	119	90	3	98	74	-	24	4	18.7	6	28.0
Iron	396	377	19	-	220	129	13	77	14	35.4	1	2.5
Isabella	675	586	85	3	233	138	13	79	24	35.6	17	25.2

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

59

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MICHIGAN—Continued												
Jackson	2,378	2,329	47	-	1,134	523	76	512	99	41.2	59	24.8
Jackson	1,406	1,397	8	-	682	268	6	360	52	37.0	36	25.6
Balance of county	972	932	39	-	482	255	70	152	46	47.3	23	25.7
Kalamazoo	2,732	2,668	38	-	1,340	539	320	451	67	24.5	59	21.6
Kalamazoo	2,037	2,024	10	-	943	303	292	338	45	22.1	49	24.1
Balance of county	695	644	28	-	397	236	28	115	22	31.7	10	14.4
Kalamazoo	97	53	44	-	40	35	-	5	1	10.3	3	30.9
Kalamazoo	6,337	5,994	333	-	2,687	1,392	264	984	190	30.0	113	17.8
Grand Rapids	4,367	4,232	133	-	1,802	824	81	759	150	34.3	90	20.6
Balance of county	1,970	1,762	205	-	885	468	183	225	40	20.3	25	11.7
Keweenaw	50	42	4	2	36	29	-	7	2	40.0	1	20.0
Lake	91	69	21	1	60	45	-	14	2	21.8	1	11.0
White	79	63	15	1	47	-	-	-	1	12.7	1	12.7
Nonwhite	12	6	6	-	13	-	-	-	1	83.3	-	0
Leapeer	683	519	165	-	384	186	95	96	28	41.0	13	19.0
Leeland	169	146	23	-	74	48	2	24	7	41.4	5	29.6
Leeland	1,490	1,370	119	-	672	436	13	185	42	28.2	33	22.1
Adrian	500	462	38	-	224	133	1	79	22	44.0	10	20.0
Balance of county	980	908	81	-	448	303	12	106	20	20.2	23	25.2
Livingston	504	470	34	-	267	172	1	91	18	35.7	12	23.8
Lisco	173	170	1	1	211	35	146	30	7	40.5	2	11.6
Mackinac	211	136	75	-	68	49	-	18	5	23.7	7	35.2
Mackinac	3,850	3,570	273	1	1,079	591	32	419	133	34.5	94	21.8
Mount Clemens	541	514	27	-	216	101	-	110	25	46.2	17	31.4
St. Clair Shores	367	354	12	-	88	60	-	28	7	19.1	9	24.5
Balance of county	2,942	2,702	234	1	775	430	32	283	101	34.3	58	19.7
Manistee	396	349	47	-	181	120	2	52	8	20.2	6	15.2
Marquette	1,051	1,009	41	1	467	228	12	224	30	28.5	26	24.7
Marquette	365	365	5	-	161	64	1	96	7	19.2	14	38.4
Balance of county	686	649	36	1	308	164	11	128	23	33.5	12	17.5
Mason	445	420	24	1	210	137	-	73	10	22.5	4	9.0
Macosta	389	333	54	-	219	116	17	78	18	46.3	8	20.6
Menominee	541	529	7	-	238	110	5	122	18	33.3	6	11.1
Menominee	254	254	-	-	123	50	-	73	7	27.6	3	11.8
Balance of county	287	275	7	-	115	60	5	49	11	39.3	3	10.5
Midland	935	890	44	1	230	142	2	85	25	26.7	24	25.7
Midland	503	467	16	-	110	56	-	53	11	21.9	15	29.8
Balance of county	432	363	69	1	120	86	2	32	14	32.4	9	20.8
Missaukee	170	93	77	-	72	49	-	23	5	29.4	5	29.4
Monroe	1,579	1,470	106	-	687	331	11	238	57	36.1	35	22.2
Monroe	789	774	14	-	231	95	2	131	36	45.6	15	19.0
Balance of county	790	696	92	-	356	236	9	107	21	26.6	20	25.3
Montcalm	689	597	91	-	350	242	2	98	25	36.3	19	27.6
Montcalm	86	53	33	-	40	33	-	7	4	46.5	3	34.9
Muskegon	3,189	3,081	105	1	1,019	508	25	461	118	37.0	72	22.6
Muskegon	1,757	1,736	21	-	567	248	8	299	62	35.3	48	27.3
Muskegon Heights	537	533	4	-	132	79	-	51	22	41.0	9	16.8
Balance of county	895	812	80	1	320	181	17	111	34	38.0	15	16.8
Novato	477	341	135	-	235	161	-	68	21	44.0	10	21.0
Oakland	8,214	7,805	402	-	2,549	1,155	201	1,137	285	32.3	189	23.0
Birmingham	375	374	1	-	82	43	-	39	7	18.7	5	13.3
Ferndale	897	889	7	-	209	100	-	106	23	25.6	23	25.6
Pontiac	1,977	1,910	64	-	826	244	196	381	86	43.5	57	28.8
Royal Oak	1,062	1,049	13	-	246	118	-	119	32	30.1	15	14.1
Balance of county	5,903	5,581	317	-	1,188	650	5	492	117	30.0	89	22.8
Ocean	394	354	39	-	166	92	13	56	16	40.6	8	20.3
Ogemaw	214	164	47	1	94	71	1	22	5	23.4	6	28.0
Ontonagon	246	206	37	2	147	70	3	69	15	61.0	18	73.2
Oscoda	366	304	61	-	161	112	4	45	10	27.3	8	21.9
Oscoda	63	41	22	-	27	18	-	9	1	15.9	2	31.7
Otsego	154	98	56	-	88	42	3	23	7	45.5	2	13.0
Ottawa	1,605	1,455	149	-	583	356	9	198	48	29.9	27	16.8
Holland	406	399	7	-	157	83	-	65	14	34.5	4	9.9
Balance of county	1,199	1,056	142	-	426	273	9	134	34	28.4	23	19.2
Presque Isle	333	229	99	1	99	67	-	32	7	21.0	2	6.0
Roscommon	108	87	19	1	48	27	-	22	5	46.3	2	18.5
Saginaw	3,661	3,465	179	2	1,342	640	21	659	163	44.5	85	22.7
Saginaw	2,316	2,288	44	1	931	420	20	473	98	42.3	59	25.5
Balance of county	1,345	1,198	135	1	411	220	1	166	65	48.3	24	17.8
St. Clair	2,034	1,759	271	2	922	588	12	303	82	40.3	59	29.0
Port Huron	982	871	88	2	419	249	-	161	31	32.2	24	24.9
Balance of county	1,072	888	183	-	503	339	12	142	51	47.6	35	32.6
St. Joseph	691	667	24	-	408	241	12	148	16	23.2	15	21.7
Sanilac	630	486	144	-	336	236	1	61	26	41.3	13	20.6
Schoolcraft	251	205	45	1	107	75	-	28	7	27.9	8	31.9
Shiawassee	1,041	999	41	-	460	284	21	147	49	47.1	30	28.8
Owosso	396	382	14	-	167	105	-	57	20	50.5	10	25.3
Balance of county	645	617	27	-	293	179	21	90	29	45.0	20	31.0
Tuscola	805	685	111	2	435	227	76	113	26	32.3	27	33.5
Van Buren	800	764	35	1	459	274	-	176	16	20.0	22	27.5
Washtenaw	2,950	2,837	107	-	1,173	456	300	413	99	33.6	55	18.6
Ann Arbor	920	910	9	-	388	173	-	214	44	47.8	19	20.7
Ypsilanti	633	622	10	-	152	56	-	95	27	42.7	15	23.7
White	563	561	2	-	130	-	-	-	21	37.3	13	23.1
Nonwhite	70	61	8	-	22	-	-	-	6	85.7	2	28.6
Balance of county	1,397	1,305	88	-	633	227	300	104	28	20.0	21	15.0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MICHIGAN—Continued												
Wayne	52,145	49,636	2,363	51	19,228	8,016	1,813	9,151	1,580	30.3	1,265	24.5
Dearborn	2,379	2,336	41	1	457	252	-	196	61	25.6	68	28.6
Detroit	39,936	38,127	1,742	15	14,355	6,402	162	7,599	1,186	29.7	998	25.0
White	34,556	33,574	956	5	12,187	-	-	-	962	27.8	783	22.7
Nonwhite	5,380	4,553	786	10	2,168	-	-	-	224	41.6	215	40.0
Ecorse	511	425	85	1	87	50	-	34	13	25.4	7	15.7
White	363	337	26	-	66	-	-	-	9	24.8	3	8.3
Nonwhite	148	88	59	1	21	-	-	-	4	27.0	4	27.0
Grosse Pointe Park	146	144	2	-	78	55	-	22	5	34.2	2	15.7
Hentramok	1,065	1,008	56	-	366	180	-	182	35	32.9	27	25.4
Highland Park	927	902	25	-	530	206	9	315	37	39.9	18	19.4
Lincoln Park	606	589	17	-	100	49	-	47	17	28.1	5	8.5
River Rouge	486	411	75	-	151	67	-	59	15	30.9	13	26.7
White	344	318	25	-	98	-	-	-	12	34.9	8	23.3
Nonwhite	142	92	50	-	53	-	-	-	3	21.1	5	35.2
Wyandotte	1,084	1,081	22	-	251	99	-	152	25	23.1	28	25.8
Balance of county	5,005	4,633	318	34	2,673	656	1,642	545	166	37.2	99	19.8
Wexford	453	396	53	2	228	153	5	69	15	33.1	9	19.9
MINNESOTA	67,266	64,049	2,681	164	26,937	12,112	1,872	12,609	1,925	28.6	1,329	19.8
Aitkin	517	297	17	-	123	79	-	40	5	15.8	7	22.1
Anoka	616	583	27	8	287	106	87	92	12	19.5	11	17.9
Becker	578	543	20	-	242	108	-	128	33	57.1	7	12.1
Beltrami	659	597	30	16	259	127	11	115	21	31.9	20	30.3
Benton	403	355	34	12	118	74	-	42	8	19.9	13	32.3
St. Cloud (part)	42	38	4	-	20	13	-	7	1	(8)	2	(8)
Balance of county	361	317	50	12	98	61	-	35	7	19.4	11	30.5
Big Stone	230	211	19	-	86	57	-	15	11	47.8	6	26.1
Blue Earth	867	843	24	-	373	182	4	187	28	52.3	17	19.6
Mankato	434	428	6	-	215	83	3	129	18	41.5	10	25.0
Balance of county	433	415	18	-	158	99	1	58	10	23.1	7	16.2
Brown	605	570	35	-	228	94	2	129	16	26.4	11	18.2
Carlton	522	500	17	-	296	111	99	85	17	32.6	13	24.9
Carver	371	353	18	-	145	77	-	63	14	37.7	7	18.9
Cass	484	442	30	-	190	80	3	105	24	49.6	14	28.9
Chippewa	394	379	15	-	139	73	-	65	11	27.9	6	15.2
Chicago	256	241	15	-	141	73	13	54	6	23.4	5	19.5
Clay	641	589	52	-	208	113	-	95	15	23.4	13	20.3
Clearwater	288	269	13	-	98	60	-	36	8	27.8	5	17.4
Cook	61	54	6	-	10	7	-	3	-	0	-	0
White	55	50	4	-	10	-	-	-	-	0	-	0
Nonwhite	6	4	2	-	-	-	-	-	-	0	-	0
Cottonwood	578	561	17	-	131	70	-	59	3	7.9	12	31.7
Crow Wing	782	746	33	-	317	142	23	145	35	44.8	17	21.7
Brainerd	541	522	19	-	178	78	23	73	19	55.7	5	14.7
Balance of county	441	424	14	-	139	64	-	72	16	36.3	12	27.2
Dakota	1,148	1,122	22	2	369	147	55	167	25	21.8	24	20.9
South St. Paul	440	437	3	-	87	38	-	51	10	22.7	5	11.4
Balance of county	708	685	19	2	282	111	55	116	15	21.2	19	26.8
Dodge	289	234	55	-	95	63	3	29	8	27.7	11	38.1
Douglas	445	417	26	-	177	86	9	72	14	31.5	9	20.2
Faribault	550	466	84	-	215	145	-	70	20	36.4	12	21.8
Fillmore	491	444	45	-	246	175	1	65	9	18.3	10	20.4
Freeborn	764	726	37	-	259	154	5	97	29	38.0	13	17.0
Albert Lea	354	345	8	-	129	68	3	55	14	39.5	4	11.3
Balance of county	410	381	29	-	130	86	2	42	15	36.6	9	22.0
Goodhue	725	694	31	-	319	144	1	173	28	38.6	11	15.2
Grant	199	183	16	-	80	46	-	34	6	30.2	4	20.1
Hennepin	14,673	14,475	156	37	5,784	2,370	140	3,232	374	25.5	274	18.7
Minneapolis	12,232	12,078	118	32	4,995	2,048	112	2,801	318	26.0	241	19.7
Balance of county	2,441	2,397	38	5	789	322	28	451	56	22.9	33	13.5
Houston	327	318	9	-	132	63	-	69	10	30.6	3	9.2
Hubbard	248	229	18	2	108	55	3	39	11	44.4	3	12.1
Isanti	183	185	18	-	156	90	30	27	6	32.8	6	32.8
Itasca	818	787	27	-	307	113	13	177	30	36.7	16	19.6
Jackson	360	326	34	-	105	58	-	45	9	25.0	6	16.7
Kambeck	201	189	11	-	84	40	-	8	5	24.9	3	14.9
Kandiyohi	594	572	21	-	306	102	92	112	17	28.6	12	20.2
Kittson	252	224	25	-	120	52	1	65	18	71.4	8	31.7
Koochiching	409	382	18	-	137	56	-	79	9	22.0	12	29.3
Lac qui Parle	305	292	13	-	113	48	1	59	4	13.1	6	19.7
Lake	162	160	1	-	79	38	-	41	5	30.9	3	10.5
Lake of the Woods	127	108	15	-	37	21	-	18	2	15.7	1	7.9
Le Sueur	381	356	25	-	170	113	-	56	8	21.0	11	28.9
Lincoln	220	212	8	-	105	42	-	63	16	72.7	8	36.4
Lyon	568	554	14	-	194	91	3	94	20	35.2	10	17.6
McLeod	439	422	17	-	208	125	-	73	11	25.1	6	15.7
Mahnomen	205	178	23	-	50	22	-	25	3	14.6	6	29.3
White	162	143	19	-	43	-	-	-	2	12.3	4	24.7
Nonwhite	43	36	4	-	7	-	-	-	1	23.3	2	46.5
Marshall	403	355	43	-	140	78	-	62	14	34.7	11	27.3
Martin	606	559	47	-	200	135	-	65	21	34.7	12	19.8
Neeker	417	402	15	-	148	76	-	73	12	28.8	11	26.4
Millie Lake	344	318	18	-	148	81	4	57	14	40.7	6	17.4
Morrison	665	629	28	4	214	96	11	107	18	27.1	8	12.0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

61

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MINNESOTA—Continued												
Mower	1,018	937	81	-	314	174	9	129	27	26.5	19	18.7
Austin	656	614	22	-	163	73	9	79	22	34.6	10	15.7
Balance of county	362	323	59	-	151	101	-	50	5	13.1	9	23.6
Murray	413	376	37	-	82	52	-	29	8	19.4	8	19.4
Nicollet	356	329	7	-	419	64	283	69	10	29.8	1	3.0
Nohles	523	501	22	-	179	99	-	78	16	30.6	3	5.7
Norman	271	262	9	-	120	71	-	49	6	22.1	6	22.1
Olustee	1,105	998	107	-	605	160	271	168	30	27.1	9	8.1
Rochester	742	722	20	-	486	81	271	132	19	25.6	6	8.1
Balance of county	363	276	67	-	119	79	-	36	11	30.3	3	8.3
Otter Tail	1,101	1,042	50	2	646	216	221	202	27	24.5	26	23.6
Fergus Falls	196	196	-	-	314	54	221	56	9	45.9	5	25.5
Balance of county	905	846	50	2	332	182	-	146	18	19.9	21	23.2
Pennington	280	271	7	-	111	51	1	59	9	32.1	8	28.6
Pine	413	363	47	1	166	112	1	89	16	38.7	7	16.9
Pipestone	344	330	14	-	97	54	-	42	9	26.2	9	26.2
Polk	843	793	49	-	339	148	5	180	27	32.0	19	22.5
Pope	289	283	6	-	102	45	-	56	6	20.8	5	17.3
Ramsey	8,507	8,333	82	67	3,273	1,202	196	1,859	240	28.2	169	22.2
St. Paul	7,629	7,493	70	62	3,023	1,103	179	1,725	229	30.0	175	22.9
Balance of county	878	860	12	5	250	99	17	134	11	12.5	14	15.9
Red Lake	204	195	5	1	58	23	-	35	7	34.3	1	4.9
Redwood	535	484	51	-	170	98	5	59	12	22.4	8	15.0
Renville	548	480	88	-	169	124	1	43	5	9.1	11	20.1
Rice	717	666	51	-	356	140	110	100	22	30.7	6	8.4
Faribault	307	289	18	-	217	57	100	57	15	48.9	3	9.8
Balance of county	410	377	53	-	139	83	10	43	7	17.1	3	7.3
Rock	270	259	11	-	88	56	-	31	11	40.7	2	7.4
Roseau	562	513	36	5	103	59	-	45	13	35.9	15	41.4
St. Louis	4,526	4,437	81	-	2,117	807	67	1,236	151	33.4	94	18.6
Duluth	2,239	2,216	22	-	1,123	366	67	684	65	29.0	50	22.3
Hubbing	397	395	2	-	154	41	-	112	24	60.5	12	30.2
Virginia	280	279	-	-	145	51	-	94	15	53.6	5	17.9
Balance of county	1,610	1,547	57	-	695	349	-	346	47	29.2	17	10.8
Scott	353	323	30	-	152	96	12	43	6	17.0	6	17.0
Shorburne	179	169	10	-	87	59	9	17	1	5.6	3	16.8
St. Cloud (part)	5	5	-	-	14	5	8	1	-	(5)	-	(5)
Balance of county	174	164	10	-	73	54	1	18	1	5.7	3	17.2
Sibley	333	299	34	-	132	96	-	34	6	18.0	4	12.0
Stearns	1,792	1,690	194	1	519	237	34	246	55	30.7	30	16.7
St. Cloud (part)	636	619	17	-	200	56	18	125	15	(5)	8	(5)
St. Cloud (total)	683	662	21	-	234	74	26	133	16	23.4	10	14.6
Balance of county	1,157	971	177	1	319	161	16	121	40	34.6	22	19.0
Steele	427	404	23	-	189	107	1	79	12	26.1	17	39.8
Stevens	279	259	18	-	75	33	-	38	7	25.1	4	14.3
Swift	402	379	23	-	148	80	-	64	9	22.4	7	17.4
Todd	598	515	82	-	248	140	-	106	23	38.5	10	16.7
Traverse	201	198	2	-	67	36	-	19	4	19.9	2	10.0
Wabasha	416	385	31	-	168	80	-	86	9	21.6	5	12.0
Wadena	322	266	53	1	117	70	-	45	12	37.3	4	12.4
Waseca	316	305	11	-	139	81	-	58	19	60.1	8	25.3
Washington	894	857	28	8	252	126	4	120	14	20.2	12	17.5
Watson	273	268	5	-	117	72	26	19	2	7.5	11	40.3
Wilkin	234	223	11	-	75	30	-	45	10	42.7	4	17.1
Winona	852	820	32	-	369	213	-	142	23	27.0	20	23.5
Winona	541	531	10	-	257	140	-	104	9	16.6	13	24.0
Balance of county	311	289	22	-	112	73	-	38	14	45.0	7	22.5
Wright	629	548	81	-	231	162	2	62	9	14.5	16	25.4
Yellow Medicine	390	358	32	-	122	82	-	39	9	23.1	10	25.6
MISSISSIPPI	61,690	23,637	15,096	22,600	19,417	13,988	511	4,732	2,311	37.5	1,882	30.5
Adams	792	435	43	312	327	233	-	93	41	51.8	19	24.0
White	354	342	7	3	105	-	-	-	18	50.8	3	8.5
Nonwhite	439	93	36	309	222	-	-	-	23	52.5	16	36.5
Atchafalaya	617	398	26	191	216	141	-	75	24	38.9	11	17.8
White	335	327	3	3	91	-	-	-	14	41.8	2	6.0
Nonwhite	282	71	23	188	125	-	-	-	10	35.5	9	31.9
Balance of county	175	37	17	121	111	92	-	18	17	97.1	8	45.7
White	19	15	4	-	14	-	-	-	4	210.6	1	52.6
Nonwhite	156	22	13	121	97	-	-	-	13	83.3	7	44.9
Alcorn	716	354	283	79	255	189	1	64	40	55.9	16	22.3
White	618	344	240	34	209	-	-	-	38	61.5	15	24.3
Nonwhite	98	10	43	45	46	-	-	-	2	20.4	1	10.2
Amite	587	178	123	285	156	124	-	31	28	47.7	23	39.2
White	216	158	55	3	66	-	-	-	5	23.1	7	32.4
Nonwhite	571	20	68	282	90	-	-	-	23	62.0	16	45.1
Attala	812	329	251	229	245	159	-	84	34	41.9	18	22.2
White	405	278	118	8	129	-	-	-	18	44.4	10	24.7
Nonwhite	407	51	133	220	116	-	-	-	16	39.3	8	19.7
Benton	254	57	72	125	61	51	-	8	6	23.6	6	23.6
White	111	55	49	7	39	-	-	-	2	18.0	-	0
Nonwhite	143	2	23	118	22	-	-	-	4	28.0	6	42.0
Bolivar	1,853	437	448	962	631	487	2	135	61	32.9	51	27.5
White	477	277	176	23	121	-	-	-	13	27.3	6	12.6
Nonwhite	1,376	160	272	939	510	-	-	-	48	34.9	45	32.7

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.-BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Calhoun	521	165	318	36	133	110	-	16	15	28.6	18	34.5
White	394	161	227	6	96	-	-	-	5	12.7	13	33.0
Nonwhite	127	4	91	30	37	-	-	-	10	78.7	5	39.4
Carroll	484	80	121	281	134	115	-	19	13	26.9	18	37.2
White	143	72	66	13	63	-	-	-	3	21.1	5	35.2
Nonwhite	342	8	65	268	71	-	-	-	10	29.2	13	38.0
Chickasaw	558	143	248	161	146	92	-	54	14	25.1	22	39.4
White	268	136	123	7	88	-	-	-	8	29.9	8	29.9
Nonwhite	290	7	125	154	58	-	-	-	6	20.7	14	49.3
Choctaw	337	78	152	105	110	90	-	20	16	47.5	4	11.9
White	209	75	124	8	68	-	-	-	9	43.1	2	9.6
Nonwhite	128	3	28	97	42	-	-	-	7	54.7	2	15.6
Clallborne	300	58	31	211	116	96	1	19	8	26.7	16	53.3
White	67	42	17	8	32	-	-	-	-	0	1	14.9
Nonwhite	233	16	14	203	84	-	-	-	8	34.3	15	64.4
Clarke	569	213	169	187	177	130	-	45	23	40.4	13	22.9
White	317	197	111	9	86	-	-	-	12	37.9	5	15.8
Nonwhite	252	16	58	178	91	-	-	-	11	43.7	8	31.7
Clay	543	166	62	313	167	136	-	31	25	46.0	10	18.4
White	197	155	29	13	87	-	-	-	8	40.6	1	5.1
Nonwhite	346	11	33	300	100	-	-	-	17	49.1	9	26.0
Coahoma	1,305	259	302	743	453	369	-	78	43	33.0	62	47.5
White	296	237	53	5	89	-	-	-	6	20.3	8	27.0
Nonwhite	1,009	22	249	738	364	-	-	-	37	36.7	54	53.5
Clarksdale	397	174	104	119	160	116	-	41	9	22.7	16	40.3
White	167	161	5	1	59	-	-	-	1	6.0	3	18.0
Nonwhite	230	13	99	118	101	-	-	-	8	34.8	13	56.5
Balance of county	908	85	198	624	293	253	-	37	34	37.4	46	50.7
White	129	76	48	4	30	-	-	-	5	36.6	5	39.6
Nonwhite	779	9	150	620	263	-	-	-	29	37.2	41	52.6
Copiah	873	163	388	320	288	253	-	34	19	21.8	19	21.8
White	340	146	188	5	133	-	-	-	6	17.6	5	14.7
Nonwhite	533	17	200	315	155	-	-	-	13	24.4	14	26.3
Covington	478	182	185	91	113	73	-	40	16	35.5	12	25.1
White	309	169	131	9	85	-	-	-	12	36.8	7	22.7
Nonwhite	169	23	64	82	28	-	-	-	4	23.7	5	29.6
De Soto	746	141	178	426	226	188	-	31	35	46.9	30	40.2
White	174	107	61	5	68	-	-	-	7	40.2	4	23.0
Nonwhite	572	34	117	421	158	-	-	-	28	49.0	26	45.5
Forrest	1,272	758	330	181	405	252	-	163	53	41.7	34	28.7
White	830	719	103	6	244	-	-	-	35	42.2	17	20.5
Nonwhite	442	39	227	175	161	-	-	-	18	40.7	17	38.5
Hattiesburg	906	573	214	119	281	161	-	120	58	41.9	25	27.5
White	578	541	34	1	167	-	-	-	23	39.8	13	22.5
Nonwhite	330	32	180	118	114	-	-	-	15	45.5	12	36.4
Balance of county	564	185	116	62	124	91	-	33	15	41.2	9	24.7
White	252	178	69	5	77	-	-	-	12	47.6	4	15.9
Nonwhite	112	7	47	57	47	-	-	-	3	26.8	5	44.6
Franklin	245	104	39	100	97	74	-	23	9	37.0	15	61.7
White	139	91	37	11	47	-	-	-	1	7.2	2	14.4
Nonwhite	104	13	2	89	50	-	-	-	8	76.9	13	125.0
George	297	51	221	24	69	56	-	11	16	53.9	7	23.6
White	257	51	197	8	60	-	-	-	16	62.3	5	19.5
Nonwhite	40	-	24	16	9	-	-	-	-	0	2	50.0
Greene	292	34	188	70	65	45	-	20	9	30.8	12	41.1
White	211	33	158	19	48	-	-	-	7	33.2	6	29.4
Nonwhite	81	1	29	51	17	-	-	-	2	24.7	6	74.1
Grenada	527	193	96	235	196	143	-	53	31	58.8	25	47.4
White	233	175	56	2	88	-	-	-	17	73.0	7	30.0
Nonwhite	294	18	42	233	108	-	-	-	14	47.6	18	61.2
Hancock	324	211	38	74	93	71	-	22	5	15.4	2	6.2
White	276	209	24	42	66	-	-	-	2	7.2	1	3.6
Nonwhite	48	2	14	32	27	-	-	-	3	62.5	1	20.8
Harrison	1,608	1,490	106	210	636	351	37	247	72	39.8	38	21.0
White	1,474	1,369	63	40	485	-	-	-	52	35.3	28	19.0
Nonwhite	334	121	43	170	151	-	-	-	20	59.9	10	29.9
Biloxi	618	743	19	56	223	101	-	122	30	36.7	15	18.3
White	721	702	6	13	172	-	-	-	26	36.1	12	16.6
Nonwhite	97	41	13	43	51	-	-	-	4	41.2	3	30.9
Gulfport	602	509	30	62	204	97	33	74	28	46.5	13	21.6
White	469	446	16	6	157	-	-	-	19	40.5	9	19.2
Nonwhite	133	63	14	56	47	-	-	-	9	67.7	4	30.1
Balance of county	388	238	57	92	209	153	4	51	14	36.1	10	25.8
White	284	221	41	21	156	-	-	-	7	24.6	7	24.6
Nonwhite	104	17	16	71	53	-	-	-	7	67.3	3	28.8
Hinds	3,345	1,822	345	1,174	1,045	666	5	339	121	36.2	127	38.0
White	1,595	1,492	92	9	461	-	-	-	47	29.5	35	21.9
Nonwhite	1,750	330	253	1,165	584	-	-	-	74	42.3	92	52.6
Jackson	2,062	1,492	200	367	697	402	3	261	94	45.6	87	42.2
White	1,232	1,216	12	2	351	-	-	-	45	36.5	27	21.9
Nonwhite	830	276	188	365	346	-	-	-	49	59.0	60	72.3
Balance of county	1,283	330	145	807	548	264	2	78	27	21.0	40	31.2
White	363	276	80	7	110	-	-	-	2	5.5	8	22.0
Nonwhite	920	54	85	800	238	-	-	-	25	27.2	32	34.8

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

63

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Holmes-----	1,124	174	162	787	331	272	2	56	35	31.1	30	26.7
White-----	222	157	56	9	75	-----	-----	-----	9	40.5	-----	0
Nonwhite-----	902	17	106	778	256	-----	-----	-----	26	28.8	30	33.5
Humphreys-----	722	69	143	508	226	195	-----	31	31	42.9	27	37.4
White-----	178	59	102	17	50	-----	-----	-----	3	16.9	2	11.2
Nonwhite-----	544	10	41	491	176	-----	-----	-----	28	51.5	25	46.0
Issaquena-----	149	19	22	108	47	38	-----	9	5	33.6	6	40.3
White-----	37	17	15	5	5	-----	-----	-----	-----	0	2	54.1
Nonwhite-----	112	2	7	103	42	-----	-----	-----	5	44.6	4	35.7
Itawamba-----	457	141	299	16	103	89	-----	13	15	32.8	7	15.3
Jackson-----	1,063	829	68	165	241	142	1	92	42	39.5	21	19.8
White-----	845	776	44	24	170	-----	-----	-----	33	39.1	17	20.1
Nonwhite-----	218	53	24	141	71	-----	-----	-----	9	41.3	4	18.3
Jasper-----	559	137	278	144	140	114	-----	25	17	30.4	24	42.9
White-----	245	118	125	3	70	-----	-----	-----	9	36.6	9	36.6
Nonwhite-----	313	19	153	141	70	-----	-----	-----	8	25.6	15	47.9
Jefferson-----	322	37	43	241	127	105	-----	22	10	31.1	17	52.8
White-----	54	28	25	1	37	-----	-----	-----	2	37.0	1	18.5
Nonwhite-----	268	9	18	240	90	-----	-----	-----	8	29.9	16	59.7
Jefferson Davis-----	471	59	225	187	144	121	-----	23	20	42.5	15	31.8
White-----	172	49	118	4	59	-----	-----	-----	3	17.4	1	5.8
Nonwhite-----	299	10	105	183	85	-----	-----	-----	17	56.9	14	46.9
Jones-----	1,604	1,197	165	239	376	243	3	127	55	34.3	49	50.5
White-----	1,154	1,079	68	6	227	-----	-----	-----	32	27.7	24	20.8
Nonwhite-----	450	118	97	233	149	-----	-----	-----	23	51.1	25	55.6
Laurel-----	742	566	68	109	196	126	-----	69	24	32.3	29	39.1
White-----	496	483	12	1	104	-----	-----	-----	14	28.2	13	26.2
Nonwhite-----	246	85	54	108	92	-----	-----	-----	10	40.7	16	65.0
Balance of county-----	862	631	99	130	180	117	3	58	31	36.0	20	23.2
White-----	658	596	58	5	123	-----	-----	-----	18	27.4	11	16.7
Nonwhite-----	204	35	43	125	57	-----	-----	-----	13	63.7	9	44.1
Kemper-----	545	92	178	275	143	113	-----	30	21	38.5	21	38.5
White-----	168	86	75	9	55	-----	-----	-----	7	41.7	3	17.9
Nonwhite-----	377	6	103	266	88	-----	-----	-----	14	37.1	18	47.7
Lafayette-----	543	226	87	229	178	142	-----	36	21	38.7	21	58.7
White-----	275	211	53	9	95	-----	-----	-----	8	29.3	7	25.6
Nonwhite-----	270	15	34	220	83	-----	-----	-----	13	48.1	14	51.9
Leamar-----	537	129	156	52	80	58	-----	22	5	14.8	11	32.6
White-----	276	128	136	12	62	-----	-----	-----	5	18.1	9	32.6
Nonwhite-----	61	1	20	40	18	-----	-----	-----	-----	0	2	32.8
Lauderdale-----	1,673	1,177	121	371	727	413	55	245	80	47.8	50	29.9
White-----	1,031	961	65	4	445	-----	-----	-----	47	45.6	19	18.4
Nonwhite-----	642	216	58	367	282	-----	-----	-----	33	51.4	31	48.3
Meridian-----	1,167	947	50	169	489	239	53	185	57	48.8	32	27.4
White-----	800	777	20	3	322	-----	-----	-----	41	51.3	14	17.5
Nonwhite-----	367	170	30	166	167	-----	-----	-----	16	43.6	18	49.0
Balance of county-----	506	230	71	202	238	174	2	60	23	45.5	18	35.6
White-----	251	184	45	1	123	-----	-----	-----	6	26.0	5	21.6
Nonwhite-----	275	46	26	201	115	-----	-----	-----	17	61.8	13	47.3
Lawrence-----	388	161	91	130	119	89	-----	27	21	54.8	8	20.9
White-----	223	148	62	13	67	-----	-----	-----	8	35.9	1	4.5
Nonwhite-----	160	13	29	117	52	-----	-----	-----	13	81.3	7	43.9
Leake-----	654	123	321	208	174	142	-----	31	22	33.6	10	15.3
White-----	321	105	203	13	103	-----	-----	-----	7	21.8	7	21.8
Nonwhite-----	333	18	118	195	71	-----	-----	-----	15	45.0	3	9.0
Lee-----	1,007	520	430	56	327	250	-----	76	38	35.7	27	26.9
White-----	718	489	218	1	217	-----	-----	-----	26	36.2	19	26.5
Nonwhite-----	289	21	212	55	110	-----	-----	-----	10	34.8	8	27.7
Lefflore-----	1,529	309	185	1,032	480	389	-----	90	61	39.9	64	41.9
White-----	351	277	69	5	123	-----	-----	-----	9	25.6	12	34.2
Nonwhite-----	1,178	32	116	1,027	357	-----	-----	-----	52	44.1	52	44.1
Greenwood-----	469	237	29	203	189	133	-----	55	22	46.9	25	53.3
White-----	229	218	10	1	82	-----	-----	-----	7	30.6	10	43.7
Nonwhite-----	240	19	19	202	107	-----	-----	-----	15	62.5	15	62.5
Balance of county-----	1,060	72	156	829	291	256	-----	35	39	36.8	39	36.8
White-----	122	59	59	4	41	-----	-----	-----	2	16.4	2	16.4
Nonwhite-----	938	13	97	825	250	-----	-----	-----	37	39.4	37	39.4
Lincoln-----	744	470	106	158	255	181	-----	94	35	47.0	30	40.3
White-----	469	410	41	11	143	-----	-----	-----	19	40.5	12	25.6
Nonwhite-----	275	60	65	147	112	-----	-----	-----	16	58.2	18	65.5
Lowndes-----	1,027	335	191	450	335	254	-----	81	29	28.2	21	20.4
White-----	448	372	64	12	134	-----	-----	-----	18	40.2	11	24.6
Nonwhite-----	579	11	127	439	201	-----	-----	-----	11	19.0	10	17.3
Columbus-----	609	337	67	204	182	115	-----	67	19	31.2	14	23.0
White-----	356	330	25	1	80	-----	-----	-----	13	36.5	10	28.1
Nonwhite-----	253	7	42	203	102	-----	-----	-----	6	23.7	4	15.8
Balance of county-----	418	46	124	246	153	139	-----	14	10	23.9	7	16.7
White-----	92	42	39	11	54	-----	-----	-----	5	54.3	1	10.9
Nonwhite-----	326	4	85	235	99	-----	-----	-----	5	15.3	6	18.4
Madison-----	1,086	214	151	727	333	261	-----	66	54	49.3	35	31.9
White-----	207	177	27	3	61	-----	-----	-----	7	33.8	3	14.5
Nonwhite-----	889	37	124	724	252	-----	-----	-----	47	52.9	32	36.0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
MISSISSIPPI--Continued												
Marion	664	337	114	212	193	123	-	69	28	42.2	23	34.6
White	403	311	81	10	123	-	-	-	19	47.1	11	27.3
Nonwhite	261	26	33	202	70	-	-	-	9	34.5	12	46.0
Marshall	823	138	179	501	232	191	-	20	28	34.0	20	24.3
White	207	108	84	14	72	-	-	-	8	39.6	6	29.0
Nonwhite	616	30	95	487	180	-	-	-	20	32.5	14	22.7
Monroe	1,011	342	405	283	316	237	2	76	40	39.6	18	17.8
White	555	292	245	17	168	-	-	-	21	37.8	8	14.4
Nonwhite	456	50	160	246	148	-	-	-	19	41.7	10	21.9
Montgomery	440	174	61	204	146	104	-	41	9	20.5	11	25.0
White	204	162	38	4	101	-	-	-	3	14.7	3	14.7
Nonwhite	236	12	23	200	45	-	-	-	6	25.4	8	33.9
Neshoba	781	460	212	105	197	137	1	58	21	26.9	22	28.2
White	545	394	140	9	141	-	-	-	10	18.3	12	22.0
Nonwhite	236	66	72	96	56	-	-	-	11	46.6	10	42.4
Newton	637	474	86	74	205	132	-	72	36	56.5	26	40.8
White	380	353	23	3	121	-	-	-	16	42.1	11	28.9
Nonwhite	257	121	63	71	84	-	-	-	20	77.8	15	58.4
Noxubee	716	128	62	523	222	187	-	34	28	39.1	31	43.3
White	133	101	23	9	56	-	-	-	5	37.6	7	52.6
Nonwhite	583	27	39	514	166	-	-	-	23	39.5	24	41.2
Oktibbeha	647	76	285	262	171	154	-	14	13	20.1	16	24.7
White	250	75	173	2	60	-	-	-	5	20.0	1	4.0
Nonwhite	397	1	112	280	111	-	-	-	8	20.2	15	37.8
Panola	922	309	209	401	260	204	-	52	28	30.4	32	34.7
White	343	227	108	8	114	-	-	-	14	40.8	9	26.2
Nonwhite	579	82	101	393	146	-	-	-	14	24.2	23	39.7
Pearl River	625	308	301	16	166	105	-	61	29	46.4	20	32.0
White	495	280	213	2	114	-	-	-	23	46.5	12	24.2
Nonwhite	130	28	88	14	52	-	-	-	6	46.2	8	61.5
Perry	268	115	75	77	62	36	-	26	8	29.9	8	29.9
White	201	109	66	26	43	-	-	-	7	34.8	3	14.9
Nonwhite	67	6	9	51	19	-	-	-	1	14.9	5	74.6
Pike	1,003	466	295	213	358	255	-	102	38	37.9	23	22.9
White	506	409	93	4	189	-	-	-	16	31.6	6	11.9
Nonwhite	497	77	202	215	169	-	-	-	22	44.3	17	34.2
Pontotoc	517	265	176	74	157	128	-	29	18	34.8	19	36.8
White	412	255	139	18	124	-	-	-	12	29.1	9	21.8
Nonwhite	105	10	39	56	33	-	-	-	6	57.1	10	95.2
Prentiss	699	301	263	35	179	130	-	44	21	35.1	19	31.7
White	527	288	234	5	155	-	-	-	21	39.8	14	26.6
Nonwhite	72	13	29	30	24	-	-	-	-	0	5	69.4
Quitman	825	233	260	328	227	182	-	43	36	43.6	34	41.2
White	325	174	141	9	69	-	-	-	9	27.7	6	18.5
Nonwhite	500	59	119	319	159	-	-	-	27	54.0	28	56.0
Rankin	735	289	116	329	585	144	394	47	24	32.7	16	21.8
White	301	229	57	15	279	-	-	-	10	33.2	6	19.9
Nonwhite	434	60	59	313	307	-	-	-	14	32.3	10	23.0
Scott	688	241	191	254	182	140	-	41	24	34.9	25	36.3
White	333	215	107	10	95	-	-	-	11	33.0	7	21.0
Nonwhite	355	26	84	244	87	-	-	-	13	36.8	18	50.7
Sherkey	414	64	54	293	125	97	-	28	13	31.4	10	24.2
White	89	58	25	6	24	-	-	-	2	22.5	1	11.2
Nonwhite	325	6	29	287	101	-	-	-	11	33.8	9	27.7
Simpson	574	284	147	132	171	111	-	55	21	36.6	12	20.9
White	346	253	87	6	106	-	-	-	10	28.9	6	17.3
Nonwhite	228	41	60	126	65	-	-	-	11	48.2	6	26.3
Smith	487	219	205	62	115	81	-	33	15	30.9	15	30.8
White	374	211	160	3	90	-	-	-	11	29.4	9	24.1
Nonwhite	113	8	45	59	25	-	-	-	4	35.4	6	53.1
Stone	168	75	62	31	66	49	-	17	8	47.6	3	17.9
White	121	70	46	5	43	-	-	-	5	41.3	2	16.5
Nonwhite	47	5	16	26	23	-	-	-	3	63.9	1	21.3
Sunflower	1,639	257	579	799	432	345	3	83	56	34.2	58	35.4
White	455	211	224	19	111	-	-	-	12	26.4	16	35.2
Nonwhite	1,184	46	355	780	321	-	-	-	44	37.2	42	35.5
Tallahatchie	987	194	302	486	313	251	1	60	41	41.5	24	24.3
White	288	169	110	9	85	-	-	-	7	24.3	4	13.9
Nonwhite	699	25	192	477	228	-	-	-	34	48.6	20	28.6
Tate	569	103	176	285	149	123	-	21	16	28.1	19	33.4
White	168	96	83	7	48	-	-	-	4	21.3	4	21.3
Nonwhite	361	7	93	278	101	-	-	-	12	31.5	15	39.4
Tippah	499	236	219	43	132	100	-	26	16	32.1	11	22.1
White	402	224	163	15	111	-	-	-	14	34.8	5	12.4
Nonwhite	96	12	56	28	21	-	-	-	2	20.8	6	62.5
Tishomingo	455	96	359	-	114	93	-	21	13	28.6	3	8.6
Tunica	656	64	109	482	232	202	1	28	29	44.2	20	30.5
White	111	54	46	11	27	-	-	-	4	36.0	1	9.0
Nonwhite	545	10	63	471	205	-	-	-	25	45.9	19	34.8
Union	543	372	87	83	158	109	-	48	20	36.8	13	23.8
White	443	348	73	21	127	-	-	-	18	40.6	9	20.3
Nonwhite	100	24	14	62	31	-	-	-	2	20.0	4	40.0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

65

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MISSISSIPPI—Continued												
Walthall	491	285	50	156	125	71	-	51	27	55.0	13	26.5
White	200	173	16	11	66	-	-	-	11	55.0	3	15.0
Nonwhite	291	112	34	145	59	-	-	-	16	55.0	10	34.4
Warren	1,015	639	62	314	452	293	-	159	35	34.5	32	31.5
White	528	501	21	6	173	-	-	-	14	26.5	12	22.7
Nonwhite	487	138	41	308	279	-	-	-	21	43.1	20	41.1
Vicksburg	749	566	37	146	321	184	-	137	27	36.0	22	29.4
White	474	457	13	4	146	-	-	-	14	29.5	12	25.3
Nonwhite	275	109	24	142	175	-	-	-	13	47.3	10	36.4
Balance of county	266	73	25	169	131	109	-	22	8	30.1	10	37.6
White	54	44	8	2	27	-	-	-	-	0	-	0
Nonwhite	212	29	17	166	104	-	-	-	8	37.7	10	47.2
Washington	1,862	572	353	935	687	491	2	189	52	27.9	56	30.1
White	563	462	86	15	146	-	-	-	20	35.5	4	7.1
Nonwhite	1,299	110	267	920	541	-	-	-	32	24.6	52	40.0
Greenville	752	416	115	221	315	193	1	117	29	38.6	20	26.6
White	348	333	7	8	84	-	-	-	16	46.0	1	2.9
Nonwhite	404	83	108	213	231	-	-	-	13	32.2	19	47.0
Balance of county	1,110	156	238	714	572	298	1	72	23	20.7	36	32.4
White	215	129	79	7	62	-	-	-	4	18.6	3	14.0
Nonwhite	895	27	159	707	510	-	-	-	19	21.2	33	36.9
Wayne	522	270	91	157	118	99	-	18	22	42.1	15	28.7
White	307	236	55	14	67	-	-	-	10	32.6	7	22.8
Nonwhite	215	34	36	143	51	-	-	-	12	55.8	8	37.2
Webster	309	62	188	57	82	59	-	22	12	38.8	8	25.9
White	218	62	148	7	70	-	-	-	8	36.7	3	13.8
Nonwhite	91	-	40	50	12	-	-	-	4	44.0	5	54.9
Wilkinson	506	69	66	331	163	128	-	35	28	55.3	14	27.7
White	106	70	36	-	49	-	-	-	10	94.3	1	9.4
Nonwhite	400	19	50	331	114	-	-	-	18	45.0	13	32.5
Winston	680	281	171	226	190	137	-	53	32	47.1	24	35.3
White	350	264	83	2	109	-	-	-	20	57.1	10	28.6
Nonwhite	330	17	88	224	81	-	-	-	12	36.4	14	42.4
Yalobusha	438	119	185	133	149	126	-	22	15	34.2	14	31.9
White	211	108	98	5	83	-	-	-	8	37.9	2	9.5
Nonwhite	228	11	87	128	65	-	-	-	7	30.7	12	52.6
Yazoo	1,130	293	152	682	356	298	-	68	43	38.1	44	38.9
White	389	255	94	39	105	-	-	-	11	29.3	10	25.7
Nonwhite	741	38	58	643	251	-	-	-	32	45.2	34	45.9
MISSOURI	80,684	63,122	16,194	905	42,451	23,326	2,172	16,499	2,665	33.0	1,824	22.6
Adair	379	288	89	-	219	112	2	104	15	39.6	5	13.2
Kirkville	239	199	39	-	148	58	1	88	13	54.4	2	8.4
Balance of county	140	89	50	-	71	54	1	16	2	14.3	3	21.4
Andrew	167	108	58	1	121	86	-	34	9	53.9	4	24.0
Atchison	257	203	54	-	115	66	2	46	7	27.2	2	7.8
Audrain	490	401	88	1	232	140	3	88	18	36.7	14	28.6
Barry	440	289	137	2	229	156	-	66	24	54.5	10	22.7
Barton	228	165	61	-	126	106	2	18	9	39.5	4	17.5
Bates	286	201	85	-	219	159	2	55	5	17.5	5	17.5
Benton	168	125	43	-	107	83	-	24	5	29.8	3	17.9
Bollinger	223	74	139	2	78	63	-	15	1	4.5	4	17.9
Boone	768	610	158	-	384	248	4	129	31	40.4	11	14.3
Columbia	494	425	71	-	229	136	1	90	21	42.5	9	18.2
White	442	412	30	-	196	-	-	-	18	40.7	7	15.8
Nonwhite	52	11	41	-	33	-	-	-	3	57.7	2	38.5
Balance of county	274	187	87	-	155	112	3	39	10	36.5	2	7.3
Buchanan	1,707	1,476	225	5	1,309	630	246	411	70	41.0	47	27.5
St. Joseph	1,420	1,237	177	5	1,180	536	240	385	59	41.5	36	25.4
Balance of county	287	239	48	-	129	94	6	26	11	38.3	11	38.3
Butler	937	535	304	32	326	189	-	127	46	49.1	15	13.9
Poplar Bluff	341	261	60	8	167	85	-	82	19	55.7	4	11.7
Balance of county	596	274	244	24	159	114	-	45	27	45.3	9	15.1
Caldwell	155	86	69	-	139	104	2	32	3	19.4	2	12.9
Callaway	405	297	107	-	478	139	272	65	14	34.6	9	22.2
White	371	277	93	-	403	-	-	-	14	37.7	8	21.6
Nonwhite	34	20	14	-	73	-	-	-	-	0	1	29.4
Camden	163	68	88	2	84	67	-	14	5	30.7	6	56.8
Cape Girardeau	859	728	121	8	389	224	2	160	39	45.4	23	26.8
Cape Girardeau	430	438	26	4	219	112	-	107	26	53.1	11	22.4
Balance of county	369	270	95	4	170	112	2	53	13	35.2	12	32.5
Carroll	286	206	80	-	191	121	-	65	12	42.0	3	10.5
Carter	121	49	84	2	46	28	1	16	7	57.9	-	0
Cass	323	178	145	-	227	171	6	46	14	43.3	10	31.0
Cedar	177	62	114	-	137	107	-	23	2	11.3	5	28.2
Chariton	237	95	142	-	157	118	4	34	7	29.5	9	38.0
Christian	270	132	132	1	100	81	-	19	8	29.6	2	7.4
Clark	167	126	41	-	111	69	4	38	6	35.9	2	12.0
Clay	820	746	73	-	362	240	21	160	13	15.9	10	12.2
Clinton	208	124	84	-	171	131	1	37	9	43.1	6	28.7
Cole	653	538	110	1	299	182	18	99	29	44.4	13	19.9
Jefferson City	459	414	40	1	201	111	17	73	18	39.2	9	19.6
Balance of county	194	124	70	-	98	71	1	26	11	56.7	4	20.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MISSOURI—Continued												
Cooper	297	243	52	-	171	103	2	66	12	40.4	4	13.5
White	271	230	40	-	151	-	-	-	10	36.9	4	14.8
Nonwhite	26	13	12	-	20	-	-	-	2	76.9	-	0
Crawford	222	88	130	-	101	76	-	24	4	18.0	5	22.5
Dade	133	78	55	-	98	83	2	11	3	22.6	2	15.0
Dallas	195	64	129	1	108	90	-	18	6	30.8	3	15.4
Daviess	167	59	108	-	168	127	7	31	5	29.9	2	12.0
De Kalb	121	50	71	-	109	82	-	20	4	33.1	2	16.5
Dent	210	108	57	39	107	95	-	12	5	23.8	16	76.2
Douglas	254	50	165	5	99	85	1	12	10	42.7	9	84.2
Dunklin	1,108	353	731	10	362	252	5	104	45	40.6	24	21.7
Franklin	723	510	211	-	348	224	1	108	22	30.4	11	15.2
Gasconade	231	185	86	-	113	79	1	33	5	21.6	11	47.6
Gentry	179	84	94	-	135	111	5	19	4	22.3	3	16.8
Greene	2,228	2,058	186	2	987	621	24	332	69	31.0	36	16.2
*Springfield	1,564	1,516	46	1	707	426	10	261	49	31.3	20	12.6
Balance of county	664	542	120	1	280	195	14	71	20	30.1	16	24.1
Grundy	213	186	27	-	196	151	2	43	16	75.1	10	46.9
Harrison	281	178	103	-	168	111	7	48	7	24.9	6	21.4
Henry	364	317	45	2	261	185	1	87	14	38.5	10	27.5
Hickory	101	56	45	-	54	40	-	14	1	9.9	3	29.7
Holt	190	115	75	-	111	82	7	22	2	10.5	2	10.5
Howard	188	130	58	-	150	103	-	47	6	31.9	2	10.6
White	172	130	42	-	122	-	-	-	5	29.1	1	5.8
Nonwhite	16	-	16	-	28	-	-	-	1	62.5	1	62.5
Howell	518	249	254	15	218	179	1	37	25	44.4	7	13.5
Iron	255	122	94	22	111	76	16	19	13	51.0	3	11.8
Jackson	11,217	10,726	477	2	6,100	2,738	188	3,061	415	36.8	226	20.1
Independence	586	569	19	-	276	116	3	149	14	23.8	14	23.8
Kansas City	9,185	8,787	364	2	5,248	2,277	95	2,807	361	38.4	193	21.1
White	8,196	8,007	182	1	4,587	-	-	-	295	35.7	167	20.4
Nonwhite	989	780	182	1	861	-	-	-	68	70.2	26	26.8
Balance of county	1,464	1,370	94	-	576	345	30	105	38	26.0	19	13.0
Jasper	1,910	1,791	115	-	1,046	588	6	426	58	30.4	36	18.8
Jeremiah	263	256	7	-	165	101	3	54	4	15.2	5	19.0
Joplin (part)	951	921	30	-	539	255	1	266	33	( <sup>5</sup> )	15	( <sup>5</sup> )
Joplin (total)	960	930	30	-	541	257	1	266	33	34.4	15	15.6
Balance of county	696	614	78	-	342	232	2	106	21	30.2	16	23.0
Jefferson	708	408	296	2	324	237	-	86	19	26.8	19	25.4
Johnson	580	505	76	1	232	160	8	61	17	44.7	3	7.9
Knox	128	99	27	-	86	62	-	16	-	0	4	31.3
Laclede	460	337	117	1	197	117	-	76	12	26.1	10	21.7
Lafayette	464	300	164	-	298	227	1	69	18	38.8	14	30.2
Lawrence	427	264	160	-	317	210	5	96	10	23.4	4	9.4
Lewis	189	104	85	-	163	114	7	39	7	37.0	2	10.6
Lincoln	213	117	96	-	146	108	1	36	6	29.2	2	9.4
Linn	539	245	96	-	287	192	8	75	9	26.5	15	38.3
Livingston	296	246	49	-	207	154	1	51	12	40.5	6	20.3
McDonald	295	166	117	2	135	103	-	28	8	27.3	4	13.7
Macon	273	170	102	-	256	171	2	62	11	40.3	6	22.0
Madison	260	74	179	2	83	70	-	12	5	19.2	5	19.2
Marion	144	56	107	-	45	36	-	9	2	13.9	6	41.7
Marion	679	629	49	1	394	194	10	182	29	42.7	7	10.3
Marshall	474	453	20	1	294	128	-	160	21	44.3	6	12.7
Balance of county	205	176	29	-	100	66	10	22	8	39.0	1	4.9
Mercer	136	94	42	-	94	72	4	17	4	29.4	5	36.8
Miller	290	73	217	-	120	88	-	31	8	27.6	4	15.8
Mississippi	724	180	445	94	192	160	-	31	28	36.7	21	29.0
White	578	178	390	9	131	-	-	-	19	32.9	9	15.6
Nonwhite	146	2	55	85	61	-	-	-	9	61.6	12	82.2
Moniteau	217	134	83	-	115	85	3	27	11	50.7	6	27.6
Monroe	183	105	77	-	162	111	8	41	6	43.7	2	10.9
Montgomery	189	113	76	-	138	110	-	26	4	21.2	1	5.3
Morgan	210	81	127	2	112	91	-	21	7	33.3	4	19.0
New Madrid	1,016	528	562	108	279	222	-	55	47	46.3	27	26.6
White	851	327	605	11	225	-	-	-	35	41.1	24	28.2
Nonwhite	165	1	57	97	54	-	-	-	12	72.7	3	18.2
Newton	641	471	164	2	252	169	4	74	22	34.3	14	21.8
Joplin (part)	9	9	-	-	2	2	-	-	-	( <sup>5</sup> )	-	( <sup>5</sup> )
Balance of county	632	462	164	2	250	167	4	74	22	34.8	14	22.2
Nodaway	475	421	54	-	237	145	1	90	12	25.3	14	29.5
Oregon	229	65	152	11	96	83	-	15	5	21.8	4	17.5
Osage	231	127	100	-	84	60	-	24	7	30.3	3	13.0
Ozark	206	99	87	6	65	56	-	9	6	29.1	2	9.7
Pemiscot	1,085	270	641	158	348	286	2	59	39	35.0	36	33.2
White	882	269	577	27	241	-	-	-	31	35.1	25	28.3
Nonwhite	203	1	64	111	107	-	-	-	7	34.5	11	54.2
Perry	330	153	175	1	124	83	1	40	8	24.2	5	15.2
Pettis	644	545	99	-	386	239	-	147	21	32.6	16	24.8
Sedalia	440	379	61	-	284	160	-	124	16	36.4	11	25.0
Balance of county	204	166	38	-	102	79	-	23	5	24.5	5	24.5
Phelps	467	248	212	3	199	120	15	49	14	30.0	9	19.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

67

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS, UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MISSOURI—Continued												
Pike	263	200	80	1	238	161	4	72	7	24.7	11	58.9
White	261	187	72	1	212				6	25.0	9	54.5
Nonwhite	22	13	8	-	26				1	45.5	2	90.9
Platte	250	209	41	-	135	94	-	40	3	12.0	4	18.0
Polk	282	138	143	1	188	135	2	48	8	28.4	7	24.8
Pulaski	296	123	172	1	120	63	1	47	8	27.0	7	23.6
Putnam	163	110	53	-	115	90	1	24	5	30.7	4	24.5
Ralls	151	130	20	1	81	46	-	54	3	19.9	3	19.9
Randolph	413	263	149	1	292	180	2	109	18	38.7	7	16.9
Merberly	239	170	69	-	180	100	-	79	9	37.7	6	25.1
Balance of county	174	93	80	1	112	80	2	30	7	40.2	1	5.7
Ray	228	131	96	-	223	180	4	37	7	30.7	14	61.4
Reynolds	164	38	102	15	51	43	-	8	4	24.4	5	30.5
Ripley	246	114	109	8	102	85	-	17	10	40.7	6	24.4
St. Charles	593	518	75	-	282	152	23	106	17	28.7	15	25.3
St. Charles	318	295	23	-	135	59	6	70	12	37.7	11	34.6
Balance of county	275	223	52	-	147	93	17	36	5	18.2	4	14.5
St. Clair	189	112	77	-	97	77	2	17	5	26.5	2	10.6
St. Francois	699	417	251	26	436	219	146	70	17	24.3	17	24.3
St. Louis	7,206	6,870	295	36	3,058	1,286	185	1,559	156	21.8	131	18.2
Clayton	379	375	4	-	327	72	-	254	4	10.6	2	5.3
Kirkwood	381	364	17	-	160	85	20	55	8	21.0	9	23.6
Maplewood	271	266	5	-	123	75	-	48	5	18.5	6	24.4
Richmond Heights	346	345	1	-	112	49	-	63	8	23.1	3	8.7
University City	670	667	3	-	252	122	6	123	7	10.4	10	14.9
Webster Groves	450	439	10	1	154	101	2	50	11	24.4	7	15.6
Balance of county	4,709	4,414	255	35	1,951	792	157	968	113	24.0	92	19.5
St. Louis (city)	19,105	18,225	686	175	10,344	4,095	604	5,596	641	33.6	532	37.8
White	15,613	15,178	487	144	8,374				470	29.7	353	22.3
Nonwhite	3,492	3,045	209	31	1,970				171	51.9	179	54.4
Ste. Genevieve	240	82	158	-	90	76	2	12	5	20.8	6	25.0
Saline	525	392	132	-	340	218	47	71	23	45.8	14	26.7
Schuyler	80	50	40	-	69	41	1	25	2	22.2	2	22.2
Scotland	122	91	30	-	64	48	-	14	1	8.2	3	24.6
Scott	809	506	241	54	280	155	1	94	26	32.1	14	17.3
Shannon	196	46	129	12	65	48	-	16	9	45.9	3	15.3
Shelby	154	98	56	-	162	119	4	32	3	19.5	4	26.0
Stoddard	804	250	529	12	246	182	3	60	29	36.1	22	27.4
Stone	220	72	141	5	74	60	-	14	5	22.7	6	27.3
Sullivan	207	125	80	1	149	112	7	26	8	38.6	3	14.5
Taney	197	73	118	3	98	77	-	19	12	60.9	3	15.2
Texas	368	97	260	4	200	160	7	32	15	40.8	11	29.9
Vernon	408	350	57	-	435	196	167	67	10	24.5	8	19.6
Warren	118	91	25	-	95	69	7	19	-	0	2	17.2
Washington	295	86	181	15	107	92	-	15	10	33.9	10	33.9
Wayne	231	99	120	2	89	60	-	28	8	34.6	5	21.6
Webster	325	194	125	1	137	109	1	24	9	27.7	4	12.3
Worth	105	47	58	-	58	44	-	12	4	39.1	2	19.0
Wright	298	86	203	3	143	119	2	22	9	30.2	6	20.1
MONTANA	12,858	12,422	326	43	5,595	2,222	231	3,072	448	34.8	224	17.4
Beaverhead	110	108	2	-	77	37	9	31	3	27.3	3	27.3
Big Horn	290	249	18	5	87	45	-	41	13	44.8	7	24.1
White	191	176	15	-	51				5	26.2	4	20.9
Nonwhite	99	73	3	5	36				8	80.8	3	30.3
Blaine	218	201	14	-	85	37	-	46	16	73.4	4	18.3
White	168	157	10	-	66				8	47.6	2	11.9
Nonwhite	50	44	4	-	19				8	160.0	2	40.0
Broadwater	76	74	2	-	19	7	1	11	1	13.2	-	0
Carbon	249	221	28	-	135	85	-	47	4	16.1	6	24.1
Carter	63	63	-	-	23	11	-	9	2	31.7	-	0
Cascade	1,145	1,131	12	2	504	124	-	379	27	23.6	13	11.4
Great Falls	923	915	8	-	451	94	-	356	25	27.1	13	14.1
Balance of county	222	216	4	2	53	30	-	23	2	9.0	-	0
Chouteau	157	155	2	-	45	19	-	24	1	6.4	1	6.4
Custer	272	268	4	-	88	22	4	61	3	11.0	3	11.0
Daniels	94	92	2	-	28	14	-	14	2	21.3	-	0
Dawson	239	230	7	-	75	36	-	39	8	33.6	4	16.8
Deer Lodge	312	312	-	-	328	53	162	113	10	32.1	7	22.4
Anaconda	290	290	-	-	139	47	-	92	10	34.5	5	17.2
Balance of county	22	22	-	-	189	6	162	21	-	0	2	90.9
Fallon	94	90	4	-	24	8	-	16	3	31.9	1	10.6
Fergus	338	334	2	2	152	60	-	92	15	44.4	3	8.9
Flathead	628	610	17	-	260	141	12	107	26	41.4	13	20.7
Gallatin	457	449	8	-	171	79	-	90	9	19.7	7	15.3
Garfield	46	45	1	-	27	12	-	15	1	21.7	-	0
Glacier	277	255	5	4	110	44	-	64	26	35.9	1	3.6
White	147	143	3	-	41				1	6.8	-	0
Nonwhite	130	112	2	4	69				25	192.3	1	7.7
Golden Valley	31	29	2	-	12	8	-	4	-	0	-	0
Granite	56	52	4	-	27	14	-	13	3	53.6	2	35.7
Hill	369	351	10	8	112	38	-	74	18	48.8	4	10.8
Jefferson	70	65	5	-	46	24	4	17	3	42.9	-	0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
MONTANA—Continued												
Judith Basin-----	64	64	-	-	18	4	-	14	2	31.3	1	15.8
Lake-----	262	255	7	-	120	61	-	56	14	53.4	6	22.9
White-----	208	203	5	-	87	-	-	-	8	39.5	8	28.8
Nonwhite-----	54	52	2	-	33	-	-	-	6	111.1	-	0
Lewis and Clark-----	509	508	1	-	326	97	7	216	25	49.1	14	27.5
Helena-----	410	409	1	-	242	74	-	164	20	48.9	12	29.3
Balance of county-----	99	99	-	-	84	23	7	52	5	50.5	2	20.2
Liberty-----	45	45	-	-	17	7	-	10	1	22.2	1	22.2
Lincoln-----	180	173	6	1	86	44	-	36	8	44.4	5	27.8
McCone-----	70	66	2	1	17	8	-	9	-	0	-	0
Madison-----	98	91	6	1	36	27	-	9	1	10.2	2	20.4
Meagher-----	34	30	4	-	18	9	-	9	-	0	-	0
Mineral-----	48	48	-	-	18	9	-	9	-	0	-	0
Missoula-----	750	740	8	1	319	118	-	197	24	32.0	16	21.3
Missoula-----	604	598	5	1	279	93	-	182	20	33.1	10	16.6
Balance of county-----	146	142	3	-	40	25	-	15	4	27.4	6	41.1
Musselshell-----	127	122	5	-	49	20	7	22	2	15.7	3	23.6
Park-----	231	228	3	-	132	56	-	72	3	13.0	3	13.0
Petroleum-----	19	19	-	-	9	5	-	4	-	0	-	0
Phillips-----	145	128	14	3	46	28	-	17	2	13.8	2	13.8
Pondera-----	177	175	1	-	59	21	1	36	11	62.1	3	16.9
Powder River-----	48	47	1	-	13	4	-	6	-	0	-	0
Powell-----	132	132	-	-	72	27	5	40	6	45.5	3	22.7
Prairie-----	53	53	-	-	16	8	-	8	2	37.7	3	56.6
Reavell-----	267	264	2	-	122	44	-	78	11	41.2	6	22.5
Richland-----	276	264	11	1	62	32	1	28	9	32.6	4	14.5
Roosevelt-----	253	244	8	2	86	40	-	35	7	27.7	4	15.8
White-----	172	170	2	-	61	-	-	-	3	17.4	3	17.4
Nonwhite-----	81	74	4	2	25	-	-	-	4	49.4	1	12.3
Rosebud-----	182	129	9	6	84	39	-	46	12	74.1	2	12.3
White-----	105	98	5	2	58	-	-	-	7	66.7	1	9.5
Nonwhite-----	57	31	4	4	26	-	-	-	5	67.7	1	17.5
Sanders-----	128	120	8	-	65	29	-	28	3	23.4	3	23.4
Sheridan-----	161	159	1	1	56	24	-	34	3	18.6	3	18.6
Silver Bow-----	909	901	6	1	613	228	-	385	37	40.7	35	38.5
Butte-----	864	857	6	1	534	189	-	345	37	42.8	32	37.0
Balance of county-----	45	44	-	-	79	39	-	40	-	0	3	66.7
Stillwater-----	118	113	4	1	43	19	-	24	2	16.9	4	33.9
Sweet Grass-----	67	52	15	-	41	30	-	6	4	59.7	-	0
Teton-----	164	164	-	-	46	20	-	26	4	24.4	-	0
Toole-----	154	145	9	-	51	22	-	24	7	45.5	1	6.8
Treasure-----	28	23	5	-	7	4	-	3	-	0	1	38.7
Valley-----	298	286	6	5	83	33	-	50	4	13.4	-	0
Wheatland-----	72	58	14	-	31	17	-	14	1	13.9	-	0
Wibaux-----	43	43	-	-	14	7	-	7	2	46.5	2	46.5
Yellowstone-----	1,174	1,149	23	-	586	164	19	204	47	40.0	18	15.3
Billings-----	830	822	7	-	514	127	4	183	36	43.4	14	16.9
Balance of county-----	344	327	16	-	72	57	14	21	11	52.0	4	11.6
Yellowstone National Park (part)-----	2	2	-	-	-	-	-	-	-	( <sup>3</sup> )	-	( <sup>3</sup> )
NEBRASKA-----	28 052	25,505	2,529	2	12,440	6,575	591	5,009	646	30.2	514	18.3
Adams-----	755	729	27	-	359	131	134	94	19	25.2	8	10.6
Hastings-----	610	595	15	-	170	96	2	72	17	27.9	6	9.8
Balance of county-----	145	133	12	-	189	35	132	22	2	13.8	2	13.8
Antelope-----	266	203	65	-	108	71	-	33	5	18.7	4	14.9
Arthur-----	21	16	5	-	5	2	-	3	-	0	1	47.6
Banner-----	25	25	-	-	11	9	-	3	-	0	-	0
Blaine-----	31	19	12	-	6	5	-	2	-	0	1	32.3
Boone-----	250	213	37	-	111	68	12	26	3	12.0	1	4.0
Box Butte-----	280	253	4	-	110	50	-	60	14	53.8	8	30.6
Boyd-----	116	106	10	-	48	28	-	20	4	34.5	2	17.2
Brown-----	113	108	5	-	56	26	1	27	3	26.3	-	0
Buffalo-----	546	505	11	-	270	151	10	104	16	29.3	11	20.1
Burt-----	231	205	26	-	114	60	1	49	6	26.0	5	21.6
Butler-----	210	200	10	-	109	61	4	42	3	14.3	4	19.0
Cass-----	326	281	45	-	181	112	17	43	9	27.6	3	9.2
Cedar-----	308	213	95	-	111	57	-	47	12	39.0	6	19.5
Chase-----	115	111	4	-	36	28	-	8	2	17.4	4	34.9
Cherry-----	196	180	15	-	71	30	-	40	5	25.5	2	10.2
Cheyenne-----	298	296	2	-	79	31	-	46	9	30.2	3	10.1
Clay-----	181	149	32	-	124	61	1	35	6	33.1	2	11.0
Colfax-----	166	155	11	-	89	50	-	39	6	36.1	4	24.1
Cuming-----	272	244	28	-	99	54	-	44	5	19.4	4	14.7
Custer-----	407	291	116	-	151	96	3	44	11	27.0	14	34.4
Dakota-----	218	209	9	-	69	39	2	29	4	18.3	1	4.6
Daves-----	199	190	9	-	117	57	-	44	8	40.2	4	20.1
Dawson-----	498	453	35	-	175	109	-	63	17	34.8	13	26.6
Deuel-----	73	70	3	-	27	18	-	9	2	27.4	1	13.7
Dixon-----	194	148	36	-	73	51	-	12	4	21.7	3	16.3
Dodge-----	552	536	16	-	217	132	7	77	10	18.1	5	9.1
Fremont-----	311	307	4	-	122	66	7	49	4	12.9	4	12.9
Balance of county-----	241	229	12	-	95	66	-	29	6	24.9	1	4.1

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

69

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10.)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEBRASKA—Continued												
Douglas	5,962	5,777	183	1	2,728	1,194	95	1,409	182	30.5	20	20.1
Omaha	5,775	5,594	179	1	2,534	1,130	68	1,356	175	30.3	119	20.6
White	5,386	5,263	121	1	2,382				161	29.9	110	20.4
Nonwhite	389	351	58		202				14	36.0	9	23.1
Balance of county	187	182	4		144	64	27	53	7	37.4	1	5.3
Dundy	124	116	8		36	22		14	4	32.3	2	16.1
Fillmore	177	154	23		105	68	2	28	2	11.3	2	11.3
Franklin	116	78	40		79	60		18	6	50.8	5	42.4
Frontier	129	78	51		44	36		7	4	31.0	3	23.3
Furnas	200	178	22		102	65	3	30	7	35.0	3	15.0
Gage	507	469	18		513	143	49	121	12	23.7	11	21.7
Beatrice	249	243			128	54	1	72	5	20.1	6	24.1
Balance of county	259	240	18		185	89	47	49	7	27.1	5	19.4
Garden	79	75	4		33	16		17	1	12.7	1	12.7
Garfield	73	49	24		32	30		2	3	41.1	2	27.4
Gosper	35	32	3		21	17		4		0		0
Grant	24	14	10		8	4		4	1	41.7		0
Greeley	95	77	18		39	29		6	4	42.1		0
Hall	797	717	79		316	150	9	156	32	40.2	25	31.4
Grand Island	639	600	38		242	107	9	126	28	43.8	21	32.9
Balance of county	159	117	41		74	43		30	4	25.3	4	25.3
Hamilton	176	168	8		102	66		34	6	34.1	1	5.7
Harlan	126	111	15		53	36		16	5	39.7	1	7.9
Hayes	61	50	11		13	9		4	2	32.8		0
Hitchcock	141	121	20		43	31		11	4	28.4	1	7.1
Holt	346	235	111		130	91		36	11	31.8	17	49.1
Hooker	19	14	5		11	9		2		0	1	52.6
Howard	118	108	10		58	31		19	2	16.9	2	16.9
Jefferson	274	259	15		139	90		49	12	43.8	4	14.6
Johnson	130	121	9		75	54		21	4	30.8	4	30.8
Kearney	118	110	8		89	37	17	15	1	8.5		0
Keith	190	136	54		65	31		34	10	52.6	5	26.3
Keya Paha	33	32	1		14	8		5		0		0
Kimball	109	91	14		30	9		21	3	28.6	3	28.6
Knox	332	202	128		139	99		39	6	18.1	10	30.1
Lincoln	2,327	2,263	63		1,109	513	109	470	62	26.6	33	14.2
Balance of county	2,083	2,040	42		887	441	8	424	59	28.3	29	15.9
Lincoln	244	225	21		222	72	101	46	3	12.3	4	16.4
North Platte	630	547	83		191	85		95	21	33.3	10	15.9
Balance of county	363	337	46		115	52		58	14	36.6	5	13.1
Logan	247	210	37		76	33		37	7	28.3	5	20.2
Balance of county	43	29	14		9	3		6	2	46.5	1	25.3
Loup	27	20	7		9	6		3		0		0
McPherson	13	12	1		5	2		2	1	76.9		0
Madison	467	438	28		300	140	90	68	12	25.7	8	17.1
Norfolk	225	217	7		109	61		48	8	35.6	5	22.2
Balance of county	242	221	21		191	79	90	20	4	16.5	3	12.4
Merrick	173	155	18		84	51		20	5	28.9	2	11.6
Morrill	200	144	56		47	24		20	9	45.0	1	5.0
Nance	123	108	15		61	34		23	5	40.7	2	16.3
Nemaha	218	209	9		88	38	2	41	7	32.1	4	18.3
Nuckolls	205	146	59		93	64		27	5	24.4	4	19.5
Otoe	368	352	16		167	95	2	68	10	27.2	6	16.3
Pawnee	134	127	7		86	46		36	7	52.2	2	14.9
Perkins	180	117	3		36	19		16	9	75.0		0
Phelps	205	203	2		88	47		41	5	24.4	4	19.5
Pierce	209	176	33		80	49		29	9	43.1	3	14.4
Platte	400	338	62		172	88		84	12	30.0	7	17.5
Polk	146	145	1		100	53		40	4	27.4	3	20.5
Red Willow	284	253	30		109	67		42	9	31.7	8	29.2
Richardson	397	368	28	1	170	96		70	8	20.2	6	15.1
Rock	81	73	8		20	10		9		0		0
Saline	259	239	20		140	84	3	52	8	30.9	1	3.9
Sarpy	322	307	15		79	40		36	10	31.1	5	15.5
Saunders	302	289	13		184	103		81	15	49.7	8	26.5
Scotts Bluff	681	631	50		260	131		119	36	37.1	19	19.6
Scottsbluff	309	289	20		118	50		65	13	42.1	6	19.4
Balance of county	572	542	30		142	81		54	23	40.2	13	22.7
Seward	249	205	44		112	74		37	6	24.1	4	16.1
Sheridan	215	208	7		67	32	2	29	4	18.6	1	4.7
Sherman	128	124	4		51	31		15	5	39.1	3	23.4
Sioux	29	27	2		28	17		9	2	69.0	1	34.5
Stanton	122	92	30		45	29		16	6	49.2	3	24.6
Thayer	209	154	55		92	70		21	5	23.9	5	23.9
Thomas	52	27	5		12	9				0	1	31.3
Thurston	202	174	24		87	49		38	9	44.6	7	34.7
White	154	116	18		63				4	29.9	5	37.3
Nonwhite	68	58	6		24				5	73.5	2	28.4
Valley	151	119	31		86	59		27	9	59.6	2	13.2
Washington	197	191	6		126	79	7	40	7	35.5	3	15.2
Wayne	205	193	12		84	53		28	5	24.4	4	19.5
Webster	138	76	62		74	56		15		0	3	21.7
Wheeler	29	18	11		10	6		4	2	69.0		0
York	314	309	5		157	83	10	64	8	25.5	3	9.6

See footnotes on p. 11.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See heading on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEVADA-----	3,283	3,156	106	9	1,502	643	44	810	130	39.6	69	21.0
Churchill-----	123	121	1	1	64	30	-	34	7	56.9	3	24.4
Clark-----	965	927	36	1	301	122	-	179	45	46.6	18	16.7
Douglas-----	50	42	4	1	26	19	-	9	3	80.0	-	0
White-----	36	32	3	-	26	-	-	-	1	27.8	-	0
Nonwhite-----	14	10	1	1	2	-	-	-	2	142.9	-	0
Elko-----	232	214	18	-	116	56	-	60	11	47.4	6	25.9
White-----	202	184	18	-	98	-	-	-	8	39.6	3	14.9
Nonwhite-----	30	30	-	-	18	-	-	-	3	100.0	3	100.0
Esmeralda-----	6	6	-	-	14	5	6	3	-	0	-	0
Eureka-----	17	16	1	-	13	9	-	4	1	58.8	-	0
Humboldt-----	96	80	5	5	63	30	-	33	6	82.5	3	31.3
Lander-----	25	24	1	-	22	12	-	10	-	0	-	0
White-----	23	22	1	-	20	-	-	-	-	0	-	0
Nonwhite-----	2	2	-	-	2	-	-	-	-	0	-	0
Lincoln-----	69	62	6	-	30	16	-	11	1	14.7	-	0
Lyon-----	80	73	6	-	47	29	-	18	1	12.5	2	25.0
Mineral-----	159	157	1	-	59	27	-	32	10	63.3	5	31.6
White-----	137	136	1	-	50	-	-	-	10	73.0	4	23.2
Nonwhite-----	21	21	-	-	9	-	-	-	-	0	1	47.6
Nye-----	48	45	3	-	50	16	-	34	-	0	2	41.7
White-----	41	38	3	-	44	-	-	-	-	0	1	24.4
Nonwhite-----	7	7	-	-	6	-	-	-	-	0	1	142.9
Ormsby-----	86	85	1	-	40	17	2	20	1	11.6	-	0
Pershing-----	60	59	1	-	36	20	-	16	3	50.0	-	0
Storey-----	12	11	1	-	14	11	-	3	-	0	-	0
Washoe-----	1,024	1,008	15	1	520	187	36	296	33	32.2	28	27.3
Reno-----	752	745	7	-	396	126	16	255	26	34.6	20	26.6
Balance of county-----	272	263	8	1	122	61	20	41	7	25.7	8	29.4
White Pine-----	233	226	6	-	85	37	-	48	9	34.3	2	6.6
NEW HAMPSHIRE-----	11,092	10,704	384	1	6,049	3,124	639	2,142	348	31.4	244	22.0
Bellamy-----	545	533	12	-	294	155	22	104	20	36.7	15	27.5
Laconia-----	297	297	-	-	176	98	21	63	13	43.8	9	30.3
Balance of county-----	248	236	12	-	118	67	1	41	7	28.2	6	24.2
Carroll-----	283	274	9	-	199	114	4	78	8	28.3	7	24.7
Cheshire-----	854	803	51	-	401	235	25	131	27	31.6	23	26.9
Keene-----	380	369	11	-	157	91	-	60	12	31.6	7	18.4
Balance of county-----	474	434	40	-	244	144	25	71	15	31.6	16	33.6
Cook-----	769	739	49	1	391	197	44	146	33	41.9	10	12.7
Berlin-----	370	360	10	-	166	69	-	96	14	37.8	7	16.9
Balance of county-----	418	378	39	1	225	128	44	52	19	45.5	5	7.2
Grafton-----	995	919	76	-	512	310	11	192	29	29.1	20	20.1
Hillsborough-----	3,414	3,336	76	-	1,723	983	93	711	119	34.9	76	22.3
Manchester-----	1,910	1,873	37	-	883	469	13	395	75	39.3	43	22.5
Nashua-----	777	768	9	-	352	161	10	175	22	28.3	20	25.7
Balance of county-----	727	695	30	-	486	253	70	141	22	30.3	13	17.9
Merrimack-----	1,177	1,147	30	-	1,000	554	367	255	56	30.6	21	17.8
Concord-----	524	521	3	-	633	137	354	131	12	22.9	12	22.9
Balance of county-----	653	626	27	-	367	217	13	124	24	36.6	9	13.8
Rockingham-----	1,510	1,463	46	-	735	402	32	275	41	27.2	38	25.2
Portsmouth-----	526	515	11	-	201	100	6	94	13	24.7	14	26.6
Balance of county-----	984	948	35	-	534	302	26	201	28	28.5	24	24.4
Strafford-----	953	927	26	-	515	319	16	165	23	24.1	21	22.0
Dover-----	308	305	3	-	173	83	12	70	8	26.0	6	19.5
Rochester-----	244	239	5	-	134	90	2	40	7	28.7	6	24.6
Balance of county-----	401	383	18	-	208	146	2	55	8	20.0	9	22.4
Sullivan-----	573	564	9	-	279	155	25	93	12	20.9	13	22.7
Claremont (town)-----	281	279	2	-	124	74	-	47	5	17.8	2	7.1
Balance of county-----	292	285	7	-	155	81	25	46	7	24.0	11	37.7
NEW JERSEY-----	95,218	90,793	3,761	628	46,392	23,134	3,189	19,732	2,715	28.5	2,110	22.2
Atlantic-----	2,425	2,193	213	19	1,725	990	103	629	69	36.7	66	27.2
White-----	2,057	1,980	166	11	1,442	-	-	-	71	34.5	48	23.3
Nonwhite-----	369	313	47	7	283	-	-	-	18	48.9	18	48.9
Atlantic City-----	1,200	1,156	40	4	913	500	2	410	44	36.7	35	29.2
White-----	912	893	15	4	691	-	-	-	29	31.8	19	20.8
Nonwhite-----	288	263	25	-	222	-	-	-	15	52.1	16	55.5
Pleasantville-----	265	213	50	2	125	86	-	39	12	45.3	9	34.0
White-----	227	181	44	2	109	-	-	-	10	44.1	8	35.2
Nonwhite-----	38	32	6	-	16	-	-	-	2	52.6	1	28.3
Balance of county-----	960	824	123	12	687	404	101	181	33	34.4	22	22.9
Bergen-----	9,567	9,449	87	31	3,945	2,166	104	1,629	228	25.6	185	19.3
Bergenfield-----	237	235	2	-	109	69	-	37	11	46.4	3	12.7
Cliffside Park-----	318	314	4	-	111	62	-	49	6	18.9	7	22.0
Englewood-----	414	412	2	-	186	94	-	96	9	21.7	13	31.4
White-----	355	354	1	-	161	-	-	-	8	22.5	7	19.7
Nonwhite-----	59	58	1	-	25	-	-	-	1	16.9	6	101.7
Garfield-----	625	612	3	10	184	112	-	72	12	19.2	13	20.8
Hackensack-----	545	540	3	2	354	163	4	183	17	31.2	13	23.9
White-----	485	481	2	2	314	-	-	-	11	22.7	10	20.6
Nonwhite-----	60	59	1	-	40	-	-	-	6	100.0	3	50.0
Lodi-----	356	333	3	-	78	32	-	45	11	32.7	9	26.6

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

71

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEW JERSEY—Continued												
Bergen—Continued												
Lyndhurst (twp.) <sup>4</sup>	405	396	9	-	152	91	-	61	14	34.6	4	9.8
Ridgefield Park	257	255	2	-	85	61	-	20	-	0	9	35.0
Ridgewood	276	275	1	-	155	103	3	47	2	7.2	5	18.1
Rutherford	309	305	4	-	164	106	-	58	6	19.4	6	19.4
Teaneck (twp.) <sup>4</sup>	550	523	6	1	227	105	8	113	16	30.2	5	9.4
Balance of county	5,315	5,248	48	18	2,143	1,179	89	648	124	25.3	98	18.4
Burlington	2,330	2,037	280	13	1,206	720	126	349	74	31.8	50	21.5
Burlington	280	281	38	1	121	78	4	33	8	27.6	6	20.7
White	257	257	19	1	108	-	-	-	7	27.2	4	15.6
Nonwhite	35	14	19	-	13	-	-	-	1	30.3	2	60.6
Balance of county	2,040	1,786	242	12	1,085	642	122	316	66	32.4	44	21.6
Camden	6,120	5,500	533	85	2,850	1,581	87	1,165	163	26.6	125	20.4
Camden	2,753	2,396	294	70	1,203	660	1	537	74	26.9	60	21.8
White	2,356	2,100	165	70	1,045	-	-	-	55	23.5	43	18.4
Nonwhite	417	296	119	-	158	-	-	-	19	45.6	17	40.8
Collingswood	326	323	3	-	172	112	6	54	5	15.3	7	21.5
Gloucester City	308	285	21	2	152	84	-	67	10	32.5	8	26.0
Pennington (twp.) <sup>4</sup>	285	253	31	-	155	103	-	52	10	37.7	7	26.4
Balance of county	2,468	2,283	194	11	1,168	622	90	455	64	25.9	43	17.4
Cape May	615	552	61	-	487	313	45	115	20	32.5	19	30.9
Cumberland	1,779	1,539	237	1	957	511	109	331	78	40.5	47	26.4
Bridgeton	446	364	81	-	244	138	9	97	25	56.1	13	29.1
White	363	317	45	-	210	-	-	-	20	55.1	7	19.3
Nonwhite	83	47	36	-	34	-	-	-	5	80.2	6	72.3
Millville	329	315	14	-	188	102	-	84	11	33.4	7	21.3
Balance of county	1,004	880	142	1	525	271	100	150	36	35.9	27	26.9
Essex	18,522	18,043	393	84	9,011	4,190	465	4,244	515	27.8	414	22.4
Bellefonte	623	611	7	5	225	144	-	77	17	27.3	7	11.2
Bloomfield	988	976	10	2	396	238	2	155	20	20.2	13	13.2
East Orange	1,560	1,540	17	3	763	438	-	315	33	21.2	26	16.7
Irvington	1,230	1,219	6	5	522	284	7	241	23	18.7	15	12.2
Maplewood (twp.) <sup>4</sup>	421	415	4	2	197	119	6	67	8	19.0	5	11.9
Millburn (twp.) <sup>4</sup>	175	174	1	-	82	45	-	36	3	17.1	5	28.6
Montclair	826	809	17	-	449	265	2	176	23	27.8	21	25.4
White	655	646	9	-	380	-	-	-	20	30.5	15	22.9
Nonwhite	171	163	8	-	69	-	-	-	3	17.5	6	35.1
Newark	9,639	9,281	295	62	4,734	1,958	171	2,534	321	33.3	262	27.2
White	8,042	7,818	167	56	4,052	-	-	-	240	29.8	196	24.4
Nonwhite	1,597	1,463	128	6	682	-	-	-	81	50.7	66	41.3
Paterson	511	497	10	4	195	119	-	75	14	27.4	7	13.7
Orange	983	953	20	-	414	177	5	230	20	22.7	14	15.9
White	752	742	10	-	347	-	-	-	18	23.9	12	16.0
Nonwhite	131	121	10	-	67	-	-	-	2	15.3	2	15.3
South Orange	238	238	-	-	149	89	-	59	4	16.8	3	12.6
West Orange	535	530	3	1	221	132	-	87	12	22.4	10	16.7
Balance of county	993	890	3	-	567	201	272	193	17	19.0	26	29.1
Gloucester	1,785	1,543	236	4	779	524	23	230	50	28.0	43	24.1
Hudson	13,846	13,570	221	53	6,913	2,992	313	3,577	424	30.6	298	21.5
Bayonne	1,738	1,699	27	12	639	307	-	330	58	33.4	33	19.0
Harrison	513	502	10	1	107	55	-	51	5	18.0	14	44.7
Hoboken	999	976	16	7	606	209	-	395	48	48.0	21	21.0
Jersey City	6,459	6,459	114	14	3,304	1,355	31	1,897	191	29.0	133	20.2
White	6,065	5,981	90	12	3,084	-	-	-	189	26.1	115	18.9
Nonwhite	504	478	24	2	220	-	-	-	32	63.5	18	35.7
Keany	870	862	7	1	363	227	-	134	21	24.1	22	25.3
North Bergen (twp.) <sup>4</sup>	839	824	10	5	360	202	2	156	24	28.6	20	25.6
Union City	1,120	1,095	18	7	552	307	1	242	30	26.9	19	17.0
Neahawken (twp.) <sup>4</sup>	247	247	-	-	194	87	-	107	4	16.2	7	28.3
West New York	851	818	11	2	313	157	-	155	29	34.9	20	24.1
Balance of county	300	288	8	4	475	86	279	110	14	46.7	9	30.0
Hunterdon	652	581	68	2	404	297	8	87	20	30.7	15	25.0
Morristown	4,583	4,443	129	11	2,442	1,007	344	1,077	181	39.5	110	24.0
Princeton	2,705	2,621	74	10	1,547	610	285	646	119	44.0	64	23.7
Balance of county	1,878	1,822	55	1	895	397	59	431	62	33.0	46	24.5
Middlesex	5,201	4,844	219	135	2,051	1,073	16	949	126	24.2	116	22.3
Carteret	266	224	30	12	86	54	-	32	7	26.3	9	33.8
New Brunswick	895	862	31	2	378	158	-	220	19	21.2	31	34.6
Perth Amboy	878	789	36	51	356	170	-	185	16	18.2	16	18.2
South River	252	236	9	7	78	49	-	29	4	15.9	6	23.8
Woodbridge (twp.) <sup>4</sup>	691	628	22	40	232	131	7	94	19	27.5	11	15.9
Balance of county	2,219	2,105	91	23	921	511	9	389	61	27.5	43	19.4
Monmouth	4,165	4,047	116	2	2,572	1,156	458	940	118	28.3	78	18.7
Asbury Park	357	342	14	1	205	107	-	96	9	25.2	11	30.8
White	260	255	5	-	153	-	-	-	5	19.2	8	23.1
Nonwhite	97	87	9	1	52	-	-	-	4	41.2	5	51.5
Long Branch	537	532	5	-	214	108	-	106	14	26.1	9	16.8
Neptune (twp.) <sup>4</sup>	256	250	6	-	215	102	7	103	5	19.5	3	11.7
White	214	211	3	-	180	-	-	-	5	23.4	2	9.3
Nonwhite	42	39	3	-	35	-	-	-	-	0	1	23.8
Red Bank	315	308	7	-	148	85	-	62	11	34.9	6	19.0
White	261	258	3	-	127	-	-	-	10	36.3	4	15.3
Nonwhite	54	50	4	-	21	-	-	-	1	18.5	2	37.0
Balance of county	2,700	2,615	84	1	1,790	754	451	573	79	29.3	49	18.1

See footnotes on p. 111.

793002 O - 48 - 6



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEW JERSEY—Continued												
Morris-----	2,995	2,866	121	8	1,916	737	673	499	74	24.7	68	22.7
Dover-----	262	246	12	4	113	83	-	49	1	3.8	6	22.9
Morristown-----	346	342	4	-	219	102	-	116	11	31.8	10	28.9
Balance of county-----	2,387	2,278	105	4	1,584	572	673	334	62	26.0	52	21.8
Ocean-----	964	891	72	-	548	305	7	233	35	36.3	23	23.9
Passaic-----	6,570	6,396	144	19	3,134	1,615	121	1,392	169	25.7	163	24.8
Clifton-----	1,261	1,252	8	1	419	272	1	148	33	26.2	24	19.0
Hawthorne-----	261	252	9	-	106	66	-	39	4	15.3	3	11.5
Passaic-----	1,149	1,126	14	8	613	303	4	304	35	30.5	34	29.6
Paterson-----	2,780	2,719	52	8	1,465	712	29	722	70	25.2	70	25.2
Balance of county-----	1,119	1,047	61	2	531	262	87	181	27	24.1	32	23.6
Salem-----	1,204	1,106	96	2	464	282	7	170	51	42.4	25	20.9
White-----	1,041	969	73	-	394	-	-	-	36	36.5	21	20.2
Nonwhite-----	183	136	23	2	70	-	-	-	13	79.8	4	24.5
Somerset-----	1,840	1,749	64	27	869	397	152	318	55	29.9	39	21.2
North Plainfield-----	288	264	4	-	93	59	6	33	6	22.4	4	14.9
Balance of county-----	1,572	1,485	60	27	770	339	146	285	49	31.2	35	22.3
Sussex-----	908	728	80	-	369	240	2	124	20	24.8	23	28.5
Union-----	8,168	7,774	255	135	3,170	1,699	6	1,457	197	24.1	185	22.6
Cranford (twp.) <sup>4</sup> -----	413	394	14	5	123	70	3	50	9	21.8	6	14.5
Elizabeth-----	2,513	2,316	87	109	1,121	551	-	569	64	25.5	79	31.4
Hillside (twp.) <sup>4</sup> -----	429	426	3	-	142	65	-	53	8	18.6	8	18.6
Linden-----	721	684	25	12	164	103	-	61	16	22.2	11	15.3
Plainfield-----	909	880	26	3	467	208	-	259	17	18.7	22	24.2
White-----	784	776	5	3	411	-	-	-	14	17.9	17	21.7
Nonwhite-----	125	104	21	-	56	-	-	-	3	24.0	5	40.0
Rahway-----	480	441	9	-	210	126	-	84	15	33.3	9	20.0
Roselle-----	406	379	24	2	106	67	-	38	15	36.9	7	17.2
White-----	351	337	12	1	88	-	-	-	11	31.5	5	14.2
Nonwhite-----	55	42	12	1	18	-	-	-	4	72.7	2	36.4
Summit-----	323	320	3	-	180	85	-	95	6	18.6	4	12.4
Union (twp.) <sup>4</sup> -----	546	532	15	1	171	105	-	65	15	27.4	12	21.9
Westfield-----	432	417	13	-	180	111	-	49	9	20.8	7	16.2
Balance of county-----	1,024	985	36	3	326	188	3	134	23	22.5	20	19.5
Warren-----	1,079	963	116	-	580	339	20	217	34	31.5	18	16.7
Phillipsburg-----	411	391	30	-	214	109	-	103	13	31.6	4	9.7
Balance of county-----	668	582	86	-	366	230	20	114	21	31.4	14	21.0
NEW MEXICO-----	18,087	11,137	3,750	2,318	5,436	3,101	110	2,072	1,415	78.2	360	21.0
Bernalillo-----	2,975	2,167	577	191	954	523	2	377	225	75.6	65	21.8
Albuquerque-----	1,263	1,077	136	43	447	209	-	209	81	64.1	21	16.6
Balance of county-----	1,712	1,090	441	148	507	315	2	168	144	84.1	44	25.7
Catron-----	63	37	34	5	28	21	-	6	5	60.2	3	36.1
Chaves-----	969	847	69	42	242	119	-	123	59	60.9	16	16.5
Roswell-----	682	607	13	35	169	80	-	89	34	51.4	12	18.1
Balance of county-----	307	240	56	6	73	39	-	34	25	81.4	4	13.0
Colfax-----	574	460	62	35	161	84	-	75	46	80.1	8	13.9
Curry-----	642	614	10	17	160	76	-	74	27	42.1	13	20.2
Crowley-----	455	435	3	16	109	50	-	54	22	48.4	9	19.6
Balance of county-----	187	179	7	1	51	26	-	20	5	26.7	4	21.4
De Baca-----	113	95	5	13	26	19	-	7	2	17.7	5	44.2
Dona Ana-----	1,113	396	590	117	294	187	-	105	84	75.5	28	25.2
Eddy-----	1,007	830	86	65	227	104	-	120	58	57.6	22	21.6
Grant-----	583	446	75	30	179	91	-	87	32	36.8	14	24.9
Guadalupe-----	210	51	94	59	60	45	-	14	11	52.4	5	23.8
Harding-----	98	24	55	16	29	21	-	7	12	122.4	1	10.2
Hidalgo-----	144	67	56	18	52	43	-	9	8	55.8	3	20.8
Lea-----	592	571	19	-	119	70	-	30	20	33.8	6	10.1
Hobbs-----	374	366	6	-	56	29	-	16	13	34.8	3	8.0
Balance of county-----	218	205	13	-	63	41	-	14	7	32.1	3	13.8
Lincoln-----	248	114	85	44	76	34	-	42	12	48.4	6	24.2
Luna-----	228	143	79	3	65	34	-	29	8	35.1	3	13.2
McKinley-----	632	603	47	63	292	124	-	166	97	116.6	18	21.6
White-----	335	260	22	44	89	-	-	-	28	83.6	6	17.9
Nonwhite-----	497	343	25	19	203	-	-	-	69	139.8	12	24.1
Mora-----	299	49	85	124	103	76	-	25	43	143.8	10	33.4
Otero-----	313	123	153	23	99	69	-	30	23	73.5	7	22.4
Quay-----	369	327	4	36	111	51	-	57	21	56.9	7	19.0
Rio Arriba-----	913	294	324	189	248	191	-	54	116	127.1	15	16.4
Roosevelt-----	365	349	16	-	92	58	-	29	13	35.6	5	13.7
Sandoval-----	574	181	122	150	163	125	-	29	58	101.0	13	22.6
White-----	402	168	121	85	104	-	-	-	32	79.6	12	29.9
Nonwhite-----	172	13	1	64	59	-	-	-	26	151.2	1	5.3
San Juan-----	446	386	36	6	163	62	-	101	45	100.9	10	22.4
White-----	249	213	30	2	71	-	-	-	6	32.1	3	12.0
Nonwhite-----	197	173	6	4	92	-	-	-	37	187.8	7	35.5
San Miguel-----	952	333	59	505	407	170	107	129	95	99.8	21	22.1
Santa Fe-----	1,130	579	265	164	323	170	1	142	90	79.6	28	24.6
Santa Fe-----	803	459	142	116	242	114	1	118	70	87.2	16	19.9
Balance of county-----	327	120	123	49	81	56	-	24	20	61.2	12	36.7
Sierra-----	125	60	55	4	70	51	-	15	7	56.0	9	72.0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

73

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEW MEXICO—Continued												
Socorro-----	300	80	166	44	105	82	-	21	22	73.5	5	16.7
Taos-----	618	389	43	180	166	106	-	59	50	80.9	7	11.3
Torrance-----	313	88	130	65	96	66	-	26	28	83.1	6	19.2
Union-----	187	118	40	24	72	45	-	27	9	48.1	4	21.4
Valencia-----	792	285	309	106	264	184	-	57	91	114.9	17	21.5
White-----	684	280	305	101	199	-	-	-	71	103.8	13	19.0
Nonwhite-----	108	35	4	5	55	-	-	-	20	185.2	4	37.0
NEW YORK-----	286,546	277,629	8,157	582	152,866	69,063	12,772	69,039	8,345	29.1	7,392	25.8
Albany-----	4,898	4,730	126	36	2,825	1,501	193	1,030	168	34.3	93	19.0
Albany-----	2,869	2,794	54	36	1,749	872	86	742	119	41.2	63	21.8
Cohoes-----	511	490	21	-	235	140	1	94	12	23.5	17	33.3
Watervliet-----	388	371	16	-	165	100	-	65	6	15.5	5	12.9
Balance of county-----	1,110	1,075	35	-	676	389	106	141	51	27.9	8	7.2
Allegany-----	979	927	52	-	447	258	17	166	32	32.7	14	14.3
Broome-----	4,196	4,135	59	1	2,011	748	276	945	140	33.4	81	19.3
Binghamton-----	1,872	1,864	7	1	1,157	372	247	513	69	36.9	47	25.1
Endicott-----	551	549	2	-	197	85	-	128	22	39.9	7	12.7
Johnson City-----	500	499	1	-	211	71	-	135	18	36.0	8	16.0
Balance of county-----	1,273	1,223	49	-	446	240	29	169	51	24.4	19	14.9
Cattaraugus-----	1,681	1,607	71	-	863	458	10	382	51	30.3	28	16.7
Olean-----	541	537	4	-	276	122	-	153	16	29.6	13	24.0
Balance of county-----	1,140	1,070	67	-	587	336	10	229	35	30.7	15	15.2
Cayuga-----	1,460	1,432	23	-	806	410	26	319	35	24.0	26	17.8
Auburn-----	767	763	2	-	428	189	8	206	19	24.8	14	18.3
Balance of county-----	693	669	21	-	378	221	18	113	16	23.1	12	17.3
Chautauque-----	2,501	2,423	76	-	1,458	776	50	616	84	33.6	46	18.4
Dunkirk-----	377	366	10	-	182	92	2	88	12	31.8	5	13.5
Jamestown-----	834	827	6	-	496	250	4	241	28	33.6	17	20.4
Balance of county-----	1,290	1,230	60	-	780	434	44	289	44	34.1	24	18.6
Chemung-----	2,015	1,985	30	-	944	457	33	447	56	27.8	57	18.4
Elmira-----	1,161	1,157	4	-	654	300	6	341	36	31.0	27	25.3
Balance of county-----	854	828	26	-	290	157	27	106	20	23.4	10	11.7
Chemango-----	904	852	48	-	510	272	44	175	26	28.8	24	28.5
Clinton-----	1,224	1,013	209	2	545	315	37	176	47	38.4	35	28.6
Plattsburgh-----	412	405	7	-	196	96	2	89	19	46.1	16	38.8
Balance of county-----	812	608	202	2	349	220	35	87	28	34.5	19	23.4
Columbia-----	772	723	49	-	559	333	24	194	23	29.8	21	27.2
Ridgely-----	246	235	11	-	174	77	17	77	7	28.5	10	40.7
Balance of county-----	526	486	38	-	384	256	7	117	16	30.4	11	20.9
Cortland-----	814	774	30	8	409	248	16	134	28	34.4	24	29.5
Cortland-----	403	391	7	5	217	114	-	94	18	44.7	14	34.7
Balance of county-----	411	383	23	3	192	134	16	40	10	24.3	10	24.3
Delaware-----	1,001	842	159	-	491	315	15	153	41	41.0	15	15.0
Dutchess-----	2,247	2,174	61	11	2,187	729	865	593	62	27.6	58	25.8
Beacon-----	272	260	9	3	185	97	32	56	10	36.8	13	47.8
Poughkeepsie-----	930	903	19	7	556	273	15	265	28	30.1	25	26.9
Balance of county-----	1,045	1,011	33	1	1,446	359	818	262	24	23.0	20	19.1
Erie-----	18,145	17,333	744	52	9,204	4,354	771	3,977	567	31.2	403	22.2
Buffalo-----	11,965	11,570	367	38	6,484	3,079	291	3,040	368	30.7	274	22.9
White-----	11,325	10,949	343	27	6,166	-	-	-	338	29.8	252	22.3
Nonwhite-----	660	621	24	11	318	-	-	-	30	45.5	22	33.3
Kenmore-----	416	415	1	-	196	115	14	66	12	28.8	4	9.6
Lackawanna-----	657	611	38	7	250	85	-	164	35	53.3	21	52.0
Tonawanda-----	328	324	4	-	215	93	-	118	24	73.2	22	67.1
Balance of county-----	4,759	4,413	334	7	2,059	982	466	589	128	26.9	82	17.2
Essex-----	747	624	121	1	431	262	13	148	29	37.5	20	26.8
Franklin-----	1,048	698	348	1	568	347	7	201	44	42.0	20	19.1
Pulton-----	1,014	992	19	-	639	335	8	249	35	34.5	19	18.7
Gloversville-----	476	470	6	-	328	161	3	146	21	44.1	5	10.5
Johnstown-----	238	234	3	-	154	90	2	57	9	37.8	5	21.0
Balance of county-----	300	288	10	-	157	104	1	46	5	16.7	9	30.0
Genesee-----	1,063	1,041	21	-	472	229	24	215	40	37.6	23	21.6
Batavia-----	405	402	3	-	204	85	1	117	23	56.8	12	29.6
Balance of county-----	658	639	18	-	268	144	23	98	17	25.8	11	16.7
Greene-----	469	441	27	1	391	235	16	136	9	19.2	16	34.1
Hamilton-----	81	72	9	-	42	29	-	9	3	37.0	1	12.3
Herkimer-----	1,390	1,336	50	1	743	413	12	288	47	35.8	30	21.6
Little Falls-----	221	219	1	-	140	68	-	62	11	49.8	7	31.7
Balance of county-----	1,169	1,117	49	1	603	345	12	226	36	30.8	23	19.7
Jefferson-----	2,070	1,878	190	-	1,040	573	12	423	75	36.2	55	26.8
Watertown-----	859	834	25	-	427	195	2	228	30	34.9	18	21.0
Balance of county-----	1,211	1,044	165	-	613	378	10	195	45	37.2	37	30.8
Lewis-----	538	464	71	-	274	183	4	84	20	37.4	14	26.2
Livingston-----	772	739	33	-	512	255	94	149	24	31.1	14	18.1
Madison-----	1,032	959	69	-	524	307	12	194	42	40.7	14	15.6
Oneida-----	277	265	12	-	130	61	2	66	17	61.4	4	14.4
Balance of county-----	755	694	57	-	394	246	10	118	25	33.1	10	13.2
Monroe-----	10,329	10,181	131	3	5,058	2,117	786	2,040	268	25.7	213	20.6
Irondequoit (town)-----	595	588	6	-	164	83	-	78	11	18.5	15	25.2
Rochester-----	7,351	7,250	85	3	3,785	1,559	447	1,698	200	27.2	148	20.1
Balance of county-----	2,385	2,343	40	-	1,109	475	339	264	54	22.7	50	21.0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEW YORK—Continued												
Montgomery	1,195	1,162	31	-	710	393	6	301	40	33.5	24	20.1
Amsterdam	632	630	2	-	379	182	5	184	23	36.4	13	20.6
Balance of county	563	532	29	-	331	201	1	117	17	30.2	11	19.5
Nassau	10,420	10,220	198	-	4,130	2,424	74	1,554	208	20.0	212	20.3
Floral Park	327	326	1	-	121	82	-	39	6	18.3	9	27.5
Freeport	505	493	11	-	190	127	-	60	16	31.7	8	15.8
Garden City	213	212	1	-	120	74	-	45	5	23.5	8	37.6
Glen Cove	287	273	24	-	139	64	-	75	3	10.1	8	26.9
Hempstead	628	620	8	-	326	269	2	243	54	86.0	47	74.8
Lynbrook	397	396	1	-	140	99	-	50	7	17.6	6	15.1
Mineola	256	255	1	-	126	60	-	62	4	15.6	5	19.5
Rockville Centre	377	373	4	-	218	129	34	51	2	5.3	4	10.6
Valley Stream	464	464	-	-	158	103	6	48	6	17.2	13	29.0
Balance of county	6,956	6,808	147	-	2,392	1,427	32	981	103	14.6	104	15.0
New York City	150,329	147,225	2,628	424	78,353	32,743	4,730	40,392	4,172	27.8	4,465	29.7
White	136,289	133,850	2,085	288	71,647	-	-	-	3,465	25.4	3,646	26.8
Nonwhite	14,070	13,375	543	136	6,706	-	-	-	707	50.2	819	58.2
Niagara	4,299	4,250	49	-	1,704	746	90	847	154	35.8	104	24.2
Lockport	598	596	2	-	329	129	17	173	28	46.8	15	25.1
Niagara Falls	2,193	2,191	12	-	754	295	-	449	76	35.6	53	24.2
North Tonawanda	602	597	5	-	195	102	-	91	21	34.9	14	23.3
Balance of county	906	876	30	-	426	220	63	134	27	29.8	22	24.3
Oneida	4,723	4,522	193	3	3,140	1,267	691	1,132	176	37.7	112	23.7
Rome	982	959	22	-	487	147	105	233	42	42.6	19	19.3
Utica	2,269	2,212	54	2	1,531	619	270	616	102	45.0	54	23.6
Balance of county	1,472	1,351	117	1	1,122	501	316	281	34	23.1	39	26.5
Onondaga	6,590	6,444	128	3	3,325	1,689	112	1,444	239	36.3	143	21.7
Syracuse	4,296	4,217	69	1	2,256	1,103	38	1,057	163	37.9	99	23.0
Balance of county	2,294	2,227	59	2	1,069	566	74	387	76	33.1	44	19.2
Ontario	1,232	1,196	35	-	732	347	63	312	25	20.3	23	16.7
Geneva	400	393	7	-	191	94	3	94	7	17.5	6	20.0
Balance of county	832	803	28	-	541	253	60	216	16	21.6	15	18.0
Orange	2,655	2,681	171	2	1,875	923	311	622	91	31.9	64	22.4
Middletown	429	423	6	-	481	142	223	112	15	35.0	12	28.0
Newburgh	694	662	32	-	472	232	34	199	32	46.1	16	25.9
Balance of county	1,732	1,596	133	2	922	549	54	311	44	25.4	34	19.6
Orleans	597	563	33	-	371	215	25	114	17	26.5	11	18.4
Oswego	1,690	1,514	175	-	922	592	27	296	66	40.2	41	24.3
Pulton	352	345	7	-	157	95	-	59	14	39.8	6	22.7
Oswego	512	495	16	-	287	167	3	111	19	37.1	11	21.5
Balance of county	826	674	152	-	478	330	24	116	35	42.4	22	26.6
Otsego	1,064	975	77	1	641	360	12	212	36	34.2	19	18.0
Oneonta	295	292	3	-	164	79	-	75	9	27.1	9	30.5
Balance of county	759	683	74	1	477	301	12	157	28	36.9	10	13.2
Putnam	276	251	25	-	213	138	-	69	10	36.2	7	25.4
Rensselaer	2,616	2,511	91	11	1,631	863	89	612	78	29.8	65	24.1
Rensselaer	262	236	17	7	131	66	-	40	10	38.2	13	49.6
Troy	1,474	1,449	20	4	1,050	515	89	429	44	29.9	33	22.4
Balance of county	980	894	54	-	440	262	-	143	24	27.3	17	19.3
Rockland	1,437	1,409	28	-	1,225	372	501	342	45	31.3	36	25.1
St. Lawrence	2,331	2,067	260	-	1,274	615	250	392	100	42.9	60	25.7
Massena	389	362	27	-	117	66	-	50	25	64.3	10	26.7
Ogdensburg	351	347	4	-	382	81	206	94	12	34.2	14	39.9
Balance of county	1,591	1,356	229	-	775	468	44	248	63	39.6	36	22.6
Saratoga	1,500	1,430	67	2	660	524	31	265	39	26.0	38	25.3
Saratoga Springs	324	316	8	-	182	118	-	59	5	15.4	7	21.8
Balance of county	1,176	1,114	59	2	678	406	31	206	34	28.9	31	28.4
Schenectady	2,784	2,712	62	6	1,398	716	137	509	72	25.9	57	20.5
Schenectady	1,916	1,867	42	6	995	526	7	433	62	32.4	45	23.5
Balance of county	868	845	20	-	403	190	130	76	10	11.5	12	13.8
Schoharie	448	333	114	1	297	206	-	61	16	35.7	9	20.1
Schuyler	302	287	14	-	173	107	-	66	7	23.2	4	13.2
Seneca	537	517	20	-	602	161	271	162	14	26.1	12	22.3
Steuben	2,087	1,972	112	-	1,116	567	16	526	78	37.4	53	25.4
Corning	455	452	3	-	195	107	-	87	20	44.0	10	22.0
Hornell	350	347	3	-	196	86	-	110	12	34.3	14	40.0
Balance of county	1,282	1,173	108	-	727	374	16	329	46	35.9	29	22.8
Suffolk	4,174	4,023	143	6	3,720	1,297	1,536	854	116	27.8	63	19.9
Sullivan	726	644	79	2	520	294	16	201	24	33.1	17	23.4
Tioga	754	678	54	-	419	242	13	150	29	39.5	14	19.1
Tompkins	1,206	1,179	26	-	517	262	19	220	28	23.2	11	9.1
Ithaca	639	635	4	-	269	113	1	150	18	28.2	9	14.1
Balance of county	567	544	22	-	248	149	18	70	10	17.6	2	3.5
Ulster	1,561	1,499	61	-	1,172	616	32	514	36	24.3	32	20.5
Kingston	556	547	9	-	410	194	16	193	12	21.6	11	19.8
Balance of county	1,005	952	52	-	762	422	16	321	26	25.9	21	20.9
Warren	916	842	74	-	523	316	7	173	41	44.8	16	17.5
Glens Falls	500	489	11	-	313	166	2	121	30	60.0	1	2.0
Balance of county	416	353	63	-	210	150	5	52	11	26.4	15	36.1
Washington	942	826	113	1	541	349	22	143	24	25.5	18	19.1
Wayne	1,046	982	64	-	652	357	61	227	28	26.8	21	20.1

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NEW YORK—Continued												
Westchester	11,558	11,402	149	3	5,578	2,526	267	2,687	312	27.0	262	22.7
Mamaroneck	299	297	2	-	120	65	-	51	6	20.1	7	23.4
Mount Vernon	1,421	1,380	38	2	653	285	11	311	49	34.5	34	23.9
New Rochelle	1,107	1,095	11	1	606	248	12	335	30	27.1	29	26.2
	970	965	4	1	543	-	-	-	26	26.9	26	26.8
	137	130	7	-	62	-	-	-	2	14.6	3	21.9
Ossining	275	274	1	-	154	73	22	57	6	21.8	8	29.1
	255	254	1	-	148	-	-	-	6	23.5	7	27.5
	20	20	-	-	6	-	-	-	-	0	1	50.0
Peekskill	380	356	22	-	181	103	1	76	12	31.6	5	13.2
Port Chester	574	571	3	-	247	94	-	151	20	34.8	14	24.4
Scarsdale	230	230	-	-	106	51	-	55	8	34.8	4	17.4
White Plains	868	864	4	-	450	198	2	241	16	18.4	23	26.5
Yonkers	2,715	2,677	38	-	1,300	560	30	697	66	24.3	64	23.6
Balance of county	3,687	3,656	30	-	1,782	849	169	713	99	28.9	74	20.1
Wyoming	632	584	48	-	349	201	6	135	16	28.5	12	19.0
Yates	364	354	9	-	229	147	4	70	8	22.0	5	13.7
NORTH CAROLINA	100,679	62,001	25,094	13,417	28,724	18,148	990	9,307	3,742	37.2	2,394	23.8
Alamance	1,644	1,210	422	11	400	286	3	103	44	26.6	29	17.6
	1,338	1,118	219	-	309	-	-	-	32	23.9	24	17.9
	306	92	203	11	91	-	-	-	12	39.2	5	16.3
Burlington	576	466	110	-	154	89	-	39	10	17.4	13	22.6
Balance of county	1,068	744	312	11	266	197	3	84	34	31.8	16	15.0
	820	667	152	-	194	-	-	-	22	26.8	11	13.4
	248	77	160	11	72	-	-	-	12	48.4	5	20.2
Alexander	365	142	212	10	111	84	1	26	19	52.1	8	21.9
Alleghany	135	34	101	-	60	50	-	9	1	7.4	3	22.2
Anson	686	201	176	304	226	186	1	39	28	40.8	18	26.2
	282	181	79	22	111	-	-	-	13	46.1	6	21.3
	404	20	97	282	115	-	-	-	15	37.1	12	29.7
Ashe	553	314	141	93	116	81	-	34	17	30.7	10	18.1
Avery	454	365	13	76	96	46	-	38	19	41.9	10	22.0
Beaufort	1,059	714	137	207	341	260	-	81	40	37.8	26	26.4
	673	569	69	14	196	-	-	-	21	31.2	11	16.3
	386	125	66	193	143	-	-	-	19	49.2	17	44.0
Bertie	768	292	181	285	208	177	-	30	40	52.1	15	19.5
	241	181	59	1	88	-	-	-	9	37.3	2	8.3
	527	111	122	284	120	-	-	-	31	58.8	13	24.7
Bladen	636	180	394	261	221	166	-	52	35	41.9	18	21.5
	466	165	277	24	117	-	-	-	16	34.3	6	12.9
	370	15	117	237	104	-	-	-	19	51.4	12	32.4
Brunswick	573	342	5	225	130	75	1	54	18	31.4	14	24.4
	348	281	3	61	77	-	-	-	11	31.9	8	23.2
	228	61	2	164	53	-	-	-	7	30.7	6	26.3
Buncombe	2,916	2,360	396	151	1,005	533	14	437	105	36.0	63	21.6
	2,607	2,229	340	35	798	-	-	-	87	33.4	42	18.1
	309	151	56	118	209	-	-	-	18	58.3	21	68.0
Asheville	1,298	1,112	63	115	535	266	2	232	54	41.6	37	28.5
	1,056	1,007	37	10	372	-	-	-	40	37.9	19	18.0
	242	105	26	105	163	-	-	-	14	57.9	16	74.4
Balance of county	1,618	1,249	333	36	470	247	12	205	51	31.5	26	16.1
Burke	1,072	945	43	63	345	113	119	110	31	28.9	29	27.1
Cabarrus	1,605	1,411	133	53	371	205	-	159	44	27.4	54	33.6
	1,362	1,269	89	3	295	-	-	-	36	26.4	43	31.6
	243	142	44	50	76	-	-	-	8	32.9	11	45.3
Concord	500	474	17	7	105	47	-	57	11	22.0	21	42.0
	453	428	5	-	79	-	-	-	11	25.4	17	39.3
	67	46	12	7	26	-	-	-	-	0	4	59.7
Balance of county	1,105	937	116	46	266	158	-	102	33	29.9	33	29.9
	929	841	84	3	216	-	-	-	25	26.9	26	28.0
	176	96	32	43	50	-	-	-	8	45.5	7	39.8
Caldwell	1,133	820	295	17	266	177	-	63	49	43.2	28	24.7
Camden	136	38	44	54	54	40	-	13	5	36.8	4	29.4
	67	33	28	6	38	-	-	-	2	29.9	1	14.9
	69	5	16	48	16	-	-	-	3	43.5	3	43.5
Carteret	532	403	70	59	185	140	-	44	25	47.0	14	26.3
	464	395	53	16	152	-	-	-	20	43.1	11	23.7
	68	8	17	43	33	-	-	-	5	73.5	3	44.1
Caswell	499	171	242	86	113	68	1	24	17	34.1	14	28.1
	224	132	88	4	56	-	-	-	8	35.7	7	31.3
	275	39	154	82	57	-	-	-	9	32.7	7	25.5
Catawba	1,568	1,397	55	110	389	246	4	136	50	31.9	24	15.3
	1,425	1,339	44	37	335	-	-	-	40	28.1	20	14.0
	143	58	11	73	54	-	-	-	10	69.9	4	28.0
Hickory	495	466	2	26	109	63	-	45	13	26.3	7	14.1
	436	431	1	4	92	-	-	-	13	28.8	5	11.5
	59	35	1	22	17	-	-	-	-	0	2	33.9
Balance of county	1,073	931	53	84	280	183	4	91	37	34.5	17	15.8
Chatham	596	297	227	70	183	140	-	43	25	41.9	18	30.2
	354	265	89	2	114	-	-	-	12	33.0	11	30.2
	232	34	128	68	69	-	-	-	13	56.0	7	30.2

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Cherokee-----	559	320	65	171	140	86	-	51	29	50.1	19	34.0
Chowan-----	352	67	185	100	94	79	-	15	13	36.9	4	11.4
White-----	155	59	95	1	47	-	-	-	5	32.3	-	0
Nonwhite--	197	8	90	99	47	-	-	-	8	40.6	4	20.3
Clay-----	138	45	77	16	34	28	-	6	4	29.0	6	43.5
Cleveland-----	1,724	1,076	421	224	561	226	5	127	51	29.6	37	21.5
White-----	1,322	984	308	29	271	-	-	-	37	28.0	20	15.1
Nonwhite--	402	92	113	185	90	-	-	-	14	34.8	17	42.3
Shelby-----	376	346	13	17	108	52	-	56	10	26.6	6	21.3
White-----	322	314	7	1	70	-	-	-	9	26.0	6	18.6
Nonwhite--	54	32	6	16	38	-	-	-	1	18.5	2	37.0
Balance of county--	1,548	730	408	207	253	174	5	71	41	30.4	29	21.5
White-----	1,030	670	301	28	201	-	-	-	26	28.0	14	14.0
Nonwhite--	518	60	107	179	52	-	-	-	13	37.4	15	43.1
Columbus-----	1,472	781	200	470	386	264	1	119	71	48.2	54	36.7
White-----	948	678	133	131	251	-	-	-	42	44.3	30	31.6
Nonwhite--	524	113	67	339	135	-	-	-	29	55.3	24	45.8
Craven-----	1,076	705	77	285	315	207	6	102	36	35.3	36	33.4
White-----	629	578	48	3	162	-	-	-	20	31.6	17	27.0
Nonwhite--	449	127	29	292	153	-	-	-	18	40.1	19	42.3
New Bern-----	439	309	8	122	133	81	-	52	11	25.1	15	36.4
White-----	259	252	7	-	60	-	-	-	3	11.6	7	27.0
Nonwhite--	180	57	1	122	73	-	-	-	8	44.4	9	50.0
Balance of county--	639	396	69	173	182	126	6	50	27	42.3	20	31.3
White-----	370	326	41	3	102	-	-	-	17	45.9	10	27.0
Nonwhite--	269	70	28	170	80	-	-	-	10	37.2	10	37.2
Cumberland-----	1,904	1,149	318	435	571	317	3	244	77	40.4	34	17.9
White-----	1,221	968	205	48	343	-	-	-	52	42.6	20	16.4
Nonwhite--	683	181	113	387	228	-	-	-	25	36.6	14	20.5
Fayetteville-----	832	629	67	136	306	139	3	161	44	52.9	14	16.8
White-----	546	520	18	8	174	-	-	-	29	53.1	8	14.7
Nonwhite--	286	109	49	128	132	-	-	-	15	52.4	6	21.0
Balance of county--	1,072	520	251	299	265	178	-	83	33	30.8	20	18.7
White-----	675	448	187	40	169	-	-	-	23	34.1	12	17.8
Nonwhite--	397	72	64	259	96	-	-	-	10	25.2	8	20.2
Currituck-----	129	38	57	34	44	35	-	9	1	7.6	2	15.5
White-----	86	38	45	3	30	-	-	-	-	0	2	23.3
Nonwhite--	43	-	12	31	14	-	-	-	1	23.3	-	0
Dare-----	104	40	57	6	57	48	-	8	8	76.9	1	9.6
Davidson-----	1,411	1,108	292	11	365	246	3	100	52	36.9	29	19.8
White-----	1,270	1,072	195	3	309	-	-	-	48	37.8	25	19.7
Nonwhite--	141	36	97	8	56	-	-	-	4	28.4	3	21.3
Lexington-----	333	273	60	-	93	61	-	24	16	48.0	6	18.0
White-----	287	267	20	-	71	-	-	-	15	52.3	4	13.9
Nonwhite--	46	6	40	-	22	-	-	-	1	21.7	2	43.5
Thomasville-----	262	250	8	4	75	49	-	26	10	38.2	6	22.9
White-----	223	222	1	-	56	-	-	-	8	35.9	5	22.4
Nonwhite--	39	28	7	4	19	-	-	-	2	51.3	1	25.6
Balance of county--	816	585	224	7	197	136	3	50	26	31.9	16	19.6
Davie-----	335	128	203	4	95	73	-	21	5	14.9	4	11.9
White-----	298	124	173	1	63	-	-	-	4	13.4	4	13.4
Nonwhite--	37	4	30	3	12	-	-	-	1	27.0	-	0
Duplin-----	994	230	691	71	279	208	-	70	36	38.2	27	27.2
White-----	600	209	382	7	179	-	-	-	24	40.0	9	15.0
Nonwhite--	394	21	309	64	100	-	-	-	14	35.5	18	45.7
Durham-----	2,420	2,258	92	70	685	368	24	268	68	28.1	56	23.1
White-----	1,620	1,575	43	2	437	-	-	-	43	26.5	25	15.4
Nonwhite--	800	683	49	68	248	-	-	-	25	31.3	31	38.8
Durham-----	1,894	1,611	34	49	512	290	1	217	54	26.5	49	25.9
White-----	1,237	1,224	13	-	313	-	-	-	33	26.7	23	18.6
Nonwhite--	657	587	21	49	199	-	-	-	21	32.0	26	39.6
Balance of county--	526	447	58	21	173	98	23	51	14	26.6	7	13.3
White-----	383	351	30	2	124	-	-	-	10	26.1	2	5.2
Nonwhite--	143	96	28	19	49	-	-	-	4	28.0	5	35.0
Edgecombe-----	1,374	570	481	323	389	274	5	109	60	43.7	39	28.4
White-----	593	495	92	6	166	-	-	-	25	42.2	15	21.9
Nonwhite--	781	75	389	317	223	-	-	-	35	44.8	26	33.3
Rocky Mount (part)-----	292	186	92	14	104	72	1	30	13	(5)	8	(5)
White-----	160	160	-	-	54	-	-	-	4	(5)	3	(5)
Nonwhite--	132	26	92	14	50	-	-	-	9	(5)	5	(5)
Balance of county--	1,082	394	389	309	285	202	4	79	47	43.4	31	28.7
White-----	433	335	92	6	112	-	-	-	21	48.5	10	23.1
Nonwhite--	649	49	297	303	173	-	-	-	26	40.1	21	32.4
Forsyth-----	5,328	2,938	375	15	1,041	574	36	427	112	33.7	63	18.8
White-----	2,353	2,204	147	2	644	-	-	-	49	20.8	25	10.8
Nonwhite--	975	734	228	13	397	-	-	-	63	64.6	38	39.0
Winston-Salem-----	2,109	1,696	207	6	698	366	7	322	83	39.4	50	23.7
White-----	1,232	1,216	14	2	352	-	-	-	27	21.9	16	13.0
Nonwhite--	877	680	193	4	346	-	-	-	56	63.9	34	36.8
Balance of county--	1,219	1,042	166	9	343	207	29	105	29	23.8	13	10.7
White-----	1,121	988	133	-	292	-	-	-	22	19.6	9	6.0
Nonwhite--	98	54	33	9	51	-	-	-	7	71.4	4	40.8
Franklin-----	689	252	254	183	202	145	4	53	24	34.8	15	21.9
White-----	353	219	127	7	89	-	-	-	9	25.5	2	5.7
Nonwhite--	336	33	127	176	113	-	-	-	15	44.6	13	36.7

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

77

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Caston-----	2,599	1,909	596	93	580	369	6	205	86	33.1	55	21.2
White-----	2,249	1,759	486	4	485				73	32.5	46	20.5
Nonwhite-----	350	150	110	89	95				13	37.1	9	25.7
Gastonia-----	685	623	39	22	185	98	-	87	25	36.5	25	36.5
White-----	563	532	30	1	151				22	39.1	23	40.9
Nonwhite-----	122	91	9	21	34				3	24.6	2	16.4
Balance of county-----	1,914	1,286	557	71	595	271	8	116	61	31.9	30	15.7
White-----	1,686	1,227	456	3	334				51	30.2	23	13.6
Nonwhite-----	228	59	101	68	61				10	43.9	7	30.7
Gates-----	247	62	99	66	96	81	-	13	18	64.8	10	40.5
White-----	93	46	46	1	50				6	64.5	2	21.5
Nonwhite-----	154	16	53	65	46				10	64.9	8	51.9
Graham-----	197	47	119	31	39	31	-	8	5	25.4	5	25.4
Granville-----	730	308	365	39	221	158	1	61	25	34.2	17	23.3
White-----	328	215	112	1	97				6	18.3	4	12.2
Nonwhite-----	402	93	271	38	124				19	47.3	13	32.3
Greene-----	524	119	342	63	96	64	-	32	23	45.9	16	30.5
White-----	229	104	124	1	42				12	52.4	1	4.4
Nonwhite-----	295	15	218	62	54				11	37.3	15	50.8
Guilford-----	4,334	3,893	396	44	1,305	699	36	539	152	35.1	62	18.9
White-----	3,481	3,294	185	2	930				105	30.2	51	14.7
Nonwhite-----	853	599	211	42	375				47	55.1	31	36.3
Greensboro-----	1,611	1,573	35	3	607	276	10	316	71	44.1	32	19.9
White-----	1,190	1,163	7	-	392				40	33.6	17	14.3
Nonwhite-----	421	390	28	3	215				31	75.6	15	35.6
High Point-----	1,321	1,204	111	5	287	170	-	100	30	22.7	29	22.0
White-----	1,116	1,102	14	-	218				26	23.3	22	19.7
Nonwhite-----	205	102	97	5	69				4	19.5	7	34.1
Balance of county-----	1,402	1,116	250	36	411	253	26	123	51	36.4	21	15.0
White-----	1,175	1,009	164	2	320				39	33.2	12	10.2
Nonwhite-----	227	107	86	34	91				12	52.9	9	39.6
Halifax-----	1,740	658	247	835	447	314	4	128	67	38.5	57	32.8
White-----	629	535	83	11	199				21	33.4	15	23.8
Nonwhite-----	1,111	123	164	824	248				46	41.4	42	37.8
Harnett-----	1,223	673	398	152	349	254	9	91	48	39.2	34	27.8
White-----	859	600	252	7	248				31	36.1	22	25.6
Nonwhite-----	364	73	146	145	101				17	46.7	12	33.0
Haywood-----	1,123	997	116	10	250	169	4	78	44	39.2	19	16.9
Henderson-----	710	607	94	9	262	169	-	90	21	29.6	18	25.4
Hertford-----	447	112	280	55	167	130	-	36	18	40.3	6	13.4
White-----	144	70	73	1	74				7	48.6	1	6.9
Nonwhite-----	303	42	207	54	93				11	36.3	5	16.5
Hoke-----	442	74	170	198	170	103	-	66	31	70.1	15	33.9
White-----	138	60	76	2	62				8	58.0	4	29.0
Nonwhite-----	304	14	94	196	108				23	75.7	11	36.2
Hyde-----	182	61	8	92	55	41	-	13	1	6.2	4	24.7
White-----	69	54	5	9	30				-	0	1	14.5
Nonwhite-----	93	7	3	83	25				1	10.8	3	32.3
Iredell-----	1,306	939	278	89	412	269	3	138	29	22.2	39	30.0
White-----	1,072	866	202	4	308				21	19.6	26	24.3
Nonwhite-----	234	73	76	85	104				8	34.2	13	55.6
Statesville-----	348	267	56	25	141	84	-	56	6	17.2	10	28.7
White-----	290	251	39	-	99				4	13.6	7	24.1
Nonwhite-----	58	16	17	25	42				2	34.5	3	51.7
Balance of county-----	958	672	222	64	271	185	3	82	23	24.0	29	30.3
White-----	782	615	163	4	209				17	21.7	19	24.3
Nonwhite-----	178	57	59	60	62				6	34.1	10	56.8
Jackson-----	492	216	222	53	132	95	1	35	22	44.7	8	16.3
Johnston-----	1,771	1,751	623	197	432	280	10	134	81	45.7	46	26.0
White-----	1,581	1,513	643	25	322				66	47.8	33	23.9
Nonwhite-----	390	59	180	172	110				15	36.5	13	33.3
Jones-----	267	106	70	91	80	50	-	30	17	63.7	7	26.2
White-----	145	55	44	6	44				7	46.3	3	20.7
Nonwhite-----	122	11	26	85	36				10	82.0	4	32.8
Lee-----	608	458	86	64	151	89	1	60	23	37.8	7	11.5
White-----	456	398	56	2	89				17	37.3	5	11.0
Nonwhite-----	152	60	30	62	62				6	39.5	2	13.2
Lenoir-----	1,240	710	247	282	360	229	10	120	56	46.8	32	25.8
White-----	678	615	57	5	196				30	44.2	6	8.8
Nonwhite-----	562	95	190	277	164				26	49.8	26	46.3
Kinston-----	440	290	50	100	165	101	-	63	24	54.5	12	27.3
White-----	271	283	7	1	93				17	62.7	3	11.1
Nonwhite-----	169	27	43	99	72				7	41.4	9	53.3
Balance of county-----	600	420	197	182	185	128	10	57	34	42.5	20	25.0
White-----	407	352	50	4	103				15	31.9	3	7.4
Nonwhite-----	393	68	147	178	92				21	53.4	17	43.3
Lincoln-----	612	435	131	45	141	90	1	50	21	34.3	5	8.2
White-----	530	429	98	2	119				14	26.4	5	9.4
Nonwhite-----	82	6	33	43	22				7	85.4	-	0
McDowell-----	597	431	155	11	120	70	-	50	21	35.2	3	5.0
Macon-----	481	171	255	53	112	90	-	22	16	33.3	5	10.4
Madison-----	467	186	211	80	150	110	1	37	17	34.9	16	32.9
Martin-----	794	158	440	196	192	143	1	42	27	34.0	18	22.7
White-----	360	145	212	3	99				18	50.0	9	25.0
Nonwhite-----	434	13	228	193	93				9	20.7	9	20.7

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Mecklenburg-----	4,414	4,093	193	125	1,344	726	23	563	171	38.7	115	26.1
White-----	3,262	3,189	67	4	810	-----	-----	-----	92	28.2	62	19.0
Nonwhite-----	1,152	904	126	121	534	-----	-----	-----	79	68.6	53	46.0
Charlotte-----	2,996	2,671	63	61	949	503	-----	440	119	39.7	91	30.4
White-----	2,167	2,175	10	1	552	-----	-----	-----	57	26.1	44	20.1
Nonwhite-----	809	696	53	60	397	-----	-----	-----	62	76.6	47	59.1
Balance of county-----	1,418	1,222	130	64	395	223	23	143	52	36.7	24	16.9
White-----	1,075	1,014	57	3	258	-----	-----	-----	35	32.6	18	16.7
Nonwhite-----	343	208	73	61	137	-----	-----	-----	17	49.6	6	17.5
Mitchell-----	404	198	152	41	102	80	-----	21	5	12.4	10	24.8
Montgomery-----	454	241	115	78	135	103	1	26	17	39.2	6	13.8
White-----	328	238	80	10	92	-----	-----	-----	10	30.5	6	18.3
Nonwhite-----	106	3	35	68	43	-----	-----	-----	7	66.0	-----	0
Moore-----	819	561	159	99	224	142	3	77	19	23.2	18	22.0
White-----	606	479	113	14	161	-----	-----	-----	14	23.1	16	26.4
Nonwhite-----	213	82	46	85	63	-----	-----	-----	5	23.5	2	9.4
Nash-----	1,693	749	614	330	465	285	16	182	61	36.0	37	21.9
White-----	897	681	198	17	271	-----	-----	-----	26	29.0	20	22.3
Nonwhite-----	796	67	416	313	214	-----	-----	-----	35	44.0	17	21.4
Rocky Mount (part)-----	408	295	83	30	141	66	-----	74	14	(5)	5	(5)
White-----	280	278	1	1	92	-----	-----	-----	9	(5)	3	(5)
Nonwhite-----	128	17	82	29	49	-----	-----	-----	5	(5)	2	(5)
Rocky Mount (total)-----	700	639	623	314	245	138	1	104	27	38.6	13	18.6
White-----	440	563	197	16	146	-----	-----	-----	13	29.5	6	13.6
Nonwhite-----	260	76	426	298	99	-----	-----	-----	14	53.8	7	26.9
Balance of county-----	1,285	453	531	300	344	219	16	108	47	36.6	32	24.9
White-----	617	403	197	16	179	-----	-----	-----	17	27.6	17	27.6
Nonwhite-----	668	50	334	284	165	-----	-----	-----	30	44.9	15	22.5
New Hanover-----	1,960	1,822	34	103	611	249	6	353	101	51.5	41	20.9
White-----	1,307	1,300	7	-----	325	-----	-----	-----	51	39.0	13	9.9
Nonwhite-----	653	522	27	103	286	-----	-----	-----	50	76.6	28	42.9
Wilmington-----	1,426	1,320	29	77	476	166	-----	289	79	55.4	32	22.4
White-----	907	903	4	-----	234	-----	-----	-----	34	37.5	10	11.0
Nonwhite-----	519	417	24	77	242	-----	-----	-----	45	86.7	22	42.4
Balance of county-----	534	502	6	26	135	63	8	64	22	41.2	9	16.9
White-----	400	397	3	-----	91	-----	-----	-----	17	42.5	3	7.5
Nonwhite-----	134	105	3	26	44	-----	-----	-----	5	37.3	6	44.8
Northampton-----	768	175	259	334	196	155	3	37	20	26.0	12	15.6
White-----	211	126	61	4	86	-----	-----	-----	6	29.4	4	19.0
Nonwhite-----	557	49	178	330	110	-----	-----	-----	14	25.1	8	14.4
Onslow-----	773	494	177	102	168	111	-----	50	26	33.6	21	27.2
White-----	595	438	142	15	137	-----	-----	-----	20	33.6	13	21.8
Nonwhite-----	178	56	35	87	51	-----	-----	-----	6	33.7	8	44.9
Orange-----	705	503	129	73	209	147	-----	61	29	39.7	18	25.5
White-----	443	372	71	-----	140	-----	-----	-----	16	36.1	5	11.3
Nonwhite-----	262	131	58	73	69	-----	-----	-----	12	45.8	13	49.6
Pamlico-----	276	37	180	59	91	73	-----	17	14	50.7	5	18.1
White-----	173	33	138	2	42	-----	-----	-----	3	17.3	1	5.8
Nonwhite-----	103	4	42	57	49	-----	-----	-----	11	106.8	4	36.8
Pasquotank-----	617	343	98	176	201	140	2	55	25	40.5	23	37.3
White-----	374	326	46	2	118	-----	-----	-----	14	37.4	11	29.4
Nonwhite-----	243	17	52	174	83	-----	-----	-----	11	45.3	12	49.4
Elizabeth City-----	347	240	29	78	134	91	-----	41	15	43.2	13	37.5
White-----	243	230	12	1	80	-----	-----	-----	11	45.3	7	26.8
Nonwhite-----	104	10	17	77	54	-----	-----	-----	4	36.5	6	57.7
Balance of county-----	270	103	69	98	67	49	2	14	10	37.0	10	37.0
White-----	131	96	34	1	36	-----	-----	-----	3	22.9	4	30.5
Nonwhite-----	139	7	35	97	29	-----	-----	-----	7	50.4	6	43.2
Pender-----	502	143	129	229	151	109	-----	41	16	31.9	12	23.9
White-----	217	110	68	19	78	-----	-----	-----	5	23.0	4	18.4
Nonwhite-----	285	33	41	210	73	-----	-----	-----	11	58.6	8	26.1
Perquimans-----	273	55	94	124	87	68	-----	19	7	25.6	2	7.3
White-----	117	54	58	5	52	-----	-----	-----	3	25.6	1	8.5
Nonwhite-----	156	1	36	119	35	-----	-----	-----	4	25.6	1	6.4
Person-----	679	324	309	46	157	105	-----	52	20	29.5	22	32.4
White-----	409	294	121	4	106	-----	-----	-----	10	24.4	12	29.3
Nonwhite-----	270	40	188	42	51	-----	-----	-----	10	37.0	10	37.0
Pitt-----	1,699	606	779	314	476	363	4	106	81	47.7	58	34.1
White-----	842	534	297	11	237	-----	-----	-----	31	36.8	20	23.8
Nonwhite-----	857	72	482	303	239	-----	-----	-----	50	58.3	38	44.3
Greenville-----	345	204	71	70	114	79	-----	32	15	43.5	16	46.4
White-----	192	172	18	2	55	-----	-----	-----	7	36.5	6	31.3
Nonwhite-----	153	32	53	68	59	-----	-----	-----	8	52.3	10	65.4
Balance of county-----	1,354	402	708	244	362	284	4	73	66	48.7	42	31.0
White-----	650	362	279	9	182	-----	-----	-----	24	36.9	14	21.5
Nonwhite-----	704	40	429	235	180	-----	-----	-----	42	59.7	28	39.8
Polk-----	282	159	108	15	92	63	-----	28	4	14.2	1	3.5
White-----	234	144	85	5	79	-----	-----	-----	4	17.1	1	4.3
Nonwhite-----	48	15	23	10	13	-----	-----	-----	-----	0	-----	0
Randolph-----	1,194	977	172	45	324	202	5	114	49	41.0	19	15.9
Richmond-----	1,029	477	349	203	320	233	4	63	43	41.8	41	39.8
White-----	703	435	248	20	205	-----	-----	-----	34	48.4	21	29.9
Nonwhite-----	326	42	101	183	115	-----	-----	-----	9	27.6	20	61.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

79

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NORTH CAROLINA—Continued												
Robeson	2,581	921	1,000	669	625	440	21	161	102	39.4	81	31.3
White	1,001	715	256	30	282				26	26.0	23	23.0
Nonwhite	1,580	206	744	639	343				76	47.8	58	36.5
Rockingham	1,561	1,023	486	52	403	248	2	152	52	33.3	37	23.7
White	1,242	894	341	7	289				42	33.8	20	16.1
Nonwhite	319	129	145	45	114				10	31.3	17	53.3
Reidsville	276	226	46	4	110	59		50	12	43.5	15	54.3
White	205	183	20	2	69				9	43.9	4	19.5
Nonwhite	71	43	26	2	41				3	42.3	11	154.9
Balance of county	1,285	797	440	48	395	189	2	102	40	31.1	22	17.1
White	1,037	711	321	5	220				33	31.8	16	15.4
Nonwhite	248	86	119	43	73				7	28.2	6	24.2
Rowan	1,657	1,294	269	74	495	293	12	190	44	26.6	40	24.1
White	1,395	1,179	213	3	395				40	28.7	31	22.2
Nonwhite	262	115	76	71	100				4	15.3	9	34.4
Salisbury	439	395	29	15	164	98		68	10	22.8	16	36.4
White	369	351	17	1	110				9	24.4	12	32.5
Nonwhite	70	44	12	14	54				1	14.3	4	57.1
Balance of county	1,218	899	260	59	331	197	12	122	34	27.9	24	19.7
White	1,026	829	196	2	285				31	30.2	19	18.5
Nonwhite	192	71	64	57	46				3	15.6	5	26.0
Rutherford	1,186	430	696	59	293	206	2	84	27	22.8	15	12.6
White	1,026	400	610	15	244				23	22.4	12	11.7
Nonwhite	160	30	86	44	49				4	25.0	3	18.9
Sampson	1,327	394	633	300	360	280	2	74	48	36.2	32	24.1
White	788	369	381	38	199				24	30.5	14	17.8
Nonwhite	539	25	252	262	161				24	44.5	18	53.4
Scotland	682	209	188	305	244	168		48	42	61.6	15	22.0
White	319	179	119	21	109				17	53.3	9	28.2
Nonwhite	363	30	49	284	135				25	68.9	6	16.5
Stanly	933	747	177	9	259	154	4	100	40	42.9	26	27.9
White	798	699	99	1	211				33	41.4	17	21.3
Nonwhite	135	48	79	8	48				7	51.9	9	66.7
Stokes	510	191	298	21	135	100	1	33	21	41.2	8	15.7
White	451	171	277	3	119				17	37.7	6	13.3
Nonwhite	59	20	21	18	16				4	67.8	2	33.9
Surry	1,244	716	484	61	312	217	1	90	49	39.4	35	28.1
Swain	328	108	176	41	62	40		21	8	24.4	7	21.3
White	255	42	172	39	40				4	15.7	5	19.6
Nonwhite	73	66	4	2	22				4	54.8	2	27.4
Transylvania	432	284	190	18	104	82		20	12	27.8	14	32.4
Tyrrell	129	89	5	35	57	42		13	7	54.3	4	31.0
White	64	61	3		35				5	78.1	2	31.3
Nonwhite	65	28	2	35	24				2	30.8	2	30.8
Union	1,053	590	374	88	297	198	7	90	36	34.2	26	24.7
White	781	566	210	5	212				25	32.0	18	23.0
Nonwhite	272	24	164	85	85				11	40.4	8	29.0
Vance	828	538	71	212	290	172	1	116	48	58.0	24	29.0
White	472	461	5	6	163				24	50.8	4	8.5
Nonwhite	356	77	66	206	127				24	67.4	20	56.2
Wake	2,939	2,059	602	277	1,109	495	172	439	118	40.1	71	24.2
White	1,928	1,638	276	14	727				60	31.1	34	17.6
Nonwhite	1,011	421	326	265	582				58	57.4	37	36.6
Raleigh	1,254	1,167	11	76	684	217	172	295	49	39.1	24	19.1
White	905	901	2	2	456				23	25.4	16	17.7
Nonwhite	349	266	9	74	228				26	74.5	8	22.9
Balance of county	1,685	892	591	201	425	278		144	69	40.9	47	27.9
White	1,023	737	274	12	271				37	36.2	18	17.6
Nonwhite	662	155	317	199	154				32	48.3	29	43.8
Warren	621	129	77	408	179	155		23	36	58.0	30	48.3
White	155	312	27	16	65				7	45.2	5	32.3
Nonwhite	466	17	50	399	114				29	62.2	25	53.6
Washington	318	85	103	132	108	100	1	7	16	50.3	5	15.7
White	166	79	81	6	61				8	48.2	1	6.0
Nonwhite	152	4	22	126	47				8	52.6	4	26.3
Watauga	482	407	44	29	103	60		43	20	41.5	14	29.0
Wayne	1,436	573	741	122	793	320	363	105	53	36.9	28	19.5
White	810	476	319	15	234				30	37.0	10	12.3
Nonwhite	626	97	422	107	559				23	35.7	18	28.8
Goldsboro	465	284	142	39	171	114	2	52	10	21.5	13	28.0
White	247	221	25	1	87				4	16.2	3	12.1
Nonwhite	218	63	117	38	84				6	27.5	10	45.9
Balance of county	971	289	589	83	622	206	361	53	43	44.3	15	15.4
White	565	265	294	14	147				26	46.2	7	12.4
Nonwhite	408	34	305	69	475				17	41.7	8	19.6
Wilkes	1,185	608	417	154	284	209		72	38	32.1	35	29.5
Wilson	1,498	716	512	270	440	272		168	73	43.7	25	16.7
White	751	579	169	3	221				22	29.3	8	10.7
Nonwhite	747	137	343	267	219				51	68.3	17	22.8
Wilson	528	303	75	150	214	127		87	33	62.5	15	28.4
White	247	236	10	1	101				12	48.6	5	20.2
Nonwhite	281	67	65	149	113				21	74.7	10	35.6
Balance of county	970	413	437	120	226	145		81	40	41.2	10	10.3
White	504	343	159	2	120				10	19.8	5	6.0
Nonwhite	466	70	278	118	106				30	64.4	7	15.0
Yadkin	473	358	104	11	108	86	1	21	9	19.0	5	10.6
Yancey	471	204	119	147	84	71		13	5	10.6	6	12.7

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
NORTH DAKOTA	15,264	13,869	1,214	40	5,080	2,235	226	2,578	519	34.0	264	17.3
Adams	116	108	8	-	36	24	-	14	6	51.7	-	0
Barnes	394	366	8	-	152	65	1	86	11	27.9	2	5.1
Benson	264	249	12	-	94	45	-	38	5	16.9	6	22.7
White	229	218	11	-	72	-	-	-	5	21.6	6	26.2
Nonwhite	35	31	1	-	12	-	-	-	-	0	-	0
Billings	57	56	1	-	5	1	-	4	-	0	-	0
Bottineau	304	254	49	-	134	58	-	76	8	26.3	5	16.4
Bowman	114	97	14	1	23	10	-	13	2	17.5	2	17.5
Burke	168	162	6	-	52	36	-	15	3	17.9	4	23.8
Burleigh	636	625	13	-	210	52	8	147	21	32.9	12	18.8
Bismarck	515	505	9	-	163	33	7	120	17	33.0	11	21.4
Balance of county	123	118	4	-	47	19	1	27	4	32.5	1	8.1
Cass	1,299	1,264	34	-	467	201	10	254	47	36.2	21	16.2
Fargo	870	860	10	-	324	131	3	188	38	43.7	15	17.2
Balance of county	429	404	24	-	143	70	7	66	9	21.0	6	14.0
Cavalier	317	293	19	-	103	59	1	42	7	22.1	4	12.6
Dickey	219	181	38	2	71	40	-	30	5	22.8	5	22.8
Divide	137	135	2	-	57	28	8	21	7	51.1	1	7.3
Dunn	222	176	34	-	67	36	-	30	14	63.1	2	9.0
Eddy	120	118	1	-	45	9	-	36	8	86.7	3	25.0
Emmons	256	124	132	-	58	41	-	17	10	39.1	-	0
Foster	121	112	9	-	45	18	-	27	4	33.1	8	66.1
Golden Valley	92	92	-	-	22	9	-	13	3	32.6	-	0
Grand Forks	870	848	20	-	334	127	39	168	34	35.1	14	14.4
Grand Forks	685	672	12	-	208	69	2	137	27	39.4	10	14.6
Balance of county	285	276	8	-	126	58	37	51	7	24.6	4	14.0
Grant	202	173	26	-	48	28	-	20	7	34.7	7	34.7
Griggs	144	138	6	-	38	22	-	16	3	20.8	1	6.9
Hettinger	221	152	68	-	50	21	-	29	9	40.7	3	13.6
Kidder	165	115	37	1	47	24	-	22	9	54.5	1	6.1
La Moore	199	170	28	-	65	33	3	26	4	20.1	8	40.2
Logan	173	100	43	14	34	19	-	15	5	28.9	4	23.1
McHenry	313	301	11	-	98	51	-	47	11	35.1	7	22.4
McIntosh	187	102	77	1	63	45	-	18	9	48.1	4	21.4
McKenzie	165	151	12	-	47	20	-	26	2	12.1	1	6.1
McLean	415	374	51	-	98	51	-	47	9	21.7	9	21.7
Mercer	234	220	5	-	60	24	-	35	7	29.9	3	12.8
Morton	512	441	65	-	135	57	8	67	15	29.3	13	25.4
Mountrail	249	207	41	-	55	36	-	18	7	28.1	3	12.0
Nelson	156	148	8	-	80	34	-	44	9	57.7	5	32.1
Oliver	84	73	9	-	12	3	-	9	1	11.9	1	11.9
Pembina	341	290	48	-	116	79	-	37	10	29.3	6	17.6
Pierce	244	234	3	-	83	21	-	62	9	36.9	7	28.7
Ramsey	381	364	27	-	131	68	1	67	18	47.2	5	13.1
Ransom	208	157	51	-	65	44	-	21	4	19.2	6	28.8
Renville	158	155	3	-	42	18	-	23	4	25.3	4	25.3
Richland	455	433	22	-	153	73	-	80	12	26.4	5	11.0
Rolette	349	338	3	-	126	44	-	82	24	68.8	10	28.7
White	205	202	2	-	71	-	-	-	12	58.5	4	19.5
Nonwhite	144	136	1	-	55	-	-	-	12	85.3	6	41.7
Sargent	200	176	21	1	63	37	-	26	3	15.0	1	5.0
Sheridan	149	119	29	-	39	20	-	18	5	33.6	8	40.3
Sioux	114	82	6	17	33	17	-	16	7	61.4	2	17.5
White	57	50	5	1	11	-	-	-	4	70.2	-	0
Nonwhite	57	32	1	16	22	-	-	-	3	52.6	2	35.1
Slope	61	52	8	1	11	5	-	6	1	16.4	-	0
Stark	428	420	12	1	118	42	-	71	13	30.4	4	9.3
Steele	100	98	2	-	51	26	-	25	5	50.0	1	10.0
Stutsman	512	479	32	-	319	65	127	127	22	43.0	10	19.5
Towner	162	149	12	-	46	25	-	19	7	43.2	3	18.5
Traill	257	243	14	-	78	47	-	31	6	23.3	8	31.1
Walsh	494	468	26	-	196	106	19	69	14	28.3	9	18.2
Ward	769	761	7	-	277	88	1	188	27	35.1	7	9.1
Minot	457	452	5	-	162	46	-	114	19	41.6	6	13.1
Balance of county	312	309	2	-	115	42	1	72	8	25.6	1	3.2
Wells	232	213	18	-	83	36	-	47	7	30.2	8	34.5
Williams	423	415	6	1	152	59	-	93	19	44.9	3	7.1
OHIO	169,600	152,038	17,185	38	78,464	43,923	4,125	28,996	5,312	31.3	4,044	23.8
Adams	436	107	298	1	198	157	-	40	14	32.1	16	36.7
Allen	2,034	1,867	145	1	917	459	46	403	65	41.6	42	20.6
Lima	1,335	1,259	74	1	574	279	-	290	68	50.9	25	18.7
Balance of county	699	628	71	-	343	180	46	113	17	24.3	17	24.3
Ashland	707	686	20	-	354	223	15	105	20	29.3	17	24.0
Ashland	517	511	6	-	155	82	-	64	13	41.0	5	15.8
Balance of county	390	375	14	-	199	141	15	41	7	17.9	12	30.8
Ashtabula	1,496	1,348	148	-	806	467	50	282	44	29.4	31	20.7
Ashtabula	572	511	61	-	246	131	1	114	17	29.7	10	17.5
Balance of county	924	837	87	-	560	336	49	168	27	29.2	21	22.7
Athens	833	510	322	-	576	352	130	82	23	27.6	27	32.4
Auglaize	682	577	105	-	324	245	11	67	19	27.9	14	20.5

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

81

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
OHIO--Continued												
Belmont	1,890	1,557	329	-	980	635	23	307	67	35.4	50	26.5
Bellaire	287	260	26	-	158	95	1	60	7	24.4	10	34.8
Martins Ferry	302	297	4	-	163	95	-	65	11	36.4	6	19.9
Balance of county	1,301	1,000	299	-	689	445	22	182	49	37.7	34	26.1
Brown	373	179	194	-	244	200	1	36	10	26.6	4	10.7
Butler	3,314	3,070	243	-	1,293	656	10	639	117	35.3	84	26.3
Hamilton	1,482	1,396	86	-	650	285	2	359	58	39.1	43	29.0
Middletown	943	877	66	-	533	164	-	166	32	33.9	17	18.0
Balance of county	888	797	91	-	510	187	8	114	27	30.4	24	27.0
Carroll	358	210	147	-	180	142	6	29	9	25.1	11	30.7
Champaign	620	551	69	-	301	182	3	115	30	40.4	18	29.0
Clarke	2,487	2,252	234	1	1,229	696	96	418	74	29.8	53	21.3
Springfield	1,870	1,717	152	1	918	528	28	349	60	32.1	41	21.9
White	1,688	1,552	134	-	781	-	-	-	51	30.2	33	19.6
Nonwhite	184	165	18	1	137	-	-	-	9	49.9	8	43.5
Balance of county	617	535	82	-	311	168	68	69	14	22.7	12	19.4
Clermont	777	456	320	-	374	278	5	85	12	15.4	18	25.2
Clinton	503	224	278	-	531	260	18	45	19	37.8	5	9.9
Columbiana	2,075	1,664	411	-	1,059	663	22	326	69	33.5	62	28.9
East Liverpool	570	490	80	-	282	169	-	110	16	28.1	25	43.9
Salem	268	245	23	-	147	72	2	64	11	41.0	7	26.1
Balance of county	1,237	931	306	-	620	422	20	152	42	34.0	30	24.3
Coshocton	615	544	69	-	366	241	10	107	31	50.4	7	11.4
Goshooton	250	217	33	-	170	103	3	61	14	60.9	4	17.4
Balance of county	365	327	57	-	196	138	7	46	17	44.2	3	7.8
Crawford	762	706	53	-	431	239	14	173	33	43.3	26	34.1
Cuyahoga	29,135	27,922	1,194	6	12,945	6,794	402	5,564	816	28.0	739	25.3
Cleveland	21,615	20,513	1,088	5	10,077	4,973	303	4,655	679	31.4	591	27.3
White	18,802	18,300	485	1	8,753	-	-	-	557	29.6	467	25.9
Nonwhite	2,813	2,213	594	4	1,344	-	-	-	122	43.4	104	37.0
Cleveland Heights	761	757	4	-	371	282	10	78	11	14.5	11	14.5
East Cleveland	752	745	7	-	327	207	1	115	12	16.0	20	26.6
Euclid	837	823	14	-	203	134	-	64	12	14.3	17	20.3
Garfield Heights	343	340	3	-	131	69	16	45	9	26.2	5	14.6
Lakewood	1,384	1,360	22	1	575	356	2	209	24	17.3	23	16.6
Panna	398	392	5	-	132	75	20	36	7	17.6	13	32.7
Shaker Heights	375	370	5	-	155	112	-	40	4	10.7	4	10.7
Balance of county	2,668	2,622	45	-	974	595	50	322	58	21.7	54	20.2
Darke	815	724	88	-	395	270	26	94	15	18.4	20	24.5
Defiance	557	534	19	-	245	161	7	72	18	32.3	11	19.7
Delaware	560	469	91	-	330	198	6	113	16	28.6	11	19.6
Erle	1,107	1,088	19	-	575	276	58	238	32	28.9	28	25.3
Sandusky	694	679	5	-	312	141	-	171	19	27.8	16	23.4
Balance of county	423	409	14	-	263	135	58	67	13	30.7	12	28.4
Fairfield	1,116	889	227	-	533	377	10	144	38	34.1	26	23.3
Lancaster	578	494	84	-	268	181	-	86	25	43.5	9	15.8
Balance of county	538	395	143	-	265	196	10	58	13	24.2	17	31.6
Fayette	469	203	266	-	264	169	18	63	19	36.9	7	14.3
Franklin	10,315	9,513	793	2	4,864	2,606	327	1,647	343	35.3	220	21.3
White	9,315	8,765	547	-	4,216	-	-	-	295	31.7	185	19.9
Nonwhite	1,000	750	246	2	648	-	-	-	48	48.0	35	35.0
Columbus	8,234	7,641	586	2	4,038	2,114	254	1,599	274	35.3	178	21.6
White	7,324	6,939	382	-	3,426	-	-	-	229	31.3	148	20.2
Nonwhite	910	702	204	2	612	-	-	-	45	49.5	30	33.0
Balance of county	2,081	1,872	207	-	826	492	73	248	69	33.2	42	20.2
Fulton	596	541	55	-	257	179	10	66	16	26.8	6	10.1
Gallia	497	303	171	4	402	198	153	50	16	32.2	10	20.1
Geauga	481	392	78	2	221	160	3	52	15	31.2	14	29.1
Groene	1,299	1,015	281	-	454	307	14	114	36	27.7	22	16.9
Kenia	340	271	65	-	182	135	2	37	9	26.5	7	20.6
White	288	243	45	-	143	-	-	-	8	27.8	7	24.3
Nonwhite	52	28	22	-	39	-	-	-	1	19.2	-	0
Balance of county	959	744	198	-	272	172	12	77	27	26.2	15	15.6
Guernsey	679	465	197	-	574	322	24	111	29	42.7	18	26.5
Cambridge	328	238	82	-	216	134	15	60	18	54.9	11	33.5
Balance of county	351	225	115	-	358	188	9	51	11	31.3	7	19.9
Hamilton	15,241	14,255	940	2	7,880	3,833	603	3,368	421	27.6	456	29.9
White	13,539	12,780	729	-	6,790	-	-	-	368	27.2	382	28.2
Nonwhite	1,702	1,475	211	2	1,090	-	-	-	53	31.1	74	43.5
Cincinnati	10,964	10,313	621	2	6,328	2,881	427	2,660	311	26.4	327	29.8
White	9,460	8,966	476	-	5,283	-	-	-	261	27.6	267	28.2
Nonwhite	1,504	1,347	145	2	985	-	-	-	50	33.2	60	39.9
Norwood	771	753	18	-	289	177	-	90	15	16.9	20	25.9
Balance of county	3,506	3,189	301	-	1,363	775	176	418	97	27.7	109	31.1
Hancock	1,037	977	58	-	498	301	23	164	38	36.6	26	25.1
Findlay	545	525	19	-	271	154	9	99	23	42.2	15	27.5
Forestia (part)	82	81	1	-	24	13	-	11	4	(5)	1	(5)
Balance of county	410	371	38	-	203	134	14	54	11	26.8	10	24.4
Hardin	605	524	79	-	423	214	46	160	25	41.3	18	29.8
Harrison	375	301	74	-	171	124	3	42	9	24.0	14	37.3
Henry	489	410	73	-	277	201	13	52	20	40.9	10	20.4
Highland	577	310	258	-	324	246	3	73	22	38.1	5	8.7
Hocking	445	268	176	-	228	169	3	24	23	51.7	13	29.2
Holmes	444	289	157	-	170	109	5	55	12	27.0	16	36.0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS, UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section II (Counties)—Continued												
OHIO—Continued												
Buron	866	800	66	-	488	331	12	140	20	23.1	19	21.9
Jackson	623	203	409	1	295	239	2	51	24	36.5	20	32.1
Jefferson	2,101	1,821	270	2	866	509	18	332	72	34.3	49	23.3
Staubenville	863	826	36	-	393	196	1	193	32	37.1	22	25.5
Balance of county	1,239	995	234	2	473	313	17	139	40	32.3	27	21.8
Knox	684	657	25	1	372	190	10	185	29	42.4	6	6.8
Mount Vernon	286	283	3	-	178	84	-	89	17	59.4	2	7.0
Balance of county	398	374	22	1	196	106	10	76	12	30.2	4	10.1
Lake	1,457	1,436	21	-	545	338	25	172	40	27.5	33	22.6
Painesville	433	429	5	-	168	96	1	79	7	16.2	8	18.5
Balance of county	1,024	1,008	16	-	378	250	24	93	33	32.2	25	24.4
Lawrence	1,058	907	147	-	461	280	6	172	46	43.5	21	19.8
Ironton	356	336	20	-	203	111	-	91	11	30.9	9	25.3
Balance of county	702	571	127	-	258	169	6	81	35	49.9	12	17.1
Licking	1,405	1,282	143	-	806	533	12	245	39	27.8	35	24.9
Newark	804	742	62	-	414	289	-	145	19	23.6	23	28.6
Balance of county	601	520	81	-	392	274	12	100	20	33.3	12	20.0
Logan	658	597	61	-	360	268	10	99	25	38.0	16	24.3
Lorain	2,940	2,876	63	1	1,300	742	43	481	104	35.4	64	21.8
Elyria	683	689	4	-	309	180	10	114	21	30.3	10	14.4
Lorain	1,168	1,139	27	-	465	250	3	201	43	36.9	21	18.0
Balance of county	1,081	1,048	32	1	526	312	30	166	40	37.0	33	30.5
Lucas	8,441	8,106	327	1	4,169	1,855	347	1,834	281	33.3	189	22.4
Toledo	7,163	6,921	239	1	3,775	1,601	339	1,715	252	35.2	170	23.7
White	6,889	6,492	195	-	3,525	-	-	-	230	34.4	157	23.5
Nonwhite	474	429	44	1	250	-	-	-	22	46.4	13	27.4
Balance of county	1,278	1,185	99	-	394	254	8	119	29	22.7	19	14.9
Madison	491	202	282	-	269	189	14	56	22	44.8	7	14.3
Mahoning	5,208	4,995	212	-	2,323	1,149	46	1,122	137	26.3	121	23.2
Campbell	212	200	12	-	71	39	-	32	5	23.6	3	14.2
White	187	182	5	-	61	-	-	-	4	21.4	3	16.0
Nonwhite	25	18	7	-	10	-	-	-	1	40.0	-	0
Struthers	210	205	4	-	57	31	-	26	1	4.8	5	23.8
Youngstown (part)	3,960	3,617	143	-	1,799	854	2	939	113	(5)	94	(5)
White	3,569	3,526	43	-	1,580	-	-	-	91	(5)	80	(5)
Nonwhite	391	291	100	-	219	-	-	-	22	(5)	14	(5)
Youngstown (total)	3,963	3,619	144	-	1,801	854	2	941	113	28.5	94	23.7
White	3,572	3,523	44	-	1,582	-	-	-	91	25.5	80	22.4
Nonwhite	391	291	100	-	219	-	-	-	22	56.3	14	35.8
Balance of county	826	773	53	-	396	225	44	125	18	21.8	19	23.0
Marion	1,078	989	79	-	550	346	12	182	53	49.2	34	31.5
Marion	774	729	45	-	387	249	4	127	38	49.1	25	32.3
Balance of county	304	270	34	-	163	99	8	55	15	49.3	9	29.6
Medina	817	794	23	-	389	234	15	116	30	36.7	19	22.0
Meigs	454	201	251	2	255	202	1	49	11	24.2	12	26.4
Mercer	599	562	36	-	295	179	13	98	30	50.1	11	18.4
Miami	1,475	1,415	60	-	655	412	14	217	51	34.6	31	21.0
Piqua	470	463	7	-	214	127	-	84	18	39.3	6	12.8
Balance of county	1,005	952	53	-	441	285	14	133	33	32.8	25	24.9
Monroe	303	114	186	-	196	164	6	26	8	26.4	7	23.1
Montgomery	9,211	8,785	419	2	3,499	1,758	219	1,455	300	32.6	209	22.7
Dayton	7,752	7,475	274	-	2,731	1,316	144	1,226	249	32.1	174	22.4
White	7,010	6,684	184	-	2,380	-	-	-	227	32.4	144	20.5
Nonwhite	742	651	90	-	351	-	-	-	22	29.6	30	40.4
Balance of county	1,459	1,310	145	2	769	442	75	227	51	36.0	35	24.0
Morgan	217	117	100	-	165	123	-	42	2	9.2	5	23.0
Morrow	302	265	36	-	192	142	2	45	8	26.5	4	13.2
Muskingum	1,618	1,517	101	-	798	477	16	287	52	32.1	45	27.8
Zanesville	967	915	52	-	514	275	10	218	34	35.2	26	26.9
Balance of county	651	602	49	-	264	204	6	69	18	27.6	19	29.2
Noble	215	146	69	-	131	100	2	29	4	18.6	6	27.9
Ottawa	630	570	60	-	245	159	7	72	11	17.5	16	25.4
Paulding	302	287	34	-	165	99	7	57	11	36.4	10	33.1
Perry	529	285	244	-	326	249	17	56	29	54.8	13	24.6
Pickaway	608	411	196	-	376	194	86	86	26	42.8	13	21.4
Pike	338	83	252	-	143	101	2	36	13	38.5	4	11.8
Portage	1,218	1,157	60	-	499	317	8	169	27	22.2	29	23.8
Preble	495	405	86	-	275	216	8	47	10	20.2	12	24.2
Putnam	605	473	128	-	280	194	2	59	16	26.4	11	18.2
Richland	1,915	1,817	99	-	857	447	9	378	47	35.0	40	20.9
Manassfield	1,068	1,033	34	-	473	236	-	227	39	36.5	27	25.3
Balance of county	847	784	55	-	394	211	9	149	28	33.1	13	15.3
Ross	1,278	604	656	1	580	351	81	143	61	47.7	33	25.8
Chillicothe	521	345	171	1	246	159	-	96	34	65.3	14	26.9
Balance of county	757	259	485	-	334	192	81	57	27	35.7	19	25.1
Sandusky	989	906	83	-	448	264	11	166	28	29.3	26	26.3
Freemont	414	406	8	-	147	91	-	55	6	14.5	6	14.5
Balance of county	575	500	75	-	304	173	11	111	22	38.3	20	34.8
Scioto	1,974	1,427	545	1	783	518	2	255	61	41.0	50	25.3
Portsmouth	951	846	105	-	420	250	1	162	28	29.4	24	25.2
Balance of county	1,023	581	440	1	363	268	1	91	53	51.8	26	25.4

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

83

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
OHIO--Continued												
Seneca	1,175	1,089	83	-	585	392	37	150	48	40.9	22	18.7
Fostoria (part)	289	271	18	-	145	96	2	43	12	(5)	6	(5)
Fostoria (total)	371	352	19	-	169	109	2	54	16	43.1	7	18.9
Tiffin	429	410	19	-	217	135	10	85	23	53.6	6	14.0
Balance of county	457	408	46	-	223	151	26	44	13	28.4	10	21.9
Shelby	660	591	69	-	256	139	13	82	19	28.8	15	22.7
Stark	6,275	5,317	358	-	2,856	1,339	364	1,111	188	30.0	137	21.8
Alliance	635	613	22	-	268	151	-	115	20	31.5	10	15.7
Canton	3,092	2,989	133	-	1,227	578	8	630	90	29.1	71	23.0
Massillon	779	753	16	-	346	174	13	157	23	29.5	18	23.1
Balance of county	1,769	1,592	187	-	995	436	343	209	55	31.1	38	21.5
Summit	10,188	9,714	466	4	3,425	1,635	205	1,536	275	27.0	243	23.9
Alcon	7,421	7,091	325	1	2,363	1,097	47	1,221	191	25.7	181	24.4
White	6,852	6,635	212	1	2,215	-	-	-	176	25.7	147	21.5
Nonwhite	569	456	113	-	168	-	-	-	15	26.4	34	59.8
Barberton	780	730	46	2	259	162	-	93	28	35.9	18	23.1
Cuyahoga Falls	588	577	11	-	194	105	6	77	16	27.2	7	11.9
Balance of county	1,399	1,316	82	1	589	281	152	145	40	28.6	37	26.4
Trumbull	3,466	3,304	159	-	1,235	656	37	523	121	34.9	84	24.2
Miles	339	320	18	-	132	77	-	53	13	38.5	11	32.5
Warren	1,334	1,315	20	-	495	236	4	248	47	35.2	30	22.5
Youngstown (part)	3	2	1	-	2	-	-	2	-	(5)	-	(5)
White	3	2	1	-	2	-	-	-	-	(5)	-	(5)
Nonwhite	-	-	-	-	-	-	-	-	-	(5)	-	(5)
Balance of county	1,791	1,689	120	-	606	342	33	220	61	34.1	43	24.0
Tuscarawas	1,535	1,327	197	-	792	525	26	231	58	37.8	36	23.5
New Philadelphia	308	280	28	-	166	119	1	42	7	22.7	6	19.5
Balance of county	1,227	1,047	189	-	626	404	25	189	51	41.6	30	24.4
Union	413	305	108	-	227	161	15	45	9	21.8	5	12.1
Van Wert	608	516	88	-	287	185	13	82	18	29.7	11	18.2
Vinton	245	44	189	-	124	102	7	8	13	53.1	8	32.7
Warren	827	646	175	-	333	217	29	81	27	32.6	11	15.3
Washington	902	707	190	-	513	378	9	123	29	32.2	22	24.4
Marietta	344	318	26	-	225	151	1	70	10	29.1	9	26.2
Balance of county	559	389	164	-	288	227	8	53	19	34.1	13	23.3
Wayne	1,335	1,106	228	-	532	328	48	142	35	26.2	17	12.7
Wooster	291	284	7	-	140	83	1	49	13	44.7	2	6.9
Balance of county	1,044	822	221	-	392	245	47	93	22	21.1	15	14.4
Williams	543	421	119	-	279	222	5	46	15	27.6	4	7.4
Wood	1,126	979	141	1	490	350	8	123	23	20.4	26	23.1
Wyandot	383	292	90	-	220	148	7	53	11	28.7	10	26.1
OKLAHOMA	50,416	38,190	9,806	1,158	18,620	10,907	848	6,550	1,639	32.5	1,091	21.6
Adair	352	233	72	34	118	91	-	27	16	45.5	4	11.4
White	229	139	61	21	82	-	-	-	5	21.9	1	4.4
Nonwhite	124	94	11	13	36	-	-	-	11	88.7	3	24.2
Alfalfa	202	195	7	-	114	68	-	35	5	24.8	4	19.8
Atoka	332	137	179	11	109	85	-	20	23	69.3	7	21.1
Beaver	135	120	14	-	56	37	-	19	2	14.8	2	14.8
Beckham	445	425	18	2	163	89	-	74	18	40.4	13	29.2
Blaine	395	297	85	7	157	94	-	62	18	45.6	8	20.3
White	307	243	62	1	122	-	-	-	11	35.8	5	16.3
Nonwhite	88	54	25	6	35	-	-	-	7	79.5	3	34.1
Bryan	798	487	302	5	281	183	-	78	19	23.8	19	23.8
Durant	302	246	54	1	113	76	-	37	9	29.8	5	16.6
Balance of county	496	241	248	4	148	107	-	41	10	20.2	14	28.2
Caddo	958	856	289	10	323	193	1	129	37	38.6	23	24.0
White	781	533	245	2	280	-	-	-	26	33.3	15	19.2
Nonwhite	177	123	44	8	63	-	-	-	11	62.1	8	45.2
Canadian	502	425	77	-	231	148	4	79	14	27.9	12	23.9
El Reno	259	240	19	-	135	86	1	48	13	50.2	10	38.6
Balance of county	243	185	58	-	96	62	3	31	1	4.1	2	8.2
Carter	852	541	296	14	382	255	13	92	28	32.9	14	16.4
White	752	526	222	3	299	-	-	-	25	35.2	11	14.6
Nonwhite	100	15	74	11	63	-	-	-	3	30.0	3	30.0
Ardmore	449	345	103	1	220	148	13	58	14	31.2	5	11.1
White	388	333	55	-	175	-	-	-	13	35.5	3	7.7
Nonwhite	61	12	48	1	45	-	-	-	1	16.4	2	32.8
Balance of county	403	196	193	13	142	107	-	34	14	34.7	9	22.3
Cherokee	470	295	135	37	165	111	-	53	14	29.8	12	25.5
White	341	192	125	21	127	-	-	-	8	23.5	10	29.3
Nonwhite	129	103	10	16	38	-	-	-	6	46.5	2	15.5
Choctaw	509	271	139	80	160	121	-	37	12	23.6	15	29.5
White	375	246	112	12	122	-	-	-	5	13.3	6	16.0
Nonwhite	134	25	27	68	38	-	-	-	7	52.2	9	67.2
Cimarron	96	80	16	-	20	16	-	4	3	31.3	1	10.4
Cleveland	754	657	93	3	412	103	243	64	12	15.9	9	11.9
Norman	484	461	23	-	345	56	240	47	8	16.5	8	16.5
Balance of county	270	186	70	3	67	47	3	17	4	14.8	1	3.7
Coal	194	89	102	2	81	59	-	18	2	10.3	3	15.5
Comanche	1,148	958	166	21	316	169	-	125	50	43.6	25	21.8
Larton	776	680	76	19	213	132	-	80	31	39.9	13	16.8
Balance of county	370	276	90	2	103	57	-	45	19	51.4	12	32.4
Cotton	232	145	84	3	95	60	-	35	9	38.8	7	30.2
Craig	355	293	56	4	315	76	180	58	16	45.1	8	22.5

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
OKLAHOMA—Continued												
Creek-----	1,031	744	200	66	433	297	-	133	40	38.8	32	31.0
White-----	900	708	166	12	377	-----	-----	-----	33	36.7	23	25.6
Nonwhite-----	131	35	34	54	56	-----	-----	-----	7	53.4	9	69.7
Sapulpa-----	334	287	15	31	157	87	-	69	14	41.9	15	44.9
White-----	278	264	11	2	130	-----	-----	-----	12	43.2	10	36.0
Nonwhite-----	58	23	4	29	27	-----	-----	-----	2	35.7	5	89.3
Balance of county-----	697	457	185	35	276	210	-----	64	26	37.3	17	24.4
White-----	622	445	155	10	247	-----	-----	-----	21	33.8	13	20.9
Nonwhite-----	75	12	30	25	29	-----	-----	-----	5	66.7	4	53.3
Custer-----	518	480	37	1	181	100	-	78	17	32.8	12	23.2
Delaware-----	283	118	141	17	104	81	-	20	9	31.8	5	17.7
White-----	222	88	126	7	92	-----	-----	-----	8	36.0	5	22.5
Nonwhite-----	61	30	15	10	12	-----	-----	-----	1	16.4	-	0
Dewey-----	178	108	72	-	71	51	-	18	5	29.1	3	16.9
Ellis-----	144	135	9	-	73	46	-	26	6	41.7	-	0
Garfield-----	1,060	1,022	36	1	499	223	53	205	37	35.0	21	19.8
Grand-----	804	791	12	1	347	147	53	142	29	36.1	15	18.7
Balance of county-----	256	231	24	-	142	76	-	63	8	31.3	6	23.4
Garvin-----	628	551	73	3	215	137	13	58	19	30.3	9	14.3
Grady-----	813	592	213	6	293	172	-	119	25	30.8	16	19.7
Chickasha-----	413	324	82	6	157	89	-	69	17	41.2	8	19.4
White-----	378	318	60	-	133	-----	-----	-----	14	37.0	7	18.5
Nonwhite-----	35	6	22	6	24	-----	-----	-----	3	65.7	1	28.6
Balance of county-----	400	268	131	-	136	84	-	50	8	20.0	8	20.0
Grant-----	161	160	21	-	110	79	-	30	3	16.6	2	11.0
Greer-----	244	208	34	2	119	72	-	34	17	69.7	8	32.8
Harmon-----	170	117	53	-	60	45	-	15	4	23.5	4	23.5
Harper-----	118	96	21	-	47	32	-	13	1	9.5	1	8.5
Haskell-----	250	52	186	10	85	65	-	18	7	29.0	1	4.0
Hughes-----	539	354	173	10	204	129	-	70	22	40.8	7	13.0
White-----	440	302	135	2	182	-----	-----	-----	17	38.6	7	15.9
Nonwhite-----	99	52	38	8	22	-----	-----	-----	5	50.5	-	0
Jackson-----	441	385	54	2	142	105	-	33	10	22.7	15	34.0
Jefferson-----	255	168	87	-	90	59	-	31	11	43.1	5	19.6
Johnston-----	242	123	116	1	71	60	-	11	6	24.8	7	28.9
Kay-----	1,172	1,120	52	-	421	222	-	186	31	26.5	31	26.5
Ponca City-----	496	475	11	-	145	66	-	75	12	24.7	12	24.7
Balance of county-----	696	645	41	-	276	156	-	111	19	27.7	19	27.7
Kingfisher-----	250	196	49	4	92	54	-	37	6	24.0	6	24.0
White-----	219	183	36	-	78	-----	-----	-----	5	22.8	6	27.4
Nonwhite-----	31	13	13	4	14	-----	-----	-----	1	32.3	-	0
Kiowa-----	462	395	65	-	162	102	-	56	15	32.5	12	26.0
Latimer-----	242	75	162	3	91	58	-	33	8	33.1	5	20.7
Le Flore-----	799	281	496	18	281	218	-	62	36	45.1	13	16.3
Lincoln-----	437	281	144	11	232	175	-	55	21	49.1	20	45.8
Logan-----	480	334	115	31	250	155	19	55	14	29.2	10	20.8
White-----	384	319	61	4	205	-----	-----	-----	11	28.6	6	15.6
Nonwhite-----	96	15	54	27	45	-----	-----	-----	3	31.3	4	41.7
Guthrie-----	242	201	34	7	159	90	19	36	9	37.2	4	16.5
White-----	194	192	1	1	129	-----	-----	-----	8	41.2	3	15.5
Nonwhite-----	48	9	33	6	30	-----	-----	-----	1	20.8	1	20.8
Balance of county-----	238	133	81	24	91	65	-	19	5	21.0	6	25.2
White-----	190	127	60	3	76	-----	-----	-----	3	15.8	3	15.8
Nonwhite-----	48	6	21	21	15	-----	-----	-----	2	41.7	3	62.5
Lowe-----	190	61	128	1	52	36	-	16	4	21.1	3	15.8
McClain-----	283	161	115	4	73	59	-	14	7	24.7	3	10.6
McCurain-----	868	243	510	72	247	190	-	57	37	42.6	18	20.7
White-----	643	195	414	15	169	-----	-----	-----	24	37.5	15	23.3
Nonwhite-----	225	48	96	59	78	-----	-----	-----	13	57.8	3	13.3
McIntosh-----	514	270	148	70	181	129	1	43	24	48.7	10	19.5
White-----	379	229	118	24	126	-----	-----	-----	16	42.2	8	21.1
Nonwhite-----	135	41	30	46	55	-----	-----	-----	8	59.3	2	14.8
Major-----	215	184	31	1	72	42	-	29	8	37.0	2	9.3
Marshall-----	169	108	81	-	78	66	-	12	5	26.5	10	52.9
Mayes-----	443	361	74	6	153	97	-	54	15	33.9	14	31.6
Murray-----	245	197	47	-	134	89	-	44	14	57.1	6	24.5
Muskogee-----	1,609	1,184	289	135	680	366	94	230	53	33.0	40	24.9
White-----	1,258	1,057	192	2	411	-----	-----	-----	36	30.2	27	21.5
Nonwhite-----	350	107	97	133	269	-----	-----	-----	15	42.9	13	37.1
Muskogee-----	952	810	58	81	391	216	-	175	38	40.0	20	21.0
White-----	746	725	20	1	264	-----	-----	-----	26	34.9	12	16.1
Nonwhite-----	206	85	38	80	127	-----	-----	-----	12	59.3	8	38.8
Balance of county-----	656	354	231	54	289	150	84	55	15	22.9	20	30.5
White-----	512	332	172	1	147	-----	-----	-----	12	23.4	15	29.3
Nonwhite-----	144	22	59	53	142	-----	-----	-----	3	20.8	5	34.7
Noble-----	211	148	63	-	116	87	-	48	8	37.9	1	4.7
Nowata-----	243	159	73	10	136	100	-	35	6	24.7	7	28.8
White-----	218	156	61	-	117	-----	-----	-----	6	27.5	6	27.5
Nonwhite-----	25	3	12	10	19	-----	-----	-----	-	0	1	40.0
Okfuskee-----	448	245	180	41	168	131	-	35	14	31.3	13	29.0
White-----	311	197	112	1	102	-----	-----	-----	7	22.5	11	35.4
Nonwhite-----	137	48	48	40	66	-----	-----	-----	7	51.1	2	14.6

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
OKLAHOMA—Continued												
Oklahoma—	6,994	6,644	313	30	2,207	1,093	.25	1,051	215	30.7	145	20.7
Oklahoma City—	5,812	5,607	195	5	1,875	925	12	890	177	30.5	119	20.5
White—	5,234	5,125	102	4	1,701	—	—	—	153	29.2	97	18.5
Nonwhite—	578	482	93	1	174	—	—	—	24	41.5	22	38.1
Balance of county—	1,182	1,037	118	25	332	168	13	141	38	32.1	28	22.0
Okmulgee—	1,061	710	244	94	413	289	—	117	53	31.1	31	29.2
White—	797	656	135	2	305	—	—	—	23	28.9	17	21.3
Nonwhite—	264	54	109	92	108	—	—	—	10	37.9	14	53.0
Okmulgee—	417	310	58	46	197	136	—	59	21	50.4	11	26.4
White—	305	293	12	—	141	—	—	—	14	45.9	5	19.7
Nonwhite—	112	17	46	46	56	—	—	—	7	62.5	5	44.6
Balance of county—	644	400	186	48	216	153	—	59	12	18.6	20	31.1
White—	492	353	123	2	164	—	—	—	9	18.3	11	22.4
Nonwhite—	152	37	63	46	52	—	—	—	3	19.7	9	59.2
Osage—	635	514	115	6	293	160	34	84	24	37.8	9	14.2
Ottawa—	890	590	299	1	327	221	—	105	35	39.3	15	16.9
Pawnee—	327	262	63	1	144	88	1	55	6	18.3	9	27.5
Payne—	956	868	83	14	286	175	—	104	27	28.0	17	17.6
Stillwater—	451	445	6	—	122	74	—	47	12	26.6	7	15.5
Balance of county—	515	423	77	14	164	101	—	57	15	29.1	10	19.4
Pittsburg—	1,126	779	318	22	423	217	19	184	41	36.4	31	27.5
White—	1,014	728	267	13	369	—	—	—	37	36.5	29	28.6
Nonwhite—	112	51	51	9	54	—	—	—	4	35.7	2	17.9
McAlester—	470	423	40	5	183	72	18	92	14	29.8	14	29.8
White—	398	386	10	1	148	—	—	—	12	30.2	12	30.2
Nonwhite—	72	37	30	4	35	—	—	—	2	27.8	2	27.8
Balance of county—	656	356	278	17	240	145	1	92	27	41.2	17	25.9
White—	616	342	257	12	221	—	—	—	25	40.6	17	27.6
Nonwhite—	40	14	21	5	19	—	—	—	2	50.0	—	0
Pontotoc—	798	668	128	1	285	162	—	122	32	40.1	14	17.5
Ada—	470	430	40	—	169	91	—	78	20	42.6	8	17.0
Balance of county—	328	238	88	1	116	71	—	44	12	36.6	6	18.3
Pottawatomie—	1,070	912	135	22	403	252	1	145	34	31.8	22	20.6
Shawnee—	577	554	13	10	216	125	—	90	14	24.3	6	10.4
Balance of county—	493	358	122	12	187	127	1	55	20	40.6	16	52.5
Pushmataha—	306	120	178	5	103	71	—	32	9	28.4	14	45.8
Roger Mills—	146	134	11	—	59	34	—	25	4	27.4	5	34.2
Rogers—	449	369	75	3	180	104	—	75	9	20.0	12	26.7
Seminole—	947	793	102	44	322	206	—	114	37	39.1	14	14.8
White—	741	688	51	—	255	—	—	—	26	35.1	13	17.5
Nonwhite—	206	105	51	44	67	—	—	—	11	53.4	1	4.9
Seminole—	281	266	15	—	89	59	—	40	11	39.1	6	21.4
Wevoka—	188	160	12	15	74	44	—	30	6	31.9	2	10.6
White—	137	134	3	—	57	—	—	—	4	29.2	2	14.6
Nonwhite—	51	26	9	15	17	—	—	—	2	39.2	—	0
Balance of county—	478	367	75	29	149	103	—	44	20	41.8	6	12.6
White—	346	308	36	—	109	—	—	—	13	37.6	5	14.5
Nonwhite—	132	59	39	29	40	—	—	—	7	55.0	1	7.6
Sequoyah—	517	167	312	19	171	124	—	46	14	27.1	18	34.8
White—	459	147	291	12	150	—	—	—	13	28.3	16	34.9
Nonwhite—	58	20	21	7	21	—	—	—	1	17.2	2	34.5
Stephens—	727	687	39	1	216	107	1	107	21	26.9	16	22.0
Texas—	266	190	76	—	74	51	—	23	5	18.8	4	15.0
Willman—	421	362	44	11	129	90	—	36	11	26.1	11	26.1
White—	368	337	28	—	107	—	—	—	9	24.5	9	24.5
Nonwhite—	53	25	16	11	22	—	—	—	2	57.7	2	37.7
Tulsa—	5,598	5,052	469	76	1,839	909	13	858	162	28.9	104	18.6
White—	5,034	4,666	365	3	1,617	—	—	—	145	28.8	86	17.1
Nonwhite—	564	386	104	73	221	—	—	—	17	30.1	18	31.9
Tulsa—	4,393	4,132	199	61	1,516	732	5	729	123	28.0	79	18.0
White—	3,833	3,603	128	2	1,318	—	—	—	107	27.2	62	15.8
Nonwhite—	460	529	71	59	198	—	—	—	16	34.8	17	37.0
Balance of county—	1,205	920	270	15	322	177	8	129	39	32.4	25	20.7
Wagoner—	383	125	228	27	128	102	—	26	14	36.6	7	18.3
White—	294	109	180	3	90	—	—	—	9	30.6	5	17.0
Nonwhite—	89	16	49	24	38	—	—	—	5	56.2	2	22.5
Washington—	741	666	75	2	245	142	1	102	20	27.0	10	13.5
Bartlesville—	485	463	22	—	158	87	—	71	15	30.9	8	16.5
Balance of county—	256	203	51	2	87	55	1	31	5	19.5	2	7.8
Washita—	332	316	16	—	135	88	—	46	4	12.0	8	24.1
Woods—	324	314	8	—	124	64	—	50	7	21.6	10	30.9
Woodward—	270	252	18	—	263	72	142	42	12	44.4	7	25.9
OREGON—	30,076	29,472	447	13	15,318	6,067	882	6,019	833	27.7	521	17.3
Baker—	371	351	18	—	200	108	—	88	8	21.6	8	21.6
Benton—	591	581	5	—	176	95	—	78	16	27.1	14	23.7
Clackamas—	1,593	1,534	28	3	653	357	11	281	44	27.8	25	15.8
Clatsop—	663	654	9	—	281	110	—	165	17	25.6	12	18.1
Astoria—	280	280	—	—	168	49	—	119	10	35.7	6	21.4
Balance of county—	383	374	9	—	113	61	—	46	7	18.3	6	15.7
Columbia—	460	434	22	—	174	95	—	77	17	37.0	5	10.9
Cosco—	634	621	11	—	342	160	12	164	17	26.8	8	12.6
Crook—	154	153	1	—	54	33	—	20	8	51.9	2	13.0

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
OREGON—Continued												
Curry	70	68	2	-	60	37	-	23	1	14.3	1	14.3
Deschutes	496	491	5	1	156	75	7	68	19	38.3	10	20.2
Bend	275	274	1	-	95	40	7	47	7	25.5	2	7.3
Balance of county	221	217	2	1	61	35	-	21	12	54.3	8	36.2
Douglas	728	664	32	-	340	173	37	110	15	20.6	10	13.7
Gilliam	65	63	-	-	50	19	-	8	4	63.5	1	15.9
Grant	127	124	2	-	57	32	-	25	2	15.7	-	0
Harney	111	111	-	-	43	24	-	18	5	45.0	2	18.0
Hood River	286	283	2	-	102	45	3	54	8	27.0	6	20.3
Jackson	1,121	1,110	6	-	489	234	7	233	23	20.5	29	25.9
Medford	479	477	1	-	219	84	-	129	14	28.2	23	48.0
Balance of county	642	633	7	-	270	150	7	105	9	14.0	6	9.3
Jefferson	90	86	-	-	25	14	-	11	3	33.3	-	0
White	56	55	-	-	17	-	-	-	-	0	-	0
Nonwhite	34	31	-	-	8	-	-	-	3	88.2	-	0
Josephine	457	434	22	1	222	86	-	131	16	35.0	9	19.7
Klamath	1,182	1,162	12	2	330	142	10	176	35	29.6	28	23.7
Klamath Falls	769	764	5	-	221	79	1	139	19	24.7	17	22.1
Balance of county	413	398	7	2	109	63	9	37	16	38.7	11	26.6
Lake	126	125	1	-	57	20	-	16	4	31.7	3	23.8
Lane	1,990	1,907	74	-	791	400	11	369	52	26.1	39	19.6
Eugene	769	754	14	-	450	153	11	277	27	35.2	12	15.6
Balance of county	1,222	1,153	60	-	341	247	-	92	25	20.5	27	22.1
Lincoln	375	366	8	-	154	89	-	64	14	37.3	6	16.0
Idaho	1,017	994	16	1	375	179	12	147	33	32.4	22	21.6
Malheur	519	507	8	-	150	61	-	82	15	28.9	11	21.2
Marion	1,753	1,719	29	-	1,294	461	428	396	40	22.6	31	17.7
Salem	814	810	3	-	868	231	386	238	17	20.9	11	13.5
Balance of county	939	909	26	-	426	230	42	148	23	24.5	20	21.3
Morrow	90	61	17	-	46	29	-	17	3	37.5	-	0
Multnomah	10,720	10,631	59	2	4,915	2,190	192	2,390	285	26.6	177	16.5
Portland	9,435	9,376	45	2	4,182	1,864	65	2,190	222	23.5	150	15.9
Balance of county	1,285	1,255	14	-	733	326	127	200	63	49.0	27	21.0
Polk	476	469	9	-	172	110	-	60	12	25.1	8	16.7
Sherman	41	41	-	-	12	8	-	4	2	48.8	-	0
Tillamook	382	372	9	-	120	49	-	63	10	26.2	4	10.5
Umatilla	752	736	13	-	400	107	109	179	24	31.9	9	12.0
Union	403	403	-	-	177	66	-	108	18	44.7	8	20.0
Walla	141	139	1	-	52	29	-	22	1	7.1	2	14.2
Wasco	281	267	2	3	167	73	13	91	8	29.5	8	28.5
Washington	1,032	1,011	14	-	392	199	30	158	27	26.2	12	11.6
Wheeler	65	58	3	-	24	15	-	9	3	46.2	2	30.8
Yamhill	724	713	7	-	306	145	-	154	24	33.1	9	12.4
PENNSYLVANIA	218,376	192,318	25,854	139	107,683	57,415	7,165	42,234	7,196	33.0	4,639	21.2
Adams	930	754	176	-	363	256	13	93	30	32.3	23	24.7
Allegheny	31,381	29,694	1,670	11	14,932	7,802	1,028	6,006	696	28.6	695	22.1
Bellefonte	210	208	2	-	124	60	-	64	10	47.6	1	4.8
Bradford	422	401	21	-	173	86	-	87	19	45.0	9	21.3
White	363	354	9	-	140	-	-	-	15	41.3	8	22.0
Nonwhite	59	47	12	-	33	-	-	-	4	67.8	1	16.9
Carnegie	437	401	36	-	128	77	-	51	11	25.2	13	29.7
Clairton	447	383	63	1	152	92	-	58	14	31.3	8	17.9
White	377	343	34	-	131	-	-	-	11	29.2	6	15.9
Nonwhite	70	40	29	1	21	-	-	-	3	42.9	2	28.6
Coraopolis	287	258	9	-	92	55	-	37	8	30.0	7	26.2
Dormont	116	115	1	-	99	65	-	33	5	43.1	-	0
Duquesne	478	436	38	3	179	118	-	60	12	25.1	10	20.9
Harrison (twp.) <sup>4</sup>	220	203	17	-	85	36	-	49	5	22.7	2	9.1
Homestead	320	312	8	-	123	50	-	72	11	34.4	6	18.8
White	292	285	7	-	111	-	-	-	11	37.7	4	13.7
Nonwhite	28	27	1	-	12	-	-	-	-	0	2	71.4
McKees Rocks	641	624	17	-	217	110	-	105	12	18.7	6	9.4
McKeesport	1,562	1,236	125	-	504	287	-	210	40	29.4	29	21.3
Mount Lebanon (twp.) <sup>4</sup>	143	143	-	-	147	80	20	44	6	42.0	5	35.0
Murkham	249	241	8	-	126	70	-	56	9	36.1	7	28.1
North Bradford	328	308	20	-	133	78	-	55	5	15.2	8	24.4
Pittsburgh	16,622	16,063	549	6	7,608	4,108	162	3,290	431	25.8	399	24.0
White	14,994	14,551	434	5	6,704	-	-	-	364	24.3	347	23.1
Nonwhite	1,628	1,512	115	1	904	-	-	-	67	41.2	52	31.9
Shaler (twp.) <sup>4</sup>	185	173	12	-	59	39	-	20	9	48.6	2	10.8
Stowe (twp.) <sup>4</sup>	22	22	-	-	9	7	-	2	-	0	1	45.5
Swissvale	383	369	14	-	150	83	6	61	12	31.3	10	26.1
Wilkinsburg	547	541	6	-	348	186	13	142	15	27.4	12	21.9
Balance of county	7,982	7,257	724	1	4,476	2,117	827	1,510	262	32.8	160	20.0
White	7,732	7,061	670	1	4,234	-	-	-	255	33.0	151	19.5
Nonwhite	250	196	54	-	242	-	-	-	7	28.0	9	36.0
Armstrong	1,876	1,275	600	1	729	501	26	202	68	36.2	39	20.8
Beaver	3,756	3,378	371	7	1,443	842	69	530	128	34.1	92	24.5
Aliquippa	583	459	128	6	202	125	-	77	18	30.4	17	28.7
White	512	434	75	3	166	-	-	-	10	19.5	8	17.6
Nonwhite	81	25	53	3	36	-	-	-	8	98.8	8	88.8
Ambridge	482	468	14	-	151	83	-	68	11	22.8	7	14.5

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

87

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
PENNSYLVANIA—Continued												
Beaver—Continued												
Beaver Falls	551	499	32	-	189	107	-	82	16	30.1	10	18.9
Ellwood City (part)	-	-	-	-	9	5	-	4	-	(5)	1	(5)
Balance of county	2,150	1,952	197	1	892	522	69	299	83	38.6	57	26.5
Bedford	846	491	352	-	400	280	4	116	57	43.7	18	21.3
Berks	4,615	3,946	669	-	2,854	1,585	284	996	141	30.6	97	21.0
Reading	2,063	1,942	121	-	1,342	764	6	568	66	32.0	32	15.5
Balance of county	2,552	2,004	548	-	1,512	801	278	428	75	29.4	65	25.5
Blair	3,284	2,789	492	2	1,540	961	78	498	102	31.1	77	23.4
Altoona	1,895	1,724	170	-	898	579	-	318	50	26.4	40	21.1
Balance of county	1,589	1,065	522	2	642	382	78	180	52	37.4	37	26.6
Bradford	1,145	1,050	95	-	626	377	28	204	43	37.6	22	19.2
Bucks	2,609	2,475	134	-	1,187	729	54	388	82	31.4	35	13.4
Bristol	421	411	10	-	125	68	-	55	11	26.1	4	9.5
Balance of county	2,188	2,064	124	-	1,062	661	54	333	71	32.4	31	14.2
Butler	2,053	1,691	362	-	925	569	45	296	71	34.6	38	18.5
Butler	609	567	42	-	269	166	-	101	19	31.2	8	13.1
Balance of county	1,444	1,124	320	-	656	403	45	197	52	36.0	30	20.8
Cambria	4,729	3,635	1,088	2	1,913	999	111	793	197	41.7	121	25.6
Johnstown	1,796	1,665	129	1	798	393	-	397	87	48.4	51	28.4
Balance of county	2,935	1,970	959	1	1,115	606	111	396	110	37.5	70	23.9
Cameron	165	149	16	-	52	36	-	16	3	18.2	4	24.2
Carbon	1,164	826	338	-	678	367	101	207	40	34.4	22	18.9
Centre	1,272	1,105	166	-	492	284	43	162	42	33.0	28	22.0
Chester	3,218	2,999	316	2	1,662	827	247	545	116	36.0	64	19.9
Coatesville	590	546	34	-	157	85	-	71	15	39.5	9	23.7
White	320	300	20	-	126	-	-	-	7	21.9	8	25.0
Nonwhite	60	46	14	-	31	-	-	-	8	133.3	1	16.7
Phoenixville	308	288	20	-	135	75	-	57	12	39.0	5	16.2
West Chester	323	318	4	1	207	86	10	97	28	86.7	8	24.8
White	262	259	2	1	164	-	-	-	21	80.2	3	11.5
Nonwhite	61	59	2	-	43	-	-	-	7	114.8	5	82.0
Balance of county	2,207	1,947	258	1	1,163	581	237	320	61	27.6	42	19.0
Clarion	617	554	462	-	396	303	12	80	28	34.3	10	12.2
Clearfield	2,026	1,565	459	-	816	463	41	312	72	35.5	49	24.2
Du Bois	303	294	8	-	152	78	-	74	17	56.1	5	16.5
Balance of county	1,723	1,271	451	-	664	385	41	238	55	31.9	44	25.5
Clinton	680	628	51	1	373	199	1	173	24	27.3	19	21.6
Lock Haven	328	315	12	1	128	58	-	70	9	27.4	5	15.2
Balance of county	552	513	39	-	245	141	1	103	15	27.2	14	25.4
Columbia	1,137	1,032	103	-	570	334	-	234	39	34.3	34	29.9
Berwick	530	507	23	-	153	92	-	61	14	42.4	11	33.3
Balance of county	807	725	80	-	417	242	-	173	25	31.0	23	28.5
Crawford	1,748	1,647	100	-	876	472	50	349	53	30.3	29	16.6
Hoodville	498	490	8	-	216	88	1	127	20	40.2	7	14.1
Balance of county	1,250	1,157	92	-	660	384	49	222	33	26.4	22	17.6
Cumberland	1,991	1,889	301	1	858	546	34	272	63	31.6	34	17.1
Carlisle	358	323	35	-	182	109	1	72	18	50.6	4	11.2
Balance of county	1,635	1,566	268	1	676	437	33	200	45	27.5	30	18.3
Dauphin	4,211	3,547	662	1	2,335	1,259	341	719	132	31.3	98	23.3
Harrisburg	2,111	1,834	177	-	1,126	643	9	462	69	32.7	51	24.2
Steelton	280	212	48	-	138	87	-	48	10	38.5	6	23.1
White	196	172	24	-	106	-	-	-	6	30.6	2	10.2
Nonwhite	64	40	24	-	30	-	-	-	4	62.5	4	62.5
Balance of county	1,840	1,401	437	1	1,071	529	332	208	53	28.8	41	22.3
Delaware	8,080	7,817	259	2	3,516	1,808	185	1,214	229	28.3	162	20.0
Chester	1,654	1,704	126	2	706	326	1	359	90	49.1	51	27.8
White	1,418	1,365	49	2	565	-	-	-	60	42.3	32	22.6
Nonwhite	416	339	77	-	141	-	-	-	30	72.1	19	45.7
Darby	327	323	4	-	127	60	20	43	11	33.6	5	15.3
White	286	284	2	-	112	-	-	-	10	55.0	4	14.0
Nonwhite	41	39	2	-	15	-	-	-	1	24.4	1	24.4
Elvaston (bwp.) <sup>4</sup>	297	286	1	-	183	124	-	54	4	13.5	3	10.1
Lansdowne	362	362	-	-	140	84	-	49	6	16.6	3	8.3
Upper Darby (bwp.) <sup>4</sup>	1,405	1,398	7	-	606	337	85	174	39	27.8	23	16.4
Balance of county	3,855	3,754	121	-	1,584	877	79	555	79	20.5	77	20.0
Elk	722	683	39	-	278	148	5	125	19	26.3	16	22.2
Erie	4,870	4,468	202	-	2,182	1,164	128	840	221	47.3	88	18.8
Erie	5,123	3,045	78	-	1,397	727	32	609	161	51.6	64	20.5
Balance of county	1,547	1,423	124	-	785	437	96	231	60	38.8	24	15.5
Fayette	4,177	2,946	1,213	17	1,741	1,173	78	489	149	35.7	109	26.1
Connellsville	359	301	58	-	161	104	-	57	15	41.8	4	11.1
Uniontown	617	551	65	1	269	174	-	95	25	40.5	15	24.3
Balance of county	3,201	2,094	1,090	16	1,311	895	78	337	109	34.1	90	28.1
Forest	103	71	32	-	61	41	2	18	2	19.4	5	48.5
Franklin	1,770	1,487	281	2	758	482	32	242	39	22.0	41	23.2
Chambersburg	371	364	7	-	171	112	1	58	7	18.9	8	21.6
Weyersburg	240	225	15	-	112	73	1	36	5	20.8	11	45.8
Balance of county	1,159	898	269	2	475	297	30	148	27	35.3	22	19.0
Fulton	265	100	165	-	78	65	-	12	6	22.6	3	7.5
Greene	965	680	284	-	436	290	40	105	47	48.7	21	21.8
Huntingdon	1,002	546	456	-	430	303	7	118	34	33.9	20	20.0

See footnotes on p. 111.

793002 O - 48 - 7



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
PENNSYLVANIA—Continued												
Indiana	1,719	1,178	540	-	658	399	37	219	52	30.3	48	27.9
Indiana	280	250	10	-	107	68	-	39	4	15.4	5	19.2
Balance of county	1,439	928	530	-	551	331	37	180	48	32.9	43	29.5
Jefferson	1,083	887	186	-	504	314	18	171	44	40.6	22	20.3
Junata	326	154	172	-	161	123	-	37	7	21.5	13	39.9
Lackawanna	5,043	4,643	376	24	3,205	1,749	238	1,210	180	35.7	129	25.6
Carbondale	354	326	28	-	236	132	-	103	20	56.5	12	33.9
Dickson City	163	156	7	-	96	70	-	26	3	18.4	7	42.9
Dunmore	324	302	22	-	235	128	41	66	6	18.5	7	21.6
Old Forge	207	169	30	8	78	46	-	32	5	24.2	3	14.5
Scranton	2,561	2,425	127	9	1,580	877	5	672	92	35.9	72	28.1
Balance of county	1,434	1,265	162	7	1,000	496	192	311	54	37.7	28	19.5
Lancaster	5,136	3,698	1,237	-	2,376	1,348	228	790	174	33.9	92	17.9
Columbia	276	260	16	-	148	86	-	60	15	54.3	5	18.1
Lancaster	1,610	1,503	107	-	788	394	27	365	69	42.9	30	18.6
Balance of county	3,250	2,135	1,114	-	1,440	968	201	365	90	37.7	57	17.5
Lawrence	2,281	2,182	97	1	909	488	22	394	68	29.8	50	21.9
Ellwood City (part)	282	280	2	-	89	39	-	49	8	( <sup>5</sup> )	7	( <sup>5</sup> )
Ellwood City (total)	282	280	2	-	98	44	-	53	8	28.4	8	28.4
New Castle	1,172	1,139	31	1	516	273	2	238	38	33.3	26	22.2
Balance of county	827	763	64	-	304	176	20	107	21	25.4	17	20.6
Lebanon	1,940	1,589	351	-	779	452	29	282	62	32.0	32	16.5
Lebanon	840	755	85	-	380	209	5	161	33	39.3	16	19.0
Balance of county	1,100	834	266	-	399	243	24	131	29	26.4	16	14.5
Lehigh	3,046	3,306	539	1	2,102	983	202	904	105	27.3	98	25.5
Allentown	2,130	1,972	158	-	1,234	501	158	566	54	25.4	61	28.6
Bethlehem (part)	312	308	4	-	144	71	-	72	11	( <sup>5</sup> )	3	( <sup>5</sup> )
Balance of county	1,404	1,026	377	1	724	411	46	286	40	28.5	34	24.2
Luzerne	7,990	7,251	729	8	4,055	2,536	46	1,466	307	38.4	161	20.2
Hanover (twp.) <sup>4</sup>	78	74	4	-	29	18	-	11	2	25.6	2	25.6
Hazleton	780	758	22	-	403	248	-	148	50	64.1	14	17.9
Kingston	436	419	17	-	213	142	-	71	14	32.1	9	20.6
Nanticoke	414	380	34	-	226	119	-	107	22	53.1	9	21.7
Pittston	404	380	24	-	184	113	-	71	12	29.7	8	19.8
Plains (twp.) <sup>4</sup>	221	205	16	-	103	58	-	45	7	31.7	9	40.7
Plymouth	313	273	40	-	159	99	-	80	16	51.1	6	19.2
Wilkes-Barre	1,763	1,652	108	3	948	592	1	355	71	40.3	39	22.1
Balance of county	3,581	3,110	464	5	1,790	1,147	45	598	113	31.6	65	18.2
Tyoming	2,224	1,997	225	1	1,102	658	49	395	61	27.4	47	21.1
Williamsport	1,150	1,071	78	1	547	313	4	230	36	31.3	21	18.3
Balance of county	1,074	926	147	-	555	345	45	185	25	23.3	26	24.2
McKean	1,261	1,224	37	-	551	295	20	238	39	30.8	29	23.0
Bradford	458	455	3	-	207	99	-	108	16	34.9	8	17.5
Balance of county	803	769	34	-	344	194	20	130	23	28.6	21	26.2
Mercer	2,424	2,253	170	1	1,070	605	65	396	73	30.1	49	20.2
Farrell	312	296	16	-	103	53	-	50	9	28.8	5	16.0
White	275	265	10	-	94	-	-	-	7	25.5	5	18.2
Nonwhite	37	31	6	-	9	-	-	-	2	54.1	-	0
Sharon	660	649	11	-	271	137	-	134	27	40.9	14	21.2
Balance of county	1,452	1,308	143	1	696	413	65	212	37	25.5	30	20.7
Mifflin	1,090	806	281	2	434	242	5	186	50	45.9	22	20.2
Lewistown	426	386	39	-	199	107	-	91	16	37.6	6	14.1
Balance of county	664	420	242	2	235	135	5	95	34	51.2	16	24.1
Monroe	647	539	108	-	367	237	11	117	20	30.9	10	15.5
Montgomery	6,832	6,531	289	2	3,221	1,682	441	1,040	187	27.4	125	18.3
Abington (twp.) <sup>4</sup>	354	348	5	1	140	65	5	63	11	31.1	13	36.7
Cheltenham (twp.) <sup>4</sup>	279	275	4	-	185	118	16	48	5	17.9	3	10.8
Conshohocken	306	282	24	-	85	52	-	31	7	22.9	6	19.6
Lower Merion (twp.) <sup>4</sup>	831	827	4	-	363	200	1	158	21	25.3	13	15.6
Norristown	889	870	19	-	743	211	371	154	50	33.7	22	24.7
Pottstown	518	503	15	-	232	126	-	106	22	42.5	15	29.0
Balance of county	3,655	3,426	228	1	1,473	910	48	480	91	24.9	53	14.5
Montour	283	223	60	-	280	95	139	45	12	42.4	9	31.8
Northampton	3,702	3,243	456	1	1,718	923	57	727	126	34.0	68	16.4
Bethlehem (part)	1,109	1,068	39	1	418	216	-	198	41	( <sup>5</sup> )	14	( <sup>5</sup> )
Bethlehem (total)	1,421	1,376	43	1	582	287	-	270	52	36.6	17	12.0
Easton	899	845	54	-	522	253	4	282	34	37.8	19	21.1
Balance of county	1,694	1,330	363	-	778	454	53	287	51	50.1	35	20.7
Northumberland	2,513	2,055	457	-	1,298	884	31	382	88	35.0	58	15.1
Mount Carmel	310	276	34	-	178	126	-	52	10	32.3	9	29.0
Shamokin	633	541	92	-	264	187	1	76	16	25.3	10	15.8
Sumbury	339	312	27	-	201	118	-	83	22	64.9	6	17.7
Balance of county	1,231	926	304	-	855	483	30	171	40	32.5	13	10.6
Perry	530	269	237	-	239	174	4	59	20	37.7	12	22.6
Philadelphia, cooperative with Philadelphia (city)	42,511	40,457	2,009	33	23,820	9,895	1,325	12,572	1,411	33.2	898	21.1
White	34,819	33,869	926	20	19,838	-	-	-	1,042	29.9	619	17.8
Nonwhite	7,692	6,588	1,083	13	3,982	-	-	-	369	48.0	279	36.3
Pike	115	92	23	-	106	79	-	27	4	34.8	3	26.1
Potter	360	312	48	-	240	138	20	81	25	69.4	10	27.8
Schuylkill	4,037	3,334	702	1	2,456	1,470	134	648	149	36.9	98	24.3
Mahanoy City	246	206	39	1	168	109	-	59	13	52.8	3	12.2
Pottsville	497	479	18	-	314	163	-	148	33	66.4	11	22.1
Shenandoah	335	299	36	-	227	134	-	92	20	59.7	9	26.9
Tamaqua	245	220	25	-	148	85	-	63	8	32.7	11	44.9
Balance of county	2,714	2,130	584	-	1,599	979	134	496	75	27.6	64	23.6

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

89

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See footnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Continued)—Continued												
PENNSYLVANIA—Continued												
Snyder	488	321	167	-	274	202	23	48	22	45.1	15	30.7
Somerset	1,779	1,250	527	-	770	503	39	224	63	35.4	41	23.0
Sullivan	136	95	41	-	77	53	-	23	3	22.1	3	22.1
Susquehanna	657	489	167	-	358	242	12	102	18	27.4	15	22.8
Tioga	791	623	167	-	438	270	13	150	25	31.6	20	25.3
Union	453	364	89	-	238	147	12	77	20	44.2	7	15.5
Venango	1,401	1,266	135	-	707	399	92	213	51	36.4	19	13.6
Oil City	502	488	14	-	223	144	-	79	16	31.9	5	10.0
Balance of county	899	778	121	-	484	255	92	134	35	36.9	14	15.6
Warren	807	726	81	-	677	255	247	166	26	32.2	21	26.0
Warren	316	313	3	-	182	93	1	83	9	28.5	6	19.0
Balance of county	491	413	78	-	495	162	246	83	17	34.6	15	30.5
Washington	4,653	3,851	793	6	1,886	1,095	110	662	160	34.4	82	17.6
Canonsburg	317	291	26	-	104	56	-	48	13	41.0	3	9.5
Charleroi	244	231	13	-	111	63	-	48	15	61.5	3	12.3
Donora	288	277	11	-	93	51	-	42	9	31.3	8	27.8
Washington	615	746	69	-	364	214	-	137	32	39.3	7	8.6
Balance of county	2,989	2,306	674	6	1,214	711	110	387	91	30.4	61	20.4
Wayne	501	390	111	-	351	227	49	73	20	39.9	15	28.9
Westmoreland	6,614	5,608	993	8	2,897	1,635	299	951	222	33.6	147	22.2
Arnold	189	185	4	-	60	36	-	24	5	26.5	3	15.9
Greensburg	514	476	38	-	181	110	4	67	10	19.5	14	27.2
Joaette	368	334	34	-	153	98	-	55	11	29.9	12	32.6
Juniata	275	268	6	-	110	63	-	47	8	29.1	2	7.3
Monessen	418	356	60	2	153	101	-	57	18	43.1	12	28.7
New Kensington	642	631	8	2	222	117	-	105	26	40.5	23	35.8
Vandergrift	224	177	46	1	93	55	-	39	12	53.6	4	17.9
Balance of county	3,984	3,181	797	3	1,920	1,157	295	557	132	33.1	77	19.3
Wyoming	513	185	130	-	187	139	-	45	12	38.3	6	19.2
York	4,283	3,082	1,200	-	1,874	1,238	61	549	137	32.0	73	17.0
Harover	581	553	38	-	178	108	-	70	19	48.6	12	30.7
York	1,690	1,380	309	-	757	459	2	280	50	29.6	30	17.8
Balance of county	2,202	1,349	853	-	939	671	59	198	68	30.9	31	14.1
RHODE ISLAND												
	16,761	15,960	777	14	8,073	4,348	583	3,030	494	29.5	327	19.5
Bristol	611	569	31	11	259	163	7	86	18	29.5	7	11.5
Bristol (town)	268	237	23	8	125	76	7	39	7	26.1	2	7.5
Balance of county	343	332	8	3	136	87	-	47	11	32.1	5	14.6
Kent	1,579	1,500	78	-	636	404	-	213	38	24.1	30	19.0
Warwick	821	788	32	-	314	194	-	110	19	23.1	16	19.5
West Warwick (town)	455	434	21	-	170	108	-	59	12	26.4	8	17.6
Balance of county	305	278	25	-	152	102	-	44	7	23.1	6	19.8
Newport	1,369	1,297	72	-	546	271	1	261	32	24.1	22	16.6
Newport	793	788	4	-	348	155	1	186	23	29.0	11	13.9
Balance of county	566	508	25	-	198	116	-	75	9	16.8	11	20.5
Providence	12,261	11,615	618	3	6,277	3,294	571	2,349	377	30.8	251	20.5
Central Falls	546	409	136	-	210	138	-	68	18	33.0	18	33.0
Cranston	955	921	13	1	895	259	386	243	34	36.4	19	20.3
Cumberland (town)	244	215	29	-	98	60	1	36	10	41.0	5	20.5
East Providence (town)	701	681	20	-	304	179	-	118	24	34.2	3	4.3
Johnston (town)	220	215	5	-	81	54	-	26	5	22.7	6	27.3
Lincoln (town)	182	181	11	-	115	80	-	34	7	36.5	5	26.0
North Providence (town)	248	240	8	-	98	71	-	25	3	12.1	6	24.2
Pawtucket	1,798	1,617	179	-	833	506	42	302	56	31.1	45	25.0
Providence	5,618	5,498	116	2	2,796	1,475	82	1,205	157	27.9	113	20.1
Woonsocket	1,167	1,099	68	-	470	280	-	180	48	41.1	14	12.0
Balance of county	572	539	33	-	357	182	60	112	15	26.2	17	29.7
Washington	1,001	979	21	-	355	216	4	121	29	29.0	17	17.0
Westerly (town)	282	281	1	-	116	65	-	43	8	28.4	4	14.2
Balance of county	719	698	20	-	239	151	4	78	21	29.2	13	18.1
SOUTH CAROLINA												
	53,963	26,804	11,233	15,879	16,351	10,958	480	4,871	2,235	41.4	1,736	32.2
Abbeville	443	158	147	158	171	135	-	36	26	58.7	8	18.1
White	249	141	99	9	93	-	-	-	15	60.2	5	20.1
Nonwhite	194	17	48	129	78	-	-	-	11	56.7	3	15.5
Aiken	1,249	577	379	293	451	353	-	108	46	36.8	39	31.2
White	771	533	220	18	241	-	-	-	23	29.8	12	15.6
Nonwhite	478	44	159	275	210	-	-	-	23	48.1	27	56.5
Allendale	322	49	28	246	105	89	-	15	12	37.5	10	31.1
White	70	45	23	2	29	-	-	-	2	28.6	1	14.3
Nonwhite	252	3	5	244	76	-	-	-	10	39.7	9	35.7
Anderson	2,203	1,337	638	227	653	432	-	219	93	42.2	68	30.9
White	1,777	1,277	480	19	479	-	-	-	63	35.5	46	25.9
Nonwhite	426	60	158	208	174	-	-	-	30	70.4	22	51.6
Anderson	759	649	90	19	280	170	-	110	30	39.5	28	36.9
White	679	615	62	1	193	-	-	-	18	26.5	23	33.9
Nonwhite	80	34	28	18	87	-	-	-	12	150.0	5	62.5
Balance of county	1,444	698	548	203	373	262	-	109	63	43.6	40	27.7
White	1,098	662	418	18	296	-	-	-	45	41.0	23	20.9
Nonwhite	346	26	230	190	87	-	-	-	18	52.0	17	49.1

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
SOUTH CAROLINA—Continued												
Bamberg-----	397	75	99	223	147	111	-	36	18	45.3	19	47.9
White-----	143	70	71	2	54	-	-	-	5	35.0	3	21.0
Nonwhite-----	254	5	28	221	93	-	-	-	13	51.2	16	65.0
Barnwell-----	481	58	114	308	132	115	-	17	11	22.9	22	45.7
White-----	125	55	62	8	46	-	-	-	3	24.0	3	24.0
Nonwhite-----	356	3	52	300	86	-	-	-	8	22.5	19	53.4
Beaufort-----	712	254	26	431	219	180	-	37	19	26.7	16	22.5
White-----	243	233	7	3	39	-	-	-	3	12.3	5	20.6
Nonwhite-----	469	21	19	428	180	-	-	-	16	34.1	11	23.5
Berkeley-----	849	197	50	602	220	175	-	45	39	45.9	37	43.6
White-----	228	161	38	29	67	-	-	-	10	43.9	2	8.8
Nonwhite-----	621	36	12	573	153	-	-	-	29	46.7	35	56.4
Calhoun-----	560	55	20	285	104	89	-	16	27	75.0	22	61.1
White-----	67	51	10	6	22	-	-	-	1	14.9	1	14.9
Nonwhite-----	293	4	10	279	82	-	-	-	26	69.7	21	71.7
Charleston-----	5,186	3,271	767	1,149	1,457	792	-	664	208	40.1	169	32.6
White-----	2,709	2,586	85	38	667	-	-	-	89	32.9	46	17.0
Nonwhite-----	2,479	685	682	1,111	790	-	-	-	119	48.0	123	49.6
Charleston-----	2,347	1,549	668	129	623	396	-	426	100	42.6	62	34.9
White-----	1,241	1,211	24	6	397	-	-	-	46	37.1	19	15.3
Nonwhite-----	1,106	338	644	123	426	-	-	-	54	48.6	63	57.0
Balance of county-----	2,841	1,722	99	1,020	634	396	-	238	108	39.0	87	30.6
White-----	1,468	1,375	81	32	270	-	-	-	43	29.3	27	18.4
Nonwhite-----	1,373	347	39	988	364	-	-	-	65	47.3	60	45.7
Cherokee-----	812	477	233	101	231	147	-	84	17	20.9	27	33.3
White-----	590	400	183	6	159	-	-	-	13	22.0	13	22.0
Nonwhite-----	222	77	50	95	72	-	-	-	4	18.0	14	63.1
Chester-----	757	321	201	235	274	220	-	53	38	50.2	39	51.5
White-----	420	306	111	3	141	-	-	-	20	47.6	15	35.7
Nonwhite-----	337	15	90	232	133	-	-	-	18	53.4	24	71.2
Chesterfield-----	1,041	246	639	155	243	184	-	58	49	47.1	27	25.9
White-----	588	232	347	6	126	-	-	-	26	44.2	10	17.0
Nonwhite-----	453	14	291	147	117	-	-	-	23	50.8	17	37.5
Clarendon-----	894	121	112	661	233	196	-	36	47	52.6	29	32.4
White-----	224	108	69	27	38	-	-	-	6	26.8	2	8.9
Nonwhite-----	670	13	23	634	175	-	-	-	41	61.2	27	40.3
Colleton-----	749	302	65	381	237	198	-	39	22	29.4	25	33.4
White-----	302	268	15	19	88	-	-	-	4	13.2	7	23.2
Nonwhite-----	447	34	50	362	149	-	-	-	18	40.3	18	40.3
Darlington-----	1,351	574	414	373	405	307	-	97	69	50.7	40	29.4
White-----	766	499	256	11	203	-	-	-	34	44.4	16	20.9
Nonwhite-----	585	75	159	362	202	-	-	-	35	58.8	24	40.3
Dillon-----	791	405	103	283	219	170	-	43	36	45.5	19	24.0
White-----	413	328	68	17	111	-	-	-	18	43.6	11	26.6
Nonwhite-----	378	77	35	266	108	-	-	-	18	47.6	8	21.2
Dorchester-----	646	222	127	297	212	161	-	51	31	48.0	17	26.3
White-----	286	193	74	18	69	-	-	-	7	24.5	3	10.5
Nonwhite-----	360	29	53	278	143	-	-	-	24	66.7	14	36.9
Edgefield-----	400	70	233	97	128	114	-	14	15	37.5	17	42.5
White-----	131	65	65	1	53	-	-	-	2	15.3	3	22.9
Nonwhite-----	269	5	168	96	75	-	-	-	13	48.3	14	52.0
Fairfield-----	554	171	147	236	140	124	-	16	17	30.7	19	34.3
White-----	220	144	74	2	50	-	-	-	7	31.8	9	40.9
Nonwhite-----	334	27	73	234	90	-	-	-	10	30.0	10	30.0
Florence-----	2,124	786	585	753	608	402	-	205	105	49.4	69	32.5
White-----	1,166	710	422	34	296	-	-	-	49	42.0	23	19.7
Nonwhite-----	958	76	163	719	312	-	-	-	56	59.5	46	47.0
Florence-----	579	380	31	168	206	129	-	76	26	44.9	22	38.0
White-----	365	343	19	3	99	-	-	-	13	35.6	8	21.9
Nonwhite-----	214	37	12	165	108	-	-	-	13	60.7	14	65.4
Balance of county-----	1,545	406	554	585	402	273	-	129	79	51.1	47	30.4
White-----	801	367	403	31	189	-	-	-	36	44.9	15	18.7
Nonwhite-----	744	39	151	554	204	-	-	-	43	57.8	32	43.0
Georgetown-----	822	173	212	435	207	156	1	47	28	34.1	12	14.6
White-----	359	165	169	26	85	-	-	-	9	25.1	3	8.4
Nonwhite-----	463	8	44	407	122	-	-	-	19	41.0	9	18.4
Greenville-----	3,921	3,199	478	243	1,180	673	1	513	161	41.1	96	24.5
White-----	3,185	2,861	312	11	848	-	-	-	121	39.0	62	19.5
Nonwhite-----	736	338	166	232	342	-	-	-	40	54.3	34	46.2
Greenville-----	1,495	1,337	35	123	466	205	-	258	71	47.5	38	25.4
White-----	1,088	1,071	17	-	271	-	-	-	38	34.9	18	16.5
Nonwhite-----	407	266	18	123	195	-	-	-	33	81.1	20	49.1
Balance of county-----	2,426	1,862	443	120	724	468	1	255	90	37.1	58	23.9
White-----	2,097	1,790	295	11	577	-	-	-	83	39.6	44	21.0
Nonwhite-----	329	72	148	109	147	-	-	-	7	21.5	14	42.6
Greenwood-----	933	671	113	149	337	250	-	87	38	40.7	27	28.9
White-----	673	587	82	4	197	-	-	-	24	35.7	19	28.2
Nonwhite-----	260	84	31	145	140	-	-	-	14	53.8	8	30.8
Greenwood-----	376	339	16	21	141	92	-	49	18	47.9	12	31.9
White-----	312	301	11	-	92	-	-	-	15	48.1	8	25.6
Nonwhite-----	64	38	5	21	49	-	-	-	3	46.9	4	62.5
Balance of county-----	587	332	97	128	196	158	-	38	20	35.9	15	26.9
White-----	361	286	71	4	105	-	-	-	9	24.9	11	30.5
Nonwhite-----	196	46	26	124	91	-	-	-	11	56.1	4	20.4

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

91

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
SOUTH CAROLINA—Continued												
Hampton	462	92	112	258	148	130	-	17	16	34.6	17	36.8
White	146	85	49	12	47	-	-	-	3	20.5	3	20.5
Nonwhite	316	7	63	246	101	-	-	-	13	41.1	14	44.3
Horry	1,663	1,079	299	284	372	254	-	115	85	51.1	72	45.3
White	1,215	977	208	29	242	-	-	-	50	41.2	33	27.2
Nonwhite	448	102	91	255	130	-	-	-	35	78.1	39	87.1
Jasper	272	107	34	131	109	96	-	13	4	14.7	8	29.4
White	102	85	17	-	29	-	-	-	-	0	3	29.4
Nonwhite	170	22	17	131	80	-	-	-	4	23.5	5	29.4
Kershaw	863	329	139	414	239	174	2	63	30	34.0	18	20.4
White	423	309	79	37	120	-	-	-	11	25.9	10	23.5
Nonwhite	439	20	60	377	119	-	-	-	19	41.5	8	17.5
Lancaster	960	659	125	176	241	179	-	62	40	42.7	24	25.0
White	674	609	57	8	160	-	-	-	29	43.0	14	20.8
Nonwhite	286	50	68	168	81	-	-	-	12	42.0	10	35.0
Laurens	751	304	198	249	321	249	8	64	35	46.6	26	34.6
White	458	290	156	12	185	-	-	-	19	41.5	11	24.0
Nonwhite	293	14	42	237	136	-	-	-	16	54.6	15	51.2
Lee	880	115	95	490	183	148	-	35	32	46.4	34	49.3
White	155	100	46	7	63	-	-	-	2	12.9	6	38.7
Nonwhite	535	15	57	483	120	-	-	-	30	56.1	28	52.3
Lexington	974	483	314	176	343	246	-	97	44	45.2	36	37.0
White	738	482	248	27	248	-	-	-	27	36.6	21	28.5
Nonwhite	236	21	66	149	95	-	-	-	17	72.0	15	63.6
McCormick	286	11	221	54	94	84	-	10	17	63.9	11	41.4
White	68	9	58	1	35	-	-	-	1	14.7	2	29.4
Nonwhite	198	2	163	33	59	-	-	-	16	60.8	9	45.5
Marion	987	580	254	153	264	188	-	106	40	40.5	40	40.5
White	508	451	54	3	98	-	-	-	14	27.6	14	27.6
Nonwhite	479	129	200	150	166	-	-	-	26	54.3	26	54.3
Marlboro	960	374	296	298	321	249	-	71	70	72.9	38	39.6
White	432	286	110	26	159	-	-	-	27	62.5	16	37.0
Nonwhite	528	78	176	272	162	-	-	-	43	81.4	22	41.7
Newberry	775	462	59	252	250	161	-	69	29	37.5	16	20.7
White	465	448	16	2	126	-	-	-	12	25.8	8	17.2
Nonwhite	307	14	42	250	124	-	-	-	17	55.4	8	26.1
Oconee	861	581	229	149	238	188	-	50	30	31.2	24	25.0
White	857	550	198	107	184	-	-	-	21	24.5	21	24.5
Nonwhite	104	31	31	42	54	-	-	-	9	86.5	3	28.8
Orangeburg	1,838	517	193	1,229	576	391	-	184	100	51.6	87	44.9
White	636	472	111	53	206	-	-	-	27	42.5	13	20.4
Nonwhite	1,303	45	82	1,176	370	-	-	-	73	56.0	74	56.8
Orangeburg	396	253	24	119	149	65	-	83	22	55.6	16	40.4
White	243	232	9	2	78	-	-	-	11	45.3	5	20.6
Nonwhite	153	21	15	117	71	-	-	-	11	71.9	11	71.9
Balance of county	1,543	264	169	1,110	487	326	-	101	78	50.6	71	46.0
White	393	240	102	51	128	-	-	-	16	40.7	8	20.4
Nonwhite	1,150	24	67	1,059	239	-	-	-	62	53.9	63	54.8
Pickens	911	314	531	66	219	150	-	62	26	28.5	17	18.7
White	794	305	468	21	185	-	-	-	21	26.4	13	16.4
Nonwhite	117	9	63	45	34	-	-	-	5	42.7	4	34.2
Richland	5,132	2,256	259	677	1,473	523	465	483	126	39.5	123	38.5
White	2,024	1,884	115	25	769	-	-	-	64	31.8	49	24.2
Nonwhite	1,168	372	144	652	704	-	-	-	62	53.1	74	63.4
Columbia	2,155	1,747	144	264	936	340	217	378	94	45.6	79	36.7
White	1,528	1,441	69	17	625	-	-	-	53	34.7	36	23.6
Nonwhite	629	306	76	247	311	-	-	-	41	65.2	43	68.4
Balance of county	1,037	509	115	413	537	183	246	105	32	30.9	44	42.4
White	498	443	47	8	144	-	-	-	11	22.1	13	26.1
Nonwhite	539	66	68	405	393	-	-	-	21	39.0	31	57.5
Saluda	277	65	134	78	108	98	-	10	6	21.7	12	43.3
White	143	62	70	11	56	-	-	-	1	7.0	6	42.0
Nonwhite	134	3	64	67	52	-	-	-	5	37.3	6	44.8
Spartanburg	3,557	2,181	1,176	200	1,002	616	-	384	125	35.1	79	22.2
White	2,731	1,966	735	10	696	-	-	-	94	34.4	53	19.4
Nonwhite	826	195	441	190	306	-	-	-	31	37.5	26	31.5
Spartanburg	1,076	654	168	56	332	174	-	157	39	36.2	25	21.4
White	766	725	42	1	201	-	-	-	30	39.2	12	15.7
Nonwhite	310	131	124	55	131	-	-	-	9	29.0	11	35.5
Balance of county	2,481	1,327	1,010	144	670	442	-	227	86	34.7	56	22.6
White	1,965	1,263	693	9	495	-	-	-	64	32.6	41	20.9
Nonwhite	516	64	317	135	175	-	-	-	22	42.6	15	29.1
Sumter	1,685	886	65	908	474	317	-	157	66	39.2	53	31.5
White	652	602	33	14	163	-	-	-	21	32.2	11	16.9
Nonwhite	1,033	84	32	894	311	-	-	-	45	43.6	42	40.7
Sumter	581	466	19	96	179	87	-	92	20	34.4	9	15.5
White	436	423	11	2	84	-	-	-	11	25.2	6	13.8
Nonwhite	145	43	8	94	95	-	-	-	9	62.1	3	20.7
Balance of county	1,104	220	46	812	295	230	-	65	46	41.7	44	40.0
White	216	179	22	12	79	-	-	-	10	46.3	5	23.1
Nonwhite	888	41	24	800	216	-	-	-	36	40.5	39	43.9
Union	745	374	197	174	239	199	-	40	25	35.6	25	35.6
White	510	364	139	7	136	-	-	-	16	31.4	20	39.2
Nonwhite	235	10	58	167	103	-	-	-	9	38.3	5	21.3

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
SOUTH CAROLINA—Continued												
Williamsburg-----	1,346	266	207	873	346	273	-	73	58	43.1	63	46.8
White-----	425	236	167	22	121	-	-	-	12	28.2	17	40.0
Nonwhite-----	921	30	40	851	225	-	-	-	46	49.9	46	49.9
York-----	1,700	1,201	198	311	478	303	3	170	58	34.1	40	23.5
White-----	1,146	1,022	110	14	272	-	-	-	27	23.6	25	21.8
Nonwhite-----	554	179	78	297	206	-	-	-	31	56.0	15	27.1
Rock Hill-----	552	524	14	14	140	63	-	77	15	27.2	13	23.6
White-----	452	444	8	-	100	-	-	-	8	17.7	10	22.1
Nonwhite-----	100	80	6	14	40	-	-	-	7	70.0	3	30.0
Balance of county-----	1,148	677	174	297	338	240	3	93	43	37.5	27	23.5
White-----	694	578	102	14	172	-	-	-	19	27.4	15	21.6
Nonwhite-----	454	99	72	283	166	-	-	-	24	52.8	12	26.4
SOUTH DAKOTA-----	14,580	13,115	1,242	81	5,508	2,730	296	2,366	432	29.6	239	16.4
Armstrong-----	-	-	-	-	1	-	-	1	-	-	-	-
White-----	-	-	-	-	1	-	-	-	-	-	-	-
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-	-
Aurora-----	115	81	34	-	44	24	-	20	1	8.7	3	26.1
Beadle-----	461	419	41	1	139	56	-	74	9	19.5	5	10.6
Buron-----	267	246	21	-	91	34	-	53	8	30.0	5	18.7
Balance of county-----	194	173	20	1	49	22	-	21	1	5.2	-	0
Bennett-----	93	65	17	1	33	24	-	8	4	43.0	-	0
White-----	64	51	13	-	14	-	-	-	-	0	-	0
Nonwhite-----	29	14	4	1	19	-	-	-	4	137.9	-	0
Bon Homme-----	189	153	32	4	63	61	-	21	4	21.2	4	21.2
Brookings-----	371	367	4	-	121	49	-	70	11	29.6	10	27.0
Brown-----	769	751	18	-	279	123	5	145	24	31.2	10	13.0
Aberdeen-----	494	488	6	-	185	75	5	102	21	42.5	5	10.1
Balance of county-----	275	263	12	-	94	48	-	43	3	10.8	5	18.2
Brule-----	128	111	16	-	64	33	1	29	1	7.8	1	7.8
Buffalo-----	27	27	-	-	12	6	-	6	2	74.1	-	0
White-----	17	17	-	-	3	-	-	-	1	58.8	-	0
Nonwhite-----	10	10	-	-	9	-	-	-	1	100.0	-	0
Butte-----	182	165	17	-	83	-	-	38	11	60.4	2	11.0
Campbell-----	100	86	10	1	27	20	-	7	2	20.0	1	10.0
Charles Mix-----	261	234	25	2	104	52	2	50	10	38.3	6	23.0
White-----	226	202	24	-	85	-	-	-	8	35.4	6	26.5
Nonwhite-----	35	32	1	2	19	-	-	-	2	57.1	-	0
Clark-----	178	154	24	-	61	49	-	31	8	44.9	3	16.9
Clay-----	216	201	15	-	84	52	-	17	4	18.5	3	13.9
Codington-----	496	485	10	-	145	66	-	79	8	6.4	6	4.8
Watertown-----	508	506	2	-	111	49	-	62	7	22.7	4	13.0
Balance of county-----	188	179	8	-	34	17	-	17	1	5.3	2	10.6
Corson-----	179	150	5	16	48	31	-	17	10	55.9	-	0
White-----	132	123	3	5	29	-	-	-	5	37.9	-	0
Nonwhite-----	47	27	2	11	19	-	-	-	5	108.4	-	0
Custer-----	120	109	11	-	53	26	-	27	2	18.7	2	18.7
Davison-----	324	321	3	-	148	64	4	79	11	34.0	10	30.9
Mitchell-----	247	246	1	-	118	50	4	63	8	32.4	7	28.3
Balance of county-----	77	75	2	-	30	14	-	16	3	39.0	3	39.0
Day-----	288	269	18	-	103	66	-	35	16	55.6	10	34.7
Deuel-----	170	152	18	-	60	35	-	24	5	29.4	6	35.3
Dewey-----	136	114	15	3	31	24	-	7	5	36.8	5	36.8
White-----	89	85	2	2	16	-	-	-	1	11.2	3	33.7
Nonwhite-----	47	29	13	1	15	-	-	-	4	85.1	2	42.6
Douglas-----	136	105	31	-	35	25	-	10	-	0	-	0
Edmunds-----	156	113	43	-	48	28	-	18	5	32.1	2	12.8
Fall River-----	218	214	4	-	139	35	23	78	6	27.5	5	22.9
Faulk-----	126	123	3	-	42	19	-	23	1	7.9	1	7.9
Grant-----	268	251	16	1	75	39	-	35	4	14.9	5	18.7
Gregory-----	223	213	9	-	87	37	-	50	14	62.8	3	13.5
Haskell-----	81	75	6	-	32	17	-	11	1	12.3	-	0
Hemlin-----	157	143	14	-	72	39	13	20	3	19.1	1	6.4
Hemul-----	152	138	14	-	62	35	-	25	7	46.1	1	6.6
Hanson-----	127	99	22	5	44	23	-	21	2	15.7	2	15.7
Harding-----	44	38	4	-	16	9	-	7	-	0	-	0
Hughes-----	156	153	3	-	78	31	-	45	9	57.7	1	6.4
Hutchinson-----	246	178	57	11	85	51	-	32	11	44.7	3	12.2
Hyde-----	66	57	9	-	30	14	-	15	1	15.2	3	45.5
Jackson-----	37	34	2	-	15	8	-	4	3	81.8	-	0
Jerauld-----	100	90	10	-	26	16	-	10	-	0	1	10.0
Jones-----	47	47	-	-	21	11	-	8	4	85.1	-	0
Kingsbury-----	217	188	29	-	90	51	6	30	2	9.2	5	23.0
Lake-----	244	207	36	-	100	49	-	51	6	24.6	1	4.1
Lawrence-----	355	341	14	-	151	79	11	61	7	19.7	7	19.7
Lincoln-----	254	221	33	-	115	61	6	47	8	31.5	3	11.8
Lynn-----	113	110	2	1	40	25	-	12	2	17.7	3	26.5
McCook-----	192	153	39	-	68	45	-	23	6	31.3	2	10.4
McPherson-----	152	122	23	1	47	18	6	23	6	39.5	3	19.7
Marshall-----	218	196	21	-	66	39	-	26	7	32.1	2	9.2
Meade-----	193	173	19	1	93	44	15	29	7	36.3	4	20.7
Mellette-----	88	64	6	6	35	19	-	13	5	56.8	5	56.8
White-----	53	48	3	1	15	-	-	-	-	0	3	56.6
Nonwhite-----	35	16	3	5	20	-	-	-	5	142.9	2	57.1

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

93

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate <sup>3</sup>	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
SOUTH DAKOTA—Continued												
Miner	149	109	39	-	46	36	-	10	-	0	2	13.4
Minnehaha	1,619	1,545	74	-	530	222	16	287	38	23.5	23	14.2
Sioux Falls	1,202	1,190	12	-	405	152	9	240	27	22.5	16	13.3
Balance of county	417	355	62	-	125	70	7	47	11	26.4	7	16.8
Moody	205	101	104	-	96	71	-	25	5	24.4	2	9.6
Pennington	706	688	16	-	224	95	3	121	7	9.9	13	18.4
Rapid City	556	547	7	-	178	69	2	103	7	12.6	10	18.0
Balance of county	150	141	9	-	46	26	1	18	-	0	3	20.0
Perkins	180	169	10	-	67	39	-	28	3	16.7	3	16.7
Potter	115	84	30	-	34	17	-	10	3	26.1	2	17.4
Roberts	367	298	61	4	115	64	-	50	10	27.2	9	24.5
Sanborn	108	105	3	-	29	14	-	13	2	18.5	3	27.8
Shannon	201	141	11	9	68	29	-	39	25	124.4	2	10.0
White	26	23	1	1	4	-	-	-	1	38.5	-	0
Nonwhite	175	118	10	8	64	-	-	-	24	137.1	2	11.4
Spink	211	194	14	2	137	71	25	41	13	61.6	4	19.0
Stanley	57	57	-	-	21	7	-	14	1	27.0	1	27.0
Sully	39	37	2	-	9	6	-	3	1	25.6	-	0
Todd	116	68	5	3	56	37	-	19	12	103.4	1	8.6
White	44	39	1	1	4	-	-	-	-	0	-	0
Nonwhite	72	49	4	2	52	-	-	-	12	166.7	1	13.9
Tripp	218	211	3	2	63	25	-	37	6	27.5	2	9.2
Turner	268	231	37	-	111	72	-	31	3	11.2	3	11.2
Union	263	253	9	1	71	40	1	28	3	11.4	4	15.2
Walworth	156	155	1	-	55	38	-	15	6	38.5	6	38.5
Washburn	46	31	2	3	13	7	-	6	1	21.7	-	0
White	20	15	2	1	5	-	-	-	-	0	-	0
Nonwhite	26	16	-	2	8	-	-	-	1	38.5	-	0
Washington	20	17	1	-	3	2	-	1	2	100.0	-	0
White	2	2	-	-	1	-	-	-	1	500.0	-	0
Nonwhite	18	15	1	-	2	-	-	-	1	55.6	-	0
Yankton	325	312	10	3	276	45	159	73	12	36.9	7	21.5
Ziebach	62	49	8	-	27	22	-	4	4	64.5	2	32.3
White	39	34	4	-	13	-	-	-	1	25.6	1	25.6
Nonwhite	23	15	4	-	14	-	-	-	3	130.4	1	43.5
MISSISSIPPI	77,336	46,974	24,272	5,145	27,850	17,989	1,128	8,308	2,974	38.5	1,744	22.6
Anderson	2,030	1,366	587	77	296	198	-	101	65	32.0	25	12.3
Bedford	517	366	146	5	224	166	-	57	21	40.6	13	25.1
White	457	365	89	3	184	-	-	-	20	43.8	11	24.1
Nonwhite	60	1	57	2	40	-	-	-	1	16.7	2	33.3
Benton	201	110	58	33	90	79	-	11	4	19.9	6	29.9
Bladock	260	52	180	28	74	68	-	5	16	61.5	3	11.5
Blount	1,395	809	548	33	578	272	1	104	55	39.5	30	21.5
Bradley	835	425	355	53	252	184	4	63	42	50.3	20	24.0
Cleveland	413	237	152	24	130	94	-	35	18	43.6	12	29.1
White	383	230	140	13	114	-	-	-	14	36.6	10	26.1
Nonwhite	30	7	12	11	16	-	-	-	4	133.3	2	66.7
Balance of county	422	188	203	29	122	90	4	28	24	56.8	8	19.0
Campbell	1,072	468	561	40	233	168	-	55	38	36.4	27	25.2
Carroll	216	152	57	7	80	58	-	22	7	32.4	4	18.5
White	613	230	372	9	240	209	3	24	21	34.5	7	11.4
Nonwhite	545	227	314	2	192	-	-	-	18	35.0	6	11.0
Carter	68	3	58	7	48	-	-	-	3	44.1	1	14.7
Choctaw	1,094	686	315	81	288	203	-	85	61	55.3	25	23.1
Cheatham	224	97	119	8	94	79	-	15	11	49.1	1	4.5
Chester	251	55	189	6	86	74	-	12	9	35.9	7	27.9
White	223	54	167	1	73	-	-	-	3	40.4	6	26.9
Nonwhite	28	1	22	5	13	-	-	-	-	0	1	35.7
Clatsop	616	277	287	51	164	127	-	25	16	26.0	4	6.5
Clay	229	18	172	39	52	43	-	9	3	13.1	3	13.1
Cocks	559	149	344	66	222	174	-	48	39	69.8	13	23.3
Coffee	564	308	235	20	188	148	3	32	21	37.2	12	21.3
Crockett	386	77	267	22	139	117	-	21	8	20.7	9	23.3
White	273	74	199	-	118	-	-	-	5	18.3	7	25.6
Nonwhite	113	3	88	22	20	-	-	-	3	26.5	2	17.7
Cumberland	496	141	205	149	103	82	-	20	12	24.2	7	14.1
Davidson	6,392	5,758	631	17	3,024	1,581	329	1,085	226	35.4	128	20.0
White	5,224	4,878	330	12	2,059	-	-	-	152	29.1	79	15.1
Nonwhite	1,168	860	301	5	965	-	-	-	74	63.4	49	42.0
Nashville	5,229	4,782	439	3	2,149	1,169	40	914	180	34.4	109	20.8
White	4,164	3,971	189	1	1,376	-	-	-	117	28.1	64	15.4
Nonwhite	1,065	811	250	2	773	-	-	-	63	59.2	45	42.3
Balance of county	1,163	955	192	14	875	412	289	171	46	39.6	19	16.3
White	1,060	907	141	11	683	-	-	-	35	33.0	15	14.2
Nonwhite	103	48	51	3	192	-	-	-	11	106.8	4	38.8
Decatur	249	73	159	16	84	72	-	12	9	36.3	6	24.2
De Kalb	265	142	105	18	109	86	-	21	5	18.9	1	3.6
Dickson	514	199	307	8	181	149	-	30	15	29.2	8	15.6
Dyer	788	354	393	40	239	241	1	57	42	53.3	16	20.3
White	692	350	329	12	246	-	-	-	34	49.1	15	18.9
Nonwhite	96	4	84	28	83	-	-	-	8	63.3	3	31.3
Dyersburg	292	178	93	21	105	75	-	30	16	54.8	7	24.0
White	235	175	54	6	78	-	-	-	14	59.6	6	25.3
Nonwhite	57	3	39	15	27	-	-	-	2	35.1	1	17.5
Balance of county	496	176	300	19	194	166	1	27	26	52.4	9	18.1

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TENNESSEE—Continued												
Fayette-----	789	119	138	530	231	193	-	38	42	53.3	17	21.6
White-----	171	107	55	9	69	-	-	-	13	76.0	6	35.1
Nonwhite--	617	12	83	521	162	-	-	-	29	47.0	11	17.8
Fentress-----	396	126	169	114	77	62	-	15	9	22.6	2	5.0
Franklin-----	608	359	215	24	207	170	-	37	29	47.7	4	6.6
White-----	569	361	189	19	180	-	-	-	27	47.5	4	7.0
Nonwhite--	39	8	26	5	27	-	-	-	2	51.3	-	0
Gibson-----	1,137	671	451	34	426	331	-	71	43	37.8	18	15.8
White-----	910	626	284	-	320	-	-	-	32	35.2	18	19.8
Nonwhite--	227	45	147	34	106	-	-	-	11	49.5	-	0
Giles-----	626	301	278	45	286	206	3	55	23	36.7	14	22.4
White-----	496	286	198	12	182	-	-	-	20	40.3	10	20.2
Nonwhite--	130	15	82	33	84	-	-	-	3	23.1	4	30.8
Grainger-----	286	88	174	24	125	105	1	19	1	3.5	7	24.5
Greene-----	1,017	641	283	93	349	212	-	137	46	45.2	17	16.7
Grundy-----	369	169	170	29	101	86	-	15	17	46.1	12	32.5
Hamblen-----	583	443	102	38	210	136	1	69	27	46.3	25	42.9
Hamilton-----	5,072	3,921	980	114	1,955	1,048	43	960	216	42.6	129	25.4
White-----	4,147	3,397	698	42	1,346	-	-	-	159	39.1	83	20.0
Nonwhite--	925	524	282	72	619	-	-	-	58	62.7	46	49.7
Chattanooga-----	3,847	3,229	496	75	1,527	798	7	712	147	39.2	91	23.7
White-----	2,982	2,722	243	16	953	-	-	-	93	31.2	48	16.1
Nonwhite--	865	507	253	59	574	-	-	-	54	68.4	43	49.7
Balance of county-----	1,225	692	404	39	439	250	36	148	69	56.3	38	31.0
Hancock-----	233	38	91	42	66	57	-	9	3	12.9	1	4.3
Hardeman-----	601	116	292	202	427	131	260	35	18	30.0	14	23.3
White-----	309	114	135	12	257	-	-	-	10	32.4	12	38.8
Nonwhite--	292	2	99	190	170	-	-	-	8	27.4	2	6.8
Hardin-----	435	85	293	59	103	89	-	14	7	16.1	9	20.7
Hawkins-----	725	343	312	67	225	169	-	56	17	23.4	23	31.7
Haywood-----	705	122	178	403	250	190	-	56	35	49.6	14	19.9
White-----	193	102	83	7	82	-	-	-	10	51.8	5	25.9
Nonwhite--	512	20	95	396	168	-	-	-	25	48.8	9	17.6
Henderson-----	431	153	254	24	129	100	-	27	14	32.5	9	20.9
Henry-----	504	259	234	11	268	201	2	64	16	31.7	13	25.8
White-----	450	254	172	4	207	-	-	-	12	27.9	10	23.3
Nonwhite--	74	5	62	7	61	-	-	-	4	54.1	3	40.5
Hickman-----	312	82	181	46	114	92	-	21	15	46.1	6	19.2
Houston-----	146	32	95	19	45	33	-	12	3	20.5	3	20.5
Rumphreys-----	256	62	187	7	71	61	-	10	9	35.2	7	27.3
Jackson-----	299	37	208	54	118	103	-	15	7	23.4	2	6.7
Jefferson-----	478	234	240	3	160	127	1	31	16	35.5	19	39.7
Johnson-----	332	188	106	37	90	70	-	19	17	51.2	7	21.1
Knox-----	5,188	4,109	1,051	45	2,027	1,037	226	740	198	36.2	125	24.1
White-----	4,794	3,868	892	41	1,693	-	-	-	164	34.2	98	20.4
Nonwhite--	394	241	149	4	344	-	-	-	34	86.3	27	68.5
Knoxville-----	5,342	2,872	454	15	1,222	651	2	552	140	41.9	84	25.1
White-----	2,972	2,644	315	12	931	-	-	-	106	35.7	59	19.9
Nonwhite--	370	228	139	3	291	-	-	-	34	91.9	25	67.6
Balance of county-----	1,846	1,237	577	30	805	396	224	188	59	51.4	41	22.2
Lake-----	349	71	228	49	86	70	-	12	14	40.2	11	31.6
White-----	287	70	187	30	64	-	-	-	10	34.8	11	38.3
Nonwhite--	61	1	41	19	22	-	-	-	4	65.6	-	0
Lauderdale-----	632	200	298	134	204	161	1	41	24	36.0	16	25.3
White-----	423	192	213	18	126	-	-	-	12	28.4	11	26.0
Nonwhite--	209	8	85	116	78	-	-	-	12	57.4	5	25.9
Lawrence-----	824	454	347	22	192	138	-	54	18	21.3	17	20.6
Lewis-----	165	69	84	13	42	33	-	8	6	36.4	6	36.4
Lincoln-----	636	439	190	7	260	186	1	71	28	44.0	17	26.7
White-----	548	400	146	2	218	-	-	-	23	42.0	12	21.9
Nonwhite--	88	39	44	5	42	-	-	-	5	56.8	5	56.8
Loudon-----	681	354	319	6	183	142	-	40	16	23.5	9	13.2
McMinn-----	791	577	195	19	270	190	2	75	36	45.5	24	30.3
McMurry-----	494	186	285	22	156	134	-	20	14	28.3	9	18.2
Macon-----	306	49	233	23	122	115	-	7	13	42.5	8	26.1
Madison-----	1,317	781	245	290	550	581	-	160	61	46.3	42	31.9
White-----	821	705	103	12	318	-	-	-	34	41.4	19	25.1
Nonwhite--	496	76	142	278	232	-	-	-	27	54.4	23	46.4
Jackson-----	664	497	89	78	340	226	-	108	34	51.2	20	30.1
White-----	455	436	16	3	190	-	-	-	18	39.6	13	28.6
Nonwhite--	209	61	73	75	150	-	-	-	16	76.6	7	33.5
Balance of county-----	653	284	156	212	210	155	-	52	27	41.3	22	33.7
White-----	366	269	87	9	128	-	-	-	16	43.7	6	16.4
Nonwhite--	287	15	69	203	82	-	-	-	11	39.3	16	55.7
Marion-----	601	114	466	20	144	110	-	32	24	39.9	17	28.3
Marshall-----	370	279	86	4	193	125	-	69	19	51.4	9	24.3
White-----	324	257	65	1	174	-	-	-	17	52.5	7	21.6
Nonwhite--	46	22	21	3	19	-	-	-	2	43.5	2	43.5
Maury-----	696	449	409	38	405	335	1	69	34	37.9	12	13.4
White-----	712	445	254	13	293	-	-	-	23	32.3	10	14.0
Nonwhite--	184	4	155	25	112	-	-	-	11	59.8	2	10.9
Columbia-----	303	218	76	9	126	95	-	30	13	42.9	6	18.8
White-----	250	218	32	-	85	-	-	-	10	40.0	6	24.0
Nonwhite--	53	-	44	9	41	-	-	-	3	56.6	-	0
Balance of county-----	593	231	333	29	279	240	1	38	21	35.4	6	10.1
White-----	462	227	222	13	208	-	-	-	13	28.1	4	6.7
Nonwhite--	131	4	111	16	71	-	-	-	8	61.1	2	15.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

95

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hos-pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TENNESSEE—Continued												
Meigs-----	168	74	64	27	44	31	-	13	5	29.8	1	6.0
Monroe-----	740	298	326	116	210	148	-	61	35	47.3	18	24.3
Montgomery-----	771	363	315	72	332	265	1	65	35	45.4	20	25.9
White-----	609	370	228	10	217	-----	-----	-----	30	49.3	9	14.8
Nonwhite-----	162	13	87	62	115	-----	-----	-----	5	30.9	11	67.9
Clarksville-----	309	102	98	29	158	126	-	29	18	58.3	11	35.6
White-----	225	171	53	1	81	-----	-----	-----	14	62.2	4	17.8
Nonwhite-----	84	11	45	28	75	-----	-----	-----	4	47.6	7	83.3
Balance of county-----	462	201	217	43	176	139	1	36	17	36.6	9	19.5
White-----	384	199	175	9	156	-----	-----	-----	16	41.7	5	13.0
Nonwhite-----	78	2	42	34	40	-----	-----	-----	1	12.6	4	51.3
Moore-----	74	39	35	-	41	37	-	4	4	54.1	1	15.5
Morgan-----	433	111	254	68	89	74	2	13	12	27.7	9	20.8
Obion-----	586	313	268	5	290	226	5	57	18	30.7	10	17.1
White-----	535	311	221	3	237	-----	-----	-----	15	28.0	9	16.8
Nonwhite-----	51	2	47	2	53	-----	-----	-----	3	58.8	1	19.6
Overton-----	383	71	241	71	87	58	-	7	4	10.4	4	10.4
Perry-----	156	44	101	11	52	43	1	7	3	19.2	4	25.6
Pickett-----	130	52	68	10	23	18	-	7	2	15.4	3	23.1
Polk-----	434	251	177	5	114	91	-	22	17	39.2	9	20.7
Putnam-----	699	296	338	54	166	120	-	46	19	27.6	10	14.5
Rhea-----	458	213	180	60	124	94	-	27	11	24.0	11	24.0
Roane-----	876	635	197	44	231	167	1	63	44	50.2	22	25.1
Robertson-----	617	306	302	9	267	229	-	38	23	37.3	15	24.5
White-----	519	299	220	-	184	-----	-----	-----	16	30.8	12	23.1
Nonwhite-----	98	7	82	9	73	-----	-----	-----	7	71.4	3	30.6
Rutherford-----	839	587	210	38	387	225	64	97	34	40.5	14	16.7
White-----	695	531	150	11	307	-----	-----	-----	26	37.4	11	15.8
Nonwhite-----	144	56	60	27	80	-----	-----	-----	8	55.6	3	20.8
Scott-----	452	222	135	95	116	88	-	23	24	53.1	6	13.3
Sequatchie-----	175	27	135	13	23	12	-	11	1	5.7	3	17.1
Servier-----	649	406	147	89	184	131	-	51	35	53.9	10	15.4
Shelby-----	9,586	7,614	701	358	4,003	1,897	159	1,938	408	42.6	274	28.6
White-----	5,582	5,431	107	7	1,891	-----	-----	-----	184	35.0	106	19.0
Nonwhite-----	4,004	2,383	594	351	2,012	-----	-----	-----	224	55.9	168	42.0
Memphis-----	7,480	6,320	588	67	3,181	1,538	9	1,627	312	41.8	212	28.4
White-----	4,458	4,408	34	-	1,659	-----	-----	-----	147	33.0	79	17.7
Nonwhite-----	3,001	1,912	525	67	1,522	-----	-----	-----	165	55.0	133	44.3
Balance of county-----	2,126	1,494	142	281	822	359	150	311	96	45.2	62	29.2
White-----	1,123	1,023	73	7	332	-----	-----	-----	37	32.8	27	24.0
Nonwhite-----	1,003	471	69	284	490	-----	-----	-----	59	58.8	35	34.9
Smith-----	292	106	182	4	109	93	-	16	13	44.5	4	13.7
Stewart-----	239	85	145	8	86	72	-	12	7	29.4	4	16.8
Sullivan-----	2,347	1,709	580	57	556	351	1	176	86	36.6	70	29.8
Bristol <sup>8</sup> -----	436	354	79	3	123	77	1	39	16	36.7	17	39.0
Kingsport-----	794	685	105	3	139	66	-	72	26	32.7	25	31.5
Balance of county-----	1,117	670	396	51	274	208	-	65	44	39.4	28	25.1
Sumner-----	770	465	282	23	273	226	1	40	27	35.1	12	15.6
White-----	700	463	215	22	233	-----	-----	-----	25	35.7	11	15.7
Nonwhite-----	70	2	67	1	40	-----	-----	-----	2	28.6	1	14.3
Tipton-----	803	167	457	177	205	152	-	53	32	39.9	11	13.7
White-----	486	153	326	7	115	-----	-----	-----	17	35.0	8	16.5
Nonwhite-----	317	14	131	170	90	-----	-----	-----	15	47.3	3	9.5
Trousdale-----	139	54	79	6	56	51	-	5	4	28.8	5	36.0
White-----	114	47	64	3	41	-----	-----	-----	4	35.1	4	35.1
Nonwhite-----	25	7	15	3	15	-----	-----	-----	-	0	1	40.0
Unicoi-----	424	278	113	30	116	72	-	44	11	25.9	10	23.6
Union-----	211	55	135	21	62	46	-	14	7	33.2	3	14.2
Van Buren-----	117	43	54	20	31	26	-	4	7	59.8	1	8.5
Warren-----	538	346	180	12	183	140	1	41	23	42.8	11	20.4
Washington-----	1,437	989	415	23	479	323	-	156	52	36.2	38	26.4
Johnson City-----	629	516	108	5	244	132	-	112	23	36.6	19	30.2
White-----	585	497	83	5	213	-----	-----	-----	21	35.9	17	29.1
Nonwhite-----	44	19	25	-	31	-----	-----	-----	2	45.5	2	45.5
Balance of county-----	608	483	307	18	235	191	-	44	29	35.9	19	23.5
Wayne-----	338	148	136	54	101	80	-	7	10	29.6	9	26.6
Weakley-----	531	337	189	3	289	236	2	48	20	37.7	17	32.0
White-----	442	203	222	17	137	118	3	16	16	36.2	15	33.9
Williamson-----	556	376	159	21	232	156	2	70	22	39.6	14	25.2
White-----	430	362	53	15	176	-----	-----	-----	16	37.2	7	16.3
Nonwhite-----	126	14	106	6	56	-----	-----	-----	6	47.6	7	55.6
Wilson-----	594	443	133	15	236	176	-	59	21	35.4	7	11.8
White-----	499	423	65	8	188	-----	-----	-----	14	28.1	6	12.0
Nonwhite-----	95	20	68	7	48	-----	-----	-----	7	73.7	1	10.5
TEXAS-----	181,579	131,229	28,381	18,756	59,706	36,722	1,696	20,741	7,564	41.7	4,515	24.9
Anderson-----	652	434	117	88	337	246	-	91	24	36.8	26	39.9
White-----	493	430	57	5	233	-----	-----	-----	17	34.5	12	24.3
Nonwhite-----	159	4	60	83	104	-----	-----	-----	7	44.0	14	88.1
Palestine-----	257	196	36	21	176	128	-	48	11	42.8	15	58.4
White-----	200	194	4	1	121	-----	-----	-----	10	50.0	8	40.0
Nonwhite-----	57	2	32	20	55	-----	-----	-----	1	17.5	7	122.8
Balance of county-----	385	238	81	67	161	118	-	43	13	32.9	11	27.8
White-----	293	236	53	4	112	-----	-----	-----	7	23.9	4	13.7
Nonwhite-----	102	2	28	63	49	-----	-----	-----	6	58.8	7	68.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued												
Andrews-----	76	75	2	1	14	11	1	2	3	39.5	5	39.5
Angolina-----	863	709	117	35	268	166	-	102	26	30.1	10	11.6
White-----	721	637	83	-	212	-	-	-	21	28.1	7	9.7
Nonwhite--	142	72	34	35	56	-	-	-	5	35.2	3	21.1
Arenas-----	75	26	45	4	29	21	-	7	3	40.0	3	40.0
Archer-----	148	145	3	-	46	29	-	17	4	27.0	2	13.5
Armstrong-----	39	39	1	-	11	8	-	3	-	0	1	25.6
Atascosa-----	596	162	290	119	162	138	-	23	34	57.0	12	20.1
Austin-----	206	155	67	57	156	129	-	27	12	42.0	6	26.0
White-----	202	148	50	3	119	-	-	-	5	24.8	5	24.8
Nonwhite--	84	7	17	54	37	-	-	-	7	85.3	3	35.7
Bailey-----	163	159	1	2	36	21	-	15	2	12.3	3	16.4
Bandera-----	67	55	11	-	35	26	-	8	2	29.9	1	14.9
Bastrop-----	590	323	127	133	220	158	-	52	22	37.3	20	33.9
White-----	408	289	89	30	151	-	-	-	15	36.8	13	31.9
Nonwhite--	182	35	39	103	69	-	-	-	7	36.5	7	36.5
Baylor-----	144	138	6	-	52	25	-	27	2	13.9	2	13.9
Bea-----	529	246	133	143	191	142	-	47	27	51.0	14	26.5
Bell-----	1,400	1,029	305	59	467	282	-	185	47	33.6	25	17.9
White-----	1,254	1,007	225	17	395	-	-	-	43	34.3	22	17.5
Nonwhite--	146	22	80	42	72	-	-	-	4	27.4	3	20.5
Temple-----	563	416	99	43	169	105	-	64	24	42.6	11	19.5
White-----	454	404	36	11	144	-	-	-	20	44.1	9	19.8
Nonwhite--	109	12	63	32	45	-	-	-	4	36.7	2	18.3
Balance of county-----	837	613	206	16	278	177	-	101	23	27.5	14	16.7
Bexar-----	13,437	9,171	1,067	3,098	4,066	2,264	269	1,534	650	46.4	337	25.1
San Antonio-----	12,383	8,455	952	2,911	3,494	2,035	13	1,431	596	46.3	312	25.2
White-----	11,769	8,060	741	2,893	3,206	-	-	-	556	47.2	283	24.0
Nonwhite--	624	395	211	18	288	-	-	-	42	67.3	29	46.5
Balance of county-----	1,044	716	115	167	592	229	256	103	52	49.8	25	23.9
Blanco-----	72	68	2	2	51	39	-	12	2	27.8	4	55.6
Borden-----	5	4	-	1	3	1	-	2	1	200.0	-	0
Bosque-----	230	221	27	-	139	117	-	20	11	44.0	8	32.0
Rowle-----	1,537	962	267	276	472	341	-	120	38	24.7	51	33.2
White-----	1,176	929	216	28	332	-	-	-	14	20.4	30	25.5
Nonwhite--	361	35	71	248	140	-	-	-	24	38.8	21	58.2
Texarkana <sup>9</sup> -----	596	456	50	90	233	168	-	64	20	33.6	24	40.3
White-----	456	436	16	4	158	-	-	-	12	26.3	14	30.7
Nonwhite--	140	20	34	86	75	-	-	-	8	57.1	10	71.4
Balance of county-----	941	506	237	186	239	173	-	56	18	19.1	27	28.7
White-----	720	493	200	24	174	-	-	-	12	18.7	16	22.2
Nonwhite--	221	15	37	162	65	-	-	-	6	27.1	11	49.8
Brazoria-----	1,089	955	45	77	284	160	3	119	35	32.1	24	22.0
White-----	958	906	36	9	209	-	-	-	28	29.2	20	20.9
Nonwhite--	131	47	9	68	75	-	-	-	7	53.4	4	30.5
Brazos-----	927	651	26	212	249	173	-	75	39	42.1	23	24.6
White-----	682	594	17	57	140	-	-	-	29	42.5	11	16.1
Nonwhite--	245	57	9	155	109	-	-	-	10	40.8	12	49.0
Bryan-----	532	379	21	112	141	98	-	43	23	43.2	9	16.9
White-----	409	352	13	35	79	-	-	-	17	41.6	4	9.8
Nonwhite--	123	27	8	77	63	-	-	-	6	43.8	5	40.7
Balance of county-----	395	272	5	100	109	75	-	32	16	40.5	14	36.4
White-----	273	242	4	22	62	-	-	-	12	44.0	7	25.6
Nonwhite--	122	30	1	78	46	-	-	-	4	32.8	7	57.4
Brewster-----	226	83	127	16	70	61	-	7	21	92.9	2	8.8
Briarcrest-----	86	74	12	-	26	19	-	7	1	11.6	-	0
Brooks-----	283	165	27	47	63	52	-	9	12	45.6	2	7.8
Brown-----	733	699	27	6	252	150	-	101	14	19.1	13	17.7
Brownwood-----	535	507	21	6	171	97	-	73	7	13.1	11	20.6
Balance of county-----	198	192	6	-	61	53	-	28	7	35.4	2	10.1
Burleson-----	303	112	66	120	128	107	-	21	10	33.0	6	19.8
White-----	167	104	46	16	79	-	-	-	3	18.0	2	12.0
Nonwhite--	136	8	20	104	49	-	-	-	7	51.5	4	29.4
Burnet-----	201	160	34	4	79	59	-	19	4	19.9	4	19.9
Caldwell-----	560	232	200	90	254	201	-	51	38	67.9	23	41.1
White-----	490	212	175	68	202	-	-	-	36	73.5	17	34.7
Nonwhite--	70	20	25	22	52	-	-	-	2	28.6	6	65.7
Callahan-----	176	72	88	11	56	44	-	12	6	34.1	2	11.4
Callahan-----	164	170	12	1	90	67	-	22	4	21.7	4	21.7
Cameron-----	4,171	1,268	1,094	1,793	1,094	877	3	203	306	73.4	132	31.6
Brownsville-----	1,135	470	67	579	347	277	3	67	85	74.9	43	37.9
Marlingen-----	571	396	122	51	210	131	-	79	49	85.8	22	38.5
Balance of county-----	2,465	402	835	1,163	527	469	-	57	172	69.8	67	27.2
Camp-----	285	187	20	46	61	72	-	7	10	37.7	-	0
White-----	179	168	10	1	52	-	-	-	9	50.3	-	0
Nonwhite--	86	29	10	45	29	-	-	-	1	11.6	-	0
Carson-----	128	124	4	-	45	24	1	18	6	46.9	2	15.6
Cass-----	645	329	170	140	213	174	-	36	14	21.7	22	34.1
White-----	405	282	119	2	140	-	-	-	10	24.7	12	29.6
Nonwhite--	240	47	51	138	73	-	-	-	4	16.7	10	41.7
Castro-----	87	91	4	2	70	6	-	3	1	10.3	3	30.9
Chambers-----	161	129	11	21	46	22	-	20	4	24.8	3	16.6
White-----	129	120	9	-	33	-	-	-	2	15.5	1	7.8
Nonwhite--	32	9	2	21	13	-	-	-	2	62.5	2	62.5

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

97

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued.												
Cherokee	909	587	216	98	509	207	175	125	24	26.4	12	13.2
White	691	547	141	-	326	-	-	-	14	20.3	5	10.1
Nonwhite	218	40	75	98	182	-	-	-	10	45.9	5	22.9
Childress	261	254	7	-	98	74	-	24	13	49.8	6	23.0
Clay	189	144	44	1	73	53	-	19	6	31.7	7	37.0
Cochran	115	79	35	1	25	19	-	5	1	8.7	-	0
Coke	62	44	18	-	17	11	-	6	-	0	1	16.1
Colman	423	362	59	-	140	91	2	46	11	26.0	6	14.2
Collin	898	665	217	16	549	251	-	97	25	27.8	18	20.0
Collingsworth	215	199	16	-	69	46	-	23	9	41.9	6	27.9
Colorado	410	275	55	97	165	141	-	25	8	19.5	11	26.8
White	283	239	17	24	98	-	-	-	4	14.1	7	24.7
Nonwhite	127	36	18	73	67	-	-	-	4	31.5	4	34.5
Comal	401	211	128	47	157	111	-	45	35	87.3	15	37.4
Comanche	294	274	20	-	154	131	-	19	6	20.4	6	20.4
Concho	128	87	34	3	50	37	-	13	5	39.1	2	15.6
Cooke	546	469	48	11	180	97	-	83	12	21.9	7	12.8
Coryell	390	363	26	1	135	92	-	43	5	12.8	11	26.2
Cottle	175	150	24	-	49	29	-	20	7	40.0	4	22.9
Crane	69	66	1	1	14	5	-	9	3	33.7	2	22.5
Crockett	93	51	57	6	34	9	-	5	2	21.1	1	10.5
Crosby	202	121	79	-	48	38	-	10	5	24.8	7	34.7
Culberson	38	20	18	-	11	7	-	4	-	0	-	0
Dallam	194	175	19	-	89	54	-	25	11	56.7	2	10.3
Dallas	12,422	11,833	507	55	4,236	2,339	26	1,854	477	36.4	265	21.2
White	10,721	10,332	320	48	3,575	-	-	-	389	32.6	179	16.7
Nonwhite	1,701	1,501	187	7	861	-	-	-	128	75.2	84	49.4
Dallas	9,053	8,704	292	34	3,262	1,789	3	1,452	360	39.8	180	20.8
White	7,664	7,456	148	32	2,531	-	-	-	250	32.7	121	15.6
Nonwhite	1,399	1,248	144	2	731	-	-	-	110	78.6	67	47.9
Highland Park	157	157	-	-	99	56	-	42	7	44.6	4	25.5
White	153	153	-	-	90	-	-	-	7	45.8	3	19.6
Nonwhite	4	4	-	-	9	-	-	-	-	0	1	250.0
University Park	327	327	-	-	113	61	-	51	9	27.5	6	18.3
Balance of county	2,985	2,645	215	21	762	433	23	289	101	85.0	65	22.5
White	2,593	2,402	172	16	645	-	-	-	84	32.4	49	18.9
Nonwhite	292	243	43	5	117	-	-	-	17	58.2	16	54.8
Dawson	503	418	46	35	121	72	-	49	21	41.7	7	13.9
Deaf Smith	181	138	43	-	57	46	-	9	11	60.8	3	16.6
Delta	175	132	38	5	59	46	-	13	4	22.9	9	51.4
Denton	669	514	154	1	298	177	-	117	23	34.4	18	26.8
Denton	349	300	48	1	135	69	-	66	13	37.2	9	25.8
White	319	276	43	-	119	-	-	-	10	31.3	5	15.7
Nonwhite	30	24	5	1	16	-	-	-	3	100.0	4	133.3
Balance of county	320	214	106	-	163	108	-	51	10	31.3	9	28.1
De Witt	545	311	133	75	248	172	-	68	30	55.0	21	38.5
White	496	293	120	61	200	-	-	-	29	58.5	18	36.3
Nonwhite	49	18	13	14	48	-	-	-	1	20.4	3	61.2
Dickens	185	144	37	4	49	41	-	8	6	32.4	1	5.4
Dimmit	382	43	243	91	92	77	-	8	37	96.9	14	38.6
Donley	136	105	24	7	55	35	-	18	3	22.1	4	29.4
Duval	519	161	209	110	112	94	-	16	14	27.0	13	25.0
Eastland	560	521	39	-	259	178	-	72	12	21.4	11	19.6
Ector	687	575	102	1	145	73	-	70	36	52.4	14	20.4
Edwards	77	21	39	17	20	13	-	6	1	13.0	1	13.0
Ellis	955	689	212	46	461	342	7	106	45	47.1	27	28.3
White	742	648	88	2	345	-	-	-	30	40.4	20	27.0
Nonwhite	213	41	124	44	116	-	-	-	15	70.4	7	32.9
El Paso	5,331	4,391	393	477	1,527	771	4	748	258	48.4	122	22.9
El Paso	4,058	3,443	194	398	1,209	560	-	629	184	45.3	81	20.0
Balance of county	1,272	948	199	79	318	191	4	119	74	58.1	41	32.2
Erath	360	323	37	-	185	138	-	47	19	52.8	2	5.6
Falls	561	280	126	161	269	208	1	60	28	49.9	12	21.4
White	362	244	64	48	161	-	-	-	16	44.2	6	16.6
Nonwhite	199	16	62	113	108	-	-	-	12	60.3	6	30.2
Fannin	639	478	148	10	313	226	-	85	20	31.3	22	34.4
White	585	470	113	-	272	-	-	-	14	23.9	18	30.8
Nonwhite	54	8	35	10	41	-	-	-	6	111.1	4	74.1
Fayette	449	280	104	53	246	172	-	70	25	55.7	5	11.1
White	355	263	94	4	185	-	-	-	16	45.1	3	8.5
White	94	17	20	49	61	-	-	-	9	95.7	2	21.5
Fisher	240	209	25	-	66	31	-	35	13	54.2	7	29.2
Floyd	191	169	20	1	49	36	-	11	1	5.2	4	20.9
Foard	126	107	13	5	42	31	-	11	3	25.8	4	51.7
Fort Bend	661	346	175	122	245	162	4	80	40	60.5	19	28.7
White	516	308	136	56	160	-	-	-	27	52.3	14	27.1
Nonwhite	145	38	39	66	86	-	-	-	13	89.7	5	34.5
Franklin	121	65	44	11	45	39	-	5	7	57.9	2	16.5
Freestons	361	201	98	95	158	126	-	31	13	36.0	8	22.2
White	195	172	21	2	92	-	-	-	5	25.6	3	15.4
Nonwhite	166	29	38	93	66	-	-	-	8	46.2	5	30.1
Frio	392	94	153	141	94	77	-	17	31	79.1	10	25.5
Gaines	221	200	21	-	34	25	-	8	5	22.6	1	4.5

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued												
Galveston	2,606	2,449	145	2	929	447	11	465	82	31.5	58	22.3
White	2,131	2,006	113	2	683	—	—	—	59	27.2	31	14.5
Nonwhite	475	443	32	—	245	—	—	—	24	50.5	27	56.8
Galveston	1,780	1,681	93	—	731	342	9	377	54	30.3	38	21.3
White	1,584	1,506	72	—	519	—	—	—	34	24.6	17	12.3
Nonwhite	396	375	21	—	212	—	—	—	20	50.5	21	53.0
Balance of county	826	768	52	2	197	105	2	88	28	33.9	20	24.2
White	747	700	41	2	164	—	—	—	24	32.1	14	18.7
Nonwhite	79	68	11	—	33	—	—	—	4	50.6	6	75.9
Garza	147	69	72	3	47	36	—	9	10	68.0	4	27.2
Gillespie	213	201	7	3	107	84	—	22	5	23.5	3	14.1
Glasscock	11	11	—	—	7	7	—	—	—	0	—	0
Goliad	155	29	82	26	60	46	—	11	5	32.3	3	19.4
White	138	29	71	20	53	—	—	—	5	36.2	3	21.7
Nonwhite	17	—	11	6	7	—	—	—	—	0	—	0
Gonzales	603	219	303	68	232	187	—	34	30	49.8	20	33.2
White	496	202	258	27	199	—	—	—	27	54.4	14	29.2
Nonwhite	107	17	45	41	34	—	—	—	3	28.0	6	56.1
Gray	611	566	42	1	187	87	—	79	22	36.0	7	11.5
Pampa	472	445	24	1	121	54	—	67	20	42.4	4	9.5
Balance of county	139	121	18	—	46	33	—	12	2	14.4	3	21.6
Grayson	1,630	1,418	181	23	629	342	2	281	54	33.1	46	28.2
Denison	540	518	10	11	197	105	—	90	14	25.9	17	31.5
White	488	483	4	—	161	—	—	—	12	24.6	16	32.8
Nonwhite	52	35	6	11	36	—	—	—	2	38.5	1	19.2
Sherman	535	473	48	11	204	99	—	106	15	28.0	7	13.1
White	471	458	10	—	189	—	—	—	13	27.6	5	10.6
Nonwhite	64	15	38	11	35	—	—	—	2	51.3	2	51.3
Balance of county	555	427	123	1	228	139	2	86	25	45.0	22	39.6
Gregg	1,551	1,369	66	101	460	275	—	178	44	28.4	58	37.4
White	1,207	1,155	49	1	310	—	—	—	30	26.9	31	25.7
Nonwhite	344	214	17	100	150	—	—	—	14	40.7	27	78.5
Longview	548	488	21	31	180	100	—	77	10	18.2	29	52.9
White	421	403	17	1	113	—	—	—	4	9.5	16	36.0
Nonwhite	127	85	4	30	67	—	—	—	6	47.2	13	102.4
Balance of county	1,003	891	45	70	230	175	—	101	34	33.9	29	28.9
White	786	752	32	—	197	—	—	—	26	33.1	15	19.1
Nonwhite	217	129	13	85	33	—	—	—	8	36.9	14	64.5
Grimes	313	196	32	81	146	110	—	36	11	33.1	9	26.6
White	195	163	24	8	85	—	—	—	3	15.3	3	15.3
Nonwhite	117	33	8	73	61	—	—	—	6	68.4	6	51.3
Guadalupe	642	234	325	47	227	186	—	40	33	51.4	9	14.0
White	544	231	249	33	177	—	—	—	29	53.3	7	12.9
Nonwhite	98	3	77	14	50	—	—	—	4	40.8	2	20.4
Hale	523	449	73	1	139	83	—	75	20	38.3	9	17.2
Hall	374	236	29	8	99	37	—	52	10	36.5	10	36.5
Hamilton	225	194	31	—	92	71	—	20	4	17.8	—	0
Hansford	85	72	13	—	26	16	—	10	4	47.1	1	11.8
Hardeman	250	244	6	—	99	63	—	36	10	40.0	5	20.0
Hardin	375	192	172	10	130	94	—	36	18	46.0	14	37.3
White	314	187	120	6	95	—	—	—	14	44.6	11	35.0
Nonwhite	61	5	52	4	35	—	—	—	4	65.6	3	49.2
Harris	16,708	15,608	535	515	5,368	2,688	19	2,630	643	38.5	429	25.7
White	15,775	15,160	405	175	3,943	—	—	—	435	31.6	270	19.6
Nonwhite	2,931	2,449	130	340	1,425	—	—	—	208	71.0	159	54.2
Houston	15,520	12,708	390	385	4,625	2,272	17	2,311	519	38.4	344	25.4
White	11,005	10,525	303	147	3,334	—	—	—	342	31.1	216	19.6
Nonwhite	2,514	2,183	87	238	1,291	—	—	—	177	70.4	128	50.9
Balance of county	3,195	2,901	145	130	743	416	2	319	124	38.9	85	26.7
White	2,769	2,635	102	28	609	—	—	—	93	33.6	54	19.5
Nonwhite	417	266	43	102	134	—	—	—	31	74.3	31	74.3
Harrison	1,180	537	78	547	418	300	—	118	53	44.9	41	34.7
White	499	445	38	13	180	—	—	—	19	34.1	11	22.0
Nonwhite	681	92	40	534	238	—	—	—	36	52.9	30	44.1
Marshall	495	357	32	102	227	154	—	73	24	48.4	13	26.2
White	320	301	16	2	114	—	—	—	10	31.3	6	18.6
Nonwhite	176	56	16	100	113	—	—	—	14	79.5	7	39.8
Balance of county	684	180	46	445	191	146	—	45	29	42.4	28	40.9
White	179	144	22	11	66	—	—	—	7	39.1	5	27.9
Nonwhite	505	36	24	434	125	—	—	—	22	43.6	23	45.5
Hartley	32	29	3	—	21	2	—	19	1	31.3	1	31.3
Haskell	289	281	8	7	91	55	—	36	13	43.5	4	13.4
Hays	511	275	176	43	173	125	—	47	32	62.6	8	15.7
Hemphill	96	82	13	—	29	24	—	5	2	20.8	1	10.4
Henderson	494	319	112	58	201	163	—	36	18	36.4	9	18.2
White	361	317	59	3	160	—	—	—	14	36.7	4	10.5
Nonwhite	113	2	53	55	41	—	—	—	4	35.4	5	44.2
Hidalgo	5,881	1,361	2,094	2,162	1,460	1,142	9	283	500	35.0	172	29.2
McAllen	834	294	229	284	212	147	—	62	63	75.5	20	24.0
Balance of county	5,047	1,067	1,865	1,879	1,248	995	9	221	437	36.6	152	30.1
Hill	627	571	217	35	283	215	—	68	15	23.9	26	41.5
White	537	366	165	6	236	—	—	—	11	20.5	17	31.7
Nonwhite	90	5	52	29	47	—	—	—	4	44.4	9	100.0
Hockley	410	339	68	2	70	43	—	26	7	17.1	3	7.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

99

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by—			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued												
Hood	111	96	13	-	47	35	-	7	3	27.0	2	16.0
Hopkins	546	451	82	12	218	141	-	48	17	31.1	10	18.3
	493	428	63	2	190	-	-	-	13	26.4	9	18.3
	53	23	19	10	28	-	-	-	4	75.5	1	18.9
Houston	580	239	211	112	191	154	-	37	14	24.1	8	13.8
	343	216	120	5	104	-	-	-	8	23.3	4	11.7
	237	23	91	107	87	-	-	-	6	25.3	4	16.9
Howard	692	598	58	30	194	90	23	81	30	43.4	18	26.0
Big Spring	549	476	49	20	147	72	1	74	25	45.5	16	29.1
Balance of county	143	122	9	10	47	18	22	7	5	35.0	2	14.0
Hudspeth	124	32	77	9	33	24	-	9	13	104.6	6	48.4
Hunt	929	589	308	28	416	291	2	116	37	39.8	34	36.6
	784	561	218	4	357	-	-	-	26	37.0	21	26.6
	145	28	90	24	59	-	-	-	8	55.2	13	89.7
Greenville	421	296	111	11	182	113	1	64	22	52.3	17	40.4
	339	278	59	1	145	-	-	-	15	44.2	7	20.6
	82	18	52	10	37	-	-	-	7	85.4	10	122.0
Balance of county	508	283	197	17	234	178	1	52	15	29.5	17	33.5
	445	283	159	3	212	-	-	-	14	31.5	14	31.5
	63	10	38	14	22	-	-	-	1	15.9	3	47.6
Hutchinson	787	771	16	-	119	44	-	74	25	31.8	10	12.7
Borger	583	551	12	-	90	35	-	54	19	33.7	10	17.8
Balance of county	224	220	4	-	29	9	-	20	6	26.8	-	0
Irion	53	26	23	4	13	8	-	5	4	75.5	2	37.7
Jack	173	169	4	-	65	43	-	21	4	23.1	2	11.6
Jackson	341	122	179	38	90	71	-	19	11	32.3	11	32.3
	292	119	154	17	70	-	-	-	9	30.8	8	27.4
	49	3	25	21	20	-	-	-	2	40.8	3	61.2
Jasper	473	202	222	47	145	114	-	31	12	25.4	12	25.4
	383	182	185	5	110	-	-	-	10	28.3	7	19.8
	120	20	57	42	35	-	-	-	2	16.7	5	41.7
Jeff Davis	67	11	52	3	10	9	-	1	3	44.8	-	0
Jefferson	4,666	3,810	540	282	1,359	727	-	603	175	37.6	127	27.3
	3,570	3,276	262	21	960	-	-	-	104	29.1	64	17.9
	1,066	534	278	261	399	-	-	-	71	85.4	63	58.0
Beaumont	2,030	1,782	166	134	736	377	-	344	101	48.3	80	28.7
	1,462	1,434	38	3	466	-	-	-	52	35.1	19	12.8
	608	348	128	131	270	-	-	-	49	80.6	41	67.4
Fort Arthur	1,593	1,377	190	12	387	193	-	198	47	29.5	47	29.5
	1,321	1,229	88	1	297	-	-	-	35	26.5	30	22.7
	272	148	102	11	90	-	-	-	12	44.1	17	62.5
Balance of county	973	651	184	136	236	187	-	71	17	27.7	20	20.6
	767	613	136	17	197	-	-	-	17	22.2	15	19.8
	206	38	48	119	39	-	-	-	10	48.5	5	24.3
Jim Hogg	192	50	86	56	39	33	-	6	7	36.5	4	20.8
Jim Wells	747	367	254	103	144	100	-	43	34	45.5	20	26.8
Johnson	653	517	123	11	310	216	-	92	16	24.5	22	33.7
Cleburne	309	257	45	7	157	112	-	45	10	32.4	14	45.3
Balance of county	344	260	78	4	153	104	-	47	6	17.4	8	23.3
Jones	495	391	92	9	186	109	-	77	24	48.5	7	14.1
Karnes	534	198	240	63	135	111	-	24	23	43.1	14	26.2
Kaufman	666	391	220	51	550	251	248	67	52	48.0	15	22.5
	449	353	94	1	432	-	-	-	17	37.9	9	20.0
	217	38	126	50	118	-	-	-	15	69.1	6	27.6
Terrell	203	141	52	10	340	55	248	37	17	83.7	4	19.7
	127	118	9	-	275	-	-	-	12	94.3	1	7.9
	76	23	43	10	65	-	-	-	5	85.8	3	39.5
Balance of county	463	250	168	41	210	176	-	30	15	32.4	11	23.8
	322	235	85	1	157	-	-	-	5	15.5	8	24.8
	141	15	83	40	53	-	-	-	10	70.9	3	21.3
Kendall	122	77	30	14	61	48	-	12	2	16.4	2	16.4
Kenady	11	6	5	-	8	6	-	2	-	0	1	90.9
Kent	41	19	21	1	12	8	-	2	-	0	7	170.7
Kerr	240	156	76	6	167	85	2	79	7	29.2	7	29.2
Kimble	100	33	58	2	31	23	-	7	5	50.0	6	60.0
King	16	15	1	-	2	1	-	1	-	0	-	0
Kinney	80	24	31	22	19	14	-	5	4	50.0	2	25.0
Kleberg	648	395	183	59	140	96	-	43	34	52.5	17	26.2
Knox	270	216	35	17	57	40	-	17	8	18.5	2	7.4
Lamar	1,075	633	356	83	402	274	-	126	34	31.6	32	29.8
	867	612	250	3	310	-	-	-	23	26.5	21	24.2
	208	21	106	80	92	-	-	-	11	52.9	11	52.9
Paris	589	420	161	17	255	155	-	76	14	23.8	17	28.9
	490	401	89	-	178	-	-	-	10	30.4	9	18.4
	99	19	63	17	57	-	-	-	4	40.4	8	80.8
Balance of county	486	213	205	65	167	119	-	48	20	41.2	15	30.9
	377	211	162	3	132	-	-	-	13	34.5	12	31.8
	109	2	43	63	35	-	-	-	7	64.2	3	27.5
Lamb	358	343	10	4	111	48	-	62	11	30.6	12	33.4
Lampasas	247	184	57	3	108	80	-	27	8	24.3	9	36.4
La Salle	283	51	128	85	76	67	-	9	20	70.7	8	28.3
Lavaca	500	350	107	39	205	135	1	68	18	36.0	11	22.0
	439	346	79	9	176	-	-	-	16	36.4	9	20.5
	61	4	28	29	29	-	-	-	2	32.8	2	32.8

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued												
Lee-----	216	90	62	41	92	77	-	15	10	46.3	11	50.9
White-----	153	81	66	5	60	-	-	-	6	39.2	6	39.2
Nonwhite--	63	9	16	36	32	-	-	-	4	63.5	5	79.4
Leon-----	292	88	102	99	123	110	-	13	11	37.7	8	27.4
White-----	168	84	92	-	76	-	-	-	6	36.1	3	18.1
Nonwhite--	126	4	20	99	47	-	-	-	5	39.7	5	39.7
Liberty-----	604	488	53	53	223	142	-	81	22	36.4	19	31.5
White-----	468	435	26	5	160	-	-	-	17	36.3	10	21.4
Nonwhite--	136	53	27	52	63	-	-	-	5	36.8	9	66.2
Limestone-----	571	299	173	96	219	170	-	49	16	28.0	18	31.5
White-----	370	262	82	6	133	-	-	-	9	24.3	9	24.3
Nonwhite--	201	16	91	90	86	-	-	-	7	34.8	9	44.6
Lipscomb-----	89	85	3	1	42	33	-	8	4	44.9	1	11.2
Live Oak-----	236	103	92	17	73	54	-	18	19	30.5	8	33.9
Llano-----	112	82	29	1	49	43	-	5	2	17.9	-	0
Loving-----	3	2	1	-	1	-	-	1	-	0	-	0
Lubbock-----	1,679	1,536	282	44	442	220	-	218	70	37.3	33	17.6
Lubbock-----	1,278	1,059	180	27	354	173	-	178	52	40.7	21	16.4
Balance of county-----	601	477	102	17	89	47	-	40	18	30.0	12	20.0
Lynn-----	251	190	32	27	69	51	-	13	12	47.8	5	19.9
McCulloch-----	364	311	36	7	93	55	-	37	11	30.2	7	19.2
McLennan-----	2,769	2,221	287	224	1,110	636	79	393	93	33.6	87	31.4
White-----	2,224	2,004	177	35	839	-	-	-	68	30.6	53	23.8
Nonwhite--	545	217	110	189	272	-	-	-	25	45.9	34	62.4
Waco-----	1,798	1,561	119	96	709	402	2	303	68	38.0	56	31.3
White-----	1,436	1,373	41	17	518	-	-	-	50	34.8	32	22.3
Nonwhite--	352	188	78	79	191	-	-	-	18	51.1	24	68.2
Balance of county-----	981	660	163	128	401	234	77	90	25	25.5	31	31.6
White-----	788	631	136	18	320	-	-	-	19	22.8	21	26.6
Nonwhite--	193	29	32	110	81	-	-	-	7	36.3	10	51.8
McMullen-----	23	7	14	2	5	5	-	-	1	43.5	1	43.5
Madison-----	185	90	63	71	76	54	-	12	2	10.8	2	10.8
White-----	113	48	55	10	47	-	-	-	1	8.6	-	0
Nonwhite--	72	2	8	61	29	-	-	-	1	13.9	2	27.6
Marion-----	227	41	110	72	106	91	-	14	6	26.4	7	30.8
White-----	94	36	58	-	46	-	-	-	4	42.6	3	31.9
Nonwhite--	133	5	52	72	60	-	-	-	2	15.0	4	30.1
Martin-----	89	61	14	1	20	12	-	4	5	56.2	5	56.2
Mason-----	110	73	37	-	44	39	-	5	3	27.3	2	18.2
Matagorda-----	570	313	175	72	162	100	-	62	20	35.1	19	33.3
White-----	437	298	129	15	112	-	-	-	13	29.7	12	27.5
Nonwhite--	133	25	47	57	50	-	-	-	7	52.6	7	52.6
Maverick-----	419	67	166	169	101	89	-	11	23	54.9	10	23.9
Medina-----	653	547	143	149	184	133	-	50	44	67.4	15	23.0
Menard-----	109	31	69	7	32	25	-	7	2	18.3	1	9.2
Midland-----	468	392	55	11	115	49	-	64	26	55.6	13	27.8
Millam-----	550	310	157	78	258	200	-	57	10	18.2	12	21.8
White-----	429	292	114	20	191	-	-	-	7	16.3	7	16.3
Nonwhite--	121	18	43	56	67	-	-	-	3	24.8	5	41.3
Mills-----	111	92	18	-	42	31	-	11	2	18.0	2	18.0
Mitchell-----	333	280	38	14	80	72	-	7	6	18.0	5	15.0
Montague-----	369	307	61	-	156	105	-	48	9	24.5	9	24.5
Montgomery-----	524	356	97	64	226	162	-	63	24	45.8	19	36.3
White-----	387	322	56	8	146	-	-	-	14	36.2	14	36.2
Nonwhite--	137	34	41	58	80	-	-	-	10	73.0	5	36.5
Moore-----	193	174	18	-	46	25	-	21	8	41.5	5	25.9
Morris-----	190	66	67	52	70	62	-	8	5	26.3	3	15.8
White-----	102	53	48	1	52	-	-	-	4	39.2	2	19.6
Nonwhite--	88	13	19	51	18	-	-	-	1	11.4	1	11.4
Motley-----	107	87	18	2	29	20	-	6	6	56.1	2	18.7
Nacogdoches-----	901	473	245	79	233	157	-	75	15	18.7	15	18.7
White-----	542	421	124	5	167	-	-	-	11	20.3	5	9.2
Nonwhite--	259	52	131	74	66	-	-	-	4	15.4	10	38.6
Navarro-----	904	653	146	102	399	276	1	421	34	37.6	26	28.8
White-----	691	618	65	7	283	-	-	-	18	26.0	15	21.7
Nonwhite--	213	35	81	95	116	-	-	-	16	75.1	11	51.6
Corpus Christi-----	427	362	55	8	200	125	-	74	19	44.5	11	25.8
White-----	362	343	8	-	137	-	-	-	12	34.1	6	17.0
Nonwhite--	75	19	47	9	63	-	-	-	7	93.3	5	86.7
Balance of county-----	477	291	91	94	199	151	1	47	15	31.4	15	31.4
White-----	339	275	57	7	146	-	-	-	6	17.7	9	26.5
Nonwhite--	138	16	34	87	53	-	-	-	9	65.2	8	43.5
Newton-----	254	98	87	65	72	60	-	12	4	15.7	11	43.3
White-----	153	90	56	5	39	-	-	-	2	13.1	8	39.2
Nonwhite--	101	8	31	60	33	-	-	-	2	19.8	3	49.5
Nolan-----	447	420	26	-	157	94	-	63	25	55.9	6	13.4
Sweetwater-----	315	296	19	-	118	88	-	48	22	69.8	5	15.9
Balance of county-----	132	124	7	-	41	26	-	15	3	22.7	1	7.6
Nueces-----	5,095	3,423	659	940	1,033	570	-	444	219	43.0	134	26.3
Corpus Christi-----	5,492	2,808	253	411	699	524	-	357	133	38.1	85	24.3
Balance of county-----	1,603	617	406	529	334	246	-	87	96	53.6	49	30.6
Ochiltree-----	112	110	2	-	24	11	-	13	3	26.8	3	26.8
Oldham-----	37	34	3	-	14	10	-	4	1	27.0	-	0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

101

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician (in hos- pital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued												
Orange-----	1,129	1,012	40	74	250	141	-	107	35	31.0	27	23.9
White-----	1,033	975	31	23	198	-	-	-	25	24.2	15	14.5
Nonwhite--	96	36	9	51	52	-	-	-	10	104.2	12	125.0
Palo Pinto-----	395	379	17	-	174	97	3	68	9	22.7	7	17.7
Panola-----	356	169	103	77	134	95	-	39	8	23.5	4	11.2
White-----	246	161	76	5	94	-	-	-	5	20.2	4	16.1
Nonwhite--	108	7	27	71	50	-	-	-	3	27.8	-	0
Parker-----	415	365	50	-	166	105	2	59	11	26.5	7	16.9
Parmer-----	109	104	5	-	24	16	-	8	3	27.5	-	0
Pecos-----	277	101	132	40	58	43	-	15	4	14.4	6	21.7
Polk-----	447	298	78	69	164	131	-	33	21	47.0	12	26.8
White-----	504	255	40	8	102	-	-	-	8	26.3	6	19.7
Nonwhite--	143	43	38	61	62	-	-	-	13	90.9	6	42.0
Potter-----	1,727	1,653	61	2	507	193	-	306	75	43.4	41	23.7
Amarillo (part)-----	1,625	1,561	61	2	487	186	-	294	72	(5)	37	(5)
Amarillo (total)-----	1,629	1,565	61	2	487	186	-	294	72	44.2	37	22.7
Balance of county-----	102	102	-	-	20	7	-	12	3	29.4	4	39.2
Presidio-----	270	37	123	104	67	61	-	3	15	55.6	7	25.9
Rains-----	82	41	38	3	21	15	-	5	4	48.8	3	36.6
Randall-----	112	104	8	-	28	20	-	8	1	8.9	2	17.9
Amarillo (part)-----	4	4	-	-	-	-	-	-	-	(5)	-	(5)
Balance of county-----	108	100	8	-	28	20	-	8	1	9.3	2	16.5
Reagan-----	54	44	9	-	19	10	-	9	1	18.5	1	18.5
Real-----	89	34	18	4	12	10	-	2	-	0	1	16.9
Red River-----	600	297	213	82	205	164	-	40	12	20.0	19	31.7
White-----	454	289	152	13	150	-	-	-	10	22.0	13	28.6
Nonwhite--	146	8	61	69	55	-	-	-	2	13.7	6	41.1
Reeves-----	308	132	148	10	66	78	-	8	18	58.4	3	9.7
Refugio-----	253	193	34	25	67	33	-	34	8	31.6	7	27.7
White-----	236	180	34	21	58	-	-	-	6	25.4	4	16.9
Nonwhite--	17	13	-	4	9	-	-	-	2	117.6	3	176.5
Roberts-----	37	36	1	-	9	4	-	5	2	54.1	-	0
Robertson-----	497	166	120	197	197	164	-	32	18	36.2	19	39.2
White-----	233	169	81	38	104	-	-	-	9	31.8	6	21.2
Nonwhite--	214	7	39	162	93	-	-	-	9	42.1	13	60.7
Rockwall-----	133	66	56	5	52	41	-	11	5	37.6	2	15.0
White-----	85	65	19	-	42	-	-	-	-	0	2	23.5
Nonwhite--	48	1	37	5	10	-	-	-	5	104.2	-	0
Runnels-----	456	336	116	3	144	85	-	52	24	52.6	13	28.5
Rusk-----	661	497	236	124	302	209	-	91	25	29.0	27	31.4
White-----	613	467	143	3	195	-	-	-	16	26.1	19	31.0
Nonwhite--	248	30	93	121	107	-	-	-	9	36.3	8	32.3
Sabine-----	210	43	149	16	59	51	-	7	4	19.0	6	28.6
White-----	176	43	132	-	48	-	-	-	3	17.0	3	17.0
Nonwhite--	34	-	17	16	11	-	-	-	1	29.4	3	83.2
San Augustine-----	262	120	68	64	76	65	-	10	4	15.3	13	49.6
White-----	180	83	61	3	42	-	-	-	2	12.5	8	50.0
Nonwhite--	102	27	7	61	34	-	-	-	2	19.6	5	49.0
San Jacinto-----	117	46	26	38	47	32	-	15	4	34.2	3	25.6
White-----	51	35	15	3	23	-	-	-	3	58.8	-	0
Nonwhite--	66	13	11	35	24	-	-	-	1	15.2	3	45.5
San Patricio-----	1,251	468	553	215	300	224	-	72	85	67.9	32	25.6
San Saba-----	224	158	56	4	85	65	-	17	6	35.7	6	26.8
Schleicher-----	67	33	19	7	25	15	-	10	3	44.8	2	29.9
Scurry-----	239	210	26	-	77	53	-	24	9	37.7	3	12.6
Shackelford-----	73	58	15	-	35	27	-	7	4	13.7	2	27.4
Shelby-----	590	347	196	38	196	167	-	26	22	37.3	18	30.5
White-----	467	339	124	1	149	-	-	-	15	32.1	12	25.7
Nonwhite--	123	8	72	37	47	-	-	-	7	56.9	6	48.8
Sherman-----	49	47	2	-	18	10	-	8	2	40.8	2	40.8
Smith-----	1,722	1,218	148	345	574	400	-	169	56	32.5	39	22.1
White-----	1,192	1,092	92	8	375	-	-	-	39	32.7	17	14.3
Nonwhite--	530	126	56	337	199	-	-	-	17	32.1	21	39.6
Tyler-----	857	691	43	120	327	227	-	99	30	35.0	12	14.0
White-----	643	621	21	1	229	-	-	-	23	35.8	6	9.3
Nonwhite--	214	70	22	119	99	-	-	-	7	32.7	6	28.0
Balance of county-----	865	527	105	225	247	173	-	71	26	30.1	26	30.1
White-----	549	471	71	7	147	-	-	-	16	29.1	11	20.0
Nonwhite--	316	56	34	218	100	-	-	-	10	31.6	15	47.5
Somervell-----	45	44	1	-	26	25	-	1	1	22.2	-	0
Starr-----	506	19	290	69	103	97	-	5	19	37.5	9	17.8
Stephens-----	196	177	16	-	65	42	-	41	6	40.8	1	5.1
Sterling-----	32	16	12	4	13	5	-	7	1	31.3	1	31.3
Stonewall-----	64	44	19	1	16	12	-	4	2	31.3	2	31.3
Sutton-----	108	30	61	4	28	20	-	6	3	27.8	1	9.3
Swisher-----	192	183	11	-	46	39	-	8	3	15.6	-	0
Tarrant-----	7,422	7,132	247	26	2,554	1,197	54	1,282	236	31.8	190	25.6
White-----	6,706	6,471	213	5	2,130	-	-	-	197	29.4	154	23.0
Nonwhite--	716	661	34	21	424	-	-	-	39	54.5	36	50.3
Fort Worth-----	6,273	6,076	155	25	2,169	1,003	6	1,162	208	33.2	155	24.7
White-----	5,595	5,444	129	5	1,799	-	-	-	170	30.4	121	21.6
Nonwhite--	678	632	26	20	389	-	-	-	39	56.0	34	50.1
Balance of county-----	1,149	1,056	92	1	366	194	48	120	28	24.4	35	30.5

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
TEXAS—Continued												
Taylor-----	1,352	1,269	74	4	470	212	72	186	49	36.2	37	27.4
Abilene-----	1,029	979	45	2	320	141	12	167	44	42.8	32	31.1
Balance of county-----	323	230	29	2	150	71	60	19	5	15.5	5	15.5
Terrell-----	76	15	58	3	20	17	-	3	5	65.8	2	26.3
Terry-----	319	241	68	4	79	51	-	27	12	37.8	3	9.4
Throckmorton-----	54	45	9	-	17	13	-	4	1	18.5	1	18.5
Titus-----	375	272	93	19	141	109	-	26	11	29.3	10	26.7
White-----	325	264	60	1	117	-	-	-	7	21.5	8	24.6
Nonwhite-----	50	8	23	17	24	-	-	-	4	80.0	2	40.0
Ton Green-----	1,393	1,129	76	160	393	187	2	204	62	44.5	19	13.6
San Angelo-----	1,233	932	69	146	333	162	1	170	58	47.0	17	13.8
Balance of county-----	160	137	7	14	60	25	1	34	4	25.0	2	12.5
Travis-----	3,469	3,046	236	157	1,421	518	391	501	150	43.2	89	25.7
White-----	2,995	2,632	205	132	1,067	-	-	-	116	38.7	65	21.7
Nonwhite-----	474	414	31	25	354	-	-	-	34	71.7	24	50.6
Austin-----	3,000	2,699	196	106	1,274	439	391	434	120	40.0	79	26.3
White-----	2,627	2,347	165	97	956	-	-	-	94	35.6	59	22.1
Nonwhite-----	373	341	21	9	318	-	-	-	26	69.7	21	55.3
Balance of county-----	489	358	50	51	147	79	-	67	30	64.0	10	21.3
White-----	368	265	40	35	111	-	-	-	22	59.8	7	19.0
Nonwhite-----	101	73	10	16	36	-	-	-	8	79.2	3	29.7
Trinity-----	204	91	71	39	112	96	-	16	6	29.4	5	24.5
White-----	184	86	61	7	74	-	-	-	2	13.0	2	13.0
Nonwhite-----	50	5	10	31	38	-	-	-	4	80.0	3	50.0
Tyler-----	181	90	71	16	77	59	-	18	7	36.7	5	27.6
White-----	152	89	53	9	60	-	-	-	6	39.5	5	32.9
Nonwhite-----	29	1	18	7	17	-	-	-	1	34.5	-	0
Upshur-----	512	397	33	76	167	131	-	35	10	19.5	17	33.2
White-----	356	344	10	-	111	-	-	-	7	19.7	9	25.3
Nonwhite-----	156	53	23	76	56	-	-	-	3	19.2	8	51.3
Upton-----	94	87	7	-	37	26	-	11	1	10.6	2	21.3
Uvalde-----	440	162	225	44	129	98	-	30	24	54.5	11	25.0
Val Verde-----	539	184	304	50	202	145	-	59	43	79.8	27	50.1
Del Rio-----	522	171	301	49	193	137	-	56	43	92.4	26	49.8
Balance of county-----	17	13	3	1	9	6	-	3	-	0	1	58.8
Van Zandt-----	438	251	181	5	177	140	-	36	11	25.1	10	22.8
Victoria-----	740	458	147	127	231	148	1	78	41	55.4	20	27.0
White-----	683	437	127	111	194	-	-	-	37	54.2	13	19.0
Nonwhite-----	57	21	20	16	37	-	-	-	4	70.2	7	122.6
Victoria-----	511	333	98	77	160	95	-	62	29	56.8	13	25.4
White-----	487	316	80	69	132	-	-	-	26	55.7	7	15.0
Nonwhite-----	44	17	18	9	28	-	-	-	3	68.2	6	136.4
Balance of county-----	229	125	49	50	71	53	1	16	12	52.4	7	30.6
White-----	216	121	47	43	62	-	-	-	11	50.9	6	27.6
Nonwhite-----	13	4	2	7	9	-	-	-	1	76.9	1	76.9
Walker-----	348	261	21	59	152	105	21	25	8	23.0	7	20.1
White-----	200	194	5	1	83	-	-	-	5	25.0	3	15.0
Nonwhite-----	148	67	16	58	69	-	-	-	3	20.3	4	27.0
Waller-----	238	103	47	87	104	83	-	20	8	33.6	3	12.6
White-----	119	75	31	13	54	-	-	-	2	16.8	1	8.4
Nonwhite-----	119	28	16	74	50	-	-	-	6	50.4	2	16.8
Ward-----	356	275	74	3	76	44	-	32	15	42.1	6	16.9
Washington-----	500	262	126	111	234	187	-	46	19	38.0	16	32.0
White-----	301	240	57	4	129	-	-	-	4	13.3	4	13.3
Nonwhite-----	199	22	69	107	105	-	-	-	15	75.4	12	60.3
Webb-----	1,981	900	396	545	558	412	1	144	140	74.4	62	33.0
Laredo-----	1,797	967	365	521	534	392	1	140	138	76.8	61	33.9
Balance of county-----	64	33	21	25	24	20	-	4	2	23.6	1	11.9
Wharton-----	942	646	196	73	265	163	-	122	35	37.2	20	21.2
White-----	744	545	151	23	199	-	-	-	26	34.9	13	17.5
Nonwhite-----	198	101	45	50	96	-	-	-	9	45.5	7	35.4
Wheeler-----	252	231	21	-	66	54	-	32	5	19.6	7	27.8
Wichita-----	1,961	1,858	94	4	915	277	255	281	56	29.6	51	26.0
Wichita Falls-----	1,437	1,354	77	4	435	203	-	231	48	33.4	40	27.8
Balance of county-----	524	504	17	-	390	74	255	50	8	15.3	11	21.0
Wilbarger-----	473	455	9	7	122	61	-	61	11	23.3	9	19.0
Willacy-----	821	252	158	373	194	159	-	17	68	32.8	15	18.5
Williamson-----	987	641	193	45	363	244	1	117	35	39.5	15	18.9
White-----	753	560	174	17	291	-	-	-	25	33.2	10	13.3
Nonwhite-----	134	81	22	28	72	-	-	-	10	74.6	5	37.3
Wilson-----	416	214	159	32	144	123	-	21	12	28.6	11	26.4
Winkler-----	229	226	3	-	35	16	-	19	6	28.2	4	17.5
Wise-----	330	271	57	1	166	131	-	34	10	30.3	5	15.2
Wood-----	470	262	196	9	185	144	-	35	21	44.7	11	23.4
White-----	420	257	159	-	144	-	-	-	14	33.3	9	21.4
Nonwhite-----	50	5	37	9	41	-	-	-	7	140.0	2	40.0
Yonkers-----	69	67	2	-	8	3	-	5	1	14.5	2	29.0
Young-----	379	360	19	-	127	82	-	45	6	15.8	8	21.1
Zapata-----	123	13	95	24	39	37	-	2	9	73.2	1	8.1
Zavala-----	415	109	174	124	107	87	-	20	41	96.8	10	24.1
UTAH-----	18,220	17,516	685	11	4,785	2,435	176	2,096	496	27.2	293	16.1
Beaver-----	136	92	44	-	41	26	-	15	4	29.4	4	29.4
Box Elder-----	583	561	2	-	138	64	-	72	17	30.2	7	12.4

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

103

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
UTAH—Continued												
Cache	913	887	26	-	209	124	-	33	27	29.6	11	12.0
Logan	460	459	1	-	111	59	-	50	19	41.3	6	15.0
Balance of county	453	428	25	-	98	65	-	33	8	17.7	5	11.0
Carbon	635	612	23	-	147	68	4	67	19	29.9	14	22.0
Daggett	10	9	1	-	2	1	-	1	1	100.0	-	0
Davis	821	780	40	-	151	90	-	61	16	19.5	25	30.5
Duchesne	235	215	20	-	51	28	-	22	7	29.8	6	25.5
Emery	125	75	49	-	28	20	-	8	-	0	4	32.0
Garfield	120	88	26	4	34	25	-	5	3	25.0	5	41.7
Grand	49	47	2	-	15	7	-	7	4	61.6	2	40.8
Iron	271	270	1	-	72	35	-	36	12	44.3	4	14.8
Juab	142	127	15	-	64	42	-	21	9	63.4	-	0
Kane	79	77	2	-	22	12	-	9	4	50.6	1	12.7
Millard	252	235	17	-	77	54	-	20	11	43.7	4	15.9
Morgan	67	68	1	-	19	12	-	6	2	29.9	2	29.9
Plute	50	40	10	-	14	9	-	5	1	20.0	-	0
Rich	45	41	4	-	10	6	-	3	-	0	-	0
Salt Lake	7,060	6,950	128	2	1,949	892	1	1,019	174	24.6	95	13.4
Salt Lake City	5,065	5,008	75	2	1,522	665	-	825	122	24.0	71	14.0
Balance of county	1,995	1,942	53	-	427	227	1	194	52	26.1	24	12.0
San Juan	78	54	21	1	25	18	-	7	2	25.6	4	51.5
White	76	53	21	1	18	-	-	-	2	26.3	4	52.6
Nonwhite	2	1	-	-	7	-	-	-	-	0	-	0
Sanpete	359	283	76	-	136	111	-	21	11	30.6	5	15.9
Seyler	353	338	14	-	78	50	-	28	9	25.5	3	8.5
Summit	183	163	20	-	68	40	-	28	5	27.3	2	10.9
Tooele	432	413	19	-	84	39	12	30	18	41.7	2	4.6
Uintah	311	300	10	1	72	38	-	33	16	51.4	6	19.3
White	308	297	10	1	66	-	-	-	15	48.7	5	16.2
Nonwhite	3	3	-	-	6	-	-	-	1	535.3	1	835.3
Utah	1,888	1,837	49	1	601	282	138	179	57	30.2	41	21.7
Provo	608	593	14	1	239	81	96	81	19	31.3	18	29.6
Balance of county	1,280	1,244	35	-	362	201	40	118	38	29.7	23	18.0
Wasatch	175	167	8	-	45	33	-	12	4	22.9	1	5.7
Washington	283	263	19	1	86	60	2	23	7	24.7	2	7.1
Wayne	72	67	4	1	13	8	-	5	2	27.6	3	41.7
Weber	2,493	2,459	34	-	534	241	21	270	54	21.7	40	16.0
Ogden	1,754	1,740	14	-	419	186	-	231	47	26.8	28	16.0
Balance of county	739	719	20	-	115	55	21	39	7	9.5	12	16.2
VERMONT	8,362	7,397	962	2	4,140	2,259	268	1,566	284	34.0	189	22.6
Addison	441	367	74	-	190	116	1	70	15	34.0	10	22.7
Bennington	491	440	51	-	259	139	3	103	16	32.6	14	28.5
Caledonia	510	427	83	-	272	167	3	102	21	41.2	12	23.5
Chittenden	1,599	1,332	266	1	514	238	5	267	51	36.5	36	25.7
Burlington	781	768	23	-	303	134	5	162	34	43.0	15	19.0
Balance of county	608	564	43	1	211	104	-	105	17	28.0	21	34.5
Essex	149	113	34	1	61	50	-	11	-	0	4	26.8
Franklin	698	500	198	-	299	195	5	96	24	34.4	11	15.8
Grand Isle	73	50	23	-	37	23	-	14	1	13.7	-	0
Lamoille	244	222	22	-	125	72	-	48	8	32.8	9	36.9
Orange	350	322	28	-	170	104	3	63	15	42.9	5	14.3
Orleans	541	422	119	-	262	174	-	84	18	35.3	11	20.3
Rutland	1,002	915	87	-	553	316	7	229	32	31.9	22	22.0
Rutland	437	433	4	-	228	108	5	117	18	41.2	9	20.6
Balance of county	565	492	73	-	325	210	2	112	14	24.8	13	25.0
Washington	908	853	55	-	589	220	146	223	36	39.6	28	30.8
Barre	248	238	10	-	115	49	-	66	10	40.3	7	28.2
Balance of county	660	615	45	-	474	171	146	157	26	39.4	21	31.8
Windham	547	495	52	-	402	199	92	103	21	38.4	12	21.9
Windsor	1,009	939	70	-	407	246	3	151	26	25.8	15	14.9
VIRGINIA <sup>10</sup>	75,861	49,517	16,415	9,568	28,154	17,446	1,540	8,880	2,935	39.7	2,196	28.8
Accomack	566	226	150	187	403	341	4	58	39	68.9	32	56.5
White	308	195	109	3	249	-	-	-	13	42.2	11	35.7
Nonwhite	258	31	41	184	154	-	-	-	26	100.8	21	81.4
Albemarle	513	444	39	26	233	147	-	83	21	40.9	14	27.3
White	402	362	27	10	167	-	-	-	18	44.8	11	27.4
Nonwhite	111	82	12	16	66	-	-	-	3	27.0	3	27.0
Alleghany	566	312	239	8	183	123	-	60	22	38.9	20	35.3
Amelia	213	50	73	89	87	75	-	12	10	46.9	10	46.9
White	87	44	42	1	32	-	-	-	-	0	3	34.5
Nonwhite	126	6	31	88	55	-	-	-	10	79.4	7	55.6
Amherst	380	237	76	59	207	113	59	34	17	44.7	14	36.8
White	280	193	43	20	146	-	-	-	8	34.6	5	19.2
Nonwhite	120	44	33	39	59	-	-	-	8	66.7	9	75.0
Appomattox	187	85	69	31	77	60	-	17	10	53.5	2	10.7
White	129	74	52	2	51	-	-	-	4	31.0	-	0
Nonwhite	58	11	17	29	26	-	-	-	8	103.4	2	34.5
Arlington <sup>11</sup>	3,794	3,755	36	2	586	318	-	262	73	19.2	59	15.6
Augusta	1,112	822	287	21	471	314	63	94	45	40.5	27	24.3
Bath	128	95	22	8	61	44	-	17	2	15.6	5	39.1
White	117	88	21	8	53	-	-	-	2	17.1	5	42.7
Nonwhite	11	10	1	-	6	-	-	-	-	0	-	0

See footnotes on p. 111.

793002 O - 48 - 8



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
VIRGINIA <sup>10</sup> —Continued												
Bedford-----	668	439	181	45	269	164	42	59	20	29.9	14	21.0
White-----	535	403	114	15	208	-----	-----	-----	11	20.6	9	15.8
Nonwhite--	133	36	67	30	61	-----	-----	-----	9	67.7	5	37.6
Bland-----	157	46	110	-	39	31	-	8	2	12.7	5	31.8
Botetourt-----	356	172	163	18	126	93	3	29	16	44.9	19	53.4
White-----	312	156	146	9	105	-----	-----	-----	16	51.3	15	48.1
Nonwhite--	44	16	17	9	20	-----	-----	-----	-	0	4	90.9
Brunswick-----	481	128	141	212	177	139	-	38	14	29.1	11	22.9
White-----	183	111	81	11	66	-----	-----	-----	6	32.8	2	10.9
Nonwhite--	298	17	80	201	109	-----	-----	-----	8	26.8	9	30.2
Buchanan-----	1,123	224	650	232	184	117	-	67	53	47.2	32	28.5
Buckingham-----	312	100	88	144	128	105	-	23	14	44.9	9	28.8
White-----	130	77	39	14	69	-----	-----	-----	7	53.8	4	30.8
Nonwhite--	182	23	29	130	59	-----	-----	-----	7	38.5	5	27.5
Campbell-----	731	468	189	72	216	145	-	66	34	46.5	23	31.5
White-----	516	400	109	7	153	-----	-----	-----	24	46.5	12	23.3
Nonwhite--	215	68	80	65	63	-----	-----	-----	10	46.5	11	51.2
Caroline-----	300	72	165	62	128	103	-	25	14	46.7	7	23.3
White-----	124	61	58	5	62	-----	-----	-----	4	32.3	2	16.1
Nonwhite--	176	11	107	57	66	-----	-----	-----	10	56.8	5	28.4
Carroll-----	616	140	441	30	146	120	1	21	15	24.4	13	21.1
Charles City-----	150	19	34	87	37	31	-	6	9	60.0	4	26.7
White-----	26	11	15	-	9	-----	-----	-----	2	76.9	-	0
Nonwhite--	124	8	19	97	28	-----	-----	-----	7	56.5	4	32.3
Charlotte-----	301	114	82	104	131	95	-	35	11	36.5	10	33.2
White-----	154	96	48	9	65	-----	-----	-----	8	51.9	4	26.0
Nonwhite--	147	18	34	95	66	-----	-----	-----	3	20.4	6	40.8
Chesterfield-----	766	602	38	127	259	159	-	97	22	28.6	19	24.7
White-----	589	554	20	14	168	-----	-----	-----	9	15.3	11	18.7
Nonwhite--	179	48	18	113	71	-----	-----	-----	13	72.6	8	44.7
Clarke-----	163	109	50	3	67	46	-	19	6	36.8	5	30.7
White-----	131	94	36	-	50	-----	-----	-----	4	30.5	3	22.9
Nonwhite--	32	15	14	3	17	-----	-----	-----	2	62.5	2	62.5
Craig-----	72	29	37	5	34	24	-	10	2	27.8	1	13.9
Culpeper-----	264	92	162	10	155	128	-	26	13	49.2	10	37.9
White-----	155	77	77	1	95	-----	-----	-----	3	19.4	5	32.3
Nonwhite--	109	15	85	9	60	-----	-----	-----	10	91.7	5	45.9
Cumberland-----	165	37	31	96	74	63	-	11	8	48.5	1	6.1
White-----	46	25	17	4	25	-----	-----	-----	1	21.7	-	0
Nonwhite--	119	12	14	92	49	-----	-----	-----	7	59.8	1	8.4
Dickenson-----	672	240	332	94	130	90	-	40	31	46.1	25	37.2
Dinwiddie-----	337	119	87	161	520	93	398	29	10	29.7	11	32.6
White-----	139	104	25	10	53	-----	-----	-----	3	21.6	-	0
Nonwhite--	198	15	32	151	467	-----	-----	-----	7	35.4	11	55.6
Elizabeth City-----	529	447	31	51	260	116	-	143	30	56.7	21	39.7
White-----	391	372	17	2	145	-----	-----	-----	19	48.6	9	23.0
Nonwhite--	138	75	14	49	115	-----	-----	-----	11	79.7	12	67.0
Essex-----	132	45	43	44	79	65	-	14	8	60.6	6	45.5
White-----	63	40	14	9	33	-----	-----	-----	2	31.7	2	31.7
Nonwhite--	69	5	29	35	46	-----	-----	-----	6	87.0	4	58.0
Fairfax-----	1,570	1,398	137	45	418	246	12	151	33	21.0	33	21.0
White-----	1,425	1,308	107	10	357	-----	-----	-----	29	20.4	22	15.4
Nonwhite--	145	90	30	35	61	-----	-----	-----	4	27.6	11	75.9
Fauquier-----	447	269	118	57	201	145	-	53	13	29.1	14	31.3
White-----	317	227	74	15	135	-----	-----	-----	8	25.2	9	28.4
Nonwhite--	130	42	44	42	66	-----	-----	-----	5	38.5	5	38.5
Floyd-----	252	106	124	19	112	65	-	26	10	39.7	3	11.9
Fluvanna-----	131	45	50	36	53	47	-	6	5	36.2	9	68.7
White-----	69	38	25	6	33	-----	-----	-----	1	14.5	5	72.5
Nonwhite--	62	7	25	30	20	-----	-----	-----	4	64.5	4	64.5
Franklin-----	636	296	236	97	182	125	-	56	20	31.4	10	15.7
White-----	539	278	213	43	135	-----	-----	-----	16	29.7	8	14.8
Nonwhite--	97	16	25	54	47	-----	-----	-----	4	41.2	2	20.6
Frederick-----	334	301	21	11	134	84	-	48	17	50.9	4	12.0
Giles-----	573	282	278	11	146	107	-	39	24	41.9	25	43.6
Gloucester-----	213	105	98	10	108	81	-	27	3	14.1	7	32.9
White-----	144	97	42	5	62	-----	-----	-----	3	20.8	3	20.8
Nonwhite--	69	8	56	5	46	-----	-----	-----	-	0	4	58.0
Goochland-----	187	48	58	98	93	60	9	24	13	69.5	5	26.7
White-----	67	34	25	8	30	-----	-----	-----	2	29.9	2	29.9
Nonwhite--	120	14	13	90	63	-----	-----	-----	11	91.7	3	25.0
Grayson-----	516	197	280	19	170	121	-	24	20	36.8	16	31.0
Greene-----	134	84	46	2	52	40	-	11	4	29.9	8	59.7
White-----	118	80	34	2	46	-----	-----	-----	4	33.9	7	59.3
Nonwhite--	16	4	12	-	6	-----	-----	-----	-	0	1	62.5
Greensville-----	454	142	150	162	120	93	-	26	17	37.4	19	41.9
White-----	141	122	10	9	39	-----	-----	-----	3	21.3	1	7.1
Nonwhite--	313	20	140	153	82	-----	-----	-----	14	44.7	18	57.5
Halifax-----	1,040	347	383	301	373	296	-	75	38	36.5	40	38.5
White-----	499	291	193	14	196	-----	-----	-----	17	34.1	12	24.0
Nonwhite--	541	56	190	287	177	-----	-----	-----	21	38.8	28	51.8
Henover-----	406	168	143	94	178	150	-	26	21	51.7	13	32.0
White-----	226	147	75	4	111	-----	-----	-----	6	26.5	6	26.5
Nonwhite--	180	21	68	90	67	-----	-----	-----	15	83.3	7	38.9

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

105

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
VIRGINIA <sup>10</sup> —Continued												
Remigio	767	648	46	69	244	162	-	82	25	32.6	16	20.9
White	641	602	32	5	186	-	-	-	14	21.8	10	15.6
Nonwhite	126	46	14	64	58	-	-	-	11	87.3	6	47.6
Henry	781	330	339	109	207	152	-	55	28	35.9	32	41.0
White	516	275	221	17	127	-	-	-	17	32.9	11	21.3
Nonwhite	265	55	118	92	80	-	-	-	11	41.5	21	79.2
Highland	82	20	60	2	43	54	-	9	5	61.0	2	24.4
Isle of Wight	293	92	49	151	145	116	-	28	18	61.4	5	17.1
White	115	83	20	12	66	-	-	-	4	34.8	1	5.7
Nonwhite	178	9	29	139	79	-	-	-	14	78.7	4	22.5
James City	148	87	14	47	41	30	-	11	3	20.3	4	27.0
White	70	61	9	-	19	-	-	-	2	28.6	2	28.6
Nonwhite	78	26	5	47	22	-	-	-	1	12.8	2	25.6
King and Queen	145	50	54	39	62	68	1	13	7	48.3	7	48.3
White	74	45	27	2	37	-	-	-	5	67.6	2	27.0
Nonwhite	71	5	27	37	45	-	-	-	2	28.2	5	70.4
King George	137	79	37	19	55	42	-	13	6	43.8	5	35.5
White	93	72	15	5	37	-	-	-	3	32.3	1	10.8
Nonwhite	44	7	22	14	18	-	-	-	3	68.2	4	90.9
King William	194	85	58	42	68	52	-	16	5	27.2	-	0
White	95	74	18	5	25	-	-	-	-	0	-	0
Nonwhite	99	11	40	37	43	-	-	-	5	56.2	-	0
Lancaster	179	45	126	8	120	98	-	21	8	44.7	7	39.1
White	112	41	71	-	68	-	-	-	4	35.7	1	8.9
Nonwhite	67	2	55	8	52	-	-	-	4	59.7	6	89.6
Lee	969	221	607	117	268	215	-	51	46	47.5	31	32.0
Loudoun	467	309	134	23	242	185	-	51	20	42.8	16	34.3
White	357	263	84	9	186	-	-	-	14	39.2	10	28.0
Nonwhite	110	46	50	14	54	-	-	-	6	54.5	6	54.5
Louisa	296	197	30	66	144	118	-	26	11	37.2	10	33.8
White	153	124	17	12	63	-	-	-	3	19.6	3	19.6
Nonwhite	143	73	13	54	81	-	-	-	8	55.9	7	49.0
Lunenburg	315	95	119	100	139	119	-	19	15	47.6	11	34.9
White	149	78	66	5	72	-	-	-	4	26.8	3	20.1
Nonwhite	166	17	53	95	67	-	-	-	11	66.3	8	48.2
Madison	159	99	51	6	67	51	-	16	5	31.4	3	18.9
White	122	83	32	4	49	-	-	-	5	41.0	1	8.2
Nonwhite	37	16	19	2	18	-	-	-	-	0	2	54.1
Mathews	120	78	42	-	92	78	-	14	6	50.0	4	33.3
White	85	73	12	-	70	-	-	-	2	23.5	-	0
Nonwhite	35	5	30	-	22	-	-	-	4	114.3	4	114.3
Mecklenburg	807	264	203	339	258	219	-	47	30	37.2	28	34.7
White	527	212	97	18	120	-	-	-	13	39.8	7	21.4
Nonwhite	480	52	106	321	148	-	-	-	17	35.4	21	45.8
Middlesex	112	52	23	37	88	69	-	16	6	53.6	4	35.7
White	54	43	12	-	39	-	-	-	2	37.0	-	0
Nonwhite	58	10	11	37	49	-	-	-	4	69.0	4	69.0
Montgomery	760	642	105	12	204	144	-	58	32	42.1	11	14.5
Nansemond	657	154	110	389	236	190	-	42	28	42.6	33	50.2
White	183	122	50	11	65	-	-	-	4	21.9	6	32.8
Nonwhite	474	32	60	378	171	-	-	-	24	50.6	27	57.0
Nelson	351	214	42	83	127	94	-	33	15	42.7	9	25.6
White	236	171	29	28	89	-	-	-	11	46.6	6	25.4
Nonwhite	115	43	14	55	38	-	-	-	4	34.8	3	26.1
New Kent	88	37	23	28	32	25	-	7	1	11.4	7	79.5
White	52	29	3	-	13	-	-	-	-	0	1	31.3
Nonwhite	56	8	20	28	19	-	-	-	1	17.9	6	107.1
Norfolk	2,838	2,264	165	404	532	332	1	185	76	26.8	79	27.8
White	2,270	2,145	94	31	346	-	-	-	51	22.5	43	18.9
Nonwhite	368	119	71	373	186	-	-	-	25	44.0	36	63.4
Northampton	366	156	25	184	224	173	1	50	19	51.9	8	21.9
White	146	129	9	8	106	-	-	-	6	41.1	-	0
Nonwhite	220	27	16	176	118	-	-	-	13	59.1	8	36.4
Northumberland	194	50	96	48	107	92	-	15	7	36.1	6	30.9
White	97	44	52	1	59	-	-	-	2	20.6	2	20.6
Nonwhite	97	6	44	47	48	-	-	-	5	51.5	4	41.2
Nottoway	367	149	88	130	188	135	-	53	17	46.3	7	19.1
White	190	128	58	7	86	-	-	-	8	42.1	1	5.3
Nonwhite	177	21	33	123	102	-	-	-	9	50.8	6	33.9
Orange	289	211	62	15	112	80	-	32	12	41.5	6	20.8
White	197	174	23	-	76	-	-	-	8	40.6	3	15.2
Nonwhite	92	37	39	15	36	-	-	-	4	43.5	3	32.6
Page	561	165	172	19	148	105	-	43	20	55.4	8	22.2
Patrick	392	112	229	44	131	103	-	24	23	58.7	7	17.9
Pittsylvania	1,702	917	372	399	511	324	22	164	69	40.5	54	31.7
White	1,074	616	234	18	324	-	-	-	31	28.9	21	19.6
Nonwhite	628	101	138	381	187	-	-	-	38	60.5	33	52.5
Powhatan	120	52	20	48	38	30	-	7	3	25.0	3	25.0
White	59	47	11	1	12	-	-	-	-	0	1	16.9
Nonwhite	61	5	9	47	26	-	-	-	3	49.2	2	32.8
Prince Edward	346	180	44	122	157	102	-	34	15	43.4	12	34.7
White	164	146	11	7	73	-	-	-	4	24.4	7	42.7
Nonwhite	182	34	33	115	64	-	-	-	11	60.4	5	27.5
Prince George	298	148	28	121	141	89	7	44	18	60.4	11	36.9
White	157	141	14	2	68	-	-	-	9	57.3	5	31.8
Nonwhite	141	7	14	119	73	-	-	-	9	63.8	6	42.6

See footnotes on p. 111.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
VIRGINIA <sup>10</sup> —Continued												
Prince William	630	494	76	80	151	95	12	43	9	14.3	9	14.3
White	579	480	58	41	120	—	—	—	8	13.8	8	13.8
Nonwhite	51	14	18	19	31	—	—	—	1	19.6	1	19.6
Princess Anne	643	397	87	155	324	150	2	171	12	18.7	20	31.1
White	428	367	56	4	172	—	—	—	6	14.0	10	22.4
Nonwhite	215	30	31	151	152	—	—	—	6	27.9	10	46.5
Pulaski	747	560	102	73	219	148	5	65	32	42.8	24	32.1
Rappahannock	139	62	73	3	89	55	—	12	5	36.0	2	14.4
White	116	53	62	2	49	—	—	—	4	33.9	1	8.5
Nonwhite	21	9	11	1	20	—	—	—	1	47.6	1	47.6
Richmond	119	25	76	17	77	82	—	15	9	75.6	1	8.4
White	76	22	48	5	50	—	—	—	4	52.6	—	0
Nonwhite	43	3	28	12	27	—	—	—	5	116.3	1	23.3
Roanoke	1,098	947	116	24	429	223	97	108	40	36.8	28	25.7
Rockbridge	510	274	177	46	203	152	—	51	20	39.2	7	13.7
White	460	263	148	36	167	—	—	—	17	37.0	7	15.2
Nonwhite	50	11	29	10	36	—	—	—	3	60.0	—	0
Rockingham	778	564	209	2	291	187	2	99	32	41.2	23	29.6
Russell	713	239	411	53	186	131	—	55	30	42.1	17	23.8
Scott	748	335	180	200	217	169	—	48	30	40.1	19	25.4
Shenandoah	452	374	64	13	222	134	3	79	20	44.2	9	19.9
Smyth	765	297	429	36	333	174	95	64	32	41.8	13	17.0
Southampton	673	191	94	386	253	193	—	60	44	65.4	22	32.7
White	209	153	41	15	83	—	—	—	11	52.6	3	14.4
Nonwhite	464	38	53	371	170	—	—	—	33	71.1	19	40.9
Spotsylvania	254	170	32	49	101	76	—	22	4	15.7	11	43.3
White	166	152	23	9	61	—	—	—	4	21.5	8	43.0
Nonwhite	68	18	9	40	40	—	—	—	—	0	3	44.1
Stafford	169	143	21	22	97	72	—	25	10	52.9	3	15.9
White	158	134	19	5	72	—	—	—	7	44.3	2	12.7
Nonwhite	31	9	2	17	25	—	—	—	3	96.8	1	32.3
Surry	134	32	14	88	71	57	—	15	7	52.2	6	44.8
White	39	27	7	4	29	—	—	—	2	52.6	—	0
Nonwhite	96	5	7	84	42	—	—	—	5	52.1	6	62.5
Sussex	277	78	41	158	117	99	—	17	13	46.9	14	50.5
White	94	69	6	7	33	—	—	—	2	23.8	2	23.8
Nonwhite	193	9	33	151	84	—	—	—	11	57.0	12	62.2
Tazewell	1,421	568	837	9	374	242	—	129	63	44.3	35	24.6
Warren	376	327	37	12	95	66	—	28	10	26.6	10	26.6
Warwick	602	448	44	109	148	81	—	66	21	34.9	25	41.5
White	328	313	14	—	81	—	—	—	8	24.4	7	21.3
Nonwhite	274	135	30	109	67	—	—	—	13	47.4	18	65.7
Washington	928	367	493	61	299	205	1	93	39	42.0	22	23.7
Westmoreland	239	59	95	83	116	102	—	14	15	62.8	11	46.0
White	122	56	60	6	64	—	—	—	3	24.6	2	15.4
Nonwhite	117	3	35	77	52	—	—	—	12	102.8	9	78.9
Wise	1,614	558	1,013	55	420	307	2	111	70	43.4	28	17.3
Wythe	579	271	294	12	166	113	2	32	18	31.1	11	19.0
York	224	157	13	54	103	67	—	35	6	26.8	7	31.3
White	148	139	7	2	71	—	—	—	3	20.3	4	27.0
Nonwhite	76	18	6	52	32	—	—	—	3	39.5	3	39.5
Independent Cities <sup>12</sup>												
Alexandria	1,903	1,842	22	33	396	181	—	206	36	18.9	41	21.5
White	1,727	1,708	13	4	297	—	—	—	30	17.4	32	18.5
Nonwhite	176	134	9	29	99	—	—	—	6	34.1	9	51.1
Bristol <sup>13</sup>	360	281	77	2	123	79	—	37	16	44.4	6	16.7
White	332	266	64	2	106	—	—	—	14	42.2	5	15.1
Nonwhite	28	15	13	—	17	—	—	—	2	71.4	1	35.7
Buena Vista	124	60	61	3	51	44	—	7	8	64.5	8	64.5
Charlottesville	831	614	16	1	228	123	—	102	24	39.0	11	17.4
White	519	511	7	—	172	—	—	—	20	39.6	7	13.5
Nonwhite	113	103	9	1	56	—	—	—	4	35.4	4	35.4
Clifton Forge	138	113	22	3	71	37	—	34	2	14.5	3	21.7
White	114	102	11	1	57	—	—	—	1	8.8	3	26.3
Nonwhite	24	11	11	2	14	—	—	—	1	41.7	—	0
Danville	810	657	20	132	364	208	—	156	53	65.4	28	54.6
White	598	590	6	2	234	—	—	—	28	46.8	10	16.7
Nonwhite	212	67	14	130	130	—	—	—	25	117.9	18	84.9
Fredericksburg	265	247	3	14	106	57	—	48	12	45.3	5	16.9
White	232	230	2	—	85	—	—	—	10	43.1	5	21.6
Nonwhite	33	17	1	14	21	—	—	—	2	60.6	—	0
Hampton	709	685	9	15	117	38	—	76	9	12.7	13	16.3
White	603	596	5	2	79	—	—	—	6	13.3	8	13.3
Nonwhite	106	89	4	13	39	—	—	—	1	9.4	5	47.2
Harrisonburg	240	237	3	—	126	69	—	57	15	62.5	8	33.3
Hopewell	257	225	21	11	77	41	—	36	11	42.8	7	27.2
White	236	216	19	1	57	—	—	—	8	33.9	4	16.9
Nonwhite	21	9	2	10	20	—	—	—	3	142.9	5	142.9
Lynchburg	1,098	1,051	46	1	460	266	11	176	47	42.8	23	20.9
White	860	852	8	—	317	—	—	—	23	26.7	17	19.8
Nonwhite	238	199	38	1	143	—	—	—	24	100.9	6	25.2
Martinsville	348	256	79	14	94	45	—	49	15	43.1	11	31.6
White	279	231	49	—	67	—	—	—	12	43.0	7	25.1
Nonwhite	69	25	30	14	27	—	—	—	3	43.5	4	58.0

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

107

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
VIRGINIA <sup>10</sup> —Continued												
Independent Cities <sup>12</sup> —Con.												
Newport News	1,608	1,470	19	118	559	255	-	304	81	50.4	47	29.2
White	1,131	1,126	5	-	269	-	-	-	48	42.4	24	21.2
Nonwhite	477	344	14	118	290	-	-	-	33	69.2	23	48.2
Norfolk	4,037	3,134	538	361	1,958	981	12	948	171	42.4	158	39.1
White	2,778	2,635	128	14	1,136	-	-	-	89	32.0	84	30.2
Nonwhite	1,259	499	410	347	822	-	-	-	82	65.1	74	58.8
Petersburg	828	523	63	242	406	260	18	125	41	49.5	34	41.1
White	530	480	18	32	218	-	-	-	22	41.5	14	26.4
Nonwhite	298	43	45	210	188	-	-	-	19	63.8	20	67.1
Portsmouth	1,454	925	109	416	654	341	1	292	77	53.0	69	47.5
White	847	655	9	4	309	-	-	-	37	33.7	25	27.2
Nonwhite	607	90	101	412	345	-	-	-	40	65.9	46	75.8
Radford	252	247	5	-	69	29	-	40	14	55.6	6	23.8
Richmond	5,272	4,794	389	88	2,462	1,318	178	955	166	31.5	175	33.2
White	3,745	3,651	90	3	1,598	-	-	-	109	29.1	105	27.5
Nonwhite	1,527	1,143	299	85	864	-	-	-	57	37.3	72	47.2
Roseneko	1,628	1,499	127	-	755	415	16	314	68	41.8	38	23.3
White	1,517	1,274	43	-	578	-	-	-	48	36.4	32	24.3
Nonwhite	111	225	84	-	177	-	-	-	20	64.3	6	19.3
South Norfolk	214	152	31	31	77	61	-	15	7	32.7	4	18.7
White	176	149	23	5	47	-	-	-	6	34.1	3	17.0
Nonwhite	38	4	8	26	30	-	-	-	1	28.3	1	26.3
Staunton	320	279	33	8	372	96	220	52	19	59.4	11	34.4
White	289	265	23	1	345	-	-	-	17	58.8	9	31.1
Nonwhite	31	14	10	7	27	-	-	-	2	64.5	2	64.5
Suffolk	294	194	35	65	139	80	-	59	14	47.6	9	30.6
White	183	166	13	4	66	-	-	-	8	43.7	4	21.9
Nonwhite	111	28	22	61	73	-	-	-	6	54.1	5	45.0
Williamsburg	76	68	2	6	263	13	240	10	3	39.5	3	39.5
White	59	58	1	-	254	-	-	-	2	33.9	2	33.9
Nonwhite	17	10	1	6	9	-	-	-	1	58.8	1	58.8
Winchester	416	401	10	4	159	79	-	78	27	64.9	12	28.6
WASHINGTON	51,988	51,034	844	30	22,011	8,905	1,241	11,294	1,734	33.4	903	17.4
Adams	122	116	5	-	41	21	-	14	3	24.6	2	16.4
Asotin	198	182	2	-	101	47	-	49	4	20.2	10	50.5
Benton	450	420	10	-	155	76	-	72	29	67.4	8	18.6
Chelan	994	940	53	-	354	140	1	198	34	34.2	15	15.1
Wenatchee	373	371	2	-	173	55	-	116	16	42.9	4	10.7
Balance of county	621	589	51	-	181	86	1	82	18	29.0	11	17.7
Clallam	567	546	19	2	237	92	8	133	12	21.2	5	8.8
Clark	2,167	2,151	14	1	701	233	6	454	72	33.2	31	14.3
Vancouver	771	768	5	-	410	80	6	311	41	53.2	14	18.2
Balance of county	1,396	1,385	9	1	291	153	-	123	31	22.2	17	12.2
Columbia	113	112	1	-	51	23	3	25	2	17.7	1	8.8
Cowlitz	1,150	1,145	4	-	327	130	-	189	33	28.7	28	24.3
Longview	446	445	1	-	144	32	-	112	10	22.4	7	15.7
Balance of county	704	700	3	-	183	98	-	77	23	32.7	21	29.8
Douglas	135	130	5	-	44	31	-	13	5	37.0	7	51.9
Ferry	88	86	1	1	27	14	-	12	2	29.4	-	0
White	48	47	1	-	20	-	-	-	1	20.8	-	0
Nonwhite	20	19	-	1	7	-	-	-	1	50.0	-	0
Franklin	500	498	2	-	91	34	-	56	17	36.7	4	13.3
Garfield	55	46	9	-	30	21	-	9	2	36.4	1	18.2
Grant	535	525	9	-	87	39	-	20	10	29.9	4	11.9
Grays Harbor	1,142	1,127	9	3	602	227	9	337	51	44.7	23	20.1
Aberdeen	458	456	-	-	324	81	-	221	19	41.5	9	19.7
Hoquiam	218	217	1	-	83	47	9	24	10	45.9	3	13.8
Balance of county	466	454	8	3	195	99	-	92	22	47.2	11	23.6
Island	167	164	3	-	86	57	4	24	6	35.9	4	24.0
Jefferson	221	219	1	1	95	35	1	56	8	36.2	2	9.0
King	16,601	16,466	117	1	6,966	3,063	129	3,687	510	30.7	289	17.4
Seattle	13,424	13,381	36	-	5,451	2,241	87	3,075	382	26.5	242	18.0
White	12,830	12,795	30	-	5,211	-	-	-	355	27.7	227	17.7
Nonwhite	594	586	6	-	240	-	-	-	27	45.5	18	25.3
Balance of county	3,177	3,085	81	1	1,515	822	42	612	128	40.3	47	14.8
Kitsap	2,833	2,800	25	1	678	244	34	397	95	32.6	46	16.2
Bremerton	1,437	1,431	6	-	344	82	-	259	50	34.6	21	14.6
Balance of county	1,396	1,369	19	1	334	162	34	138	45	30.6	25	17.9
Kittitas	441	433	8	-	218	81	1	132	27	61.2	10	22.7
Klickitat	230	225	2	3	80	33	-	46	5	21.7	2	8.7
Lewis	983	971	11	-	471	201	39	201	27	27.5	13	13.2
Lincoln	223	196	27	-	102	51	-	44	10	44.8	4	17.9
Mason	293	297	1	-	118	35	-	82	6	20.1	4	13.4
Okanogan	668	629	33	3	225	105	4	112	28	41.9	12	18.0
Pacific	304	281	23	-	146	68	-	77	8	26.3	11	36.2
Pond Oreille	141	138	3	-	49	22	-	26	3	21.3	1	7.1
Pierce	5,584	5,508	70	-	2,636	859	436	1,294	171	30.6	109	19.5
Tacoma	3,613	3,583	29	-	1,608	517	10	1,044	101	26.0	64	17.7
Balance of county	1,971	1,925	41	-	1,028	342	426	240	70	35.5	45	22.8
San Juan	51	38	12	-	35	22	-	13	-	0	-	0
Snohomish	879	863	14	1	702	174	262	263	46	52.3	9	10.2
Skagit	73	71	1	-	28	15	-	11	2	27.4	-	0
Snohomish	2,269	2,205	64	-	1,058	525	5	507	75	32.2	39	17.2
Everett	945	939	6	-	467	171	2	287	27	28.6	13	13.8
Balance of county	1,324	1,264	58	1	591	354	3	220	46	34.7	26	19.6

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
WASHINGTON--Continued												
Spokane-----	4,720	4,667	46	1	2,387	909	261	1,118	154	32.6	76	16.1
Spokane-----	3,673	3,650	20	-	1,717	723	15	909	117	31.9	62	16.9
Balance of county-----	1,047	1,017	26	1	670	186	246	209	37	35.3	14	13.4
Stevens-----	368	354	9	2	174	59	-	113	12	32.6	3	8.2
Thurston-----	943	879	61	2	390	179	-	199	30	31.8	25	26.5
Olympia-----	424	409	15	-	228	67	-	153	21	49.5	13	30.7
Balance of county-----	519	470	46	2	182	112	-	46	9	17.3	12	23.1
Wahkiakum-----	64	64	-	-	32	19	-	12	7	109.4	-	0
Walla Walla-----	838	828	7	1	425	152	30	231	28	33.4	12	14.3
Walla Walla-----	562	555	6	-	320	99	18	185	19	33.8	8	14.2
Balance of county-----	276	273	1	1	105	53	12	36	9	32.6	4	14.5
Whatcom-----	1,447	1,423	20	-	732	308	6	408	54	37.3	27	18.7
Bellingham-----	646	642	5	-	396	151	6	233	28	33.0	14	16.5
Balance of county-----	599	581	15	-	334	157	-	175	26	43.4	13	21.7
Whitman-----	603	591	11	-	240	75	2	157	21	34.8	11	18.2
Yakima-----	3,263	3,112	132	6	1,092	488	-	533	129	39.5	55	16.9
Yakima-----	1,079	1,076	1	1	494	182	-	297	44	40.8	17	15.8
Balance of county-----	2,184	2,036	131	5	598	306	-	236	85	38.9	38	17.4
WEST VIRGINIA-----	48,673	26,501	20,737	1,130	16,238	10,538	465	5,153	1,990	40.9	1,543	31.7
Barbour-----	486	205	271	4	154	120	-	34	19	39.1	16	32.9
Berkley-----	662	618	39	3	293	159	-	132	33	49.8	21	31.7
Martinsburg-----	391	382	7	1	208	107	-	99	25	63.9	13	33.2
Balance of county-----	271	236	32	2	85	52	-	33	8	29.5	8	29.5
Boone-----	837	320	509	7	198	145	-	53	44	52.6	26	31.1
Braxton-----	466	228	203	22	122	90	-	17	14	30.0	7	15.0
Brooks-----	531	458	72	-	205	113	2	88	21	39.5	17	32.0
Cabell-----	2,536	2,278	251	4	1,073	547	112	411	128	50.5	83	32.7
Huntington (part)-----	1,988	1,923	63	1	894	429	110	353	107	( <sup>85</sup> )	62	( <sup>85</sup> )
Huntington (total)-----	2,068	1,997	67	1	940	452	110	376	112	54.2	64	31.0
Balance of county-----	548	355	188	3	179	116	2	58	21	36.3	21	38.3
Calhoun-----	271	70	186	9	63	48	-	15	9	33.2	6	22.1
Clay-----	448	119	275	42	106	92	-	14	26	58.0	17	37.9
Doddridge-----	176	53	122	1	79	70	-	9	3	17.0	9	51.1
Payette-----	2,185	569	1,571	41	607	405	6	193	92	37.5	68	31.1
White-----	1,939	546	1,354	36	467	-	-	-	72	37.1	54	27.8
Nonwhite-----	246	23	217	5	120	-	-	-	10	40.7	14	56.9
Gilmer-----	207	50	157	-	82	74	-	8	12	58.0	8	36.6
Grant-----	194	120	50	24	73	55	-	18	10	51.5	1	5.2
Greenbrier-----	969	289	663	11	330	254	1	74	41	42.3	35	36.1
Hampshire-----	277	98	174	4	112	95	-	15	7	25.3	14	50.5
Hancock-----	741	646	95	-	237	145	-	89	21	28.3	24	32.4
Hardy-----	217	98	110	6	74	57	-	17	8	36.9	8	36.9
Harrison-----	2,032	1,465	563	2	691	498	-	190	62	30.5	69	33.5
Clarkeburg-----	856	767	89	-	327	210	-	116	31	36.2	26	30.4
Balance of county-----	1,176	696	474	2	364	288	-	74	31	26.4	42	35.7
Jackson-----	300	126	161	11	128	105	-	23	18	60.0	7	23.3
Jefferson-----	417	331	71	13	189	147	-	41	16	38.4	14	33.6
White-----	355	289	61	5	150	-	-	-	12	33.8	7	19.7
Nonwhite-----	62	42	10	8	39	-	-	-	4	64.5	7	112.9
Kanawha-----	5,952	4,397	1,446	95	1,640	1,027	1	603	224	37.6	169	29.2
Charleston-----	1,969	1,821	144	3	708	403	-	299	87	44.2	56	28.4
White-----	1,847	1,737	106	3	614	-	-	-	84	45.5	49	26.5
Nonwhite-----	122	84	39	-	94	-	-	-	3	24.6	7	57.4
South Charleston-----	361	336	22	-	74	40	-	32	10	27.7	14	38.8
Balance of county-----	3,622	2,236	1,280	92	858	584	1	273	127	35.1	98	27.1
Lewis-----	433	326	105	1	393	146	190	57	23	53.1	14	32.3
Lincoln-----	526	166	284	70	159	128	-	31	22	41.8	18	34.2
Logan-----	2,255	505	1,703	45	493	332	-	161	118	52.3	83	36.8
White-----	2,091	473	1,569	45	428	-	-	-	107	51.2	75	35.9
Nonwhite-----	164	30	134	-	65	-	-	-	11	67.1	8	48.8
McDowell-----	2,951	656	2,206	82	733	416	2	313	154	45.4	99	33.5
White-----	2,359	601	1,681	72	471	-	-	-	111	47.1	74	31.4
Nonwhite-----	592	57	525	10	262	-	-	-	23	58.9	25	42.2
Marion-----	1,639	1,148	489	-	613	423	-	189	60	36.6	50	30.5
Fairmont-----	618	564	54	-	271	182	-	88	24	38.8	20	32.4
Balance of county-----	1,021	584	435	-	342	241	-	101	36	35.3	30	29.4
Marshall-----	731	654	76	1	318	185	10	124	25	34.2	15	20.5
Moundsville-----	313	301	12	-	127	64	3	59	4	12.8	6	19.2
Balance of county-----	418	353	64	1	191	119	7	65	21	50.2	9	21.5
Mason-----	527	200	316	9	174	141	17	15	11	20.9	21	39.8
Mercer-----	1,609	809	788	10	553	346	-	207	83	51.6	56	34.8
White-----	1,485	783	691	9	467	-	-	-	78	53.2	45	30.7
Nonwhite-----	144	46	97	1	86	-	-	-	5	34.7	11	76.4
Bluefield <sup>14</sup> -----	475	364	109	1	205	108	-	97	24	50.5	13	27.4
White-----	396	337	57	1	164	-	-	-	21	53.0	10	25.3
Nonwhite-----	79	27	52	-	51	-	-	-	3	38.0	3	38.0
Balance of county-----	1,134	445	679	9	348	238	-	110	59	52.0	43	37.9
Mineral-----	586	366	196	16	216	130	-	86	24	41.0	26	44.4
Kingo-----	1,345	378	962	102	327	222	-	105	66	49.1	31	23.0
Monongalia-----	1,273	1,016	233	9	477	314	2	159	54	42.4	26	20.4
Morgantown-----	603	575	26	1	230	141	-	87	20	33.2	10	16.6
Balance of county-----	670	441	207	8	247	173	2	72	34	50.7	16	23.9
Monroe-----	280	81	199	-	112	90	-	20	11	39.3	7	25.0
Morgan-----	204	94	91	16	84	62	1	20	10	49.0	7	34.3

See footnotes on p. 111.



## GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

109

TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
WEST VIRGINIA—Continued												
Nicholas	646	280	344	18	156	131	-	25	26	40.2	15	23.2
Ohio	1,625	1,584	40	1	802	580	6	410	51	31.4	50	30.8
Wheeling	1,371	1,346	24	1	701	524	1	370	43	31.4	40	29.2
Balance of county	254	259	16	-	101	86	5	40	8	31.5	10	39.4
Pendleton	207	55	133	12	111	91	-	20	12	58.0	1	4.8
Pleasant	129	92	74	1	62	52	-	10	6	46.5	7	54.3
Pocahontas	280	122	152	3	122	83	-	39	14	50.0	6	21.4
Preston	721	313	319	46	219	165	-	54	19	26.4	20	27.7
Putnam	429	124	280	11	135	116	-	19	14	32.6	13	30.3
Raleigh	2,581	831	1,702	49	605	374	-	229	101	39.0	94	36.3
White	2,313	796	1,474	35	477	-	-	-	83	35.9	76	32.9
Nonwhite	278	35	228	14	128	-	-	-	18	64.7	18	64.7
Beckley	413	278	130	4	160	79	-	81	23	55.7	17	41.2
White	384	271	89	3	134	-	-	-	19	52.2	15	41.2
Nonwhite	49	7	41	1	26	-	-	-	4	81.6	2	40.8
Balance of county	2,178	553	1,572	45	445	295	-	148	78	35.8	77	35.4
White	1,949	525	1,365	32	343	-	-	-	64	32.6	61	31.3
Nonwhite	229	28	167	13	102	-	-	-	14	61.1	16	69.9
Randolph	782	412	336	25	249	168	3	69	27	34.5	33	42.2
Ritchie	286	146	135	5	111	96	1	12	10	35.0	3	10.5
Rosane	428	180	191	53	261	110	99	52	20	46.7	21	49.1
Summers	472	138	321	12	195	132	1	62	26	55.1	20	42.4
Taylor	436	258	152	16	199	146	-	53	25	57.3	9	20.6
Tucker	276	156	80	30	119	101	-	17	6	21.7	2	7.2
Tyler	218	107	109	1	124	90	1	33	13	59.6	11	50.5
Upshur	441	236	198	6	197	149	-	48	19	43.1	13	29.5
Wayne	834	414	356	55	242	163	-	78	26	31.2	19	22.8
Huntington (part)	78	74	4	-	46	23	-	23	5	( <sup>5</sup> )	2	( <sup>5</sup> )
Balance of county	756	340	352	55	196	140	-	55	21	27.8	17	22.5
Weber	527	191	256	58	158	108	-	30	34	64.5	24	45.5
Wetzel	523	317	190	11	165	120	3	62	18	34.4	17	32.5
Wirt	85	61	16	4	73	57	-	16	3	35.3	5	58.8
Wood	1,595	1,443	132	8	629	358	7	259	50	31.5	59	37.2
Parkersburg	941	894	47	-	585	200	4	178	25	26.6	44	46.8
Balance of county	644	549	85	8	244	158	3	81	25	38.8	15	23.3
Wyoming	689	141	694	47	196	169	-	25	31	34.9	31	34.9
WISCONSIN	74,755	70,240	4,299	67	32,345	15,379	1,859	14,800	2,246	30.0	1,321	17.7
Adams	142	109	33	-	79	39	2	39	8	56.3	7	49.3
Ashland	431	452	22	-	243	116	6	121	21	43.7	10	20.8
Ashland	251	251	-	-	148	69	6	73	11	43.8	5	19.9
Balance of county	230	201	22	-	95	47	-	48	10	43.5	5	21.7
White	197	175	19	-	84	-	-	-	9	45.7	5	25.4
Nonwhite	33	26	3	-	11	-	-	-	1	30.3	-	0
Barron	791	735	55	-	319	169	7	142	28	35.4	15	19.0
Bayfield	278	267	9	-	135	67	-	68	6	21.6	8	28.8
Brown	2,285	2,225	59	-	824	375	58	409	75	32.8	55	15.3
Green Bay	1,462	1,450	12	-	497	213	12	271	43	29.4	17	11.6
Balance of county	823	775	47	-	327	162	26	136	32	38.9	18	21.9
Buffalo	366	352	12	-	147	61	-	63	9	24.6	5	13.7
Burnett	254	197	55	-	114	67	-	45	5	19.7	5	19.7
Calumet	389	345	44	-	175	112	-	62	12	30.8	3	7.7
Chippewa	1,072	933	135	3	421	157	52	212	33	30.8	16	14.9
Chippewa Falls	309	309	-	-	140	42	6	92	13	42.1	4	12.9
Balance of county	763	624	135	3	261	115	46	120	20	26.2	12	15.7
Clark	745	614	128	-	299	186	10	101	9	12.1	5	6.7
Columbia	726	695	31	-	376	173	30	172	20	27.5	16	22.0
Crawford	474	393	81	-	171	97	-	74	22	46.4	4	8.4
Dane	3,780	3,742	37	-	1,435	602	201	619	88	23.3	59	15.6
Madison	2,452	2,448	4	-	706	293	9	408	56	22.8	38	15.5
Balance of county	1,328	1,294	33	-	729	319	192	211	32	24.1	21	15.8
Dodge	1,137	1,087	50	-	553	296	34	232	36	31.7	18	15.8
Beaver Dam	250	246	4	-	143	67	-	76	14	56.0	3	12.0
Watertown (part)	53	50	3	-	25	18	-	7	1	( <sup>5</sup> )	1	( <sup>5</sup> )
Balance of county	834	791	43	-	385	201	34	149	21	25.2	14	16.8
Door	470	408	61	-	173	85	-	83	10	21.3	8	17.0
Douglas	1,036	1,006	27	-	564	161	33	370	37	35.7	28	27.0
Superior	814	802	11	-	437	133	1	303	30	36.9	23	28.3
Balance of county	222	204	16	-	127	28	32	67	7	31.5	5	22.5
Dunn	689	592	95	-	258	159	11	89	24	34.8	11	16.0
Eau Claire	1,295	1,283	8	1	462	149	17	296	43	33.2	18	13.9
Eau Claire	875	874	1	-	312	90	-	222	31	35.4	11	12.6
Balance of county	421	409	7	1	150	59	17	74	12	28.5	7	16.6
Florence	86	69	9	4	34	24	-	10	6	69.8	-	0
Fond du Lac	1,420	1,338	81	1	708	340	61	305	40	28.2	21	14.8
Fond du Lac	671	664	7	-	351	143	19	188	19	28.3	10	14.9
Balance of county	749	674	74	1	357	197	42	117	21	28.0	11	14.7
Forest	269	212	54	1	98	66	-	32	5	18.6	6	22.3
Grant	908	735	172	-	454	295	18	138	31	34.1	12	13.2
Green	486	468	18	-	253	114	21	115	14	28.8	8	16.5
Green Lake	272	248	23	1	173	102	-	71	10	36.8	5	18.4
Iowa	433	403	29	-	239	112	22	105	8	18.5	10	23.1
Iron	170	140	28	-	98	54	1	41	6	35.3	2	11.8

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10.)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In residential institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)--Continued												
WISCONSIN--Continued												
Jackson	392	369	22	-	163	101	-	62	11	28.1	3	7.7
Jefferson	814	778	30	-	494	278	63	151	17	20.9	14	17.2
Watertown (part)	183	177	6	-	123	66	10	46	5	(5)	4	(5)
Watertown (total)	236	227	9	-	148	84	10	53	6	25.4	5	21.2
Balance of county	631	601	24	-	371	212	53	105	12	19.0	10	15.9
Juneau	435	326	97	3	191	131	5	55	12	27.6	5	11.5
Kenosha	1,584	1,569	12	-	564	233	8	317	37	23.4	26	16.4
Kenosha	1,303	1,298	4	-	424	165	4	253	26	20.0	19	14.6
Balance of county	281	271	8	-	140	66	4	64	11	39.1	7	24.9
Kewaunee	375	282	93	-	136	84	-	54	8	21.3	4	10.7
La Crosse	1,511	1,479	32	-	613	244	47	322	37	24.5	35	23.2
La Crosse	1,079	1,066	13	-	427	176	4	247	25	23.2	19	17.6
Balance of county	432	413	19	-	186	68	43	75	12	27.8	16	37.0
Lafayette	412	373	39	-	178	118	2	55	17	41.3	9	21.8
Langlade	598	549	47	-	203	128	-	75	30	50.2	14	23.4
Lincoln	495	478	15	-	259	81	17	160	28	56.6	12	24.2
Manitowoc	1,524	1,456	66	-	606	282	24	299	31	20.3	26	17.1
Manitowoc	882	866	14	-	279	117	23	139	10	14.7	10	14.7
Two Rivers	266	257	9	-	84	31	-	53	7	26.3	5	18.6
Balance of county	576	533	43	-	243	134	1	107	14	24.3	11	19.1
Marathon	1,915	1,732	170	1	866	288	52	326	64	33.4	25	13.1
Wausau	752	745	6	-	311	102	52	157	24	31.9	10	13.3
Balance of county	1,163	987	164	1	355	186	-	169	40	34.4	15	12.9
Marinette	770	729	39	-	370	164	19	181	24	31.2	18	20.8
Marinette	328	325	3	-	168	81	4	82	7	21.3	6	18.3
Balance of county	442	404	36	-	202	83	15	99	17	38.5	10	22.6
Marquette	171	139	29	-	95	66	2	26	8	46.8	-	0
Milwaukee	17,722	17,085	580	27	8,023	3,241	440	4,250	532	30.0	295	15.6
Cudahy	314	299	15	-	86	34	-	50	11	35.0	6	19.1
Milwaukee	13,397	12,802	449	23	6,268	2,545	151	3,498	414	30.9	217	16.2
Shorewood	285	284	-	-	124	63	-	61	7	24.6	1	3.5
South Milwaukee	290	281	9	-	98	54	-	43	9	31.0	3	10.3
Wauwatosa	573	569	2	-	273	134	18	119	22	38.4	18	31.4
West Allis	871	852	17	1	336	155	5	171	25	28.7	11	12.6
Balance of county	1,992	1,699	68	3	838	256	266	308	44	22.1	39	19.6
Monroe	910	896	123	-	303	177	18	106	25	30.9	14	17.3
Oconto	558	491	84	1	224	137	4	83	10	18.0	17	30.6
Oneida	479	461	18	-	194	81	2	111	19	39.7	12	25.1
Outagamie	1,974	1,852	119	1	650	380	22	243	52	26.3	42	21.3
Appleton	841	826	14	-	309	184	2	120	16	19.0	16	19.0
Balance of county	1,133	1,028	105	1	341	196	20	123	36	31.8	26	22.9
Ozaukee	493	485	8	-	179	104	-	75	16	32.5	10	20.3
Poplin	177	169	8	-	75	31	-	44	5	28.2	2	11.3
Pierce	512	465	47	-	224	137	1	84	14	27.3	12	23.4
Polk	517	468	49	-	236	139	1	95	13	25.1	7	13.5
Portage	811	740	69	-	308	155	1	152	29	34.5	11	13.6
Stevens Point	401	393	8	-	140	54	1	85	17	42.4	5	12.5
Balance of county	410	347	61	-	168	101	-	67	11	26.8	6	14.6
Price	358	312	44	-	163	109	-	52	10	29.1	6	16.9
Racine	2,323	2,295	27	-	981	458	77	443	80	34.4	59	25.0
Racine	1,684	1,671	13	-	684	321	13	347	46	27.3	41	24.3
Balance of county	639	624	14	-	297	137	64	96	34	53.2	17	26.6
Richland	512	449	63	-	176	95	16	65	10	19.5	13	25.4
Rock	1,979	1,920	58	-	862	398	27	427	52	26.3	33	16.7
Beloit	782	768	13	-	287	110	-	172	15	19.2	10	12.9
Janesville	516	514	4	-	270	131	-	136	17	32.8	14	27.0
Balance of county	679	638	41	-	305	157	27	119	20	29.5	9	13.3
Rusk	416	383	26	3	150	71	3	76	14	33.7	6	14.4
St. Croix	568	537	29	1	263	151	14	93	10	17.6	10	17.6
Sauk	914	861	47	-	366	200	13	149	21	23.0	16	17.5
Sawyer	209	132	59	12	145	79	-	66	10	47.8	4	19.1
White	165	93	54	12	129	-	-	-	7	42.4	4	24.2
Nonwhite	44	39	5	-	16	-	-	-	3	66.2	-	0
Shawano	615	740	74	-	354	193	25	135	37	45.4	10	12.3
Sheboygan	1,684	1,644	39	-	766	331	26	409	37	22.0	31	16.4
Sheboygan	931	922	8	-	410	164	1	245	25	26.9	19	20.4
Balance of county	753	722	31	-	356	167	25	164	12	15.9	12	15.9
Taylor	457	354	101	1	163	81	-	82	18	39.4	5	10.9
Trempealeau	530	496	29	-	243	137	8	98	24	45.3	15	28.3
Vernon	641	555	85	-	302	172	14	115	20	31.2	14	21.8
Vilas	192	171	19	1	73	38	-	35	8	41.7	6	31.3
White	164	151	13	-	63	-	-	-	5	30.5	5	30.5
Nonwhite	28	20	6	1	10	-	-	-	3	107.1	1	35.7
Walworth	770	753	17	-	453	246	29	172	30	39.0	19	24.7
Washburn	280	180	88	2	108	64	-	44	4	14.3	4	14.3
Washington	707	655	52	-	298	147	15	136	20	29.3	20	29.3
Waushara	1,723	1,661	61	-	704	421	56	219	52	30.2	30	17.4
Waushara	905	802	3	-	195	120	4	69	18	22.4	10	12.4
Balance of county	918	859	58	-	509	301	52	149	34	37.0	20	21.8
Waupaca	759	704	53	1	408	205	51	151	27	35.6	14	18.4
Waushara	245	192	53	-	196	114	6	74	10	40.8	1	4.1

See footnotes on p. 111.



TABLE 2.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946—Continued

(See headnote on p. 10)

AREA	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total <sup>1</sup>	Attended by--			Total <sup>2</sup>	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician (in hospital)	Physician (not in hospital)	Midwife								
Section B (Counties)—Continued												
WISCONSIN—Continued												
Winnebago	1,954	1,914	40	-	1,021	501	169	349	64	32.8	37	18.9
Menasha	511	507	4	-	97	49	-	47	9	28.9	3	9.6
Neenah	502	501	1	-	94	57	-	37	9	29.8	8	26.5
Oshkosh	874	862	12	-	494	264	27	205	31	35.5	13	14.9
Balance of county	467	444	23	-	336	131	142	62	15	32.1	13	27.8
Wood	1,219	1,123	95	2	391	201	18	172	44	36.1	23	18.9
Marshfield	293	276	17	-	120	45	13	62	10	34.1	6	20.5
Wisconsin Rapids	322	316	6	-	102	57	1	44	11	34.2	7	21.7
Balance of county	604	531	70	2	169	99	4	66	23	36.1	10	16.6
WYOMING	6,138	5,752	406	3	2,135	888	99	1,128	205	33.1	110	17.8
Albany	360	357	2	-	104	35	2	67	13	36.1	8	22.2
Laramie	312	310	1	-	85	20	2	63	12	36.5	6	19.2
Balance of county	46	47	1	-	19	15	-	4	1	20.8	2	41.7
Big Horn	346	339	7	-	89	52	-	36	7	20.2	3	8.7
Campbell	117	114	2	1	34	15	-	17	1	8.5	1	8.5
Carbon	314	295	18	-	136	58	2	76	13	41.4	9	28.7
Converse	134	128	6	-	62	28	-	30	3	22.4	3	22.4
Crook	97	92	4	-	32	18	3	11	5	51.5	3	30.9
Freemont	373	303	57	1	134	86	6	41	18	46.3	5	13.4
White	267	227	40	-	97	-	-	-	6	22.5	5	18.7
Nonwhite	106	76	17	1	37	-	-	-	12	113.2	-	0
Goshute	280	246	33	-	79	42	-	35	13	46.4	3	10.7
Hot Springs	133	133	-	-	61	21	-	39	9	67.7	4	30.1
Johnson	99	96	3	-	35	21	-	13	3	30.3	3	30.3
Laramie	1,061	1,000	59	1	287	103	-	184	26	24.5	16	15.1
Cheyenne	894	852	40	1	241	75	-	166	22	24.6	14	15.7
Balance of county	167	148	19	-	46	28	-	18	4	24.0	2	12.0
Lincoln	265	263	2	-	67	29	-	36	4	15.1	6	22.6
Matrons	566	558	8	-	251	93	-	152	16	26.3	7	12.4
Casper	492	490	2	-	221	71	-	144	15	30.5	7	14.2
Balance of county	74	68	6	-	30	22	-	8	1	13.5	-	0
Niobrara	99	95	4	-	32	11	2	19	3	30.3	3	30.3
Park	291	275	16	-	78	34	-	44	8	27.5	8	27.5
Platte	179	145	32	-	68	21	-	47	8	44.7	3	16.8
Sheridan	428	415	11	-	214	74	30	109	7	16.4	5	11.7
Sheridan	290	282	7	-	159	63	-	96	4	13.8	4	13.8
Balance of county	138	133	4	-	55	11	30	13	3	21.7	1	7.2
Sublette	58	54	3	-	18	11	-	7	-	0	1	17.2
Sweetwater	351	496	53	-	162	63	-	99	29	52.6	9	18.3
Teton	67	67	-	-	18	6	-	12	3	44.8	-	0
Uinta	144	71	73	-	97	34	54	9	6	41.7	6	41.7
Washakie	132	117	13	-	36	14	-	21	6	45.5	4	30.3
Weston	89	89	-	-	40	18	-	21	4	44.9	-	0
Yellowstone National Park (part)	5	5	-	-	1	-	-	1	-	( <sup>5</sup> )	-	( <sup>5</sup> )
Yellowstone National Park (total)	7	7	-	-	1	-	-	1	-	0	-	0

<sup>1</sup>Births attended by other and not specified persons are not shown separately but are included in total births. For the United States in 1946, these births were 10,642.<sup>2</sup>Deaths occurring in institutions of unknown type are not shown separately but are included in total deaths. For the United States in 1946, these deaths were 17,583.<sup>3</sup>Includes data for Texarkana, Ark., only.<sup>4</sup>Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.<sup>5</sup>Rate not computed for part of an area.<sup>6</sup>Figures for District 1511, Center Hill, are included in those for Atlanta.<sup>7</sup>Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.<sup>8</sup>Includes data for Bristol, Tenn., only.<sup>9</sup>Includes data for Texarkana, Tex., only.<sup>10</sup>Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of the State.<sup>11</sup>Classified as urban under a special rule in the 1940 census.<sup>12</sup>Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.<sup>13</sup>Includes data for Bristol, Va., only.<sup>14</sup>Includes data for Bluefield, W. Va., only.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Portaria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 3.-LIVE BIRTHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA	Total births	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES-----	3,288,672	1,691,220	1,597,452	1,501,498	1,412,147	181,100	177,014	5,714	5,477	796	738	1,394	1,362	718	714
Alabama-----	79,863	40,849	39,014	26,764	25,180	14,078	13,823	6	8	-	2	-	-	1	1
Arizona-----	16,345	8,393	7,952	7,390	6,969	240	237	731	681	17	16	10	11	5	18
Arkansas-----	45,280	23,387	21,893	18,235	16,930	5,138	4,953	1	8	10	3	3	1	-	-
California-----	218,484	112,319	106,165	105,478	99,681	4,848	4,675	374	314	438	402	676	594	507	499
Colorado-----	29,518	15,126	14,392	14,602	14,078	176	171	22	20	6	7	116	115	2	1
Connecticut-----	41,457	21,378	20,079	20,815	19,519	554	554	2	-	3	-	3	5	1	1
Delaware-----	6,802	3,450	3,352	2,948	2,865	489	477	7	3	1	-	1	1	5	7
District of Columbia-----	18,601	9,455	9,146	6,277	6,002	3,145	3,113	2	-	21	20	4	6	6	5
Florida-----	53,689	27,385	26,303	20,553	19,561	6,815	6,729	13	10	2	1	-	1	2	1
Georgia-----	65,667	43,741	41,926	29,049	27,336	14,688	14,592	2	3	-	2	1	1	1	2
Idaho-----	13,787	7,101	6,686	6,891	6,580	8	5	47	49	1	3	47	47	7	2
Illinois-----	174,825	89,960	84,865	83,569	78,745	6,212	5,926	10	15	22	21	126	144	21	14
Indiana-----	85,515	43,974	41,541	42,307	39,972	1,655	1,565	2	2	4	1	4	1	2	-
Iowa-----	56,188	29,131	27,055	26,947	26,827	156	199	20	22	2	-	6	5	-	2
Kansas-----	39,751	20,336	19,415	19,594	18,672	703	699	38	53	-	-	1	1	-	-
Kentucky-----	72,542	37,434	35,108	35,715	33,427	1,714	1,678	1	2	4	1	-	-	-	-
Louisiana-----	68,670	35,076	33,594	22,252	20,992	12,758	12,556	47	34	5	4	2	3	12	5
Maine-----	20,326	10,524	9,802	10,504	9,786	4	6	13	8	2	2	-	-	1	-
Maryland-----	50,347	25,855	24,492	21,144	19,839	4,683	4,538	1	3	10	4	4	4	3	4
Massachusetts-----	94,288	48,559	45,729	47,801	44,686	728	719	7	7	22	11	2	4	2	2
Michigan-----	139,277	71,867	67,410	67,659	63,286	4,100	4,007	69	77	9	10	22	25	8	5
Minnesota-----	67,266	34,339	32,927	33,974	32,537	98	90	220	253	5	6	40	36	2	5
Mississippi-----	61,690	31,442	30,248	15,320	14,655	16,062	15,547	52	39	7	7	-	-	1	-
Missouri-----	80,684	41,585	39,119	38,530	36,107	3,015	2,991	6	6	5	1	6	11	3	3
Montana-----	12,859	6,619	6,239	6,289	5,940	6	4	321	290	-	-	2	2	1	3
Nebraska-----	28,082	14,391	13,661	14,089	13,368	209	187	81	73	1	2	9	9	2	2
Nevada-----	3,283	1,652	1,631	1,528	1,509	49	38	73	80	-	-	2	2	-	2
New Hampshire-----	11,082	5,735	5,357	5,723	5,351	11	5	-	-	1	1	-	-	-	-
New Jersey-----	95,218	49,194	46,024	45,978	42,642	3,190	3,345	2	2	7	12	15	22	2	1
New Mexico-----	18,087	9,176	8,911	8,481	8,133	93	86	596	620	3	3	2	3	1	6
New York-----	286,546	147,929	138,617	139,200	130,071	9,453	8,274	130	130	98	106	39	31	9	5
North Carolina-----	100,679	51,551	49,128	36,506	34,556	14,486	14,077	557	494	1	1	-	-	1	-
North Dakota-----	15,264	7,766	7,496	7,532	7,331	2	1	201	164	1	1	-	-	-	1
Ohio-----	169,600	87,421	82,179	82,450	77,243	4,330	4,879	5	8	9	13	24	33	3	3
Oklahoma-----	50,416	25,816	24,600	23,056	21,807	1,665	1,722	1,108	1,063	-	3	2	4	5	1
Oregon-----	30,076	15,468	14,608	15,200	14,304	122	141	89	102	16	12	31	37	11	12
Pennsylvania-----	218,376	112,849	105,527	106,197	99,252	6,626	6,245	5	6	11	13	6	5	4	6
Rhode Island-----	16,781	8,627	8,134	8,446	7,979	177	150	1	1	1	2	-	-	2	2
South Carolina-----	53,963	27,436	26,527	15,930	15,080	11,496	11,437	10	9	-	1	-	-	-	-
South Dakota-----	14,580	7,470	7,110	7,152	6,790	1	4	316	323	-	1	-	-	1	2
Tennessee-----	77,336	39,717	37,619	33,667	31,940	6,040	5,774	2	3	-	2	-	-	-	-
Texas-----	181,579	93,501	88,076	82,672	77,597	10,778	10,427	17	20	13	16	17	15	4	3
Utah-----	18,220	9,353	8,867	9,216	8,733	29	33	13	11	2	5	92	82	2	3
Vermont-----	8,362	4,250	4,112	4,249	4,109	-	3	1	-	-	-	-	-	-	-
Virginia-----	75,861	38,898	38,863	30,114	28,234	8,877	8,625	1	-	3	-	-	-	3	4
Washington-----	51,988	26,883	25,105	26,147	24,400	332	320	233	203	31	16	69	90	71	78
West Virginia-----	48,673	25,215	23,458	23,989	22,239	1,225	1,218	1	-	-	1	-	-	-	-
Wisconsin-----	74,755	38,356	36,399	37,929	36,005	209	180	205	202	4	2	7	7	2	3
Wyoming-----	6,188	3,201	2,987	3,130	2,914	13	9	54	58	-	-	2	4	2	2



## GENERAL TABLES—LIVE BIRTHS

113

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	3,286,672	222,721	206,387	228,321	220,646	233,452	242,302	286,336	312,678	325,485	339,499	332,115	338,730
Male	1,691,220	114,016	105,951	117,508	113,390	120,205	124,647	147,539	160,931	167,555	174,538	170,642	174,298
Female	1,597,452	108,705	100,436	110,813	107,256	113,247	117,655	138,797	151,747	157,930	164,961	161,473	164,432
White	2,913,645	193,277	179,527	199,711	194,827	208,949	214,689	254,925	276,844	290,967	303,875	295,750	300,504
Male	1,501,496	99,251	92,224	103,123	100,329	106,738	110,739	131,684	143,750	150,048	158,562	152,250	154,821
Female	1,412,147	94,046	87,303	96,588	94,499	100,211	103,950	123,241	134,894	140,919	147,313	143,500	145,683
Nonwhite	375,027	29,444	26,860	28,610	25,819	28,503	27,613	31,411	34,034	34,518	35,624	36,365	38,228
Male	189,722	14,785	13,727	14,585	13,062	13,467	13,908	15,655	17,181	17,507	17,976	18,392	19,477
Female	185,305	14,659	13,133	14,025	12,757	13,036	13,705	15,556	16,853	17,011	17,648	17,973	18,749
ALABAMA	79,863	5,916	5,368	5,779	5,287	5,254	5,826	6,759	7,477	7,741	8,000	7,947	8,509
Male	40,649	2,995	2,730	2,971	2,677	2,651	2,954	3,391	3,860	3,964	4,139	4,077	4,420
Female	39,014	2,921	2,638	2,808	2,610	2,603	2,872	3,368	3,617	3,757	3,861	3,870	4,089
White	51,944	3,588	3,279	3,499	3,378	3,358	3,758	4,426	4,973	5,280	5,509	5,533	5,897
Male	26,764	1,837	1,680	1,839	1,722	1,728	1,935	2,250	2,558	2,714	2,886	2,727	2,910
Female	25,180	1,751	1,619	1,660	1,656	1,628	1,821	2,176	2,417	2,538	2,623	2,606	2,887
Nonwhite	27,919	2,328	2,089	2,280	1,909	1,898	2,070	2,333	2,504	2,491	2,491	2,614	2,612
Male	14,085	1,158	1,070	1,132	955	923	1,019	1,141	1,304	1,270	1,253	1,350	1,510
Female	13,834	1,170	1,019	1,148	954	975	1,051	1,192	1,200	1,221	1,238	1,264	1,402
ARIZONA	16,345	1,147	1,020	1,176	1,129	1,102	1,178	1,424	1,544	1,551	1,721	1,671	1,683
Male	8,393	589	503	575	577	531	608	771	822	763	893	881	880
Female	7,952	558	517	601	551	571	570	653	722	788	828	790	803
White	14,379	1,002	857	1,028	979	955	1,015	1,239	1,362	1,370	1,537	1,492	1,543
Male	7,390	505	425	496	500	455	532	685	724	677	794	795	802
Female	6,989	497	432	532	479	500	483	554	638	693	743	697	741
Nonwhite	1,966	145	163	149	149	147	163	185	182	181	184	179	140
Male	1,003	84	78	79	77	75	76	86	96	96	96	76	78
Female	963	61	85	69	72	71	87	99	84	95	85	93	62
ARKANSAS	45,280	3,446	2,940	3,254	3,008	2,963	3,189	3,941	4,372	4,435	4,691	4,676	4,385
Male	23,387	1,719	1,512	1,676	1,545	1,509	1,857	2,079	2,286	2,280	2,444	2,484	2,236
Female	21,893	1,727	1,428	1,578	1,463	1,454	1,532	1,862	2,108	2,175	2,247	2,192	2,149
White	35,185	2,533	2,186	2,347	2,224	2,219	2,423	3,086	3,449	3,589	3,828	3,786	3,495
Male	18,235	1,244	1,123	1,242	1,149	1,163	1,270	1,618	1,783	1,857	1,998	2,003	1,807
Female	16,950	1,289	1,063	1,105	1,075	1,056	1,153	1,468	1,666	1,732	1,832	1,783	1,688
Nonwhite	10,115	913	754	887	784	744	768	855	923	846	863	890	890
Male	5,152	475	389	454	398	348	397	461	483	423	448	461	429
Female	4,963	438	365	433	386	396	371	394	440	423	415	429	461
CALIFORNIA	218,484	14,598	13,684	15,021	14,950	15,729	16,448	19,179	21,125	21,525	22,099	22,014	22,135
Male	112,319	7,551	7,012	7,783	7,709	8,115	8,496	9,855	10,836	11,116	11,287	11,275	11,304
Female	106,165	7,047	6,672	7,238	7,241	7,614	7,952	9,324	10,289	10,409	10,811	10,739	10,831
White	205,159	13,676	12,796	14,074	13,979	14,720	15,438	18,029	19,937	20,299	20,797	20,679	20,737
Male	105,478	7,084	6,552	7,279	7,131	7,612	7,961	9,260	10,223	10,491	10,636	10,607	10,582
Female	99,681	6,592	6,244	6,795	6,787	7,108	7,477	8,769	9,714	9,807	10,161	10,072	10,155
Nonwhite	13,325	922	868	947	972	1,009	1,010	1,150	1,188	1,227	1,301	1,335	1,396
Male	6,841	467	460	484	518	503	535	595	613	623	651	668	722
Female	6,484	455	408	463	454	506	475	555	575	602	650	667	674
COLORADO	29,518	1,914	1,785	2,024	2,025	2,182	2,144	2,649	2,826	2,972	3,024	3,068	2,905
Male	15,126	997	919	1,019	1,026	1,136	1,059	1,403	1,468	1,531	1,524	1,558	1,498
Female	14,392	927	866	1,005	999	1,046	1,085	1,246	1,358	1,441	1,500	1,510	1,407
White	28,680	1,670	1,742	1,975	1,968	2,104	2,100	2,598	2,768	2,925	2,971	3,019	2,844
Male	14,802	964	997	998	994	1,112	1,036	1,279	1,436	1,507	1,490	1,522	1,469
Female	14,078	906	945	979	972	992	1,064	1,319	1,330	1,418	1,481	1,497	1,375
Nonwhite	638	44	43	49	59	58	44	51	60	47	53	69	61
Male	324	23	22	23	32	24	23	24	32	24	34	24	29
Female	314	21	21	26	27	34	21	27	28	23	19	35	32
CONNECTICUT	41,457	2,678	2,626	2,867	2,916	3,194	3,138	3,566	3,882	4,235	4,288	4,088	3,990
Male	21,378	1,374	1,384	1,514	1,558	1,637	1,613	1,778	2,021	2,141	2,230	2,113	2,016
Female	20,079	1,304	1,242	1,353	1,358	1,557	1,525	1,788	1,861	2,094	2,058	1,974	1,974
White	40,334	2,585	2,542	2,789	2,849	3,113	3,047	3,478	3,771	4,142	4,182	3,969	3,857
Male	20,815	1,330	1,357	1,474	1,521	1,597	1,569	1,737	1,979	2,100	2,172	2,051	1,960
Female	19,519	1,255	1,205	1,315	1,328	1,516	1,479	1,741	1,793	2,042	2,010	1,918	1,907
Nonwhite	1,123	83	84	78	67	81	91	89	91	95	114	120	133
Male	563	44	47	40	37	40	42	41	45	41	58	64	66
Female	560	39	37	38	30	41	49	47	46	52	56	56	67
DELAWARE	6,802	483	423	426	439	475	530	579	628	715	716	696	692
Male	3,450	244	215	205	220	252	294	296	311	354	358	364	356
Female	3,352	239	208	221	219	223	236	283	317	361	357	332	336
White	5,811	419	359	361	368	395	439	495	554	618	626	593	604
Male	2,948	211	186	171	183	217	217	251	271	297	318	310	316
Female	2,863	208	173	190	185	178	222	244	283	321	308	283	288
Nonwhite	991	64	64	65	71	80	91	84	94	97	90	105	89
Male	502	33	29	34	37	45	47	45	40	57	41	58	40
Female	489	31	35	31	34	35	44	39	54	40	49	49	48
DISTRICT OF COLUMBIA	18,601	1,329	1,226	1,289	1,123	1,299	1,380	1,612	1,697	1,830	2,000	1,842	1,974
Male	9,455	675	605	668	573	674	704	805	865	929	1,016	915	1,026
Female	9,146	654	621	621	550	625	676	807	832	901	984	927	949
White	12,279	875	791	870	761	873	923	1,078	1,181	1,329	1,184	1,184	1,296
Male	6,277	454	386	455	380	456	478	537	562	632	670	604	663
Female	6,002	421	405	415	381	417	445	541	556	649	659	580	633
Nonwhite	6,322	454	435	419	362	426	457	534	579	649	671	658	678
Male	3,178	221	219	213	193	218	226	268	303	297	346	311	363
Female	3,144	233	216	206	169	209	231	266	276	352	325	347	315
FLORIDA	53,688	3,924	3,529	3,521	3,313	3,360	3,441	4,402	5,486	5,583	5,756	5,625	5,746
Male	27,385	1,984	1,763	1,807	1,692	1,715	1,773	2,247	2,820	2,757	2,976	2,874	2,957
Female	26,303	1,940	1,746	1,714	1,621	1,645	1,668	2,155	2,666	2,826	2,780	2,751	2,789
White	40,114	2,852	2,742	2,602	2,468	2,448	2,593	3,318	4,130	4,220	4,394	4,229	4,288
Male	20,553	1,454	1,302	1,332	1,273	1,240	1,318	1,711	2,163	2,081	2,313	2,180	2,208
Female	19,561	1,398	1,270	1,270	1,195	1,208	1,277	1,607	1,967	2,139	2,081	2,049	2,080
Nonwhite	13,574	1,072	967	919	845	912	848	1,084	1,356	1,363	1,363	1,396	1,458
Male	6,832	530	481	475	415	475	457	536	657	696	663	694	749
Female	6,742	542	476	444	426	437	391	548	701	667	699	702	709



## VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)													
AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA-----	85,667	6,377	5,706	6,259	5,520	6,012	6,102	7,330	8,126	8,380	8,524	8,469	8,860
Male-----	43,741	3,156	2,965	3,187	2,849	3,061	3,145	3,768	4,157	4,292	4,386	4,279	4,494
Female-----	41,926	3,221	2,741	3,072	2,671	2,951	2,957	3,562	3,971	4,088	4,136	4,190	4,366
White-----	56,365	3,953	3,551	3,926	3,470	3,875	3,980	4,849	5,527	5,775	5,851	5,652	5,976
Male-----	29,049	1,964	1,862	2,074	1,802	2,004	2,079	2,547	2,874	2,960	3,019	2,851	3,014
Female-----	27,336	1,989	1,689	1,852	1,668	1,871	1,902	2,302	2,653	2,815	2,832	2,801	2,962
Nonwhite-----	29,282	2,424	2,155	2,333	2,050	2,137	2,122	2,481	2,601	2,805	2,673	2,817	2,884
Male-----	14,892	1,192	1,103	1,115	1,047	1,067	1,067	1,221	1,265	1,332	1,369	1,428	1,460
Female-----	14,590	1,232	1,052	1,220	1,003	1,070	1,055	1,260	1,336	1,473	1,304	1,389	1,424
IDAHO-----	13,787	891	851	1,005	1,004	1,048	1,038	1,214	1,319	1,322	1,370	1,313	1,414
Male-----	7,101	463	435	536	531	532	551	626	695	695	699	692	692
Female-----	6,686	428	416	469	473	514	487	588	624	627	711	621	722
White-----	13,571	876	839	983	984	1,028	1,020	1,196	1,297	1,307	1,358	1,284	1,391
Male-----	6,991	461	426	528	518	520	542	617	686	687	680	681	675
Female-----	6,580	415	413	455	466	508	478	579	611	620	708	613	716
Nonwhite-----	216	15	12	22	20	20	18	18	22	15	12	19	23
Male-----	110	8	7	8	13	12	9	9	9	8	9	11	7
Female-----	106	7	5	14	7	8	9	9	13	7	3	8	16
ILLINOIS-----	174,825	11,488	10,809	12,142	11,787	12,312	12,937	15,052	16,435	17,539	18,349	17,815	18,181
Male-----	89,960	5,920	5,547	6,307	6,032	6,437	6,571	7,719	8,412	8,990	9,462	9,178	9,385
Female-----	84,865	5,568	5,261	5,835	5,755	5,875	6,366	7,333	8,023	8,549	8,887	8,637	8,796
White-----	162,314	10,573	9,995	11,208	10,890	11,399	11,994	14,004	15,354	16,425	17,121	16,510	16,853
Male-----	85,569	5,432	5,109	5,833	5,587	5,969	6,100	7,174	7,859	8,425	8,841	8,516	8,724
Female-----	78,745	5,141	4,884	5,375	5,303	5,430	5,894	6,830	7,495	8,000	8,280	7,994	8,129
Nonwhite-----	12,511	915	815	934	877	923	943	1,048	1,081	1,114	1,228	1,305	1,328
Male-----	6,391	488	438	474	445	468	471	545	553	565	621	662	661
Female-----	6,120	427	377	460	432	455	472	503	528	549	607	643	667
INDIANA-----	85,515	5,526	5,268	5,851	5,779	5,930	6,241	7,580	8,116	8,447	9,084	8,767	8,926
Male-----	43,974	2,778	2,722	3,038	2,946	3,064	3,270	3,969	4,155	4,321	4,677	4,465	4,579
Female-----	41,541	2,748	2,546	2,813	2,833	2,876	2,971	3,611	3,961	4,126	4,407	4,302	4,347
White-----	82,279	5,305	5,081	5,612	5,532	5,692	5,989	7,280	7,829	8,156	8,744	8,464	8,595
Male-----	42,807	2,661	2,628	2,905	2,821	2,930	3,147	3,799	4,002	4,177	4,516	4,311	4,411
Female-----	39,472	2,644	2,453	2,707	2,711	2,762	2,842	3,482	3,827	3,979	4,228	4,153	4,184
Nonwhite-----	3,236	221	187	239	247	238	252	300	287	291	340	303	331
Male-----	1,667	117	94	133	125	124	123	171	153	144	161	154	168
Female-----	1,569	104	93	106	122	114	129	129	134	147	179	149	163
IOWA-----	56,186	3,769	3,598	3,919	3,858	3,934	4,076	4,902	5,220	5,737	5,805	5,719	5,849
Male-----	29,131	1,978	1,774	2,020	1,963	2,001	2,158	2,571	2,854	3,058	2,967	2,984	2,984
Female-----	27,055	1,791	1,824	1,899	1,895	1,933	1,918	2,331	2,366	2,734	2,747	2,732	2,865
White-----	55,774	3,745	3,572	3,892	3,833	3,896	4,040	4,876	5,176	5,699	5,764	5,674	5,811
Male-----	28,847	1,967	1,753	2,008	1,951	1,965	2,144	2,554	2,639	2,983	3,032	2,948	2,973
Female-----	26,927	1,776	1,819	1,884	1,882	1,931	1,896	2,322	2,537	2,714	2,732	2,726	2,838
Nonwhite-----	412	26	26	27	25	38	36	26	44	40	41	25	36
Male-----	184	11	11	12	12	16	14	17	15	20	26	19	11
Female-----	228	15	15	15	13	22	22	9	29	20	15	26	27
KANSAS-----	39,751	2,673	2,425	2,642	2,601	2,536	2,737	3,543	3,874	3,948	4,343	4,225	4,199
Male-----	20,356	1,333	1,240	1,344	1,342	1,289	1,402	1,806	2,015	2,045	2,182	2,208	2,130
Female-----	19,415	1,340	1,185	1,298	1,259	1,247	1,335	1,737	1,859	1,903	2,161	2,017	2,069
White-----	38,266	2,562	2,328	2,530	2,516	2,454	2,643	3,440	3,714	3,810	4,177	4,052	4,040
Male-----	19,594	1,285	1,190	1,289	1,300	1,243	1,354	1,750	1,839	1,875	2,104	2,125	2,040
Female-----	18,672	1,277	1,138	1,241	1,216	1,211	1,289	1,690	1,775	1,935	2,073	1,927	2,000
Nonwhite-----	1,485	111	97	112	85	82	94	108	160	166	173	159	159
Male-----	742	48	50	55	42	46	48	56	76	70	78	83	90
Female-----	743	63	47	57	43	36	46	52	84	90	95	76	69
KENTUCKY-----	72,542	4,986	4,705	5,201	4,968	5,204	5,350	6,162	6,788	7,028	7,281	7,417	7,452
Male-----	37,434	2,582	2,460	2,674	2,569	2,633	2,737	3,162	3,513	3,627	3,728	3,829	3,910
Female-----	35,108	2,394	2,245	2,527	2,429	2,571	2,613	2,980	3,275	3,401	3,553	3,588	3,542
White-----	69,142	4,727	4,454	4,942	4,776	4,956	5,145	5,895	6,491	6,701	6,940	7,048	7,067
Male-----	35,715	2,447	2,334	2,550	2,453	2,512	2,640	3,029	3,367	3,448	3,557	3,645	3,733
Female-----	33,427	2,280	2,120	2,392	2,323	2,442	2,505	2,866	3,124	3,253	3,383	3,403	3,334
Nonwhite-----	3,400	259	251	259	212	249	205	267	297	327	341	369	385
Male-----	1,719	135	126	124	106	121	97	153	179	179	171	184	177
Female-----	1,681	104	125	135	106	127	108	114	118	148	170	185	208
LOUISIANA-----	69,670	5,001	4,408	4,598	3,980	3,962	4,517	5,869	6,885	7,268	7,344	7,325	7,503
Male-----	35,076	2,564	2,171	2,342	2,027	2,032	2,300	3,044	3,565	3,685	3,759	3,812	3,775
Female-----	33,594	2,437	2,237	2,246	1,953	1,930	2,217	2,825	3,320	3,583	3,585	3,513	3,728
White-----	43,244	2,959	2,660	2,719	2,330	2,397	2,779	3,760	4,430	4,722	4,836	4,843	4,809
Male-----	22,252	1,507	1,284	1,394	1,176	1,228	1,450	1,989	2,317	2,425	2,501	2,537	2,442
Female-----	20,992	1,452	1,376	1,325	1,152	1,169	1,329	1,771	2,113	2,297	2,335	2,306	2,367
Nonwhite-----	25,426	2,042	1,748	1,869	1,650	1,535	1,739	2,109	2,455	2,546	2,508	2,492	2,694
Male-----	12,824	1,057	887	948	849	804	850	1,055	1,248	1,260	1,258	1,275	1,333
Female-----	12,602	985	861	921	801	781	889	1,054	1,207	1,286	1,250	1,217	1,361
MAINE-----	20,326	1,346	1,224	1,371	1,413	1,559	1,545	1,801	1,891	1,978	2,095	2,023	2,080
Male-----	10,524	712	627	692	762	798	798	921	953	1,012	1,123	1,053	1,066
Female-----	9,802	634	597	679	651	761	747	880	938	966	972	970	1,014
White-----	20,290	1,343	1,221	1,368	1,408	1,553	1,544	1,799	1,888	1,976	2,092	2,019	2,078
Male-----	10,504	709	625	691	759	797	797	921	952	1,012	1,127	1,053	1,064
Female-----	9,786	634	596	677	649	756	747	878	937	964	965	966	1,014
Nonwhite-----	36	3	3	3	5	6	1	2	2	2	3	4	2
Male-----	20	3	2	1	3	4	1	1	1	1	1	2	2
Female-----	16	-	1	2	2	2	-	-	1	1	2	2	-
MARYLAND-----	50,347	3,390	3,254	3,426	3,255	3,699	3,821	4,366	4,718	4,947	5,190	5,111	5,178
Male-----	25,855	1,729	1,648	1,769	1,675	1,904	1,960	2,287	2,443	2,566	2,652	2,591	2,631
Female-----	24,492	1,661	1,606	1,657	1,580	1,795	1,861	2,069	2,275	2,381	2,538	2,520	2,547
White-----	41,083	2,767	2,613	2,741	2,617	3,069	3,142	3,561	3,861	4,078	4,279	4,158	4,207
Male-----	21,144	1,404	1,318	1,441	1,345	1,569	1,628	1,877	2,007	2,117	2,166	2,110	2,162
Female-----	19,939	1,363	1,295	1,300	1,272	1,490	1,514	1,684	1,854	1,961	2,113	2,048	2,045
Nonwhite-----	9,264	623	641	687	638	630	679	795	857	869	911	853	871
Male-----	4,711	325	330	326	330	335	332	410	436	449	466	481	469
Female-----	4,553	298	311	359	308	305	347	385	421	420	425	472	502



## GENERAL TABLES—LIVE BIRTHS

115

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MASSACHUSETTS</b>	94,288	6,225	5,805	6,801	6,799	7,093	7,347	8,651	9,880	8,580	8,800	9,318	9,339
Male	48,559	3,197	3,025	3,515	3,493	3,708	3,825	4,511	4,314	4,441	4,501	4,708	4,723
Female	45,729	3,028	2,780	3,286	3,306	3,385	3,524	4,140	4,566	4,139	4,299	4,610	4,616
White	92,787	6,117	5,715	6,692	6,680	6,972	7,218	8,499	9,408	8,445	8,690	9,161	9,192
Male	47,801	3,157	2,985	3,462	3,428	3,645	3,758	4,451	4,849	4,377	4,448	4,631	4,650
Female	44,986	2,960	2,730	3,230	3,252	3,327	3,460	4,048	4,560	4,068	4,241	4,530	4,542
Nonwhite	1,501	106	90	109	113	121	128	152	142	117	110	157	147
Male	758	60	40	53	65	65	65	80	66	64	52	77	75
Female	743	46	50	56	48	56	64	72	76	53	58	80	74
<b>MICHIGAN</b>	139,277	9,010	8,418	9,791	9,698	10,428	10,650	12,319	13,079	13,701	14,290	15,778	14,135
Male	71,667	4,717	4,363	5,012	4,988	5,442	5,422	6,438	6,651	7,192	7,325	7,028	7,208
Female	67,410	4,293	4,055	4,779	4,709	4,986	5,208	5,881	6,428	6,509	6,965	6,750	6,947
White	130,945	8,437	7,847	9,166	9,105	9,800	10,000	11,587	12,506	12,946	13,503	12,948	13,300
Male	67,659	4,407	4,069	4,714	4,680	5,115	5,128	6,035	6,265	6,799	6,850	6,625	6,886
Female	63,286	4,030	3,778	4,452	4,425	4,685	4,872	5,552	6,041	6,147	6,653	6,323	6,404
Nonwhite	8,332	573	571	625	593	628	650	732	773	755	787	830	835
Male	4,208	310	294	298	309	329	324	405	396	393	395	405	392
Female	4,124	263	277	327	294	299	326	329	377	362	392	425	443
<b>MINNESOTA</b>	67,266	4,214	4,163	4,742	4,821	4,840	5,029	6,052	6,490	6,720	6,905	6,593	6,707
Male	34,539	2,184	2,072	2,440	2,506	2,485	2,570	3,087	3,547	3,486	3,446	3,281	3,437
Female	32,727	2,030	2,091	2,302	2,315	2,355	2,459	2,965	3,353	3,234	3,459	3,312	3,270
White	66,511	4,166	4,108	4,678	4,765	4,784	4,961	5,972	6,416	6,626	6,841	6,544	6,652
Male	33,974	2,162	2,042	2,409	2,480	2,455	2,529	3,048	3,322	3,441	3,412	3,264	3,410
Female	32,537	2,004	2,066	2,269	2,285	2,329	2,432	2,924	3,094	3,185	3,429	3,280	3,242
Nonwhite	755	48	55	64	58	56	68	80	64	94	64	49	55
Male	365	22	30	31	26	28	41	39	25	45	34	17	27
Female	390	26	25	33	32	28	27	41	39	49	50	32	28
<b>MISSISSIPPI</b>	61,690	4,762	4,294	4,643	4,014	4,066	4,365	5,162	5,812	5,874	5,901	6,240	6,477
Male	31,442	2,411	2,124	2,430	2,036	2,078	2,234	2,655	2,965	2,971	2,997	3,113	3,408
Female	30,248	2,351	2,170	2,213	1,978	1,988	2,131	2,507	2,847	2,903	2,904	3,127	3,069
White	29,975	2,060	1,897	2,060	1,756	1,849	2,014	2,571	2,996	3,055	3,224	3,270	3,205
Male	15,320	1,058	912	1,079	909	953	1,016	1,324	1,535	1,546	1,655	1,681	1,667
Female	14,655	1,022	985	981	847	896	1,247	1,461	1,509	1,509	1,569	1,609	1,538
Nonwhite	31,715	2,682	2,397	2,583	2,258	2,217	2,351	2,591	2,816	2,819	2,757	2,970	3,274
Male	16,122	1,353	1,212	1,351	1,127	1,120	1,219	1,531	1,490	1,425	1,542	1,452	1,741
Female	15,593	1,329	1,185	1,232	1,131	1,097	1,133	1,260	1,366	1,394	1,415	1,518	1,533
<b>MISSOURI</b>	80,684	5,480	4,931	5,576	5,102	5,266	5,759	7,149	7,668	8,159	8,248	8,248	8,640
Male	41,565	2,795	2,557	2,881	2,629	2,704	2,993	3,675	3,997	4,125	4,532	4,199	4,478
Female	39,119	2,685	2,374	2,695	2,473	2,562	2,766	3,474	3,671	4,034	4,135	4,050	4,162
White	74,637	4,390	4,594	5,084	4,721	4,867	5,320	6,585	7,071	7,604	8,066	7,873	8,016
Male	38,530	2,550	2,361	2,629	2,446	2,491	2,765	3,414	3,723	3,862	4,221	3,916	4,132
Female	36,107	2,440	2,233	2,455	2,275	2,376	2,555	3,171	3,348	3,742	3,845	3,757	3,884
Nonwhite	5,047	490	397	492	381	399	439	554	581	535	599	576	624
Male	3,035	245	196	252	185	215	228	261	274	263	311	283	326
Female	3,012	245	201	240	196	184	211	293	307	272	288	293	298
<b>MONTANA</b>	12,858	845	796	861	917	989	987	1,131	1,156	1,246	1,369	1,277	1,284
Male	6,619	458	429	441	471	503	527	590	608	608	662	658	658
Female	6,239	387	367	420	446	486	460	541	547	638	704	615	626
White	12,229	792	751	806	876	929	931	1,083	1,103	1,193	1,315	1,228	1,223
Male	6,289	424	405	413	447	467	501	563	583	586	639	637	624
Female	5,940	368	346	393	429	462	430	520	520	606	676	591	599
Nonwhite	629	53	45	55	41	60	56	48	53	54	54	49	61
Male	350	32	24	28	24	36	26	27	26	22	26	25	34
Female	279	21	21	27	17	24	30	21	27	32	28	24	27
<b>NEBRASKA</b>	26,052	1,350	1,698	1,950	1,903	1,917	2,062	2,422	2,507	2,775	3,005	2,842	2,943
Male	14,391	995	872	1,049	979	942	1,097	1,235	1,359	1,575	1,751	1,449	1,483
Female	13,661	935	826	901	924	975	965	1,187	1,248	1,400	1,447	1,393	1,460
White	27,477	1,888	1,653	1,902	1,865	1,867	2,011	2,363	2,548	2,729	2,951	2,801	2,901
Male	14,089	973	845	1,030	964	918	1,060	1,207	1,346	1,532	1,632	1,462	1,462
Female	13,388	915	808	872	899	949	951	1,156	1,202	1,383	1,419	1,339	1,439
Nonwhite	575	42	45	48	40	50	51	59	59	46	52	41	42
Male	302	22	27	19	15	23	37	28	33	29	24	24	21
Female	273	20	18	29	25	27	14	31	26	17	28	17	21
<b>NEVADA</b>	3,283	221	192	227	244	240	241	287	307	337	333	333	311
Male	1,652	120	90	128	115	122	125	136	137	180	174	159	188
Female	1,631	101	102	99	129	118	116	151	170	157	159	174	143
White	3,037	209	180	209	231	221	220	273	274	313	307	311	289
Male	1,528	109	95	117	110	113	114	123	122	166	160	149	160
Female	1,509	100	95	92	121	108	106	150	152	147	147	162	129
Nonwhite	246	12	12	18	13	19	21	24	33	24	26	22	22
Male	124	11	5	11	5	9	9	13	15	14	14	10	8
Female	122	1	7	7	8	10	12	11	18	10	12	12	14
<b>NEW HAMPSHIRE</b>	11,092	692	648	708	757	806	870	958	1,023	1,113	1,164	1,163	1,200
Male	5,735	353	336	356	435	409	459	494	509	557	601	633	594
Female	5,357	329	312	352	322	397	411	464	515	556	563	530	606
White	11,074	681	648	708	757	806	869	953	1,021	1,112	1,162	1,161	1,197
Male	5,723	353	336	356	435	408	458	491	506	556	600	632	592
Female	5,351	328	312	352	322	397	411	462	515	556	562	529	605
Nonwhite	18	1	-	-	-	1	1	5	2	1	2	2	3
Male	12	-	-	-	-	1	1	3	2	1	1	1	2
Female	6	1	-	-	-	-	-	2	-	-	1	1	1
<b>NEW JERSEY</b>	95,218	6,262	5,917	6,322	6,458	7,295	7,155	8,412	9,792	9,363	9,752	9,381	9,917
Male	49,194	3,117	3,105	3,306	3,273	3,792	3,676	4,362	4,596	4,917	5,068	4,833	5,148
Female	46,024	3,145	2,811	3,016	3,185	3,503	3,479	4,050	4,800	4,446	4,684	4,548	4,769
White	88,620	5,806	5,498	5,892	5,999	6,785	6,659	7,834	8,404	8,763	9,081	8,704	9,185
Male	45,978	2,892	2,902	3,108	3,044	3,555	3,425	4,080	4,323	4,634	4,729	4,497	4,809
Female	42,642	2,914	2,596	2,784	2,955	3,230	3,234	3,754	4,081	4,129	4,352	4,207	4,376
Nonwhite	6,598	456	419	430	469	488	496	578	572	600	671	677	732
Male	3,216	225	204	198	229	237	251	302	273	285	336	336	339
Female	3,382	231	215	232	240	251	245	276	299	317	335	341	393



## VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW MEXICO</b>	18,087	1,224	1,089	1,338	1,312	1,321	1,395	1,592	1,588	1,809	1,862	1,709	1,849
Male	8,176	616	571	666	652	664	706	799	806	927	979	866	925
Female	9,911	608	518	672	660	657	689	793	782	882	883	843	923
White	16,674	1,111	988	1,220	1,196	1,205	1,270	1,473	1,465	1,680	1,747	1,590	1,731
Male	8,481	564	518	619	602	606	641	736	745	853	925	812	860
Female	8,193	547	470	601	594	597	629	737	720	827	822	778	871
Nonwhite	1,413	113	101	118	116	118	125	119	123	129	115	119	117
Male	695	52	53	47	50	58	64	63	61	74	54	54	65
Female	718	61	48	71	66	60	61	56	62	55	61	65	52
<b>NEW YORK</b>	286,546	18,140	17,725	19,792	19,868	21,730	22,046	24,867	26,645	28,213	29,134	28,262	29,124
Male	147,929	9,850	9,171	10,057	10,277	11,117	11,541	12,849	13,872	14,636	15,112	14,650	14,997
Female	138,617	8,290	8,554	9,735	9,591	10,613	10,705	12,018	12,773	13,577	14,022	13,612	14,127
White	269,271	17,945	16,577	18,558	18,709	20,524	20,702	23,416	25,118	26,589	27,332	26,543	27,256
Male	139,200	9,253	8,578	9,448	9,700	10,479	10,675	12,116	13,076	13,810	14,213	13,794	14,056
Female	130,071	8,692	7,998	9,109	9,009	10,045	10,027	11,300	12,042	12,779	13,119	12,749	13,202
Nonwhite	17,275	1,195	1,148	1,234	1,159	1,206	1,344	1,451	1,527	1,624	1,802	1,719	1,866
Male	8,729	597	592	608	577	638	666	733	796	826	899	856	941
Female	8,546	598	556	626	582	568	678	718	731	798	903	863	925
<b>NORTH CAROLINA</b>	100,679	7,148	6,612	7,363	7,064	7,336	7,475	8,419	9,419	9,662	9,997	9,806	10,158
Male	51,551	3,652	3,448	3,780	3,489	3,797	3,849	4,283	4,835	4,978	5,116	5,038	5,275
Female	49,128	3,496	3,164	3,583	3,565	3,539	3,626	4,136	4,584	4,704	4,881	4,767	4,883
White	71,062	4,942	4,549	5,014	4,883	5,171	5,229	6,030	6,729	7,066	7,292	7,084	7,244
Male	36,506	2,462	2,307	2,587	2,411	2,678	2,704	3,101	3,478	3,640	3,713	3,644	3,761
Female	34,556	2,480	2,242	2,427	2,472	2,493	2,524	2,929	3,251	3,426	3,579	3,440	3,483
Nonwhite	29,617	2,306	2,063	2,349	2,181	2,235	2,247	2,389	2,690	2,618	2,705	2,722	2,914
Male	15,045	1,170	1,141	1,193	1,098	1,119	1,145	1,182	1,357	1,338	1,405	1,395	1,514
Female	14,572	1,136	1,122	1,156	1,083	1,116	1,102	1,207	1,333	1,278	1,302	1,327	1,400
<b>NORTH DAKOTA</b>	15,264	1,003	991	1,137	1,080	1,213	1,144	1,407	1,369	1,473	1,801	1,390	1,456
Male	7,766	503	492	571	562	635	586	696	696	765	827	685	758
Female	7,498	500	509	566	518	578	558	711	673	708	774	705	698
White	14,895	980	954	1,105	1,051	1,190	1,113	1,373	1,340	1,443	1,772	1,351	1,421
Male	7,562	498	468	556	545	621	569	679	679	749	808	666	735
Female	7,331	482	486	549	506	569	544	695	661	694	764	685	686
Nonwhite	371	23	37	32	29	23	31	34	29	30	29	39	35
Male	204	15	14	15	17	14	17	19	17	16	19	19	23
Female	167	8	23	17	12	9	14	15	12	14	10	20	12
<b>OHIO</b>	189,600	10,459	10,105	11,407	11,404	12,098	12,505	14,772	16,223	17,276	17,927	17,444	17,980
Male	87,421	5,341	5,234	5,929	5,901	6,329	6,447	7,507	8,291	8,676	9,153	9,032	9,236
Female	82,179	5,118	4,871	5,478	5,503	5,769	6,058	7,265	7,932	8,599	8,774	8,412	8,744
White	159,683	9,752	9,451	10,670	10,696	11,370	11,752	13,935	15,419	16,321	16,961	16,442	16,925
Male	82,450	5,000	4,835	5,567	5,545	5,945	6,071	7,104	7,989	8,532	8,659	8,532	8,713
Female	77,233	4,752	4,616	5,103	5,151	5,425	5,681	6,831	7,430	7,789	8,302	7,910	8,212
Nonwhite	9,907	707	654	737	708	728	753	837	805	955	966	1,002	1,055
Male	4,971	341	341	362	356	384	376	405	402	489	494	500	523
Female	4,936	366	313	375	352	344	377	434	403	466	472	502	532
<b>OKLAHOMA</b>	50,416	3,602	3,170	3,593	3,228	3,171	3,508	4,442	4,920	4,926	5,394	5,333	5,238
Male	25,616	1,925	1,631	1,778	1,668	1,668	1,805	2,280	2,580	2,454	2,784	2,746	2,857
Female	24,800	1,777	1,539	1,815	1,560	1,503	1,703	2,162	2,340	2,472	2,610	2,587	2,381
White	44,843	3,186	2,808	3,114	2,896	2,796	3,120	3,922	4,389	4,305	4,847	4,790	4,692
Male	23,036	1,610	1,450	1,568	1,493	1,473	1,627	2,015	2,296	2,182	2,485	2,466	2,371
Female	21,807	1,576	1,358	1,546	1,403	1,323	1,493	1,907	2,093	2,123	2,362	2,324	2,321
Nonwhite	5,573	436	364	469	332	375	388	520	531	521	547	543	547
Male	2,780	215	181	210	175	195	178	245	264	272	279	280	286
Female	2,793	221	183	259	157	180	210	275	267	249	268	263	261
<b>OREGON</b>	30,076	2,016	1,774	2,132	2,088	2,276	2,365	2,702	2,974	2,658	3,059	2,951	2,861
Male	15,468	1,040	899	1,097	1,078	1,134	1,194	1,400	1,543	1,479	1,596	1,507	1,499
Female	14,608	976	875	1,035	1,010	1,142	1,171	1,302	1,431	1,179	1,461	1,444	1,362
White	29,504	1,968	1,723	2,082	2,051	2,230	2,327	2,646	2,912	2,819	2,999	2,921	2,826
Male	15,200	1,019	872	1,068	1,062	1,112	1,176	1,377	1,514	1,461	1,568	1,494	1,476
Female	14,304	949	851	1,013	989	1,118	1,151	1,269	1,398	1,358	1,431	1,427	1,350
Nonwhite	572	40	51	50	37	46	38	56	62	39	60	50	55
Male	266	21	27	28	16	23	18	23	29	18	30	13	23
Female	304	27	24	22	21	24	20	33	33	21	30	17	32
<b>PENNSYLVANIA</b>	218,376	13,964	13,028	14,578	14,028	16,071	16,249	19,040	20,712	21,899	23,327	22,609	22,871
Male	112,849	7,132	6,753	7,527	7,333	8,396	8,424	9,776	10,631	11,312	12,014	11,697	11,794
Female	105,527	6,832	6,275	7,051	6,695	7,675	7,825	9,264	10,081	10,587	11,313	10,912	11,077
White	205,449	12,956	12,111	13,699	13,194	15,132	15,292	17,952	19,553	20,661	22,030	21,305	21,584
Male	106,197	6,633	6,262	7,052	6,916	7,897	7,920	9,218	10,113	10,671	11,367	11,054	11,114
Female	99,252	6,323	5,849	6,647	6,278	7,235	7,372	8,734	9,440	9,990	10,663	10,271	10,450
Nonwhite	12,927	1,008	917	879	834	939	957	1,098	1,159	1,236	1,297	1,304	1,307
Male	6,652	499	491	475	417	499	504	558	578	641	647	663	680
Female	6,275	509	426	404	417	440	453	530	581	597	650	641	627
<b>RHODE ISLAND</b>	16,761	1,067	967	1,114	1,117	1,245	1,257	1,498	1,642	1,706	1,788	1,684	1,665
Male	8,627	544	499	556	606	632	661	785	864	839	902	873	866
Female	8,134	523	468	558	511	613	596	713	778	867	887	811	799
White	16,425	1,044	940	1,101	1,094	1,223	1,231	1,467	1,615	1,666	1,767	1,644	1,633
Male	8,446	536	482	548	586	619	645	771	849	816	881	856	847
Female	7,979	508	458	553	508	604	586	696	766	850	886	788	786
Nonwhite	336	23	27	13	23	22	26	31	27	40	32	40	32
Male	181	8	17	8	10	13	16	14	15	23	21	17	19
Female	155	15	10	5	13	9	10	17	12	17	11	23	13
<b>SOUTH CAROLINA</b>	53,963	4,052	3,790	3,885	3,725	3,714	3,814	4,464	5,147	5,229	5,397	5,280	5,388
Male	27,436	1,986	1,973	1,991	1,880	1,970	1,944	2,232	2,593	2,641	2,747	2,707	2,772
Female	26,527	2,066	1,817	1,904	1,845	1,804	1,870	2,232	2,554	2,588	2,650	2,573	2,616
White	31,010	2,096	1,967	2,127	2,058	2,129	2,179	2,665	3,096	3,198	3,270	3,120	3,105
Male	15,930	1,085	1,038	1,086	1,052	1,116	1,116	1,346	1,565	1,585	1,693	1,597	1,639
Female	15,080	1,011	929	1,041	1,006	1,013	1,063	1,319	1,531	1,613	1,577	1,523	1,466
Nonwhite	22,953	1,956	1,823	1,758	1,667	1,645	1,635	1,819	2,051	2,031	2,127	2,160	2,263
Male	11,506	901	835	893	828	854	828	888	1,028	1,056	1,054	1,110	1,133
Female	11,447	1,055	896	875	839	791	807	931	1,023	975	1,073	1,050	1,130



## GENERAL TABLES-LIVE BIRTHS

117

TABLE 4.-LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(By place of residence)													
AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>SOUTH DAKOTA</b>	14,580	995	915	1,021	1,072	1,078	1,124	1,299	1,336	1,395	1,490	1,432	1,423
Male	7,470	522	449	516	549	565	590	666	663	701	745	740	764
Female	7,110	473	466	505	523	513	534	633	673	694	745	692	659
White	13,932	949	869	970	1,019	1,022	1,071	1,233	1,284	1,338	1,438	1,383	1,359
Male	7,152	498	434	489	518	540	568	636	671	722	708	723	729
Female	6,780	450	435	481	501	482	503	597	613	616	716	675	630
Nonwhite	648	47	46	51	53	56	53	66	52	59	52	49	64
Male	318	24	15	27	31	25	22	30	24	30	32	32	35
Female	330	23	31	24	22	31	31	36	28	29	29	17	29
<b>TENNESSEE</b>	77,338	5,483	5,050	5,579	5,146	5,423	5,640	6,623	7,158	7,533	7,789	7,900	8,002
Male	39,717	2,794	2,587	2,858	2,599	2,770	2,919	3,501	3,873	3,831	4,035	4,082	4,118
Female	37,621	2,689	2,463	2,721	2,547	2,653	2,721	3,122	3,285	3,702	3,754	3,818	3,884
White	65,507	4,496	4,197	4,665	4,309	4,587	4,700	5,609	6,102	6,499	6,752	6,770	6,839
Male	33,667	2,294	2,132	2,386	2,165	2,334	2,437	2,845	3,163	3,334	3,476	3,496	3,505
Female	31,840	2,204	2,065	2,279	2,144	2,253	2,263	2,664	2,939	3,165	3,276	3,274	3,334
Nonwhite	11,829	985	853	914	837	886	940	1,014	1,056	1,084	1,047	1,130	1,163
Male	6,050	500	455	452	434	436	482	556	510	497	529	586	613
Female	5,779	485	398	462	403	420	458	458	546	537	518	544	550
<b>TEXAS</b>	181,579	12,974	11,471	12,079	10,836	10,837	12,291	15,639	17,862	18,738	19,963	19,177	19,512
Male	93,501	6,796	5,779	6,257	5,516	5,547	6,236	8,231	9,112	9,743	10,283	9,918	10,113
Female	88,078	6,178	5,692	5,822	5,320	5,290	6,055	7,408	8,750	9,995	9,710	9,259	9,399
White	160,269	11,301	9,938	10,549	9,576	9,615	10,616	14,039	15,761	16,584	17,774	17,052	17,265
Male	82,672	5,962	5,019	5,469	4,878	4,901	5,494	7,348	8,068	8,642	9,132	8,785	8,964
Female	77,597	5,339	4,919	5,079	4,698	4,714	5,322	6,691	7,693	7,942	8,642	8,267	8,301
Nonwhite	21,310	1,673	1,533	1,531	1,260	1,222	1,475	1,800	2,101	2,154	2,189	2,125	2,247
Male	10,629	854	760	789	638	646	742	883	1,044	1,101	1,121	1,123	1,149
Female	10,681	819	773	743	622	576	733	917	1,057	1,053	1,068	1,002	1,098
<b>UTAH</b>	18,220	1,145	1,205	1,350	1,302	1,355	1,468	1,504	1,697	1,813	1,780	1,723	1,667
Male	9,353	570	646	702	659	677	735	776	873	983	936	869	827
Female	8,867	575	559	648	644	679	733	728	824	830	844	854	840
White	17,949	1,124	1,184	1,346	1,275	1,332	1,436	1,494	1,680	1,785	1,761	1,708	1,644
Male	9,216	557	634	694	643	666	723	765	853	970	925	862	814
Female	8,733	567	550	652	632	666	713	719	827	815	836	846	830
Nonwhite	271	21	21	14	27	24	32	20	17	29	29	15	23
Male	137	13	12	8	15	11	13	11	10	13	11	7	13
Female	134	8	9	6	12	13	19	9	7	15	18	8	10
<b>VERMONT</b>	8,362	537	479	558	580	621	652	738	835	946	926	835	855
Male	4,250	285	246	288	291	325	315	387	409	402	431	432	439
Female	4,112	252	233	270	289	296	337	351	426	444	495	403	416
White	8,358	536	479	558	580	621	651	738	835	946	926	835	854
Male	4,249	284	246	288	291	325	315	387	409	402	431	432	439
Female	4,109	252	233	270	289	296	336	351	426	443	495	403	415
Nonwhite	4	1	-	-	-	-	-	-	-	-	-	-	-
Male	4	1	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-
<b>VIRGINIA</b>	75,861	5,446	4,967	5,403	5,117	5,606	5,519	6,560	7,041	7,259	7,671	7,636	7,737
Male	38,998	2,618	2,474	2,794	2,675	2,904	2,805	3,345	3,622	3,742	3,911	3,857	4,051
Female	36,863	2,828	2,493	2,609	2,442	2,702	2,714	3,215	3,419	3,516	3,760	3,779	3,686
White	58,348	3,986	3,630	4,025	3,902	4,292	4,208	5,125	5,517	5,693	5,991	5,942	6,037
Male	30,114	2,078	1,833	2,086	2,050	2,238	2,149	2,626	2,827	2,957	3,060	3,025	3,184
Female	28,234	1,908	1,797	1,939	1,852	2,054	2,059	2,499	2,689	2,736	2,931	2,917	2,853
Nonwhite	17,513	1,460	1,327	1,378	1,215	1,314	1,311	1,435	1,524	1,565	1,680	1,694	1,700
Male	8,884	740	641	708	625	666	656	719	794	795	851	832	867
Female	8,629	720	596	670	590	648	655	716	730	780	829	862	833
<b>WASHINGTON</b>	51,988	3,521	3,224	3,511	3,724	3,977	4,004	4,557	4,812	5,070	5,298	5,053	5,247
Male	26,883	1,780	1,663	1,860	1,935	2,023	2,062	2,377	2,551	2,554	2,783	2,578	2,727
Female	25,105	1,741	1,561	1,651	1,789	1,954	1,942	2,180	2,261	2,516	2,505	2,475	2,520
White	50,547	3,411	3,128	3,402	3,623	3,863	3,901	4,428	4,675	4,936	5,161	4,899	5,119
Male	26,147	1,737	1,621	1,801	1,882	1,980	2,001	2,310	2,484	2,478	2,715	2,502	2,656
Female	24,400	1,674	1,507	1,601	1,741	1,903	1,900	2,119	2,191	2,458	2,446	2,397	2,463
Nonwhite	1,441	110	96	109	101	114	103	128	137	134	127	154	128
Male	736	43	42	59	53	63	51	67	67	76	68	76	71
Female	705	67	54	50	48	51	52	61	70	58	59	78	57
<b>WEST VIRGINIA</b>	48,673	3,164	3,066	3,327	3,186	3,543	3,537	4,269	4,580	4,975	5,064	5,013	4,949
Male	25,215	1,608	1,625	1,737	1,630	1,804	1,846	2,208	2,425	2,568	2,599	2,603	2,562
Female	23,458	1,556	1,441	1,590	1,556	1,739	1,691	2,061	2,155	2,407	2,465	2,410	2,387
White	46,228	2,999	2,873	3,135	3,014	3,564	3,529	4,073	4,387	4,738	4,816	4,803	4,697
Male	23,989	1,526	1,525	1,626	1,550	1,720	1,750	2,101	2,324	2,446	2,484	2,504	2,433
Female	22,239	1,473	1,348	1,509	1,464	1,644	1,579	1,972	2,063	2,292	2,332	2,299	2,264
Nonwhite	2,445	165	193	192	172	179	208	196	195	237	248	210	252
Male	1,226	82	100	111	80	84	96	107	101	122	115	99	129
Female	1,219	83	93	81	92	95	112	89	92	115	133	111	123
<b>WISCONSIN</b>	74,785	4,880	4,744	5,363	5,245	5,618	5,725	6,724	7,056	7,299	7,576	7,268	7,317
Male	38,356	2,450	2,409	2,714	2,666	2,852	2,981	3,495	3,610	3,713	3,932	3,760	3,775
Female	36,399	2,430	2,335	2,649	2,579	2,766	2,744	3,229	3,446	3,586	3,644	3,508	3,542
White	73,934	4,832	4,686	5,302	5,187	5,549	5,667	6,663	6,976	7,156	7,496	7,179	7,241
Male	37,929	2,424	2,378	2,678	2,638	2,817	2,949	3,463	3,573	3,673	3,892	3,708	3,736
Female	36,005	2,408	2,308	2,624	2,549	2,732	2,718	3,200	3,403	3,483	3,604	3,471	3,505
Nonwhite	821	48	58	61	58	69	58	61	80	83	80	89	76
Male	427	26	30	36	28	35	32	37	40	40	40	52	39
Female	394	22	28	25	30	34	26	29	43	43	40	37	37
<b>WYOMING</b>	6,189	408	357	417	447	466	501	522	611	639	596	604	619
Male	3,201	220	189	185	226	242	270	265	308	343	305	319	329
Female	2,987	188	168	232	221	226	231	257	303	295	291	285	290
White	5,044	398	350	407	436	457	483	516	601	624	578	590	604
Male	3,130	216	184	179	221	233	262	281	334	359	299	312	322
Female	2,914	182	166	228	215	224	221	235	267	265	260	278	282
Nonwhite	144	10	7	10	11	11	18	6	10	14	18	14	15
Male	71	4	5	6	5	9	8	4	5	5	7	7	7
Female	73	6	2	4	6	2	10	2	6	9	11	7	8



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
UNITED STATES-----	3,299,672	3,462	322,381	1,051,289	936,466	589,122	296,411	75,039	5,414	195	8,693
White, mother native-----	2,816,700	1,128	243,680	911,846	829,902	514,796	245,735	59,706	3,937	125	5,645
White, mother foreign-----	96,517	16	2,528	19,168	24,152	23,519	19,871	6,550	556	11	146
White, mother's nativity not stated-----	428	1	52	107	58	62	33	15	2	-	98
Negro-----	358,114	2,288	74,026	114,946	77,770	47,908	29,255	8,220	925	53	2,925
Other-----	16,813	29	1,895	5,320	4,584	2,837	1,617	548	96	6	81
Urban-----	1,977,245	1,648	168,728	637,589	593,321	365,950	169,160	36,374	2,072	80	3,323
White, mother native-----	1,706,456	489	127,412	556,211	530,101	321,435	130,913	28,127	1,455	56	2,259
White, mother foreign-----	76,618	5	1,750	14,798	19,296	19,232	15,955	5,024	361	7	102
White, mother's nativity not stated-----	245	1	13	56	35	33	12	5	1	-	72
Negro-----	187,810	1,143	39,023	64,508	42,034	24,167	12,646	3,068	225	15	861
Other-----	6,116	10	524	2,017	1,895	1,077	436	146	32	2	9
Places of 100,000 or more-----	937,505	801	72,129	293,995	289,759	181,595	81,551	16,761	899	31	984
White, mother native-----	778,244	181	49,122	246,035	251,621	154,856	64,174	11,984	558	20	713
White, mother foreign-----	45,940	3	805	8,191	11,396	12,187	10,072	3,031	205	3	47
White, mother's nativity not stated-----	99	1	4	26	12	17	1	2	-	-	36
Negro-----	108,630	612	21,973	38,571	24,567	13,882	7,085	1,860	106	7	187
Other-----	3,592	4	225	1,202	1,173	643	239	94	20	1	1
Places of 25,000 to 100,000-----	407,057	311	35,291	133,831	122,161	73,224	33,700	7,408	402	15	714
White, mother native-----	359,820	112	27,717	119,513	110,711	65,463	28,620	5,926	302	11	445
White, mother foreign-----	13,435	1	326	2,768	3,683	3,326	2,725	916	60	3	27
White, mother's nativity not stated-----	63	-	7	9	12	13	3	3	1	-	15
Negro-----	35,624	195	7,175	11,517	7,560	4,282	2,292	540	35	1	227
Other-----	715	3	66	224	195	140	60	23	4	-	-
Places of 10,000 to 25,000-----	283,280	204	25,508	93,940	83,596	50,395	23,639	5,118	303	14	565
White, mother native-----	253,289	63	20,607	84,963	76,610	45,616	20,560	4,236	224	12	399
White, mother foreign-----	7,934	-	243	1,765	2,079	1,815	1,498	484	43	1	11
White, mother's nativity not stated-----	39	-	3	11	6	3	2	3	-	-	11
Negro-----	21,512	139	4,563	6,970	4,695	2,845	1,543	381	35	-	143
Other-----	706	2	67	231	208	114	46	14	1	1	2
Places of 2,500 to 10,000-----	349,403	332	35,800	115,823	98,905	60,739	29,270	7,087	468	20	1,060
White, mother native-----	315,103	133	29,966	105,730	91,159	55,500	25,559	5,981	359	13	703
White, mother foreign-----	8,809	1	371	2,074	2,139	1,894	1,668	593	53	-	17
White, mother's nativity not stated-----	42	-	5	9	5	6	1	1	-	-	10
Negro-----	24,344	197	5,312	7,650	5,214	3,159	1,946	467	49	7	324
Other-----	1,105	1	146	360	289	180	91	25	7	-	6
Rural-----	1,311,427	1,814	153,653	413,700	343,145	223,172	128,251	38,665	3,342	115	5,570
White, mother native-----	1,110,244	639	116,468	355,635	289,801	193,361	106,822	31,579	2,484	69	3,396
White, mother foreign-----	19,999	11	778	4,370	4,866	4,287	3,918	1,528	195	4	44
White, mother's nativity not stated-----	185	-	33	52	23	23	21	6	1	-	26
Negro-----	170,204	1,145	35,003	50,340	35,736	23,741	16,409	5,152	589	38	2,042
Other-----	10,795	19	1,371	3,303	2,719	1,760	1,081	402	64	4	72
ALABAMA-----	79,863	205	13,004	25,612	18,658	12,154	7,484	2,072	185	4	495
White, mother native-----	51,773	40	7,042	17,166	12,911	8,211	4,728	1,361	98	1	215
White, mother foreign-----	163	1	10	63	43	25	19	2	-	-	-
White, mother's nativity not stated-----	8	-	1	2	-	1	1	1	-	-	2
Negro-----	27,901	164	5,951	9,377	5,698	3,912	2,716	707	97	3	278
Other-----	18	-	-	4	8	5	-	1	-	-	-
Urban-----	27,070	68	4,170	9,458	6,749	4,063	2,054	422	22	-	94
White, mother native-----	17,675	7	2,150	6,388	4,762	2,784	1,250	280	10	-	44
White, mother foreign-----	109	-	5	44	27	18	13	2	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	9,282	61	2,015	3,024	1,959	1,251	771	140	12	-	49
Other-----	5	-	-	2	1	-	-	-	-	-	-
Places of 100,000 or more-----	7,160	20	1,062	2,501	1,837	1,063	539	119	4	-	15
White, mother native-----	4,120	-	426	1,500	1,183	659	272	70	1	-	9
White, mother foreign-----	46	-	-	16	12	10	7	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,992	20	636	984	641	394	260	48	3	-	6
Other-----	2	-	-	1	1	-	-	-	-	-	-
Places of 25,000 to 100,000-----	8,447	22	1,254	3,043	2,075	1,278	622	132	6	-	17
White, mother native-----	5,529	5	632	2,051	1,472	898	399	85	3	-	7
White, mother foreign-----	36	-	3	13	10	5	4	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,882	17	619	999	593	375	220	46	5	-	10
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	4,319	13	737	1,472	1,091	643	289	53	1	-	20
White, mother native-----	2,759	-	359	1,013	769	418	157	33	1	-	9
White, mother foreign-----	10	-	-	6	1	1	2	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	1,549	13	378	453	321	224	150	20	-	-	10
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	7,144	13	1,117	2,442	1,746	1,071	584	118	11	-	42
White, mother native-----	5,267	2	733	1,844	1,358	811	423	92	5	-	19
White, mother foreign-----	17	-	2	9	4	2	-	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1,659	11	382	568	404	256	161	26	6	-	23
Other-----	1	-	-	1	-	-	-	-	-	-	-
Rural-----	52,793	137	8,834	18,154	11,909	8,101	5,430	1,650	173	4	401
White, mother native-----	34,088	33	4,892	10,778	8,149	5,427	3,478	1,081	88	1	171
White, mother foreign-----	54	1	5	19	16	7	6	-	-	-	-
White, mother's nativity not stated-----	7	-	1	2	-	1	1	1	-	-	1
Negro-----	18,619	103	3,936	5,353	3,737	2,661	1,945	567	85	3	229
Other-----	15	-	-	2	7	5	-	1	-	-	-



## GENERAL TABLES—LIVE BIRTHS

119

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
<b>ARIZONA</b>	16,345	22	1,971	5,531	4,285	2,634	1,404	422	40	3	53
White, mother native	13,321	12	1,623	4,740	3,570	2,078	993	284	14	2	27
White, mother foreign	1,058	-	41	198	286	251	219	80	7	-	6
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	477	4	91	159	106	71	34	7	2	-	3
Other	1,469	6	216	434	333	236	158	71	17	1	17
Urban	9,564	12	1,102	3,297	2,562	1,563	796	216	16	-	20
White, mother native	8,316	6	985	2,962	2,269	1,304	613	155	8	-	14
White, mother foreign	707	-	33	143	172	185	136	51	6	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	364	3	66	127	80	53	24	3	1	-	2
Other	197	3	18	65	41	36	23	7	1	-	3
Places of 25,000 to 100,000	6,357	6	722	2,142	1,719	1,057	544	142	11	-	14
White, mother native	5,588	2	644	1,933	1,545	886	429	104	4	-	11
White, mother foreign	368	-	7	65	90	89	82	29	5	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	314	1	59	106	87	51	24	3	1	-	2
Other	107	3	12	38	17	21	9	8	1	-	7
Places of 2,500 to 10,000	3,227	6	390	1,155	843	506	252	74	5	-	6
White, mother native	2,748	4	341	1,029	724	409	184	51	4	-	3
White, mother foreign	339	-	26	78	82	76	54	22	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	50	2	7	21	13	7	-	-	-	-	-
Other	90	-	6	27	24	15	14	1	-	-	3
Rural	6,761	10	869	2,234	1,703	1,071	608	206	24	3	33
White, mother native	5,005	6	638	1,778	1,301	772	380	109	6	2	13
White, mother foreign	351	-	8	55	84	86	83	29	1	-	5
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	113	1	25	32	26	13	10	4	1	-	1
Other	1,292	3	198	369	292	200	135	64	16	1	14
<b>ARKANSAS</b>	45,280	123	7,282	14,941	10,278	6,662	4,223	1,306	107	2	356
White, mother native	35,050	20	5,045	12,021	8,291	5,237	3,150	955	75	1	247
White, mother foreign	110	-	10	51	24	8	13	2	-	-	2
White, mother's nativity not stated	5	-	-	2	1	1	-	-	-	-	1
Negro	10,081	95	2,223	2,863	1,957	1,410	1,056	349	32	1	105
Other	24	-	4	4	5	6	4	-	-	-	1
Urban	13,959	24	2,041	4,945	3,541	2,041	1,045	232	20	-	70
White, mother native	11,233	7	1,442	4,137	2,949	1,659	809	173	13	-	44
White, mother foreign	59	-	4	30	12	5	7	-	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	2,555	17	593	777	577	374	227	59	7	-	24
Other	11	-	2	1	2	3	2	-	-	-	1
Places of 25,000 to 100,000	5,507	4	473	1,213	977	513	243	64	7	-	15
White, mother native	2,878	1	347	1,025	821	426	193	46	6	-	13
White, mother foreign	19	-	-	12	4	-	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	810	3	126	176	152	87	45	18	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,877	6	575	1,410	942	597	277	54	2	-	24
White, mother native	3,043	2	363	1,163	774	467	200	40	-	-	14
White, mother foreign	16	-	1	5	4	2	3	-	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	813	4	189	242	163	117	73	14	2	-	9
Other	4	-	2	-	-	1	1	-	-	-	-
Places of 2,500 to 10,000	6,575	14	993	2,322	1,622	941	527	114	11	-	31
White, mother native	5,312	4	712	1,949	1,354	766	418	97	7	-	17
White, mother foreign	24	-	3	13	4	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,232	10	278	389	262	170	109	27	4	-	13
Other	7	-	-	1	2	2	1	-	-	-	1
Rural	31,321	99	5,241	9,996	6,737	4,621	3,178	1,074	87	2	286
White, mother native	23,817	21	3,603	7,884	5,342	3,578	2,341	762	62	1	203
White, mother foreign	51	-	6	21	12	3	6	2	-	-	1
White, mother's nativity not stated	4	-	-	2	-	1	-	-	-	-	1
Negro	7,456	78	1,630	2,066	1,380	1,036	689	290	25	1	81
Other	13	-	2	3	3	3	2	-	-	-	-
<b>CALIFORNIA</b>	218,484	121	21,460	76,638	62,785	36,879	16,594	3,680	223	4	90
White, mother native	183,398	80	19,091	68,438	56,146	32,082	13,612	2,754	125	1	68
White, mother foreign	11,745	2	305	2,375	3,198	2,897	2,186	697	75	2	8
White, mother's nativity not stated	16	-	1	2	2	4	1	-	1	-	5
Negro	9,523	34	1,733	3,617	2,253	1,226	517	128	7	-	8
Other	3,802	5	330	1,205	1,186	670	278	111	15	1	1
Urban	164,740	82	15,062	57,956	48,335	28,269	12,236	2,604	144	3	49
White, mother native	144,670	49	13,120	52,031	43,015	24,447	9,982	1,935	75	-	36
White, mother foreign	9,184	1	247	1,915	2,547	2,282	1,843	492	51	2	4
White, mother's nativity not stated	13	-	1	1	2	4	-	-	-	-	5
Negro	8,428	29	1,520	3,227	2,014	1,081	448	101	4	-	4
Other	2,445	3	174	782	757	455	183	76	14	1	-
Places of 100,000 or more	86,028	56	7,259	29,959	25,497	15,199	6,617	1,344	70	1	17
White, mother native	73,557	29	6,023	26,066	22,146	12,088	5,258	981	33	-	13
White, mother foreign	5,283	1	124	1,119	1,460	1,347	938	249	23	1	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5,823	24	1,026	2,274	1,394	719	317	85	3	-	1
Other	1,578	2	86	509	496	301	124	49	11	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
CALIFORNIA—Continued											
Places of 25,000 to 100,000-----	30,663	9	2,705	10,793	9,083	5,320	2,237	471	23	1	11
White, mother native-----	27,554	7	2,399	9,968	8,271	4,697	1,667	346	14	-	7
White, mother foreign-----	1,448	-	31	271	402	375	268	92	7	1	1
White, mother's nativity not stated-----	3	-	-	-	1	-	-	-	-	-	2
Negro-----	1,329	2	260	475	313	184	71	22	1	-	1
Other-----	329	-	25	81	106	74	31	11	1	-	-
Places of 10,000 to 25,000-----	23,145	6	2,372	8,440	6,652	3,695	1,603	339	27	1	10
White, mother native-----	20,824	3	2,119	7,750	6,021	3,282	1,376	269	18	-	6
White, mother foreign-----	1,082	-	43	245	306	235	173	51	8	-	1
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	985	2	181	369	239	141	40	12	-	-	2
Other-----	273	1	29	96	87	37	14	7	1	1	-
Places of 2,500 to 10,000-----	24,904	11	2,726	9,754	7,093	4,066	1,779	450	24	-	11
White, mother native-----	22,935	10	2,589	8,289	6,577	3,850	1,481	339	10	-	10
White, mother foreign-----	1,411	-	49	290	379	325	264	100	13	-	1
White, mother's nativity not stated-----	2	-	1	-	-	1	-	-	-	-	-
Negro-----	291	1	53	109	69	37	20	2	-	-	-
Other-----	265	-	34	96	68	43	14	9	1	-	-
Rural-----	53,744	39	6,398	18,682	14,450	9,610	4,358	1,066	79	1	41
White, mother native-----	48,728	31	5,971	17,409	13,131	7,835	3,650	819	50	1	32
White, mother foreign-----	2,861	1	68	460	651	615	543	205	24	-	4
White, mother's nativity not stated-----	3	-	-	1	-	-	1	-	1	-	-
Negro-----	1,095	5	213	390	239	145	69	27	3	-	4
Other-----	1,357	2	158	423	429	215	95	35	1	-	1
COLORADO-----	29,618	13	2,970	10,214	8,271	4,941	2,382	621	61	2	43
White, mother native-----	28,313	11	2,879	9,895	7,960	4,720	2,205	557	47	2	37
White, mother foreign-----	559	-	15	103	113	129	134	52	10	-	3
White, mother's nativity not stated-----	8	-	2	2	2	-	-	-	-	-	2
Negro-----	347	2	61	123	77	47	27	8	1	-	1
Other-----	291	-	13	91	119	45	16	4	3	-	-
Urban-----	18,850	10	1,799	6,625	5,346	3,038	1,356	323	30	-	21
White, mother native-----	17,675	8	1,728	6,363	5,116	2,898	1,248	287	21	-	18
White, mother foreign-----	360	-	9	71	92	84	79	26	7	-	2
White, mother's nativity not stated-----	4	-	-	2	2	-	-	-	-	-	-
Negro-----	332	2	57	121	72	44	26	8	1	-	1
Other-----	179	-	7	68	74	22	5	2	1	-	-
Places of 100,000 or more-----	9,435	5	848	3,381	2,858	1,576	648	150	16	-	5
White, mother native-----	8,904	3	795	3,139	2,700	1,473	589	130	11	-	4
White, mother foreign-----	179	-	5	36	36	48	35	15	4	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	265	2	45	97	55	38	21	5	1	-	1
Other-----	137	-	3	49	65	17	3	-	-	-	-
Places of 25,000 to 100,000-----	2,628	3	274	980	815	479	216	50	4	-	7
White, mother native-----	2,713	3	265	950	785	458	200	45	2	-	5
White, mother foreign-----	66	-	1	10	21	16	11	3	2	-	2
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	46	-	8	18	9	5	4	2	-	-	-
Other-----	3	-	-	2	-	-	1	-	-	-	-
Places of 10,000 to 25,000-----	2,275	1	226	854	613	360	176	36	3	-	6
White, mother native-----	2,214	1	222	837	594	352	166	33	3	-	6
White, mother foreign-----	37	-	2	10	10	5	9	1	-	-	-
White, mother's nativity not stated-----	2	-	-	1	1	-	-	-	-	-	-
Negro-----	6	-	1	4	4	-	-	-	-	-	-
Other-----	16	-	1	5	4	3	1	2	-	-	-
Places of 2,500 to 10,000-----	3,962	1	451	1,410	1,064	623	316	87	7	-	3
White, mother native-----	3,844	1	444	1,377	1,039	605	291	79	5	-	3
White, mother foreign-----	78	-	1	15	15	15	24	7	1	-	-
White, mother's nativity not stated-----	2	-	-	1	1	-	-	-	-	-	-
Negro-----	15	-	3	5	4	1	1	1	-	-	-
Other-----	23	-	3	12	5	2	-	-	1	-	-
Rural-----	10,968	3	1,171	3,599	2,923	1,903	1,026	298	31	2	22
White, mother native-----	10,639	3	1,153	3,532	2,842	1,832	959	270	26	2	19
White, mother foreign-----	199	-	6	32	31	45	55	26	3	-	1
White, mother's nativity not stated-----	4	-	2	-	-	-	-	-	-	-	2
Negro-----	15	-	4	2	5	3	1	-	-	-	-
Other-----	112	-	6	23	45	23	11	2	2	-	-
CONNECTICUT-----	41,457	9	1,671	11,212	14,259	9,190	4,258	880	46	-	52
White, mother native-----	37,631	5	1,390	10,348	13,322	8,401	3,631	666	30	-	48
White, mother foreign-----	2,500	-	29	457	646	648	552	172	14	-	2
White, mother's nativity not stated-----	3	-	-	1	-	1	-	-	-	-	1
Negro-----	1,108	4	162	424	285	135	73	22	2	-	1
Other-----	15	-	-	2	6	5	2	-	-	-	-
Urban-----	28,578	6	1,105	7,934	9,902	6,182	2,818	569	28	-	35
White, mother native-----	25,770	4	941	7,231	9,162	5,592	2,371	419	18	-	32
White, mother foreign-----	1,795	-	16	310	481	464	385	129	9	-	2
White, mother's nativity not stated-----	3	-	-	1	-	1	-	-	-	-	1
Negro-----	998	2	148	390	255	121	60	21	1	-	-
Other-----	12	-	-	2	4	4	2	-	-	-	-
Places of 100,000 or more-----	11,301	3	470	3,157	3,929	2,414	1,108	208	8	-	4
White, mother native-----	9,922	2	353	2,781	3,578	2,146	916	139	4	-	4
White, mother foreign-----	734	-	8	113	197	194	156	58	3	-	-
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	636	1	109	257	152	70	34	12	1	-	-
Other-----	8	-	-	1	2	3	2	-	-	-	-



## 121

(By place<sup>2</sup> of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over		
CONNECTICUT—Continued												
Places of 25,000 to 100,000	11,126	2	369	2,981	3,889	2,485	1,124	239	15	-	24	
White, mother native	10,115	1	331	2,749	3,613	2,260	948	180	10	-	23	
White, mother foreign	732	-	6	128	202	185	186	52	5	-	-	
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1	
Negro	274	1	32	102	72	40	20	7	-	-	-	
Other	5	-	-	1	2	-	-	-	-	-	-	
Places of 10,000 to 25,000	4,666	-	187	1,308	1,603	1,005	463	93	4	-	3	
White, mother native	4,348	-	178	1,239	1,518	931	403	76	3	-	2	
White, mother foreign	238	-	2	42	61	62	54	16	1	-	1	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	77	-	7	28	24	11	6	1	-	-	-	
Other	1	-	-	-	-	1	-	-	-	-	-	
Places of 2,500 to 10,000	1,465	-	79	488	481	280	123	28	1	-	4	
White, mother native	1,384	1	79	463	453	285	104	25	1	-	3	
White, mother foreign	90	-	-	22	21	25	19	2	-	-	1	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	11	-	-	3	7	-	-	1	-	-	-	
Other	-	-	-	-	-	-	-	-	-	-	-	
Rural	12,879	3	468	3,278	4,557	3,008	1,440	292	18	-	17	
White, mother native	12,081	1	439	3,117	4,160	2,809	1,280	247	12	-	16	
White, mother foreign	708	-	13	127	165	184	167	44	5	-	-	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	110	2	14	34	30	14	13	1	1	-	1	
Other	3	-	-	-	2	1	-	-	-	-	-	
DELAWARE												
White, mother native	5,695	6	418	1,789	1,785	1,090	499	97	9	-	2	
White, mother foreign	116	-	2	29	57	21	20	5	2	-	-	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	966	13	224	303	212	113	76	18	2	-	5	
Other	25	-	3	7	9	1	3	2	-	-	-	
Urban	3,531	5	298	1,136	1,108	621	299	56	7	-	1	
White, mother native	2,942	1	168	955	979	552	258	43	5	-	-	
White, mother foreign	77	-	1	20	23	11	17	4	1	-	-	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	510	4	129	160	106	56	44	7	1	-	1	
Other	2	-	-	-	-	-	-	2	-	-	-	
Places of 100,000 or more	2,659	5	213	832	841	481	234	48	5	-	-	
White, mother native	2,188	1	110	691	735	426	186	36	3	-	-	
White, mother foreign	67	-	1	15	21	9	16	4	1	-	-	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	402	4	102	126	85	46	32	6	1	-	-	
Other	2	-	-	-	-	-	-	2	-	-	-	
Places of 2,500 to 10,000	972	-	85	304	267	140	65	8	2	-	1	
White, mother native	754	-	58	265	244	128	52	7	2	-	-	
White, mother foreign	10	-	-	5	2	1	-	-	-	-	-	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	109	-	27	34	21	12	12	1	-	-	1	
Other	-	-	-	-	-	-	-	-	-	-	-	
Rural	3,271	14	349	992	935	604	299	66	6	-	6	
White, mother native	2,753	5	250	835	806	538	261	54	4	-	2	
White, mother foreign	39	-	1	9	14	10	3	1	1	-	-	
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	
Negro	456	9	95	143	106	55	32	11	1	-	4	
Other	23	-	3	7	9	1	3	-	-	-	-	
DISTRICT OF COLUMBIA												
White, mother native	11,720	4	701	3,851	3,697	2,252	940	183	10	1	101	
White, mother foreign	536	-	8	112	160	149	92	14	1	-	-	
White, mother's nativity not stated	23	-	2	1	1	1	-	-	-	-	18	
Negro	6,259	31	1,170	2,209	1,484	854	392	94	8	-	26	
Other	64	-	3	19	22	15	5	-	-	-	-	
FLORIDA												
White, mother native	39,253	18	4,784	13,370	10,753	5,373	3,080	734	39	3	99	
White, mother foreign	844	-	28	252	224	179	122	36	3	-	1	
White, mother's nativity not stated	17	-	2	7	1	1	-	-	-	-	6	
Negro	13,544	139	3,003	4,084	2,933	1,796	1,142	316	35	3	93	
Other	30	-	3	11	7	5	3	-	-	1	-	
Urban	30,817	80	4,193	10,417	8,265	4,908	2,335	479	33	4	108	
White, mother native	22,333	4	2,419	7,796	6,376	3,733	1,637	316	13	1	41	
White, mother foreign	639	-	19	187	179	131	95	24	3	-	1	
White, mother's nativity not stated	9	-	-	3	1	-	-	-	-	-	5	
Negro	7,824	76	1,753	2,429	1,708	1,037	603	137	17	3	61	
Other	7	-	2	2	1	2	-	-	-	-	-	
Places of 100,000 or more	13,162	23	1,687	4,443	3,656	2,127	982	196	15	1	43	
White, mother native	9,687	1	1,021	3,353	2,835	1,634	895	127	6	-	15	
White, mother foreign	336	-	11	89	100	76	47	11	2	-	-	
White, mother's nativity not stated	5	-	-	2	-	-	-	-	-	-	3	
Negro	3,129	21	653	998	720	416	240	48	7	1	25	
Other	5	-	2	1	1	-	-	-	-	-	-	
Places of 25,000 to 100,000	5,245	10	643	1,801	1,426	861	408	81	3	-	12	
White, mother native	3,924	1	363	1,375	1,146	671	297	65	1	-	5	
White, mother foreign	17	-	3	40	37	27	26	5	-	-	-	
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1	
Negro	1,182	9	277	386	243	163	85	11	2	-	8	
Other	-	-	-	-	-	-	-	-	-	-	-	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
FLORIDA—Continued											
Places of 10,000 to 25,000-----	5,120	15	780	1,754	1,372	771	357	76	8	-	7
White, mother native-----	3,653	-	421	1,313	1,047	567	251	47	4	-	3
White, mother foreign-----	76	-	2	26	20	11	11	4	1	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1,380	15	337	414	305	193	95	25	3	-	3
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	7,290	33	1,103	2,429	1,811	1,144	588	136	7	3	46
White, mother native-----	5,074	2	614	1,755	1,349	861	394	79	2	1	18
White, mother foreign-----	89	-	3	32	22	17	11	4	-	-	-
White, mother's nativity not stated-----	3	-	-	1	1	-	-	-	-	-	-
Negro-----	2,123	31	486	631	440	265	183	53	5	2	27
Other-----	1	-	-	-	-	1	-	-	-	-	-
Rural-----	22,871	77	3,627	7,307	5,653	3,451	2,012	606	44	3	91
White, mother native-----	16,915	14	2,365	5,574	4,377	2,640	1,443	416	26	2	58
White, mother foreign-----	205	-	9	65	45	48	27	11	-	-	-
White, mother's nativity not stated-----	8	-	2	4	-	1	-	-	-	-	1
Negro-----	5,720	63	1,250	1,655	1,225	759	539	179	18	-	32
Other-----	23	-	1	9	6	3	3	-	-	1	-
GEORGIA-----											
	85,667	257	13,036	26,524	20,449	12,768	7,225	1,949	142	10	3,307
White, mother native-----	56,170	50	6,623	17,951	14,439	8,973	4,653	1,305	80	5	1,691
White, mother foreign-----	200	-	13	77	46	40	20	2	1	-	1
White, mother's nativity not stated-----	15	-	-	-	-	3	-	-	-	-	12
Negro-----	23,270	207	6,200	8,492	5,951	3,750	2,351	642	60	5	1,602
Other-----	12	-	-	4	3	2	1	-	1	-	1
Urban-----	36,247	101	5,352	12,018	9,319	5,482	2,520	537	28	1	689
White, mother native-----	25,468	16	2,908	8,721	7,014	4,107	1,816	399	15	-	472
White, mother foreign-----	133	-	7	53	27	29	15	1	1	-	-
White, mother's nativity not stated-----	7	-	-	-	-	3	-	-	-	-	4
Negro-----	10,631	85	2,437	3,242	2,278	1,341	698	157	12	1	412
Other-----	8	-	-	2	2	2	1	-	-	-	1
Places of 100,000 or more-----	9,596	30	1,368	3,173	2,461	1,619	743	160	10	-	32
White, mother native-----	6,899	5	699	2,309	1,919	1,248	569	125	5	-	20
White, mother foreign-----	49	-	2	20	7	11	6	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,644	25	667	843	534	359	165	34	5	-	12
Other-----	4	-	-	1	1	1	1	-	-	-	-
Places of 25,000 to 100,000-----	10,755	34	1,682	3,715	2,800	1,485	688	135	4	-	212
White, mother native-----	7,219	5	903	2,621	2,005	1,044	465	90	2	-	84
White, mother foreign-----	42	-	1	17	10	9	5	-	-	-	-
White, mother's nativity not stated-----	3	-	-	-	-	3	-	-	-	-	-
Negro-----	3,490	29	778	1,077	785	429	218	45	2	-	128
Other-----	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000-----	6,778	18	995	2,237	1,758	1,022	445	99	4	-	200
White, mother native-----	4,794	3	585	1,629	1,329	762	314	72	2	-	119
White, mother foreign-----	23	-	2	8	5	6	1	-	1	-	-
White, mother's nativity not stated-----	2	-	-	-	-	-	-	-	-	-	2
Negro-----	1,958	15	428	599	424	254	130	27	1	-	60
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	9,118	19	1,307	2,693	2,300	1,356	644	143	10	1	445
White, mother native-----	8,558	3	741	2,162	1,761	1,053	468	112	6	-	250
White, mother foreign-----	19	-	2	8	5	3	1	-	-	-	-
White, mother's nativity not stated-----	2	-	-	-	-	-	-	-	-	-	2
Negro-----	2,539	16	564	723	533	300	175	31	4	1	192
Other-----	2	-	-	-	1	-	-	-	-	-	1
Rural-----	49,420	156	7,684	14,506	11,130	7,286	4,705	1,412	114	9	2,418
White, mother native-----	30,702	34	3,915	9,230	7,425	4,866	3,037	906	65	5	1,219
White, mother foreign-----	67	-	6	24	19	11	5	1	-	-	1
White, mother's nativity not stated-----	8	-	-	-	-	-	-	-	-	-	8
Negro-----	18,639	122	3,763	5,250	3,885	2,408	1,663	505	48	4	1,190
Other-----	4	-	-	2	1	-	-	-	1	-	-
IDAHO-----											
	13,767	5	1,411	4,763	3,722	2,306	1,152	363	33	-	53
White, mother native-----	13,328	5	1,380	4,628	3,591	2,225	1,109	333	27	-	30
White, mother foreign-----	240	-	12	70	66	41	30	19	2	-	-
White, mother's nativity not stated-----	3	-	1	1	-	1	-	-	-	-	-
Negro-----	13	-	4	5	2	1	-	-	-	-	1
Other-----	203	-	14	59	63	37	13	11	4	-	2
Urban-----	6,136	2	623	2,208	1,677	985	487	128	15	-	11
White, mother native-----	5,953	2	610	2,157	1,624	947	468	122	13	-	10
White, mother foreign-----	122	-	9	30	35	27	14	6	1	-	-
White, mother's nativity not stated-----	2	-	-	1	-	1	-	-	-	-	-
Negro-----	11	-	3	4	2	1	-	-	-	-	1
Other-----	48	-	1	16	16	9	5	-	1	-	-
Places of 25,000 to 100,000-----	1,087	-	88	370	331	195	82	18	1	-	2
White, mother native-----	1,058	-	84	358	324	190	61	16	1	-	2
White, mother foreign-----	19	-	2	8	7	2	-	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	3	-	2	1	-	-	-	-	-	-	-
Other-----	6	-	-	3	-	2	1	-	-	-	-
Places of 10,000 to 25,000-----	2,651	1	272	978	721	419	153	54	9	-	4
White, mother native-----	2,574	1	264	960	701	400	165	51	8	-	4
White, mother foreign-----	52	-	7	11	10	13	7	3	1	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	7	-	1	3	2	1	-	-	-	-	-
Other-----	17	-	-	3	8	5	1	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

123

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
IDAHO—Continued											
Places of 2,500 to 10,000-----	2,398	1	283	260	825	371	212	56	5	-	5
White, mother native-----	2,321	1	282	859	599	357	202	53	4	-	4
White, mother foreign-----	51	-	-	11	18	12	7	3	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-
Negro-----	1	-	-	-	-	-	-	-	-	-	1
Other-----	25	-	1	10	6	2	3	-	1	-	-
Rural-----	7,651	3	788	2,555	2,045	1,320	685	235	18	-	22
White, mother native-----	7,375	3	770	2,471	1,967	1,278	641	211	14	-	20
White, mother foreign-----	118	-	5	40	31	14	16	13	1	-	-
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-
Negro-----	2	-	1	1	-	-	-	-	-	-	-
Other-----	158	-	13	43	47	28	8	11	3	-	2
ILLINOIS-----											
	174,825	102	12,732	53,685	53,789	34,935	15,737	3,603	189	5	48
White, mother native-----	157,148	34	10,080	48,233	49,703	32,126	13,744	3,033	155	4	36
White, mother foreign-----	5,121	-	96	974	1,253	1,241	1,168	366	21	1	1
White, mother's nativity not stated-----	45	-	13	11	10	2	3	-	-	-	5
Negro-----	12,138	68	2,532	4,339	2,675	1,502	804	201	12	-	8
Other-----	373	-	11	128	148	64	18	3	1	-	-
Urban-----	134,052	86	9,131	40,678	42,201	27,368	11,961	2,465	121	5	36
White, mother native-----	117,328	21	6,621	35,489	36,329	24,699	10,107	1,942	91	4	25
White, mother foreign-----	4,715	-	83	888	1,151	1,177	1,032	336	18	1	1
White, mother's nativity not stated-----	25	-	6	5	6	1	1	-	-	-	6
Negro-----	11,621	65	2,410	4,192	2,573	1,427	753	186	11	-	4
Other-----	363	-	11	126	142	64	18	1	1	-	-
Places of 100,000 or more-----	77,681	57	4,873	22,901	25,136	16,445	6,924	1,372	59	2	12
White, mother native-----	64,224	8	2,963	18,524	22,026	14,312	5,490	962	38	1	10
White, mother foreign-----	3,882	-	54	619	960	927	639	269	13	1	-
White, mother's nativity not stated-----	4	-	-	-	3	-	1	-	-	-	-
Negro-----	9,530	49	1,946	3,539	2,113	1,146	588	140	7	-	2
Other-----	341	-	10	119	134	60	16	1	1	-	-
Places of 25,000 to 100,000-----	24,218	12	1,785	7,589	7,456	4,722	2,148	465	19	2	10
White, mother native-----	22,349	4	1,467	7,046	7,035	4,415	1,947	417	17	2	3
White, mother foreign-----	471	-	14	102	116	114	99	26	-	-	-
White, mother's nativity not stated-----	14	-	4	2	2	-	-	-	-	-	6
Negro-----	1,371	8	300	443	289	191	132	26	2	-	1
Other-----	13	-	-	6	5	2	-	-	-	-	-
Places of 10,000 to 25,000-----	13,361	9	967	4,268	4,076	2,566	1,181	278	14	-	2
White, mother native-----	12,600	4	651	4,079	3,875	2,451	1,075	241	12	-	2
White, mother foreign-----	311	-	6	54	92	80	73	24	2	-	-
White, mother's nativity not stated-----	4	-	2	2	-	-	-	-	-	-	-
Negro-----	443	5	99	132	109	54	33	13	-	-	-
Other-----	3	-	-	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000-----	18,792	8	1,806	6,010	5,533	3,635	1,708	350	29	1	12
White, mother native-----	18,155	5	1,430	5,640	5,363	3,521	1,605	326	24	1	10
White, mother foreign-----	351	-	9	91	83	76	71	17	3	-	1
White, mother's nativity not stated-----	3	-	-	1	1	1	-	-	-	-	-
Negro-----	277	3	66	78	54	36	30	7	2	-	1
Other-----	6	-	1	-	2	1	2	-	-	-	-
Rural-----	40,773	16	3,601	13,007	11,588	7,567	3,776	1,138	68	-	12
White, mother native-----	39,620	13	3,459	12,744	11,374	7,427	3,637	1,091	64	-	11
White, mother foreign-----	406	-	13	108	102	64	86	30	3	-	-
White, mother's nativity not stated-----	20	-	7	6	4	1	2	-	-	-	-
Negro-----	517	3	122	147	102	75	51	15	1	-	1
Other-----	10	-	-	2	6	-	-	2	-	-	-
INDIANA-----											
	85,515	60	8,540	29,836	23,897	14,118	6,870	1,839	123	1	231
White, mother native-----	81,326	38	7,839	28,434	22,928	13,524	6,516	1,722	121	1	203
White, mother foreign-----	945	1	42	285	266	161	126	60	2	-	2
White, mother's nativity not stated-----	8	-	-	1	-	3	2	-	-	-	2
Negro-----	3,220	21	859	1,109	689	427	225	57	-	-	24
Other-----	16	-	1	7	4	3	1	-	-	-	-
Urban-----	53,034	40	5,377	18,930	15,078	8,600	3,909	909	48	-	143
White, mother native-----	49,133	19	4,694	17,626	14,176	8,052	3,599	805	46	-	116
White, mother foreign-----	785	1	33	219	227	128	95	48	2	-	2
White, mother's nativity not stated-----	5	-	-	-	-	3	1	-	-	-	1
Negro-----	3,130	20	649	1,081	672	414	214	56	-	-	24
Other-----	11	-	1	4	3	3	-	-	-	-	-
Places of 100,000 or more-----	20,410	21	1,942	6,986	5,937	3,500	1,603	368	15	-	38
White, mother native-----	17,891	5	1,480	6,133	5,380	3,159	1,392	306	14	-	23
White, mother foreign-----	340	-	13	90	105	59	49	22	1	-	1
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	2,174	16	448	762	451	281	162	40	-	-	14
Other-----	4	-	1	1	1	1	-	-	-	-	-
Places of 25,000 to 100,000-----	17,157	11	1,825	6,266	4,981	2,621	1,209	274	18	-	52
White, mother native-----	16,069	8	1,641	5,810	4,613	2,457	1,136	244	17	-	43
White, mother foreign-----	256	1	12	71	77	44	32	18	1	-	-
White, mother's nativity not stated-----	2	-	-	-	-	1	-	-	-	-	1
Negro-----	826	2	172	283	190	118	41	12	-	-	8
Other-----	4	-	-	2	1	1	-	-	-	-	-
Places of 10,000 to 25,000-----	6,731	3	729	2,522	1,837	1,032	471	110	4	-	23
White, mother native-----	6,578	3	710	2,475	1,795	1,009	456	104	4	-	21
White, mother foreign-----	75	-	4	24	20	13	9	4	-	-	1
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	75	-	15	23	20	8	6	2	-	-	1
Other-----	2	-	-	-	1	1	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000-----	8,738	5	881	3,158	2,423	1,447	828	157	11	-	30
White, mother native-----	8,595	3	863	3,108	2,387	1,428	815	151	11	-	29
White, mother foreign-----	84	-	4	34	25	12	5	4	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	1	-	-	-	-
Negro-----	55	2	14	13	11	7	5	2	-	-	1
Other-----	1	-	-	1	-	-	-	-	-	-	-
Rural-----	32,481	20	3,163	10,906	8,819	5,518	2,961	930	75	1	88
White, mother native-----	32,193	19	3,145	10,808	8,752	5,472	2,917	917	75	1	87
White, mother foreign-----	190	-	9	66	39	33	31	12	-	-	-
White, mother's nativity not stated-----	3	-	-	1	-	-	1	-	-	-	1
Negro-----	90	1	9	28	27	13	11	1	-	-	-
Other-----	5	-	-	3	1	-	1	-	-	-	-
IOWA-----	56,186	13	4,323	18,568	16,549	10,223	4,983	1,375	100	1	51
White, mother native-----	55,217	12	4,247	18,252	16,316	10,049	4,873	1,319	98	1	50
White, mother foreign-----	548	-	18	157	135	105	84	47	2	-	-
White, mother's nativity not stated-----	9	-	1	5	1	1	-	-	-	-	1
Negro-----	355	1	55	137	82	51	21	8	-	-	-
Other-----	57	-	2	17	15	17	5	1	-	-	-
Urban-----	26,531	5	2,296	9,222	7,728	4,559	2,156	509	56	1	19
White, mother native-----	25,854	5	2,231	8,990	7,568	4,434	2,089	484	56	1	18
White, mother foreign-----	306	-	13	91	72	67	45	18	-	-	-
White, mother's nativity not stated-----	5	-	-	1	1	-	-	-	-	-	-
Negro-----	352	-	50	151	78	47	19	7	-	-	1
Other-----	36	-	2	9	11	11	3	-	-	-	-
Places of 100,000 or more-----	3,983	-	349	1,391	1,179	676	328	56	2	-	2
White, mother native-----	3,743	-	332	1,303	1,120	642	309	53	2	-	2
White, mother foreign-----	52	-	5	15	13	11	7	1	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	177	-	51	70	43	19	12	2	-	-	-
Other-----	10	-	1	2	3	4	1	-	-	-	-
Places of 25,000 to 100,000-----	11,391	3	986	3,997	3,264	1,975	943	208	20	1	6
White, mother native-----	11,136	3	967	3,908	3,198	1,921	915	197	20	1	6
White, mother foreign-----	132	-	7	36	33	27	21	8	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	105	-	11	39	27	21	4	3	-	-	-
Other-----	18	-	1	4	6	4	3	-	-	-	-
Places of 10,000 to 25,000-----	4,109	-	373	1,470	1,197	689	297	75	5	-	3
White, mother native-----	4,011	-	368	1,434	1,174	670	288	71	5	-	3
White, mother foreign-----	60	-	-	19	15	16	7	3	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	33	-	7	14	6	3	2	1	-	-	-
Other-----	4	-	-	3	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	7,048	2	588	2,374	2,088	1,221	588	170	9	-	8
White, mother native-----	6,964	2	588	2,345	2,074	1,201	577	163	9	-	7
White, mother foreign-----	62	-	1	21	11	13	10	6	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	17	-	1	8	2	4	1	1	-	-	-
Other-----	4	-	-	-	1	3	-	-	-	-	-
Rural-----	29,655	8	2,027	9,346	8,821	5,664	2,827	866	64	-	32
White, mother native-----	29,363	7	2,016	9,262	8,750	5,618	2,784	835	62	-	32
White, mother foreign-----	242	-	5	66	63	38	29	2	-	-	-
White, mother's nativity not stated-----	6	-	1	4	-	1	-	-	-	-	-
Negro-----	23	1	5	6	4	4	2	1	-	-	-
Other-----	21	-	-	8	4	6	2	1	-	-	-
KANSAS-----	39,751	19	3,850	13,493	11,207	6,650	3,436	914	51	3	128
White, mother native-----	37,874	15	3,506	12,868	10,847	6,398	3,233	847	47	2	113
White, mother foreign-----	385	-	15	108	78	74	30	1	-	-	1
White, mother's nativity not stated-----	7	-	1	2	-	1	-	-	-	-	3
Negro-----	1,392	4	319	479	268	165	114	31	3	1	11
Other-----	93	-	9	37	18	14	11	6	-	-	-
Urban-----	21,708	12	2,342	7,961	6,103	3,261	1,562	365	19	1	60
White, mother native-----	20,132	8	2,028	7,419	5,799	3,061	1,414	340	15	1	47
White, mother foreign-----	242	-	10	72	51	46	47	14	1	-	1
White, mother's nativity not stated-----	5	-	1	1	-	-	-	-	-	-	3
Negro-----	1,272	4	297	442	244	146	99	28	3	-	9
Other-----	55	-	6	27	9	8	2	3	-	-	-
Places of 100,000 or more-----	7,949	5	846	2,877	2,287	1,221	550	136	9	-	18
White, mother native-----	7,113	2	661	2,589	2,124	1,119	484	116	5	-	13
White, mother foreign-----	90	-	2	22	18	21	18	7	1	-	1
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	734	3	183	258	142	81	48	12	3	-	4
Other-----	11	-	-	7	3	-	-	1	-	-	-
Places of 25,000 to 100,000-----	2,862	3	312	1,069	797	432	193	50	1	-	5
White, mother native-----	2,663	2	272	969	761	409	173	43	1	-	4
White, mother foreign-----	47	-	1	16	9	8	11	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	133	1	37	44	26	13	7	4	-	-	1
Other-----	19	-	2	11	1	2	2	1	-	-	-
Places of 10,000 to 25,000-----	5,592	4	602	2,108	1,551	801	400	103	4	1	18
White, mother native-----	5,225	4	541	1,977	1,479	758	358	90	4	1	12
White, mother foreign-----	57	-	2	18	15	9	11	2	-	-	-
White, mother's nativity not stated-----	3	-	-	-	-	-	-	-	-	-	3
Negro-----	292	-	56	109	53	30	30	11	-	-	3
Other-----	15	-	3	4	4	4	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

125

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
KANSAS—Continued											
Places of 2,500 to 10,000	5,303	-	582	1,907	1,468	807	419	96	5	-	19
White, mother native	5,131	-	554	1,855	1,435	775	398	91	5	-	18
White, mother foreign	48	-	5	18	9	6	7	3	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	113	-	21	31	23	22	14	1	-	-	1
Other	10	-	1	5	1	2	-	1	-	-	-
Rural	18,045	7	1,508	5,532	5,104	3,389	1,874	529	32	2	68
White, mother native	17,742	7	1,478	5,449	5,048	3,335	1,819	507	32	1	66
White, mother foreign	143	-	5	38	27	28	31	18	-	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	120	-	22	38	22	19	15	3	-	1	2
Other	39	-	3	10	7	6	9	3	-	-	-
KENTUCKY											
	72,542	101	10,085	23,655	17,745	11,492	6,887	2,310	218	8	41
White, mother native	68,951	74	9,323	22,541	16,973	10,993	6,586	2,212	204	8	37
White, mother foreign	179	-	14	79	42	21	13	9	1	-	-
White, mother's nativity not stated	12	-	2	4	1	4	-	-	-	-	-
Negro	3,392	27	744	1,030	726	472	289	89	13	-	3
Other	8	-	2	1	3	2	-	-	-	-	-
Urban	24,180	33	3,121	8,490	6,540	3,687	1,755	514	33	1	16
White, mother native	22,023	14	2,631	7,803	6,057	3,420	1,592	461	26	1	13
White, mother foreign	100	-	3	35	32	14	9	6	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2,060	19	485	645	449	251	154	47	6	-	3
Other	6	-	2	-	2	2	-	-	-	-	-
Places of 100,000 or more	9,873	15	1,107	3,421	2,781	1,587	758	188	10	1	5
White, mother native	8,779	5	858	3,076	2,328	1,443	696	166	8	1	4
White, mother foreign	55	-	1	15	19	10	5	4	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,036	10	248	329	234	128	67	18	1	-	1
Other	2	-	-	-	2	-	-	-	-	-	-
Places of 25,000 to 100,000	6,249	8	810	2,225	1,709	929	421	132	10	-	5
White, mother native	5,835	2	720	2,101	1,603	978	390	125	6	-	5
White, mother foreign	32	-	2	13	11	3	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	380	6	86	111	90	48	29	6	4	-	-
Other	2	-	2	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,824	3	283	638	476	263	126	37	-	-	-
White, mother native	1,637	1	242	574	442	241	107	30	-	-	-
White, mother foreign	5	-	-	3	1	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	180	2	41	59	33	19	19	7	-	-	-
Other	2	-	-	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000	6,244	7	921	2,209	1,574	908	450	157	13	-	6
White, mother native	5,772	6	811	2,057	1,481	852	409	140	12	-	4
White, mother foreign	8	-	-	4	2	-	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	464	1	110	147	92	56	39	16	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	48,352	68	6,964	15,185	11,205	7,805	5,132	1,796	185	7	25
White, mother native	46,928	60	6,692	14,733	10,916	7,573	4,994	1,751	176	7	24
White, mother foreign	79	-	11	44	10	7	4	3	-	-	-
White, mother's nativity not stated	11	-	2	3	1	4	-	-	-	-	1
Negro	1,332	8	259	384	277	221	134	42	7	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
LOUISIANA											
	68,670	153	9,965	22,732	17,445	10,624	5,990	1,556	108	6	69
White, mother native	42,972	25	5,000	14,647	11,684	6,991	3,633	909	41	3	39
White, mother foreign	266	-	20	104	73	33	28	10	-	-	-
White, mother's nativity not stated	6	-	2	2	-	-	1	-	-	-	-
Negro	25,314	128	4,932	7,940	5,661	3,583	2,316	633	67	5	49
Other	112	-	11	39	27	17	14	4	-	-	-
Urban	31,822	63	4,249	11,206	8,515	4,863	2,378	496	25	1	28
White, mother native	21,223	7	2,105	7,556	6,135	3,468	1,601	321	15	-	15
White, mother foreign	196	-	16	66	61	25	21	7	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	10,369	56	2,125	3,573	2,310	1,366	751	167	10	1	10
Other	31	-	3	10	9	4	4	1	-	-	-
Places of 100,000 or more	14,024	29	1,618	4,899	3,881	2,243	1,121	213	14	1	5
White, mother native	9,035	3	699	3,161	2,700	1,584	745	130	10	-	3
White, mother foreign	122	-	7	34	44	17	15	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4,843	26	910	1,695	1,129	641	358	77	4	1	2
Other	24	-	2	9	8	1	3	1	-	-	-
Places of 25,000 to 100,000	6,440	14	980	2,337	1,683	919	411	91	1	-	4
White, mother native	3,935	1	385	1,474	1,169	614	252	57	-	-	1
White, mother foreign	32	-	1	14	9	5	2	1	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	2,453	13	594	848	505	300	156	33	1	-	3
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,904	3	428	1,003	787	435	197	43	1	-	2
White, mother native	2,015	-	241	694	590	324	142	23	-	-	1
White, mother foreign	11	-	4	3	2	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	876	3	183	311	194	108	55	20	1	-	1
Other	2	-	-	-	1	1	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over		
LOUISIANA--Continued												
Places of 2,500 to 10,000-----	8,454	17	1,223	2,862	2,164	1,266	649	149	9	-	15	
White, mother native-----	6,220	3	780	2,227	1,676	946	462	111	5	-	10	
White, mother foreign-----	31	-	4	15	6	1	4	1	-	-	-	
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-	
Negro-----	2,197	14	436	719	482	347	182	37	4	-	4	
Other-----	5	-	1	1	-	2	1	-	-	-	-	
Rural-----	36,848	90	5,718	11,526	8,930	5,761	3,612	1,080	83	7	63	
White, mother native-----	21,749	18	2,695	7,091	5,549	3,523	2,032	586	26	3	24	
White, mother foreign-----	70	-	4	38	12	8	5	3	-	-	-	
White, mother's nativity not stated-----	3	-	2	1	-	-	-	-	-	-	-	
Negro-----	14,945	72	2,807	4,367	3,351	2,217	1,565	466	57	4	39	
Other-----	61	-	8	29	10	13	10	3	-	-	-	
MAINE-----												
White, mother native-----	18,984	10	1,927	6,693	5,256	3,105	1,566	589	29	2	17	
White, mother foreign-----	1,305	-	48	293	372	269	213	79	6	-	3	
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-	
Negro-----	10	-	1	6	3	-	-	-	-	-	-	
Other-----	26	-	3	13	8	1	1	-	-	-	-	
Urban-----	8,448	3	555	2,980	2,425	1,460	740	167	10	1	8	
White, mother native-----	7,774	3	534	2,828	2,239	1,500	631	125	7	-	7	
White, mother foreign-----	655	-	19	143	179	160	108	42	3	-	1	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	8	-	1	5	2	-	-	-	-	-	-	
Other-----	11	-	1	4	5	-	1	-	-	-	-	
Places of 25,000 to 100,000-----	3,364	2	269	1,155	968	600	308	56	4	-	2	
White, mother native-----	3,101	2	261	1,099	896	534	260	44	3	-	2	
White, mother foreign-----	257	-	7	53	70	68	48	12	1	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	4	-	1	2	1	-	-	-	-	-	-	
Other-----	2	-	-	1	1	-	-	-	-	-	-	
Places of 10,000 to 25,000-----	2,812	1	181	972	841	504	249	60	2	-	2	
White, mother native-----	2,564	1	178	931	773	444	214	39	2	-	2	
White, mother foreign-----	224	-	3	39	66	60	35	21	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	5	-	-	2	1	-	-	-	-	-	-	
Other-----	1	-	-	-	-	-	-	-	-	-	-	
Places of 2,500 to 10,000-----	2,272	-	205	853	616	356	183	51	4	-	4	
White, mother native-----	2,069	-	185	798	570	322	157	42	2	-	3	
White, mother foreign-----	174	-	9	51	43	34	25	9	2	-	1	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	1	-	1	3	-	-	-	-	-	-	-	
Other-----	8	-	1	3	3	-	1	-	-	-	-	
Rural-----	11,978	7	1,325	4,015	3,214	1,935	1,040	301	27	2	12	
White, mother native-----	11,210	7	1,293	3,865	3,017	1,805	935	264	22	2	10	
White, mother foreign-----	650	-	29	150	193	129	105	37	5	-	2	
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-	
Negro-----	2	-	1	1	1	-	-	-	-	-	-	
Other-----	15	-	2	9	3	1	-	-	-	-	-	
MARYLAND-----												
White, mother native-----	40,330	15	3,429	13,283	11,992	7,505	3,421	753	52	2	79	
White, mother foreign-----	751	-	28	197	199	162	127	37	1	-	-	
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	-	
Negro-----	9,231	74	1,996	5,076	1,968	1,196	647	204	18	1	36	
Other-----	33	-	3	7	10	9	2	1	-	-	1	
Urban-----	28,477	60	3,064	9,728	8,095	4,767	2,206	453	22	2	60	
White, mother native-----	21,922	5	1,720	7,477	6,661	3,933	1,740	329	19	1	37	
White, mother foreign-----	472	-	14	124	119	107	87	21	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	6,059	55	1,328	2,121	1,309	740	377	102	3	1	23	
Other-----	24	-	2	6	6	7	2	1	-	-	-	
Places of 100,000 or more-----	21,419	53	2,359	7,336	6,080	3,556	1,640	337	12	2	44	
White, mother native-----	15,749	4	1,183	5,360	4,862	2,829	1,224	229	11	1	26	
White, mother foreign-----	369	-	10	95	65	66	75	18	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	5,264	49	1,165	1,855	1,130	637	339	89	1	1	18	
Other-----	17	-	1	6	3	4	2	1	-	-	-	
Places of 25,000 to 100,000-----	1,864	1	212	679	503	306	142	35	4	-	2	
White, mother native-----	1,619	1	201	664	485	292	138	33	4	-	1	
White, mother foreign-----	15	-	1	4	5	1	3	1	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	50	-	10	11	13	13	1	1	-	-	1	
Other-----	-	-	-	-	-	-	-	-	-	-	-	
Places of 10,000 to 25,000-----	2,257	3	273	768	657	362	154	29	2	-	9	
White, mother native-----	1,694	-	159	563	520	266	132	24	2	-	6	
White, mother foreign-----	30	-	1	9	14	6	-	-	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	530	3	113	196	120	68	22	5	-	-	3	
Other-----	3	-	-	-	3	-	-	-	-	-	-	
Places of 2,500 to 10,000-----	2,917	3	220	945	855	563	270	52	4	-	5	
White, mother native-----	2,680	-	177	870	794	524	246	43	2	-	4	
White, mother foreign-----	58	-	2	16	15	14	9	2	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	195	3	40	59	46	22	15	7	2	-	1	
Other-----	4	-	1	-	-	3	-	-	-	-	-	



## GENERAL TABLES—LIVE BIRTHS

127

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MARYLAND—Continued											
Rural-----	21,870	29	2,391	6,836	6,069	3,885	1,991	542	49	1	57
White, mother native-----	18,408	10	1,708	5,806	5,351	3,572	1,681	424	33	1	42
White, mother foreign-----	279	-	14	73	80	55	40	16	1	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	3,172	19	668	955	674	456	270	102	15	-	13
Other-----	9	-	1	1	4	2	-	-	-	-	1
MASSACHUSETTS											
White, mother native-----	86,309	7	3,585	24,585	29,116	18,714	8,356	1,749	83	11	103
White, mother foreign-----	6,458	-	85	984	1,446	1,690	1,605	586	47	2	12
White, mother's nativity not stated-----	20	-	1	5	1	5	1	5	1	-	1
Negro-----	1,444	2	196	528	402	198	99	19	1	-	1
Other-----	57	-	7	22	15	7	3	2	1	-	-
Urban-----	84,336	7	3,585	23,320	27,819	18,486	8,997	2,093	117	12	100
White, mother native-----	77,024	5	3,119	21,921	26,113	16,761	7,412	1,524	71	10	89
White, mother foreign-----	5,927	-	79	891	1,318	1,545	1,490	549	43	2	10
White, mother's nativity not stated-----	16	-	1	4	1	3	1	4	1	-	1
Negro-----	1,315	2	179	484	372	171	91	14	1	-	-
Other-----	54	-	7	20	15	6	3	2	1	-	1
Places of 100,000 or more-----	35,296	4	1,315	9,946	11,495	7,675	3,724	847	58	2	30
White, mother native-----	31,399	3	1,310	9,153	10,602	6,804	2,884	588	27	2	28
White, mother foreign-----	2,748	-	42	365	579	720	765	246	29	-	2
White, mother's nativity not stated-----	4	-	-	1	1	1	-	-	-	-	1
Negro-----	1,089	1	157	411	299	144	73	12	1	-	-
Other-----	46	-	6	16	14	6	2	1	1	-	-
Places of 25,000 to 100,000-----	26,394	1	940	7,130	8,877	5,869	2,795	695	36	5	48
White, mother native-----	24,304	-	901	6,791	8,376	5,331	2,339	497	25	4	41
White, mother foreign-----	1,942	-	24	290	452	520	446	192	10	1	7
White, mother's nativity not stated-----	9	-	-	3	-	2	1	2	1	-	-
Negro-----	133	1	15	43	48	16	9	1	-	-	-
Other-----	6	-	-	3	1	-	1	1	-	-	-
Places of 10,000 to 25,000-----	16,312	2	642	4,454	5,381	3,576	1,815	401	18	4	19
White, mother native-----	15,344	2	626	4,265	5,152	3,355	1,595	311	17	3	18
White, mother foreign-----	925	-	11	175	216	219	214	87	1	1	1
White, mother's nativity not stated-----	3	-	1	-	-	-	-	2	-	-	-
Negro-----	59	-	4	13	13	2	6	1	-	-	-
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	6,334	-	288	1,790	2,066	1,366	663	152	5	1	5
White, mother native-----	5,977	-	282	1,712	1,983	1,271	585	128	2	1	3
White, mother foreign-----	312	-	2	61	71	86	65	24	3	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	44	-	3	17	12	9	3	-	-	-	-
Other-----	1	-	1	-	-	-	-	-	-	-	-
Rural-----	9,952	2	490	2,804	3,161	2,128	1,067	268	16	1	17
White, mother native-----	9,285	2	466	2,684	3,003	1,953	944	225	12	1	15
White, mother foreign-----	531	-	7	93	129	145	115	37	4	-	2
White, mother's nativity not stated-----	4	-	-	1	-	2	-	1	-	-	-
Negro-----	129	-	17	44	30	25	8	5	-	-	-
Other-----	3	-	-	2	-	1	-	-	-	-	-
MICHIGAN											
White, mother native-----	124,750	22	9,126	41,812	38,269	22,576	10,203	2,495	167	2	68
White, mother foreign-----	6,184	2	140	1,318	1,726	1,496	1,091	376	42	-	3
White, mother's nativity not stated-----	11	-	2	4	3	1	-	-	-	-	1
Negro-----	6,107	46	1,597	2,800	1,925	1,077	508	132	11	-	9
Other-----	225	-	34	85	62	34	19	9	1	-	1
Urban-----	97,678	57	7,452	32,382	30,048	17,809	7,907	1,852	118	1	52
White, mother native-----	84,772	12	5,803	28,568	26,756	15,538	6,549	1,429	76	1	40
White, mother foreign-----	5,128	1	119	1,115	1,450	1,240	876	294	30	-	3
White, mother's nativity not stated-----	4	-	1	1	2	-	-	-	-	-	-
Negro-----	7,653	44	1,515	2,661	1,802	1,012	472	127	11	-	9
Other-----	121	-	14	37	38	19	10	2	1	-	-
Places of 100,000 or more-----	48,964	38	3,570	15,894	15,261	9,212	3,981	928	66	1	13
White, mother native-----	39,841	5	2,365	13,201	12,940	7,603	3,045	643	35	1	7
White, mother foreign-----	3,386	1	77	681	969	838	574	190	24	-	1
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	5,699	32	1,127	1,991	1,326	759	357	94	8	-	5
Other-----	67	-	3	20	26	11	5	1	1	-	-
Places of 25,000 to 100,000-----	23,480	7	1,816	8,147	7,206	4,029	1,816	435	20	-	15
White, mother native-----	21,802	1	1,633	7,647	6,768	3,724	1,630	368	17	-	14
White, mother foreign-----	871	-	21	214	242	193	143	55	3	-	-
White, mother's nativity not stated-----	3	-	1	-	2	-	-	-	-	-	-
Negro-----	787	6	159	278	185	104	42	12	-	-	1
Other-----	27	-	2	8	9	7	1	-	-	-	-
Places of 10,000 to 25,000-----	11,302	7	983	3,808	3,385	1,959	933	203	12	-	12
White, mother native-----	10,068	2	812	3,430	3,069	1,780	807	170	8	-	10
White, mother foreign-----	415	-	9	108	113	93	73	20	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	809	5	158	267	202	106	53	13	3	-	2
Other-----	10	-	4	5	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	13,922	5	1,083	4,533	4,196	2,610	1,177	286	20	-	12
White, mother native-----	13,061	4	995	4,290	3,979	2,451	1,067	248	18	-	9
White, mother foreign-----	486	-	12	114	126	115	86	29	2	-	2
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	358	1	71	125	89	43	20	8	-	-	1
Other-----	17	-	5	4	2	1	4	1	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.--LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946--Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MICHIGAN--Continued											
Rural-----	41,599	15	3,447	13,617	11,937	7,375	3,904	1,150	103	1	50
White, mother native-----	39,978	10	3,323	15,244	11,513	7,038	3,654	1,056	91	1	48
White, mother foreign-----	1,056	1	21	203	276	256	205	82	12	-	-
White, mother's nativity not stated-----	7	-	1	3	1	1	-	-	-	-	1
Negro-----	454	4	82	139	123	65	36	5	-	-	-
Other-----	104	-	20	28	24	15	9	7	-	-	1
MINNESOTA-----											
Rural-----	67,266	20	3,712	19,873	20,513	13,839	7,041	2,024	138	2	104
White, mother native-----	65,191	17	3,596	19,333	19,954	13,429	6,752	1,961	129	2	99
White, mother foreign-----	1,317	1	29	271	371	293	223	117	10	-	2
White, mother's nativity not stated-----	3	-	-	2	-	-	-	-	-	-	1
Negro-----	168	-	25	81	42	24	13	3	-	-	-
Other-----	567	2	62	166	146	93	53	23	-	-	2
Urban-----	36,018	9	1,881	11,066	11,258	7,355	3,484	875	49	-	41
White, mother native-----	34,855	8	1,824	10,758	10,909	7,121	3,338	813	45	-	39
White, mother foreign-----	828	-	17	173	252	195	128	58	4	-	1
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	194	-	25	79	42	22	13	3	-	-	-
Other-----	149	1	15	55	55	17	5	1	-	-	-
Places of 100,000 or more-----	22,100	6	1,104	6,890	6,980	4,475	2,118	495	27	-	5
White, mother native-----	21,234	5	1,062	6,648	6,725	4,311	2,001	455	24	-	3
White, mother foreign-----	552	-	5	111	162	132	101	37	3	-	1
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	183	-	25	79	42	21	13	3	-	-	-
Other-----	130	1	12	52	51	11	3	-	-	-	-
Places of 25,000 to 100,000-----	742	-	32	200	252	149	89	15	1	-	4
White, mother native-----	725	-	32	199	248	142	87	12	1	-	4
White, mother foreign-----	17	-	-	1	4	7	2	3	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	4,609	-	285	1,430	1,399	911	464	122	8	-	10
White, mother native-----	4,518	-	258	1,416	1,373	893	450	114	8	-	10
White, mother foreign-----	89	-	7	14	26	20	14	8	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	2	-	-	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000-----	8,567	3	480	2,546	2,627	1,820	813	243	13	-	22
White, mother native-----	8,378	3	472	2,495	2,563	1,779	800	232	12	-	22
White, mother foreign-----	170	-	5	47	60	36	11	10	1	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	1	-	-	-	-	1	-	-	-	-	-
Other-----	17	-	3	3	4	4	2	1	-	-	-
MISSISSIPPI-----											
Rural-----	51,248	11	1,631	8,807	9,255	6,484	3,557	1,149	89	2	63
White, mother native-----	50,336	9	1,772	8,575	9,045	6,308	3,414	1,068	83	2	60
White, mother foreign-----	489	1	12	98	119	98	95	59	6	-	1
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	4	-	-	2	-	2	-	-	-	-	-
Other-----	418	1	47	131	91	76	46	22	-	-	2
MISSISSIPPI-----											
Rural-----	61,690	308	11,056	19,083	14,242	9,236	5,850	1,658	140	9	108
White, mother native-----	29,858	19	3,885	9,805	7,692	4,847	2,770	775	47	2	36
White, mother foreign-----	113	-	15	45	28	15	8	1	-	-	1
White, mother's nativity not stated-----	4	-	3	-	-	-	1	-	-	-	-
Negro-----	31,609	288	7,147	9,208	6,495	4,365	3,060	876	92	7	71
Other-----	106	1	26	25	27	9	11	6	1	-	-
Urban-----	16,922	45	2,644	5,643	4,318	2,560	1,375	295	19	-	23
White, mother native-----	10,527	4	1,223	3,622	2,949	1,725	819	171	7	-	7
White, mother foreign-----	61	-	8	24	17	9	2	1	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	1	-	-	-	-
Negro-----	6,307	41	1,409	1,990	1,345	623	549	123	11	-	16
Other-----	26	-	4	7	7	3	4	-	1	-	-
Places of 25,000 to 100,000-----	3,229	12	479	1,105	848	500	233	46	3	-	3
White, mother native-----	2,012	2	195	699	581	371	147	22	1	-	1
White, mother foreign-----	14	-	1	4	8	-	1	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1,197	10	283	403	259	129	85	24	2	-	2
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	6,663	12	1,054	2,237	1,719	1,008	521	116	5	-	11
White, mother native-----	4,150	1	495	1,457	1,191	639	294	67	3	-	3
White, mother foreign-----	23	-	1	9	8	3	1	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,485	11	556	770	518	364	226	48	2	-	8
Other-----	5	-	-	1	2	2	-	-	-	-	-
Places of 2,500 to 10,000-----	7,030	21	1,131	2,301	1,751	1,052	621	133	11	-	9
White, mother native-----	4,359	1	533	1,467	1,177	715	378	82	3	-	3
White, mother foreign-----	24	-	6	11	1	6	-	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	1	-	-	-	-
Negro-----	2,625	20	598	817	568	330	238	51	7	-	6
Other-----	21	-	4	6	5	1	4	-	1	-	-
MISSOURI-----											
Rural-----	44,768	283	8,412	13,440	9,924	6,676	4,475	1,363	121	9	85
White, mother native-----	19,331	15	2,642	6,183	4,743	3,122	1,951	604	40	2	29
White, mother foreign-----	52	-	7	21	11	6	6	-	-	-	1
White, mother's nativity not stated-----	3	-	3	-	-	-	-	-	-	-	-
Negro-----	25,302	247	5,736	7,218	5,150	3,542	2,511	753	81	7	55
Other-----	80	1	22	18	20	6	7	6	-	-	-



## GENERAL TABLES—LIVE BIRTHS

129

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
<b>MISSOURI</b>	80,684	78	8,928	26,442	21,729	13,905	7,404	1,954	129	3	113
White, mother native	73,932	32	7,547	24,317	20,283	12,962	6,773	1,793	122	3	100
White, mother foreign	699	-	18	183	177	146	137	36	1	-	1
White, mother's nativity not stated	6	-	1	-	-	1	1	1	-	-	2
Negro	6,006	46	1,357	1,924	1,257	792	492	122	6	-	10
Other	41	-	5	18	11	4	1	2	-	-	-
Urban	47,073	54	5,119	15,902	13,183	8,043	3,857	846	40	1	28
White, mother native	41,474	13	3,978	14,101	11,951	7,262	3,366	725	37	1	20
White, mother foreign	585	-	9	134	143	123	119	31	-	-	1
White, mother's nativity not stated	3	-	-	-	-	1	-	1	-	-	1
Negro	5,000	41	1,128	1,653	1,074	635	378	89	3	-	6
Other	31	-	4	14	10	2	-	1	-	-	-
Places of 100,000 or more	28,270	40	3,060	9,448	7,998	4,942	2,278	480	17	1	5
White, mother native	23,597	5	2,098	7,925	6,952	4,310	1,894	394	15	1	2
White, mother foreign	420	-	8	84	111	97	92	28	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	1	-	-	-
Negro	4,237	35	950	1,428	929	532	292	66	2	-	3
Other	24	-	3	12	6	2	-	1	-	-	-
Places of 25,000 to 100,000	4,614	1	522	1,857	1,254	731	354	81	6	-	8
White, mother native	4,452	1	505	1,804	1,221	707	327	76	6	-	5
White, mother foreign	80	-	1	21	12	7	15	3	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	100	-	16	51	20	17	12	2	-	-	2
Other	2	-	-	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	6,172	3	587	2,059	1,776	1,088	532	121	4	-	2
White, mother native	5,802	1	501	1,845	1,701	1,058	499	112	4	-	1
White, mother foreign	52	-	-	15	18	14	7	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	316	2	88	99	58	36	28	9	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	8,017	10	950	2,737	2,155	1,232	693	164	13	-	13
White, mother native	7,633	6	873	2,627	2,077	1,227	646	153	12	-	12
White, mother foreign	33	-	-	14	9	5	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	347	4	76	95	67	50	42	11	1	-	1
Other	4	-	1	1	2	-	-	-	-	-	-
Rural	33,611	24	3,809	10,540	8,545	5,862	3,547	1,108	89	2	85
White, mother native	32,469	19	3,569	10,216	8,332	5,680	3,407	1,068	85	2	80
White, mother foreign	134	-	9	49	29	23	18	5	1	-	-
White, mother's nativity not stated	3	-	1	-	-	-	1	-	-	-	1
Negro	1,006	55	229	271	183	157	120	34	3	-	4
Other	10	-	1	4	1	2	1	1	-	-	-
<b>MONTANA</b>	12,858	5	1,082	4,214	3,814	2,293	1,107	285	26	-	22
White, mother native	11,791	5	989	3,903	3,556	2,094	960	248	16	-	20
White, mother foreign	437	-	12	120	101	86	82	31	4	-	1
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	10	-	2	1	4	2	1	-	-	-	-
Other	619	-	79	180	153	111	63	16	6	-	1
Urban	6,338	3	519	2,085	1,909	1,171	509	113	9	-	10
White, mother native	6,070	3	503	2,021	1,848	1,110	471	98	7	-	9
White, mother foreign	220	-	5	59	54	50	34	15	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	2	1	2	2	-	-	-	-	-
Other	41	-	9	14	5	9	4	-	-	-	-
Places of 25,000 to 100,000	1,787	1	137	586	548	338	162	32	2	-	1
White, mother native	1,704	1	130	541	529	319	151	30	2	-	1
White, mother foreign	72	-	2	21	19	18	10	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	10	-	4	4	-	1	1	-	-	-	-
Places of 10,000 to 25,000	2,134	1	167	710	616	424	189	37	6	-	4
White, mother native	2,057	1	164	692	597	407	159	29	4	-	4
White, mother foreign	64	-	1	15	16	13	9	8	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-
Negro	6	-	1	1	2	2	-	-	-	-	-
Other	7	-	1	2	1	2	1	-	-	-	-
Places of 2,500 to 10,000	2,417	1	215	819	745	409	178	44	1	-	5
White, mother native	2,308	1	209	786	722	384	161	39	1	-	4
White, mother foreign	84	-	2	23	19	19	15	5	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	24	-	4	8	4	6	2	-	-	-	-
Rural	6,520	2	563	2,119	1,905	1,122	598	192	17	-	12
White, mother native	5,721	2	486	1,822	1,708	984	499	150	9	-	11
White, mother foreign	217	-	7	61	47	36	48	16	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	3	-	-	-	2	-	1	-	-	-	-
Other	578	-	70	176	149	102	59	16	6	-	1
<b>NEBRASKA</b>	28,052	6	2,186	9,324	8,426	4,954	2,416	665	45	-	30
White, mother native	27,131	5	2,059	9,057	8,232	4,793	2,308	616	37	-	24
White, mother foreign	337	-	10	66	75	76	66	35	7	-	2
White, mother's nativity not stated	9	-	1	2	1	3	1	1	-	-	-
Negro	396	1	89	144	72	54	22	12	-	-	2
Other	179	-	27	55	46	28	19	1	1	-	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEBRASKA—Continued											
Urban-----	13,583	3	1,128	4,776	4,081	2,307	999	257	21	-	11
White, mother native-----	12,929	2	1,024	4,577	3,951	2,198	931	225	15	-	8
White, mother foreign-----	197	-	7	36	41	46	40	21	5	-	1
White, mother's nativity not stated-----	5	-	1	1	1	1	1	-	-	-	-
Negro-----	394	1	68	143	72	54	22	12	-	-	2
Other-----	59	-	8	19	16	8	5	1	1	-	-
Places of 100,000 or more-----	5,775	2	445	1,960	1,727	1,032	482	114	9	-	4
White, mother native-----	5,283	1	354	1,797	1,639	960	454	90	8	-	2
White, mother foreign-----	101	-	2	19	20	19	25	13	3	-	-
White, mother's nativity not stated-----	2	-	-	1	-	1	-	-	-	-	-
Negro-----	360	1	85	131	64	47	19	11	-	-	2
Other-----	29	-	4	12	4	5	4	-	-	-	-
Places of 25,000 to 100,000-----	2,063	-	141	760	649	361	133	37	1	-	1
White, mother native-----	2,035	-	139	749	638	347	128	32	1	-	1
White, mother foreign-----	24	-	-	2	5	9	4	4	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	18	-	2	7	3	5	1	-	-	-	-
Other-----	6	-	-	2	3	-	-	1	-	-	-
Places of 10,000 to 25,000-----	2,726	1	266	971	855	400	179	45	7	-	2
White, mother native-----	2,661	1	259	956	836	387	171	44	5	-	2
White, mother foreign-----	44	-	5	11	9	11	6	-	2	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	10	-	1	3	4	-	1	1	-	-	-
Other-----	10	-	1	1	5	2	1	-	-	-	-
Places of 2,500 to 10,000-----	2,999	-	276	1,065	950	514	205	61	4	-	4
White, mother native-----	2,950	-	272	1,075	938	504	198	57	3	-	3
White, mother foreign-----	28	-	-	4	7	7	5	4	-	-	1
White, mother's nativity not stated-----	2	-	1	-	-	-	1	-	-	-	-
Negro-----	6	-	-	2	1	2	1	-	-	-	-
Other-----	13	-	3	4	4	1	-	-	1	-	-
Rural-----	14,469	3	1,056	4,546	4,345	2,647	1,417	408	24	-	19
White, mother native-----	14,202	3	1,035	4,480	4,281	2,595	1,377	393	22	-	16
White, mother foreign-----	140	-	3	30	34	30	26	14	2	-	1
White, mother's nativity not stated-----	4	-	-	1	-	2	-	1	-	-	-
Negro-----	2	-	1	1	-	-	-	-	-	-	-
Other-----	121	-	19	36	30	20	14	-	-	-	2
NEVADA-----											
White, mother native-----	2,946	2	284	1,023	867	486	244	55	2	1	2
White, mother foreign-----	90	-	3	18	28	19	14	8	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	87	-	17	27	22	13	7	1	-	-	-
Other-----	159	-	25	44	41	25	13	5	4	-	2
Urban-----	1,606	-	133	563	497	256	139	26	2	-	-
White, mother native-----	1,482	-	115	527	457	232	127	23	1	-	-
White, mother foreign-----	47	-	1	10	11	15	7	3	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	62	-	15	19	15	9	5	-	-	-	-
Other-----	14	-	2	6	4	1	-	-	1	-	-
Places of 10,000 to 25,000-----	752	-	52	254	249	124	66	6	1	-	-
White, mother native-----	710	-	49	239	243	112	61	6	1	-	-
White, mother foreign-----	25	-	-	7	3	10	5	-	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	7	-	2	3	1	1	-	-	-	-	-
Other-----	9	-	2	4	2	1	-	-	-	-	-
Places of 2,500 to 10,000-----	854	-	81	309	236	132	73	20	1	-	-
White, mother native-----	772	-	67	288	214	120	66	17	-	-	-
White, mother foreign-----	22	-	1	3	8	5	2	3	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	55	-	13	16	14	7	5	-	-	-	-
Other-----	5	-	-	2	2	-	-	-	1	-	-
Rural-----	1,677	2	196	560	471	267	139	43	4	1	4
White, mother native-----	1,484	2	169	496	410	234	117	32	1	1	2
White, mother foreign-----	43	-	2	8	17	4	7	5	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	25	-	2	8	7	5	2	1	-	-	-
Other-----	145	-	23	38	37	24	13	5	3	-	2
NEW HAMPSHIRE-----											
White, mother native-----	10,404	3	785	3,443	3,186	1,869	886	199	24	-	9
White, mother foreign-----	689	-	10	127	183	162	132	47	8	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-
Negro-----	16	-	1	8	7	-	-	-	-	-	-
Other-----	2	-	1	-	1	-	-	-	-	-	-
Urban-----	6,463	1	432	2,106	2,012	1,194	559	134	19	-	6
White, mother native-----	5,979	1	424	2,020	1,879	1,069	464	104	12	-	6
White, mother foreign-----	467	-	6	78	126	125	95	30	7	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	14	-	1	8	5	-	-	-	-	-	-
Other-----	2	-	1	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000-----	3,211	-	161	1,002	1,074	605	288	73	7	-	1
White, mother native-----	2,945	-	158	960	932	542	234	54	4	-	1
White, mother foreign-----	264	-	2	35	78	63	54	19	3	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	10	-	1	7	2	-	-	-	-	-	-
Other-----	1	-	-	-	1	-	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

131

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEW HAMPSHIRE—Continued											
Places of 10,000 to 25,000	2,406	1	194	821	701	430	203	42	10	-	4
White, mother native	2,233	1	191	784	661	379	170	36	7	-	4
White, mother foreign	168	-	2	36	37	51	33	6	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	1	3	-	-	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	846	-	77	283	237	159	68	19	2	-	1
White, mother native	801	-	75	276	226	148	60	14	1	-	1
White, mother foreign	45	-	2	7	11	11	8	5	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	4,629	2	365	1,472	1,566	837	459	112	13	-	3
White, mother native	4,425	2	361	1,425	1,507	800	422	95	12	-	3
White, mother foreign	202	-	4	49	57	37	37	17	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY											
	95,218	38	4,582	26,738	32,141	20,723	9,077	1,781	82	3	53
White, mother native	85,859	15	3,542	23,443	29,287	18,747	7,612	1,344	50	2	37
White, mother foreign	4,766	-	86	967	1,276	1,156	1,026	321	20	-	4
White, mother's nativity not stated	5	-	1	1	-	1	1	-	-	-	1
Negro	6,535	23	1,152	2,408	1,576	804	435	114	11	1	11
Other	63	-	1	19	22	15	3	2	1	-	-
Urban	77,181	26	3,511	21,417	26,510	17,030	7,394	1,378	67	3	45
White, mother native	67,447	12	2,436	18,572	23,868	15,325	6,134	1,024	42	2	32
White, mother foreign	4,117	-	73	734	1,112	1,019	898	262	15	-	4
White, mother's nativity not stated	3	-	-	-	-	1	1	-	-	-	1
Negro	5,587	14	1,001	2,103	1,322	678	361	90	9	1	8
Other	27	-	1	8	8	7	-	2	1	-	-
Places of 100,000 or more	26,979	14	1,537	8,049	8,697	5,622	2,358	446	24	1	26
White, mother native	22,367	5	924	6,584	7,792	4,873	1,851	302	17	1	18
White, mother foreign	1,468	-	25	248	379	375	327	105	9	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	3,137	9	588	1,215	725	371	180	39	3	-	7
Other	5	-	-	2	1	2	-	-	-	-	-
Places of 25,000 to 100,000	21,725	3	772	5,742	7,691	5,001	2,091	400	16	-	9
White, mother native	19,175	1	556	5,073	6,999	4,516	1,727	289	9	-	5
White, mother foreign	1,555	-	27	224	400	334	283	80	3	-	4
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,183	2	188	440	290	150	81	29	3	-	-
Other	12	-	1	5	2	1	-	2	1	-	-
Places of 10,000 to 25,000	13,939	3	567	3,769	4,779	3,124	1,404	275	11	1	6
White, mother native	12,493	2	445	3,354	4,393	2,874	1,185	226	7	1	6
White, mother foreign	648	-	8	120	176	154	152	36	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	791	1	114	294	207	94	66	13	2	-	-
Other	6	-	-	1	3	2	-	-	-	-	-
Places of 2,500 to 10,000	14,538	6	635	3,857	4,943	3,283	1,541	257	11	1	4
White, mother native	13,412	4	511	3,561	4,684	3,062	1,371	207	9	-	3
White, mother foreign	646	-	13	142	157	156	136	41	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	476	2	111	154	100	63	34	9	1	1	1
Other	4	-	-	-	2	-	-	-	-	-	-
Rural	18,037	12	1,071	5,321	5,831	3,693	1,683	403	15	-	8
White, mother native	16,412	3	906	4,871	5,399	3,422	1,478	320	8	-	5
White, mother foreign	639	-	13	133	164	137	128	59	5	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	-
Negro	948	9	151	305	254	126	74	24	2	-	3
Other	36	-	-	11	14	8	3	-	-	-	-
NEW MEXICO											
	18,067	16	2,161	5,626	4,538	3,040	1,838	571	65	1	31
White, mother native	16,278	11	1,958	5,342	4,079	2,730	1,604	493	46	-	15
White, mother foreign	392	-	19	59	101	79	96	35	3	-	-
White, mother's nativity not stated	4	-	-	3	1	-	-	-	-	-	-
Negro	179	1	38	49	41	31	19	-	-	-	-
Other	1,234	4	146	373	318	200	119	43	16	1	16
Urban	7,267	3	932	2,480	1,867	1,191	611	173	9	-	1
White, mother native	6,869	2	885	2,391	1,760	1,114	553	156	7	-	1
White, mother foreign	164	-	9	28	42	34	34	16	1	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	136	1	30	33	36	24	12	-	-	-	-
Other	96	-	8	26	29	19	12	1	1	-	-
Places of 25,000 to 100,000	1,263	-	116	446	341	224	110	23	3	-	-
White, mother native	1,205	-	110	434	327	210	99	23	2	-	-
White, mother foreign	27	-	1	4	9	5	8	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	5	-	3	-	1	1	-	-	-	-	-
Other	25	-	2	7	4	8	3	-	1	-	-
Places of 10,000 to 25,000	2,294	1	301	813	571	361	202	43	2	-	-
White, mother native	2,173	-	280	783	540	335	191	43	1	-	-
White, mother foreign	22	-	3	4	5	6	3	-	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	81	1	16	19	22	16	7	-	-	-	-
Other	17	-	2	6	4	4	1	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over		
NEW MEXICO—Continued												
Places of 2,500 to 10,000-----	3,710	2	515	1,221	955	606	299	107	4	-	-	1
White, mother native-----	3,491	2	495	1,174	833	589	263	90	4	-	-	1
White, mother foreign-----	115	-	5	20	28	23	23	16	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Negro-----	50	-	11	14	13	7	5	-	-	-	-	-
Other-----	54	-	4	13	21	7	6	1	-	-	-	-
Rural-----	10,820	13	1,229	3,346	2,671	1,849	1,227	598	56	1	-	30
White, mother native-----	9,403	9	1,073	2,951	2,319	1,616	1,051	537	39	-	-	14
White, mother foreign-----	228	-	10	31	59	45	62	19	2	-	-	-
White, mother's nativity not stated-----	2	-	-	1	1	-	-	-	-	-	-	-
Negro-----	43	-	6	16	5	7	7	-	-	-	-	-
Other-----	1,139	4	136	347	287	181	107	42	15	1	-	16
NEW YORK-----												
	296,546	100	14,236	76,740	92,875	64,024	29,935	5,995	294	7	-	340
White, mother native-----	247,166	40	10,970	66,623	83,507	55,504	23,632	4,208	195	5	-	282
White, mother foreign-----	22,074	-	335	3,483	5,196	6,178	5,221	1,541	83	-	-	37
White, mother's nativity not stated-----	31	-	2	9	8	3	4	-	-	-	-	5
Negro-----	16,727	59	2,891	6,243	4,004	2,234	1,054	230	14	2	-	18
Other-----	548	1	36	182	160	105	44	16	2	-	-	-
Urban-----	235,299	84	10,974	63,705	77,448	53,572	24,349	4,635	206	7	-	317
White, mother native-----	196,786	28	7,863	54,419	68,758	45,688	18,608	3,027	130	5	-	260
White, mother foreign-----	19,909	-	296	3,080	4,693	5,638	4,715	1,388	63	-	-	38
White, mother's nativity not stated-----	14	-	-	4	3	1	1	-	-	-	-	5
Negro-----	16,223	56	2,790	6,084	3,882	2,169	999	212	13	2	-	16
Other-----	367	-	25	118	112	76	26	8	2	-	-	-
Places of 100,000 or more-----	181,634	71	8,079	47,671	60,265	42,552	19,195	3,544	153	4	-	300
White, mother native-----	149,403	19	5,252	39,406	52,677	35,525	14,053	2,157	86	3	-	243
White, mother foreign-----	17,223	-	229	2,552	3,940	4,998	4,207	1,209	52	-	-	36
White, mother's nativity not stated-----	8	-	-	2	1	-	-	-	-	-	-	5
Negro-----	14,671	52	2,576	5,604	3,548	1,956	912	191	13	1	-	16
Other-----	329	-	20	105	99	73	23	7	2	-	-	-
Places of 25,000 to 100,000-----	18,266	6	1,055	5,598	5,811	3,724	1,627	328	13	1	-	3
White, mother native-----	16,594	4	923	5,149	5,442	3,401	1,595	295	12	-	-	3
White, mother foreign-----	986	-	18	202	295	219	187	64	1	-	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-	-
Negro-----	685	2	112	244	169	104	44	9	-	1	-	-
Other-----	10	-	2	3	4	-	1	-	-	-	-	-
Places of 10,000 to 25,000-----	19,494	1	1,031	5,632	6,277	3,979	1,947	395	23	1	-	7
White, mother native-----	18,054	1	934	5,473	5,902	3,658	1,746	325	17	1	-	7
White, mother foreign-----	963	-	31	196	257	238	173	62	6	-	-	-
White, mother's nativity not stated-----	3	-	-	1	1	1	-	-	-	-	-	-
Negro-----	451	-	65	161	112	80	26	7	-	-	-	-
Other-----	13	-	1	2	5	2	2	1	-	-	-	-
Places of 2,500 to 10,000-----	15,705	6	809	4,803	4,995	3,317	1,580	368	19	1	-	7
White, mother native-----	14,735	4	754	4,589	4,737	3,104	1,414	310	15	1	-	7
White, mother foreign-----	737	-	18	130	201	183	148	53	4	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	1	-	-	-	-	-
Negro-----	216	2	36	75	53	29	17	5	-	-	-	-
Other-----	15	-	2	8	4	1	-	-	-	-	-	-
Rural-----	51,247	16	3,282	15,035	15,427	10,452	5,586	1,360	86	-	-	23
White, mother native-----	48,380	12	3,107	14,404	14,749	9,816	5,024	1,161	65	-	-	22
White, mother foreign-----	2,165	-	39	403	503	540	506	153	20	-	-	1
White, mother's nativity not stated-----	17	-	2	5	5	2	3	-	-	-	-	-
Negro-----	504	3	101	159	122	65	35	18	1	-	-	-
Other-----	161	1	13	64	48	29	18	8	-	-	-	-
NORTH CAROLINA-----												
	100,679	241	14,680	33,027	24,953	15,625	8,997	2,650	258	6	-	232
White, mother native-----	70,668	54	8,584	23,723	18,403	11,533	6,455	1,826	164	5	-	121
White, mother foreign-----	180	1	10	79	41	24	16	7	1	-	-	1
White, mother's nativity not stated-----	14	-	1	2	3	-	-	1	-	-	-	7
Negro-----	26,563	184	5,950	8,976	6,269	3,902	2,406	789	88	1	-	98
Other-----	1,054	2	135	347	247	166	120	27	5	-	-	5
Urban-----	29,427	65	4,060	10,292	7,745	4,569	2,184	437	29	1	-	46
White, mother native-----	21,522	11	2,235	7,671	6,036	3,594	1,637	310	15	1	-	22
White, mother foreign-----	100	-	3	42	23	17	10	4	1	-	-	-
White, mother's nativity not stated-----	5	-	1	1	-	-	-	-	-	-	-	3
Negro-----	7,783	54	1,619	2,573	1,680	965	535	123	13	-	-	21
Other-----	17	-	2	5	6	2	2	-	-	-	-	-
Places of 100,000 or more-----	2,996	10	382	1,009	845	465	235	44	5	-	-	1
White, mother native-----	2,172	3	205	734	652	366	182	27	2	-	-	1
White, mother foreign-----	15	-	1	4	3	2	2	1	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Negro-----	809	7	176	271	188	97	51	16	3	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000-----	11,613	21	1,594	4,071	5,032	1,830	878	170	7	-	-	10
White, mother native-----	6,032	2	777	2,900	2,246	1,368	615	116	5	-	-	3
White, mother foreign-----	49	-	2	21	11	10	4	1	-	-	-	1
White, mother's nativity not stated-----	2	-	1	-	-	-	-	-	-	-	-	-
Negro-----	3,529	19	814	1,150	775	451	259	53	2	-	-	6
Other-----	1	-	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000-----	7,696	20	1,103	2,761	1,996	1,150	545	95	8	-	-	8
White, mother native-----	5,632	2	609	2,059	1,603	894	413	65	4	-	-	3
White, mother foreign-----	16	-	-	9	3	2	3	1	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,032	18	494	691	409	254	129	29	4	-	-	4
Other-----	3	-	-	2	1	-	-	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

133

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NORTH CAROLINA—Continued											
Places of 2,500 to 10,000-----	7,132	14	961	2,451	1,872	1,123	526	128	9	1	27
White, mother native-----	5,686	4	644	1,978	1,555	956	427	102	4	1	15
White, mother foreign-----	18	-	-	8	4	3	1	1	1	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	1,413	10	335	461	308	163	96	25	4	-	11
Other-----	13	-	2	3	5	1	2	-	-	-	-
Rural-----	71,282	176	10,620	22,735	17,218	11,057	6,813	2,213	229	5	166
White, mother native-----	49,546	43	6,349	16,052	12,567	7,949	4,618	1,516	149	4	99
White, mother foreign-----	80	1	7	37	18	7	6	3	-	-	1
White, mother's nativity not stated-----	9	-	-	1	3	-	-	1	-	-	4
Negro-----	20,760	130	4,131	6,303	4,589	2,937	1,671	666	75	1	77
Other-----	1,037	2	133	342	241	164	118	27	5	-	5
NORTH DAKOTA-----	15,264	3	968	4,586	4,393	3,042	1,656	525	39	1	51
White, mother native-----	14,545	3	915	4,396	4,243	2,919	1,530	463	30	1	45
White, mother foreign-----	345	-	7	69	72	61	84	45	8	-	1
White, mother's nativity not stated-----	3	-	-	2	-	-	-	-	-	-	-
Negro-----	3	-	1	1	-	1	-	-	-	-	-
Other-----	368	-	45	118	78	60	42	19	1	-	5
Urban-----	4,058	-	239	1,316	1,222	794	373	103	3	1	7
White, mother native-----	3,941	-	232	1,281	1,189	766	357	95	3	1	7
White, mother foreign-----	92	-	3	25	19	23	14	8	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	1	-	1	-	-	-	-	-	-	-	-
Other-----	23	-	3	9	4	5	2	-	-	-	-
Places of 25,000 to 100,000-----	870	-	39	288	293	181	81	16	1	-	1
White, mother native-----	850	-	39	280	288	177	78	16	1	-	1
White, mother foreign-----	18	-	-	7	5	4	2	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	2	-	-	1	-	-	1	-	-	-	-
Places of 10,000 to 25,000-----	1,657	-	102	550	472	335	149	44	2	-	3
White, mother native-----	1,611	-	99	541	463	318	143	42	2	-	3
White, mother foreign-----	36	-	3	6	6	14	5	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	10	-	-	3	3	3	1	-	-	-	-
Places of 2,500 to 10,000-----	1,531	-	98	508	457	278	143	43	-	1	3
White, mother native-----	1,480	-	94	490	448	271	156	37	-	1	3
White, mother foreign-----	38	-	-	12	8	5	7	6	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	1	-	1	-	-	-	-	-	-	-	-
Other-----	11	-	3	5	1	2	-	-	-	-	-
Rural-----	11,206	3	729	3,270	3,171	2,248	1,283	422	36	-	44
White, mother native-----	10,604	3	683	3,115	3,044	2,153	1,173	368	27	-	38
White, mother foreign-----	253	-	4	44	53	38	70	35	8	-	1
White, mother's nativity not stated-----	2	-	-	1	-	1	-	-	-	-	-
Negro-----	2	-	-	1	-	1	-	-	-	-	-
Other-----	345	-	42	109	74	55	40	19	1	-	5
OHIO-----	169,600	81	13,611	55,669	51,026	30,675	14,453	3,592	237	6	230
White, mother native-----	156,512	57	11,595	51,436	47,906	28,703	13,218	3,197	206	5	209
White, mother foreign-----	3,188	-	67	708	822	725	600	223	13	-	2
White, mother's nativity not stated-----	23	-	2	7	3	2	5	1	-	-	3
Negro-----	9,909	44	1,944	5,305	2,262	1,226	626	166	18	1	15
Other-----	98	-	3	33	33	19	4	5	-	-	1
Urban-----	119,438	60	9,321	39,646	36,378	21,655	9,553	2,070	124	3	128
White, mother native-----	107,477	19	7,420	35,723	34,036	19,864	8,484	1,739	96	2	114
White, mother foreign-----	2,673	-	56	587	692	635	513	179	11	-	-
White, mother's nativity not stated-----	15	-	2	6	1	1	2	1	-	-	2
Negro-----	9,182	41	1,842	3,299	2,116	1,137	571	147	17	1	11
Other-----	91	-	1	31	33	18	3	4	-	-	1
Places of 100,000 or more-----	70,204	47	5,527	23,323	21,885	12,633	5,497	1,155	72	2	73
White, mother native-----	60,782	10	3,944	20,199	19,653	11,260	4,671	910	51	1	63
White, mother foreign-----	1,841	-	37	399	472	448	361	126	8	-	-
White, mother's nativity not stated-----	7	-	1	4	1	1	-	-	-	-	-
Negro-----	7,512	37	1,544	2,700	1,732	908	453	115	13	1	9
Other-----	82	-	1	31	27	16	2	4	-	-	1
Places of 25,000 to 100,000-----	18,697	7	1,546	6,360	5,676	3,321	1,427	329	14	-	17
White, mother native-----	17,506	5	1,381	5,967	5,379	3,142	1,313	293	12	-	15
White, mother foreign-----	331	-	6	81	101	69	52	22	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	1	-	-	-
Negro-----	855	2	159	312	194	109	62	13	2	-	2
Other-----	4	-	-	-	3	1	-	-	-	-	-
Places of 10,000 to 25,000-----	13,960	-	1,036	4,580	4,264	2,601	1,204	245	20	1	9
White, mother native-----	13,504	-	974	4,584	4,103	2,484	1,113	219	17	1	9
White, mother foreign-----	268	-	5	66	65	55	60	16	1	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	1	-	-	-	-
Negro-----	384	-	57	129	95	62	29	10	2	-	-
Other-----	2	-	-	-	1	-	1	-	-	-	-
Places of 2,500 to 10,000-----	16,577	6	1,212	5,383	5,053	3,100	1,435	341	18	-	29
White, mother native-----	15,905	4	1,121	5,173	4,902	2,978	1,367	317	16	-	27
White, mother foreign-----	233	-	8	51	54	63	40	15	2	-	-
White, mother's nativity not stated-----	5	-	1	-	-	-	1	-	-	-	2
Negro-----	431	2	82	158	95	58	27	9	-	-	-
Other-----	3	-	-	-	2	1	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)											
AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
OHIO--Continued											
Rural.....	50,162	21	4,290	16,043	14,148	9,020	4,900	1,522	113	3	102
White, mother native.....	49,035	18	4,175	15,713	13,870	8,839	4,754	1,458	110	3	95
White, mother foreign.....	485	-	11	121	130	88	87	44	2	-	2
White, mother's nativity not stated.....	8	-	-	1	2	1	3	-	-	-	1
Negro.....	827	3	102	206	146	91	55	19	1	-	4
Other.....	7	-	2	2	-	1	1	1	-	-	-
OKLAHOMA.....											
.....	50,416	67	7,237	17,653	12,452	7,506	4,127	1,231	86	2	55
White, mother native.....	44,610	32	6,103	15,858	11,196	6,657	3,600	1,058	72	2	32
White, mother foreign.....	222	-	16	96	48	21	26	13	1	-	1
White, mother's nativity not stated.....	11	1	1	4	1	2	2	-	-	-	-
Negro.....	3,387	31	787	984	708	472	268	101	10	-	16
Other.....	2,186	3	330	701	499	354	231	59	3	-	6
Urban.....	26,271	33	3,714	9,831	6,731	3,699	1,807	409	24	-	23
White, mother native.....	23,401	9	3,071	8,895	6,078	3,344	1,607	361	24	-	12
White, mother foreign.....	146	-	11	70	35	13	14	5	-	-	-
White, mother's nativity not stated.....	7	1	1	2	1	1	1	-	-	-	-
Negro.....	2,077	21	524	639	462	249	137	36	-	-	9
Other.....	638	2	107	225	155	92	48	7	-	-	2
Places of 100,000 or more.....	10,206	10	1,328	3,827	2,841	1,502	718	168	5	-	6
White, mother native.....	9,096	4	1,075	3,454	2,398	1,358	644	155	5	-	3
White, mother foreign.....	89	-	2	31	18	8	6	4	-	-	-
White, mother's nativity not stated.....	2	1	-	-	1	-	-	-	-	-	-
Negro.....	912	4	231	291	200	117	57	9	-	-	3
Other.....	126	1	20	51	24	19	11	-	-	-	-
Places of 25,000 to 100,000.....	1,758	3	239	659	472	241	117	24	1	-	2
White, mother native.....	1,498	1	183	575	409	211	93	16	1	-	-
White, mother foreign.....	14	-	-	9	2	1	2	-	-	-	-
White, mother's nativity not stated.....	-	-	-	-	-	-	-	-	-	-	-
Negro.....	222	2	43	60	57	28	22	8	-	-	2
Other.....	22	-	2	14	5	1	-	-	-	-	-
Places of 10,000 to 25,000.....	7,084	13	1,004	2,699	1,829	940	478	107	7	-	9
White, mother native.....	6,310	3	821	2,449	1,652	847	435	91	7	-	5
White, mother foreign.....	36	-	2	18	11	3	1	1	-	-	-
White, mother's nativity not stated.....	2	-	-	2	-	-	-	-	-	-	-
Negro.....	537	9	146	164	117	60	25	13	-	-	3
Other.....	199	1	35	65	48	30	17	2	-	-	1
Places of 2,500 to 10,000.....	7,226	7	1,144	2,648	1,790	1,016	494	110	11	-	6
White, mother native.....	6,467	1	982	2,417	1,620	928	435	99	11	-	4
White, mother foreign.....	29	-	7	12	4	1	5	-	-	-	-
White, mother's nativity not stated.....	3	-	1	-	-	1	1	-	-	-	-
Negro.....	406	6	104	124	88	44	33	6	-	-	1
Other.....	291	-	50	95	78	42	20	5	-	-	1
Rural.....	24,145	34	3,523	7,822	5,721	3,607	2,320	822	62	2	32
White, mother native.....	21,209	23	3,032	6,963	5,118	3,313	1,993	697	48	2	20
White, mother foreign.....	74	-	5	26	13	8	12	8	1	-	1
White, mother's nativity not stated.....	4	-	-	2	-	1	1	-	-	-	-
Negro.....	1,310	10	263	385	246	223	131	65	10	-	7
Other.....	1,548	1	223	476	344	262	183	82	3	-	4
OREGON.....											
.....	30,076	9	2,722	10,276	8,618	5,357	2,451	533	40	1	69
White, mother native.....	29,597	7	2,628	9,860	8,201	5,025	2,290	484	33	1	68
White, mother foreign.....	904	-	18	225	259	230	128	40	4	-	2
White, mother's nativity not stated.....	3	-	-	1	1	1	-	-	-	-	-
Negro.....	263	2	39	88	75	41	14	3	1	-	-
Other.....	309	-	37	102	82	60	19	6	2	-	1
Urban.....	16,744	7	1,375	5,801	4,929	3,021	1,324	248	19	-	20
White, mother native.....	15,960	5	1,329	5,566	4,662	2,916	1,224	222	16	-	20
White, mother foreign.....	584	-	13	146	165	163	84	22	1	-	-
White, mother's nativity not stated.....	1	-	-	-	1	-	-	-	-	-	-
Negro.....	169	2	29	54	47	24	9	3	1	-	-
Other.....	100	-	4	35	34	18	7	1	1	-	-
Places of 100,000 or more.....	9,435	6	674	3,082	2,896	1,925	791	147	11	-	3
White, mother native.....	8,797	4	641	2,918	2,706	1,674	717	126	8	-	3
White, mother foreign.....	416	-	4	92	123	119	59	18	1	-	-
White, mother's nativity not stated.....	-	-	-	-	-	-	-	-	-	-	-
Negro.....	157	2	26	50	43	23	9	3	1	-	-
Other.....	65	-	3	22	24	9	6	-	1	-	-
Places of 25,000 to 100,000.....	814	-	60	313	205	143	69	16	2	-	6
White, mother native.....	769	-	60	302	202	136	65	16	2	-	6
White, mother foreign.....	25	-	-	11	3	7	4	-	-	-	-
White, mother's nativity not stated.....	-	-	-	-	-	-	-	-	-	-	-
Negro.....	-	-	-	-	-	-	-	-	-	-	-
Other.....	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000.....	2,571	-	248	942	718	435	169	34	1	-	4
White, mother native.....	2,508	-	246	923	701	424	176	33	1	-	4
White, mother foreign.....	53	-	1	14	14	11	12	1	-	-	-
White, mother's nativity not stated.....	-	-	-	-	-	-	-	-	-	-	-
Negro.....	3	-	1	1	1	-	-	-	-	-	-
Other.....	7	-	-	4	2	-	1	-	-	-	-
Places of 2,500 to 10,000.....	3,924	1	393	1,464	1,110	618	275	51	5	-	7
White, mother native.....	3,786	1	382	1,423	1,073	582	266	47	5	-	7
White, mother foreign.....	100	-	8	29	25	26	9	3	-	-	-
White, mother's nativity not stated.....	1	-	-	-	1	-	-	-	-	-	-
Negro.....	9	-	2	3	3	1	-	-	-	-	-
Other.....	26	-	1	9	6	9	-	1	-	-	-



## GENERAL TABLES—LIVE BIRTHS

135

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
OREGON—Continued											
Rural	13,332	2	1,347	4,475	3,689	2,338	1,127	285	21	1	49
White, mother native	12,717	2	1,289	4,294	3,519	2,209	1,066	262	17	1	46
White, mother foreign	510	-	5	79	94	67	44	18	3	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	94	-	10	34	28	17	5	-	-	-	-
Other	209	-	33	67	48	42	12	5	1	-	1
PENNSYLVANIA											
	218,376	113	15,439	68,703	67,322	42,050	19,582	4,763	310	14	100
White, mother native	200,486	44	12,732	63,150	63,263	39,138	17,660	4,141	260	13	65
White, mother foreign	4,948	1	127	1,035	1,130	1,181	1,051	381	38	-	4
White, mother's nativity not stated	15	-	-	2	4	3	1	2	-	-	3
Negro	12,871	68	2,578	4,496	2,911	1,697	863	237	12	1	8
Other	56	-	2	20	14	11	7	2	-	-	-
Urban	149,891	87	9,552	46,755	47,622	29,500	13,066	2,886	163	10	50
White, mother native	133,885	22	7,050	41,719	44,134	26,983	11,400	2,382	128	9	38
White, mother foreign	4,016	1	97	826	925	979	876	285	25	-	2
White, mother's nativity not stated	13	-	-	2	3	3	-	2	-	-	3
Negro	11,918	64	2,403	4,189	2,636	1,549	784	215	10	1	7
Other	49	-	2	19	14	6	6	2	-	-	-
Places of 100,000 or more	66,880	57	4,537	20,211	21,457	13,361	5,882	1,270	77	5	23
White, mother native	55,160	5	2,554	16,467	18,636	11,556	4,722	941	59	4	14
White, mother foreign	2,235	1	40	406	498	587	535	159	11	-	-
White, mother's nativity not stated	7	-	-	2	1	1	-	1	-	-	2
Negro	9,437	51	1,941	3,320	2,107	1,211	625	167	7	1	7
Other	41	-	2	16	13	6	2	2	-	-	-
Places of 25,000 to 100,000	28,490	13	1,888	9,089	9,085	5,378	2,496	539	34	1	9
White, mother native	26,602	6	1,610	8,515	8,621	5,065	2,279	468	29	1	8
White, mother foreign	646	-	24	130	159	147	136	46	5	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,238	7	252	423	304	146	81	25	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	25,986	12	1,459	8,277	8,357	5,152	2,185	496	17	2	9
White, mother native	24,530	7	1,282	7,946	8,004	4,885	2,043	445	9	2	7
White, mother foreign	573	-	13	135	154	137	94	34	5	-	1
White, mother's nativity not stated	3	-	-	-	1	-	-	1	-	-	1
Negro	856	5	164	294	197	130	47	16	3	-	-
Other	4	-	-	2	1	-	1	-	-	-	-
Places of 2,500 to 10,000	28,555	5	1,670	9,198	8,943	5,609	2,505	581	35	2	9
White, mother native	27,603	4	1,604	8,681	8,741	5,437	2,356	528	31	2	9
White, mother foreign	560	-	20	155	114	108	113	46	4	-	-
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-
Negro	387	1	46	152	88	62	31	7	-	-	-
Other	3	-	-	-	-	-	3	-	-	-	-
Rural	68,485	26	5,667	21,346	19,500	12,530	6,516	1,977	147	4	50
White, mother native	66,581	22	5,662	21,431	19,079	12,175	6,260	1,759	132	4	47
White, mother foreign	932	-	30	209	205	202	175	96	13	-	2
White, mother's nativity not stated	2	-	-	-	-	-	1	-	-	-	-
Negro	953	4	175	307	215	148	79	22	2	-	1
Other	7	-	-	1	-	5	1	-	-	-	-
RHODE ISLAND											
	16,761	4	774	4,828	5,509	3,547	1,699	377	17	-	6
White, mother native	15,375	2	697	4,533	5,177	3,227	1,437	266	11	-	5
White, mother foreign	1,049	-	18	170	250	274	243	82	6	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	327	2	58	122	80	43	13	9	-	-	-
Other	9	-	1	3	2	2	1	-	-	-	-
Urban	14,874	3	687	4,280	4,876	3,170	1,520	338	15	-	5
White, mother native	13,590	2	687	4,007	4,570	2,871	1,275	255	9	-	4
White, mother foreign	980	-	17	158	230	260	234	74	6	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	297	1	53	112	74	38	10	9	-	-	-
Other	6	-	-	3	2	-	1	-	-	-	-
Places of 100,000 or more	5,618	1	256	1,689	1,835	1,164	564	123	4	-	-
White, mother native	5,070	-	211	1,529	1,707	1,065	464	93	1	-	-
White, mother foreign	325	-	5	58	73	74	91	21	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	217	1	42	79	53	25	6	9	-	-	-
Other	6	-	-	3	2	-	1	-	-	-	-
Places of 25,000 to 100,000	6,761	2	305	1,914	2,197	1,465	701	164	9	-	4
White, mother native	6,186	2	285	1,809	2,057	1,312	588	124	6	-	3
White, mother foreign	502	-	10	76	120	141	111	40	3	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	73	-	10	29	20	12	2	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,909	-	75	535	634	425	200	39	2	-	1
White, mother native	1,781	-	72	511	607	365	175	28	2	-	1
White, mother foreign	122	-	2	19	27	38	25	11	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	5	-	1	3	-	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	586	-	29	164	210	116	55	12	-	-	-
White, mother native	553	-	29	158	199	109	48	10	-	-	-
White, mother foreign	31	-	-	5	10	7	7	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
RHODE ISLAND--Continued											
Rural-----	1,887	1	107	548	633	377	179	39	2	-	1
White, mother native-----	1,785	-	100	526	607	356	162	31	2	-	1
White, mother foreign-----	89	-	1	12	20	14	14	8	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	30	1	5	10	6	5	3	-	-	-	-
Other-----	3	-	1	-	-	2	-	-	-	-	-
SOUTH CAROLINA-----											
	53,963	136	8,484	18,026	13,380	7,702	4,598	1,184	119	6	328
White, mother native-----	30,894	19	3,768	10,548	8,301	4,829	2,585	665	49	1	129
White, mother foreign-----	115	-	13	38	30	16	12	6	-	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	22,933	117	4,702	7,433	5,044	2,853	1,997	513	70	5	199
Other-----	20	-	1	7	4	4	4	-	-	-	-
Urban-----	16,464	45	2,339	5,634	4,476	2,430	1,193	239	17	1	90
White, mother native-----	11,560	7	1,289	4,009	3,338	1,830	861	169	13	-	44
White, mother foreign-----	61	-	7	19	15	9	10	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	4,840	38	1,042	1,604	1,123	581	322	69	4	1	48
Other-----	3	-	1	2	-	-	-	-	-	-	-
Places of 25,000 to 100,000-----	7,073	27	993	2,465	1,964	996	518	74	4	-	32
White, mother native-----	4,579	5	459	1,622	1,378	706	346	49	3	-	11
White, mother foreign-----	42	-	2	13	13	6	8	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,452	22	532	830	573	284	164	25	1	-	21
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	3,243	5	436	1,151	858	481	230	47	3	1	22
White, mother native-----	2,479	-	279	894	670	389	185	35	2	-	15
White, mother foreign-----	8	-	1	2	1	3	1	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	756	5	156	255	187	89	44	12	1	-	7
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	6,149	13	910	2,019	1,654	943	445	118	10	1	36
White, mother native-----	4,502	2	551	1,493	1,280	725	330	85	8	-	18
White, mother foreign-----	11	-	4	4	1	-	1	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1,632	11	354	519	363	218	114	32	2	1	16
Other-----	3	-	1	2	-	-	-	-	-	-	-
Rural-----	37,499	81	6,145	12,392	8,904	5,272	3,405	945	102	5	238
White, mother native-----	19,334	12	2,479	6,539	4,963	2,999	1,724	496	36	1	85
White, mother foreign-----	54	-	6	19	15	7	2	5	-	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	18,083	79	3,660	5,829	3,921	2,262	1,675	444	66	4	153
Other-----	17	-	-	5	4	4	4	-	-	-	-
SOUTH DAKOTA-----											
	14,580	2	1,060	4,562	4,197	2,620	1,521	511	45	1	61
White, mother native-----	13,743	1	987	4,320	3,987	2,468	1,413	453	42	1	51
White, mother foreign-----	164	-	4	47	42	34	36	20	1	-	-
White, mother's nativity not stated-----	5	-	-	2	-	1	2	-	-	-	-
Negro-----	5	-	-	4	1	-	-	-	-	-	-
Other-----	643	1	68	188	167	97	70	33	2	-	10
Urban-----	4,392	1	315	1,439	1,320	758	429	109	7	-	16
White, mother native-----	4,303	1	310	1,416	1,299	742	413	101	6	-	15
White, mother foreign-----	46	-	1	12	12	8	11	2	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	3	-	-	3	-	-	-	-	-	-	-
Other-----	39	-	4	8	9	7	4	5	1	-	1
Places of 25,000 to 100,000-----	1,202	-	82	399	367	214	114	23	2	-	1
White, mother native-----	1,187	-	81	391	363	212	114	23	2	-	1
White, mother foreign-----	10	-	1	5	3	1	-	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	3	-	-	3	-	-	-	-	-	-	-
Other-----	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000-----	1,872	1	142	634	555	292	190	43	3	-	12
White, mother native-----	1,835	1	142	630	543	287	179	39	3	-	11
White, mother foreign-----	27	-	-	3	8	4	10	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	10	-	-	-	-	-	-	-	-	-	-
Other-----	10	-	-	1	4	1	1	2	-	-	1
Places of 2,500 to 10,000-----	1,318	-	81	406	398	252	124	42	2	-	3
White, mother native-----	1,281	-	87	395	393	243	120	39	1	-	3
White, mother foreign-----	9	-	-	4	1	3	1	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	28	-	4	7	4	6	3	3	1	-	-
Rural-----	10,188	1	745	3,123	2,877	1,862	1,093	403	38	1	45
White, mother native-----	9,440	-	677	2,904	2,688	1,746	1,000	352	36	1	36
White, mother foreign-----	138	-	3	35	30	26	25	18	1	-	-
White, mother's nativity not stated-----	4	-	-	2	-	-	2	-	-	-	-
Negro-----	2	-	-	1	1	-	-	-	-	-	-
Other-----	604	1	65	181	158	90	66	35	1	-	8
TENNESSEE-----											
	77,336	137	11,061	25,346	19,044	12,230	7,185	2,081	173	4	75
White, mother native-----	65,352	49	8,367	21,734	16,544	10,507	6,146	1,791	151	1	62
White, mother foreign-----	153	-	10	66	36	19	18	4	-	-	-
White, mother's nativity not stated-----	2	-	-	-	-	-	-	1	-	-	1
Negro-----	11,822	88	2,684	3,544	2,463	1,702	1,020	284	22	3	12
Other-----	7	-	-	2	1	2	1	1	-	-	-



## GENERAL TABLES—LIVE BIRTHS

137

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
TENNESSEE--Continued											
Urban-----	30,588	65	4,508	10,597	7,805	4,732	2,306	533	29	2	11
White, mother native-----	23,815	17	2,985	8,422	6,399	3,764	1,781	417	24	-	6
White, mother foreign-----	85	-	8	34	21	13	15	4	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	1	-	-	-
Negro-----	6,672	48	1,515	2,140	1,385	953	509	110	5	2	5
Other-----	5	-	-	1	-	2	1	1	-	-	-
Places of 100,000 or more-----	19,878	49	2,897	6,853	5,066	3,047	1,523	322	13	1	7
White, mother native-----	14,503	9	1,768	5,159	3,949	2,267	1,099	238	9	-	5
White, mother foreign-----	74	-	6	25	18	10	13	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	5,298	40	1,223	1,669	1,099	769	410	81	4	1	2
Other-----	3	-	-	-	-	1	1	1	-	-	-
Places of 25,000 to 100,000-----	629	1	81	220	157	109	44	14	3	-	-
White, mother native-----	565	-	77	205	147	99	42	12	3	-	-
White, mother foreign-----	-	-	-	-	-	-	-	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	43	1	4	15	10	9	2	2	-	-	-
Other-----	1	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000-----	3,211	3	459	1,181	808	486	219	52	2	-	1
White, mother native-----	2,736	2	365	1,004	710	425	184	44	2	-	-
White, mother foreign-----	8	-	1	2	1	3	1	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	467	1	93	175	97	58	34	8	-	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	6,870	12	971	2,343	1,774	1,090	520	145	11	1	3
White, mother native-----	5,991	6	775	2,054	1,593	973	456	123	10	-	1
White, mother foreign-----	13	-	1	7	2	-	1	2	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	1	-	-	-
Negro-----	864	6	195	281	179	117	63	19	1	1	2
Other-----	1	-	-	1	-	-	-	-	-	-	-
Rural-----	46,748	72	6,553	14,749	11,239	7,498	4,879	1,548	144	2	64
White, mother native-----	41,537	32	5,382	13,312	10,145	6,743	4,365	1,374	127	1	56
White, mother foreign-----	59	-	2	32	15	6	3	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	5,150	40	1,169	1,404	1,078	749	511	174	17	1	7
Other-----	2	-	-	1	1	-	-	-	-	-	-
TEXAS-----											
White, mother native-----	151,719	142	19,831	52,742	39,440	23,814	12,182	2,930	222	17	399
White, mother foreign-----	8,511	7	534	1,722	1,656	1,837	1,076	565	76	6	32
White, mother's nativity not stated-----	39	-	6	8	8	9	4	2	-	-	2
Negro-----	21,205	142	4,622	6,719	4,221	2,825	1,924	567	60	5	100
Other-----	105	-	15	36	26	13	13	2	-	-	-
Urban-----	112,189	177	15,400	39,286	28,889	17,103	8,855	2,020	150	15	284
White, mother native-----	94,816	86	12,371	34,187	25,308	14,467	6,744	1,426	91	12	224
White, mother foreign-----	5,258	1	260	1,086	1,152	1,158	1,197	348	35	2	19
White, mother's nativity not stated-----	24	-	1	6	5	9	1	-	-	-	2
Negro-----	11,929	90	2,757	3,995	2,409	1,463	906	245	24	1	39
Other-----	62	-	11	22	15	6	7	1	-	-	-
Places of 100,000 or more-----	41,239	55	5,419	14,624	10,923	6,389	3,059	673	44	4	49
White, mother native-----	34,592	19	4,166	12,557	9,524	5,419	2,350	477	28	3	39
White, mother foreign-----	1,419	-	40	283	324	330	326	101	11	1	3
White, mother's nativity not stated-----	13	-	1	6	2	4	-	-	-	-	-
Negro-----	5,190	36	1,208	1,768	1,066	635	370	95	5	-	7
Other-----	25	-	4	10	7	1	3	-	-	-	-
Places of 25,000 to 100,000-----	27,061	40	3,640	9,631	7,070	4,055	2,085	436	28	4	72
White, mother native-----	22,660	27	2,941	8,340	6,135	3,320	1,532	298	14	3	50
White, mother foreign-----	1,602	-	59	314	362	411	350	92	9	1	4
White, mother's nativity not stated-----	9	-	-	-	3	4	1	-	-	-	1
Negro-----	2,774	13	637	972	566	318	201	45	5	-	17
Other-----	16	-	3	5	4	2	1	1	-	-	-
Places of 10,000 to 25,000-----	12,856	24	1,753	4,493	3,305	1,927	1,058	219	20	3	53
White, mother native-----	10,830	8	1,415	3,895	2,881	1,629	798	151	6	3	45
White, mother foreign-----	629	-	46	147	149	116	131	34	4	-	3
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1,399	16	291	447	276	182	128	34	10	-	5
Other-----	8	-	1	4	1	1	1	-	-	-	-
Places of 2,500 to 10,000-----	31,033	58	4,588	10,548	7,590	4,732	2,653	692	59	4	110
White, mother native-----	26,834	32	3,849	9,395	6,768	4,100	2,054	500	43	3	90
White, mother foreign-----	1,608	1	115	342	318	301	390	121	11	-	9
White, mother's nativity not stated-----	2	-	-	-	-	1	-	-	-	-	1
Negro-----	2,576	25	621	808	501	328	207	71	4	1	10
Other-----	13	-	3	3	3	2	2	-	-	-	-
Rural-----	69,390	114	9,608	21,931	16,662	11,395	7,144	2,066	209	13	249
White, mother native-----	56,803	56	7,460	18,565	14,132	9,347	5,438	1,504	131	5	175
White, mother foreign-----	3,253	6	274	656	704	679	679	217	41	4	13
White, mother's nativity not stated-----	15	-	5	2	3	-	3	2	-	-	-
Negro-----	9,276	52	1,865	2,724	1,812	1,362	1,018	342	36	4	61
Other-----	43	-	4	14	11	7	6	1	-	-	-
UTAH-----											
White, mother native-----	17,541	2	1,577	5,902	4,858	3,074	1,588	477	28	1	34
White, mother foreign-----	408	-	14	72	99	99	85	36	2	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	61	-	10	22	16	7	5	1	-	-	-
Other-----	210	-	6	64	89	39	7	2	2	-	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

		(By place of residence)										
AREA, RACE, AND NATIVITY OF WHITE MOTHER		Total births	AGE OF MOTHER									
			10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UTAH--Continued												
Urban-----	10,887	2	919	3,751	3,036	1,899	985	268	12	1	14	
White, mother native-----	10,472	2	900	3,658	2,921	1,801	921	244	11	1	13	
White, mother foreign-----	274	-	8	47	69	60	65	23	1	-	1	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	44	-	6	16	8	6	5	1	-	-	-	
Other-----	97	-	3	30	38	22	4	-	-	-	-	
Places of 100,000 or more-----	5,085	1	423	1,727	1,449	883	467	120	4	-	11	
White, mother native-----	4,838	1	414	1,674	1,381	825	422	107	4	-	10	
White, mother foreign-----	169	-	3	28	43	42	39	13	-	-	1	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	18	-	3	7	2	3	4	-	-	-	-	
Other-----	59	-	3	18	23	13	2	-	-	-	-	
Places of 25,000 to 100,000-----	1,754	-	155	630	482	299	147	40	2	-	-	
White, mother native-----	1,682	-	150	608	460	286	136	38	2	-	-	
White, mother foreign-----	31	-	1	5	9	5	10	1	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	24	-	4	9	6	3	1	1	-	-	-	
Other-----	17	-	-	8	7	2	-	-	-	-	-	
Places of 10,000 to 25,000-----	1,069	-	69	412	282	181	93	31	-	-	-	
White, mother native-----	1,046	-	67	404	279	179	90	27	-	-	-	
White, mother foreign-----	21	-	2	7	3	2	3	4	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	-	-	-	-	-	-	-	-	-	-	-	
Other-----	1	-	-	1	-	-	-	-	-	-	-	
Places of 2,500 to 10,000-----	2,980	1	272	982	823	527	288	77	6	1	3	
White, mother native-----	2,906	1	269	972	801	509	273	72	5	1	3	
White, mother foreign-----	53	-	2	7	14	11	13	5	1	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	1	-	1	-	-	-	-	-	-	-	-	
Other-----	20	-	-	3	8	7	2	-	-	-	-	
Rural-----	7,333	-	688	2,309	2,026	1,329	690	248	20	-	23	
White, mother native-----	7,069	-	677	2,244	1,937	1,273	667	233	17	-	21	
White, mother foreign-----	134	-	6	25	30	39	20	13	1	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	17	-	2	8	8	1	-	-	-	-	-	
Other-----	113	-	3	34	51	16	3	2	2	-	2	
VERMONT-----	8,362	2	753	2,725	2,385	1,448	810	215	18	-	6	
White, mother native-----	7,806	2	737	2,584	2,248	1,324	717	174	14	-	6	
White, mother foreign-----	551	-	15	139	135	124	93	41	4	-	-	
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-	
Negro-----	3	-	-	1	2	-	-	-	-	-	-	
Other-----	1	-	-	1	-	-	-	-	-	-	-	
Urban-----	3,278	1	260	1,096	947	567	307	73	4	-	3	
White, mother native-----	3,080	1	254	1,040	886	534	267	61	4	-	3	
White, mother foreign-----	224	-	5	55	59	53	40	12	-	-	-	
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-	
Negro-----	3	-	-	1	2	-	-	-	-	-	-	
Other-----	-	-	-	-	-	-	-	-	-	-	-	
Places of 25,000 to 100,000-----	791	1	71	260	218	136	65	19	-	-	1	
White, mother native-----	727	1	69	250	202	118	70	16	-	-	1	
White, mother foreign-----	61	-	1	9	15	18	15	3	-	-	-	
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-	
Negro-----	2	-	-	1	1	-	-	-	-	-	-	
Other-----	-	-	-	-	-	-	-	-	-	-	-	
Places of 10,000 to 25,000-----	685	-	47	216	212	122	68	17	2	-	1	
White, mother native-----	644	-	47	204	203	114	60	13	2	-	1	
White, mother foreign-----	40	-	-	12	8	8	4	-	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	1	-	-	-	1	-	-	-	-	-	-	
Other-----	-	-	-	-	-	-	-	-	-	-	-	
Places of 2,500 to 10,000-----	1,802	-	142	620	517	329	154	37	2	-	1	
White, mother native-----	1,679	-	138	596	481	302	137	32	2	-	1	
White, mother foreign-----	123	-	4	34	36	27	17	5	-	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	-	-	-	-	-	-	-	-	-	-	-	
Other-----	-	-	-	-	-	-	-	-	-	-	-	
Rural-----	5,084	1	493	1,629	1,438	861	503	142	14	-	3	
White, mother native-----	4,756	1	483	1,544	1,362	790	450	113	10	-	3	
White, mother foreign-----	327	-	10	84	76	71	53	29	4	-	-	
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-	
Negro-----	-	-	-	-	-	-	-	-	-	-	-	
Other-----	1	-	-	1	-	-	-	-	-	-	-	
VIRGINIA-----	75,861	139	9,255	24,737	20,300	12,401	6,756	1,830	181	5	255	
White, mother native-----	57,778	26	5,732	18,944	16,107	9,942	5,323	1,401	137	1	165	
White, mother foreign-----	564	-	23	181	179	109	53	15	-	-	4	
White, mother's nativity not stated-----	6	-	-	-	1	1	-	-	-	-	-	
Negro-----	17,502	113	3,500	5,610	4,008	2,347	1,381	413	44	4	82	
Other-----	11	-	-	2	5	2	1	1	-	-	-	
Urban-----	30,559	57	3,322	10,203	8,876	5,114	2,389	493	25	-	80	
White, mother native-----	23,850	11	1,978	7,973	7,256	4,264	1,926	373	21	-	48	
White, mother foreign-----	369	-	13	118	121	82	40	12	-	-	3	
White, mother's nativity not stated-----	5	-	-	-	1	1	-	-	-	-	3	
Negro-----	6,307	46	1,331	2,111	1,494	766	422	107	4	-	26	
Other-----	8	-	-	1	4	1	1	1	-	-	-	



## GENERAL TABLES—LIVE BIRTHS

139

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
VIRGINIA--Continued											
Places of 100,000 or more	9,308	27	1,186	3,194	2,533	1,499	691	141	7	-	31
White, mother native	6,419	6	580	2,224	1,863	1,114	501	92	6	-	18
White, mother foreign	103	-	2	34	25	25	12	4	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,784	21	604	935	639	350	178	44	1	-	12
Other	2	-	-	1	-	-	-	1	-	-	-
Places of 25,000 to 100,000	13,123	17	1,241	4,212	4,015	2,332	1,069	202	9	-	26
White, mother native	10,410	2	734	3,318	3,328	1,981	881	152	6	-	12
White, mother foreign	219	-	6	80	77	47	22	4	-	-	3
White, mother's nativity not stated	3	-	-	-	-	1	-	-	-	-	2
Negro	2,485	15	501	836	608	302	165	46	3	-	9
Other	6	-	-	-	4	1	1	-	-	-	-
Places of 10,000 to 25,000	2,274	1	249	802	640	335	195	45	2	-	5
White, mother native	1,875	-	159	667	548	299	159	39	2	-	4
White, mother foreign	18	-	1	5	4	2	2	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	383	1	89	130	98	34	55	5	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,653	12	636	1,995	1,688	958	454	105	7	-	18
White, mother native	5,146	3	495	1,766	1,514	870	386	91	7	-	14
White, mother foreign	51	-	4	19	14	6	4	2	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	655	9	137	210	159	80	44	12	-	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	45,302	82	5,933	14,534	11,424	7,287	4,369	1,337	156	5	175
White, mother native	33,928	15	3,754	10,971	8,851	5,678	3,397	1,029	116	1	117
White, mother foreign	175	-	10	65	59	27	13	3	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	11,195	67	2,169	3,499	2,514	1,581	959	306	40	4	56
Other	3	-	-	1	1	1	-	-	-	-	-
WASHINGTON											
White, mother native	48,141	11	4,572	16,911	14,075	8,000	3,695	777	50	2	50
White, mother foreign	2,401	-	70	594	796	551	292	81	15	-	2
White, mother's nativity not stated	5	-	-	3	-	2	-	-	-	-	-
Negro	652	-	88	273	169	76	35	10	-	-	1
Other	789	2	101	249	212	131	58	26	5	1	4
Urban	32,274	5	2,807	11,379	9,666	5,505	2,366	461	25	1	19
White, mother native	29,680	5	2,656	10,592	8,870	4,984	2,145	391	20	-	17
White, mother foreign	1,617	-	35	406	546	386	191	50	2	-	1
White, mother's nativity not stated	4	-	-	3	-	1	-	-	-	-	-
Negro	574	-	76	246	148	66	29	8	-	-	1
Other	389	-	40	132	122	68	21	12	3	1	-
Places of 100,000 or more	20,710	3	1,608	7,151	6,418	3,618	1,580	302	15	1	4
White, mother native	18,780	3	1,493	6,581	5,812	3,217	1,412	247	11	-	4
White, mother foreign	1,150	-	20	266	390	296	140	37	1	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	460	-	62	206	115	49	20	8	-	-	-
Other	319	-	33	97	101	53	18	10	3	1	-
Places of 25,000 to 100,000	2,872	1	293	1,029	831	459	209	45	4	-	1
White, mother native	2,679	1	282	972	770	420	190	40	3	-	1
White, mother foreign	162	-	5	46	52	35	18	5	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	20	-	5	4	8	2	1	-	-	-	-
Other	10	-	1	6	1	2	-	-	-	-	-
Places of 10,000 to 25,000	4,669	-	444	1,693	1,329	818	351	47	3	-	4
White, mother native	4,427	-	430	1,605	1,252	764	327	43	3	-	5
White, mother foreign	163	-	5	49	51	36	17	4	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	78	-	7	30	19	15	7	-	-	-	-
Other	21	-	2	9	7	3	-	-	-	-	-
Places of 2,500 to 10,000	4,003	1	462	1,506	1,108	610	236	67	3	-	10
White, mother native	3,794	1	451	1,434	1,036	583	216	61	3	-	9
White, mother foreign	142	-	5	45	53	19	16	4	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	16	-	2	6	6	-	1	-	-	-	1
Other	50	-	4	20	13	8	3	2	-	-	-
Rural	19,714	8	2,024	6,651	5,564	3,255	1,694	433	45	2	36
White, mother native	18,461	6	1,916	6,319	5,203	3,016	1,550	386	30	2	33
White, mother foreign	784	-	35	168	250	165	101	31	13	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	78	-	12	27	21	10	6	2	-	-	-
Other	390	2	61	117	90	63	37	14	2	-	4
WEST VIRGINIA											
White, mother native	45,952	23	5,833	15,956	11,607	7,023	3,866	1,397	121	7	139
White, mother foreign	272	-	19	93	59	48	36	16	1	-	1
White, mother's nativity not stated	4	-	-	2	-	1	-	-	-	-	1
Negro	2,443	11	412	819	526	361	211	75	4	4	20
Other	2	-	-	1	1	-	-	-	-	-	-
Urban	14,995	11	1,694	5,516	4,053	2,316	1,064	281	18	1	42
White, mother native	14,167	4	1,562	5,259	3,864	2,181	996	257	16	1	37
White, mother foreign	135	-	7	33	42	27	20	5	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	691	7	125	223	147	107	58	19	2	-	3
Other	1	-	-	1	-	-	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
WEST VIRGINIA—Continued											
Places of 25,000 to 100,000-----	7,203	3	800	2,668	1,970	1,085	510	137	7	-	23
White, mother native-----	6,852	2	742	2,567	1,869	1,022	474	129	7	-	20
White, mother foreign-----	71	-	7	16	22	15	6	2	-	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	279	1	51	84	59	48	28	6	-	-	2
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	3,174	4	357	1,151	673	551	214	38	2	-	4
White, mother native-----	2,950	2	317	1,033	616	498	197	32	1	-	4
White, mother foreign-----	33	-	-	10	12	5	4	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	191	2	40	58	45	28	13	4	1	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	4,616	4	537	1,697	1,210	699	340	106	9	1	15
White, mother native-----	4,365	-	503	1,609	1,159	661	315	96	8	1	13
White, mother foreign-----	51	-	-	7	6	7	8	1	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	221	4	34	81	43	31	17	9	1	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Rural-----	33,678	23	4,570	11,335	8,140	5,118	3,048	1,207	108	10	119
White, mother native-----	31,785	19	4,271	10,677	7,743	4,842	2,880	1,140	105	6	102
White, mother foreign-----	137	-	12	60	17	21	15	11	1	-	-
White, mother's nativity not stated-----	3	-	-	2	-	1	-	-	-	-	-
Negro-----	1,752	4	287	596	379	254	153	56	2	4	17
Other-----	1	-	-	-	1	-	-	-	-	-	-
WISCONSIN-----											
White, mother native-----	72,600	11	4,005	22,193	22,493	14,738	7,119	1,834	123	-	84
White, mother foreign-----	1,324	-	43	310	320	268	289	116	5	-	3
White, mother's nativity not stated-----	10	-	1	3	2	-	-	-	-	-	4
Negro-----	369	2	76	140	103	46	12	9	-	-	1
Other-----	432	2	56	137	108	71	41	14	2	1	-
Urban-----	42,119	7	1,975	12,904	13,557	8,654	4,002	933	48	-	39
White, mother native-----	40,708	4	1,664	12,516	13,196	8,393	3,806	846	47	-	34
White, mother foreign-----	980	-	27	230	237	205	160	79	1	-	1
White, mother's nativity not stated-----	6	-	-	2	1	-	-	-	-	-	3
Negro-----	379	2	75	137	102	43	12	7	-	-	1
Other-----	66	1	9	19	19	13	4	1	-	-	-
Places of 100,000 or more-----	13,397	4	585	4,107	4,466	2,732	1,194	286	15	-	8
White, mother native-----	12,610	2	513	3,877	4,275	2,590	1,093	240	15	-	5
White, mother foreign-----	436	-	6	100	99	101	92	38	-	-	-
White, mother's nativity not stated-----	3	-	-	1	-	-	-	-	-	-	2
Negro-----	322	2	64	120	83	36	9	7	-	-	1
Other-----	26	-	2	9	9	5	-	1	-	-	-
Places of 25,000 to 100,000-----	15,964	-	707	4,966	5,110	3,280	1,515	354	18	-	16
White, mother native-----	15,364	-	683	4,871	4,983	3,208	1,482	327	15	-	15
White, mother foreign-----	318	-	6	74	92	60	57	27	1	-	1
White, mother's nativity not stated-----	1	-	-	1	1	-	-	-	-	-	-
Negro-----	54	-	11	15	18	7	3	-	-	-	-
Other-----	27	-	7	6	6	5	3	-	-	-	-
Places of 10,000 to 25,000-----	6,163	-	280	1,924	1,958	1,311	622	140	8	-	10
White, mother native-----	6,035	-	262	1,799	1,925	1,278	602	132	8	-	9
White, mother foreign-----	117	-	8	21	29	32	19	8	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	2	-	-	1	1	-	-	-	-	-	-
Other-----	7	-	-	2	3	1	1	-	-	-	-
Places of 2,500 to 10,000-----	6,565	3	363	2,007	2,023	1,331	671	153	9	-	5
White, mother native-----	6,489	2	366	1,969	2,006	1,317	659	147	9	-	5
White, mother foreign-----	63	-	7	35	17	12	12	6	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1	-	-	1	-	-	-	-	-	-	-
Other-----	6	1	-	2	1	2	-	-	-	-	-
Rural-----	32,636	8	2,206	9,879	9,469	6,469	3,429	1,040	82	1	53
White, mother native-----	31,892	7	2,141	9,677	9,295	6,345	3,313	988	78	-	50
White, mother foreign-----	364	-	16	80	83	63	79	37	4	-	2
White, mother's nativity not stated-----	4	-	1	1	1	-	-	-	-	-	1
Negro-----	10	-	1	3	1	3	-	2	-	-	-
Other-----	368	1	47	118	89	58	37	13	2	1	-
WYOMING-----											
White, mother native-----	5,912	3	595	2,051	1,683	995	439	133	6	-	7
White, mother foreign-----	131	-	3	19	39	30	26	9	5	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	1	-	-	-	-
Negro-----	22	-	4	9	4	4	1	-	-	-	-
Other-----	122	-	15	40	24	22	15	6	-	-	-
Urban-----	2,960	3	297	1,017	878	499	216	63	6	-	1
White, mother native-----	2,866	3	278	994	851	472	204	60	3	-	1
White, mother foreign-----	64	-	1	11	22	13	11	3	3	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	15	-	4	7	2	1	1	-	-	-	-
Other-----	15	-	4	5	3	3	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

141

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
WYOMING--Continued											
Places of 10,000 to 25,000-----	1,988	3	188	678	624	323	136	34	4	-	-
White, mother native-----	1,929	3	179	661	610	311	129	33	3	-	-
White, mother foreign-----	40	-	1	10	10	10	7	1	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	12	-	4	6	2	-	-	-	-	1	-
Other-----	7	-	2	1	2	2	-	-	-	-	-
Places of 2,500 to 10,000-----	972	-	101	339	254	166	80	29	2	-	1
White, mother native-----	937	-	99	333	241	161	75	27	-	-	1
White, mother foreign-----	24	-	-	1	12	3	4	2	2	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	3	-	-	1	-	1	1	-	-	-	-
Other-----	8	-	2	4	1	1	-	-	-	-	-
Rural-----	3,228	-	380	1,102	872	562	266	85	5	-	6
White, mother native-----	3,048	-	317	1,067	832	523	235	73	3	-	6
White, mother foreign-----	67	-	2	8	17	17	15	6	2	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	1	-	-	-	-
Negro-----	7	-	-	2	2	3	-	-	-	-	-
Other-----	107	-	11	35	21	19	15	6	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 6.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total births	WHITE										Negro	Other races	
		Total	Mother native			Mother foreign			Mother's nativity not stated					
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated			
UNITED STATES-----	3,298,672	2,913,645	2,674,304	93,505	48,891	60,759	34,970	788	208	8	212	358,114	16,913	
Male-----	1,691,220	1,501,498	1,376,166	48,102	25,258	31,288	18,038	417	112	3	114	181,100	8,622	
Female-----	1,597,452	1,412,147	1,298,138	45,403	23,633	29,471	16,932	371	96	5	98	177,014	8,291	
10 to 14 years-----	Male-----	1,765	609	340	12	249	2	5	1	-	-	1,142	14	
Female-----	1,697	536	293	6	228	5	2	1	-	-	-	1,146	15	
15 to 19 years-----	Male-----	165,741	127,192	115,856	1,556	8,390	994	321	45	9	-	21	37,576	973
Female-----	156,640	119,268	109,096	1,384	7,598	870	257	41	8	-	-	14	36,450	922
20 to 24 years-----	Male-----	541,719	480,866	451,565	9,264	10,044	8,052	1,748	122	33	-	20	59,100	2,753
Female-----	509,570	450,255	422,585	8,784	9,584	7,521	1,619	108	35	1	-	18	56,748	2,567
25 to 29 years-----	Male-----	482,194	440,567	410,802	15,431	3,787	9,333	3,081	103	22	1	7	39,328	2,301
Female-----	464,272	413,645	385,623	12,646	3,613	8,684	2,865	86	17	1	-	10	38,444	2,283
30 to 34 years-----	Male-----	302,413	276,780	249,585	13,528	1,589	7,187	4,840	54	28	1	8	24,184	1,449
Female-----	286,709	261,597	235,748	12,881	1,485	6,868	4,535	55	14	1	-	10	23,724	1,398
35 to 39 years-----	Male-----	151,602	136,114	116,911	8,215	784	4,469	5,848	69	12	-	6	14,732	756
Female-----	144,909	129,525	111,379	7,606	760	4,326	5,306	53	10	2	-	3	14,523	761
40 to 44 years-----	Male-----	39,325	33,951	29,483	1,897	246	1,160	2,138	20	4	-	1	4,094	280
Female-----	36,714	32,320	27,051	1,813	214	1,080	2,128	24	6	-	-	4	4,126	288
45 to 49 years-----	Male-----	2,755	2,301	1,865	133	18	71	209	3	-	1	1	406	48
Female-----	2,659	2,194	1,763	146	12	84	166	3	-	-	-	-	417	48
50 years and over-----	Male-----	104	77	64	5	-	2	6	-	-	-	-	24	3
Female-----	91	59	53	3	-	-	3	-	-	-	-	-	29	3
Not stated-----	Male-----	4,602	3,041	2,695	61	149	38	44	-	4	-	50	1,516	45
Female-----	4,291	2,848	2,547	54	139	33	31	-	6	-	-	38	1,407	36
Alabama-----	Male-----	79,963	51,944	50,635	158	780	147	16	-	2	-	6	27,801	18
Female-----	40,849	26,764	26,201	72	402	75	11	-	1	-	-	2	14,078	7
Arizona-----	Male-----	39,014	25,180	24,634	86	378	72	5	-	1	-	4	15,823	11
Female-----	16,345	14,379	12,175	945	201	596	451	11	-	-	-	-	477	1,469
Arkansas-----	Male-----	8,593	7,590	6,306	484	95	284	216	5	-	-	-	240	763
Female-----	7,952	6,988	5,869	461	106	312	235	6	-	-	-	-	237	726
California-----	Male-----	45,280	35,165	34,506	79	465	98	12	-	3	-	2	10,081	24
Female-----	23,567	19,235	17,903	40	232	48	8	-	3	-	-	1	5,139	14
Colorado-----	Male-----	21,693	16,930	16,603	39	233	50	4	-	-	-	1	4,953	10
Female-----	213,484	205,159	180,153	11,256	1,989	7,008	4,660	77	6	1	-	7	9,523	3,802
Connecticut-----	Male-----	112,519	105,478	92,707	5,782	1,012	3,557	2,360	34	1	1	4	4,948	1,993
Female-----	106,165	98,681	87,446	5,474	977	3,451	2,280	43	7	-	-	3	4,675	1,809
Delaware-----	Male-----	29,519	28,980	27,044	736	533	334	216	9	4	-	4	347	291
Female-----	15,126	14,802	13,898	357	262	184	110	7	1	-	-	3	176	146
District of Columbia-----	Male-----	14,392	14,078	13,146	379	271	170	106	2	3	-	1	171	143
Female-----	41,457	40,334	35,041	2,408	382	1,666	828	6	2	-	-	1	1,108	15
Florida-----	Male-----	21,578	20,815	18,059	1,267	210	852	422	4	1	-	1	554	9
Female-----	20,079	19,519	18,983	1,141	172	814	406	2	1	-	-	-	554	6
Georgia-----	Male-----	6,802	5,811	5,414	132	149	84	32	-	-	-	-	966	25
Female-----	3,450	2,948	2,747	70	72	44	15	-	-	-	-	-	489	13
Hawaii-----	Male-----	3,352	2,863	2,667	62	77	40	17	-	-	-	-	477	12
Female-----	18,601	12,279	10,894	392	434	313	219	4	2	-	-	21	6,258	64
Idaho-----	Male-----	9,455	6,277	5,560	202	230	165	105	-	2	-	13	3,145	33
Female-----	9,146	6,002	5,334	190	204	148	114	4	-	-	-	8	3,113	31
Illinois-----	Male-----	53,688	40,114	37,749	744	760	632	203	9	10	-	7	13,544	30
Female-----	27,395	20,553	19,307	398	399	326	110	4	6	-	-	3	6,815	17
Indiana-----	Male-----	26,303	19,561	18,442	346	361	306	93	5	4	-	4	6,729	13
Female-----	85,667	56,385	55,256	170	744	174	25	1	3	-	-	12	29,270	12
Iowa-----	Male-----	43,741	29,049	28,491	78	371	85	14	1	2	-	7	14,688	4
Female-----	41,926	27,336	26,765	92	373	89	11	-	1	-	-	5	14,592	8
Kansas-----	Male-----	13,787	13,571	12,924	274	130	222	16	2	3	-	-	13	205
Female-----	7,101	6,991	6,665	141	68	106	9	1	1	-	-	-	8	102
Kentucky-----	Male-----	6,886	6,580	6,259	133	62	116	7	1	2	-	-	5	101
Female-----	174,825	162,314	147,945	5,994	3,209	3,302	1,769	50	9	-	-	36	12,158	373
Louisiana-----	Male-----	89,960	83,569	76,242	3,050	1,635	1,665	913	23	5	-	16	6,212	179
Female-----	84,865	78,745	71,703	2,944	1,574	1,617	856	27	4	-	-	20	5,926	194
Maine-----	Male-----	83,515	82,279	79,517	938	871	721	220	4	5	-	3	3,220	16
Female-----	43,974	42,507	40,910	470	439	371	107	3	5	-	-	2	1,655	12
Massachusetts-----	Male-----	41,541	39,972	38,607	469	432	350	113	1	-	-	1	1,565	4
Female-----	56,186	55,774	53,531	659	1,027	427	114	7	7	-	-	2	355	57
Michigan-----	Male-----	29,131	28,947	27,785	329	515	249	53	3	3	-	-	156	28
Female-----	27,055	26,827	25,736	330	512	178	61	4	4	-	-	2	199	29
Minnesota-----	Male-----	39,751	36,266	37,022	334	513	253	128	4	2	-	5	1,392	93
Female-----	20,336	19,594	18,942	174	275	133	66	1	1	-	-	2	703	39
Mississippi-----	Male-----	19,415	18,672	18,080	160	243	120	62	3	1	-	3	689	54
Female-----	72,542	69,142	68,073	143	735	154	25	-	3	-	-	9	3,392	8
Montana-----	Male-----	37,434	35,715	35,202	69	354	87	17	-	2	-	4	1,714	5
Female-----	35,108	33,427	32,871	74	381	87	8	-	1	-	-	5	1,676	3
Nebraska-----	Male-----	66,670	43,244	42,165	277	530	224	40	2	4	-	2	25,314	112
Female-----	35,076	22,252	21,715	135	262	107	24	2	2	-	-	2	12,768	66
Nevada-----	Male-----	33,594	20,992	20,447	142	269	117	16	-	2	-	-	12,556	46
Female-----	20,325	20,280	17,224	1,024	736	953	327	25	-	-	-	1	10	26
New Hampshire-----	Male-----	10,524	10,504	8,851	516	369	492	160	16	-	-	-	4	16
Female-----	9,802	9,786	8,273	508	367	461	167	9	-	-	-	1	6	10
New Jersey-----	Male-----	50,547	41,083	39,220	734	376	564	195	2	-	-	2	9,231	33
Female-----	25,885	21,144	20,170	580	212	262	97	1	-	-	-	2	4,685	18
New Mexico-----	Male-----	24,492	19,439	19,050	354	164	262	88	1	-	-	-	4,538	15
Female-----	94,288	92,787	79,817	5,603	1,899	4,355	2,034	69	16	-	-	4	1,444	57
New York-----	Male-----	48,559	47,801	40,487	2,956	1,029	2,256	1,020	39	12	-	2	725	33
Female-----	45,729	44,986	38,330	2,647	860	2,099	1,014	30	4	-	-	2	719	24
North Carolina-----	Male-----	139,277	130,945	116,101	6,675	1,974	4,289	1,858	37	9	-	2	8,107	225
Female-----	71,867	67,659	60,000	3,429	1,045	2,213	940	23	7	-	-	2	4,100	108
North Dakota-----	Male-----	67,410	63,286	58,101	3,246	929	2,076	918	14	2	-	-	4,007	117
Female-----														



## GENERAL TABLES—LIVE BIRTHS

143

TABLE 6.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES  
AND EACH STATE, 1946—Continued

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total births	WHITE									Negro	Other races	
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign			Father's nativity not stated
Minnesota	67,266	66,511	61,920	1,638	1,633	1,064	235	18	2	-	1	188	567
Male	34,339	33,974	31,604	867	831	543	117	10	1	-	1	98	267
Female	32,927	32,537	30,316	771	802	521	118	8	1	-	-	90	300
Mississippi	61,680	29,975	29,423	103	332	98	15	-	2	-	2	31,608	106
Male	31,442	15,320	15,055	53	170	51	8	-	1	-	2	16,062	60
Female	30,248	14,655	14,368	50	162	47	7	-	1	-	-	15,547	46
Missouri	80,684	74,637	71,798	728	1,405	525	164	10	3	-	3	6,006	41
Male	41,565	38,550	37,045	372	737	275	91	7	2	-	1	5,015	20
Female	39,119	36,107	34,753	357	668	250	73	3	1	-	2	2,991	21
Montana	12,858	12,229	11,182	475	124	352	84	1	1	-	-	10	619
Male	6,613	6,289	5,777	230	64	190	37	1	-	-	-	6	324
Female	6,239	5,940	5,415	245	60	172	47	-	1	-	-	4	295
Nebraska	29,052	27,477	26,254	464	435	246	89	2	7	1	1	396	179
Male	14,391	14,099	13,445	231	225	136	46	1	5	-	-	209	93
Female	13,661	13,378	12,789	233	208	110	43	1	2	1	1	187	86
Nevada	5,283	5,037	2,783	97	56	54	36	-	1	-	-	87	159
Male	1,652	1,528	1,416	46	23	26	17	-	-	-	-	49	75
Female	1,631	1,509	1,377	51	33	28	19	-	1	-	-	38	84
New Hampshire	11,092	11,074	9,570	563	271	488	189	12	1	-	-	16	2
Male	5,735	5,723	4,937	292	146	240	101	7	-	-	-	11	1
Female	5,357	5,351	4,633	271	125	228	88	5	1	-	-	5	1
New Jersey	95,218	88,620	78,070	4,923	866	3,196	1,536	24	4	-	1	6,535	63
Male	49,194	45,978	40,489	2,528	458	1,666	823	12	2	-	-	3,190	26
Female	46,024	42,642	37,581	2,395	408	1,530	713	12	2	-	1	3,345	37
New Mexico	18,097	16,674	15,251	440	587	229	154	9	3	-	1	179	1,234
Male	9,176	8,461	7,790	214	294	103	72	7	1	-	-	93	602
Female	8,911	8,193	7,461	226	293	126	82	2	2	-	-	86	632
New York	286,546	289,271	223,394	19,463	4,309	11,648	10,303	123	18	2	11	16,727	549
Male	147,929	139,200	115,544	9,986	2,260	6,045	5,279	69	9	-	6	8,453	279
Female	138,617	130,071	107,850	9,475	2,049	5,603	5,024	54	9	2	5	8,274	272
North Carolina	100,679	71,062	69,385	172	1,311	154	26	-	5	-	9	26,563	1,054
Male	51,551	36,506	35,635	82	682	82	15	-	4	-	6	14,496	559
Female	49,128	34,556	33,750	90	629	72	11	-	1	-	3	14,077	495
North Dakota	15,264	14,893	13,789	515	241	276	67	2	1	-	2	5	368
Male	7,766	7,562	6,890	277	119	142	31	1	1	-	1	2	202
Female	7,498	7,331	6,799	238	122	134	36	1	-	-	1	1	166
Ohio	169,600	159,693	149,403	3,714	3,396	2,332	806	20	11	-	12	9,809	99
Male	87,421	82,450	77,116	1,905	1,790	1,182	435	10	4	-	8	4,930	41
Female	82,179	77,243	72,287	1,809	1,606	1,150	371	10	7	-	4	4,879	57
Oklahoma	50,416	44,843	43,847	177	586	192	29	1	8	-	3	5,387	2,186
Male	25,616	23,036	22,534	86	302	94	14	1	4	-	1	1,685	1,115
Female	24,600	21,807	21,313	91	284	98	15	-	4	-	2	1,722	1,071
Oregon	30,076	29,504	27,335	910	352	762	134	8	3	-	-	263	309
Male	15,468	15,200	14,096	469	177	389	64	4	1	-	-	122	146
Female	14,608	14,304	13,239	441	175	373	70	4	2	-	-	141	163
Pennsylvania	216,376	205,448	191,741	5,684	3,051	3,448	1,468	32	10	-	5	12,871	58
Male	112,848	106,187	99,059	2,900	1,621	1,828	771	13	3	-	2	6,626	28
Female	105,527	99,252	92,682	2,784	1,430	1,620	697	19	7	-	3	6,245	30
Rhode Island	18,761	18,425	14,067	954	354	772	271	6	1	-	-	327	9
Male	8,627	8,446	7,197	511	175	413	145	4	1	-	-	177	4
Female	8,134	7,879	6,870	443	179	359	126	2	-	-	-	150	5
South Carolina	53,963	51,010	50,190	98	606	97	18	-	-	-	1	22,933	20
Male	27,436	15,830	15,515	54	302	51	8	-	-	-	-	11,496	10
Female	26,527	15,080	14,675	44	304	46	10	-	-	-	1	11,437	10
South Dakota	14,580	13,932	13,204	252	267	152	30	2	5	-	-	5	643
Male	7,470	7,152	6,761	132	135	79	23	-	2	-	-	317	1
Female	7,110	6,780	6,423	120	132	73	7	2	3	-	-	4	326
Tennessee	77,336	65,507	63,797	101	1,454	130	23	-	1	-	1	11,822	7
Male	39,717	33,667	32,785	53	747	88	13	-	-	-	-	6,048	2
Female	37,619	31,840	31,011	48	707	62	10	-	1	-	1	5,774	5
Texas	181,579	180,289	142,431	6,877	2,411	3,701	4,655	155	28	1	13	21,205	105
Male	93,501	82,672	73,429	3,566	1,219	1,881	2,471	83	14	-	9	10,778	51
Female	88,078	77,597	69,002	3,311	1,192	1,620	2,184	72	11	1	4	10,427	54
Utah	18,220	17,949	16,964	396	181	315	91	2	-	-	-	61	210
Male	9,353	9,216	8,708	195	98	172	42	1	-	-	-	28	109
Female	8,867	8,733	8,256	201	83	143	49	1	-	-	-	33	101
Vermont	8,362	8,358	7,145	438	223	324	222	5	1	-	-	3	1
Male	4,250	4,243	3,612	221	118	175	120	2	1	-	-	1	1
Female	4,112	4,109	3,533	217	105	149	102	3	-	-	-	3	1
Virginia	75,651	58,348	56,071	395	1,312	480	82	2	1	-	5	17,502	11
Male	38,998	30,114	28,948	210	667	243	43	-	-	-	3	8,877	7
Female	36,653	28,234	27,123	185	645	237	39	2	1	-	2	8,625	4
Washington	51,898	50,547	45,051	2,056	1,032	1,961	414	26	1	-	4	682	789
Male	26,883	26,147	23,249	1,032	552	1,027	222	12	1	-	2	332	404
Female	25,135	24,400	21,802	976	480	934	192	14	-	-	2	350	385
West Virginia	49,673	46,228	43,615	532	2,006	202	68	2	-	1	3	2,443	2
Male	25,215	23,989	22,651	177	1,011	111	35	2	-	1	1	1,225	1
Female	23,458	22,239	20,964	185	994	91	33	-	-	-	2	1,218	1
Wisconsin	74,755	73,954	69,306	1,711	1,583	990	337	7	1	1	8	389	432
Male	38,356	37,829	35,571	896	810	478	175	3	-	1	5	209	218
Female	36,399	36,005	33,735	825	773	502	162	4	1	-	3	190	214
Wyoming	6,188	6,044	5,712	141	59	65	46	-	-	1	-	22	121
Male	3,201	3,130	2,947	76	37	47	23	-	-	-	-	13	58
Female	2,987	2,914	2,765	65	22	38	23	-	-	1	-	9	64



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946

(Birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)																				Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	
UNITED STATES-----	3,268,672	1,189,587	858,285	444,965	238,014	135,579	84,335	55,612	37,823	25,853	17,851	11,611	7,156	4,296	2,322	1,322	690	367	163	84	119	172,558
10 to 14 years-----	3,452	3,051	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	211
15 to 19 years-----	322,361	238,741	68,071	10,940	1,837	348	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12,365
20 to 24 years-----	1,051,289	518,720	302,246	113,414	45,605	16,141	5,171	1,630	443	208	71	28	-	-	-	-	-	-	-	-	-	47,612
25 to 29 years-----	936,466	279,565	282,636	149,993	81,949	46,224	25,033	12,268	5,272	2,174	772	339	145	51	25	13	7	-	-	-	-	50,000
30 to 34 years-----	589,122	105,578	152,755	112,223	65,637	40,737	28,523	20,016	13,371	7,762	4,240	2,175	879	421	168	97	34	33	9	7	9	34,348
35 to 39 years-----	296,411	36,238	53,304	48,116	34,711	24,873	19,201	15,951	13,400	10,715	8,154	5,217	3,144	1,737	857	459	227	99	50	19	29	18,810
40 to 44 years-----	75,039	5,821	7,576	8,178	7,391	6,528	5,694	5,204	4,664	4,490	4,141	3,598	2,483	1,787	1,083	623	351	165	77	53	58	5,064
45 to 49 years-----	5,414	223	248	330	362	371	410	367	360	404	410	396	374	268	179	122	68	47	27	5	22	420
50 and over-----	195	14	21	23	19	13	6	13	5	10	8	11	7	8	3	3	-	-	-	-	-	29
Not stated-----	9,893	1,636	1,208	748	503	344	266	163	108	90	55	47	24	25	7	5	3	2	-	-	-	3,679
Male-----	1,691,220	614,530	441,622	228,115	122,015	68,950	43,099	28,460	19,270	13,221	9,056	5,843	3,547	2,254	1,165	689	357	178	81	48	56	88,663
10 to 14 years-----	1,765	1,563	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15 to 19 years-----	165,741	122,980	29,613	5,669	929	173	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,346
20 to 24 years-----	541,719	268,147	155,842	58,110	23,298	8,152	2,637	848	234	115	29	18	-	-	-	-	-	-	-	-	-	24,597
25 to 29 years-----	462,194	144,917	145,805	76,888	42,093	23,518	12,785	6,246	2,716	1,093	369	174	68	21	15	9	5	-	-	-	-	25,806
30 to 34 years-----	302,413	54,459	78,741	57,470	33,796	20,731	14,576	10,234	6,741	3,999	2,128	1,007	471	232	73	48	19	14	5	2	4	17,586
35 to 39 years-----	151,602	18,489	27,422	25,173	17,682	12,682	9,862	8,199	6,894	5,468	4,216	2,626	1,594	888	426	237	125	41	21	10	14	9,533
40 to 44 years-----	38,325	3,010	5,938	4,230	3,785	3,309	2,874	2,663	2,450	2,318	2,075	1,705	1,225	952	549	330	169	99	41	30	26	2,547
45 to 49 years-----	2,755	114	129	170	176	194	211	181	171	207	209	204	168	140	97	63	40	24	14	4	14	225
50 and over-----	104	7	8	11	7	7	1	7	3	7	6	5	7	5	2	1	-	-	-	-	-	20
Not stated-----	4,602	844	614	394	254	184	122	84	61	44	29	24	14	16	3	2	1	-	-	-	-	1,812
Female-----	1,597,452	575,057	416,643	216,850	115,999	66,629	41,236	27,152	18,553	12,632	8,795	5,768	3,609	2,042	1,157	633	333	188	82	38	61	83,995
10 to 14 years-----	1,697	1,488	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119
15 to 19 years-----	156,640	115,761	28,458	5,271	908	175	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6,039
20 to 24 years-----	509,570	250,573	146,704	55,304	22,312	7,989	2,534	784	209	93	43	10	-	-	-	-	-	-	-	-	-	23,015
25 to 29 years-----	454,272	134,648	137,131	73,105	39,856	22,706	12,848	6,022	2,556	1,111	404	165	77	30	10	4	4	-	-	-	-	24,195
30 to 34 years-----	266,729	51,119	74,014	54,753	31,841	20,006	13,847	9,782	6,830	3,783	2,115	1,086	508	189	95	49	15	19	4	5	5	16,782
35 to 39 years-----	144,809	17,749	25,892	25,943	17,029	12,181	9,339	7,752	6,506	5,247	3,858	2,591	1,550	849	431	222	102	58	29	9	15	9,577
40 to 44 years-----	36,714	2,811	3,638	3,948	3,608	3,219	2,810	2,541	2,414	2,172	2,066	1,693	1,259	835	534	283	162	86	36	23	32	2,617
45 to 49 years-----	2,659	109	119	160	166	177	199	186	189	197	201	182	206	129	82	59	28	23	13	1	8	195
50 and over-----	91	7	13	12	12	6	5	6	2	3	2	6	3	1	1	3	-	-	-	-	-	9
Not stated-----	4,291	792	594	354	249	160	126	79	47	46	26	23	10	7	4	3	2	-	-	-	-	1,767
White-----	2,913,645	1,091,000	784,236	394,706	201,451	109,791	64,576	40,805	27,015	17,975	12,104	7,641	4,651	2,644	1,403	777	396	199	93	41	57	153,189
10 to 14 years-----	1,145	1,057	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
15 to 19 years-----	246,460	192,812	38,776	5,504	703	107	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8,536
20 to 24 years-----	931,121	465,996	269,110	89,996	31,418	9,311	2,494	665	137	65	25	9	-	-	-	-	-	-	-	-	-	42,197
25 to 29 years-----	854,112	269,358	269,185	136,962	69,552	35,207	16,970	7,351	2,724	990	305	124	68	11	9	4	4	-	-	-	-	46,516
30 to 34 years-----	539,377	101,348	147,397	106,639	59,855	35,189	22,974	14,798	9,145	4,778	2,380	1,137	499	195	72	46	10	9	2	1	3	31,992
35 to 39 years-----	265,639	34,629	51,288	46,982	32,267	22,362	16,504	13,024	10,527	7,915	5,745	3,373	1,989	1,011	475	237	120	52	28	8	11	17,131
40 to 44 years-----	68,271	5,555	7,278	7,960	6,971	6,066	5,118	4,551	4,127	3,737	3,266	2,625	1,808	1,250	717	399	215	112	44	29	31	4,532
45 to 49 years-----	4,495	202	233	296	325	328	359	313	290	338	345	325	271	181	128	88	46	24	19	3	12	572
50 and over-----	138	12	17	17	13	11	4	7	5	5	6	6	3	3	2	2	1	-	-	-	-	24
Not stated-----	5,898	1,359	948	550	347	212	131	98	58	44	32	22	15	13	2	2	1	-	-	-	-	2,074
Male-----	1,501,498	564,562	404,025	202,830	103,487	55,553	33,068	21,003	13,766	9,200	6,223	3,907	2,317	1,386	719	409	203	99	40	28	51	76,854
10 to 14 years-----	609	565	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
15 to 19 years-----	127,132	99,705	19,752	2,879	368	57	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,419
20 to 24 years-----	480,866	251,326	138,792	46,326	16,094	4,773	1,251	344	68	35	9	7	-	-	-	-	-	-	-	-	-	21,851
25 to 29 years-----	440,567	139,195	138,647	70,270	35,844	18,009	8,713	3,810	1,393	477	138	66	34	3	7	3	1	-	-	-	-	23,957
30 to 34 years-----	276,793	52,396	75,969	54,632	30,797	17,951	11,765	7,584	4,605	2,445	1,220	593	247	107	30	17	7	3	1	-	2	16,899
35 to 39 years-----	136,114	17,709	26,418	24,024	16,469	11,385	8,456	6,730	5,415	4,117	3,010	1,722	1,015	507	242	126	66	23	10	5	7	8,658
40 to 44 years-----	33,951	2,875	3,801	4,053	3,581	3,078	2,596	2,322	2,106	1,920	1,646	1,336	889	666	370							



## GENERAL TABLES-LIVE BIRTHS

145

TABLE 7A.-LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946-Continued

(Birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)																				Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	
UNITED STATES--Con. White--Continued																						
Native white--Con.																						
Female	1,365,174	511,889	368,417	185,598	94,668	51,344	30,317	18,994	12,662	8,241	5,579	3,499	2,153	1,140	607	329	165	90	43	14	23	69,402
10 to 14 years--	527	486	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
15 to 19 years--	118,078	92,189	18,839	2,605	334	49	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,064
20 to 24 years--	440,853	228,940	128,027	43,061	15,146	4,486	1,218	307	68	30	15	2	-	-	-	-	-	-	-	-	-	19,653
25 to 29 years--	401,892	124,861	126,917	65,195	33,064	16,911	8,093	3,448	1,301	501	160	56	31	7	1	1	3	-	-	-	-	21,332
30 to 34 years--	250,114	46,678	68,092	49,045	26,053	16,713	10,858	6,974	4,387	2,237	1,105	532	254	76	40	27	2	6	1	1	1	14,252
35 to 39 years--	119,825	15,605	22,918	21,123	14,707	10,285	7,594	6,002	4,862	3,602	2,593	1,552	899	459	207	94	46	27	17	3	4	7,226
40 to 44 years--	29,078	2,407	3,063	3,393	3,036	2,668	2,327	2,073	1,882	1,715	1,536	1,189	846	511	311	165	100	46	17	9	13	1,761
45 to 49 years--	1,921	86	95	124	135	136	158	140	135	138	156	145	135	85	46	40	13	11	9	1	5	129
50 and over--	56	5	10	9	7	4	3	4	2	1	1	3	-	-	1	-	-	-	-	-	-	6
Not stated--	2,740	632	440	255	186	92	66	46	25	17	13	10	8	2	1	2	1	-	-	-	-	964
Foreign-born white--	96,517	30,066	24,367	13,240	6,821	3,806	2,402	1,701	1,214	880	653	461	323	236	140	89	51	26	14	7	9	10,011
10 to 14 years--	16	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
15 to 19 years--	2,528	1,958	370	42	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
20 to 24 years--	19,168	11,177	4,789	1,242	376	113	45	17	2	-	1	-	-	-	-	-	-	-	-	-	-	1,426
25 to 29 years--	24,152	8,991	7,484	3,038	1,276	614	325	175	66	32	12	5	3	2	1	-	-	-	-	-	-	2,128
30 to 34 years--	23,519	4,728	6,773	4,392	2,121	1,072	673	505	290	186	115	55	32	17	3	2	1	-	-	-	-	2,553
35 to 39 years--	19,871	2,580	4,067	3,616	2,295	1,367	902	634	539	361	303	208	143	88	49	38	20	7	1	2	1	2,651
40 to 44 years--	6,550	560	854	849	686	597	411	341	291	236	196	164	124	105	66	39	24	15	10	4	5	974
45 to 49 years--	556	27	24	41	51	36	40	27	22	42	24	27	21	21	11	6	3	2	1	3	-	106
50 and over--	11	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5
Not stated--	146	33	25	20	11	4	6	2	3	3	2	2	-	-	2	-	-	-	-	-	-	33
Male	48,743	15,589	12,807	6,780	3,534	1,920	1,206	894	630	449	352	228	143	118	64	50	24	17	4	6	6	5,122
10 to 14 years--	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years--	1,360	1,056	190	20	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
20 to 24 years--	9,920	5,781	2,487	637	191	61	20	5	1	-	-	-	-	-	-	-	-	-	-	-	-	737
25 to 29 years--	12,517	4,700	3,891	1,536	655	328	154	82	36	20	5	3	2	1	-	-	-	-	-	-	-	1,104
30 to 34 years--	12,061	2,459	3,432	2,235	1,117	551	342	265	138	90	60	23	14	5	1	-	-	-	-	-	-	1,307
35 to 39 years--	10,186	1,266	2,117	1,883	1,206	677	450	343	289	185	161	109	69	43	23	21	12	5	-	2	1	1,324
40 to 44 years--	3,318	288	440	436	332	280	216	185	152	134	113	78	51	31	25	9	10	2	3	2	-	479
45 to 49 years--	283	16	9	24	23	18	21	14	10	20	13	13	7	14	9	4	2	1	1	1	3	60
50 and over--	8	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
Not stated--	62	18	20	9	6	3	3	-	3	-	-	-	-	-	2	-	-	-	-	-	-	16
Female	46,774	14,477	11,760	6,460	3,287	1,886	1,196	807	594	431	301	233	180	118	76	39	27	9	10	1	3	4,089
10 to 14 years--	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years--	1,168	902	180	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
20 to 24 years--	9,248	5,396	2,282	605	185	52	25	12	1	-	-	-	-	-	-	-	-	-	-	-	-	689
25 to 29 years--	11,635	4,231	3,593	1,502	621	286	171	93	30	12	7	2	1	1	1	-	-	-	-	-	-	1,024
30 to 34 years--	11,458	2,269	3,331	2,157	1,004	581	331	240	152	96	55	32	18	12	2	2	-	-	-	-	-	1,246
35 to 39 years--	9,665	1,314	1,949	1,733	1,089	630	452	291	250	196	142	99	74	45	26	17	8	2	1	-	-	1,307
40 to 44 years--	5,232	272	414	413	354	317	195	156	139	102	83	66	73	53	33	13	15	5	8	1	3	485
45 to 49 years--	273	11	15	17	28	18	19	13	12	22	11	14	14	7	12	7	4	2	1	-	-	46
50 and over--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated--	64	15	5	11	5	1	3	2	-	3	2	-	-	-	-	-	-	-	-	-	-	17
Nativity not stated--	428	158	65	41	23	15	10	3	2	3	3	2	1	-	1	1	1	-	-	-	-	99
10 to 14 years--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years--	52	36	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
20 to 24 years--	107	66	20	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
25 to 29 years--	58	12	12	12	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
30 to 34 years--	62	11	10	8	4	6	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	15
35 to 39 years--	33	4	5	4	5	5	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2
40 to 44 years--	15	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
45 to 49 years--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
50 and over--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated--	98	27	6	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	59
Male	229	86	31	23	14	7	5	2	1	2	2	-	-	-	-	1	-	-	-	-	-	55
10 to 14 years--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years--	30	20	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
20 to 24 years--	53	32	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
25 to 29 years--	30	7	4	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
30 to 34 years--	37	8	5	3	3	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	10
35 to 39 years--	18	3	2	2	3	3	2</															



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): UNITED STATES, 1946—Continued

(Birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)																				Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	
UNITED STATES—Con.																						
Nonwhite—Continued																						
Male	188,722	48,968	37,597	25,485	18,528	13,597	10,041	7,457	5,504	4,021	2,833	1,936	1,230	868	446	290	154	80	41	20	27	9,809
10 to 14 years	1,156	998	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
15 to 19 years	38,549	23,275	9,861	2,790	561	116	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,927
20 to 24 years	60,853	16,821	16,750	11,784	7,209	5,379	1,386	502	166	80	19	11	-	-	-	-	-	-	-	-	-	2,746
25 to 29 years	41,627	5,722	8,858	6,618	6,249	5,509	4,072	2,435	1,323	586	230	108	34	18	8	6	2	-	-	-	-	1,848
30 to 34 years	25,533	2,063	2,772	2,838	2,999	2,780	2,791	2,550	2,136	1,554	905	494	224	125	43	31	12	11	4	2	2	1,197
35 to 39 years	15,468	780	1,004	1,149	1,213	1,297	1,406	1,469	1,479	1,351	1,206	904	579	381	184	111	59	18	11	5	7	875
40 to 44 years	4,374	135	137	177	204	228	278	341	344	396	429	367	336	266	179	109	69	38	22	11	11	275
45 to 49 years	454	9	6	15	14	22	29	21	28	29	31	38	46	51	29	21	11	13	4	2	7	28
50 and over	27	2	1	3	1	-	-	4	-	-	3	1	2	4	2	1	-	-	-	-	-	3
Not stated	1,561	163	114	111	78	66	60	34	28	20	12	12	7	5	2	2	1	-	-	-	-	846
Female	185,305	48,619	36,432	24,774	18,035	13,391	9,718	7,350	5,308	3,959	2,914	2,034	1,275	784	475	265	140	89	29	25	35	9,660
10 to 14 years	1,161	996	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15 to 19 years	37,372	22,654	9,434	2,646	573	125	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,922
20 to 24 years	59,315	16,203	16,366	11,634	6,978	5,451	1,291	465	140	63	27	8	-	-	-	-	-	-	-	-	-	2,669
25 to 29 years	40,727	5,491	6,613	6,413	6,148	5,308	3,981	2,481	1,225	598	237	107	45	22	8	3	1	-	-	-	-	1,536
30 to 34 years	25,112	2,169	2,596	2,746	2,783	2,768	2,758	2,568	2,080	1,430	985	524	285	101	63	20	12	13	3	4	4	1,859
35 to 39 years	15,284	829	1,012	1,085	1,231	1,214	1,291	1,458	1,394	1,448	1,203	940	576	345	199	111	48	29	11	8	11	844
40 to 44 years	4,394	131	161	141	216	234	288	312	333	355	446	406	339	271	187	115	67	35	11	13	16	257
45 to 49 years	465	12	9	19	23	22	33	42	37	34	33	57	37	24	12	11	10	4	-	-	-	20
50 and over	32	-	3	5	2	2	2	2	-	2	1	5	-	3	-	3	-	-	-	-	-	2
Not stated	1,443	134	145	87	78	66	57	31	22	26	11	13	2	5	3	1	1	2	-	-	-	759
Negro	358,114	93,871	70,534	47,858	34,781	25,514	18,850	14,114	10,348	7,638	5,534	3,953	2,395	1,597	869	530	286	165	67	43	61	19,208
10 to 14 years	2,288	1,965	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	156
15 to 19 years	74,026	44,580	18,981	5,358	1,117	238	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,171
20 to 24 years	114,848	30,993	31,524	22,521	13,712	6,679	2,832	951	304	143	46	19	-	-	-	-	-	-	-	-	-	5,324
25 to 29 years	77,770	10,253	12,474	12,174	11,713	10,501	7,773	4,789	2,495	1,161	459	213	78	40	16	9	3	-	-	-	-	3,619
30 to 34 years	47,908	3,969	5,001	5,156	5,382	5,185	5,225	4,943	4,065	2,866	1,808	994	462	224	95	50	24	24	7	6	6	2,415
35 to 39 years	29,285	1,540	1,942	2,127	2,272	2,346	2,520	2,727	2,704	2,312	1,769	1,109	707	373	219	103	46	21	11	18	1	1,699
40 to 44 years	8,220	253	281	295	382	422	512	584	672	692	827	741	644	530	379	215	132	72	33	24	27	523
45 to 49 years	823	19	14	32	32	37	42	45	61	55	59	67	89	82	50	31	22	6	2	9	1	47
50 and over	53	2	4	6	5	2	-	4	-	4	2	5	4	5	1	3	-	-	-	-	-	5
Not stated	2,923	277	246	189	146	124	111	61	47	45	21	25	9	9	5	3	2	1	-	-	-	1,602
Male	181,100	47,539	35,788	24,282	17,607	12,776	9,594	7,091	5,265	3,854	2,724	1,875	1,170	638	433	272	150	79	39	20	27	9,687
10 to 14 years	1,142	984	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
15 to 19 years	37,576	22,567	9,682	2,750	553	115	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,612
20 to 24 years	58,100	15,795	15,697	11,507	6,969	3,505	1,362	481	164	80	19	11	-	-	-	-	-	-	-	-	-	2,700
25 to 29 years	39,526	5,215	6,355	6,196	5,685	5,258	3,935	2,376	1,301	575	225	107	33	18	8	6	2	-	-	-	-	1,821
30 to 34 years	24,184	1,943	2,577	2,631	2,782	2,589	2,632	2,489	2,056	1,481	878	483	213	123	43	31	12	11	4	2	2	1,182
35 to 39 years	14,782	746	968	1,094	1,133	1,216	1,314	1,365	1,388	1,297	1,158	876	554	371	180	103	57	18	10	5	7	866
40 to 44 years	4,094	126	131	161	189	211	255	312	306	365	406	350	319	271	171	104	67	37	22	11	11	269
45 to 49 years	406	8	6	15	12	18	23	15	25	24	27	34	40	48	28	20	11	13	3	2	7	27
50 and over	24	2	1	3	1	-	-	2	-	2	1	2	4	2	1	3	-	-	-	-	-	3
Not stated	1,516	153	107	105	73	64	56	31	25	20	10	12	7	5	2	2	1	-	-	-	-	843
Female	177,014	46,532	34,736	23,596	17,154	12,738	9,256	7,023	5,083	3,782	2,810	1,978	1,225	759	456	258	136	86	28	23	34	9,521
10 to 14 years	1,148	981	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15 to 19 years	36,450	22,015	9,219	2,608	564	123	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,905
20 to 24 years	56,748	15,198	15,627	11,214	6,743	3,374	1,270	460	140	63	27	8	-	-	-	-	-	-	-	-	-	2,624
25 to 29 years	38,444	5,039	6,119	5,978	5,618	5,243	3,838	2,413	1,194	586	234	106	45	22	8	3	1	-	-	-	-	1,798
30 to 34 years	23,724	2,046	2,424	2,525	2,600	2,576	2,583	2,444	2,009	1,378	950	511	249	101	52	19	12	13	3	4	4	1,234
35 to 39 years	14,523	794	974	1,033	1,139	1,206	1,362	1,316	1,273	1,154	813	558	336	193	110	46	28	11	6	11	8	833
40 to 44 years	4,126	127	150	154	193	211	257	282	366	327	421	391	325	259	178	111	65	35	11	13	16	254
45 to 49 years	417	11	8	17	20	19	19	30	36	31	32	33	49	34	22	11	11	9	3	-	-	20
50 and over	29	-	3	5	4	2	-	2	-	2	1	3	-	3	-	3	-	-	-	-	-	2
Not stated	1,407	124	139	84	73	60	55	30	22	25	11	13	2	4	3	1	1	1	-	-	-	759
Other races	16,813	4,716	3,495	2,401	1,802	1,274	909	693	462	344	213	117	110	55	30	15	8	4	3	-	-	261
10 to 14 years	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,635	1,349	414	78	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
20 to 24 years	5,320	2,031	1,612	897	475	151	45															



## GENERAL TABLES—LIVE BIRTHS

147

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946

(By place of residence. Birth order refers to number of children born alive to mother. Births to white mothers whose nativity is not stated are not shown separately, but are included in "Total births," and in "White." "Negro" is shown separately only in those States where the total number of births so classified was 100 or more. "Other races" may be obtained in these States by subtracting "Negro" from "Nonwhite.")

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ALABAMA												
Total births	79,863	21,979	17,819	11,007	7,164	5,050	3,596	2,611	1,929	1,427	2,760	4,521
10 to 14 years	205	149	39	-	-	-	-	-	-	-	-	19
15 to 19 years	13,004	7,593	3,407	853	198	48	4	-	-	-	-	901
20 to 24 years	25,612	8,654	7,359	4,320	2,103	980	324	139	40	21	9	1,483
25 to 29 years	18,659	5,394	4,233	3,179	2,444	1,878	1,255	672	354	161	115	985
30 to 34 years	12,154	1,334	1,904	1,750	1,453	1,270	1,123	949	687	469	573	597
35 to 39 years	7,464	487	710	741	756	670	686	641	617	559	1,229	368
40 to 44 years	2,072	82	98	96	113	148	159	177	207	181	705	108
45 to 49 years	195	4	2	6	7	8	10	10	12	19	109	8
50 years and over	4	-	-	-	-	-	-	-	-	-	2	2
Not stated	495	93	88	62	50	48	30	23	12	17	20	72
White	51,944	16,821	12,683	7,260	4,389	2,797	1,831	1,234	900	624	941	2,484
10 to 14 years	41	36	4	-	-	-	-	-	-	-	-	1
15 to 19 years	7,053	4,788	1,548	286	40	9	-	-	-	-	-	332
20 to 24 years	17,231	7,334	5,281	2,454	902	315	70	18	5	3	-	849
25 to 29 years	12,954	2,975	3,513	2,398	1,633	982	513	206	75	26	15	618
30 to 34 years	8,237	1,153	1,635	1,416	1,121	875	656	462	301	162	113	343
35 to 39 years	4,748	404	580	593	576	476	452	395	384	286	429	189
40 to 44 years	1,364	73	86	83	93	119	117	136	144	130	328	55
45 to 49 years	98	2	2	2	4	3	8	7	6	14	49	1
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	217	56	34	28	20	18	15	6	5	3	7	25
Native white	51,773	16,737	12,642	7,236	4,382	2,794	1,831	1,233	900	623	940	2,455
10 to 14 years	40	36	3	-	-	-	-	-	-	-	-	1
15 to 19 years	7,042	4,779	1,547	286	40	9	-	-	-	-	-	381
20 to 24 years	17,186	7,298	5,262	2,448	901	314	70	18	5	3	-	847
25 to 29 years	12,911	2,947	3,506	2,392	1,633	982	513	206	75	26	15	616
30 to 34 years	8,211	1,145	1,628	1,409	1,120	874	656	461	301	162	113	342
35 to 39 years	4,728	401	574	588	572	475	452	399	364	286	429	188
40 to 44 years	1,361	73	86	83	92	119	117	136	144	129	327	55
45 to 49 years	98	2	2	2	4	3	8	7	6	14	49	1
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	215	56	34	28	20	18	15	6	5	3	7	23
Foreign-born white	163	82	41	25	7	2	-	1	-	1	-	8
10 to 14 years	1	-	1	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	1	-	-	-	-	-	-	-	-	1
20 to 24 years	63	35	19	5	1	1	-	-	-	-	-	2
25 to 29 years	43	28	7	6	-	-	-	-	-	-	-	2
30 to 34 years	25	8	7	7	1	1	-	1	-	-	-	-
35 to 39 years	19	3	6	5	4	-	-	-	-	-	-	1
40 to 44 years	2	-	-	-	1	-	-	-	-	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	27,919	5,159	5,136	3,747	2,775	2,253	1,765	1,377	1,029	803	1,819	2,067
10 to 14 years	164	112	34	-	-	-	-	-	-	-	-	18
15 to 19 years	5,951	2,905	1,859	567	158	39	4	-	-	-	-	519
20 to 24 years	8,381	1,520	2,078	1,866	1,201	685	254	121	35	18	9	614
25 to 29 years	5,704	409	720	781	611	898	742	465	279	135	100	365
30 to 34 years	3,917	181	269	334	372	395	472	487	396	307	460	254
35 to 39 years	2,716	83	130	148	180	194	234	242	253	273	800	179
40 to 44 years	708	9	12	13	20	29	42	41	63	51	375	53
45 to 49 years	97	2	-	4	3	5	2	3	6	5	80	7
50 years and over	3	-	-	-	-	-	-	-	-	-	2	1
Not stated	278	37	34	34	30	30	15	17	7	14	13	47
Negro	27,901	5,156	5,134	3,747	2,775	2,249	1,763	1,374	1,027	802	1,819	2,067
10 to 14 years	164	112	34	-	-	-	-	-	-	-	-	18
15 to 19 years	5,951	2,905	1,859	567	158	39	4	-	-	-	-	519
20 to 24 years	8,377	1,519	2,077	1,866	1,200	664	254	121	35	18	9	614
25 to 29 years	5,696	409	720	781	611	893	741	464	279	134	100	365
30 to 34 years	3,912	180	268	334	371	395	471	486	396	307	460	254
35 to 39 years	2,716	83	130	148	180	194	234	242	253	273	800	179
40 to 44 years	707	9	12	13	20	29	42	41	62	51	375	53
45 to 49 years	97	2	-	4	3	5	2	3	6	5	80	7
50 years and over	3	-	-	-	-	-	-	-	-	-	2	1
Not stated	278	37	34	34	30	30	15	17	7	14	13	47
ARIZONA												
Total births	16,345	5,383	4,289	2,339	1,478	905	644	447	330	169	357	24
10 to 14 years	22	21	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,971	1,465	433	64	7	-	-	-	-	-	-	2
20 to 24 years	5,531	2,366	1,818	731	331	131	35	11	2	-	-	6
25 to 29 years	4,265	985	1,181	825	554	348	208	115	35	7	2	5
30 to 34 years	2,634	374	512	483	384	270	214	164	112	53	64	4
35 to 39 years	1,404	133	181	195	162	123	139	120	131	60	156	4
40 to 44 years	422	26	29	35	30	29	41	27	45	45	115	-
45 to 49 years	40	1	1	1	3	4	5	4	4	4	17	-
50 years and over	3	-	-	-	-	-	1	-	-	-	1	-
Not stated	53	12	13	5	7	4	2	5	-	-	2	3
White	14,379	4,934	3,866	2,067	1,257	695	523	355	252	128	287	17
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,864	1,261	350	49	3	-	-	-	-	-	-	1
20 to 24 years	4,939	2,201	1,710	611	274	98	28	8	2	-	-	6
25 to 29 years	3,826	934	1,115	739	464	261	175	97	32	5	2	2
30 to 34 years	2,327	363	479	447	344	212	173	131	87	37	52	2
35 to 39 years	1,212	129	175	186	140	101	110	92	96	48	129	4
40 to 44 years	344	26	27	32	27	21	33	21	32	34	91	-
45 to 49 years	21	1	-	-	3	-	2	3	-	2	10	-
50 years and over	2	-	-	-	-	-	-	-	-	-	1	-
Not stated	33	7	10	3	2	2	2	3	-	-	2	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARIZONA—Continued												
White—Continued												
Native white—	13,321	4,717	3,682	1,948	1,136	610	435	289	196	84	198	16
10 to 14 years—	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	1,623	1,233	337	49	3	-	-	-	-	-	-	1
20 to 24 years—	4,740	2,118	1,642	586	256	94	28	8	-	-	-	6
25 to 29 years—	3,570	878	1,059	703	425	229	155	86	29	4	2	2
30 to 34 years—	2,076	330	457	408	309	182	140	112	65	33	38	2
35 to 39 years—	993	115	157	171	115	85	84	73	75	29	86	3
40 to 44 years—	264	26	21	29	23	18	25	16	24	18	64	-
45 to 49 years—	14	1	-	-	3	-	2	2	-	-	6	-
50 years and over—	2	-	-	-	-	-	-	-	1	-	1	-
Not stated—	27	8	9	2	2	2	1	2	-	-	1	2
Foreign-born white—	1,058	217	184	119	121	85	88	56	56	42	89	1
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	41	28	13	-	-	-	-	-	-	-	-	-
20 to 24 years—	198	85	68	25	18	4	-	-	-	-	-	-
25 to 29 years—	256	58	56	36	39	32	20	11	5	1	-	-
30 to 34 years—	251	33	22	39	35	30	33	19	22	4	14	-
35 to 39 years—	219	14	18	15	25	16	26	19	25	19	43	1
40 to 44 years—	80	-	6	3	4	3	8	5	8	16	27	-
45 to 49 years—	7	-	-	-	-	-	-	1	-	2	4	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	6	1	1	1	-	-	1	1	-	-	1	-
Nonwhite—	1,966	449	405	272	221	210	121	92	78	45	70	7
10 to 14 years—	10	9	1	-	-	-	-	-	-	-	-	-
15 to 19 years—	307	204	83	15	4	-	-	-	-	-	-	1
20 to 24 years—	593	165	208	120	57	33	7	3	-	-	-	-
25 to 29 years—	439	51	66	86	90	87	33	18	3	2	-	3
30 to 34 years—	307	11	33	36	40	58	41	33	25	16	12	2
35 to 39 years—	192	4	6	9	22	22	29	28	33	12	27	-
40 to 44 years—	78	-	2	3	3	8	8	6	13	11	24	-
45 to 49 years—	19	-	1	1	-	-	2	2	4	2	7	-
50 years and over—	1	-	-	-	-	-	1	-	-	-	-	-
Not stated—	20	5	5	2	5	2	-	2	-	-	-	1
Negro—	477	122	114	70	58	37	27	19	11	5	14	-
10 to 14 years—	4	3	1	-	-	-	-	-	-	-	-	-
15 to 19 years—	91	56	30	3	2	-	-	-	-	-	-	-
20 to 24 years—	159	49	53	27	21	6	3	-	-	-	-	-
25 to 29 years—	106	11	16	24	20	16	10	7	1	1	-	-
30 to 34 years—	71	3	11	11	11	11	10	7	3	2	2	-
35 to 39 years—	54	-	2	4	3	2	4	4	6	1	8	-
40 to 44 years—	7	-	-	-	-	1	-	-	1	1	4	-
45 to 49 years—	2	-	1	1	-	-	-	-	-	-	-	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	3	-	-	-	1	1	-	1	-	-	-	-
ARKANSAS												
Total births—	45,280	13,237	9,737	5,894	3,762	2,608	1,829	1,330	1,044	741	1,417	3,681
10 to 14 years—	123	85	18	-	-	-	-	-	-	-	-	20
15 to 19 years—	7,282	4,520	1,507	367	61	20	2	-	-	-	-	905
20 to 24 years—	14,941	5,488	4,264	2,242	1,048	453	158	48	15	10	4	1,191
25 to 29 years—	10,276	1,993	2,405	1,747	1,334	945	545	303	145	80	41	740
30 to 34 years—	6,682	744	1,089	799	796	709	582	484	356	215	256	472
35 to 39 years—	4,223	286	351	433	422	356	418	371	372	302	596	316
40 to 44 years—	1,506	51	54	62	74	88	89	103	138	119	451	77
45 to 49 years—	107	3	3	2	2	9	8	7	6	9	47	11
50 years and over—	2	-	-	-	1	-	-	1	-	-	-	-
Not stated—	556	69	66	42	24	28	27	13	12	6	20	49
White—	35,165	11,538	8,222	4,736	2,805	1,840	1,276	835	641	429	682	2,161
10 to 14 years—	28	26	1	-	-	-	-	-	-	-	-	1
15 to 19 years—	3,055	3,502	932	169	23	4	-	-	-	-	-	345
20 to 24 years—	12,074	5,034	3,691	1,714	644	198	50	13	2	1	1	726
25 to 29 years—	8,316	1,843	2,207	1,519	1,052	672	341	134	41	20	6	481
30 to 34 years—	5,246	695	983	873	658	556	447	317	212	95	90	320
35 to 39 years—	3,163	250	312	375	349	301	341	274	270	207	287	197
40 to 44 years—	957	44	45	54	62	80	73	82	104	95	262	56
45 to 49 years—	75	2	1	2	-	9	6	5	5	9	27	9
50 years and over—	1	-	-	-	-	-	-	1	-	-	-	-
Not stated—	250	62	50	30	17	20	18	9	7	2	9	26
Native white—	35,050	11,478	8,194	4,730	2,799	1,837	1,275	833	640	428	681	2,155
10 to 14 years—	28	26	1	-	-	-	-	-	-	-	-	1
15 to 19 years—	5,045	3,575	929	169	23	4	-	-	-	-	-	345
20 to 24 years—	12,021	4,999	3,677	1,713	643	198	50	13	2	1	1	724
25 to 29 years—	8,291	1,830	2,198	1,519	1,050	672	341	134	41	20	6	480
30 to 34 years—	5,237	694	982	872	657	555	446	316	211	94	90	320
35 to 39 years—	3,150	247	311	372	348	300	341	273	270	207	286	195
40 to 44 years—	955	44	45	54	61	79	73	82	104	95	282	56
45 to 49 years—	75	2	1	2	-	9	6	5	5	9	27	9
50 years and over—	1	-	-	-	-	-	-	1	-	-	-	-
Not stated—	247	61	50	29	17	20	18	9	7	2	9	25
Foreign-born white—	110	58	28	6	4	3	11	2	-	1	1	6
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	10	7	3	-	-	-	-	-	-	-	-	-
20 to 24 years—	51	34	14	1	-	-	-	-	-	-	-	2
25 to 29 years—	24	13	9	-	1	-	-	-	-	-	-	1
30 to 34 years—	8	1	1	1	1	1	1	1	-	1	-	-
35 to 39 years—	13	3	1	3	1	1	1	1	-	-	1	-
40 to 44 years—	2	-	-	-	1	1	-	-	-	-	-	-
45 to 49 years—	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	2	-	-	1	-	-	-	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

149

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See heading on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARKANSAS—Continued												
Nonwhite	10,115	1,699	1,515	1,158	957	768	553	495	403	312	735	1,520
10 to 14 years	95	59	17	-	-	-	-	-	-	-	-	19
15 to 19 years	2,227	938	575	198	39	16	2	-	-	-	-	480
20 to 24 years	2,867	454	573	548	404	255	108	35	13	9	3	465
25 to 29 years	1,962	150	198	228	282	273	204	169	104	60	35	259
30 to 34 years	1,416	49	86	106	138	153	135	167	144	120	168	152
35 to 39 years	1,060	34	39	58	73	55	77	97	102	95	311	119
40 to 44 years	349	7	9	8	12	8	16	21	34	24	189	21
45 to 49 years	32	1	2	-	2	-	2	2	1	-	20	2
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	108	7	16	12	7	8	9	4	5	4	11	23
Negro	10,081	1,697	1,506	1,157	951	767	552	495	401	311	734	1,520
10 to 14 years	95	59	17	-	-	-	-	-	-	-	-	19
15 to 19 years	2,223	937	572	198	39	16	2	-	-	-	-	460
20 to 24 years	2,863	453	570	548	404	255	108	35	13	9	3	465
25 to 29 years	1,957	150	196	227	280	273	204	169	104	60	35	259
30 to 34 years	1,410	49	85	106	135	152	135	167	143	120	166	152
35 to 39 years	1,056	34	38	58	73	55	76	97	101	94	310	119
40 to 44 years	349	7	9	8	12	8	16	21	34	24	189	21
45 to 49 years	32	1	2	-	2	-	2	2	1	-	20	2
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	105	7	16	12	6	8	9	4	5	4	11	23
CALIFORNIA												
Total births	218,404	91,471	66,838	30,336	12,962	6,251	3,325	2,057	1,364	897	1,685	1,318
10 to 14 years	121	114	4	-	-	-	-	-	-	-	-	3
15 to 19 years	21,460	16,819	5,617	554	70	17	1	-	-	-	-	202
20 to 24 years	76,638	40,911	24,502	7,480	2,486	700	224	46	10	4	2	473
25 to 29 years	62,785	21,462	22,203	10,498	4,411	2,088	983	476	206	90	57	311
30 to 34 years	36,879	8,655	11,713	7,806	3,627	1,914	1,135	752	466	303	312	196
35 to 39 years	16,594	2,858	4,108	3,417	1,932	1,169	740	587	508	337	750	98
40 to 44 years	3,680	506	653	575	407	317	222	181	160	145	495	28
45 to 49 years	223	17	23	17	19	21	19	11	13	15	85	3
50 years and over	4	-	-	1	-	-	-	1	-	-	2	-
Not stated	90	28	15	8	10	5	1	3	1	3	2	13
White	205,159	87,032	63,495	28,217	11,665	5,469	2,823	1,757	1,184	762	1,496	1,259
10 to 14 years	82	77	2	-	-	-	-	-	-	-	-	3
15 to 19 years	19,397	15,416	5,314	418	48	9	1	-	-	-	-	191
20 to 24 years	71,816	39,068	22,781	6,642	2,088	560	176	34	8	1	2	456
25 to 29 years	59,346	20,669	21,359	9,823	3,949	1,782	799	391	166	65	49	294
30 to 34 years	34,963	8,398	11,365	7,443	3,543	1,711	935	642	393	252	263	190
35 to 39 years	15,799	2,873	4,008	3,305	1,829	1,090	648	524	459	298	680	85
40 to 44 years	3,451	491	628	561	382	294	199	156	145	130	439	26
45 to 49 years	201	15	23	16	17	19	16	8	12	13	59	3
50 years and over	3	-	-	1	-	-	-	-	-	-	2	-
Not stated	61	25	15	8	9	4	1	2	1	3	2	11
Native white	193,398	83,321	60,402	26,518	10,843	4,928	2,471	1,412	921	552	838	1,192
10 to 14 years	80	75	2	-	-	-	-	-	-	-	-	3
15 to 19 years	19,091	15,175	5,289	411	46	9	1	-	-	-	-	190
20 to 24 years	69,439	37,716	22,102	6,429	2,017	531	163	27	7	1	2	444
25 to 29 years	56,146	19,535	20,312	9,352	3,727	1,644	729	337	141	56	35	278
30 to 34 years	32,082	7,779	10,575	6,900	3,082	1,530	862	516	316	179	167	176
35 to 39 years	13,612	2,577	3,578	2,926	1,627	949	538	406	345	216	377	73
40 to 44 years	2,754	425	540	480	325	248	169	119	100	92	234	22
45 to 49 years	125	14	19	12	12	13	9	5	11	6	23	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	68	25	15	7	7	4	-	2	1	2	-	5
Foreign-born white	11,745	3,709	3,091	1,697	821	540	352	345	263	210	657	61
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	305	241	54	7	2	-	-	-	-	-	-	1
20 to 24 years	2,375	1,350	679	213	71	29	13	7	1	-	-	12
25 to 29 years	3,198	1,134	1,047	472	221	139	70	54	25	9	14	15
30 to 34 years	2,897	618	789	541	261	181	121	126	77	73	98	14
35 to 39 years	2,186	296	430	379	202	140	110	118	114	82	303	12
40 to 44 years	697	66	88	81	57	46	30	37	45	38	205	4
45 to 49 years	75	1	4	4	5	6	7	3	1	7	35	2
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	8	-	-	1	2	-	1	-	-	1	2	1
Nonwhite	13,325	4,439	3,343	2,119	1,297	762	502	300	180	135	189	59
10 to 14 years	39	37	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,063	1,403	503	116	22	8	-	-	-	-	-	11
20 to 24 years	4,822	1,843	1,521	838	398	140	48	12	2	3	-	17
25 to 29 years	3,439	793	844	675	462	308	184	85	40	25	8	17
30 to 34 years	1,896	257	348	363	284	203	152	110	73	51	49	6
35 to 39 years	795	85	100	112	103	79	92	63	48	39	70	3
40 to 44 years	239	15	28	14	25	23	23	25	15	15	56	3
45 to 49 years	22	2	-	1	2	2	3	3	1	2	6	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	9	4	-	-	1	1	-	1	-	-	-	2
Negro	9,523	3,247	2,375	1,475	932	538	361	212	130	95	129	29
10 to 14 years	34	32	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,735	1,182	416	102	19	7	-	-	-	-	-	7
20 to 24 years	5,617	1,310	1,142	659	321	121	41	9	2	3	-	9
25 to 29 years	2,253	477	510	418	331	236	146	73	30	19	7	6
30 to 34 years	1,226	173	220	211	184	122	104	73	59	40	37	3
35 to 39 years	517	58	69	77	64	42	61	41	32	27	45	1
40 to 44 years	128	10	16	8	13	8	9	14	7	6	36	1
45 to 49 years	7	1	-	-	-	1	-	1	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	4	-	-	-	1	-	1	-	-	-	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
COLORADO												
Total births-----	29,518	11,328	8,112	4,129	2,201	1,199	615	530	368	267	506	63
10 to 14 years-----	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,970	2,409	472	64	11	3	1	-	-	-	-	10
20 to 24 years-----	10,214	5,191	3,276	1,102	407	137	45	25	6	3	1	21
25 to 29 years-----	8,271	2,451	2,661	1,496	802	425	250	105	35	25	15	16
30 to 34 years-----	4,941	932	1,228	979	622	367	276	209	142	80	99	7
35 to 39 years-----	2,382	261	406	421	282	215	182	149	130	111	218	7
40 to 44 years-----	621	50	56	68	69	46	56	39	49	42	145	2
45 to 49 years-----	61	3	5	5	1	4	5	2	4	4	28	-
50 years and over-----	2	-	1	-	1	-	-	-	-	-	-	-
Not stated-----	43	19	6	4	6	2	-	2	2	2	-	-
White-----	28,860	11,105	7,927	4,045	2,155	1,169	795	514	354	260	496	60
10 to 14 years-----	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,895	2,585	455	63	11	3	1	-	-	-	-	8
20 to 24 years-----	10,000	5,101	3,198	1,070	397	137	42	25	6	3	1	20
25 to 29 years-----	8,075	2,587	2,599	1,457	786	413	243	103	33	24	14	16
30 to 34 years-----	4,849	921	1,205	968	607	356	270	201	156	79	99	7
35 to 39 years-----	2,539	258	404	413	278	210	178	145	125	107	214	7
40 to 44 years-----	609	50	54	65	69	46	56	37	48	41	141	2
45 to 49 years-----	57	3	5	5	1	2	5	1	4	4	27	-
50 years and over-----	2	-	1	-	1	-	-	-	-	-	-	-
Not stated-----	42	19	6	4	5	2	-	2	2	2	-	-
Native white-----	28,313	10,959	7,822	3,985	2,109	1,138	764	491	332	237	420	56
10 to 14 years-----	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,879	2,539	455	63	11	3	1	-	-	-	-	8
20 to 24 years-----	9,895	5,053	3,165	1,057	399	156	40	25	6	3	1	20
25 to 29 years-----	7,960	2,545	2,564	1,447	781	407	254	100	53	20	13	16
30 to 34 years-----	4,720	895	1,182	954	599	347	261	194	129	74	89	6
35 to 39 years-----	2,205	249	397	392	267	199	169	136	114	96	180	6
40 to 44 years-----	557	49	50	63	65	42	54	34	44	38	118	-
45 to 49 years-----	47	2	4	5	1	2	5	1	4	4	19	-
50 years and over-----	2	-	1	-	1	-	-	-	-	-	-	-
Not stated-----	37	17	4	4	5	2	-	1	2	2	-	-
Foreign-born white-----	559	141	104	58	46	31	31	23	22	23	76	4
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	15	15	-	-	-	-	-	-	-	-	-	-
20 to 24 years-----	103	47	33	12	8	1	2	-	-	-	-	-
25 to 29 years-----	113	41	35	9	5	6	9	3	-	4	1	-
30 to 34 years-----	129	26	23	14	18	9	9	7	7	5	10	1
35 to 39 years-----	134	9	7	27	11	11	9	9	11	11	34	1
40 to 44 years-----	52	1	4	2	4	4	2	3	4	3	23	2
45 to 49 years-----	10	1	1	-	-	-	-	-	-	-	8	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	1	1	-	-	-	-	1	-	-	-	-
Nonwhite-----	638	225	185	84	46	30	20	16	14	7	10	3
10 to 14 years-----	2	1	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	74	54	17	1	-	-	-	-	-	-	-	2
20 to 24 years-----	214	90	78	32	10	-	3	-	-	-	-	1
25 to 29 years-----	196	64	62	29	16	12	7	2	2	1	1	-
30 to 34 years-----	92	11	23	11	15	11	6	8	6	1	-	-
35 to 39 years-----	43	3	2	8	4	5	4	4	5	4	4	-
40 to 44 years-----	12	-	2	3	-	-	-	1	1	1	4	-
45 to 49 years-----	4	-	-	-	-	2	-	1	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	-	-	1	-	-	-	-	-	-	-
Negro-----	347	109	105	57	20	19	12	5	10	1	8	3
10 to 14 years-----	2	1	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	61	42	16	1	-	-	-	-	-	-	-	2
20 to 24 years-----	123	58	48	25	8	-	3	-	-	-	-	1
25 to 29 years-----	77	20	22	14	5	7	6	-	-	-	1	-
30 to 34 years-----	47	6	15	8	4	7	2	2	5	-	-	-
35 to 39 years-----	27	2	1	7	2	4	1	2	3	1	4	-
40 to 44 years-----	8	-	2	2	-	-	-	1	-	-	3	-
45 to 49 years-----	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT												
Total births-----	41,457	16,992	13,046	6,052	2,477	1,050	488	287	178	109	156	628
10 to 14 years-----	9	9	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,571	1,288	232	17	1	-	-	-	-	-	-	33
20 to 24 years-----	11,212	7,055	2,972	744	185	60	15	4	1	1	-	175
25 to 29 years-----	14,259	5,617	5,244	2,084	873	257	95	35	28	8	4	216
30 to 34 years-----	9,190	2,161	3,255	2,012	896	361	174	96	58	27	24	126
35 to 39 years-----	4,258	704	1,170	1,010	582	281	148	106	62	47	74	62
40 to 44 years-----	880	132	152	168	118	87	53	39	28	26	47	12
45 to 49 years-----	46	4	8	9	9	3	1	5	1	2	5	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	52	22	15	8	3	1	-	-	-	-	2	1
White-----	40,354	16,646	12,746	5,996	2,362	1,001	450	256	141	95	130	611
10 to 14 years-----	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,409	1,191	177	12	-	-	-	-	-	-	-	29
20 to 24 years-----	10,786	6,894	2,827	680	152	49	10	1	1	1	-	171
25 to 29 years-----	13,969	5,556	5,177	2,028	825	237	93	36	18	5	2	211
30 to 34 years-----	9,050	2,148	3,229	1,993	873	350	159	85	47	24	17	125
35 to 39 years-----	4,183	698	1,163	999	583	275	144	104	51	41	63	62
40 to 44 years-----	838	129	152	167	117	86	53	36	23	22	41	12
45 to 49 years-----	44	4	6	9	9	3	1	4	1	2	5	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	51	21	15	8	3	1	-	-	-	-	2	1



## GENERAL TABLES—LIVE BIRTHS

151

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
CONNECTICUT--Continued												
White--Continued												
Native white	37,831	15,818	12,023	5,445	2,149	895	403	210	113	81	112	584
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,380	1,164	175	12	-	-	-	-	-	-	-	29
20 to 24 years	10,349	6,596	2,716	663	149	49	9	1	1	1	-	163
25 to 29 years	13,322	5,287	4,955	1,926	595	226	79	25	17	5	2	205
30 to 34 years	8,401	1,999	3,013	1,840	806	322	150	72	41	22	16	121
35 to 39 years	3,631	631	1,023	861	502	229	120	86	34	36	55	54
40 to 44 years	686	111	122	131	88	57	44	22	19	17	34	11
45 to 49 years	30	4	4	6	6	1	1	4	1	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	48	20	15	6	3	1	-	-	-	-	2	1
Foreign-born white	2,500	829	722	451	213	106	47	46	28	14	18	27
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	29	27	2	-	-	-	-	-	-	-	-	-
20 to 24 years	437	297	111	17	3	-	1	-	-	-	-	8
25 to 29 years	646	269	222	102	30	11	4	1	1	-	-	6
30 to 34 years	648	150	215	153	67	28	8	13	6	2	1	4
35 to 39 years	552	67	140	138	81	46	24	18	17	5	8	8
40 to 44 years	172	18	30	36	29	19	9	14	4	5	7	1
45 to 49 years	14	-	2	3	3	2	-	-	-	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Nonwhite	1,123	346	300	156	115	49	36	31	35	14	26	15
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	162	97	55	5	1	-	-	-	-	-	-	4
20 to 24 years	426	161	145	64	33	11	5	3	-	-	-	4
25 to 29 years	291	61	67	56	48	20	12	9	10	1	2	5
30 to 34 years	140	13	26	19	23	11	15	11	11	3	7	1
35 to 39 years	75	6	7	11	9	6	4	4	11	6	11	-
40 to 44 years	22	3	-	1	1	1	-	3	3	4	6	-
45 to 49 years	2	-	-	-	-	-	-	1	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	1,108	339	299	154	113	48	36	30	35	14	26	14
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	162	97	55	5	1	-	-	-	-	-	-	4
20 to 24 years	424	159	145	64	33	11	5	3	-	-	-	4
25 to 29 years	285	58	67	56	46	20	12	9	10	1	2	4
30 to 34 years	135	11	26	18	23	10	15	10	11	3	7	1
35 to 39 years	73	6	6	10	9	6	4	4	11	6	11	-
40 to 44 years	22	3	-	1	1	1	-	3	3	4	6	-
45 to 49 years	2	-	-	-	-	-	-	1	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE												
Total births	6,802	2,300	1,897	961	520	251	166	93	73	52	79	410
10 to 14 years	19	18	1	-	-	-	-	-	-	-	-	-
15 to 19 years	647	439	104	23	9	-	-	-	-	-	-	72
20 to 24 years	2,128	958	640	203	120	31	13	4	1	-	-	156
25 to 29 years	2,043	576	651	339	169	94	49	22	14	6	4	121
30 to 34 years	1,225	229	346	261	137	73	51	31	28	17	17	35
35 to 39 years	598	72	134	121	74	40	41	26	18	22	30	20
40 to 44 years	122	8	19	12	9	9	10	12	7	23	4	4
45 to 49 years	13	-	1	1	3	1	2	-	-	-	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	-	1	2	-	3	1	-	-	-	-	-
White	5,811	2,075	1,689	855	401	181	108	61	43	29	45	325
10 to 14 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	420	314	57	13	4	-	-	-	-	-	-	32
20 to 24 years	1,818	904	553	149	65	11	3	-	-	-	-	133
25 to 29 years	1,822	560	608	312	128	64	26	11	6	1	-	106
30 to 34 years	1,111	215	329	252	124	61	38	23	19	10	8	33
35 to 39 years	519	69	121	114	69	36	30	20	11	12	20	17
40 to 44 years	102	7	19	12	8	8	9	7	8	8	14	4
45 to 49 years	11	-	1	1	3	1	2	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Native white	5,695	2,043	1,654	842	389	177	106	60	42	29	45	308
10 to 14 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	418	312	57	13	4	-	-	-	-	-	-	32
20 to 24 years	1,789	890	548	148	63	11	3	-	-	-	-	126
25 to 29 years	1,785	553	593	306	125	64	26	11	6	1	-	100
30 to 34 years	1,090	209	322	260	122	59	38	23	18	10	8	31
35 to 39 years	499	66	117	110	65	35	29	19	11	12	20	15
40 to 44 years	97	7	17	12	7	7	9	7	7	6	14	4
45 to 49 years	9	-	-	1	3	1	1	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Foreign-born white	116	32	34	13	12	4	2	1	1	-	-	17
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	2	-	-	-	-	-	-	-	-	-	-
20 to 24 years	29	14	5	1	2	-	-	-	-	-	-	7
25 to 29 years	37	7	15	6	3	-	-	-	-	-	-	6
30 to 34 years	21	6	7	2	2	-	-	-	-	-	-	2
35 to 39 years	20	3	4	4	4	1	1	1	-	-	-	2
40 to 44 years	5	-	2	-	1	1	-	-	1	-	-	-
45 to 49 years	2	-	1	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
DELAWARE—Continued												
Nonwhite-----	991	225	208	106	119	70	58	32	30	23	34	85
10 to 14 years-----	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	227	125	47	10	5	-	-	-	-	-	-	40
20 to 24 years-----	310	54	87	54	55	20	10	4	1	-	-	25
25 to 29 years-----	221	16	43	28	40	30	23	11	6	5	4	15
30 to 34 years-----	114	14	17	9	13	12	13	8	10	7	9	2
35 to 39 years-----	79	3	13	7	5	4	11	6	7	10	10	3
40 to 44 years-----	20	1	-	-	1	1	-	3	4	1	9	-
45 to 49 years-----	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	-	1	-	-	3	1	-	-	-	-	-
Negro-----	966	218	205	104	118	69	57	31	28	23	29	84
10 to 14 years-----	13	12	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	224	125	47	10	5	-	-	-	-	-	-	39
20 to 24 years-----	303	49	86	53	55	20	10	4	1	-	-	25
25 to 29 years-----	212	16	40	25	40	29	23	10	7	5	2	15
30 to 34 years-----	113	14	17	9	13	12	13	8	10	7	8	2
35 to 39 years-----	76	3	13	7	4	4	10	6	7	10	9	3
40 to 44 years-----	18	1	-	-	1	1	-	3	3	1	8	-
45 to 49 years-----	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	-	1	-	-	3	1	-	-	-	-	-
DISTRICT OF COLUMBIA												
Total births-----	16,601	8,878	4,811	2,144	1,000	554	302	177	126	74	139	398
10 to 14 years-----	35	32	1	-	-	-	-	-	-	-	-	2
15 to 19 years-----	1,884	1,420	328	82	8	1	-	-	-	-	-	47
20 to 24 years-----	6,192	3,504	1,557	578	235	99	33	6	3	-	-	176
25 to 29 years-----	5,564	2,331	1,563	665	331	185	104	58	24	11	6	88
30 to 34 years-----	3,271	1,034	964	545	259	159	86	61	49	32	39	46
35 to 39 years-----	1,418	397	336	237	135	79	56	39	36	22	61	22
40 to 44 years-----	271	52	42	37	24	26	21	14	13	7	32	3
45 to 49 years-----	19	8	2	-	2	2	2	-	-	2	2	1
50 years and over-----	1	1	-	-	-	-	-	-	-	-	-	-
Not stated-----	145	99	20	3	6	3	-	-	1	-	-	13
White-----	12,279	6,364	3,481	1,353	479	195	96	47	28	15	25	198
10 to 14 years-----	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	711	606	90	10	-	-	-	-	-	-	-	5
20 to 24 years-----	3,984	2,578	959	249	82	13	3	1	-	-	-	99
25 to 29 years-----	3,858	1,908	1,258	428	143	42	26	7	4	1	-	41
30 to 34 years-----	2,402	817	831	433	154	78	28	16	9	5	6	25
35 to 39 years-----	1,032	313	293	198	98	46	26	16	11	4	14	13
40 to 44 years-----	177	43	36	33	18	15	12	7	2	4	5	2
45 to 49 years-----	11	3	2	-	2	1	1	-	-	1	-	1
50 years and over-----	1	1	-	-	-	-	-	-	-	-	-	-
Not stated-----	119	91	12	2	2	-	-	-	-	-	-	12
Native white-----	11,720	6,085	3,331	1,285	452	183	91	43	26	15	24	185
10 to 14 years-----	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	701	597	89	10	-	-	-	-	-	-	-	5
20 to 24 years-----	3,851	2,497	936	244	62	13	3	1	-	-	-	95
25 to 29 years-----	3,697	1,812	1,213	418	136	41	26	7	4	1	-	39
30 to 34 years-----	2,252	765	780	401	149	72	26	15	9	5	6	24
35 to 39 years-----	940	288	266	181	85	42	23	15	11	4	13	12
40 to 44 years-----	163	40	35	29	16	14	12	5	2	4	5	1
45 to 49 years-----	10	3	1	-	2	1	1	-	-	1	-	1
50 years and over-----	1	1	-	-	-	-	-	-	-	-	-	-
Not stated-----	101	79	11	2	2	-	-	-	-	-	-	8
Foreign-born white-----	538	284	148	88	27	11	5	4	-	-	1	8
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	8	7	1	-	-	-	-	-	-	-	-	-
20 to 24 years-----	112	81	22	5	-	-	-	-	-	-	-	4
25 to 29 years-----	160	96	45	10	7	1	-	-	-	-	-	1
30 to 34 years-----	149	52	51	32	5	5	2	1	-	-	-	1
35 to 39 years-----	92	25	27	17	13	4	3	1	-	-	1	1
40 to 44 years-----	14	3	1	4	2	1	-	2	-	-	-	1
45 to 49 years-----	1	-	1	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	6,322	2,512	1,330	791	521	359	206	130	100	59	114	200
10 to 14 years-----	31	28	1	-	-	-	-	-	-	-	-	2
15 to 19 years-----	1,173	814	236	72	8	1	-	-	-	-	-	42
20 to 24 years-----	2,228	926	598	330	173	66	30	5	3	-	-	77
25 to 29 years-----	1,506	425	305	235	189	143	78	51	20	10	6	47
30 to 34 years-----	869	217	133	110	105	81	58	45	40	27	32	21
35 to 39 years-----	387	84	43	39	37	33	30	22	25	18	47	9
40 to 44 years-----	94	9	6	4	6	11	9	7	11	3	27	1
45 to 49 years-----	8	3	-	-	-	1	1	-	-	1	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	26	8	8	1	4	3	-	-	1	-	-	1
Negro-----	6,258	2,482	1,314	781	518	355	205	130	100	58	114	200
10 to 14 years-----	31	28	1	-	-	-	-	-	-	-	-	2
15 to 19 years-----	1,170	812	235	72	8	1	-	-	-	-	-	42
20 to 24 years-----	2,208	915	594	327	173	65	30	5	3	-	-	77
25 to 29 years-----	1,484	414	302	230	186	140	78	51	20	10	6	47
30 to 34 years-----	854	211	126	108	105	81	58	45	40	27	32	21
35 to 39 years-----	382	82	42	39	36	33	29	22	25	18	47	9
40 to 44 years-----	94	9	6	4	6	11	9	7	11	3	27	1
45 to 49 years-----	8	3	-	-	-	1	1	-	-	1	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	26	8	8	1	4	3	-	-	1	-	-	1



## GENERAL TABLES—LIVE BIRTHS

153

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
FLORIDA												
Total births-----	53,688	19,640	14,074	7,483	4,075	2,486	1,651	1,099	760	455	950	1,013
10 to 14 years-----	157	130	21	-	-	-	-	-	-	-	-	6
15 to 19 years-----	7,820	5,450	1,704	398	72	14	3	-	-	-	-	179
20 to 24 years-----	17,724	7,961	5,383	2,368	1,046	449	148	48	20	7	2	292
25 to 29 years-----	13,919	3,762	4,094	2,368	1,441	932	594	270	140	59	44	214
30 to 34 years-----	8,354	1,586	2,009	1,546	953	633	513	382	264	136	184	148
35 to 39 years-----	4,347	604	722	646	458	339	295	302	261	178	404	118
40 to 44 years-----	1,085	85	97	121	92	89	82	83	66	67	285	18
45 to 49 years-----	77	6	4	8	2	7	2	6	6	5	28	1
50 years and over-----	7	-	1	1	1	1	1	-	-	-	2	-
Not stated-----	199	56	39	27	10	4	13	6	3	3	1	37
White-----	40,114	16,164	11,335	5,506	2,670	1,474	939	589	379	199	316	543
10 to 14 years-----	18	17	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,814	3,715	870	141	11	-	1	-	-	-	-	76
20 to 24 years-----	13,629	6,952	4,269	1,503	510	170	43	10	3	1	-	168
25 to 29 years-----	10,978	3,413	3,622	1,967	981	510	299	101	41	15	6	123
30 to 34 years-----	6,553	1,426	1,815	1,321	719	433	333	215	122	51	38	80
35 to 39 years-----	3,202	527	642	550	361	275	201	193	160	87	145	61
40 to 44 years-----	769	76	91	105	84	78	56	62	49	42	115	11
45 to 49 years-----	42	5	2	6	-	6	2	4	3	2	12	-
50 years and over-----	3	-	-	1	1	1	-	-	-	-	-	-
Not stated-----	108	33	23	12	3	1	4	4	1	1	-	24
Native white-----	39,253	15,772	11,070	5,403	2,628	1,461	926	579	378	198	310	532
10 to 14 years-----	18	17	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,784	3,692	865	140	11	-	1	-	-	-	-	75
20 to 24 years-----	13,370	6,793	4,191	1,487	507	170	43	10	3	1	-	165
25 to 29 years-----	10,753	3,298	3,550	1,842	974	508	297	99	41	15	6	123
30 to 34 years-----	6,373	1,373	1,750	1,288	702	430	328	211	122	51	39	80
35 to 39 years-----	3,080	493	606	530	348	270	197	190	158	84	143	61
40 to 44 years-----	734	70	82	98	82	75	54	61	48	42	112	10
45 to 49 years-----	39	4	2	5	-	6	2	4	3	2	11	-
50 years and over-----	3	-	-	1	1	1	-	-	-	-	-	-
Not stated-----	99	32	23	12	3	1	4	4	1	1	-	16
Foreign-born white-----	844	366	263	100	42	13	13	10	3	3	6	5
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	28	23	4	-	-	-	-	-	-	-	-	1
20 to 24 years-----	252	154	77	15	3	-	-	-	-	-	-	3
25 to 29 years-----	224	115	72	24	7	2	2	2	-	-	-	-
30 to 34 years-----	179	52	65	33	17	3	5	4	-	-	-	-
35 to 39 years-----	122	34	36	20	13	5	4	3	2	3	2	-
40 to 44 years-----	35	6	9	7	2	3	2	1	1	1	3	1
45 to 49 years-----	3	1	-	1	-	-	-	-	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	13,574	3,476	2,739	1,977	1,405	1,014	712	510	381	256	634	470
10 to 14 years-----	139	113	20	-	-	-	-	-	-	-	-	6
15 to 19 years-----	3,006	1,735	834	257	61	14	2	-	-	-	-	103
20 to 24 years-----	4,095	1,009	1,114	865	536	279	105	38	17	6	2	124
25 to 29 years-----	2,940	349	472	501	460	422	295	169	99	44	38	81
30 to 34 years-----	1,801	160	194	225	234	200	180	167	142	85	146	68
35 to 39 years-----	1,145	77	80	96	97	84	94	109	101	91	259	57
40 to 44 years-----	316	9	6	16	8	11	26	21	17	25	170	7
45 to 49 years-----	35	1	2	2	2	1	-	4	3	3	16	1
50 years and over-----	4	-	1	-	-	-	1	-	-	-	2	-
Not stated-----	93	23	16	15	7	3	9	2	2	2	1	13
Negro-----	13,544	3,469	2,731	1,973	1,403	1,013	709	510	390	256	634	466
10 to 14 years-----	139	113	20	-	-	-	-	-	-	-	-	6
15 to 19 years-----	3,003	1,732	834	257	61	14	2	-	-	-	-	103
20 to 24 years-----	4,084	1,005	1,108	864	536	279	105	38	17	6	2	123
25 to 29 years-----	2,933	348	470	500	459	421	295	169	99	44	38	89
30 to 34 years-----	1,796	160	194	223	233	200	179	167	141	85	146	68
35 to 39 years-----	1,142	77	79	96	97	84	93	109	101	91	259	56
40 to 44 years-----	316	9	6	16	8	11	26	21	17	25	170	7
45 to 49 years-----	35	1	2	2	2	1	-	4	3	3	16	1
50 years and over-----	3	-	1	-	-	-	-	-	-	-	2	-
Not stated-----	93	23	16	15	7	3	9	2	2	2	1	13
GEORGIA												
Total births-----	85,667	26,280	18,919	10,804	7,021	4,746	3,220	2,424	1,711	1,267	2,305	6,970
10 to 14 years-----	257	221	16	-	-	-	-	-	-	-	-	20
15 to 19 years-----	13,036	8,562	2,774	673	155	39	8	-	-	-	-	825
20 to 24 years-----	26,524	10,285	7,640	3,678	2,011	877	304	144	32	18	13	1,322
25 to 29 years-----	20,449	4,597	5,017	3,383	2,451	1,630	1,092	619	274	149	117	921
30 to 34 years-----	12,768	1,806	2,399	1,912	1,529	1,191	1,035	845	625	413	464	549
35 to 39 years-----	7,225	598	884	781	691	624	603	629	599	509	1,007	300
40 to 44 years-----	1,949	83	116	130	137	143	142	165	180	159	613	101
45 to 49 years-----	142	3	-	2	8	7	14	7	11	9	70	10
50 years and over-----	10	-	-	-	-	1	-	1	1	1	5	1
Not stated-----	3,397	125	72	45	39	34	22	14	9	10	16	2,921
White-----	56,385	19,815	13,999	7,237	4,228	2,596	1,587	1,117	769	525	929	3,685
10 to 14 years-----	50	43	-	-	-	-	-	-	-	-	-	7
15 to 19 years-----	6,836	5,087	1,201	179	29	7	2	-	-	-	-	331
20 to 24 years-----	18,028	8,434	5,510	2,177	830	273	69	19	3	3	2	708
25 to 29 years-----	14,485	4,001	4,249	2,506	1,536	926	419	191	59	35	16	547
30 to 34 years-----	9,016	1,582	2,113	1,581	1,158	793	581	393	254	123	103	335
35 to 39 years-----	4,873	518	784	647	543	468	400	381	335	257	367	173
40 to 44 years-----	1,307	72	101	118	111	113	104	121	108	98	300	61
45 to 49 years-----	81	-	1	2	5	6	10	3	6	6	35	7
50 years and over-----	5	-	-	-	-	-	-	-	1	1	2	-
Not stated-----	1,704	79	40	27	16	10	2	1	2	2	3	1,516



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
GEORGIA--Continued												
White--Continued												
Native white	56,170	19,710	13,946	7,218	4,217	2,890	1,585	1,117	768	525	828	3,666
10 to 14 years	50	43	-	-	-	-	-	-	-	-	-	7
15 to 19 years	6,823	5,076	1,200	178	29	7	2	-	-	-	-	331
20 to 24 years	17,951	8,381	5,483	2,173	890	273	69	19	3	3	2	705
25 to 29 years	14,439	3,979	4,254	2,501	1,535	925	419	181	59	35	18	545
30 to 34 years	8,973	1,571	2,098	1,574	1,152	780	581	393	254	123	103	354
35 to 39 years	4,853	511	779	645	540	467	399	381	335	257	367	172
40 to 44 years	1,305	71	101	118	110	113	104	121	108	98	300	61
45 to 49 years	80	-	1	2	5	5	10	3	6	6	35	7
50 years and over	5	-	-	-	-	-	-	1	1	1	2	-
Not stated	1,691	78	40	27	16	10	1	8	2	3	-	1,504
Foreign-born white	200	105	52	19	10	5	2	-	-	-	-	7
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	11	1	1	-	-	-	-	-	-	-	-
20 to 24 years	77	53	17	4	-	-	-	-	-	-	-	3
25 to 29 years	46	22	15	5	1	1	-	-	-	-	-	2
30 to 34 years	40	11	14	7	5	2	-	-	-	-	-	1
35 to 39 years	20	7	5	2	3	1	1	-	-	-	-	1
40 to 44 years	2	1	-	-	1	-	-	-	-	-	-	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	1	-	-	-	-	-
Nonwhite	29,282	6,465	4,920	3,567	2,793	2,150	1,633	1,307	945	742	1,477	3,285
10 to 14 years	207	178	16	-	-	-	-	-	-	-	-	13
15 to 19 years	6,200	3,475	1,573	494	126	32	6	-	-	-	-	494
20 to 24 years	8,498	1,851	2,130	1,701	1,181	604	235	125	29	25	11	614
25 to 29 years	5,964	596	768	877	915	904	673	428	215	113	101	374
30 to 34 years	3,752	224	286	331	371	399	454	452	371	290	361	214
35 to 39 years	2,352	80	100	134	148	156	203	248	264	252	640	127
40 to 44 years	642	11	15	12	26	30	56	44	52	61	313	40
45 to 49 years	61	3	-	-	3	1	4	4	5	3	35	3
50 years and over	5	-	-	-	-	1	-	-	-	-	3	1
Not stated	1,603	47	32	18	23	24	20	6	7	8	13	1,405
Negro	29,270	6,460	4,919	3,567	2,792	2,150	1,632	1,307	945	740	1,477	3,283
10 to 14 years	207	178	16	-	-	-	-	-	-	-	-	13
15 to 19 years	6,200	3,475	1,573	494	126	32	6	-	-	-	-	494
20 to 24 years	8,492	1,848	2,130	1,701	1,180	604	235	125	29	15	11	614
25 to 29 years	5,961	594	768	877	915	904	672	428	215	113	101	374
30 to 34 years	3,750	224	285	331	371	398	454	452	371	290	361	213
35 to 39 years	2,351	80	100	134	148	156	203	248	264	251	640	127
40 to 44 years	642	11	15	12	26	30	58	44	52	61	313	40
45 to 49 years	60	3	-	-	3	1	4	4	5	2	35	3
50 years and over	5	-	-	-	-	1	-	-	-	-	3	1
Not stated	1,602	47	32	18	23	24	20	6	7	8	13	1,404
IDAHO												
Total births	13,787	4,514	3,749	2,309	1,368	720	431	211	138	92	133	124
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,411	1,142	233	27	1	-	-	-	-	-	-	8
20 to 24 years	4,763	2,113	1,655	656	211	70	17	3	1	-	-	37
25 to 29 years	3,722	940	1,126	865	478	222	108	38	7	6	2	34
30 to 34 years	2,305	289	527	519	420	237	142	64	38	20	22	26
35 to 39 years	1,152	67	169	199	209	148	118	71	54	43	44	9
40 to 44 years	363	24	35	36	39	37	45	33	31	23	53	7
45 to 49 years	33	1	-	3	7	3	1	2	3	-	12	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	33	13	4	4	3	2	2	2	1	-	-	2
White	13,571	4,448	3,698	2,287	1,346	710	418	199	129	88	128	121
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,393	1,125	232	27	1	-	-	-	-	-	-	-
20 to 24 years	4,899	2,066	1,655	647	208	68	16	2	1	-	-	36
25 to 29 years	3,637	823	1,104	855	471	219	104	33	6	8	2	34
30 to 34 years	2,267	266	520	517	434	233	136	62	36	19	21	24
35 to 39 years	1,139	67	168	199	205	149	116	69	51	42	44	9
40 to 44 years	352	24	35	35	38	37	43	28	30	22	52	7
45 to 49 years	29	1	-	3	6	3	1	2	3	-	9	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	11	4	4	3	1	2	2	1	-	-	2
Native white	13,328	4,370	3,630	2,246	1,330	696	411	194	125	83	122	119
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,380	1,114	230	27	1	-	-	-	-	-	-	8
20 to 24 years	4,628	2,047	1,614	639	206	67	16	2	1	-	-	36
25 to 29 years	3,591	802	1,084	839	467	216	103	32	6	6	2	34
30 to 34 years	2,225	284	503	505	410	229	136	62	35	16	21	23
35 to 39 years	1,109	82	163	195	201	146	112	68	51	41	42	8
40 to 44 years	333	24	32	35	37	34	41	26	28	20	49	7
45 to 49 years	27	1	-	3	5	3	1	2	3	-	8	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	11	4	4	3	1	2	2	1	-	-	2
Foreign-born white	240	76	67	39	16	14	7	5	3	5	6	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	12	10	2	-	-	-	-	-	-	-	-	-
20 to 24 years	70	38	21	8	2	1	-	-	-	-	-	-
25 to 29 years	66	21	20	16	4	3	1	1	-	-	-	-
30 to 34 years	41	2	16	11	4	4	-	-	1	2	-	1
35 to 39 years	30	5	5	4	4	3	4	1	-	1	2	1
40 to 44 years	19	-	3	-	1	3	2	3	2	2	3	-
45 to 49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

155

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IDAHO—Continued												
Nonwhite	216	66	51	22	22	10	13	12	8	4	5	3
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	17	1	-	-	-	-	-	-	-	-	-
20 to 24 years	84	27	20	9	3	2	1	1	-	-	-	1
25 to 29 years	65	17	22	10	7	3	2	3	1	-	-	-
30 to 34 years	38	3	7	2	6	4	6	2	3	2	1	2
35 to 39 years	13	-	1	-	4	-	-	2	3	1	-	-
40 to 44 years	11	-	-	1	1	-	2	4	1	1	1	-
45 to 49 years	4	-	-	-	1	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	2	-	-	-	1	-	-	-	-	-	-
ILLINOIS												
Total births	174,825	71,052	52,132	25,434	11,686	5,811	3,221	1,949	1,158	774	1,204	404
10 to 14 years	102	99	2	-	-	-	-	-	-	-	-	1
15 to 19 years	12,732	10,374	2,001	289	29	6	2	-	-	-	-	31
20 to 24 years	53,665	30,913	15,602	4,794	1,621	477	123	35	7	3	-	110
25 to 29 years	53,769	19,206	18,015	8,658	3,807	1,769	837	396	126	44	22	109
30 to 34 years	34,935	7,474	11,375	7,769	3,697	1,901	1,098	715	389	242	185	90
35 to 39 years	15,737	2,563	3,753	3,312	2,044	1,282	892	573	435	329	522	32
40 to 44 years	3,803	400	561	582	462	356	257	211	189	147	430	8
45 to 49 years	189	10	14	26	26	18	11	19	12	9	43	1
50 years and over	5	1	3	-	-	-	-	-	-	-	1	-
Not stated	48	12	6	4	-	2	1	-	-	-	1	22
White	162,314	66,640	49,152	23,681	10,535	5,067	2,676	1,614	963	631	970	385
10 to 14 years	34	32	1	-	-	-	-	-	-	-	-	1
15 to 19 years	10,189	8,578	1,409	157	16	2	1	-	-	-	-	26
20 to 24 years	49,219	29,287	14,226	4,001	1,206	301	63	25	5	2	-	102
25 to 29 years	50,966	18,607	18,183	8,143	3,382	1,487	616	288	86	33	15	106
30 to 34 years	33,369	7,255	11,099	7,562	3,480	1,721	947	578	311	188	140	88
35 to 39 years	14,915	2,476	3,661	3,227	1,960	1,197	802	510	377	267	406	32
40 to 44 years	3,599	394	551	563	446	341	235	195	172	132	372	8
45 to 49 years	176	9	14	25	25	16	11	18	12	9	36	1
50 years and over	5	1	3	-	-	-	-	-	-	-	1	-
Not stated	43	11	5	3	-	2	1	-	-	-	-	21
Native white	157,148	64,800	47,593	22,833	10,152	4,875	2,572	1,551	916	596	885	373
10 to 14 years	34	32	1	-	-	-	-	-	-	-	-	1
15 to 19 years	10,080	8,486	1,397	153	16	1	1	-	-	-	-	26
20 to 24 years	48,233	28,602	13,996	3,941	1,198	300	63	25	5	2	-	101
25 to 29 years	49,703	18,075	17,728	7,978	3,329	1,470	612	280	84	33	14	102
30 to 34 years	32,126	8,971	10,632	7,277	3,375	1,673	925	565	307	183	131	87
35 to 39 years	13,744	2,280	3,549	2,957	1,803	1,114	754	484	348	253	372	30
40 to 44 years	3,033	339	470	504	408	300	207	183	162	117	336	7
45 to 49 years	155	9	13	20	23	15	9	14	12	8	31	1
50 years and over	4	-	3	-	-	-	-	-	-	-	1	-
Not stated	36	8	4	5	-	2	-	-	-	-	-	18
Foreign-born white	5,121	1,813	1,551	844	380	192	104	63	45	35	85	9
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	96	81	10	4	-	1	-	-	-	-	-	-
20 to 24 years	974	676	229	59	8	1	-	-	-	-	-	1
25 to 29 years	1,253	531	464	162	60	17	4	9	2	-	-	4
30 to 34 years	1,241	283	456	285	115	48	22	13	4	5	9	1
35 to 39 years	1,168	195	310	270	157	83	49	26	29	14	34	2
40 to 44 years	366	45	81	59	38	41	28	12	10	15	36	1
45 to 49 years	21	-	1	5	2	1	2	4	-	1	5	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	12,511	4,412	2,960	1,753	1,151	744	545	335	195	143	234	19
10 to 14 years	68	67	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,543	1,796	592	132	13	4	1	-	-	-	-	5
20 to 24 years	4,467	1,626	1,376	793	415	176	60	10	2	1	-	8
25 to 29 years	2,623	599	622	515	415	282	221	108	40	11	7	3
30 to 34 years	1,566	219	286	207	207	180	151	137	78	54	45	2
35 to 39 years	822	87	92	85	84	85	90	63	58	62	116	-
40 to 44 years	204	16	10	19	16	15	22	16	17	15	58	-
45 to 49 years	13	1	-	1	1	2	-	1	-	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	1	-	-	-	-	-	-	1	1
Negro	12,138	4,225	2,888	1,717	1,120	733	533	334	194	143	232	19
10 to 14 years	68	67	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,532	1,789	588	132	13	4	1	-	-	-	-	5
20 to 24 years	4,339	1,536	1,380	786	410	176	60	10	2	1	-	8
25 to 29 years	2,675	525	577	500	407	279	218	108	40	11	7	3
30 to 34 years	1,502	204	270	194	194	177	149	136	77	54	45	2
35 to 39 years	804	86	91	84	80	85	85	63	58	62	115	-
40 to 44 years	201	16	10	19	15	15	20	16	17	15	58	-
45 to 49 years	12	1	-	1	1	2	-	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	1	-	-	-	-	-	-	1	1
INDIANA												
Total births	85,515	29,929	22,379	11,701	6,389	3,563	2,129	1,307	847	610	1,021	5,640
10 to 14 years	60	48	4	-	-	-	-	-	-	-	-	8
15 to 19 years	8,540	6,324	1,349	221	21	3	-	-	-	-	-	622
20 to 24 years	29,836	14,006	8,983	3,141	1,138	394	100	51	7	1	-	2,037
25 to 29 years	23,897	6,393	7,185	4,187	2,276	1,194	651	273	115	52	30	1,561
30 to 34 years	14,118	2,230	3,479	2,734	1,796	1,096	740	498	296	184	176	889
35 to 39 years	6,870	733	1,169	1,153	955	667	473	362	303	246	412	397
40 to 44 years	1,839	123	159	230	170	184	172	134	117	112	350	88
45 to 49 years	123	6	3	5	15	12	7	4	6	13	47	5
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	231	86	48	30	21	13	6	5	3	2	4	33



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See footnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER		Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
			First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
INDIANA—Continued													
White		82,279	28,985	21,694	11,273	6,097	3,348	1,964	1,216	787	567	909	5,439
10 to 14 years	39	28	3	-	-	-	-	-	-	-	-	-	8
15 to 19 years	7,881	5,917	1,183	185	19	3	-	-	-	-	-	-	574
20 to 24 years	28,720	15,659	8,647	2,954	1,034	341	83	26	5	1	1	1	1,969
25 to 29 years	23,194	6,283	7,081	4,065	2,168	1,105	560	242	105	45	23	23	1,517
30 to 34 years	13,699	2,193	3,424	2,679	1,745	1,044	696	462	270	164	148	148	865
35 to 39 years	6,644	716	1,153	1,151	935	652	448	350	285	232	360	360	394
40 to 44 years	1,792	122	156	227	167	180	166	128	114	110	326	326	66
45 to 49 years	123	6	3	5	15	12	7	4	6	13	47	47	5
50 years and over	1	-	-	-	-	-	-	-	-	-	1	1	-
Not stated	207	61	44	27	18	11	4	4	2	2	3	3	31
Native white		81,326	28,627	21,452	11,162	6,032	3,323	1,949	1,189	778	557	889	5,358
10 to 14 years	38	28	2	-	-	-	-	-	-	-	-	-	8
15 to 19 years	7,839	5,888	1,178	185	18	3	-	-	-	-	-	-	567
20 to 24 years	28,434	15,488	8,570	2,944	1,033	341	83	26	5	1	1	1	1,942
25 to 29 years	22,928	6,184	6,995	4,034	2,151	1,102	559	240	104	43	23	23	1,494
30 to 34 years	13,524	2,156	3,382	2,645	1,722	1,038	690	457	269	164	147	147	854
35 to 39 years	6,516	702	1,129	1,106	913	643	445	347	281	226	348	348	376
40 to 44 years	1,722	116	150	218	162	173	162	121	111	108	319	319	82
45 to 49 years	121	5	3	4	15	12	7	4	6	13	47	47	5
50 years and over	1	-	-	-	-	-	-	-	-	-	1	1	-
Not stated	203	60	43	26	18	11	4	4	2	2	3	3	30
Foreign-born white		945	357	242	109	63	25	14	17	9	10	20	79
10 to 14 years	1	-	1	-	-	-	-	-	-	-	-	-	7
15 to 19 years	42	29	5	-	1	-	-	-	-	-	-	-	27
20 to 24 years	265	170	77	10	1	-	-	-	-	-	-	-	25
25 to 29 years	266	99	86	31	17	3	2	2	1	2	1	1	10
30 to 34 years	161	37	42	33	21	6	5	5	1	-	1	1	8
35 to 39 years	126	14	24	25	18	9	3	3	4	6	12	12	4
40 to 44 years	60	6	6	9	5	7	4	7	3	2	7	7	-
45 to 49 years	2	1	-	1	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite		3,236	944	685	429	292	315	165	91	60	43	112	201
10 to 14 years	21	20	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	659	407	166	36	2	-	-	-	-	-	-	-	48
20 to 24 years	1,116	347	336	167	101	53	17	5	2	-	-	-	68
25 to 29 years	703	110	104	122	108	89	71	31	10	7	7	7	44
30 to 34 years	430	37	55	55	53	52	44	36	26	20	29	29	24
35 to 39 years	226	17	16	22	22	15	25	12	18	14	52	52	13
40 to 44 years	57	1	3	3	3	4	6	6	3	2	24	24	2
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	5	4	3	3	2	2	1	1	1	1	1	2
Negro		3,220	939	680	426	292	314	164	90	60	43	112	200
10 to 14 years	21	20	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	658	406	166	36	2	-	-	-	-	-	-	-	48
20 to 24 years	1,109	345	334	185	101	53	17	5	2	-	-	-	67
25 to 29 years	699	109	102	122	108	88	71	31	10	7	7	7	44
30 to 34 years	427	36	54	55	53	52	44	35	26	20	26	26	24
35 to 39 years	225	17	16	22	22	15	24	12	18	14	52	52	13
40 to 44 years	57	1	3	3	3	4	6	6	3	2	24	24	2
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	5	4	3	3	2	2	1	1	1	1	1	2
IOWA													
Total births		56,186	20,952	15,456	8,785	4,720	2,451	1,398	870	496	322	585	149
10 to 14 years	13	13	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,523	3,835	602	74	2	-	-	-	-	-	-	-	10
20 to 24 years	18,586	9,826	5,799	1,964	622	149	44	6	-	1	-	-	58
25 to 29 years	16,549	4,966	5,418	3,275	1,604	738	311	134	41	18	3	3	39
30 to 34 years	10,223	1,718	2,625	2,321	1,468	859	531	330	170	86	68	68	27
35 to 39 years	4,873	568	861	957	807	545	379	272	192	130	259	259	13
40 to 44 years	1,375	102	136	181	164	144	124	119	87	76	220	220	2
45 to 49 years	100	3	2	5	8	14	6	10	8	11	33	33	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-	-
Not stated	61	18	13	8	5	2	3	-	-	-	2	2	-
White		55,774	20,622	15,358	8,728	4,684	2,420	1,385	851	490	316	574	148
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,266	3,593	589	72	2	-	-	-	-	-	-	-	10
20 to 24 years	18,414	9,666	5,746	1,941	614	141	44	5	-	1	-	-	56
25 to 29 years	16,452	4,948	5,400	3,260	1,590	722	307	127	40	16	3	3	38
30 to 34 years	10,155	1,710	2,614	2,306	1,477	855	525	324	166	84	67	67	27
35 to 39 years	4,857	587	858	955	804	542	376	289	191	130	253	253	12
40 to 44 years	1,368	102	136	181	164	144	124	118	85	74	216	216	2
45 to 49 years	100	3	2	5	8	14	6	10	8	11	33	33	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-	-
Not stated	51	18	13	8	5	2	3	-	-	-	2	2	-
Native white		55,217	20,598	15,234	8,648	4,641	2,391	1,370	840	484	307	558	146
10 to 14 years	12	12	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,247	3,576	587	72	2	-	-	-	-	-	-	-	10
20 to 24 years	18,252	9,763	5,704	1,929	612	140	44	5	-	1	-	-	56
25 to 29 years	16,316	4,890	5,362	3,240	1,584	719	307	127	39	16	3	3	38
30 to 34 years	10,049	1,685	2,599	2,263	1,463	846	522	322	163	83	66	66	27
35 to 39 years	4,873	558	846	936	789	534	369	264	190	127	248	248	12
40 to 44 years	1,319	102	132	175	176	139	119	114	84	69	206	206	2
45 to 49 years	98	3	2	5	8	12	6	10	8	11	33	33	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-	-
Not stated	50	18	12	8	5	2	3	-	-	-	2	2	-



## GENERAL TABLES—LIVE BIRTHS

157

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRNS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IOWA—Continued												
White—Continued												
Foreign-born white	548	221	120	79	43	29	15	11	5	9	16	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	16	2	-	-	-	-	-	-	-	-	-
20 to 24 years	157	103	40	11	2	1	-	-	-	-	-	-
25 to 29 years	135	68	37	20	6	3	-	-	1	-	-	-
30 to 34 years	105	25	25	23	14	9	3	2	2	1	1	-
35 to 39 years	84	9	12	19	15	8	7	5	1	3	5	-
40 to 44 years	47	-	4	6	6	5	4	1	5	10	-	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	412	130	99	57	36	31	13	19	8	6	11	3
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	57	42	13	2	-	-	-	-	-	-	-	-
20 to 24 years	154	58	53	23	8	8	-	2	-	-	-	2
25 to 29 years	97	20	18	15	14	16	4	7	1	2	-	-
30 to 34 years	68	6	11	15	11	4	6	6	4	2	1	-
35 to 39 years	26	1	3	2	3	3	3	3	1	-	6	1
40 to 44 years	9	-	-	-	-	-	-	1	2	-	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	355	113	87	47	29	30	10	14	8	4	10	3
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	55	40	13	2	-	-	-	-	-	-	-	-
20 to 24 years	137	49	48	20	8	8	-	2	-	-	-	2
25 to 29 years	82	15	15	13	10	15	4	7	1	2	-	-
30 to 34 years	51	7	8	10	9	4	5	2	4	1	1	-
35 to 39 years	21	1	3	2	2	3	1	2	1	-	5	1
40 to 44 years	8	-	-	-	-	-	-	1	2	1	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS												
Total births	39,751	15,149	11,261	5,617	2,876	1,569	868	568	385	211	408	841
10 to 14 years	19	16	-	-	-	-	-	-	-	-	-	3
15 to 19 years	3,850	3,074	595	86	13	3	-	-	-	-	-	77
20 to 24 years	13,493	6,984	4,357	1,293	436	116	25	8	1	-	1	272
25 to 29 years	11,207	5,386	3,764	2,032	978	457	211	94	40	7	7	241
30 to 34 years	6,650	1,148	1,617	1,449	866	505	320	193	109	55	49	139
35 to 39 years	3,436	427	613	617	466	379	234	190	157	99	182	72
40 to 44 years	914	85	92	104	107	96	70	85	71	45	149	22
45 to 49 years	51	-	2	9	1	8	1	5	6	3	16	-
50 years and over	3	1	-	-	-	-	-	-	-	-	1	1
Not stated	120	30	31	25	9	5	7	1	1	2	3	14
White	38,266	14,647	10,926	5,393	2,768	1,495	812	524	357	192	368	784
10 to 14 years	15	13	-	-	-	-	-	-	-	-	-	2
15 to 19 years	6,522	2,856	522	67	11	2	-	-	-	-	-	64
20 to 24 years	12,978	6,788	4,135	1,206	400	103	20	7	1	-	1	255
25 to 29 years	10,925	3,534	3,703	1,971	946	429	189	75	36	6	4	232
30 to 34 years	6,471	1,132	1,795	1,414	842	485	303	181	100	47	44	128
35 to 39 years	3,311	417	603	603	455	366	224	174	147	94	161	67
40 to 44 years	877	79	77	101	106	95	69	82	67	40	140	21
45 to 49 years	48	-	2	8	1	8	1	4	5	3	16	-
50 years and over	2	1	-	-	-	-	-	-	-	-	-	1
Not stated	117	27	29	23	7	5	6	1	1	2	2	14
Native white	37,874	14,533	10,846	5,360	2,737	1,471	791	510	343	178	334	771
10 to 14 years	15	13	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,506	2,844	519	67	11	1	-	-	-	-	-	64
20 to 24 years	12,869	6,728	4,166	1,188	396	103	20	7	1	-	1	248
25 to 29 years	10,847	3,509	3,679	1,980	941	425	188	75	34	6	4	230
30 to 34 years	6,396	1,123	1,780	1,407	832	479	294	179	96	46	34	126
35 to 39 years	3,233	412	588	596	446	358	217	169	141	86	144	66
40 to 44 years	847	78	73	101	103	92	67	78	65	36	133	21
45 to 49 years	47	-	2	8	1	8	1	3	5	3	16	-
50 years and over	2	1	-	-	-	-	-	-	-	-	-	1
Not stated	113	25	29	23	7	5	6	1	1	1	2	15
Foreign-born white	385	110	79	33	31	24	21	14	14	14	34	11
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	11	3	-	-	1	-	-	-	-	-	-
20 to 24 years	108	59	29	8	4	2	-	-	-	-	-	6
25 to 29 years	78	25	24	11	5	4	3	2	2	-	-	2
30 to 34 years	74	9	14	7	10	6	9	2	4	1	10	2
35 to 39 years	78	5	5	7	9	8	7	5	6	8	17	1
40 to 44 years	30	1	4	-	3	3	2	4	2	4	7	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	1	-	-
Nonwhite	1,405	502	335	224	108	74	56	42	28	19	40	57
10 to 14 years	4	3	-	-	-	-	-	-	-	-	-	1
15 to 19 years	323	218	73	21	2	1	-	-	-	-	-	13
20 to 24 years	515	196	162	87	36	11	5	1	-	-	-	17
25 to 29 years	262	52	61	61	32	28	22	9	4	1	3	9
30 to 34 years	179	16	22	35	24	20	17	12	9	8	5	11
35 to 39 years	125	10	10	14	11	13	10	16	10	5	21	5
40 to 44 years	37	4	5	3	1	1	1	5	4	5	9	1
45 to 49 years	3	-	-	1	-	-	-	1	1	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	11	3	2	2	2	-	1	-	-	-	1	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946-Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
KANSAS—Continued												
Nonwhite—Continued												
Negro	1,392	472	312	217	101	69	52	34	26	17	36	56
10 to 14 years	4	3	-	-	-	-	-	-	-	-	-	1
15 to 19 years	319	210	72	21	2	1	-	-	-	-	-	13
20 to 24 years	478	180	145	84	35	11	5	1	-	-	-	17
25 to 29 years	266	47	56	57	30	27	21	9	4	1	3	9
30 to 34 years	165	16	21	35	22	17	15	8	8	8	5	10
35 to 39 years	114	10	10	14	9	12	9	13	9	4	19	5
40 to 44 years	31	3	4	3	1	1	1	2	4	4	7	1
45 to 49 years	3	-	-	1	-	-	-	1	1	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	11	3	2	2	2	-	1	-	-	-	1	-
KENTUCKY												
Total births	72,542	28,231	14,758	8,799	6,094	4,243	3,136	2,279	1,714	1,217	2,013	58
10 to 14 years	101	99	2	-	-	-	-	-	-	-	-	-
15 to 19 years	10,085	8,276	1,515	242	34	6	5	-	-	-	-	7
20 to 24 years	23,655	12,206	6,353	3,018	1,407	480	130	33	6	5	4	11
25 to 29 years	17,745	4,971	4,168	2,962	2,384	1,677	917	420	147	49	35	15
30 to 34 years	11,492	1,651	1,693	1,759	1,444	1,275	1,181	907	607	318	254	13
35 to 39 years	6,887	683	693	705	657	630	681	701	696	569	867	5
40 to 44 years	2,310	127	124	100	159	163	199	199	239	249	746	6
45 to 49 years	218	7	7	8	2	9	21	16	18	27	102	1
50 years and over	8	-	1	1	-	1	-	2	-	-	3	-
Not stated	41	9	12	4	8	2	2	1	1	-	2	-
White	69,142	27,026	14,097	8,562	5,791	4,029	2,949	2,144	1,635	1,153	1,902	54
10 to 14 years	74	73	1	-	-	-	-	-	-	-	-	-
15 to 19 years	9,339	7,709	1,378	209	29	5	4	-	-	-	-	5
20 to 24 years	22,624	11,815	5,058	2,826	1,311	441	117	30	6	5	3	11
25 to 29 years	17,015	4,842	4,022	2,832	2,277	1,587	847	386	133	45	31	14
30 to 34 years	11,018	1,787	1,827	1,706	1,368	1,230	1,113	850	574	298	233	12
35 to 39 years	6,599	662	673	681	626	600	656	669	673	539	815	5
40 to 44 years	2,221	123	120	96	151	155	190	192	230	243	715	6
45 to 49 years	205	6	6	7	2	8	20	14	18	23	100	1
50 years and over	8	-	1	1	-	1	-	2	-	-	3	-
Not stated	38	8	11	4	7	2	2	1	1	-	2	-
Native white	69,951	26,913	14,051	8,349	5,785	4,024	2,948	2,143	1,633	1,151	1,900	54
10 to 14 years	74	73	1	-	-	-	-	-	-	-	-	-
15 to 19 years	9,323	7,693	1,378	209	29	5	4	-	-	-	-	5
20 to 24 years	22,541	11,756	5,040	2,821	1,311	441	117	30	6	5	3	11
25 to 29 years	16,973	4,818	4,008	2,830	2,276	1,586	847	386	132	45	31	14
30 to 34 years	10,993	1,778	1,818	1,702	1,387	1,230	1,113	850	574	297	232	12
35 to 39 years	6,586	661	669	660	624	597	656	669	673	536	814	5
40 to 44 years	2,212	121	119	95	149	154	190	191	229	243	715	6
45 to 49 years	204	6	6	7	2	8	19	14	18	23	100	1
50 years and over	8	-	1	1	-	1	-	2	-	-	3	-
Not stated	37	7	11	4	7	2	2	1	1	-	2	-
Foreign-born white	179	105	46	12	5	5	1	1	2	1	1	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	14	-	-	-	-	-	-	-	-	-	-
20 to 24 years	79	56	18	8	-	-	-	-	-	-	-	-
25 to 29 years	42	24	14	1	1	1	-	-	1	-	-	-
30 to 34 years	21	8	9	4	-	-	-	-	-	-	-	-
35 to 39 years	13	1	4	1	2	3	-	-	-	1	1	-
40 to 44 years	9	2	1	1	2	1	-	1	1	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	3,400	1,205	661	437	303	214	167	135	79	64	111	4
10 to 14 years	27	26	1	-	-	-	-	-	-	-	-	-
15 to 19 years	746	567	137	33	5	1	1	-	-	-	-	2
20 to 24 years	1,031	392	295	192	98	39	13	3	-	-	1	-
25 to 29 years	729	129	146	130	107	90	70	34	14	4	4	1
30 to 34 years	474	64	56	53	56	45	68	57	33	20	21	1
35 to 39 years	268	21	20	24	31	30	25	32	23	30	52	-
40 to 44 years	89	4	4	4	7	8	9	7	9	6	31	-
45 to 49 years	13	1	1	1	-	1	1	2	-	4	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	1	-	-	-	-	-	-	-
Negro	3,392	1,205	660	436	302	214	166	134	79	64	111	3
10 to 14 years	27	26	1	-	-	-	-	-	-	-	-	-
15 to 19 years	744	566	136	33	5	1	1	-	-	-	-	2
20 to 24 years	1,030	391	295	192	96	39	13	3	-	-	1	-
25 to 29 years	726	129	146	129	106	90	70	34	14	4	4	1
30 to 34 years	472	64	56	53	56	45	67	56	33	20	21	1
35 to 39 years	288	21	20	24	31	30	25	32	23	30	52	-
40 to 44 years	89	4	4	4	7	8	9	7	9	6	31	-
45 to 49 years	13	1	1	1	-	1	1	2	-	4	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	1	-	-	-	-	-	-	-
LOUISIANA												
Total births	66,670	21,172	16,586	9,745	6,104	3,927	2,793	2,047	1,364	1,011	1,824	1,997
10 to 14 years	153	120	3	-	-	-	-	-	-	-	-	30
15 to 19 years	9,965	6,471	2,138	533	80	11	1	-	-	-	-	731
20 to 24 years	22,732	8,987	6,989	3,571	1,641	653	214	79	26	10	5	777
25 to 29 years	17,445	3,741	4,557	3,103	2,271	1,508	1,022	570	233	100	70	270
30 to 34 years	10,624	1,516	2,027	1,639	1,410	1,060	896	743	529	312	369	123
35 to 39 years	5,990	479	749	785	645	563	518	524	439	428	815	47
40 to 44 years	1,556	66	101	95	124	119	131	120	143	149	499	9
45 to 49 years	108	-	1	5	4	4	5	6	11	10	59	1
50 years and over	8	-	1	1	-	-	-	1	-	-	5	-
Not stated	89	12	20	13	11	9	6	2	3	2	2	9



## GENERAL TABLES—LIVE BIRTHS

159

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
LOUISIANA—Continued												
White-----	43,244	15,897	11,578	6,159	3,439	1,896	1,220	781	505	344	574	851
10 to 14 years-----	25	18	-	-	-	-	-	-	-	-	-	7
15 to 19 years-----	5,022	3,782	846	142	18	-	1	-	-	-	-	233
20 to 24 years-----	14,763	7,263	4,634	1,664	585	167	42	19	4	-	-	374
25 to 29 years-----	11,767	5,247	3,699	2,196	1,308	636	341	135	39	13	5	139
30 to 34 years-----	7,024	1,113	1,693	1,456	986	636	451	280	163	77	86	68
35 to 39 years-----	3,660	407	611	615	435	370	283	266	209	173	260	21
40 to 44 years-----	919	58	82	79	90	82	87	75	79	77	205	5
45 to 49 years-----	41	-	1	1	2	3	5	4	5	3	16	1
50 years and over-----	3	-	-	-	-	-	-	1	-	-	2	-
Not stated-----	40	9	12	6	5	2	-	1	-	1	-	4
Native white-----	42,972	15,766	11,494	6,135	3,430	1,888	1,216	778	502	342	572	849
10 to 14 years-----	25	18	-	-	-	-	-	-	-	-	-	7
15 to 19 years-----	5,000	3,766	843	141	18	-	1	-	-	-	-	231
20 to 24 years-----	14,647	7,203	4,594	1,659	584	167	42	19	4	-	1	374
25 to 29 years-----	11,684	5,212	3,675	2,187	1,304	635	341	135	39	13	5	139
30 to 34 years-----	6,991	1,103	1,682	1,449	996	633	451	278	169	77	85	68
35 to 39 years-----	3,633	400	606	613	432	366	291	266	208	172	259	21
40 to 44 years-----	909	55	81	78	90	82	85	74	77	76	205	5
45 to 49 years-----	41	-	1	1	2	3	5	4	5	3	16	1
50 years and over-----	3	-	-	-	-	-	-	1	-	-	2	-
Not stated-----	39	9	12	6	4	2	-	1	-	1	-	4
Foreign-born white-----	266	130	82	24	7	8	3	3	3	2	2	2
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	20	15	2	1	-	-	-	-	-	-	-	2
20 to 24 years-----	104	60	39	5	-	-	-	-	-	-	-	-
25 to 29 years-----	73	35	24	9	4	1	-	-	-	-	-	-
30 to 34 years-----	33	10	11	7	-	3	-	2	-	-	-	-
35 to 39 years-----	26	7	5	2	3	4	1	1	1	1	2	-
40 to 44 years-----	10	3	1	-	-	-	2	1	2	1	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	25,426	5,275	5,006	3,566	2,745	2,031	1,573	1,266	878	867	1,250	1,146
10 to 14 years-----	128	102	3	-	-	-	-	-	-	-	-	23
15 to 19 years-----	4,943	2,689	1,292	391	62	11	-	-	-	-	-	498
20 to 24 years-----	7,979	1,704	2,355	1,707	1,056	486	172	60	22	10	4	403
25 to 29 years-----	5,688	494	858	907	963	672	681	435	194	87	65	132
30 to 34 years-----	3,600	203	334	383	414	424	445	463	360	235	284	55
35 to 39 years-----	2,330	72	136	170	206	193	225	258	230	255	355	26
40 to 44 years-----	637	8	19	16	34	37	44	45	64	72	294	4
45 to 49 years-----	67	-	4	4	2	1	6	4	6	7	43	4
50 years and over-----	5	-	1	1	-	-	-	-	-	-	3	-
Not stated-----	49	3	8	7	6	7	6	1	3	1	2	5
Negro-----	25,314	5,262	4,979	3,585	2,731	2,020	1,566	1,258	878	864	1,245	1,146
10 to 14 years-----	128	102	3	-	-	-	-	-	-	-	-	23
15 to 19 years-----	4,932	2,684	1,287	390	62	11	-	-	-	-	-	498
20 to 24 years-----	7,940	1,698	2,340	1,694	1,052	486	171	60	22	10	4	403
25 to 29 years-----	5,661	492	862	901	959	669	678	432	194	87	65	132
30 to 34 years-----	3,583	203	331	382	411	421	444	461	359	233	283	55
35 to 39 years-----	2,316	72	138	170	206	188	224	255	230	255	355	26
40 to 44 years-----	633	8	19	16	33	37	43	45	64	71	293	4
45 to 49 years-----	67	-	4	4	2	1	-	4	6	7	43	-
50 years and over-----	5	-	1	1	-	-	-	-	-	-	3	-
Not stated-----	49	3	8	7	6	7	6	1	3	1	2	5
MAINE												
Total births-----	20,326	7,181	5,370	3,024	1,795	984	610	402	272	169	397	122
10 to 14 years-----	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,980	1,579	331	51	6	-	-	-	-	-	-	13
20 to 24 years-----	6,995	3,382	2,202	856	352	118	36	10	2	1	1	35
25 to 29 years-----	5,639	1,458	1,710	1,080	682	326	178	104	46	17	15	23
30 to 34 years-----	3,385	533	801	679	466	314	211	140	86	63	74	26
35 to 39 years-----	1,780	183	275	289	248	179	144	97	102	66	170	17
40 to 44 years-----	468	30	45	54	40	41	36	47	29	20	123	3
45 to 49 years-----	37	1	3	1	1	5	4	4	4	1	13	-
50 years and over-----	2	-	-	-	-	1	-	-	-	-	-	-
Not stated-----	20	5	3	4	-	-	1	-	1	-	1	5
White-----	20,280	7,171	5,359	3,017	1,792	982	608	401	272	169	397	122
10 to 14 years-----	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,976	1,576	330	51	6	-	-	-	-	-	-	13
20 to 24 years-----	6,976	3,378	2,196	851	349	117	36	10	2	1	1	35
25 to 29 years-----	5,629	1,455	1,706	1,079	682	326	176	103	46	17	15	23
30 to 34 years-----	3,394	533	801	678	466	314	211	140	86	63	74	26
35 to 39 years-----	1,779	183	275	289	248	178	144	97	102	66	170	17
40 to 44 years-----	468	30	45	54	40	41	36	47	29	20	123	3
45 to 49 years-----	37	1	3	1	1	5	4	4	4	1	13	-
50 years and over-----	2	-	-	-	-	1	-	-	-	-	-	-
Not stated-----	20	5	3	4	-	-	1	-	1	-	1	5
Native white-----	18,984	6,794	5,068	2,808	1,682	906	548	361	246	150	330	113
10 to 14 years-----	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,927	1,540	318	50	6	-	-	-	-	-	-	12
20 to 24 years-----	6,683	3,231	2,099	818	335	116	36	9	2	1	1	35
25 to 29 years-----	5,256	1,542	1,608	1,004	646	306	163	95	44	15	13	20
30 to 34 years-----	3,108	481	745	621	424	286	191	127	81	58	68	23
35 to 39 years-----	1,566	161	249	265	218	159	124	84	91	58	140	17
40 to 44 years-----	589	23	40	46	32	34	29	42	25	16	99	3
45 to 49 years-----	29	1	3	1	1	4	4	4	2	1	8	-
50 years and over-----	2	-	-	-	-	1	-	-	-	1	-	-
Not stated-----	17	5	3	3	-	-	1	-	1	-	1	3



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MAINE—Continued												
White—Continued												
Foreign-born white—	1,305	376	293	209	130	76	60	40	26	19	67	9
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	48	35	11	1	-	-	-	-	-	-	-	1
20 to 24 years—	293	147	97	33	14	1	-	1	-	-	-	-
25 to 29 years—	372	113	98	75	36	20	13	8	2	2	2	3
30 to 34 years—	289	52	56	57	42	28	20	13	7	5	6	3
35 to 39 years—	213	22	26	34	30	19	20	13	11	8	30	-
40 to 44 years—	79	7	5	8	8	7	7	5	4	4	24	-
45 to 49 years—	8	-	-	-	-	1	-	-	2	-	5	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	3	-	-	1	-	-	-	-	-	-	-	2
Nonwhite—	56	10	11	7	3	2	2	1	-	-	-	-
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years—	19	4	6	5	3	1	-	-	-	-	-	-
25 to 29 years—	11	3	4	1	-	-	2	1	-	-	-	-
30 to 34 years—	1	-	-	1	-	-	-	-	-	-	-	-
35 to 39 years—	1	-	-	-	-	1	-	-	-	-	-	-
40 to 44 years—	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years—	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND												
Total births—	50,347	19,189	13,961	6,963	3,750	2,079	1,317	875	563	420	664	546
10 to 14 years—	89	83	4	-	-	-	-	-	-	-	-	2
15 to 19 years—	5,455	4,129	1,025	200	43	4	2	-	-	-	-	52
20 to 24 years—	16,564	8,216	4,934	1,975	870	318	131	35	9	10	2	164
25 to 29 years—	14,184	4,353	4,519	2,304	1,271	720	464	224	111	46	21	152
30 to 34 years—	8,672	1,664	2,462	1,697	943	600	394	213	131	165	89	89
35 to 39 years—	4,197	589	977	752	514	331	240	233	169	160	275	57
40 to 44 years—	995	102	115	122	94	94	75	60	55	66	196	16
45 to 49 years—	71	5	6	2	6	8	3	3	4	6	25	3
50 years and over—	3	-	1	2	-	-	-	-	-	-	-	-
Not stated—	117	48	19	9	9	4	8	6	2	1	-	11
White—	41,083	16,513	12,050	5,688	2,770	1,400	833	513	326	228	347	415
10 to 14 years—	15	14	-	-	-	-	-	-	-	-	-	1
15 to 19 years—	3,456	2,830	516	68	11	-	-	-	-	-	-	29
20 to 24 years—	13,481	7,395	4,047	1,262	475	125	43	10	4	2	2	116
25 to 29 years—	12,191	4,069	4,200	1,986	943	453	250	100	44	14	10	122
30 to 34 years—	7,467	1,526	2,330	1,559	787	459	282	189	116	68	70	77
35 to 39 years—	3,548	541	832	689	456	277	190	164	114	92	143	48
40 to 44 years—	790	97	103	117	87	76	61	43	42	40	104	12
45 to 49 years—	53	4	6	2	4	6	2	3	2	3	18	3
50 years and over—	2	-	1	1	-	-	-	-	-	-	-	-
Not stated—	80	35	13	4	5	4	5	4	2	1	-	7
Native white—	40,330	16,191	11,812	5,586	2,721	1,386	830	510	323	222	340	409
10 to 14 years—	15	14	-	-	-	-	-	-	-	-	-	1
15 to 19 years—	3,428	2,806	514	68	11	-	-	-	-	-	-	29
20 to 24 years—	13,285	7,248	4,005	1,255	473	125	43	10	4	2	2	116
25 to 29 years—	11,992	3,981	4,132	1,959	932	450	250	99	44	14	10	121
30 to 34 years—	7,305	1,497	2,255	1,526	770	457	281	189	117	68	70	75
35 to 39 years—	3,421	514	793	658	442	271	186	162	112	89	141	47
40 to 44 years—	753	88	93	113	84	73	61	43	42	45	100	11
45 to 49 years—	52	4	6	2	4	6	2	3	2	3	17	3
50 years and over—	2	-	1	1	-	-	-	-	-	-	-	-
Not stated—	79	35	13	4	5	4	5	4	2	1	-	6
Foreign-born white—	751	321	238	102	49	14	3	3	3	6	7	5
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	28	24	4	-	-	-	-	-	-	-	-	-
20 to 24 years—	197	146	42	7	2	-	-	-	-	-	-	-
25 to 29 years—	199	88	68	27	11	3	-	1	-	-	-	1
30 to 34 years—	162	31	75	33	17	2	1	-	1	-	-	2
35 to 39 years—	127	23	39	31	16	6	2	2	2	3	2	1
40 to 44 years—	37	9	10	4	3	3	-	-	-	3	4	1
45 to 49 years—	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—	9,264	2,676	1,911	1,275	980	679	494	362	237	192	337	131
10 to 14 years—	74	69	4	-	-	-	-	-	-	-	-	1
15 to 19 years—	1,999	1,299	507	132	32	4	2	-	-	-	-	23
20 to 24 years—	3,083	821	887	613	395	193	86	25	5	8	-	48
25 to 29 years—	1,993	284	318	318	328	267	214	124	67	32	11	30
30 to 34 years—	1,205	136	132	138	156	141	112	125	95	63	95	12
35 to 39 years—	649	48	45	63	56	54	50	69	55	68	132	9
40 to 44 years—	205	5	12	5	7	18	14	17	13	18	92	4
45 to 49 years—	19	1	-	-	2	2	1	-	2	3	7	-
50 years and over—	1	-	-	1	-	-	-	-	-	-	-	-
Not stated—	37	13	6	5	4	-	3	2	-	-	-	4
Negro—	9,231	2,664	1,904	1,270	974	678	493	362	237	192	337	130
10 to 14 years—	74	69	4	-	-	-	-	-	-	-	-	1
15 to 19 years—	1,996	1,296	507	132	32	4	2	-	-	-	-	23
20 to 24 years—	3,076	818	884	613	395	192	86	25	5	8	-	48
25 to 29 years—	1,983	279	316	317	326	267	214	124	67	32	11	30
30 to 34 years—	1,196	135	131	134	153	141	112	125	95	63	95	12
35 to 39 years—	647	48	45	63	55	54	50	69	55	68	132	8
40 to 44 years—	204	5	12	5	7	18	13	17	13	18	92	4
45 to 49 years—	18	1	-	-	2	2	1	-	2	3	7	-
50 years and over—	1	-	-	1	-	-	-	-	-	-	-	-
Not stated—	36	13	5	5	4	-	3	2	-	-	-	4



## GENERAL TABLES—LIVE BIRTHS

161

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See footnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										Not stated
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	
<b>MASSACHUSETTS<sup>1</sup></b>												
Total births—	94,298	694	366	136	57	25	9	11	7	1	4	92,978
10 to 14 years—	9	-	-	-	-	-	-	-	-	-	-	9
15 to 19 years—	3,875	67	12	1	-	-	-	-	-	-	-	3,795
20 to 24 years—	26,124	313	94	18	9	1	-	-	-	-	-	25,689
25 to 29 years—	30,980	210	163	47	17	8	3	1	2	-	-	30,529
30 to 34 years—	20,612	61	56	46	18	6	5	4	2	-	1	20,393
35 to 39 years—	10,064	19	34	19	10	9	1	4	3	1	2	9,962
40 to 44 years—	2,361	3	7	5	3	1	-	2	-	-	1	2,339
45 to 49 years—	133	-	-	-	-	-	-	-	-	-	-	133
50 years and over—	13	-	-	-	-	-	-	-	-	-	-	13
Not stated—	117	1	-	-	-	-	-	-	-	-	-	116
<b>White—</b>	<b>92,787</b>	<b>680</b>	<b>364</b>	<b>134</b>	<b>57</b>	<b>25</b>	<b>9</b>	<b>8</b>	<b>7</b>	<b>1</b>	<b>4</b>	<b>91,488</b>
10 to 14 years—	7	-	-	-	-	-	-	-	-	-	-	7
15 to 19 years—	3,672	68	12	1	-	-	-	-	-	-	-	3,593
20 to 24 years—	25,574	311	93	17	9	1	-	-	-	-	-	25,143
25 to 29 years—	30,583	210	162	47	17	8	3	1	2	-	-	30,113
30 to 34 years—	20,409	61	58	46	18	6	5	3	2	-	1	20,191
35 to 39 years—	9,962	18	34	18	10	9	1	3	3	1	2	9,863
40 to 44 years—	2,340	3	7	5	3	1	-	1	-	-	1	2,319
45 to 49 years—	131	-	-	-	-	-	-	-	-	-	-	131
50 years and over—	13	-	-	-	-	-	-	-	-	-	-	13
Not stated—	116	1	-	-	-	-	-	-	-	-	-	115
<b>Native white—</b>	<b>86,309</b>	<b>648</b>	<b>346</b>	<b>126</b>	<b>56</b>	<b>23</b>	<b>9</b>	<b>8</b>	<b>6</b>	<b>1</b>	<b>4</b>	<b>85,082</b>
10 to 14 years—	7	-	-	-	-	-	-	-	-	-	-	7
15 to 19 years—	3,585	64	12	1	-	-	-	-	-	-	-	3,508
20 to 24 years—	24,585	290	92	16	9	1	-	-	-	-	-	24,177
25 to 29 years—	29,116	199	151	44	17	8	3	1	2	-	-	28,691
30 to 34 years—	18,714	76	63	42	18	5	5	3	1	-	1	18,510
35 to 39 years—	8,356	17	31	18	9	8	1	3	3	1	2	8,263
40 to 44 years—	1,749	1	7	5	3	1	-	1	-	-	1	1,730
45 to 49 years—	83	-	-	-	-	-	-	-	-	-	-	83
50 years and over—	11	-	-	-	-	-	-	-	-	-	-	11
Not stated—	103	1	-	-	-	-	-	-	-	-	-	102
<b>Foreign-born white—</b>	<b>6,458</b>	<b>42</b>	<b>18</b>	<b>8</b>	<b>1</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>6,386</b>
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	86	2	-	-	-	-	-	-	-	-	-	84
20 to 24 years—	984	21	1	1	-	-	-	-	-	-	-	961
25 to 29 years—	1,446	11	11	3	-	-	-	-	-	-	-	1,421
30 to 34 years—	1,690	5	3	4	-	1	-	-	1	-	-	1,676
35 to 39 years—	1,605	1	3	-	1	1	-	-	-	-	-	1,599
40 to 44 years—	586	2	-	-	-	-	-	-	-	-	-	584
45 to 49 years—	47	-	-	-	-	-	-	-	-	-	-	47
50 years and over—	2	-	-	-	-	-	-	-	-	-	-	2
Not stated—	12	-	-	-	-	-	-	-	-	-	-	12
<b>Nonwhite—</b>	<b>1,501</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1,490</b>
10 to 14 years—	2	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years—	203	1	-	-	-	-	-	-	-	-	-	202
20 to 24 years—	550	2	1	1	-	-	-	-	-	-	-	546
25 to 29 years—	417	-	1	-	-	-	-	-	-	-	-	416
30 to 34 years—	203	-	-	-	-	-	-	1	-	-	-	202
35 to 39 years—	102	1	-	1	-	-	-	-	-	-	-	99
40 to 44 years—	21	-	-	-	-	-	-	1	-	-	-	20
45 to 49 years—	2	-	-	-	-	-	-	-	-	-	-	2
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	1	-	-	-	-	-	-	-	-	-	-	1
<b>Negro—</b>	<b>1,444</b>	<b>3</b>	<b>2</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1,434</b>
10 to 14 years—	2	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years—	196	1	-	-	-	-	-	-	-	-	-	195
20 to 24 years—	528	1	1	1	-	-	-	-	-	-	-	525
25 to 29 years—	402	-	1	-	-	-	-	-	-	-	-	401
30 to 34 years—	196	-	-	-	-	-	-	1	-	-	-	195
35 to 39 years—	99	1	-	1	-	-	-	1	-	-	-	96
40 to 44 years—	19	-	-	-	-	-	-	1	-	-	-	18
45 to 49 years—	1	-	-	-	-	-	-	-	-	-	-	1
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	1	-	-	-	-	-	-	-	-	-	-	1
<b>MICHIGAN</b>												
Total births—	139,277	48,557	36,749	20,793	10,844	5,624	3,188	1,980	1,220	736	1,333	8,253
10 to 14 years—	72	65	1	-	-	-	-	-	-	-	-	6
15 to 19 years—	10,899	8,211	1,723	292	47	9	1	-	-	-	-	616
20 to 24 years—	45,999	22,889	13,280	4,712	1,683	499	139	55	7	2	1	2,732
25 to 29 years—	41,985	11,846	12,914	7,501	3,777	1,788	929	445	172	78	28	2,497
30 to 34 years—	25,184	5,973	6,370	5,602	3,330	1,841	1,054	655	435	192	253	1,479
35 to 39 years—	11,811	1,299	2,079	2,268	1,632	1,132	784	589	409	309	593	707
40 to 44 years—	3,002	239	351	385	347	327	256	203	184	139	399	182
45 to 49 years—	221	5	7	18	18	16	21	21	12	16	65	22
50 years and over—	2	-	1	-	-	-	-	-	-	-	1	-
Not stated—	102	30	23	15	10	2	4	2	1	-	3	12
<b>White—</b>	<b>130,945</b>	<b>46,126</b>	<b>34,711</b>	<b>19,539</b>	<b>10,058</b>	<b>5,149</b>	<b>2,843</b>	<b>1,753</b>	<b>1,073</b>	<b>644</b>	<b>1,151</b>	<b>7,899</b>
10 to 14 years—	24	22	1	-	-	-	-	-	-	-	-	1
15 to 19 years—	9,268	7,217	1,276	188	30	4	1	-	-	-	-	552
20 to 24 years—	43,134	22,008	12,385	4,184	1,406	396	103	33	3	2	1	2,605
25 to 29 years—	39,998	11,529	12,463	7,121	3,497	1,596	779	374	140	59	17	2,423
30 to 34 years—	24,073	5,842	6,178	5,425	3,184	1,735	958	577	378	158	207	1,435
35 to 39 years—	11,284	1,251	2,025	2,212	1,572	1,082	737	555	374	283	514	879
40 to 44 years—	2,861	228	344	377	341	317	245	193	169	126	348	175
45 to 49 years—	209	5	7	18	18	16	19	19	11	16	60	21
50 years and over—	2	-	1	-	-	-	-	-	-	-	1	-
Not stated—	92	28	21	14	10	2	2	2	-	-	5	12

<sup>1</sup>Massachusetts does not require the reporting of birth order. Birth order data appearing in the table for Massachusetts are for the small group of births to residents of the State occurring in other States.



(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND ACTIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MICHIGAN—Continued												
White—Continued												
Native white	124,750	44,267	33,020	18,519	9,507	4,881	2,682	1,857	1,001	596	1,044	7,576
10 to 14 years	22	21	1	-	-	-	-	-	-	-	-	-
15 to 19 years	9,126	7,089	1,257	187	30	4	-	-	-	-	-	548
20 to 24 years	41,912	21,277	11,994	4,093	1,391	391	99	33	3	2	1	2,539
25 to 29 years	38,289	10,950	11,886	8,818	3,379	1,551	758	385	138	57	17	2,350
30 to 34 years	22,576	3,576	5,748	5,082	2,985	1,685	916	552	380	149	198	1,347
35 to 39 years	10,203	1,122	1,614	1,990	1,415	973	677	518	340	265	471	620
40 to 44 years	2,485	194	292	321	292	281	214	175	152	115	304	145
45 to 49 years	187	2	7	14	16	15	14	8	8	8	51	17
50 years and over	2	-	1	-	-	-	-	-	-	-	1	-
Not stated	89	26	20	14	9	1	2	2	-	-	3	11
Foreign-born white	6,184	1,854	1,699	1,020	549	265	161	96	72	48	107	323
10 to 14 years	2	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	140	116	19	1	-	-	-	-	-	-	-	4
20 to 24 years	1,318	727	399	91	25	5	4	-	-	-	-	67
25 to 29 years	1,726	578	577	303	117	44	21	9	2	2	-	73
30 to 34 years	1,496	266	430	343	199	69	42	25	16	9	11	86
35 to 39 years	1,081	129	211	222	157	109	60	39	34	18	43	59
40 to 44 years	376	34	52	56	49	36	31	18	17	11	44	29
45 to 49 years	42	3	-	4	2	1	3	5	3	8	9	4
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	-	-	1	-	-	-	-	-	1
Nonwhite	9,332	2,431	2,039	1,254	786	476	345	227	147	92	182	354
10 to 14 years	49	43	-	-	-	-	-	-	-	-	-	5
15 to 19 years	1,631	994	447	104	17	5	-	-	-	-	-	64
20 to 24 years	2,665	883	685	528	277	103	36	22	4	-	-	127
25 to 29 years	1,597	317	451	380	280	202	150	71	32	19	11	74
30 to 34 years	1,111	131	192	177	146	106	96	78	59	34	46	46
35 to 39 years	527	46	54	56	60	50	47	44	35	26	79	29
40 to 44 years	141	11	7	8	6	10	11	10	15	13	41	9
45 to 49 years	12	-	-	-	-	-	3	2	1	-	5	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	4	2	1	-	-	2	-	1	-	-	-
Negro	8,107	2,367	1,984	1,218	767	481	350	219	143	91	175	342
10 to 14 years	48	43	-	-	-	-	-	-	-	-	-	5
15 to 19 years	1,597	973	440	101	17	5	-	-	-	-	-	61
20 to 24 years	2,800	857	671	519	270	102	35	21	4	-	-	121
25 to 29 years	1,925	304	435	368	274	194	146	70	52	19	11	73
30 to 34 years	1,077	127	185	169	143	102	92	78	57	33	45	46
35 to 39 years	508	46	54	53	58	48	43	40	35	26	77	26
40 to 44 years	132	11	7	7	5	10	11	9	13	13	37	9
45 to 49 years	11	-	-	-	-	-	3	1	1	-	5	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	4	2	1	-	-	1	-	1	-	-	-
MINNESOTA												
Total births	67,268	24,199	18,306	10,954	5,884	3,141	1,689	1,087	690	422	683	81
10 to 14 years	20	18	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,712	3,181	466	82	3	-	-	-	-	-	-	10
20 to 24 years	19,873	11,289	5,928	1,677	546	161	39	3	-	-	1	27
25 to 29 years	20,513	6,389	6,614	4,004	1,997	925	379	142	51	16	9	17
30 to 34 years	13,839	2,386	3,676	3,223	1,955	1,081	706	372	225	106	98	11
35 to 39 years	7,041	798	1,329	1,477	1,074	716	536	371	273	178	281	8
40 to 44 years	2,024	131	257	295	284	240	180	139	131	106	252	1
45 to 49 years	138	8	8	12	13	13	18	9	9	16	32	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	104	29	28	13	10	5	3	1	1	-	9	5
White	68,511	23,985	18,166	10,866	5,808	3,083	1,631	1,002	659	405	646	80
10 to 14 years	18	16	-	-	-	-	-	-	-	-	-	2
15 to 19 years	3,625	3,109	453	50	3	-	-	-	-	-	-	10
20 to 24 years	19,608	11,184	5,845	1,830	627	154	36	3	-	-	1	26
25 to 29 years	20,325	6,310	6,583	3,976	1,965	903	366	135	47	15	6	17
30 to 34 years	13,722	2,375	3,688	3,214	1,939	1,065	689	354	213	102	92	11
35 to 39 years	6,975	794	1,327	1,475	1,069	713	532	362	262	170	263	9
40 to 44 years	1,998	130	255	295	282	240	188	138	127	102	240	1
45 to 49 years	138	8	8	12	13	13	18	9	9	16	32	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	102	29	27	13	10	5	2	1	1	-	9	5
Native white	65,539	23,539	17,826	10,637	5,695	3,028	1,779	977	640	393	600	77
10 to 14 years	17	16	-	-	-	-	-	-	-	-	-	1
15 to 19 years	3,596	3,081	452	50	3	-	-	-	-	-	-	10
20 to 24 years	19,333	11,014	5,773	1,809	522	153	33	3	-	-	1	26
25 to 29 years	19,954	6,170	6,457	3,512	1,941	994	360	134	46	15	8	17
30 to 34 years	13,429	2,321	3,588	3,143	1,908	1,050	673	346	208	102	85	11
35 to 39 years	6,752	774	1,290	1,420	1,031	690	516	354	257	162	250	8
40 to 44 years	1,861	127	237	278	267	224	177	130	120	99	221	1
45 to 49 years	128	7	8	11	13	12	18	9	8	15	27	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	99	29	27	13	10	5	2	1	1	-	7	4
Foreign-born white	1,317	415	340	229	112	65	52	25	19	12	46	2
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	29	28	1	-	-	-	-	-	-	-	-	-
20 to 24 years	271	169	72	21	4	1	3	-	-	-	-	1
25 to 29 years	371	140	126	64	24	9	6	1	1	-	-	-
30 to 34 years	283	54	66	71	31	15	16	8	5	-	7	-
35 to 39 years	223	20	37	55	38	23	16	8	5	8	13	-
40 to 44 years	117	3	18	17	15	16	11	8	7	3	19	-
45 to 49 years	10	1	-	-	-	1	-	-	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	-	-	-	-	-	-	2	-



## GENERAL TABLES—LIVE BIRTHS

163

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See footnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										Not stated
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	
MINNESOTA—Continued												
Nonwhite	755	244	140	88	76	48	38	35	31	17	37	1
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	87	72	13	2	-	-	-	-	-	-	-	-
20 to 24 years	267	105	83	47	21	7	3	-	-	-	-	1
25 to 29 years	188	49	31	28	32	22	13	7	4	1	1	-
30 to 34 years	117	11	8	9	16	16	17	18	12	4	6	-
35 to 39 years	66	4	2	2	5	3	4	9	11	8	18	-
40 to 44 years	26	1	2	-	2	-	-	1	4	4	12	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	-	1	-	-	-	-	-
Negro	188	81	44	25	17	5	8	3	1	-	3	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	25	22	3	-	-	-	-	-	-	-	-	-
20 to 24 years	81	37	24	15	3	-	1	-	-	-	-	1
25 to 29 years	42	14	10	8	5	2	3	2	-	-	-	-
30 to 34 years	24	5	4	3	5	2	3	1	-	-	1	-
35 to 39 years	13	3	2	1	2	1	1	-	1	-	2	-
40 to 44 years	3	-	1	-	2	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI												
Total births	61,690	17,584	12,991	8,401	5,794	4,325	3,230	2,349	1,783	1,393	2,699	1,141
10 to 14 years	308	267	28	-	-	-	-	-	-	-	-	13
15 to 19 years	11,056	7,019	2,744	827	181	46	7	-	-	-	-	232
20 to 24 years	19,003	6,505	5,357	3,504	1,907	989	433	135	58	27	6	364
25 to 29 years	14,242	2,507	2,968	2,392	1,934	1,672	1,152	709	362	181	110	255
30 to 34 years	9,236	884	1,325	1,239	1,114	955	955	829	696	475	613	139
35 to 39 years	5,850	333	482	528	545	539	530	534	513	546	1,213	87
40 to 44 years	1,658	54	58	93	100	109	139	123	142	146	668	26
45 to 49 years	140	1	4	5	5	5	9	14	5	12	79	1
50 years and over	9	-	-	1	2	-	-	-	-	2	3	1
Not stated	108	16	25	12	6	10	5	5	5	4	7	13
White	29,975	10,777	7,598	4,183	2,467	1,579	1,056	686	489	351	504	305
10 to 14 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	3,883	3,039	697	89	14	3	-	-	-	-	-	42
20 to 24 years	9,880	4,681	3,155	1,224	476	163	45	9	2	2	-	93
25 to 29 years	7,720	2,018	2,253	1,494	912	552	252	102	32	18	6	81
30 to 34 years	4,862	717	1,053	912	673	479	394	267	179	80	66	52
35 to 39 years	2,779	255	382	392	320	305	265	237	202	168	227	26
40 to 44 years	776	40	45	68	67	71	85	62	69	79	185	8
45 to 49 years	47	1	1	2	1	2	4	8	4	5	21	-
50 years and over	2	-	-	-	1	-	-	-	-	1	-	-
Not stated	57	9	10	3	3	4	1	1	2	-	1	3
Native white	29,858	10,717	7,566	4,174	2,463	1,577	1,034	684	486	350	504	303
10 to 14 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	3,865	3,024	694	89	14	3	-	-	-	-	-	42
20 to 24 years	9,805	4,651	3,142	1,225	476	163	45	9	2	2	-	93
25 to 29 years	7,692	2,007	2,241	1,490	911	552	252	102	32	18	6	81
30 to 34 years	4,847	713	1,052	908	671	479	384	266	178	79	66	51
35 to 39 years	2,770	255	379	392	320	304	263	236	200	168	227	26
40 to 44 years	775	40	45	68	67	70	85	62	69	79	185	8
45 to 49 years	47	1	1	2	1	2	4	8	4	5	21	-
50 years and over	2	-	-	-	1	-	-	-	-	1	-	-
Not stated	56	9	10	3	3	4	1	1	2	-	1	2
Foreign-born white	113	59	30	9	4	1	2	2	3	1	-	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	14	1	-	-	-	-	-	-	-	-	-
20 to 24 years	45	30	13	1	1	-	-	-	-	-	-	-
25 to 29 years	28	11	12	4	1	-	-	-	-	-	-	-
30 to 34 years	15	4	1	4	2	-	-	1	1	1	-	1
35 to 39 years	8	-	3	-	-	-	2	1	2	-	-	-
40 to 44 years	1	-	-	-	-	1	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
Nonwhite	31,715	6,807	5,393	4,218	3,327	2,746	2,194	1,663	1,294	1,042	2,195	836
10 to 14 years	269	250	26	-	-	-	-	-	-	-	-	13
15 to 19 years	7,173	3,980	2,047	739	167	43	7	-	-	-	-	190
20 to 24 years	9,233	1,822	2,202	2,080	1,431	826	388	126	56	25	6	271
25 to 29 years	6,522	489	715	698	1,022	1,120	900	607	330	163	104	174
30 to 34 years	4,374	167	272	327	441	476	571	562	519	395	547	97
35 to 39 years	3,071	78	100	136	225	234	265	297	311	378	986	61
40 to 44 years	882	14	13	25	33	38	54	61	74	67	485	18
45 to 49 years	93	-	3	3	4	3	5	6	1	9	58	1
50 years and over	7	-	-	1	1	-	-	-	-	1	3	1
Not stated	71	7	15	9	3	6	4	4	3	4	6	10
Negro	31,609	6,776	5,378	4,202	3,318	2,739	2,187	1,654	1,289	1,038	2,192	836
10 to 14 years	288	249	26	-	-	-	-	-	-	-	-	13
15 to 19 years	7,147	3,963	2,041	736	167	43	7	-	-	-	-	190
20 to 24 years	9,208	1,814	2,198	2,072	1,428	825	387	126	56	25	6	271
25 to 29 years	6,495	486	711	694	1,017	1,115	898	604	330	162	104	174
30 to 34 years	4,365	166	272	327	441	475	569	559	517	395	547	97
35 to 39 years	3,060	77	100	135	224	234	264	296	309	376	984	61
40 to 44 years	876	14	12	25	33	38	53	59	73	67	484	18
45 to 49 years	92	-	3	3	4	3	5	6	1	8	58	1
50 years and over	7	-	-	1	1	-	-	-	-	1	3	1
Not stated	71	7	15	9	3	6	4	4	3	4	6	10



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946-Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MISSOURI												
Total births-----	60,684	31,068	21,738	11,142	6,128	3,440	2,150	1,467	946	676	1,106	823
10 to 14 years-----	78	74	1	-	-	-	-	-	-	-	-	3
15 to 19 years-----	8,928	7,045	1,481	236	38	7	-	-	-	-	-	121
20 to 24 years-----	26,442	13,519	8,085	3,041	1,089	383	81	27	4	-	1	252
25 to 29 years-----	21,728	6,691	6,673	3,722	2,084	1,137	572	273	119	24	25	208
30 to 34 years-----	13,905	2,621	3,695	2,673	1,774	1,072	784	506	306	174	186	134
35 to 39 years-----	7,404	945	1,373	1,244	911	687	544	479	364	306	492	59
40 to 44 years-----	1,954	143	189	189	213	184	155	169	136	158	375	33
45 to 49 years-----	129	5	7	10	8	12	11	9	13	12	43	1
50 years and over-----	3	-	-	1	-	-	-	1	1	-	-	-
Not stated-----	113	25	24	16	13	8	3	3	3	2	4	12
White-----	74,637	29,169	20,443	10,284	5,550	3,039	1,860	1,242	807	569	901	773
10 to 14 years-----	52	32	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	7,566	6,108	1,158	165	26	4	-	-	-	-	-	105
20 to 24 years-----	24,500	12,927	7,489	2,639	883	244	60	15	2	-	-	241
25 to 29 years-----	20,460	6,493	6,851	3,482	1,892	980	459	198	80	14	12	199
30 to 34 years-----	13,109	2,535	3,595	2,582	1,684	975	699	437	251	127	115	129
35 to 39 years-----	6,911	905	1,335	1,198	866	641	490	424	331	268	397	56
40 to 44 years-----	1,830	141	186	192	201	176	141	155	126	147	332	33
45 to 49 years-----	123	5	6	10	6	12	8	9	13	12	41	1
50 years and over-----	3	-	-	1	-	-	-	1	1	-	-	-
Not stated-----	103	23	23	15	12	7	3	3	3	1	4	9
Native white-----	73,932	28,864	20,246	10,194	5,502	3,020	1,845	1,237	800	560	894	770
10 to 14 years-----	32	32	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	7,567	6,091	1,156	165	26	4	-	-	-	-	-	105
20 to 24 years-----	24,317	12,799	7,439	2,636	882	244	60	15	2	-	-	240
25 to 29 years-----	20,283	6,396	6,598	3,461	1,888	979	459	198	80	13	12	199
30 to 34 years-----	12,962	2,504	3,543	2,550	1,646	969	697	435	249	125	115	129
35 to 39 years-----	6,773	880	1,303	1,167	846	632	491	422	329	264	394	55
40 to 44 years-----	1,793	135	178	190	196	173	138	154	123	145	328	33
45 to 49 years-----	122	5	6	10	6	12	7	9	13	12	41	1
50 years and over-----	3	-	-	1	-	-	-	1	1	-	-	-
Not stated-----	100	22	23	14	12	7	3	3	3	1	4	8
Foreign-born white-----	689	304	198	69	47	19	14	5	7	9	7	2
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	18	17	1	-	-	-	-	-	-	-	-	-
20 to 24 years-----	183	128	60	3	1	-	-	-	-	-	-	1
25 to 29 years-----	177	97	53	21	4	1	-	-	-	1	-	-
30 to 34 years-----	146	51	52	32	17	6	2	2	2	2	-	-
35 to 39 years-----	137	25	32	31	20	9	8	2	2	4	3	1
40 to 44 years-----	36	5	8	2	5	3	3	1	3	2	4	-
45 to 49 years-----	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	6,047	1,999	1,295	858	576	401	290	225	139	107	205	50
10 to 14 years-----	46	42	1	-	-	-	-	-	-	-	-	3
15 to 19 years-----	1,362	937	323	71	12	3	-	-	-	-	-	16
20 to 24 years-----	1,942	592	606	402	206	89	21	12	2	-	1	11
25 to 29 years-----	1,269	199	222	240	192	157	113	75	39	10	13	9
30 to 34 years-----	796	86	100	91	110	97	85	69	55	47	51	5
35 to 39 years-----	493	40	39	46	46	46	54	55	33	38	95	3
40 to 44 years-----	124	2	3	7	12	6	14	14	10	11	43	-
45 to 49 years-----	6	-	1	-	-	-	3	-	-	-	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	10	2	1	1	1	1	-	-	-	1	-	3
Negro-----	6,006	1,880	1,267	853	574	399	288	225	139	107	203	50
10 to 14 years-----	46	42	1	-	-	-	-	-	-	-	-	3
15 to 19 years-----	1,357	933	322	71	12	3	-	-	-	-	-	16
20 to 24 years-----	1,924	582	602	400	204	89	21	12	2	-	1	11
25 to 29 years-----	1,257	194	220	237	191	156	113	75	39	10	13	9
30 to 34 years-----	792	85	99	91	110	96	84	69	55	47	51	5
35 to 39 years-----	492	40	38	46	45	46	54	55	33	38	94	3
40 to 44 years-----	122	2	3	7	11	8	14	14	10	11	42	-
45 to 49 years-----	6	-	1	-	-	-	3	-	-	-	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	10	2	1	1	1	1	-	-	-	1	-	3
MONTANA												
Total births-----	12,858	4,680	3,417	2,127	1,119	565	356	201	150	86	147	10
10 to 14 years-----	5	4	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,082	900	151	22	3	2	-	-	-	-	-	4
20 to 24 years-----	4,214	2,153	1,303	521	179	42	8	3	-	2	-	1
25 to 29 years-----	3,814	1,086	1,179	821	407	172	95	32	14	3	3	2
30 to 34 years-----	2,293	381	556	325	203	127	75	55	19	23	1	1
35 to 39 years-----	1,107	118	184	196	159	115	89	69	59	42	66	-
40 to 44 years-----	295	27	27	38	36	27	37	19	21	13	47	1
45 to 49 years-----	26	1	2	-	2	3	-	2	1	7	8	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	22	8	4	4	3	1	-	1	-	-	-	1
White-----	12,229	4,549	3,325	2,023	1,031	516	310	163	125	65	113	9
10 to 14 years-----	5	4	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,001	846	128	18	3	2	-	-	-	-	-	4
20 to 24 years-----	4,023	2,092	1,259	473	155	34	6	2	-	2	-	-
25 to 29 years-----	3,657	1,080	1,159	762	363	153	73	26	13	3	3	2
30 to 34 years-----	2,180	376	555	313	212	185	110	59	43	9	17	1
35 to 39 years-----	1,043	117	191	195	156	112	84	56	48	36	48	-
40 to 44 years-----	279	26	26	36	37	27	37	18	20	9	40	1
45 to 49 years-----	20	1	2	-	2	2	-	1	1	6	5	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	21	7	4	4	3	1	-	1	-	-	-	1



## 165

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MONTANA—Continued												
White—Continued												
Native white	11,791	4,404	3,227	1,958	988	491	294	149	117	56	98	9
10 to 14 years	5	4	1	-	-	-	-	-	-	-	-	4
15 to 19 years	989	835	127	18	5	2	-	-	-	-	-	-
20 to 24 years	3,905	2,023	1,225	459	154	55	6	2	-	2	-	2
25 to 29 years	3,555	1,039	1,135	764	354	148	71	28	13	5	2	1
30 to 34 years	2,094	366	523	499	296	177	107	38	40	9	16	2
35 to 39 years	960	109	181	162	144	104	78	47	43	30	42	1
40 to 44 years	248	22	23	34	33	24	32	17	20	8	34	1
45 to 49 years	16	1	2	-	1	2	-	1	1	4	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	6	4	4	3	1	-	1	-	-	-	1
Foreign-born white	437	145	96	65	43	24	16	14	8	9	15	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	12	11	1	-	-	-	-	-	-	-	-	-
20 to 24 years	120	69	34	15	1	1	-	-	-	-	-	-
25 to 29 years	101	42	24	18	9	5	2	-	-	-	-	-
30 to 34 years	86	10	26	15	16	8	3	4	3	-	-	-
35 to 39 years	82	8	10	13	12	7	6	9	5	6	6	-
40 to 44 years	31	4	3	4	4	3	5	1	-	1	6	-
45 to 49 years	4	-	-	-	1	-	-	-	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	629	131	92	104	88	49	46	38	25	21	34	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	81	54	23	4	-	-	-	-	-	-	-	-
20 to 24 years	181	63	44	24	8	2	1	-	-	-	-	1
25 to 29 years	157	8	20	39	44	19	22	6	1	-	-	-
30 to 34 years	113	5	1	12	16	18	17	16	12	10	6	-
35 to 39 years	64	1	3	1	3	3	5	13	11	6	18	-
40 to 44 years	16	1	1	-	1	-	-	1	1	4	7	-
45 to 49 years	6	-	-	-	-	1	-	1	1	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
NEBRASKA												
Total births	29,052	10,578	7,880	4,453	2,234	1,173	622	384	201	180	264	103
10 to 14 years	6	6	-	-	-	-	-	-	-	-	-	9
15 to 19 years	2,186	1,824	297	53	3	-	-	-	-	-	-	34
20 to 24 years	9,324	5,078	2,809	931	269	76	22	5	-	-	-	34
25 to 29 years	8,426	2,522	2,806	1,694	805	353	138	48	12	9	5	18
30 to 34 years	4,954	842	1,545	1,145	715	403	245	129	58	29	27	6
35 to 39 years	2,416	239	455	521	352	259	155	148	89	75	117	3
40 to 44 years	665	58	56	103	81	76	59	53	37	44	95	3
45 to 49 years	45	2	2	4	5	3	3	1	4	3	19	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	7	10	2	4	3	-	-	1	-	2	1
White	27,477	10,394	7,787	4,358	2,175	1,130	593	370	193	182	252	102
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,070	1,739	275	47	3	-	-	-	-	-	-	8
20 to 24 years	9,125	5,017	2,850	987	244	69	19	5	-	-	-	34
25 to 29 years	8,308	2,500	2,781	1,673	783	334	151	47	12	8	5	34
30 to 34 years	4,872	832	1,536	1,127	709	393	231	121	53	29	25	16
35 to 39 years	2,375	237	451	517	348	254	151	145	87	70	109	6
40 to 44 years	652	58	54	102	79	74	53	51	36	42	95	3
45 to 49 years	44	2	2	4	5	3	3	1	4	5	17	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	4	10	2	4	3	-	-	1	-	1	1
Native white	27,151	10,282	7,686	4,312	2,154	1,113	572	360	185	139	218	100
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,059	1,730	272	46	3	-	-	-	-	-	-	8
20 to 24 years	9,057	4,977	2,831	981	244	69	18	5	-	-	-	32
25 to 29 years	8,232	2,469	2,756	1,661	779	334	128	46	12	8	5	34
30 to 34 years	4,795	815	1,519	1,115	705	384	223	115	51	25	25	16
35 to 39 years	2,308	234	445	503	339	248	147	144	83	65	94	6
40 to 44 years	616	58	51	100	75	73	53	49	35	39	82	3
45 to 49 years	37	2	2	4	5	3	3	1	4	2	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	4	10	2	4	2	-	-	-	-	1	1
Foreign-born white	337	99	70	46	20	17	19	10	8	13	33	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	1	1	-	-	-	-	-	-	-	-
20 to 24 years	66	39	19	6	-	-	-	-	-	-	-	-
25 to 29 years	75	31	25	12	3	-	3	1	-	-	-	-
30 to 34 years	76	16	16	11	4	9	8	6	2	4	-	-
35 to 39 years	66	3	6	14	9	6	3	1	4	5	15	-
40 to 44 years	35	2	3	2	4	1	5	2	1	3	12	-
45 to 49 years	7	-	-	-	-	-	-	-	-	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	-	1	-	-	1	-	-	-
Nonwhite	575	184	123	94	59	43	29	14	8	8	12	-
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	116	85	24	6	-	-	-	-	-	-	-	-
20 to 24 years	199	61	59	44	25	7	3	-	-	-	-	-
25 to 29 years	118	22	25	21	22	19	7	1	-	1	-	-
30 to 34 years	82	10	9	18	6	10	14	8	5	-	2	-
35 to 39 years	41	2	4	4	4	5	4	3	2	5	8	-
40 to 44 years	13	-	2	1	2	2	1	2	1	2	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	-	-	-	-	-	1	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946-Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEBRASKA—Continued												
Nonwhite—Continued												
Negro	396	129	86	69	40	28	20	7	6	4	4	1
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	89	65	17	6	-	-	-	-	-	-	-	1
20 to 24 years	144	42	44	34	17	6	1	-	-	-	-	-
25 to 29 years	72	11	12	13	16	14	4	1	-	1	-	-
30 to 34 years	54	6	9	13	4	5	10	3	4	-	-	-
35 to 39 years	22	2	4	2	1	1	4	1	1	2	4	-
40 to 44 years	12	-	2	1	2	2	1	2	1	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	-	-	-	-	-	-	-	-	-
NEVADA												
Total births	3,283	1,295	917	532	226	134	68	36	25	21	24	5
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	329	264	48	15	2	-	-	-	-	-	-	-
20 to 24 years	1,113	557	365	137	32	13	5	1	-	-	-	3
25 to 29 years	958	301	304	186	82	49	22	5	6	1	-	2
30 to 34 years	523	114	142	121	53	36	23	9	7	4	4	-
35 to 39 years	278	47	47	66	42	29	9	13	7	8	10	-
40 to 44 years	69	6	11	6	5	7	9	7	5	6	7	-
45 to 49 years	6	1	-	-	-	-	-	1	-	2	2	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	-	1	-	-	-	-	-	-	1	-
White	3,037	1,226	879	492	204	112	48	27	16	14	14	5
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	287	228	44	13	2	-	-	-	-	-	-	-
20 to 24 years	1,042	540	341	123	31	11	3	-	-	-	-	3
25 to 29 years	895	292	296	172	74	36	14	4	4	1	-	2
30 to 34 years	485	110	141	113	62	31	15	5	3	3	2	-
35 to 39 years	258	46	46	64	40	27	8	12	5	5	5	-
40 to 44 years	83	8	11	6	5	7	8	6	4	5	5	-
45 to 49 years	2	1	-	-	-	-	-	-	-	-	1	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	1	-	-	-	-	-	-	1	-
Native white	2,946	1,195	855	476	201	109	43	23	14	14	11	5
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	284	227	44	11	2	-	-	-	-	-	-	-
20 to 24 years	1,023	530	336	121	21	10	2	-	-	-	-	3
25 to 29 years	867	282	289	169	72	34	12	4	3	1	-	2
30 to 34 years	466	103	134	110	62	31	13	5	3	3	2	-
35 to 39 years	244	45	44	58	39	27	8	10	4	5	4	-
40 to 44 years	55	4	9	6	5	7	8	4	4	5	3	-
45 to 49 years	2	1	-	-	-	-	-	-	-	-	1	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	1	-	-	-	-	-	-	1	-
Foreign-born white	90	30	24	16	3	3	5	4	2	-	3	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	1	-	2	-	-	-	-	-	-	-	-
20 to 24 years	18	9	5	2	-	1	1	-	-	-	-	-
25 to 29 years	28	10	8	3	2	2	2	-	1	-	-	-
30 to 34 years	19	7	7	3	-	-	2	-	-	-	-	-
35 to 39 years	14	1	2	6	1	-	-	2	1	-	1	-
40 to 44 years	8	2	2	-	-	-	-	2	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	246	69	38	40	22	22	20	9	9	7	10	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	42	36	4	2	-	-	-	-	-	-	-	-
20 to 24 years	71	17	24	14	11	2	2	1	-	-	-	-
25 to 29 years	63	9	8	14	8	13	8	1	2	-	-	-
30 to 34 years	38	4	1	8	1	5	8	4	4	1	2	-
35 to 39 years	20	1	1	2	2	1	1	1	2	3	5	-
40 to 44 years	6	-	-	-	-	-	1	1	1	1	2	-
45 to 49 years	4	-	-	-	-	-	-	1	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE												
Total births	11,082	4,195	2,951	1,624	844	448	262	146	89	55	102	375
10 to 14 years	3	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years	797	640	108	20	1	-	-	-	-	-	-	28
20 to 24 years	3,578	1,971	955	363	115	42	16	6	-	-	-	110
25 to 29 years	3,578	1,026	1,105	571	299	139	79	30	15	3	-	111
30 to 34 years	2,031	392	556	427	240	140	76	40	30	19	24	87
35 to 39 years	1,018	127	196	211	150	100	66	48	29	20	41	30
40 to 44 years	246	33	26	28	34	25	22	18	12	11	29	8
45 to 49 years	32	1	1	3	4	3	3	4	3	2	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	1	1	-	-	-	-	-	-	-
White	11,074	4,185	2,947	1,622	843	448	262	146	89	55	102	375
10 to 14 years	3	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years	795	640	106	20	1	-	-	-	-	-	-	28
20 to 24 years	3,570	1,964	955	363	114	42	16	6	-	-	-	110
25 to 29 years	3,570	1,023	1,103	569	299	139	79	30	15	3	-	111
30 to 34 years	2,031	392	556	427	240	140	76	40	30	19	24	87
35 to 39 years	1,018	127	196	211	150	100	66	48	29	20	41	30
40 to 44 years	246	33	26	28	34	25	22	18	12	11	29	8
45 to 49 years	32	1	1	3	4	3	3	4	3	2	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	1	1	-	-	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

167

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See footnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	10,404	5,995	2,788	1,505	760	409	245	126	81	50	90	357
10 to 14 years	3	2	-	-	-	-	-	-	-	-	-	1
15 to 19 years	785	532	104	20	1	-	-	-	-	-	-	28
20 to 24 years	5,445	1,882	932	349	110	42	16	6	-	-	-	106
25 to 29 years	3,186	974	1,044	534	279	130	75	27	15	2	-	106
30 to 34 years	1,869	360	512	393	218	129	72	35	29	18	22	82
35 to 39 years	886	109	171	187	124	85	61	42	26	18	38	27
40 to 44 years	199	31	20	19	25	23	18	13	8	11	24	7
45 to 49 years	24	-	1	2	2	3	3	3	3	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	1	1	-	-	-	-	-	-	-
Foreign-born white	669	192	158	117	83	59	17	20	8	5	12	18
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	2	-	-	-	-	-	-	-	-	-
20 to 24 years	127	62	23	14	4	-	-	-	-	-	-	4
25 to 29 years	185	49	58	35	20	8	4	3	-	1	-	5
30 to 34 years	162	32	44	34	22	12	4	5	1	1	2	5
35 to 39 years	132	18	25	24	26	17	5	6	3	2	3	3
40 to 44 years	47	2	6	9	9	2	4	5	4	-	5	1
45 to 49 years	9	1	-	1	2	-	-	1	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	18	10	4	2	1	1	-	-	-	-	-	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	-	2	-	-	-	-	-	-	-	-	-
20 to 24 years	8	7	-	-	1	-	-	-	-	-	-	-
25 to 29 years	8	3	2	2	-	1	-	-	-	-	-	-
30 to 34 years	-	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY												
Total births	95,218	58,748	29,011	12,370	5,209	2,272	1,170	676	416	269	473	4,604
10 to 14 years	38	33	2	-	-	-	-	-	-	-	-	3
15 to 19 years	4,582	3,582	660	105	11	3	-	-	-	-	-	221
20 to 24 years	26,738	16,097	6,893	1,717	543	163	59	22	12	2	2	1,229
25 to 29 years	32,141	12,504	11,425	4,016	1,518	637	274	126	54	26	20	1,541
30 to 34 years	20,723	4,758	7,248	4,227	1,747	737	391	229	137	83	82	1,084
35 to 39 years	9,077	1,508	2,461	1,977	1,140	562	330	192	154	106	213	4,170
40 to 44 years	1,781	256	305	316	233	163	104	56	59	47	140	82
45 to 49 years	82	8	5	8	12	7	9	9	4	4	16	4
50 years and over	3	1	1	-	-	-	1	-	-	-	-	-
Not stated	53	21	11	4	5	-	3	2	-	1	-	6
White	88,620	56,722	27,475	11,482	4,641	1,891	915	501	295	197	312	4,191
10 to 14 years	15	12	1	-	-	-	-	-	-	-	-	2
15 to 19 years	3,429	2,633	394	47	2	-	-	-	-	-	-	155
20 to 24 years	24,311	15,289	6,165	1,322	341	83	25	9	4	1	1	1,071
25 to 29 years	30,543	12,192	11,054	3,758	1,309	475	180	81	31	13	11	1,439
30 to 34 years	19,904	4,662	7,132	4,100	1,645	652	324	160	94	57	51	1,027
35 to 39 years	8,639	1,491	2,414	1,934	1,102	521	284	158	115	86	132	414
40 to 44 years	1,665	225	300	312	227	153	94	66	49	36	106	77
45 to 49 years	70	8	5	7	11	7	6	8	3	3	11	4
50 years and over	2	1	-	-	-	-	1	-	-	-	-	-
Not stated	42	19	10	2	4	-	1	1	-	1	-	4
Native white	83,859	55,047	26,033	10,784	4,294	1,724	936	463	261	164	290	3,943
10 to 14 years	15	12	1	-	-	-	-	-	-	-	-	2
15 to 19 years	3,342	2,755	388	47	2	-	-	-	-	-	-	150
20 to 24 years	23,443	14,701	5,959	1,293	340	78	24	9	4	1	1	1,035
25 to 29 years	29,267	11,634	10,599	3,616	1,265	469	177	81	30	13	11	1,372
30 to 34 years	18,747	4,409	6,693	3,872	1,550	616	302	154	90	56	50	955
35 to 39 years	7,612	1,322	2,138	1,704	944	437	249	144	103	80	127	364
40 to 44 years	1,344	190	241	244	184	120	80	67	34	31	92	61
45 to 49 years	50	8	5	6	5	4	2	7	-	3	9	3
50 years and over	2	1	-	-	-	-	1	-	-	-	-	-
Not stated	37	17	9	2	4	-	1	1	-	-	-	3
Foreign-born white	4,756	1,672	1,442	686	346	167	79	38	32	13	22	247
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	86	77	8	-	-	-	-	-	-	-	-	3
20 to 24 years	1,867	587	206	29	1	5	1	-	-	-	-	38
25 to 29 years	1,276	559	455	142	44	6	3	-	1	-	-	67
30 to 34 years	1,156	253	439	228	94	36	22	6	4	1	1	72
35 to 39 years	1,026	159	276	230	158	84	35	12	12	6	5	50
40 to 44 years	321	35	59	68	43	33	14	19	15	5	14	16
45 to 49 years	20	2	-	1	6	3	4	1	-	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	1	-	-	-	-	-	-	1	-	-
Nonwhite	6,598	2,026	1,536	888	568	381	255	175	123	72	161	413
10 to 14 years	23	21	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,153	749	266	58	9	3	-	-	-	-	-	68
20 to 24 years	2,427	808	728	395	202	80	33	13	8	1	1	158
25 to 29 years	1,598	312	371	258	209	162	94	45	23	13	9	102
30 to 34 years	819	96	116	127	102	85	67	69	43	26	31	57
35 to 39 years	438	27	47	43	38	41	46	36	39	20	61	20
40 to 44 years	116	11	5	4	6	10	10	10	10	11	34	5
45 to 49 years	12	-	-	1	1	-	3	1	-	1	5	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	2	1	2	-1	-	2	1	-	-	-	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW JERSEY—Continued												
Nonwhite—Continued												
Negro	6,535	2,009	1,522	876	560	379	253	173	121	72	161	410
10 to 14 years	23	21	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,152	749	266	59	9	3	-	-	-	-	-	69
20 to 24 years	2,406	900	722	393	202	80	33	13	8	1	1	155
25 to 29 years	1,576	306	365	253	206	161	94	44	23	13	9	102
30 to 34 years	804	94	114	123	97	84	67	68	43	28	31	57
35 to 39 years	435	27	47	43	38	40	45	36	39	20	31	20
40 to 44 years	114	11	5	3	6	10	10	10	9	11	34	5
45 to 49 years	11	-	-	1	1	-	2	1	-	1	5	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	2	1	2	1	-	2	1	-	-	-	2
NEW MEXICO												
Total births	18,097	5,324	3,977	2,419	1,681	1,292	904	762	547	380	722	80
10 to 14 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,161	1,626	444	67	11	3	-	-	-	-	-	10
20 to 24 years	5,826	2,314	1,046	891	487	186	64	15	8	-	1	14
25 to 29 years	4,538	916	1,055	826	628	497	306	178	75	25	11	21
30 to 34 years	3,040	317	445	429	372	390	299	288	218	129	136	19
35 to 39 years	1,838	113	156	175	156	161	190	208	179	159	331	10
40 to 44 years	571	16	27	23	25	43	40	69	59	60	205	4
45 to 49 years	65	1	2	1	-	5	4	3	5	6	37	1
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	31	6	1	7	2	7	2	1	3	-	1	1
White	18,674	5,015	3,716	2,197	1,521	1,158	806	684	484	343	666	74
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,977	1,503	400	57	8	2	-	-	-	-	-	7
20 to 24 years	5,404	2,189	1,718	797	429	175	82	14	8	-	1	13
25 to 29 years	4,181	874	988	756	567	442	288	185	68	24	10	21
30 to 34 years	2,808	306	429	388	343	353	265	256	201	116	125	16
35 to 39 years	1,700	112	152	163	148	144	177	184	182	140	309	10
40 to 44 years	528	16	27	22	24	40	34	63	51	59	190	3
45 to 49 years	49	1	1	1	-	1	2	2	3	5	32	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	4	1	3	2	3	-	-	1	-	-	1
Native white	18,278	4,937	3,664	2,156	1,487	1,129	776	658	475	320	612	66
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,968	1,489	395	57	8	2	-	-	-	-	-	7
20 to 24 years	5,342	2,159	1,707	795	423	172	62	13	8	-	1	12
25 to 29 years	4,079	852	964	744	553	432	255	162	67	24	8	18
30 to 34 years	2,730	299	423	389	354	340	256	246	196	110	120	17
35 to 39 years	1,604	109	146	156	143	138	170	176	153	125	278	9
40 to 44 years	493	14	26	21	24	40	31	57	47	56	176	1
45 to 49 years	46	1	1	1	-	1	2	2	3	5	29	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	4	1	3	2	3	-	-	1	-	-	1
Foreign-born white	392	77	51	41	34	28	30	28	19	23	54	7
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	14	5	-	-	-	-	-	-	-	-	-
20 to 24 years	59	29	10	12	6	1	-	1	-	-	-	-
25 to 29 years	101	22	24	12	14	9	11	5	1	-	2	3
30 to 34 years	79	7	8	9	9	13	9	10	5	8	5	1
35 to 39 years	98	3	6	7	5	5	7	8	9	15	50	1
40 to 44 years	55	2	1	1	-	-	3	6	4	2	14	2
45 to 49 years	3	-	-	-	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,413	309	261	221	160	134	98	76	53	37	56	6
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	184	123	44	10	3	1	-	-	-	-	-	3
20 to 24 years	422	125	128	94	58	13	2	1	-	-	-	1
25 to 29 years	357	42	67	70	61	55	40	13	7	1	1	-
30 to 34 years	231	11	17	30	29	37	33	32	17	13	11	1
35 to 39 years	138	1	4	12	8	17	13	24	17	19	23	-
40 to 44 years	43	-	-	1	1	3	6	6	8	2	15	1
45 to 49 years	16	-	1	-	-	4	2	1	2	1	5	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	16	2	-	4	-	4	2	1	2	-	1	-
Negro	179	41	30	39	17	14	13	7	3	4	9	2
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	38	24	8	5	-	-	-	-	-	-	-	1
20 to 24 years	49	8	12	18	9	2	1	-	-	-	-	1
25 to 29 years	41	5	7	5	7	6	7	3	1	-	-	-
30 to 34 years	31	5	3	7	1	5	3	3	1	1	2	-
35 to 39 years	19	-	-	4	-	1	2	1	1	3	7	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK												
Total births	286,546	122,831	89,816	58,942	16,443	7,742	4,116	2,412	1,398	877	1,460	509
10 to 14 years	100	99	-	-	-	-	-	-	-	-	-	1
15 to 19 years	14,236	11,903	2,011	271	25	3	2	-	-	-	-	21
20 to 24 years	78,740	49,713	20,983	5,495	1,773	554	140	43	8	-	-	130
25 to 29 years	92,875	39,564	33,520	12,223	4,629	2,059	977	464	166	61	42	171
30 to 34 years	84,024	15,982	23,500	13,178	5,527	2,547	1,398	780	456	290	271	97
35 to 39 years	29,935	5,577	8,898	6,623	3,600	1,968	1,162	764	528	331	638	55
40 to 44 years	5,995	613	1,082	1,069	619	588	424	332	211	177	480	13
45 to 49 years	294	24	26	43	44	18	25	25	27	15	47	-
50 years and over	7	1	1	1	1	-	-	2	-	1	-	-
Not stated	340	145	98	39	25	6	-	2	1	1	2	21



## GENERAL TABLES—LIVE BIRTHS

169

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW YORK—Continued												
White—	269,271	115,840	95,423	36,555	15,106	6,932	3,614	2,106	1,199	758	1,255	463
10 to 14 years—	40	40	—	—	—	—	—	—	—	—	—	—
15 to 19 years—	11,307	9,746	1,387	143	12	1	1	—	—	—	—	17
20 to 24 years—	72,515	46,795	18,969	4,529	1,372	404	83	53	7	—	—	123
25 to 29 years—	88,711	37,354	32,440	11,503	4,153	1,755	796	373	123	48	28	159
30 to 34 years—	61,685	15,520	22,971	12,799	5,253	2,524	1,229	667	362	235	228	96
35 to 39 years—	28,857	5,433	8,479	6,465	3,476	1,871	1,077	699	488	292	542	55
40 to 44 years—	5,749	787	1,061	1,039	794	574	404	307	195	166	410	12
45 to 49 years—	278	24	23	41	41	17	24	25	23	15	45	—
50 years and over—	5	1	1	1	1	—	—	1	—	—	—	—
Not stated—	324	140	92	36	24	6	—	1	1	1	2	21
Native white—	247,166	107,818	78,279	32,972	13,546	6,153	3,220	1,868	1,072	692	1,110	436
10 to 14 years—	40	40	—	—	—	—	—	—	—	—	—	—
15 to 19 years—	10,970	9,449	1,349	142	12	1	1	—	—	—	—	16
20 to 24 years—	68,823	44,354	18,121	4,377	1,339	394	81	52	7	—	—	118
25 to 29 years—	83,507	34,863	30,528	10,952	3,999	1,875	782	360	121	48	28	151
30 to 34 years—	55,594	13,922	20,546	11,494	4,765	2,126	1,140	617	361	226	221	86
35 to 39 years—	25,632	4,470	6,879	5,213	2,812	1,533	908	608	413	264	489	43
40 to 44 years—	4,208	578	757	735	576	406	293	228	152	141	337	7
45 to 49 years—	185	18	14	29	24	12	15	21	17	12	35	—
50 years and over—	5	1	1	1	1	—	—	1	—	—	—	—
Not stated—	292	125	84	29	18	6	—	1	1	1	2	15
Foreign-born white—	22,074	8,011	7,157	3,577	1,559	778	394	237	127	66	145	43
10 to 14 years—	—	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years—	335	295	38	1	—	—	—	—	—	—	—	1
20 to 24 years—	5,483	2,435	846	151	33	10	2	1	—	—	—	5
25 to 29 years—	5,196	2,490	1,908	547	154	60	14	13	2	—	—	8
30 to 34 years—	6,178	1,598	2,424	1,305	468	198	89	50	21	10	7	10
35 to 39 years—	5,221	962	1,600	1,252	663	337	169	90	55	28	53	12
40 to 44 years—	1,541	211	304	304	218	168	111	79	43	25	73	5
45 to 49 years—	83	6	9	12	17	5	9	4	6	3	12	—
50 years and over—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated—	37	14	8	7	6	—	—	—	—	—	—	2
Nonwhite—	17,275	6,991	4,393	2,587	1,337	810	502	306	199	119	205	26
10 to 14 years—	60	59	—	—	—	—	—	—	—	—	—	1
15 to 19 years—	2,929	2,157	624	128	13	2	1	—	—	—	—	4
20 to 24 years—	6,425	2,918	1,914	966	401	150	57	10	1	—	—	7
25 to 29 years—	4,164	1,210	1,080	721	476	323	181	91	43	13	14	12
30 to 34 years—	2,339	472	529	379	294	223	157	113	74	54	43	1
35 to 39 years—	1,078	144	209	158	124	97	85	65	61	39	96	—
40 to 44 years—	246	26	28	30	25	14	20	25	16	11	50	1
45 to 49 years—	18	—	3	2	3	1	1	—	4	—	2	—
50 years and over—	2	—	—	—	—	—	—	—	—	—	—	—
Not stated—	16	5	6	3	1	—	—	—	—	—	—	—
Negro—	16,727	6,786	4,263	2,312	1,284	773	474	291	193	114	196	22
10 to 14 years—	59	58	—	—	—	—	—	—	—	—	—	1
15 to 19 years—	2,091	2,123	620	128	13	2	1	—	—	—	—	4
20 to 24 years—	6,243	2,829	1,865	938	391	147	55	10	1	—	—	6
25 to 29 years—	4,004	1,158	1,050	699	456	307	187	88	42	13	14	10
30 to 34 years—	2,234	448	506	361	284	213	149	107	73	52	41	—
35 to 39 years—	1,034	141	204	152	116	80	85	61	59	37	91	—
40 to 44 years—	220	24	28	29	22	13	18	23	14	10	48	1
45 to 49 years—	14	—	3	2	1	1	1	—	4	—	2	—
50 years and over—	2	—	—	—	—	—	—	—	—	—	—	—
Not stated—	16	5	6	3	1	—	—	—	—	—	—	—
NORTH CAROLINA												
Total births—	100,679	32,072	23,210	13,388	6,896	6,047	4,242	3,051	2,205	1,604	2,943	3,021
10 to 14 years—	241	209	11	—	—	—	—	—	—	—	—	21
15 to 19 years—	14,680	10,028	3,169	743	157	29	5	—	—	—	—	549
20 to 24 years—	33,027	13,321	9,749	4,879	2,488	1,031	363	123	41	18	10	954
25 to 29 years—	24,983	5,490	6,142	4,154	3,320	2,305	1,423	807	359	172	103	660
30 to 34 years—	15,625	2,106	2,915	2,392	1,859	1,599	1,425	1,082	792	508	532	414
35 to 39 years—	8,997	757	1,040	1,020	869	819	804	803	729	638	1,246	272
40 to 44 years—	2,650	113	137	159	169	189	193	217	246	241	903	83
45 to 49 years—	258	4	9	9	7	9	16	11	31	19	136	7
50 years and over—	6	—	—	2	1	—	—	—	—	—	2	1
Not stated—	232	44	38	30	26	16	13	8	7	7	11	32
White—	71,062	25,492	17,868	9,579	5,875	3,598	2,403	1,632	1,145	713	1,280	1,477
10 to 14 years—	55	52	—	—	—	—	—	—	—	—	—	3
15 to 19 years—	8,595	6,524	1,534	252	57	11	1	—	—	—	—	216
20 to 24 years—	23,804	11,298	7,385	2,978	1,195	377	90	20	5	2	1	455
25 to 29 years—	18,447	4,922	5,246	3,254	2,277	1,269	665	291	98	33	15	377
30 to 34 years—	11,557	1,900	2,618	2,039	1,447	1,144	895	607	376	167	158	206
35 to 39 years—	6,471	666	928	888	734	622	592	541	461	345	541	133
40 to 44 years—	1,834	100	125	140	142	159	144	159	178	153	487	47
45 to 49 years—	165	3	9	5	7	7	12	10	26	11	71	4
50 years and over—	5	—	—	2	1	—	—	—	—	—	1	1
Not stated—	129	27	25	21	15	9	4	4	1	2	6	18
Native white—	70,868	25,397	17,807	9,560	5,870	3,596	2,401	1,631	1,144	713	1,279	1,470
10 to 14 years—	54	52	—	—	—	—	—	—	—	—	—	2
15 to 19 years—	8,584	6,516	1,531	252	57	11	1	—	—	—	—	216
20 to 24 years—	23,723	11,246	7,359	2,973	1,195	377	90	20	5	2	1	455
25 to 29 years—	18,403	4,900	5,232	3,251	2,275	1,269	664	291	98	33	15	375
30 to 34 years—	11,533	1,892	2,606	2,035	1,447	1,144	895	607	376	167	158	206
35 to 39 years—	6,455	664	923	883	733	621	592	541	460	345	540	153
40 to 44 years—	1,626	98	125	138	140	158	143	159	178	153	487	47
45 to 49 years—	164	3	9	5	7	7	12	9	26	11	71	4
50 years and over—	5	—	—	2	1	—	—	—	—	—	1	1
Not stated—	121	26	22	21	15	9	4	4	1	2	6	11



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NORTH CAROLINA—Continued												
White—Continued												
Foreign-born white	180	92	58	18	5	2	1	1	1	-	1	3
10 to 14 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	10	7	3	-	-	-	-	-	-	-	-	-
20 to 24 years	79	51	23	5	-	-	-	-	-	-	-	-
25 to 29 years	41	22	12	3	2	-	-	-	-	-	-	2
30 to 34 years	24	8	12	4	-	-	-	-	-	-	-	-
35 to 39 years	16	2	5	5	1	1	-	-	1	-	1	-
40 to 44 years	7	2	-	1	2	1	1	-	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	29,617	6,580	5,342	3,809	3,021	2,449	1,839	1,419	1,060	891	1,663	1,544
10 to 14 years	186	157	11	-	-	-	-	-	-	-	-	18
15 to 19 years	6,085	3,504	1,635	491	100	18	4	-	-	-	-	333
20 to 24 years	9,223	2,023	2,366	1,901	1,283	704	273	103	36	16	9	499
25 to 29 years	6,516	568	896	800	1,043	1,036	759	516	261	139	88	311
30 to 34 years	4,066	206	297	353	412	455	530	475	416	342	374	206
35 to 39 years	2,526	91	112	132	135	197	212	262	268	293	705	119
40 to 44 years	816	13	12	19	27	30	49	58	68	88	416	36
45 to 49 years	93	1	-	4	-	2	4	1	5	8	65	3
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	103	17	13	9	11	7	9	4	6	5	5	17
Negro	28,583	6,391	5,199	3,668	2,895	2,338	1,765	1,380	1,025	858	1,586	1,478
10 to 14 years	184	155	11	-	-	-	-	-	-	-	-	18
15 to 19 years	5,950	3,421	1,605	492	96	18	2	-	-	-	-	328
20 to 24 years	8,876	1,945	2,288	1,820	1,245	674	288	100	35	16	9	478
25 to 29 years	6,289	552	878	869	995	966	727	494	256	132	85	295
30 to 34 years	3,902	199	289	337	395	430	508	454	404	333	357	196
35 to 39 years	2,408	89	105	130	126	193	202	251	253	279	666	112
40 to 44 years	789	13	11	18	27	28	46	57	66	85	403	35
45 to 49 years	88	1	-	4	-	2	4	1	5	8	60	3
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	98	16	12	8	11	7	8	3	6	5	5	17
NORTH DAKOTA												
Total births	15,264	4,824	3,897	2,495	1,458	896	557	340	246	182	346	23
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	968	796	152	13	1	1	-	-	-	-	-	5
20 to 24 years	4,586	2,315	1,458	562	178	51	10	2	-	-	-	10
25 to 29 years	4,393	1,129	1,383	900	504	268	123	50	18	7	6	5
30 to 34 years	3,042	398	666	698	454	325	210	121	95	45	39	2
35 to 39 years	1,656	142	199	264	249	178	159	117	99	89	162	1
40 to 44 years	525	32	34	44	62	58	52	47	32	39	124	1
45 to 49 years	39	1	-	2	2	9	4	2	1	3	15	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	51	9	14	12	8	5	-	1	1	-	1	-
White	14,893	4,737	3,838	2,445	1,424	870	527	314	227	170	318	23
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	922	759	146	12	1	-	-	-	-	-	-	5
20 to 24 years	4,467	2,274	1,422	536	166	47	10	2	-	-	-	10
25 to 29 years	4,315	1,123	1,372	888	490	260	109	44	13	6	5	5
30 to 34 years	2,981	396	653	689	451	318	199	113	88	40	34	2
35 to 39 years	1,614	142	198	265	246	176	154	108	94	85	148	1
40 to 44 years	506	32	33	44	61	56	52	44	31	36	116	1
45 to 49 years	38	1	-	2	2	9	3	2	1	3	15	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	46	9	13	11	7	5	-	1	-	-	-	-
Native white	14,545	4,663	3,775	2,386	1,382	841	502	296	218	162	287	23
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	915	752	145	12	1	-	-	-	-	-	-	5
20 to 24 years	4,396	2,237	1,401	526	164	46	10	2	-	-	-	10
25 to 29 years	4,243	1,106	1,352	874	481	252	105	44	13	6	5	5
30 to 34 years	2,919	397	639	671	447	313	194	109	86	37	34	2
35 to 39 years	1,530	139	192	249	234	185	143	98	91	83	136	1
40 to 44 years	463	30	32	41	57	54	47	40	27	33	101	1
45 to 49 years	30	1	-	2	2	5	3	2	1	3	11	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	45	9	13	11	6	5	-	1	-	-	-	-
Foreign-born white	345	74	62	58	32	29	25	18	9	7	31	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7	6	1	-	-	-	-	-	-	-	-	-
20 to 24 years	69	37	20	9	2	1	-	-	-	-	-	-
25 to 29 years	72	17	20	14	9	8	4	-	-	-	-	-
30 to 34 years	61	9	14	18	4	3	5	4	2	2	-	-
35 to 39 years	84	3	6	14	12	11	11	10	3	2	12	-
40 to 44 years	43	2	1	3	4	2	5	4	4	3	15	-
45 to 49 years	8	-	-	-	-	4	-	-	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Nonwhite	371	87	59	50	34	26	30	26	19	12	28	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	46	38	6	1	-	1	-	-	-	-	-	-
20 to 24 years	119	41	36	26	12	4	-	-	-	-	-	-
25 to 29 years	78	6	11	12	14	8	14	8	5	1	1	-
30 to 34 years	61	2	3	9	3	9	11	8	7	5	4	-
35 to 39 years	42	-	1	1	3	2	4	9	5	3	14	-
40 to 44 years	19	-	1	-	1	2	-	3	1	3	8	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	1	1	1	-	-	-	1	-	1	-



## GENERAL TABLES—LIVE BIRTHS

171

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OHIO												
Total births	169,600	67,158	47,629	24,543	12,373	6,706	3,761	2,391	1,482	1,011	1,639	907
10 to 14 years	81	76	4	-	-	-	-	-	-	-	-	1
15 to 19 years	15,611	11,029	2,112	316	32	10	1	-	-	-	-	111
20 to 24 years	55,689	30,812	16,355	5,415	1,958	604	163	52	9	7	2	354
25 to 29 years	61,086	17,040	16,814	8,641	4,224	2,191	1,052	490	190	74	60	250
30 to 34 years	30,675	5,905	8,675	6,763	3,696	2,135	1,281	836	509	269	284	123
35 to 39 years	14,453	1,927	2,939	2,696	2,017	1,346	917	702	535	432	690	51
40 to 44 years	3,592	291	452	460	418	337	319	278	225	209	536	17
45 to 49 years	237	12	20	15	24	21	23	29	11	18	62	2
50 years and over	6	-	-	2	1	1	-	-	1	-	1	-
Not stated	230	66	58	37	23	11	5	4	2	2	4	18
White	159,693	63,751	45,361	23,091	11,460	6,120	3,379	2,103	1,281	888	1,417	842
10 to 14 years	37	34	3	-	-	-	-	-	-	-	-	99
15 to 19 years	11,664	9,611	1,709	214	23	8	-	-	-	-	-	306
20 to 24 years	52,151	29,547	15,227	4,769	1,655	491	121	45	5	5	2	240
25 to 29 years	48,731	16,609	16,352	8,201	3,869	1,940	901	382	144	51	42	113
30 to 34 years	29,428	5,729	8,686	6,561	3,526	1,993	1,177	745	425	227	226	47
35 to 39 years	13,823	1,871	2,869	2,829	1,956	1,291	845	650	481	387	597	17
40 to 44 years	3,421	279	440	445	406	368	310	258	214	198	486	2
45 to 49 years	219	11	20	14	23	19	21	24	9	18	58	2
50 years and over	5	-	-	2	1	1	-	-	1	-	-	18
Not stated	214	60	55	36	21	9	4	3	2	2	4	821
Native white	156,512	62,541	44,506	22,607	11,206	5,990	3,293	2,060	1,253	866	1,379	821
10 to 14 years	37	34	3	-	-	-	-	-	-	-	-	99
15 to 19 years	11,595	9,551	1,702	212	23	8	-	-	-	-	-	301
20 to 24 years	51,436	29,033	15,071	4,739	1,628	498	121	43	5	5	2	256
25 to 29 years	47,906	16,236	16,049	8,105	3,940	1,929	897	380	142	51	41	107
30 to 34 years	28,703	5,585	8,469	6,394	3,446	1,961	1,156	734	421	225	225	44
35 to 39 years	13,218	1,788	2,734	2,698	1,946	1,237	810	633	469	377	582	16
40 to 44 years	3,197	265	405	409	378	330	286	243	206	190	469	2
45 to 49 years	206	10	19	12	23	18	19	24	7	16	56	16
50 years and over	5	-	-	2	1	1	-	-	1	-	-	-
Not stated	209	59	54	36	21	8	4	3	2	2	4	18
Foreign-born white	3,186	1,203	852	480	254	137	85	42	28	22	37	18
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	67	60	6	1	-	-	-	-	-	-	-	5
20 to 24 years	708	508	156	29	7	3	-	-	-	-	-	4
25 to 29 years	822	373	302	96	29	10	3	2	2	2	1	6
30 to 34 years	723	164	217	187	80	31	21	8	4	2	3	2
35 to 39 years	600	82	134	130	110	54	35	17	12	10	14	1
40 to 44 years	223	14	35	35	28	38	24	15	8	8	17	1
45 to 49 years	13	1	1	2	-	1	2	2	2	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	9,907	3,407	2,269	1,452	913	586	582	288	201	123	222	65
10 to 14 years	44	42	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,947	1,418	403	102	9	2	1	-	-	-	-	12
20 to 24 years	3,538	1,265	1,128	644	303	113	42	9	4	2	-	28
25 to 29 years	2,295	431	462	440	355	251	151	108	46	23	18	10
30 to 34 years	1,247	176	189	162	170	142	104	93	83	42	56	4
35 to 39 years	630	56	70	67	61	55	72	52	55	45	93	4
40 to 44 years	171	12	12	15	12	19	9	20	11	11	50	-
45 to 49 years	18	1	-	1	1	2	2	5	2	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	16	6	3	1	2	2	1	1	-	-	-	-
Negro	9,809	3,355	2,249	1,440	906	584	362	268	199	123	219	65
10 to 14 years	44	42	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,944	1,415	403	102	9	2	1	-	-	-	-	12
20 to 24 years	3,505	1,241	1,123	642	301	113	42	9	4	2	-	28
25 to 29 years	2,262	412	454	436	353	251	151	108	46	23	18	10
30 to 34 years	1,228	172	183	177	168	140	104	93	83	42	56	4
35 to 39 years	626	55	69	67	60	55	72	52	54	45	93	4
40 to 44 years	166	12	12	14	12	19	9	20	10	11	47	-
45 to 49 years	18	1	-	1	1	2	2	5	2	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	15	5	3	1	2	2	1	1	-	-	-	-
OKLAHOMA												
Total births	50,416	18,705	13,431	7,000	4,112	2,347	1,574	1,083	727	527	831	79
10 to 14 years	67	65	2	-	-	-	-	-	-	-	-	-
15 to 19 years	7,237	5,626	1,376	203	25	2	-	-	-	-	-	5
20 to 24 years	17,653	8,099	5,920	2,383	903	245	60	15	5	2	-	21
25 to 29 years	12,452	3,292	3,798	2,300	1,500	816	427	197	83	24	15	20
30 to 34 years	7,506	1,125	1,672	1,430	1,015	769	572	405	249	136	116	18
35 to 39 years	4,127	419	570	571	531	415	393	344	288	254	352	10
40 to 44 years	1,251	59	81	102	129	90	108	115	136	107	301	3
45 to 49 years	86	3	1	4	4	6	10	7	5	3	43	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	55	17	11	7	5	4	4	-	1	-	4	2
White	44,843	17,006	12,548	6,252	3,534	1,957	1,261	843	552	405	610	75
10 to 14 years	33	32	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,120	4,844	1,113	147	12	-	-	-	-	-	-	4
20 to 24 years	15,958	7,512	5,431	2,045	712	188	40	7	1	1	-	21
25 to 29 years	11,245	3,107	3,590	2,071	1,289	887	315	142	36	13	6	19
30 to 34 years	6,680	1,056	1,591	1,343	915	845	465	308	182	90	68	17
35 to 39 years	3,628	391	545	537	483	366	331	277	214	202	272	10
40 to 44 years	1,071	50	79	100	117	85	98	102	116	95	228	3
45 to 49 years	73	3	1	4	4	5	10	7	3	3	33	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	33	11	7	5	2	2	2	-	-	-	3	1



TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

ARRA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER		Total births	BIRTH ORDER (EXCLUDING STILLBIRNHS)									
			First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over
OKLAHOMA—Continued												
White—Continued												
Native white	44,610	16,885	12,289	6,238	3,521	1,953	1,255	839	550	404	602	74
10 to 14 years	32	31	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,103	4,831	1,109	147	12	-	-	-	-	-	-	4
20 to 24 years	15,858	7,443	5,403	2,044	711	188	40	7	1	1	-	20
25 to 29 years	11,136	3,085	3,565	2,087	1,285	666	312	142	36	13	6	19
30 to 34 years	6,657	1,047	1,593	1,340	914	845	485	308	181	90	67	17
35 to 39 years	3,600	385	542	533	477	363	329	276	214	201	270	10
40 to 44 years	1,058	49	79	98	116	83	97	99	115	95	224	3
45 to 49 years	72	3	1	4	4	5	10	7	3	3	32	-
50 years and over	2	-	-	-	-	1	-	-	-	1	-	-
Not stated	32	11	6	5	2	2	2	-	-	-	3	1
Foreign-born white	222	116	57	13	12	4	6	4	2	1	6	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	13	3	-	-	-	-	-	-	-	-	-
20 to 24 years	96	66	27	1	1	-	-	-	-	-	-	1
25 to 29 years	48	22	15	4	3	1	3	-	-	-	-	-
30 to 34 years	21	8	3	3	1	-	-	-	1	-	-	-
35 to 39 years	26	6	3	3	6	3	2	1	-	1	1	-
40 to 44 years	13	1	-	2	1	-	1	3	1	-	4	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	5,573	1,899	1,083	748	578	390	313	240	175	122	221	4
10 to 14 years	34	33	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,117	782	263	56	13	2	-	-	-	-	-	1
20 to 24 years	1,885	887	489	358	191	57	20	8	4	1	-	-
25 to 29 years	1,207	185	218	229	211	149	112	55	27	11	9	1
30 to 34 years	826	69	81	87	100	123	107	87	67	46	48	1
35 to 39 years	499	28	25	34	48	49	62	67	54	52	80	-
40 to 44 years	180	9	2	2	12	7	10	13	20	12	73	-
45 to 49 years	13	-	-	-	-	1	-	-	2	-	10	-
50 years and over	-	-	2	-	-	2	-	-	-	-	-	-
Not stated	22	6	4	3	2	2	2	1	1	-	1	1
Negro	3,387	1,061	638	438	330	217	175	155	116	81	172	4
10 to 14 years	31	30	1	-	-	-	-	-	-	-	-	-
15 to 19 years	787	534	187	44	9	2	-	-	-	-	-	-
20 to 24 years	994	319	284	217	121	47	14	8	3	1	-	1
25 to 29 years	708	109	114	116	123	90	72	42	23	10	8	1
30 to 34 years	472	42	38	43	48	54	57	64	48	34	43	1
35 to 39 years	268	15	19	15	19	20	28	34	28	31	59	-
40 to 44 years	101	7	2	2	8	3	3	7	12	5	52	-
45 to 49 years	10	-	-	-	-	-	-	-	1	-	9	-
50 years and over	-	-	-	-	-	-	-	-	1	-	-	-
Not stated	16	5	3	1	2	1	1	-	1	-	1	1
OREGON												
Total births	30,076	11,616	8,898	4,538	2,123	1,062	628	278	166	108	147	612
10 to 14 years	9	7	1	-	-	-	-	-	-	-	-	1
15 to 19 years	2,722	2,191	400	54	7	-	-	-	-	-	-	70
20 to 24 years	10,276	5,331	3,531	990	296	85	17	2	-	-	1	218
25 to 29 years	8,618	2,600	2,970	1,606	741	332	118	47	17	9	2	176
30 to 34 years	5,357	1,033	1,854	1,242	664	357	196	111	60	27	19	94
35 to 39 years	2,451	572	882	551	325	218	140	80	80	46	60	37
40 to 44 years	533	55	71	85	83	54	51	24	25	22	56	9
45 to 49 years	40	6	3	2	1	3	5	3	4	4	9	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	69	29	15	8	6	3	1	1	-	-	-	6
White	29,504	11,445	8,751	4,453	2,066	1,025	504	255	156	101	141	607
10 to 14 years	7	6	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,646	2,137	384	50	6	-	-	-	-	-	-	69
20 to 24 years	10,066	5,254	3,257	984	285	91	14	2	-	-	1	218
25 to 29 years	8,461	2,565	2,830	1,577	717	314	112	45	17	7	2	175
30 to 34 years	5,256	1,027	1,540	1,222	649	343	185	99	54	25	18	94
35 to 39 years	2,418	370	548	545	319	217	137	83	59	44	58	37
40 to 44 years	524	53	71	85	83	54	50	22	23	21	54	8
45 to 49 years	37	5	3	2	1	3	5	3	3	4	8	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	68	28	15	8	6	3	1	1	-	-	-	6
Native white	28,597	11,110	8,473	4,305	1,998	990	497	248	153	95	136	594
10 to 14 years	7	6	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,698	2,123	380	50	6	-	-	-	-	-	-	-
20 to 24 years	9,860	5,117	3,195	944	282	90	14	2	-	-	1	69
25 to 29 years	8,201	2,459	2,936	1,543	687	307	111	44	17	7	2	158
30 to 34 years	5,025	971	1,465	1,171	620	332	183	98	52	25	17	91
35 to 39 years	2,290	345	511	509	311	206	133	81	58	42	57	37
40 to 44 years	484	47	66	76	76	49	50	20	23	17	52	8
45 to 49 years	33	4	3	2	-	3	5	2	3	4	7	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	68	28	15	8	6	3	1	1	-	-	-	6
Foreign-born white	904	334	277	150	68	34	7	7	3	6	5	13
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	14	4	-	-	-	-	-	-	-	-	-
20 to 24 years	225	137	61	20	3	1	-	-	-	-	-	3
25 to 29 years	259	85	94	34	20	7	1	1	-	-	7	7
30 to 34 years	230	56	75	51	29	10	2	1	2	-	1	3
35 to 39 years	128	25	38	36	8	11	4	2	1	2	1	-
40 to 44 years	40	6	5	9	7	5	-	2	-	4	2	-
45 to 49 years	4	1	-	-	1	-	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-



## GENERAL TABLES—LIVE BIRTHS

173

TABLE 7B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OREGON—Continued												
Nonwhite	572	171	147	85	57	37	24	23	10	7	6	5
10 to 14 years	2	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	76	54	16	4	1	-	-	-	-	-	-	1
20 to 24 years	190	71	74	26	11	4	3	-	-	-	-	1
25 to 29 years	157	35	40	29	24	18	6	2	-	2	-	1
30 to 34 years	101	6	14	20	15	14	11	12	6	2	1	-
35 to 39 years	33	2	3	6	6	1	3	7	1	2	2	-
40 to 44 years	9	-	-	-	-	-	1	2	2	1	2	1
45 to 49 years	3	1	-	-	-	-	-	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	263	84	73	33	25	13	12	12	3	3	2	3
10 to 14 years	2	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years	39	27	8	2	1	-	-	-	-	-	-	1
20 to 24 years	88	34	35	10	6	2	1	-	-	-	-	-
25 to 29 years	75	18	22	10	10	7	6	2	-	1	-	1
30 to 34 years	41	4	6	9	4	4	4	7	2	1	-	-
35 to 39 years	14	2	2	2	4	-	1	2	-	1	-	-
40 to 44 years	3	-	-	-	-	-	-	1	1	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA												
Total births	218,376	90,334	60,007	30,267	15,637	8,495	4,787	3,012	2,036	1,295	2,306	200
10 to 14 years	113	108	5	-	-	-	-	-	-	-	-	-
15 to 19 years	15,439	12,609	2,398	364	46	6	2	-	-	-	-	14
20 to 24 years	68,705	40,608	18,863	5,042	2,151	666	218	57	18	11	5	60
25 to 29 years	67,322	24,620	21,785	10,779	5,279	2,632	1,232	538	257	92	52	56
30 to 34 years	42,030	8,940	12,298	8,778	4,975	2,785	1,627	1,095	708	397	385	42
35 to 39 years	19,582	2,952	4,087	3,672	2,551	1,865	1,263	950	733	505	985	14
40 to 44 years	4,763	443	525	589	589	512	414	358	299	270	756	8
45 to 49 years	510	16	16	25	30	25	51	13	23	19	111	1
50 years and over	14	3	2	1	3	2	1	-	-	-	2	-
Not stated	100	35	22	17	13	2	4	1	-	1	-	5
White	205,449	85,804	57,010	28,462	14,428	7,699	4,285	2,667	1,767	1,129	2,017	181
10 to 14 years	45	42	3	-	-	-	-	-	-	-	-	-
15 to 19 years	12,859	10,821	1,775	224	21	5	2	-	-	-	-	11
20 to 24 years	64,187	38,937	17,508	5,244	1,737	492	153	36	11	11	4	54
25 to 29 years	64,397	25,960	21,173	10,248	4,872	2,311	1,034	440	198	73	36	52
30 to 34 years	40,322	8,698	12,024	8,537	4,729	2,588	1,487	965	602	332	311	41
35 to 39 years	18,712	2,872	5,977	5,592	2,455	1,774	1,184	869	658	447	873	11
40 to 44 years	4,524	425	511	575	571	495	391	343	276	247	684	6
45 to 49 years	296	16	16	25	28	21	51	13	22	18	107	1
50 years and over	13	3	2	1	3	1	1	-	-	-	2	-
Not stated	92	32	21	16	12	2	2	1	-	1	-	5
Native white	200,486	83,935	55,711	27,785	14,019	7,446	4,153	2,594	1,705	1,075	1,925	169
10 to 14 years	44	41	3	-	-	-	-	-	-	-	-	-
15 to 19 years	12,732	10,710	1,762	222	20	5	2	-	-	-	-	11
20 to 24 years	63,150	38,187	17,276	5,209	1,723	488	153	35	11	11	4	53
25 to 29 years	63,263	23,434	20,793	10,110	4,828	2,291	1,032	435	196	72	36	46
30 to 34 years	39,138	8,411	11,636	8,283	4,606	2,527	1,455	950	599	326	307	38
35 to 39 years	17,660	2,708	3,741	3,366	2,282	1,678	1,122	838	633	429	852	11
40 to 44 years	4,141	397	474	534	522	436	358	312	246	224	632	6
45 to 49 years	260	14	13	25	24	18	29	15	20	12	92	-
50 years and over	13	3	2	1	3	1	1	-	-	-	12	-
Not stated	85	30	21	15	11	2	1	1	-	1	-	3
Foreign-born white	4,948	1,864	1,296	694	409	253	132	83	62	54	81	10
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	127	111	13	2	1	-	-	-	-	-	-	-
20 to 24 years	1,035	748	232	35	14	4	-	1	-	-	-	1
25 to 29 years	1,130	525	389	137	44	20	2	5	2	1	-	5
30 to 34 years	1,181	284	397	263	123	71	32	15	3	6	4	3
35 to 39 years	1,081	164	235	226	173	96	62	51	25	18	21	-
40 to 44 years	581	28	37	40	49	59	33	31	30	23	51	-
45 to 49 years	38	2	3	-	4	3	2	-	2	6	15	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	-	1	1	-	1	-	-	-	-	-
Nonwhite	12,927	4,530	2,997	1,805	1,209	796	502	345	289	166	289	19
10 to 14 years	68	66	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,580	1,788	623	140	25	1	-	-	-	-	-	3
20 to 24 years	4,516	1,671	1,361	798	414	174	85	21	5	-	1	6
25 to 29 years	2,925	680	612	531	407	321	198	98	59	19	16	4
30 to 34 years	1,708	244	274	241	246	187	140	130	106	65	74	1
35 to 39 years	870	80	110	80	96	91	74	81	75	58	122	3
40 to 44 years	239	18	14	14	18	17	23	15	23	23	72	2
45 to 49 years	12	-	-	-	2	4	-	-	1	1	4	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	8	3	1	1	1	-	2	-	-	-	-	-
Negro	12,871	4,511	2,982	1,800	1,203	792	502	343	266	165	287	18
10 to 14 years	68	66	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,578	1,786	623	140	25	1	-	-	-	-	-	3
20 to 24 years	4,496	1,662	1,352	797	413	174	65	21	5	-	1	6
25 to 29 years	2,911	654	608	530	406	319	198	98	59	19	16	4
30 to 34 years	1,697	243	275	240	245	187	140	128	105	84	74	-
35 to 39 years	863	79	109	79	95	89	74	81	75	58	121	3
40 to 44 years	237	18	14	13	18	17	23	15	23	23	71	2
45 to 49 years	12	-	-	-	2	4	-	-	1	1	4	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	8	3	1	1	1	-	2	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946-Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
RHODE ISLAND												
Total births-----	16,761	6,831	4,813	2,245	1,089	469	240	143	93	52	105	681
10 to 14 years-----	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	774	648	79	12	4	-	-	-	-	-	-	31
20 to 24 years-----	4,928	2,915	1,270	329	80	23	5	-	-	-	-	206
25 to 29 years-----	5,509	2,110	1,898	731	324	122	53	25	11	7	4	224
30 to 34 years-----	3,547	817	1,102	752	387	158	79	45	32	16	23	136
35 to 39 years-----	1,699	292	408	367	245	125	72	48	31	13	41	67
40 to 44 years-----	577	51	56	52	47	40	29	21	18	15	34	14
45 to 49 years-----	17	1	-	1	2	1	2	4	1	1	3	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	6	3	-	1	-	-	-	-	-	-	-	2
White-----	16,425	6,710	4,740	2,194	1,058	455	225	140	82	47	96	678
10 to 14 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	715	603	68	10	4	-	-	-	-	-	-	30
20 to 24 years-----	4,703	2,861	1,230	311	73	19	5	-	-	-	-	204
25 to 29 years-----	5,427	2,096	1,881	712	308	116	48	23	9	6	4	224
30 to 34 years-----	3,502	813	1,097	743	380	155	72	45	27	14	20	136
35 to 39 years-----	1,685	280	408	366	245	124	71	47	28	11	38	67
40 to 44 years-----	368	51	56	50	46	40	27	21	17	15	31	14
45 to 49 years-----	17	1	-	1	2	1	2	4	1	1	3	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	6	3	-	1	-	-	-	-	-	-	-	2
Native white-----	15,375	6,399	4,467	2,021	962	393	192	114	69	43	78	638
10 to 14 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	697	588	66	10	4	-	-	-	-	-	-	29
20 to 24 years-----	4,533	2,750	1,185	305	73	19	5	-	-	-	-	196
25 to 29 years-----	5,177	2,004	1,791	677	295	111	46	20	9	6	4	214
30 to 34 years-----	3,227	753	1,020	683	349	136	65	39	25	13	19	125
35 to 39 years-----	1,437	250	357	306	207	100	54	37	25	10	31	60
40 to 44 years-----	266	49	48	39	33	27	20	15	9	14	21	11
45 to 49 years-----	11	-	-	1	1	-	2	3	1	-	3	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	2	-	1	-	-	-	-	-	-	-	2
Foreign-born white-----	1,049	312	273	173	96	62	33	26	13	4	18	39
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	18	15	2	-	-	-	-	-	-	-	-	1
20 to 24 years-----	170	111	45	6	-	-	-	-	-	-	-	8
25 to 29 years-----	250	92	90	35	13	5	2	3	-	-	-	10
30 to 34 years-----	274	60	77	60	31	19	7	6	2	1	1	10
35 to 39 years-----	248	30	51	60	38	24	17	10	3	1	7	7
40 to 44 years-----	82	2	8	11	13	13	7	6	8	1	10	3
45 to 49 years-----	6	1	-	1	1	1	-	1	-	1	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	336	121	73	51	31	14	15	3	11	5	9	3
10 to 14 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	59	45	11	2	-	-	-	-	-	-	-	1
20 to 24 years-----	125	54	40	18	7	4	-	-	-	-	-	2
25 to 29 years-----	82	14	17	19	16	6	5	2	2	1	-	-
30 to 34 years-----	45	4	5	9	7	3	7	-	5	2	3	-
35 to 39 years-----	14	2	-	1	-	1	1	1	3	2	3	-
40 to 44 years-----	9	-	-	2	1	-	2	-	1	-	3	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Negro-----	327	118	73	49	29	14	15	3	11	4	9	2
10 to 14 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	58	44	11	2	-	-	-	-	-	-	-	1
20 to 24 years-----	122	52	40	18	7	4	-	-	-	-	-	1
25 to 29 years-----	80	14	17	19	14	6	5	2	2	1	-	-
30 to 34 years-----	43	4	5	7	7	3	7	-	5	2	3	-
35 to 39 years-----	18	2	-	1	-	1	1	1	3	1	3	-
40 to 44 years-----	9	-	-	2	1	-	2	-	1	-	3	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA												
Total births-----	53,963	16,236	11,919	7,404	5,194	3,586	2,537	1,802	1,356	895	1,805	1,229
10 to 14 years-----	136	123	7	-	-	-	-	-	-	-	-	6
15 to 19 years-----	8,484	5,633	1,975	503	111	17	4	-	-	-	-	241
20 to 24 years-----	18,026	6,420	5,104	3,083	1,754	782	300	97	36	17	11	422
25 to 29 years-----	13,380	2,667	2,982	2,124	1,869	1,448	998	553	286	113	94	236
30 to 34 years-----	7,702	918	1,276	1,129	901	789	748	647	485	273	361	153
35 to 39 years-----	4,598	354	429	445	444	461	380	409	415	379	784	98
40 to 44 years-----	1,184	53	74	72	61	72	79	79	102	102	450	21
45 to 49 years-----	119	3	3	3	6	5	7	4	14	4	69	1
50 years and over-----	6	-	-	2	1	-	-	1	-	-	1	1
Not stated-----	328	64	69	43	27	12	21	12	8	7	15	50
White-----	31,010	10,936	8,061	4,275	2,625	1,609	1,009	640	477	299	472	607
10 to 14 years-----	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years-----	3,781	2,748	795	126	23	3	1	-	-	-	-	85
20 to 24 years-----	10,586	4,781	3,294	1,427	591	186	53	14	4	2	-	234
25 to 29 years-----	8,332	2,231	2,411	1,414	1,015	626	313	121	49	14	9	129
30 to 34 years-----	4,845	789	1,112	867	600	454	359	255	166	75	61	87
35 to 39 years-----	2,897	295	357	345	321	276	214	198	197	156	185	43
40 to 44 years-----	671	42	59	57	60	54	58	45	54	49	180	13
45 to 49 years-----	49	2	2	1	2	3	5	3	4	1	25	1
50 years and over-----	-	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	129	31	29	17	13	7	6	4	3	2	2	15



## 175

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER		Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
			First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH CAROLINA--Continued													
White--Continued													
Native white		30,894	10,681	8,024	4,259	2,622	1,608	1,008	639	477	299	471	606
10 to 14 years		19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years		3,768	2,740	792	125	23	3	1	-	-	-	-	84
20 to 24 years		10,543	4,755	3,284	1,425	591	186	53	14	4	2	-	234
25 to 29 years		8,301	2,219	2,339	1,409	1,014	626	312	121	49	14	9	129
30 to 34 years		4,639	703	1,104	883	600	454	339	235	166	75	61	97
35 to 39 years		2,585	230	355	342	320	276	214	198	197	156	194	43
40 to 44 years		665	42	57	85	59	53	58	44	54	49	190	13
45 to 49 years		49	2	1	2	3	5	3	4	1	25	1	-
50 years and over		1	-	-	-	-	-	-	-	-	-	-	-
Not stated		129	31	29	17	13	7	6	4	3	2	2	15
Foreign-born white		115	55	37	16	3	1	-	1	-	-	1	1
10 to 14 years		-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years		13	8	3	1	-	-	-	-	-	-	-	1
20 to 24 years		38	26	10	2	-	-	-	-	-	-	-	-
25 to 29 years		30	12	12	5	1	-	-	-	-	-	-	-
30 to 34 years		16	4	8	4	-	-	-	-	-	-	-	-
35 to 39 years		12	5	2	3	1	-	-	-	-	-	1	-
40 to 44 years		8	-	2	1	1	1	1	1	-	-	-	-
45 to 49 years		-	-	-	-	-	-	-	-	-	-	-	-
50 years and over		-	-	-	-	-	-	-	-	-	-	-	-
Not stated		-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite		25,953	5,300	3,650	3,129	2,669	1,977	1,528	1,162	879	596	1,533	622
10 to 14 years		117	106	5	-	-	-	-	-	-	-	-	6
15 to 19 years		4,703	2,885	1,180	377	88	14	3	-	-	-	-	156
20 to 24 years		7,440	1,639	1,810	1,656	1,165	596	247	83	32	15	11	188
25 to 29 years		5,048	436	571	710	854	822	685	432	247	99	85	107
30 to 34 years		2,857	130	164	242	301	335	390	392	319	198	320	66
35 to 39 years		2,001	59	72	100	125	185	166	211	218	225	589	55
40 to 44 years		513	11	15	15	21	18	20	54	48	55	270	8
45 to 49 years		70	1	1	2	4	2	2	1	10	3	44	1
50 years and over		5	-	1	1	1	-	1	1	-	-	1	1
Not stated		199	33	40	26	14	5	15	8	5	5	13	35
Negro		22,935	5,283	3,658	3,129	2,567	1,976	1,524	1,162	878	594	1,531	621
10 to 14 years		117	106	5	-	-	-	-	-	-	-	-	6
15 to 19 years		4,702	2,884	1,180	377	88	14	3	-	-	-	-	156
20 to 24 years		7,433	1,633	1,810	1,656	1,165	596	247	83	32	15	11	187
25 to 29 years		5,044	436	571	710	853	821	683	432	247	99	85	107
30 to 34 years		2,853	130	164	242	300	335	389	392	318	197	319	66
35 to 39 years		1,997	59	72	100	125	185	165	211	217	222	598	55
40 to 44 years		513	11	15	15	21	18	20	54	48	53	270	8
45 to 49 years		70	1	1	2	4	2	2	1	10	3	44	-
50 years and over		5	-	1	1	1	-	1	1	-	-	1	1
Not stated		199	33	40	26	14	5	15	8	5	5	13	35
SOUTH DAKOTA													
Total births		14,580	5,016	3,819	2,222	1,392	797	432	271	193	136	241	61
10 to 14 years		2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years		1,060	873	149	51	1	1	1	-	-	-	-	4
20 to 24 years		4,562	2,395	1,400	518	183	43	85	35	19	2	4	17
25 to 29 years		4,197	1,193	1,339	806	476	222	85	55	49	38	23	13
30 to 34 years		2,620	365	659	551	410	280	149	84	49	31	21	13
35 to 39 years		1,521	127	244	240	249	174	158	97	98	54	105	7
40 to 44 years		511	30	54	69	62	65	45	44	34	37	90	1
45 to 49 years		45	-	-	1	4	8	4	3	2	4	18	1
50 years and over		1	-	-	1	-	-	-	-	-	-	-	-
Not stated		61	21	15	5	8	4	1	3	1	1	1	1
White		13,932	4,860	3,715	2,133	1,306	746	398	241	166	119	209	49
10 to 14 years		1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years		991	818	141	27	1	1	1	-	-	-	-	2
20 to 24 years		4,369	2,312	1,345	486	164	39	7	5	-	-	-	12
25 to 29 years		4,029	1,173	1,308	770	443	195	76	31	14	2	4	12
30 to 34 years		2,523	392	652	539	391	269	150	72	44	31	21	13
35 to 39 years		1,451	126	242	236	239	160	126	87	77	50	93	7
40 to 44 years		473	29	54	68	58	64	43	41	28	32	75	1
45 to 49 years		43	-	-	1	4	8	4	3	2	4	16	1
50 years and over		1	-	-	1	-	-	-	-	-	-	-	-
Not stated		51	19	13	5	6	3	1	2	1	-	-	-
Native white		13,743	4,602	3,678	2,109	1,287	736	377	235	162	115	194	49
10 to 14 years		1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years		987	815	140	27	1	1	1	-	-	-	-	2
20 to 24 years		4,320	2,280	1,334	480	164	38	7	5	-	-	-	12
25 to 29 years		3,967	1,163	1,294	765	437	192	75	30	14	2	4	11
30 to 34 years		2,488	374	624	531	387	266	128	70	43	31	21	13
35 to 39 years		1,413	122	239	233	233	168	121	85	74	49	84	7
40 to 44 years		453	28	54	66	55	62	40	40	28	29	70	1
45 to 49 years		42	-	-	1	4	8	4	3	2	4	15	1
50 years and over		1	-	-	1	-	-	-	-	-	-	-	-
Not stated		51	19	13	5	6	3	1	2	1	-	-	1
Foreign-born white		184	57	36	23	18	10	11	6	4	3	15	1
10 to 14 years		-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years		4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years		47	32	10	5	-	-	-	-	-	-	-	1
25 to 29 years		42	10	14	5	8	4	1	1	-	-	-	-
30 to 34 years		34	7	9	8	4	2	2	2	1	-	-	-
35 to 39 years		36	4	3	3	5	2	5	2	3	-	9	-
40 to 44 years		20	1	-	2	3	2	3	1	-	3	5	-
45 to 49 years		1	-	-	-	-	-	-	-	-	-	1	-
50 years and over		-	-	-	-	-	-	-	-	-	-	-	-
Not stated		-	-	-	-	-	-	-	-	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946-Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH DAKOTA—Continued												
Nonwhite	648	156	104	89	86	51	44	30	27	17	32	12
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	69	85	8	4	-	-	-	-	-	-	-	2
20 to 24 years	193	73	85	32	19	5	4	-	-	-	-	5
25 to 29 years	168	20	31	36	32	26	9	4	5	-	-	5
30 to 34 years	97	3	6	12	18	12	19	12	5	7	2	-
35 to 39 years	70	1	2	4	10	6	10	10	11	4	12	-
40 to 44 years	38	1	-	1	4	1	2	3	8	5	15	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	-	2	1	-	1	-	1	1	-
TENNESSEE												
Total births	77,336	26,873	18,098	10,286	6,703	4,565	3,201	2,180	1,566	1,168	1,906	790
10 to 14 years	137	134	-	-	-	-	-	-	-	-	-	3
15 to 19 years	11,061	8,450	2,066	339	47	7	3	-	-	-	-	129
20 to 24 years	25,346	11,378	7,804	3,572	1,571	559	168	36	13	5	3	237
25 to 29 years	19,044	4,579	4,896	3,374	2,550	1,774	968	459	177	67	37	163
30 to 34 years	12,230	1,639	2,405	1,998	1,589	1,352	1,159	823	574	308	254	129
35 to 39 years	7,185	596	777	951	793	729	702	666	603	546	855	79
40 to 44 years	2,061	94	116	125	152	134	179	193	186	213	669	30
45 to 49 years	173	1	4	5	2	5	17	13	12	23	96	5
50 years and over	4	-	-	-	1	-	-	-	-	2	-	1
Not stated	75	12	10	12	8	6	5	-	1	4	2	15
White	85,507	23,423	15,808	8,703	5,538	3,879	2,539	1,693	1,194	902	1,410	618
10 to 14 years	49	48	-	-	-	-	-	-	-	-	-	1
15 to 19 years	8,377	6,632	1,432	201	19	3	2	-	-	-	-	89
20 to 24 years	21,800	10,362	6,803	2,830	1,146	360	91	14	7	4	1	182
25 to 29 years	16,580	4,248	4,510	2,970	2,155	1,409	705	302	98	29	19	135
30 to 34 years	10,526	1,503	2,234	1,795	1,378	1,145	944	640	424	211	146	106
35 to 39 years	6,184	531	709	779	695	633	614	566	491	455	630	61
40 to 44 years	1,796	89	107	117	136	120	164	160	165	179	534	25
45 to 49 years	151	1	4	4	2	3	14	11	9	20	78	5
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	63	9	9	7	7	6	5	-	-	4	2	14
Native white	85,382	23,342	15,783	8,680	5,532	3,875	2,537	1,693	1,194	902	1,409	615
10 to 14 years	49	48	-	-	-	-	-	-	-	-	-	1
15 to 19 years	8,367	6,624	1,430	201	19	3	2	-	-	-	-	88
20 to 24 years	21,734	10,318	6,784	2,828	1,146	360	91	14	7	4	1	181
25 to 29 years	16,544	4,229	4,499	2,968	2,154	1,408	704	302	98	29	19	134
30 to 34 years	10,507	1,499	2,228	1,791	1,376	1,144	944	640	424	211	146	106
35 to 39 years	6,146	527	704	774	693	632	613	566	491	455	630	61
40 to 44 years	1,791	87	107	117	135	119	164	160	165	179	533	25
45 to 49 years	151	1	4	4	2	3	14	11	9	20	78	5
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	62	9	9	7	7	6	5	-	-	4	2	13
Foreign-born white	153	81	45	13	6	4	2	-	-	-	-	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	8	2	-	-	-	-	-	-	-	-	-
20 to 24 years	66	44	19	2	-	-	-	-	-	-	-	1
25 to 29 years	36	19	11	2	1	1	1	-	-	-	-	1
30 to 34 years	19	4	8	4	2	1	-	-	-	-	-	-
35 to 39 years	18	4	5	5	2	1	1	-	-	-	-	-
40 to 44 years	4	2	-	-	1	1	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	11,829	3,450	2,290	1,583	1,165	886	662	487	372	266	496	172
10 to 14 years	88	86	-	-	-	-	-	-	-	-	-	2
15 to 19 years	2,684	1,818	654	139	28	4	1	-	-	-	-	41
20 to 24 years	3,546	1,016	1,001	742	425	199	77	22	6	1	2	55
25 to 29 years	2,464	331	386	404	395	365	263	157	79	38	18	28
30 to 34 years	1,704	136	171	203	211	207	215	183	150	97	108	23
35 to 39 years	1,021	85	68	82	88	95	88	100	112	91	225	17
40 to 44 years	285	5	9	8	16	14	15	23	21	34	135	5
45 to 49 years	22	-	-	1	2	3	2	3	3	3	8	-
50 years and over	3	-	-	-	1	-	-	-	-	2	-	-
Not stated	12	3	1	5	1	-	-	-	1	-	-	1
Negro	11,822	3,447	2,288	1,582	1,165	886	662	486	372	266	496	172
10 to 14 years	88	86	-	-	-	-	-	-	-	-	-	2
15 to 19 years	2,684	1,818	654	138	28	4	1	-	-	-	-	41
20 to 24 years	3,544	1,014	1,001	742	425	199	77	22	6	1	2	55
25 to 29 years	2,463	331	385	404	395	365	263	157	79	38	18	28
30 to 34 years	1,702	136	170	203	211	207	215	182	150	97	108	23
35 to 39 years	1,020	84	68	82	88	95	88	100	112	91	225	17
40 to 44 years	284	5	9	7	16	14	15	23	21	34	135	5
45 to 49 years	22	-	-	1	2	3	2	3	3	3	8	-
50 years and over	3	-	-	-	1	-	-	-	-	2	-	-
Not stated	12	3	1	5	1	-	-	-	1	-	-	1
TEXAS												
Total births	181,579	64,176	44,118	21,711	11,372	6,244	3,737	2,372	1,448	866	1,099	24,436
10 to 14 years	291	285	5	-	-	-	-	-	-	-	-	21
15 to 19 years	25,008	18,639	4,426	688	92	9	-	-	-	-	-	1,154
20 to 24 years	61,227	27,469	18,380	6,943	2,574	712	201	54	11	1	2	4,860
25 to 29 years	45,551	11,576	12,815	7,158	4,123	2,216	1,071	405	140	42	15	5,990
30 to 34 years	28,498	4,301	6,022	4,584	2,870	1,683	1,324	911	513	236	186	5,708
35 to 39 years	15,899	1,545	2,069	1,954	1,402	1,108	894	763	579	396	524	4,765
40 to 44 years	4,086	233	277	311	281	266	216	211	183	172	349	1,807
45 to 49 years	358	14	15	10	20	17	18	14	15	15	37	188
50 years and over	28	2	4	4	3	2	2	1	1	-	1	8
Not stated	533	132	105	79	37	28	12	9	7	4	5	115



## GENERAL TABLES—LIVE BIRTHS

177

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
TEXAS—Continued												
White—	160,289	58,129	40,071	19,348	9,835	5,211	3,086	1,898	1,102	660	774	20,155
10 to 14 years—	149	140	2	—	—	—	—	—	—	—	—	7
15 to 19 years—	20,371	15,558	3,471	502	69	7	—	—	—	—	—	764
20 to 24 years—	54,472	28,515	16,413	5,852	2,026	537	141	38	8	—	2	3,940
25 to 29 years—	41,304	11,033	12,126	6,584	3,564	1,789	834	289	85	28	7	5,015
30 to 34 years—	26,660	4,085	5,756	4,283	2,608	1,620	1,102	731	377	162	102	4,934
35 to 39 years—	14,062	1,455	1,935	1,814	1,289	960	792	640	458	308	574	4,016
40 to 44 years—	3,497	213	257	293	241	236	193	180	158	144	261	1,321
45 to 49 years—	298	12	15	8	8	16	15	13	10	14	26	161
50 years and over—	23	2	4	2	3	2	2	—	1	—	—	7
Not stated—	433	116	82	60	27	24	7	7	5	3	2	90
Native white—	151,719	56,449	38,931	18,822	9,182	4,757	2,694	1,613	876	514	600	17,581
10 to 14 years—	142	134	2	—	—	—	—	—	—	—	—	6
15 to 19 years—	19,831	15,187	3,362	484	68	7	—	—	—	—	—	723
20 to 24 years—	52,742	24,840	15,969	5,638	1,922	905	123	32	7	—	1	3,705
25 to 29 years—	39,440	10,659	11,613	6,268	3,356	1,860	746	260	72	20	6	4,580
30 to 34 years—	23,614	3,927	5,594	4,103	2,412	1,478	988	617	306	128	77	4,204
35 to 39 years—	12,182	1,381	1,648	1,692	1,164	860	666	526	353	235	288	3,169
40 to 44 years—	2,930	200	237	274	225	210	168	160	129	117	208	1,004
45 to 49 years—	222	8	15	6	6	14	14	12	6	11	20	110
50 years and over—	17	1	4	2	3	1	2	—	—	—	—	4
Not stated—	399	112	87	55	26	22	7	6	3	5	2	76
Foreign-born white—	8,511	1,686	1,135	621	651	454	391	284	226	146	174	2,563
10 to 14 years—	7	6	—	—	—	—	—	—	—	—	—	1
15 to 19 years—	534	366	109	18	1	—	—	—	—	—	—	41
20 to 24 years—	1,722	689	443	213	104	32	18	6	1	—	1	235
25 to 29 years—	1,858	372	312	264	207	129	88	29	13	8	1	435
30 to 34 years—	1,837	157	161	179	196	142	134	114	71	34	25	624
35 to 39 years—	1,876	74	86	121	124	125	114	105	74	86	847	847
40 to 44 years—	565	13	20	19	16	26	25	20	29	27	55	315
45 to 49 years—	76	4	—	2	2	2	1	1	4	3	6	51
50 years and over—	6	1	—	—	—	1	—	—	1	—	—	5
Not stated—	32	4	5	5	1	2	—	—	2	—	—	13
Nonwhite—	21,510	6,047	4,047	2,363	1,537	1,033	651	474	346	206	325	4,281
10 to 14 years—	142	125	3	—	—	—	—	—	—	—	—	14
15 to 19 years—	4,637	3,081	955	186	23	2	—	—	—	—	—	390
20 to 24 years—	6,755	1,854	1,967	1,091	548	175	60	16	3	1	—	940
25 to 29 years—	4,247	543	689	624	559	427	237	116	55	14	8	975
30 to 34 years—	2,838	216	266	281	262	180	222	180	136	74	64	874
35 to 39 years—	1,937	90	134	140	113	128	102	123	121	87	150	749
40 to 44 years—	589	20	20	18	20	30	23	31	25	28	89	286
45 to 49 years—	60	2	—	2	2	4	2	5	4	1	11	27
50 years and over—	5	—	—	2	—	—	—	1	—	—	1	1
Not stated—	100	16	13	19	10	4	5	2	2	1	3	25
Negro—	21,205	6,015	4,024	2,349	1,527	1,051	648	470	346	206	324	4,285
10 to 14 years—	142	125	3	—	—	—	—	—	—	—	—	14
15 to 19 years—	4,622	3,068	953	186	23	2	—	—	—	—	—	390
20 to 24 years—	6,719	1,942	1,956	1,087	544	175	60	16	3	1	—	935
25 to 29 years—	4,221	537	683	617	557	426	236	116	55	14	8	972
30 to 34 years—	2,825	216	263	281	258	263	221	179	136	74	64	870
35 to 39 years—	1,924	89	133	137	113	127	101	121	121	87	149	746
40 to 44 years—	587	20	20	18	20	30	23	30	25	28	88	285
45 to 49 years—	60	2	—	2	2	4	2	5	4	1	11	27
50 years and over—	5	—	—	2	—	—	—	1	—	—	1	1
Not stated—	100	16	13	19	10	4	5	2	2	1	3	25
UTAH												
Total births—	18,220	5,905	4,723	3,155	1,932	1,052	544	289	183	88	164	185
10 to 14 years—	2	2	—	—	—	—	—	—	—	—	—	—
15 to 19 years—	1,607	1,296	259	30	2	—	—	—	—	—	—	20
20 to 24 years—	6,080	3,059	1,980	690	202	49	11	—	—	—	1	58
25 to 29 years—	5,062	1,111	1,613	1,192	646	272	112	43	14	5	4	30
30 to 34 years—	3,218	315	596	863	669	367	162	94	53	28	18	33
35 to 39 years—	1,685	92	216	318	336	281	176	87	74	29	61	15
40 to 44 years—	516	16	35	60	73	78	59	62	40	24	63	6
45 to 49 years—	32	2	—	—	1	4	3	3	2	2	13	—
50 years and over—	1	—	—	—	—	—	—	—	—	—	—	—
Not stated—	37	12	14	2	3	1	1	—	—	—	1	3
White—	17,949	5,806	4,655	3,110	1,905	1,042	539	286	180	87	159	181
10 to 14 years—	2	2	—	—	—	—	—	—	—	—	—	—
15 to 19 years—	1,581	1,287	253	30	2	—	—	—	—	—	—	19
20 to 24 years—	5,974	3,009	1,968	681	199	48	11	—	—	—	1	57
25 to 29 years—	4,957	1,076	1,589	1,170	629	268	109	43	14	5	4	50
30 to 34 years—	3,173	311	581	861	663	384	181	92	52	28	18	32
35 to 39 years—	1,673	92	216	316	335	279	174	86	72	28	60	15
40 to 44 years—	513	15	35	60	73	78	59	62	40	24	61	6
45 to 49 years—	30	2	—	—	1	4	3	3	2	2	13	—
50 years and over—	1	—	—	—	—	—	—	—	—	—	—	—
Not stated—	35	12	13	2	3	1	1	—	—	—	1	2
Native white—	17,541	5,708	4,569	3,043	1,850	1,014	516	274	166	82	152	177
10 to 14 years—	2	2	—	—	—	—	—	—	—	—	—	—
15 to 19 years—	1,577	1,274	252	30	2	—	—	—	—	—	—	19
20 to 24 years—	5,902	2,974	1,940	673	198	48	11	—	—	—	1	57
25 to 29 years—	4,858	1,047	1,556	1,152	621	264	106	42	13	5	4	49
30 to 34 years—	3,074	297	561	830	636	358	179	88	50	27	18	30
35 to 39 years—	1,588	85	205	297	322	266	163	82	67	28	58	15
40 to 44 years—	477	15	32	59	67	73	54	59	34	21	57	6
45 to 49 years—	28	2	—	—	1	4	2	3	2	1	13	—
50 years and over—	1	—	—	—	—	—	—	—	—	—	—	—
Not stated—	34	12	13	2	3	1	1	—	—	—	—	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See footnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UTAH--Continued												
White--Continued												
Foreign-born white	408	98	96	67	55	28	22	12	14	5	7	4
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	13	1	-	-	-	-	-	-	-	-	-
20 to 24 years	72	35	26	8	1	-	-	-	-	-	-	-
25 to 29 years	99	29	33	16	8	4	3	1	1	-	-	2
30 to 34 years	99	14	20	21	27	6	2	4	2	1	-	2
35 to 39 years	85	7	11	19	13	13	11	4	5	-	2	-
40 to 44 years	36	-	3	1	6	5	5	3	6	3	4	-
45 to 49 years	2	-	-	-	-	-	1	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	1	-
Nonwhite	271	99	68	45	27	10	6	3	3	1	5	4
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	9	6	-	-	-	-	-	-	-	-	1
20 to 24 years	86	50	22	9	3	1	-	-	-	-	-	1
25 to 29 years	105	35	24	22	17	4	3	-	-	-	-	-
30 to 34 years	45	4	15	12	6	3	1	2	1	-	-	1
35 to 39 years	12	-	-	2	1	2	2	1	2	1	1	-
40 to 44 years	3	1	-	-	-	-	-	-	-	-	2	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	-	-	-	-	-	-	1
VERMONT												
Total births	8,362	2,885	2,229	1,241	773	433	259	156	100	69	142	75
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	753	597	121	21	5	-	1	-	-	-	-	8
20 to 24 years	2,725	1,305	867	329	141	50	11	5	-	-	-	17
25 to 29 years	2,385	846	721	426	261	160	80	31	12	5	2	21
30 to 34 years	1,448	228	351	303	210	121	90	58	32	23	17	15
35 to 39 years	810	87	152	135	107	72	60	40	36	31	80	10
40 to 44 years	215	16	16	25	24	28	17	20	19	9	38	3
45 to 49 years	18	2	-	2	3	2	-	2	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	1	-	2	-	-	-	-	-	-	1
White	8,358	2,885	2,229	1,239	771	433	259	156	100	69	142	75
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	753	597	121	21	5	-	1	-	-	-	-	8
20 to 24 years	2,723	1,305	867	327	141	50	11	5	-	-	-	17
25 to 29 years	2,383	846	721	426	279	160	80	31	12	5	2	21
30 to 34 years	1,448	228	351	303	210	121	90	58	32	23	17	15
35 to 39 years	810	87	152	135	107	72	60	40	36	31	80	10
40 to 44 years	215	16	16	25	24	28	17	20	19	9	38	3
45 to 49 years	18	2	-	2	3	2	-	2	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	1	-	2	-	-	-	-	-	-	1
Native white	7,806	2,738	2,091	1,172	711	396	236	132	84	62	111	73
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	737	585	117	21	5	-	1	-	-	-	-	8
20 to 24 years	2,584	1,232	830	311	135	45	11	5	-	-	-	17
25 to 29 years	2,248	809	677	415	261	146	75	28	11	5	2	21
30 to 34 years	1,324	214	321	279	197	113	61	31	29	22	14	13
35 to 39 years	717	77	131	123	99	69	53	32	31	27	66	10
40 to 44 years	174	15	14	24	21	23	15	15	12	7	25	3
45 to 49 years	14	2	-	1	3	1	-	1	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	1	-	2	-	-	-	-	-	-	1
Foreign-born white	551	147	137	67	60	37	23	24	16	7	31	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	12	3	-	-	-	-	-	-	-	-	-
20 to 24 years	139	73	37	16	8	5	-	-	-	-	-	-
25 to 29 years	135	37	44	13	18	14	5	3	1	-	-	-
30 to 34 years	124	14	30	24	23	6	9	7	3	1	3	2
35 to 39 years	93	10	21	12	6	4	7	8	5	4	14	-
40 to 44 years	41	1	2	1	3	5	2	5	7	2	13	-
45 to 49 years	4	-	-	1	-	1	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	4	-	-	2	2	-	-	-	-	-	-	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	2	-	-	2	-	-	-	-	-	-	-	-
25 to 29 years	2	-	-	-	2	-	-	-	-	-	-	-
30 to 34 years	-	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA												
Total births	75,861	26,439	19,248	10,211	6,166	4,049	2,629	1,962	1,429	1,001	1,939	588
10 to 14 years	139	121	12	-	-	-	-	-	-	-	-	6
15 to 19 years	9,255	6,517	2,058	453	103	9	3	-	-	-	-	132
20 to 24 years	24,737	11,109	7,270	3,409	1,722	655	269	85	21	14	4	179
25 to 29 years	20,300	5,535	5,645	3,220	2,240	1,598	966	542	244	97	44	149
30 to 34 years	12,401	2,204	2,353	2,047	1,271	1,062	503	692	529	312	379	69
35 to 39 years	6,758	775	1,125	893	659	575	522	463	457	420	840	29
40 to 44 years	1,830	106	157	151	142	122	122	158	158	140	568	8
45 to 49 years	181	8	10	7	7	7	11	10	14	13	93	1
50 years and over	5	-	1	-	-	-	-	1	-	-	3	-
Not stated	255	64	57	31	22	21	13	13	6	5	8	15



## GENERAL TABLES—LIVE BIRTHS

179

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
VIRGINIA—Continued												
White-----	58,348	22,161	15,707	7,740	4,234	2,630	1,806	1,188	856	591	1,100	335
10 to 14 years-----	26	26	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	5,755	4,464	1,053	167	25	1	1	-	-	-	-	44
20 to 24 years-----	19,125	9,711	5,796	2,218	934	284	118	29	7	4	-	114
25 to 29 years-----	16,287	5,055	5,038	2,586	1,589	984	538	259	99	31	10	98
30 to 34 years-----	10,052	2,039	2,691	1,803	1,009	804	444	435	289	152	148	39
35 to 39 years-----	5,376	709	1,030	806	541	443	390	326	321	290	499	21
40 to 44 years-----	1,416	101	137	134	120	100	100	120	127	100	371	6
45 to 49 years-----	137	8	10	6	5	6	7	10	9	9	68	1
50 years and over-----	1	-	-	-	-	-	-	-	-	-	1	-
Not stated-----	175	48	42	20	12	8	8	9	4	5	5	12
Native white-----	57,778	21,852	15,542	7,682	4,214	2,625	1,802	1,185	855	590	1,100	331
10 to 14 years-----	26	26	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	5,732	4,446	1,048	167	25	1	1	-	-	-	-	44
20 to 24 years-----	18,944	9,582	5,667	2,208	931	284	118	29	7	4	-	114
25 to 29 years-----	16,107	4,850	4,886	2,570	1,584	984	537	259	99	31	10	98
30 to 34 years-----	9,942	1,998	2,648	1,785	1,002	802	444	435	289	152	148	39
35 to 39 years-----	5,323	700	1,012	793	535	441	388	324	321	290	499	20
40 to 44 years-----	1,401	96	131	133	120	99	100	120	126	99	371	6
45 to 49 years-----	137	8	10	6	5	6	7	10	9	9	66	1
50 years and over-----	1	-	-	-	-	-	-	-	-	-	1	-
Not stated-----	165	46	40	20	12	8	7	9	4	5	5	9
Foreign-born white-----	564	307	165	58	20	5	3	3	1	1	-	1
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	25	18	5	-	-	-	-	-	-	-	-	-
20 to 24 years-----	181	129	39	10	3	-	-	-	-	-	-	-
25 to 29 years-----	179	105	52	16	5	-	-	1	-	-	-	-
30 to 34 years-----	109	40	43	18	6	2	-	-	-	-	-	-
35 to 39 years-----	53	9	18	13	6	2	2	2	-	-	-	1
40 to 44 years-----	15	5	6	1	-	1	-	-	1	1	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	1	2	-	-	-	1	-	-	-	-	-
Nonwhite-----	17,513	4,278	3,541	2,471	1,932	1,419	1,023	774	573	410	839	253
10 to 14 years-----	113	95	12	-	-	-	-	-	-	-	-	6
15 to 19 years-----	3,500	2,053	985	286	79	8	2	-	-	-	-	88
20 to 24 years-----	5,612	1,598	1,564	1,191	788	371	151	56	14	10	4	65
25 to 29 years-----	4,013	480	607	634	651	614	448	235	145	66	34	51
30 to 34 years-----	2,349	165	242	244	263	259	257	240	160	160	231	30
35 to 39 years-----	1,382	66	95	87	118	132	137	137	136	130	341	8
40 to 44 years-----	414	5	20	17	22	22	22	36	31	40	197	2
45 to 49 years-----	44	-	1	1	2	1	4	-	5	4	27	-
50 years and over-----	4	-	1	-	-	-	-	1	-	-	2	-
Not stated-----	82	16	15	11	10	13	5	4	2	-	3	3
Negro-----	17,502	4,275	3,537	2,470	1,932	1,418	1,023	773	573	410	838	253
10 to 14 years-----	113	95	12	-	-	-	-	-	-	-	-	6
15 to 19 years-----	3,500	2,053	985	286	78	8	2	-	-	-	-	88
20 to 24 years-----	5,610	1,597	1,563	1,191	788	371	151	56	14	10	4	65
25 to 29 years-----	4,008	478	605	634	651	613	448	235	145	66	34	51
30 to 34 years-----	2,347	165	241	244	263	259	256	240	160	160	231	30
35 to 39 years-----	1,381	66	95	86	118	132	137	137	136	130	341	8
40 to 44 years-----	413	5	20	17	22	22	22	36	31	40	196	2
45 to 49 years-----	44	-	1	1	2	1	4	-	5	4	27	-
50 years and over-----	4	-	1	-	-	-	-	1	-	-	2	-
Not stated-----	82	16	15	11	10	13	5	4	2	-	3	3
WASHINGTON												
Total births-----	51,988	20,066	15,776	7,994	3,577	1,614	841	464	261	165	252	958
10 to 14 years-----	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,831	3,800	784	105	13	-	-	-	-	-	-	129
20 to 24 years-----	18,030	9,251	5,607	1,666	565	143	29	12	3	1	1	352
25 to 29 years-----	15,250	4,547	5,408	2,663	1,291	514	236	85	38	9	8	251
30 to 34 years-----	8,760	1,704	2,634	2,104	1,015	513	276	164	85	54	47	144
35 to 39 years-----	4,080	622	978	681	560	341	224	145	109	60	101	59
40 to 44 years-----	894	107	126	152	123	97	68	56	40	37	77	11
45 to 49 years-----	70	6	6	11	6	5	7	2	6	5	16	2
50 years and over-----	3	-	-	-	2	-	-	-	-	1	-	-
Not stated-----	57	16	13	12	2	1	1	-	-	-	2	10
White-----	50,547	19,638	15,412	7,794	3,428	1,534	779	417	249	149	216	932
10 to 14 years-----	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,642	3,666	740	99	11	-	-	-	-	-	-	126
20 to 24 years-----	17,506	9,072	5,625	1,783	514	130	27	10	3	1	1	342
25 to 29 years-----	14,969	4,463	5,510	2,799	1,299	477	216	74	35	8	6	243
30 to 34 years-----	8,553	1,682	2,622	2,077	987	494	250	145	72	45	39	140
35 to 39 years-----	3,987	618	972	666	551	332	212	138	97	57	85	59
40 to 44 years-----	850	106	126	148	118	95	66	48	35	34	70	11
45 to 49 years-----	65	6	6	10	6	5	7	2	6	2	13	2
50 years and over-----	2	-	-	-	1	-	-	-	-	1	-	-
Not stated-----	52	14	11	12	2	1	1	-	-	-	2	9
Native white-----	48,141	18,787	14,671	7,579	3,257	1,462	734	394	234	140	195	688
10 to 14 years-----	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,572	3,612	727	99	11	-	-	-	-	-	-	123
20 to 24 years-----	16,911	8,736	5,454	1,719	503	129	27	10	3	1	1	328
25 to 29 years-----	14,073	4,190	5,015	2,649	1,200	464	207	73	34	8	6	227
30 to 34 years-----	8,000	1,553	2,447	1,942	929	468	237	136	71	44	36	135
35 to 39 years-----	3,695	565	896	620	504	310	200	127	88	54	77	54
40 to 44 years-----	777	99	116	131	104	85	60	47	33	30	62	10
45 to 49 years-----	50	6	5	8	3	5	2	1	5	2	11	2
50 years and over-----	2	-	-	-	1	-	-	-	-	1	-	-
Not stated-----	50	13	11	11	2	1	1	-	-	-	2	9



## VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WASHINGTON—Continued												
White—Continued												
Foreign-born white—	2,401	848	740	415	171	71	45	23	15	8	21	43
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	70	54	13	-	-	-	-	-	-	-	-	3
20 to 24 years—	594	354	170	84	11	1	-	-	-	-	-	14
25 to 29 years—	796	275	295	150	38	13	9	1	1	-	-	16
30 to 34 years—	551	127	175	135	58	25	13	9	1	1	3	4
35 to 39 years—	292	53	78	46	47	22	12	11	9	3	8	5
40 to 44 years—	81	7	10	17	14	10	6	1	3	4	6	1
45 to 49 years—	15	-	1	2	3	-	5	1	1	-	2	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	2	1	-	1	-	-	-	-	-	-	-	-
Nonwhite—	1,441	428	364	200	149	80	62	47	32	17	36	26
10 to 14 years—	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	189	134	44	6	2	-	-	-	-	-	-	3
20 to 24 years—	522	179	182	83	51	13	2	2	-	-	-	10
25 to 29 years—	381	94	98	64	53	37	20	11	3	1	2	8
30 to 34 years—	207	22	32	27	28	19	26	19	13	9	8	4
35 to 39 years—	93	4	6	15	9	9	12	7	12	3	16	-
40 to 44 years—	36	1	-	4	5	2	2	8	4	3	7	-
45 to 49 years—	5	-	-	1	-	-	-	-	-	1	3	-
50 years and over—	1	-	-	-	1	-	-	-	-	-	-	-
Not stated—	5	2	2	-	-	-	-	-	-	-	-	1
Negro—	652	221	174	103	56	25	25	15	12	4	11	6
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	88	86	17	3	1	-	-	-	-	-	-	1
20 to 24 years—	273	104	93	46	22	6	1	-	-	-	-	1
25 to 29 years—	168	58	43	32	26	11	8	5	1	-	2	3
30 to 34 years—	76	11	16	12	5	7	10	9	3	2	2	-
35 to 39 years—	35	1	5	9	1	1	5	1	7	1	4	-
40 to 44 years—	10	1	-	1	1	-	1	1	1	1	3	-
45 to 49 years—	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	1	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA												
Total births—	46,673	16,784	10,926	6,306	4,326	2,907	2,211	1,556	1,162	624	1,565	114
10 to 14 years—	34	33	1	-	-	-	-	-	-	-	-	-
15 to 19 years—	6,264	4,858	1,122	214	38	7	-	-	-	-	-	25
20 to 24 years—	16,851	7,614	5,120	2,341	1,135	407	146	44	1	2	-	38
25 to 29 years—	12,193	2,851	2,866	2,114	1,727	1,194	791	364	158	59	29	20
30 to 34 years—	7,433	990	1,254	1,123	940	786	756	606	460	271	239	19
35 to 39 years—	4,112	345	432	417	390	399	379	400	385	326	634	7
40 to 44 years—	1,488	63	64	75	82	99	119	109	150	152	573	3
45 to 49 years—	126	3	4	5	4	4	4	6	4	13	72	-
50 years and over—	11	2	2	1	1	2	-	-	-	-	3	-
Not stated—	161	55	41	16	9	11	10	9	4	1	4	1
White—	46,228	16,147	10,440	5,971	4,072	2,723	2,042	1,448	1,076	770	1,431	108
10 to 14 years—	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	5,852	4,579	1,023	188	34	6	-	-	-	-	-	24
20 to 24 years—	16,031	7,375	4,871	2,183	1,044	356	123	36	1	2	-	36
25 to 29 years—	11,666	2,762	2,804	2,018	1,632	1,133	723	353	143	51	26	20
30 to 34 years—	7,072	955	1,216	1,095	900	748	704	558	419	248	212	17
35 to 39 years—	3,901	337	422	397	370	375	359	380	365	310	580	6
40 to 44 years—	1,413	62	62	73	80	91	113	107	140	146	536	3
45 to 49 years—	122	3	4	4	4	4	4	6	4	12	70	-
50 years and over—	7	-	2	1	-	2	-	-	-	-	2	-
Not stated—	141	51	36	13	8	8	9	8	4	1	3	-
Native white—	45,952	16,032	10,369	5,942	4,051	2,713	2,036	1,442	1,070	765	1,426	106
10 to 14 years—	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	5,853	4,585	1,018	186	34	6	-	-	-	-	-	24
20 to 24 years—	15,986	7,321	4,837	2,178	1,042	356	123	36	1	2	-	38
25 to 29 years—	11,607	2,732	2,785	2,013	1,630	1,133	722	352	143	51	26	20
30 to 34 years—	7,023	942	1,207	1,088	890	748	701	557	419	244	212	15
35 to 39 years—	3,866	334	420	387	364	369	358	376	363	309	590	6
40 to 44 years—	1,397	62	61	72	79	88	112	107	136	146	531	3
45 to 49 years—	121	3	4	4	4	3	4	6	4	12	70	-
50 years and over—	7	-	2	1	-	2	-	-	-	-	2	-
Not stated—	139	50	35	13	8	8	9	8	4	1	3	-
Foreign-born white—	272	112	70	29	21	10	6	8	6	5	5	2
10 to 14 years—	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years—	19	14	5	-	-	-	-	-	-	-	-	-
20 to 24 years—	93	53	33	5	2	-	-	-	-	-	-	-
25 to 29 years—	59	30	19	8	2	-	1	1	-	-	-	-
30 to 34 years—	48	12	9	7	10	-	3	1	-	4	-	2
35 to 39 years—	35	3	2	10	6	6	1	4	2	1	-	-
40 to 44 years—	16	-	1	1	1	3	1	-	4	-	5	-
45 to 49 years—	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over—	-	-	-	-	-	-	-	-	-	-	-	-
Not stated—	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite—	2,445	637	486	335	254	184	169	110	86	54	124	6
10 to 14 years—	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years—	412	279	99	28	4	1	-	-	-	-	-	1
20 to 24 years—	820	239	249	158	91	51	23	8	-	-	-	1
25 to 29 years—	527	69	82	55	35	61	68	31	15	8	3	-
30 to 34 years—	361	25	38	28	40	38	52	48	41	23	26	2
35 to 39 years—	211	8	10	20	20	23	19	20	20	16	54	1
40 to 44 years—	75	1	2	2	2	7	6	2	10	6	37	-
45 to 49 years—	4	-	-	1	-	-	-	-	-	1	2	-
50 years and over—	4	2	-	-	1	-	-	-	-	-	-	-
Not stated—	20	4	5	3	1	3	1	1	-	-	1	1



## GENERAL TABLES-LIVE BIRTHS

181

TABLE 7B.-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS): EACH STATE, 1946-Continued

(See headnote on p. 147)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WEST VIRGINIA—Continued												
Nonwhite—Continued												
Negro	2,443	637	485	335	253	184	169	110	86	54	124	6
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	412	279	99	23	4	1	-	-	-	-	-	1
20 to 24 years	619	239	249	159	91	51	25	8	-	-	-	1
25 to 29 years	525	69	82	85	94	61	68	31	15	8	5	1
30 to 34 years	561	35	39	29	40	38	52	48	41	23	26	2
35 to 39 years	211	9	10	20	20	23	19	20	20	16	54	1
40 to 44 years	75	1	2	2	2	7	6	2	10	6	37	-
45 to 49 years	4	-	-	1	-	-	-	-	-	1	2	-
50 years and over	4	2	-	-	1	-	-	-	-	-	1	-
Not stated	20	4	5	3	1	3	1	1	-	-	1	1
WISCONSIN												
Total births	74,755	26,851	20,497	11,596	6,368	3,415	1,999	1,149	755	453	629	823
10 to 14 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,181	3,421	612	79	6	1	-	-	-	-	-	62
20 to 24 years	22,783	12,642	6,759	2,146	726	204	54	9	1	1	-	242
25 to 29 years	22,026	7,120	7,514	4,225	2,154	1,020	457	195	80	26	8	237
30 to 34 years	15,123	2,594	4,009	3,353	2,129	1,166	724	416	264	132	145	161
35 to 39 years	7,431	881	1,342	1,467	1,113	798	561	390	277	184	350	78
40 to 44 years	1,873	181	231	265	242	211	186	145	123	97	290	32
45 to 49 years	130	4	7	8	14	9	12	11	7	11	45	2
50 years and over	1	-	-	-	-	-	-	-	-	-	-	-
Not stated	92	24	23	13	4	6	5	2	3	2	1	9
White	73,934	26,606	20,352	11,495	6,294	3,352	1,956	1,107	733	430	796	813
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,049	3,327	599	70	3	1	-	-	-	-	-	59
20 to 24 years	22,506	12,545	6,679	2,105	693	192	52	9	1	1	-	239
25 to 29 years	22,615	7,083	7,480	4,193	2,123	997	438	170	74	25	6	238
30 to 34 years	15,006	2,576	4,001	3,374	2,114	1,154	711	405	256	119	135	161
35 to 39 years	7,378	877	1,341	1,467	1,111	795	556	368	269	177	340	77
40 to 44 years	1,950	160	231	265	242	208	162	143	123	95	271	30
45 to 49 years	129	4	7	8	14	9	12	11	7	11	43	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	91	24	23	13	4	6	5	1	3	2	1	9
Native white	72,600	26,165	19,992	11,278	6,192	3,281	1,914	1,081	713	418	774	792
10 to 14 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,005	3,297	597	89	3	1	-	-	-	-	-	56
20 to 24 years	22,193	12,358	6,581	2,086	679	192	52	9	1	1	-	235
25 to 29 years	22,493	6,962	7,361	4,144	2,106	992	432	169	74	25	6	232
30 to 34 years	14,739	2,520	3,916	3,306	2,088	1,139	707	400	253	119	133	157
35 to 39 years	7,119	849	1,289	1,409	1,079	765	535	356	259	170	333	75
40 to 44 years	1,834	154	218	243	220	199	173	135	116	90	260	27
45 to 49 years	123	3	7	8	13	9	11	11	7	11	41	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	94	22	22	13	4	6	4	1	3	2	1	6
Foreign-born white	1,324	436	369	217	102	61	42	26	20	12	22	17
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	43	40	2	1	-	-	-	-	-	-	-	-
20 to 24 years	310	185	97	19	4	1	-	-	-	-	-	4
25 to 29 years	520	119	119	49	17	5	6	1	-	-	-	4
30 to 34 years	268	56	85	69	26	15	4	5	3	-	2	4
35 to 39 years	259	29	52	59	32	30	21	12	10	7	7	2
40 to 44 years	116	6	13	22	22	10	9	8	7	8	11	3
45 to 49 years	8	1	-	-	1	-	1	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	1	-	-	-	1	-	-	-	-	-
Nonwhite	821	245	145	101	94	63	43	42	22	23	33	10
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	132	94	23	9	3	-	-	-	-	-	-	3
20 to 24 years	277	97	79	41	43	12	2	-	-	-	-	3
25 to 29 years	211	37	34	32	31	33	19	15	6	1	2	1
30 to 34 years	117	8	6	19	15	12	13	11	8	13	10	-
35 to 39 years	53	4	1	-	2	3	5	12	8	7	10	1
40 to 44 years	23	1	-	-	-	3	4	2	-	2	9	2
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	389	134	75	63	46	21	17	14	9	3	5	2
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	76	49	17	7	3	-	-	-	-	-	-	-
20 to 24 years	140	54	36	23	22	4	1	-	-	-	-	-
25 to 29 years	103	20	17	21	16	11	7	5	3	1	1	-
30 to 34 years	46	6	4	12	5	6	4	3	4	1	1	-
35 to 39 years	12	2	1	-	-	-	2	4	2	1	-	-
40 to 44 years	9	1	-	-	-	-	3	1	-	-	3	1
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
WYOMING												
Total births	6,198	2,208	1,734	945	518	284	175	89	65	49	92	9
10 to 14 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	617	499	103	11	1	1	-	-	-	-	-	2
20 to 24 years	2,119	1,007	701	277	97	21	11	3	-	-	-	2
25 to 29 years	1,730	473	568	340	164	102	43	23	10	5	2	-
30 to 34 years	1,051	176	236	222	174	86	64	33	29	12	16	3
35 to 39 years	482	40	90	78	63	53	43	24	32	16	42	1
40 to 44 years	148	9	13	14	19	21	13	4	14	12	29	-
45 to 49 years	11	-	-	1	-	-	1	2	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	4	3	-
Not stated	7	1	3	2	-	-	-	-	-	-	-	-



# VITAL STATISTICS OF THE UNITED STATES

TABLE 7B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): EACH STATE, 1946—Continued

(See headnote on p. 147)

[illegible]



## GENERAL TABLES—LIVE BIRTHS

183

TABLE 8.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): UNITED STATES, 1946

(Birth order refers to number of children born alive to mother. Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

RACE AND AGE OF MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)														Not stated
		1st	2d	3d	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th and over		
ALL RACES-----	5,296,672	1,189,587	858,265	444,965	238,014	135,579	84,535	55,612	37,623	25,853	17,851	11,611	7,156	9,363	172,658	
Under 15 years-----	3,462	3,051	200	-	-	-	-	-	-	-	-	-	-	-	211	
15 years-----	9,217	7,998	759	59	4	1	-	-	-	-	-	-	-	-	396	
16 years-----	26,014	21,843	2,785	247	33	12	1	-	-	-	-	-	-	-	1,093	
17 years-----	51,868	41,440	7,373	1,028	119	23	5	-	-	-	-	-	-	-	1,980	
18 years-----	95,738	71,398	17,299	2,928	424	69	14	-	-	-	-	-	-	-	3,606	
19 years-----	139,544	96,062	29,855	8,878	1,257	243	39	-	-	-	-	-	-	-	5,410	
20 years-----	175,166	107,135	44,148	12,845	3,111	714	187	65	21	6	4	1	-	-	7,144	
21 years-----	204,120	112,180	57,019	18,566	5,602	1,588	549	119	29	15	10	3	-	-	8,840	
22 years-----	217,668	106,275	63,645	23,447	8,683	2,695	736	195	56	28	6	5	-	-	9,899	
23 years-----	228,298	100,843	68,757	28,278	12,805	4,729	1,501	441	118	58	20	4	-	-	10,744	
24 years-----	226,037	90,287	68,679	30,478	15,404	6,615	2,418	810	219	101	31	15	-	-	10,930	
25 years-----	219,129	79,597	66,899	31,289	16,731	8,133	3,571	1,279	451	137	44	28	12	4	11,123	
26 years-----	206,295	66,103	63,009	31,654	17,591	9,559	4,736	1,974	690	235	74	35	14	6	10,613	
27 years-----	178,358	51,789	54,128	28,773	15,898	8,133	5,068	2,406	951	360	135	48	28	12	9,629	
28 years-----	175,911	45,487	52,566	30,400	16,570	9,783	5,854	3,129	1,395	603	214	93	36	30	9,751	
29 years-----	156,774	36,589	46,234	27,897	15,359	9,566	5,604	3,480	1,783	839	306	135	55	42	8,684	
30 years-----	147,294	30,719	41,123	27,603	15,357	9,447	6,301	3,939	2,364	1,168	547	219	100	84	8,337	
31 years-----	126,832	24,508	35,100	24,446	13,706	8,153	5,599	3,738	2,199	1,206	560	236	109	75	7,198	
32 years-----	119,456	20,489	30,712	23,198	13,512	8,313	5,975	4,220	2,844	1,554	844	447	171	139	7,058	
33 years-----	103,916	16,371	25,259	19,738	12,180	7,722	5,569	4,180	2,959	1,862	1,034	589	239	187	6,068	
34 years-----	91,624	13,491	20,576	17,239	10,882	7,102	5,079	3,939	3,005	1,972	1,255	704	361	313	5,707	
35 years-----	81,241	11,354	17,025	14,799	9,466	6,500	4,851	3,685	3,049	2,204	1,493	804	413	376	5,022	
36 years-----	70,542	8,695	13,314	12,154	9,466	5,829	4,439	3,678	3,046	2,378	1,695	1,042	591	535	4,464	
37 years-----	55,975	6,691	9,894	9,357	6,596	4,840	3,672	3,031	2,521	2,025	1,529	1,016	606	654	3,543	
38 years-----	50,544	5,486	7,787	7,622	5,874	4,453	3,509	2,965	2,553	2,183	1,822	1,214	745	915	3,318	
39 years-----	38,109	3,612	5,294	5,184	4,309	3,255	2,730	2,392	2,131	1,925	1,615	1,141	791	997	2,543	
40 years-----	28,195	2,479	3,449	3,480	2,964	2,559	2,116	1,882	1,701	1,492	1,330	1,014	722	1,086	1,921	
41 years-----	18,386	1,559	2,002	2,094	1,921	1,586	1,387	1,260	1,105	1,059	1,020	790	527	877	1,203	
42 years-----	14,481	994	1,261	1,485	1,324	1,256	1,090	1,010	1,001	973	866	738	537	932	1,014	
43 years-----	8,974	538	632	751	609	745	685	693	620	615	570	522	429	779	587	
44 years-----	5,003	261	332	359	374	392	406	351	349	361	355	334	268	533	339	
45 years-----	2,869	117	138	198	198	198	223	200	194	213	220	201	183	363	223	
46 years-----	1,543	64	68	83	93	104	116	101	106	118	120	119	111	221	119	
47 years-----	529	20	22	31	43	35	34	42	34	38	39	36	41	79	35	
48 years-----	305	12	13	8	20	23	26	19	20	19	19	25	30	46	25	
49 years-----	168	10	7	10	8	11	11	5	6	16	12	15	9	30	18	
50 years-----	51	5	5	2	1	1	1	5	1	2	2	7	2	11	6	
51 years-----	19	-	2	2	2	-	-	3	1	1	2	1	1	-	3	
52 years-----	24	1	2	3	3	4	-	1	-	2	1	1	1	3	2	
53 years-----	23	-	2	3	4	2	2	2	1	-	-	1	-	1	5	
54 years-----	14	1	1	3	-	1	1	1	1	2	-	1	1	-	1	
55 years-----	14	3	2	3	2	1	-	-	-	-	-	-	-	-	3	
56 years-----	16	2	-	2	2	1	-	-	-	2	2	-	2	1	2	
57 years-----	14	1	2	2	2	3	-	1	1	-	-	-	-	-	2	
58 years-----	13	1	1	2	3	-	1	-	-	1	1	-	-	-	3	
59 years and over-----	7	-	4	1	-	-	-	-	-	-	-	-	-	-	2	
Not stated-----	8,893	1,636	1,208	748	503	344	248	163	108	90	55	47	24	40	3,679	
WHITE-----	2,913,845	1,081,000	784,236	394,706	201,451	108,791	64,576	40,805	27,015	17,873	12,104	7,641	4,651	5,609	155,189	
Under 15 years-----	1,145	1,057	33	-	-	-	-	-	-	-	-	-	-	-	55	
15 years-----	4,328	3,989	196	15	2	-	-	-	-	-	-	-	-	-	128	
16 years-----	15,467	13,627	1,064	61	9	5	-	-	-	-	-	-	-	-	501	
17 years-----	36,680	31,308	3,868	331	26	6	2	-	-	-	-	-	-	-	1,139	
18 years-----	74,278	59,042	11,249	1,323	119	18	4	-	-	-	-	-	-	-	2,523	
19 years-----	115,707	84,646	22,399	3,774	547	78	16	-	-	-	-	-	-	-	4,247	
20 years-----	149,515	97,464	36,024	8,226	1,524	241	60	20	6	1	3	-	-	-	5,946	
21 years-----	179,553	104,384	49,469	13,732	3,360	667	123	52	8	5	2	1	-	-	7,745	
22 years-----	193,714	101,973	56,965	18,494	5,652	1,411	300	69	16	9	3	1	-	-	8,831	
23 years-----	204,060	95,622	62,792	23,215	9,093	2,744	716	159	35	18	7	2	-	-	9,657	
24 years-----	204,279	86,253	63,960	26,339	11,789	4,248	1,290	363	72	32	10	5	-	-	10,018	
25 years-----	199,510	76,320	62,834	27,741	13,510	5,748	2,142	663	183	50	9	12	6	-	10,292	
26 years-----	187,341	63,361	59,711	29,485	14,360	6,896	2,999	1,078	311	100	24	16	7	1	9,982	
27 years-----	162,735	49,754	51,715	26,367	13,541	6,966	3,368	1,379	459	145	52	14	16	4	8,937	
28 years-----	160,768	45,674	50,407	20,173	14,507	7,769	4,350	1,934	739	278	92	30	13	10	9,012	
29 years-----	143,759	35,223	44,500	26,176	13,634	7,829	4,341	2,297	1,032	417	128	52	24	13	8,093	
30 years-----	134,368	29,426	39,576	28,047	13,766	7,867	4,834	2,672	1,419	606	256	97	36	20	7,746	
31 years-----	117,278	23,655	33,986	23,257	12,589	7,103	4,618	2,723	1,462	751	310	111	59	35	6,771	
32 years-----	108,833	19,649	29,501	22,014	12,261	7,169	4,614	3,113	1,931	946	454	239	80	56	6,507	
33 years-----	94,739	15,724	24,384	18,855	11,180	6,798	4,590	3,206	2,114	1,177	604	296	134	90	5,597	
34 years-----	83,159	12,892	19,940	16,466	10,089	6,252	4,228	3,084	2,219	1,318	756	415	180	139	5,271	
35 years-----	73,485	10,857	16,441	14,154	8,774	5,801	4,070	3,095	2,289	1,532	975	469	229	188	4,611	
36 years-----	63,120	8,466	12,836	11,564	7,918	5,211	3,782	2,934	2,332	1,719	1,154	644	340	267	4,073	
37 years-----	50,406	6,427	9,520	8,964	6,191	4,370	3,206	2,515	2,012	1,507	1,078	555	377	367	3,235	
38 years-----	44,784	5,239	7,423	7,222	5,469	4,008	3,060	2,477	2,127	1,631	1,133	817	486	525	2,937	
39 years-----	33,845	3,640	5,078	4,978	4,015	2,972	2,386	2,013	1,767	1,527	1,225	807	557	595	2,285	
40 years-----	24,880	2,362	3,313	3,340	2,797	2,361	1,886	1,602	1,387	1,193	1,007					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 8.-LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, AND BIRTH ORDER  
(EXCLUDING STILLBIRTHS): UNITED STATES, 1946--Continued

(Birth order refers to number of children born alive to mother. Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information.)

RACE AND AGE OF MOTHER	Total births	BIRTH ORDER (EXCLUDING STILLBIRTHS)													
		1st	2d	3d	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th and over	Not stated
WHITE--Continued															
45 years-----	2,449	111	132	182	175	177	202	178	162	185	194	181	140	254	198
46 years-----	1,271	56	60	72	83	89	99	84	89	98	96	108	78	151	109
47 years-----	439	18	22	26	42	32	28	38	21	32	36	27	31	53	35
48 years-----	226	9	13	7	20	18	23	13	15	14	11	21	18	24	20
49 years-----	110	8	6	9	5	10	7	2	4	9	8	6	4	18	12
50 years-----	29	4	3	1	1	-	1	2	1	1	2	4	-	5	4
51 years-----	12	-	2	2	-	-	-	2	1	-	2	-	1	-	2
52 years-----	15	1	1	1	3	4	-	-	-	1	-	1	-	1	2
53 years-----	17	-	2	2	2	2	2	2	1	-	-	-	-	-	4
54 years-----	11	1	1	2	-	1	-	1	1	1	-	1	1	-	1
55 years-----	13	2	2	3	2	1	-	-	-	-	-	-	-	-	3
56 years-----	11	2	-	1	1	1	-	-	-	1	2	-	1	-	2
57 years-----	10	1	1	2	2	2	-	-	1	-	-	-	-	-	1
58 years-----	11	1	1	2	2	-	1	-	-	1	-	-	-	-	3
59 years and over-----	7	-	4	1	-	-	-	-	-	-	-	-	-	-	2
Not stated-----	5,999	1,339	949	580	347	212	181	99	69	44	32	22	15	18	2,074
NONWHITE-----	375,027	98,587	74,029	50,259	36,563	26,788	19,759	14,807	10,810	7,980	5,747	3,970	2,505	3,754	19,469
Under 15 years-----	2,317	1,994	167	-	-	-	-	-	-	-	-	-	-	-	156
15 years-----	4,899	4,009	563	44	2	1	-	-	-	-	-	-	-	-	270
16 years-----	10,547	8,016	1,721	186	24	7	1	-	-	-	-	-	-	-	592
17 years-----	15,198	10,132	3,505	597	93	17	3	-	-	-	-	-	-	-	741
18 years-----	21,460	12,556	6,050	1,605	305	51	10	-	-	-	-	-	-	-	1,083
19 years-----	23,837	11,416	7,456	2,904	710	165	23	-	-	-	-	-	-	-	1,163
20 years-----	25,651	9,671	8,124	4,419	1,567	473	107	45	15	5	1	1	-	-	1,203
21 years-----	24,567	7,796	7,550	4,034	2,242	721	221	67	21	10	8	2	-	-	1,095
22 years-----	23,954	6,502	6,678	4,963	3,031	1,284	436	126	40	19	3	4	-	-	1,068
23 years-----	24,238	5,221	5,865	5,063	3,712	1,985	785	282	83	40	13	2	-	-	1,087
24 years-----	21,758	4,034	4,819	4,139	3,615	2,367	1,128	447	147	89	21	10	-	-	962
25 years-----	19,818	3,277	3,865	3,528	3,221	2,435	1,429	616	268	87	35	16	6	4	831
26 years-----	18,954	2,722	3,298	3,189	3,031	2,663	1,747	896	379	135	50	19	7	7	831
27 years-----	15,623	2,035	2,415	2,386	2,357	2,167	1,700	1,027	492	215	63	34	12	8	692
28 years-----	15,143	1,813	2,159	2,227	2,063	2,014	1,724	1,195	656	325	122	63	23	20	739
29 years-----	13,016	1,366	1,734	1,721	1,725	1,738	1,463	1,183	753	422	177	83	31	29	591
30 years-----	12,926	1,293	1,553	1,556	1,581	1,580	1,467	1,267	945	562	291	122	64	44	591
31 years-----	9,554	853	1,114	1,189	1,147	1,050	1,081	1,015	737	475	250	125	49	42	427
32 years-----	10,623	840	1,111	1,184	1,251	1,144	1,161	1,107	913	608	390	209	91	83	531
33 years-----	9,177	647	854	883	1,000	924	989	974	845	865	430	273	105	97	471
34 years-----	8,465	589	736	772	783	850	851	855	766	654	499	289	171	174	436
35 years-----	7,758	487	584	645	692	699	781	790	760	672	518	335	184	168	411
36 years-----	7,422	429	488	580	648	614	657	754	714	659	541	396	251	268	411
37 years-----	5,570	264	374	393	405	470	466	516	509	518	451	380	229	287	308
38 years-----	5,760	247	364	400	405	445	449	468	526	552	509	397	257	390	331
39 years-----	4,264	172	206	208	294	283	344	379	364	398	390	334	234	402	258
40 years-----	3,315	117	136	140	167	198	230	280	314	289	323	270	236	421	194
41 years-----	1,936	68	68	68	107	82	139	149	161	163	213	161	135	302	121
42 years-----	1,745	39	40	62	80	92	95	130	148	147	173	174	139	308	118
43 years-----	1,117	29	32	28	45	60	70	69	79	99	109	90	94	254	59
44 years-----	655	13	22	20	21	30	32	26	35	55	57	78	71	155	40
45 years-----	420	6	6	16	23	21	21	24	32	28	26	40	43	109	25
46 years-----	272	8	8	11	10	15	17	17	19	20	24	11	33	70	10
47 years-----	90	2	-	5	1	3	6	4	13	6	3	9	10	26	2
48 years-----	79	3	-	1	-	5	3	6	5	5	8	4	12	22	5
49 years-----	58	2	1	1	3	1	4	3	2	7	4	7	5	12	6
50 years-----	22	1	2	1	-	1	-	3	-	1	-	3	2	6	2
51 years-----	7	-	-	-	2	-	1	-	-	1	-	1	-	-	1
52 years-----	9	-	1	2	-	-	-	1	-	1	1	-	1	2	-
53 years-----	6	-	-	1	2	-	-	-	-	-	-	1	-	1	1
54 years-----	3	-	-	1	-	-	1	-	-	1	-	-	-	-	-
55 years-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
56 years-----	5	-	-	1	1	-	-	-	-	1	-	-	1	1	-
57 years-----	4	-	1	-	-	1	-	1	-	-	-	-	-	-	1
58 years-----	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Not stated-----	3,004	297	259	198	156	132	117	65	50	46	23	25	9	22	1,605



## GENERAL TABLES—LIVE BIRTHS

185

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER											Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over		
UNITED STATES	3,288,672	53	61,821	605,155	941,700	742,879	469,556	220,056	90,063	31,480	18,096		107,813
10 to 14 years	3,462	17	772	460	150	53	23	14	10	5	4		1,954
15 to 19 years	322,381	13	49,587	161,642	53,063	12,188	4,547	1,541	667	278	215		38,840
20 to 24 years	1,051,289	9	10,835	396,817	437,716	120,087	33,397	11,084	4,155	1,393	956		35,060
25 to 29 years	936,468	8	431	41,854	400,214	333,418	103,011	27,531	9,886	3,357	2,140		14,516
30 to 34 years	589,122	3	50	3,309	44,585	245,508	197,266	61,907	19,146	6,434	3,855		7,059
35 to 39 years	285,411	3	33	493	4,576	28,911	122,232	87,755	32,228	10,169	5,946		4,146
40 to 44 years	75,039	-	9	50	340	1,655	8,484	29,149	21,566	8,343	4,245		1,198
45 to 49 years	5,414	-	1	12	27	69	171	649	2,236	1,388	762		99
50 and over	185	-	-	5	15	21	23	20	10	48	46		9
Not stated	8,893	-	103	715	1,034	969	582	306	159	46	47		4,932
Male	1,691,220	27	31,922	312,433	484,982	382,473	240,660	112,376	46,102	16,126	9,141		54,978
10 to 14 years	1,765	11	428	223	84	24	9	6	1	3			967
15 to 19 years	165,741	6	25,463	83,322	27,358	6,196	2,226	778	332	148	106		19,806
20 to 24 years	541,719	2	5,694	204,853	225,547	61,069	17,078	5,592	2,070	710	499		17,805
25 to 29 years	482,194	4	231	21,855	206,114	171,934	52,872	13,853	5,110	1,725	1,086		7,410
30 to 34 years	302,413	1	27	1,735	22,828	126,101	101,268	31,777	9,606	3,291	1,952		3,807
35 to 39 years	151,602	3	20	266	2,323	14,957	62,353	44,854	16,523	5,278	2,900		2,125
40 to 44 years	38,325	-	7	23	176	861	4,368	14,896	11,014	4,207	2,150		613
45 to 49 years	2,755	-	1	6	15	30	75	337	1,144	718	381		48
50 and over	104	-	-	1	10	9	11	10	5	28	26		4
Not stated	4,602	-	51	349	527	492	280	170	92	20	28		2,595
Female	1,597,452	26	29,899	292,722	456,718	360,406	228,896	107,680	43,961	15,354	8,955		52,835
10 to 14 years	1,697	6	344	237	66	29	14	5	4	1			897
15 to 19 years	156,640	7	24,124	78,320	25,705	5,992	2,121	763	335	130	139		19,034
20 to 24 years	509,570	7	5,141	191,764	212,189	58,218	16,313	5,492	2,085	693	437		17,255
25 to 29 years	454,272	4	200	20,199	194,100	161,484	50,039	13,678	4,776	1,632	1,054		7,106
30 to 34 years	286,709	2	23	1,574	21,737	119,407	95,998	30,130	9,340	3,143	1,903		3,452
35 to 39 years	144,809	-	13	227	2,253	13,954	59,879	42,901	15,705	4,910	2,946		2,021
40 to 44 years	36,714	-	2	27	164	794	4,116	14,253	10,552	4,136	2,085		585
45 to 49 years	2,659	-	-	6	12	39	96	312	1,092	670	381		51
50 and over	91	-	-	2	5	12	12	10	5	20	20		5
Not stated	4,291	-	52	366	507	477	302	136	67	26	19		2,339
White	2,913,645	29	46,424	531,134	861,816	684,334	424,561	194,967	76,392	26,196	14,290		53,602
10 to 14 years	1,145	7	271	150	80	32	15	11	8	2			457
15 to 19 years	246,460	6	36,382	133,184	45,545	10,545	3,420	1,197	492	212	172		15,505
20 to 24 years	931,121	6	9,282	355,067	397,180	107,396	28,054	8,998	3,171	1,087	710		20,190
25 to 29 years	854,112	6	385	38,676	371,979	307,978	91,345	23,445	7,793	2,625	1,641		9,259
30 to 34 years	538,577	2	42	2,955	41,761	229,349	181,210	55,055	16,120	5,209	2,938		3,678
35 to 39 years	265,639	2	21	411	4,128	26,864	112,037	79,160	27,813	8,563	4,640		2,000
40 to 44 years	66,271	-	6	43	309	1,504	7,868	26,218	18,983	7,258	3,471		611
45 to 49 years	4,495	-	1	11	23	60	136	548	1,897	1,178	597		44
50 and over	136	-	-	1	13	21	17	14	8	28	32		2
Not stated	5,989	-	54	538	808	786	459	220	107	34	27		2,856
Male	1,501,498	15	24,029	274,739	444,432	352,868	217,956	99,772	39,208	13,554	7,841		27,694
10 to 14 years	609	6	153	123	52	14	6	5	1	2			241
15 to 19 years	127,192	3	18,712	68,751	23,548	5,250	1,776	606	250	113	85		8,100
20 to 24 years	480,866	1	4,900	183,765	204,960	55,467	14,339	4,549	1,590	558	376		10,311
25 to 29 years	440,567	3	193	20,037	191,769	159,109	47,079	11,841	4,067	1,377	818		4,274
30 to 34 years	276,780	-	24	1,552	21,423	117,875	93,166	29,343	8,243	2,707	1,538		1,909
35 to 39 years	136,114	2	14	215	2,092	13,921	57,179	40,593	14,280	4,492	2,518		1,018
40 to 44 years	33,951	-	4	21	159	782	4,071	15,414	9,724	3,670	1,774		322
45 to 49 years	2,501	-	1	6	15	28	59	290	981	607	292		24
50 and over	77	-	-	1	9	9	9	7	4	16	21		1
Not stated	5,041	-	28	269	415	405	222	123	64	13	19		1,484
Female	1,412,147	14	22,395	256,395	417,384	331,466	206,605	95,095	37,184	12,642	7,049		25,918
10 to 14 years	536	1	118	127	38	18	9	5	3	1			216
15 to 19 years	119,268	3	17,670	64,433	21,997	5,095	1,644	591	242	99	89		7,405
20 to 24 years	450,255	5	4,392	171,302	192,200	51,928	13,685	4,450	1,581	529	354		9,879
25 to 29 years	413,545	3	172	18,639	180,210	148,869	44,286	11,604	3,726	1,248	823		3,985
30 to 34 years	261,597	2	18	1,401	20,344	111,474	88,044	26,712	7,877	2,602	1,460		1,769
35 to 39 years	129,525	-	7	196	2,048	12,943	54,858	38,567	13,533	4,071	2,322		942
40 to 44 years	32,320	-	2	22	150	712	3,797	12,604	9,259	3,588	1,697		289
45 to 49 years	2,194	-	-	5	8	34	77	259	916	571	305		20
50 and over	59	-	-	-	4	12	8	7	4	12	11		7
Not stated	2,848	-	26	270	393	381	237	97	43	21	8		1,372
Nonwhite	375,027	24	15,397	74,021	79,884	58,545	44,995	25,189	13,671	5,284	3,806		54,211
10 to 14 years	2,317	10	501	210	60	21	8	3	2	3	2		1,497
15 to 19 years	75,921	7	13,205	28,459	7,518	1,843	927	344	175	66	43		23,335
20 to 24 years	120,168	3	1,553	41,550	40,556	12,692	5,343	2,085	984	306	226		14,870
25 to 29 years	88,354	2	66	3,178	28,235	25,440	11,656	4,186	2,093	732	499		6,257
30 to 34 years	50,745	1	8	356	2,904	16,159	16,076	6,852	3,026	1,225	637		2,301
35 to 39 years	30,772	1	12	82	448	2,047	10,195	8,595	4,415	1,625	1,206		2,146
40 to 44 years	8,768	-	3	7	31	151	616	2,931	2,583	1,085	774		587
45 to 49 years	919	-	-	1	4	9	35	101	339	210	165		55
50 and over	59	-	-	2	2	6	6	2	2	20	14		7
Not stated	3,004	-	49	177	226	183	123	86	52	12	20		2,076
Male	189,722	12	7,893	37,694	40,550	29,605	22,704	12,604	6,894	2,572	1,900		27,294
10 to 14 years	1,156	5	275	100	32	10	3	3	1	-	1		726
15 to 19 years	36,549	3	6,751	14,571	3,810	946	450	172	82	35	23		11,706
20 to 24 years	60,853	1	794	21,098	20,587	6,402	2,689	1,043	480	152	123		7,494
25 to 29 years	41,627	1	38	1,6,									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER											Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over		
UNITED STATES—Continued													
Nonwhite—Continued													
Female—	185,305	12	7,504	36,327	39,334	28,940	22,291	12,585	6,777	2,712	1,906	26,917	
10 to 14 years—	1,161	5	226	110	28	11	5	—	1	3	1	771	
15 to 19 years—	37,372	4	6,454	13,987	5,708	897	477	172	93	31	20	11,829	
20 to 24 years—	59,315	2	759	20,462	19,969	6,290	2,654	1,042	504	154	103	7,376	
25 to 29 years—	40,727	1	29	1,560	13,090	12,613	5,773	2,074	1,050	384	231	3,121	
30 to 34 years—	25,112	—	5	173	1,399	7,933	7,954	3,419	1,463	641	443	1,683	
35 to 39 years—	15,284	—	6	31	207	1,011	5,021	4,334	2,172	839	824	1,039	
40 to 44 years—	4,394	—	—	5	14	82	319	1,449	1,293	548	388	296	
45 to 49 years—	465	—	—	1	4	5	19	54	176	99	76	31	
50 and over—	32	—	—	2	1	4	3	1	1	8	9	4	
Not stated—	1,443	—	26	96	114	96	65	39	24	5	11	967	
Alabama—	79,663	3	2,244	16,016	19,626	14,849	10,592	5,394	2,665	1,003	802	6,669	
Male—	40,649	2	1,137	8,339	10,054	7,524	5,378	2,771	1,357	484	401	3,402	
Female—	39,014	1	1,107	7,677	9,572	7,325	5,214	2,623	1,308	519	401	3,267	
White—	51,944	1	1,358	10,991	14,496	10,842	7,191	3,482	1,548	577	427	1,031	
Male—	26,764	1	682	5,762	7,803	5,486	3,681	1,802	813	270	225	539	
Female—	25,180	—	676	5,229	6,693	5,356	3,510	1,680	735	307	202	482	
Nonwhite—	27,919	2	886	5,025	5,130	4,007	3,401	1,812	1,117	426	375	5,638	
Male—	14,085	1	455	2,577	2,551	2,038	1,697	969	544	214	176	2,863	
Female—	13,834	1	431	2,448	2,579	1,969	1,704	943	573	212	199	2,775	
ARIZONA—	16,345	—	421	3,240	4,620	3,366	2,272	1,190	540	201	137	358	
Male—	8,393	—	199	1,700	2,390	1,748	1,141	609	269	91	66	181	
Female—	7,952	—	223	1,540	2,230	1,618	1,131	581	271	110	71	177	
White—	14,379	—	334	2,668	4,215	3,016	1,998	1,012	445	158	100	243	
Male—	7,390	—	150	1,504	2,177	1,564	1,004	523	224	72	51	121	
Female—	6,989	—	184	1,164	2,038	1,452	994	489	221	86	49	122	
Nonwhite—	1,966	—	87	572	405	350	284	178	95	43	37	115	
Male—	1,003	—	48	196	213	184	137	86	45	19	15	60	
Female—	963	—	39	376	192	166	147	92	50	24	22	55	
ARKANSAS—	45,280	—	1,301	9,327	11,626	8,398	6,089	3,268	1,628	741	600	2,302	
Male—	23,387	—	639	4,940	6,063	4,340	3,150	1,644	827	386	287	1,181	
Female—	21,893	—	662	4,387	5,563	4,048	2,949	1,624	781	355	303	1,121	
White—	35,165	—	675	7,637	9,783	6,929	4,791	2,451	1,115	497	394	693	
Male—	18,235	—	421	3,968	5,129	3,572	2,488	1,236	603	260	195	361	
Female—	16,930	—	454	3,669	4,654	3,357	2,303	1,215	512	237	199	332	
Nonwhite—	10,115	—	426	1,690	1,843	1,459	1,308	817	513	244	206	1,609	
Male—	5,152	—	218	872	934	768	662	406	244	126	102	820	
Female—	4,963	—	208	818	909	691	646	411	269	118	104	789	
CALIFORNIA—	218,464	4	4,291	46,414	66,945	49,409	28,707	13,150	5,313	1,667	754	1,830	
Male—	112,519	3	2,220	24,071	34,525	25,292	14,664	6,833	2,743	832	392	954	
Female—	106,165	1	2,071	22,343	32,420	24,117	14,043	6,317	2,570	835	372	876	
White—	206,159	4	3,824	43,482	63,480	46,749	26,825	12,104	4,857	1,530	669	1,635	
Male—	105,478	3	1,980	22,570	32,722	23,922	13,709	6,109	2,522	771	333	839	
Female—	99,681	1	1,844	20,912	30,758	22,827	13,117	5,996	2,335	759	336	796	
Nonwhite—	13,328	—	467	2,932	3,485	2,660	1,882	1,046	456	137	85	195	
Male—	6,841	—	240	1,501	1,803	1,370	956	525	221	61	49	115	
Female—	6,484	—	227	1,431	1,682	1,290	926	521	235	76	36	80	
COLORADO—	29,518	—	651	6,065	8,901	6,402	3,832	1,890	896	340	200	321	
Male—	15,126	—	335	3,125	4,581	3,275	1,921	966	465	200	100	159	
Female—	14,392	—	316	2,960	4,320	3,127	1,911	924	431	140	100	163	
White—	28,880	—	628	5,975	8,727	6,267	3,753	1,831	969	331	189	310	
Male—	14,802	—	324	3,086	4,498	3,207	1,875	940	449	196	94	153	
Female—	14,078	—	304	2,909	4,229	3,060	1,878	891	420	135	95	157	
Nonwhite—	638	—	23	110	174	135	79	59	27	9	11	11	
Male—	324	—	11	59	83	68	46	28	16	4	6	5	
Female—	314	—	12	51	91	67	33	33	11	5	5	6	
CONNECTICUT—	41,457	—	251	5,650	12,938	11,264	6,525	2,648	899	265	89	927	
Male—	21,378	—	128	2,904	6,678	5,774	3,340	1,395	476	140	54	489	
Female—	20,079	—	123	2,746	6,260	5,490	3,185	1,254	423	125	35	438	
White—	40,334	—	221	5,381	12,663	11,079	6,423	2,578	866	253	83	787	
Male—	20,815	—	114	2,776	6,519	5,679	3,298	1,361	458	135	52	423	
Female—	19,519	—	107	2,605	6,144	5,400	3,125	1,217	408	118	31	364	
Nonwhite—	1,123	—	30	268	275	185	102	71	33	12	6	140	
Male—	563	—	14	128	159	95	42	34	18	5	2	66	
Female—	560	—	16	141	116	90	60	37	15	7	4	74	
DELAWARE—	6,802	—	124	1,141	1,977	1,598	821	398	131	51	26	437	
Male—	3,450	—	58	568	967	844	459	202	60	31	12	229	
Female—	3,352	—	66	573	990	754	462	194	71	20	14	208	
White—	5,611	—	88	1,003	1,788	1,456	817	341	108	42	17	151	
Male—	2,948	—	44	501	897	775	405	171	47	26	9	73	
Female—	2,663	—	44	502	891	681	412	170	61	16	8	78	
Nonwhite—	991	—	36	138	189	142	104	55	23	9	9	286	
Male—	502	—	14	67	90	69	54	31	13	5	3	156	
Female—	489	—	22	71	99	73	50	24	10	4	6	130	



## GENERAL TABLES—LIVE BIRTHS

187

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER											Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over		
DISTRICT OF COLUMBIA	18,601	-	304	3,316	5,115	3,893	2,419	1,027	429	125	54	1,919	
Male	9,455	-	158	1,697	2,613	1,882	1,228	496	221	56	26	983	
Female	9,146	-	146	1,629	2,502	1,868	1,191	531	208	69	28	936	
White	12,279	-	131	2,102	3,780	2,876	1,760	719	295	84	27	505	
Male	6,277	-	72	1,049	1,941	1,482	911	343	143	38	13	275	
Female	6,002	-	59	1,053	1,839	1,384	849	376	152	46	14	230	
Nonwhite	6,322	-	173	1,214	1,335	1,017	659	308	134	41	27	1,414	
Male	3,178	-	86	638	672	495	317	153	78	18	13	706	
Female	3,144	-	87	576	663	522	342	155	56	23	14	706	
FLORIDA	53,688	5	1,042	10,511	14,378	10,712	7,069	3,629	1,689	662	491	3,500	
Male	27,385	2	570	5,368	7,416	5,471	3,551	1,810	865	341	241	1,752	
Female	26,303	3	472	5,145	6,962	5,241	3,518	1,819	824	321	250	1,748	
White	40,114	2	633	8,099	11,802	8,671	5,471	2,637	1,157	472	314	856	
Male	20,553	-	349	4,154	6,094	4,428	2,778	1,323	581	242	158	445	
Female	19,561	2	284	3,945	5,708	4,243	2,693	1,314	576	230	156	410	
Nonwhite	13,574	3	409	2,412	2,576	2,041	1,588	992	532	190	177	2,644	
Male	6,832	2	221	1,212	1,322	1,043	773	487	284	99	85	1,306	
Female	6,742	1	188	1,200	1,254	998	825	505	248	91	94	1,338	
GEORGIA	85,667	1	2,470	16,597	21,965	16,203	10,994	5,190	2,472	880	747	8,148	
Male	43,741	-	1,252	8,557	11,105	8,354	5,635	2,657	1,256	441	369	4,115	
Female	41,926	1	1,218	8,040	10,860	7,849	5,359	2,533	1,216	439	378	4,033	
White	56,385	-	1,271	10,976	16,061	11,968	7,677	3,580	1,539	535	432	2,325	
Male	29,049	-	659	5,694	8,182	6,250	3,954	1,858	783	272	212	1,185	
Female	27,336	-	612	5,282	7,879	5,718	3,723	1,722	776	264	220	1,140	
Nonwhite	29,282	1	1,199	5,621	5,904	4,235	3,317	1,610	913	344	315	5,823	
Male	14,692	-	593	2,863	2,923	2,104	1,681	799	473	169	157	2,830	
Female	14,590	1	606	2,758	2,981	2,131	1,636	811	440	175	158	2,993	
IDAHO	13,787	-	275	2,688	4,034	3,158	1,855	914	397	152	92	144	
Male	7,101	-	123	1,346	2,080	1,636	1,029	469	221	72	51	74	
Female	6,686	-	150	1,342	1,954	1,522	926	445	176	80	41	70	
White	13,571	-	268	2,637	3,989	3,101	1,927	893	384	146	88	138	
Male	6,981	-	121	1,529	2,052	1,608	1,016	459	215	71	49	71	
Female	6,590	-	147	1,508	1,937	1,493	911	434	169	75	39	67	
Nonwhite	218	-	5	31	45	57	28	21	13	6	4	6	
Male	110	-	2	17	28	28	13	10	6	1	2	3	
Female	106	-	3	14	17	29	15	11	7	5	2	3	
ILLINOIS	174,825	2	2,269	28,700	51,147	43,287	25,915	11,763	4,191	1,356	604	5,591	
Male	89,980	1	1,183	14,796	26,152	22,336	13,359	6,083	2,180	694	312	2,864	
Female	84,865	1	1,086	13,904	24,995	20,951	12,556	5,680	2,011	662	292	2,727	
White	162,314	2	1,807	26,272	48,374	41,405	24,586	11,025	3,829	1,207	540	5,267	
Male	83,589	1	851	13,563	24,743	21,372	12,669	5,706	2,009	619	280	1,656	
Female	78,745	1	856	12,709	23,631	20,033	11,917	5,319	1,820	588	260	1,611	
Nonwhite	12,511	-	462	2,428	2,773	1,882	1,329	738	362	149	64	2,324	
Male	6,391	-	232	1,233	1,409	964	690	377	171	75	32	1,208	
Female	6,120	-	230	1,195	1,364	918	639	361	191	74	32	1,116	
INDIANA	85,515	-	2,011	18,263	25,862	18,963	11,141	5,165	2,013	678	413	1,306	
Male	43,974	-	1,072	9,495	13,220	9,766	5,610	2,599	1,003	335	212	662	
Female	41,541	-	939	8,768	12,642	9,197	5,531	2,566	1,010	343	201	644	
White	82,279	-	1,789	17,499	24,800	18,430	10,780	4,958	1,891	654	368	1,090	
Male	42,307	-	949	9,116	12,825	9,484	5,422	2,501	933	325	196	556	
Female	39,972	-	840	8,383	11,975	8,946	5,358	2,457	958	329	192	534	
Nonwhite	3,236	-	222	764	762	533	351	207	122	24	25	216	
Male	1,667	-	123	579	595	282	188	98	70	10	16	106	
Female	1,569	-	99	385	367	251	173	109	52	14	9	110	
IOWA	56,186	-	879	10,662	16,992	12,919	7,902	3,595	1,379	505	216	1,137	
Male	29,131	-	470	5,492	8,805	6,674	4,149	1,881	726	262	108	564	
Female	27,055	-	409	5,170	8,187	6,245	3,753	1,714	653	243	108	573	
White	55,774	-	866	10,593	16,880	12,853	7,658	3,571	1,369	500	214	1,070	
Male	28,947	-	466	5,457	8,763	6,637	4,132	1,869	721	262	107	533	
Female	26,827	-	400	5,136	8,117	6,216	3,726	1,702	648	238	107	537	
Nonwhite	412	-	13	69	112	66	44	24	10	5	2	67	
Male	184	-	4	35	42	37	17	12	5	-	1	31	
Female	228	-	9	34	70	29	27	12	5	5	1	36	
KANSAS	39,751	2	854	8,407	11,839	8,505	5,352	2,514	1,026	344	207	701	
Male	20,336	1	440	4,327	6,085	4,349	2,684	1,231	555	195	99	372	
Female	19,415	1	414	4,080	5,754	4,156	2,668	1,283	471	151	108	329	
White	38,266	2	753	6,020	11,490	8,295	5,197	2,415	967	317	194	616	
Male	19,594	1	390	4,144	5,908	4,235	2,611	1,185	527	178	91	324	
Female	18,672	1	363	3,876	5,582	4,060	2,586	1,230	440	139	103	292	
Nonwhite	1,485	-	101	387	349	210	155	99	59	27	13	85	
Male	742	-	50	183	177	114	73	46	28	15	8	48	
Female	743	-	51	204	172	96	82	53	31	12	5	37	
KENTUCKY	72,542	1	2,183	15,295	19,587	14,497	10,129	5,453	2,629	1,063	881	824	
Male	37,434	-	1,130	7,932	10,127	7,506	5,246	2,738	1,356	549	448	402	
Female	35,108	1	1,053	7,363	9,460	6,991	4,883	2,715	1,273	514	433	422	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY—Continued												
White	69,142	1	1,911	14,556	18,854	13,991	9,695	5,180	2,477	984	840	673
Male	35,715	-	993	7,557	9,752	7,236	5,020	2,607	1,282	519	426	323
Female	33,427	1	918	6,979	9,102	6,755	4,675	2,573	1,195	465	414	350
Nonwhite	3,400	-	272	759	733	506	454	273	152	79	41	151
Male	1,719	-	137	375	375	270	226	131	74	30	22	79
Female	1,681	-	135	384	358	236	228	142	78	49	19	72
LOUISIANA												
	68,670	1	1,838	13,833	18,083	13,644	9,507	4,784	2,106	624	523	3,517
Male	35,076	-	971	7,051	9,352	7,014	4,913	2,377	1,031	425	242	1,700
Female	33,594	1	667	6,782	8,731	6,630	4,594	2,407	1,075	399	281	1,817
White	43,244	1	833	8,765	12,831	9,606	6,074	2,901	1,052	373	251	547
Male	22,252	-	434	4,467	6,660	4,970	3,169	1,445	522	204	112	269
Female	20,992	1	399	4,298	6,171	4,636	2,905	1,456	530	169	139	278
Nonwhite	25,426	-	1,005	5,068	5,262	4,038	3,433	1,683	1,044	451	272	2,970
Male	12,824	-	537	2,584	2,682	2,044	1,744	932	509	221	130	1,431
Female	12,602	-	468	2,484	2,570	1,994	1,689	951	535	230	142	1,539
MAINE												
	20,326	1	434	4,090	5,860	4,303	2,722	1,293	527	206	116	774
Male	10,524	1	230	2,148	2,976	2,280	1,400	669	287	105	62	399
Female	9,802	-	204	1,944	2,884	2,023	1,322	625	240	101	54	385
White	20,290	1	432	4,086	5,847	4,285	2,720	1,290	526	206	116	771
Male	10,504	1	229	2,144	2,969	2,256	1,399	666	286	105	62	387
Female	9,786	-	203	1,942	2,878	2,029	1,321	624	240	101	54	384
Nonwhite	36	-	2	4	13	8	2	3	1	-	-	3
Male	20	-	1	2	7	4	1	2	1	-	-	2
Female	16	-	1	2	6	4	1	1	-	-	-	1
MARYLAND												
	50,347	2	1,404	9,900	14,840	11,574	7,002	3,154	1,220	409	172	870
Male	25,855	1	740	5,118	7,657	5,763	3,529	1,619	647	209	90	462
Female	24,492	1	664	4,782	7,183	5,811	3,473	1,535	573	200	82	408
White	41,083	-	613	7,730	12,625	9,808	5,866	2,599	930	308	117	497
Male	21,144	-	354	3,888	6,324	5,005	2,882	1,344	493	156	60	280
Female	19,939	-	279	3,744	6,101	4,803	2,884	1,255	437	152	57	227
Nonwhite	9,264	2	791	2,170	2,215	1,566	1,136	555	290	101	55	383
Male	4,711	1	406	1,132	1,133	778	547	275	154	53	30	202
Female	4,553	1	385	1,038	1,082	788	589	280	136	48	25	181
MASSACHUSETTS												
	94,286	-	600	14,137	28,852	24,269	14,821	6,402	2,174	638	242	2,353
Male	46,559	-	307	7,324	14,769	12,537	7,483	3,324	1,103	325	127	1,260
Female	45,729	-	293	6,813	14,083	11,732	7,338	3,078	1,071	313	115	1,093
White	92,787	-	571	13,840	28,430	24,017	14,490	6,316	2,120	620	225	2,166
Male	47,601	-	292	7,165	14,546	12,407	7,417	3,280	1,077	319	118	1,180
Female	44,986	-	279	6,675	13,884	11,610	7,083	3,038	1,043	301	107	986
Nonwhite	1,501	-	29	297	422	252	141	84	54	18	17	187
Male	758	-	15	159	225	130	66	44	26	6	9	80
Female	743	-	14	138	199	122	75	40	28	12	8	107
MICHIGAN												
	139,277	4	2,487	25,904	41,350	33,246	19,508	9,327	3,542	1,139	497	2,273
Male	71,887	2	1,318	13,439	21,420	17,216	9,924	4,673	1,836	601	258	1,178
Female	67,410	2	1,169	12,465	19,930	16,030	9,584	4,654	1,704	538	239	1,095
White	130,945	1	2,020	23,985	39,284	31,735	16,519	6,762	3,264	1,039	450	1,866
Male	67,659	-	1,084	12,475	20,361	16,463	9,416	4,389	1,696	554	234	983
Female	63,286	1	936	11,510	18,923	15,272	9,101	4,373	1,566	485	216	903
Nonwhite	8,332	3	467	1,819	2,066	1,511	999	585	278	100	47	367
Male	4,209	2	234	964	1,059	753	506	284	140	47	24	195
Female	4,124	1	233	855	1,007	758	483	281	138	53	23	192
MINNESOTA												
	67,266	-	550	9,672	19,204	16,514	10,647	5,297	2,201	783	327	1,871
Male	34,339	-	285	5,099	9,700	8,408	5,442	2,676	1,135	414	166	944
Female	32,927	-	265	4,783	9,504	8,026	5,205	2,621	1,066	369	161	927
White	66,511	-	543	9,778	19,041	16,353	10,564	5,242	2,172	772	321	1,725
Male	33,974	-	282	5,039	9,617	8,413	5,404	2,650	1,122	409	162	876
Female	32,537	-	261	4,739	9,424	7,940	5,160	2,592	1,050	363	159	849
Nonwhite	755	-	7	94	153	161	83	55	29	11	6	146
Male	365	-	3	50	83	75	38	26	13	5	4	68
Female	390	-	4	44	80	86	45	29	16	6	2	78
MISSISSIPPI												
	61,690	3	2,006	11,775	14,348	10,781	8,475	4,479	2,306	910	694	5,823
Male	31,442	3	1,043	6,033	7,308	5,507	4,266	2,290	1,161	449	355	5,027
Female	30,248	-	963	5,742	7,040	5,274	4,209	2,189	1,145	461	339	2,896
White	29,875	1	687	6,088	8,443	6,279	4,449	2,142	939	358	231	378
Male	15,320	1	364	3,143	4,259	3,236	2,246	1,107	480	174	129	199
Female	14,655	-	323	2,925	4,184	3,043	2,201	1,035	479	184	102	179
Nonwhite	31,715	2	1,319	5,707	5,905	4,502	4,026	2,337	1,367	552	453	5,545
Male	16,122	2	679	2,890	3,049	2,271	2,018	1,183	701	275	226	2,828
Female	15,593	-	640	2,817	2,856	2,231	2,008	1,154	666	277	227	2,717
MISSOURI												
	80,684	1	1,785	15,538	22,335	17,713	11,495	5,520	2,314	943	480	2,560
Male	41,565	-	921	8,065	11,540	9,068	5,328	2,816	1,190	491	233	1,293
Female	39,119	1	864	7,473	10,795	8,645	5,567	2,704	1,124	452	247	1,267
White	74,537	1	1,503	14,422	21,189	16,924	10,799	5,092	2,093	839	429	1,477
Male	38,530	-	788	7,536	10,919	8,438	5,569	2,801	1,080	432	213	774
Female	36,007	1	735	6,886	10,249	8,186	5,230	2,491	1,003	407	216	703
Nonwhite	6,047	-	282	1,116	1,167	889	696	428	231	104	51	1,083
Male	3,035	-	153	549	621	430	359	215	110	59	20	519
Female	3,012	-	129	567	546	459	337	213	121	45	31	564



## GENERAL TABLES—LIVE BIRTHS

189

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MONTEANA	12,858	-	165	2,196	3,769	2,961	1,938	811	423	165	99	211
Male	6,619	-	77	1,159	1,951	1,483	1,014	489	227	85	42	112
Female	6,239	-	88	1,037	1,838	1,478	924	442	196	80	57	99
White	12,229	-	154	2,098	3,647	2,827	1,861	865	392	151	92	142
Male	6,289	-	73	1,106	1,876	1,418	978	443	208	77	40	74
Female	5,940	-	81	992	1,771	1,411	885	422	184	74	52	68
Nonwhite	629	-	11	98	142	134	77	46	31	14	7	69
Male	330	-	4	53	75	67	38	26	19	8	2	38
Female	299	-	7	45	67	67	39	20	12	6	5	31
NEBRASKA	28,052	-	456	5,440	8,471	6,390	3,917	1,807	754	253	118	466
Male	14,391	-	206	2,820	4,371	3,269	1,904	917	376	119	62	247
Female	13,661	-	230	2,620	4,100	3,121	1,933	890	378	134	56	219
White	27,477	-	398	5,317	8,335	6,299	3,851	1,768	736	240	112	421
Male	14,069	-	191	2,747	4,303	3,236	1,956	899	367	113	60	217
Female	13,388	-	207	2,570	4,032	3,063	1,895	869	369	127	52	204
Nonwhite	575	-	38	123	136	91	66	39	18	13	6	45
Male	302	-	15	73	68	53	28	16	9	6	2	30
Female	273	-	23	50	68	38	38	21	9	7	4	15
NEVADA	3,283	-	48	617	896	734	464	254	108	59	29	74
Male	1,632	-	29	305	461	363	245	112	54	33	11	39
Female	1,651	-	19	312	435	371	219	142	54	26	18	35
White	3,037	-	40	575	831	685	443	233	95	52	25	58
Male	1,528	-	21	285	427	342	237	105	46	29	11	27
Female	1,509	-	19	292	404	343	206	128	49	23	14	31
Nonwhite	246	-	8	42	65	49	21	21	13	7	4	16
Male	124	-	8	22	34	21	9	7	8	4	-	12
Female	122	-	-	20	31	28	13	14	5	3	4	4
NEW HAMPSHIRE	11,092	-	155	2,103	3,378	2,565	1,488	680	291	83	43	306
Male	5,735	-	78	1,107	1,781	1,353	777	349	137	39	13	132
Female	5,357	-	77	996	1,647	1,212	711	332	154	44	30	154
White	11,074	-	155	2,100	3,374	2,559	1,487	678	291	83	43	304
Male	5,723	-	78	1,104	1,788	1,349	776	348	137	39	13	151
Female	5,351	-	77	996	1,648	1,210	711	330	154	44	30	153
Nonwhite	18	-	-	3	4	6	1	2	-	-	-	2
Male	12	-	-	3	3	4	1	-	-	-	-	1
Female	6	-	-	-	1	2	-	2	-	-	-	1
NEW JERSEY	95,218	1	823	13,397	29,388	25,596	15,362	6,296	2,064	624	214	1,453
Male	49,194	1	407	6,851	15,351	13,214	7,921	3,244	1,040	322	107	736
Female	46,024	-	416	6,546	14,037	12,382	7,441	3,052	1,024	302	107	717
White	88,620	1	518	11,873	27,671	24,471	14,655	5,924	1,876	588	184	879
Male	45,978	1	285	6,119	14,481	12,682	7,576	3,066	961	292	92	464
Female	42,642	-	233	5,753	13,180	11,813	7,079	2,858	915	276	92	415
Nonwhite	6,598	-	305	1,524	1,717	1,125	707	372	188	58	30	574
Male	3,216	-	142	733	860	562	345	179	79	30	15	272
Female	3,382	-	163	791	857	563	362	194	109	28	15	302
NEW MEXICO	19,067	-	386	3,379	4,589	3,662	2,595	1,458	753	313	196	786
Male	9,176	-	169	1,726	2,389	1,883	1,307	705	375	162	92	398
Female	9,891	-	217	1,653	2,200	1,779	1,288	753	378	151	104	388
White	18,674	-	361	3,192	4,272	3,392	2,394	1,348	682	274	167	592
Male	8,481	-	161	1,633	2,217	1,753	1,208	648	338	145	75	305
Female	8,193	-	200	1,559	2,055	1,639	1,186	702	344	129	92	287
Nonwhite	1,413	-	25	187	297	270	201	110	71	39	29	194
Male	895	-	8	95	142	130	99	59	37	17	17	93
Female	718	-	17	94	145	140	102	51	34	22	12	101
NEW YORK	286,546	2	2,301	38,464	82,594	74,755	49,607	21,592	7,464	2,062	780	6,925
Male	147,929	-	1,204	19,759	42,829	38,647	25,610	11,043	3,822	1,048	370	3,597
Female	138,617	2	1,097	18,705	39,765	36,108	23,997	10,549	3,642	1,014	410	3,328
White	269,271	-	1,721	34,745	78,472	72,012	47,683	20,528	6,931	1,911	719	4,549
Male	139,200	-	913	17,884	40,747	37,275	24,610	10,504	3,565	976	348	2,380
Female	130,071	-	808	16,861	37,725	34,737	23,073	10,024	3,366	935	373	2,169
Nonwhite	17,275	2	580	3,719	4,122	2,743	1,924	1,064	553	151	61	2,376
Male	8,729	-	281	1,875	2,062	1,372	1,000	539	257	72	24	1,217
Female	8,546	2	289	1,844	2,040	1,371	924	525	276	79	37	1,159
NORTH CAROLINA	100,679	1	3,225	21,979	26,949	19,766	13,044	6,513	2,980	1,179	880	4,213
Male	51,551	-	1,667	11,446	13,705	10,056	6,820	3,584	1,487	604	446	2,186
Female	49,128	1	1,558	10,533	13,244	9,710	6,424	3,149	1,443	575	434	2,027
White	71,082	-	1,667	15,517	20,280	14,863	9,484	4,569	1,994	776	578	1,384
Male	36,506	-	854	8,150	10,369	7,554	4,781	2,383	1,004	412	297	702
Female	34,556	-	813	7,367	9,911	7,309	4,703	2,186	990	364	281	682
Nonwhite	29,617	1	1,558	6,462	6,689	4,903	3,560	1,944	956	403	302	2,859
Male	15,045	-	813	3,296	3,336	2,502	1,839	961	483	192	149	1,454
Female	14,572	1	745	3,166	3,353	2,401	1,721	963	453	211	153	1,405
NORTH DAKOTA	15,264	-	140	2,144	4,161	3,690	2,536	1,310	630	227	95	331
Male	7,766	-	77	1,129	2,098	1,881	1,212	705	323	124	43	164
Female	7,498	-	63	1,015	2,063	1,799	1,324	605	307	103	52	167



## VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH DAKOTA—Continued												
White	14,893	-	126	2,085	4,086	3,631	2,484	1,277	605	217	91	281
Male	7,562	-	67	1,101	2,057	1,855	1,188	698	312	116	42	136
Female	7,331	-	59	994	2,029	1,776	1,296	599	293	101	49	145
Nonwhite	371	-	14	49	75	69	52	33	25	10	4	50
Male	204	-	10	28	41	36	24	17	11	8	1	28
Female	167	-	4	21	34	23	28	16	14	2	3	22
OHIO												
	169,600	5	2,072	30,979	51,320	39,548	23,103	10,505	3,988	1,396	645	5,239
Male	87,421	3	1,497	15,929	26,534	20,366	11,915	5,358	2,025	733	328	2,733
Female	82,179	2	1,575	15,050	24,786	19,182	11,188	5,147	1,963	663	317	2,506
White	159,693	2	2,476	28,912	49,085	37,975	22,063	9,878	3,642	1,281	605	3,774
Male	82,450	1	1,269	14,879	25,415	19,594	11,370	5,063	1,850	683	303	2,003
Female	77,243	1	1,167	14,033	23,670	18,381	10,693	4,815	1,792	598	302	1,771
Nonwhite	9,907	3	396	2,067	2,235	1,573	1,040	627	346	115	40	1,465
Male	4,971	2	208	1,050	1,119	772	545	295	175	50	25	730
Female	4,936	1	188	1,017	1,116	801	495	332	171	65	15	735
OKLAHOMA												
	50,416	1	1,435	11,460	14,355	9,928	6,305	3,194	1,462	618	418	1,240
Male	25,816	-	746	5,866	7,296	5,120	3,221	1,671	737	300	208	631
Female	24,600	1	689	5,594	7,059	4,808	3,084	1,523	725	318	210	609
White	44,843	-	1,169	10,403	13,182	9,063	5,624	2,750	1,240	513	319	580
Male	23,056	-	610	5,335	6,726	4,698	2,987	1,448	625	253	161	293
Female	21,807	-	559	5,068	6,456	4,365	2,737	1,302	615	260	158	287
Nonwhite	5,573	1	286	1,057	1,173	865	681	444	222	105	99	660
Male	2,780	-	136	551	570	422	334	223	112	47	47	358
Female	2,793	1	130	506	603	443	347	221	110	58	52	322
OREGON												
	30,076	-	470	5,930	9,062	7,033	4,246	1,669	744	250	128	302
Male	15,468	-	245	3,090	4,630	3,616	2,208	965	371	129	71	143
Female	14,608	-	225	2,860	4,432	3,417	2,040	924	373	121	57	159
White	29,504	-	482	5,640	8,926	8,903	4,160	1,839	723	246	123	292
Male	15,200	-	237	3,034	4,567	3,552	2,169	944	363	127	67	140
Female	14,304	-	215	2,606	4,359	3,351	1,991	895	360	119	56	152
Nonwhite	572	-	18	110	136	130	68	50	21	4	5	10
Male	268	-	6	56	63	64	39	21	8	2	4	3
Female	304	-	10	54	73	66	49	29	13	2	1	7
PENNSYLVANIA												
	218,376	3	3,511	38,254	66,501	53,182	32,104	13,855	5,038	1,699	767	3,662
Male	112,849	2	1,613	19,762	34,532	27,474	16,506	7,008	2,556	884	412	1,912
Female	105,527	1	1,698	18,502	31,969	25,686	15,598	6,849	2,482	815	375	1,750
White	205,449	3	2,813	35,213	63,352	51,129	30,616	12,778	4,594	1,563	711	2,677
Male	106,197	2	1,453	18,167	32,914	26,399	15,767	6,566	2,517	818	375	1,419
Female	99,252	1	1,360	17,046	30,438	24,730	14,849	6,212	2,077	745	336	1,258
Nonwhite	12,927	-	899	3,041	3,149	2,033	1,498	677	444	136	76	985
Male	6,682	-	360	1,565	1,618	1,075	739	440	239	66	37	493
Female	6,275	-	339	1,456	1,531	958	749	457	205	70	39	492
RHODE ISLAND												
	16,761	-	120	2,729	5,237	4,200	2,485	1,053	337	107	40	453
Male	8,627	-	62	1,423	2,753	2,121	1,249	541	169	55	21	233
Female	8,134	-	58	1,306	2,484	2,079	1,236	512	168	52	19	220
White	16,425	-	117	2,654	5,155	4,153	2,461	1,035	326	102	37	365
Male	8,446	-	61	1,383	2,706	2,084	1,238	531	164	55	20	194
Female	7,979	-	56	1,271	2,449	2,059	1,223	504	162	47	17	191
Nonwhite	336	-	3	75	82	47	24	18	11	5	3	68
Male	181	-	1	40	47	27	11	10	5	-	1	39
Female	155	-	2	35	35	20	13	8	6	5	2	29
SOUTH CAROLINA												
	53,963	4	1,204	11,189	14,334	9,736	6,740	3,189	1,553	563	456	4,985
Male	27,436	2	610	5,745	7,297	4,899	3,470	1,628	771	283	239	2,482
Female	26,527	2	594	5,444	7,037	4,837	3,270	1,561	782	270	217	2,503
White	31,010	2	655	6,693	9,217	6,477	4,040	1,843	802	317	237	727
Male	15,830	1	347	3,468	4,698	3,308	2,131	921	395	181	123	357
Female	15,080	1	308	3,225	4,519	3,169	1,909	922	407	136	114	370
Nonwhite	22,853	2	549	4,496	5,117	3,259	2,700	1,346	751	246	219	4,268
Male	11,506	1	263	2,277	2,599	1,591	1,359	707	376	112	116	2,125
Female	11,447	1	286	2,219	2,518	1,668	1,361	639	375	134	103	2,143
SOUTH DAKOTA												
	14,580	-	167	2,326	4,099	3,286	2,252	1,197	557	173	86	437
Male	7,470	-	84	1,179	2,145	1,681	1,134	626	284	74	47	216
Female	7,110	-	83	1,147	1,954	1,605	1,118	571	273	99	39	221
White	13,932	-	156	2,250	3,970	3,170	2,169	1,126	524	161	79	325
Male	7,152	-	82	1,139	2,094	1,624	1,096	594	263	70	44	156
Female	6,780	-	76	1,111	1,896	1,546	1,073	532	261	91	35	169
Nonwhite	648	-	9	76	129	116	83	71	33	12	7	112
Male	318	-	2	40	61	57	38	32	21	4	3	60
Female	330	-	7	36	68	59	45	39	12	8	4	52
TENNESSEE												
	77,336	1	2,305	15,728	20,021	15,393	10,518	5,393	2,476	1,010	761	3,720
Male	39,717	1	1,195	8,060	10,224	8,024	5,412	2,766	1,218	478	410	1,911
Female	37,619	-	1,112	7,668	9,797	7,369	5,106	2,617	1,258	532	371	1,809
White	65,507	1	1,751	13,600	17,846	13,572	9,120	4,617	2,020	809	645	1,525
Male	33,667	1	893	7,011	9,140	7,103	4,657	2,392	977	381	336	788
Female	31,840	-	858	6,589	8,706	6,469	4,463	2,235	1,043	427	309	739
Nonwhite	11,828	-	554	2,128	2,173	1,821	1,398	766	456	202	136	2,195
Male	6,050	-	300	1,069	1,084	921	755	394	241	97	74	1,125
Female	5,778	-	254	1,059	1,089	900	643	392	215	105	62	1,070



## GENERAL TABLES—LIVE BIRTHS

191

TABLE 9.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TEXAS-----	181,579	2	4,981	37,620	48,557	37,375	25,198	12,634	5,624	1,981	1,327	6,280
Male-----	93,501	1	2,515	19,415	24,909	19,430	13,007	6,437	2,956	1,023	648	3,160
Female-----	88,078	1	2,466	18,205	23,648	17,945	12,191	6,197	2,668	958	679	3,120
White-----	160,269	2	4,036	33,450	44,411	34,190	22,575	11,106	4,781	1,625	1,086	5,007
Male-----	82,672	1	2,039	17,268	22,780	17,780	11,693	5,681	2,527	849	522	1,532
Female-----	77,597	1	1,997	16,182	21,631	16,410	10,882	5,425	2,254	776	564	1,475
Nonwhite-----	21,310	-	945	4,170	4,146	3,185	2,623	1,528	843	356	241	3,273
Male-----	10,829	-	476	2,147	2,129	1,650	1,314	756	429	174	126	1,628
Female-----	10,481	-	469	2,023	2,017	1,535	1,309	772	414	182	115	1,645
UTAH-----	19,220	-	349	3,726	5,432	4,043	2,576	1,264	465	146	58	161
Male-----	9,553	-	163	1,945	2,759	2,114	1,313	653	236	78	29	79
Female-----	9,667	-	181	1,781	2,674	1,929	1,263	611	229	68	29	82
White-----	17,949	-	346	3,697	5,339	3,997	2,545	1,239	454	141	57	156
Male-----	9,216	-	166	1,927	2,694	2,090	1,237	639	232	75	29	77
Female-----	8,733	-	180	1,760	2,644	1,907	1,248	599	222	66	28	79
Nonwhite-----	271	-	3	39	94	56	31	26	11	3	1	5
Male-----	137	-	2	18	44	34	16	14	4	1	-	2
Female-----	134	-	1	21	50	22	15	12	7	2	1	3
VERMONT-----	8,362	-	149	1,465	2,492	1,895	1,181	591	247	82	50	210
Male-----	4,250	-	71	762	1,282	926	606	296	138	41	17	111
Female-----	4,112	-	78	703	1,210	969	575	295	109	41	33	99
White-----	8,358	-	148	1,465	2,492	1,893	1,180	591	247	82	50	210
Male-----	4,249	-	70	762	1,282	926	606	296	138	41	17	111
Female-----	4,109	-	78	703	1,210	967	574	295	109	41	33	99
Nonwhite-----	4	-	1	-	-	2	1	-	-	-	-	-
Male-----	1	-	1	-	-	-	-	-	-	-	-	-
Female-----	3	-	-	-	-	2	1	-	-	-	-	-
VIRGINIA-----	75,861	2	1,534	14,146	20,864	16,080	10,291	4,956	2,243	756	590	4,399
Male-----	38,998	1	821	7,243	10,802	8,295	5,221	2,553	1,134	381	335	2,212
Female-----	36,863	1	713	6,903	10,062	7,785	5,070	2,403	1,109	375	255	2,187
White-----	58,348	-	916	10,967	16,976	13,250	8,280	3,881	1,627	539	406	1,506
Male-----	30,114	-	502	5,606	8,784	6,872	4,195	2,040	832	277	238	768
Female-----	28,234	-	414	5,361	8,192	6,378	4,085	1,841	795	262	168	738
Nonwhite-----	17,513	2	618	3,179	3,888	2,830	2,011	1,076	616	217	184	2,893
Male-----	8,884	1	319	1,637	2,018	1,423	1,026	513	302	104	97	1,444
Female-----	8,629	1	299	1,542	1,870	1,407	985	562	314	113	87	1,449
WASHINGTON-----	51,988	1	749	10,452	16,194	11,794	6,940	2,929	1,220	391	187	1,131
Male-----	26,883	-	402	5,469	8,355	6,015	3,576	1,529	622	212	104	599
Female-----	25,105	1	347	4,983	7,839	5,779	3,364	1,400	599	179	83	532
White-----	50,547	1	723	10,174	15,844	11,505	6,734	2,810	1,163	372	173	1,048
Male-----	26,147	-	387	5,315	8,192	5,697	3,465	1,485	594	200	98	554
Female-----	24,400	1	336	4,859	7,652	5,818	3,269	1,325	569	172	75	494
Nonwhite-----	1,441	-	26	278	350	289	206	119	57	19	14	85
Male-----	736	-	15	154	163	128	111	74	28	12	6	45
Female-----	705	-	11	124	187	161	95	45	29	7	8	38
WEST VIRGINIA-----	49,673	-	950	9,421	13,057	9,892	6,468	3,514	1,681	664	431	2,595
Male-----	25,215	-	430	4,847	6,731	5,180	3,364	1,837	872	346	223	1,515
Female-----	23,458	-	460	4,574	6,326	4,702	3,104	1,677	809	318	208	1,280
White-----	46,228	-	903	9,067	12,585	9,519	6,167	3,299	1,535	591	397	2,185
Male-----	23,989	-	461	4,687	6,498	5,002	3,218	1,717	793	307	203	1,103
Female-----	22,239	-	442	4,380	6,087	4,517	2,949	1,582	742	284	194	1,082
Nonwhite-----	2,445	-	47	354	472	373	301	215	146	73	34	430
Male-----	1,226	-	29	160	233	188	146	120	79	39	20	212
Female-----	1,219	-	18	194	239	185	155	95	67	34	14	218
WISCONSIN-----	74,785	-	553	11,491	22,040	18,724	11,487	5,428	2,138	718	267	1,809
Male-----	38,356	-	299	5,929	11,360	9,548	5,873	2,786	1,084	395	132	968
Female-----	36,399	-	254	5,562	10,680	9,176	5,614	2,640	1,054	323	135	941
White-----	73,934	-	545	11,370	21,849	18,573	11,594	5,369	2,100	705	263	1,766
Male-----	37,928	-	295	5,972	11,259	9,466	5,828	2,737	1,060	387	129	896
Female-----	36,005	-	250	5,408	10,590	9,107	5,766	2,632	1,040	318	134	870
Nonwhite-----	821	-	8	121	191	151	95	59	38	13	4	143
Male-----	427	-	4	57	101	82	45	31	24	8	3	72
Female-----	394	-	4	64	90	69	46	28	14	5	1	71
WYOMING-----	6,189	-	121	1,159	1,816	1,414	908	411	186	76	37	60
Male-----	3,201	-	64	607	935	726	466	208	96	42	20	37
Female-----	2,987	-	57	552	881	688	442	203	90	34	17	23
White-----	6,044	-	117	1,132	1,787	1,391	881	394	180	75	35	52
Male-----	3,130	-	62	585	918	716	453	200	92	42	19	33
Female-----	2,914	-	55	537	869	675	428	194	88	33	16	19
Nonwhite-----	144	-	4	27	29	23	27	17	6	1	2	8
Male-----	71	-	2	12	17	10	13	8	4	-	1	4
Female-----	73	-	2	15	12	13	14	9	2	1	1	4



## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TWINS					CASES OF TWINS—Conn.					CASES OF TWINS—Conn.				
UNITED STATES—					CONNECTICUT					ILLINOIS—Conn.				
2 males—	12,939	11,542	1,535	62	2 males—	140	136	4	-	2 females—	694	638	56	-
Both living—	11,757	10,355	1,344	58	Both living—	133	129	4	-	Both living—	644	599	45	-
1 living—	665	540	122	3	1 living—	4	4	-	-	1 living—	34	29	5	-
Both stillborn—	517	447	89	1	Both stillborn—	3	3	-	-	Both stillborn—	16	10	6	-
1 male, 1 female—	12,604	10,689	1,852	63	1 male, 1 female—	144	144	-	-	INDIANA				
Both living—	11,811	10,122	1,634	55	Both living—	141	141	-	-	2 males—	362	349	13	-
1 living—Male—	277	207	66	2	1 living—Male—	2	2	-	-	Both living—	339	327	12	-
Female—	225	204	89	2	Female—	1	1	-	-	1 living—	15	14	1	-
Both stillborn—	221	156	61	4	2 females—	145	137	9	-	Both stillborn—	8	8	-	-
2 females—	12,356	10,730	1,563	63	Both living—	140	132	8	-	1 male, 1 female—	312	297	15	-
Both living—	11,367	9,908	1,399	60	1 living—	4	3	1	-	Both living—	298	284	15	-
1 living—	610	496	113	1	Both stillborn—	2	2	-	-	1 living—Male—	1	1	-	-
Both stillborn—	379	326	51	2	DELAWARE					Female—	8	8	-	-
Sex not stated—	17	15	2	-	2 males—	21	15	5	1	Both stillborn—	4	4	-	-
Both stillborn—	17	15	2	-	Both living—	20	15	4	1	2 females—	331	322	9	-
ALABAMA					1 living—	1	-	1	-	Both living—	310	302	8	-
2 males—	317	210	107	-	1 male, 1 female—	18	15	3	-	1 living—	15	14	1	-
Both living—	278	186	90	-	Both living—	18	15	3	-	Both stillborn—	6	6	-	-
1 living—	19	11	8	-	2 females—	17	14	2	1	IOWA				
Both stillborn—	20	11	9	-	Both living—	16	14	1	1	2 males—	216	215	1	-
1 male, 1 female—	344	202	142	-	1 living—	1	-	1	-	Both living—	202	201	1	-
Both living—	313	186	127	-	Both stillborn—	3	3	-	-	1 living—	7	7	-	-
1 living—Male—	10	5	5	-	1 male, 1 female—	66	36	30	-	Both stillborn—	7	7	-	-
Female—	12	8	4	-	Both living—	63	35	28	-	1 male, 1 female—	205	204	1	-
Both stillborn—	9	3	6	-	1 living—Male—	2	1	1	-	Both living—	194	193	1	-
2 females—	315	192	123	-	Both stillborn—	1	-	1	-	1 living—Male—	6	6	-	-
Both living—	282	172	110	-	2 females—	85	35	30	-	Female—	3	3	-	-
1 living—	20	11	9	-	Both living—	59	31	28	-	Both stillborn—	2	2	-	-
Both stillborn—	13	9	4	-	1 living—	3	2	1	-	2 females—	208	205	-	1
ARIZONA					Both stillborn—	3	2	1	-	Both living—	190	189	-	1
2 males—	64	49	6	9	FLORIDA					1 living—	9	9	-	-
Both living—	58	46	3	9	2 males—	194	143	51	-	Both stillborn—	7	7	-	-
1 living—	4	2	2	-	Both living—	170	126	44	-	1 male, 1 female—	183	127	6	-
Both stillborn—	2	1	1	-	1 living—	15	11	4	-	Both living—	126	120	6	-
1 male, 1 female—	47	40	5	2	Both stillborn—	9	6	3	-	1 living—Male—	1	1	-	-
Both living—	44	38	4	2	1 male, 1 female—	195	153	62	-	Female—	3	3	-	-
1 living—Male—	1	1	-	-	Both living—	179	127	52	-	Both stillborn—	3	3	-	-
Both stillborn—	2	1	1	-	1 living—Male—	6	4	2	-	2 females—	145	136	9	-
2 females—	52	46	4	2	Female—	9	2	7	-	Both living—	132	124	8	-
Both living—	49	43	4	2	Both stillborn—	1	-	1	-	1 living—	10	10	-	-
1 living—	2	2	-	-	2 females—	220	152	68	-	Both stillborn—	3	2	1	-
Both stillborn—	1	1	-	-	Both living—	196	157	59	-	KANSAS				
ARKANSAS					1 living—	13	7	6	-	2 males—	175	172	3	-
2 males—	201	163	38	-	Both stillborn—	11	8	3	-	Both living—	162	159	3	-
Both living—	182	148	34	-	GEORGIA					1 living—	10	10	-	-
1 living—	9	7	2	-	2 males—	260	166	94	-	Both stillborn—	3	3	-	-
Both stillborn—	10	8	2	-	Both living—	219	143	76	-	1 male, 1 female—	183	127	6	-
1 male, 1 female—	215	152	63	-	1 living—	19	11	8	-	Both living—	126	120	6	-
Both living—	196	145	51	-	Both stillborn—	22	12	10	-	1 living—Male—	1	1	-	-
1 living—Male—	3	1	2	-	1 male, 1 female—	293	183	110	-	Female—	3	3	-	-
Female—	7	2	5	-	Both living—	264	173	91	-	Both stillborn—	3	3	-	-
Both stillborn—	9	4	5	-	1 living—Male—	6	2	4	-	2 females—	145	136	9	-
2 females—	178	133	45	-	Female—	12	4	8	-	Both living—	132	124	8	-
Both living—	162	119	43	-	Both stillborn—	11	4	7	-	1 living—	10	10	-	-
1 living—	11	9	2	-	2 females—	270	170	100	-	Both stillborn—	3	2	1	-
Both stillborn—	5	5	-	-	Both living—	242	156	86	-	KENTUCKY				
CALIFORNIA					1 living—	20	10	10	-	2 males—	299	282	17	-
2 males—	802	753	39	11	Both stillborn—	8	4	4	-	Both living—	277	262	15	-
Both living—	726	681	35	10	IDAHO					1 living—	13	12	1	-
1 living—	46	44	1	1	2 males—	53	52	-	1	Both stillborn—	9	8	1	-
Both stillborn—	30	28	2	-	Both living—	46	45	-	1	1 male, 1 female—	322	300	21	1
1 male, 1 female—	804	732	65	7	1 living—	4	4	-	-	Both living—	303	283	19	1
Both living—	768	704	58	6	Both stillborn—	3	3	-	-	1 living—Male—	9	8	1	-
1 living—Male—	22	17	4	1	1 male, 1 female—	57	57	-	-	Female—	6	6	-	-
Female—	8	6	2	-	Both living—	55	55	-	-	Both stillborn—	4	3	1	-
Both stillborn—	6	5	1	-	1 living—Female—	1	1	-	-	2 females—	299	276	23	-
2 females—	829	762	48	19	Both stillborn—	1	1	-	-	Both living—	283	261	22	-
Both living—	775	714	43	18	2 females—	51	51	-	-	1 living—	10	9	1	-
1 living—	36	30	5	1	Both living—	49	49	-	-	Both stillborn—	6	6	-	-
Both stillborn—	18	18	-	-	1 living—	2	2	-	-	LOUISIANA				
COLORADO					ILLINOIS					2 males—	304	177	127	-
2 males—	106	105	1	-	2 males—	696	636	60	-	Both living—	278	162	116	-
Both living—	96	95	1	-	Both living—	621	566	55	-	1 living—	17	9	8	-
1 living—	5	5	-	-	1 living—	51	47	4	-	Both stillborn—	9	8	1	-
Both stillborn—	5	5	-	-	Both stillborn—	24	23	1	-	1 male, 1 female—	297	152	145	-
1 male, 1 female—	109	106	1	2	1 male, 1 female—	638	565	72	1	Both living—	279	148	130	-
Both living—	104	101	1	2	1 living—Male—	595	530	64	1	1 living—Male—	12	2	10	-
1 living—Male—	1	1	-	-	Both living—	15	14	1	-	Female—	5	1	4	-
Female—	1	1	-	-	1 living—	20	14	6	-	Both stillborn—	1	1	1	-
Both stillborn—	3	3	-	-	Both stillborn—	8	7	1	-	2 females—	290	164	126	-
2 females—	119	115	2	2	MAINE					Both living—	285	153	112	-
Both living—	110	106	2	2	2 males—	696	636	60	-	1 living—	17	5	11	-
1 living—	7	7	-	-	Both living—	621	566	55	-	Both stillborn—	9	8	1	-
Both stillborn—	2	2	-	-	1 living—	51	47	4	-	Sex not stated—	1	1	-	-



## GENERAL TABLES-PLURAL BIRTHS

193

TABLE 10.-CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TWINS--Con.					CASES OF TWINS--Con.					CASES OF TWINS--Con.				
MAINE--Con.					MISSOURI--Con.					NEW YORK				
1 male, 1 female	64	64	-	-	1 male, 1 female	305	276	29	-	2 males	1,104	1,013	88	3
Both living	63	63	-	-	Both living	287	259	28	-	Both living	980	899	78	3
Both stillborn	1	1	-	-	1 living--Male	6	6	-	-	1 living	59	52	7	-
2 females	74	74	-	-	Female	8	7	1	-	Both stillborn	65	62	3	-
Both living	71	71	-	-	Both stillborn	4	4	-	-	1 male, 1 female	1,075	994	79	2
1 living	3	3	-	-	2 females	306	281	25	-	Both living	895	824	69	2
MARYLAND					1 living	277	254	23	-	1 living--Male	23	21	2	-
2 males	204	166	38	-	Both stillborn	18	16	2	-	Female	28	24	4	-
Both living	193	158	35	-	Sex not stated	2	1	1	-	Both stillborn	28	25	4	-
1 living	5	4	1	-	Both stillborn	2	1	-1	-	2 females	1,085	1,006	77	2
Both stillborn	6	4	2	-	MONTANA					Both living	994	921	71	2
1 male, 1 female	211	154	57	-	2 males	64	64	-	-	1 living	47	43	4	-
Both living	192	145	47	-	Both living	59	59	-	-	Both stillborn	44	42	2	-
1 living--Male	6	4	2	-	1 living	3	3	-	-	Sex not stated	9	9	-	-
Female	6	3	3	-	Both stillborn	2	2	-	-	Both stillborn	9	9	-	-
Both stillborn	6	3	3	-	1 male, 1 female	89	85	-	4	NORTH CAROLINA				
2 females	183	140	43	-	Both living	64	60	-	4	2 males	378	270	105	3
Both living	171	132	39	-	1 living--Male	3	3	-	-	Both living	345	250	92	3
1 living	7	5	4	-	Both stillborn	2	2	-	-	1 living	20	10	10	-
Both stillborn	5	5	-	-	2 females	58	58	-	2	Both stillborn	13	10	3	-
MASSACHUSETTS					Both living	53	51	-	2	1 male, 1 female	409	242	162	5
2 males	405	396	5	2	1 living	5	5	-	-	Both living	378	254	141	3
Both living	372	366	5	1	Both stillborn	2	2	-	-	1 living--Male	9	2	6	1
1 living	21	20	-	1	NEBRASKA					Female	16	4	12	-
Both stillborn	10	10	-	-	2 males	107	105	1	1	Both stillborn	6	2	3	1
1 male, 1 female	314	304	10	-	Both living	91	90	-	1	2 females	585	273	108	4
Both living	293	284	9	-	1 living	15	12	1	-	Both living	357	253	101	3
1 living--Male	8	6	-	-	Both stillborn	3	3	-	-	1 living	18	13	5	-
Female	10	9	1	-	1 male, 1 female	108	105	1	1	Both stillborn	10	7	2	1
Both stillborn	5	5	-	-	Both living	105	102	1	-	Sex not stated	1	-	1	-
2 females	549	341	7	1	1 living--Male	1	1	-	1	Both stillborn	1	-	1	-
Both living	512	305	7	-	Female	4	3	-	1	NORTH DAKOTA				
1 living	21	21	-	-	2 females	99	99	-	-	2 males	70	69	-	1
Both stillborn	16	15	-	1	Both living	95	95	-	-	Both living	64	63	-	1
MICHIGAN					1 living	5	5	-	-	1 living	4	4	-	-
2 males	583	549	34	-	Both stillborn	3	3	-	-	Both stillborn	2	2	-	-
Both living	534	506	28	-	NEVADA					1 male, 1 female	66	66	-	-
1 living	30	24	6	-	2 males	10	10	-	-	Both living	60	60	-	-
Both stillborn	19	19	-	-	Both living	10	10	-	-	1 living--Male	1	1	-	-
1 male, 1 female	509	478	36	1	1 male, 1 female	11	9	1	1	Female	1	1	-	-
Both living	482	446	35	1	Both living	10	9	1	-	Both stillborn	4	4	-	-
1 living--Male	8	8	-	-	Both stillborn	1	1	-	1	2 females	65	64	-	1
Female	12	11	1	-	2 females	10	9	1	-	Both living	62	61	-	1
Both stillborn	7	7	-	-	Both living	9	8	1	-	1 living	3	3	-	-
2 females	480	442	37	1	Both stillborn	1	1	-	-	OHIO				
Both living	440	409	30	1	NEW HAMPSHIRE					2 males	649	614	35	-
1 living	28	22	6	-	2 males	46	46	-	-	Both living	599	565	34	-
Both stillborn	12	11	1	-	Both living	39	39	-	-	1 living	19	18	1	-
Sex not stated	2	2	-	-	1 living	4	4	-	-	Both stillborn	31	31	-	-
Both stillborn	2	2	-	-	Both stillborn	5	3	-	-	1 male, 1 female	661	608	52	1
MINNESOTA					1 male, 1 female	39	39	-	-	Both living	628	580	47	1
2 males	273	270	-	3	Both living	38	38	-	-	1 living--Male	10	10	-	-
Both living	249	246	-	2	1 living--Male	1	1	-	-	Female	8	6	2	-
1 living	14	14	-	-	2 females	54	54	-	-	Both stillborn	15	12	3	-
Both stillborn	11	10	-	1	Both living	51	51	-	-	2 females	649	594	55	-
1 male, 1 female	284	279	-	5	1 living	2	2	-	-	Both living	597	547	50	-
Both living	272	268	-	4	Both stillborn	1	1	-	-	1 living	23	21	2	-
1 living--Male	4	4	-	-	NEW JERSEY					Both stillborn	29	26	3	-
Female	4	3	-	1	2 males	388	345	43	-	Sex not stated	1	1	-	-
Both stillborn	4	4	-	-	Both living	339	305	34	-	Both stillborn	1	1	-	-
2 females	244	241	1	2	1 living	28	22	6	-	OKLAHOMA				
Both living	215	211	-	2	Both stillborn	21	18	3	-	2 males	205	182	14	9
1 living	21	21	-	-	1 male, 1 female	331	301	30	-	Both living	190	169	13	8
Both stillborn	10	9	1	-	Both living	306	283	23	-	1 living	9	7	1	1
MISSISSIPPI					1 living--Male	16	15	3	-	Both stillborn	6	6	-	-
2 males	258	113	145	-	Female	4	2	2	-	1 male, 1 female	215	183	19	11
Both living	240	109	131	-	Both stillborn	5	3	2	-	Both living	202	174	18	10
1 living	15	3	12	-	2 females	364	326	38	-	1 living--Male	1	1	-	-
Both stillborn	3	1	2	-	Both living	335	300	35	-	Female	7	6	1	-
1 male, 1 female	282	108	153	1	1 living	19	18	1	-	Both stillborn	3	2	-	1
Both living	247	107	189	1	Both stillborn	10	8	2	-	2 females	215	192	16	7
1 living--Male	9	1	8	-	NEW MEXICO					Both living	205	182	16	7
Female	4	4	-	-	2 males	63	55	2	6	1 living	6	6	-	-
Both stillborn	2	-	2	-	Both living	58	50	2	6	Both stillborn	4	4	-	-
2 females	215	106	109	-	1 living	5	3	-	-	OREGON				
Both living	206	104	102	-	Both stillborn	2	2	-	-	2 males	116	115	1	-
1 living	8	1	7	-	1 male, 1 female	60	57	-	3	Both living	109	108	1	-
Both stillborn	1	1	-	-	Both living--Female	57	55	-	2	1 living	1	1	-	-
MISSOURI					Both stillborn	2	2	-	-	Both stillborn	6	6	-	-
2 males	356	325	31	-	2 females	72	64	3	5	1 male, 1 female	109	109	-	-
Both living	321	293	28	-	Both living	67	59	3	5	Both living	104	104	-	-
1 living	21	20	1	-	1 living	5	5	-	-	1 living--Male	1	1	-	-
Both stillborn	14	12	2	-						Female	2	2	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TWINS—Con.					CASES OF TWINS—Con.					CASES OF TRIPLETS				
OREGON—Con.					UTAH					UNITED STATES—				
2 females—	99	91	3	5	2 males—	58	57	-	1	3 males—	90	74	15	1
Both living—	91	83	3	5	Both living—	54	53	-	1	All living—	78	64	13	1
1 living—	3	3	-	-	1 living—	1	1	-	-	2 living—	7	5	2	-
Both stillborn—	5	5	-	-	Both stillborn—	3	3	-	-	1 living—	3	3	-	-
PENNSYLVANIA					1 male, 1 female—	77	76	1	-	All stillborn—	2	2	-	-
2 males—	841	797	54	-	Both living—Male—	74	73	1	-	2 males, 1 female—	74	57	17	-
Both living—	763	717	46	-	1 living—Female—	2	2	-	-	All living—	59	47	12	-
1 living—	31	26	3	-	2 females—	66	65	1	-	2 living—2 males—	4	2	2	-
Both stillborn—	47	42	5	-	Both living—	61	60	1	-	1 male, 1 female—	4	2	2	-
1 male, 1 female—	763	711	72	-	1 living—	2	2	-	-	1 living—Male—	1	1	-	-
Both living—	728	684	64	-	Both stillborn—	3	3	-	-	Female—	5	5	-	-
1 living—Male—	18	17	1	-	VERMONT					All stillborn—	1	-	1	-
Female—	19	15	4	-	2 males—	39	39	-	-	1 male, 2 females—	94	77	17	-
Both stillborn—	18	15	3	-	Both living—	34	34	-	-	All living—	83	67	16	-
2 females—	742	693	49	-	1 living—	4	4	-	-	2 living—2 females—	1	1	-	-
Both living—	661	634	47	-	Both stillborn—	1	1	-	-	1 male, 1 female—	2	2	-	-
1 living—	36	35	1	-	1 male, 1 female—	31	31	-	-	1 living—Male—	2	2	-	-
Both stillborn—	25	24	1	-	Both living—	30	30	-	-	Female—	1	1	-	-
RHODE ISLAND					Both stillborn—	1	1	-	-	All stillborn—	5	4	1	-
2 males—	49	48	1	-	2 females—	33	33	-	-	3 females—	83	68	15	-
Both living—	45	44	1	-	Both living—	32	32	-	-	All living—	74	63	11	-
1 living—	4	4	-	-	Both stillborn—	1	1	-	-	2 living—	2	2	-	-
1 male, 1 female—	56	56	-	-	VIRGINIA					1 living—	1	-	1	-
Both living—	55	55	-	-	2 males—	330	240	90	-	All stillborn—	6	3	3	-
1 living—Female—	1	1	-	-	Both living—	294	220	74	-	Sex not stated—	2	2	-	-
2 females—	65	65	-	-	1 living—	20	10	10	-	All stillborn—	2	2	-	-
Both living—	56	56	-	-	Both stillborn—	16	10	6	-	ALABAMA				
1 living—	7	7	-	-	1 male, 1 female—	287	216	81	-	3 males—	3	2	1	-
Both stillborn—	2	2	-	-	Both living—	272	203	69	-	All living—	2	1	1	-
SOUTH CAROLINA					1 living—Male—	11	5	6	-	All stillborn—	1	1	-	-
2 males—	203	102	101	-	Female—	9	7	2	-	2 males, 1 female—	3	2	1	-
Both living—	186	98	88	-	Both stillborn—	5	1	4	-	All living—	3	2	1	-
1 living—	11	4	7	-	2 females—	309	234	74	1	1 male, 2 females—	5	3	2	-
Both stillborn—	6	-	6	-	Both living—	273	214	58	1	All living—	2	-	2	-
1 male, 1 female—	225	110	115	-	1 living—	19	9	10	-	2 living; 1 male, 1 female—	1	1	-	-
Both living—	202	106	96	-	Both stillborn—	17	11	6	-	All stillborn—	2	2	-	-
1 living—Male—	6	1	4	-	WASHINGTON					3 females—	3	2	1	-
Female—	13	3	10	-	2 males—	217	210	4	3	All living—	3	2	1	-
Both stillborn—	133	100	92	1	Both living—	197	190	4	3	ARIZONA				
2 females—	175	93	81	1	1 living—	7	7	-	-	3 males—	1	1	-	-
1 living—	13	4	9	-	Both stillborn—	13	13	-	-	1 living—	1	1	-	-
Both stillborn—	5	3	2	-	1 male, 1 female—	210	192	4	4	1 male, 2 females—	1	1	-	-
SOUTH DAKOTA					Both living—	201	203	4	4	All living—	1	1	-	-
2 males—	69	63	-	6	1 living—Male—	6	6	-	-	ARKANSAS				
Both living—	68	62	-	6	Female—	3	3	-	-	3 males—	1	1	-	-
1 living—	1	1	-	-	Both stillborn—	187	163	5	2	All living—	1	1	-	-
1 male, 1 female—	71	64	-	7	Both living—	173	167	4	2	2 males, 1 female—	1	1	-	-
Both living—	66	59	-	7	1 living—	9	9	-	-	All living—	1	1	-	-
1 living—Male—	2	2	-	-	Both stillborn—	5	4	1	-	1 male, 2 females—	1	1	-	-
Female—	2	2	-	-	WEST VIRGINIA					All living—	1	1	-	-
Both stillborn—	1	1	-	-	2 males—	186	186	8	-	3 females—	3	3	-	-
2 females—	49	46	-	2	Both living—	178	171	7	-	All living—	3	3	-	-
Both living—	47	45	-	2	1 living—	12	12	-	-	CALIFORNIA				
1 living—	1	1	-	-	Both stillborn—	6	5	1	-	3 males—	8	5	-	1
TENNESSEE					1 male, 1 female—	206	193	13	-	All living—	5	4	-	1
2 males—	310	255	55	-	Both living—	192	180	12	-	1 living—	1	1	-	-
Both living—	279	231	48	-	1 living—Male—	4	4	-	-	2 males, 1 female—	5	3	-	-
1 living—	19	14	5	-	Female—	8	7	1	-	All living—	5	3	-	-
Both stillborn—	12	10	2	-	Both stillborn—	2	2	-	-	1 living—Female—	2	2	-	-
1 male, 1 female—	360	286	74	-	2 females—	195	180	15	-	1 male, 2 females—	7	6	1	-
Both living—	335	266	69	-	Both living—	182	168	14	-	All living—	6	5	1	-
1 living—Male—	12	10	2	-	1 living—	9	9	-	-	1 living—Male—	1	1	-	-
Female—	9	6	3	-	Both stillborn—	4	3	1	-	3 females—	8	8	-	-
Both stillborn—	4	4	-	-	WISCONSIN					All living—	8	8	-	-
2 females—	330	277	53	-	2 males—	269	267	1	1	COLORADO				
Both living—	292	244	48	-	Both living—	259	257	1	1	3 males—	1	1	-	-
1 living—	24	21	3	-	1 living—	4	4	-	-	All living—	1	1	-	-
Both stillborn—	14	12	2	-	Both stillborn—	6	6	-	-	2 males, 1 female—	1	1	-	-
TEXAS					1 male, 1 female—	278	269	5	4	All living—	1	1	-	-
2 males—	704	608	95	-	Both living—	266	257	5	4	3 females—	1	1	-	-
Both living—	648	565	83	-	1 living—Male—	7	7	-	-	All living—	1	1	-	-
1 living—	34	24	10	-	Female—	4	4	-	-	CONNECTICUT				
Both stillborn—	22	20	2	-	Both stillborn—	1	1	-	-	3 males—	3	2	1	-
1 male, 1 female—	695	578	117	-	2 females—	257	252	3	2	All living—	3	2	1	-
Both living—	653	547	106	-	Both living—	241	237	2	2	1 male, 2 females—	1	1	-	-
1 living—Male—	9	7	1	-	1 living—	8	8	-	-	2 living; 1 male, 1 female—	1	1	-	-
Female—	20	12	8	-	Both stillborn—	6	7	1	-	3 females—	2	2	-	-
Both stillborn—	14	12	2	-	WYOMING					All living—	2	2	-	-
2 females—	694	600	94	-	2 males—	23	22	-	1	Sex not stated—	1	1	-	-
Both living—	642	558	84	-	Both living—	23	22	-	1	All stillborn—	1	1	-	-
1 living—	50	24	6	-	1 male, 1 female—	16	16	-	-					
Both stillborn—	22	18	4	-	Both living—	15	15	-	-					
					1 living—Female—	1	1	-	-					
					2 females—	24	24	-	-					
					Both living—	24	24	-	-					



## GENERAL TABLES-PLURAL BIRTHS

195

TABLE 10.-CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TRIPLETS--Con.					CASES OF TRIPLETS--Con.					CASES OF TRIPLETS--Con.				
DISTRICT OF COLUMBIA					MAINE					NEW JERSEY--Con.				
1 male, 2 females	1	1	-	-	3 males	1	1	-	-	2 males, 1 female	2	1	1	-
All living	1	1	-	-	All living	1	1	-	-	All living	2	1	1	-
3 females	3	2	1	-	3 females	3	3	-	-	1 male, 2 females	1	1	-	-
All living	3	2	1	-	All living	1	1	-	-	All living	1	1	-	-
FLORIDA					2 living	1	1	-	-	3 females	1	1	-	-
3 males	1	1	-	-	MARYLAND					All living	1	1	-	-
2 living	1	1	-	-	3 males	2	1	1	-	NEW MEXICO				
2 males, 1 female	1	1	-	-	All living	2	1	1	-	1 male, 2 females	2	2	-	-
All living	1	1	-	-	2 males, 1 female	1	1	-	-	All living	2	2	-	-
1 male, 2 females	1	-	1	-	All living	1	1	-	-	3 females	1	1	-	-
All living	1	-	1	-	3 females	1	1	-	-	All living	1	1	-	-
3 females	4	2	2	-	All stillborn	1	1	-	-	NEW YORK				
All living	2	2	-	-	MASSACHUSETTS					3 males	7	6	1	-
1 living	1	-	1	-	3 males	2	2	-	-	All living	7	6	1	-
All stillborn	1	-	1	-	All living	1	1	-	-	2 males, 1 female	11	10	1	-
GEORGIA					2 living	1	1	-	-	All living	10	9	1	-
3 males	1	1	-	-	2 males, 1 female	1	1	-	-	2 living, 1 male, 1 female	1	1	-	-
All living	1	1	-	-	All living	1	1	-	-	1 male, 2 females	7	6	1	-
2 males, 1 female	2	1	1	-	1 male, 2 females	1	1	-	-	All living	7	6	1	-
All living	1	1	-	-	All living	1	1	-	-	3 females	8	7	1	-
All stillborn	1	-	1	-	1 living--Female	1	1	-	-	All living	9	7	1	-
1 male, 2 females	2	-	2	-	3 females	1	1	-	-	Sex not stated	1	1	-	-
All living	2	-	2	-	All living	1	1	-	-	All stillborn	1	1	-	-
3 females	1	-	1	-	MICHIGAN					NORTH CAROLINA				
All living	1	-	1	-	3 males	3	2	1	-	3 males	3	2	1	-
IDAHO					All living	2	2	-	-	All living	3	2	1	-
3 males	2	2	-	-	2 living	1	-	1	-	2 males, 1 female	7	5	2	-
All living	2	2	-	-	2 males, 1 female	2	2	-	-	All living	5	4	1	-
1 male, 2 females	2	2	-	-	All living	2	2	-	-	2 living, 1 male, 1 female	2	1	1	-
All living	2	2	-	-	1 male, 2 females	2	2	-	-	1 male, 2 females	3	3	-	-
ILLINOIS					All living	2	2	-	-	All living	3	3	-	-
3 males	2	2	-	-	3 females	5	4	1	-	3 females	1	-	1	-
All living	2	2	-	-	All living	4	3	1	-	All stillborn	1	-	1	-
2 males, 1 female	3	3	-	-	All stillborn	1	1	-	-	OHIO				
All living	2	2	-	-	MINNESOTA					3 males	3	2	1	-
1 living--Female	1	1	-	-	3 males	1	1	-	-	All living	3	2	1	-
1 male, 2 females	2	2	-	-	All living	1	1	-	-	2 males, 1 female	1	1	-	-
All living	2	2	-	-	2 males, 1 female	3	3	-	-	All living	1	1	-	-
3 females	6	3	3	-	All living	3	3	-	-	1 male, 2 females	5	3	2	-
All living	4	1	3	-	1 male, 2 females	3	3	-	-	All living	4	3	1	-
2 living	1	1	-	-	3 females	2	2	-	-	All stillborn	1	-	1	-
All stillborn	1	1	-	-	All living	2	2	-	-	3 females	4	4	-	-
INDIANA					MISSISSIPPI					All living	4	4	-	-
3 males	3	3	-	-	3 males	1	-	1	-	OKLAHOMA				
All living	3	3	-	-	All living	1	-	1	-	3 males	1	1	-	-
2 males, 1 female	1	-	1	-	2 males, 1 female	1	-	1	-	All living	1	1	-	-
All living	1	-	1	-	All living	1	-	1	-	1 male, 2 females	1	1	-	-
3 females	3	3	-	-	1 male, 2 females	8	4	4	-	All living	1	1	-	-
All living	3	3	-	-	All living	8	4	4	-	1 male, 2 females	4	3	1	-
IOWA					3 females	1	-	1	-	All stillborn	1	-	1	-
3 males	1	1	-	-	All stillborn	1	-	1	-	OREGON				
All living	1	1	-	-	MISSOURI					2 males, 1 female	1	1	-	-
2 males, 1 female	1	1	-	-	3 males	2	1	1	-	All living	1	1	-	-
2 living--2 males	1	1	-	-	All living	2	1	1	-	1 male, 2 females	1	1	-	-
1 male, 2 females	2	2	-	-	2 males, 1 female	3	2	1	-	All living	1	1	-	-
All living	2	2	-	-	All living	2	1	1	-	3 females	2	2	-	-
3 females	1	1	-	-	1 living--Female	1	1	-	-	All living	2	2	-	-
All living	1	1	-	-	1 male, 2 females	1	1	-	-	PENNSYLVANIA				
KANSAS					All living	1	1	-	-	3 males	4	4	-	-
3 males	3	2	1	-	3 females	2	2	-	-	All living	4	4	-	-
All living	3	2	1	-	All living	2	2	-	-	2 males, 1 female	3	3	-	-
1 male, 2 females	1	1	-	-	MONTANA					All living	3	3	-	-
All living	1	1	-	-	3 males	1	1	-	-	1 male, 2 females	4	4	-	-
KENTUCKY					All living	1	1	-	-	All living	3	3	-	-
3 males	1	1	-	-	NEBRASKA					All stillborn	1	1	-	-
All living	1	1	-	-	1 male, 2 females	1	1	-	-	RHODE ISLAND				
2 males, 1 female	1	1	-	-	All living	1	1	-	-	2 males, 1 female	1	1	-	-
All living	1	1	-	-	NEW HAMPSHIRE					All living	1	1	-	-
1 male, 2 females	1	1	-	-	1 male, 2 females	1	1	-	-	3 females	5	5	-	-
All living	1	1	-	-	All living	1	1	-	-	All living	5	5	-	-
LOUISIANA					NEW JERSEY					SOUTH CAROLINA				
3 males	4	4	-	-	3 males	4	3	1	-	3 males	2	2	-	-
All living	3	3	-	-	All living	3	2	1	-	All living	2	2	-	-
1 living	1	1	-	-	All stillborn	1	1	-	-	2 males, 1 female	1	-	1	-
2 males, 1 female	3	2	1	-	NEW HAMPSHIRE					All living	1	-	1	-
All living	2	1	1	-	1 male, 2 females	1	1	-	-	All living	3	1	2	-
1 living--Male	1	1	-	-	All living	1	1	-	-	All living	3	1	2	-
1 male, 2 females	1	1	-	-	NEW JERSEY					SOUTH CAROLINA				
All living	1	1	-	-	3 males	4	3	1	-	3 males	2	2	-	-
3 females	2	1	1	-	All living	3	2	1	-	All living	2	2	-	-
All living	2	1	1	-	All stillborn	1	1	-	-	2 males, 1 female	1	-	1	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS					PLURAL BIRTHS					PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TRIPLETS—Con.					CASES OF TRIPLETS—Con.					CASES OF TRIPLETS—Con.				
SOUTH DAKOTA					VIRGINIA					WISCONSIN—Con.				
1 male, 2 females-----	1	1	-	-	3 males-----	3	1	2	-	1 male, 2 females-----	2	2	-	-
All living-----	1	1	-	-	All living-----	2	1	1	-	All living-----	2	2	-	-
2 living-----					2 living-----	1	-	1	-					
2 males, 1 female-----	2	2	-	-	2 males, 1 female-----	5	3	2	-	CASES OF QUADRUPLTS				
All living-----	2	2	-	-	All living-----	3	2	1	-	UNITED STATES-----	5	3	2	-
2 living-----	2	2	-	-	2 living--2 males-----	1	1	-	-					
1 male, 2 females-----	2	-	2	-	1 male, 1 female-----	1	-	1	-	3 males, 1 female-----	2	2	-	-
All living-----	5	5	-	-	All living-----	5	3	2	-	All living-----	2	2	-	-
2 living-----	2	2	-	-	1 male, 2 females-----	4	2	2	-	2 males, 2 females-----	2	1	1	-
1 male, 2 females-----	5	5	-	-	All stillborn-----	1	1	-	-	All living-----	2	1	1	-
All living-----	1	1	-	-	3 females-----	1	1	-	-	3 females, 1 male-----	1	-	1	-
3 females-----	1	1	-	-	All living-----	1	1	-	-	All living-----	1	-	1	-
All living-----	1	1	-	-										
TEXAS					WASHINGTON					MARYLAND				
3 males-----	5	5	-	-	3 males-----	2	2	-	-	2 males, 2 females-----	1	1	-	-
All living-----	5	5	-	-	All living-----	1	1	-	-	All living-----	1	1	-	-
2 males, 1 female-----	3	1	2	-	2 living-----	1	1	-	-					
All living-----	3	1	2	-	1 male, 2 females-----	1	1	-	-	NEW YORK				
1 male, 2 females-----	5	3	2	-	All living-----	1	1	-	-	3 males, 1 female-----	1	1	-	-
All living-----	4	2	2	-						All living-----	1	1	-	-
1 living-----Male-----	1	1	-	-	WEST VIRGINIA									
3 females-----	2	2	-	-	3 males-----	4	4	-	-	NORTH CAROLINA				
All living-----	2	2	-	-	All living-----	4	4	-	-	3 females, 1 male-----	1	-	1	-
UTAH					2 males, 1 female-----	3	3	-	-	All living-----	1	-	1	-
1 male, 2 females-----	1	1	-	-	All living-----	2	2	-	-					
2 living--2 females-----	1	1	-	-	1 living-----Female-----	1	1	-	-	OREGON				
					1 male, 2 females-----	3	3	-	-	2 males, 2 females-----	1	-	1	-
VERMONT					All living-----	3	3	-	-	All living-----	1	-	1	-
3 males-----	1	1	-	-	3 females-----	1	1	-	-					
All living-----	1	1	-	-	All living-----	1	1	-	-	WASHINGTON				
1 male, 2 females-----	1	1	-	-						3 males, 1 female-----	1	1	-	-
All living-----	1	1	-	-	2 males, 1 female-----	1	1	-	-	All living-----	1	1	-	-
					All living-----	1	1	-	-					
					WISCONSIN									
					2 males, 1 female-----	1	1	-	-					
					All living-----	1	1	-	-					



## GENERAL TABLES—STILLBIRTHS

197

TABLE 11—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE:  
UNITED STATES AND EACH STATE, 1946

(Includes only stillbirths for which period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

STATE OF OCCURRENCE	Total stillbirths occurring in State	Stillbirths of residents occurring in place of residence	STILLBIRTHS TO NONRESIDENTS <sup>1</sup>													
			Total	Intra-state non-residents	Total	Interstate nonresidents										
						State of residence										
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho
UNITED STATES	74,849	50,904	23,945	22,187	1,758	45	4	49	34	11	30	6	21	29	33	10
Alabama	2,262	1,667	595	575	20	...	-	-	1	-	-	-	-	8	2	-
Arizona	345	235	112	93	19	-	...	3	6	-	-	-	-	-	-	2
Arkansas	873	596	277	259	39	1	-	...	-	-	-	-	-	-	-	-
California	4,015	2,421	1,594	1,569	25	-	1	1	...	-	-	-	-	-	-	1
Colorado	661	445	216	194	22	-	-	-	-	...	-	-	-	-	-	-
Connecticut	649	467	182	172	10	-	-	1	-	-	...	-	-	-	-	-
Delaware	145	98	57	47	10	-	-	-	-	-	-	...	-	-	-	-
District of Columbia	606	463	143	-	143	-	-	-	-	-	-	-	...	-	-	-
Florida	1,639	1,136	503	434	69	8	-	-	3	1	-	-	-	...	12	-
Georgia	2,395	1,748	557	504	53	16	-	-	-	-	-	-	-	12	...	-
Idaho	260	133	127	106	19	-	-	-	-	-	-	-	-	-	-	...
Illinois	5,597	2,578	1,009	967	42	-	-	1	-	-	-	-	-	-	-	-
Indiana	1,806	1,039	567	512	55	-	-	-	-	-	-	-	-	-	-	33
Iowa	1,035	569	466	423	43	-	-	-	-	-	-	-	-	-	-	21
Kansas	677	423	254	226	28	1	-	2	-	1	-	-	-	1	-	-
Kentucky	1,496	1,142	344	308	36	-	-	-	1	-	-	-	-	-	-	-
Louisiana	1,865	1,224	641	611	30	-	-	2	1	1	-	-	-	-	-	-
Maine	543	206	137	129	8	-	-	-	2	-	-	-	-	-	-	-
Maryland	1,250	926	324	256	68	1	-	-	-	-	-	5	14	5	-	1
Massachusetts	2,133	1,365	768	722	46	-	1	-	-	-	12	-	-	-	-	2
Michigan	3,129	2,063	1,066	1,024	22	-	-	-	-	-	-	-	-	-	-	1
Minnesota	1,336	813	523	482	41	1	-	-	1	-	-	-	1	-	-	1
Mississippi	1,393	1,509	384	351	33	7	-	-	-	-	-	-	-	-	-	1
Missouri	1,878	1,278	600	508	92	-	-	5	-	1	-	-	-	-	-	44
Montana	218	153	65	61	4	-	-	-	1	-	-	-	-	-	-	1
Nebraska	514	339	176	154	22	-	-	-	1	1	-	-	-	-	-	-
Nevada	70	47	23	19	4	-	-	-	2	-	-	-	-	-	-	1
New Hampshire	249	149	101	78	23	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,046	1,103	943	929	14	-	-	-	-	-	-	-	1	-	-	-
New Mexico	384	257	127	112	15	-	1	-	4	1	-	-	-	-	-	-
New York	7,418	5,626	1,792	1,707	85	1	-	-	1	-	14	-	1	1	1	-
North Carolina	2,366	1,566	800	770	30	-	-	-	-	-	-	-	-	-	1	1
North Dakota	276	141	135	114	21	-	-	-	-	-	-	-	-	-	-	-
Ohio	4,053	2,729	1,325	1,252	73	-	-	-	-	1	-	-	-	1	-	2
Oklahoma	1,069	697	373	359	13	-	-	2	1	-	-	-	-	-	-	-
Oregon	523	305	218	201	17	-	-	-	3	-	-	-	-	-	2	-
Pennsylvania	4,639	2,759	1,880	1,815	65	-	-	-	2	-	-	1	-	-	-	-
Rhode Island	323	185	138	123	15	-	-	-	-	-	3	-	-	-	-	-
South Carolina	1,732	1,315	417	394	23	-	-	-	-	-	-	-	-	-	3	-
South Dakota	229	121	108	99	9	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,920	1,210	610	490	120	10	-	30	-	-	-	-	-	-	14	1
Texas	4,469	3,480	989	964	24	-	-	2	-	1	-	-	-	1	-	-
Utah	299	175	123	115	8	-	-	-	-	1	-	-	-	-	-	1
Vermont	185	105	80	70	10	-	-	-	-	-	1	-	-	-	-	-
Virginia	2,134	1,501	633	569	64	-	-	-	1	-	-	-	2	-	-	-
Washington	895	538	357	329	28	-	-	-	2	1	-	-	1	-	-	4
West Virginia	1,546	1,031	515	447	68	-	1	-	1	-	-	-	1	-	-	-
Wisconsin	1,312	749	563	539	24	-	-	-	-	-	-	-	-	-	-	6
Wyoming	105	75	30	24	6	-	-	-	-	1	-	-	-	-	-	-

<sup>1</sup>See discussion in text for definition of nonresident.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 13.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE  
UNITED STATES AND EACH STATE, 1946—Continued

(Includes only stillbirths for which period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS <sup>1</sup> —Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Neve.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES-----	32	26	40	64	30	10	92	32	34	34	22	39	10	22	3	18	78	11	59
Alabama-----	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	-	2
Arizona-----	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-
Arkansas-----	1	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-	-
California-----	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	2
Colorado-----	1	-	1	-	2	-	-	1	-	-	-	-	-	2	-	-	-	2	1
Connecticut-----	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
Delaware-----	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	-	-
District of Columbia-----	-	-	-	-	-	-	63	1	-	-	-	-	-	1	-	-	-	-	1
Florida-----	1	-	1	1	1	1	1	2	1	1	-	1	-	-	-	-	3	-	6
Georgia-----	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1
Idaho-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Illinois-----	11	2	-	4	2	-	-	-	1	1	-	7	-	2	-	-	-	-	1
Indiana-----	...	-	-	8	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-
Iowa-----	-	...	-	-	-	-	-	-	-	3	-	7	-	5	-	-	1	-	-
Kansas-----	-	-	...	-	-	-	-	-	-	-	-	10	-	4	-	-	-	-	1
Kentucky-----	5	-	-	...	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
Louisiana-----	-	-	-	-	...	-	-	-	-	-	6	-	-	-	-	-	-	-	-
Maine-----	-	-	1	-	-	...	-	1	-	-	-	-	-	-	-	3	-	-	-
Maryland-----	1	-	-	1	-	-	...	2	1	-	-	1	-	-	-	-	3	-	1
Massachusetts-----	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	9	1	-	3
Michigan-----	2	1	-	-	-	-	-	-	...	1	-	1	-	-	-	-	-	-	3
Minnesota-----	-	7	2	-	-	-	-	-	1	...	-	1	-	-	-	-	-	-	-
Mississippi-----	-	-	-	-	17	-	-	-	-	...	-	-	-	-	-	-	1	-	-
Missouri-----	-	-	29	-	-	-	-	-	1	1	-	...	-	1	-	-	-	-	1
Montana-----	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Nebraska-----	-	13	3	1	-	-	-	-	-	1	-	-	-	...	-	-	-	-	-
Nevada-----	-	-	-	-	-	-	-	-	1	-	-	-	-	-	...	-	-	-	-
New Hampshire-----	-	-	-	-	-	8	-	2	-	-	-	-	-	-	-	...	-	-	1
New Jersey-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	4
New Mexico-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New York-----	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	31	-	...
North Carolina-----	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	2	-	1
North Dakota-----	-	-	-	1	-	-	-	-	-	10	-	-	5	-	-	-	-	-	-
Ohio-----	7	-	-	15	-	-	-	-	8	-	-	-	-	-	-	-	1	-	1
Oklahoma-----	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania-----	-	-	-	-	-	-	12	1	1	1	-	-	-	-	-	-	28	-	9
Rhode Island-----	-	-	-	-	-	-	-	11	1	-	-	-	-	-	-	-	-	-	-
South Carolina-----	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	1
South Dakota-----	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Tennessee-----	1	-	1	13	-	-	-	1	3	-	15	2	-	1	1	-	-	-	2
Texas-----	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	3	1
Utah-----	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1
Vermont-----	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	6	-	-	-
Virginia-----	1	-	-	-	-	-	4	-	1	2	-	-	-	-	-	-	1	-	3
Washington-----	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
West Virginia-----	-	-	-	13	-	-	6	-	-	-	-	1	-	-	-	-	-	-	1
Wisconsin-----	-	5	-	-	-	-	-	-	3	9	-	-	-	-	-	-	-	-	-
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-

<sup>1</sup>See discussion in text for definition of nonresident.



## GENERAL TABLES—STILLBIRTHS

199

TABLE 11.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE  
UNITED STATES AND EACH STATE, 1946—Continued

(Includes only stillbirths for which period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS <sup>1</sup> —Continued																		Total still- births of resi- dents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	58	9	64	35	15	66	19	27	19	44	71	3	14	118	36	65	33	11	74,849
Alabama	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2,287
Arizona	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	330
Arkansas	-	-	-	9	-	1	-	-	-	1	18	-	-	1	-	1	-	-	893
California	-	-	1	1	1	1	-	-	-	1	3	-	-	-	3	2	1	-	4,024
Colorado	-	-	1	-	-	1	1	-	1	-	3	1	-	-	1	-	1	3	850
Connecticut	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	669
Delaware	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	141
District of Columbia	3	-	-	-	-	2	-	1	-	-	-	-	-	70	-	1	-	-	494
Florida	6	-	1	-	1	1	-	1	-	1	4	-	-	2	-	2	-	-	1,599
Georgia	2	-	1	-	-	-	-	14	-	1	-	-	-	1	-	1	1	-	2,285
Idaho	-	-	-	-	2	-	-	-	-	-	1	-	-	-	15	-	-	-	251
Illinois	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	8	-	5,667
Indiana	-	-	6	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1,593
Iowa	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	1	-	1,020
Kansas	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	699
Kentucky	-	1	12	-	-	-	-	-	-	10	-	1	-	-	-	3	-	-	1,514
Louisiana	1	1	1	-	-	2	-	1	-	1	13	-	-	-	-	-	-	-	1,865
Maine	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	345
Maryland	1	-	-	-	-	9	-	2	-	2	-	-	-	8	-	10	-	-	1,274
Massachusetts	-	-	-	-	-	-	17	-	-	-	-	-	1	-	-	-	-	-	2,119
Michigan	-	-	4	-	-	-	-	-	-	-	1	-	-	-	-	-	6	-	3,141
Minnesota	-	6	-	-	-	-	-	-	8	-	-	-	-	-	1	-	11	-	1,529
Mississippi	1	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1,882
Missouri	-	-	1	4	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1,824
Montana	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	224
Nebraska	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	514
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
New Hampshire	-	-	-	-	-	-	-	-	-	-	1	-	11	-	-	-	-	-	244
New Jersey	-	-	1	-	-	7	-	-	-	-	-	-	-	1	-	-	-	-	2,110
New Mexico	-	-	-	1	-	-	-	-	-	-	7	-	-	-	-	-	-	-	380
New York	4	-	1	-	-	20	1	-	-	1	-	-	1	1	-	-	-	-	7,392
North Carolina	-	-	2	-	-	4	-	6	-	5	-	-	-	3	-	-	-	-	2,394
North Dakota	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	264
Ohio	-	-	-	1	-	7	-	-	-	-	1	-	-	-	-	28	-	-	4,044
Oklahoma	-	-	1	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1,091
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	521
Pennsylvania	1	-	5	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	4,639
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	327
South Carolina	14	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1,736
South Dakota	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	239
Tennessee	6	-	2	-	-	2	-	1	-	-	1	-	-	13	-	-	-	-	1,744
Texas	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,515
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	293
Vermont	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	189
Virginia	16	-	1	-	-	-	-	-	-	16	1	-	1	-	-	14	-	-	2,188
Washington	1	-	1	1	9	-	-	-	-	-	4	1	-	-	-	-	-	-	903
West Virginia	1	-	20	-	-	2	-	-	-	-	-	-	-	15	-	-	-	-	1,543
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1,321
Wyoming	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	110

<sup>1</sup>See discussion in text for definition of nonresident.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 12.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total still- births	AGE OF MOTHER										Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over		
BOTH SEXES-----	74,849	131	7,244	18,873	17,661	14,268	9,996	3,536	366	9	2,767	
White, mother native-----	56,807	28	4,508	14,448	14,208	11,274	7,803	2,584	265	6	1,984	
White, mother foreign-----	2,546	-	58	321	435	605	673	559	39	1	57	
White, mother's nativity not stated-----	141	-	4	11	9	9	7	2	1	-	99	
Negro-----	14,954	103	2,636	3,975	2,937	2,307	1,751	589	57	2	617	
Other-----	401	-	40	118	73	72	62	22	4	-	10	
Urban-----	45,465	57	3,851	11,599	11,439	9,192	5,809	1,854	162	5	1,497	
White, mother native-----	34,794	11	2,326	8,958	9,324	7,354	4,378	1,517	116	2	1,028	
White, mother foreign-----	2,080	-	45	246	356	517	560	272	29	1	37	
White, mother's nativity not stated-----	118	-	13	10	6	7	4	1	-	-	85	
Negro-----	8,367	46	1,489	2,353	1,719	1,306	853	258	18	2	343	
Other-----	128	-	10	32	34	28	14	6	-	-	4	
Places of 100,000 or more-----	22,378	25	1,680	5,524	5,734	4,762	3,037	902	84	1	629	
White, mother native-----	16,326	3	914	4,021	4,535	3,644	2,178	586	57	-	388	
White, mother foreign-----	1,258	-	13	127	207	339	376	166	19	1	10	
White, mother's nativity not stated-----	89	-	1	5	2	6	2	-	-	-	73	
Negro-----	4,933	22	748	1,348	968	759	476	147	8	-	157	
Other-----	72	-	4	23	22	14	5	3	-	-	1	
Places of 25,000 to 100,000-----	9,036	12	781	2,400	2,279	1,790	1,079	363	27	3	302	
White, mother native-----	6,994	1	456	1,880	1,893	1,450	836	263	19	2	204	
White, mother foreign-----	374	-	12	50	59	83	97	57	5	-	11	
White, mother's nativity not stated-----	13	-	1	2	1	-	-	1	-	-	8	
Negro-----	1,642	11	311	466	331	254	144	42	3	1	79	
Other-----	13	-	1	2	5	3	2	-	-	-	-	
Places of 10,000 to 25,000-----	6,266	7	568	1,633	1,584	1,187	755	285	17	1	229	
White, mother native-----	5,058	2	366	1,348	1,335	1,003	604	219	14	-	167	
White, mother foreign-----	219	-	12	39	44	48	42	27	-	-	7	
White, mother's nativity not stated-----	6	-	-	-	-	1	2	-	-	-	3	
Negro-----	969	5	190	244	201	133	104	37	3	1	51	
Other-----	14	-	-	2	4	2	3	2	-	-	1	
Places of 2,500 to 10,000-----	7,785	13	822	2,042	1,842	1,453	938	304	34	-	337	
White, mother native-----	6,416	5	590	1,709	1,571	1,237	760	249	26	-	269	
White, mother foreign-----	209	-	6	30	46	47	45	22	4	-	9	
White, mother's nativity not stated-----	9	-	1	3	3	-	-	-	-	-	1	
Negro-----	1,123	8	220	285	219	160	129	32	4	-	58	
Other-----	29	-	5	5	3	9	4	1	-	-	2	
Rural-----	29,384	74	3,383	7,274	8,222	5,074	4,187	1,682	204	4	1,270	
White, mother native-----	22,013	17	2,180	5,490	4,885	3,840	3,125	1,267	149	4	956	
White, mother foreign-----	486	-	15	75	77	88	113	87	11	-	20	
White, mother's nativity not stated-----	25	-	1	1	3	1	1	1	1	-	14	
Negro-----	6,587	57	1,187	1,622	1,218	1,001	898	311	39	-	274	
Other-----	273	-	30	86	39	44	48	16	4	-	6	
MALE-----	40,131	76	3,940	10,079	9,478	7,635	5,405	1,855	192	5	1,466	
White, mother native-----	30,406	19	2,447	7,719	7,613	6,024	4,037	1,348	156	3	1,060	
White, mother foreign-----	1,373	-	30	162	235	325	385	186	25	1	26	
White, mother's nativity not stated-----	68	-	4	4	7	5	3	1	1	-	45	
Negro-----	8,061	57	1,437	2,138	1,577	1,233	947	311	50	1	330	
Other-----	223	-	22	56	46	48	35	9	-	-	7	
Urban-----	25,972	32	2,079	6,091	6,019	4,844	3,092	950	82	3	780	
White, mother native-----	18,356	7	1,251	4,729	4,925	3,664	2,331	690	53	1	535	
White, mother foreign-----	1,109	-	26	124	189	277	316	141	19	1	16	
White, mother's nativity not stated-----	59	-	3	4	5	5	1	1	-	-	40	
Negro-----	4,373	25	793	1,218	881	678	436	146	10	1	185	
Other-----	75	-	6	16	19	20	8	2	-	-	4	
Places of 100,000 or more-----	11,539	9	884	2,815	3,000	2,495	1,560	422	41	1	311	
White, mother native-----	8,452	1	483	2,060	2,398	1,910	1,126	286	22	-	196	
White, mother foreign-----	650	-	9	60	109	173	202	78	13	1	5	
White, mother's nativity not stated-----	41	-	1	2	2	4	-	-	-	-	32	
Negro-----	2,357	8	389	682	487	401	230	77	6	-	77	
Other-----	39	-	2	11	14	7	2	2	-	-	1	
Places of 25,000 to 100,000-----	4,807	9	424	1,281	1,205	923	586	197	14	2	164	
White, mother native-----	3,716	1	239	1,007	1,008	748	456	138	11	1	107	
White, mother foreign-----	203	-	7	25	34	41	56	29	2	-	7	
White, mother's nativity not stated-----	8	-	1	-	1	-	-	1	-	-	5	
Negro-----	871	6	176	248	160	131	72	29	1	1	45	
Other-----	9	-	1	1	2	3	2	-	-	-	-	
Places of 10,000 to 25,000-----	3,376	7	314	898	850	640	403	149	6	-	117	
White, mother native-----	2,708	2	207	736	716	536	310	112	7	-	80	
White, mother foreign-----	127	-	6	20	21	34	28	17	-	-	1	
White, mother's nativity not stated-----	4	-	-	-	-	1	1	-	-	-	2	
Negro-----	530	5	101	132	111	65	62	20	1	-	33	
Other-----	7	-	-	-	2	2	2	-	-	-	1	
Places of 2,500 to 10,000-----	4,250	7	457	1,107	964	786	541	181	19	-	188	
White, mother native-----	3,480	3	322	925	813	663	439	144	13	-	152	
White, mother foreign-----	129	-	4	19	25	28	28	17	4	-	3	
White, mother's nativity not stated-----	6	-	1	2	2	-	-	-	-	-	1	
Negro-----	615	4	127	156	123	81	72	20	2	-	30	
Other-----	20	-	5	4	1	8	2	-	-	-	2	
Rural-----	16,159	44	1,861	3,968	3,459	2,791	2,313	905	110	2	696	
White, mother native-----	12,050	12	1,196	2,990	2,689	2,160	1,706	689	63	2	525	
White, mother foreign-----	264	-	4	38	46	48	67	45	6	-	10	
White, mother's nativity not stated-----	9	-	1	-	2	-	2	-	1	-	3	
Negro-----	3,686	32	644	920	696	565	511	165	20	-	145	
Other-----	146	-	16	40	27	28	27	7	-	-	3	



## GENERAL TABLES-STILLBIRTHS

201

TABLE 12.-STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, IN URBAN AND RURAL AREAS: UNITED STATES, 1946-Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
<b>FEMALE</b>	<b>33,025</b>	<b>53</b>	<b>3,182</b>	<b>8,399</b>	<b>7,749</b>	<b>6,313</b>	<b>4,355</b>	<b>1,605</b>	<b>170</b>	<b>4</b>	<b>1,197</b>
White, mother native	25,182	9	1,997	6,449	6,240	5,016	3,299	1,167	128	3	854
White, mother foreign	1,046	-	27	147	182	246	252	151	12	-	29
White, mother's nativity not stated	61	-	-	7	2	2	4	1	-	-	45
Negro	6,565	44	1,141	1,735	1,298	1,026	774	252	26	1	266
Other	175	-	17	61	27	23	26	12	4	-	3
Urban	20,156	24	1,693	5,199	5,058	4,083	2,525	844	77	2	651
White, mother native	15,461	4	1,051	4,010	4,097	3,272	1,812	621	62	1	451
White, mother foreign	828	-	16	111	152	206	207	110	7	-	19
White, mother's nativity not stated	46	-	-	6	1	1	3	-	-	-	35
Negro	3,769	20	642	1,056	793	596	397	110	8	1	146
Other	52	-	4	16	15	8	6	3	-	-	-
Places of 100,000 or more	9,736	16	739	2,454	2,427	2,057	1,312	428	40	-	283
White, mother native	7,092	2	401	1,789	1,896	1,565	939	293	34	-	173
White, mother foreign	489	-	3	56	83	132	140	67	4	-	5
White, mother's nativity not stated	39	-	-	3	-	1	2	-	-	-	32
Negro	2,086	14	333	594	440	332	223	68	2	-	75
Other	32	-	2	12	8	7	3	-	-	-	-
Places of 25,000 to 100,000	4,141	3	351	1,096	1,055	853	479	164	13	1	126
White, mother native	3,206	-	215	854	856	690	370	123	8	1	89
White, mother foreign	169	-	5	25	25	42	37	28	3	-	4
White, mother's nativity not stated	5	-	-	2	-	-	-	-	-	-	3
Negro	757	3	131	214	171	121	72	13	2	-	30
Other	4	-	-	1	5	-	-	-	-	-	-
Places of 10,000 to 25,000	2,828	-	246	732	719	541	346	129	9	1	105
White, mother native	2,296	-	152	600	605	460	290	100	7	-	82
White, mother foreign	92	-	6	18	23	14	14	10	-	-	6
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	452	-	88	111	89	67	40	17	2	1	17
Other	7	-	-	2	2	-	1	2	-	-	-
Places of 2,500 to 10,000	3,481	5	387	917	857	682	398	123	15	-	137
White, mother native	2,967	2	263	767	740	557	313	105	13	-	107
White, mother foreign	79	-	2	11	21	16	16	5	-	-	6
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	494	3	90	137	93	76	57	12	2	-	24
Other	9	-	2	1	2	1	2	1	-	-	-
Rural	12,869	29	1,489	3,200	2,691	2,230	1,830	759	93	2	546
White, mother native	9,721	5	966	2,439	2,143	1,744	1,397	566	66	2	403
White, mother foreign	218	-	11	35	30	40	45	41	5	-	10
White, mother's nativity not stated	15	-	-	1	1	1	1	1	-	-	10
Negro	2,794	24	499	679	505	430	377	142	18	-	120
Other	131	-	13	45	12	15	20	9	4	-	3
<b>NOT STATED</b>	<b>1,693</b>	<b>2</b>	<b>122</b>	<b>395</b>	<b>434</b>	<b>318</b>	<b>236</b>	<b>78</b>	<b>4</b>	<b>-</b>	<b>104</b>
White, mother native	1,219	-	62	260	356	234	167	49	1	-	70
White, mother foreign	127	-	1	12	15	34	38	22	2	-	2
White, mother's nativity not stated	12	-	-	-	-	1	-	-	-	-	11
Negro	330	2	59	102	62	48	30	6	1	-	21
Other	5	-	1	1	-	1	1	1	-	-	-
Urban	1,337	1	79	309	362	265	192	60	3	-	66
White, mother native	977	-	44	219	302	198	135	36	1	-	42
White, mother foreign	123	-	1	11	15	34	37	21	2	-	2
White, mother's nativity not stated	11	-	-	-	-	1	-	-	-	-	10
Negro	225	1	34	79	45	32	20	2	-	-	12
Other	1	-	-	-	-	-	-	1	-	-	-
Places of 100,000 or more	1,103	-	57	255	307	230	165	51	3	-	35
White, mother native	782	-	30	172	251	169	113	27	1	-	19
White, mother foreign	120	-	1	11	15	34	34	21	2	-	2
White, mother's nativity not stated	10	-	-	-	-	1	-	-	-	-	9
Negro	190	-	26	72	41	28	18	2	-	-	5
Other	1	-	-	-	-	-	-	1	-	-	-
Places of 25,000 to 100,000	88	-	6	23	19	14	12	2	-	-	12
White, mother native	72	-	2	19	19	12	10	2	-	-	6
White, mother foreign	2	-	-	-	-	-	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	14	-	4	4	-	2	-	-	-	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	62	-	8	13	15	6	6	7	-	-	7
White, mother native	54	-	7	12	14	5	4	7	-	-	5
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	7	-	1	1	1	1	2	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	84	1	8	18	21	15	9	-	-	-	12
White, mother native	69	-	5	16	18	12	8	-	-	-	10
White, mother foreign	1	-	-	-	-	-	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	14	1	3	2	3	3	-	-	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	356	1	43	86	72	53	44	18	1	-	38
White, mother native	242	-	18	61	54	36	32	13	-	-	28
White, mother foreign	4	-	-	1	1	-	1	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	105	1	24	23	17	16	10	4	1	-	9
Other	4	-	1	1	-	1	1	-	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 13.—STILLBIRTHS BY SEX, AGE OF MOTHER, BIRTH ORDER (INCLUDING STILLBIRTHS), RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1946

(Birth order refers to number of children ever born to mother, including children born dead. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total stillbirths	WHITE			Negro	Other	SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total stillbirths	WHITE			Negro	Other
		Total <sup>1</sup>	Mother native	Mother foreign					Total <sup>1</sup>	Mother native	Mother foreign		
TOTAL <sup>2</sup>	74,849	59,494	56,807	2,546	14,954	401	BIRTH CHILD-----	2,550	1,778	1,681	96	750	22
Male-----	40,131	31,847	30,406	1,373	8,061	225	Male-----	1,321	929	877	51	377	15
Female-----	33,025	26,289	25,182	1,046	6,563	173	Female-----	1,172	807	771	36	358	7
Not stated--	1,693	1,358	1,219	127	330	5	Not stated--	57	42	33	9	15	-
10 to 14 years-----	131	28	28	-	103	-	15 to 19 years-----	4	-	-	-	4	-
15 to 19 years-----	7,244	4,568	4,506	58	2,636	40	20 to 24 years-----	209	84	82	2	125	-
20 to 24 years-----	18,873	14,780	14,448	321	5,975	118	25 to 29 years-----	621	360	371	9	235	6
25 to 29 years-----	17,661	14,651	14,209	433	2,357	73	30 to 34 years-----	776	550	531	19	216	10
30 to 34 years-----	14,266	11,887	11,274	605	2,307	72	35 to 39 years-----	647	513	473	39	129	5
35 to 39 years-----	9,996	8,183	7,503	673	1,751	62	40 to 44 years-----	226	194	170	24	31	1
40 to 44 years-----	3,536	2,945	2,584	359	569	22	45 to 49 years-----	31	30	27	3	1	-
45 to 49 years-----	366	305	265	39	57	4	50 years and over-----	1	1	-	-	-	-
50 years and over-----	9	7	6	1	2	-	Not stated-----	35	26	26	-	9	-
Not stated-----	2,787	2,140	1,984	57	617	10	SEVENTH CHILD-----	1,853	1,235	1,182	72	611	17
FIRST CHILD-----	25,120	20,824	20,250	651	4,081	115	Male-----	964	641	595	45	332	11
Male-----	13,532	11,226	10,871	359	2,248	59	Female-----	853	576	550	26	271	6
Female-----	11,006	9,199	8,821	271	1,750	57	Not stated--	28	18	17	1	8	-
Not stated--	582	499	458	41	85	-	20 to 24 years-----	99	30	29	1	69	-
10 to 14 years-----	102	23	23	-	79	-	25 to 29 years-----	376	189	182	7	163	4
15 to 19 years-----	5,008	3,392	3,354	35	1,591	28	30 to 34 years-----	556	373	356	17	179	4
20 to 24 years-----	8,870	7,562	7,391	165	1,260	48	35 to 39 years-----	567	416	369	27	135	6
25 to 29 years-----	5,643	5,052	4,873	175	570	21	40 to 44 years-----	225	193	178	15	29	3
30 to 34 years-----	3,122	2,776	2,625	147	331	15	45 to 49 years-----	27	21	16	4	6	-
35 to 39 years-----	1,423	1,286	1,191	93	133	4	Not stated-----	23	15	12	1	10	-
40 to 44 years-----	291	267	243	24	24	-	EIGHTH CHILD-----	1,410	880	822	58	515	15
45 to 49 years-----	15	14	14	-	1	-	Male-----	792	494	464	30	289	9
Not stated-----	645	552	536	12	92	1	Female-----	589	363	336	27	220	6
SECOND CHILD-----	13,315	11,066	10,630	431	2,195	54	Not stated--	29	23	22	1	6	-
Male-----	7,102	5,920	5,692	228	1,153	29	20 to 24 years-----	33	9	9	-	23	1
Female-----	5,874	4,880	4,705	173	970	24	25 to 29 years-----	226	91	89	2	134	1
Not stated--	339	266	235	31	72	-	30 to 34 years-----	421	250	242	8	168	3
10 to 14 years-----	11	3	3	-	8	-	35 to 39 years-----	478	320	297	23	151	7
15 to 19 years-----	1,205	612	597	15	587	6	40 to 44 years-----	210	174	152	22	33	3
20 to 24 years-----	4,252	3,383	3,310	73	843	26	45 to 49 years-----	26	24	21	3	2	-
25 to 29 years-----	3,605	3,219	3,127	88	379	7	50 years and over-----	1	1	1	-	-	-
30 to 34 years-----	2,569	2,324	2,196	127	257	8	Not stated-----	15	11	11	-	4	-
35 to 39 years-----	1,280	1,173	1,081	92	100	7	NINTH CHILD-----	1,086	670	636	33	405	11
40 to 44 years-----	240	222	190	32	18	-	Male-----	600	377	358	18	217	8
45 to 49 years-----	12	11	9	2	1	-	Female-----	472	283	268	15	164	5
Not stated-----	141	119	117	2	22	-	Not stated--	14	10	10	-	4	-
THIRD CHILD-----	8,517	6,870	6,568	299	1,604	43	20 to 24 years-----	17	4	4	-	13	-
Male-----	4,584	3,683	3,520	163	856	25	25 to 29 years-----	105	35	33	2	70	-
Female-----	3,738	3,009	2,893	113	711	18	30 to 34 years-----	293	149	146	3	142	2
Not stated--	215	178	155	23	37	-	35 to 39 years-----	433	303	288	15	124	6
10 to 14 years-----	1	-	-	-	1	-	40 to 44 years-----	205	154	141	13	47	2
15 to 19 years-----	324	131	130	1	189	4	45 to 49 years-----	21	17	17	-	5	1
20 to 24 years-----	2,106	1,414	1,396	26	670	22	Not stated-----	14	8	7	-	6	-
25 to 29 years-----	2,431	2,036	1,989	47	594	11	TENTH CHILD-----	801	457	423	34	334	10
30 to 34 years-----	2,037	1,839	1,741	98	195	3	Male-----	427	237	216	21	186	4
35 to 39 years-----	1,173	1,051	974	77	120	2	Female-----	360	210	198	12	144	6
40 to 44 years-----	325	302	255	46	22	1	Not stated--	14	10	9	1	4	-
45 to 49 years-----	13	12	8	4	1	-	20 to 24 years-----	8	1	1	-	7	-
Not stated-----	107	85	85	-	22	-	25 to 29 years-----	60	20	18	2	39	1
FOURTH CHILD-----	5,460	4,255	4,054	197	1,171	34	30 to 34 years-----	181	82	77	5	96	1
Male-----	2,973	2,310	2,204	104	841	22	35 to 39 years-----	530	183	171	12	140	7
Female-----	2,365	1,852	1,785	85	503	10	40 to 44 years-----	189	148	135	13	40	1
Not stated--	122	93	85	8	27	-	45 to 49 years-----	20	15	13	2	5	-
15 to 19 years-----	77	25	25	-	51	1	50 years and over-----	1	-	-	-	1	-
20 to 24 years-----	1,002	565	556	8	426	11	Not stated-----	12	8	8	-	4	-
25 to 29 years-----	1,606	1,244	1,217	27	355	7	ELEVENTH CHILD-----	589	332	309	23	252	5
30 to 34 years-----	1,459	1,227	1,188	38	202	9	Male-----	305	169	157	12	132	4
35 to 39 years-----	971	864	783	81	103	4	Female-----	274	157	147	10	116	1
40 to 44 years-----	286	264	224	39	20	2	Not stated--	10	6	5	1	4	-
45 to 49 years-----	23	21	19	2	2	-	20 to 24 years-----	1	1	1	-	-	-
50 years and over-----	1	1	1	1	-	-	25 to 29 years-----	32	11	11	-	19	2
Not stated-----	56	44	42	1	12	-	30 to 34 years-----	119	49	47	2	69	1
FIFTH CHILD-----	3,669	2,689	2,550	139	953	27	35 to 39 years-----	250	139	132	7	110	1
Male-----	1,967	1,448	1,369	79	505	14	40 to 44 years-----	157	109	99	10	47	1
Female-----	1,620	1,178	1,126	52	429	13	45 to 49 years-----	21	16	14	4	3	-
Not stated--	82	63	55	8	19	-	Not stated-----	9	5	5	-	4	-
15 to 19 years-----	26	7	7	-	19	-	TWELFTH CHILD-----	437	255	232	22	175	7
20 to 24 years-----	476	244	240	4	229	5	Male-----	250	131	118	13	98	1
25 to 29 years-----	999	670	657	13	321	8	Female-----	202	122	112	9	74	6
30 to 34 years-----	1,019	795	758	37	212	12	Not stated--	5	2	2	-	3	-
35 to 39 years-----	808	680	621	59	126	2	25 to 29 years-----	9	3	3	-	6	-
40 to 44 years-----	274	239	213	26	35	-	30 to 34 years-----	61	25	24	1	36	-
45 to 49 years-----	20	18	18	-	2	-	35 to 39 years-----	189	97	86	10	88	4
50 years and over-----	2	2	2	-	-	-	40 to 44 years-----	142	100	92	8	39	3
Not stated-----	43	34	34	-	9	-	45 to 49 years-----	31	30	27	3	1	-
							Not stated-----	5	-	-	-	5	-

<sup>1</sup>Includes mother's nativity not stated.

<sup>2</sup>Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information.



TABLE 13.—STILLBIRTHS BY SEX, AGE OF MOTHER, BIRTH ORDER (INCLUDING STILLBIRTHS), RACE,  
AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1946—Continued

(Birth order refers to number of children ever born to mother, including children born dead. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total still- births	WHITE			Negro	Other	SEX, AGE OF MOTHER, AND BIRTH ORDER (INCLUDING STILLBIRTHS)	Total still- births	WHITE			Negro	Other
		Total <sup>1</sup>	Mother native	Mother foreign					Total <sup>1</sup>	Mother native	Mother foreign		
THIRTEENTH CHILD-----	305	169	147	22	135	1	NINETEENTH CHILD—Con.						
Male-----	167	99	82	17	68	1	35 to 39 years-----	5	5	4	1	-	-
Female-----	131	67	62	5	63	1	40 to 44 years-----	9	2	2	-	6	1
Not stated-----	7	3	3	-	4	-	45 to 49 years-----	2	1	1	-	1	-
25 to 29 years-----	6	1	1	-	5	-	Not stated-----	1	-	-	-	1	-
30 to 34 years-----	29	16	14	2	13	-	Twentieth CHILD-----	3	2	1	1	1	-
35 to 39 years-----	64	54	54	10	67	-	Male-----	1	1	1	-	-	-
40 to 44 years-----	115	69	62	7	46	-	Female-----	2	1	-	1	1	-
45 to 49 years-----	22	17	15	2	4	1	35 to 39 years-----	1	-	-	-	1	-
Not stated-----	2	2	1	1	-	-	40 to 44 years-----	2	2	1	1	-	-
FOURTEENTH CHILD-----	194	104	91	13	87	3	Twenty first CHILD-----	5	2	2	-	3	-
Male-----	114	59	49	10	54	1	Male-----	3	2	2	-	1	-
Female-----	78	45	42	3	31	2	Female-----	2	-	-	-	2	-
Not stated-----	2	-	-	-	2	-	35 to 39 years-----	3	-	-	-	3	-
25 to 29 years-----	3	-	-	-	3	-	40 to 44 years-----	2	2	2	-	-	-
30 to 34 years-----	19	6	5	1	13	-	Twenty second CHILD-----	4	3	3	-	1	-
35 to 39 years-----	62	28	28	-	34	-	Male-----	3	2	2	-	1	-
40 to 44 years-----	88	56	47	9	31	1	Not stated-----	1	1	1	-	-	-
45 to 49 years-----	18	11	8	3	5	2	30 to 34 years-----	1	-	-	-	1	-
Not stated-----	4	3	3	-	1	-	35 to 39 years-----	1	1	1	-	-	-
FIFTEENTH CHILD-----	107	56	47	9	50	1	40 to 44 years-----	2	2	2	-	-	-
Male-----	53	28	24	4	24	1	Twenty third CHILD-----	5	2	2	-	3	-
Female-----	53	28	23	5	25	-	Male-----	2	1	1	-	1	-
Not stated-----	1	-	-	-	1	-	Female-----	2	-	-	-	2	-
30 to 34 years-----	9	6	6	-	3	-	Not stated-----	1	1	1	-	-	-
35 to 39 years-----	33	12	9	3	21	-	35 to 39 years-----	1	-	-	-	1	-
40 to 44 years-----	57	34	28	6	22	1	40 to 44 years-----	2	1	1	-	1	-
45 to 49 years-----	7	4	4	-	3	-	45 to 49 years-----	1	-	-	-	1	-
Not stated-----	1	-	-	-	1	-	Not stated-----	1	1	1	-	-	-
SIXTEENTH CHILD-----	68	31	28	3	36	1	Twenty fourth CHILD-----	1	-	-	-	1	-
Male-----	32	13	12	1	18	1	Male-----	1	-	-	-	1	-
Female-----	36	18	16	2	18	-	45 to 49 years-----	1	-	-	-	1	-
30 to 34 years-----	9	3	3	-	6	-	Twenty sixth CHILD-----	1	1	1	-	-	-
35 to 39 years-----	26	12	10	2	13	1	Male-----	1	1	1	-	-	-
40 to 44 years-----	26	13	13	-	13	-	45 to 49 years-----	1	1	1	-	-	-
45 to 49 years-----	7	3	2	1	4	-	Twenty seventh CHILD AND OVER-----	1	1	1	-	-	-
SEVENTEENTH CHILD-----	50	28	26	2	22	-	Female-----	1	1	1	-	-	-
Male-----	26	15	13	2	11	-	Not stated-----	1	1	1	-	-	-
Female-----	23	13	13	-	10	-	NOT STATED <sup>2</sup> -----	9,259	7,673	7,131	440	1,551	34
Not stated-----	1	-	-	-	1	-	Male-----	4,916	4,053	3,771	238	841	22
30 to 34 years-----	3	-	-	-	3	-	Female-----	4,257	3,477	3,232	199	670	10
35 to 39 years-----	18	7	7	-	11	-	Not stated-----	185	143	128	3	40	2
40 to 44 years-----	26	19	17	2	7	-	10 to 14 years-----	17	2	2	-	15	-
45 to 49 years-----	3	2	2	-	1	-	15 to 19 years-----	599	401	393	7	195	3
EIGHTEENTH CHILD-----	13	3	3	-	10	-	20 to 24 years-----	1,798	1,483	1,439	42	310	5
Male-----	6	2	2	-	4	-	25 to 29 years-----	1,939	1,700	1,638	61	234	5
Female-----	7	1	1	-	6	-	30 to 34 years-----	1,604	1,417	1,315	100	183	4
35 to 39 years-----	3	-	-	-	3	-	35 to 39 years-----	1,173	1,029	904	122	138	6
40 to 44 years-----	8	2	2	-	6	-	40 to 44 years-----	431	377	315	62	52	2
45 to 49 years-----	2	1	1	-	1	-	45 to 49 years-----	42	34	28	6	8	-
NINETEENTH CHILD-----	17	8	7	1	8	1	50 years and over-----	3	2	2	-	1	-
Male-----	9	6	5	1	3	-	Not stated-----	1,652	1,228	1,095	40	415	9
Female-----	8	2	2	-	5	1							

<sup>1</sup>Includes mother's nativity not stated.

<sup>2</sup>Figures for Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—STILLBIRTHS BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	URBAN					
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	Rural
UNITED STATES-----	74,849	48,485	22,578	9,036	6,266	7,795	29,964
	White-----	59,494	36,970	17,673	7,561	5,283	22,524
	Nonwhite----	15,355	8,495	4,705	1,655	983	6,860
Alabama-----	2,287	804	213	263	118	210	1,483
	White-----	1,145	383	96	119	37	762
	Nonwhite----	1,142	421	117	144	61	721
Arizona-----	330	179	...	114	...	65	151
	White-----	285	160	...	102	...	105
	Nonwhite----	45	19	...	12	7	46
Arkansas-----	883	298	...	64	96	138	585
	White-----	590	218	...	52	70	372
	Nonwhite----	293	80	...	12	26	213
California-----	4,024	2,984	1,658	523	394	409	1,040
	White-----	3,640	2,650	1,416	478	360	990
	Nonwhite----	384	334	242	45	34	80
Colorado-----	650	419	205	66	39	109	231
	White-----	632	402	190	64	39	230
	Nonwhite----	18	17	15	2	-	1
Connecticut-----	669	515	210	215	66	26	154
	White-----	643	494	197	206	65	149
	Nonwhite----	26	21	13	7	1	5
Delaware-----	141	75	55	...	...	20	66
	White-----	101	52	39	...	13	49
	Nonwhite----	40	23	16	...	7	17
District of Columbia-----	484	484	484	...	...	...	...
	White-----	256	256	256	...	...	...
	Nonwhite----	228	228	228	...	...	...
Florida-----	1,599	890	348	168	164	212	709
	White-----	874	474	194	94	79	400
	Nonwhite----	725	416	154	72	85	309
Georgia-----	2,285	1,039	275	344	195	225	1,246
	White-----	1,093	501	148	141	95	592
	Nonwhite----	1,192	538	127	203	100	654
Idaho-----	251	116	...	23	47	46	135
	White-----	243	112	...	22	47	131
	Nonwhite----	8	4	...	1	-	4
Illinois-----	3,687	2,819	1,721	509	274	415	748
	White-----	3,188	2,466	1,568	444	402	722
	Nonwhite----	479	453	353	65	22	26
Indiana-----	1,583	1,020	419	328	103	170	563
	White-----	1,464	906	347	99	168	558
	Nonwhite----	119	114	72	36	2	5
Iowa-----	1,020	488	68	207	79	135	532
	White-----	1,007	477	67	200	77	530
	Nonwhite----	13	11	1	7	2	2
Kansas-----	689	390	130	48	123	99	299
	White-----	636	343	107	42	107	293
	Nonwhite----	53	47	23	6	16	6
Kentucky-----	1,514	550	201	141	52	156	964
	White-----	1,358	449	155	125	39	909
	Nonwhite----	156	101	46	16	26	55
Louisiana-----	1,868	923	346	213	84	278	942
	White-----	836	441	183	91	37	395
	Nonwhite----	1,029	482	165	122	47	547
Maine-----	345	131	...	55	43	33	214
	White-----	346	131	...	43	33	214
	Nonwhite----	-	-	...	-	-	-
Maryland-----	1,274	743	564	52	72	55	531
	White-----	847	473	327	51	47	374
	Nonwhite----	427	270	237	1	25	157
Massachusetts-----	2,119	1,897	856	572	338	131	222
	White-----	2,065	1,849	816	570	129	216
	Nonwhite----	54	48	40	2	2	6
Michigan-----	3,141	2,313	1,191	549	258	315	828
	White-----	2,827	2,008	960	510	304	821
	Nonwhite----	314	307	231	39	28	7
Minnesota-----	1,329	714	466	6	82	160	615
	White-----	1,301	703	456	6	82	598
	Nonwhite----	28	11	10	-	1	17
Mississippi-----	1,862	466	...	119	190	157	1,416
	White-----	608	198	...	41	85	410
	Nonwhite----	1,274	268	...	78	105	1,006
Missouri-----	1,824	1,098	725	81	117	175	726
	White-----	1,538	849	520	74	103	689
	Nonwhite----	286	249	205	7	14	23



## GENERAL TABLES—STILLBIRTHS

205

TABLE 14.—STILLBIRTHS BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	224	118	...	45	41	32	106
White	213	118	...	45	41	32	95
Nonwhite	11	-	...	-	-	-	11
Nebraska	514	257	119	29	53	56	257
White	500	246	110	29	52	55	254
Nonwhite	14	11	9	-	1	1	3
Nevada	69	37	...	...	20	17	32
White	58	35	...	...	19	16	23
Nonwhite	11	2	...	...	1	1	9
New Hampshire	244	144	...	75	51	18	100
White	244	144	...	75	51	18	100
Nonwhite	-	-	...	-	-	-	-
New Jersey	2,110	1,696	668	445	289	294	414
White	1,857	1,470	536	397	257	280	387
Nonwhite	253	226	132	48	32	14	27
New Mexico	390	137	...	21	40	76	243
White	358	126	...	18	37	71	212
Nonwhite	42	11	...	3	3	5	31
New York	7,392	5,432	5,167	426	504	335	960
White	6,458	5,522	4,309	403	482	328	936
Nonwhite	934	910	858	23	22	7	24
North Carolina	2,394	788	91	266	226	205	1,606
White	1,543	453	44	129	135	145	890
Nonwhite	1,051	335	47	137	91	60	716
North Dakota	264	65	...	15	27	23	199
White	256	65	...	15	27	23	191
Nonwhite	8	-	...	-	-	-	8
Ohio	4,044	2,683	1,785	426	293	378	1,161
White	3,640	2,309	1,490	372	282	365	1,131
Nonwhite	404	374	296	54	11	13	30
Oklahoma	1,091	539	198	35	142	164	552
White	909	446	159	27	116	142	465
Nonwhite	182	93	39	8	24	22	89
Oregon	521	289	150	11	60	69	232
White	503	282	143	11	60	68	221
Nonwhite	18	7	7	-	-	-	11
Pennsylvania	4,639	3,217	1,465	606	542	604	1,422
White	4,158	2,772	1,130	547	508	567	1,366
Nonwhite	481	445	335	59	34	17	36
Rhode Island	327	288	113	126	36	13	39
White	321	282	109	124	36	13	39
Nonwhite	6	6	4	2	-	-	-
South Carolina	1,736	531	...	222	100	209	1,205
White	689	269	...	85	60	123	421
Nonwhite	1,047	263	...	137	40	86	784
South Dakota	239	69	...	16	31	21	171
White	223	67	...	16	31	20	156
Nonwhite	16	1	...	-	-	1	15
Tennessee	1,744	762	496	19	98	149	982
White	1,319	467	250	17	79	121	852
Nonwhite	425	295	246	2	19	28	130
Texas	4,515	2,840	999	666	377	798	1,675
White	3,482	2,196	741	511	283	681	1,286
Nonwhite	1,033	644	258	155	94	157	399
Utah	293	165	71	28	24	42	129
White	285	160	68	27	24	41	125
Nonwhite	8	5	3	1	-	1	3
Vermont	189	74	...	15	16	43	115
White	186	73	...	14	16	43	115
Nonwhite	1	1	...	1	-	-	-
Virginia	2,188	880	333	339	59	149	1,308
White	1,311	548	187	206	42	113	763
Nonwhite	877	332	146	133	17	36	545
Washington	903	554	368	44	79	63	349
White	872	534	352	43	76	63	338
Nonwhite	31	20	16	1	3	-	11
West Virginia	1,543	481	...	230	93	158	1,062
White	1,420	447	...	218	87	142	973
Nonwhite	123	34	...	12	6	16	89
Wisconsin	1,321	714	217	275	101	121	607
White	1,297	698	203	273	101	121	599
Nonwhite	24	16	14	2	-	-	8
Wyoming	110	51	...	...	31	20	59
White	108	49	...	...	30	19	59
Nonwhite	2	2	...	...	1	1	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 15.—STILLBIRTHS BY RACE AND PERSON IN ATTENDANCE: UNITED STATES AND EACH STATE, 1946

(By place of residence. Includes only stillbirths for which the period of uterogestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—				AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified			Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES—	74,849	57,436	12,618	3,616	979	Montana—	224	208	13	-	3
White—	59,494	49,795	8,654	515	530	White—	215	199	11	-	3
Nonwhite—	15,355	7,641	3,964	3,301	449	Nonwhite—	11	9	2	-	-
Alabama—	2,287	1,105	608	518	55	Nebraska—	514	453	61	-	-
White—	1,145	778	337	17	13	White—	500	442	56	-	-
Nonwhite—	1,142	327	272	501	42	Nonwhite—	14	11	3	-	-
Arizona—	330	277	39	10	4	Nevada—	69	65	4	-	-
White—	285	227	27	8	3	White—	59	54	4	-	-
Nonwhite—	65	50	12	2	1	Nonwhite—	11	11	-	-	-
Arkansas—	893	454	229	149	21	New Hampshire—	244	233	11	-	-
White—	590	476	151	4	9	White—	244	233	11	-	-
Nonwhite—	293	58	78	145	12	Nonwhite—	-	-	-	-	-
California—	4,024	3,746	217	2	59	New Jersey—	2,110	1,889	196	4	19
White—	3,640	3,412	178	2	46	White—	1,657	1,678	158	2	19
Nonwhite—	384	334	39	-	11	Nonwhite—	253	211	40	2	-
Colorado—	650	535	110	2	3	New Mexico—	380	226	107	30	17
White—	632	519	108	2	3	White—	338	196	99	29	14
Nonwhite—	18	16	2	-	-	Nonwhite—	42	30	8	1	3
Connecticut—	669	636	32	-	1	New York—	7,392	6,707	618	4	63
White—	643	610	32	-	1	White—	6,458	5,894	525	2	47
Nonwhite—	26	26	-	-	-	Nonwhite—	934	823	93	2	16
Delaware—	141	111	17	9	4	North Carolina—	2,394	1,499	596	173	134
White—	101	89	10	-	2	White—	1,343	1,054	244	22	23
Nonwhite—	40	22	7	9	2	Nonwhite—	1,051	435	354	151	111
District of Columbia—	484	439	38	-	7	North Dakota—	264	251	32	-	1
White—	256	246	10	-	-	White—	256	224	31	-	1
Nonwhite—	228	193	28	-	7	Nonwhite—	8	7	1	-	-
Florida—	1,599	1,021	269	299	10	Ohio—	4,044	3,394	620	-	30
White—	874	732	118	21	3	White—	3,640	3,110	508	-	22
Nonwhite—	725	289	151	278	7	Nonwhite—	404	284	112	-	8
Georgia—	2,285	1,055	790	409	31	Oklahoma—	1,091	817	252	19	3
White—	1,093	738	329	21	5	White—	909	701	200	6	2
Nonwhite—	1,192	317	461	388	26	Nonwhite—	182	116	52	13	1
Idaho—	251	237	11	-	3	Oregon—	521	502	17	1	1
White—	243	229	11	-	3	White—	503	487	14	1	1
Nonwhite—	8	8	-	-	-	Nonwhite—	18	15	3	-	-
Illinois—	3,667	3,194	456	-	17	Pennsylvania—	4,639	4,022	609	3	5
White—	3,188	2,847	326	-	15	White—	4,158	3,617	534	3	4
Nonwhite—	479	347	130	-	2	Nonwhite—	481	405	75	-	1
Indiana—	1,583	1,319	259	1	5	Rhode Island—	327	304	20	-	3
White—	1,464	1,250	208	1	5	White—	321	299	19	-	3
Nonwhite—	119	69	50	-	-	Nonwhite—	6	5	1	-	-
Iowa—	1,020	908	106	-	6	South Carolina—	1,736	777	450	492	17
White—	1,007	898	103	-	6	White—	689	514	154	18	3
Nonwhite—	13	10	3	-	-	Nonwhite—	1,047	263	296	474	14
Kansas—	689	607	79	-	3	South Dakota—	239	218	19	-	4
White—	636	577	56	-	3	White—	225	202	18	-	3
Nonwhite—	53	30	23	-	-	Nonwhite—	16	14	1	-	1
Kentucky—	1,514	776	890	40	8	Tennessee—	1,744	1,157	498	28	71
White—	1,358	715	598	37	8	White—	1,319	918	368	13	27
Nonwhite—	156	61	92	3	-	Nonwhite—	425	241	125	15	44
Louisiana—	1,865	1,284	286	244	51	Texas—	4,515	2,976	1,056	388	95
White—	836	706	104	13	13	White—	3,492	2,499	774	210	69
Nonwhite—	1,029	578	182	231	38	Nonwhite—	1,033	547	282	178	26
Maine—	345	303	39	-	3	Utah—	293	278	13	1	1
White—	345	303	39	-	3	White—	285	270	13	1	1
Nonwhite—	-	-	-	-	-	Nonwhite—	8	8	-	-	-
Maryland—	1,274	870	339	28	57	Vermont—	189	170	16	-	3
White—	847	636	179	4	28	White—	189	169	16	-	3
Nonwhite—	427	234	160	24	9	Nonwhite—	1	1	-	-	-
Massachusetts—	2,119	1,965	153	-	1	Virginia—	2,188	1,321	563	251	33
White—	2,065	1,917	147	-	1	White—	1,311	971	293	32	15
Nonwhite—	54	48	6	-	-	Nonwhite—	677	350	290	219	16
Michigan—	3,141	2,797	325	9	10	Washington—	905	874	27	-	2
White—	2,827	2,544	269	4	10	White—	672	644	27	-	1
Nonwhite—	314	253	56	5	-	Nonwhite—	31	30	-	-	1
Minnesota—	1,329	1,235	91	1	2	West Virginia—	1,543	839	645	25	34
White—	1,301	1,211	87	1	2	White—	1,420	795	569	22	34
Nonwhite—	28	24	4	-	-	Nonwhite—	123	44	76	3	-
Mississippi—	1,882	711	482	661	28	Wisconsin—	1,321	1,190	122	-	9
White—	608	440	143	18	7	White—	1,297	1,174	115	-	8
Nonwhite—	1,274	271	339	643	21	Nonwhite—	24	16	7	-	1
Missouri—	1,824	1,381	366	15	62	Wyoming—	110	102	8	-	-
White—	1,538	1,183	318	1	36	White—	108	100	8	-	-
Nonwhite—	286	198	48	14	26	Nonwhite—	2	2	-	-	-



## GENERAL TABLES—TOTAL DEATHS

207

TABLE 16.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence	DEATHS OF NONRESIDENTS <sup>1</sup>															
			Total	Intra-state non-residents	Total	Interstate nonresidents												
						State of residence												
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	
UNITED STATES—	1,395,617	1,137,731	257,886	219,565	38,321	744	267	774	1,394	340	599	136	732	874	697	362	2,740	
Alabama—	24,481	19,941	4,520	4,042	478	...	-	2	4	1	1	-	2	109	110	-	10	
Arizona—	6,287	4,819	1,468	651	817	2	...	9	159	17	4	1	5	9	3	4	50	
Arkansas—	14,086	11,422	2,664	2,142	522	2	2	...	10	3	-	-	1	2	3	-	36	
California—	95,035	75,220	19,815	18,064	1,751	18	125	22	...	58	11	3	7	18	11	30	122	
Colorado—	12,383	9,863	2,520	1,855	665	7	6	11	59	...	2	-	1	8	2	7	30	
Connecticut—	18,994	15,623	3,371	2,906	465	-	-	1	5	-	...	1	3	3	2	-	5	
Delaware—	3,280	2,652	608	441	167	-	-	1	-	-	1	...	4	1	-	-	-	
District of Columbia—	8,583	7,557	1,026	...	1,026	3	-	-	3	-	4	1	...	9	6	-	7	
Florida—	24,163	18,052	6,111	4,079	2,032	112	2	5	22	7	58	8	25	...	169	-	144	
Georgia—	27,613	22,509	5,105	4,305	799	246	1	2	9	1	1	-	3	186	...	1	16	
Idaho—	4,504	3,343	1,161	880	281	1	-	1	30	5	-	-	3	-	-	...	-	
Illinois—	88,485	73,242	15,213	13,594	1,629	10	5	19	46	9	4	-	2	22	11	2	...	
Indiana—	38,747	31,570	7,177	6,294	883	4	4	3	14	2	1	-	5	8	2	-	362	
Iowa—	25,912	20,374	5,538	4,617	921	1	2	3	43	8	1	-	1	4	2	2	326	
Kansas—	18,058	14,815	3,243	2,465	778	2	1	9	29	44	-	-	1	2	2	2	17	
Kentucky—	27,062	22,860	4,202	3,638	564	11	1	2	8	1	-	-	2	7	4	3	52	
Louisiana—	22,288	17,622	4,666	4,021	645	33	1	66	19	3	-	-	2	32	7	-	9	
Maine—	10,017	7,913	2,104	1,885	219	-	-	-	-	-	5	1	3	6	1	-	6	
Maryland—	22,152	18,201	3,951	2,664	1,287	8	1	2	12	-	11	42	462	40	9	1	9	
Massachusetts—	51,461	44,402	7,059	6,035	1,024	-	2	1	18	2	149	1	10	21	4	-	17	
Michigan—	54,899	45,329	9,570	8,745	824	4	1	12	20	2	-	-	5	17	3	1	147	
Minnesota—	27,594	21,265	6,329	5,070	1,259	5	5	8	40	6	3	-	3	11	2	4	104	
Mississippi—	19,159	16,099	3,060	2,658	382	70	-	28	3	-	-	-	1	10	8	-	16	
Missouri—	42,605	35,653	6,952	5,451	1,521	4	2	99	47	11	2	-	3	7	4	2	644	
Montana—	5,545	4,507	1,038	849	189	-	1	-	18	3	3	-	-	1	-	20	5	
Nebraska—	12,349	9,886	2,463	2,056	407	1	-	-	18	26	-	-	-	2	-	2	14	
Nevada—	1,633	1,209	424	189	235	-	5	1	128	11	2	-	-	1	1	5	5	
New Hampshire—	6,118	5,050	1,068	706	362	-	-	-	1	-	6	-	3	5	-	-	3	
New Jersey—	45,626	35,225	10,401	9,105	1,296	-	-	-	12	-	24	9	10	20	5	-	10	
New Mexico—	5,651	4,209	1,442	899	543	3	53	14	56	30	1	-	-	2	5	1	18	
New York—	152,898	132,169	20,729	18,176	2,553	8	5	7	58	2	216	5	36	62	13	1	44	
North Carolina—	28,806	22,577	6,229	5,440	789	22	-	2	12	1	4	1	14	77	52	-	8	
North Dakota—	5,008	3,628	1,380	1,146	234	-	-	-	4	-	-	-	-	-	-	-	9	
Ohio—	78,160	65,783	12,377	11,026	1,351	7	1	1	40	1	8	1	6	25	1	-	58	
Oklahoma—	18,144	14,179	3,965	3,594	371	4	11	37	23	9	-	-	-	2	-	-	11	
Oregon—	13,404	11,179	2,225	1,691	534	1	4	3	110	1	-	-	-	1	-	60	8	
Pennsylvania—	107,171	85,605	21,566	19,941	1,625	4	-	1	14	-	15	59	20	33	4	-	16	
Rhode Island—	8,001	6,459	1,543	1,312	231	-	-	-	2	-	38	-	2	10	-	1	3	
South Carolina—	16,334	12,970	3,364	2,996	368	6	-	1	4	-	2	1	4	23	63	-	3	
South Dakota—	5,481	4,022	1,459	1,186	273	-	1	1	11	4	1	-	-	1	1	2	11	
Tennessee—	28,420	22,951	5,469	3,987	1,482	107	2	343	15	4	2	1	6	42	164	3	26	
Texas—	59,412	49,621	9,791	8,960	831	9	10	56	66	14	2	-	4	10	5	-	54	
Utah—	4,930	3,734	1,196	911	285	2	11	-	63	18	-	-	-	-	1	74	3	
Vermont—	4,110	3,234	876	718	158	-	-	-	3	-	11	-	1	2	2	-	-	
Virginia—	27,957	22,834	5,123	4,258	865	21	-	5	13	-	3	3	67	9	4	-	4	
Washington—	22,030	18,236	3,794	3,103	691	4	2	1	86	6	1	-	1	3	5	127	10	
West Virginia—	16,249	12,289	3,960	3,251	709	-	1	2	2	-	1	1	3	1	3	-	6	
Wisconsin—	32,248	24,099	8,149	7,396	753	2	1	-	16	1	-	-	1	11	2	-	292	
Wyoming—	2,174	1,752	422	195	227	-	-	3	19	31	-	-	-	1	1	7	12	

<sup>1</sup>See discussion in text for definition of nonresident.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 16.-DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1946-Continued

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS <sup>1</sup> -Continued																		
	Interstate nonresidents-Continued																		
	State of residence-Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Ma.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES-----	1,170	767	779	932	387	260	918	961	1,092	602	660	1,367	239	498	104	293	2,062	328	2,521
Alabama-----	2	-	-	9	17	1	-	3	8	2	74	4	-	-	-	-	1	-	14
Arizona-----	22	17	15	10	11	1	5	5	32	9	4	30	5	5	7	-	9	111	36
Arkansas-----	8	2	11	3	28	-	1	1	9	3	13	96	-	5	-	-	2	1	7
California-----	25	44	44	15	26	1	9	24	66	54	7	60	23	32	61	3	34	35	104
Colorado-----	7	21	82	4	5	1	5	4	11	6	3	41	5	77	2	-	9	39	14
Connecticut-----	1	1	4	-	-	14	1	112	1	-	-	1	-	1	-	7	35	-	225
Delaware-----	-	-	1	-	-	-	49	2	-	-	-	-	-	-	-	-	35	-	9
District of Columbia-----	3	1	1	2	-	3	449	15	6	4	2	6	-	-	-	-	16	-	50
Florida-----	64	10	4	26	6	19	29	105	125	15	11	20	-	2	-	16	180	1	367
Georgia-----	6	4	3	12	6	2	5	5	12	-	5	5	-	-	-	-	4	1	30
Idaho-----	3	2	3	-	-	-	-	1	2	4	-	5	13	8	3	-	-	2	1
Illinois-----	386	113	14	64	15	1	1	9	125	28	12	238	5	18	-	-	10	2	34
Indiana-----	...	5	5	120	2	-	3	2	101	5	2	14	1	1	-	-	-	-	14
Iowa-----	13	...	16	3	4	-	-	3	18	55	-	124	1	127	1	-	-	-	9
Kansas-----	4	13	...	3	6	-	-	2	1	3	2	391	1	57	-	-	1	5	2
Kentucky-----	139	-	1	...	4	-	6	1	18	-	3	10	1	1	-	-	1	1	4
Louisiana-----	5	1	2	3	...	-	3	8	3	2	178	9	1	-	-	-	3	-	9
Maine-----	-	2	-	-	-	...	2	81	-	-	1	2	2	-	-	51	2	-	32
Maryland-----	5	3	3	6	4	3	...	15	10	2	1	5	-	3	-	1	32	-	76
Massachusetts-----	2	2	1	2	1	101	9	...	10	4	1	4	-	3	-	133	44	1	159
Michigan-----	102	13	2	15	5	1	5	6	...	13	1	20	1	4	1	-	10	1	33
Minnesota-----	21	167	17	1	2	-	1	4	41	...	2	26	33	24	1	-	2	2	15
Mississippi-----	2	3	1	6	110	-	1	1	3	1	...	9	1	1	1	-	-	-	6
Missouri-----	51	49	331	6	6	-	4	1	31	11	12	...	3	16	1	1	2	2	8
Montana-----	1	9	3	1	1	1	-	-	1	7	1	2	...	3	-	-	-	-	3
Nebraska-----	2	131	61	-	3	-	2	3	5	7	-	25	-	...	-	-	10	-	2
Nevada-----	1	4	3	2	-	1	1	2	5	2	-	2	1	1	...	-	3	1	14
New Hampshire-----	1	1	-	-	-	59	1	144	6	1	-	1	-	-	-	...	11	-	25
New Jersey-----	6	-	3	2	-	4	27	18	9	2	-	4	-	1	-	2	...	-	579
New Mexico-----	7	5	24	7	15	1	-	4	14	4	4	12	-	4	1	-	2	...	15
New York-----	14	1	7	7	9	26	32	150	56	9	5	15	1	4	-	15	917	1	...
North Carolina-----	3	2	1	8	7	4	15	3	11	1	8	4	-	-	-	1	19	-	40
North Dakota-----	-	4	3	-	-	-	-	-	-	128	-	1	29	1	-	-	-	-	1
Ohio-----	167	2	2	293	3	-	2	12	131	9	1	19	-	1	-	-	11	-	63
Oklahoma-----	6	6	52	2	2	-	2	2	4	-	2	35	1	1	1	-	1	15	9
Oregon-----	1	8	8	1	2	-	2	1	1	5	1	5	20	8	3	-	1	1	2
Pennsylvania-----	12	1	-	4	3	1	116	20	27	2	-	5	1	4	-	2	646	1	299
Rhode Island-----	-	-	-	-	-	6	1	116	2	-	-	1	-	-	-	4	2	-	28
South Carolina-----	2	1	-	1	-	2	4	7	1	4	3	-	-	-	-	-	10	-	19
South Dakota-----	4	25	5	-	-	-	-	-	2	43	-	4	11	59	-	1	-	-	2
Tennessee-----	20	3	1	140	10	-	6	2	21	1	267	39	-	2	-	-	2	2	12
Texas-----	14	9	25	5	69	1	5	8	21	5	6	24	1	6	-	1	2	98	28
Utah-----	3	3	2	-	-	-	1	1	4	3	-	3	5	2	16	-	1	1	8
Vermont-----	-	1	-	-	-	3	-	39	2	-	1	-	-	-	-	55	5	-	27
Virginia-----	2	2	1	15	2	-	57	11	8	1	3	7	1	2	-	-	25	-	52
Washington-----	6	16	6	1	1	1	2	4	4	11	3	14	53	6	3	-	5	1	11
West Virginia-----	6	-	2	131	-	-	51	1	2	-	-	2	1	-	-	-	5	1	2
Wisconsin-----	20	55	4	1	2	2	1	-	121	133	1	16	4	4	1	-	2	-	6
Wyoming-----	1	5	5	1	-	-	2	5	1	3	-	7	14	24	1	-	2	2	20

<sup>1</sup>See discussion in text for definition of nonresident.



## GENERAL TABLES TOTAL DEATHS

209

TABLE 16.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE.  
UNITED STATES AND EACH STATE, 1946—Continued

(Exclusive of stillbirths and of deaths among armed forces overseas)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS <sup>1</sup> —Continued																		Total deaths of resi- dents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okl.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	707	308	1,655	847	448	2,137	303	385	300	712	1,125	140	188	1,062	672	698	850	188	1,395,617
Alabama	9	-	10	1	-	7	-	9	-	51	11	-	-	1	2	3	-	-	24,727
Arizona	6	3	41	431	13	25	-	-	2	10	47	13	-	1	17	5	4	2	5,737
Arkansas	2	-	11	110	1	4	-	1	1	34	100	1	-	2	-	-	4	-	14,338
California	9	15	71	64	98	52	4	4	15	15	96	34	1	17	126	10	20	10	94,678
Colorado	6	1	17	28	9	8	2	3	4	6	46	15	-	1	6	2	7	36	12,056
Connecticut	1	-	2	-	-	14	15	-	-	-	2	-	5	2	2	2	1	-	19,127
Delaware	1	-	4	-	-	52	-	1	-	-	-	-	-	8	-	-	-	-	3,229
District of Columbia	14	-	10	-	2	45	-	7	1	6	2	-	2	336	1	9	-	-	8,289
Florida	32	1	158	4	1	181	17	18	2	36	15	1	7	26	3	24	27	-	23,005
Georgia	37	-	6	5	1	5	1	96	-	58	12	-	-	8	-	2	2	-	27,511
Idaho	-	3	2	4	36	5	-	1	1	3	1	30	-	-	103	-	2	3	4,585
Illinois	4	9	75	14	2	24	2	2	4	38	61	3	-	5	11	12	153	5	89,566
Indiana	2	2	142	2	1	15	-	2	-	5	8	2	-	5	-	3	13	1	39,034
Iowa	1	5	8	4	2	3	-	-	52	1	8	1	1	-	7	-	56	3	25,758
Kansas	2	1	5	139	1	5	-	1	3	1	25	1	1	1	1	2	4	5	18,059
Kentucky	4	-	123	2	-	8	-	3	-	110	5	1	-	22	1	22	2	-	27,410
Louisiana	2	-	8	4	1	5	-	3	-	17	198	-	-	1	5	2	2	-	22,080
Maine	3	-	2	-	-	9	3	-	-	-	-	-	2	1	1	1	-	-	10,058
Maryland	34	-	21	4	2	196	2	10	2	8	11	-	-	118	3	108	3	-	21,783
Massachusetts	5	-	7	-	1	35	200	2	-	3	3	1	47	7	3	5	3	-	51,398
Michigan	3	1	165	5	3	24	1	1	-	7	19	-	-	1	3	5	120	1	55,187
Minnesota	3	165	21	10	6	4	-	1	102	6	18	6	-	2	21	4	330	10	26,937
Mississippi	2	-	3	7	-	2	-	1	-	58	22	-	-	2	-	-	3	-	19,417
Missouri	4	1	16	82	3	11	-	1	3	18	28	-	-	4	5	5	7	3	42,451
Montana	-	24	3	3	7	1	-	-	4	1	5	3	-	-	23	-	6	25	5,595
Nebraska	-	1	1	2	5	1	-	-	40	1	5	-	-	1	6	1	3	26	12,440
Nevada	-	1	3	3	1	3	-	-	1	1	3	10	-	3	2	1	-	1	1,502
New Hampshire	-	-	4	-	-	1	5	-	-	-	-	-	85	-	-	1	-	-	6,049
New Jersey	8	-	18	-	1	493	5	3	-	1	1	-	1	11	2	3	2	-	46,392
New Mexico	-	-	16	43	2	8	2	1	1	4	146	2	-	2	4	2	4	4	5,436
New York	25	-	90	6	-	512	28	12	3	10	18	-	34	54	8	19	9	-	152,866
North Carolina	...	1	16	-	1	33	1	171	-	52	6	-	-	176	3	9	-	-	28,724
North Dakota	-	...	-	1	2	2	-	-	36	-	2	-	-	-	6	-	5	-	5,080
Ohio	6	3	...	4	3	192	2	2	-	16	13	1	-	6	5	200	13	-	78,464
Oklahoma	1	-	8	...	1	2	-	1	-	2	107	-	-	-	5	1	3	2	18,620
Oregon	1	1	5	3	...	1	-	-	2	1	5	2	-	1	246	1	5	2	13,316
Pennsylvania	15	-	169	7	2	...	2	4	2	7	2	-	-	23	3	70	9	-	107,663
Rhode Island	1	-	1	-	-	5	...	-	-	-	1	-	1	4	-	-	1	1	8,073
South Carolina	175	-	2	2	-	10	-	...	-	7	3	-	1	5	1	1	-	-	16,351
South Dakota	-	48	-	-	-	2	-	-	...	-	2	-	-	1	5	1	5	20	5,508
Tennessee	63	2	23	12	2	6	1	6	1	...	19	1	-	71	1	10	-	1	27,650
Texas	3	-	18	222	2	11	1	3	-	9	...	-	-	8	2	8	4	2	59,706
Utah	1	1	4	5	5	4	1	-	3	1	8	...	-	2	8	1	1	19	4,785
Vermont	-	-	1	-	-	2	2	-	-	1	-	-	...	-	-	-	-	-	4,140
Virginia	215	-	11	-	1	52	4	14	1	98	9	1	-	...	-	140	1	-	28,154
Washington	2	9	5	6	221	12	-	-	3	1	16	4	-	3	...	1	8	6	22,011
West Virginia	2	-	296	-	-	61	-	1	-	3	3	-	-	114	1	...	2	-	16,238
Wisconsin	2	6	9	-	1	4	1	-	6	5	6	-	-	4	6	4	...	-	22,345
Wyoming	1	2	2	8	9	-	-	-	5	-	7	7	-	1	14	-	4	...	2,135

<sup>1</sup>See discussion in text for definition of nonresident.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA	Total deaths	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,395,617	785,689	609,928	697,323	535,014	83,949	72,544	2,300	1,950	1,139	140	645	219	333	61
Alabama	24,727	13,661	11,066	8,297	6,144	5,371	4,922	1	-	-	-	2	-	-	-
Arizona	5,737	3,699	2,149	3,069	1,744	155	93	339	307	14	2	8	1	5	2
Arkansas	14,538	8,241	6,097	6,105	4,202	2,133	1,891	-	3	3	1	-	-	-	-
California	94,678	55,420	39,259	52,414	37,524	1,802	1,390	165	119	433	81	355	121	231	33
Colorado	12,058	7,012	5,046	5,837	4,810	125	122	8	7	5	-	37	7	-	-
Connecticut	19,127	10,511	8,616	10,215	8,424	265	191	-	-	10	-	-	1	1	-
Delaware	5,229	1,865	1,366	1,522	1,121	337	243	-	-	-	-	-	-	4	2
District of Columbia	8,289	4,423	3,866	2,841	2,506	1,552	1,354	3	-	23	2	1	1	3	3
Florida	23,005	13,537	9,460	9,939	6,508	3,631	2,953	12	7	3	-	3	-	-	-
Georgia	27,511	15,367	12,144	9,589	6,876	5,979	5,266	-	-	-	2	-	-	-	-
Idaho	4,595	2,652	1,733	2,791	1,709	13	2	29	19	5	-	13	3	1	-
Illinois	89,565	50,429	39,137	49,669	35,905	3,646	3,213	5	4	62	4	40	11	7	-
Indiana	39,034	21,637	17,397	20,571	15,452	1,060	944	-	-	5	-	-	1	1	-
Iowa	25,759	14,358	11,400	14,206	11,295	148	100	2	3	2	1	-	1	-	-
Kansas	18,059	10,199	7,660	9,669	7,397	518	454	11	9	1	-	-	-	-	-
Kentucky	27,410	15,314	12,096	13,515	10,538	1,794	1,558	2	-	2	-	-	-	1	-
Louisiana	22,030	12,373	9,657	7,536	5,421	4,825	4,252	7	4	4	-	-	-	1	-
Maine	10,059	5,572	4,486	5,549	4,474	12	5	10	7	1	-	-	-	-	-
Maryland	21,785	12,031	9,752	9,567	7,670	2,449	2,079	-	1	14	2	-	-	1	-
Massachusetts	51,593	27,091	24,507	26,584	23,903	456	396	1	6	67	-	2	2	1	-
Michigan	55,167	31,647	23,520	29,646	21,898	1,917	1,573	55	41	16	3	6	5	7	-
Minnesota	26,937	15,699	11,238	15,501	11,076	62	69	102	88	10	2	4	1	-	2
Mississippi	19,417	10,702	8,715	5,333	3,797	5,357	4,810	9	8	3	-	-	-	-	-
Missouri	42,451	23,607	18,844	21,308	16,903	2,290	1,937	-	1	6	1	3	2	2	-
Montana	5,595	3,571	2,024	3,386	1,915	19	10	153	97	7	2	4	-	2	-
Nebraska	12,440	7,049	5,591	6,890	5,267	130	99	29	25	4	1	5	2	1	-
Nevada	1,502	1,009	493	941	423	23	11	41	57	4	-	-	2	-	-
New Hampshire	6,049	3,258	2,791	3,254	2,784	3	6	-	1	-	-	-	-	1	-
New Jersey	46,382	25,335	21,057	23,601	19,508	1,717	1,545	-	-	11	-	5	4	1	-
New Mexico	5,436	3,175	2,261	2,837	1,977	57	40	277	244	1	-	3	-	-	-
New York	152,686	83,598	69,268	78,989	65,300	4,248	3,890	71	46	250	14	24	10	16	8
North Carolina	28,724	16,194	12,530	11,082	8,014	4,986	4,442	115	74	1	-	-	-	-	-
North Dakota	5,080	3,121	1,959	3,052	1,903	4	1	64	55	-	-	1	-	-	-
Ohio	78,464	45,579	34,385	40,485	32,475	3,059	2,403	4	1	25	1	5	4	1	1
Oklahoma	18,620	10,955	7,665	9,792	6,609	688	745	269	310	3	1	1	-	2	-
Oregon	13,318	8,011	5,307	7,844	5,206	68	43	42	39	30	6	20	11	7	2
Pennsylvania	107,683	59,242	48,441	55,409	45,172	3,781	3,263	5	2	37	2	6	1	4	1
Rhode Island	6,073	4,221	3,652	4,130	3,776	83	73	3	3	5	-	-	-	-	-
South Carolina	16,351	9,074	7,277	4,941	3,560	4,129	3,715	1	2	2	-	-	-	1	-
South Dakota	5,508	3,305	2,203	3,128	2,045	5	3	172	154	-	-	-	-	-	1
Tennessee	27,650	15,342	12,308	11,986	9,171	3,351	3,135	1	1	4	1	-	-	-	-
Texas	59,708	34,754	24,952	29,263	20,389	5,480	4,558	6	1	12	4	11	-	2	-
Utah	4,785	2,775	2,010	2,714	1,978	15	12	8	11	7	-	31	9	-	-
Vermont	4,140	2,263	1,877	2,260	1,877	3	-	-	-	-	-	-	-	-	-
Virginia	26,154	16,163	11,991	11,259	8,026	4,694	3,964	-	-	6	-	1	1	3	-
Washington	22,011	13,519	8,492	13,094	8,255	169	96	147	111	37	7	51	17	21	6
West Virginia	16,238	9,509	6,729	8,695	6,213	802	516	-	-	1	-	-	-	1	-
Wisconsin	32,345	18,141	14,204	17,945	14,056	106	79	66	69	3	-	-	-	1	-
Wyoming	2,138	1,392	743	1,346	718	15	9	25	15	-	-	3	1	3	-



## GENERAL TABLES—TOTAL DEATHS

211

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,395,617	139,416	119,699	124,101	114,862	115,979	110,106	107,740	104,892	106,055	113,416	112,981	126,361
Male	765,689	77,543	67,151	69,606	64,432	65,194	61,923	60,923	59,512	59,877	63,880	64,014	71,654
Female	609,928	61,873	52,547	54,495	50,430	50,785	48,183	46,817	45,370	46,178	49,536	48,967	54,747
White	1,232,337	122,796	105,688	109,681	101,404	102,492	97,156	94,968	92,087	95,688	100,348	100,099	111,932
Male	697,323	69,423	59,423	61,607	57,236	57,946	54,997	54,107	52,586	55,152	56,871	57,007	65,735
Female	535,014	54,340	46,265	47,874	44,168	44,846	42,159	40,861	39,501	40,536	43,477	43,092	46,197
Nonwhite	163,280	16,820	14,212	14,420	13,258	13,487	12,950	12,772	12,795	12,367	13,068	12,882	14,449
Male	88,366	9,087	7,728	7,799	7,196	7,248	6,928	6,816	6,926	6,725	7,009	7,007	7,899
Female	74,914	7,733	6,484	6,621	6,062	6,239	6,022	5,956	5,869	5,642	6,059	5,875	6,550
ALABAMA	24,727	2,578	2,270	2,262	1,883	2,059	1,884	1,860	1,952	1,827	2,026	1,887	2,139
Male	13,651	1,406	1,227	1,226	1,027	1,139	1,016	1,008	1,070	990	1,158	1,136	1,261
Female	11,066	1,172	1,043	1,036	856	921	868	852	882	837	870	851	878
White	14,431	1,480	1,288	1,326	1,113	1,179	1,111	1,061	1,156	1,075	1,163	1,155	1,306
Male	8,287	833	725	764	640	667	620	598	646	618	698	678	780
Female	6,144	647	563	562	473	492	491	463	510	455	465	477	526
Nonwhite	10,296	1,098	982	936	770	880	773	799	796	754	845	832	835
Male	5,374	573	502	462	387	451	396	410	424	372	458	458	481
Female	4,922	525	480	474	383	429	377	389	372	382	385	374	352
ARIZONA	5,737	535	480	548	462	421	455	421	401	409	511	513	593
Male	3,586	346	281	342	300	261	278	264	273	240	307	316	356
Female	2,149	189	189	206	162	140	175	157	128	169	204	203	227
White	4,813	459	403	462	383	355	370	349	337	330	427	444	494
Male	3,069	304	262	293	258	239	236	218	231	196	259	269	306
Female	1,744	155	141	169	125	116	134	131	106	134	168	175	188
Nonwhite	924	76	77	86	79	66	83	72	64	79	84	69	89
Male	519	42	29	49	44	42	42	46	42	44	48	41	50
Female	405	34	48	37	35	24	41	26	22	35	36	28	39
ARKANSAS	14,338	1,605	1,307	1,363	1,116	1,147	1,153	1,160	1,102	1,066	1,092	1,124	1,103
Male	8,241	868	766	777	643	642	651	661	624	654	646	646	666
Female	6,097	737	541	586	473	505	502	499	478	412	446	478	437
White	10,307	1,136	931	997	812	806	840	831	773	772	780	826	803
Male	6,105	640	558	596	482	486	473	502	472	487	486	465	490
Female	4,202	496	373	401	330	320	367	329	301	285	314	343	313
Nonwhite	4,031	469	376	366	304	341	313	329	329	294	312	299	300
Male	2,136	229	208	181	161	186	178	189	172	167	157	165	176
Female	1,895	241	168	185	143	155	135	140	157	127	155	135	124
CALIFORNIA	84,678	9,073	8,361	8,394	7,743	7,621	7,279	7,304	7,232	7,175	7,500	8,171	8,815
Male	55,420	5,271	4,947	4,912	4,512	4,470	4,256	4,227	4,229	4,194	4,365	4,777	5,260
Female	39,258	3,802	3,414	3,472	3,231	3,151	3,023	3,077	3,003	2,981	3,135	3,394	3,555
White	89,938	8,586	7,980	7,971	7,584	7,235	6,956	6,954	6,864	6,792	7,142	7,787	8,307
Male	52,414	4,966	4,694	4,682	4,276	4,213	4,037	4,009	3,946	3,946	4,244	4,838	4,931
Female	37,524	3,620	3,286	3,289	3,308	3,022	2,919	2,945	2,918	2,846	2,996	2,949	3,376
Nonwhite	4,740	487	401	413	259	386	343	350	383	358	364	364	508
Male	3,006	305	253	280	236	257	219	218	221	248	221	239	329
Female	1,734	182	148	133	123	129	124	132	147	135	137	145	179
COLORADO	12,058	1,179	1,035	1,123	954	989	982	897	916	930	1,017	1,012	1,024
Male	7,012	697	626	645	565	567	562	537	504	539	603	594	573
Female	5,046	482	409	478	389	422	420	360	412	391	414	418	451
White	11,747	1,148	1,013	1,088	928	969	953	876	898	900	987	987	1,000
Male	6,637	679	611	628	549	555	549	522	494	519	593	581	597
Female	4,910	469	402	460	379	414	404	354	404	381	394	406	443
Nonwhite	311	31	22	35	26	20	29	21	18	30	30	25	24
Male	175	18	15	17	16	12	13	15	10	20	10	13	16
Female	136	13	7	18	10	8	16	6	8	10	20	12	8
CONNECTICUT	19,127	1,872	1,661	1,709	1,540	1,530	1,474	1,400	1,398	1,516	1,549	1,571	1,887
Male	10,511	992	905	949	841	833	839	768	764	831	834	867	1,049
Female	8,616	880	756	761	699	697	635	612	634	685	715	704	838
White	18,639	1,832	1,625	1,672	1,504	1,505	1,425	1,366	1,344	1,475	1,505	1,537	1,849
Male	10,215	967	882	924	819	824	807	767	735	810	810	844	1,026
Female	8,424	865	743	748	685	681	618	599	609	665	695	693	823
Nonwhite	488	40	36	37	36	45	49	34	54	41	44	34	39
Male	296	25	23	24	22	29	32	21	29	21	24	23	23
Female	192	15	13	13	14	16	17	13	25	20	20	11	15
DELAWARE	3,229	344	285	253	288	261	280	240	235	252	258	273	280
Male	1,963	197	152	155	173	151	156	133	146	146	129	159	176
Female	1,266	157	133	98	115	110	124	107	89	106	109	114	104
White	2,643	266	230	192	237	213	219	201	197	210	199	223	236
Male	1,522	155	125	114	145	122	120	112	125	118	105	131	150
Female	1,121	131	105	78	92	91	99	89	72	82	94	92	86
Nonwhite	586	58	55	61	51	46	61	39	38	42	39	50	44
Male	341	32	27	41	28	29	36	21	21	28	24	28	26
Female	245	26	28	20	23	19	25	18	17	14	15	22	18
DISTRICT OF COLUMBIA	8,289	789	710	698	708	711	674	659	638	599	680	675	740
Male	4,423	379	373	358	399	368	365	380	353	333	351	393	371
Female	3,866	410	337	340	309	343	309	279	285	266	337	282	369
White	5,347	532	452	478	435	448	412	421	405	392	429	442	501
Male	2,941	237	241	256	233	225	227	253	219	217	215	271	247
Female	2,506	295	211	222	202	223	185	168	186	175	214	171	254
Nonwhite	2,942	257	258	220	273	263	262	238	207	253	259	233	239
Male	1,582	142	132	102	166	143	138	127	134	116	136	122	124
Female	1,360	115	126	118	107	120	124	111	99	91	123	111	115
FLORIDA	23,005	2,231	1,991	2,099	1,746	1,699	1,601	1,617	1,603	1,732	1,794	1,697	2,193
Male	13,537	1,333	1,215	1,212	1,020	1,033	1,062	1,079	1,027	1,037	1,032	1,113	1,314
Female	9,468	898	776	887	726	666	739	738	776	695	762	784	879
White	16,396	1,583	1,411	1,519	1,238	1,392	1,286	1,312	1,241	1,242	1,283	1,339	1,571
Male	9,888	962	889	889	733	841	773	792	728	782	745	796	978
Female	6,508	621	522	630	505	551	493	520	513	460	538	542	593
Nonwhite	6,609	648	580	580	510	507	535	505	562	490	511	559	622
Male	3,649	371	326	323	287	252	289	287	299	275	287	317	356
Female	2,960	277	254	257	223	255	246	218	263	215	224	242	266



## VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA-----	27,511	2,827	2,366	2,430	2,113	2,209	2,180	2,094	2,122	2,099	2,222	2,195	2,589
Male-----	15,367	1,562	1,345	1,334	1,194	1,230	1,231	1,217	1,239	1,187	1,246	1,190	1,412
Female-----	12,144	1,265	1,021	1,096	924	979	949	877	883	912	1,036	1,005	1,177
White-----	16,265	1,684	1,397	1,423	1,256	1,334	1,255	1,255	1,242	1,219	1,350	1,288	1,562
Male-----	9,339	926	805	821	723	765	749	775	761	896	770	722	871
Female-----	6,926	759	592	602	523	569	506	480	481	523	580	566	691
Nonwhite-----	11,246	1,143	969	1,007	862	875	925	839	880	880	932	907	1,027
Male-----	5,978	636	540	513	466	465	482	442	478	471	476	468	541
Female-----	5,268	507	429	494	396	410	443	397	402	409	456	439	486
IDAHO-----	4,585	441	383	400	380	374	368	359	342	376	438	391	373
Male-----	2,652	270	224	260	232	230	228	214	210	228	293	231	235
Female-----	1,933	171	159	140	128	144	140	125	132	152	145	160	138
White-----	4,500	431	375	393	351	369	360	335	337	366	429	396	368
Male-----	2,781	262	217	237	224	227	223	211	206	213	285	228	233
Female-----	1,709	169	158	156	127	142	137	124	131	153	144	158	135
Nonwhite-----	85	10	8	7	9	5	8	4	5	10	9	5	5
Male-----	61	8	7	3	8	3	5	3	4	7	8	3	2
Female-----	24	2	1	4	1	2	3	1	1	3	1	2	3
ILLINOIS-----	89,586	9,068	7,563	8,160	7,455	7,500	7,273	6,829	6,539	6,889	7,210	7,103	7,977
Male-----	50,429	5,019	4,257	4,828	4,189	4,142	4,060	3,852	3,712	3,820	4,185	4,039	4,538
Female-----	39,157	4,049	3,306	3,332	3,266	3,358	3,213	2,977	2,827	3,069	3,025	3,064	3,439
White-----	82,574	8,367	6,977	7,561	6,870	6,980	6,719	6,309	6,006	6,340	6,649	6,519	7,357
Male-----	46,669	4,640	3,943	4,305	3,852	3,797	3,772	3,571	3,435	3,545	3,881	3,718	4,202
Female-----	35,905	3,729	3,034	3,256	3,018	3,083	2,947	2,738	2,571	2,795	2,768	2,801	3,155
Nonwhite-----	6,992	681	586	599	585	520	554	520	533	549	561	594	620
Male-----	3,760	371	314	321	317	345	288	281	277	285	304	321	338
Female-----	3,232	310	272	278	268	275	266	239	256	264	257	263	284
INDIANA-----	39,034	3,816	3,407	3,547	3,272	3,260	3,091	3,042	2,818	2,949	3,166	3,205	3,471
Male-----	21,637	2,072	1,855	1,932	1,805	1,812	1,731	1,604	1,616	1,616	1,712	1,768	1,938
Female-----	17,397	1,744	1,554	1,615	1,467	1,448	1,360	1,438	1,202	1,333	1,454	1,437	1,533
White-----	37,023	3,644	3,242	3,366	3,107	3,099	2,909	2,886	2,639	2,783	3,002	3,046	3,290
Male-----	20,571	1,975	1,757	1,889	1,720	1,729	1,647	1,656	1,513	1,537	1,629	1,681	1,840
Female-----	16,452	1,671	1,485	1,477	1,387	1,370	1,262	1,230	1,126	1,256	1,373	1,365	1,450
Nonwhite-----	2,011	172	165	181	165	161	172	156	179	156	164	159	181
Male-----	1,066	99	96	103	85	83	84	80	91	79	83	87	96
Female-----	945	73	69	78	80	78	88	76	88	77	81	72	85
IOWA-----	25,758	2,405	2,192	2,312	2,078	2,219	2,073	1,907	1,984	1,967	2,094	2,130	2,397
Male-----	14,358	1,376	1,204	1,279	1,165	1,230	1,171	1,049	1,111	1,112	1,146	1,205	1,312
Female-----	11,400	1,029	988	1,033	915	989	902	858	873	855	948	925	1,085
White-----	25,501	2,377	2,171	2,290	2,051	2,194	2,046	1,896	1,967	1,955	2,070	2,112	2,380
Male-----	14,206	1,363	1,191	1,265	1,145	1,215	1,155	1,088	1,100	1,105	1,132	1,194	1,303
Female-----	11,295	1,014	980	1,025	906	979	893	808	867	850	939	918	1,077
Nonwhite-----	257	26	21	22	27	25	25	21	17	12	24	18	17
Male-----	152	13	13	14	18	15	16	11	11	7	14	11	9
Female-----	105	15	8	8	9	10	9	10	6	5	10	7	8
KANSAS-----	18,059	1,615	1,520	1,610	1,425	1,512	1,443	1,453	1,295	1,349	1,442	1,529	1,666
Male-----	10,199	1,030	960	989	794	857	827	839	730	773	824	864	914
Female-----	7,860	785	662	721	631	655	616	614	565	576	618	665	752
White-----	17,066	1,698	1,433	1,521	1,341	1,432	1,375	1,375	1,228	1,273	1,371	1,452	1,569
Male-----	9,689	971	803	845	752	815	788	792	693	736	790	821	863
Female-----	7,377	727	630	676	589	617	587	583	535	537	581	631	706
Nonwhite-----	993	117	89	89	84	80	68	78	67	76	71	77	97
Male-----	530	59	55	44	42	42	39	47	37	37	34	43	51
Female-----	463	58	34	45	42	38	29	31	30	39	37	34	46
KENTUCKY-----	27,410	2,785	2,435	2,429	2,232	2,130	2,168	2,078	2,015	2,105	2,281	2,210	2,542
Male-----	15,314	1,503	1,362	1,358	1,239	1,239	1,201	1,186	1,138	1,289	1,289	1,195	1,422
Female-----	12,096	1,282	1,073	1,091	977	891	967	892	877	816	992	1,015	1,120
White-----	24,053	2,433	2,133	2,119	1,959	1,862	1,910	1,852	1,750	1,852	2,013	1,976	2,227
Male-----	13,515	1,306	1,201	1,175	1,104	1,097	1,088	1,052	994	1,058	1,135	1,071	1,254
Female-----	10,538	1,127	932	944	855	765	822	797	756	794	878	905	973
Nonwhite-----	3,357	352	302	310	273	268	258	259	265	253	269	234	315
Male-----	1,799	197	161	163	151	142	133	134	144	128	154	124	168
Female-----	1,558	155	141	147	122	126	125	125	121	125	114	110	147
LOUISIANA-----	22,030	2,325	2,009	1,924	1,666	1,731	1,685	1,762	1,750	1,639	1,797	1,793	1,957
Male-----	12,373	1,281	1,111	1,112	918	966	940	980	998	938	1,000	980	1,149
Female-----	9,657	1,044	898	812	740	765	745	782	752	701	797	813	808
White-----	12,957	1,341	1,179	1,118	934	976	983	1,073	1,018	986	1,058	1,088	1,193
Male-----	7,536	742	666	659	550	577	585	623	596	581	607	608	722
Female-----	5,421	599	493	459	384	399	398	450	422	405	461	480	471
Nonwhite-----	9,073	904	830	806	724	735	702	689	732	653	729	705	764
Male-----	4,837	539	425	453	368	389	355	357	402	357	393	372	427
Female-----	4,236	445	405	353	356	366	347	332	330	296	336	333	337
MAINE-----	10,059	990	856	906	843	841	806	764	720	770	831	820	911
Male-----	5,572	544	463	482	471	473	479	425	372	431	456	483	515
Female-----	4,486	446	393	424	372	368	327	339	348	339	375	357	396
White-----	10,023	998	852	903	840	839	803	761	718	766	828	818	907
Male-----	5,549	542	460	480	470	471	478	423	371	429	454	462	509
Female-----	4,474	446	392	423	370	368	325	338	347	337	374	356	398
Nonwhite-----	35	2	4	3	3	2	3	3	2	4	3	2	4
Male-----	23	2	3	2	1	2	1	2	1	2	2	1	4
Female-----	12	-	1	1	2	-	2	1	1	2	1	1	-
MARYLAND-----	21,783	2,176	1,785	1,910	1,616	1,624	1,772	1,689	1,659	1,661	1,785	1,726	1,981
Male-----	12,031	1,178	981	1,054	1,016	1,015	973	946	928	917	993	968	1,062
Female-----	9,752	998	804	856	600	609	799	743	730	744	792	758	919
White-----	17,237	1,747	1,425	1,543	1,454	1,456	1,386	1,317	1,285	1,307	1,422	1,333	1,548
Male-----	9,587	939	785	849	808	801	771	750	728	755	783	787	851
Female-----	7,650	808	640	694	646	637	617	567	557	552	639	596	717
Nonwhite-----	4,546	429	360	367	382	386	384	372	373	354	363	343	433
Male-----	2,464	239	196	205	208	214	202	196	200	182	210	181	231
Female-----	2,082	190	164	162	174	172	182	176	173	172	153	162	202



## GENERAL TABLES-TOTAL DEATHS

213

TABLE 18.-DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MASSACHUSETTS</b>	51,398	5,169	4,513	4,773	4,205	4,250	4,046	3,799	3,722	3,959	4,195	4,053	4,714
Male	27,081	2,671	2,347	2,551	2,195	2,240	2,184	2,039	2,012	2,054	2,149	2,151	2,498
Female	24,307	2,498	2,166	2,222	2,010	2,010	1,862	1,760	1,710	1,905	2,046	1,902	2,216
White	50,487	5,073	4,425	4,684	4,131	4,178	3,979	3,727	3,654	3,893	4,133	3,990	4,620
Male	26,584	2,617	2,300	2,499	2,156	2,205	2,143	2,006	1,973	2,010	2,119	2,111	2,445
Female	23,903	2,456	2,125	2,185	1,975	1,973	1,836	1,721	1,681	1,883	2,014	1,879	2,175
Nonwhite	911	86	88	89	74	72	67	72	68	66	62	63	94
Male	507	54	47	52	39	35	41	33	39	44	30	40	53
Female	404	42	41	37	35	37	26	39	29	22	32	23	41
<b>MICHIGAN</b>	55,167	5,296	4,502	4,786	4,656	4,775	4,585	4,328	4,192	4,152	4,473	4,432	4,890
Male	31,647	2,953	2,532	2,812	2,663	2,774	2,617	2,470	2,412	2,376	2,564	2,532	2,822
Female	23,520	2,343	1,970	1,974	1,993	2,001	1,968	1,858	1,780	1,776	1,909	1,900	2,068
White	51,544	4,934	4,204	4,462	4,355	4,471	4,271	4,039	3,918	3,882	4,191	4,140	4,677
Male	29,646	2,765	2,378	2,644	2,483	2,607	2,439	2,320	2,256	2,209	2,421	2,382	2,742
Female	21,898	2,169	1,826	1,818	1,872	1,864	1,832	1,719	1,662	1,673	1,770	1,758	1,935
Nonwhite	3,623	362	298	324	301	304	314	289	274	270	282	292	315
Male	2,001	188	174	168	180	167	178	150	156	167	143	150	180
Female	1,622	174	124	156	121	137	136	139	118	103	139	142	135
<b>MINNESOTA</b>	26,937	2,491	2,124	2,389	2,293	2,282	2,182	2,085	2,122	2,092	2,224	2,186	2,467
Male	15,699	1,445	1,205	1,377	1,332	1,343	1,295	1,215	1,215	1,259	1,303	1,280	1,480
Female	11,238	1,046	919	1,012	961	939	887	870	907	833	921	906	1,017
White	26,577	2,454	2,092	2,353	2,257	2,255	2,158	2,055	2,089	2,089	2,182	2,170	2,433
Male	15,501	1,423	1,184	1,353	1,312	1,325	1,287	1,203	1,204	1,228	1,284	1,270	1,430
Female	11,076	1,031	908	1,000	945	930	871	852	885	861	908	900	1,003
Nonwhite	360	37	32	36	36	27	24	30	33	23	32	16	34
Male	198	22	21	24	20	18	8	12	11	13	19	10	20
Female	162	15	11	12	16	9	16	18	22	10	13	6	14
<b>MISSISSIPPI</b>	19,417	2,047	1,706	1,618	1,631	1,590	1,494	1,530	1,547	1,394	1,477	1,474	1,709
Male	10,702	1,151	955	966	910	888	814	836	851	796	813	811	931
Female	8,715	916	751	652	721	702	680	694	696	598	664	663	778
White	9,130	910	808	883	748	739	681	744	732	649	715	717	804
Male	5,333	517	485	481	430	435	404	438	441	401	424	421	446
Female	3,797	393	323	392	318	304	277	306	291	248	291	296	358
Nonwhite	10,287	1,137	898	935	883	851	815	786	815	745	762	757	905
Male	5,369	614	470	475	480	453	410	398	410	395	389	390	485
Female	4,918	523	428	460	403	398	405	388	405	350	373	367	420
<b>MISSOURI</b>	42,451	4,253	3,605	3,816	3,388	3,471	3,367	3,354	3,149	3,143	3,469	3,399	3,637
Male	23,607	2,511	2,082	2,051	1,901	1,935	1,816	1,850	1,829	1,793	1,972	1,903	2,164
Female	18,844	1,742	1,523	1,765	1,487	1,536	1,551	1,504	1,320	1,350	1,497	1,496	1,673
White	38,209	3,648	3,452	3,413	3,059	3,129	3,023	3,017	2,794	2,852	3,109	3,051	3,462
Male	21,306	2,080	1,900	1,822	1,712	1,752	1,628	1,685	1,631	1,644	1,775	1,723	1,964
Female	16,903	1,568	1,552	1,591	1,347	1,377	1,395	1,332	1,163	1,208	1,334	1,328	1,498
Nonwhite	4,242	405	353	403	329	342	344	337	355	291	360	348	375
Male	2,301	221	182	229	189	183	168	185	198	149	197	180	200
Female	1,941	184	171	174	140	159	156	152	157	142	163	168	175
<b>MONTANA</b>	5,595	478	521	471	426	487	420	487	432	431	503	454	475
Male	3,671	299	330	281	266	316	291	308	286	276	318	282	298
Female	2,024	179	191	190	160	161	129	179	146	155	185	172	177
White	5,301	452	497	452	404	467	403	453	407	403	473	439	451
Male	3,366	278	314	286	272	294	277	290	272	281	304	273	286
Female	1,915	174	183	166	132	173	126	163	135	142	169	166	165
Nonwhite	294	26	24	19	22	30	17	34	25	28	30	15	24
Male	185	21	16	15	14	22	14	18	14	15	14	9	13
Female	109	5	8	4	8	8	3	16	11	13	16	6	11
<b>NEBRASKA</b>	12,440	1,256	1,027	1,112	1,011	968	1,088	954	960	873	973	1,061	1,187
Male	7,049	733	565	527	580	571	576	532	509	553	583	615	631
Female	5,391	523	462	485	431	397	512	422	451	364	420	446	526
White	12,147	1,215	1,003	1,088	991	954	1,063	929	935	852	950	1,036	1,131
Male	6,880	705	554	609	570	565	563	517	544	492	543	602	616
Female	5,267	510	449	479	421	389	500	412	391	360	407	434	515
Nonwhite	293	41	24	24	20	14	25	25	25	21	23	25	26
Male	169	26	11	16	10	6	13	15	13	17	10	13	15
Female	124	15	13	8	10	8	12	10	12	4	13	12	11
<b>NEVADA</b>	1,502	149	109	131	126	121	118	96	130	124	118	126	154
Male	1,009	93	66	87	83	80	81	60	86	94	81	89	110
Female	493	56	43	44	43	41	37	36	44	30	37	38	44
White	1,364	133	98	123	120	103	105	86	116	117	112	118	133
Male	941	86	59	83	80	74	74	55	82	88	79	82	99
Female	423	47	37	40	40	29	31	31	36	29	33	36	34
Nonwhite	138	16	13	8	6	18	13	10	12	7	6	8	21
Male	68	7	7	4	3	6	7	5	4	6	2	6	11
Female	70	9	6	4	3	12	6	5	8	1	4	2	10
<b>NEW HAMPSHIRE</b>	8,048	594	515	562	529	470	477	474	452	452	504	499	538
Male	3,258	286	252	308	277	272	264	261	239	236	290	299	274
Female	2,791	308	263	254	252	198	213	213	193	216	214	200	264
White	6,038	593	517	562	529	468	475	474	432	450	502	498	538
Male	3,254	286	252	308	277	272	264	261	239	234	289	298	274
Female	2,784	307	265	254	252	196	211	213	193	216	213	200	264
Nonwhite	11	1	1	-	-	2	2	-	-	2	2	1	-
Male	4	-	-	-	-	-	-	-	-	2	1	1	-
Female	7	1	1	-	-	2	2	-	-	-	1	-	-
<b>NEW JERSEY</b>	46,392	4,729	3,987	4,023	3,848	3,869	3,644	3,526	3,300	3,593	3,823	3,721	4,330
Male	25,335	2,601	2,195	2,212	2,081	2,081	1,942	1,941	1,818	1,940	2,116	2,047	2,361
Female	21,057	2,127	1,792	1,811	1,767	1,788	1,702	1,585	1,482	1,653	1,707	1,674	1,969
White	43,109	4,437	3,707	3,718	3,567	3,596	3,390	3,271	3,049	3,346	3,557	3,447	4,024
Male	23,801	2,448	2,047	2,056	1,938	1,946	1,810	1,804	1,678	1,804	1,967	1,896	2,207
Female	19,308	1,989	1,660	1,662	1,629	1,650	1,580	1,467	1,371	1,542	1,590	1,551	1,817
Nonwhite	3,283	291	280	305	281	273	254	255	251	247	266	274	306
Male	1,754	153	148	156	143	135	132	137	140	136	149	151	154
Female	1,549	138	132	149	138	138	122	118	111	111	117	123	152



## VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW MEXICO</b>	5,456	468	451	456	408	445	365	419	487	468	490	424	555
Male	3,175	287	262	253	238	259	213	234	295	272	292	255	315
Female	2,281	181	189	203	170	186	152	185	192	196	198	169	240
White	4,814	415	400	389	360	392	326	381	430	409	428	387	497
Male	2,837	256	228	212	217	229	190	215	271	239	283	232	285
Female	1,977	159	172	177	143	163	136	166	159	170	165	155	212
Nonwhite	622	53	51	67	48	53	39	38	57	59	62	37	58
Male	338	31	34	41	21	30	23	19	24	33	29	23	30
Female	284	22	17	26	27	23	16	19	33	26	33	14	28
<b>NEW YORK</b>	152,866	15,796	12,948	13,544	12,780	12,964	12,120	11,360	11,199	11,802	12,392	12,143	14,018
Male	85,599	8,528	7,057	7,380	7,076	7,065	6,670	6,288	6,116	6,436	6,747	6,677	7,621
Female	69,268	7,268	5,891	6,164	5,705	5,899	5,450	5,072	5,084	5,366	5,645	5,466	6,197
White	144,289	14,996	12,284	12,806	12,072	12,214	11,409	10,705	10,541	10,875	11,737	11,443	13,205
Male	78,989	8,094	6,687	6,958	6,672	6,672	6,206	5,909	5,778	5,939	6,396	6,295	7,386
Female	65,300	6,912	5,597	5,850	5,393	5,542	5,203	4,796	4,763	4,936	5,341	5,148	5,819
Nonwhite	8,577	800	664	735	708	750	711	655	658	727	655	700	813
Male	4,609	444	370	392	396	393	364	349	337	396	351	382	435
Female	3,968	356	294	344	312	357	347	306	321	331	304	318	378
<b>NORTH CAROLINA</b>	28,724	3,003	2,524	2,476	2,284	2,321	2,204	2,201	2,189	2,213	2,376	2,347	2,594
Male	16,194	1,660	1,413	1,424	1,313	1,289	1,279	1,238	1,188	1,227	1,356	1,341	1,466
Female	12,530	1,343	1,111	1,054	971	1,032	925	963	1,001	986	1,020	1,006	1,118
White	19,096	2,006	1,649	1,659	1,508	1,551	1,450	1,459	1,464	1,488	1,587	1,562	1,733
Male	11,082	1,118	965	961	906	891	855	848	818	846	928	927	1,021
Female	8,014	890	684	698	602	660	595	613	646	642	659	635	712
Nonwhite	9,628	997	875	819	776	770	754	742	725	745	789	785	881
Male	5,112	542	448	463	407	398	424	392	370	381	428	414	445
Female	4,516	455	427	356	369	372	330	350	355	364	361	371	406
<b>NORTH DAKOTA</b>	5,080	452	363	405	471	451	421	437	391	394	446	434	416
Male	3,121	265	218	248	295	288	254	261	242	240	280	256	258
Female	1,959	186	145	157	176	165	167	178	149	154	170	154	160
White	4,955	445	353	392	458	436	413	423	379	382	434	427	412
Male	3,052	264	215	242	297	277	251	255	234	233	288	274	254
Female	1,903	181	140	150	171	159	162	168	145	150	166	153	158
Nonwhite	125	6	10	13	13	15	8	14	12	11	12	7	4
Male	69	1	5	6	8	9	3	6	7	8	6	6	2
Female	56	5	5	7	5	6	5	8	4	4	4	1	2
<b>OHIO</b>	78,464	7,771	6,625	6,914	6,557	6,627	6,148	6,093	5,833	6,188	6,405	6,541	6,874
Male	45,578	4,234	3,624	3,832	3,553	3,705	3,402	3,383	3,358	3,468	3,614	3,535	3,872
Female	34,886	3,537	3,001	3,082	3,004	2,922	2,746	2,700	2,475	2,719	2,789	2,808	3,002
White	72,960	7,194	6,189	6,480	6,101	6,183	5,725	5,603	5,514	5,760	5,953	5,885	6,393
Male	40,485	3,921	3,372	3,577	3,304	3,441	3,158	3,123	3,117	3,232	3,375	3,272	3,593
Female	32,475	3,273	2,817	2,903	2,797	2,742	2,567	2,480	2,397	2,528	2,578	2,613	2,800
Nonwhite	5,504	577	436	434	456	444	423	480	419	428	450	456	481
Male	3,094	313	252	255	249	264	244	250	239	237	239	263	279
Female	2,410	264	184	179	207	180	179	230	180	191	211	193	202
<b>OKLAHOMA</b>	18,620	1,886	1,626	1,645	1,502	1,424	1,405	1,624	1,503	1,317	1,457	1,536	1,694
Male	10,955	1,128	931	953	865	856	796	939	879	819	867	933	991
Female	7,665	758	695	692	637	568	610	685	624	498	590	603	703
White	16,401	1,663	1,404	1,433	1,310	1,273	1,251	1,450	1,338	1,154	1,275	1,352	1,498
Male	9,792	1,018	826	836	762	781	722	850	796	720	765	828	888
Female	6,609	645	578	597	548	492	529	600	542	434	510	524	610
Nonwhite	2,219	223	222	212	192	151	155	174	165	182	182	196	196
Male	1,163	110	105	117	101	75	74	89	83	99	102	105	105
Female	1,056	113	117	95	91	76	81	85	82	84	80	79	91
<b>OREGON</b>	13,318	1,222	1,125	1,144	1,174	1,146	1,068	1,104	999	1,023	1,118	1,104	1,081
Male	8,011	724	674	690	684	688	641	710	603	625	651	661	662
Female	5,307	498	451	454	490	460	427	394	396	398	467	443	429
White	13,050	1,199	1,097	1,113	1,154	1,122	1,054	1,086	979	1,001	1,086	1,084	1,065
Male	7,844	711	654	671	675	670	631	689	592	612	639	647	643
Female	5,206	488	443	442	479	452	423	387	387	389	457	437	422
Nonwhite	268	25	29	31	20	24	14	18	20	22	22	20	26
Male	167	15	20	19	9	16	10	11	11	13	12	14	19
Female	101	10	9	12	11	8	4	7	9	9	10	6	7
<b>PENNSYLVANIA</b>	107,683	10,956	9,235	9,470	9,075	8,835	8,402	8,228	7,928	8,180	6,772	6,655	9,647
Male	59,242	5,900	5,149	5,153	4,976	4,817	4,628	4,471	4,436	4,550	4,806	4,915	5,443
Female	48,441	4,956	4,086	4,317	4,099	4,018	3,776	3,757	3,492	3,630	3,966	3,940	4,404
White	100,581	10,187	8,649	8,868	8,449	8,235	7,841	7,657	7,391	7,644	6,185	6,263	9,212
Male	55,409	5,536	4,811	4,830	4,647	4,501	4,333	4,180	4,132	4,245	4,499	4,590	5,105
Female	45,172	4,651	3,838	4,038	3,802	3,734	3,508	3,477	3,259	3,399	3,686	3,663	4,107
Nonwhite	7,102	669	586	602	626	600	561	571	537	536	577	602	635
Male	3,833	364	336	323	329	316	293	291	304	305	307	325	336
Female	3,269	305	249	279	297	284	268	280	233	231	270	277	297
<b>RHODE ISLAND</b>	8,073	797	722	732	626	690	593	633	589	623	654	654	750
Male	4,221	425	381	407	334	363	325	340	291	318	321	326	390
Female	3,852	372	341	325	292	327	268	293	278	305	313	328	360
White	7,908	781	704	787	607	680	594	613	562	615	621	642	730
Male	4,130	419	368	401	325	366	322	328	287	313	312	319	378
Female	3,776	362	336	386	282	322	262	285	275	302	309	323	352
Nonwhite	167	16	18	18	19	10	9	20	7	8	13	12	20
Male	91	6	13	6	9	5	3	12	4	5	9	7	12
Female	76	10	5	9	10	5	6	8	3	3	4	5	8
<b>SOUTH CAROLINA</b>	16,351	1,783	1,475	1,430	1,346	1,298	1,307	1,200	1,234	1,248	1,304	1,327	1,399
Male	9,074	971	847	787	749	695	685	698	711	705	742	718	776
Female	7,277	812	628	643	597	603	622	512	523	543	562	609	622
White	8,501	941	751	738	685	638	668	639	651	672	676	722	720
Male	4,941	523	438	417	412	357	374	362	368	412	421	421	437
Female	3,560	418	313	321	273	281	294	277	271	264	264	301	283
Nonwhite	7,850	842	724	692	661	660	639	561	583	576	628	605	679
Male	4,133	448	409	370	337	338	311	306	331	317	330	287	359
Female	3,717	394	315	322	324	322	328	255	252	259	298	308	340



## GENERAL TABLES—TOTAL DEATHS

215

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>SOUTH DAKOTA</b>	5,508	505	444	507	485	501	419	423	431	411	450	435	497
Male	3,505	300	262	297	299	300	253	253	260	241	278	271	283
Female	2,203	205	182	210	186	201	156	170	171	170	174	164	214
White	5,173	473	411	467	455	478	392	397	408	388	425	410	469
Male	3,128	280	242	279	276	287	247	242	252	228	266	260	269
Female	2,045	193	169	188	179	191	145	155	156	160	159	150	200
Nonwhite	335	32	33	40	30	23	27	26	23	23	25	25	20
Male	177	20	20	18	23	13	16	11	8	15	10	11	14
Female	158	12	13	22	7	10	11	15	15	10	15	14	14
<b>TENNESSEE</b>	27,650	2,628	2,419	2,473	2,270	2,334	2,236	2,100	2,136	2,068	2,222	2,118	2,448
Male	15,342	1,521	1,306	1,404	1,239	1,294	1,285	1,199	1,202	1,140	1,211	1,192	1,569
Female	12,308	1,307	1,113	1,069	1,031	1,050	951	901	934	928	1,011	926	1,079
White	21,157	2,168	1,848	1,963	1,747	1,798	1,725	1,591	1,610	1,560	1,709	1,622	1,886
Male	11,986	1,200	1,019	1,099	979	998	1,023	929	923	882	933	929	1,071
Female	9,171	968	829	864	768	799	702	662	687	678	776	693	815
Nonwhite	6,493	660	571	570	523	546	511	509	526	506	513	496	562
Male	3,356	321	287	305	260	285	262	260	279	258	278	263	298
Female	3,137	339	284	265	263	261	249	249	247	248	235	233	264
<b>TEXAS</b>	59,706	5,875	5,120	5,204	4,851	4,974	4,690	5,135	4,782	4,346	4,806	4,632	5,290
Male	34,754	3,413	2,828	3,019	2,729	2,899	2,717	2,948	2,771	2,598	2,792	2,694	3,070
Female	24,952	2,462	2,194	2,185	1,922	2,075	1,973	2,190	2,011	1,758	2,014	1,948	2,220
White	49,652	4,872	4,265	4,330	3,879	4,148	3,872	4,254	3,958	3,625	4,009	4,006	4,436
Male	29,263	2,856	2,462	2,539	2,325	2,456	2,247	2,469	2,317	2,139	2,385	2,427	2,804
Female	20,389	2,016	1,803	1,791	1,556	1,692	1,625	1,786	1,639	1,486	1,624	1,579	1,632
Nonwhite	10,054	1,003	855	874	772	826	818	882	826	721	797	826	854
Male	5,491	577	464	460	406	445	470	478	454	389	427	457	486
Female	4,563	426	391	414	366	381	348	404	372	332	370	369	368
<b>UTAH</b>	4,795	446	439	425	417	426	355	369	373	331	399	363	442
Male	2,775	269	262	254	251	249	214	217	215	192	222	207	253
Female	2,010	177	177	171	166	177	141	152	158	139	177	156	189
White	4,692	438	434	410	411	418	345	362	369	324	390	359	432
Male	2,714	263	269	244	228	244	208	213	211	185	217	205	248
Female	1,978	175	165	166	183	174	137	149	158	139	173	154	184
Nonwhite	93	8	5	15	6	8	10	7	4	7	9	4	10
Male	61	6	4	10	3	5	6	4	4	5	2	2	5
Female	32	2	1	5	3	3	4	3	-	-	4	2	5
<b>VERMONT</b>	4,140	418	346	381	354	395	304	304	280	305	351	298	404
Male	2,263	214	190	197	196	217	179	180	148	175	187	168	212
Female	1,877	204	156	184	158	178	125	124	132	130	164	130	192
White	4,137	418	346	381	354	395	304	304	280	304	349	298	404
Male	2,260	214	190	197	196	217	179	180	148	174	185	168	212
Female	1,877	204	156	184	158	178	125	124	132	130	164	130	192
Nonwhite	3	-	-	-	-	-	-	-	-	1	2	-	-
Male	3	-	-	-	-	-	-	-	-	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VIRGINIA</b>	26,154	2,957	2,513	2,463	2,303	2,285	2,143	2,173	2,082	2,263	2,262	2,139	2,563
Male	16,163	1,709	1,376	1,407	1,301	1,321	1,240	1,257	1,227	1,298	1,291	1,261	1,475
Female	11,991	1,248	1,137	1,056	1,002	972	903	916	855	965	971	878	1,088
White	19,285	2,020	1,695	1,676	1,569	1,566	1,462	1,469	1,405	1,569	1,554	1,507	1,793
Male	11,259	1,199	935	955	879	920	861	867	857	932	917	891	1,046
Female	8,026	821	760	721	690	646	601	602	548	637	637	616	747
Nonwhite	8,869	937	818	787	734	727	681	704	677	694	708	632	770
Male	4,904	510	441	452	422	401	379	390	370	366	374	370	429
Female	3,965	427	377	335	312	326	302	314	307	328	334	262	341
<b>WASHINGTON</b>	22,011	2,026	1,845	1,999	1,922	1,832	1,755	1,754	1,713	1,602	1,856	1,843	1,874
Male	13,519	1,261	1,126	1,214	1,169	1,121	1,076	1,066	1,042	994	1,146	1,137	1,167
Female	8,492	765	719	775	753	711	679	698	671	608	710	706	707
White	21,349	1,987	1,800	1,937	1,859	1,765	1,703	1,679	1,649	1,538	1,793	1,795	1,826
Male	13,094	1,229	1,095	1,182	1,127	1,021	1,043	1,023	994	964	1,105	1,107	1,136
Female	8,255	758	707	755	732	692	660	656	655	594	689	688	690
Nonwhite	662	59	45	52	63	49	52	75	64	44	63	49	49
Male	425	32	33	32	42	30	33	43	48	30	41	30	31
Female	237	27	12	20	21	19	19	32	16	14	22	19	17
<b>WEST VIRGINIA</b>	16,238	1,648	1,420	1,393	1,316	1,374	1,239	1,239	1,232	1,200	1,285	1,318	1,495
Male	9,509	983	828	801	739	781	739	757	747	735	755	775	871
Female	6,729	665	594	592	577	593	499	482	485	545	530	543	624
White	14,908	1,466	1,315	1,266	1,206	1,246	1,146	1,133	1,141	1,198	1,179	1,232	1,580
Male	8,695	863	761	722	671	707	683	685	693	683	708	720	789
Female	6,213	603	554	544	535	539	463	448	448	515	471	512	581
Nonwhite	1,330	182	105	127	110	128	92	106	91	82	106	86	115
Male	814	120	65	79	68	74	56	72	54	52	47	55	72
Female	516	62	40	48	42	54	36	34	37	30	59	31	43
<b>WISCONSIN</b>	32,345	3,163	2,656	2,907	2,719	2,920	2,496	2,454	2,354	2,486	2,690	2,546	2,954
Male	18,141	1,792	1,510	1,611	1,532	1,612	1,380	1,405	1,324	1,364	1,505	1,441	1,665
Female	14,204	1,371	1,146	1,296	1,187	1,308	1,116	1,049	1,030	1,122	1,185	1,105	1,289
White	32,001	3,133	2,629	2,867	2,693	2,888	2,479	2,431	2,332	2,448	2,666	2,516	2,917
Male	17,845	1,775	1,494	1,585	1,516	1,589	1,370	1,393	1,313	1,344	1,494	1,429	1,643
Female	14,056	1,358	1,135	1,282	1,177	1,299	1,109	1,038	1,019	1,104	1,172	1,087	1,274
Nonwhite	344	30	27	40	28	32	17	23	22	38	24	30	37
Male	196	17	16	26	16	23	10	12	11	20	11	12	22
Female	148	13	11	14	10	9	7	11	11	18	11	18	15
<b>WYOMING</b>	2,135	202	154	143	190	178	186	151	161	186	203	194	187
Male	1,592	132	102	92	112	132	135	98	105	118	120	131	119
Female	743	70	52	51	78	46	51	53	56	68	83	63	68
White	2,064	193	147	137	199	173	177	150	155	177	189	184	183
Male	1,346	127	99	88	111	126	127	97	98	112	118	123	116
Female	718	66	48	49	76	45	50	53	57	63	71	61	67
Nonwhite	71	9	7	6	1	5	9	1	6	9	4	10	4
Male	46	5	3	4	1	4	6	1	5	6	2	6	3
Female	25	4	4	2	-	1	3	-	1	3	2	4	1



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—All causes	1,395,617	139,416	119,898	124,101	114,682	115,879	110,106	107,740	104,682	106,055	113,416	112,981	126,361
Typhoid and paratyphoid fever—1,2	407	27	22	26	33	39	35	58	55	36	30	28	20
Cerebrospinal (meningococcus) meningitis—6	1,257	231	170	146	113	97	68	58	68	67	67	76	95
Scarlet fever—8	198	25	35	29	13	12	15	12	9	13	8	12	15
Whooping cough—9	1,241	131	113	86	108	100	115	108	126	91	85	74	111
Diphtheria—10	1,258	193	114	113	65	87	72	60	52	93	139	133	136
Tuberculosis (all forms)—13-22	50,911	4,635	4,428	4,770	4,540	4,545	4,212	4,162	3,990	3,779	3,919	3,899	4,043
Tuberculosis of respiratory system, etc.*—13	46,339	4,329	4,097	4,421	4,139	4,135	3,855	3,813	3,638	3,501	3,668	3,606	3,737
Tuberculosis (other forms)—14-22	3,972	306	331	349	401	410	357	349	352	278	251	292	306
Dysentery—27	952	49	45	51	65	125	122	102	102	86	91	49	65
Malaria—28	341	20	20	24	36	31	45	41	43	23	26	18	14
Syphilis—30	12,955	1,332	1,068	1,182	1,072	1,085	1,091	1,017	993	974	1,095	961	1,117
Measles—35	1,310	65	128	282	296	245	181	44	20	8	13	15	33
Poliomyelitis, poliomyelitis (acute)—36	1,845	22	30	22	26	46	86	261	478	366	279	146	63
Cancer and other malignant tumors—45-55	182,005	15,529	13,641	15,379	15,094	15,404	14,909	15,132	15,327	15,061	15,632	15,096	15,801
Cancer of the digestive organs and peritoneum—46	80,866	7,061	6,096	6,920	6,693	6,667	6,761	6,764	6,692	6,732	6,651	6,922	6,922
Cancer of female genital organs—48,49	22,646	1,914	1,702	1,917	1,836	1,904	1,943	1,920	1,957	1,836	1,967	1,852	1,899
Cancer of the breast—50	17,516	1,514	1,349	1,444	1,462	1,453	1,452	1,562	1,504	1,425	1,547	1,496	1,488
Cancer (other sites)—45,47,51-55	60,977	5,040	4,494	5,099	5,063	5,180	4,827	5,069	5,102	5,106	5,366	5,097	5,493
Acute rheumatic fever—58	1,118	116	100	122	97	95	96	74	89	74	79	93	83
Diabetes mellitus—61	34,731	3,637	3,098	3,128	2,947	2,829	2,755	2,623	2,574	2,570	2,780	2,785	3,189
Exophthalmic goiter—63b	2,357	247	228	223	223	200	162	166	185	175	171	169	169
Pellagra (except alcoholic)—69	804	87	74	74	65	68	75	55	70	62	60	47	67
Alcoholism (ethylin)—77	2,209	225	220	203	172	178	151	185	167	161	167	168	232
Intracranial lesions of vascular origin—83	125,646	12,416	10,926	11,196	10,560	10,580	9,938	9,502	9,279	9,266	10,101	10,549	11,695
Diseases of the heart—90-95	429,250	44,440	38,127	39,221	35,730	36,082	33,343	31,473	30,475	31,550	34,387	34,682	39,720
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	23,559	2,482	2,068	2,161	2,002	2,111	1,796	1,748	1,653	1,746	1,900	1,856	2,036
Diseases of coronary arteries and angina pectoris—94	157,155	12,632	11,532	11,813	11,029	11,451	10,708	10,412	10,274	10,584	11,419	11,748	13,351
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	268,518	29,126	24,547	25,227	22,699	22,520	20,839	19,513	18,548	19,220	21,058	21,078	24,333
Arteriosclerosis and high blood pressure—97,102	26,744	2,961	2,466	2,426	2,244	2,212	2,159	1,966	1,747	1,985	2,115	2,053	2,410
Pneumonia (all forms) and influenza—107-109,33	62,324	11,316	8,217	6,646	4,873	4,104	3,256	2,865	2,692	3,197	4,106	4,592	6,490
Bronchopneumonia—107	27,667	3,690	3,148	2,777	2,261	1,987	1,619	1,545	1,400	1,700	2,049	2,225	3,047
Lobar pneumonia—108	20,282	3,459	2,645	2,263	1,655	1,354	1,099	911	879	998	1,371	1,506	2,112
Pneumonia (unspecified)—109	5,622	680	673	549	429	392	305	262	277	300	396	476	694
Influenza—33	8,785	3,107	1,751	1,057	509	371	233	127	136	189	301	375	627
Ulcer of stomach or duodenum—117	8,164	776	722	742	684	702	587	628	563	670	684	682	744
Diarrhea, enteritis, etc.*—119,120	8,090	640	583	601	589	734	772	814	752	701	699	636	589
Appendicitis—121	5,285	474	437	484	425	469	470	563	451	415	365	361	371
Hernia and intestinal obstruction—122	11,221	1,081	908	921	862	910	955	1,006	975	900	897	880	926
Cirrhosis of the liver—124	13,451	1,248	1,099	1,166	1,136	1,152	1,034	1,011	1,112	1,109	1,116	1,081	1,187
Biliary calculi, etc.*—126,127	6,150	541	500	543	484	515	527	567	474	528	503	512	456
Nephritis—130-132	81,701	8,585	7,402	7,642	7,078	7,055	6,599	6,106	5,675	5,984	6,289	6,389	7,017
Diseases of the prostate—137	7,361	699	613	620	558	620	549	543	582	624	614	577	579
Diseases of pregnancy, etc.*—140-150	5,153	430	366	414	390	437	408	476	493	460	427	414	436
Puerperal septicemia—140,142a,145a,147	1,771	157	108	146	149	155	151	155	169	143	131	133	153
Puerperal toxemia—141a,c,144,148	1,296	105	100	98	97	112	99	126	126	119	97	112	107
Hemorrhage, trauma or shock—141b,142b,143,146,149	1,589	122	122	125	116	134	121	145	161	135	133	139	136
Other puerperal causes—141d,e,f,145b,150	497	46	36	45	28	36	33	55	52	38	54	32	42
Congenital malformations—157	17,748	1,385	1,284	1,317	1,320	1,427	1,278	1,379	1,490	1,592	1,689	1,769	1,849
Diseases peculiar to first year of life—158-161	61,738	4,241	3,906	4,306	4,464	5,089	5,216	5,587	5,859	5,734	5,929	5,607	5,820
Premature birth—158	39,284	2,712	2,472	2,785	2,903	3,422	3,477	3,639	3,757	3,698	3,709	3,563	3,717
Other diseases peculiar to first year of life—159,160,161	21,914	1,529	1,434	1,541	1,561	1,667	1,739	1,928	2,102	2,046	2,220	2,044	2,103
Suicide—163,164	16,152	1,322	1,225	1,331	1,428	1,444	1,365	1,363	1,259	1,364	1,317	1,227	1,237
Homicide—165-168	9,784	611	612	739	657	717	765	805	769	800	718	754	837
Accidental deaths—169-195	98,035	8,905	7,726	8,133	7,532	7,573	8,057	8,579	8,118	7,727	8,224	8,278	9,181
Motor-vehicle accidents—170	53,411	2,913	2,537	2,752	2,525	2,461	2,324	2,575	2,895	2,803	3,042	3,173	3,411
Other accidents—169,171-195	64,622	5,992	5,189	5,381	5,007	5,112	5,733	6,004	5,223	4,924	5,182	5,105	5,770
Sentility, ill-defined and unknown causes—162,199,200	27,607	5,287	2,653	2,478	2,151	2,193	2,047	1,965	1,975	1,816	2,189	2,132	2,621
All other causes—	79,134	7,537	6,632	7,165	6,624	6,734	6,473	6,587	6,023	5,692	6,436	6,280	6,951
ALABAMA—All causes	24,727	2,578	2,270	2,262	1,863	2,059	1,864	1,660	1,952	1,627	2,026	1,997	2,139
Typhoid and paratyphoid fever—1,2	9	1	-	2	-	1	1	1	-	1	-	1	1
Cerebrospinal (meningococcus) meningitis—6	51	5	5	4	4	1	2	2	-	-	2	3	3
Scarlet fever—8	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping cough—9	37	4	1	1	4	2	4	3	3	2	2	3	8
Diphtheria—10	28	2	1	2	1	1	3	1	1	3	5	3	5
Tuberculosis (all forms)—13-22	1,122	118	101	120	97	92	73	77	101	80	87	90	86
Tuberculosis of respiratory system, etc.*—13	1,049	110	95	112	91	85	72	74	94	77	82	70	79
Tuberculosis (other forms)—14-22	73	8	6	8	6	7	1	3	7	3	5	12	7
Dysentery—27	22	-	1	4	-	5	6	3	2	-	1	-	-
Malaria—28	30	3	1	2	5	2	3	3	2	3	4	-	2
Syphilis—30	317	33	32	27	25	29	20	32	30	15	22	24	28
Measles—35	44	-	3	7	19	7	2	2	1	-	-	1	2
Poliomyelitis, poliomyelitis (acute)—36	22	1	-	1	1	-	2	4	1	6	1	-	3
Cancer and other malignant tumors—45-55	2,261	188	169	192	164	184	172	191	198	199	208	186	191
Cancer of the digestive organs and peritoneum—46	853	69	75	65	65	65	56	79	73	67	79	64	76
Cancer of female genital organs—48,49	397	30	33	30	33	41	38	27	31	42	34	28	30
Cancer of the breast—50	222	22	19	20	14	17	15	14	17	19	23	17	26
Cancer (other sites)—45,47,51-55	769	67	62	77	52	61	63	71	77	71	72	57	59
Acute rheumatic fever—58	24	3	2	4	2	1	4	2	-	1	2	-	3
Diabetes mellitus—61	335	27	28	36	20	31	22	20	29	20	32	29	42
Exophthalmic goiter—63b	30	2	7	2	1	5	2	1	-	1	3	-	6
Pellagra (except alcoholic)—69	96	18	7	6	11	7	5	6	10	7	7	3	7
Alcoholism (ethylin)—77	51	2	3	5	-	1	4	3	3	5	1	1	3
Intracranial lesions of vascular origin—83	2,360	219	227	208	189	223	184	192	160	172	212	182	212
Diseases of the heart—90-95	5,320	514	457	499	422	481	430	402	401	366	444	455	449
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	392	50	33	39	29	46	35	26	29	21	35	24	25
Diseases of coronary arteries and angina pectoris—94	1,521	118	128	135	125	129	129	108	111	119	147	144	127
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,407	346	296	325	267	306	266	268	261	226	262	297	297
Arteriosclerosis and high blood pressure—97,102	273	32	21	22	20	18	17	26	25	25	19	27	21

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

217

TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA-Continued													
Pneumonia (all forms) and influenza-----107-109,53	1,526	308	250	195	91	84	65	53	69	91	89	102	141
Bronchopneumonia-----107	505	72	54	51	35	25	24	29	32	45	45	46	47
Lobar pneumonia-----108	530	84	90	76	35	39	27	20	25	25	32	27	50
Pneumonia (unspecified)-----109	82	11	10	11	5	5	7	2	5	4	4	7	11
Influenza-----53	409	159	96	57	16	15	7	2	7	7	8	22	33
Ulcer of stomach or duodenum-----117	106	10	7	9	8	12	10	6	10	6	6	8	12
Diarrhea, enteritis, etc.*-----119,120	172	15	11	14	18	12	26	17	11	5	17	11	15
Appendicitis-----121	121	9	7	10	7	12	12	9	15	12	7	8	13
Hernia and intestinal obstruction-----122	167	16	19	10	14	10	21	17	21	12	7	11	9
Cirrhosis of the liver-----124	135	10	9	17	12	6	6	6	12	12	13	12	14
Biliary calculi, etc.*-----126,127	69	8	6	6	2	11	4	4	2	9	8	4	5
Nephritis-----130-132	1,892	200	202	182	159	166	134	140	139	139	153	138	140
Diseases of the prostate-----137	114	10	7	14	11	12	4	10	10	7	11	9	9
Diseases of pregnancy, etc.*-----140-150	209	23	13	17	12	22	8	19	25	19	20	17	14
Puerperal septicemia-----140,142a,145a,147	71	7	5	3	5	5	2	9	10	5	10	8	2
Puerperal toxemia-----141a,c,144,148	69	11	4	7	3	8	2	5	6	8	3	7	5
Hemorrhage, trauma or shock*-----141b,142b,145,146,149	46	4	2	7	4	5	4	2	6	3	3	1	5
Other puerperal causes-----141d,e,f,145b,150	23	1	2	-	-	4	-	3	3	3	4	1	2
Congenital malformations-----157	265	23	25	20	16	24	15	21	22	26	24	27	22
Diseases peculiar to first year of life-----158-161	1,531	129	101	98	118	123	130	129	166	150	116	126	145
Premature birth-----158	1,015	93	61	76	76	85	82	79	107	105	77	85	89
Other diseases peculiar to first year of life-----159,160,161	516	36	40	22	42	38	48	50	59	45	39	41	56
Suicide-----163,164	203	15	19	20	20	7	26	12	20	19	15	17	13
Homicide-----165-168	421	22	29	27	28	39	44	41	38	34	41	39	39
Accidental deaths-----169-195	2,003	204	155	187	132	164	166	169	168	130	165	181	195
Motor-vehicle accidents-----170	766	64	58	85	40	60	57	67	62	50	87	67	69
Other accidents-----169,171-195	1,237	140	97	102	92	104	109	102	93	80	78	114	126
Senility, ill-defined and unknown causes-----162,199,200	1,872	260	195	156	127	142	126	109	146	135	156	160	160
All other causes-----	1,508	146	130	134	123	116	130	127	124	121	126	110	121
ARIZONA-----All causes	5,737	535	480	548	462	421	453	421	401	409	511	513	563
Typhoid and paratyphoid fever-----1,2	5	-	-	-	1	-	-	-	-	1	2	1	-
Cerebrospinal (meningococcus) meningitis-----6	1	-	-	1	1	-	-	1	1	1	1	-	-
Scarlet fever-----9	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough-----9	16	6	-	4	1	-	2	-	1	-	1	-	1
Diphtheria-----10	17	2	1	1	-	2	1	1	-	2	2	1	4
Tuberculosis (all forms)-----13-22	727	55	73	68	63	69	57	55	51	54	55	65	62
Tuberculosis of respiratory system, etc.*-----13	664	48	70	65	57	59	54	50	45	46	54	59	59
Tuberculosis (other forms)-----14-22	63	7	3	3	6	11	3	5	6	8	1	7	3
Dysentery-----27	23	-	-	-	-	2	3	2	3	5	5	2	1
Malaria-----28	2	-	-	1	1	-	-	-	-	-	-	-	-
Syphilis-----30	65	7	4	7	8	1	5	6	6	-	6	11	4
Measles-----35	26	-	-	5	3	4	7	1	-	-	-	-	6
Poliomyelitis, poliomyelitis (acute)-----36	12	-	1	-	-	-	1	1	6	2	1	-	-
Cancer and other malignant tumors-----45-55	495	35	27	37	41	39	39	45	39	52	59	45	39
Cancer of the digestive organs and peritoneum-----46	196	14	15	11	16	18	14	11	10	17	26	18	26
Cancer of female genital organs-----48,49	75	2	3	4	9	4	8	6	9	9	10	3	3
Cancer of the breast-----50	38	5	3	4	3	2	1	3	3	4	5	4	1
Cancer (other sites)-----45,47,51-55	186	14	8	18	13	15	16	21	20	22	19	13	9
Acute rheumatic fever-----58	6	1	2	-	-	1	-	-	1	-	-	-	1
Diabetes mellitus-----61	63	7	5	4	6	2	6	7	5	5	3	6	7
Rheumatic fever-----63b	6	-	1	-	1	1	-	1	-	-	-	1	1
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylin)-----77	20	1	-	1	2	1	1	5	6	-	-	2	1
Intracranial lesions of vascular origin-----83	314	32	26	31	23	18	26	20	25	27	33	26	27
Diseases of the heart-----90-95	1,279	149	99	134	106	98	102	86	91	81	110	96	128
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	80	10	5	14	3	6	9	8	4	3	9	4	5
Diseases of coronary arteries and angina pectoris-----94	427	45	39	44	41	33	29	20	33	32	54	33	44
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	772	93	55	76	62	59	64	58	54	46	67	59	79
Arteriosclerosis and high blood pressure-----97,102	68	6	5	7	2	4	3	8	5	6	4	7	11
Pneumonia (all forms) and influenza-----107-109,33	379	48	53	34	28	17	22	14	13	16	28	40	66
Bronchopneumonia-----107	207	19	34	13	21	10	15	6	9	7	17	15	41
Lobar pneumonia-----108	89	10	6	11	4	5	4	5	3	8	5	13	15
Pneumonia (unspecified)-----109	37	4	5	3	1	1	3	2	1	1	3	9	4
Influenza-----33	46	15	8	7	2	1	-	1	-	-	3	3	6
Ulcer of stomach or duodenum-----117	38	7	4	4	5	1	1	2	2	5	5	1	3
Diarrhea, enteritis, etc.*-----119,120	132	3	3	6	10	16	11	13	13	14	17	11	15
Appendicitis-----121	22	2	2	2	-	1	4	1	3	1	4	-	2
Hernia and intestinal obstruction-----122	41	2	8	4	3	4	5	3	-	4	3	4	1
Cirrhosis of the liver-----124	49	1	4	7	3	8	1	4	3	4	5	6	2
Biliary calculi, etc.*-----126,127	21	2	1	2	2	3	-	3	2	-	2	1	1
Nephritis-----130-132	210	17	19	28	12	11	25	18	15	15	11	14	25
Diseases of the prostate-----137	24	2	4	3	1	2	3	1	1	2	-	3	2
Diseases of pregnancy, etc.*-----140-150	35	4	2	2	2	3	3	3	3	4	2	3	5
Puerperal septicemia-----140,142a,145a,147	14	-	2	2	2	-	1	2	2	1	-	-	2
Puerperal toxemia-----141a,c,144,148	5	1	-	-	-	1	2	-	-	-	1	-	-
Hemorrhage, trauma or shock*-----141b,142b,145,146,149	9	-	-	-	-	1	-	1	1	1	1	1	2
Other puerperal causes-----141d,e,f,145b,150	9	3	-	-	-	-	-	-	-	2	-	2	1
Congenital malformations-----157	75	4	5	3	10	5	5	3	2	6	9	10	13
Diseases peculiar to first year of life-----158-161	243	30	23	28	15	6	4	9	8	8	37	39	36
Premature birth-----158	159	26	13	16	12	4	1	4	4	4	26	23	26
Other diseases peculiar to first year of life-----159,160,161	84	4	10	12	3	2	3	5	4	4	11	16	10
Suicide-----163,164	71	2	5	2	12	7	11	3	6	4	4	5	10
Homicide-----165-168	38	1	1	6	4	7	2	2	1	6	2	5	1
Accidental deaths-----169-195	568	46	43	54	43	44	45	57	46	42	45	55	46
Motor-vehicle accidents-----170	190	15	14	21	16	13	15	14	16	12	12	18	21
Other accidents-----169,171-195	378	31	29	33	27	31	27	43	32	30	33	37	25
Senility, ill-defined and unknown causes-----162,199,200	265	31	28	24	12	20	21	16	11	22	26	22	32
All other causes-----	376	33	31	39	40	25	35	32	30	22	29	31	30

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>ARKANSAS—All causes</b>	<b>14,336</b>	<b>1,605</b>	<b>1,307</b>	<b>1,363</b>	<b>1,116</b>	<b>1,147</b>	<b>1,153</b>	<b>1,160</b>	<b>1,102</b>	<b>1,066</b>	<b>1,092</b>	<b>1,124</b>	<b>1,103</b>
Typhoid and paratyphoid fever—1,2	17	1	-	1	2	-	1	1	4	3	2	2	-
Cerebrospinal (meningococcus) meningitis—6	17	4	1	3	1	1	-	2	1	1	1	1	1
Scarlet fever—3	3	-	1	-	-	1	-	-	-	-	-	1	-
Whooping cough—9	20	3	3	-	3	2	1	2	2	2	-	1	1
Diphtheria—10	40	5	4	1	2	-	1	4	4	3	6	7	3
Tuberculosis (all forms)—13-22	699	77	60	80	62	63	55	48	51	49	54	57	43
Tuberculosis of respiratory system, etc.*—13	662	75	56	75	59	60	49	46	50	46	54	51	43
Tuberculosis (other forms)—14-22	37	4	4	5	3	3	6	2	1	3	-	6	-
Dysentery—27	15	-	-	-	-	1	6	2	1	2	1	-	2
Malaria—28	25	-	2	-	2	3	4	4	3	3	2	1	1
Syphilis—30	148	12	12	20	11	13	13	10	6	13	15	13	10
Measles—35	27	1	3	3	10	7	3	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	28	-	-	-	2	-	4	4	5	7	1	1	2
Cancer and other malignant tumors—45-55	1,436	136	109	117	109	123	117	119	140	117	120	117	112
Cancer of the digestive organs and peritoneum—46	570	59	51	56	42	46	46	56	54	54	40	38	46
Cancer of female genital organs—48,49	234	22	14	18	14	23	21	16	26	17	23	18	22
Cancer of the breast—50	121	11	9	15	14	9	5	7	18	5	10	13	5
Cancer (other sites)—45,47,51-55	511	44	35	46	39	45	45	40	42	41	47	48	39
Acute rheumatic fever—56	20	3	3	2	-	-	2	2	1	1	1	3	2
Diabetes mellitus—61	203	19	22	18	15	16	16	10	12	22	20	18	15
Exophthalmic goiter—63b	19	1	-	1	2	5	2	1	1	1	1	3	1
Pellagra (except alcoholic)—69	26	2	3	2	3	-	6	2	3	3	-	1	1
Alcoholism (ethylin)—77	10	-	1	3	1	-	1	1	1	-	1	1	1
Intracranial lesions of vascular origin—83	1,410	143	137	154	102	117	126	100	116	110	115	106	104
Diseases of the heart—90-95	3,278	347	294	327	273	272	255	248	234	244	261	259	264
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,86	21	14	20	24	17	16	10	12	10	9	25	10
Diseases of coronary arteries and angina pectoris—94	1,015	107	97	89	85	80	69	71	71	81	95	76	94
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,077	219	189	218	164	175	170	157	151	155	157	160	160
Arteriosclerosis and high blood pressure*—97,102	184	23	18	17	9	13	16	19	8	17	11	12	21
Pneumonia (all forms) and influenza—107-109,33	1,025	231	182	131	77	48	38	29	36	52	55	65	91
Bronchopneumonia—107	333	67	44	38	26	15	13	13	13	21	20	32	31
Lobar pneumonia—108	371	71	61	46	28	25	13	10	18	21	26	20	32
Pneumonia (unspecified)—109	96	17	20	9	9	5	6	5	3	5	5	5	7
Influenza—33	225	76	57	38	14	3	6	1	2	5	4	8	11
Ulcer of stomach or duodenum—117	77	5	7	7	10	5	6	10	3	9	4	6	5
Diarrhea, enteritis, etc.*—119,120	66	8	6	7	1	9	10	7	14	5	7	7	5
Appendicitis—121	75	16	3	8	3	8	11	8	7	4	3	3	4
Hernia and intestinal obstruction—122	140	14	15	7	13	16	13	11	14	10	6	13	8
Cirrhosis of the liver—124	97	10	7	9	4	4	10	12	8	12	5	8	8
Biliary calculi, etc.*—126,127	43	2	2	9	1	2	4	4	6	5	3	3	2
Nephritis—130-132	1,140	136	99	107	71	77	106	100	92	86	73	89	104
Diseases of the prostate—137	65	8	12	5	7	11	6	7	4	7	9	4	5
Diseases of pregnancy, etc.*—140-150	95	8	9	7	9	11	3	14	9	4	8	9	4
Puerperal septicemia—140,142a,145A,147	33	2	3	3	5	4	1	4	2	2	2	5	-
Puerperal toxemia—141a,c,144,148	29	3	3	1	2	3	1	6	3	2	3	1	1
Hemorrhage, trauma or shock*—141b,142b,145,146,149	20	1	1	-	2	3	1	3	3	-	2	2	2
Other puerperal causes—141d,e,f,145B,150	13	2	2	3	-	1	-	1	1	-	1	1	1
Congenital malformations—157	138	15	7	9	12	10	10	17	9	14	11	12	12
Diseases peculiar to first year of life—158-161	615	44	46	45	34	57	52	77	53	49	53	58	47
Premature birth—159	401	34	26	26	16	45	38	49	39	29	32	40	27
Other diseases peculiar to first year of life—158,160,161	214	10	20	19	18	12	14	28	14	20	21	18	20
Suicide—163,164	114	9	9	16	6	8	10	12	5	12	7	11	9
Homicide—165-168	186	11	16	10	13	16	21	19	16	15	14	19	10
Accidental deaths—169-195	1,136	110	87	111	86	95	93	104	87	86	95	89	94
Motor-vehicle accidents—170	367	34	23	41	26	38	25	33	37	39	24	17	17
Other accidents—169,171-195	769	76	64	70	56	57	65	79	54	49	56	64	77
Senility, ill-defined and unknown causes—162,199,200	737	112	68	63	66	50	53	56	60	45	54	55	53
All other causes—	926	69	59	83	93	82	79	97	86	55	73	70	60
<b>CALIFORNIA—All causes</b>	<b>94,678</b>	<b>9,073</b>	<b>8,381</b>	<b>8,384</b>	<b>7,743</b>	<b>7,621</b>	<b>7,279</b>	<b>7,304</b>	<b>7,232</b>	<b>7,175</b>	<b>7,500</b>	<b>8,171</b>	<b>8,815</b>
Typhoid and paratyphoid fever—1,2	16	-	1	1	2	3	1	-	4	2	2	1	1
Cerebrospinal (meningococcus) meningitis—6	87	20	11	8	5	4	4	5	5	8	2	9	6
Scarlet fever—8	11	3	3	-	-	2	-	-	1	1	-	1	-
Whooping cough—9	43	6	7	1	4	5	-	3	4	5	5	1	2
Diphtheria—10	92	16	12	4	7	8	8	8	3	4	9	7	6
Tuberculosis (all forms)—13-22	3,959	378	369	362	326	349	320	319	299	312	280	301	325
Tuberculosis of respiratory system, etc.*—13	3,648	366	356	357	297	322	294	294	260	283	259	278	294
Tuberculosis (other forms)—14-22	311	12	32	25	29	27	26	25	31	29	21	23	31
Dysentery—27	37	3	3	1	3	4	6	2	1	1	6	4	3
Malaria—28	7	-	1	1	-	-	2	1	-	-	-	-	2
Syphilis—30	982	93	86	87	66	69	66	76	62	80	85	73	99
Measles—35	68	10	8	13	9	10	13	4	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute)—36	89	1	4	1	5	4	8	17	20	9	12	13	5
Cancer and other malignant tumors—45-55	12,813	1,107	972	1,090	1,052	1,049	1,032	1,049	1,091	1,035	1,125	1,084	1,127
Cancer of the digestive organs and peritoneum—46	5,548	493	411	463	454	456	479	465	463	438	449	459	498
Cancer of female genital organs—48,49	1,528	128	107	127	123	119	117	136	140	138	130	136	127
Cancer of the breast—50	1,333	114	112	109	98	125	118	101	106	121	122	110	97
Cancer (other sites)—45,47,51-55	4,404	372	342	371	377	349	318	347	362	358	424	379	405
Acute rheumatic fever—56	42	3	4	3	4	2	1	3	4	2	8	2	6
Diabetes mellitus—61	1,931	181	179	183	163	164	110	153	146	151	152	162	167
Exophthalmic goiter—63b	125	11	11	15	16	12	9	4	13	6	11	9	8
Pellagra (except alcoholic)—69	17	2	1	1	4	1	-	1	2	-	2	1	1
Alcoholism (ethylin)—77	192	18	20	17	13	19	14	15	14	21	10	15	18
Intracranial lesions of vascular origin—83	7,437	679	620	649	591	614	575	578	561	598	567	670	735
Diseases of the heart—90-95	30,506	3,043	2,875	2,841	2,605	2,475	2,246	2,285	2,162	2,109	2,357	2,704	2,884
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,592	147	140	136	125	162	111	119	116	116	125	141	154
Diseases of coronary arteries and angina pectoris—94	10,404	963	879	916	866	830	773	813	794	782	861	978	1,049
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	18,410	1,933	1,856	1,798	1,614	1,483	1,362	1,353	1,252	1,211	1,371	1,585	1,621
Arteriosclerosis and high blood pressure*—97,102	2,323	258	202	201	180	178	189	179	170	174	173	194	224

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

219

TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>CALIFORNIA-Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	3,887	555	516	598	325	250	228	216	193	222	262	318	404
Bronchopneumonia-----107	2,344	290	272	205	205	189	147	133	122	152	185	205	280
Lobar pneumonia-----108	1,251	181	174	169	98	63	70	75	67	60	89	105	120
Pneumonia (unspecified)-----109	62	8	6	6	5	7	3	5	2	8	2	2	8
Influenza-----33	250	76	64	20	17	11	8	3	2	2	5	6	16
Ulcer of stomach or duodenum-----117	737	69	74	77	53	76	43	54	50	57	54	60	70
Diarrhea, enteritis, etc.*-----119,120	505	42	17	22	28	29	41	40	48	47	63	79	49
Appendicitis-----121	315	30	19	27	25	35	20	31	30	25	23	25	25
Hernia and intestinal obstruction-----122	703	76	52	42	49	86	49	68	66	60	62	59	65
Cirrhosis of the liver-----124	1,675	179	145	139	141	155	147	114	146	129	122	120	160
Biliary calculi, etc.*-----126,127	362	34	29	29	40	25	29	35	28	34	30	26	25
Nephritis-----130-132	4,076	445	401	371	366	540	519	271	298	282	296	324	366
Diseases of the prostate-----137	473	42	31	51	53	54	44	57	35	41	39	43	44
Diseases of pregnancy, etc.*-----140-150	286	18	20	25	23	27	20	22	35	23	22	15	18
Puerperal septicemia-----140,142a,145a,147	108	9	6	9	9	11	9	8	14	9	9	6	10
Puerperal toxemia-----141a,c,144,148	44	5	4	3	6	5	4	5	5	4	3	2	2
Hemorrhage, trauma or shock*-----141b,142b,145,146,149	89	7	7	10	8	9	5	9	9	8	8	4	6
Other puerperal causes-----141d,e,f,145b,150	26	-	3	3	-	2	4	2	5	2	2	3	-
Congenital malformations-----157	1,162	79	85	78	74	92	93	88	102	107	100	124	139
Diseases peculiar to first year of life-----158-161	3,030	240	270	247	272	323	341	335	392	386	376	360	374
Premature birth-----159	2,445	156	178	151	164	204	228	222	221	241	224	212	244
Other diseases peculiar to first year of life-----158,160,161	1,485	92	98	96	108	119	113	113	171	145	152	148	130
Suicide-----163,164	1,662	154	145	141	142	144	142	142	131	125	135	136	125
Homicide-----165-168	531	49	38	42	40	44	40	47	36	41	41	46	67
Accidental deaths-----169-195	7,937	698	654	723	602	540	652	648	637	637	662	704	780
Motor-vehicle accidents-----170	3,770	328	322	332	270	255	274	273	287	315	357	366	391
Other accidents-----169,171-195	4,167	370	332	391	332	285	378	375	350	322	305	338	389
Senility, ill-defined and unknown causes-----162,199,200	516	49	44	39	46	54	37	50	32	32	29	46	58
All other causes-----	5,172	477	449	434	429	445	412	425	413	409	379	434	466
<b>COLORADO-----All causes</b>													
	12,058	1,179	1,035	1,123	954	999	982	997	816	930	1,017	1,012	1,024
Typhoid and paratyphoid fever-----1,2	6	-	-	2	-	-	1	-	1	-	-	1	1
Cerebrospinal (meningococcus) meningitis-----6	11	3	2	1	1	-	1	-	-	-	1	-	2
Scarlet fever (meningococcus) meningitis-----8	3	-	-	1	-	-	-	1	-	1	-	-	-
Whooping cough-----9	6	1	-	1	-	-	1	-	2	1	-	-	-
Diphtheria-----10	19	3	-	5	1	4	1	1	-	-	2	-	2
Tuberculosis (all forms)-----13-22	401	37	29	40	36	39	38	35	33	20	35	24	35
Tuberculosis of respiratory system, etc.*-----13	367	35	26	37	33	37	32	32	28	18	34	25	32
Tuberculosis (other forms)-----14-22	34	2	3	3	3	2	6	3	5	2	1	1	3
Dysentery-----27	15	-	-	-	-	1	1	2	2	4	3	1	1
Malaria-----29	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	108	11	7	10	5	12	15	10	8	7	8	2	11
Measles-----35	11	1	-	2	3	3	1	1	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)-----36	56	-	-	-	-	-	6	10	21	10	6	2	1
Cancer and other malignant tumors-----45-55	1,447	129	100	125	115	119	134	109	130	116	124	122	124
Cancer of the digestive organs and peritoneum-----46	666	60	42	61	66	66	63	46	50	53	56	47	62
Cancer of female genital organs-----48,49	153	10	8	17	9	12	17	14	12	12	10	20	12
Cancer of the breast-----50	146	12	11	14	8	12	10	8	27	7	14	8	15
Cancer (other sites)-----45,47,51-55	482	47	39	33	32	39	44	39	41	42	44	47	35
Acute rheumatic fever-----58	20	1	2	2	2	4	2	2	2	3	-	-	-
Diabetes mellitus-----61	217	31	24	20	17	15	16	12	13	18	13	19	17
Exophthalmic goiter-----63b	15	2	3	1	-	3	1	-	3	-	1	1	-
Pellagra (except alcoholic)-----69	2	-	-	-	-	-	-	-	-	-	1	1	-
Alcoholism (ethylinism)-----77	36	7	5	2	-	1	1	3	6	2	2	4	5
Intracranial lesions of vascular origin-----85	970	90	78	91	70	79	68	66	83	79	73	87	85
Diseases of the heart-----80-85	3,186	329	293	314	250	245	234	240	206	223	284	297	271
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	237	33	23	18	17	24	25	18	17	15	18	13	15
Diseases of coronary arteries and angina pectoris-----94	1,167	115	97	95	93	93	69	92	77	97	107	119	113
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	1,762	181	173	201	140	129	140	130	112	111	158	165	143
Arteriosclerosis and high blood pressure*-----97,102	215	19	17	21	25	7	18	13	21	17	22	18	17
Pneumonia (all forms) and influenza-----107-109,33	753	123	107	78	46	52	43	35	40	30	63	72	64
Bronchopneumonia-----107	361	63	56	57	27	30	20	15	19	12	38	37	27
Lobar pneumonia-----108	252	38	35	28	13	14	13	16	13	15	15	29	23
Pneumonia (unspecified)-----109	46	2	5	5	2	4	4	2	7	3	4	-	8
Influenza-----33	74	20	11	8	4	4	6	2	1	-	6	6	6
Ulcer of stomach or duodenum-----117	92	5	9	9	5	5	8	9	6	12	3	7	9
Diarrhea, enteritis, etc.*-----119,120	115	2	5	4	12	11	6	4	9	32	17	8	5
Appendicitis-----121	71	6	5	5	10	3	4	12	8	3	5	4	6
Hernia and intestinal obstruction-----122	110	4	11	11	11	11	9	13	6	9	10	7	8
Cirrhosis of the liver-----124	120	9	6	13	9	16	9	4	11	10	11	11	11
Biliary calculi, etc.*-----126,127	74	8	9	1	8	10	7	7	4	5	3	7	5
Nephritis-----130-132	722	75	63	64	68	71	69	49	43	54	46	43	57
Diseases of the prostate-----137	70	6	4	4	3	6	11	2	6	5	6	5	10
Diseases of pregnancy, etc.*-----140-150	57	2	6	5	7	7	5	2	2	3	4	8	4
Puerperal septicemia-----140,142a,145a,147	21	1	1	3	3	1	3	2	1	1	1	3	1
Puerperal toxemia-----141a,c,144,148	14	-	3	-	-	2	-	-	1	1	-	4	2
Hemorrhage, trauma or shock*-----141b,142b,145,146,149	19	-	4	-	4	4	2	-	-	1	2	1	1
Other puerperal causes-----141d,e,f,145b,150	3	-	-	2	-	-	-	-	-	-	1	-	-
Congenital malformations-----157	162	13	9	14	9	25	10	8	11	14	15	19	15
Diseases peculiar to first year of life-----158-161	654	47	36	31	52	51	59	59	52	66	69	84	58
Premature birth-----159	434	36	22	26	33	38	42	41	29	48	45	33	41
Other diseases peculiar to first year of life-----158,160,161	220	11	14	25	19	13	17	18	23	18	24	21	17
Suicide-----163,164	176	18	11	17	15	14	17	10	15	16	14	11	18
Homicide-----165-168	61	2	3	6	3	8	3	7	8	5	5	5	6
Accidental deaths-----169-195	1,012	85	82	81	79	75	81	102	86	85	79	86	91
Motor-vehicle accidents-----170	361	40	29	28	35	20	23	35	32	34	32	28	25
Other accidents-----169,171-195	651	45	53	53	44	55	58	67	54	51	47	58	66
Senility, ill-defined and unknown causes-----162,199,200	222	29	25	26	24	15	12	16	14	12	13	22	14
All other causes-----	845	61	64	76	68	78	68	51	64	69	72	64	71

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 215)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—All causes	18,127	1,872	1,661	1,709	1,540	1,550	1,474	1,400	1,398	1,516	1,549	1,571	1,687
Typhoid and paratyphoid fever—1,2	1	-	-	-	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	16	1	2	1	2	2	2	2	-	-	-	-	-
Scarlet fever—8	2	-	1	1	-	-	-	-	-	1	-	2	1
Whooping cough—9	5	1	1	1	-	1	1	-	-	-	-	-	-
Diphtheria—10	6	2	-	-	-	1	1	-	-	2	-	-	-
Tuberculosis (all forms)—13-22	589	43	44	60	50	57	56	49	50	49	47	44	41
Tuberculosis of respiratory system, etc.*—13	548	39	42	58	44	52	50	43	46	46	44	40	39
Tuberculosis (other forms)—14-22	41	4	2	2	6	5	6	1	4	2	3	4	2
Dysentery—27	1	-	1	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	113	14	11	11	13	6	8	8	7	8	6	14	7
Measles—35	3	-	-	-	-	1	1	-	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute)—36	17	1	1	-	-	1	3	1	1	1	4	4	-
Cancer and other malignant tumors—45-55	3,032	269	243	261	259	199	231	256	257	248	258	273	273
Cancer of the digestive organs and peritoneum—46	1,473	136	122	118	129	94	120	114	136	135	118	129	125
Cancer of female genital organs—48,49	272	23	25	23	25	27	15	24	23	20	23	27	17
Cancer of the breast—50	304	35	29	36	22	11	17	23	28	21	32	23	29
Cancer (other sites)—45,47,51-55	583	75	73	84	83	67	79	95	70	72	86	94	103
Acute rheumatic fever—58	13	2	1	3	2	2	-	1	-	1	-	1	-
Diabetes mellitus—61	661	89	87	73	55	53	40	43	48	52	52	45	64
Exophthalmic goiter—63b	18	4	3	1	4	1	-	-	-	1	1	1	1
Pellagra (except alcoholic)—69	3	-	-	-	1	-	-	1	-	-	-	-	-
Alcoholism (ethylin)—77	51	5	6	7	5	5	5	4	3	4	2	2	3
Intracranial lesions of vascular origin—83	1,562	189	137	137	121	128	132	112	118	119	102	137	160
Diseases of the heart—90-95	6,834	705	602	610	553	572	510	471	457	519	552	576	707
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	316	36	25	35	20	30	31	21	22	25	22	27	20
Diseases of coronary arteries and angina pectoris—94	2,199	221	182	173	171	209	148	162	164	180	174	209	226
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,319	446	415	402	362	333	331	288	271	314	356	340	461
Arteriosclerosis and high blood pressure—97,102	324	24	25	28	27	30	20	30	27	38	29	19	27
Pneumonia (all forms) and influenza—107-109,33	620	97	87	46	52	45	40	31	19	34	53	44	70
Bronchopneumonia—107	279	33	40	14	24	17	16	12	18	22	25	34	34
Lobar pneumonia—108	261	46	35	28	23	17	17	9	6	14	24	13	29
Pneumonia (unspecified)—109	41	2	6	1	3	3	3	5	1	2	5	4	6
Influenza—33	39	16	6	5	2	1	3	1	-	-	2	2	1
Ulcer of stomach or duodenum—117	135	13	14	12	9	18	14	9	6	12	11	8	11
Diarrhea, enteritis, etc.*—119,120	71	6	9	5	6	6	5	5	10	6	1	6	6
Appendicitis—121	53	1	6	14	-	3	5	6	3	6	1	4	4
Hernia and intestinal obstruction—122	142	11	7	12	13	12	16	5	11	15	15	13	12
Cirrhosis of the liver—124	275	21	25	18	26	29	24	17	15	26	24	22	28
Biliary calculi, etc.*—126,127	82	13	5	2	6	6	7	5	6	7	7	7	11
Nephritis—130-132	911	98	89	86	76	86	63	66	69	63	71	68	68
Diseases of the prostate—137	72	4	4	9	9	9	6	5	10	3	2	4	8
Diseases of pregnancy, etc.*—140-150	36	3	1	4	3	-	3	6	5	5	-	2	6
Puerperal septicemia—140,142a,145a,147	14	1	1	-	2	-	1	3	2	1	-	2	2
Puerperal toxemia—141a,c,144,148	7	1	-	2	-	-	1	1	-	1	-	-	1
Hemorrhage, trauma or shock—141b,142b,143,146,149	15	1	-	2	1	-	2	-	3	3	-	-	3
Other puerperal causes—141d,e,f,145b,150	2	-	-	-	-	-	-	2	-	-	-	-	-
Congenital malformations—157	300	29	18	20	19	26	27	20	18	33	29	29	33
Diseases peculiar to first year of life—159-161	702	47	54	48	49	51	63	63	53	72	60	56	86
Premature birth—159	454	32	39	28	38	35	36	40	31	46	39	35	56
Other diseases peculiar to first year of life—159,160,161	248	15	15	20	11	16	27	23	22	26	21	21	30
Suicide—163,164	253	14	20	32	26	15	26	19	21	28	21	11	20
Homicide—165-169	31	3	2	4	2	1	2	3	4	3	4	1	2
Accidental deaths—169-193	1,013	116	87	82	72	85	71	80	82	82	76	79	99
Motor-vehicle accidents—170	264	32	20	20	16	26	13	21	23	21	21	27	24
Other accidents—169,171-193	749	86	67	62	56	59	58	59	59	61	55	52	75
Senility, ill-defined and unknown causes—192,199,200	142	18	12	16	7	8	11	8	9	6	23	7	15
All other causes—1,036	88	71	101	72	94	78	74	74	69	75	97	93	105
DELAWARE—All causes	3,229	344	285	253	208	261	280	240	235	252	238	273	280
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	4	-	-	1	2	-	-	1	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	-	-	1	1	1	-	-
Diphtheria—10	2	-	-	-	-	-	-	-	-	-	-	2	-
Tuberculosis (all forms)—13-22	133	14	12	10	11	10	13	10	8	11	6	16	12
Tuberculosis of respiratory system, etc.*—13	119	12	11	10	9	12	10	8	10	6	8	14	10
Tuberculosis (other forms)—14-22	14	2	1	-	2	1	1	-	2	1	-	2	2
Dysentery—27	1	-	-	1	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	35	2	7	3	3	3	5	4	1	1	2	-	4
Measles—35	2	-	-	-	-	1	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	3	-	-	-	-	-	-	-	1	1	1	-	-
Cancer and other malignant tumors—45-55	373	29	29	26	32	26	29	31	33	36	35	32	33
Cancer of the digestive organs and peritoneum—46	156	13	17	15	8	10	15	15	16	10	13	10	14
Cancer of female genital organs—48,49	53	4	3	3	6	6	2	4	5	4	4	7	5
Cancer of the breast—50	35	2	1	3	6	-	3	3	2	7	3	2	3
Cancer (other sites)—45,47,51-55	129	10	8	5	12	10	9	9	10	17	15	15	11
Acute rheumatic fever—58	1	-	-	-	-	-	-	1	-	-	-	-	-
Diabetes mellitus—61	69	11	7	6	10	2	6	4	4	9	3	3	4
Exophthalmic goiter—63b	2	1	-	-	1	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylin)—77	7	1	-	1	-	-	-	-	2	2	-	-	1
Intracranial lesions of vascular origin—83	263	22	24	21	32	29	25	19	27	18	28	22	16
Diseases of the heart—90-95	1,072	108	93	85	101	91	94	76	69	76	71	97	113
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	51	4	2	7	5	2	5	4	6	5	4	2	5
Diseases of coronary arteries and angina pectoris—94	323	36	29	24	31	32	25	30	22	20	16	22	36
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	698	68	62	52	65	57	64	42	41	51	51	73	72
Arteriosclerosis and high blood pressure—97,102	57	8	5	4	1	6	3	6	2	5	5	6	8

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

221

TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE-Continued													
Pneumonia (all forms) and influenza-----107-109,33	130	30	23	18	13	9	9	4	2	6	4	5	7
Bronchopneumonia-----107	42	9	5	3	7	4	2	2	-	3	2	3	2
Lobar pneumonia-----108	59	7	11	15	5	2	5	2	2	3	1	2	4
Pneumonia (unspecified)-----109	9	5	2	-	-	1	-	-	-	-	1	-	-
Influenza-----33	20	9	5	-	1	2	2	-	-	-	-	-	1
Ulcer of stomach or duodenum-----117	17	1	1	1	1	2	1	2	1	1	5	-	1
Diarrhea, enteritis, etc.*-----119,120	16	3	4	3	-	1	3	-	-	-	-	2	-
Appendicitis-----121	11	2	3	1	-	1	-	-	1	-	3	-	-
Hernia and intestinal obstruction-----122	29	7	3	-	-	1	4	2	3	2	3	3	3
Cirrhosis of the liver-----124	23	3	3	1	2	3	3	1	-	-	4	3	-
Biliary calculi, etc.*-----126,127	14	-	3	-	1	1	3	2	-	1	1	2	-
Nephritis-----130-132	307	44	25	21	31	33	23	21	22	22	23	24	18
Diseases of the prostate-----137	21	2	1	-	-	1	5	-	3	4	-	4	1
Diseases of pregnancy, etc.*-----140-150	9	3	1	-	-	-	2	-	-	1	1	-	1
Puerperal septicemia-----140,142a,145A,147	4	1	-	-	-	-	2	-	-	1	-	-	-
Puerperal toxemia-----141a,c,144,148	3	2	-	-	-	-	-	-	-	-	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	2	-	1	-	-	-	-	-	-	-	1	-	-
Other puerperal causes-----141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	39	5	2	-	3	1	6	2	7	2	4	2	5
Diseases peculiar to first year of life-----158-161	108	8	9	9	8	6	8	13	10	9	9	6	13
Premature birth-----159	74	3	7	6	8	4	7	11	5	5	6	3	9
Other diseases peculiar to first year of life-----158,160,161	34	5	2	3	-	2	1	2	5	4	3	3	4
Suicide-----163,164	33	5	3	1	3	4	2	4	3	2	-	4	2
Homicide-----165-168	24	4	-	4	-	1	3	-	2	4	2	2	2
Accidental deaths-----169-195	216	16	16	18	20	19	18	20	18	21	12	25	15
Motor-vehicle accidents-----170	76	6	7	2	9	6	4	4	7	8	6	13	4
Other accidents-----169,171-195	140	10	9	16	11	13	14	16	11	13	6	10	11
Senility, ill-defined and unknown causes-----162,199,200	21	2	2	3	1	2	1	1	4	2	-	-	3
All other causes-----	164	15	9	17	12	8	16	14	12	12	16	15	18
DISTRICT OF COLUMBIA-----All causes	8,289	769	710	698	708	711	674	659	638	599	688	675	740
Typhoid and paratyphoid fever-----1,2	6	-	-	-	1	-	-	2	-	-	1	1	1
Cerebrospinal (meningococcus) meningitis-----6	8	2	-	1	-	-	-	-	1	-	-	2	-
Scarlet fever-----8	3	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	3	1	1	-	-	-	-	-	-	1	-	-	-
Diphtheria-----10	2	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis (all forms)-----13-22	488	35	40	51	46	46	52	43	49	21	34	34	37
Tuberculosis of respiratory system, etc.*-----13	441	32	34	45	41	43	45	42	44	20	32	30	33
Tuberculosis (other forms)-----14-22	47	3	6	6	5	3	7	1	5	1	2	4	4
Dysentery-----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria-----28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis-----30	115	8	15	7	14	8	10	8	7	9	10	12	7
Measles-----35	7	-	-	-	5	1	1	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----56	4	-	-	-	-	-	-	-	-	1	2	-	1
Cancer and other malignant tumors-----45-55	1,134	88	99	84	106	89	98	118	92	86	92	99	83
Cancer of the digestive organs and peritoneum-----46	488	39	48	31	42	43	38	53	48	39	40	33	34
Cancer of female genital organs-----48,49	154	17	11	18	9	11	13	14	10	8	13	14	16
Cancer of the breast-----50	93	10	8	8	8	5	9	10	5	7	9	8	6
Cancer (other sites)-----45,47,51-55	399	22	32	27	47	30	39	41	29	32	30	44	27
Acute rheumatic fever-----58	9	3	-	-	2	2	-	-	1	-	1	-	-
Diabetes mellitus-----61	221	28	21	21	29	16	13	9	16	11	17	20	20
Exophthalmic goiter-----63b	2	1	-	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)-----69	3	1	-	-	-	-	1	1	-	-	-	-	-
Alcoholism (ethylish)-----77	17	2	1	2	1	4	2	2	-	-	2	-	1
Intracranial lesions of vascular origin-----85	501	52	47	56	52	61	40	36	44	39	57	39	58
Diseases of the heart-----90-95	2,317	240	188	188	179	212	176	166	178	163	210	199	218
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	114	9	9	7	9	10	17	11	9	9	9	8	7
Diseases of coronary arteries and angina pectoris-----94	687	61	53	47	50	48	46	49	47	54	63	60	59
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	1,565	170	126	134	120	154	113	106	122	100	138	131	152
Arteriosclerosis and high blood pressure*-----97,102	129	17	13	10	15	15	12	7	2	8	8	8	14
Pneumonia (all forms) and influenza-----107-109,33	286	38	34	34	19	16	22	13	12	20	18	24	30
Bronchopneumonia-----107	128	13	9	14	6	9	13	5	10	9	11	11	13
Lobar pneumonia-----108	120	18	22	15	11	4	7	4	5	9	7	9	12
Pneumonia (unspecified)-----109	29	5	1	4	1	2	2	2	1	1	4	4	4
Influenza-----33	12	5	2	1	1	1	-	-	-	-	1	-	1
Ulcer of stomach or duodenum-----117	47	6	3	5	3	6	8	2	3	5	3	1	4
Diarrhea, enteritis, etc.*-----119,120	80	7	4	10	3	8	3	8	12	15	2	3	5
Appendicitis-----121	22	1	3	1	2	3	1	3	1	3	2	1	1
Hernia and intestinal obstruction-----122	75	4	6	5	9	6	6	6	9	10	5	4	5
Cirrhosis of the liver-----124	111	13	12	9	12	6	10	6	9	5	2	13	14
Biliary calculi, etc.*-----126,127	33	4	2	2	1	2	4	4	-	6	2	2	4
Nephritis-----130-132	690	79	65	61	53	45	65	54	54	47	59	43	65
Diseases of the prostate-----137	39	3	4	-	4	4	3	1	3	8	4	5	-
Diseases of pregnancy, etc.*-----140-150	31	5	3	2	-	3	2	3	4	-	5	2	2
Puerperal septicemia-----140,142a,145A,147	12	3	-	1	-	-	1	1	-	-	4	1	1
Puerperal toxemia-----141a,c,144,148	3	1	-	-	-	-	-	1	-	-	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	12	1	2	1	-	3	2	-	2	-	-	1	-
Other puerperal causes-----141d,e,f,145B,150	4	-	1	-	-	-	-	1	1	-	1	-	-
Congenital malformations-----157	126	10	8	5	11	10	4	11	14	10	9	20	14
Diseases peculiar to first year of life-----158-161	487	34	36	41	34	48	45	49	48	34	43	40	35
Premature birth-----159	323	22	21	27	26	34	28	27	36	25	31	24	22
Other diseases peculiar to first year of life-----158,160,161	164	12	15	14	8	14	17	22	12	9	12	16	13
Suicide-----163,164	144	9	13	14	16	14	13	11	4	11	15	9	15
Homicide-----165-168	112	4	11	8	18	6	12	4	6	11	9	13	10
Accidental deaths-----169-195	448	52	33	28	30	43	37	37	34	36	37	39	42
Motor-vehicle accidents-----170	96	5	8	7	2	10	12	6	8	11	6	11	12
Other accidents-----169,171-195	350	47	25	21	28	33	25	31	26	25	31	28	30
Senility, ill-defined and unknown causes-----162,199,200	20	1	-	-	1	2	3	3	-	4	1	4	1
All other causes-----	491	41	46	52	41	35	33	46	35	34	36	36	50

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>FLORIDA—All causes</b>	<b>23,005</b>	<b>2,251</b>	<b>1,991</b>	<b>2,099</b>	<b>1,743</b>	<b>1,999</b>	<b>1,801</b>	<b>1,817</b>	<b>1,803</b>	<b>1,732</b>	<b>1,794</b>	<b>1,697</b>	<b>2,193</b>
Typhoid and paratyphoid fever—1,2	11	2	1	1	2	-	-	1	-	3	-	1	-
Cerebrospinal (meningococcus) meningitis—6	31	2	7	3	1	3	4	-	3	3	2	2	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	10	-	1	-	1	1	-	3	1	1	-	1	1
Diphtheria—10	30	4	-	2	1	2	-	-	2	4	9	3	3
Tuberculosis (all forms)—13-22	721	72	71	80	51	55	47	62	74	54	43	65	67
Tuberculosis of respiratory system, etc.*—13	674	66	65	55	49	51	44	57	70	53	40	63	61
Tuberculosis (other forms)—14-22	47	6	6	5	2	4	3	5	4	1	3	2	6
Dysentery—27	21	1	3	6	2	1	5	-	1	1	-	-	1
Malaria—28	20	2	-	1	1	3	1	2	7	1	-	2	-
Syphilis—30	297	27	23	22	19	27	30	25	20	20	24	29	31
Measles—35	27	1	1	7	7	7	3	-	1	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	43	-	1	2	6	9	10	4	4	3	1	3	-
Cancer and other malignant tumors—45-55	2,549	227	203	221	205	226	204	216	183	205	193	221	245
Cancer of the digestive organs and peritoneum—46	955	94	81	80	75	84	72	93	66	75	69	80	86
Cancer of female genital organs—48,49	404	29	29	30	34	34	42	32	33	38	27	39	37
Cancer of the breast—50	215	16	24	23	18	14	12	15	22	12	17	20	22
Cancer (other sites)—45,47,51-55	975	88	69	88	78	94	78	76	62	80	80	82	100
Acute rheumatic fever—59	28	3	2	2	4	5	2	1	1	-	1	4	3
Diabetes mellitus—61	450	44	47	46	31	31	25	30	41	32	36	36	31
Exophthalmic goiter—63b	31	2	1	5	2	4	3	1	5	-	2	7	1
Pellagra (except alcoholic)—63c	32	2	4	5	5	1	2	3	1	2	3	1	5
Alcoholism (ethylish)—67	48	6	4	6	6	2	4	3	5	-	4	2	8
Intracranial lesions of vascular origin—83	2,209	188	179	213	179	175	182	186	176	166	180	187	218
Diseases of the heart—90-95	5,759	560	511	549	438	467	430	443	431	434	456	467	573
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	500	30	22	31	29	32	29	22	24	22	19	16	24
Diseases of coronary arteries and angina pectoris—94	2,096	198	183	189	151	172	141	168	157	165	168	170	234
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,563	332	306	329	258	263	260	253	250	247	269	281	315
Arteriosclerosis and high blood pressure—97,102	549	34	32	28	40	16	30	21	23	26	39	31	23
Pneumonia (all forms) and influenza—107-109,33	1,087	205	132	127	78	68	51	65	69	64	60	73	95
Bronchopneumonia—107	415	62	43	48	28	30	26	25	37	29	21	28	40
Lobar pneumonia—108	297	42	41	34	21	14	17	19	18	16	25	23	27
Pneumonia (unspecified)—109	145	29	13	15	13	9	4	14	7	11	4	13	11
Influenza—33	232	72	35	30	16	15	4	9	7	8	10	9	17
Ulcer of stomach or duodenum—117	129	11	12	9	6	10	11	13	12	20	6	11	8
Diarrhea, enteritis, etc.*—119,120	137	12	8	9	10	18	21	15	7	6	8	11	12
Appendicitis—121	105	9	6	5	6	9	14	16	12	8	9	5	4
Hernia and intestinal obstruction—122	233	18	23	12	24	23	32	17	23	20	11	18	22
Cirrhosis of the liver—124	207	24	16	7	29	16	16	16	19	10	21	9	24
Biliary calculi, etc.*—126,127	79	1	4	6	4	7	11	9	9	2	8	14	4
Nephritis—130-132	1,475	152	149	137	129	132	122	114	90	110	119	90	131
Diseases of the prostate—137	101	11	12	10	6	5	9	5	7	7	8	10	11
Diseases of pregnancy, etc.*—140-150	159	11	9	10	14	16	13	11	12	14	19	10	20
Puerperal septicemia—140,142a,145a,147	44	4	2	5	3	3	2	2	4	6	3	4	6
Puerperal toxemia—141a,c,144,148	44	3	4	1	5	6	5	3	2	5	3	3	4
Hemorrhage, trauma or shock—141b,142b,143,146,149	57	3	3	2	5	5	6	6	5	1	11	3	7
Other puerperal causes—141d,e,f,145b,150	14	1	-	2	1	2	-	-	1	2	2	-	3
Congenital malformations—157	273	24	19	21	13	20	16	20	29	27	27	30	27
Diseases peculiar to first year of life—158-161	1,223	94	73	82	69	99	101	114	116	95	126	128	126
Premature birth—158	806	61	51	54	48	71	63	77	80	62	81	90	68
Other diseases peculiar to first year of life—159,160,161	417	33	22	28	21	28	38	37	36	33	45	38	58
Suicide—163,164	265	23	25	22	25	22	19	21	23	32	18	16	17
Homicide—165-168	392	21	31	36	25	22	37	33	37	32	31	43	42
Accidental deaths—169-195	2,028	182	180	205	117	194	189	166	180	153	154	178	192
Motor-vehicle accidents—170	714	74	47	76	40	53	43	64	51	45	50	81	90
Other accidents—169,171-195	1,314	108	113	129	77	141	128	102	109	108	104	95	102
Semility, ill-defined and unknown causes—162,199,200	926	114	90	85	66	70	71	62	71	68	56	77	96
All other causes—	1,543	141	131	137	126	133	116	139	132	109	120	112	147
<b>GEORGIA—All causes</b>	<b>27,511</b>	<b>2,827</b>	<b>2,366</b>	<b>2,430</b>	<b>2,118</b>	<b>2,209</b>	<b>2,160</b>	<b>2,094</b>	<b>2,122</b>	<b>2,099</b>	<b>2,282</b>	<b>2,195</b>	<b>2,589</b>
Typhoid and paratyphoid fever—1,2	11	1	1	1	2	2	1	2	1	-	-	1	-
Cerebrospinal (meningococcus) meningitis—6	32	3	6	3	1	3	-	1	2	-	4	-	2
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	59	3	3	5	8	5	4	4	6	2	6	6	7
Diphtheria—10	44	6	4	4	1	-	2	2	1	4	9	6	5
Tuberculosis (all forms)—13-22	1,070	74	109	98	87	96	85	94	107	69	86	75	90
Tuberculosis of respiratory system, etc.*—13	984	69	101	92	79	91	77	81	96	65	79	71	83
Tuberculosis (other forms)—14-22	86	5	8	6	8	5	8	13	11	4	7	4	7
Dysentery—27	35	3	3	-	3	9	4	1	5	1	2	2	2
Malaria—28	14	1	2	1	1	-	6	1	1	-	1	-	-
Syphilis—30	340	36	28	16	23	24	36	32	25	35	33	30	22
Measles—35	40	-	5	3	10	7	7	-	1	-	-	4	3
Poliomyelitis, poliomyelitis (acute)—36	8	-	-	1	-	-	-	-	3	3	1	-	-
Cancer and other malignant tumors—45-55	2,440	197	162	206	191	211	225	199	204	214	237	196	198
Cancer of the digestive organs and peritoneum—46	871	75	55	74	68	77	104	75	73	72	69	67	63
Cancer of female genital organs—48,49	478	35	47	39	41	42	31	37	34	33	45	52	42
Cancer of the breast—50	215	14	18	17	18	20	20	13	13	29	22	15	16
Cancer (other sites)—45,47,51-55	876	73	42	76	64	72	70	74	64	80	102	62	77
Acute rheumatic fever—59	35	6	2	1	1	-	3	2	4	4	6	3	3
Diabetes mellitus—61	399	44	40	32	32	33	25	22	24	25	46	32	44
Exophthalmic goiter—63b	32	6	3	5	2	2	3	1	-	4	3	1	2
Pellagra (except alcoholic)—63c	93	10	9	11	9	10	8	5	6	11	4	5	5
Alcoholism (ethylish)—67	69	5	7	4	8	7	4	6	3	6	7	1	11
Intracranial lesions of vascular origin—83	2,995	310	279	266	216	255	233	200	211	228	249	265	263
Diseases of the heart—90-95	5,927	617	499	572	468	479	484	464	439	435	500	442	538
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	339	43	32	40	19	26	30	18	26	18	30	25	32
Diseases of coronary arteries and angina pectoris—94	1,789	172	153	171	148	144	138	145	134	140	144	123	179
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,799	402	304	361	303	309	318	301	279	277	326	294	327
Arteriosclerosis and high blood pressure—97,102	401	37	50	39	25	24	47	21	35	24	30	38	31

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

223

TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>GEORGIA--Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	1,741	353	218	207	112	63	65	63	64	97	103	143	193
Bronchopneumonia-----107	583	88	68	58	45	29	21	41	41	38	28	53	56
Lobar pneumonia-----108	550	101	67	69	38	31	22	20	26	36	36	40	64
Pneumonia (unspecified)-----109	224	35	24	22	11	12	12	15	5	15	20	26	27
Influenza-----33	404	151	69	58	18	12	10	7	12	8	19	24	48
Ulcer of stomach or duodenum-----117	154	20	17	18	12	10	13	15	12	11	6	10	9
Diarrhea, enteritis, etc.*-----119,120	199	11	16	21	18	20	32	24	15	17	11	10	4
Appendicitis-----121	123	12	7	8	15	7	9	13	16	7	8	12	9
Hernia and intestinal obstruction-----122	253	23	26	18	24	14	20	25	17	24	21	24	17
Cirrhosis of the liver-----124	164	20	12	21	17	17	9	9	12	22	17	7	21
Biliary calculi, etc.*-----126,127	84	8	5	5	4	4	7	4	9	10	8	8	12
Nephritis-----130-132	2,549	280	226	221	224	204	205	182	183	183	190	213	228
Diseases of the prostate-----137	153	28	7	12	11	17	13	14	11	10	13	7	10
Diseases of pregnancy, etc.*-----140-150	225	20	15	17	16	19	27	19	28	9	16	17	22
Puerperal septicemia-----140,142a,145a,147	61	6	2	6	5	5	12	5	7	1	2	3	7
Puerperal toxemia-----141a,c,144,148	67	6	8	3	5	8	8	4	6	2	2	7	8
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	74	6	3	4	6	4	3	7	13	5	10	7	6
Other puerperal causes-----141d,e,f,145b,150	23	2	2	4	-	2	4	3	2	1	2	-	1
Congenital malformations-----157	298	18	20	28	16	20	20	26	26	31	20	38	35
Diseases peculiar to first year of life-----158-161	1,578	124	93	107	107	138	113	134	149	158	180	148	157
Premature birth-----159	982	86	62	70	65	88	71	84	86	103	87	83	97
Other diseases peculiar to first year of life-----158,160,161	596	38	31	37	42	50	42	50	63	55	63	65	60
Suicide-----163,164	280	14	15	19	20	20	21	22	23	21	20	16	19
Homicide-----165-168	584	30	35	41	44	53	45	67	51	41	56	45	58
Accidental deaths-----169-195	2,115	196	166	171	149	149	182	174	145	144	159	153	287
Motor-vehicle accidents-----170	809	64	62	65	89	67	62	71	82	55	72	69	61
Other accidents-----169,171-195	1,306	132	104	106	90	82	120	103	103	89	87	84	206
Senility, ill-defined and unknown causes-----162,199,200	1,156	139	129	78	91	91	70	88	78	95	101	96	122
All other causes-----	1,880	172	157	185	150	178	182	147	145	154	159	141	142
<b>IDARO-----All causes</b>	<b>4,585</b>	<b>441</b>	<b>383</b>	<b>400</b>	<b>360</b>	<b>374</b>	<b>368</b>	<b>339</b>	<b>342</b>	<b>376</b>	<b>438</b>	<b>391</b>	<b>373</b>
Typhoid and paratyphoid fever-----1,2	3	1	-	-	-	1	-	-	-	1	1	-	1
Cerebrospinal (meningococcus) meningitis-----6	5	-	-	2	-	-	-	-	-	-	-	-	-
Scarlet fever-----8	2	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough-----9	6	-	-	-	1	-	-	2	1	2	-	-	-
Diphtheria-----10	2	-	1	-	-	1	-	-	-	-	-	-	-
Tuberculosis (all forms)-----13-22	67	5	3	7	6	4	8	5	6	4	6	8	5
Tuberculosis of respiratory system, etc.*-----13	57	4	3	5	5	4	4	5	5	4	6	7	5
Tuberculosis (other forms)-----14-22	10	1	-	2	1	-	4	-	1	-	-	1	-
Dysentery-----27	1	-	-	-	-	-	-	-	-	-	-	-	1
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	19	-	7	-	2	1	2	3	2	-	1	1	-
Measles-----35	5	1	1	-	1	1	1	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	2	-	-	-	-	-	-	1	-	-	-	1	-
Cancer and other malignant tumors-----45-55	584	49	39	46	52	39	41	49	38	65	50	50	46
Cancer of the digestive organs and peritoneum-----46	271	32	15	24	30	16	15	26	16	26	29	22	20
Cancer of female genital organs-----48,49	46	2	2	5	4	6	4	5	2	1	4	7	4
Cancer of the breast-----50	59	5	7	6	2	4	4	2	6	8	2	5	8
Cancer (other sites)-----45,47,51-55	188	10	15	11	16	13	18	16	14	30	15	16	14
Acute rheumatic fever-----58	5	-	-	-	1	1	1	-	1	-	-	1	-
Diabetes mellitus-----61	96	13	8	12	4	9	7	8	2	6	10	6	11
Exophthalmic goiter-----63b	14	4	1	2	1	-	1	1	-	2	-	2	-
Pollagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)-----77	14	-	3	-	-	4	1	-	1	3	1	-	1
Intracranial lesions of vascular origin-----83	404	45	35	51	30	31	40	23	28	22	50	40	29
Diseases of the heart-----90-95	1,286	126	116	107	96	117	101	86	92	83	118	101	113
Chronic rheumatic diseases of the heart-----80a,82b,c,93a,95b	82	7	11	10	6	4	6	6	6	2	6	10	8
Diseases of coronary arteries and angina pectoris-----94	447	27	37	26	28	49	42	41	36	39	39	38	45
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	737	92	68	71	62	64	53	39	50	52	73	53	60
Arteriosclerosis and high blood pressure*-----97,102	60	9	7	7	7	2	2	1	4	6	4	5	6
Pneumonia (all forms) and influenza-----107-109,33	189	22	27	27	16	10	12	6	9	11	22	15	12
Bronchopneumonia-----107	88	7	10	13	8	5	5	5	5	5	13	6	6
Lobar pneumonia-----108	44	3	5	7	3	3	5	1	1	3	6	4	3
Pneumonia (unspecified)-----109	22	1	2	3	1	2	2	-	3	1	3	2	2
Influenza-----33	35	11	10	4	4	-	-	-	-	2	-	3	1
Ulcer of stomach or duodenum-----117	37	3	2	4	4	2	2	3	6	1	3	-	7
Diarrhea, enteritis, etc.*-----119,120	16	1	3	1	1	1	1	-	-	1	3	-	2
Appendicitis-----121	30	4	5	3	1	3	-	-	-	1	3	5	3
Hernia and intestinal obstruction-----122	39	4	-	4	1	5	3	5	2	5	5	2	3
Cirrhosis of the liver-----124	22	-	2	2	1	4	-	-	2	3	5	2	1
Biliary calculi, etc.*-----126,127	25	1	3	2	1	8	3	-	3	2	5	2	1
Nephritis-----130-132	287	22	32	33	19	20	21	18	21	28	30	22	23
Diseases of the prostate-----137	33	3	2	4	2	-	5	2	2	3	4	2	4
Diseases of pregnancy, etc.*-----140-150	22	4	1	4	3	1	-	-	4	4	1	-	-
Puerperal septicemia-----140,142a,145a,147	9	2	-	1	2	-	-	-	1	2	1	-	-
Puerperal toxemia-----141a,c,144,148	10	1	1	3	-	1	-	-	2	2	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	3	1	-	-	-	-	-	-	1	-	-	-	-
Other puerperal causes-----141d,e,f,145b,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	67	6	9	5	4	7	6	3	3	6	5	9	4
Diseases peculiar to first year of life-----158-161	278	22	6	22	26	19	23	26	25	25	30	24	30
Premature birth-----159	187	13	5	13	20	12	17	22	12	17	17	18	21
Other diseases peculiar to first year of life-----158,160,161	91	9	1	9	6	7	6	4	13	8	13	6	9
Suicide-----163,164	75	5	8	5	8	9	3	4	6	7	4	9	5
Homicide-----165-168	22	4	2	2	-	2	-	3	-	5	2	1	1
Accidental deaths-----169-195	477	35	20	35	35	35	44	54	55	39	45	50	30
Motor-vehicle accidents-----170	182	11	7	11	9	12	12	12	25	19	21	26	17
Other accidents-----169,171-195	295	24	13	24	26	23	32	42	30	20	24	24	13
Senility, ill-defined and unknown causes-----162,199,200	149	19	16	12	12	11	10	9	12	15	13	9	11
All other causes-----	282	32	24	20	25	26	30	22	15	17	22	23	26

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 215)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>ILLINOIS</b> -----All causes	89,566	9,068	7,563	8,160	7,485	7,500	7,273	6,829	6,539	6,869	7,210	7,103	7,977
Typhoid and paratyphoid fever-----1,2	12	-	3	-	1	-	-	4	-	1	-	2	1
Cerebrospinal (meningococcus) meningitis-----6	77	14	11	9	9	4	6	1	6	4	6	2	5
Scarlet fever-----8	10	-	-	1	1	-	3	1	1	-	2	-	1
Whooping cough-----9	30	4	2	2	-	1	2	2	1	8	4	3	1
Diphtheria-----10	32	3	3	7	2	3	1	2	1	-	2	5	3
Tuberculosis (all forms)-----13-22	3,014	250	266	295	270	288	263	247	247	216	245	219	209
Tuberculosis of respiratory system, etc.*-----13	2,734	235	246	270	241	248	237	220	222	198	230	199	188
Tuberculosis (other forms)-----14-22	280	15	20	25	29	39	25	27	25	18	15	21	21
Dysentery-----27	25	6	-	2	2	2	-	3	4	-	2	2	2
Malaria-----28	14	1	-	3	1	1	-	2	2	1	3	-	-
Syphilis-----30	756	68	70	66	65	55	61	58	58	75	52	63	-
Measles-----35	51	3	7	16	16	1	4	1	1	1	1	-	-
Poliomyelitis, poliomyelitis (acute)-----36	185	4	1	2	1	1	4	14	56	53	25	17	7
Cancer and other malignant tumors-----45-55	12,910	1,105	973	1,151	1,081	1,106	1,046	1,042	1,036	1,067	1,116	1,072	1,113
Cancer of the digestive organs and peritoneum-----46	6,004	519	443	565	506	499	502	490	447	498	507	497	531
Cancer of female genital organs-----48,49	1,508	143	118	127	123	138	117	130	143	116	116	97	140
Cancer of the breast-----50	1,263	101	95	89	113	116	116	90	109	110	107	116	101
Cancer (other sites)-----45,47,51-55	4,135	342	317	370	339	353	311	332	337	343	306	362	341
Acute rheumatic fever-----58	54	3	6	7	6	4	6	4	3	3	1	8	3
Diabetes mellitus-----61	2,579	295	218	262	231	208	202	186	175	184	177	221	219
Exophthalmic goiter-----63b	201	21	20	24	15	19	21	15	12	13	15	10	16
Pellagra (except alcoholic)-----69	4	-	1	-	-	-	-	1	1	1	-	-	-
Alcoholism (ethylinism)-----77	59	5	7	5	2	4	6	7	3	3	5	6	6
Intracranial lesions of vascular origin-----83	7,166	777	610	604	579	587	634	528	508	547	579	571	644
Diseases of the heart-----90-95	31,806	3,415	2,827	2,922	2,657	2,710	2,583	2,312	2,181	2,346	2,456	2,512	2,805
Chronic rheumatic diseases of the heart-----90a, 92b, c, 93c, 95b	1,547	170	131	157	142	146	108	96	97	127	119	115	139
Diseases of coronary arteries and angina pectoris-----94	7,582	697	629	670	603	611	623	559	611	582	604	684	739
Diseases of heart (other forms)-----90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	22,677	2,548	2,067	2,085	1,912	1,953	1,832	1,657	1,473	1,637	1,733	1,743	2,027
Arteriosclerosis and high blood pressure-----97, 102	1,602	207	129	142	163	152	133	124	92	103	109	120	128
Pneumonia (all forms) and influenza-----107-109, 33	3,085	533	358	344	260	281	182	171	115	157	218	202	314
Bronchopneumonia-----107	1,534	239	155	161	147	133	108	102	63	106	128	107	165
Lobar pneumonia-----108	1,136	196	146	150	92	78	66	60	43	40	75	82	128
Pneumonia (unspecified)-----109	77	7	11	13	7	5	4	4	5	4	5	6	6
Influenza-----33	238	91	46	20	14	15	4	5	4	7	10	7	15
Ulcer of stomach or duodenum-----117	537	52	38	56	53	46	39	38	27	45	48	39	56
Diarrhea, enteritis, etc.*-----119, 120	300	36	32	32	16	33	33	19	21	19	21	21	17
Appendicitis-----121	359	33	29	29	24	30	39	42	31	29	23	26	22
Hernia and intestinal obstruction-----122	751	74	63	59	58	60	63	68	52	57	48	50	79
Cirrhosis of the liver-----124	991	83	70	97	76	66	78	82	94	75	84	80	86
Biliary calculi, etc.*-----126, 127	457	45	33	51	32	31	39	39	28	44	38	46	31
Nephritis-----130-132	5,652	581	515	580	484	468	420	429	414	428	399	451	503
Diseases of the prostate-----137	590	44	53	58	54	36	44	44	46	64	63	48	38
Diseases of pregnancy, etc.*-----140-150	237	23	11	27	24	20	15	25	17	22	10	18	25
Puerperal septicemia-----140, 142a, 145a, 147	94	13	-	9	8	13	2	11	6	10	3	9	6
Puerperal toxemia-----141a, c, 144, 148	61	7	5	7	7	3	6	5	5	4	4	4	4
Hemorrhage, trauma or shock*-----141b, 142b, 143, 146, 149	71	2	5	9	6	4	5	9	3	8	3	5	12
Other puerperal causes-----141d, e, f, 145b, 150	11	1	1	2	3	-	2	-	1	-	-	-	1
Congenital malformations-----157	1,084	66	99	91	70	80	82	86	94	100	103	102	121
Diseases peculiar to first year of life-----158-161	3,186	199	190	246	229	281	272	281	286	279	327	285	311
Premature birth-----158	1,989	116	116	160	153	176	177	172	188	189	200	181	201
Other diseases peculiar to first year of life-----159, 160, 161	1,197	82	74	86	75	105	95	109	116	110	127	104	110
Suicides-----163, 164	945	83	63	99	87	82	83	83	81	89	73	84	78
Homicides-----165-168	472	31	35	32	35	37	41	41	38	45	47	36	54
Accidental deaths-----169-195	5,596	510	437	438	455	415	485	474	453	473	504	429	525
Motor-vehicle accidents-----170	1,871	182	128	152	156	131	140	154	165	178	163	163	212
Other accidents-----169, 171-195	3,725	328	309	286	299	284	343	364	299	308	336	266	313
Sandfly, ill-defined and unknown causes-----162, 199, 200	390	57	36	33	33	40	30	22	21	22	31	29	36
All other causes-----	4,345	438	357	366	364	377	372	398	332	331	340	355	357
<b>INDIANA</b> -----All causes	39,034	3,816	3,407	3,547	3,272	3,280	3,081	3,042	2,818	2,949	3,186	3,205	3,471
Typhoid and paratyphoid fever-----1,2	11	-	1	2	1	-	-	3	2	-	1	1	-
Cerebrospinal (meningococcus) meningitis-----6	33	7	1	3	1	4	5	3	4	-	-	2	3
Scarlet fever-----8	5	-	3	1	1	-	-	-	-	-	-	-	-
Whooping cough-----9	40	2	2	3	2	2	4	6	7	3	3	2	4
Diphtheria-----10	37	8	2	5	3	2	2	2	1	-	4	4	4
Tuberculosis (all forms)-----13-22	1,128	101	95	101	107	90	105	105	88	70	89	95	82
Tuberculosis of respiratory system, etc.*-----13	1,012	91	87	95	93	81	92	96	77	63	78	88	71
Tuberculosis (other forms)-----14-22	116	10	8	6	14	9	13	9	11	7	11	7	11
Dysentery-----27	17	-	2	-	2	4	2	3	1	1	1	-	1
Malaria-----28	3	-	1	-	-	1	1	-	-	-	-	-	-
Syphilis-----30	391	41	27	32	37	37	25	28	38	33	30	24	39
Measles-----35	51	1	4	17	17	3	7	2	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	49	1	2	1	-	1	3	1	9	12	13	5	1
Cancer and other malignant tumors-----45-55	4,839	430	375	395	390	443	386	423	373	382	441	394	407
Cancer of the digestive organs and peritoneum-----46	2,103	205	166	184	174	185	167	185	163	168	185	163	168
Cancer of female genital organs-----48,49	622	53	43	49	45	58	60	55	51	47	65	53	45
Cancer of the breast-----50	425	35	30	24	37	45	29	40	35	32	50	37	31
Cancer (other sites)-----45,47,51-55	1,689	137	136	138	134	157	130	143	134	135	161	121	163
Acute rheumatic fever-----58	38	2	4	8	2	2	4	1	-	7	3	2	3
Diabetes mellitus-----61	966	92	83	96	91	87	76	73	73	57	70	77	91
Exophthalmic goiter-----63b	103	14	12	10	12	8	4	6	7	9	8	10	3
Pellagra (except alcoholic)-----69	5	-	-	-	-	1	-	-	-	-	-	-	-
Alcoholism (ethylinism)-----77	40	6	7	5	3	2	1	3	2	5	3	2	1
Intracranial lesions of vascular origin-----83	4,338	405	368	394	399	359	342	341	293	322	359	371	395
Diseases of the heart-----90-95	11,585	1,191	1,077	1,077	952	1,006	912	843	794	827	925	983	1,028
Chronic rheumatic diseases of the heart-----90a, 92b, c, 93c, 95b	667	68	58	62	67	51	53	55	39	50	46	56	62
Diseases of coronary arteries and angina pectoris-----94	4,151	411	361	369	318	363	324	306	294	302	341	363	379
Diseases of heart (other forms)-----90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	6,767	712	658	646	567	592	535	482	461	475	538	514	587
Arteriosclerosis and high blood pressure-----97, 102	1,081	104	111	98	87	100	88	87	62	90	85	84	95

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 215)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>INDIANA-Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	1,577	307	223	141	129	99	84	65	55	73	103	123	175
Bronchopneumonia-----107	634	90	70	60	47	46	40	28	29	39	47	65	73
Lobar pneumonia-----108	447	66	64	39	44	23	22	24	14	21	32	42	56
Pneumonia (unspecified)-----109	211	54	26	18	21	23	13	9	10	9	16	9	23
Influenza-----33	285	117	63	24	17	7	9	4	2	4	8	7	23
Ulcer of stomach or duodenum-----117	172	28	15	13	15	9	17	14	10	12	16	10	13
Diarrhea, enteritis, etc.*-----119,120	199	15	15	21	17	7	16	20	19	23	18	15	13
Appendicitis-----121	145	16	23	18	6	8	10	7	14	12	11	12	8
Hernia and intestinal obstruction-----122	303	28	18	17	32	16	21	28	30	27	30	22	34
Cirrhosis of the liver-----124	307	25	25	22	28	28	15	30	29	24	27	28	28
Biliary calculi, etc.*-----126,127	179	17	14	21	15	18	13	15	13	14	14	15	10
Nephritis-----130-132	2,948	281	254	276	259	255	231	221	204	229	230	259	249
Diseases of the prostate-----137	160	17	11	15	14	12	18	11	15	9	17	17	24
Diseases of pregnancy, etc.*-----140-150	112	9	6	10	8	6	7	9	15	13	11	10	8
Puerperal septicemia-----140,142a,145a,147	31	4	2	4	1	1	1	4	2	5	6	1	1
Puerperal toxemia-----141a,c,144,148	32	3	1	3	2	3	2	2	4	5	2	2	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	37	2	3	1	4	1	4	1	7	1	3	6	4
Other puerperal causes-----141d,e,f,145b,150	12	-	-	2	1	2	-	2	2	2	-	1	-
Congenital malformations-----157	467	36	35	49	40	43	19	35	40	30	52	46	42
Diseases peculiar to first year of life-----158-161	1,532	88	88	90	105	126	139	146	162	156	132	148	171
Premature birth-----159	1,039	55	59	58	73	83	105	107	99	100	98	96	107
Other diseases peculiar to first year of life-----158,160,161	513	33	29	32	33	43	34	39	64	56	34	52	64
Suicide-----163,164	501	36	43	50	52	46	46	35	38	33	41	40	41
Homicide-----165-168	147	6	3	24	9	10	20	13	15	12	6	11	18
Accidental deaths-----169-195	2,790	248	208	295	214	202	248	241	208	259	232	217	239
Motor-vehicle accidents-----170	966	91	72	101	70	67	76	90	70	75	63	79	92
Other accidents-----169,171-195	1,824	157	136	194	144	135	172	151	138	163	149	138	147
Senility, ill-defined and unknown causes-----162,199,200	424	50	45	36	36	32	34	42	28	26	23	29	43
All other causes-----	2,293	204	204	221	187	191	176	180	169	199	168	197	197
<b>IOWA-----All causes</b>	<b>25,758</b>	<b>2,405</b>	<b>2,192</b>	<b>2,312</b>	<b>2,078</b>	<b>2,219</b>	<b>2,073</b>	<b>1,907</b>	<b>1,984</b>	<b>1,967</b>	<b>2,094</b>	<b>2,130</b>	<b>2,397</b>
Typhoid and paratyphoid fever-----1,2	4	-	-	1	-	-	-	1	-	1	-	-	1
Cerebrospinal (meningococcus) meningitis-----6	15	1	2	-	1	3	1	-	4	-	1	-	2
Scarlet fever-----8	11	1	4	3	1	-	-	1	-	-	-	-	1
Whooping cough-----9	17	1	-	2	1	1	3	-	1	2	-	-	2
Diphtheria-----10	15	4	1	1	1	2	1	-	-	1	2	2	-
Tuberculosis (all forms)-----13-22	329	24	31	26	35	36	30	23	24	27	31	23	19
Tuberculosis of respiratory system, etc.*-----13	291	21	28	23	31	32	24	21	20	26	27	20	18
Tuberculosis (other forms)-----14-22	38	3	3	3	4	4	6	2	4	1	4	3	1
Dysentery-----27	13	-	2	-	-	3	2	-	1	1	1	1	2
Malaria-----28	4	-	1	-	2	-	-	-	-	-	1	-	-
Syphilis-----30	156	21	13	11	10	19	12	9	9	9	16	13	14
Measles-----35	24	1	1	2	4	6	7	-	1	2	-	-	-
Polioencephalitis, poliomyelitis (acute)-----36	53	-	1	-	1	1	2	5	12	10	15	5	1
Cancer and other malignant tumors-----45-55	3,704	308	268	329	280	315	317	315	342	317	314	277	322
Cancer of the digestive organs and peritoneum-----46	1,707	136	109	152	137	157	154	143	147	153	146	129	144
Cancer of female genital organs-----48,49	401	31	38	31	30	26	32	38	43	36	34	22	40
Cancer of the breast-----50	367	32	37	35	27	36	33	19	24	36	30	28	30
Cancer (other sites)-----45,47,51-55	1,229	109	94	111	86	98	98	115	128	92	104	98	108
Acute rheumatic fever-----56	14	2	1	3	1	2	1	-	2	-	-	2	-
Diabetes mellitus-----61	673	80	61	61	55	45	65	34	48	48	69	47	60
Exophthalmic goiter-----65b	58	9	5	8	4	3	8	1	6	1	3	5	5
Pellagra (except alcoholic)-----69	3	-	-	-	-	-	1	-	-	-	-	2	-
Alcoholism (ethylinism)-----77	21	2	5	1	2	2	1	3	1	-	3	1	-
Intracranial lesions of vascular origin-----83	2,999	257	259	257	235	267	224	206	219	199	252	261	283
Diseases of the heart-----90-95	7,674	714	681	744	654	631	632	594	573	605	616	689	751
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	472	49	35	49	48	40	26	35	40	30	41	39	40
Diseases of coronary arteries and angina pectoris-----94	3,260	266	276	297	261	256	257	254	240	259	273	326	295
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,142	399	370	398	345	335	349	295	293	316	302	324	416
Arteriosclerosis and high blood pressure*-----97,102	621	80	58	63	50	61	50	38	30	37	56	46	52
Pneumonia (all forms) and influenza-----107-109,33	1,047	204	139	111	92	71	53	33	45	40	63	67	129
Bronchopneumonia-----107	464	64	55	53	37	37	26	17	25	19	26	37	68
Lobar pneumonia-----108	328	55	44	28	32	21	21	11	18	11	29	17	43
Pneumonia (unspecified)-----109	47	7	5	1	8	1	3	4	1	2	3	6	6
Influenza-----33	208	78	35	29	15	12	3	1	3	8	5	7	12
Ulcer of stomach or duodenum-----117	176	11	9	19	16	16	10	15	13	19	17	19	13
Diarrhea, enteritis, etc.*-----119,120	136	5	11	15	9	13	10	9	16	11	11	16	10
Appendicitis-----121	102	7	12	9	10	9	6	12	4	7	10	10	7
Hernia and intestinal obstruction-----122	237	28	21	19	16	19	19	18	21	20	18	21	17
Cirrhosis of the liver-----124	144	8	17	13	12	12	9	9	8	9	18	7	22
Biliary calculi, etc.*-----126,127	150	14	14	11	10	11	10	11	19	20	6	11	13
Nephritis-----130-132	1,457	156	129	131	113	145	126	110	84	116	112	116	139
Diseases of the prostate-----137	191	20	13	12	16	18	13	10	18	21	21	11	18
Diseases of pregnancy, etc.*-----140-150	59	2	7	2	3	9	3	4	7	6	4	4	8
Puerperal septicemia-----140,142a,145a,147	23	1	3	1	1	4	1	3	2	-	2	1	4
Puerperal toxemia-----141a,c,144,148	16	-	1	-	2	1	1	-	2	3	2	1	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	19	1	3	-	-	4	1	1	3	3	-	2	1
Other puerperal causes-----141d,e,f,145b,150	1	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	359	27	21	26	17	25	25	28	30	29	35	42	54
Diseases peculiar to first year of life-----158-161	995	64	50	58	80	86	81	94	108	88	81	90	108
Premature birth-----159	623	37	29	38	52	55	49	56	73	54	51	59	71
Other diseases peculiar to first year of life-----158,160,161	372	27	21	27	28	31	33	38	35	34	30	31	37
Suicide-----163,164	327	22	20	30	33	35	25	30	32	18	36	26	20
Homicide-----165-168	46	4	3	1	8	3	6	3	5	4	3	2	2
Accidental deaths-----169-195	1,638	146	164	147	144	147	158	160	173	141	129	165	164
Motor-vehicle accidents-----170	549	34	53	37	36	41	32	46	56	58	50	50	56
Other accidents-----169,171-195	1,289	112	111	110	108	106	126	114	117	83	79	115	108
Senility, ill-defined and unknown causes-----162,199,200	384	50	27	40	28	27	33	29	26	24	32	31	37
All other causes-----	1,602	152	141	151	134	176	127	113	98	135	116	118	141

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KANSAS—All causes</b>	<b>18,059</b>	<b>1,815</b>	<b>1,520</b>	<b>1,610</b>	<b>1,425</b>	<b>1,512</b>	<b>1,443</b>	<b>1,453</b>	<b>1,295</b>	<b>1,349</b>	<b>1,442</b>	<b>1,529</b>	<b>1,666</b>
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	11	-	1	1	2	1	-	1	-	-	-	1	4
Scarlet fever—8	4	1	-	1	1	1	-	-	-	-	-	-	-
Whooping cough—9	13	1	-	2	-	1	1	2	2	1	1	1	1
Diphtheria—10	12	1	-	2	1	2	1	-	-	-	-	3	2
Tuberculosis (all forms)—13-22	307	26	19	25	28	27	22	35	23	32	26	20	24
Tuberculosis of respiratory system, etc.*—13	281	25	19	25	25	26	20	34	23	29	25	17	23
Tuberculosis (other forms)—14-22	16	1	-	-	3	1	2	1	-	3	1	3	1
Dysentery—27	3	-	-	-	-	-	1	-	1	-	-	-	1
Malaria—28	2	-	-	1	-	1	-	-	-	-	-	-	-
Syphilis—50	143	15	10	15	7	13	14	10	14	12	12	8	13
Measles—35	23	1	2	10	7	2	1	-	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)—36	91	1	-	-	1	1	4	14	16	21	24	6	3
Cancer and other malignant tumors—45-55	2,412	199	186	210	192	223	209	191	166	208	198	216	224
Cancer of the digestive organs and peritoneum—46	1,069	75	69	102	77	81	99	83	73	96	100	94	99
Cancer of female genital organs—48,49	303	27	18	27	31	30	30	23	15	24	27	30	21
Cancer of the breast—50	239	24	18	23	20	28	18	22	19	19	10	18	19
Cancer (other sites)—45,47,51-55	803	63	61	58	64	84	62	63	59	69	61	74	85
Acute rheumatic fever—58	10	-	1	2	1	1	-	1	2	1	1	-	-
Diabetes mellitus—61	437	49	39	36	43	38	20	34	29	30	43	29	47
Exophthalmic goiter—63b	39	2	6	3	2	3	4	-	2	5	1	6	5
Pellagra (except alcoholic)—68	6	-	-	1	-	-	-	1	-	1	-	1	2
Alcoholism (ethylish)—77	8	-	2	1	1	-	1	-	-	-	1	1	1
Intracranial lesions of vascular origin—83	2,049	212	185	166	154	169	177	153	150	146	148	187	204
Diseases of the heart—90-95	5,415	558	497	492	446	450	403	409	378	368	431	462	501
Chronic rheumatic diseases of the heart—90a,92b,c,93a,95b	322	36	31	27	26	30	20	25	31	21	26	23	26
Diseases of coronary arteries and angina pectoris—94	2,141	213	182	190	168	174	155	149	157	165	172	187	229
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,952	308	284	275	252	246	228	235	190	182	233	272	246
Arteriosclerosis and high blood pressure*—97,102	417	45	27	40	38	44	25	38	30	23	31	39	37
Pneumonia (all forms) and influenza—107-109,33	612	136	81	70	31	41	26	36	26	26	38	41	60
Bronchopneumonia—107	265	59	34	28	16	21	13	17	18	11	16	24	30
Lobar pneumonia—108	187	27	25	27	8	11	6	16	4	8	15	8	14
Pneumonia (unspecified)—109	31	5	4	1	-	3	1	1	2	2	3	3	6
Influenza—33	149	65	20	16	7	6	6	2	2	5	4	6	10
Ulcer of stomach or duodenum—117	104	12	12	5	13	8	7	5	4	14	9	6	9
Diarrhea, enteritis, etc.*—119,120	79	8	9	5	4	6	4	11	6	8	8	11	1
Appendicitis—121	96	8	10	10	6	7	5	15	8	9	6	6	6
Hernia and intestinal obstruction—122	149	12	12	17	9	15	8	15	10	9	13	17	12
Cirrhosis of the liver—124	113	19	7	6	7	9	7	8	9	11	12	8	10
Biliary calculi, etc.*—126,127	97	9	8	6	9	10	6	10	7	8	10	5	7
Nephritis—130-132	1,257	142	98	130	124	99	110	88	72	86	84	108	116
Diseases of the prostate—137	184	9	11	13	22	14	13	16	12	15	15	12	12
Diseases of pregnancy, etc.*—140-150	60	5	3	5	7	6	3	6	6	7	5	1	6
Puerperal septicemia—140,142a,145a,147	25	3	1	3	4	3	-	2	1	4	-	-	4
Puerperal toxemia—141a,c,144,146	17	-	1	1	2	3	1	-	3	2	2	1	1
Rhemorrhage, trauma or shock*—141b,142b,143,146,149	17	2	1	1	1	-	2	4	2	1	2	-	1
Other puerperal causes—142d,e,f,145b,150	1	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations—157	252	22	25	13	17	25	18	26	20	28	17	22	19
Diseases peculiar to first year of life—158-161	718	51	54	46	44	57	66	69	58	77	66	61	69
Premature birth—159	449	26	32	25	31	39	47	38	37	56	42	37	39
Other diseases peculiar to first year of life—158,160,161	269	25	22	21	13	18	19	31	21	21	24	24	30
Suicide—163,164	182	19	10	18	17	12	18	13	15	16	11	17	16
Homicide—165-168	53	6	3	7	5	4	3	-	7	5	4	4	5
Accidental deaths—169-195	1,334	114	97	114	82	109	125	122	118	103	114	108	128
Motor-vehicle accidents—170	467	48	33	41	32	35	49	33	34	37	41	40	44
Other accidents—169,171-195	867	66	64	73	50	74	76	89	84	66	73	68	84
Senility, ill-defined and unknown causes—162,199,200	289	31	19	28	19	16	28	17	24	17	33	20	37
All other causes—	1,097	111	88	109	85	97	110	104	87	59	61	82	84
<b>KENTUCKY—All causes</b>	<b>27,410</b>	<b>2,785</b>	<b>2,435</b>	<b>2,429</b>	<b>2,232</b>	<b>2,130</b>	<b>2,168</b>	<b>2,078</b>	<b>2,015</b>	<b>2,105</b>	<b>2,281</b>	<b>2,210</b>	<b>2,542</b>
Typhoid and paratyphoid fever—1,2	30	-	1	-	2	-	4	2	10	4	2	4	1
Cerebrospinal (meningococcus) meningitis—6	39	9	4	7	3	2	5	-	-	5	2	1	1
Scarlet fever—8	12	3	2	-	1	1	-	-	1	-	1	1	1
Whooping cough—9	47	4	6	1	6	5	7	2	5	1	3	2	5
Diphtheria—10	53	1	7	2	4	2	3	3	2	4	9	8	8
Tuberculosis (all forms)—13-22	1,602	170	149	167	147	122	118	105	100	119	144	123	138
Tuberculosis of respiratory system, etc.*—13	1,492	163	137	164	133	113	104	99	89	107	136	116	131
Tuberculosis (other forms)—14-22	110	7	12	3	14	9	14	6	11	12	8	7	7
Dysentery—27	42	1	4	1	2	4	2	10	6	4	2	2	2
Malaria—28	6	2	-	-	-	-	-	2	-	-	-	1	1
Syphilis—50	217	30	17	15	17	19	26	16	14	15	18	10	20
Measles—35	69	9	17	16	13	8	4	1	-	-	1	-	-
Polioencephalitis, poliomyelitis (acute)—36	14	-	-	-	-	-	2	3	3	2	4	-	-
Cancer and other malignant tumors—45-55	2,905	249	212	239	224	239	243	239	206	228	239	247	241
Cancer of the digestive organs and peritoneum—46	1,242	110	95	90	91	109	107	112	86	97	103	136	106
Cancer of female genital organs—48,49	430	44	34	39	30	28	37	34	34	36	40	34	40
Cancer of the breast—50	222	23	18	19	24	21	18	10	12	21	15	19	22
Cancer (other sites)—45,47,51-55	911	72	65	91	79	80	81	83	74	74	81	58	73
Acute rheumatic fever—58	16	2	3	-	1	-	1	3	2	1	-	2	1
Diabetes mellitus—61	445	53	46	44	29	41	35	29	25	31	29	40	44
Exophthalmic goiter—63b	32	4	3	3	3	2	7	2	1	3	-	1	3
Pellagra (except alcoholic)—68	18	2	1	3	1	1	1	3	-	3	-	1	2
Alcoholism (ethylish)—77	44	9	6	-	2	4	5	-	3	4	1	6	4
Intracranial lesions of vascular origin—83	2,782	265	219	245	225	219	202	227	235	240	230	217	258
Diseases of the heart—90-95	7,149	790	667	645	610	560	576	534	541	532	553	546	632
Chronic rheumatic diseases of the heart—90a,92b,c,93a,95b	472	50	49	41	31	36	39	55	30	31	29	54	28
Diseases of coronary arteries and angina pectoris—94	1,941	206	158	166	169	148	155	137	162	149	166	154	171
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,735	494	460	438	410	376	383	342	349	352	360	338	433
Arteriosclerosis and high blood pressure*—97,102	610	67	52	47	56	53	53	46	38	41	44	55	58

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

227

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KENTUCKY—Continued</b>													
Pneumonia (all forms) and influenza—107-109,33	1,775	334	235	168	102	94	85	58	89	101	134	149	226
Bronchopneumonia—107	594	111	75	64	41	39	35	20	43	51	64	70	83
Lobar pneumonia—108	471	60	63	40	32	26	30	23	21	31	35	41	69
Pneumonia (unspecified)—109	307	54	41	36	13	18	15	12	15	14	26	20	45
Influenza—33	301	109	56	28	16	11	7	3	10	5	9	18	29
Ulcer of stomach or duodenum—117	141	12	17	9	6	18	10	18	11	6	10	12	12
Diarrhea, enteritis, etc.—119,120	272	11	16	17	19	12	33	42	37	29	20	18	19
Appendicitis—121	103	5	9	14	10	3	9	11	3	13	11	6	9
Hernia and intestinal obstruction—122	168	12	13	18	12	8	10	23	13	16	17	14	12
Cirrhosis of the liver—124	195	20	12	17	13	24	17	16	10	17	20	17	12
Biliary calculi, etc.—125,127	113	10	9	14	10	10	11	10	6	10	4	11	8
Nephritis—130-132	1,691	153	148	145	173	164	140	134	109	129	126	133	137
Diseases of the prostate—137	134	9	9	15	14	14	11	6	8	6	11	15	16
Diseases of pregnancy, etc.—140-150	144	11	9	8	11	13	6	15	12	15	17	13	14
Puerperal septicemia—140,142a,145A,147	47	2	1	2	3	5	1	3	4	6	4	4	8
Puerperal toxemia—141a,c,144,148	40	2	4	2	4	4	1	6	5	4	4	4	—
Hemorrhage, trauma or shock—141b,142b,143,146,149	41	3	2	3	3	4	4	5	2	2	5	5	3
Other puerperal causes—141d,e,f,145B,150	16	4	2	1	1	—	—	1	1	3	—	—	3
Congenital malformations—157	364	25	27	28	21	28	25	28	31	30	35	46	40
Diseases peculiar to first year of life—158-161	1,474	95	96	99	109	102	129	119	137	142	135	136	175
Premature birth—159	948	58	56	68	77	65	88	92	85	98	92	92	99
Other diseases peculiar to first year of life—158,160,161	526	39	40	31	32	37	41	37	52	44	53	44	76
Suicide—162,164	271	27	20	22	29	14	22	24	20	20	32	26	15
Homicide—165-168	304	24	30	27	21	21	21	24	30	24	29	25	28
Accidental deaths—169-195	2,120	190	167	177	175	164	174	169	147	170	215	174	198
Motor-vehicle accidents—170	729	61	56	75	71	49	42	61	55	54	80	61	66
Other accidents—169,171-195	1,391	129	111	102	104	115	132	108	94	116	136	113	132
Sentility, ill-defined and unknown causes—162,199,200	570	67	68	55	42	50	43	39	44	27	44	37	54
All other causes—	1,542	150	136	161	120	110	127	115	114	113	138	111	147
<b>LOUISIANA—All causes</b>	<b>22,030</b>	<b>2,325</b>	<b>2,009</b>	<b>1,924</b>	<b>1,658</b>	<b>1,751</b>	<b>1,685</b>	<b>1,762</b>	<b>1,750</b>	<b>1,639</b>	<b>1,797</b>	<b>1,793</b>	<b>1,957</b>
Typhoid and paratyphoid fever—1,2	22	1	1	1	1	6	2	3	4	1	2	—	—
Cerebrospinal (meningococcus) meningitis—6	24	2	8	5	—	2	—	—	1	1	2	2	1
Scarlet fever—8	2	1	1	—	—	—	—	—	—	—	—	—	—
Whooping cough—9	24	3	2	—	—	3	2	2	4	—	3	3	2
Diphtheria—10	42	8	3	7	2	1	3	—	3	3	2	5	5
Tuberculosis (all forms)—13-22	1,089	105	89	105	98	100	86	75	81	95	94	75	96
Tuberculosis of respiratory system, etc.—13	1,018	97	86	97	86	92	79	70	80	93	80	69	89
Tuberculosis (other forms)—14-22	71	8	3	8	12	8	7	5	1	2	4	6	7
Dysentery—27	21	2	—	2	2	3	2	2	—	2	3	—	3
Malaria—28	22	1	2	—	3	4	2	2	3	2	2	1	—
Syphilis—30	422	28	36	36	29	48	19	39	40	36	58	32	41
Measles—35	22	1	4	3	4	5	3	—	1	—	—	1	1
Polioencephalitis (acute)—36	25	1	—	—	—	—	2	8	6	3	1	1	1
Cancer and other malignant tumors—45-55	2,506	220	167	220	195	180	200	239	225	226	227	200	207
Cancer of the digestive organs and peritoneum—46	961	78	65	85	80	68	87	93	96	82	80	71	76
Cancer of female genital organs—48,49	43	39	32	41	37	25	27	28	34	36	30	33	29
Cancer of the breast—50	178	17	12	17	10	14	10	14	12	22	20	15	15
Cancer (other sites)—45,47,51-55	970	80	58	77	69	73	76	104	83	86	97	61	87
Acute rheumatic fever—58	17	2	—	3	1	—	2	3	1	2	—	2	1
Diabetes mellitus—61	359	35	36	37	28	29	35	25	26	22	22	28	33
Exophthalmic goiter—63b	50	5	5	1	7	1	2	—	1	3	2	3	—
Poliagra (except alcoholic)—69	22	2	2	2	—	3	1	—	1	2	3	3	3
Alcoholism (ethylin)—77	19	—	3	1	2	4	1	1	1	3	1	—	2
Intracranial lesions of vascular origin—83	1,778	189	184	182	140	151	146	125	129	119	141	158	164
Diseases of the heart—90-95	5,957	664	576	515	440	451	451	482	461	389	466	503	579
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	280	27	25	23	23	22	26	29	14	20	31	20	20
Diseases of coronary arteries and angina pectoris—94	1,440	138	128	130	97	102	105	113	112	100	116	143	156
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,257	499	423	362	320	327	300	340	335	269	319	340	403
Arteriosclerosis and high blood pressure—97,102	200	23	21	28	14	22	24	19	15	18	27	20	19
Pneumonia (all forms) and influenza—107-109,33	1,500	242	211	140	87	65	79	65	72	83	71	81	104
Bronchopneumonia—107	601	77	64	62	45	36	50	35	40	49	39	46	56
Lobar pneumonia—108	286	55	46	29	17	16	18	16	18	14	16	15	26
Pneumonia (unspecified)—109	155	38	21	10	12	4	9	11	10	11	10	12	10
Influenza—33	268	75	80	39	13	7	2	3	4	9	6	8	12
Ulcer of stomach or duodenum—117	134	14	7	12	17	15	11	8	7	5	11	13	14
Diarrhea, enteritis, etc.—119,120	145	18	11	13	17	11	18	12	15	10	7	7	6
Appendicitis—121	92	8	7	7	14	8	3	4	12	5	11	7	6
Hernia and intestinal obstruction—122	187	19	12	11	16	18	15	26	13	14	17	11	17
Cirrhosis of the liver—124	181	15	21	13	15	17	18	19	16	13	13	7	14
Biliary calculi, etc.—125,127	69	6	5	5	7	3	6	4	7	11	5	6	4
Nephritis—130-132	1,442	169	145	127	108	138	96	115	108	97	120	113	116
Diseases of the prostate—137	107	14	8	7	11	10	5	10	7	8	13	6	8
Diseases of pregnancy, etc.—140-150	139	15	11	9	9	12	7	7	14	12	16	10	17
Puerperal septicemia—140,142a,145A,147	47	3	1	4	5	7	3	2	3	6	6	3	4
Puerperal toxemia—141a,c,144,148	43	7	5	4	3	4	2	1	4	3	4	2	4
Hemorrhage, trauma or shock—141b,142b,143,146,149	34	4	4	—	1	—	2	1	4	2	3	5	8
Other puerperal causes—141d,e,f,145B,150	15	1	1	1	—	1	—	3	3	1	3	—	1
Congenital malformations—157	263	26	12	28	20	15	24	20	20	34	22	26	35
Diseases peculiar to first year of life—158-161	1,471	122	93	88	89	108	118	144	158	133	142	135	120
Premature birth—159	962	61	51	58	75	75	75	107	109	89	84	96	75
Other diseases peculiar to first year of life—158,160,161	509	40	32	37	31	34	43	37	49	44	58	59	45
Suicide—162,164	192	16	17	18	15	7	17	20	10	20	17	15	19
Homicide—165-168	261	11	20	31	20	25	30	24	12	27	24	18	19
Accidental deaths—169-195	1,636	163	131	158	117	135	120	128	131	111	134	166	162
Motor-vehicle accidents—170	507	34	41	39	34	45	32	34	40	32	48	71	58
Other accidents—169,171-195	1,129	129	90	99	83	90	88	94	91	79	85	95	106
Sentility, ill-defined and unknown causes—162,199,200	445	43	48	45	26	45	38	33	46	33	37	19	32
All other causes—	1,296	141	110	112	103	105	119	98	100	95	111	96	106

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MAINE</b> -----All causes	10,058	990	856	906	843	841	806	764	720	770	831	820	911
Typhoid and paratyphoid fever-----1,2	3	-	1	-	-	-	-	2	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	9	-	1	1	2	-	-	-	-	2	-	2	1
Scarlet fever-----8	2	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	15	2	1	-	-	1	3	1	2	1	-	-	2
Diphtheria-----10	18	-	1	1	-	4	2	2	1	1	2	1	3
Tuberculosis (all forms)-----13-22	216	18	14	17	19	28	15	27	12	15	19	15	17
Tuberculosis of respiratory system, etc.*-----13	202	16	14	16	16	27	15	22	12	15	19	15	15
Tuberculosis (other forms)-----14-22	14	2	-	1	3	1	-	5	-	-	-	-	2
Dysentery-----27	2	-	-	-	1	-	-	-	1	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	49	8	-	8	2	2	4	6	2	4	5	3	5
Measles-----35	12	-	-	-	-	1	1	4	-	1	1	1	3
Poliomyelitis, poliomyelitis (acute)-----36	3	-	-	-	1	-	-	-	-	-	2	-	-
Cancer and other malignant tumors-----45-55	1,395	108	107	122	101	112	126	113	117	109	128	113	137
Cancer of the digestive organs and peritoneum-----46	676	59	57	60	47	49	64	44	57	59	65	51	65
Cancer of female genital organs-----48,49	179	21	18	16	13	15	11	19	18	10	14	13	11
Cancer of the breast-----50	124	9	8	9	9	11	16	11	11	10	9	10	12
Cancer (other sites)-----45,47,51-55	414	20	24	37	32	37	35	39	31	30	41	39	49
Acute rheumatic fever-----58	7	-	-	1	1	-	1	-	1	-	2	1	-
Diabetes mellitus-----61	235	27	21	19	25	16	24	12	11	21	20	17	22
Exophthalmic goiter-----63b	14	2	-	-	1	2	2	-	-	1	2	2	1
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylin)-----77	24	1	1	3	4	1	1	2	4	-	2	-	5
Intracranial lesions of vascular origin-----83	1,060	97	109	85	92	81	62	95	71	80	98	81	99
Diseases of the heart-----90-95	3,092	320	273	287	278	248	238	205	217	230	243	285	286
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	202	21	18	20	19	15	15	9	13	16	19	16	21
Diseases of coronary arteries and angina pectoris-----94	1,164	121	98	92	104	88	83	88	78	89	102	111	112
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	1,726	178	157	175	155	148	141	108	126	125	122	136	153
Arteriosclerosis and high blood pressure*-----97,102	264	29	18	19	20	24	30	24	22	14	23	16	25
Pneumonia (all forms) and influenza-----107-109,33	476	76	65	62	41	35	25	20	21	22	27	30	52
Bronchopneumonia-----107	227	30	27	31	19	13	9	8	13	12	19	20	26
Lobar pneumonia-----108	159	29	21	19	16	13	9	10	6	6	7	7	16
Pneumonia (unspecified)-----109	24	2	5	3	1	2	3	1	-	-	-	2	5
Influenza-----33	66	15	12	9	5	7	4	1	2	4	1	1	5
Ulcer of stomach or duodenum-----117	50	4	5	1	4	5	5	4	2	8	8	2	2
Diarrhea, enteritis, etc.*-----119,120	51	6	2	1	4	3	7	4	5	3	3	5	4
Appendicitis-----121	20	2	3	1	2	-	4	2	1	-	3	1	1
Hernia and intestinal obstruction-----122	68	7	4	8	6	3	6	5	6	11	4	3	6
Cirrhosis of the liver-----124	55	5	6	6	3	6	2	4	7	4	4	4	4
Biliary calculi, etc.*-----126,127	42	6	2	2	4	3	2	2	3	2	8	4	4
Nephritis-----130-132	622	64	69	71	43	55	52	37	45	51	41	49	45
Diseases of the prostate-----137	55	8	2	6	7	5	3	5	1	9	2	3	4
Diseases of pregnancy, etc.*-----140-150	32	3	2	1	5	2	5	3	2	3	2	3	1
Puerperal septicemia-----140,142a,145a,147	8	1	-	1	2	-	1	-	-	2	-	1	-
Puerperal toxemia-----141a,c,144,148	8	-	-	-	1	1	2	1	1	-	1	1	-
Ectopic pregnancy, trauma or shock*-----141b,142b,143,146,149	15	2	2	-	2	1	1	2	1	1	1	1	1
Other puerperal causes-----141d,e,f,145b,150	1	-	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations-----157	151	18	9	8	14	15	13	7	14	19	14	11	9
Diseases peculiar to first year of life-----158-161	440	52	25	20	39	41	28	42	36	38	39	58	42
Premature birth-----159	282	23	15	11	20	22	16	31	24	23	22	31	24
Other diseases peculiar to first year of life-----158,160,161	178	9	10	9	19	19	12	11	12	15	17	27	18
Suicide-----163,164	121	7	13	14	10	19	7	6	9	9	10	9	6
Homicide-----165-168	12	1	2	-	-	3	1	-	-	-	2	-	2
Accidental deaths-----169-195	683	64	58	57	52	54	63	59	54	54	55	68	67
Motor-vehicle accidents-----170	193	14	3	18	8	9	16	14	22	19	23	26	21
Other accidents-----169,171-195	490	50	33	39	44	45	47	45	32	35	32	42	46
Senility, ill-defined and unknown causes-----162,188,200	198	23	18	24	16	15	16	9	14	15	17	9	12
All other causes-----	584	52	45	61	44	56	57	54	40	42	47	42	44
<b>MARYLAND</b> -----All causes	21,783	2,176	1,785	1,910	1,816	1,924	1,772	1,689	1,658	1,661	1,785	1,726	1,981
Typhoid and paratyphoid fever-----1,2	4	-	-	1	1	-	-	-	1	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	20	2	4	3	3	1	2	-	3	-	-	2	-
Scarlet fever-----8	2	-	-	-	-	-	-	1	-	-	1	-	-
Whooping cough-----9	15	2	-	1	-	-	1	4	1	3	2	-	-
Diphtheria-----10	30	6	2	5	4	4	1	1	2	1	1	-	3
Tuberculosis (all forms)-----13-22	1,186	107	93	115	108	89	97	93	98	95	100	89	102
Tuberculosis of respiratory system, etc.*-----13	1,115	103	88	107	100	83	91	86	89	83	96	85	94
Tuberculosis (other forms)-----14-22	71	4	5	8	8	6	6	7	9	2	4	4	8
Dysentery-----27	6	-	-	-	-	2	1	1	1	-	-	-	1
Malaria-----28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis-----30	294	26	15	25	21	29	32	20	19	33	32	17	25
Measles-----35	16	-	1	2	2	6	4	1	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	6	-	1	-	-	-	-	3	-	1	-	1	-
Cancer and other malignant tumors-----45-55	2,787	210	197	265	223	238	221	245	261	226	246	220	233
Cancer of the digestive organs and peritoneum-----46	1,142	84	84	108	92	99	77	97	106	106	95	93	99
Cancer of female genital organs-----48,49	398	27	29	42	24	27	41	32	39	27	37	26	37
Cancer of the breast-----50	301	25	15	25	27	25	25	26	25	20	28	26	34
Cancer (other sites)-----45,47,51-55	956	74	69	90	80	87	78	90	89	75	86	75	83
Acute rheumatic fever-----58	16	2	3	2	3	1	-	1	1	-	1	1	1
Diabetes mellitus-----61	539	49	47	55	35	51	48	39	33	46	33	32	71
Exophthalmic goiter-----63b	7	1	-	1	-	1	-	-	-	-	2	1	-
Pellagra (except alcoholic)-----69	4	1	-	1	-	1	-	-	-	-	-	-	1
Alcoholism (ethylin)-----77	57	5	8	3	2	4	2	4	6	1	5	6	11
Intracranial lesions of vascular origin-----83	1,712	172	143	160	153	127	136	142	121	121	138	148	151
Diseases of the heart-----90-95	6,963	746	592	600	596	594	559	519	487	525	556	537	644
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	338	45	30	36	27	22	19	25	26	24	30	19	35
Diseases of coronary arteries and angina pectoris-----94	1,918	184	153	146	184	158	170	169	134	129	159	163	169
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,707	517	409	426	385	414	370	325	327	372	367	355	440
Arteriosclerosis and high blood pressure*-----97,102	345	43	20	21	36	28	31	24	28	17	36	26	35

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MARYLAND—Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	833	150	103	88	70	67	42	42	34	45	49	55	86
Bronchopneumonia-----107	384	56	46	40	37	29	22	22	18	25	25	23	41
Lobar pneumonia-----108	317	60	38	33	20	29	16	17	14	11	18	22	39
Pneumonia (unspecified)-----109	46	4	3	7	6	5	3	1	1	2	5	4	5
Influenza-----33	86	30	16	8	7	4	1	2	1	7	1	6	3
Ulcer of stomach or duodenum-----117	83	6	13	5	4	4	10	6	4	9	5	7	10
Diarrhea, enteritis, etc.*-----119,120	165	18	11	9	13	15	9	10	12	25	19	12	12
Appendicitis-----121	63	4	5	8	6	6	5	13	2	6	2	2	4
Hernia and intestinal obstruction-----122	161	12	8	11	13	16	12	13	15	20	13	15	13
Cirrhosis of the liver-----124	231	21	13	20	30	10	20	7	20	20	24	20	26
Biliary calculi, etc.*-----126,127	73	4	8	6	5	17	4	9	3	2	3	8	4
Nephritis-----130-132	1,773	184	161	164	189	161	140	122	140	110	134	141	157
Diseases of the prostate-----137	93	13	10	6	4	6	6	4	10	9	10	6	9
Diseases of pregnancy, etc.*-----140-150	56	3	6	2	4	6	5	4	6	5	2	7	6
Puerperal septicemia-----140,142a,145a,147	19	1	1	1	2	3	-	-	3	3	-	2	3
Puerperal toxemia-----141a,c,144,148	10	-	2	-	-	1	1	2	-	1	1	1	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	24	-	3	1	2	2	4	2	2	1	1	4	2
Other puerperal causes-----141d,e,f,145b,150	3	2	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations-----157	257	21	24	20	21	14	18	29	19	25	22	25	20
Diseases peculiar to first year of life-----158-161	979	71	62	56	78	72	94	93	96	96	109	84	82
Premature birth-----158	625	49	36	39	43	51	71	44	67	54	62	58	54
Other diseases peculiar to first year of life-----159,160,161	348	22	26	17	35	21	23	39	29	32	47	29	28
Suicide-----163,164	271	30	29	16	15	25	19	23	15	23	20	24	22
Homicide-----165-168	173	14	13	11	9	12	18	12	15	19	14	14	23
Accidental deaths-----169-195	1,393	158	103	108	88	132	144	114	114	98	107	125	120
Motor-vehicle accidents-----170	429	46	29	33	28	43	40	32	34	38	38	38	29
Other accidents-----169,171-195	964	92	74	75	61	89	104	82	80	61	68	87	91
Senility, ill-defined and unknown causes-----162,199,200	90	6	5	10	10	4	9	8	9	2	6	12	9
All other causes-----	1,085	109	85	93	98	81	82	96	78	86	92	87	98
<b>MASSACHUSETTS-----All causes</b>	<b>51,398</b>	<b>5,169</b>	<b>4,513</b>	<b>4,773</b>	<b>4,205</b>	<b>4,250</b>	<b>4,046</b>	<b>3,799</b>	<b>3,722</b>	<b>3,959</b>	<b>4,195</b>	<b>4,053</b>	<b>4,714</b>
Typhoid and paratyphoid fever-----1,2	2	-	-	1	-	-	-	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	24	3	5	2	1	2	-	-	1	4	2	2	2
Scarlet fever-----8	2	-	-	-	-	-	-	-	-	1	-	-	1
Whooping cough-----8	16	5	3	1	1	1	1	-	-	1	1	-	2
Diphtheria-----10	36	2	1	-	3	3	2	1	-	10	2	6	6
Tuberculosis (all forms)-----13-22	1,664	165	142	150	148	146	145	144	114	135	135	107	132
Tuberculosis of respiratory system, etc.*-----13	1,563	153	130	141	141	136	138	134	107	131	131	101	120
Tuberculosis (other forms)-----14-22	101	12	12	9	8	10	7	10	7	4	4	6	12
Dysentery-----27	8	2	-	-	1	-	-	1	-	-	2	1	1
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	235	23	23	17	21	17	25	17	21	16	14	20	21
Measles-----35	16	1	1	1	5	4	3	-	1	-	-	-	-
Polioencephalitis, poliomyelitis (acute)-----36	24	-	1	-	-	-	1	5	2	7	4	3	1
Cancer and other malignant tumors-----45-55	7,760	666	569	689	630	645	633	633	644	691	656	631	663
Cancer of the digestive organs and peritoneum-----46	3,579	312	278	326	290	288	286	293	283	332	297	295	303
Cancer of female genital organs-----48,49	839	73	59	77	72	80	75	67	68	62	84	61	63
Cancer of the breast-----50	806	70	57	66	69	66	66	63	77	88	80	73	86
Cancer (other sites)-----45,47,51-55	2,536	211	175	232	199	211	208	210	216	232	195	212	236
Acute rheumatic fever-----56	23	-	1	1	2	2	4	3	7	-	3	-	-
Diabetes mellitus-----61	1,583	159	161	151	120	121	131	131	97	117	133	138	135
Exophthalmic goiter-----63b	42	6	3	5	5	4	2	2	1	3	3	3	5
Pellagra (except alcoholic)-----69	3	-	1	-	1	-	-	-	-	-	1	-	-
Alcoholism (ethylish)-----77	110	17	14	4	9	9	7	8	6	8	9	5	14
Intracranial lesions of vascular origin-----83	4,751	469	412	429	392	427	346	351	358	355	369	393	451
Diseases of the heart-----90-95	18,901	1,959	1,743	1,783	1,546	1,557	1,498	1,296	1,281	1,395	1,547	1,492	1,814
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	976	109	94	98	84	79	77	54	65	73	81	62	100
Diseases of coronary arteries and angina pectoris-----94	6,077	551	511	532	452	493	503	436	461	498	544	521	585
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	11,848	1,299	1,138	1,155	1,010	965	908	806	755	824	922	909	1,129
Arteriosclerosis and high blood pressure*-----97,102	1,065	101	115	112	94	82	81	56	82	68	75	82	117
Pneumonia (all forms) and influenza-----107-109,33	2,230	422	270	262	164	159	130	97	86	121	151	125	223
Bronchopneumonia-----107	1,419	246	153	161	111	109	85	68	61	87	111	80	147
Lobar pneumonia-----108	597	110	79	86	55	41	34	25	21	25	33	36	52
Pneumonia (unspecified)-----109	104	24	8	6	10	5	7	3	4	6	5	7	19
Influenza-----33	110	42	30	9	8	4	4	1	-	3	2	2	5
Ulcer of stomach or duodenum-----117	341	30	37	22	28	26	23	17	22	31	33	33	39
Diarrhea, enteritis, etc.*-----119,120	223	19	8	9	26	23	19	16	17	14	20	25	27
Appendicitis-----121	158	10	8	9	12	7	9	17	10	18	13	13	12
Hernia and intestinal obstruction-----122	390	36	32	45	24	28	30	31	37	32	30	31	34
Cirrhosis of the liver-----124	577	58	54	57	33	47	39	55	48	47	50	48	43
Biliary calculi, etc.*-----126,127	229	20	16	20	21	19	19	26	17	15	15	23	19
Nephritis-----130-132	2,140	233	203	210	185	185	153	173	149	149	168	165	167
Diseases of the prostate-----137	224	19	25	24	11	12	24	19	17	19	13	17	24
Diseases of pregnancy, etc.*-----140-150	128	11	10	8	13	9	7	11	11	11	13	8	14
Puerperal septicemia-----140,142a,145a,147	53	4	4	1	9	7	5	5	3	4	4	3	4
Puerperal toxemia-----141a,c,144,148	27	2	3	2	1	1	2	5	2	1	3	2	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	29	4	-	4	3	1	-	-	4	5	4	2	2
Other puerperal causes-----141d,e,f,145b,150	17	1	3	1	-	-	-	1	2	1	2	1	5
Congenital malformations-----157	663	53	46	57	60	56	56	48	62	64	60	49	52
Diseases peculiar to first year of life-----158-161	1,733	100	107	134	114	188	180	155	179	169	155	149	153
Premature birth-----158	1,110	60	71	85	69	120	110	100	129	95	86	86	99
Other diseases peculiar to first year of life-----159,160,161	623	40	36	49	45	38	50	55	50	74	69	63	54
Suicide-----163,164	468	32	29	43	34	45	39	45	35	48	45	39	34
Homicide-----165-168	64	4	2	6	4	6	11	6	7	7	4	4	3
Accidental deaths-----169-195	2,943	277	244	230	257	208	241	237	205	199	247	228	270
Motor-vehicle accidents-----170	618	51	55	54	60	41	39	40	55	57	54	51	62
Other accidents-----169,171-195	2,225	226	189	176	197	167	203	197	150	142	193	177	208
Senility, ill-defined and unknown causes-----162,199,200	157	11	15	17	14	21	15	7	10	12	8	14	13
All other causes-----	2,585	260	222	264	203	221	202	191	194	192	214	189	223

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MICHIGAN—All causes</b>	<b>55,167</b>	<b>5,296</b>	<b>4,502</b>	<b>4,786</b>	<b>4,856</b>	<b>4,775</b>	<b>4,695</b>	<b>4,326</b>	<b>4,192</b>	<b>4,152</b>	<b>4,473</b>	<b>4,432</b>	<b>4,990</b>
Typhoid and paratyphoid fever—1,2	6	2	-	1	1	1	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	42	7	4	5	7	5	2	1	1	2	1	3	4
Scarlet fever—8	3	-	-	1	-	-	-	1	-	-	-	1	-
Whooping cough—9	45	4	1	3	6	1	4	1	4	7	4	6	4
Diphtheria—10	28	7	5	2	1	1	2	-	2	2	1	-	5
Tuberculosis (all forms)—13-22	1,891	188	159	170	163	173	158	160	153	148	148	153	155
Tuberculosis of respiratory system, etc.*—13	1,694	142	144	153	149	145	137	146	130	130	141	135	142
Tuberculosis (other forms)—14-22	197	13	15	17	14	28	19	14	23	18	7	18	13
Dysentery—27	15	1	-	1	2	1	2	2	2	2	-	1	1
Malaria—28	3	1	-	-	1	-	1	-	-	-	-	-	-
Syphilis—30	552	56	49	54	49	57	52	44	37	32	43	38	41
Measles—35	47	4	12	16	4	2	5	3	1	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	90	-	1	-	-	2	-	8	27	17	20	10	5
Cancer and other malignant tumors—45-55	7,481	618	544	607	652	629	577	616	629	645	633	665	666
Cancer of the digestive organs and peritoneum—46	3,294	281	252	256	291	259	243	278	282	290	269	302	291
Cancer of female genital organs—46,49	943	82	70	64	83	95	69	73	80	73	89	96	89
Cancer of the breast—50	698	65	49	59	65	46	59	59	55	54	60	68	60
Cancer (other sites)—45,47,51-55	2,548	190	173	228	213	229	207	206	212	228	215	199	246
Acute rheumatic fever—58	26	3	2	2	2	3	1	3	-	1	3	3	3
Diabetes mellitus—61	1,540	174	124	137	114	136	119	134	94	125	120	123	140
Kropthalmic goiter—63b	117	14	11	10	9	14	11	4	11	6	12	6	9
Pellagra (except alcoholic)—69	5	1	3	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylin)—77	31	2	1	5	2	4	-	-	2	3	3	5	4
Intracranial lesions of vascular origin—83	5,207	510	429	469	462	407	425	399	402	399	392	444	469
Diseases of the heart—90-95	17,740	1,790	1,471	1,591	1,524	1,569	1,438	1,315	1,316	1,286	1,439	1,330	1,648
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	893	89	66	77	86	101	61	58	65	88	63	61	78
Diseases of coronary arteries and angina pectoris—94	6,377	556	554	490	557	533	535	492	531	498	521	493	807
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	10,470	1,145	851	1,024	879	915	862	765	724	710	855	776	964
Arteriosclerosis and high blood pressure—97,102	1,006	94	96	87	70	104	76	89	81	84	68	75	82
Pneumonia (all forms) and influenza—107-109,53	2,124	392	251	202	197	201	145	106	88	91	148	137	166
Bronchopneumonia—107	927	118	102	99	92	78	85	88	34	52	72	64	73
Lobar pneumonia—108	680	114	81	56	63	81	37	27	29	24	40	53	75
Pneumonia (unspecified)—109	288	47	29	28	21	28	14	13	20	13	26	17	52
Influenza—53	229	105	39	19	11	14	9	8	5	2	10	3	6
Ulcer of stomach or duodenum—117	328	41	29	33	24	26	27	24	23	21	23	26	29
Diarrhea, enteritis, etc.*—119,120	270	18	29	35	19	23	23	24	17	13	13	18	19
Appendicitis—121	238	25	17	23	20	20	18	27	17	19	16	14	22
Hernia and intestinal obstruction—122	460	40	46	40	39	38	42	36	37	41	37	25	39
Cirrhosis of the liver—124	587	50	44	62	49	51	50	33	43	39	40	53	43
Biliary calculi, etc.*—126,127	265	21	18	21	20	22	31	31	17	17	24	22	21
Nephritis—130-132	2,548	239	195	251	244	241	231	200	150	174	200	197	226
Diseases of the prostate—137	275	26	28	18	27	21	27	19	23	25	23	19	19
Diseases of pregnancy, etc.*—140-150	167	14	10	16	22	10	18	20	11	15	11	10	12
Puerperal septicemia—140,142a,145a,147	66	4	2	4	11	4	9	9	4	11	5	3	2
Puerperal toxemia—141a,c,144,148	33	1	4	4	4	2	4	3	2	1	4	2	2
Membrane, trauma or shock—141b,142b,143,146,149	46	6	3	6	6	4	3	5	1	2	1	4	5
Other puerperal causes—141a,e,f,145b,150	20	3	1	2	1	-	-	3	4	1	1	1	3
Congenital malformations—157	871	65	66	50	72	69	71	59	74	69	91	84	101
Diseases peculiar to first year of life—158-161	2,622	171	162	167	180	221	242	250	245	233	254	223	254
Premature birth—158	1,732	106	97	115	126	155	170	164	166	155	168	142	168
Other diseases peculiar to first year of life—159,160,161	890	65	65	72	54	66	72	86	79	78	86	81	86
Suicide—163,164	608	55	43	55	54	60	65	47	40	43	59	37	50
Homicide—165-166	198	13	11	11	25	11	19	14	20	21	9	18	24
Accidental deaths—169-195	3,854	300	280	289	288	339	367	334	309	350	347	347	342
Motor-vehicle accidents—170	1,576	120	110	122	103	112	117	126	138	137	146	172	173
Other accidents—169,171-195	2,278	180	170	177	186	222	241	196	172	204	175	169	169
Senility, ill-defined and unknown causes—162,199,200	667	67	70	50	57	60	49	45	50	45	56	45	73
All other causes—	3,242	326	291	272	259	292	280	246	232	216	231	294	293
<b>MINNESOTA—All causes</b>	<b>26,937</b>	<b>2,491</b>	<b>2,124</b>	<b>2,389</b>	<b>2,293</b>	<b>2,282</b>	<b>2,182</b>	<b>2,085</b>	<b>2,122</b>	<b>2,092</b>	<b>2,224</b>	<b>2,196</b>	<b>2,467</b>
Typhoid and paratyphoid fever—1,2	2	-	-	1	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	15	2	4	2	1	1	-	1	1	1	-	1	2
Scarlet fever—8	4	-	1	1	-	-	-	-	-	2	-	-	-
Whooping cough—9	16	2	1	2	-	-	2	-	3	2	1	-	-
Diphtheria—10	41	7	6	2	3	3	-	3	1	2	3	5	6
Tuberculosis (all forms)—13-22	585	59	37	57	52	57	44	59	49	32	43	51	45
Tuberculosis of respiratory system, etc.*—13	535	52	34	54	47	56	36	56	44	28	39	44	45
Tuberculosis (other forms)—14-22	50	7	3	3	5	1	8	3	5	4	4	7	-
Dysentery—27	6	-	-	1	1	1	-	-	1	-	2	-	-
Malaria—28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis—30	189	25	15	22	14	15	8	13	12	12	19	18	16
Measles—35	10	-	1	-	2	2	5	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	216	-	-	-	-	2	2	56	61	49	18	7	1
Cancer and other malignant tumors—45-55	3,982	336	282	362	328	340	349	315	353	301	329	340	347
Cancer of the digestive organs and peritoneum—46	1,987	158	148	169	161	166	159	144	158	151	148	173	152
Cancer of female genital organs—46,49	386	29	29	36	27	31	33	26	43	25	30	31	47
Cancer of the breast—50	408	34	23	40	31	39	27	35	55	25	39	32	30
Cancer (other sites)—45,47,51-55	1,301	115	82	118	109	104	130	110	98	100	112	104	118
Acute rheumatic fever—58	22	4	1	1	-	2	2	2	2	3	-	4	1
Diabetes mellitus—61	743	74	61	50	67	65	64	53	59	47	70	60	73
Kropthalmic goiter—63b	50	5	4	2	7	8	5	1	3	2	6	4	6
Pellagra (except alcoholic)—69	2	-	-	-	-	-	-	-	-	1	-	-	1
Alcoholism (ethylin)—77	37	1	4	3	3	3	3	1	1	5	5	1	7
Intracranial lesions of vascular origin—83	2,766	285	208	271	246	221	216	206	202	229	237	204	261
Diseases of the heart—90-95	8,355	818	696	751	748	751	685	611	575	590	682	716	732
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	504	50	35	55	43	54	39	35	33	36	42	38	46
Diseases of coronary arteries and angina pectoris—94	3,586	337	292	307	304	326	326	250	245	284	280	315	330
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,265	431	369	391	401	371	320	326	297	290	350	363	358
Arteriosclerosis and high blood pressure—97,102	713	61	56	60	65	58	76	52	44	55	59	54	73

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA-Continued													
Pneumonia (all forms) and influenza-----107-109,53	1,192	171	130	141	86	92	75	68	58	69	65	83	134
Bronchopneumonia-----107	668	79	69	74	48	51	37	46	39	44	49	49	83
Lobar pneumonia-----108	300	43	32	40	22	26	22	13	13	14	23	25	27
Pneumonia (unspecified)-----109	95	8	12	8	6	6	8	6	5	10	6	3	15
Influenza-----53	129	41	17	19	10	9	8	1	1	1	7	6	9
Ulcer of stomach or duodenum-----117	150	17	9	14	9	18	9	13	12	17	10	11	11
Diarrhea, enteritis, etc.*-----119,120	100	13	6	8	5	7	5	10	6	8	14	8	10
Appendicitis-----121	101	13	10	5	6	7	11	11	6	6	3	5	18
Hernia and intestinal obstruction-----122	219	20	20	15	19	13	20	23	18	16	18	15	22
Cirrhosis of the liver-----124	232	17	20	27	24	21	15	15	24	19	15	16	19
Biliary calculi, etc.*-----126,127	167	24	17	13	14	12	13	12	15	14	10	11	12
Nephritis-----130-132	911	101	83	69	101	107	69	45	53	78	68	61	76
Diseases of the prostate-----137	164	19	10	9	19	12	13	10	19	23	10	13	7
Diseases of pregnancy, etc.*-----140-150	62	2	4	4	4	6	6	5	6	10	7	5	3
Puerperal septicemia-----140,142a,145A,147	22	2	-	1	1	4	3	3	2	2	2	1	1
Puerperal toxemia-----141a,c,144,148	14	-	-	-	1	1	3	-	-	2	3	3	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	26	-	4	3	2	1	-	2	4	6	2	1	1
Other puerperal causes-----141d,e,f,145B,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	443	33	37	39	30	36	25	38	44	31	38	45	47
Diseases peculiar to first year of life-----158-161	1,158	65	74	96	95	89	121	104	106	102	98	115	93
Premature birth-----158	744	41	45	59	64	59	83	71	67	67	54	77	87
Other diseases peculiar to first year of life-----158,160,161	414	24	29	36	31	30	38	33	39	35	44	38	26
Suicide-----163,164	342	29	28	30	26	31	28	28	24	35	25	30	30
Homicide-----165-168	45	-	2	5	6	4	2	4	3	8	3	4	6
Accidental deaths-----169-195	1,894	153	126	126	143	144	145	177	180	164	172	159	203
Motor-vehicle accidents-----170	568	41	20	45	45	37	51	42	50	61	67	64	87
Other accidents-----169,171-195	1,306	112	106	85	98	107	94	135	130	103	105	95	136
Sensitity, ill-defined and unknown causes-----162,199,200	321	24	36	32	21	26	28	23	21	22	31	27	30
All other causes-----	1,681	131	135	168	146	150	136	127	139	137	145	112	175
MISSISSIPPI-----All causes													
	19,417	2,047	1,708	1,818	1,631	1,590	1,494	1,530	1,547	1,394	1,477	1,474	1,709
Typhoid and paratyphoid fever-----1,2	10	-	-	1	3	3	-	-	1	1	-	-	1
Corobrospinal (meningococcus) meningitis-----6	24	5	4	3	1	-	1	1	-	1	1	4	3
Scarlet fever-----8	3	-	-	1	-	-	-	-	-	1	1	-	-
Whooping cough-----9	31	2	2	1	3	1	8	2	3	3	-	3	3
Diphtheria-----10	31	6	1	5	-	-	-	1	2	4	7	1	4
Tuberculosis (all forms)-----13-22	741	57	62	82	70	61	49	75	52	57	55	47	74
Tuberculosis of respiratory system, etc.*-----13	669	50	53	74	62	56	45	65	46	52	52	43	71
Tuberculosis (other forms)-----14-22	72	7	9	8	8	5	4	10	6	5	3	4	3
Dysentery-----27	28	3	1	2	-	2	5	6	4	1	1	2	1
Malaria-----28	29	-	1	4	3	2	6	4	5	1	-	2	1
Syphilis-----30	217	28	19	18	15	20	26	13	17	15	16	16	14
Measles-----35	43	6	7	13	6	4	5	1	1	1	-	-	1
Polioencephalitis, poliomyelitis (acute)-----36	17	-	1	3	1	1	-	3	2	2	2	1	1
Cancer and other malignant tumors-----45-55	1,674	143	115	149	150	135	128	137	156	145	139	140	137
Cancer of the digestive organs and peritoneum-----46	686	61	44	60	61	52	57	66	66	55	54	61	49
Cancer of female genital organs-----48,49	300	28	15	35	24	27	25	25	31	26	25	21	22
Cancer of the breast-----50	135	10	10	12	15	12	10	10	11	13	10	10	14
Cancer (other sites)-----45,47,51-55	553	44	46	44	52	44	38	35	48	51	50	48	52
Acute rheumatic fever-----58	18	3	3	1	-	1	2	-	4	1	1	1	1
Diabetes mellitus-----61	311	30	22	35	36	28	25	24	18	25	25	18	18
Exophthalmic goiter-----63b	23	2	3	2	3	1	1	3	1	1	1	2	3
Pellagra (except alcoholic)-----69	45	3	5	8	3	4	8	1	3	3	3	5	1
Alcoholism (ethylin)-----77	19	1	2	-	1	5	1	2	3	1	2	-	1
Intracranial lesions of vascular origin-----83	1,803	186	133	158	173	158	150	145	138	141	130	140	153
Diseases of the heart-----90-95	3,631	365	332	350	301	316	262	264	279	250	293	269	312
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	558	45	28	27	33	29	29	28	25	35	30	23	26
Diseases of coronary arteries and angina pectoris-----94	935	90	81	92	73	76	75	75	69	70	73	78	93
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,339	228	223	241	195	211	178	181	185	145	190	168	193
Arteriosclerosis and high blood pressure*-----97,102	255	24	26	34	20	12	22	22	20	22	15	15	23
Pneumonia (all forms) and influenza-----107-109,33	1,160	269	196	136	76	50	43	54	62	43	59	69	103
Bronchopneumonia-----107	301	37	37	28	25	14	15	26	21	14	26	24	34
Lobar pneumonia-----108	377	90	67	38	23	9	18	19	19	18	18	21	37
Pneumonia (unspecified)-----109	106	19	15	9	7	11	3	6	10	6	7	7	6
Influenza-----33	376	123	77	61	21	16	7	3	12	5	6	17	26
Ulcer of stomach or duodenum-----117	70	6	5	7	6	4	6	4	5	9	4	6	8
Diarrhea, enteritis, etc.*-----119,120	96	6	3	10	9	10	9	15	9	6	8	5	6
Appendicitis-----121	98	12	5	4	12	8	11	9	10	5	8	6	8
Hernia and intestinal obstruction-----122	147	7	14	17	15	12	10	11	13	7	12	15	14
Cirrhosis of the liver-----124	109	15	11	12	9	9	6	8	11	11	6	7	7
Biliary calculi, etc.*-----126,127	50	4	3	4	4	3	4	4	6	4	2	5	2
Nephritis-----130-132	1,610	189	133	149	159	143	122	123	154	108	128	125	129
Diseases of the prostate-----137	109	7	11	5	15	10	11	8	13	3	12	8	6
Diseases of pregnancy, etc.*-----140-150	194	9	14	13	12	23	14	19	21	21	12	16	20
Puerperal septicemia-----140,142a,145A,147	63	1	5	5	4	10	5	5	7	4	6	2	9
Puerperal toxemia-----141a,c,144,148	18	4	3	3	3	10	3	4	6	4	5	7	4
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	55	2	6	3	4	3	5	4	6	10	2	4	6
Other puerperal causes-----141d,e,f,145B,150	18	2	-	2	1	-	1	2	2	3	1	3	1
Congenital malformations-----157	209	12	21	15	13	22	11	22	16	11	20	18	28
Diseases peculiar to first year of life-----158-161	1,020	79	89	71	59	91	79	93	90	97	108	101	94
Premature birth-----158	619	52	32	41	40	55	46	55	58	58	58	66	57
Other diseases peculiar to first year of life-----158,160,161	401	27	27	30	19	36	32	38	32	39	48	35	37
Suicide-----163,164	130	12	15	11	10	10	7	18	12	8	9	10	8
Homicide-----165-168	354	26	27	35	29	25	22	27	27	36	24	34	42
Accidental deaths-----169-195	1,395	118	126	107	121	97	126	130	111	108	109	106	136
Motor-vehicle accidents-----170	479	29	31	40	36	41	32	39	49	41	39	42	60
Other accidents-----169,171-195	916	89	95	67	85	56	94	91	62	67	70	64	76
Sensitity, ill-defined and unknown causes-----162,199,200	2,633	351	253	245	219	236	199	173	193	150	179	198	271
All other causes-----	1,080	93	81	109	64	83	96	87	105	92	85	79	76

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MISSOURI—All causes</b>	<b>42,451</b>	<b>4,253</b>	<b>5,805</b>	<b>5,816</b>	<b>5,588</b>	<b>5,471</b>	<b>5,367</b>	<b>5,354</b>	<b>5,149</b>	<b>5,143</b>	<b>5,466</b>	<b>5,599</b>	<b>5,837</b>
Typhoid and paratyphoid fever—1,2	11	-	1	-	-	1	1	5	1	2	-	-	-
Cerebrospinal (meningococcus) meningitis—6	51	8	1	2	3	3	3	1	3	1	1	2	3
Scarlet fever—8	5	1	-	2	-	-	1	1	-	-	-	-	-
Whooping cough—9	31	2	4	2	2	6	3	2	2	3	3	2	1
Diphtheria—10	24	1	3	9	1	2	2	1	1	2	2	1	-
Tuberculosis (all forms)—13-22	1,276	121	125	116	115	107	113	105	96	101	91	99	99
Tuberculosis of respiratory system, etc.*—13	1,195	111	114	109	106	102	105	100	93	91	84	95	95
Tuberculosis (other forms)—14-22	81	10	11	7	9	5	8	5	3	10	7	3	3
Dysentery—27	30	2	1	1	1	1	6	2	3	7	3	1	2
Malaria—29	6	-	-	2	-	-	1	-	1	-	2	-	-
Syphilis—30	484	55	38	47	46	41	42	30	33	34	30	34	31
Measles—35	50	6	9	17	4	8	4	-	-	-	-	1	1
Polioencephalitis, poliomyelitis (acute)—36	97	2	1	-	-	3	2	13	29	22	17	5	3
Cancer and other malignant tumors—45-55	5,548	462	432	466	468	457	459	465	442	470	480	454	493
Cancer of the digestive organs and peritoneum—46	2,417	209	182	220	193	192	211	204	197	189	207	204	209
Cancer of female genital organs—49,49	753	62	61	58	70	66	59	63	62	75	60	54	63
Cancer of the breast—50	479	35	42	46	40	35	43	39	31	38	41	39	49
Cancer (other sites)—45,47,51-55	1,899	156	147	140	165	164	146	159	152	168	172	157	173
Acute rheumatic fever—58	28	1	2	2	6	1	3	-	1	2	3	5	2
Diabetes mellitus—61	907	74	80	73	74	80	66	89	75	63	73	72	68
Exophthalmic goiter—63b	80	4	12	9	9	8	2	8	5	4	7	8	4
Pellagra (except alcoholic)—69	4	-	1	1	-	-	-	-	-	-	1	-	1
Alcoholism (ethylin)—77	47	4	6	3	7	1	2	9	4	1	6	2	2
Intracranial lesions of vascular origin—85	4,156	396	369	361	336	334	346	351	285	306	321	330	403
Diseases of the heart—90-95	13,144	1,564	1,222	1,245	1,062	1,075	1,007	959	969	947	1,037	1,060	1,197
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	867	89	81	80	79	65	84	69	53	64	71	75	57
Diseases of coronary arteries and angina pectoris—94	4,090	412	374	335	346	349	280	297	319	323	299	367	369
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	8,187	863	767	830	637	661	643	593	597	560	667	618	751
Arteriosclerosis and high blood pressure—97,102	753	92	77	70	59	56	49	58	45	66	72	55	65
Pneumonia (all forms) and influenza—107-109,33	2,245	419	298	246	161	135	141	99	97	103	135	170	239
Bronchopneumonia—107	952	133	104	111	65	72	69	53	55	50	57	72	111
Lobar pneumonia—108	930	170	124	90	73	53	63	42	35	43	66	64	87
Pneumonia (unspecified)—109	68	8	13	5	2	3	3	1	5	4	3	5	16
Influenza—109	295	108	57	40	21	7	8	3	2	6	9	9	25
Ulcer of stomach or duodenum—117	241	25	20	19	18	18	10	16	14	23	27	25	26
Diarrhea, enteritis, etc.*—119,120	227	15	21	24	12	15	16	24	20	20	19	17	24
Appendicitis—121	180	13	16	14	14	13	18	21	17	19	10	11	14
Hernia and intestinal obstruction—122	384	28	30	33	18	27	45	36	42	34	34	26	33
Cirrhosis of the liver—124	399	28	25	28	29	44	31	27	38	43	35	35	36
Biliary calculi, etc.*—125,127	207	20	18	22	15	15	20	19	22	15	12	19	9
Nephritis—130-132	3,177	331	296	294	267	290	288	253	220	209	242	248	239
Diseases of the prostate—137	241	23	22	18	29	24	22	17	17	14	28	15	14
Diseases of pregnancy, etc.*—140-150	131	7	8	16	4	9	12	19	11	15	12	9	9
Puerperal septicemia—140,142a,145a,147	35	5	3	4	1	1	3	6	3	4	1	1	3
Puerperal toxemia—141a,c,144,146	48	-	1	5	2	5	3	7	4	6	5	5	5
Hemorrhage, trauma or shock—141b,142b,143,146,149	40	1	3	6	-	2	5	6	4	5	5	3	1
Other puerperal causes—141d,e,f,145B,150	8	1	1	1	1	1	-	-	-	-	1	-	1
Congenital malformations—157	478	31	36	33	41	46	37	39	33	42	42	49	49
Diseases peculiar to first year of life—158-161	1,429	102	78	93	97	111	110	125	144	142	145	124	158
Premature birth—159	928	65	50	69	64	69	75	61	99	96	93	69	99
Other diseases peculiar to first year of life—158,160,161	500	37	28	24	33	42	35	44	45	46	52	55	59
Suicide—163,164	516	48	37	44	36	50	45	43	42	45	38	41	47
Homicide—165-168	284	27	24	26	24	25	21	23	18	20	27	25	24
Accidental deaths—169-195	2,812	273	215	209	205	239	225	263	223	195	261	244	269
Motor-vehicle accidents—170	830	65	74	67	64	77	61	80	71	52	62	77	90
Other accidents—169,171-195	1,982	208	141	142	141	162	165	213	152	133	179	167	179
Senility, ill-defined and unknown causes—162,199,200	490	60	43	42	29	35	44	41	32	22	52	47	43
All other causes—	2,312	208	212	227	194	191	173	195	164	161	203	166	218
<b>MONTANA—All causes</b>	<b>5,595</b>	<b>478</b>	<b>521</b>	<b>471</b>	<b>428</b>	<b>497</b>	<b>420</b>	<b>487</b>	<b>432</b>	<b>451</b>	<b>503</b>	<b>454</b>	<b>475</b>
Typhoid and paratyphoid fever—1,2	2	-	-	-	-	1	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	-	1	-	-	-	2	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	1	-	-	-	1	-	1	-	-	-	-	-
Diphtheria—10	5	1	2	-	-	-	1	-	-	-	-	1	-
Tuberculosis (all forms)—13-22	164	11	13	16	15	18	11	17	12	11	18	10	15
Tuberculosis of respiratory system, etc.*—13	135	9	11	13	13	12	7	13	8	8	16	10	15
Tuberculosis (other forms)—14-22	29	2	2	3	2	3	4	4	4	3	2	-	-
Dysentery—27	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria—28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	47	9	4	3	2	4	4	6	5	2	3	2	3
Measles—35	3	-	-	1	-	-	1	1	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)—36	5	-	-	1	-	-	-	-	1	-	3	-	-
Cancer and other malignant tumors—45-55	662	50	64	52	52	56	58	57	50	49	65	52	57
Cancer of the digestive organs and peritoneum—46	268	21	30	19	18	26	24	25	21	20	36	27	19
Cancer of female genital organs—49,49	74	4	8	7	10	4	3	4	11	6	3	5	9
Cancer of the breast—50	53	6	3	6	9	4	5	7	2	4	2	3	2
Cancer (other sites)—45,47,51-55	247	19	23	20	15	20	26	21	16	19	24	17	27
Acute rheumatic fever—58	3	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	137	10	16	16	7	12	10	10	9	10	11	15	11
Exophthalmic goiter—63b	12	-	2	2	-	2	-	-	2	-	2	-	-
Pellagra (except alcoholic)—69	1	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylin)—77	15	1	-	-	3	1	-	2	1	3	-	1	3
Intracranial lesions of vascular origin—85	490	41	41	41	40	51	36	36	39	36	54	43	32
Diseases of the heart—90-95	1,629	141	155	143	117	152	121	143	112	123	144	126	152
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	97	3	10	8	3	13	10	12	7	10	8	8	5
Diseases of coronary arteries and angina pectoris—94	643	46	63	59	48	58	53	56	44	45	63	52	58
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	889	92	82	76	68	81	58	75	61	68	73	68	69
Arteriosclerosis and high blood pressure—97,102	100	13	10	9	10	7	7	7	5	11	5	11	5

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See footnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MONTANA-Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	260	30	30	27	23	19	8	10	15	19	23	30	26
Bronchopneumonia-----107	101	6	13	4	12	7	3	6	8	10	12	11	11
Lobar pneumonia-----108	85	12	7	12	7	7	2	2	6	3	8	12	5
Pneumonia (unspecified)-----109	51	5	6	5	4	3	2	2	3	6	2	5	8
Influenza-----33	25	7	4	6	-	2	1	-	-	-	1	2	2
Ulcer of stomach or duodenum-----117	36	2	4	2	4	8	3	4	2	3	2	1	4
Diarrhea, enteritis, etc.*-----119,120	34	2	1	3	-	5	-	7	7	1	4	2	2
Appendicitis-----121	24	3	5	1	1	1	2	2	4	1	3	-	1
Hernia and intestinal obstruction-----122	56	4	4	6	4	5	5	3	4	6	4	5	6
Cirrhosis of the liver-----124	53	5	3	6	8	4	3	4	4	3	5	6	2
Biliary calculi, etc.*-----126,127	32	2	4	4	1	5	3	5	2	3	1	-	2
Nephritis-----130-132	276	31	35	24	21	18	18	27	28	19	22	16	17
Diseases of the prostate-----137	30	5	3	1	2	1	5	3	7	-	3	-	-
Diseases of pregnancy, etc.*-----140-150	18	1	2	1	2	1	1	2	3	1	2	-	2
Puerperal septicemia-----140,142a,145a,147	9	1	2	1	-	-	-	2	1	-	1	-	1
Puerperal toxemia-----141a,c,144,148	4	-	-	-	1	-	-	-	1	1	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	3	-	-	-	1	1	1	-	-	-	-	-	-
Other puerperal causes-----141d,e,f,145b,150	2	-	-	-	-	-	-	-	1	-	1	-	-
Congenital malformations-----157	67	6	9	4	1	2	4	6	6	7	9	6	7
Diseases peculiar to first year of life-----158-161	256	14	14	21	17	25	17	29	19	25	29	18	28
Premature birth-----159	148	10	10	17	7	14	8	17	7	15	14	8	21
Other diseases peculiar to first year of life-----158,160,161	108	4	4	4	10	11	9	12	12	10	15	10	7
Suicide-----163,164	88	10	11	7	8	8	6	5	11	10	8	10	4
Homicide-----165-168	22	2	2	1	1	1	4	1	2	4	1	3	-
Accidental deaths-----169-195	517	49	43	32	40	43	47	50	43	40	46	45	39
Motor-vehicle accidents-----170	166	13	13	11	17	15	15	12	12	18	12	20	8
Other accidents-----169,171-195	351	36	30	21	23	28	32	38	31	22	34	25	31
Semility, ill-defined and unknown causes-----162,199,200	168	9	8	14	14	17	15	15	15	9	13	24	24
All other causes-----	367	26	35	33	32	34	30	31	24	26	27	38	33
<b>NEBRASKA-----All causes</b>													
	12,440	1,256	1,027	1,112	1,011	968	1,038	954	960	873	973	1,061	1,157
Typhoid and paratyphoid fever-----1,2	3	-	-	-	-	-	-	1	1	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	17	6	1	1	1	2	2	1	2	-	-	-	1
Scarlet fever-----8	3	-	2	-	-	-	-	-	-	-	-	-	1
Whooping cough-----9	4	-	-	-	-	-	1	-	3	-	-	-	-
Diphtheria-----10	8	1	-	1	-	1	-	1	-	-	4	-	-
Tuberculosis (all forms)-----13-22	177	16	16	22	16	12	16	10	11	10	14	15	17
Tuberculosis of respiratory system, etc.*-----13	160	14	12	21	16	11	18	9	10	8	13	14	14
Tuberculosis (other forms)-----14-22	17	2	4	1	-	1	-	1	1	2	1	1	3
Dysentery-----27	5	-	-	-	-	1	1	-	-	-	2	-	1
Malaria-----28	2	-	1	-	-	1	-	-	-	-	-	-	-
Syphilis-----30	85	3	9	11	6	3	6	10	10	5	7	6	7
Honoloe-----35	9	-	-	2	2	1	4	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	55	-	-	1	-	1	-	8	13	10	9	10	3
Cancer and other malignant tumors-----45-55	1,754	157	124	141	136	165	148	146	143	131	145	142	174
Cancer of the digestive organs and peritoneum-----46	818	73	53	64	64	72	71	60	73	55	72	61	80
Cancer of female genital organs-----49,49	185	20	13	12	14	14	14	14	17	21	17	11	18
Cancer of the breast-----50	180	16	17	16	13	18	18	12	15	10	9	22	14
Cancer (other sites)-----45,47,51-55	571	48	41	49	47	61	45	40	38	45	47	48	62
Acute rheumatic fever-----58	6	2	-	-	-	2	-	1	-	-	-	1	-
Diabetes mellitus-----61	356	39	39	29	22	26	44	26	17	28	29	30	27
Exophthalmic goiter-----63b	17	-	2	1	3	1	2	1	4	-	-	1	2
Pellagra (except alcoholic)-----69	3	1	-	-	-	1	-	-	-	-	-	-	1
Alcoholism (ethylic)-----77	29	3	1	2	1	5	4	3	2	2	3	1	2
Intracranial lesions of vascular origin-----83	1,392	131	108	133	118	113	120	91	98	98	132	129	126
Diseases of the heart-----90-95	3,536	374	330	318	310	271	301	281	240	280	280	292	339
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	203	24	21	18	13	15	13	14	19	11	16	18	21
Diseases of coronary arteries and angina pectoris-----94	1,406	132	137	127	127	103	125	111	93	106	93	126	126
Diseases of heart (other forms)-----90b,91,92a,d,c,93a,b,d,e,95a,c	1,927	218	172	173	170	153	163	126	128	143	141	146	192
Arteriosclerosis and high blood pressure*-----97,102	251	27	27	24	17	16	19	12	15	15	14	17	26
Pneumonia (all forms) and influenza-----107-109,33	523	90	57	62	43	35	30	26	19	20	34	42	65
Bronchopneumonia-----107	180	16	19	24	19	12	13	13	6	7	10	18	23
Lobar pneumonia-----108	154	18	16	12	11	10	8	4	4	6	12	11	22
Pneumonia (unspecified)-----109	109	23	3	10	4	9	8	7	7	5	6	12	15
Influenza-----33	100	33	19	18	9	4	1	2	2	2	6	1	5
Ulcer of stomach or duodenum-----117	75	10	5	3	8	8	5	3	3	5	3	12	10
Diarrhea, enteritis, etc.*-----119,120	56	6	2	6	5	3	5	8	4	4	1	7	5
Appendicitis-----121	50	3	4	8	3	7	3	4	7	1	5	3	2
Hernia and intestinal obstruction-----122	130	17	11	14	7	6	10	8	14	10	13	10	10
Cirrhosis of the liver-----124	106	6	9	11	15	7	8	9	12	6	8	10	8
Biliary calculi, etc.*-----126,127	73	6	7	10	3	2	6	6	7	6	8	5	7
Nephritis-----130-132	753	82	64	73	65	58	71	58	50	56	46	58	71
Diseases of the prostate-----137	85	9	9	5	6	7	8	8	4	9	6	7	7
Diseases of pregnancy, etc.*-----140-150	29	-	2	2	6	1	4	1	3	1	2	4	3
Puerperal septicemia-----140,142a,145a,147	6	-	-	-	2	-	2	-	-	-	-	1	1
Puerperal toxemia-----141a,c,144,148	10	-	-	1	2	1	-	1	-	1	1	2	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	12	-	2	1	1	-	2	-	3	-	1	1	1
Other puerperal causes-----141d,e,f,145b,150	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital malformations-----157	151	14	8	11	13	8	13	12	14	13	13	15	17
Diseases peculiar to first year of life-----158-161	529	32	29	30	50	42	46	57	39	33	53	53	45
Premature birth-----159	373	24	18	21	36	27	32	41	49	25	32	31	37
Other diseases peculiar to first year of life-----158,160,161	156	8	11	9	14	15	14	16	10	8	21	22	8
Suicide-----163,164	163	19	15	15	13	15	10	8	11	15	13	14	15
Homicide-----165-168	27	1	2	1	1	3	2	2	3	1	6	2	3
Accidental deaths-----169-195	902	89	59	68	61	64	88	98	91	64	65	79	76
Motor-vehicle accidents-----170	289	28	19	24	19	22	12	29	34	21	21	29	32
Other accidents-----169,171-195	613	61	40	44	42	42	76	69	57	43	44	51	44
Semility, ill-defined and unknown causes-----162,199,200	284	40	29	28	16	18	27	18	19	17	26	27	18
All other causes-----	614	72	57	78	62	61	62	67	84	52	61	69	70

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	1,502	149	108	131	126	121	118	96	130	124	118	126	154
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	1	-	-	-	-	-	1	-	-	-
Diphtheria—10	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (all forms)—13-22	73	5	9	9	9	11	4	3	2	5	3	7	6
Tuberculosis of respiratory system, etc.*—13	66	5	9	7	9	10	3	1	2	5	3	6	6
Tuberculosis (other forms)—14-22	7	-	-	2	-	1	1	2	-	-	-	1	-
Dysentery—27	1	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	22	2	-	1	1	3	2	5	1	2	-	1	4
Measles—35	4	-	-	2	-	1	1	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	3	-	-	-	-	-	-	-	1	1	1	-	-
Cancer and other malignant tumors—45-55	149	17	10	10	11	5	12	10	19	21	13	10	11
Cancer of the digestive organs and peritoneum—46	69	8	4	1	5	1	5	5	8	11	9	6	6
Cancer of female genital organs—48,49	14	2	1	1	1	1	-	-	5	2	-	1	-
Cancer of the breast—50	18	3	1	2	1	1	3	2	1	2	1	1	-
Cancer (other sites)—45,47,51-55	48	4	4	6	4	2	4	3	5	6	3	2	5
Acute rheumatic fever—58	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	24	2	1	4	3	1	2	1	1	3	-	1	6
Exophthalmic goiter—63b	3	-	1	-	-	-	-	-	1	-	1	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)—77	11	-	-	2	2	2	-	-	-	1	1	1	2
Intracranial lesions of vascular origin—83	125	12	10	10	11	11	12	4	16	9	9	9	12
Diseases of the heart—90-95	407	50	31	31	26	41	36	30	28	29	35	32	39
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	20	4	2	-	2	2	3	-	4	-	1	1	1
Diseases of coronary arteries and angina pectoris—94	146	14	6	14	5	19	15	13	11	10	16	8	15
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	241	32	23	17	19	20	18	17	13	19	18	23	22
Arteriosclerosis and high blood pressure*—97,102	17	2	2	1	-	1	2	2	-	1	1	3	2
Pneumonia (all forms) and influenza—107-109,33	84	4	10	9	3	5	6	1	8	2	10	14	12
Bronchopneumonia—107	32	2	3	3	2	2	1	1	2	-	5	7	4
Lobar pneumonia—108	34	1	6	3	1	2	2	-	5	1	4	4	5
Pneumonia (unspecified)—109	18	-	1	-	-	-	2	-	1	-	1	3	2
Influenza—33	8	1	-	3	-	1	1	-	-	1	-	-	1
Ulcer of stomach or duodenum—117	10	1	1	1	-	1	-	2	-	1	-	1	2
Diarrhea, enteritis, etc.*—119,120	6	-	-	-	1	1	-	1	2	-	1	-	-
Appendicitis—121	5	-	1	-	2	1	-	-	-	-	1	-	-
Hernia and intestinal obstruction—122	11	1	-	1	1	-	1	1	2	2	1	-	1
Cirrhosis of the liver—124	16	1	1	-	1	1	1	2	2	2	2	3	-
Biliary calculi, etc.*—126,127	8	1	-	1	-	-	-	-	1	3	-	2	-
Nephritis—130-132	54	11	2	6	5	5	4	5	2	3	3	4	4
Diseases of the prostate—137	3	-	2	-	1	-	-	-	-	-	-	-	-
Diseases of pregnancy, etc.*—140-150	6	-	1	-	-	2	1	-	-	-	1	-	1
Puerperal septicemia—140,142a,145a,147	3	-	-	-	-	2	-	-	-	-	-	-	1
Puerperal toxemia—141a,c,144,148	2	-	-	-	-	-	1	-	-	-	1	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	1	-	1	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141d,e,f,145b,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	15	-	1	1	3	-	1	2	1	2	1	1	-
Diseases peculiar to first year of life—158-161	75	3	3	9	6	5	3	4	9	6	10	8	9
Premature birth—158	46	3	1	3	5	4	1	2	7	3	6	6	5
Other diseases peculiar to first year of life—159,160,161	29	-	2	6	1	1	2	2	2	3	4	2	4
Suicide—163,164	41	3	4	7	1	4	6	1	4	2	2	4	3
Homicide—165-168	9	1	-	2	-	-	-	-	-	1	-	-	5
Accidental deaths—169-195	186	19	13	13	19	11	15	12	19	16	14	13	22
Motor-vehicle accidents—170	84	5	3	8	6	5	1	4	9	5	4	9	7
Other accidents—169,171-195	122	14	10	7	13	6	14	8	10	11	10	4	15
Senility, ill-defined and unknown causes—162,199,200	46	3	3	7	5	5	2	3	4	4	4	1	5
All other causes—	86	10	2	3	15	4	7	7	7	7	4	10	10
NEW HAMPSHIRE—All causes	6,049	594	518	562	529	470	477	474	432	452	504	499	539
Typhoid and paratyphoid fever—1,2	2	-	2	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	1	-	-	-	-	-	-	1	-	-	-	1
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	9	1	1	-	1	-	-	1	-	2	2	1	-
Diphtheria—10	2	2	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	116	11	13	11	13	10	7	5	8	10	8	15	5
Tuberculosis of respiratory system, etc.*—13	105	10	11	10	13	10	7	5	6	9	6	15	3
Tuberculosis (other forms)—14-22	11	1	2	1	-	-	-	-	2	1	2	-	2
Dysentery—27	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria—28	2	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis—30	37	4	4	2	6	4	2	1	4	2	3	2	3
Measles—35	7	-	-	1	2	1	2	-	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute)—36	15	-	-	-	-	-	-	6	5	-	2	1	1
Cancer and other malignant tumors—45-55	833	99	56	67	82	71	58	83	74	71	66	71	75
Cancer of the digestive organs and peritoneum—46	419	35	25	37	47	42	28	29	35	34	28	33	48
Cancer of female genital organs—48,49	98	7	11	7	3	4	7	15	12	9	10	3	10
Cancer of the breast—50	75	7	5	4	13	6	5	10	5	7	3	5	5
Cancer (other sites)—45,47,51-55	241	10	15	19	19	19	18	29	22	21	25	30	14
Acute rheumatic fever—58	3	1	-	1	-	-	1	-	-	-	-	-	-
Diabetes mellitus—61	170	18	21	16	17	13	12	10	9	11	15	14	14
Exophthalmic goiter—63b	12	2	-	1	1	1	1	-	1	-	2	3	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)—77	9	2	-	1	1	-	2	-	-	1	-	2	-
Intracranial lesions of vascular origin—83	614	69	43	61	54	43	46	42	46	52	63	39	56
Diseases of the heart—90-95	2,090	201	181	218	170	178	164	155	141	157	175	169	181
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	107	13	7	9	7	11	4	10	6	10	13	11	6
Diseases of coronary arteries and angina pectoris—94	718	70	77	69	54	57	51	46	51	48	68	61	68
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,265	118	97	140	109	110	109	99	84	99	98	97	107
Arteriosclerosis and high blood pressure*—97,102	217	27	27	20	19	20	15	16	6	15	18	21	13

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW HAMPSHIRE—Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	262	43	47	21	29	17	14	14	15	14	13	22	33
Bronchopneumonia-----107	136	23	22	8	13	8	7	7	7	7	2	10	22
Lobar pneumonia-----108	89	10	14	7	10	7	4	6	7	3	6	7	8
Pneumonia (unspecified)-----109	27	4	3	2	3	2	2	1	1	2	2	3	3
Influenza-----33	30	6	8	4	3	-	1	1	-	2	3	2	-
Ulcer of stomach or duodenum-----117	42	6	1	4	2	4	7	3	4	2	3	2	4
Diarrhea, enteritis, etc.*-----119,120	32	3	1	1	4	4	3	2	3	3	5	-	3
Appendicitis-----121	19	1	3	2	-	1	2	3	2	2	-	2	1
Hernia and intestinal obstruction-----122	51	3	9	5	3	5	6	-	3	2	4	5	6
Cirrhosis of the liver-----124	54	9	4	3	4	2	6	5	1	4	9	5	2
Biliary calculi, etc.*-----126,127	29	3	4	2	4	2	2	1	1	1	3	3	3
Nephritis-----130-132	295	27	26	40	30	22	29	22	14	19	16	24	22
Diseases of the prostate-----137	27	1	3	1	-	1	1	2	3	4	4	4	3
Diseases of pregnancy, etc.*-----140-150	14	2	-	1	2	1	-	-	2	2	3	-	1
Puerperal septicemia-----140,142a,145A,147	4	-	-	1	1	-	-	-	-	-	1	-	1
Puerperal toxemia-----141a,c,144,148	4	1	-	-	-	-	-	-	1	2	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	4	1	-	-	1	1	-	-	-	-	1	-	-
Other puerperal causes-----141d,e,f,145B,150	2	-	-	-	-	-	-	-	1	-	1	-	-
Congenital malformations-----157	86	8	1	2	2	6	13	10	8	7	6	11	12
Diseases peculiar to first year of life-----158-161	172	10	9	7	10	11	16	19	15	22	14	17	22
Premature birth-----159	101	6	6	6	5	6	6	13	10	5	9	13	16
Other diseases peculiar to first year of life-----158,160,161	71	4	3	1	5	5	10	6	5	17	5	4	6
Suicide-----163,164	65	6	4	4	4	10	2	6	7	5	5	5	7
Homicide-----165-168	4	1	-	1	1	-	1	-	-	-	-	-	-
Accidental deaths-----169-195	350	36	24	32	30	18	26	39	33	18	29	27	38
Motor-vehicle accidents-----170	100	10	5	5	12	5	6	15	12	5	11	8	8
Other accidents-----169,171-195	250	26	19	27	18	13	22	26	21	11	18	19	30
Senility, ill-defined and unknown causes-----162,199,200	73	7	7	6	6	4	7	8	5	5	7	6	5
All other causes-----	313	30	26	30	31	21	29	21	21	23	27	28	26
<b>NEW JERSEY-----All causes</b>	<b>46,392</b>	<b>4,728</b>	<b>3,987</b>	<b>4,023</b>	<b>3,848</b>	<b>3,869</b>	<b>3,644</b>	<b>3,526</b>	<b>3,300</b>	<b>3,593</b>	<b>3,823</b>	<b>3,721</b>	<b>4,330</b>
Typhoid and paratyphoid fever-----1,2	6	1	-	1	-	-	1	-	2	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	38	12	1	4	4	2	2	1	2	1	3	2	4
Scarlet fever-----8	5	1	-	2	-	-	-	-	1	-	-	-	1
Whooping cough-----9	26	4	2	5	-	4	3	3	1	-	-	1	3
Diphtheria-----10	12	3	-	-	1	1	1	1	3	-	-	-	2
Tuberculosis (all forms)-----13-22	1,647	156	148	148	158	169	151	125	117	116	137	119	122
Tuberculosis of respiratory system, etc.*-----13	1,545	149	134	131	148	158	135	120	111	108	131	114	116
Tuberculosis (other forms)-----14-22	102	7	14	17	11	11	6	5	6	8	6	5	6
Dysentery-----27	16	1	2	-	-	-	2	1	1	1	2	3	3
Malaria-----28	2	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	289	43	20	23	24	20	22	21	23	37	22	20	24
Measles-----35	28	-	-	4	8	11	2	1	3	-	-	1	-
Poliomyelitis, poliomyelitis (acute)-----36	26	-	1	1	2	-	-	2	3	7	5	4	1
Cancer and other malignant tumors-----45-55	7,946	673	524	581	634	579	615	593	591	566	639	603	648
Cancer of the digestive organs and peritoneum-----46	3,411	321	253	281	298	286	294	280	276	246	276	285	313
Cancer of female genital organs-----48,49	738	52	49	69	69	52	66	73	69	56	72	64	57
Cancer of the breast-----50	709	70	51	56	71	51	56	48	56	64	66	57	63
Cancer (other sites)-----45,47,51-55	2,898	250	171	175	206	188	199	192	190	200	225	197	215
Acute rheumatic fever-----58	34	5	4	4	1	5	2	-	3	1	4	1	4
Diabetes mellitus-----61	1,403	146	117	130	109	119	120	112	102	108	107	108	125
Krophtalmic goiter-----63b	91	13	3	9	8	8	15	3	6	8	8	5	5
Pellagra (except alcoholic)-----69	2	1	-	-	-	-	-	-	1	-	-	-	-
Alcoholism (ethylic)-----77	58	6	7	4	7	1	6	5	6	3	1	5	7
Intrauterine lesions of vascular origin-----83	3,842	349	367	363	328	355	398	315	273	269	317	341	377
Diseases of the heart-----90-95	16,248	1,762	1,510	1,404	1,343	1,318	1,252	1,183	1,069	1,213	1,284	1,313	1,597
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	736	77	39	57	70	48	57	55	43	63	70	62	74
Diseases of coronary arteries and angina pectoris-----94	4,762	437	422	410	347	405	336	372	332	360	415	396	510
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	10,750	1,228	1,029	937	926	864	659	756	694	790	789	855	1,013
Arteriosclerosis and high blood pressure*-----97,102	946	85	84	95	76	81	83	69	71	82	61	70	89
Pneumonia (all forms) and influenza-----107-109,33	1,550	281	186	147	141	114	81	82	60	85	99	117	157
Bronchopneumonia-----107	729	121	86	57	67	40	38	45	34	50	53	64	74
Lobar pneumonia-----108	623	109	75	72	57	56	32	33	20	29	35	40	66
Pneumonia (unspecified)-----109	98	14	15	9	8	9	6	3	6	3	7	9	10
Influenza-----33	100	37	10	9	9	9	5	1	-	4	4	5	7
Ulcer of stomach or duodenum-----117	279	27	23	25	20	25	19	19	24	19	26	38	15
Diarrhea, enteritis, etc.*-----119,120	161	14	18	11	14	16	13	11	17	22	13	6	6
Appendicitis-----121	175	19	11	11	18	20	17	11	12	16	10	12	18
Hernia and intestinal obstruction-----122	363	40	26	33	24	33	32	27	22	25	37	36	28
Cirrhosis of the liver-----124	535	56	52	45	52	43	40	42	39	48	47	40	51
Biliary calculi, etc.*-----126,127	203	16	18	18	14	14	17	17	13	16	26	15	19
Nephritis-----130-132	2,687	273	225	245	242	230	223	214	182	228	196	189	240
Diseases of the prostate-----137	195	22	17	10	15	21	15	14	21	22	8	19	11
Diseases of pregnancy, etc.*-----140-150	124	7	9	12	9	17	12	9	14	11	11	7	6
Puerperal septicemia-----140,142a,145A,147	50	2	3	5	3	9	7	3	8	6	2	1	1
Puerperal toxemia-----141a,c,144,148	36	1	2	3	4	4	2	5	4	1	4	4	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	26	3	4	1	2	3	1	1	2	3	3	2	1
Other puerperal causes-----141d,e,f,145B,150	12	1	-	3	-	1	2	-	-	1	2	-	2
Congenital malformations-----157	539	42	36	39	38	33	42	44	46	52	51	63	53
Diseases peculiar to first year of life-----158-161	1,618	102	91	108	107	143	147	129	136	183	184	132	156
Premature birth-----159	1,034	64	48	77	67	95	102	81	93	118	111	81	97
Other diseases peculiar to first year of life-----158,160,161	594	38	43	31	40	48	45	48	43	65	73	51	59
Suicide-----163,164	576	50	53	55	53	56	36	45	42	50	45	42	49
Homicide-----165-168	107	6	6	14	10	9	7	11	3	16	8	8	9
Accidental deaths-----169-195	2,495	240	210	235	186	185	176	209	194	183	244	191	242
Motor-vehicle accidents-----170	757	81	68	68	57	45	44	45	70	63	80	54	62
Other accidents-----169,171-195	1,738	159	142	167	129	140	132	164	124	120	164	137	160
Senility, ill-defined and unknown causes-----162,199,200	248	33	26	29	12	26	15	19	14	18	14	22	20
All other causes-----	2,442	239	190	216	169	211	197	198	185	186	214	168	237

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW MEXICO</b> -----All causes	5,436	468	451	456	408	445	365	419	407	468	490	424	555
Typhoid and paratyphoid fever-----1,2	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis-----6	5	-	2	-	-	1	-	-	-	1	1	-	-
Scarlet fever-----8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	22	1	-	4	1	7	1	2	1	1	2	1	1
Diphtheria-----10	12	1	-	1	1	1	2	1	2	1	-	1	1
Tuberculosis (all forms)-----13-22	388	37	28	55	33	30	28	30	28	34	28	27	30
Tuberculosis of respiratory system, etc.*-----13	341	33	25	46	30	29	24	28	23	30	25	25	25
Tuberculosis (other forms)-----14-22	47	4	3	9	3	1	4	2	5	4	3	4	5
Dysentery-----27	67	-	1	1	-	1	4	6	18	17	16	2	1
Malaria-----28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis-----30	76	9	9	5	4	11	7	2	10	8	2	4	5
Measles-----35	13	-	-	-	1	3	2	3	-	-	1	-	3
Polioencephalitis, polioencephalitis (acute)-----36	10	-	-	-	-	-	1	2	4	3	-	-	-
Cancer and other malignant tumors-----45-55	400	39	30	28	25	29	32	34	40	27	44	36	36
Cancer of the digestive organs and peritoneum-----46	202	20	16	16	13	17	16	18	16	11	24	21	14
Cancer of female genital organs-----48,49	55	2	3	5	3	4	4	4	6	6	7	3	8
Cancer of the breast-----50	28	3	2	1	1	-	1	4	5	1	5	1	4
Cancer (other sites)-----45,47,51-55	115	14	9	6	8	8	11	8	13	9	8	11	10
Acute rheumatic fever-----58	7	-	-	-	3	-	2	-	-	1	-	-	1
Diabetes mellitus-----61	61	3	9	4	8	6	5	1	3	4	0	7	3
Exophthalmic goiter-----63b	5	-	-	1	1	1	-	-	-	-	1	-	1
Pellagra (except alcoholic)-----69	3	-	-	-	-	-	-	1	-	-	-	-	2
Alcoholism (ethylin)-----77	10	1	-	1	1	1	1	1	1	2	1	-	1
Intracranial lesions of vascular origin-----83	250	30	24	29	21	23	17	18	15	15	18	24	16
Diseases of the heart-----90-95	800	68	78	68	61	72	51	56	60	55	69	67	95
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	77	10	11	5	5	6	5	7	4	2	9	5	9
Diseases of coronary arteries and angina pectoris-----94	254	17	20	15	17	17	17	19	23	23	22	21	23
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	489	41	47	46	39	49	29	30	33	30	38	41	64
Arteriosclerosis and high blood pressure*-----97,102	41	7	1	1	2	5	2	3	7	4	3	3	3
Pneumonia (all forms) and influenza-----107-109,33	390	45	39	42	25	26	16	19	19	25	32	31	71
Bronchopneumonia-----107	169	20	16	13	12	11	3	9	8	10	12	16	37
Lobar pneumonia-----108	116	10	14	17	7	9	5	5	7	4	15	9	14
Pneumonia (unspecified)-----109	41	2	4	1	1	4	5	2	3	5	4	4	6
Influenza-----33	64	13	5	11	5	2	3	3	1	5	1	2	14
Ulcer of stomach or duodenum-----117	24	-	1	1	5	-	5	2	1	1	-	4	4
Diarrhea, enteritis, etc.*-----119,120	253	2	6	6	4	6	16	26	42	53	39	18	15
Appendicitis-----121	28	3	2	1	2	-	3	7	3	3	1	2	1
Hernia and intestinal obstruction-----122	48	4	6	1	1	6	4	4	3	3	5	5	6
Cirrhosis of the liver-----124	43	5	6	-	1	2	4	5	6	5	2	4	3
Biliary calculi, etc.*-----126,127	21	1	2	3	1	4	2	3	-	1	2	2	-
Nephritis-----130-132	194	16	22	15	18	15	18	17	12	16	19	8	18
Diseases of the prostate-----137	16	4	2	-	-	2	1	1	-	2	3	-	1
Diseases of pregnancy, etc.*-----140-150	37	3	3	5	2	3	1	2	7	5	2	3	1
Puerperal septicemia-----140,142a,145a,147	9	1	-	1	1	-	1	1	2	1	-	-	1
Puerperal toxemia-----141a,c,144,148	9	1	-	1	1	-	-	1	2	2	-	1	-
Hemorrhage, trauma or shock*-----141b,142b,143,145,149	14	-	2	3	-	2	-	-	3	2	1	1	-
Other puerperal causes-----141d,e,f,145b,150	5	1	1	-	-	1	-	-	-	-	1	1	-
Congenital malformations-----157	94	9	7	6	11	6	7	7	9	8	8	13	5
Diseases peculiar to first year of life-----158-161	394	22	31	26	27	30	30	41	32	40	40	38	37
Premature birth-----158	256	12	22	19	18	19	20	26	26	24	22	23	25
Other diseases peculiar to first year of life-----159,160,161	138	10	9	7	9	11	10	15	6	16	18	15	12
Suicide-----163,164	36	3	5	-	2	2	3	3	6	3	3	1	5
Homicide-----165-168	37	1	2	3	3	6	4	5	3	3	2	1	4
Accidental deaths-----169-195	478	55	41	39	41	38	35	34	50	37	42	34	50
Motor-vehicle accidents-----170	186	11	13	13	14	23	14	13	21	17	12	12	23
Other accidents-----169,171-195	290	24	28	26	27	15	21	21	29	20	30	22	27
Senility, ill-defined and unknown causes-----162,199,200	853	82	76	85	67	72	43	59	73	72	72	64	88
All other causes-----	339	37	17	25	36	36	18	25	34	18	23	24	46
<b>NEW YORK</b> -----All causes	152,966	15,796	12,948	13,544	12,780	12,964	12,120	11,360	11,199	11,602	12,592	12,145	14,018
Typhoid and paratyphoid fever-----1,2	12	2	-	1	1	-	1	1	2	-	1	2	1
Cerebrospinal (meningococcus) meningitis-----6	121	22	18	17	13	12	5	7	4	3	5	5	10
Scarlet fever-----8	11	1	4	-	2	-	-	1	-	1	-	1	1
Whooping cough-----9	63	10	8	5	5	7	3	4	7	2	4	-	8
Diphtheria-----10	50	6	2	9	4	4	4	5	2	2	4	1	7
Tuberculosis (all forms)-----13-22	5,601	511	449	504	493	522	492	456	429	446	427	421	452
Tuberculosis of respiratory system, etc.*-----13	5,237	477	429	470	450	477	459	423	403	416	411	400	422
Tuberculosis (other forms)-----14-22	364	34	20	34	43	45	33	33	25	30	16	21	30
Dysentery-----27	35	-	2	-	5	4	1	2	2	3	11	-	5
Malaria-----28	3	1	-	-	-	-	1	-	-	-	-	1	-
Syphilis-----30	1,309	156	104	114	116	113	120	93	90	100	118	92	113
Measles-----35	64	1	2	11	24	14	5	3	-	1	2	1	-
Polioencephalitis, polioencephalitis (acute)-----36	64	1	2	1	2	1	2	10	9	14	15	4	3
Cancer and other malignant tumors-----45-55	23,989	2,108	1,832	1,966	2,039	2,062	1,995	1,963	2,034	1,923	2,033	1,984	2,050
Cancer of the digestive organs and peritoneum-----46	11,058	970	828	934	908	986	903	834	876	870	911	887	951
Cancer of female genital organs-----48,49	2,822	249	198	201	220	182	227	236	212	215	240	236	206
Cancer of the breast-----50	2,599	246	213	189	206	213	256	167	223	201	225	209	211
Cancer (other sites)-----45,47,51-55	7,750	643	593	642	705	681	609	626	623	637	657	652	692
Acute rheumatic fever-----58	98	11	9	9	7	15	6	6	13	7	4	3	9
Diabetes mellitus-----61	5,314	541	482	434	422	406	449	401	395	410	436	417	531
Exophthalmic goiter-----63b	277	34	29	29	28	18	18	23	20	20	23	15	20
Pellagra (except alcoholic)-----69	9	-	1	1	-	2	-	-	1	1	-	1	2
Alcoholism (ethylin)-----77	259	34	18	35	14	16	16	18	23	13	19	20	33
Intracranial lesions of vascular origin-----83	10,313	1,063	948	953	863	855	824	755	721	755	772	816	986
Diseases of the heart-----90-95	58,174	6,352	5,089	5,242	4,824	5,006	4,486	4,029	4,015	4,422	4,632	4,536	5,541
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	2,866	285	239	259	236	266	225	218	139	224	256	224	235
Diseases of coronary arteries and angina pectoris-----94	15,990	1,561	1,339	1,387	1,270	1,287	1,225	1,158	1,189	1,306	1,325	1,303	1,640
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	39,318	4,506	3,511	3,596	3,318	3,453	3,036	2,653	2,627	2,892	3,051	3,009	3,666
Arteriosclerosis and high blood pressure*-----97,102	2,988	377	293	291	274	276	213	197	192	190	212	196	272

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW YORK-Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	5,430	989	620	558	470	418	314	280	249	279	339	354	550
Bronchopneumonia-----107	2,658	410	279	259	228	219	164	167	141	160	184	191	286
Lobar pneumonia-----108	2,337	429	284	252	220	165	180	102	101	108	155	165	226
Pneumonia (unspecified)-----109	123	16	19	14	7	11	8	2	4	9	11	9	14
Influenza-----33	312	134	39	33	15	25	12	9	5	3	9	9	24
Ulcer of stomach or duodenum-----117	1,123	92	90	115	91	98	77	90	85	84	107	104	92
Diarrhea, enteritis, etc.*-----119,120	502	53	39	45	50	47	45	33	42	30	38	23	57
Appendicitis-----121	508	42	43	56	46	48	44	52	33	44	31	43	28
Hernia and intestinal obstruction-----122	1,275	132	104	122	106	87	109	104	118	96	108	93	96
Cirrhosis of the liver-----124	1,898	184	160	165	169	153	147	128	157	152	165	161	157
Biliary calculi, etc.*-----126,127	745	56	55	61	64	65	61	68	61	63	65	61	65
Nephritis-----130-132	6,297	710	545	580	514	501	551	442	427	445	514	524	544
Diseases of the prostate-----137	776	85	57	71	73	65	63	48	62	69	61	60	64
Diseases of pregnancy, etc.*-----140-150	345	27	20	33	26	29	29	26	28	29	31	35	32
Puerperal septicemia-----140,142a,145A,147	131	9	9	17	10	14	9	9	9	11	10	12	12
Puerperal toxemia-----141a,c,144,148	57	5	3	3	4	3	2	5	9	7	6	6	4
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	131	10	6	11	8	10	15	9	9	9	14	15	15
Other puerperal causes-----141d,e,f,145B,150	24	3	2	2	4	1	3	3	1	1	1	2	1
Congenital malformations-----157	1,771	150	102	140	145	134	127	163	160	135	178	165	172
Diseases peculiar to first year of life-----158-161	5,048	394	326	378	387	389	399	440	500	440	497	476	424
Premature birth-----159	3,228	244	205	231	241	252	263	287	316	282	320	312	266
Other diseases peculiar to first year of life-----158,160,161	1,820	150	121	147	146	136	136	153	184	148	177	164	158
Suicide-----163,164	1,676	125	118	154	140	152	138	139	142	147	141	140	140
Homicide-----165-168	479	35	33	35	30	39	36	41	44	48	41	46	51
Accidental deaths-----169-195	8,514	772	668	710	650	684	650	703	609	640	711	719	799
Motor-vehicle accidents-----170	2,096	174	175	175	170	157	125	152	159	180	207	222	204
Other accidents-----169,171-195	6,418	598	493	535	480	527	525	551	450	460	504	496	595
Senility, ill-defined and unknown causes-----162,199,200	726	67	67	79	57	48	68	52	51	64	56	54	63
All other causes-----	7,200	674	589	620	626	677	616	577	485	525	591	580	640
<b>NORTH CAROLINA-----All causes</b>	<b>28,724</b>	<b>3,003</b>	<b>2,524</b>	<b>2,478</b>	<b>2,294</b>	<b>2,321</b>	<b>2,204</b>	<b>2,201</b>	<b>2,189</b>	<b>2,213</b>	<b>2,376</b>	<b>2,347</b>	<b>2,564</b>
Typhoid and paratyphoid fever-----1,2	8	1	-	1	-	1	-	-	3	-	2	-	-
Cerebrospinal (meningococcus) meningitis-----6	30	7	3	2	1	3	3	2	2	2	3	2	-
Scarlet fever-----8	3	-	-	-	1	-	-	1	-	-	-	-	-
Whooping cough-----9	59	6	9	2	6	2	8	9	5	4	2	3	3
Diphtheria-----10	46	9	5	4	1	2	3	1	2	3	9	4	3
Tuberculosis (all forms)-----13-22	1,182	106	96	103	102	108	98	104	105	100	95	76	90
Tuberculosis of respiratory system, etc.*-----13	1,086	101	91	94	91	96	89	98	98	90	92	70	86
Tuberculosis (other forms)-----14-22	86	5	5	9	11	10	9	6	8	10	3	6	4
Dysentery-----27	13	-	1	-	1	1	5	2	-	2	1	-	-
Malaria-----28	8	-	-	1	2	-	2	1	-	1	-	-	-
Syphilis-----30	245	22	22	22	30	25	15	17	14	9	24	20	23
Musculoskeletal-----35	43	1	3	4	6	10	10	2	4	1	1	-	1
Poliomyelitis, poliomyelitis (acute)-----36	16	-	-	-	-	-	1	1	3	4	3	4	-
Cancer and other malignant tumors-----45-55	2,523	218	181	217	251	205	218	190	203	208	223	205	228
Cancer of the digestive organs and peritoneum-----46	986	90	69	89	94	74	77	78	79	86	88	78	85
Cancer of female genital organs-----48,49	411	25	21	38	35	32	41	29	37	29	32	40	52
Cancer of the breast-----50	232	19	21	15	25	16	17	22	14	19	17	17	28
Cancer (other sites)-----45,47,51-55	694	84	70	75	77	79	83	61	74	74	86	68	63
Acute rheumatic fever-----58	35	4	3	4	4	4	7	2	-	1	4	-	2
Diabetes mellitus-----61	498	55	59	57	50	28	48	36	38	37	55	46	47
Exophthalmic goiter-----63b	25	2	2	1	-	4	3	5	2	4	2	-	-
Pellagra (except alcoholic)-----69	73	6	5	8	3	9	11	4	7	2	6	5	7
Alcoholism (ethylin)-----77	67	2	5	8	4	3	6	9	3	5	11	5	6
Intracranial lesions of vascular origin-----85	3,052	299	246	267	243	287	224	229	244	242	243	251	292
Diseases of the heart-----90-95	6,682	734	594	601	549	582	487	492	513	513	512	550	555
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	411	46	48	54	37	42	33	27	31	22	24	37	30
Diseases of coronary arteries and angina pectoris-----94	1,983	173	147	181	165	180	146	157	152	169	147	177	189
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,288	515	399	366	347	360	308	308	330	322	341	336	336
Arteriosclerosis and high blood pressure*-----97,102	299	38	41	36	27	43	30	41	28	36	38	25	46
Pneumonia (all forms) and influenza-----107-109,33	1,581	312	243	147	122	80	61	57	47	78	129	124	181
Bronchopneumonia-----107	616	96	83	48	52	39	33	25	22	35	61	59	73
Lobar pneumonia-----108	520	89	74	54	47	24	17	21	17	30	46	39	62
Pneumonia (unspecified)-----109	176	46	25	14	14	8	5	4	5	6	11	14	24
Influenza-----33	269	91	61	31	9	9	6	7	3	7	11	12	22
Ulcer of stomach or duodenum-----117	123	9	11	11	9	11	7	11	14	8	12	7	13
Diarrhea, enteritis, etc.*-----119,120	247	18	19	19	8	28	34	30	26	21	20	12	11
Appendicitis-----121	113	7	7	13	6	15	14	11	8	5	6	10	11
Hernia and intestinal obstruction-----122	213	24	24	11	16	19	12	17	25	17	21	19	10
Cirrhosis of the liver-----124	159	11	10	19	12	8	9	17	13	13	11	21	15
Biliary calculi, etc.*-----126,127	48	5	-	3	5	6	4	6	1	4	5	2	7
Nephritis-----130-132	2,754	290	240	283	196	216	221	196	189	243	231	211	218
Diseases of the prostate-----137	134	8	11	9	16	13	10	10	9	13	7	18	10
Diseases of pregnancy, etc.*-----140-150	203	27	15	15	17	14	14	20	16	17	12	23	13
Puerperal septicemia-----140,142a,145A,147	47	4	4	3	1	4	4	7	4	3	5	5	3
Puerperal toxemia-----141a,c,144,148	61	6	4	8	5	3	5	6	5	5	2	7	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	70	11	6	3	10	5	3	4	5	5	3	8	7
Other puerperal causes-----141d,e,f,145B,150	25	4	1	1	1	2	2	3	2	4	2	3	-
Congenital malformations-----157	464	41	45	31	20	43	26	25	48	38	43	60	44
Diseases peculiar to first year of life-----158-161	1,987	148	137	136	143	147	169	167	186	177	196	176	205
Premature birth-----159	1,439	105	99	103	90	105	113	118	132	123	129	114	128
Other diseases peculiar to first year of life-----158,160,161	628	43	38	33	53	42	56	49	54	54	67	62	77
Suicide-----163,164	290	25	16	23	31	22	22	24	29	33	24	25	16
Homicide-----165-168	362	31	26	39	27	26	30	33	41	30	26	28	25
Accidental deaths-----169-195	2,365	224	217	200	177	145	191	211	185	177	193	193	252
Motor-vehicle accidents-----170	1,052	103	86	85	77	64	72	83	93	86	102	90	111
Other accidents-----169,171-195	1,313	121	131	115	100	81	119	128	92	91	91	103	141
Senility, ill-defined and unknown causes-----162,199,200	861	120	98	52	51	80	62	67	41	48	65	75	102
All other causes-----	1,803	193	150	149	166	154	138	149	154	118	155	149	148

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NORTH DAKOTA—All causes</b>	<b>5,080</b>	<b>451</b>	<b>363</b>	<b>405</b>	<b>471</b>	<b>451</b>	<b>421</b>	<b>437</b>	<b>391</b>	<b>394</b>	<b>446</b>	<b>434</b>	<b>416</b>
Typhoid and paratyphoid fever	1,2	1	-	-	-	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis	6	4	1	-	-	-	1	2	-	-	-	-	-
Scarlet fever	8	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	9	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	10	7	1	1	1	-	1	-	-	-	2	-	1
Tuberculosis (all forms)	13-22	96	10	7	8	9	15	11	9	5	4	11	3
Tuberculosis of respiratory system, etc.*	13	78	8	7	8	4	10	10	8	5	2	3	10
Tuberculosis (other forms)	14-22	18	2	-	-	5	5	1	1	-	1	1	-
Dysentery	27	6	-	-	-	2	-	1	-	1	-	1	-
Malaria	28	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	30	29	7	2	2	2	1	1	5	2	-	-	5
Measles	35	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)	36	26	-	-	-	-	1	1	5	12	5	1	1
Cancer and other malignant tumors	45-55	675	51	48	51	74	61	58	61	48	62	52	48
Cancer of the digestive organs and peritoneum	46	339	31	30	33	37	35	30	25	28	32	28	22
Cancer of female genital organs	48,49	56	4	3	9	4	1	8	4	4	4	7	4
Cancer of the breast	50	57	3	8	4	4	9	3	5	7	1	8	1
Cancer (other sites)	45,47,51-55	223	13	17	15	29	16	17	27	11	25	19	19
Acute rheumatic fever	58	8	1	-	-	1	2	-	1	1	1	1	-
Diabetes mellitus	61	153	18	8	10	16	17	14	13	11	7	9	8
Exophthalmic goiter	65b	7	-	-	1	-	1	1	2	-	1	-	-
Pellagra (except alcoholic)	69	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)	77	8	1	2	-	-	-	3	-	1	1	-	-
Intracranial lesions of vascular origin	83	478	46	53	51	51	42	43	37	35	30	42	35
Diseases of the heart	90-95	1,590	120	107	114	128	128	113	124	95	103	123	110
Chronic rheumatic diseases of the heart	90a, 92b, c, 93c, 95b	64	5	6	8	4	5	4	8	3	4	7	6
Diseases of coronary arteries and angina pectoris	94	507	50	40	38	48	49	40	35	36	37	39	44
Diseases of heart (other forms)	90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	819	65	61	70	74	74	69	81	56	62	77	60
Arteriosclerosis and high blood pressure*	97, 102	131	20	8	9	13	13	11	10	10	8	10	10
Pneumonia (all forms) and influenza	107-109, 33	198	23	22	18	17	16	12	10	12	15	12	18
Bronchopneumonia	107	92	8	10	7	8	9	8	5	5	8	4	10
Lobar pneumonia	108	54	12	4	4	8	4	2	2	4	2	4	5
Pneumonia (unspecified)	109	30	1	3	4	1	1	-	3	2	3	3	6
Influenza	33	22	2	5	5	-	2	2	-	1	2	1	2
Ulcer of stomach or duodenum	117	24	1	4	1	2	2	3	1	1	2	5	-
Cholera, enteritis, etc.*	119, 120	57	6	5	1	-	2	3	2	3	3	4	6
Appendicitis	121	26	1	4	3	3	3	1	3	-	3	3	1
Hernia and intestinal obstruction	122	37	6	1	7	1	3	5	6	1	2	1	2
Cirrhosis of the liver	124	35	5	3	3	2	1	7	5	2	2	2	1
Biliary calculi, etc.*	126, 127	29	2	4	5	3	1	2	1	4	3	2	-
Nephritis	130-132	221	18	19	19	15	21	20	21	15	17	18	26
Diseases of the prostate	137	41	1	1	3	2	7	4	4	7	4	4	3
Diseases of pregnancy, etc.*	140-150	16	1	1	3	-	1	2	-	3	1	1	3
Puerperal septicemia	140, 142a, 145a, 147	4	-	-	1	-	-	1	-	1	-	-	1
Puerperal toxemia	141a, c, 144, 148	2	-	-	1	-	-	1	-	-	-	-	-
Hemorrhage, trauma or shock*	141b, 142b, 143, 146, 149	9	1	1	1	-	1	-	-	2	1	-	2
Other puerperal causes	141d, e, f, 145b, 150	1	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations	157	90	7	7	7	12	4	10	7	4	5	10	9
Diseases peculiar to first year of life	158-161	277	17	21	13	20	29	18	22	34	20	39	28
Premature birth	159	177	10	16	6	15	22	10	14	21	7	25	21
Other diseases peculiar to first year of life	158, 160, 161	100	7	5	7	5	7	8	8	13	13	14	7
Suicide	163, 164	60	7	2	8	5	8	5	4	6	5	5	4
Homicide	165-168	8	-	-	2	-	3	-	1	1	1	-	1
Accidental deaths	169-195	442	31	22	25	43	26	32	43	49	48	36	48
Motor-vehicle accidents	170	144	9	6	5	17	7	9	7	18	16	12	17
Other accidents	169, 171-195	298	22	16	20	26	19	23	36	31	32	24	31
Senility, ill-defined and unknown causes	162, 199, 200	157	19	10	11	15	15	12	10	10	7	16	16
All other causes		362	31	20	29	36	28	28	38	23	24	31	29
<b>OHIO—All causes</b>	<b>76,464</b>	<b>7,771</b>	<b>6,625</b>	<b>6,914</b>	<b>6,557</b>	<b>6,627</b>	<b>6,148</b>	<b>6,083</b>	<b>5,933</b>	<b>6,188</b>	<b>6,403</b>	<b>6,341</b>	<b>6,874</b>
Typhoid and paratyphoid fever	1,2	16	2	-	1	1	-	2	3	3	-	1	-
Cerebrospinal (meningococcus) meningitis	6	57	10	14	4	4	6	2	1	1	2	5	5
Scarlet fever	8	22	3	3	3	1	2	2	1	1	-	1	3
Whooping cough	9	60	4	9	4	6	3	6	5	5	-	6	4
Diphtheria	10	51	12	5	4	4	6	1	1	1	4	3	7
Tuberculosis (all forms)	13-22	2,593	241	212	264	270	221	214	219	186	191	183	169
Tuberculosis of respiratory system, etc.*	13	2,370	223	193	242	249	197	198	204	168	176	170	152
Tuberculosis (other forms)	14-22	213	18	19	22	22	24	16	15	18	15	13	17
Dysentery	27	13	1	1	1	-	1	1	2	1	2	-	1
Malaria	28	3	1	-	-	-	-	1	1	-	-	-	-
Syphilis	30	785	83	84	67	70	58	68	60	58	69	62	58
Measles	35	27	-	3	6	6	3	2	3	-	2	1	1
Poliomyelitis, poliomyelitis (acute)	36	59	-	-	-	1	1	4	11	17	13	5	2
Cancer and other malignant tumors	45-55	10,628	931	827	885	878	912	874	849	908	906	871	927
Cancer of the digestive organs and peritoneum	46	4,700	420	365	420	405	395	354	367	409	395	384	390
Cancer of female genital organs	48,49	1,441	121	113	115	118	132	150	129	119	123	96	121
Cancer of the breast	50	1,015	80	77	81	84	80	81	79	90	84	92	83
Cancer (other sites)	45,47,51-55	3,472	310	272	289	271	305	288	274	290	304	287	333
Acute rheumatic fever	58	57	6	2	9	6	5	6	3	5	3	3	5
Diabetes mellitus	61	2,123	242	177	187	197	165	175	169	147	147	156	156
Exophthalmic goiter	65b	198	17	15	17	20	17	19	20	18	11	13	15
Pellagra (except alcoholic)	69	9	1	1	-	1	-	1	-	1	2	1	-
Alcoholism (ethylinism)	77	98	14	2	10	10	9	10	4	4	6	14	9
Intracranial lesions of vascular origin	83	8,193	777	719	721	677	735	662	624	593	602	673	743
Diseases of the heart	90-95	24,421	2,485	2,105	2,245	2,059	2,103	1,936	1,908	1,776	1,857	1,991	1,946
Chronic rheumatic diseases of the heart	90a, 92b, c, 93c, 95b	1,539	164	108	157	122	145	126	116	106	119	127	112
Diseases of coronary arteries and angina pectoris	94	8,661	819	711	731	706	773	857	868	636	659	759	788
Diseases of heart (other forms)	90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	14,202	1,502	1,288	1,357	1,231	1,185	1,053	1,024	1,034	1,080	1,106	1,137
Arteriosclerosis and high blood pressure*	97, 102	1,665	176	138	144	122	112	128	124	126	139	133	154

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

239

TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO-Continued													
Pneumonia (all forms) and influenza-----107-109,33	3,124	603	376	297	254	212	181	136	127	178	196	242	322
Bronchopneumonia-----107	1,456	211	149	139	117	121	87	76	70	101	114	111	162
Lobar pneumonia-----108	968	169	125	101	86	57	57	47	56	53	86	94	94
Pneumonia (unspecified)-----109	209	36	24	6	19	10	21	12	5	11	11	25	32
Influenza-----33	489	187	78	51	33	24	16	11	5	10	18	22	34
Ulcer of stomach or duodenum-----117	406	41	38	41	30	37	33	18	27	37	34	38	32
Diarrhea, enteritis, etc.*-----119,120	349	40	36	35	22	22	21	33	29	33	28	24	26
Appendicitis-----121	268	18	18	27	19	31	31	29	19	24	17	25	12
Hernia and intestinal obstruction-----122	816	55	48	64	44	47	43	66	60	44	39	61	45
Cirrhosis of the liver-----124	729	64	54	70	70	66	58	54	62	67	51	51	64
Biliary calculi, etc.*-----126,127	372	41	20	29	28	33	35	34	16	45	32	37	22
Nephritis-----130-132	4,561	461	409	412	420	377	390	337	321	343	339	370	383
Diseases of the prostate-----137	382	40	32	33	30	29	39	32	30	33	31	25	28
Diseases of pregnancy, etc.*-----140-150	214	16	15	18	16	16	23	14	24	21	15	20	12
Puerperal septicemia-----140,142a,145A,147	85	11	6	9	7	5	10	4	7	9	5	6	6
Puerperal toxemia-----141a,c,144,148	50	5	4	2	4	7	6	4	5	5	4	2	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	57	-	4	5	3	4	5	4	10	6	2	11	3
Other puerperal causes-----141d,e,f,145B,150	22	2	1	2	4	-	2	2	2	1	3	2	1
Congenital malformations-----157	957	67	60	82	82	93	64	57	83	96	81	104	88
Diseases peculiar to first year of life-----158-161	3,226	194	193	219	253	280	264	296	305	332	322	298	290
Premature birth-----159	2,032	118	112	143	155	195	169	196	197	171	208	189	160
Other diseases peculiar to first year of life-----158,160,161	1,194	76	81	76	98	85	96	100	108	141	114	109	110
Suicide-----163,164	986	80	78	106	85	115	92	72	63	89	82	90	62
Homicide-----165-168	388	26	32	38	27	29	40	42	26	37	34	31	26
Accidental deaths-----169-195	5,339	470	436	410	420	425	447	479	449	447	469	421	466
Motor-vehicle accidents-----170	1,879	172	159	132	137	150	135	161	158	152	172	181	170
Other accidents-----169,171-195	3,460	298	277	278	283	275	312	318	291	295	297	240	296
Senility, ill-defined and unknown causes-----162,199,200	1,145	109	114	89	80	87	76	96	94	102	101	84	113
All other causes-----	4,339	438	369	370	343	369	299	353	345	336	372	344	401
OKLAHOMA-----All causes	18,620	1,686	1,626	1,645	1,502	1,424	1,406	1,624	1,505	1,317	1,457	1,636	1,694
Typhoid and paratyphoid fever-----1,2	7	-	-	-	-	-	1	1	3	-	2	-	-
Cerebrospinal (meningococcus) meningitis-----6	13	-	-	2	2	-	-	-	-	-	-	-	-
Scarlet fever-----8	6	1	2	1	1	-	-	-	-	1	-	-	-
Whooping cough-----9	25	2	4	6	2	2	-	-	-	3	1	-	-
Diphtheria-----10	26	4	1	3	-	5	1	-	1	1	2	3	7
Tuberculosis (all forms)-----13-22	708	74	65	54	75	55	62	63	51	45	49	65	50
Tuberculosis of respiratory system, etc.*-----13	656	69	61	48	69	51	60	58	46	42	44	63	45
Tuberculosis (other forms)-----14-22	52	5	4	6	6	4	2	5	5	3	5	2	5
Dysentery-----27	10	-	1	-	1	2	1	-	-	-	2	-	3
Malaria-----28	12	-	1	-	3	2	1	2	-	1	1	1	-
Syphilis-----30	197	20	12	21	17	8	12	22	18	14	14	19	20
Measles-----35	30	3	-	3	14	8	-	1	1	-	-	-	-
Polioencephalitis, poliomyelitis (acute)-----36	34	-	1	-	-	1	3	7	11	3	5	2	1
Cancer and other malignant tumors-----45-55	2,263	190	159	198	184	162	196	203	212	166	176	185	212
Cancer of the digestive organs and peritoneum-----46	941	69	74	87	76	66	94	81	83	68	76	71	76
Cancer of female genital organs-----48,49	501	27	25	30	25	23	24	29	26	16	23	27	26
Cancer of the breast-----50	199	25	13	11	20	15	14	18	21	17	16	13	16
Cancer (other sites)-----45,47,51-55	822	69	47	70	63	58	64	75	82	65	61	74	94
Acute rheumatic fever-----58	13	-	-	-	3	1	-	1	1	-	2	3	2
Diabetes mellitus-----61	351	31	37	33	26	22	34	31	27	26	15	43	26
Exophthalmic goiter-----63b	19	4	-	2	2	3	-	1	1	2	1	1	2
Pellagra (except alcoholic)-----69	27	8	2	3	2	2	2	-	4	-	1	1	2
Alcoholism (ethylishm)-----77	23	2	3	-	2	2	4	-	4	3	-	1	2
Intracranial lesions of vascular origin-----83	1,984	193	150	177	151	158	165	178	171	135	152	157	197
Diseases of the heart-----90-95	4,575	483	389	428	396	378	368	371	329	284	366	388	415
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	262	24	26	22	28	16	20	13	23	17	19	24	30
Diseases of coronary arteries and angina pectoris-----94	1,740	176	134	153	129	150	144	149	125	118	130	159	173
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	2,573	283	229	253	239	212	204	209	181	149	217	185	212
Arteriosclerosis and high blood pressure*-----97,102	335	37	28	26	27	24	27	28	25	28	34	23	28
Pneumonia (all forms) and influenza-----107-109,33	967	180	173	122	61	40	27	51	46	31	54	86	96
Bronchopneumonia-----107	279	34	45	30	25	14	8	17	15	12	23	22	33
Lobar pneumonia-----108	214	44	29	24	12	7	9	14	12	7	11	20	25
Pneumonia (unspecified)-----109	281	36	46	42	15	15	6	19	18	10	17	27	30
Influenza-----33	193	66	53	26	9	4	3	1	1	2	3	17	8
Ulcer of stomach or duodenum-----117	105	7	10	10	17	1	2	6	9	8	14	12	9
Diarrhea, enteritis, etc.*-----119,120	100	11	13	3	5	5	6	9	6	9	10	9	14
Appendicitis-----121	102	6	5	7	11	10	5	14	17	13	7	3	6
Hernia and intestinal obstruction-----122	153	19	7	8	14	13	15	16	8	14	21	11	11
Cirrhosis of the liver-----124	139	12	12	12	7	12	8	11	11	15	9	13	17
Biliary calculi, etc.*-----126,127	97	9	12	9	5	10	7	7	11	5	10	6	6
Nephritis-----130-132	1,037	95	97	93	74	97	63	98	86	56	82	82	114
Diseases of the prostate-----137	120	9	5	10	12	12	8	10	9	16	12	10	7
Diseases of pregnancy, etc.*-----140-150	85	2	9	4	5	5	5	12	13	7	4	7	10
Puerperal septicemia-----140,142b,145A,147	20	1	1	1	1	3	1	3	-	3	1	1	4
Puerperal toxemia-----141a,c,144,148	23	-	3	1	1	1	1	5	8	3	1	3	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	25	1	2	-	-	1	2	5	5	1	1	3	4
Other puerperal causes-----141d,e,f,145B,150	9	-	5	-	3	-	1	1	-	-	1	-	-
Congenital malformations-----157	296	29	32	16	20	22	23	22	21	26	21	23	39
Diseases peculiar to first year of life-----158-161	671	65	46	63	69	60	75	77	86	75	92	80	83
Premature birth-----159	596	37	35	38	53	39	46	59	62	58	60	57	52
Other diseases peculiar to first year of life-----158,160,161	275	28	11	25	16	21	29	18	24	17	32	23	31
Suicide-----163,164	166	20	20	11	15	12	9	18	16	13	10	7	15
Homicide-----165-168	128	9	12	6	8	8	11	13	15	12	12	11	11
Accidental deaths-----169-195	1,540	149	126	125	114	104	134	146	144	144	120	121	113
Motor-vehicle accidents-----170	539	50	45	41	47	32	43	52	49	56	39	51	34
Other accidents-----169,171-195	1,001	99	81	84	67	72	91	94	95	88	81	70	79
Senility, ill-defined and unknown causes-----162,199,200	760	97	75	75	61	48	51	71	46	55	56	63	62
All other causes-----	1,298	113	115	117	102	110	78	132	92	110	107	108	114

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>OREGON</b> -----All causes	13,318	1,222	1,125	1,144	1,174	1,146	1,068	1,104	999	1,023	1,118	1,104	1,091
Typhoid and paratyphoid fever-----1,2	6	-	1	-	1	2	-	-	-	-	2	-	-
Cerebrospinal (meningococcus) meningitis-----6	14	5	2	-	1	1	-	-	1	2	-	1	1
Scarlet fever-----8	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough-----9	7	1	1	1	-	1	1	2	-	-	-	-	-
Diphtheria-----10	10	-	4	1	1	1	2	-	-	-	1	-	-
Tuberculosis (all forms)-----13-22	311	31	29	32	21	34	24	25	25	25	18	25	22
Tuberculosis of respiratory system, etc.*-----13	286	29	26	27	19	29	23	21	25	25	17	25	20
Tuberculosis (other forms)-----14-22	25	2	3	5	2	5	1	4	-	-	1	-	2
Dysentery-----27	3	-	1	-	-	1	1	-	-	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	120	10	14	11	14	10	8	9	13	8	6	5	12
Measles-----35	7	-	1	1	1	2	2	-	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)-----36	9	-	-	-	-	-	-	-	4	1	2	2	-
Cancer and other malignant tumors-----45-55	1,823	137	175	148	176	143	151	149	142	171	148	150	133
Cancer of the digestive organs and peritoneum-----46	799	60	80	67	81	61	74	57	47	71	63	73	65
Cancer of female genital organs-----48,49	189	20	11	14	23	16	17	19	19	15	15	10	10
Cancer of the breast-----50	201	16	19	15	18	15	18	21	17	13	15	15	16
Cancer (other sites)-----45,47,51-55	634	41	65	52	54	48	45	55	55	68	57	52	42
Acute rheumatic fever-----59	10	1	-	1	1	3	-	-	2	-	1	1	-
Diabetes mellitus-----61	303	22	21	32	23	29	30	21	19	22	29	22	33
Exophthalmic goiter-----63b	20	1	3	1	2	5	1	4	1	1	-	-	1
Pellagra (except alcoholic)-----69	1	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylin)-----77	32	4	1	4	2	2	2	2	-	4	5	2	4
Intracranial lesions of vascular origin-----83	1,249	132	116	110	111	116	93	96	92	99	95	100	89
Diseases of the heart-----90-95	3,784	356	299	318	327	303	339	312	256	269	338	342	327
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	227	22	23	19	21	18	14	21	20	12	15	21	21
Diseases of coronary arteries and angina pectoris-----94	1,709	146	132	139	135	148	153	140	126	139	142	158	147
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,848	188	143	160	171	137	170	151	106	117	181	163	159
Arteriosclerosis and high blood pressure*-----97,102	235	21	20	29	17	28	21	25	17	22	24	26	43
Pneumonia (all forms) and influenza-----107-109,33	623	92	68	61	58	45	35	42	31	36	45	54	56
Bronchopneumonia-----107	363	33	46	37	40	30	23	32	22	26	26	31	37
Lobar pneumonia-----108	130	24	11	13	9	8	9	8	6	6	10	15	11
Pneumonia (unspecified)-----109	43	7	5	3	3	4	2	1	1	2	5	3	7
Influenza-----33	67	28	6	8	6	3	1	1	2	2	4	5	1
Ulcer of stomach or duodenum-----117	76	3	5	7	6	8	9	6	8	5	9	7	3
Diarrhea, enteritis, etc.*-----119,120	37	2	3	1	7	1	4	2	3	3	3	3	7
Appendicitis-----121	29	2	3	3	6	1	4	3	1	2	2	-	2
Hernia and intestinal obstruction-----122	99	7	10	10	5	8	7	10	4	7	10	10	11
Cirrhosis of the liver-----124	99	10	8	4	12	11	7	2	9	8	12	8	8
Biliary calculi, etc.*-----126,127	41	7	1	6	5	1	3	5	7	1	1	2	2
Nephritis-----130-132	949	77	90	84	92	90	77	73	69	73	65	68	73
Diseases of the prostate-----137	83	4	8	10	3	9	4	7	9	10	4	8	7
Diseases of pregnancy, etc.*-----140-150	31	8	1	-	3	2	3	3	1	2	3	2	3
Puerperal septicemia-----140,142a,145a,147	7	4	1	-	-	1	1	-	-	-	-	-	-
Puerperal toxemia-----141a,c,144,146	6	1	-	-	2	1	-	-	2	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	11	2	-	-	1	-	2	1	1	-	2	1	1
Other puerperal causes-----141d,e,f,145b,150	7	1	-	-	-	1	-	1	-	-	1	1	2
Congenital malformations-----157	169	12	15	18	10	21	13	15	13	13	13	12	14
Diseases peculiar to first year of life-----158-161	489	31	38	35	35	43	44	52	42	36	51	39	43
Premature birth-----158	300	19	23	24	25	26	30	30	24	26	26	17	30
Other diseases peculiar to first year of life-----158,160,161	189	12	15	11	10	17	14	22	18	10	25	22	13
Suicide-----163,164	204	25	17	13	27	17	14	23	19	17	12	12	8
Homicide-----165-168	53	5	4	2	3	11	3	4	4	4	5	2	6
Accidental deaths-----169-195	1,269	92	91	106	112	102	91	128	135	96	107	100	108
Motor-vehicle accidents-----170	493	30	40	40	40	38	26	45	57	40	41	42	54
Other accidents-----169,171-195	776	62	51	66	72	64	65	83	78	56	66	58	55
Senility, ill-defined and unknown causes-----162,199,200	263	27	18	24	25	30	18	22	23	21	25	32	16
All other causes-----	781	97	58	71	73	59	60	60	50	66	64	67	56
<b>PENNSYLVANIA</b> -----All causes	107,695	10,856	9,235	9,470	9,075	8,835	8,402	8,228	7,928	8,180	8,772	8,855	9,847
Typhoid and paratyphoid fever-----1,2	22	1	1	1	3	-	-	7	-	2	1	3	1
Cerebrospinal (meningococcus) meningitis-----6	80	14	11	10	10	6	5	5	5	5	5	4	4
Scarlet fever-----8	12	1	1	1	2	2	3	1	-	-	-	1	-
Whooping cough-----9	94	11	9	6	10	6	4	6	15	7	5	7	9
Diphtheria-----10	58	11	7	1	7	1	5	2	3	3	6	8	4
Tuberculosis (all forms)-----13-22	3,697	303	316	303	329	332	313	300	299	286	291	301	324
Tuberculosis of respiratory system, etc.*-----13	3,408	281	296	289	306	302	293	267	272	265	264	273	300
Tuberculosis (other forms)-----14-22	289	22	20	14	23	30	20	33	27	21	27	28	24
Dysentery-----27	24	1	2	1	-	5	-	4	3	2	1	2	3
Malaria-----28	11	-	-	1	2	1	3	2	-	-	1	-	1
Syphilis-----30	918	89	63	85	74	66	85	69	67	68	61	74	77
Measles-----35	116	3	12	18	26	33	12	4	1	-	1	1	5
Polioencephalitis, poliomyelitis (acute)-----36	29	1	1	2	-	1	1	3	4	7	6	1	2
Cancer and other malignant tumors-----45-55	14,787	1,199	1,083	1,244	1,212	1,298	1,196	1,244	1,235	1,234	1,272	1,245	1,325
Cancer of the digestive organs and peritoneum-----46	6,994	594	510	601	576	633	579	606	592	596	571	556	590
Cancer of female genital organs-----48,49	1,867	127	152	178	144	173	158	143	140	162	175	153	162
Cancer of the breast-----50	1,411	118	100	112	125	89	117	117	119	108	131	132	143
Cancer (other sites)-----45,47,51-55	4,515	360	321	353	367	405	342	378	384	378	395	404	430
Acute rheumatic fever-----59	123	16	12	16	9	4	11	7	5	13	11	13	6
Diabetes mellitus-----61	3,325	362	296	286	280	274	272	256	198	253	259	280	307
Exophthalmic goiter-----63b	193	17	17	18	18	22	10	19	14	15	11	13	19
Pellagra (except alcoholic)-----69	7	1	-	1	-	-	1	1	-	1	1	-	1
Alcoholism (ethylin)-----77	113	14	11	14	11	10	6	9	8	7	5	7	11
Intracranial lesions of vascular origin-----83	9,248	901	787	789	756	762	714	689	668	676	775	791	930
Diseases of the heart-----90-95	36,169	3,796	3,209	3,296	3,061	2,913	2,773	2,587	2,637	2,642	2,952	2,885	3,418
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	1,974	217	168	159	175	179	142	158	155	141	150	151	179
Diseases of coronary arteries and angina pectoris-----94	11,173	1,015	961	996	923	890	885	851	875	854	924	902	1,097
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	23,022	2,564	2,080	2,141	1,963	1,844	1,746	1,578	1,607	1,647	1,878	1,832	2,142
Arteriosclerosis and high blood pressure*-----97,102	2,367	297	247	189	219	188	180	168	121	189	202	185	192

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

241

TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 215)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>PENNSYLVANIA-Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	4,473	875	518	440	385	328	242	179	177	250	301	320	463
Bronchopneumonia-----107	1,746	245	167	173	157	141	110	97	81	109	126	134	206
Lobar pneumonia-----108	1,672	298	188	163	148	125	91	64	72	112	124	124	163
Pneumonia (unspecified)-----109	416	70	42	38	33	37	25	13	14	20	28	41	54
Influenza-----33	639	262	121	66	45	25	16	5	10	9	22	21	37
Ulcer of stomach or duodenum-----117	540	46	59	48	50	50	33	47	35	37	43	46	46
Diarrhea, enteritis, etc.*-----119,120	503	41	39	43	45	40	30	59	33	33	48	63	29
Appendicitis-----121	398	43	32	46	26	39	42	41	28	26	24	28	23
Hernia and intestinal obstruction-----122	873	96	77	66	61	67	89	89	79	76	63	57	73
Cirrhosis of the liver-----124	989	86	87	86	74	73	83	86	92	82	75	78	87
Biliary calculi, etc.*-----126,127	517	34	62	51	40	41	36	50	49	35	33	43	43
Nephritis-----130-132	6,938	765	645	668	651	589	523	499	438	490	539	568	565
Diseases of the prostate-----137	463	51	43	36	42	46	37	31	33	33	31	42	38
Diseases of pregnancy, etc.*-----140-150	332	36	27	27	23	28	30	35	28	27	21	34	16
Puerperal septicemia-----140,142a,145a,147	128	13	9	12	12	9	14	10	12	8	10	11	8
Puerperal toxemia-----141a,c,144,148	61	7	9	2	4	4	4	7	6	2	4	7	5
Hemorrhage, trauma or shock*-----141b,142b,143,146,148	105	11	9	10	5	13	7	14	5	14	4	10	3
Other puerperal causes-----141d,e,f,145B,150	38	5	-	3	2	2	5	4	5	3	5	6	-
Congenital malformations-----157	1,222	92	84	85	90	101	101	87	90	113	121	119	139
Diseases peculiar to first year of life-----158-161	4,272	289	245	279	327	363	400	412	402	418	401	377	379
Premature birth-----159	2,762	179	161	184	204	249	261	261	252	265	261	236	249
Other diseases peculiar to first year of life-----159,160,161	1,510	90	84	95	123	114	139	151	150	153	140	141	130
Suicide-----163,164	1,145	79	65	128	117	97	99	103	91	89	92	99	88
Homicide-----165-168	299	23	20	24	21	24	17	36	28	33	19	23	31
Accidental deaths-----169-195	8,381	575	553	505	515	494	485	580	516	521	514	562	571
Motor-vehicle accidents-----170	1,900	191	185	145	157	164	132	144	151	160	132	190	209
Other accidents-----169,171-195	4,481	384	368	360	358	330	353	406	365	361	382	372	362
Senility, ill-defined and unknown causes-----162,199,200	946	124	79	89	81	69	66	64	74	81	74	70	77
All other causes-----	6,013	593	513	568	500	462	496	469	432	428	487	505	545
<b>RHODE ISLAND-----All causes</b>													
Typhoid and paratyphoid fever-----1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----5	9	1	2	1	-	-	1	1	1	2	-	-	-
Scarlet fever-----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	4	-	-	1	-	1	1	-	-	-	-	1	-
Diphtheria-----10	2	-	-	1	-	-	-	-	-	-	-	-	1
Tuberculosis (all forms)-----13-22	232	26	27	16	17	21	20	20	12	13	18	23	19
Tuberculosis of respiratory system, etc.*-----13	215	26	25	16	16	17	16	18	11	13	17	22	18
Tuberculosis (other forms)-----14-22	17	-	2	-	1	4	4	2	1	-	1	1	1
Dysentery-----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Gyphitis-----30	43	4	5	8	1	3	3	4	4	3	2	3	3
Measles-----35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	7	-	-	-	-	1	-	1	-	1	3	1	-
Cancer and other malignant tumors-----45-55	1,162	87	87	114	75	102	80	115	105	112	96	88	101
Cancer of the digestive organs and peritoneum-----46	529	35	45	52	33	45	35	46	50	53	47	46	42
Cancer of female genital organs-----48,49	128	9	8	15	9	9	5	17	13	11	11	5	16
Cancer of the breast-----50	118	16	5	10	4	16	9	11	7	10	11	11	8
Cancer (other sites)-----45,47,51-55	387	27	29	37	29	32	31	41	35	38	27	26	35
Acute rheumatic fever-----58	7	-	-	-	2	-	2	1	-	-	-	-	2
Diabetes mellitus-----61	285	35	22	24	26	20	20	21	23	25	17	19	35
Kropthalmic goiter-----63b	6	1	1	-	1	1	-	-	-	1	-	-	1
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)-----77	14	-	5	1	2	2	1	-	-	-	2	-	1
Intracranial lesions of vascular origin-----83	699	62	62	72	58	60	52	56	43	48	59	53	74
Diseases of the heart-----90-95	3,025	300	285	303	233	257	221	212	219	232	236	258	269
Chronic rheumatic diseases of the heart-----90a,92b,c,93e,95b	129	7	16	18	11	12	8	10	3	9	14	9	12
Diseases of coronary arteries and angina pectoris-----94	921	96	88	85	60	71	76	60	69	75	74	74	93
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,975	197	181	200	162	174	137	142	147	148	148	175	164
Arteriosclerosis and high blood pressure*-97,102	114	19	8	15	7	4	12	5	7	10	7	9	11
Pneumonia (all forms) and influenza-----107-109,33	270	46	39	34	21	16	14	16	8	14	16	17	29
Bronchopneumonia-----107	125	18	13	15	12	7	8	8	5	11	9	7	12
Lobar pneumonia-----108	119	24	19	15	7	7	5	7	3	3	7	7	15
Pneumonia (unspecified)-----109	7	-	1	2	-	-	1	1	-	-	-	-	2
Influenza-----33	19	4	6	2	2	2	-	-	-	-	-	3	-
Ulcer of stomach or duodenum-----117	47	3	2	3	3	6	4	4	6	2	1	7	6
Diarrhea, enteritis, etc.*-----119,120	20	1	1	-	1	4	1	4	2	2	1	2	1
Appendicitis-----121	19	5	-	2	1	2	-	3	2	-	3	-	1
Hernia and intestinal obstruction-----122	54	8	5	3	6	1	6	6	8	2	1	3	5
Cirrhosis of the liver-----124	91	8	7	10	9	9	7	1	4	9	6	12	12
Biliary calculi, etc.*-----126,127	53	3	6	7	5	5	2	8	4	5	2	4	2
Nephritis-----130-132	558	60	58	53	45	59	41	32	32	37	36	49	54
Diseases of the prostate-----137	47	5	6	6	3	3	2	4	1	4	5	5	3
Diseases of pregnancy, etc.*-----140-150	24	2	-	1	2	-	3	2	2	3	3	5	1
Puerperal septicemia-----140,142a,145a,147	9	-	-	1	-	-	-	1	-	-	3	4	-
Puerperal toxemia-----141a,c,144,148	3	-	-	-	-	-	1	1	-	1	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,148	3	1	-	-	2	-	2	-	1	2	-	1	-
Other puerperal causes-----141d,e,f,145B,150	3	1	-	-	-	-	-	-	1	-	-	-	1
Congenital malformations-----157	138	9	10	9	14	11	5	10	9	14	13	15	19
Diseases peculiar to first year of life-----158-161	291	17	12	23	18	27	29	35	20	26	34	24	26
Premature birth-----159	169	12	8	13	11	17	18	26	12	17	18	17	19
Other diseases peculiar to first year of life-----158,160,161	102	5	3	10	7	10	11	9	8	9	16	7	7
Suicide-----163,164	57	3	2	5	3	6	9	10	4	3	3	3	3
Homicide-----165-168	11	1	-	1	1	1	2	1	1	1	1	2	-
Accidental deaths-----169-195	380	46	31	32	36	36	25	30	19	28	30	33	34
Motor-vehicle accidents-----170	96	13	6	3	10	7	6	7	4	8	5	13	14
Other accidents-----169,171-195	284	33	25	29	26	29	19	23	15	20	25	20	20
Senility, ill-defined and unknown causes-----162,199,200	24	3	3	1	3	2	1	-	3	1	3	1	3
All other causes-----	362	44	36	37	33	30	30	27	26	29	33	23	34

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>SOUTH CAROLINA—All causes</b>	<b>16,351</b>	<b>1,783</b>	<b>1,475</b>	<b>1,430</b>	<b>1,346</b>	<b>1,299</b>	<b>1,307</b>	<b>1,200</b>	<b>1,234</b>	<b>1,248</b>	<b>1,304</b>	<b>1,327</b>	<b>1,399</b>
Typhoid and paratyphoid fever.....1,2	23	2	1	-	1	2	7	4	3	1	-	1	1
Cerebrospinal (meningococcus) meningitis.....6	21	3	5	1	3	1	2	-	2	1	-	-	2
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	30	1	3	2	3	5	4	4	5	-	1	-	2
Diphtheria.....10	29	5	1	3	-	1	1	-	-	2	7	-	2
Tuberculosis (all forms).....13-22	562	54	41	50	43	51	43	49	42	46	48	44	51
Tuberculosis of respiratory system, etc.*.....13	529	47	38	48	41	48	41	47	41	45	45	41	47
Tuberculosis (other forms).....14-22	33	7	3	2	2	3	2	2	1	1	3	3	4
Dysentery.....27	16	2	2	-	-	3	3	-	1	2	-	2	1
Malaria.....28	19	-	1	-	1	2	3	1	5	2	-	5	1
Syphilis.....30	250	22	19	28	24	21	16	18	19	19	26	17	23
Measles.....35	30	1	2	8	5	6	7	-	-	-	-	-	1
Polioencephalitis, poliomyelitis (acute).....36	7	1	-	2	-	-	-	-	1	-	3	-	-
Cancer and other malignant tumors.....45-55	1,337	115	102	100	110	113	123	114	118	117	99	117	109
Cancer of the digestive organs and peritoneum.....46	495	48	40	34	32	53	49	37	58	46	37	40	43
Cancer of female genital organs.....48,49	283	24	19	22	20	18	25	22	31	23	19	21	20
Cancer of the breast.....50	108	5	5	15	12	9	13	12	6	11	3	9	6
Cancer (other sites).....45,47,51-55	471	40	38	29	46	33	36	43	41	37	41	47	40
Acute rheumatic fever.....56	29	2	5	3	1	1	5	-	3	2	1	3	3
Diabetes mellitus.....61	259	36	19	17	29	21	18	19	19	15	16	20	26
Exophthalmic goiter.....63b	16	-	3	1	2	2	3	1	1	-	1	2	-
Pellagra (except alcoholic).....69	41	2	3	3	4	3	7	4	-	3	4	3	3
Alcoholism (ethylin).....77	38	3	2	4	4	4	3	7	4	1	1	5	6
Intracranial lesions of vascular origin.....83	1,808	203	190	158	161	132	154	122	128	119	138	140	162
Diseases of the heart.....90-95	2,539	375	304	318	292	312	291	238	241	291	280	285	302
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	229	29	15	19	18	21	19	17	14	21	18	20	18
Diseases of coronary arteries and angina pectoris.....94	1,134	89	114	108	86	86	84	71	79	104	100	98	97
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,176	247	175	183	178	205	188	150	148	166	162	177	187
Arteriosclerosis and high blood pressure*.....97,102	302	26	34	31	28	23	18	25	17	19	26	26	31
Pneumonia (all forms) and influenza.....107-109,33	1,042	245	158	107	65	45	57	37	41	47	65	64	91
Bronchopneumonia.....107	388	58	55	38	27	23	22	21	21	22	29	39	33
Lobar pneumonia.....108	367	88	57	43	18	18	26	11	15	14	24	22	31
Pneumonia (unspecified).....109	70	13	6	5	10	-	2	2	5	8	3	8	8
Influenza.....33	217	86	40	21	10	4	7	3	-	3	9	15	19
Ulcer of stomach or duodenum.....117	77	7	9	7	6	3	10	6	3	7	7	5	7
Diarrhea, enteritis, etc.*.....119,120	118	6	5	6	8	17	18	11	15	7	13	6	4
Appendicitis.....121	54	6	9	7	5	-	3	6	4	3	2	4	5
Hernia and intestinal obstruction.....122	93	11	4	9	8	7	6	10	11	6	7	6	9
Cirrhosis of the liver.....124	77	7	4	5	6	10	6	7	3	6	7	7	7
Biliary calculi, etc.*.....126,127	38	5	4	2	2	-	5	4	1	5	3	5	2
Nephritis.....130-132	1,478	181	145	141	127	121	122	107	101	117	106	100	110
Diseases of the prostate.....137	69	6	5	3	7	7	6	4	5	5	6	5	6
Diseases of pregnancy, etc.*.....140-150	148	11	9	13	10	16	10	13	12	12	13	15	14
Puerperal septicemia.....140,142a,145a,147	59	5	5	1	3	3	4	3	4	4	3	3	1
Puerperal toxemia.....141a,c,144,148	47	2	4	5	4	3	3	2	2	6	4	6	6
Hemorrhage, trauma or shock*.....141b,142b,143,146,149	45	4	-	6	2	6	3	7	4	1	2	6	4
Other puerperal causes.....141d,e,f,145b,150	17	-	-	1	1	4	-	1	2	1	4	-	3
Congenital malformations.....157	194	18	20	10	13	12	14	13	14	19	26	22	13
Diseases peculiar to first year of life.....158-161	1,067	76	93	80	85	80	79	84	123	97	100	82	88
Premature birth.....159	743	55	68	60	51	57	62	58	67	71	57	60	60
Other diseases peculiar to first year of life.....158,160,161	324	21	25	20	34	23	17	26	40	30	29	25	28
Suicide.....163,164	124	11	5	15	12	15	16	8	9	12	6	6	9
Homicide.....165-168	246	22	12	22	19	23	21	19	32	21	21	23	11
Accidental deaths.....169-195	1,422	123	106	131	107	101	110	117	128	117	119	131	132
Motor-vehicle accidents.....170	627	53	51	52	43	51	43	52	47	62	58	58	78
Other accidents.....169,171-195	795	70	55	79	64	70	67	65	81	55	60	75	54
Senility, ill-defined and unknown causes.....182,199,200	851	100	85	65	72	67	54	64	59	61	70	62	92
All other causes.....	897	93	65	81	85	71	62	84	63	69	77	76	71
<b>SOUTH DAKOTA—All causes</b>	<b>5,508</b>	<b>505</b>	<b>444</b>	<b>507</b>	<b>485</b>	<b>501</b>	<b>419</b>	<b>423</b>	<b>431</b>	<b>411</b>	<b>450</b>	<b>435</b>	<b>497</b>
Typhoid and paratyphoid fever.....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	3	3	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	-	-	1
Whooping cough.....9	1	-	-	-	-	-	-	1	-	-	-	-	-
Diphtheria.....10	6	1	-	1	1	-	-	-	-	-	-	1	2
Tuberculosis (all forms).....13-22	172	15	15	21	16	16	13	16	18	8	14	7	13
Tuberculosis of respiratory system, etc.*.....13	156	13	14	20	16	13	12	15	16	8	14	5	10
Tuberculosis (other forms).....14-22	16	2	1	1	-	3	1	1	2	-	-	2	3
Dysentery.....27	1	-	-	1	-	-	-	-	-	-	-	-	-
Malaria.....28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	27	1	1	2	3	3	2	2	3	6	3	1	-
Measles.....35	6	1	3	1	1	-	-	-	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute).....36	36	-	-	-	-	-	1	5	23	4	3	-	-
Cancer and other malignant tumors.....45-55	718	59	65	76	65	61	56	51	59	57	59	46	65
Cancer of the digestive organs and peritoneum.....46	340	29	29	32	27	31	28	26	24	26	33	21	34
Cancer of female genital organs.....48,49	55	5	7	6	9	3	4	2	8	3	1	4	3
Cancer of the breast.....50	70	6	5	13	4	6	6	8	4	2	8	3	5
Cancer (other sites).....45,47,51-55	253	18	24	25	25	21	18	15	23	26	17	18	23
Acute rheumatic fever.....56	7	1	2	1	-	-	-	-	2	-	-	-	1
Diabetes mellitus.....61	120	9	9	13	14	12	6	11	9	9	9	8	9
Exophthalmic goiter.....63b	3	-	-	-	-	1	1	-	-	-	1	-	-
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylin).....77	14	2	-	3	2	1	-	3	-	1	2	-	-
Intracranial lesions of vascular origin.....83	543	50	46	43	36	56	56	56	44	33	41	52	50
Diseases of the heart.....90-95	1,469	125	120	126	141	133	113	107	105	108	127	127	137
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	67	8	6	10	5	6	3	5	2	6	2	5	7
Diseases of coronary arteries and angina pectoris.....94	558	56	41	50	51	57	42	30	44	33	51	55	50
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	844	61	73	66	65	68	68	72	59	69	74	69	80
Arteriosclerosis and high blood pressure*.....97,102	150	13	13	17	13	18	14	5	12	13	13	7	12

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>SOUTH DAKOTA-Continued</b>													
Pneumonia (all forms) and influenza-----107-109,33	254	39	35	26	21	20	11	9	11	13	8	27	34
Bronchopneumonia-----107	94	11	15	7	10	8	5	4	3	8	-	13	14
Lobar pneumonia-----108	87	15	10	12	4	8	2	2	4	3	6	11	10
Pneumonia (unspecified)-----109	32	2	-	2	4	3	2	2	3	2	1	2	8
Influenza-----33	41	11	10	5	3	3	1	1	1	2	1	1	2
Ulcer of stomach or duodenum-----117	27	6	4	2	1	1	1	1	1	4	4	-	2
Diarrhea, enteritis, etc.*-----119,120	30	2	1	2	3	5	-	1	2	5	3	2	4
Appendicitis-----121	27	1	2	-	4	8	-	3	2	4	1	1	1
Hernia and intestinal obstruction-----122	47	3	2	2	2	5	4	4	6	4	5	5	5
Cirrhosis of the liver-----124	30	3	1	4	2	4	2	2	3	2	2	2	3
Biliary calculi, etc.*-----125,127	33	2	2	4	3	1	3	4	2	3	4	4	1
Nephritis-----130-132	260	24	16	29	23	23	25	19	24	22	20	14	21
Diseases of the prostate-----137	43	3	2	8	7	3	2	3	2	1	4	2	6
Diseases of pregnancy, etc.*-----140-150	15	-	1	1	2	2	3	1	3	-	1	-	1
Puerperal septicemia-----140,142a,145a,147	7	-	1	-	2	-	3	-	1	-	-	-	-
Puerperal toxemia-----141a,c,144,148	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,145,149	-	-	-	1	-	2	-	1	2	-	-	-	1
Other puerperal causes-----141d,e,f,145b,150	1	-	-	-	-	-	-	-	-	-	1	-	-
Congenital malformations-----157	65	7	5	3	7	4	4	6	3	6	9	5	6
Diseases peculiar to first year of life-----158-161	260	24	15	17	22	19	19	20	21	19	30	26	19
Premature birth-----159	147	12	7	9	14	13	10	14	16	10	18	15	9
Other diseases peculiar to first year of life-----158,160,161	105	12	8	8	8	6	9	6	5	9	12	11	10
Suicide-----163,164	69	11	3	5	6	7	4	7	5	6	6	4	5
Homicide-----165-169	6	2	-	-	-	2	-	-	-	1	-	-	1
Accidental deaths-----169-195	459	37	25	36	34	42	35	41	40	36	38	41	53
Motor-vehicle accidents-----170	161	13	6	6	10	15	8	17	23	12	16	13	22
Other accidents-----169,171-195	298	24	20	30	24	27	27	24	17	24	22	28	31
Senility, ill-defined and unknown causes-----162,199,200	227	24	25	24	24	20	25	15	9	17	14	21	9
All other causes-----	368	38	29	39	32	34	39	30	23	28	29	32	36
<b>TENNESSEE-----All causes</b>	<b>27,650</b>	<b>2,989</b>	<b>2,419</b>	<b>2,473</b>	<b>2,270</b>	<b>2,334</b>	<b>2,239</b>	<b>2,100</b>	<b>2,136</b>	<b>2,066</b>	<b>2,222</b>	<b>2,118</b>	<b>2,448</b>
Typhoid and paratyphoid fever-----1,2	20	-	2	-	-	3	2	5	3	-	3	-	2
Cerebrospinal (meningococcus) meningitis-----5	53	14	7	4	2	2	3	5	2	4	2	5	5
Scarlet fever-----8	3	1	1	-	-	-	-	-	-	-	1	-	-
Whooping cough-----9	51	7	6	3	6	4	3	3	3	3	3	6	6
Diphtheria-----10	28	3	1	2	1	-	1	-	2	5	6	1	3
Tuberculosis (all forms)-----13-22	1,631	172	159	160	138	140	120	127	127	109	109	139	131
Tuberculosis of respiratory system, etc.*-----13	1,500	159	149	148	127	127	108	114	116	103	99	130	120
Tuberculosis (other forms)-----14-22	131	13	10	12	11	13	12	13	11	6	10	9	11
Dysentery-----27	28	2	3	-	2	2	4	3	4	3	2	1	2
Malaria-----28	17	1	2	1	1	2	2	5	3	1	-	-	1
Syphilis-----30	266	27	15	28	17	25	22	19	20	17	28	23	25
Measles-----35	42	2	4	11	9	9	3	1	1	-	-	1	1
Poliomyelitis, poliomyelitis (acute)-----36	18	2	-	1	1	1	-	1	4	2	4	-	2
Cancer and other malignant tumors-----45-55	2,852	240	213	242	239	240	254	248	263	218	250	232	233
Cancer of the digestive organs and peritoneum-----46	1,178	104	92	105	109	90	103	86	111	86	96	86	102
Cancer of female genital organs-----48,49	442	42	35	32	33	35	41	47	48	28	36	34	31
Cancer of the breast-----50	241	18	25	17	15	20	14	20	25	23	24	18	22
Cancer (other sites)-----45,47,51-55	991	76	61	88	82	95	70	95	79	61	92	94	78
Acute rheumatic fever-----58	32	4	2	5	2	2	2	-	3	1	3	4	4
Diabetes mellitus-----61	394	33	45	36	35	26	26	26	42	30	37	23	35
Exophthalmic goiter-----63b	44	3	5	3	3	9	6	5	1	2	1	1	5
Pellagra (except alcoholic)-----69	60	6	5	4	6	7	6	4	7	6	4	1	4
Alcoholism (ethylinism)-----77	38	2	3	1	4	9	4	3	2	4	2	2	2
Intracranial lesions of vascular origin-----83	2,782	288	229	271	227	259	230	214	196	206	223	192	247
Diseases of the heart-----90-95	6,521	685	598	576	541	581	522	464	484	487	498	540	555
Chronic rheumatic diseases of the heart-----90a,92b,c,93a,95b	495	51	47	44	44	40	37	32	36	32	38	48	46
Diseases of coronary arteries and angina pectoris-----94	1,940	185	148	155	168	204	157	150	141	146	158	147	181
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,086	449	393	377	329	337	328	282	307	309	302	345	328
Arteriosclerosis and high blood pressure*-----97,102	539	44	23	31	20	26	39	26	27	26	28	22	27
Pneumonia (all forms) and influenza-----107-109,33	1,751	320	277	186	128	112	83	59	93	89	128	114	182
Bronchopneumonia-----107	704	90	87	66	57	52	28	34	44	39	61	65	81
Lobar pneumonia-----108	550	84	97	70	41	35	21	16	39	28	36	23	80
Pneumonia (unspecified)-----109	119	21	16	7	9	11	5	4	3	10	11	8	14
Influenza-----33	578	125	77	43	21	14	9	5	7	12	20	18	27
Ulcer of stomach or duodenum-----117	162	24	16	11	14	7	11	14	9	13	14	12	17
Diarrhea, enteritis, etc.*-----119,120	233	18	9	15	16	20	36	34	18	16	28	12	11
Appendicitis-----121	116	6	9	9	14	11	9	11	10	7	11	8	11
Hernia and intestinal obstruction-----122	195	24	9	15	14	18	22	16	23	18	13	10	15
Cirrhosis of the liver-----124	152	9	12	9	18	13	10	10	9	14	17	15	16
Biliary calculi, etc.*-----125,127	78	7	3	8	4	7	10	7	6	7	7	7	5
Nephritis-----130-132	1,655	142	141	151	144	156	141	142	116	154	141	104	143
Diseases of the prostate-----137	159	14	17	17	17	14	15	14	6	11	10	16	8
Diseases of pregnancy, etc.*-----140-150	142	6	11	6	9	10	13	16	13	10	17	14	17
Puerperal septicemia-----140,142a,145a,147	45	4	1	-	1	1	4	3	7	3	8	6	7
Puerperal toxemia-----141a,c,144,148	46	1	4	4	2	5	3	8	3	4	5	1	6
Hemorrhage, trauma or shock*-----141b,142b,143,145,149	35	1	3	2	4	4	4	1	3	3	4	5	1
Other puerperal causes-----141d,e,f,145b,150	16	-	3	-	2	-	2	-	-	-	-	2	3
Congenital malformations-----157	315	25	20	26	31	27	33	19	27	27	26	28	27
Diseases peculiar to first year of life-----158-161	1,608	112	96	110	105	112	129	152	153	157	140	139	143
Premature birth-----159	897	63	64	79	73	76	83	99	89	89	93	106	83
Other diseases peculiar to first year of life-----158,160,161	511	49	32	31	32	36	46	53	44	48	47	33	60
Suicide-----163,164	250	15	20	25	22	31	21	18	22	21	19	13	25
Homicide-----165-169	399	31	24	25	34	35	42	37	40	26	20	35	40
Accidental deaths-----169-195	1,919	179	133	158	155	146	174	168	170	166	147	153	170
Motor-vehicle accidents-----170	676	57	35	58	60	58	47	54	57	56	59	64	71
Other accidents-----169,171-195	1,243	122	98	100	95	88	127	114	113	110	88	89	99
Senility, ill-defined and unknown causes-----162,199,200	1,762	217	187	171	142	130	142	100	103	129	150	122	169
All other causes-----	1,648	145	122	154	149	140	135	125	143	119	129	128	159

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS—All causes	59,706	5,875	5,120	5,204	4,651	4,974	4,690	5,136	4,782	4,345	4,806	4,832	5,290
Typhoid and paratyphoid fever—1,2	48	5	4	4	4	7	3	5	5	4	1	2	4
Cerebrospinal (meningococcus) meningitis—6	58	10	4	8	9	7	3	2	1	2	3	5	4
Scarlet fever—8	7	-	-	1	-	2	1	1	1	-	1	-	-
Whooping cough—9	92	8	7	7	10	10	7	12	7	5	4	5	10
Diphtheria—10	108	18	11	10	-	5	11	4	7	5	8	16	13
Tuberculosis (all forms)—13-22	2,923	260	257	258	252	275	253	250	236	193	230	206	253
Tuberculosis of respiratory system, etc.*—13	2,721	252	238	243	229	245	236	230	221	184	215	192	236
Tuberculosis (other forms)—14-22	202	8	19	15	23	30	17	20	15	9	15	14	17
Dysentery—27	252	17	6	18	25	44	40	33	19	11	15	12	13
Malaria—28	63	4	2	4	4	6	6	6	9	6	6	6	2
Syphilis—30	640	75	56	53	45	51	47	57	61	55	50	38	54
Measles—35	86	1	4	17	21	20	16	-	4	1	1	1	-
Poliomyelitis, poliomyelitis (acute)—36	102	4	4	1	-	11	12	22	15	13	4	12	4
Cancer and other malignant tumors—45-55	8,424	540	466	552	504	527	515	553	567	506	559	561	574
Cancer of the digestive organs and peritoneum—46	2,457	220	185	195	204	196	195	222	232	199	202	201	208
Cancer of female genital organs—48,49	799	63	61	68	57	66	89	65	78	47	64	63	70
Cancer of the breast—50	523	36	34	51	39	56	32	52	34	39	47	56	47
Cancer (other sites)—45,47,51-55	2,645	221	188	238	204	209	199	214	223	221	246	241	241
Acute rheumatic fever—58	54	4	6	10	4	4	2	2	3	5	6	5	5
Diabetes mellitus—61	904	118	87	94	74	79	53	66	54	63	66	78	82
Exophthalmic goiter—63b	57	6	10	5	6	3	4	4	3	3	6	4	3
Pellagra (except alcoholic)—69	147	15	15	10	9	12	11	11	15	14	15	7	13
Alcoholism (ethylin)—77	86	8	10	6	5	2	1	7	11	7	10	10	9
Intracranial lesions of vascular origin—83	5,052	547	451	464	390	402	385	411	397	314	414	406	451
Diseases of the heart—90-95	14,039	1,414	1,246	1,248	1,120	1,118	1,069	1,190	1,086	1,004	1,122	1,173	1,288
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	524	48	61	52	47	36	41	41	40	21	42	55	40
Diseases of coronary arteries and angina pectoris—94	5,531	549	444	452	421	449	426	474	422	406	478	502	508
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	7,984	817	741	744	652	634	602	675	604	577	602	616	720
Arteriosclerosis and high blood pressure—97,102	861	82	84	80	76	65	74	90	65	53	70	51	71
Pneumonia (all forms) and influenza—107-109,53	3,155	553	455	381	220	187	140	171	144	141	208	247	308
Bronchopneumonia—107	1,036	148	125	118	62	62	44	66	68	62	83	98	100
Lobar pneumonia—108	675	110	77	79	52	42	42	36	25	31	50	47	84
Pneumonia (unspecified)—109	882	114	100	103	78	66	39	62	44	38	58	72	90
Influenza—53	582	181	153	81	28	17	15	7	7	10	19	30	34
Ulcer of stomach or duodenum—117	287	22	23	28	19	21	14	28	22	20	21	17	22
Diarrhea, enteritis, etc.*—119,120	1,007	78	52	61	84	152	117	122	95	58	65	71	62
Appendicitis—121	248	26	25	18	16	25	23	26	27	19	16	12	15
Hernia and intestinal obstruction—122	519	49	38	39	36	44	48	57	44	43	41	41	39
Cirrhosis of the liver—124	406	39	30	25	26	36	27	36	30	42	41	42	32
Biliary calculi, etc.*—126,127	243	17	17	18	19	17	28	22	21	23	25	21	15
Nephritis—130-132	3,133	344	268	262	254	262	225	263	221	232	229	236	277
Diseases of the prostate—137	323	34	27	34	27	32	22	25	26	20	27	18	31
Diseases of pregnancy, etc.*—140-150	295	31	18	23	15	22	21	29	27	33	31	21	24
Puerperal septicemia—140,142a,143a,147	106	11	9	6	6	11	10	6	6	18	6	8	9
Puerperal toxemia—141a,c,144,148	76	6	3	7	5	2	4	10	7	8	8	8	8
Hemorrhage, trauma or shock—141b,142b,143,146,149	78	13	3	6	3	5	6	6	10	4	11	4	5
Other puerperal causes—141d,e,f,145b,150	35	1	3	2	1	4	1	7	4	3	6	1	2
Congenital malformations—157	615	51	61	59	52	68	48	81	63	75	86	77	96
Diseases peculiar to first year of life—159-161	3,668	238	213	255	289	317	291	340	373	355	329	337	340
Premature birth—159	2,424	170	155	153	182	227	204	224	230	241	195	224	239
Other diseases peculiar to first year of life—159,160,161	1,244	89	78	102	77	90	87	118	143	114	134	113	101
Suicide—163,164	632	40	52	61	51	59	62	75	41	49	54	37	50
Homicide—165-168	805	50	52	63	48	67	75	79	78	74	83	72	64
Accidental deaths—169-195	5,169	490	413	416	384	411	432	455	467	402	391	442	476
Motor-vehicle accidents—170	1,821	149	130	147	134	134	131	137	200	131	132	161	195
Other accidents—169,171-195	3,348	331	283	269	250	277	301	318	267	271	259	281	281
Senility, ill-defined and unknown causes—192,193,200	2,720	285	246	252	226	207	207	218	222	173	220	213	257
All other causes—	4,328	383	360	349	357	382	397	383	346	323	351	329	348
UTAH—All causes	4,785	446	439	425	417	426	355	369	373	331	399	363	442
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	6	-	2	-	-	-	-	-	-	1	-	1	2
Scarlet fever—8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	1	1	1	-	-	1	-	-	1	-	-	1
Diphtheria—10	4	-	-	-	-	1	-	1	-	-	-	1	1
Tuberculosis (all forms)—13-22	83	9	4	6	11	6	5	10	7	3	5	6	12
Tuberculosis of respiratory system, etc.*—13	72	7	3	4	10	5	4	6	7	3	5	6	12
Tuberculosis (other forms)—14-22	11	1	1	2	1	1	1	4	-	-	-	-	-
Dysentery—27	4	-	-	-	-	1	-	2	-	1	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	50	4	1	3	3	3	4	1	-	1	3	5	2
Measles—35	5	-	-	2	1	-	1	1	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	8	-	-	-	-	-	1	-	3	2	1	2	-
Cancer and other malignant tumors—45-55	528	45	44	35	57	42	39	39	52	48	51	36	41
Cancer of the digestive organs and peritoneum—46	235	18	19	13	23	26	18	17	19	21	28	13	20
Cancer of female genital organs—48,49	62	6	6	6	6	3	3	4	6	8	4	6	4
Cancer of the breast—50	46	3	5	2	6	2	7	3	7	5	3	2	2
Cancer (other sites)—45,47,51-55	186	18	14	14	23	11	11	15	20	14	16	15	15
Acute rheumatic fever—58	4	1	-	-	-	1	-	2	-	-	-	-	-
Diabetes mellitus—61	119	16	6	9	12	17	7	7	6	11	9	12	7
Exophthalmic goiter—63b	12	1	1	1	-	1	2	2	-	-	1	2	1
Pellagra (except alcoholic)—69	2	-	-	-	-	1	-	-	-	-	-	-	1
Alcoholism (ethylin)—77	9	1	1	-	1	-	-	3	1	-	-	-	2
Intracranial lesions of vascular origin—83	338	36	43	39	26	37	20	24	22	16	17	24	35
Diseases of the heart—90-95	1,371	135	117	128	102	121	103	101	101	94	117	112	140
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	154	24	10	15	9	19	6	13	12	7	17	13	11
Diseases of coronary arteries and angina pectoris—94	487	43	39	40	30	42	33	42	32	44	48	43	51
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	730	68	68	75	63	60	64	46	57	43	52	56	78
Arteriosclerosis and high blood pressure—97,102	79	7	14	9	5	6	8	7	2	10	3	3	5

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—Continued													
Pneumonia (all forms) and influenza.....107-109,33	223	31	38	27	21	15	15	7	7	9	17	12	24
Bronchopneumonia.....107	99	10	14	13	8	8	10	5	3	3	9	4	11
Lobar pneumonia.....108	72	9	10	6	10	5	3	2	2	5	6	8	8
Pneumonia (unspecified).....109	24	2	5	3	1	1	1	1	1	1	2	2	5
Influenza.....33	28	10	9	5	2	1	1	1	1	1	1	1	1
Ulcer of stomach or duodenum.....117	54	4	3	5	4	7	5	4	3	3	1	5	10
Diarrhea, enteritis, etc.*.....119,120	28	2	2	2	1	1	3	4	2	1	4	3	3
Appendicitis.....121	14	1	2	1	4	1	1	1	2	1	1	1	1
Hernia and intestinal obstruction.....122	45	1	6	9	4	2	2	2	1	1	7	1	4
Cirrhosis of the liver.....124	37	2	3	4	3	1	4	5	5	1	3	4	4
Biliary calculi, etc.*.....126,127	22	1	5	1	3	3	1	3	1	1	5	1	1
Nephritis.....130-132	218	24	21	17	16	22	21	17	13	12	21	16	18
Diseases of the prostate.....137	28	3	3	4	1	4	2	4	1	1	1	3	3
Diseases of pregnancy, etc.*.....140-150	25	1	1	1	2	2	1	4	3	2	1	4	4
Puerperal septicemia.....140,142a,145A,147	10	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal toxemia.....141a,c,144,148	7	1	2	1	1	1	1	1	1	1	1	1	1
Hemorrhage, trauma or shock*.....141b,142b,143,146,149	8	1	1	1	1	2	1	3	1	1	1	1	1
Other puerperal causes.....141d,e,f,145B,150	1	1	1	1	1	1	1	1	1	1	1	1	1
Congenital malformations.....157	80	9	3	8	5	6	3	3	10	10	8	6	9
Diseases peculiar to first year of life.....158-161	323	22	24	31	31	24	28	27	31	27	26	25	27
Premature birth.....158	213	14	18	22	19	15	18	10	21	19	17	18	22
Other diseases peculiar to first year of life.....158,160,161	110	8	6	9	12	9	10	17	10	8	9	7	5
Suicide.....163,164	41	1	2	8	7	2	3	3	4	2	3	2	4
Homicide.....165-168	14	1	3	1	1	3	1	1	2	4	1	1	1
Accidental deaths.....169-195	511	49	41	33	46	45	37	45	50	35	44	40	46
Motor-vehicle accidents.....170	198	17	24	8	18	18	9	15	16	11	17	14	18
Other accidents.....169,171-195	328	32	17	25	28	27	28	30	34	24	27	26	28
Senility, ill-defined and unknown causes.....162,199,200	199	23	21	21	22	20	13	19	11	9	14	12	14
All other causes.....	312	18	25	23	29	33	26	18	32	26	34	26	22
VERMONT—All causes													
	4,140	419	346	381	354	395	304	304	280	305	351	296	404
Typhoid and paratyphoid fever.....1,2	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebrospinal (meningococcus) meningitis.....6	3	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet fever.....8	2	1	1	1	1	1	1	1	1	1	1	1	1
Whooping cough.....9	3	2	1	1	1	1	1	1	1	1	1	1	1
Diphtheria.....10	2	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis (all forms).....13-22	129	7	9	10	15	14	12	10	11	10	16	6	9
Tuberculosis of respiratory system, etc.*.....13	125	7	9	8	15	13	12	8	11	10	16	6	8
Tuberculosis (other forms).....14-22	6	1	1	2	1	1	1	2	1	1	1	1	1
Dysentery.....27	1	1	1	1	1	1	1	1	1	1	1	1	1
Malaria.....28	1	1	1	1	1	1	1	1	1	1	1	1	1
Syphilis.....30	15	1	1	4	2	2	1	1	1	1	1	1	1
Measles.....35	4	1	1	1	1	2	1	1	1	1	1	1	1
Poliomyelitis, poliomyelitis (acute).....36	5	1	1	1	1	1	1	1	1	1	1	1	1
Cancer and other malignant tumors.....45-55	565	43	35	46	50	59	50	42	49	55	47	39	50
Cancer of the digestive organs and peritoneum.....46	266	18	17	23	25	26	24	19	21	29	23	22	19
Cancer of female genital organs.....48,49	78	3	4	8	2	7	7	6	7	7	7	5	8
Cancer of the breast.....50	61	6	3	4	2	5	6	6	6	5	3	3	6
Cancer (other sites).....45,47,51-55	160	16	11	11	12	19	11	11	15	14	14	9	17
Acute rheumatic fever.....58	1	1	1	1	1	1	1	1	1	1	1	1	1
Diabetes mellitus.....61	108	13	13	12	8	7	9	10	7	7	11	5	7
Exophthalmic goiter.....63b	7	1	1	1	1	1	1	1	1	1	1	1	1
Pellagra (except alcoholism).....69	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism (ethylism).....77	8	1	1	1	1	1	1	1	1	1	1	1	1
Intracranial lesions of vascular origin.....83	411	42	36	34	36	41	31	23	29	26	34	28	51
Diseases of the heart.....90-95	1,390	159	134	135	107	131	105	95	83	93	117	99	132
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	82	10	10	4	3	11	5	5	5	6	11	3	9
Diseases of coronary arteries and angina pectoris.....94	449	41	39	45	32	60	34	33	32	21	41	37	44
Diseases of heart (other forms).....90b,91,92a,d,e,93a,b,d,e,95a,c	859	108	85	86	72	70	66	57	46	66	65	59	79
Arteriosclerosis and high blood pressure*.....97,102	128	14	11	10	13	12	14	5	8	13	8	8	12
Pneumonia (all forms) and influenza.....107-109,33	200	42	25	26	14	16	9	7	4	9	11	12	27
Bronchopneumonia.....107	82	21	3	8	9	9	3	3	3	4	3	5	11
Lobar pneumonia.....108	69	10	9	9	4	3	5	4	1	3	4	6	11
Pneumonia (unspecified).....109	13	1	1	2	1	2	1	1	1	2	2	1	2
Influenza.....33	36	10	11	7	1	2	1	1	1	1	1	1	3
Ulcer of stomach or duodenum.....117	16	1	3	1	1	2	1	2	1	2	3	1	2
Diarrhea, enteritis, etc.*.....119,120	12	1	1	1	2	1	1	1	1	1	1	1	1
Appendicitis.....121	20	1	1	1	1	1	1	1	1	1	1	1	1
Hernia and intestinal obstruction.....122	56	4	3	1	3	1	4	1	1	1	2	2	3
Cirrhosis of the liver.....124	22	1	2	2	3	1	1	3	2	1	3	1	2
Biliary calculi, etc.*.....126,127	18	1	1	1	3	1	1	5	2	1	1	2	2
Nephritis.....130-132	183	22	17	28	16	14	10	14	12	6	13	10	21
Diseases of the prostate.....137	24	5	2	1	1	2	2	4	2	1	1	1	3
Diseases of pregnancy, etc.*.....140-150	12	1	1	1	1	2	1	1	1	1	1	1	1
Puerperal septicemia.....140,142a,145A,147	5	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal toxemia.....141a,c,144,148	2	1	1	1	1	1	1	1	1	1	1	1	1
Hemorrhage, trauma or shock*.....141b,142b,143,146,149	6	1	1	1	1	1	1	1	1	1	1	1	1
Other puerperal causes.....141d,e,f,145B,150	1	1	1	1	1	1	1	1	1	1	1	1	1
Congenital malformations.....157	58	3	7	5	6	2	2	4	5	3	11	6	4
Diseases peculiar to first year of life.....158-161	159	7	9	11	10	14	8	17	13	21	11	15	23
Premature birth.....158	112	5	7	10	9	9	6	12	6	14	9	10	15
Other diseases peculiar to first year of life.....158,160,161	47	2	2	1	1	5	2	5	7	7	2	5	8
Suicide.....163,164	45	3	2	4	6	3	3	12	1	3	2	6	1
Homicide.....165-168	6	1	1	1	1	1	1	1	1	1	1	1	1
Accidental deaths.....169-195	271	18	19	26	25	30	20	18	28	20	22	25	20
Motor-vehicle accidents.....170	88	7	4	8	7	11	8	5	7	8	8	9	6
Other accidents.....169,171-195	183	11	15	18	18	19	12	13	21	12	14	16	14
Senility, ill-defined and unknown causes.....162,199,200	53	2	1	9	5	8	1	9	2	6	3	1	6
All other causes.....	222	20	15	11	28	20	14	17	12	19	24	22	22

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	28,154	2,957	2,513	2,463	2,303	2,293	2,143	2,173	2,082	2,263	2,262	2,139	2,563
Typhoid and paratyphoid fever—1,2	6	1	-	-	-	1	3	-	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis—6	41	11	5	5	4	2	1	3	3	3	1	1	2
Scarlet fever—8	13	2	-	3	-	1	-	-	1	1	1	1	3
Whooping cough—9	57	10	6	2	5	3	4	6	6	1	5	3	6
Diphtheria—10	43	7	6	1	-	6	1	5	1	6	3	5	2
Tuberculosis (all forms)—13-22	1,300	113	127	131	107	104	95	104	118	112	95	91	103
Tuberculosis of respiratory system, etc.*—13	1,174	107	113	118	91	94	86	91	109	99	87	84	95
Tuberculosis (other forms)—14-22	126	6	14	13	16	10	9	13	9	13	8	7	8
Dysentery—27	29	-	1	3	1	4	1	1	5	2	2	5	3
Malaria—28	3	-	-	1	1	1	-	-	-	-	-	-	-
Syphilis—30	337	40	29	30	31	29	20	32	24	22	29	19	33
Measles—35	39	1	4	6	7	10	9	2	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)—36	14	-	2	1	-	-	-	-	3	-	5	2	1
Cancer and other malignant tumors—45-55	2,768	260	218	230	223	256	209	224	213	262	229	193	245
Cancer of the digestive organs and peritoneum—46	1,119	117	79	95	98	107	87	94	80	113	89	74	97
Cancer of female genital organs—48,49	402	35	32	31	27	37	27	35	27	39	44	33	35
Cancer of the breast—50	268	16	24	21	23	28	20	28	16	25	22	24	21
Cancer (other sites)—45,47,51-55	979	92	84	83	91	84	75	67	90	85	74	62	92
Acute rheumatic fever—58	32	2	4	3	5	3	2	2	-	3	2	5	1
Diabetes mellitus—61	541	64	49	54	53	47	33	34	33	52	35	43	44
Exophthalmic goiter—63b	50	7	1	6	4	4	5	4	6	2	1	5	5
Pellagra (except alcoholic)—63	25	2	4	2	1	1	5	2	3	1	2	1	1
Alcoholism (ethylin)—77	91	11	2	8	8	8	2	11	10	7	10	5	13
Intracranial lesions of vascular origin—83	2,669	285	255	240	244	246	214	222	229	239	207	224	254
Diseases of the heart—90-95	7,437	750	691	684	614	599	580	543	534	573	627	558	684
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	396	39	38	40	35	29	18	31	27	34	40	28	37
Diseases of coronary arteries and angina pectoris—94	2,202	178	178	181	185	189	180	171	175	181	191	175	222
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,839	533	475	463	394	381	382	341	334	358	396	357	425
Arteriosclerosis and high blood pressure—97,102	425	48	41	39	30	33	44	22	20	41	42	30	35
Pneumonia (all forms) and influenza—107-109,33	1,484	305	204	144	117	84	59	48	54	72	97	121	179
Bronchopneumonia—107	557	92	74	49	44	28	25	27	19	38	42	50	73
Lobar pneumonia—108	352	64	46	39	27	30	12	9	16	18	25	28	38
Pneumonia (unspecified)—109	297	50	33	29	26	15	18	9	16	14	21	26	42
Influenza—33	278	99	51	27	20	15	4	3	3	4	9	17	26
Ulcer of stomach or duodenum—117	149	17	10	11	12	5	14	19	7	15	20	5	14
Diarrhea, enteritis, etc.*—119,120	228	14	21	17	16	10	23	27	31	20	22	14	13
Appendicitis—121	85	6	11	7	5	7	8	13	11	4	5	4	4
Hernia and intestinal obstruction—122	201	18	11	20	15	14	24	12	15	12	22	12	16
Cirrhosis of the liver—124	166	13	20	10	16	16	12	18	9	18	10	10	16
Biliary calculi, etc.*—126,127	90	5	7	9	5	5	10	7	8	12	6	7	7
Nephritis—130-132	2,070	223	199	174	162	170	162	145	161	158	161	145	190
Diseases of the prostate—137	141	13	18	6	12	12	12	10	6	10	20	9	9
Diseases of pregnancy, etc.*—140-150	124	17	13	11	8	6	10	12	8	9	7	11	12
Puerperal septicemia—140,142a,145A,147	39	6	5	2	5	-	4	4	2	2	2	1	6
Puerperal toxemia—141a,c,144,148	36	5	2	3	2	2	3	3	3	3	-	6	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	37	3	4	5	1	2	3	2	4	4	4	4	2
Other puerperal causes—141d,e,f,145B,150	12	3	2	1	-	2	-	2	1	-	1	-	-
Congenital malformations—157	364	28	21	29	24	33	26	32	33	29	36	38	35
Diseases peculiar to first year of life—158-161	1,618	124	98	129	107	156	140	134	128	167	141	134	160
Premature birth—158	1,039	77	61	82	74	102	88	93	82	114	94	94	98
Other diseases peculiar to first year of life—159,160,161	579	47	37	47	33	54	52	41	46	53	47	50	72
Suicide—163,164	337	27	25	28	31	32	19	39	17	34	30	32	23
Homicide—165-166	336	30	26	34	23	28	21	30	32	31	21	28	32
Accidental deaths—169-195	2,225	221	166	177	185	172	188	216	183	167	167	181	202
Motor-vehicle accidents—170	809	79	62	56	61	45	66	75	71	72	77	69	77
Other accidents—169,171-195	1,416	142	104	121	124	127	122	141	112	95	90	113	125
Senility, ill-defined and unknown causes—162,199,200	675	100	72	58	47	43	46	51	40	48	49	57	64
All other causes—	1,742	172	147	150	156	142	141	133	128	132	148	140	153
WASHINGTON—All causes	22,011	2,028	1,845	1,989	1,922	1,832	1,755	1,754	1,713	1,602	1,856	1,843	1,874
Typhoid and paratyphoid fever—1,2	4	1	-	-	-	-	-	-	-	-	1	2	-
Cerebrospinal (meningococcus) meningitis—6	19	2	1	4	3	5	1	-	-	-	1	1	1
Scarlet fever—8	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	15	1	2	1	2	1	1	2	2	2	1	-	-
Diphtheria—10	25	3	2	3	-	2	1	2	-	5	2	2	3
Tuberculosis (all forms)—13-22	738	70	65	72	64	54	78	61	61	56	61	71	45
Tuberculosis of respiratory system, etc.*—13	679	67	60	66	57	51	68	55	58	52	54	67	44
Tuberculosis (other forms)—14-22	59	3	5	6	7	3	10	6	3	4	7	4	1
Dysentery—27	5	-	-	-	-	1	1	1	-	2	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	166	21	16	19	16	15	12	16	13	16	10	15	17
Measles—35	21	2	3	4	3	5	4	-	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)—36	34	-	2	-	-	1	2	1	5	9	11	1	2
Cancer and other malignant tumors—45-55	2,808	208	215	215	245	237	239	262	250	212	236	261	228
Cancer of the digestive organs and peritoneum—46	1,229	99	91	90	96	106	106	119	109	103	99	116	95
Cancer of female genital organs—48,49	321	22	30	22	32	32	27	21	22	26	33	22	22
Cancer of the breast—50	268	19	18	19	29	21	16	31	28	19	21	24	23
Cancer (other sites)—45,47,51-55	980	86	76	84	88	78	85	65	92	68	90	88	88
Acute rheumatic fever—58	16	3	1	1	1	1	3	2	2	1	-	-	1
Diabetes mellitus—61	482	48	45	37	44	38	39	32	36	30	49	40	44
Exophthalmic goiter—63b	43	3	2	2	3	8	4	4	3	4	6	2	2
Pellagra (except alcoholic)—63	2	-	-	-	1	1	-	-	-	-	-	-	-
Alcoholism (ethylin)—77	85	9	5	12	8	4	6	8	7	4	7	8	5
Intracranial lesions of vascular origin—83	1,958	203	168	177	182	145	163	134	160	147	151	157	171
Diseases of the heart—90-95	7,104	669	591	667	624	617	550	533	522	540	584	571	636
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	583	42	38	31	39	35	29	31	22	24	28	27	37
Diseases of coronary arteries and angina pectoris—94	2,875	252	225	268	220	250	233	218	221	223	245	255	284
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	3,646	375	328	367	365	332	289	284	279	293	311	289	335
Arteriosclerosis and high blood pressure—97,102	379	46	32	46	25	37	32	26	18	25	35	32	25

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON-Continued													
Pneumonia (all forms) and influenza-----107-109,33	876	109	115	96	84	62	42	52	31	47	73	81	64
Bronchopneumonia-----107	455	38	54	52	42	35	26	34	18	24	42	43	49
Lobar pneumonia-----108	272	37	30	27	25	24	10	16	9	18	26	29	21
Pneumonia (unspecified)-----109	71	11	13	6	7	4	4	1	2	4	5	5	11
Influenza-----33	78	25	18	11	10	1	1	2	1	2	4	3	3
Ulcer of stomach or duodenum-----117	158	15	15	15	15	13	9	12	17	13	7	12	15
Diarrhea, enteritis, etc.*-----119,120	76	5	4	7	6	10	5	5	13	7	6	5	3
Appendicitis-----121	69	3	5	9	7	6	8	7	10	4	3	1	5
Hernia and intestinal obstruction-----122	147	12	11	12	17	13	11	14	13	9	7	15	13
Cirrhosis of the liver-----124	171	10	12	14	19	24	9	23	19	10	11	9	11
Biliary calculi, etc.*-----126,127	117	12	11	10	7	8	10	13	6	5	13	6	16
Nephritis-----130-132	972	84	82	87	73	85	68	65	74	76	92	96	90
Diseases of the prostate-----137	120	4	8	11	19	8	12	10	11	11	7	11	8
Diseases of pregnancy, etc.*-----140-150	62	3	4	6	3	7	7	7	6	9	5	1	4
Puerperal septicemia-----140,142a,145A,147	16	1	2	4	2	1	2	1	1	2	1	1	1
Puerperal toxemia-----141a,c,144,148	12	1	1	2	1	1	1	1	1	2	1	1	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	26	1	2	1	1	4	1	5	3	4	1	1	3
Other puerperal causes-----141d,e,f,145B,150	8	-	-	-	-	1	-	1	2	2	2	-	-
Congenital malformations-----157	261	24	17	14	30	17	17	18	21	20	30	22	31
Diseases peculiar to first year of life-----158-161	1,053	83	91	68	78	89	90	97	90	78	109	87	94
Premature birth-----159	865	53	58	40	47	62	67	60	51	44	73	44	66
Other diseases peculiar to first year of life-----158,160,161	388	30	33	28	31	27	23	37	39	34	36	43	28
Suicide-----163,164	353	28	31	33	34	30	37	32	19	20	25	30	34
Homicide-----165-169	81	7	5	9	6	5	6	8	6	5	5	9	8
Accidental deaths-----169-195	1,922	169	145	160	152	151	159	178	174	148	173	163	150
Motor-vehicle accidents-----170	633	76	42	53	44	43	46	46	63	48	66	52	54
Other accidents-----169,171-195	1,289	93	103	107	108	109	113	132	111	100	107	111	96
Sensility, ill-defined and unknown causes-----162,199,200	392	53	24	41	43	32	29	27	22	22	35	29	35
All other causes-----	1,256	116	113	137	108	103	98	102	100	85	101	103	93
WEST VIRGINIA-----All causes													
	16,238	1,648	1,420	1,593	1,516	1,374	1,239	1,239	1,232	1,280	1,285	1,318	1,495
Typhoid and paratyphoid fever-----1,2	10	1	-	-	-	-	3	2	-	1	2	-	1
Cerebrospinal (meningococcus) meningitis-----6	21	3	2	3	2	-	-	2	1	3	2	-	3
Scarlet fever-----8	9	2	1	1	-	-	2	2	-	1	-	-	-
Whooping cough-----9	33	1	2	1	3	3	6	2	3	5	2	1	4
Diphtheria-----10	21	7	3	1	-	2	-	1	-	-	2	2	3
Tuberculosis (all forms)-----13-22	718	75	69	51	78	62	64	54	48	55	54	56	53
Tuberculosis of respiratory system, etc.*-----13	650	68	64	49	72	57	57	48	38	50	47	49	51
Tuberculosis (other forms)-----14-22	68	5	5	2	7	5	7	6	10	5	7	7	2
Dysentery-----27	29	1	1	2	2	6	2	2	4	6	2	-	1
Malaria-----29	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	195	19	17	17	17	19	21	13	11	9	14	20	18
Measles-----31	11	2	-	1	1	1	2	-	-	-	1	2	1
Poliomyelitis, poliomyelitis (acute)-----36	7	-	1	-	-	-	-	1	1	2	-	1	1
Cancer and other malignant tumors-----45-55	1,701	151	134	136	134	154	145	137	154	148	141	124	143
Cancer of the digestive organs and peritoneum-----46	698	67	60	54	45	62	68	59	60	58	57	55	52
Cancer of female genital organs-----48,49	274	24	16	27	25	30	22	18	23	23	27	22	17
Cancer of the bladder-----50	257	8	10	9	15	14	13	10	19	16	14	17	11
Cancer (other sites)-----45,47,51-55	572	52	48	46	47	48	42	50	52	51	43	30	63
Acute rheumatic fever-----58	19	-	2	1	2	2	3	2	2	1	3	-	1
Diabetes mellitus-----51	306	29	23	25	31	28	32	24	17	21	25	20	31
Exophthalmic goiter-----63b	38	2	6	1	3	4	3	4	4	2	1	4	4
Pellagra (except alcoholic)-----69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)-----77	42	2	5	4	4	3	2	6	3	6	-	6	1
Intracranial lesions of vascular origin-----83	1,484	163	141	133	118	128	91	110	104	106	133	121	136
Diseases of the heart-----90-95	4,013	416	363	360	328	366	294	305	289	306	295	330	373
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	265	22	22	30	20	26	16	25	17	23	18	22	24
Diseases of coronary arteries and angina pectoris-----94	1,265	131	115	111	112	118	101	90	81	96	88	100	124
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,483	263	226	219	194	222	177	190	191	187	181	208	225
Arteriosclerosis and high blood pressure*-97,102	254	26	26	27	23	20	10	23	17	14	25	24	19
Pneumonia (all forms) and influenza-----107-109,33	923	171	121	82	77	60	40	26	41	41	63	82	119
Bronchopneumonia-----107	409	58	53	34	36	21	21	9	19	25	33	43	57
Lobar pneumonia-----108	292	56	33	25	26	20	14	15	12	10	14	25	32
Pneumonia (unspecified)-----109	74	9	7	7	11	7	1	1	5	1	6	11	8
Influenza-----33	158	48	28	16	4	12	4	1	5	5	10	3	22
Ulcer of stomach or duodenum-----117	64	4	4	6	3	2	3	6	6	7	5	8	10
Diarrhea, enteritis, etc.*-----119,120	121	10	17	4	8	4	10	17	12	15	9	8	7
Appendicitis-----121	66	5	4	8	4	8	5	6	5	5	2	7	7
Hernia and intestinal obstruction-----122	118	11	15	8	9	12	8	5	10	7	13	11	10
Cirrhosis of the liver-----124	114	9	8	9	5	12	11	7	11	8	11	13	10
Biliary calculi, etc.*-----126,127	50	5	5	6	2	8	1	5	4	4	4	3	3
Nephritis-----130-132	922	90	68	92	75	89	81	75	53	66	73	72	88
Diseases of the prostate-----137	85	2	11	2	7	10	5	10	6	12	3	6	9
Diseases of pregnancy, etc.*-----140-150	73	7	7	6	6	9	11	4	4	4	2	6	7
Puerperal septicemia-----140,142a,145A,147	20	2	1	3	2	-	3	1	1	1	1	3	2
Puerperal toxemia-----141a,c,144,148	13	1	2	-	-	1	4	1	2	1	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	29	4	4	-	4	6	2	2	1	1	1	2	2
Other puerperal causes-----141d,e,f,145B,150	11	-	-	3	-	2	2	-	-	1	-	1	2
Congenital malformations-----157	289	21	17	20	35	22	13	28	21	20	25	17	30
Diseases peculiar to first year of life-----158-161	1,081	89	70	83	87	105	92	86	101	99	90	105	74
Premature birth-----159	698	44	42	50	62	81	67	61	63	65	51	66	46
Other diseases peculiar to first year of life-----158,160,161	383	25	28	33	25	24	25	25	38	34	39	39	28
Suicide-----163,164	177	8	8	22	21	14	16	19	15	14	17	8	15
Homicide-----165-169	134	5	4	13	16	8	14	15	13	17	4	12	13
Accidental deaths-----169-195	1,550	163	127	123	94	94	121	137	131	146	135	132	147
Motor-vehicle accidents-----170	406	25	30	31	35	17	31	34	34	52	35	39	43
Other accidents-----169,171-195	1,144	138	97	92	59	77	90	103	97	94	100	93	104
Sensility, ill-defined and unknown causes-----162,199,200	622	80	48	53	41	41	52	36	46	54	55	53	63
All other causes-----	978	90	90	91	81	78	75	67	95	75	82	64	90

\*Refer to International List for complete title, table V, Part I.



TABLE 19.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(See heading on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN—All causes	32,345	3,163	2,656	2,907	2,719	2,920	2,496	2,454	2,354	2,486	2,690	2,546	2,954
Typhoid and paratyphoid fever—1,2	3	-	-	-	1	1	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	23	4	2	2	2	3	-	3	1	-	2	1	3
Scarlet fever—8	6	-	2	-	-	-	-	-	1	2	-	-	1
Whooping cough—9	25	1	2	1	1	2	1	1	2	4	2	6	3
Diphtheria—10	20	3	4	-	3	2	1	2	1	3	-	-	1
Tuberculosis (all forms)—13-22	948	59	61	61	54	65	44	43	58	47	50	47	62
Tuberculosis of respiratory system, etc.*—13	589	54	58	53	51	63	39	36	49	44	45	40	57
Tuberculosis (other forms)—14-22	59	4	3	8	3	2	5	7	7	3	5	7	5
Dysentery—27	6	-	-	2	1	-	-	-	2	1	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	172	15	15	17	20	18	8	8	11	15	16	21	-
Measles—35	21	-	-	6	7	4	3	1	-	-	7	-	2
Polioencephalitis, poliomyelitis (acute)—36	98	1	-	-	1	1	1	4	33	30	7	8	2
Cancer and other malignant tumors—45-55	4,856	430	332	408	388	461	366	402	430	383	439	587	410
Cancer of the digestive organs and peritoneum—46	2,370	214	161	200	162	229	175	199	213	204	209	189	194
Cancer of female genital organs—48,49	515	49	30	41	35	55	49	49	36	44	57	34	38
Cancer of the breast—50	474	41	30	41	42	59	37	55	48	29	45	40	49
Cancer (other sites)—45,47,51-55	1,477	128	111	126	129	138	106	121	131	106	130	124	129
Acute rheumatic fever—58	24	3	1	3	1	2	1	3	3	1	1	3	2
Diabetes mellitus—61	1,021	100	75	91	110	96	94	84	53	68	83	78	89
Exophthalmic goiter—63b	11	11	11	10	10	16	11	5	6	11	6	12	2
Pellagra (except alcoholic)—69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylish)—77	34	5	3	3	3	3	1	4	1	1	5	4	1
Intracranial lesions of vascular origin—83	3,208	325	288	278	271	309	237	218	249	215	255	270	313
Diseases of the heart—90-95	10,485	1,042	904	971	906	927	817	800	702	817	868	782	949
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	624	83	88	59	50	55	46	41	51	63	38	48	52
Diseases of coronary arteries and angina pectoris—94	3,119	280	245	272	246	265	273	261	234	247	280	256	300
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	6,742	719	601	640	610	607	498	498	437	507	550	478	597
Arteriosclerosis and high blood pressure*—97,102	555	78	51	48	58	42	52	27	20	36	55	45	43
Pneumonia (all forms) and influenza—107-109,33	1,285	223	164	168	104	101	69	51	32	63	83	81	146
Bronchopneumonia—107	644	86	66	87	54	53	29	34	21	32	40	40	78
Lobar pneumonia—108	366	58	32	47	41	35	28	11	6	23	31	27	47
Pneumonia (unspecified)—109	75	4	7	11	5	6	7	5	3	5	5	10	7
Influenza—33	160	73	37	23	4	7	5	1	2	3	7	4	14
Ulcer of stomach or duodenum—117	177	20	13	13	12	22	14	12	11	13	11	14	22
Diarrhea, enteritis, etc.*—119,120	115	7	9	9	8	12	10	11	7	8	9	13	13
Appendicitis—121	123	14	9	13	11	12	12	15	5	6	10	6	10
Hernia and intestinal obstruction—122	258	26	12	24	28	30	23	24	13	19	17	24	16
Cirrhosis of the liver—124	306	38	27	26	17	27	20	24	12	32	30	29	24
Biliary calculi, etc.*—126,127	196	19	13	17	19	20	18	13	17	19	18	10	13
Nephritis—130-132	1,643	173	133	132	139	146	149	118	120	116	125	135	157
Diseases of the prostate—137	251	24	20	19	24	23	26	27	21	12	20	20	15
Diseases of pregnancy, etc.*—140-150	108	6	9	10	4	3	11	17	7	12	14	6	9
Puerperal septicemia—140,142a,145A,147	44	3	3	3	1	2	7	2	3	8	4	4	4
Puerperal toxemia—141a,c,144,148	19	1	1	4	1	-	1	3	2	1	3	-	2
Hemorrhage, trauma or shock*—141b,142b,143,146,149	39	2	4	3	2	1	3	10	1	3	6	2	2
Other puerperal causes—141d,e,f,145B,150	6	-	1	-	-	-	-	2	1	-	1	-	1
Congenital malformations—157	457	31	41	30	30	39	30	22	40	49	56	43	46
Diseases peculiar to first year of life—158-161	1,290	72	103	101	99	111	100	100	114	116	117	119	136
Premature birth—159	799	41	60	63	58	73	64	69	71	68	74	75	83
Other diseases peculiar to first year of life—158,160,161	491	31	43	38	41	38	36	31	43	48	43	44	55
Suicide—163,164	419	38	26	41	27	44	40	32	33	35	39	35	29
Homicide—165-168	50	1	3	3	4	1	-	6	1	5	4	-	2
Accidental deaths—169-195	2,254	184	180	184	178	209	159	194	181	200	184	189	224
Motor-vehicle accidents—170	740	52	54	62	56	64	44	50	67	79	58	67	87
Other accidents—169,171-195	1,514	132	106	122	120	145	115	144	124	121	126	122	137
Senility, ill-defined and unknown causes—162,199,200	406	45	35	34	39	33	28	32	29	31	22	40	38
All other causes—	1,759	163	148	162	141	135	150	151	134	120	143	122	150
WYOMING—All causes	2,135	202	154	143	190	178	186	151	161	186	203	194	187
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	1	-	1	-	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	2	-	-	-	-	-	-	1	-	1	-	-	-
Diphtheria—10	3	-	1	-	-	-	-	-	-	-	1	-	1
Tuberculosis (all forms)—13-22	28	1	2	3	4	1	6	2	-	2	1	3	3
Tuberculosis of respiratory system, etc.*—13	24	1	2	3	4	-	4	2	-	2	1	3	2
Tuberculosis (other forms)—14-22	4	-	-	-	-	1	2	-	-	-	-	-	1
Dysentery—27	2	-	-	-	-	2	-	-	-	-	-	-	-
Malaria—28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis—30	23	2	2	2	3	3	2	3	-	1	3	2	-
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Polioencephalitis, poliomyelitis (acute)—36	7	-	-	-	-	-	-	-	4	2	1	-	-
Cancer and other malignant tumors—45-55	228	35	14	19	22	21	26	10	13	16	22	25	16
Cancer of the digestive organs and peritoneum—46	113	12	10	11	11	9	6	7	5	10	12	11	11
Cancer of female genital organs—48,49	13	5	-	-	-	-	-	-	-	2	2	1	-
Cancer of the breast—50	20	2	2	1	2	2	3	1	1	3	3	-	-
Cancer (other sites)—45,47,51-55	82	6	2	6	9	10	13	4	5	8	7	8	4
Acute rheumatic fever—58	3	-	-	-	-	1	-	2	-	-	-	-	-
Diabetes mellitus—61	32	5	3	1	-	2	-	1	5	6	5	2	2
Exophthalmic goiter—63b	4	-	-	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)—69	9	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylish)—77	9	-	-	-	2	1	-	1	-	3	1	-	1
Intracranial lesions of vascular origin—83	180	21	12	15	16	18	14	7	12	17	18	14	16
Diseases of the heart—90-95	597	59	37	45	50	46	54	44	44	46	46	57	69
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	42	5	4	1	2	3	5	2	4	4	4	4	6
Diseases of coronary arteries and angina pectoris—94	213	21	13	13	12	20	20	13	12	19	19	21	32
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	342	33	20	31	36	23	31	29	28	24	24	32	31
Arteriosclerosis and high blood pressure*—97,102	27	5	2	4	2	2	3	-	-	1	4	1	3

\*Refer to International List for complete title, table V, Part I.



TABLE 19.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1946-Continued

(See headnote on p. 216)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING-Continued													
Pneumonia (all forms) and influenza-----107-109,33	101	12	12	10	9	9	5	6	7	3	12	7	9
Bronchopneumonia-----107	43	3	3	6	6	4	2	4	3	2	5	2	3
Lobar pneumonia-----108	28	6	3	4	1	2	1	-	2	-	6	2	1
Pneumonia (unspecified)-----109	14	-	2	-	1	1	1	1	1	-	-	3	4
Influenza-----33	16	3	4	-	1	2	1	1	1	1	1	-	1
Ulcer of stomach or duodenum-----117	17	1	2	2	1	3	-	-	2	1	1	4	-
Diarrhea, enteritis, etc.*-----119,120	15	-	-	1	1	1	1	1	3	4	1	2	-
Appendicitis-----121	19	-	1	-	1	1	1	2	2	4	4	-	2
Hernia and intestinal obstruction-----122	26	2	2	1	1	7	-	1	3	3	3	2	1
Cirrhosis of the liver-----124	16	3	-	1	2	2	-	-	4	1	1	1	1
Biliary calculi, etc.*-----126,127	13	-	2	-	3	3	-	1	-	2	1	-	1
Nephritis-----130-132	130	13	16	6	14	13	7	7	7	9	10	15	13
Diseases of the prostate-----137	5	-	-	-	1	1	-	1	1	-	-	1	-
Diseases of pregnancy, etc.*-----140-150	10	-	2	1	1	-	-	-	1	1	1	1	2
Puerperal septicemia-----140,142a,145a,147	4	-	-	1	-	-	-	-	-	-	1	1	1
Puerperal toxemia-----141a,c,144,148	2	-	-	-	1	-	-	-	-	-	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,148	4	-	2	-	-	-	-	-	1	1	-	-	-
Other puerperal causes-----141d,e,f,145b,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	28	2	-	1	3	1	3	3	3	5	2	4	1
Diseases peculiar to first year of life-----158-161	115	10	8	3	10	4	9	17	10	11	18	6	12
Premature birth-----159	74	5	4	1	6	2	6	10	7	9	7	6	11
Other diseases peculiar to first year of life-----158,160,161	41	5	4	2	4	2	3	7	3	2	8	-	1
Suicide-----163,164	44	3	1	1	6	3	6	1	4	3	4	5	7
Homicide-----165-169	10	2	1	1	-	-	1	2	1	1	-	1	-
Accidental deaths-----169-185	254	19	19	15	22	10	26	26	22	24	26	26	17
Motor-vehicle accidents-----170	105	6	6	8	10	3	11	14	11	12	11	9	4
Other accidents-----169,171-185	149	13	13	7	12	7	17	12	11	12	15	17	13
Senility, ill-defined and unknown causes-----162,199,200	52	4	4	2	1	6	6	4	5	3	8	4	5
All other causes-----	132	12	11	9	16	15	13	7	8	13	12	11	5

\*Refer to International List for complete title. table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	UNITED STATES											
	All causes-----	1,395,617	111,063	8,321	4,758	3,794	2,808	130,742	8,501	8,447	15,012	22,717
	White-----M-----	697,323	53,704	3,524	2,160	1,788	1,308	62,482	4,769	4,274	7,428	10,731
	White-----F-----	535,014	38,806	3,095	1,671	1,377	989	45,939	3,179	2,549	4,248	6,579
	Nonwhite-----M-----	88,366	10,244	936	497	328	294	12,298	868	914	1,665	2,834
	Nonwhite-----F-----	74,914	8,309	766	428	301	218	10,023	685	710	1,671	2,783
1,2	Typhoid and paratyphoid fever-----	407	9	5	5	4	3	28	8	23	34	32
	White-----M-----	178	2	1	3	-	1	7	2	8	9	10
	White-----F-----	115	3	3	-	-	-	6	4	7	11	10
	Nonwhite-----M-----	65	-	-	1	3	2	6	-	5	7	6
	Nonwhite-----F-----	49	4	1	1	1	-	7	2	3	7	6
6	Cerebrospinal (meningococcus) meningitis-----	1,267	270	134	67	64	43	578	95	69	61	42
	White-----M-----	641	153	73	36	36	28	304	45	32	47	20
	White-----F-----	448	105	47	25	25	11	213	58	26	23	11
	Nonwhite-----M-----	96	17	9	3	2	5	58	8	5	5	8
	Nonwhite-----F-----	72	15	5	3	1	1	25	4	6	6	3
8	Scarlet fever-----	198	6	11	9	13	8	47	51	33	18	10
	White-----M-----	101	2	4	4	5	3	18	27	19	14	5
	White-----F-----	88	4	6	5	7	5	27	22	13	3	5
	Nonwhite-----M-----	5	-	1	-	1	-	2	1	1	1	-
	Nonwhite-----F-----	4	-	-	-	-	-	-	1	1	-	-
9	Whooping cough-----	1,241	869	206	79	36	19	1,208	23	3	-	1
	White-----M-----	420	316	57	24	12	1	410	8	-	-	-
	White-----F-----	518	351	95	32	16	11	505	8	2	-	1
	Nonwhite-----M-----	134	99	30	8	3	2	132	2	-	-	-
	Nonwhite-----F-----	169	113	24	15	5	4	161	5	1	-	-
10	Diphtheria-----	1,259	84	153	160	169	147	713	260	75	26	16
	White-----M-----	619	34	78	72	86	70	340	158	56	9	6
	White-----F-----	487	31	54	59	65	58	264	112	56	13	8
	Nonwhite-----M-----	84	8	12	20	8	12	60	16	2	4	1
	Nonwhite-----F-----	69	11	9	10	10	9	49	14	1	-	1
15-22	Tuberculosis (all forms)-----	50,911	406	408	222	157	107	1,300	313	434	1,946	4,119
	White-----M-----	24,283	142	122	77	56	33	450	106	84	324	672
	White-----F-----	13,087	129	142	65	46	30	412	75	126	565	1,374
	Nonwhite-----M-----	7,803	67	73	37	26	31	256	75	90	416	748
	Nonwhite-----F-----	5,968	68	71	43	27	13	222	57	134	621	1,125
13	Tuberculosis of respiratory system, etc.*-----	46,939	182	178	89	53	39	541	149	326	1,733	3,815
	White-----M-----	22,832	61	55	36	14	12	178	56	53	278	807
	White-----F-----	11,829	57	53	20	15	10	155	39	102	524	1,287
	Nonwhite-----M-----	6,829	29	33	15	11	11	98	44	58	368	676
	Nonwhite-----F-----	5,350	36	37	18	13	6	110	31	113	563	1,045
14-22	Tuberculosis (other forms)-----	3,972	224	230	133	104	69	759	164	108	213	504
	White-----M-----	1,451	81	67	41	42	21	252	70	51	46	65
	White-----F-----	1,129	72	69	45	31	20	287	57	24	61	67
	Nonwhite-----M-----	774	39	40	22	17	20	136	51	32	48	72
	Nonwhite-----F-----	618	32	34	25	14	7	112	26	21	56	60
27	Dysentery-----	952	480	59	13	11	7	570	21	6	7	18
	White-----M-----	428	229	20	4	5	3	261	7	3	3	11
	White-----F-----	358	163	29	7	4	1	204	9	2	2	5
	Nonwhite-----M-----	117	59	5	1	1	1	67	4	-	1	1
	Nonwhite-----F-----	75	29	5	1	1	2	38	1	1	1	1
28	Malaria-----	341	12	10	8	3	4	37	7	9	8	33
	White-----M-----	132	3	3	2	1	1	10	1	2	1	21
	White-----F-----	60	4	3	3	-	-	10	3	3	-	3
	Nonwhite-----M-----	79	4	2	2	2	2	12	1	2	2	6
	Nonwhite-----F-----	70	1	2	1	-	1	5	2	2	5	3
30	Syphilis-----	12,955	538	19	6	3	3	569	7	27	102	146
	White-----M-----	6,266	102	4	1	-	1	108	1	13	17	26
	White-----F-----	1,954	91	5	1	-	-	98	-	6	28	23
	Nonwhite-----M-----	3,249	207	5	3	2	1	216	4	3	17	41
	Nonwhite-----F-----	1,467	139	5	1	-	1	145	2	5	40	56
35	Measles-----	1,310	297	278	125	81	55	836	226	64	34	16
	White-----M-----	510	136	92	55	27	20	330	82	26	14	8
	White-----F-----	553	91	124	48	33	22	318	116	27	14	5
	Nonwhite-----M-----	130	45	39	11	9	3	106	12	5	3	1
	Nonwhite-----F-----	117	25	24	11	12	10	82	16	8	5	2
36	Polioomyelitis, poliomyelitis (acute)-----	1,845	44	51	57	77	72	301	381	514	253	179
	White-----M-----	1,082	16	21	27	37	44	145	239	204	147	99
	White-----F-----	661	18	24	21	36	21	119	127	102	79	76
	Nonwhite-----M-----	45	7	5	5	2	4	21	8	4	4	1
	Nonwhite-----F-----	37	3	3	4	3	3	16	7	4	3	3
45-55	Cancer and other malignant tumors-----	182,005	113	119	139	159	117	647	364	353	508	777
	White-----M-----	82,985	69	49	70	91	54	331	190	174	274	385
	White-----F-----	85,922	42	61	62	69	47	271	140	142	189	276
	Nonwhite-----M-----	5,816	2	5	2	6	7	22	9	18	33	57
	Nonwhite-----F-----	7,282	1	5	5	3	9	23	25	19	32	59
46	Cancer of the digestive organs and peritoneum-----	80,866	25	12	17	15	14	83	37	40	59	149
	White-----M-----	41,089	15	4	8	9	5	41	23	23	30	74
	White-----F-----	34,508	9	5	8	6	6	34	8	13	16	54
	Nonwhite-----M-----	3,056	1	2	-	-	-	3	2	3	5	14
	Nonwhite-----F-----	2,203	-	1	1	-	3	5	4	1	8	7

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

251

## AND SEX: UNITED STATES AND EACH STATE, 1946

(and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
23,612	27,764	36,275	47,067	65,171	89,594	110,945	131,681	150,131	161,253	152,074	113,469	69,973	23,469	5,407	1,148	1,161	
10,328	12,023	16,021	22,223	32,280	47,530	61,255	72,986	80,160	82,411	75,361	53,137	30,015	9,378	1,807	210	534	
7,208	8,859	11,564	14,554	19,949	27,572	35,430	45,177	57,101	67,972	69,175	55,597	36,452	12,744	2,947	367	253	
3,140	3,541	4,467	5,325	6,957	8,326	8,068	7,456	7,125	6,120	4,246	2,444	1,253	624	279	208	238	
2,956	3,341	4,223	4,985	5,985	6,566	6,194	6,102	5,744	4,755	3,292	2,291	1,253	722	374	343	136	
24	26	36	36	18	33	30	30	20	13	14	1	1	1	1	-	1	1,2
6	11	17	16	9	20	16	17	11	9	8	1	-	1	-	-	-	
6	8	11	7	6	6	7	10	6	3	6	-	-	-	-	-	-	
7	3	5	7	3	5	5	3	1	1	-	-	-	-	-	-	-	
5	4	3	6	-	2	2	-	2	-	-	-	-	-	-	-	-	
37	22	37	41	50	45	35	41	44	25	8	1	1	-	-	-	5	6
15	10	19	26	28	17	18	17	21	14	3	-	1	-	-	-	4	
15	5	6	6	17	17	13	22	20	10	5	1	-	-	-	-	-	
3	5	7	5	4	5	2	-	2	-	-	-	-	-	-	-	1	
4	2	5	4	1	6	2	2	1	1	-	-	-	-	-	-	-	
3	6	1	6	4	2	4	5	4	-	4	-	-	-	-	-	-	8
1	2	1	2	1	1	5	3	3	-	2	-	-	-	-	-	-	
2	4	-	3	3	1	1	2	-	-	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	1	9
1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	
16	26	12	18	13	21	16	11	8	5	2	1	-	-	-	-	-	10
10	13	6	10	10	15	10	6	5	2	2	1	-	-	-	-	-	
5	13	6	6	3	6	4	5	3	3	-	-	-	-	-	-	-	
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4,356	4,406	4,378	4,541	4,520	4,794	4,424	5,709	3,120	2,196	1,370	662	222	49	9	2	39	13-22
1,192	1,467	1,776	2,281	2,553	3,053	3,000	2,546	1,998	1,544	774	340	105	18	4	-	16	
1,466	1,405	1,214	1,013	838	760	734	719	779	676	482	270	94	23	2	1	12	
743	798	828	814	805	710	496	326	251	122	80	32	18	4	2	1	8	
955	738	560	453	327	271	194	118	52	54	34	20	5	4	1	-	3	
4,090	4,152	4,111	4,290	4,286	4,530	4,171	5,512	2,945	2,079	1,285	619	207	49	9	2	36	13
1,137	1,403	1,692	2,163	2,457	2,927	2,857	2,445	1,910	1,283	737	314	97	18	4	-	16	
1,406	1,337	1,158	944	783	693	680	655	714	630	443	285	88	23	2	1	11	
677	725	758	757	750	665	459	309	235	115	72	31	17	4	2	1	7	
671	686	503	406	298	245	175	103	56	51	33	19	5	4	1	-	2	
266	256	267	251	232	264	253	197	175	117	85	43	15	-	-	-	3	14-22
55	64	84	99	96	126	143	101	86	61	37	26	8	-	-	-	-	
61	69	56	69	52	67	54	64	65	46	39	15	6	-	-	-	1	
66	72	70	57	55	45	37	17	16	7	8	1	1	-	-	-	1	
84	52	57	27	29	26	19	15	6	3	1	1	-	-	-	-	1	
20	16	23	19	10	35	26	28	40	37	34	22	10	5	1	1	3	27
11	5	9	10	4	17	8	12	14	16	18	11	5	2	1	-	-	
4	9	4	5	2	8	11	12	14	11	13	9	4	3	-	-	1	
3	2	6	2	3	4	5	2	7	5	2	-	1	-	-	-	2	
2	-	4	2	1	6	2	2	5	1	2	-	-	-	-	1	-	
27	24	28	14	22	16	20	23	15	18	20	13	6	2	-	-	1	28
15	11	13	8	5	2	9	6	6	6	6	5	4	-	-	-	1	
1	2	3	-	6	1	2	3	5	7	2	2	2	2	-	-	-	
6	8	6	3	4	6	6	6	2	4	3	2	-	-	-	-	-	
5	3	4	3	7	7	3	8	2	3	4	4	-	-	-	-	-	
212	385	784	1,147	1,519	1,658	1,669	1,604	1,369	887	492	239	85	20	7	3	23	30
33	65	213	425	650	851	929	1,022	868	546	313	138	48	10	1	1	8	
42	64	110	146	198	195	225	199	225	182	115	56	25	7	5	-	3	
61	148	315	384	508	473	391	279	204	108	45	29	9	2	1	2	6	
76	108	146	182	163	140	124	104	72	51	19	14	3	1	-	-	6	
12	14	17	10	10	8	4	11	9	11	13	8	4	1	-	-	-	35
2	7	7	2	5	4	-	9	2	4	4	3	1	-	-	-	-	
6	6	10	6	5	5	3	1	7	7	7	6	3	1	-	-	-	
1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
157	131	55	35	22	5	13	10	4	3	-	1	-	-	-	-	1	36
82	75	35	24	9	3	8	6	2	3	-	-	-	-	-	-	1	
70	55	19	9	13	1	5	4	1	-	-	1	-	-	-	-	-	
4	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
1,252	2,502	4,556	7,207	11,593	16,863	21,389	24,205	25,734	25,186	20,110	11,803	5,340	1,297	214	26	79	45-55
477	745	1,229	2,085	3,859	6,792	9,617	11,860	12,851	12,760	10,354	5,871	2,458	582	78	7	26	
577	1,360	2,616	4,051	6,208	8,261	9,946	10,802	11,475	11,323	9,099	5,642	2,730	675	114	11	34	
57	94	182	279	541	801	862	789	788	627	360	152	75	31	8	3	8	
141	303	529	792	985	1,009	964	754	620	476	277	138	77	29	14	5	11	
292	650	1,228	2,142	3,953	6,395	9,114	11,529	12,837	13,084	10,513	5,864	2,459	536	73	10	39	46
118	260	518	958	1,785	3,145	4,802	6,190	6,906	6,862	5,334	2,759	1,030	216	29	3	15	
121	291	535	877	1,641	2,520	3,532	4,584	5,259	5,685	4,877	2,376	1,364	292	34	4	12	
30	47	95	146	283	434	465	455	426	327	198	75	33	16	3	1	5	
23	52	80	185	244	296	315	300	247	210	114	54	32	12	7	2	7	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
UNITED STATES--Continued												
Cancer and other malignant tumors--Continued												
48,49	Cancer of female genital organs-----	22,646	1	2	-	1	2	6	7	18	33	96
	White-----F-----	19,771	-	2	-	1	2	5	5	14	23	72
	Nonwhite-----F-----	2,875	1	-	-	-	-	1	2	4	10	24
50	Cancer of breast-----	17,516	2	-	-	-	-	2	1	-	2	16
	White-----M-----	225	1	-	-	-	-	1	-	-	-	-
	F-----	16,157	1	-	-	-	-	1	1	-	2	13
	Nonwhite-----M-----	17	-	-	-	-	-	-	-	-	-	-
	F-----	1,117	-	-	-	-	-	-	-	-	-	3
45,47, 51-55	Cancer (other sites)-----	80,977	85	105	122	143	101	556	319	295	414	516
	White-----M-----	41,661	52	44	62	82	49	289	167	151	244	311
	F-----	15,466	32	54	54	52	39	231	126	115	128	137
	Nonwhite-----M-----	2,743	1	3	2	6	7	19	7	15	28	43
	F-----	1,087	-	4	4	3	6	17	19	14	14	25
58	Acute rheumatic fever-----	1,118	13	5	19	26	27	90	156	192	128	77
	White-----M-----	429	6	-	8	10	9	33	59	63	56	22
	F-----	440	3	2	6	11	12	34	58	82	50	37
	Nonwhite-----M-----	92	2	2	2	3	3	12	15	23	8	4
	F-----	157	2	1	3	2	3	11	24	24	15	14
61	Diabetes mellitus-----	34,731	14	19	15	12	15	75	58	124	190	218
	White-----M-----	11,968	6	14	6	7	5	38	28	46	53	82
	F-----	20,429	5	4	8	5	10	32	22	62	102	112
	Nonwhite-----M-----	715	1	-	1	-	-	2	5	2	17	9
	F-----	1,619	2	1	-	-	-	3	3	14	18	16
63b	Exophthalmic goiter-----	2,357	-	1	-	-	-	1	-	4	12	25
	White-----M-----	349	-	1	-	-	-	1	-	2	-	3
	F-----	1,801	-	-	-	-	-	-	-	-	8	16
	Nonwhite-----M-----	51	-	-	-	-	-	-	-	-	1	-
	F-----	176	-	-	-	-	-	-	-	2	3	6
68	Pellagra (except alcoholic)-----	804	2	2	-	1	-	5	-	4	4	4
	White-----M-----	212	1	1	-	-	-	2	-	1	1	-
	F-----	373	1	1	-	-	-	2	-	1	2	1
	Nonwhite-----M-----	60	-	-	-	-	-	-	-	2	-	-
	F-----	159	-	-	-	1	-	1	-	-	1	3
77	Alcoholism (ethylish)-----	2,209	-	-	-	3	2	5	3	2	8	32
	White-----M-----	1,687	-	-	-	-	-	-	2	2	6	18
	F-----	265	-	-	-	-	1	1	-	-	1	4
	Nonwhite-----M-----	199	-	-	-	1	-	1	1	-	-	8
	F-----	59	-	-	-	2	1	3	-	-	1	2
83	Intracranial lesions of vascular origin-----	125,648	140	66	37	29	14	286	81	79	144	257
	White-----M-----	54,088	79	28	16	14	5	142	42	36	71	123
	F-----	56,469	45	33	17	15	8	118	28	32	40	78
	Nonwhite-----M-----	6,978	10	4	3	-	1	18	5	7	12	30
	F-----	8,141	6	1	1	-	-	8	8	4	21	26
90-95	Diseases of the heart-----	429,230	156	108	55	48	58	426	380	656	959	1,341
	White-----M-----	234,352	80	43	23	23	27	195	134	254	453	562
	F-----	160,410	55	40	22	13	18	149	155	266	350	512
	Nonwhite-----M-----	18,371	14	13	8	6	7	48	41	62	72	125
	F-----	16,117	7	12	2	6	6	34	52	74	104	152
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart-----	23,559	-	7	5	14	24	50	236	443	531	608
	White-----M-----	10,687	-	2	2	6	9	19	72	161	264	254
	F-----	10,250	-	4	1	4	6	15	97	188	193	261
	Nonwhite-----M-----	1,295	-	1	2	2	4	9	29	44	32	35
	F-----	1,327	-	-	-	2	5	7	38	50	42	59
94	Diseases of coronary arteries and angina pectoris-----	137,153	32	5	4	1	3	45	10	19	47	164
	White-----M-----	93,023	15	1	2	-	2	20	7	8	27	73
	F-----	37,995	11	3	1	-	-	15	2	7	7	59
	Nonwhite-----M-----	3,728	4	-	1	1	1	7	1	2	5	14
	F-----	2,407	2	1	-	-	-	3	-	2	8	18
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)-----	268,518	124	96	46	34	31	331	134	194	381	568
	White-----M-----	130,622	65	40	19	17	16	157	55	85	162	225
	F-----	112,185	44	33	20	9	12	118	54	71	130	192
	Nonwhite-----M-----	13,348	10	12	5	3	2	32	11	16	35	76
	F-----	12,383	5	11	2	5	1	24	14	22	54	75
97,102	Arteriosclerosis and high blood pressure*-----	26,744	-	-	-	-	-	-	-	1	2	17
	White-----M-----	12,608	-	-	-	-	-	-	-	1	-	6
	F-----	11,941	-	-	-	-	-	-	-	-	1	4
	Nonwhite-----M-----	1,112	-	-	-	-	-	-	-	-	1	1
	F-----	1,083	-	-	-	-	-	-	-	-	-	6
107-109, 33	Pneumonia (all forms) and influenza-----	62,324	12,657	1,890	725	410	239	15,921	647	464	639	721
	White-----M-----	28,623	5,334	736	299	156	96	6,611	265	180	279	271
	F-----	4,163	663	263	147	91	5	5,329	240	183	196	236
	Nonwhite-----M-----	5,910	1,673	267	88	53	30	2,115	80	60	75	85
	F-----	4,892	1,463	222	85	52	22	1,856	62	61	89	129
107	Bronchopneumonia-----	27,687	7,502	993	375	207	109	9,186	274	180	202	241
	White-----M-----	12,808	3,238	390	151	77	54	3,910	121	71	99	108
	F-----	10,877	2,492	358	139	75	39	3,083	101	74	72	76
	Nonwhite-----M-----	2,128	952	159	47	27	10	1,175	25	15	19	23
	F-----	1,653	824	126	39	26	6	1,018	27	20	12	34

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

253

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
265	667	1,301	1,862	2,517	2,949	2,982	2,758	2,491	2,080	1,443	762	358	72	18	1	10	48,49
151	495	1,014	1,497	2,057	2,549	2,629	2,505	2,304	1,892	1,369	730	359	60	14	1	7	
74	172	287	365	460	400	353	253	187	136	74	32	19	12	4	1	3	
103	328	764	1,216	1,730	2,051	2,236	2,194	2,054	1,903	1,393	918	449	115	24	6	11	50
1	2	4	7	16	26	21	29	32	32	24	20	7	3	-	-	-	
63	288	664	1,076	1,565	1,859	2,057	2,064	1,925	1,796	1,327	864	425	110	21	4	10	
19	38	95	132	147	166	157	97	95	72	40	32	16	2	3	2	1	
592	857	1,263	1,987	3,393	5,459	7,057	7,924	8,352	8,189	6,761	4,259	2,074	574	99	9	19	45,47,
359	493	707	1,142	2,059	3,621	4,794	5,641	5,813	5,866	4,996	3,092	1,421	343	49	4	11	51-55
182	286	403	601	945	1,333	1,728	1,949	1,988	1,926	1,526	1,072	602	215	45	3	5	
27	47	86	132	256	367	596	330	360	299	190	75	41	15	5	2	3	
25	41	67	112	134	147	139	104	91	56	49	20	10	3	-	-	-	
67	68	68	63	28	33	31	22	22	23	16	8	2	2	-	-	1	58
23	27	26	21	9	14	13	11	10	9	11	7	4	1	-	-	-	
26	26	23	22	13	10	13	7	8	10	9	8	2	1	-	-	1	
7	2	2	5	4	3	2	-	3	-	1	-	1	-	-	-	-	
11	13	7	15	2	6	3	4	1	3	2	1	1	-	-	-	-	
292	317	386	627	1,147	2,208	3,721	5,086	6,214	6,141	4,550	2,306	859	177	18	4	13	61
129	143	174	249	419	779	1,210	1,657	2,045	2,052	1,661	832	298	66	4	-	3	
122	109	126	232	506	1,123	2,170	3,130	3,869	3,868	2,778	1,419	537	101	10	2	7	
22	21	27	33	64	86	91	82	93	83	44	20	6	5	1	1	1	
19	44	59	113	158	220	250	227	207	138	67	35	18	5	3	1	2	
46	55	88	139	194	297	309	389	303	267	135	66	18	6	-	-	1	65b
4	11	8	22	34	56	66	58	39	28	11	6	-	-	-	-	-	
30	29	59	93	136	212	220	313	252	229	122	60	16	6	-	-	-	
5	3	5	3	3	3	6	1	1	-	-	-	-	-	-	-	-	
9	12	16	21	21	26	17	11	11	10	2	-	2	-	-	-	1	
10	11	17	25	33	52	58	86	101	140	108	71	48	20	4	2	1	69
2	-	3	4	3	10	18	25	22	46	30	23	17	4	-	-	-	
2	3	4	4	10	18	20	33	53	68	69	42	26	13	2	-	-	
-	2	4	6	1	10	9	6	4	9	3	2	2	-	-	-	-	
6	6	6	11	19	14	11	22	22	17	6	4	3	3	2	2	-	
60	141	268	332	353	297	252	201	108	87	33	8	4	2	2	-	11	77
34	94	178	248	282	233	206	177	91	79	28	5	3	2	1	-	8	
14	23	45	51	32	38	29	10	10	3	2	1	-	-	-	-	-	
7	22	37	30	28	23	16	12	6	1	3	1	-	-	-	-	3	
5	12	8	3	11	3	1	2	1	4	-	-	-	-	1	-	4	
378	670	1,315	2,532	4,536	7,243	10,024	13,218	16,946	20,553	20,575	14,954	8,680	2,441	529	88	117	83
131	222	439	797	1,477	2,618	4,272	6,020	7,815	9,370	9,289	6,499	3,557	921	169	19	29	
128	221	421	864	1,674	2,742	3,783	5,179	7,227	9,525	10,128	7,780	4,796	1,369	278	22	56	
53	89	177	339	560	897	957	942	898	825	585	311	140	63	36	14	30	
66	138	278	532	825	996	1,012	1,077	1,036	833	573	364	187	88	46	33	20	
1,844	3,202	6,062	10,518	18,241	28,835	38,563	48,859	58,356	63,682	61,501	46,516	27,829	8,844	1,841	316	259	90-95
786	1,590	3,211	6,127	11,089	18,230	24,570	30,132	33,576	34,163	30,962	21,769	12,064	3,593	694	61	126	
867	940	1,561	2,404	3,975	6,483	9,719	14,402	20,579	25,944	28,013	23,188	14,927	4,939	1,073	132	53	
154	291	604	992	1,648	2,563	2,418	2,326	2,294	2,008	1,568	800	412	181	69	52	42	
237	391	696	995	1,518	1,749	1,856	1,999	1,807	1,585	1,158	759	426	241	105	71	36	
727	985	1,298	1,512	1,807	1,857	2,012	2,060	2,227	2,217	2,138	1,519	863	278	62	11	17	90a,
308	481	581	676	783	869	986	1,033	1,098	1,060	931	651	338	103	14	1	4	92b,c,
340	403	558	655	793	901	761	788	999	946	1,093	777	481	146	36	4	3	93c,95b
30	62	73	82	107	131	144	127	122	109	55	53	24	15	8	1	3	
49	59	78	99	124	136	121	112	109	102	59	39	20	14	4	5	4	
380	921	2,228	4,622	8,307	12,961	16,858	19,611	20,859	19,373	15,535	9,231	4,467	1,251	219	21	74	94
188	625	1,613	3,493	6,418	10,148	12,787	14,311	13,983	12,075	9,162	5,069	2,267	608	91	1	45	
74	157	314	643	1,123	1,950	3,189	4,557	6,235	6,799	6,034	3,987	2,113	599	113	13	15	
31	85	164	307	465	593	557	442	381	296	218	96	45	29	6	2	9	
37	76	137	179	301	282	335	301	260	205	121	69	42	17	9	2	5	
787	1,296	2,536	4,394	8,127	13,917	19,693	27,189	35,270	42,092	43,828	35,766	22,499	7,415	1,660	284	168	90b,91,
290	506	1,017	1,958	3,898	7,195	10,787	14,788	19,495	21,028	20,869	16,049	9,459	2,874	589	59	77	92a,d,e,
253	380	669	1,106	2,059	3,742	5,789	9,057	13,446	18,201	20,886	18,414	12,333	4,194	924	115	32	93a,b,d,e,
93	164	367	605	1,077	1,649	1,717	1,757	1,791	1,603	1,085	651	343	137	55	46	30	95a,c
151	246	483	717	1,093	1,331	1,400	1,586	1,538	1,260	978	632	364	210	92	64	29	
30	47	103	153	242	420	756	1,241	2,204	3,643	5,174	5,558	4,515	2,030	494	91	23	97,102
7	14	31	49	81	170	356	614	1,121	1,776	2,633	2,662	2,080	804	171	22	10	
11	13	27	41	74	116	212	398	783	1,542	2,280	2,670	2,293	1,145	289	36	8	
7	9	8	19	39	65	105	116	165	180	144	109	72	40	15	14	4	
5	12	37	44	48	69	83	113	135	145	117	117	70	41	19	19	3	
784	1,008	1,416	1,683	2,189	2,768	3,211	3,798	4,380	5,253	5,806	5,399	3,994	1,656	410	106	51	107-109,
285	414	593	775	1,029	1,397	1,692	2,099	2,514	2,562	2,946	2,558	1,632	666	122	24	21	33
236	285	407	421	523	652	821	1,100	1,486	2,195	2,587	2,558	2,215	917	252	43	17	
123	157	226	281	383	448	425	355	354	265	211	139	78	38	12	14	6	
140	152	206	208	254	271	273	244	246	231	162	144	69	35	24	25	7	
237	294	427	512	626	828	1,002	1,326	1,651	2,286	2,589	2,648	1,999	892	223	41	13	107
100	138	173	239	308	427	530	787	885	1,108	1,281	1,299	814	356	69	13	5	
79	96	137	161	182	249	293	408	607	1,021	1,185	1,254	1,127	503	143	19	7	
27	25	59	63	71	90	98	93	63	91	67	46	30	9	4	4	1	
31	35	59	49	67	62	61	68	66	66	56	49	28	14	7	5	-	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
UNITED STATES—Continued												
Pneumonia (all forms) and influenza—Continued												
109	Lobar pneumonia-----	20,252	2,187	349	144	93	57	2,830	179	151	226	272
	White-----M-----	9,997	921	141	55	41	16	1,174	69	56	99	101
	F-----	6,570	713	129	50	31	26	949	68	53	58	94
	Nonwhite-----M-----	2,164	283	45	23	11	10	372	26	22	31	34
	F-----	1,531	270	34	16	10	5	355	16	20	38	43
109	Pneumonia (unspecified)-----	5,622	1,725	224	71	41	31	2,092	79	52	84	78
	White-----M-----	2,500	708	81	33	13	11	846	29	13	33	30
	F-----	2,021	599	60	25	16	15	754	26	22	24	21
	Nonwhite-----M-----	617	228	41	6	3	2	280	14	10	11	7
	F-----	484	191	22	7	9	3	252	10	7	16	20
35	Influenza-----	8,783	1,243	324	135	69	42	1,813	115	101	127	130
	White-----M-----	3,327	467	124	50	25	15	681	46	40	48	32
	F-----	3,451	380	118	49	25	11	563	45	34	42	45
	Nonwhite-----M-----	1,001	212	42	12	14	8	288	15	13	14	21
	F-----	1,024	204	40	24	5	8	281	9	14	23	32
117	Ulcer of stomach or duodenum-----	8,164	26	8	2	-	1	35	6	5	20	55
	White-----M-----	6,151	11	4	-	-	-	15	4	3	18	30
	F-----	1,326	8	2	2	-	1	13	2	1	4	8
	Nonwhite-----M-----	494	3	-	-	-	-	5	-	-	-	10
	F-----	193	4	-	-	-	-	4	-	1	-	7
119,120	Diarrhea, enteritis, etc.*-----	8,090	5,498	521	117	51	33	6,220	74	40	34	66
	White-----M-----	3,679	2,583	219	52	23	14	2,891	38	22	10	29
	F-----	2,907	1,890	183	34	17	11	2,135	22	13	21	31
	Nonwhite-----M-----	825	581	59	22	7	6	675	8	3	2	2
	F-----	679	444	60	9	4	2	519	6	2	1	4
121	Appendicitis-----	5,285	23	47	85	67	57	277	245	218	282	276
	White-----M-----	2,622	13	25	51	38	33	160	114	100	137	130
	F-----	1,767	9	19	29	22	19	96	94	71	109	102
	Nonwhite-----M-----	389	1	2	2	4	4	13	22	26	16	25
	F-----	307	-	1	1	3	1	6	15	21	21	19
122	Hernia, intestinal obstruction-----	11,221	442	93	47	36	33	651	91	56	61	163
	White-----M-----	4,979	289	61	26	19	21	347	52	35	34	53
	F-----	4,818	145	31	9	11	8	204	26	13	28	82
	Nonwhite-----M-----	720	37	9	7	4	4	61	9	4	10	16
	F-----	704	32	2	3	2	-	39	4	4	11	32
124	Cirrhosis of the liver-----	13,451	15	18	6	2	4	45	22	25	34	49
	White-----M-----	8,375	2	6	2	1	-	11	15	7	14	17
	F-----	4,262	7	11	1	1	3	23	4	14	16	19
	Nonwhite-----M-----	518	3	1	1	-	1	6	3	-	2	5
	F-----	296	3	-	2	-	-	5	-	4	2	8
126,127	Biliary calculi, etc.*-----	6,150	7	3	-	1	1	12	6	3	14	31
	White-----M-----	1,980	2	2	-	1	-	5	2	-	2	5
	F-----	3,911	4	1	-	-	1	6	2	2	8	19
	Nonwhite-----M-----	86	-	-	-	-	-	-	2	-	2	2
	F-----	173	1	-	-	-	-	1	-	1	2	5
130-132	Nephritis-----	81,701	106	67	72	82	63	390	213	257	377	609
	White-----M-----	36,834	56	24	32	45	35	192	94	94	150	276
	F-----	31,848	30	30	25	24	21	130	97	123	156	213
	Nonwhite-----M-----	8,720	13	8	5	6	1	33	17	19	28	53
	F-----	6,299	7	5	10	7	6	35	15	21	43	67
137	Diseases of the prostate-----	7,361	-	-	-	-	-	-	-	-	1	-
	White-----M-----	6,599	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	762	-	-	-	-	-	-	-	-	1	-
140-150	Diseases of pregnancy, etc.*-----	5,153	-	-	-	-	-	-	-	16	413	1,082
	White-----F-----	3,807	-	-	-	-	-	-	-	4	256	787
	Nonwhite-----F-----	1,346	-	-	-	-	-	-	-	12	157	295
140,142a, 145A,147	Puerperal septicemia-----	1,771	-	-	-	-	-	-	-	9	153	373
	White-----F-----	1,330	-	-	-	-	-	-	-	4	94	253
	Nonwhite-----F-----	441	-	-	-	-	-	-	-	5	59	120
141a,c, 144,146	Puerperal toxemia-----	1,296	-	-	-	-	-	-	-	6	159	311
	White-----F-----	906	-	-	-	-	-	-	-	-	89	227
	Nonwhite-----F-----	390	-	-	-	-	-	-	-	6	70	84
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*-----	1,599	-	-	-	-	-	-	-	-	70	279
	White-----F-----	1,216	-	-	-	-	-	-	-	-	55	220
	Nonwhite-----F-----	373	-	-	-	-	-	-	-	-	15	59
141d,e,f, 145B,150	Other puerperal causes-----	497	-	-	-	-	-	-	-	1	31	119
	White-----F-----	365	-	-	-	-	-	-	-	-	19	87
	Nonwhite-----F-----	142	-	-	-	-	-	-	-	1	13	32
157	Congenital malformations-----	17,749	14,912	695	271	166	119	16,163	313	189	177	191
	White-----M-----	9,028	7,601	324	122	77	62	8,196	161	104	104	98
	F-----	7,468	6,273	327	129	76	51	6,955	117	67	64	72
	Nonwhite-----M-----	698	566	22	13	6	4	611	21	9	6	13
	F-----	567	472	22	6	7	2	511	14	9	3	8

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

255

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.	
316 116 83 59 58	451 176 122 84 69	665 296 163 123 83	779 393 150 150 96	1,100 551 224 211 114	1,350 718 260 240 132	1,536 880 344 219 93	1,723 980 472 168 103	1,809 1,021 555 138 95	1,920 993 711 119 97	1,942 1,002 811 84 45	1,525 732 702 45 46	1,020 453 525 20 22	340 149 174 10 7	76 24 42 2 8	21 3 4 6 8	21 11 6 1 3	108	
87 29 29 16 13	116 50 33 18 15	124 52 45 29 9	162 71 46 29 16	167 82 44 27 14	220 105 62 41 12	224 110 63 28 23	275 158 71 23 23	326 165 117 23 21	370 200 143 15 12	397 203 157 19 18	347 153 173 13 8	255 112 129 11 3	111 45 86 8 2	33 8 18 3 4	14 2 5 2 5	9 4 3 2 1	109	
144 40 45 21 38	147 50 34 30 33	200 62 62 26 50	230 80 64 39 47	296 90 73 74 59	370 147 61 77 65	449 172 121 80 76	474 204 149 71 50	594 243 207 80 64	677 261 320 40 56	878 360 434 41 43	879 374 429 35 41	720 253 434 17 16	323 116 184 11 12	78 21 49 3 5	30 6 15 2 7	8 1 1 3 3	53	
132 72 21 29 10	198 120 25 42 11	358 253 47 40 18	493 361 59 46 17	745 557 80 72 26	975 791 99 59 26	1,069 855 128 88 18	1,131 906 165 39 21	997 787 181 37 12	851 626 188 28 9	587 413 151 14 9	320 217 100 1 2	162 98 61 1 2	21 10 10 1 -	6 3 3 -	1 1 -	7 3 -	117	
78 24 39 6 9	88 42 30 7 9	98 38 31 10 9	93 44 27 13 9	112 49 42 12 9	124 58 36 14 16	135 65 35 20 15	144 61 53 13 16	161 71 61 4 11	182 51 76 6 14	148 51 77 6 6	148 53 79 10 6	118 47 82 3 6	49 16 31 1 1	11 6 5 -	4 2 1 -	3 1 2 -	119,120	
245 114 90 19 22	232 97 76 29 30	300 144 82 36 38	374 192 110 45 27	400 199 115 52 34	421 252 115 28 26	446 282 124 23 17	459 299 127 22 11	370 210 136 11 8	334 188 131 3 4	235 122 104 5 6	105 51 50 2 2	47 20 26 1 -	17 10 7 -	2 1 1 -	-	-	121	
185 64 73 24 34	312 85 135 31 65	365 101 169 31 64	460 121 214 48 77	651 222 286 58 85	767 304 315 84 64	968 449 374 83 62	1,161 534 509 69 49	1,284 641 537 62 44	1,358 567 594 30 32	1,167 430 421 23 20	887 206 231 10 13	447 206 231 3 -	122 55 62 3 4	26 7 17 2 -	2 1 1 1	7 4 1 2	122	
128 47 63 8 10	340 158 148 20 14	707 372 255 42 38	1,102 644 374 50 34	1,426 909 400 65 33	1,717 1,145 467 69 36	1,788 1,234 454 75 25	1,895 1,180 448 46 21	1,523 1,003 452 24 20	1,221 733 445 19 19	892 522 335 10 16	481 254 212 5 5	180 77 96 5 2	58 25 29 3	9 3 5 1	1 1 -	8 5 3 -	124	
47 5 39 1 2	96 23 63 5 5	158 47 96 7 8	286 76 180 8 22	415 118 273 5 19	569 181 343 11 34	797 246 538 11 21	837 275 545 10 14	892 326 545 7 14	757 249 491 9 9	601 203 389 5 5	389 142 239 1 7	185 61 122 -	52 14 36 2 2	2 -	-	2 1 1 -	126,127	
797 296 278 80 143	1,148 399 371 149 239	1,670 584 536 213 337	2,496 883 820 339 454	3,539 1,307 1,100 541 591	4,907 1,990 1,544 710 663	6,191 2,843 1,897 777 674	7,862 3,645 2,667 821 729	9,716 4,556 3,598 859 703	11,537 5,471 4,682 782 602	11,881 5,725 5,182 589 385	9,451 4,502 4,331 352 266	6,031 2,815 2,901 158 157	2,027 850 991 103 83	444 141 211 46 46	89 15 17 27 30	69 16 13 24 16	130-132	
4 1 3	1 - 1	5 1 4	15 9 6	40 25 15	117 66 51	278 134 84	583 464 119	1,027 893 134	1,578 1,417 161	1,561 1,473 88	1,225 1,173 52	684 659 25	200 191 9	37 31 6	3 1 2	2 1 1	137	
1,170 892 278	1,080 811 289	932 694 238	397 316 81	56 43 13	5 3 2	-	-	-	-	-	-	-	-	-	-	2 1 1	140-150	
416 323 93	361 279 92	321 262 59	126 105 21	12 10 2	-	-	-	-	-	-	-	-	-	-	-	-	-	140,142a, 145a,147
259 196 62	248 180 68	214 139 75	83 64 19	16 11 5	1 - 1	-	-	-	-	-	-	-	-	-	-	-	-	141a,c, 144,148
373 280 93	366 280 86	319 237 82	164 121 33	22 19 3	4 3 1	-	-	-	-	-	-	-	-	-	-	-	2 1 1	141b,142b, 143,146, 149
123 93 30	105 72 33	78 56 22	34 26 8	6 3 3	-	-	-	-	-	-	-	-	-	-	-	-	-	141d,e,f, 145b,150
140 74 58 3 5	123 69 44 6 4	109 63 39 4 3	70 33 29 6 2	81 40 36 3 2	85 28 30 1 4	44 29 13 1 1	33 18 14 - 1	25 12 13 - -	7 6 1 - -	7 - 6 - -	7 2 5 - -	-	-	-	-	5 1 3 1 1	157	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
UNITED STATES—Continued												
158-161	Diseases peculiar to first year-----	61,738	61,738	...	...	...	...	61,738	...	...	...	...
	White-----M-----	31,534	31,534	...	...	...	...	31,534	...	...	...	...
	F-----	21,562	21,562	...	...	...	...	21,562	...	...	...	...
	Nonwhite-----M-----	4,940	4,940	...	...	...	...	4,940	...	...	...	...
	F-----	3,802	3,802	...	...	...	...	3,802	...	...	...	...
159	Premature birth-----	39,824	39,824	...	...	...	...	39,824	...	...	...	...
	White-----M-----	19,806	19,806	...	...	...	...	19,806	...	...	...	...
	F-----	14,251	14,251	...	...	...	...	14,251	...	...	...	...
	Nonwhite-----M-----	3,151	3,151	...	...	...	...	3,151	...	...	...	...
	F-----	2,616	2,616	...	...	...	...	2,616	...	...	...	...
159,160, 161	Other diseases peculiar to first year-----	21,914	21,914	...	...	...	...	21,914	...	...	...	...
	White-----M-----	11,728	11,728	...	...	...	...	11,728	...	...	...	...
	F-----	7,311	7,311	...	...	...	...	7,311	...	...	...	...
	Nonwhite-----M-----	1,689	1,689	...	...	...	...	1,689	...	...	...	...
	F-----	1,186	1,186	...	...	...	...	1,186	...	...	...	...
163,164	Suicide-----	16,152	-	-	-	-	-	-	5	62	328	634
	White-----M-----	11,631	-	-	-	-	-	-	5	47	187	535
	F-----	3,942	-	-	-	-	-	-	-	12	119	229
	Nonwhite-----M-----	443	-	-	-	-	-	-	-	3	10	51
	F-----	136	-	-	-	-	-	-	-	-	13	19
185-168	Homicide-----	6,784	134	24	22	24	15	219	39	78	440	1,229
	White-----M-----	3,025	58	10	8	8	5	89	17	21	130	549
	F-----	2,733	49	9	6	11	7	82	12	13	53	111
	Nonwhite-----M-----	3,060	14	2	4	3	1	24	5	33	189	583
	F-----	926	13	3	4	2	2	24	5	11	69	188
169-195	Accidental deaths-----	98,033	2,915	1,640	1,332	1,191	972	7,949	3,392	3,153	5,797	7,589
	White-----M-----	60,487	1,350	800	671	614	417	3,952	1,927	2,037	4,021	5,895
	F-----	27,080	984	553	404	390	286	2,617	935	997	1,092	1,035
	Nonwhite-----M-----	7,642	297	180	147	100	105	909	316	306	333	658
	F-----	6,824	294	127	110	96	64	671	214	133	151	163
170	Motor-vehicle accidents-----	33,411	151	304	351	431	351	1,568	1,451	1,057	2,950	4,495
	White-----M-----	23,508	80	156	187	244	193	860	846	695	2,005	3,490
	F-----	6,779	58	119	106	148	110	540	432	252	714	639
	Nonwhite-----M-----	2,454	5	13	22	22	36	98	109	69	182	299
	F-----	672	6	16	17	17	13	70	64	31	69	67
169, 171-195	Other accidents-----	64,622	2,764	1,336	1,001	759	521	6,381	1,941	2,096	2,847	3,074
	White-----M-----	35,981	1,270	644	484	370	224	2,992	1,081	1,356	2,016	2,205
	F-----	20,501	926	434	299	242	176	2,077	503	341	376	394
	Nonwhite-----M-----	5,188	292	147	125	78	69	711	207	297	371	359
	F-----	2,152	276	111	93	69	52	601	150	102	82	116
162,198, 200	Senility, ill-defined and unknown causes-----	27,607	4,129	299	124	82	61	4,695	133	94	174	254
	White-----M-----	10,649	1,153	88	30	27	18	1,318	41	25	46	67
	F-----	9,473	870	79	40	22	11	1,022	35	22	35	60
	Nonwhite-----M-----	4,510	1,171	78	22	19	11	1,301	56	20	40	52
	F-----	3,976	933	54	32	14	21	1,054	21	27	53	75
	All other causes-----	79,134	5,009	1,364	939	766	610	6,707	1,861	1,295	1,756	2,228
	White-----M-----	37,630	2,422	625	447	369	302	4,185	923	584	799	907
	F-----	31,630	1,671	512	350	321	226	3,080	690	479	654	636
	Nonwhite-----M-----	4,979	511	126	79	47	46	809	142	122	147	222
	F-----	4,305	404	101	63	49	36	653	106	100	176	263



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

257

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158-161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	158,160, 161
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1,037	1,219	1,468	1,587	1,645	1,835	1,640	1,532	1,090	883	538	279	127	22	6	-	15	163,164
695	767	950	1,131	1,174	1,317	1,241	1,189	856	711	448	236	108	17	6	-	11	...
273	377	447	408	416	473	360	309	216	157	80	42	19	4	-	-	2	...
86	53	55	34	40	35	33	30	16	13	10	1	-	1	-	-	2	...
13	22	16	14	15	10	6	4	2	2	-	-	-	-	-	-	-	...
1,367	1,217	1,159	884	728	475	332	245	153	95	52	26	9	-	-	-	37	165-168
379	358	366	275	310	211	172	146	89	61	24	11	5	-	-	-	12	...
122	110	107	96	79	51	39	40	21	8	15	8	3	-	-	-	4	...
665	605	565	433	299	183	114	52	37	20	10	3	1	-	-	-	19	...
181	144	120	80	40	30	8	7	6	7	3	4	-	-	-	-	2	...
5,746	5,204	5,046	4,709	4,779	5,163	5,147	5,160	5,524	5,645	6,144	5,580	4,154	1,554	337	53	228	169-195
4,200	3,742	3,516	3,328	3,327	3,690	3,670	3,592	3,542	3,069	2,818	2,243	1,448	505	94	11	162	...
770	742	802	670	780	884	982	1,115	1,581	2,281	3,104	3,202	2,636	1,013	223	22	19	...
650	587	588	571	538	485	381	357	276	200	132	65	41	13	11	7	38	...
126	133	140	140	134	124	114	85	125	95	90	70	29	25	9	13	9	...
2,966	2,228	1,998	1,785	1,806	1,948	1,901	1,879	1,810	1,494	1,154	600	259	45	4	2	35	170
2,208	1,580	1,385	1,233	1,250	1,351	1,332	1,389	1,341	1,062	837	443	196	39	1	2	21	...
461	388	363	283	352	384	406	378	359	261	264	139	54	3	2	-	5	...
252	215	205	200	180	176	127	122	88	61	41	13	9	3	1	-	6	...
45	45	43	49	44	35	36	20	24	10	12	5	-	-	-	-	3	...
2,780	2,976	3,050	2,844	2,973	3,217	3,246	3,281	3,714	4,151	4,990	4,980	3,895	1,509	333	51	193	169, 171-195
1,992	2,162	2,131	2,095	2,097	2,339	2,338	2,235	2,201	2,007	1,981	1,800	1,252	464	95	9	141	...
309	354	439	387	428	480	576	737	1,222	1,920	2,840	3,065	2,582	1,010	221	22	14	...
398	372	383	371	358	309	254	235	190	139	91	52	32	10	10	7	32	...
81	88	97	91	90	89	78	76	101	85	78	65	29	25	8	13	6	...
285	371	517	651	820	1,052	1,198	1,513	1,740	2,276	2,758	3,165	3,027	1,823	680	308	92	162,199, 200
96	99	179	271	344	451	544	701	769	988	1,213	1,504	1,219	689	205	36	43	...
55	91	117	105	111	143	210	301	387	625	976	1,364	1,496	895	321	80	22	...
52	84	107	128	194	250	254	284	319	373	348	259	159	107	63	64	17	...
62	97	114	147	171	208	190	227	265	290	221	240	153	132	91	128	10	...
2,631	3,056	3,746	4,313	4,990	5,767	6,357	6,748	6,628	6,392	5,531	3,760	2,178	970	218	40	54	...
1,016	1,158	1,419	1,676	2,124	2,764	3,410	3,658	3,581	3,372	2,827	1,788	975	360	65	9	20	...
1,004	1,258	1,480	1,741	1,949	2,224	2,358	2,550	2,591	2,687	2,483	1,830	1,127	464	154	19	12	...
261	289	325	383	444	451	346	328	248	195	120	89	35	21	7	7	18	...
350	371	522	503	473	328	243	212	198	138	101	73	41	25	12	13	4	...



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes—	24,727	3,025	256	129	105	81	254	263	453	696	715	772	969	1,093	1,404	1,711	1,854	1,925	2,339	2,213	1,876	1,226	818	316	102	57	75
	White—M	8,267	992	70	40	33	33	85	81	144	214	212	208	270	323	390	460	620	688	899	894	751	443	316	82	12	4	13
	F	6,144	671	65	36	33	17	56	51	77	109	97	147	197	201	254	290	406	424	654	685	677	478	359	131	30	4	15
	Nonwhite—M	5,374	744	72	29	27	13	55	62	134	185	202	185	206	269	385	541	431	444	437	368	251	154	67	49	25	17	24
	F	4,922	618	49	24	12	19	58	59	98	189	204	232	296	300	375	420	397	369	349	288	197	151	76	54	35	32	23
1,2	Typhoid and paratyphoid fever—																											
	White—M	9	-	-	-	-	-	3	1	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis—																											
	White—M	31	9	1	-	3	2	3	1	5	1	-	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	12	2	1	-	2	1	1	1	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	-	-	-	-	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever—																											
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough—																											
	White—M	37	29	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria—																											
	White—M	28	2	8	9	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	1	3	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	8	-	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)—																											
	White—M	1,122	16	9	4	3	1	6	11	64	124	129	136	98	92	102	89	69	44	41	32	32	13	5	-	-	1	1
	F	269	1	3	1	1	-	5	1	1	10	19	30	24	25	29	27	24	19	19	12	14	4	2	-	-	-	-
	Nonwhite—M	196	4	5	1	-	-	1	8	9	13	24	14	17	17	17	10	17	11	10	15	11	7	3	-	-	-	-
	F	326	5	2	1	2	1	2	2	24	40	36	36	28	36	39	16	10	7	1	5	2	-	-	-	1	-	-
	F	332	6	1	1	-	-	1	7	31	65	62	44	32	22	20	13	12	4	5	4	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.—																											
	White—M	1,049	5	3	1	-	-	3	10	60	119	123	134	95	90	96	84	66	43	39	29	29	13	5	-	-	1	1
	F	253	-	-	-	-	-	1	1	1	6	17	30	24	24	29	25	24	19	19	11	13	4	2	-	-	-	-
	Nonwhite—M	181	1	1	1	-	-	1	6	9	12	24	14	17	16	10	17	10	9	14	9	7	3	-	-	-	-	-
	F	297	2	2	-	-	-	1	2	22	38	32	36	27	28	32	36	13	10	7	1	5	2	-	-	-	1	-
	F	318	2	-	-	-	-	1	6	31	64	62	44	30	21	19	13	12	4	4	3	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)—																											
	White—M	73	11	6	3	3	1	3	1	4	5	6	2	3	2	6	5	3	1	2	3	3	-	-	-	-	-	-
	F	16	1	5	1	1	-	2	-	-	2	1	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	14	3	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-
	F	29	5	-	1	2	1	1	-	2	2	4	2	1	-	4	3	3	-	-	-	-	-	-	-	-	-	-
	F	14	4	1	1	-	-	-	1	-	1	-	-	2	1	1	-	-	-	1	1	-	-	-	-	-	-	-
27	Dysentery—																											
	White—M	22	3	1	-	-	-	-	-	-	1	1	3	-	-	1	1	2	2	2	3	1	-	1	-	-	-	-
	F	7	1	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	1	1	2	1	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
28	Malaria—																											
	White—M	30	-	-	-	-	-	3	3	2	2	2	2	-	-	6	1	3	3	2	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	1	1	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	1	-	-	-	-	-	4	-	-	2	1	-	-	-	-	-	-	-	-
30	Syphilis—																											
	White—M	317	28	2	1	-	1	-	1	6	8	12	19	30	28	35	37	26	29	27	15	6	3	1	-	1	-	1
	F	55	2	-	-	-	-	-	1	-	2	-	1	6	6	8	6	6	6	7	6	3	1	-	-	-	-	-
	Nonwhite—M	16	1	-	-	-	-	-	-	-	1	3	3	1	1	1	1	1	1	2	2	1	-	-	-	-	-	-
	F	165	16	1	1	-	-	-	2	6	4	10	13	12	24	22	16	16	12	4	2	2	-	-	-	1	-	1
	F	79	9	1	-	-	1	-	4	2	5	6	13	9	4	6	3	7	6	3	-	-	-	-	-	-	-	-
35	Measles—																											
	White—M	44	6	11	2	1	3	5	5	-	3	-	2	1	-	-	1	-	-	-	2	-	1					



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

259

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	ALABAMA-Cont.																											
	Cancer and other malignant tumors	2,261	2	3	2	5	4	9	7	8	11	26	41	113	140	233	246	290	220	273	253	196	109	48	12	3	1	6
	White-M	728	1	1	2	1	2	3	2	5	4	8	5	25	29	45	56	74	81	109	113	88	45	24	2	-	-	2
	White-F	872	1	2	-	4	2	3	3	-	5	3	17	40	56	94	88	112	85	106	91	78	52	17	8	2	-	3
	Nonwhite-M	253	-	-	-	-	-	-	-	3	1	2	2	13	9	35	35	39	33	29	24	18	5	3	2	-	-	-
	Nonwhite-F	408	-	-	-	-	-	3	2	-	1	13	17	35	46	59	66	65	23	29	25	10	7	4	-	1	1	1
46	Cancer of the digestive organs and peritoneum	653	1	-	-	1	1	-	1	3	3	7	9	23	39	66	81	108	93	113	151	96	47	22	4	1	-	3
	White-M	326	-	-	-	1	1	-	1	1	1	2	2	9	15	15	21	38	35	49	64	46	13	10	1	-	-	2
	White-F	299	1	-	-	1	-	-	-	2	-	4	4	9	21	25	39	31	41	43	38	30	8	2	1	-	-	1
	Nonwhite-M	119	-	-	-	-	-	-	-	2	-	1	-	5	7	15	18	16	17	14	12	8	2	1	1	-	-	-
	Nonwhite-F	109	-	-	-	-	-	-	-	-	-	4	3	5	8	15	17	16	10	9	12	5	2	3	-	-	-	-
48,49	Cancer of female genital organs	397	-	-	-	-	-	-	1	-	1	5	14	40	48	66	54	59	29	33	16	16	11	2	1	1	-	1
	White-M	222	-	-	-	-	-	-	-	-	1	-	7	22	24	33	27	32	20	22	11	13	7	2	1	-	-	-
	White-F	175	-	-	-	-	-	-	1	-	-	5	7	18	24	33	27	26	9	11	5	3	4	-	-	1	-	1
50	Cancer of breast	222	-	-	-	-	-	-	-	-	-	3	4	18	21	31	32	32	17	25	18	13	6	1	-	-	1	-
	White-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-F	149	-	-	-	-	-	-	-	-	-	2	9	15	26	19	18	15	18	14	12	3	-	-	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F	67	-	-	-	-	-	-	-	-	-	3	2	9	8	4	13	14	1	6	4	-	1	1	-	-	1	-
45,47, 51-55	Cancer (other sites)	789	1	3	2	4	3	9	5	5	7	11	14	32	32	70	79	91	81	102	88	72	45	23	7	1	-	2
	White-M	400	1	1	2	1	1	3	1	4	3	6	3	15	14	30	35	36	46	59	49	45	31	14	1	-	-	-
	White-F	202	-	2	-	3	2	3	3	-	2	3	4	5	10	14	18	23	17	25	25	18	12	7	5	1	-	2
	Nonwhite-M	130	-	-	-	3	2	-	-	1	1	1	2	8	2	19	17	23	15	15	12	9	2	2	1	-	-	-
	Nonwhite-F	57	-	-	-	-	-	3	1	-	1	1	5	5	6	7	9	9	3	5	4	2	-	-	-	-	-	-
58	Acute rheumatic fever	24	-	-	2	-	-	2	5	1	4	1	2	3	2	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-M	6	-	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-F	6	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	5	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite-F	7	-	-	-	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	335	-	1	-	-	-	1	4	5	3	5	9	8	16	18	22	41	44	58	45	24	19	8	1	-	-	3
	White-M	109	-	-	-	-	-	2	1	-	3	2	2	4	4	4	12	15	21	20	9	6	3	-	-	-	-	1
	White-F	124	-	1	-	-	-	-	-	-	1	2	2	3	6	3	17	18	30	17	8	9	4	-	-	-	-	2
	Nonwhite-M	34	-	-	-	-	-	-	3	-	1	1	1	1	1	3	5	3	6	-	6	1	2	-	1	-	-	-
	Nonwhite-F	68	-	-	-	-	-	1	2	1	2	-	4	3	8	5	10	9	5	7	2	6	2	1	-	-	-	-
65b	Exophthalmic goiter	30	-	-	-	-	-	-	1	-	2	-	-	2	1	3	4	3	6	4	4	-	-	-	-	-	-	-
	White-M	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White-F	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	4	3	4	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	7	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	96	-	1	-	-	-	-	-	1	2	3	3	3	3	12	6	4	10	10	17	12	5	4	2	-	1	-
	White-M	15	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	5	-	1	-	-	-	-	-
	White-F	57	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	1	3	5	9	5	4	3	2	-	-	-
	Nonwhite-M	15	-	-	-	-	-	-	-	-	1	2	1	1	1	3	1	3	2	2	3	2	-	-	-	-	-	-
	Nonwhite-F	31	-	-	-	-	-	-	-	1	2	2	2	2	7	3	2	2	2	2	3	2	-	-	-	-	1	-
77	Alcoholism (ethylin)	31	-	-	-	-	-	-	-	2	1	5	2	7	3	4	3	-	2	1	-	1	-	-	-	-	-	-
	White-M	17	-	-	-	-	-	-	-	-	-	2	2	4	1	2	2	-	2	1	-	1	-	-	-	-	-	-
	White-F	4	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	6	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	4	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,380	3	1	-	-	-	2	2	6	5	10	17	31	80	127	195	270	278	353	346	310	180	113	30	11	5	5
	White-M	679	1	-	-	-	-	-	-	-	2	1	2	7	13	17	32	69	79	118	126	108	53	43	8	-	-	-
	White-F	684	-	-	-	-	-	2	-	-	1	1	3	6	16	18	38	59	61	109	118	88	51	11	1	-	-	2
	Nonwhite-M	473	1	-	-	-	-	1	4	2	3	5	7	23	36	71	88	65	64	50	47	20	11	4	4	2	1	1
	Nonwhite-F	544	1	1	-	-	-	1	2	-	5	10	11	28	57	54	58	75	67	61	37	24	6	7	6	3	2	2
90-95	Diseases of the heart	5,320	1	2	-	1	2	11	21	23	51	48	53	146	216	321	483	548	622	784	698	585	365	232	72	15	4	18
	White-M	2,086	-	1	-	-	-	2	4	8	11	11	16	41	75	117	150	215	280	341	307	245	148	100	18	3	-	3
	White-F	1,513	1	-	-	-	1	2	4	1	7	9	7	27	30	37	65	90	103	216	213	218	138	107	28	7	1	1
	Nonwhite-M	1,003	-	-	-	1	1	4	4	9	17	12	10	23	47	85	160	151	126	124	115	61	37	12	15	2	1	6
	Nonwhite-F	908	-	1	-	-	-	3	9	5	16	16	20	55	64	82	108	112	113	103	63	61	40	13	11	3	2	8
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	392	-	-	-	1	1	7	12	12	11	6	16	16	16	19	30	36	37	46	45	28	37	11	5	2	1	1
	White-M	128	-	-	-	-	-	3	5	4	3	3	6	4	4	2	5	10	13	16	22	12	16	2	2	-	-	-
	White-F	79	-	-	-	-	-	1	2	1	4	4	1	4	2	4	2	2	5	10	16	10	9	4	1	1	-	-
	Nonwhite-M	84	-	-	-	1	1	4	4	2	1	1	3	3	3	5	14	10	5	12	4	5	2	1	1	-	-	-
	Nonwhite-F	101	-	-	-	-	-	2	6	2	6	3	1	3	7	8	9	14	14	8	3	2	7	3	1	-	1	1
94	Diseases of coronary arteries and angina pectoris	1,521	-	-	-	-	-	-	1	1	11	14	16	48	77	118	155	182	238	245	185	123	54	40	5	3	-	5
	White-M	825	-	-	-	-	-	-	-	-	5	6	8	16	42	55	76	109	152	141	110	62	21	19	1	1	-	1
	White-F	377	-	-	-	-	-	-	-	1	2	2	1	9	14	28	30	49	77	54	48							



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	ALABAMA—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	273 86 77 38 72	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —
107-109, 33	Pneumonia (all forms) and influenza White—M— F— Nonwhite—M— F—	1,526 398 398 392 348	398 103 69 120 106	62 17 15 17 13	18 3 7 4 4	16 6 3 2 3	7 4 2 1 1	23 6 7 5 6	17 4 3 4 6	25 4 6 6 9	22 4 3 8 7	39 13 5 10 13	31 5 6 10 10	44 8 8 13 15	45 10 10 13 12	57 13 8 16 16	73 43 10 10 22	52 12 8 20 12	87 13 22 26 19	107 29 35 24 16	104 33 31 24 19	91 24 45 9 13	84 34 34 6 8	72 26 35 21 6	33 10 36 6 4	13 2 21 2 —	2 1 6 1 —	4 1 1 — 2
107	Bronchopneumonia White—M— F— Nonwhite—M— F—	505 137 135 120 113	197 54 34 59 50	18 4 3 2 4	7 — 5 2 2	6 — 1 2 2	3 — 1 1 2	6 — 1 1 2	5 — 2 5 2	9 — 2 5 2	6 — 1 1 2	8 — 1 1 2	5 — 1 1 2	10 — 2 1 4	11 — 2 3 3	7 — 1 3 5	13 — 3 2 3	8 — 2 2 4	25 — 5 7 8	31 — 10 13 8	33 — 13 19 2	30 — 15 18 2	22 — 9 5 1	27 — 11 10 2	12 — 6 1 —	4 — 1 — —	2 — — — 1	
108	Lobar pneumonia White—M— F— Nonwhite—M— F—	530 149 136 138 107	82 24 18 22 18	17 6 5 2 4	5 2 1 1 1	2 2 — — —	4 2 1 — —	9 2 1 — —	7 2 2 1 4	10 — 2 1 4	10 — 2 3 4	16 — 1 2 5	15 — 4 4 4	18 — 3 8 4	18 — 5 6 6	27 — 4 11 8	37 — 6 2 11	28 — 8 3 3	32 — 4 9 11	33 — 18 16 7	40 — 18 14 5	32 — 9 10 5	24 — 12 11 1	25 — 9 11 2	13 — 2 9 2	4 — 2 — —	— — — — 2	
109	Pneumonia (unspecified) White—M— F— Nonwhite—M— F—	82 22 15 17 28	23 6 2 8 7	6 2 1 1 2	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		
33	Influenza White—M— F— Nonwhite—M— F—	409 90 112 107 100	96 19 15 31 31	21 5 6 7 3	6 1 3 1 1	6 2 2 2 —	— — — — —	5 2 2 2 —	5 2 1 2 —	4 2 1 2 —	6 1 — 3 2	11 3 — 2 6	10 — 2 4 3	15 — 3 2 6	12 — 4 5 4	17 — 5 3 8	19 — 3 2 6	13 — 4 3 3	24 — 7 8 2	20 — 3 8 7	29 — 4 11 8	25 — 8 14 5	36 — 13 14 4	17 — 5 9 2	6 — 4 4 —	4 — 3 3 —	— — — — 1	
117	Ulcer of stomach or duodenum White—M— F— Nonwhite—M— F—	106 61 5 35 5	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		
119,120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	172 52 34 44 42	107 32 21 28 26	19 4 2 8 5	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		
121	Appendicitis White—M— F— Nonwhite—M— F—	121 41 30 25 25	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		
122	Hernia, intestinal obstruction White—M— F— Nonwhite—M— F—	167 42 53 32 40	9 2 4 1 2	3 — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		
124	Cirrhosis of the liver White—M— F— Nonwhite—M— F—	135 78 22 17 18	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —		
126,127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	69 23 31 8 7	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	—				

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

261

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	ALABAMA--Con.																											
140-150	Diseases of preg- nancy, etc.--F--	209	-	-	-	-	-	-	1	26	49	39	37	40	13	3	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	78	-	-	-	-	-	-	-	12	18	13	13	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	131	-	-	-	-	-	-	1	14	31	26	24	25	7	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia--F--	71	-	-	-	-	-	-	1	7	22	11	14	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	24	-	-	-	-	-	-	-	3	6	4	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	47	-	-	-	-	-	-	1	4	16	7	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia White--F--	69	-	-	-	-	-	-	-	15	9	15	9	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	27	-	-	-	-	-	-	-	8	5	5	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	42	-	-	-	-	-	-	-	7	4	10	6	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock--F--	46	-	-	-	-	-	-	-	3	10	9	11	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	17	-	-	-	-	-	-	-	1	4	2	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	-	-	-	-	-	-	-	2	6	7	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes--F--	23	-	-	-	-	-	-	-	1	8	4	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	10	-	-	-	-	-	-	-	-	3	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	-	-	-	-	-	-	-	1	5	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations--F--	265	219	11	4	2	1	8	4	2	5	2	1	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	White--F--	109	95	2	2	1	1	3	1	-	2	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	96	79	6	2	1	-	1	-	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White--F--	31	21	2	-	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	24	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year--F--	1,531	1,531	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	603	603	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	366	366	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	241	241	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--F--	1,015	1,015	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	381	381	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	269	269	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	203	203	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	162	162	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159,160, 161	Other diseases peculiar to first year--F--	516	516	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide--F--	203	-	-	-	-	-	-	3	7	19	22	26	17	23	21	19	12	12	7	7	5	1	2	-	-	-	
	White--F--	143	-	-	-	-	-	-	3	5	12	15	17	12	15	13	14	10	9	5	5	1	2	-	-	-	-	
	Nonwhite--F--	41	-	-	-	-	-	-	-	2	5	4	5	5	6	3	2	2	1	1	1	-	-	-	-	-	-	
	White--F--	13	-	-	-	-	-	-	-	2	2	2	2	1	2	1	1	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide--F--	421	-	-	1	-	1	-	4	22	74	69	54	62	50	24	18	11	16	7	4	1	-	-	-	-	-	
	White--F--	97	-	-	1	-	-	-	4	15	11	8	16	13	9	3	4	7	3	2	1	-	-	-	-	-	-	
	Nonwhite--F--	22	-	-	-	-	-	-	1	3	4	3	2	1	1	1	2	3	-	-	-	-	-	-	-	-	-	
	White--F--	237	-	-	-	-	-	-	2	14	41	30	37	29	12	11	4	6	4	2	-	-	-	-	-	-	-	
	Nonwhite--F--	65	-	-	-	-	-	-	2	3	15	11	13	7	7	2	3	1	-	-	-	-	-	-	-	-	-	
169-185	Accidental deaths--F--	2,003	66	50	31	30	28	100	106	167	197	180	139	122	106	102	81	80	79	64	73	65	55	49	17	1	4	
	White--F--	969	21	14	8	8	8	37	41	89	129	100	81	73	62	52	41	44	35	30	32	17	23	17	4	-	3	
	Nonwhite--F--	361	13	10	6	8	7	20	23	30	21	20	12	12	5	8	8	9	11	18	24	34	25	10	1	-	2	
	White--F--	497	16	18	10	11	7	19	28	40	42	54	40	29	38	31	24	20	26	12	11	10	4	4	2	-	3	
	Nonwhite--F--	176	16	8	7	3	6	24	14	8	5	6	6	8	3	11	8	7	7	4	6	4	4	4	2	-	2	
170	Motor-vehicle accidents--F--	766	5	9	8	6	14	45	37	89	117	102	70	50	41	32	26	32	22	17	20	13	8	1	-	-	2	
	White--F--	448	3	4	2	3	5	20	16	44	63	89	44	33	24	17	13	21	10	11	13	6	7	-	-	-	-	
	Nonwhite--F--	110	2	3	2	2	4	9	9	23	9	12	7	6	3	3	4	3	2	2	1	1	1	1	-	-	1	
	White--F--	168	-	2	2	1	4	8	7	18	23	19	19	9	12	10	7	6	8	3	4	5	-	-	-	-	1	
	Nonwhite--F--	40	-	-	2	-	1	8	5	4	2	2	-	2	2	2	2	2	2	1	2	1	-	-	-	-	-	
168, 171-195	Other accidents--F--	1,237	61	41	23	24	14	55	69	78	80	78	69	72	65	70	55	48	57	47	53	52	47	48	17	1	4	
	White--F--	521	18	10	6	5	3	17	25	45	46	31	37	40	38	35	28	23	19	19	11	16	17	17	4	-	3	
	Nonwhite--F--	251	11	7	4	6	3	11	14	7	12	8	5	6	2	5	4	6	9	16	23	33	23	24	10	1	1	
	White--F--	329	16	16	8	10	3	11	21	22	19	35	21	20	24	21	17	14	18	9	7	5	4	3	1	-	3	
	Nonwhite--F--	136	16	8	5	3	5	16	9	4	3	4	6	6	1	9	6	5	5	3	4	3	4	4	2	-	2	
162,189, 200	Senility, ill- defined and un- known causes--F--	1,872	442	20	11	7	5	9	9	12	21	21	32	53	53	60	95	87	106	138	157	146	131	96	79	38	32	
	White--F--	584	73	3	2	2	2	3	3	2	1	2	6	10	12	13	20	19	26	39	59	41	22	22	16	3	2	
	Nonwhite--F--	290	49	4	4	-	-	1	1	2	4	1	3	12	4	3	4	13	16	12	20	35	36	34	24	6	1	
	White--F--	615	184	7	2	1	-	2	4	3	5	7	11	14	14	20	31	27	42	44	55	44	39	17	16	11	10	
	Nonwhite--F--	583	158	6	5	4	5	3	1	5	11	11	12	17	23	24	40	28	22	43	43	26	34	23	25	18	19	
	White--F--	1,506	148	39	32	20	20	50	35	47	54	60	86	88	94	103	99	118	90	91	74	76	39	20	15	4	1	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																											
	All causes-----	5,737	679	152	54	36	24	70	61	107	166	199	193	210	230	320	412	460	453	468	484	381	279	189	70	22	10	8
	White-----M	3,069	268	44	22	11	9	29	25	42	72	103	90	104	130	205	265	298	272	282	281	216	143	108	35	7	6	3
	White-----F	1,744	224	40	7	15	9	16	19	30	38	52	57	70	70	72	89	119	139	148	164	131	116	76	29	12	2	-
	Nonwhite--M	519	98	31	11	4	3	15	9	19	27	23	26	23	17	28	37	29	26	19	25	19	15	4	5	1	1	4
	Nonwhite--F	405	89	37	14	6	3	11	8	16	29	21	20	13	13	15	21	14	16	19	14	15	5	1	1	2	1	1
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	-	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	1	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	8	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	8	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	17	-	-	-	5	-	7	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	-	-	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	727	9	14	4	2	2	15	15	24	44	75	76	70	73	72	82	46	45	31	13	11	-	3	1	-	-	-
	White-----M	378	-	3	-	-	1	-	1	1	14	25	27	41	41	56	60	37	29	23	6	8	-	1	-	-	-	-
	White-----F	152	3	2	-	-	-	2	2	10	6	24	27	14	21	7	10	2	9	5	4	2	-	2	-	-	-	-
	Nonwhite--M	102	2	5	3	1	1	10	6	5	9	12	11	7	8	6	4	2	4	3	1	1	-	-	1	-	-	-
	Nonwhite--F	97	4	4	1	1	-	3	6	8	15	14	11	8	3	3	8	5	3	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	664	5	7	1	2	1	9	12	20	42	70	71	67	70	68	77	45	42	29	13	10	-	2	1	-	-	-
	White-----M	353	-	2	-	-	-	-	-	1	12	25	26	39	38	53	56	36	28	21	8	7	-	1	-	-	-	-
	White-----F	140	1	-	-	-	-	1	1	10	6	23	25	14	21	6	10	2	8	5	4	2	-	1	-	-	-	-
	Nonwhite--M	90	2	3	1	1	1	7	5	4	9	11	11	6	8	6	4	2	3	3	1	1	-	-	1	-	-	-
	Nonwhite--F	81	2	2	-	1	-	1	6	5	15	11	9	8	3	3	7	5	3	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	63	4	7	3	-	1	6	3	4	2	5	5	3	3	4	5	1	3	2	-	1	-	1	-	-	-	-
	White-----M	23	-	1	-	-	1	-	1	-	2	-	1	2	3	3	4	1	1	2	-	1	-	-	-	-	-	-
	White-----F	12	2	2	-	-	-	1	1	-	-	1	2	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M	12	-	2	2	-	-	3	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F	16	2	2	1	-	-	2	-	3	-	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	23	17	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
	Nonwhite--F	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	65	8	-	-	-	-	-	-	-	2	-	2	1	2	8	12	9	6	6	4	2	2	-	-	-	-	1
	White-----M	30	1	-	-	-	-	-	-	-	-	-	1	1	-	2	7	4	5	4	3	-	1	-	-	-	-	1
	White-----F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	1	1	-	-	-	-		

\*Refer to International List for complete title, table V, Part I.



## 263

and of deaths among armed forces overseas)

[illegible]



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	ARIZONA—Con.																											
	Arteriosclerosis and high blood pressure*	69	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	6	8	7	13	7	10	8	2	1	-
	White—M—	38	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	4	6	7	13	7	10	8	2	1	-
	F—	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	5	4	2	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
107-109, 55	Pneumonia (all forms) and influenza	379	111	34	5	2	2	2	5	7	2	11	9	5	7	12	9	16	28	17	22	25	23	16	5	2	2	-
	White—M—	187	42	9	2	1	2	-	-	3	1	5	6	1	4	5	3	9	14	11	15	10	10	9	4	1	1	-
	F—	126	38	13	-	1	-	1	2	1	1	5	-	1	1	4	5	4	10	4	12	9	7	1	1	1	-	-
	Nonwhite—M—	46	15	4	1	-	-	1	2	2	-	1	2	1	1	3	1	2	3	1	2	1	3	-	-	-	-	-
	F—	40	16	8	2	-	-	-	1	1	-	-	2	1	1	-	-	2	1	1	1	2	1	-	-	-	-	-
107	Bronchopneumonia	207	73	21	3	1	1	1	2	3	-	3	3	2	3	3	1	9	14	6	13	18	12	10	4	1	-	-
	White—M—	93	27	7	1	-	1	-	-	1	-	2	2	-	2	2	1	4	8	2	10	8	7	4	3	1	-	-
	F—	74	27	8	-	1	-	1	2	1	-	1	-	1	-	1	-	2	5	3	2	8	4	6	1	-	-	-
	Nonwhite—M—	19	9	2	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-
	F—	21	10	4	2	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
108	Lobar pneumonia	89	15	5	1	1	-	-	1	1	1	4	2	3	1	8	6	3	7	8	5	3	7	4	1	1	1	-
	White—M—	41	4	1	1	1	-	-	-	1	1	2	1	1	-	3	2	1	2	7	4	1	3	4	1	-	-	-
	F—	30	5	3	-	-	-	-	-	-	-	1	-	-	1	3	3	1	4	-	1	2	4	-	1	1	-	-
	Nonwhite—M—	12	4	1	-	-	-	-	1	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F—	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	37	12	4	1	-	1	1	2	2	-	1	2	-	1	-	-	-	2	-	3	2	2	1	-	-	-	-
	White—M—	13	6	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F—	7	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M—	10	2	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	F—	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
53	Influenza	46	11	4	-	-	-	-	-	1	1	3	2	-	2	1	2	4	5	3	3	1	2	2	1	-	1	-
	White—M—	20	5	1	-	-	-	-	-	-	1	1	1	-	1	-	-	3	3	2	1	1	1	1	-	-	1	-
	F—	15	3	1	-	-	-	-	-	-	1	2	-	-	-	-	2	1	1	1	1	1	1	-	-	-	-	-
	Nonwhite—M—	5	3	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F—	6	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	38	-	-	-	-	-	-	-	-	-	-	4	5	2	4	8	4	3	4	3	1	-	-	-	-	-	-
	White—M—	30	-	-	-	-	-	-	-	-	-	-	3	4	2	4	5	3	5	4	2	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	132	94	22	2	4	-	-	-	-	-	-	1	2	-	-	-	1	3	1	-	2	-	-	-	-	-	-
	White—M—	44	31	7	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F—	35	29	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	23	16	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	30	18	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	22	-	1	-	-	-	1	2	1	3	-	1	1	3	1	2	2	1	1	1	1	-	-	-	-	-	-
	White—M—	11	-	-	-	-	-	1	1	1	-	-	1	-	2	1	2	2	1	-	1	-	-	-	-	-	-	-
	F—	6	-	1	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	41	4	1	2	-	-	-	-	-	-	-	2	1	2	3	2	5	7	5	1	1	5	-	-	-	-	-
	White—M—	19	2	-	1	-	-	-	-	-	-	-	1	-	1	1	2	2	4	4	-	1	2	-	-	-	-	-
	F—	17	1	1	-	-	-	-	-	-	-	-	1	1	1	2	2	3	3	1	1	3	-	-	-	-	-	-
	Nonwhite—M—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F—	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	48	-	-	-	-	-	-	-	-	-	1	1	1	3	4	4	11	7	3	6	4	-	1	1	-	1	-
	White—M—	28	-	-	-	-	-	-	-	-	-	1	-	1	2	2	9	3	1	2	3	-	-	1	-	-	-	-
	F—	18	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	4	2	3	1	-	-	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	21	1	1	-	-	-	-	-	-	1	-	-	2	1	-	1	3	1	4	2	4	-	-	-	-	-	-
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F—	9	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F—	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	210	1	2	-	-	-	5	3	-	-	4	3	6	8	11	9	16	23	17	25	19	25	17	1	2	2	1
	White—M—	103	-	2	-	-	-	3	-	-	-	2	2	2	2	7	3	11	9	12	8	10	11	-	1	-	1	-
	F—	64	1	-	-	-	-	1	3	-	-	1	1	4	5	4	5	3	9	7	12	9	12	5	-	1	1	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	1	1	-	-	-	-
	F—	14	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	2	3	1	2	-	-	-	-	-	-	-
137	Diseases of the prostate	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	7	5	-	-	-	-	-
	White—M—	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	9	7	5	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

265

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																											
140-150	Diseases of pregnancy, etc.—	35	-	-	-	-	-	-	-	-	4	11	5	6	7	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F—	23	-	-	-	-	-	-	-	3	5	5	4	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	12	-	-	-	-	-	-	-	1	6	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia—	14	-	-	-	-	-	-	-	-	5	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	9	-	-	-	-	-	-	-	-	2	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—	5	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	5	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—	8	-	-	-	-	-	-	-	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	5	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141A, c, f, 145B, 150	Other puerperal causes—	8	-	-	-	-	-	-	-	1	3	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	4	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	75	66	4	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M—	33	29	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	36	31	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	93	93	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M—	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth—	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	85	85	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M—	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159, 160, 161	Other diseases peculiar to first year—	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M—	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
183, 184	Suicide—	71	-	-	-	-	-	-	1	3	8	5	4	8	7	6	12	8	-	4	1	2	1	1	-	-	-	-
	White—M—	52	-	-	-	-	-	1	1	5	4	3	5	5	4	5	8	7	-	4	1	2	1	1	-	-	-	-
	F—	15	-	-	-	-	-	-	1	2	1	-	3	3	3	1	3	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—	38	-	-	-	-	-	-	4	3	9	5	6	3	2	1	3	2	-	-	-	-	-	-	-	-	-	-
	White—M—	20	-	-	-	-	-	-	3	2	3	4	2	3	3	-	2	1	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	1	5	1	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—	568	26	25	14	12	10	17	17	38	61	55	30	19	19	39	34	29	21	19	29	19	15	12	4	2	-	2
	White—M—	351	13	11	8	4	2	9	12	25	41	44	19	13	16	33	23	16	14	9	17	19	8	7	6	4	1	-
	F—	127	6	9	5	7	5	4	8	5	7	7	5	2	2	3	4	7	5	9	9	7	8	6	4	1	-	-
	Nonwhite—M—	67	2	3	-	-	2	1	-	7	13	3	5	3	1	3	7	5	1	3	3	5	3	-	-	-	-	2
	F—	23	5	2	3	1	1	3	-	1	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents—	190	2	3	4	4	6	4	4	12	27	21	16	8	6	19	15	11	10	4	7	3	2	2	-	-	-	-
	White—M—	134	1	2	1	2	2	2	2	8	21	17	10	7	6	16	12	5	6	3	5	3	2	1	-	-	-	-
	F—	40	-	1	2	2	3	2	2	2	5	4	4	1	-	1	1	3	4	-	2	-	-	-	-	-	-	-
	Nonwhite—M—	12	1	-	-	-	1	-	-	1	1	-	1	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-
	F—	4	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—	378	24	22	10	8	4	13	13	28	34	34	14	11	13	20	19	18	11	15	22	16	13	10	4	2	-	2
	White—M—	217	12	9	6	3	-	7	10	17	20	27	9	6	10	17	11	11	8	6	12	5	5	5	-	1	-	-
	F—	87	6	8	1	5	2	3	3	3	2	3	1	1	2	2	3	4	1	6	7	7	8	5	4	1	-	-
	Nonwhite—M—	55	1	3	-	-	1	1	-	6	12	3	4	3	1	1	5	3	1	2	3	3	-	-	-	-	-	2
	F—	19	5	2	3	-	1	3	-	-	-	1	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes—	265	49	18	3	-	1	1	1	4	1	2	5	7	6	9	10	10	17	16	31	18	27	9	11	7	1	1
	White—M—	107	13	1	-	-	-	-	-	1	-	-	-	1	4	6	4	6	10	5	15	10	17	5	6	2	1	-
	F—	36	5	1	-	-	-	-	-	-	-	-	-	2	1	1	3	1	4	3	2	2	2	2	4	3	-	-
	Nonwhite—M—	67	21	9	2	-	-	1	-	1	-	-	4	3	-	1	2	1	3	9	2	2	5	1	1	-	-	1
	F—	55	10	7	1	-	1	-	-	3	1	2	1	1	1	2	2	1	2	5	5	4	3	1	-	2	-	-
	All other causes—	376	31	14	10	5	5	10	1	7	12	14	20	22	19	22	32	43	24	29	25	11	13	4	1	2	-	-
	White—M—	210	11	7	4	3	3	6	1	1	2	5	10	13	13	14	19	31	16	19	15	7	6	3	1	-	-	-
	F—	113	9	3	-	1	2	2	-	5	6	6	5	8	5	7	9	12	7	9	8	-	6	1	-	2	-	-
	Nonwhite—M—	27	3	2	2	-	-	-	-	1	2	1	4	-	1	1	4	-	-	1	2	2	1	-	-	-	-	-
	F—	26	8	2	4	1	-	2	-	-	2	2	1	1	-	-												



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
1,2	ARKANSAS																											
	All causes—	14,338	1,283	129	76	64	60	146	167	235	335	365	372	461	541	644	934	1,076	1,233	1,494	1,545	1,370	916	560	221	58	31	16
	White—M	6,105	584	43	37	24	19	55	69	88	113	122	125	168	191	252	391	469	567	697	735	619	441	238	82	21	2	3
	White—F	4,202	417	46	28	24	22	39	45	61	84	84	86	128	126	139	233	249	284	436	471	493	329	239	109	17	4	6
	Nonwhite—M	2,136	158	19	13	7	11	25	40	49	66	75	79	70	94	129	155	192	213	202	216	161	77	45	14	8	12	6
	Nonwhite—F	1,895	154	19	7	9	6	29	23	37	72	74	82	115	130	124	155	166	169	149	123	97	71	39	16	12	13	1
	Typhoid and paratyphoid fever—	17	1	—	—	—	—	1	2	2	1	1	—	1	3	1	1	—	1	2	—	—	—	—	—	—	—	—
	White—M	7	1	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	2	—	—	—	—	—	—	—	—
	White—F	4	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	5	—	—	—	—	—	—	2	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Cerebrospinal (meningococcus) meningitis—	17	—	2	5	2	—	2	—	—	1	1	—	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—
	White—M	7	—	2	1	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	6	—	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
8	Scarlet fever—	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Whooping cough—	20	15	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	7	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	7	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Diphtheria—	40	2	6	6	5	8	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	18	—	2	2	2	5	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	16	—	2	3	3	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15-22	Tuberculosis (all forms)—	699	4	2	4	2	2	3	5	33	57	66	56	53	53	49	51	68	60	42	46	24	10	3	1	—	—	3
	White—M	250	—	1	—	—	—	—	2	2	6	9	16	15	20	22	29	35	32	17	24	12	6	2	—	—	—	—
	White—F	177	1	1	3	2	—	1	1	5	13	21	11	12	12	7	10	12	15	19	16	8	4	1	1	—	—	1
	Nonwhite—M	158	1	1	—	—	1	1	1	15	20	15	15	14	12	12	8	15	11	5	4	3	—	—	—	—	—	2
13	Tuberculosis of respiratory system, etc.—	662	3	—	1	1	1	2	5	32	52	63	56	53	50	47	50	64	58	39	45	23	10	3	1	—	—	3
	White—M	244	—	—	—	—	—	—	2	2	6	9	16	15	20	22	29	33	31	15	24	12	6	2	—	—	—	—
	White—F	166	—	—	1	1	—	—	1	5	12	20	11	12	12	7	10	12	14	18	15	6	4	1	1	—	—	1
	Nonwhite—M	146	1	—	—	—	—	1	1	14	19	14	15	13	10	12	8	14	11	5	4	2	—	—	—	—	—	2
14-22	Tuberculosis (other forms)—	37	1	2	3	1	1	—	—	1	5	3	—	2	3	2	1	4	2	3	1	1	—	—	—	—	—	—
	White—M	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—
	White—F	11	1	1	2	1	—	—	—	1	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
	Nonwhite—M	10	—	1	—	—	1	—	—	1	1	1	—	1	2	—	1	—	—	—	1	—	—	—	—	—	—	—
27	Dysentery—	15	5	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	1	—	2	2	—	—	—	—	—	—
	White—M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	White—F	4	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
28	Malaria—	25	1	—	1	—	2	1	2	—	—	1	4	2	—	—	2	1	1	3	1	3	—	—	—	—	—	—
	White—M	5	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	White—F	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	Nonwhite—M	9	—	—	—	—	3	—	—	—	—	3	1	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—
30	Syphilis—	148	9	—	—	—	—	—	—	5	1	5	7	9	20	16	19	16	12	15	8	2	2	—	—	—	—	1
	White—M	40	—	—	—	—	—	—	—	1	—	2	1	5	4	8	8	2	6	2	1	—	—	—	—	—	—	—
	White—F	15	1	—	—	—	—	—	—	2	1	1	—	1	1	1	2	1	2	1	2	1	—	—	—	—	—	1
	Nonwhite—M	60	3	—	—	—	—	—	—	2	—	2	5	1	9	10	6	5	6	5	2	1	2	—	—	—	—	1
35	Measles—	27	7	7	2	—	1	2	1	—	—	—	1	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—
	White—M	11	3	1	1	—	—	—	1	—	—	—	1	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	White—F	9	2	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	Nonwhite—M	5	2	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36	Poliomyelitis, polioencephalitis (acute)—	26	—	1	2	5	1	4	3	2	3	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M	12	—	1	—	1	1	2	2	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F	11	—	—	2	2	—	2	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

267

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ARKANSAS—Con.																												
45-55	Cancer and other malignant tumors	1,436	2	2	1	1	2	3	6	3	15	20	29	57	67	113	162	155	188	191	176	137	72	24	7	2	-	1
	White—M—	580	2	1	1	-	-	1	1	-	9	7	11	12	18	30	54	45	72	90	82	65	36	9	5	1	-	-
	White—F—	607	-	1	-	1	1	2	1	3	4	11	12	30	28	45	79	73	74	71	67	59	31	14	1	-	-	-
	Nonwhite—M—	118	-	-	-	-	-	-	2	-	-	-	1	1	4	12	15	13	21	16	17	8	4	1	1	1	-	1
	Nonwhite—F—	161	-	-	-	-	1	-	2	-	2	1	6	14	18	28	14	26	21	14	10	5	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	570	-	-	-	-	1	-	1	-	2	5	7	13	20	42	54	58	95	78	67	70	23	11	2	1	-	-
	White—M—	249	-	-	-	-	-	-	-	-	1	1	2	7	8	17	22	22	39	40	40	30	12	6	1	1	-	-
	White—F—	222	-	-	-	-	-	-	-	-	1	4	3	4	7	11	20	22	37	25	38	35	11	4	-	-	-	-
	Nonwhite—M—	62	-	-	-	-	-	-	1	-	-	-	-	-	3	7	10	10	12	7	6	4	-	1	1	-	-	-
	Nonwhite—F—	37	-	-	-	-	1	-	-	-	-	-	2	2	2	7	2	4	7	6	3	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	234	-	-	-	-	-	-	2	1	1	2	9	21	23	31	41	28	25	22	11	8	9	-	-	-	-	-
	White—F—	150	-	-	-	-	-	-	1	-	1	2	5	12	13	16	32	19	15	15	6	6	8	-	-	-	-	-
	Nonwhite—F—	84	-	-	-	-	-	2	-	-	1	-	4	9	10	15	9	9	10	7	5	2	1	-	-	-	-	-
50	Cancer of breast	121	-	-	-	-	-	-	-	-	1	3	2	6	10	14	16	20	13	14	12	5	2	3	-	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—F—	94	-	-	-	-	-	-	-	-	1	3	2	5	8	8	15	13	10	14	8	4	2	3	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	22	-	-	-	-	-	-	-	-	-	-	-	1	3	6	1	6	2	-	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	511	2	2	1	1	1	3	3	2	11	10	11	17	14	26	51	49	55	77	68	54	38	10	5	1	-	1
	White—M—	296	2	1	1	-	-	1	1	-	8	6	9	5	9	13	32	20	32	50	40	35	24	3	4	-	-	-
	White—F—	141	-	1	-	1	1	2	1	2	2	2	9	3	8	12	18	12	17	15	14	10	7	1	-	-	-	-
	Nonwhite—M—	56	-	-	-	-	-	-	1	-	-	1	-	1	1	5	5	3	9	9	11	4	4	-	-	1	-	1
	Nonwhite—F—	18	-	-	-	-	-	-	-	-	1	1	-	2	1	-	2	7	2	1	-	1	-	-	-	-	-	-
58	Acute rheumatic fever	20	-	-	-	-	-	3	4	3	2	-	-	-	2	-	-	1	-	-	3	1	1	-	-	-	-	-
	White—M—	6	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—F—	6	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—F—	6	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
61	Diabetes mellitus	203	-	-	-	-	-	-	1	4	4	4	4	2	6	9	18	13	32	35	33	23	10	4	1	-	-	-
	White—M—	78	-	-	-	-	-	-	-	1	-	3	1	1	2	3	6	2	17	11	14	10	4	2	1	-	-	-
	White—F—	86	-	-	-	-	-	-	-	1	4	1	1	1	3	3	5	4	11	19	16	11	5	1	-	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	2	-	-	-	-	-	-
	Nonwhite—F—	24	-	-	-	-	-	1	1	-	-	-	2	-	1	3	4	6	1	3	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter	19	-	-	-	-	-	-	-	-	1	2	3	2	-	2	2	3	-	-	1	2	-	-	-	-	-	1
	White—M—	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—F—	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	7	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1
69	Pellagra (except alcoholic)	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	2	2	4	3	4	1	-	-	-	-
	White—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	2	1	-	-	-	-
	White—F—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylish)	10	-	-	-	-	-	1	-	-	-	-	-	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intraocular lesions of vascular origin	1,410	1	-	-	1	1	1	4	2	8	5	3	16	25	61	90	128	169	208	214	216	145	81	24	3	1	3
	White—M—	518	-	-	-	-	-	1	2	-	2	-	-	4	3	13	25	43	66	72	93	79	62	40	11	-	-	-
	White—F—	461	1	-	-	1	1	-	1	1	1	3	-	-	8	17	23	38	39	71	65	89	57	31	12	-	-	2
	Nonwhite—M—	196	-	-	-	-	-	-	-	-	-	-	-	-	4	12	18	21	56	29	30	29	10	4	-	-	-	1
	Nonwhite—F—	237	-	-	-	-	-	-	1	5	2	3	12	10	19	24	28	28	26	26	19	16	6	1	2	1	-	-
90-95	Diseases of the heart	3,278	3	1	1	1	-	8	15	13	19	15	28	80	101	146	246	321	373	492	492	402	270	175	59	13	4	1
	White—M—	1,680	2	-	-	-	-	4	1	4	3	4	9	33	43	73	126	185	210	274	261	185	163	69	28	3	-	-
	White—F—	857	-	1	1	-	-	1	9	5	6	3	9	16	19	19	44	45	72	128	137	147	75	82	30	8	-	1
	Nonwhite—M—	391	-	-	-	-	-	2	3	3	6	3	3	13	16	24	31											



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	ARKANSAS—Con.																											
	Arteriosclerosis and high blood pressure*	184	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	8	14	18	27	30	32	17	22	4	1	-
	White—M—	76	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	6	10	17	16	10	4	1	1	-
	F—	55	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	7	8	6	10	5	11	3	-	-
	Nonwhite—M—	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	6	5	2	-	3	-	-	-
	F—	24	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	2	3	2	4	2	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,025	211	40	14	4	2	9	10	17	9	27	18	20	27	26	43	49	61	65	88	110	76	64	20	7	5	3
	White—M—	384	79	18	6	3	-	1	2	6	4	4	4	2	10	12	14	12	20	31	42	46	35	22	8	4	-	1
	F—	323	56	10	6	-	-	4	6	3	2	4	4	9	4	4	10	12	14	15	30	52	31	31	11	3	1	1
	Nonwhite—M—	180	37	9	-	1	-	1	2	1	-	9	3	3	4	1	14	14	12	11	9	7	4	6	1	-	-	1
	F—	168	39	5	2	-	2	3	-	7	3	10	7	6	9	9	5	11	15	9	7	5	6	5	-	-	4	-
107	Bronchopneumonia	333	106	14	6	2	1	5	3	6	2	8	4	10	5	7	6	11	16	13	22	35	20	23	3	3	2	-
	White—M—	116	35	6	3	2	-	1	1	1	1	2	1	2	2	3	-	2	4	3	14	12	11	9	-	1	-	-
	F—	112	31	2	3	-	-	2	1	1	-	-	2	5	1	1	3	4	4	7	18	7	10	3	2	1	-	-
	Nonwhite—M—	52	23	4	-	-	-	1	1	-	-	2	-	2	1	-	3	2	3	5	-	2	1	2	-	-	-	-
	F—	53	17	2	-	-	1	2	-	3	1	4	1	1	1	3	-	3	6	1	1	3	1	2	-	-	1	-
108	Lobar pneumonia	371	51	16	2	-	-	1	3	9	4	6	9	6	9	12	23	20	30	34	38	40	28	20	7	1	1	1
	White—M—	159	19	8	-	-	-	-	4	1	1	2	-	2	6	11	6	12	23	17	20	14	8	3	1	-	-	1
	F—	111	14	5	2	-	-	1	3	2	2	-	1	3	1	3	4	5	6	14	19	10	8	4	-	-	-	-
	Nonwhite—M—	44	7	3	-	-	-	-	-	-	-	3	1	1	2	-	5	6	6	3	5	-	-	2	-	-	-	-
	F—	57	11	-	-	-	-	-	-	3	1	2	5	2	4	3	3	4	7	2	2	1	4	2	-	-	1	-
109	Pneumonia (unspecified)	96	29	5	4	1	-	1	2	2	-	7	2	1	8	3	4	2	-	2	7	4	5	4	1	-	-	2
	White—M—	36	12	-	2	1	-	-	1	1	-	1	-	-	4	1	1	1	-	2	4	2	1	1	-	-	-	-
	F—	28	7	2	-	-	-	-	-	-	-	3	1	1	2	-	2	1	-	-	1	1	4	2	-	-	-	-
	Nonwhite—M—	13	4	1	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1
	F—	19	6	2	2	-	-	1	-	1	-	2	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
33	Influenza	225	25	5	2	1	1	2	2	-	3	6	3	3	5	4	10	16	15	16	21	31	23	17	9	3	2	-
	White—M—	73	13	2	1	-	-	-	-	-	2	-	1	-	-	2	2	3	3	3	7	12	9	4	4	2	-	-
	F—	72	4	1	1	-	-	1	2	-	-	1	-	-	-	2	2	3	5	8	14	10	11	4	1	-	-	-
	Nonwhite—M—	41	3	1	-	1	-	1	-	-	-	3	2	-	-	5	6	3	3	5	3	5	3	1	1	-	-	-
	F—	39	5	1	-	-	1	-	-	-	1	2	-	3	3	2	2	4	3	5	3	-	1	1	-	-	2	-
117	Ulcer of stomach or duodenum	77	-	-	-	-	-	-	-	1	-	4	1	3	3	8	7	9	6	13	14	6	2	-	-	-	-	-
	White—M—	56	-	-	-	-	-	-	-	1	-	3	-	2	2	6	4	8	5	8	13	3	1	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	4	-	2	1	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	86	48	9	-	1	-	-	-	-	1	1	2	-	2	3	3	2	2	1	4	4	2	1	-	-	-	-
	White—M—	33	20	2	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	3	1	-	-	-	-	-
	F—	25	16	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-
	Nonwhite—M—	16	6	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F—	12	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
121	Appendicitis	75	-	-	-	-	3	9	13	6	3	3	7	5	1	2	6	4	4	4	3	2	-	-	-	-	-	-
	White—M—	28	-	-	-	-	1	5	2	-	1	2	1	-	-	-	4	2	3	3	2	-	-	-	-	-	-	-
	F—	23	-	-	-	-	2	3	2	3	2	1	3	1	1	2	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	12	-	-	-	-	-	3	4	1	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	14	-	-	-	-	3	2	-	1	1	1	1	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	140	6	1	1	-	1	1	2	2	8	5	7	3	7	10	8	9	9	15	23	6	10	5	1	-	-	-
	White—M—	48	1	1	-	-	-	-	-	1	4	1	2	2	1	2	4	4	2	5	8	3	5	2	-	-	-	-
	F—	48	3	-	-	-	1	1	-	1	1	4	-	3	4	2	2	3	5	8	2	4	3	1	-	-	-	-
	Nonwhite—M—	27	2	-	1	-	1	-	-	1	2	-	-	2	2	1	1	2	4	6	1	1	-	-	-	-	-	-
	F—	17	-	-	-	-	-	-	1	1	2	1	1	1	1	2	1	2	2	1	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	97	-	-	-	-	-	1	-	-	-	-	1	7	5	6	10	14	12	18	10	8	5	2	-	-	-	-
	White—M—	57	-	-	-	-	-	-	-	-	-	-	1	4	5	3	8	7	6	12	5	2	-	-	-	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	3	1	3	5	2	-	-	-	-	-
	Nonwhite—M—	13	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	1	3	2	1	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	43	-	-	-	-	-	-	-	-	-	-	-	1	4	7	3	5	2	5	6	4	5	1	-	-	-	-
	White—M—	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	2	1	2	1	-	-	-	-	-
	F—	25	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	3	1	3	5	1	3	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
130-132	Nephritis	1,140	3	1	1	-	1	1	4	1	11	7	22	24	46	42	71	102	117	149	169	157	106	59	13	9	3	1
	White—M—	435	-	-	-	-	1	2	-	-	2	1	3	6	11	13	17	37	40	51	92	75	46	26	5	5	-	-
	F—	298	2	1	1	-	-	1	-	6	2	3	6	9	14	17	20	22	43	50	39	40	17	5	-	-	-	-
	Nonwhite—M—	223	1	-	-	-	-	-	-	1	1	5	4	8	9	11	20	21	34	36	31	27	10	7	3	1	1	1
	F—	186	-	-	-	-	1	-	1	1	2	3	11	8	18	4	17	24	21	19	16	10	9	-	3	2	-	-
137	Diseases of the prostate	85	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	7	13	11	24	13	3	2	1	-	-
	White—M—	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	9	7	20	9	3	2	-	-	-
	Nonwhite—M—	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

269

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ARKANSAS--Con.																												
140-150	Diseases of pregnancy, etc.*	95	-	-	-	-	-	-	-	12	25	13	19	17	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	59	-	-	-	-	-	-	-	9	15	10	12	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	36	-	-	-	-	-	-	-	3	10	3	7	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	33	-	-	-	-	-	-	-	3	10	4	5	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	20	-	-	-	-	-	-	-	2	7	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	13	-	-	-	-	-	-	-	1	3	1	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	28	-	-	-	-	-	-	-	7	6	4	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	17	-	-	-	-	-	-	-	5	1	3	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	12	-	-	-	-	-	-	-	2	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	20	-	-	-	-	-	-	-	2	3	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	13	-	-	-	-	-	-	-	2	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	7	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	13	-	-	-	-	-	-	-	-	6	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	-	4	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	138	116	4	4	2	1	2	1	1	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	69	58	1	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	50	41	3	2	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	615	615	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	301	301	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	184	184	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	214	214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	114	-	-	-	-	-	1	2	1	11	7	8	10	9	4	15	8	11	7	8	8	1	3	-	-	-	-
	White--M	84	-	-	-	-	-	1	2	1	11	4	7	8	4	4	6	4	11	6	8	6	1	2	-	-	-	-
	White--F	24	-	-	-	-	-	-	-	-	-	3	1	2	5	-	6	2	-	1	-	1	1	2	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-169	Homicide	188	2	-	-	1	-	-	1	4	28	28	32	25	19	12	9	11	9	2	2	1	-	-	-	-	-	-
	White--M	55	-	-	-	-	-	-	-	-	6	7	6	10	5	7	3	5	4	-	1	1	-	-	-	-	-	-
	White--F	11	1	-	-	-	-	-	-	1	2	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	94	-	-	-	-	-	1	3	15	16	18	9	11	4	5	6	4	1	1	1	-	-	-	-	-	-	-
	Nonwhite--F	26	1	-	-	1	-	-	-	3	5	3	4	5	3	1	1	-	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,136	49	30	14	21	18	47	68	94	93	96	67	69	53	46	64	50	41	47	53	49	27	20	18	2	-	1
	White--M	600	20	10	5	5	5	22	29	54	56	68	40	42	35	24	41	32	26	30	13	20	7	7	3	-	-	1
	White--F	247	14	11	2	11	7	9	15	17	13	10	7	11	3	2	9	3	3	10	24	23	16	12	14	1	-	-
	Nonwhite--M	205	5	2	6	3	3	8	20	20	17	14	17	14	12	13	9	9	8	5	9	3	2	1	-	-	-	-
	Nonwhite--F	84	10	7	1	2	3	8	4	3	7	4	3	2	5	2	5	6	4	2	2	2	2	-	1	1	-	-
170	Motor-vehicle accidents	567	1	3	2	4	4	21	16	36	50	48	23	27	20	14	27	11	19	13	14	9	3	1	-	-	-	1
	White--M	236	1	-	1	2	3	10	7	22	35	35	14	15	12	8	19	7	15	10	9	6	2	1	-	-	-	1
	White--F	57	-	1	-	2	-	5	4	10	7	7	4	5	2	-	3	-	1	1	2	3	-	-	-	-	-	-
	Nonwhite--M	61	-	-	1	-	-	4	5	3	8	5	4	7	5	6	3	2	3	2	3	-	-	-	-	-	-	-
	Nonwhite--F	14	-	2	-	-	1	2	-	1	-	1	1	-	1	-	2	2	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents	769	48	27	12	17	14	26	52	58	43	48	44	42	33	32	37	39	22	34	39	39	24	19	18	2	-	-
	White--M	365	19	10	4	3	2	12	22	32	21	33	26	27	23	16	22	25	11	20	9	14	5	6	3	-	-	-
	White--F	190	14	10	2	9	7	4	11	7	6	3	3	6	1	2	6	7	5	3	2	20	16	12	14	1	-	-
	Nonwhite--M	144	5	2	5	3	3	4	15	17	9	9																



# VITAL STATISTICS OF THE UNITED STATES

**TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,**

(By place of residence. Exclusive of stillbirths)

[illegible]

\*Refer to International List for complete title, table V, Part I.



## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	CALIFORNIA--Con.																											
	Cancer and other malignant tumors	12,813	10	10	7	12	8	29	22	36	44	88	177	297	480	778	1,176	1,488	1,761	1,874	1,774	1,390	836	588	108	14	3	3
	White--M	6,110	6	4	3	6	5	13	8	28	20	48	65	104	170	305	504	719	873	988	741	400	178	48	3	1	5	
	White--F	6,183	4	5	4	6	3	13	14	8	19	38	96	168	264	429	608	698	815	825	839	628	420	207	57	11	2	
	Nonwhite--M	528	-	-	-	-	-	2	-	-	-	4	2	6	15	19	28	33	49	53	46	39	15	11	2	-	-	
	Nonwhite--F	195	-	-	-	-	-	1	-	-	-	1	6	10	10	27	16	30	21	20	17	21	6	5	1	-	-	
46	Cancer of the digestive organs and peritoneum	5,548	1	2	3	3	-	2	-	7	9	15	46	85	147	270	426	599	769	900	896	695	422	178	47	3	2	3
	White--M	2,959	-	1	1	2	-	1	-	7	4	10	24	42	74	145	211	350	441	512	467	354	196	77	24	2	1	3
	White--F	2,531	1	-	2	1	-	1	-	-	-	4	2	16	34	54	105	186	217	306	346	396	321	99	22	1	1	-
	Nonwhite--M	191	-	1	-	-	-	-	-	-	1	1	4	6	13	14	16	27	33	33	25	7	9	-	1	-	-	
	Nonwhite--F	67	-	-	-	-	-	-	-	-	-	2	2	1	6	6	13	5	9	9	6	3	3	2	-	-	-	
40,49	Cancer of female genital organs	1,528	-	-	-	1	-	1	3	1	5	17	35	68	107	146	188	207	221	188	140	103	66	26	5	-	-	-
	White--M	1,458	-	-	-	1	-	3	1	1	4	13	31	64	90	139	182	202	212	184	132	105	65	26	5	-	-	-
	Nonwhite--F	70	-	-	-	-	-	1	-	-	1	3	4	4	17	7	6	5	9	4	8	-	1	-	-	-	-	-
50	Cancer of breast	1,333	2	-	-	-	-	-	-	-	-	9	30	45	78	119	149	166	167	166	163	100	80	41	13	4	1	-
	White--M	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	2	1	-	-	-	-
	White--F	1,289	1	-	-	-	-	-	-	-	-	9	29	42	74	119	142	159	165	161	158	99	77	39	11	4	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F	31	-	-	-	-	-	-	-	-	-	-	1	3	4	-	6	6	1	2	5	-	1	1	1	-	-	-
45,47, 51-55	Cancer (other sites)	4,404	7	8	4	8	8	26	19	28	30	47	66	101	148	243	413	516	584	620	575	492	268	143	43	7	-	-
	White--M	3,138	5	3	2	4	5	12	8	21	16	32	41	62	98	160	292	368	430	471	408	376	202	100	23	1	-	-
	White--F	1,106	2	5	2	4	3	12	11	7	11	13	20	28	46	66	99	121	134	134	151	105	64	43	19	6	-	-
	Nonwhite--M	133	-	-	-	-	-	2	-	-	3	1	2	9	6	14	17	22	19	13	14	8	2	-	1	-	-	-
	Nonwhite--F	27	-	-	-	-	-	-	-	-	-	1	3	2	-	3	5	5	1	2	3	-	-	-	-	-	-	-
58	Acute rheumatic fever	42	1	-	-	-	1	3	7	6	2	3	5	3	3	2	-	1	2	1	1	1	-	-	-	-	-	-
	White--M	16	-	-	-	-	2	1	1	1	1	1	3	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	White--F	21	1	-	-	-	-	5	3	1	2	2	-	-	2	1	-	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,931	1	1	-	-	-	1	5	10	18	17	24	17	41	62	105	181	287	339	382	268	143	35	15	2	-	-
	White--M	780	1	-	-	-	-	2	2	9	5	11	9	17	35	49	69	122	122	139	94	55	10	8	1	-	-	-
	White--F	1,076	-	1	-	-	-	1	2	7	9	11	9	6	19	19	49	98	151	198	212	167	86	23	7	1	-	-
	Nonwhite--M	35	-	-	-	-	-	-	-	-	-	1	2	-	1	3	4	5	4	5	7	2	2	-	-	-	-	-
	Nonwhite--F	60	-	-	-	-	-	1	1	1	-	2	2	4	5	3	9	10	13	4	4	-	-	-	-	-	-	-
63b	Exophthalmic goiter	125	-	-	-	-	-	-	-	-	3	6	1	6	5	10	15	19	20	15	11	10	3	1	-	-	-	-
	White--M	17	-	-	-	-	-	-	-	-	3	6	-	-	1	1	2	3	4	2	-	2	-	-	-	-	-	-
	White--F	98	-	-	-	-	-	-	-	-	3	6	-	-	3	6	11	15	15	13	10	8	3	1	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	4	5	-	1	-	-	-
	White--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	-	-	-
	White--F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	3	3	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	192	-	-	-	-	1	-	-	1	3	6	11	16	31	29	28	25	19	10	6	3	1	-	1	-	-	1
	White--M	144	-	-	-	-	-	-	-	1	2	3	5	12	23	25	20	20	15	7	6	3	-	-	1	-	-	1
	White--F	40	-	-	-	-	1	-	-	-	-	3	4	4	7	3	7	5	3	2	-	-	1	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,437	4	5	1	-	2	4	-	5	9	16	25	61	143	219	366	556	733	1,038	1,217	1,305	927	578	171	46	5	1
	White--M	3,355	2	4	-	-	2	-	-	4	5	8	10	28	65	98	175	260	338	537	544	542	367	229	64	13	2	1
	White--F	3,812	1	1	1	-	2	2	-	1	3	6	11	26	64	95	163	262	311	463	632	753	553	345	104	30	3	-
	Nonwhite--M	152	1	-	-	-	-	-	-	-	1	2	3	6	5	10	14	24	20	22	22	17	3	2	-	-	-	-
	Nonwhite--F	118	-	-	-	-	-	-	-	-	-	-	1	1	9	16	14	10	9	16	19	13	4	2	3	1	-	-
90-95	Diseases of the heart	30,506	7	3	3	3	2	11	15	31	53	89	179	379	750	1,344	1,981	2,744	3,591	4,230	4,453	4,484	5,354	1,982	648	156	25	9
	White--M	18,001	2	1	3	2	2	5	8	19	33	50	108	233	532	987	1,490	1,960	2,426	2,658	2,493	2,281	1,636	853	259	82	10	8
	White--F	11,321	4	2	-	1	-	6	5	11	18	33	60	100	161	281	391	661	1,048	1,429	1,833	2,131	1,749	1,093	370	101	15	-
	Nonwhite--M	613	1	-	-	-	-	-	-	-	3	2	7	27	32	42	50	80	74	96	81	84	31	20	11	1	-	1
	Nonwhite--F	371	-	-	-	-	-	2	1	1	4	4	19	25	34	30	43	45	47	36	38	18	16	8	2	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	1,592	-	-	-	-	3	7	22	22	43	54	94	123	162	132	170	190	156	140	137	70	52	14	1	-	-	-
	White--M	790	-	-	-	-	2	3	13	15	24	23	41	57	88	73	89	100	76	74	56	24	17	5	-	-	-	-
	White--F	735	-	-	-	-	1	2	8	7	18	25	43	53	69	56	64	82	74	64	79	45	35	9	1	-	-	-
	Nonwhite--M	58	-	-	-	-	-	-	-	-	1	5	7	7	1	-	3	7	2	2	1	-	-	-	-	-	-	-
	Nonwhite--F	31	-	-	-	-	-	2	1	-	-	1	3	6	4	3	4	1	4	-	1	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	10,504	4	1	1	-	-	1	3	1	11	11	66	147	341	668	995	1,333	1,539	1,								



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	CALIFORNIA—Con																											
	Arteriosclerosis and high blood pressure*	2,323	-	-	-	-	-	-	-	-	-	1	2	4	3	14	24	57	94	179	348	494	475	406	165	47	9	1
	White—M	1,078	-	-	-	-	-	-	-	-	-	-	-	1	1	5	13	30	52	110	173	246	220	164	45	15	3	-
	F	1,169	-	-	-	-	-	-	-	-	-	1	1	2	2	6	10	23	36	60	164	236	242	236	116	29	3	1
	Nonwhite—M	50	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	5	6	7	11	5	5	3	2	1	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	5	4	1	8	1	1	1	2	-
107-108, 33	Pneumonia (all forms) and influenza	3,887	712	86	40	31	16	35	18	32	39	46	57	93	138	152	210	219	243	268	332	593	518	258	109	33	6	3
	White—M	2,121	375	40	18	15	5	18	8	17	13	26	33	52	90	99	138	154	165	166	178	191	144	124	36	12	1	3
	F	1,508	254	39	17	12	9	13	10	14	19	19	20	32	39	53	60	54	63	92	134	190	165	128	69	20	3	-
	Nonwhite—M	145	36	3	2	3	2	1	-	-	3	-	2	4	7	14	9	7	9	9	14	6	7	4	1	1	1	-
	F	113	47	4	3	1	-	3	-	1	4	1	2	5	2	6	3	4	6	1	6	6	2	2	3	-	1	-
107	Bronchopneumonia	2,344	522	62	30	21	11	23	10	15	22	25	30	41	63	53	81	87	113	154	209	244	220	189	85	28	5	1
	White—M	1,237	262	30	12	9	4	14	3	11	6	15	17	22	46	36	52	59	79	89	111	109	102	89	27	11	1	1
	F	962	186	29	13	9	5	7	4	12	9	11	13	12	14	26	26	30	59	87	129	111	94	54	17	2	-	-
	Nonwhite—M	73	21	1	2	3	2	1	-	-	2	-	-	2	4	1	2	1	3	5	7	3	6	4	1	-	1	-
	F	73	33	3	3	1	-	3	-	-	2	1	2	4	1	2	1	1	1	1	4	3	1	2	3	-	1	-
108	Lobar pneumonia	1,251	155	16	8	8	4	7	6	9	11	15	24	46	64	86	110	120	113	99	100	117	74	37	16	4	-	2
	White—M	761	77	9	5	5	1	3	3	3	5	8	14	26	39	56	73	91	78	72	56	71	34	22	7	1	-	2
	F	386	53	6	3	3	3	4	3	6	4	7	8	17	23	16	29	21	25	24	35	42	38	15	9	2	-	-
	Nonwhite—M	63	11	1	-	-	-	-	-	-	-	-	2	2	2	12	6	6	6	3	7	3	1	-	-	1	-	-
	F	31	14	-	-	-	-	-	-	-	2	-	-	1	-	2	2	2	4	-	2	1	1	-	-	-	-	-
109	Pneumonia (unspecified)	62	15	-	-	-	1	-	-	1	3	2	-	2	7	3	5	4	1	5	2	5	3	1	2	-	-	-
	White—M	34	9	-	-	-	-	-	-	-	2	-	-	1	2	2	5	3	1	3	-	3	2	1	-	-	-	-
	F	23	5	-	-	-	1	-	-	-	1	2	-	1	3	-	-	1	-	2	2	2	1	-	2	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	230	20	8	2	2	-	5	2	7	3	4	3	4	4	10	14	8	16	10	21	27	21	31	6	1	1	-
	White—M	89	7	1	1	1	-	1	2	3	3	3	3	3	3	5	8	1	7	2	11	6	12	2	4	1	1	-
	F	127	10	5	1	1	-	4	3	4	2	1	1	1	1	3	5	6	8	7	10	17	15	19	4	1	1	-
	Nonwhite—M	7	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	737	3	-	-	-	-	1	-	-	2	7	10	18	40	53	101	91	97	97	87	66	34	19	3	2	-	-
	White—M	572	1	-	-	-	-	1	-	-	2	6	7	16	31	45	85	74	81	77	62	49	23	10	2	1	-	-
	F	347	1	-	-	-	-	1	-	-	1	3	2	8	11	14	13	14	19	23	16	10	9	1	1	-	-	-
	Nonwhite—M	16	1	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	2	1	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	506	390	25	6	2	2	5	2	1	2	4	4	3	3	7	5	8	2	10	7	5	6	3	3	-	-	-
	White—M	258	202	13	4	-	1	2	1	-	1	-	3	2	2	6	3	4	1	7	1	-	4	1	-	-	-	-
	F	206	155	9	1	2	-	2	1	1	1	3	1	1	1	1	2	4	1	3	6	4	2	3	-	-	-	-
	Nonwhite—M	26	21	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	15	12	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	315	1	1	4	5	3	11	11	17	13	12	14	20	20	20	17	29	30	23	24	17	15	6	2	-	-	-
	White—M	187	-	-	4	4	2	4	7	10	7	4	8	12	15	13	9	22	21	11	15	9	7	3	-	-	-	-
	F	110	1	1	-	1	1	7	3	6	5	6	5	5	4	5	7	6	7	12	9	6	8	3	2	-	-	-
	Nonwhite—M	11	-	-	-	-	-	1	-	1	1	1	1	2	1	1	1	-	2	-	-	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	703	26	5	1	2	2	6	3	3	11	15	17	15	28	50	42	75	68	61	62	67	50	26	3	2	-	1
	White—M	323	13	2	1	1	2	4	3	1	7	5	4	6	8	18	26	38	36	33	37	44	17	12	2	2	-	1
	F	345	12	3	-	1	-	3	-	2	3	10	10	8	17	26	13	30	29	46	44	42	32	13	1	-	-	-
	Nonwhite—M	16	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	2	2	2	-	1	1	-	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	1	-	3	1	2	3	1	5	1	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	1,675	1	-	-	-	-	2	2	3	4	15	52	127	186	220	251	234	180	152	113	79	33	12	8	-	-	1
	White—M	1,036	-	-	-	-	-	2	1	1	2	4	16	58	103	142	162	165	128	106	64	51	19	7	4	-	-	1
	F	591	1	-	-	-	-	1	2	2	2	10	31	57	73	70	83	63	49	47	25	14	4	4	-	-	-	-
	Nonwhite—M	40	-	-	-	-	-	-	-	-	-	1	2	6	7	6	5	6	2	2	1	1	1	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	8	1	2	1	1	1	1	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	362	-	-	-	-	-	-	-	1	-	4	6	7	17	27	29	37	47	61	47	39	20	14	5	1	-	-
	White—M	135	-	-	-	-	-	-	-	1	-	-	1	2	5	10	12	15	16	28	18	12	13	4	1	-	-	-
	F	220	-	-	-	-	-	-	-	-	-	4	5	5	12	17	14	21	30	33	31	26	7	10	4	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	4,076	3	1	4	1	6	14	10	13	22	38	65	97	132	194	257	304	449	507	509	570	450	299	111	21	-	-
	White—M	2,071	-	1	1	-	3	6	5	4	8	18	31	49	62	105	129	175	265	269	260	282	209	140	46	3	-	-
	F	1,778	3	-	1	-	2	6	5	9	13	12	25	35	51	63	101	107	160	215	227	272	234	157	62	18	-	-
	Nonwhite—M	115	-	-	1	-	-	-	-	-	-	4	2	5	9	11	17	14	13	11	14	10	3	-	1	-	-	-
	F	112	-	-	1	1	1	2	-	-	1	4	7	8	10	15	10	8	11	12	6	6</						



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

273

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

and of deaths of armed forces overseas																												
Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
CALIFORNIA—Con.																												
140-150	Diseases of pregnancy, etc.—F	266	-	-	-	-	-	-	1	17	76	67	48	38	17	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	243	-	-	-	-	-	-	1	16	70	61	45	35	13	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	23	-	-	-	-	-	-	-	-	1	6	6	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia—F	108	-	-	-	-	-	-	1	5	32	30	19	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	98	-	-	-	-	-	-	1	5	29	27	17	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	10	-	-	-	-	-	-	-	-	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144,148	Puerperal toxemia—F	44	-	-	-	-	-	-	-	3	19	11	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	38	-	-	-	-	-	-	-	3	17	10	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock—F	88	-	-	-	-	-	-	-	6	17	17	22	18	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	82	-	-	-	-	-	-	-	5	16	16	21	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes—F	26	-	-	-	-	-	-	-	3	8	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	3	8	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M	1,162	935	44	22	7	8	29	15	9	10	13	12	12	9	11	8	6	3	4	2	1	1	-	-	-	-	-
	White—M	622	498	26	11	4	4	14	11	5	5	6	8	9	1	8	4	3	2	1	2	1	-	-	-	-	-	-
	F	477	385	18	11	3	4	13	2	4	4	7	3	3	4	2	4	3	1	2	1	1	1	-	-	-	-	-
	Nonwhite—M	37	30	-	-	-	-	2	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	26	22	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M	3,930	3,930	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2,108	2,108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1,535	1,535	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M	2,445	2,445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1,298	1,298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	951	951	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159,160, 161	Other diseases peculiar to first year—M	1,485	1,485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	808	808	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	584	584	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide—M	1,862	-	-	-	-	-	-	5	32	93	101	123	158	181	187	163	167	161	93	94	52	34	13	2	1	-	-
	White—M	1,167	-	-	-	-	-	-	3	15	62	54	75	99	129	133	111	129	116	75	71	48	29	13	2	1	-	-
	F	430	-	-	-	-	-	-	1	16	25	42	39	49	48	48	43	37	40	16	18	3	5	-	-	-	-	-
	Nonwhite—M	54	-	-	-	-	-	-	1	-	-	4	9	9	3	4	7	1	4	2	5	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	2	1	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide—M	531	11	4	3	4	1	4	5	24	57	63	70	65	60	57	34	22	15	9	16	4	-	-	-	-	-	-
	White—M	276	5	1	1	1	-	2	3	15	26	25	36	31	28	38	19	15	11	7	9	2	-	-	-	-	-	-
	F	93	3	2	-	2	1	1	2	4	6	11	10	10	13	8	6	4	2	2	3	2	-	-	-	-	-	-
	Nonwhite—M	126	3	-	-	1	-	-	-	3	19	18	20	18	17	11	7	3	2	-	3	-	-	-	-	-	-	-
	F	36	-	1	2	-	-	1	-	2	6	9	4	6	2	-	2	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths—M	7,937	227	119	74	91	39	175	182	455	618	499	507	503	484	489	492	483	461	476	412	377	366	273	91	22	3	15
	White—M	5,427	135	65	42	55	20	110	139	341	472	380	376	373	355	373	392	376	348	326	246	183	165	103	34	5	1	11
	F	2,120	77	44	21	33	15	54	35	96	116	87	90	98	93	90	80	92	90	134	156	185	187	164	54	17	2	11
	Nonwhite—M	313	7	7	3	2	4	9	6	16	28	24	36	29	30	23	17	11	22	14	7	7	3	5	-	-	-	-
	F	77	8	3	8	1	-	2	3	2	4	8	5	3	6	3	3	4	1	2	3	2	1	1	3	-	-	-
170	Motor-vehicle accidents—M	3,770	18	27	25	40	18	80	88	292	420	310	277	284	245	244	275	233	244	248	180	121	77	35	8	-	-	-
	White—M	2,739	5	17	14	23	8	52	69	211	324	239	181	190	177	182	206	174	182	169	128	70	54	26	7	-	-	-
	F	853	10	8	7	15	8	23	15	74	84	59	62	58	50	50	55	50	48	50	49	48	22	7	1	-	-	-
	Nonwhite—M	147	2	1	-	2	2	4	2	6	10	7	21	14	16	10	12	7	13	9	3	3	1	2	-	-	-	-
	F	31	1	1	4	-	-	1	2	1	2	5	3	2	-	2	2	2	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—M	4,167	209	92	49	51	21	95	94	163	198	189	230	239	239	245	217	250	217	228	232	256	299	238	83	22	3	14
	White—M	2,698	130	48	28	32	12	58	69																			



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	All causes-----	12,058	1,180	95	49	40	30	104	92	161	212	232	255	292	372	442	620	806	1,009	1,197	1,348	1,397	1,157	694	228	42	11	5
	White-----M	6,937	703	34	23	22	20	62	62	103	121	122	133	149	226	257	392	516	606	705	756	738	622	331	107	18	7	2
	White-----F	4,910	447	47	23	18	10	40	29	57	80	92	111	136	137	169	204	265	365	458	555	637	529	356	118	24	4	1
	Nonwhite-M	175	12	2	2	-	-	2	1	-	3	6	8	2	3	5	12	13	22	20	24	13	3	1	-	-	-	-
	Nonwhite-F	136	18	2	1	-	-	-	1	1	3	6	3	5	6	5	12	12	16	14	13	9	3	4	2	-	-	-
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	1	1	1	2	-	1	-	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M	6	1	1	1	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	19	1	-	1	6	3	3	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	11	1	-	-	4	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	8	-	-	1	2	-	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	401	3	2	2	4	2	-	1	7	23	45	36	26	30	39	35	34	27	38	22	16	6	3	-	-	-	-
	White-----M	250	2	1	1	2	2	-	1	5	7	16	17	13	22	26	22	29	21	28	17	13	5	1	-	-	-	-
	White-----F	126	1	1	1	2	-	1	1	11	20	16	12	8	10	12	5	5	9	5	3	1	2	-	-	-	-	-
	Nonwhite-M	19	-	-	-	-	-	-	-	1	3	7	3	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-F	6	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	367	2	1	2	-	1	-	1	6	20	43	34	25	29	36	31	31	26	35	21	16	5	2	-	-	-	-
	White-----M	224	1	1	1	-	1	-	1	4	5	15	15	12	21	23	20	26	20	25	16	13	4	1	-	-	-	-
	White-----F	119	1	-	1	-	-	-	1	1	11	19	16	12	9	10	10	5	5	9	5	3	1	1	-	-	-	-
	Nonwhite-M	18	-	-	-	-	-	-	-	1	2	7	3	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-F	6	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	34	1	1	-	4	1	-	-	1	3	2	2	1	1	3	4	3	1	3	1	-	1	1	-	-	-	-
	White-----M	26	1	-	-	2	1	-	-	1	2	1	2	1	1	3	2	3	1	3	1	-	1	1	-	-	-	-
	White-----F	7	-	1	-	2	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	15	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	White-----M	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	White-----F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	106	3	-	-	-	-	1	-	-	1	3	2	1	6	9	14	21	10	15	7	5	6	2	-	-	-	-
	White-----M	72	2	-	-	-	-	1	-	-	-	1	1	1	1	4	10	17	8	12	4	4	4	2	-	-	-	-
	White-----F	25	1	-	-	-	-	-	-	-	1	2	1	-	3	3	2	5	2	2	3	1	1	-	-	-	-	-
	Nonwhite-M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	11	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-</

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

275

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	COLORADO--Con.																											
	Cancer and other malignant tumors	1,447	1	2	3	1	-	1	4	3	7	7	25	37	42	73	108	137	180	214	238	176	118	53	14	5	-	-
	White--M	862	1	1	1	1	-	1	2	-	2	4	8	8	11	23	40	59	87	100	110	99	64	28	9	3	-	-
	White--F	749	-	1	2	-	-	-	2	3	5	5	15	29	31	49	58	75	87	108	122	76	54	25	4	2	-	-
	Nonwhite--M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	3	5	4	1	-	-	-	-	-	-
	Nonwhite--F	16	-	-	-	-	-	-	-	-	-	-	2	-	-	1	4	-	3	3	2	-	-	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum	666	-	-	-	-	-	-	1	1	1	3	7	10	12	23	44	54	74	120	124	95	65	23	7	2	-	-
	White--M	331	-	-	-	-	-	-	1	-	1	2	3	4	6	12	19	28	40	61	57	54	28	9	4	2	-	-
	White--F	314	-	-	-	-	-	-	-	1	-	1	3	6	6	10	23	23	31	54	40	37	14	3	-	-	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	3	1	-	-	-	-	-	-
	Nonwhite--F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	153	-	-	-	-	-	-	-	-	-	-	8	12	14	17	14	16	17	14	14	14	7	2	1	-	-	-
	White--F	148	-	-	-	-	-	-	-	-	3	-	7	12	14	17	13	16	13	14	14	7	2	-	-	-	-	-
	Nonwhite--F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
50	Cancer of breast	146	-	-	-	-	-	-	-	-	-	2	3	9	8	13	12	21	24	16	19	10	3	5	1	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--F	141	-	-	-	-	-	-	-	-	-	2	2	9	8	13	10	21	24	15	19	10	2	5	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	462	1	2	3	1	-	1	3	2	3	2	7	6	8	20	36	45	65	64	81	57	43	23	5	3	-	-
	White--M	329	1	1	1	1	-	1	1	-	1	2	4	4	5	11	21	31	47	39	55	35	19	5	1	-	-	-
	White--F	145	-	1	2	-	-	-	2	2	2	-	3	2	3	8	12	15	16	24	27	12	8	4	-	2	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	20	-	-	1	-	-	3	3	7	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White--M	11	-	-	1	-	-	2	2	4	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White--F	9	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	217	-	1	-	-	-	-	-	3	2	-	2	5	7	5	18	27	27	35	20	40	20	5	2	-	-	-
	White--M	96	-	1	-	-	-	-	-	1	1	-	2	4	4	6	6	9	12	11	5	22	11	3	1	-	-	-
	White--F	116	-	-	-	-	-	-	2	1	-	-	-	1	3	2	10	15	13	24	15	18	9	2	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	15	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	3	1	-	4	1	-	1	-	-	-	-
	White--M	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	1	-	-	1	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	3	1	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	36	-	-	-	-	-	-	-	-	1	1	2	6	4	4	5	6	1	5	1	-	-	-	-	-	-	-
	White--M	27	-	-	-	-	-	-	-	-	1	1	1	2	3	3	4	6	1	4	1	-	-	-	-	-	-	-
	White--F	6	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	970	1	1	2	-	-	-	-	-	3	1	1	6	21	20	44	61	102	104	157	185	155	77	24	5	-	-
	White--M	440	1	-	1	-	-	-	-	-	2	-	-	2	15	10	20	34	50	42	71	79	78	24	10	1	-	-
	White--F	495	-	1	1	-	-	-	-	-	1	1	1	4	4	8	20	26	45	58	79	102	77	50	13	4	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	2	2	2	1	1	-	-	-	-
	Nonwhite--F	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	2	3	2	-	2	-	-	-	-
90-95	Diseases of the heart	3,186	6	2	-	1	1	6	8	13	13	20	27	48	75	109	173	253	327	419	469	469	405	213	74	11	5	1
	White--M	1,951	4	-	-	1	-	3	3	8	7	10	18	27	52	86	132	182	221	279	300	269	224	102	35	7	3	1
	White--F	1,173	1	2	-	-	1	3	5	7	6	10	7	18	23	41	58	64	97	133	177	211	178	109	39	4	2	-
	Nonwhite--M	33	1	-	-	-	-	-	-	-	-	-	2	2	-	2	4	2	2	2	9	5	1	1	-	-	-	-
	Nonwhite--F	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	7	6	3	4	-	2	-	-	-	-
90a, 92b, c, 95a, b, d, e, 95c, 95b	Chronic rheumatic diseases of the heart	237	-	1	-	1	-	4	7	10	4	12	9	12	19	16	21	18	12	20	25	15	17	10	4	-	-	-
	White--M	116	-	-	-	1	-	3	2	5	3	7	7	6	9	4	12	9	4	10	14	7	8	3	2	-	-	-
	White--F	119	-	1	-	-	-	1	5	5	1	5	2	6	10	12	9	8	8	10	11	8	9	6	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	1,167	1	-	-	-	-	-	-	-	3	2	8	21	38	52	90	142	159	166	164	149	96	34	16	2	-	-
	White--M	848	1	-	-	-	-	-	-	-	1	1	7	15	27	44	77	110	122	135	127	98	58	15	9	1	-	-
	White--F	304	-	-	-	-	-	-	-	-	2	1	-	5	5	7	11	29	38	50	54	50	28	18	7	1	-	-
	Nonwhite--M	13	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	3	1	-	-	1	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
90b, 91, 92a, d, e, 95a, b, d, e, 95c, 95b	Diseases of the heart (other than)	1,782	5	1	-	-																						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	COLORADO—Con.																											
	Arteriosclerosis and high blood pressure*	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	12	13	20	44	51	42	22	5	1	-
	White—M—	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	14	18	27	21	8	2	-	-
	F—	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	5	6	24	21	14	3	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M—	753	161	24	6	4	4	8	5	7	9	4	11	13	22	26	21	27	43	52	56	76	65	55	50	3	2	1
	White—M—	430	99	6	2	2	2	5	5	7	6	1	6	4	12	15	17	20	28	39	35	58	39	26	17	1	1	-
	F—	305	60	16	3	2	2	2	2	5	3	2	5	9	10	10	4	5	12	13	19	36	45	25	13	2	1	-
	Nonwhite—M—	10	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-
	F—	9	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
107	Branchopneumonia—M—	381	102	13	4	2	1	3	2	5	1	1	2	6	14	5	6	4	14	26	26	40	51	32	17	3	1	-
	White—M—	210	60	3	1	2	1	2	2	1	-	-	-	3	6	4	5	3	13	18	16	18	25	18	7	1	1	-
	F—	165	41	9	2	-	-	-	-	4	1	-	2	3	8	1	1	1	1	8	10	22	26	14	10	2	-	-
	Nonwhite—M—	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia—M—	252	32	7	1	1	1	3	2	1	5	2	7	7	4	15	10	19	20	22	25	24	27	12	4	-	-	1
	White—M—	143	17	2	-	-	1	1	2	1	3	-	5	1	3	9	8	14	10	17	16	12	11	8	3	-	-	-
	F—	96	14	5	1	1	-	2	-	1	2	2	2	6	1	5	2	3	7	5	7	11	15	4	1	-	-	1
	Nonwhite—M—	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—M—	46	18	1	-	1	1	-	-	-	-	-	-	-	1	3	1	2	4	3	1	5	1	1	3	-	-	-
	White—M—	32	14	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	1	3	-	1	3	-	-	-
	F—	14	4	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	1	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M—	74	9	3	1	-	1	2	1	1	3	1	2	-	3	3	4	2	5	1	4	7	6	8	6	-	1	-
	White—M—	45	6	-	1	-	2	1	1	1	3	1	1	-	2	3	3	2	3	1	5	3	2	4	4	-	-	-
	F—	28	1	2	-	-	1	-	-	-	-	-	1	-	1	3	1	-	2	-	2	3	6	2	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—M—	92	1	-	-	-	-	-	-	1	-	2	3	5	1	6	13	12	14	11	12	4	5	-	-	-	-	-
	White—M—	68	-	-	-	-	-	-	-	1	-	1	3	5	-	6	11	9	10	10	6	3	5	-	-	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	4	1	6	1	2	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*—M—	115	69	7	4	-	1	1	-	-	-	-	-	1	1	1	1	-	-	1	3	-	1	4	-	-	-	-
	White—M—	72	59	3	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-	1	3	-	1	5	-	-	-	-
	F—	41	29	4	2	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite—M—	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—M—	71	-	-	1	2	1	6	6	3	5	2	3	3	1	5	5	2	8	5	5	5	2	1	-	-	-	-
	White—M—	45	-	-	1	1	2	4	1	2	-	1	3	-	-	5	3	2	6	4	3	4	1	1	-	-	-	-
	F—	24	-	-	-	1	-	4	2	2	3	2	2	-	1	-	2	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M—	110	7	-	-	-	-	2	-	-	-	1	7	2	4	4	9	5	13	8	17	10	11	8	2	-	-	-
	White—M—	57	4	-	-	-	-	1	-	-	-	2	1	1	1	3	4	4	6	2	12	6	8	4	1	-	-	-
	F—	52	2	-	-	-	-	1	-	-	-	1	5	1	3	5	1	1	7	6	5	4	3	4	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—M—	120	-	-	-	-	-	-	-	-	-	-	3	6	18	11	14	15	11	13	10	10	8	1	-	-	-	-
	White—M—	69	-	-	-	-	-	-	-	-	-	-	1	2	8	6	11	12	7	9	3	6	4	-	-	-	-	-
	F—	52	-	-	-	-	-	-	-	-	-	-	2	4	10	5	3	3	4	5	7	4	4	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*—M—	74	-	-	-	-	-	-	1	2	5	3	3	1	3	4	9	12	9	11	5	4	4	-	-	-	-	-
	White—M—	21	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	3	2	5	2	1	1	-	-	-	-	-
	F—	53	-	-	-	-	-	-	1	2	2	3	1	1	2	8	9	7	6	3	3	3	3	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—M—	722	1	1	1	1	1	5	3	2	12	8	8	11	28	19	46	59	86	107	108	111	79	14	6	-	-	-
	White—M—	391	-	-	1	1	1	-	4	3	1	8	2	6	1	18	10	27	33	51	54	65	46	7	3	-	-	-
	F—	312	1	1	-	-	-	1	1	-	-	4	5	2	7	9	8	19	24	34	49	56	33	7	3	-	-	-
	Nonwhite—M—	12	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	2	-	-	-	-	-	-	-	-
137	Diseases of the prostate—M—	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	14	25	10	8	-	-	-	-
	White—M—	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	13	24	10	8	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

277

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																											
140-150	Diseases of pregnancy, etc.—F	57	-	-	-	-	-	-	-	4	12	13	12	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	-	-	-	-	-	-	-	4	12	13	12	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia—F	21	-	-	-	-	-	-	-	2	5	2	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	2	5	2	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia—F	14	-	-	-	-	-	-	-	-	3	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	-	3	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock—F	19	-	-	-	-	-	-	-	2	3	6	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	2	3	6	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes—F	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M	162	140	7	1	3	-	1	1	2	1	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	92	79	3	1	2	-	1	-	1	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	64	66	4	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M	654	654	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	590	590	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M	434	434	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158,160, 161	Other diseases peculiar to first year—M	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide—M	176	-	-	-	-	-	-	2	4	10	10	14	16	17	13	29	19	17	5	9	6	4	1	-	-	-	-
	White—M	138	-	-	-	-	-	-	2	3	8	8	12	12	15	9	21	14	14	4	8	6	3	1	-	-	-	-
	Nonwhite—M	35	-	-	-	-	-	-	-	1	3	2	2	4	2	4	7	5	2	1	1	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—M	61	1	-	-	-	-	-	-	2	10	10	11	2	7	4	1	5	2	-	4	1	1	-	-	-	-	-
	White—M	40	-	-	-	-	-	-	-	2	8	4	6	1	6	4	1	4	2	-	3	1	-	-	-	-	-	-
	Nonwhite—M	12	1	-	-	-	-	-	-	2	2	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—M	1,012	29	22	13	11	6	36	29	71	92	60	48	57	51	37	48	49	48	50	55	60	61	49	17	2	-	1
	White—M	692	15	14	5	6	4	24	25	56	62	48	40	40	43	32	40	37	33	32	34	42	34	17	8	-	-	-
	Nonwhite—M	303	13	8	7	5	2	11	4	15	19	11	8	17	8	5	8	11	12	15	19	38	26	31	8	2	-	-
	White—F	9	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	2	2	-	-	1	1	-	-	-	-
	Nonwhite—F	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-
170	Motor-vehicle accidents—M	361	2	-	4	2	1	16	14	43	48	32	25	31	18	18	14	20	15	19	17	13	8	1	-	-	-	-
	White—M	263	2	-	2	1	1	9	10	33	33	25	21	21	16	15	10	13	11	11	12	11	5	1	-	-	-	-
	Nonwhite—M	96	-	-	2	1	-	6	4	10	14	7	4	10	2	3	4	7	4	8	5	2	3	-	-	-	-	-
	White—F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—M	651	27	22	9	9	5	20	15	28	34	28	23	26	33	19	34	29	33	31	38	67	55	48	17	2	-	1
	White—M	429	13	14	3	5	3	15	15	23	29	23	19	19	27	17	30	24	22	21	22	31	29	16	8	-	-	-
	Nonwhite—M	207	13	8	5	4	2	5	-	5	5	4	4	7	6	2	4	4	8	7	14	36						

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																											
	All causes-----	19,127	1,154	66	48	35	35	91	62	106	177	237	282	365	535	859	1,295	1,731	1,917	2,312	2,481	2,248	1,702	925	361	84	10	9
	White-----M	10,215	644	31	25	17	18	63	37	64	90	115	141	189	309	475	764	1,035	1,165	1,316	1,336	1,099	789	556	127	31	1	8
	White-----F	8,424	469	35	23	16	17	28	19	35	82	101	118	153	190	332	497	656	721	952	1,104	1,123	906	563	233	49	9	1
	Nonwhite--M	286	27	-	-	-	-	5	6	11	11	12	13	25	31	26	20	20	29	22	18	14	1	1	2	-	-	-
	Nonwhite--F	192	14	2	-	-	-	1	1	4	10	11	11	10	11	21	16	16	11	15	19	8	13	5	-	2	-	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	3	2	1	-	1	1	2	1	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M	9	1	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F	6	2	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	1	-	-	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	1	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	589	1	2	-	1	-	2	6	11	35	46	39	44	43	40	75	69	59	57	29	19	7	3	-	1	-	-
	White-----M	363	-	-	-	-	-	2	1	5	9	18	16	29	30	32	58	56	46	41	20	12	5	1	-	1	-	-
	White-----F	153	1	2	-	1	-	1	4	20	20	16	11	5	6	11	9	13	14	9	7	1	2	-	-	-	-	-
	Nonwhite--M	32	-	-	-	-	-	4	1	3	4	3	3	5	1	5	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--F	21	-	-	-	-	-	-	-	1	3	4	4	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	548	-	2	-	-	-	-	1	8	31	44	37	44	42	38	72	65	57	53	27	17	6	3	-	1	-	-
	White-----M	361	-	-	-	-	-	-	3	7	17	15	28	29	30	56	54	46	40	19	11	4	1	-	1	-	-	-
	White-----F	136	-	2	-	-	-	-	1	3	18	19	15	11	5	6	10	9	11	11	8	6	1	2	-	-	-	-
	Nonwhite--M	26	-	-	-	-	-	-	1	3	4	3	3	5	1	5	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--F	21	-	-	-	-	-	-	-	1	3	4	4	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	41	1	-	-	1	-	2	5	3	4	2	2	-	1	2	3	4	2	4	2	2	1	-	-	-	-	-
	White-----M	22	-	-	-	-	-	2	1	2	2	1	1	-	1	2	2	4	-	1	1	1	1	-	-	-	-	-
	White-----F	15	1	-	-	1	-	-	-	1	2	1	1	-	-	-	1	-	-	2	3	1	1	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	113	-	-	-	-	-	-	-	1	-	3	2	1	5	13	16	17	16	15	13	7	3	-	1	-	-	-
	White-----M	74	-	-	-	-	-	-	-	-	-	-	-	1	4	8	11	9	13	11	4	4	2	-	1	-	-	-
	White-----F	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	1	4	3	3	1	-	-	-	-	-
	Nonwhite--M	11	-	-	-	-	-	-	-	1	-	-	2	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

279

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	CONNECTICUT--Con.																											
	Cancer and other malignant tumors	3,032	1	-	4	4	2	7	2	5	8	18	33	55	90	187	268	391	428	450	424	336	213	82	22	2	-	-
	White--M--	1,517	-	-	2	3	-	5	1	2	4	7	14	17	32	60	127	208	247	248	225	171	104	33	8	1	-	-
	F--	1,469	1	-	2	1	2	2	1	2	4	11	17	37	54	124	138	179	175	197	193	161	105	49	13	1	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	3	4	3	3	2	-	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	4	3	1	3	1	2	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	1,473	-	-	-	-	-	2	-	1	1	6	9	25	31	67	120	182	230	244	219	185	102	38	10	1	-	-
	White--M--	795	-	-	-	-	-	1	-	1	-	3	5	9	15	29	70	108	143	145	112	86	52	13	2	1	-	-
	F--	661	-	-	-	-	-	1	-	1	-	3	4	16	15	36	50	71	85	96	105	98	49	25	8	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	-	-	-	-	-	-
48, 49	Cancer of female genital organs--	272	-	-	-	-	-	-	-	1	1	1	8	10	17	39	28	42	31	35	26	20	13	4	-	-	-	-
	White--F--	267	-	-	-	-	-	-	-	1	1	1	8	9	17	39	25	40	31	34	26	20	13	4	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast--	304	-	-	-	-	-	-	-	-	-	1	4	8	20	34	43	44	27	34	30	23	17	16	3	-	-	-
	White--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-
	F--	295	-	-	-	-	-	-	-	-	-	1	2	8	18	34	43	41	25	33	30	22	17	16	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)--	983	1	-	4	4	2	5	2	3	6	10	14	12	22	47	79	123	140	137	149	108	81	24	9	1	-	-
	White--M--	717	-	-	2	3	-	4	1	1	4	4	9	6	17	31	57	95	104	102	113	64	52	20	6	-	-	-
	F--	248	1	-	2	1	2	1	1	1	2	6	5	4	4	15	20	27	34	34	34	21	26	4	2	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	2	1	3	2	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
58	Acute rheumatic fever--	15	-	-	-	1	-	1	-	2	1	1	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-
	White--M--	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	1	-	-	-	1	1	1	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	-	-	1	-	1	-	1	4	2	1	2	5	6	19	45	89	97	121	104	87	55	17	3	1	-	-
	White--M--	196	-	-	-	-	1	-	-	1	-	1	-	1	4	1	11	22	23	34	28	27	22	4	3	-	-	-
	F--	447	-	-	1	-	-	-	1	4	1	1	1	-	5	8	29	59	73	85	75	60	30	13	-	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	2	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	-	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter--	19	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	4	2	2	3	-	-	-	-	-	-	-
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	4	2	2	3	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	White--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)--	51	-	-	-	-	-	-	-	-	-	1	4	6	7	12	4	4	6	2	2	1	-	-	-	-	-	1
	White--M--	41	-	-	-	-	-	-	-	-	-	1	3	4	5	10	3	3	5	2	2	1	-	-	-	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin--	1,582	1	1	2	1	1	1	1	2	2	5	8	18	22	53	76	116	143	229	290	235	204	104	40	7	-	1
	White--M--	707	-	-	1	1	-	1	-	2	1	-	1	8	8	21	39	62	73	119	123	102	92	37	13	3	-	1
	F--	823	1	1	1	-	1	-	1	-	-	5	2	6	12	28	36	51	69	108	161	132	112	65	27	4	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	2	1	5	1	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	3	-	2	1	1	-	2	-	-	-	-
90-95	Diseases of the heart--	6,834	-	-	-	1	2	1	4	11	13	17	43	62	123	291	453	607	742	951	1,070	1,001	776	453	159	44	5	5
	White--M--	3,915	-	-	-	-	1	2	8	6	10	22	41	64	106	311	392	499	544	626	507	339	173	53	16	1	4	-
	F--	2,982	-	-	-	1	2	-	2	3	6	6	21	17	31	91	127	201	241	366	428	491	424	277	106	26	4	1
	Nonwhite--M--	83	-	-	-	-	-	-	-	-	1	-	-	3	6	11	9	7	9	13	9	9	4	1	-	1	-	-
	F--	54	-	-	-	-	-	-	-	-	-	1	-	1	2	3	6	7	3	8	7	4	9	2	-	1	-	-
90a, 92b, c, 95c, 95b	Chronic rheumatic diseases of the heart--	316	-	-	-	-	-	3	8	10	9	19	19	20	31	39	41	28	20	24	22	10	9	4	-	-	-	-
	White--M--	150	-	-	-	-	-	2	6	6	5	7	8	10	8	14	22	18	12	15	8	5	3	1	-	-	-	-
	F--	162	-	-	-	-	-	1	2	4	4	12	9	9	23	25	18	10	8	9	14	5	6	3	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris--	2,199	-	-	-	-	-	-	-	-	-	3	15	24	72	144	199	288	317	322	329	261	142	53	22	5	-	3
	White--M--	1,510	-	-	-	-	-	-	-	-	-	2	9	21	56	117	169	214	235	210	213	154	76	21	8	2	-	3
	F--	656	-	-	-	-	-	-	-	-	-	1	6	3	14	21	24	70	79	105	114	105	65	32	14	3	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	4	2	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	-	-							



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97,102	CONNECTICUT—Con., Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	324 150 170 3 1	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 1 - - -	- - - - -	3 1 1 - -	3 2 1 - -	3 5 4 - -	9 8 3 - -	11 16 12 - -	29 19 16 - -	36 32 38 - -	71 32 39 - -	75 36 34 - -	49 15 34 - -	26 12 14 - -	5 1 4 - -	2 - 2 - -	1 1 - - -
107-109, 33	Pneumonia (all forms) and influenza— White—M— F— Nonwhite—M— F—	620 335 271 8 6	70 43 24 1 2	13 5 9 - -	8 4 4 - -	1 1 - - -	2 2 - - -	6 3 3 - -	1 - 1 - -	3 3 - - -	8 4 5 - -	9 6 2 - -	4 1 2 - -	10 4 6 - -	19 11 7 - -	12 7 3 - -	32 16 8 - -	31 22 14 - -	44 25 18 - -	62 42 19 - -	57 27 30 - -	86 49 37 - -	71 30 41 - -	44 16 28 - -	20 10 10 - -	6 2 4 - -	1 - 1 - -		
107	Bronchopneumonia— White—M— F— Nonwhite—M— F—	279 147 128 3 1	41 26 14 1 -	6 2 4 - -	3 1 2 - -	1 1 - - -	1 2 - - -	4 2 - - -	- 1 - - -	1 1 - - -	2 1 - - -	1 2 - - -	1 1 - - -	6 2 3 - -	6 3 1 - -	2 4 5 - -	9 7 1 - -	9 4 1 - -	11 7 6 - -	30 24 6 - -	33 23 20 - -	36 23 13 - -	39 14 25 - -	19 10 9 - -	13 5 8 - -	4 1 3 - -	1 - 1 - -		
108	Lobar pneumonia— White—M— F— Nonwhite—M— F—	261 138 114 5 4	14 8 6 - 2	2 2 1 - -	- - - - -	- 1 - - -	- 2 - - -	1 2 - - -	- 2 - - -	2 2 - - -	5 4 2 - -	4 3 1 - -	3 1 1 - -	2 1 1 - -	11 6 4 - -	9 8 2 - -	17 10 6 - -	16 10 6 - -	32 20 12 - -	24 12 11 - -	22 12 10 - -	46 24 22 - -	26 14 12 - -	16 5 11 - -	4 3 1 - -	2 1 1 - -			
109	Pneumonia (un-specified)— White—M— F— Nonwhite—M— F—	41 24 16 - 1	11 7 4 - -	4 - 4 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- 1 - - -	2 2 - - -	- 1 - - -	- 2 - - -	2 1 - - -	1 1 - - -	1 1 - - -	2 3 1 - -	4 3 1 - -	1 1 1 - -	2 1 1 - -	1 1 - - -	- - - - -	3 2 1 - -	5 2 3 - -	1 1 - - -	- - - - -			
33	Influenza— White—M— F— Nonwhite—M— F—	39 26 13 - -	4 4 - - -	1 1 - - -	2 1 1 - -	- 1 - - -	1 1 - - -	2 1 - - -	- - 1 - -	- - 1 - -	1 1 - - -	1 1 - - -	- 1 - - -	- - - - -	1 1 - - -	- 4 - - -	- 4 - - -	2 2 - - -	- 2 - - -	6 5 1 - -	1 1 - - -	4 2 - - -	3 3 - - -	4 1 1 - -	2 1 - - -	- - - - -			
117	Ulcer of stomach or duodenum— White—M— F— Nonwhite—M— F—	135 111 24 - -	1 - 1 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 1 - - -	4 4 - - -	2 2 - - -	11 9 2 - -	13 12 1 - -	20 16 4 - -	25 22 3 - -	11 9 2 - -	16 13 5 - -	13 9 4 - -	7 6 1 - -	11 8 3 - -	- - - - -	- - - - -	- - - - -			
119,120	Diarrhea, enteritis, etc.*— White—M— F— Nonwhite—M— F—	71 36 32 2 1	38 20 15 2 1	2 1 1 - -	- 1 - - -	- 1 - - -	- - - - -	1 - - - -	- - - - -	- - - - -	- 1 - - -	3 2 1 - -	1 1 - - -	4 2 - - -	1 1 - - -	3 2 1 - -	3 2 - - -	2 2 1 - -	3 1 2 - -	1 1 2 - -	1 1 1 - -	2 1 1 - -	- 1 - - -	2 1 1 - -	2 - 2 - -	- - - - -			
121	Appendicitis— White—M— F— Nonwhite—M— F—	53 37 16 - -	1 1 - - -	- - - - -	- - - - -	- - - - -	1 1 - - -	1 1 - - -	1 1 - - -	4 2 1 - -	2 1 - - -	1 1 - - -	1 1 - - -	1 1 - - -	6 5 1 - -	6 5 1 - -	3 2 - - -	7 4 3 - -	4 4 - - -	5 4 1 - -	8 5 1 - -	3 1 2 - -	1 1 - - -	- - - - -	- - - - -	- - - - -			
122	Hernia, intestinal obstruction— White—M— F— Nonwhite—M— F—	142 75 65 2 -	4 3 1 - -	- 1 - - -	1 - - - -	- - - - -	1 - 1 - -	- 1 - - -	- 1 - - -	2 1 - - -	2 - - - -	- - - - -	1 - - - -	4 2 1 - -	1 2 1 - -	3 1 2 - -	16 11 5 - -	12 8 3 - -	10 7 4 - -	27 17 10 - -	13 7 13 - -	24 10 10 - -	17 10 7 - -	2 1 1 - -	2 - 2 - -	- - - - -			
124	Cirrhosis of the liver— White—M— F— Nonwhite—M— F—	275 178 90 6 1	- - - - -	- - - - -	- - - - -	- - - - -	1 1 - - -	- - - - -	- - - - -	- 1 - - -	2 1 - - -	5 4 1 - -	11 5 4 - -	27 19 8 - -	25 17 6 - -	32 20 11 - -	44 31 11 - -	37 27 10 - -	39 28 9 - -	27 12 14 - -	15 12 3 - -	7 3 4 - -	1 1 1 - -	1 - - - -	- - - - -				
126,127	Biliary calculi, etc.*— White—M— F— Nonwhite—M— F—	82 22 58 - 2	- - - - -	- - - - -	- - - - -	- - - - -	1 - 1 - -	- - 1 - -	- - 1 - -	1 - 1 - -	- - - - -	- - - - -	- - - - -	3 2 1 - -	4 1 3 - -	4 2 2 - -	3 1 2 - -	15 2 13 - -	9 3 6 - -	12 5 7 - -	9 8 - - -	12 3 8 - -	7 2 5 - -	2 1 1 - -	- - - - -				
130-132	Nephritis— White—M— F— Nonwhite—M— F—	911 443 433 18 17	1 1 - - -	1 1 - - -	1 2 - - -	2 1 - - -	1 1 - - -	1 1 - - -	3 2 1 - -	3 4 1 - -	12 5 9 - -	14 12 13 - -	25 13 8 - -	22 13 9 - -	36 17 11 - -	61 28 31 - -	73 38 33 - -	93 50 38 - -	81 46 29 - -	137 78 55 - -	144 62 80 - -	104 49 56 - -	61 21 39 - -	26 8 18 - -	8 4 3 - -	- - - - -			
137	Diseases of the prostate— White—M— Nonwhite—M—	72 69 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	2 2 -	7 6 1	10 10 -	14 13 -	15 14 -	14 14 -	8 9 -	1 1 -	- - -			

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

281

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	CONNECTICUT--Con.																											
	Diseases of pregnancy, etc.	38	-	-	-	-	-	-	-	-	-	8	14	7	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	36	-	-	-	-	-	-	-	-	-	8	13	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a,147	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Puerperal septicemia	14	-	-	-	-	-	-	-	-	-	4	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	14	-	-	-	-	-	-	-	-	-	4	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Puerperal toxemia	7	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	7	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 145,146, 149	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Hemorrhage, trauma or shock	15	-	-	-	-	-	-	-	-	-	2	6	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	13	-	-	-	-	-	-	-	-	-	2	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145b,150	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
157	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Congenital malformations	300	242	13	7	6	3	11	2	1	1	3	2	3	2	1	1	-	-	2	-	1	-	-	-	-	-	
	White--M--	149	117	7	5	3	3	6	1	1	1	2	2	2	2	1	-	-	-	-	1	-	-	-	-	-	-	
158-161	White--F--	150	124	6	2	3	3	5	1	-	-	1	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Diseases peculiar to first year	702	702	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M--	409	409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	284	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Premature birth	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158,160, 161	White--M--	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158,160, 161	Nonwhite--F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Other diseases peculiar to first year	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M--	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163,164	White--F--	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Suicide	253	-	-	-	-	-	-	1	2	11	15	16	12	32	22	31	33	24	22	21	7	1	3	-	-	-	
	White--M--	184	-	-	-	-	-	-	1	2	6	7	10	5	23	15	22	27	21	18	17	6	1	3	-	-	-	
	White--F--	67	-	-	-	-	-	-	-	-	5	8	6	6	8	7	9	6	3	4	4	1	-	-	-	-	-	
165-168	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Homicide	31	2	-	-	-	-	1	-	-	7	2	8	2	3	2	1	1	2	2	-	-	-	-	-	-	-	
165-168	White--M--	19	2	-	-	-	-	1	-	-	4	-	4	-	1	2	1	1	2	1	-	-	-	-	-	-	-	
	White--F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	
169-195	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Accidental deaths	1,013	34	10	9	9	9	28	18	37	38	45	57	33	46	42	58	64	66	72	95	78	70	57	32	5	1	
	White--M--	624	17	7	4	4	6	23	13	27	27	36	39	24	37	30	42	43	51	51	49	32	28	23	9	2	-	
169-195	White--F--	357	16	3	5	5	3	5	3	8	11	6	13	6	6	10	13	20	14	19	43	46	41	34	23	3	1	
	Nonwhite--M--	24	1	-	-	-	-	1	2	-	-	2	3	3	3	2	2	1	1	-	2	1	-	-	-	-	-	
	Nonwhite--F--	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	
170	Motor-vehicle accidents	264	-	2	2	5	5	9	5	16	24	22	21	14	18	12	12	18	25	19	16	11	5	2	1	-	-	
	White--M--	191	-	1	1	2	3	7	2	13	18	20	15	10	11	8	8	12	19	13	12	9	5	1	1	-	-	
	White--F--	60	-	1	1	3	2	2	2	3	6	1	4	1	6	3	3	5	6	4	4	2	-	1	-	-	-	
169, 171-195	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
	Other accidents	749	34	8	7	4	4	19	13	21	14	23	36	19	28	30	46	46	41	53	79	67	65	55	31	5	1	
169, 171-195	White--M--	433	17	6	3	2	3	16	11	14	9	16	24	14	26	22	34	31	32	39	57	25	23	22	8	2	-	
	White--F--	297	16	2	4	2	1	3	1	5	5	5	9	5	-	7	10	15	8	15	59	44	41	33	23	3	1	
	Nonwhite--M--	15	1	-	-	-	-	1	2	-	-	2	1	-	2	1	1	-	1	-	2	-	1	-	-	-	-	
162,199, 200	Nonwhite--F--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-</			

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	All causes-----	3,229	202	14	11	7	7	23	11	30	48	42	63	91	114	166	204	264	303	333	423	351	281	185	53	15	2	6
	White-----M	1,522	83	5	5	2	1	14	6	10	20	16	27	36	50	65	92	148	155	189	221	173	132	67	19	2	-	2
	White-----F	1,121	86	5	4	2	5	7	1	9	11	11	11	26	28	46	54	80	95	128	151	137	124	95	26	10	-	1
	Nonwhite--M	341	30	2	1	2	1	2	1	2	6	5	15	18	18	31	41	25	31	21	27	29	16	6	6	2	-	1
	Nonwhite--F	245	23	2	1	1	-	-	3	9	9	10	10	9	18	24	17	11	22	17	24	12	9	7	2	1	2	2
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	133	3	2	-	-	-	1	5	10	8	6	14	17	9	14	8	8	8	9	5	6	6	-	-	-	-	-
	White-----M	51	-	-	-	-	-	-	-	3	2	2	5	12	2	5	4	3	3	6	2	2	2	-	-	-	-	-
	White-----F	29	-	1	-	-	-	-	-	2	1	2	4	1	1	1	2	3	2	3	2	4	-	-	-	-	-	-
	Nonwhite--M	28	-	1	-	-	-	-	1	2	1	1	5	2	4	5	2	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite--F	25	3	-	-	-	-	1	4	5	4	1	-	2	2	3	-	-	2	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	119	1	-	-	-	-	1	5	7	7	5	13	17	8	14	7	8	7	8	4	6	6	-	-	-	-	-
	White-----M	47	-	-	-	-	-	-	-	3	1	2	5	12	2	5	3	3	2	6	1	2	-	-	-	-	-	-
	White-----F	28	-	-	-	-	-	-	-	2	1	2	4	1	1	1	2	3	2	3	2	4	-	-	-	-	-	-
	Nonwhite--M	24	-	-	-	-	-	-	1	1	1	1	4	2	3	5	2	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite--F	20	1	-	-	-	-	1	4	1	4	-	-	2	2	3	-	-	2	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	14	2	2	-	-	-	-	-	3	1	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White-----F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	5	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	35	2	-	-	-	-	-	-	-	1	1	-	-	4	4	6	7	4	4	2	-	-	-	-	-	-	-
	White-----M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	3	-	-	-	-	-	-	-	-
	White-----F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F	11	2	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-
35	Measles	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Polioencephalitis (acute)	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

283

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	DELAWARE—Con.																											
45-55	Cancer and other malignant tumors	373	-	-	-	-	1	-	1	-	3	-	3	11	24	30	33	45	45	53	45	44	21	12	2	-	-	-
	White—M—	166	-	-	-	-	-	-	1	-	2	-	1	1	4	7	15	17	22	26	28	25	12	5	-	-	-	-
	F—	171	-	-	-	-	-	-	-	-	-	-	1	7	13	19	14	26	19	27	11	18	9	6	1	-	-	-
	Nonwhite—M—	15	-	-	-	-	1	-	-	-	-	-	2	1	4	4	1	1	1	-	1	1	-	-	-	-	-	-
	F—	20	-	-	-	-	-	-	-	-	1	-	1	1	6	-	-	1	3	-	5	-	-	1	1	-	-	-
46	Cancer of the digestive organs and peritoneum—	156	-	-	-	-	-	-	-	-	1	-	1	3	7	11	17	12	18	29	21	23	8	6	-	-	-	-
	White—M—	76	-	-	-	-	-	-	-	-	1	-	-	-	1	3	7	6	10	16	14	12	5	1	-	-	-	-
	F—	60	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	4	5	12	4	11	3	5	-	-	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	1	1	-	1	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs—	53	-	-	-	-	-	-	-	-	1	-	1	4	7	6	2	10	4	5	8	2	-	2	1	-	-	-
	White—F—	45	-	-	-	-	-	-	-	-	-	-	4	5	6	2	10	4	5	6	2	-	1	1	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	2	-	-	1	1	-	-	-
50	Cancer of breast—	35	-	-	-	-	-	-	-	-	-	-	-	1	1	6	1	8	9	4	2	1	1	-	1	-	-	-
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	31	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	8	8	4	1	1	1	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	129	-	-	-	-	1	-	1	-	1	-	1	3	9	7	13	15	14	18	14	18	12	4	-	-	-	-
	White—M—	88	-	-	-	-	-	-	1	-	1	-	1	1	3	9	9	10	11	10	14	15	7	4	-	-	-	-
	F—	35	-	-	-	-	-	-	-	-	-	-	2	4	4	4	4	2	6	-	-	4	5	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	69	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	10	14	18	10	2	1	-	-	-	-
	White—M—	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	5	3	4	1	-	-	-	-	-
	F—	39	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	5	8	13	4	1	1	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylian)—	7	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vas- cular origin—	283	-	-	-	-	-	-	-	-	-	-	-	3	6	14	18	19	31	48	46	38	32	22	6	-	-	-
	White—M—	134	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	13	14	23	25	21	14	8	4	-	-	-
	F—	101	-	-	-	-	-	-	-	-	-	-	-	2	2	6	5	10	19	15	14	14	13	1	-	-	-	-
	Nonwhite—M—	21	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	3	5	3	5	1	2	1	-	-	-	-
	F—	27	-	-	-	-	-	-	-	-	-	-	-	2	5	5	1	5	3	1	2	2	1	-	-	-	-	-
90-95	Diseases of the heart—	1,072	1	-	-	-	-	1	1	1	4	3	13	15	22	47	68	106	104	123	180	148	134	72	22	5	-	4
	White—M—	540	-	-	-	-	-	1	1	-	1	2	7	9	12	21	33	67	56	66	96	70	57	33	6	1	-	2
	F—	366	1	-	-	-	-	1	-	-	-	-	3	3	11	15	23	31	43	65	57	60	36	13	4	-	1	
	Nonwhite—M—	101	-	-	-	-	-	-	-	2	-	3	1	5	6	14	10	11	8	8	15	11	3	3	-	-	-	1
	F—	68	-	-	-	-	-	1	1	1	1	3	2	2	9	4	6	6	6	11	6	-	-	-	-	-	-	1
90a, 92b,c, 93a,b	Chronic rheumatic diseases of the heart—	51	-	-	-	-	-	1	-	-	1	1	3	3	4	5	6	5	3	6	2	2	5	2	2	-	-	-
	White—M—	20	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	2	1	4	2	-	-	1	-	-	-	-
	F—	21	-	-	-	-	-	1	-	-	-	-	1	1	2	2	2	2	1	-	2	4	1	2	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arter- ies and angina pectoris—	323	-	-	-	-	-	-	1	1	1	4	4	8	18	28	49	43	35	59	36	24	10	-	-	-	2	
	White—M—	207	-	-	-	-	-	-	-	-	1	2	3	6	12	17	36	28	24	39	21	11	5	-	-	-	2	
	F—	83	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	11	11	18	12	10	4	-	-	-	-	
	Nonwhite—M—	19	-	-	-	-	-	-	-	-	-	-	1	2	-	5	2	2	2	-	2	2	1	-	-	-	-	-
	F—	14	-	-	-	-	-	-	1	1	-	-	2	-	3	1	2	-	-	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)—	698	1	-	-	-	-	-	1	-	2	1	6	8	10	24	32	52	58	62	119	110	105	60	20	5	-	2
	White—M—	513	-	-	-	-	-	-	1	-	1	-	3	5	4	7	14	29	38	55	49	46	27	6				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	DELAWARE-Con.																											
	Arteriosclerosis and high blood pressure*-M	57	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	5	10	7	12	12	2	4	1	
	White-M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	6	5	1	-	-	
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	5	1	2	-	
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	1	1	
107-109, 33	Pneumonia (all forms) and influenza-M	130	24	4	3	1	-	1	-	1	-	-	-	4	5	6	6	9	14	7	9	9	11	10	4	2	-	
	White-M	50	7	1	-	-	-	-	-	1	-	-	-	2	-	2	3	4	4	7	4	4	4	6	2	2	1	-
	F	47	10	1	1	1	-	1	-	-	-	-	-	1	2	1	1	-	4	1	3	4	5	8	2	1	-	
	Nonwhite-M	23	3	1	1	-	-	-	-	-	-	-	-	-	3	2	2	4	2	2	2	1	-	-	-	-	-	
	F	10	4	1	1	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	
107	Bronchopneumonia-M	42	10	2	2	1	-	-	-	1	-	-	-	-	-	1	2	1	1	2	2	2	4	7	3	1	-	
	White-M	12	2	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	1	2	1	1	-	-	
	F	23	5	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	6	2	1	-	-	
	Nonwhite-M	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Lobar pneumonia-M	59	7	1	-	-	-	1	-	-	-	-	-	3	5	2	2	6	13	5	5	6	1	1	-	1	-	
	White-M	29	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	7	3	4	3	1	1	-	-	-	
	F	14	3	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	4	1	-	2	-	-	-	-	-	
	Nonwhite-M	13	1	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	1	1	1	1	-	-	-	-	-	
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
109	Pneumonia (unspecified)-M	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	Nonwhite-M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	Influenza-M	20	3	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	-	2	1	4	2	1	-	-	
	White-M	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	1	-	-	-	
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	-	-	-	
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum-M	17	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	2	4	-	4	1	-	-	-	-	-	
	White-M	14	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	3	-	4	1	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc.-M	16	7	2	-	1	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	
	White-M	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	3	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
121	Appendicitis-M	11	-	-	1	-	-	1	-	-	1	1	-	2	-	-	1	1	1	-	-	1	1	-	-	-	-	
	White-M	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	
	F	4	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction-M	29	1	-	-	1	-	1	-	1	-	1	1	2	1	2	3	2	4	2	3	3	1	-	-	-	-	
	White-M	13	-	-	-	-	-	1	-	-	-	-	-	1	1	-	3	-	2	-	2	2	1	-	-	-	-	
	F	10	1	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
124	Cirrhosis of the liver-M	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	3	2	3	3	1	-	-	-	
	White-M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	1	1	1	1	1	-	-	-	
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	-	-	-	
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126,127	Biliary calculi, etc.-M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	2	3	-	1	-	-	-	
	White-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	1	-	1	-	-	-	
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130-132	Nephritis-M	307	-	-	-	-	-	1	1	2	3	-	4	5	6	13	17	21	34	36	43	44	33	27	12	3	1	
	White-M	127	-	-	-	-	-	1	-	-	-	-	2	1	2	6	9	15	19	20	16	20	11	4	-	-	-	
	F	117	-	-	-	-	-	-	-	1	3	-	1	1	1	2	4	10	11	14	17	21	11	11	6	2	-	
	Nonwhite-M	35	-	-	-	-	-	-	-	-	-	-	2	1	1	2	7	2	4	1	3	5	2	3	2	-	-	
	F	28	-	-	-	-	-	1	1	-	-	-	1	1	3	3	3	-	4	2	3	2	-	2	-	1	1	
137	Diseases of the prostate-M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	5	5	-	-	-	-	
	White-M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	4	-	-	-	-	
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

285

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	DELAWARE-Con.																												
140-150	Diseases of pregnancy, etc.	9	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	7	-	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
140,142a, 145a,147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c,f, 145b,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	39	31	1	-	1	-	-	-	2	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M--	19	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	7	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	7	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159,160, 161	Other diseases peculiar to first year	34	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	33	-	-	-	-	-	-	-	1	-	4	7	2	1	1	5	2	4	2	4	-	-	-	-	-	-	-	-
	White--M--	23	-	-	-	-	-	-	-	1	-	1	4	-	1	1	3	2	4	2	4	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	2	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	24	-	-	-	-	-	-	-	5	3	4	1	2	5	1	-	1	1	1	1	-	-	-	-	-	-	-	-
	White--M--	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	13	-	-	-	-	-	-	-	2	2	3	-	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	216	8	1	6	3	3	9	4	13	13	10	10	15	13	14	10	14	14	12	16	16	9	4	3	1	1	-	-
	White--M--	142	4	1	3	2	-	7	3	7	11	8	7	10	10	9	8	9	8	11	9	4	2	1	-	-	-	-	-
	Nonwhite--M--	41	4	-	3	-	3	-	4	2	1	-	1	-	1	2	-	4	1	2	4	5	3	1	-	-	-	-	-
	White--F--	31	-	-	-	1	-	2	1	1	-	1	3	4	3	3	2	1	5	1	1	2	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	78	-	1	1	2	1	2	1	7	8	6	3	4	8	5	7	11	3	2	3	2	-	-	-	-	-	-	-
	White--M--	55	-	1	1	2	-	2	1	3	6	4	3	3	7	3	6	6	1	2	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	4	2	1	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	White--F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	140	8	-	5	1	2	7	3	6	5	5	7	11	5	9	3	3	11	10	13	14	7	3	1	1	-	-	-
	White--M--	87	4	-	2	-	1	5	2	4	5	4	4	7	3	6	2	3	7	6	8	4	4	2	1	-	-	-	-
	Nonwhite--M--	28	4	-	3	-	2	-	-	-	-	-	-	1	1	1	-	-	1	2	4	5	3	1	-	-	-	-	-
	White--F--	23	-	-	-	1	-	2	1	1	-	1	3	3	2	2	1	-	3	1	1	1	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	21	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	3	2	4	-	-	-	-	-	-
	White--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	-	-	-	-	-
	White--F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	164	11	2	1	-	1	6	2	2	5	7	7	9	7	13	13	11	19	11	17	9	11	-	-	-	-	-	-
	White--M--	75	6	1	1	-	-	4	1	1	3	2	3	2	3	6	6	7	10	5	5	4	-	-	-	-	-	-	-
	Nonwhite--M--	65	4	1	1	-	1	2	1	1	2	3	2	3	3	5	5	3	7	3	9	4	6	-	-	-	-	-	-
	White--F--	10	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	-	-	-	2	2	3	-	1	1	1	-	-	2	-							







## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

287

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	DISTRICT OF COLUMBIA-Con.																											
	Cancer and other malignant tumors	1,154	1	3	2	1	-	-	1	2	6	9	18	38	53	98	117	148	135	166	135	103	51	36	9	1	1	-
	White-M	408	-	1	-	1	-	-	1	-	4	3	1	9	15	22	43	54	59	66	52	38	22	16	1	-	-	-
	F	422	-	2	1	-	-	-	1	-	4	6	12	18	37	37	35	53	42	64	52	54	21	15	5	-	-	-
	Nonwhite-M	155	-	-	1	-	-	-	1	1	1	4	2	7	17	15	27	19	20	19	8	6	3	2	1	1	-	-
	F	149	1	-	-	-	-	-	-	-	1	1	7	15	13	22	24	14	15	16	12	3	2	2	1	-	-	-
46	Cancer of the digestive organs and peritoneum	488	-	-	-	-	-	-	-	-	1	3	6	6	18	30	48	71	56	79	59	54	29	22	5	1	-	-
	White-M	197	-	-	-	-	-	-	-	-	-	1	1	3	7	8	19	31	22	37	22	20	13	13	-	-	-	-
	F	185	-	-	-	-	-	-	-	-	2	1	2	3	6	13	21	14	30	22	28	13	6	4	-	-	-	-
	Nonwhite-M	76	-	-	-	-	-	-	-	1	-	3	1	4	7	5	13	13	8	10	5	3	2	-	1	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	1	-	4	9	11	6	7	4	5	1	-	1	-	-	-	-
48, 49	Cancer of female genital organs	154	1	-	-	-	-	-	-	-	-	-	8	15	13	23	17	16	17	11	16	11	3	3	-	-	-	-
	White-F	94	-	-	-	-	-	-	-	-	-	-	3	4	6	15	8	12	10	9	12	10	2	3	-	-	-	-
	Nonwhite-F	60	1	-	-	-	-	-	-	-	-	-	5	11	7	8	9	4	7	2	4	1	1	-	-	-	-	-
50	Cancer of breast	93	-	-	-	-	-	-	-	-	1	1	2	6	5	15	10	11	8	17	9	4	1	3	-	-	-	-
	White-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	1	4	4	12	9	8	7	13	7	3	1	3	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	1	1	2	1	3	-	3	-	3	2	1	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	399	-	3	2	1	-	-	1	2	4	5	2	11	17	30	42	50	54	59	51	34	18	8	4	-	1	-
	White-M	209	-	1	-	1	-	-	1	-	4	2	-	6	8	14	23	25	36	29	30	18	9	3	1	-	-	-
	F	91	-	2	1	-	-	-	-	1	2	1	2	5	4	5	12	11	12	11	13	5	3	1	-	-	-	-
	Nonwhite-M	78	-	-	1	-	-	-	1	-	1	1	1	3	10	10	14	6	11	9	3	1	2	-	-	1	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	2	1	2	4	1	1	7	1	-	-	1	1	-	-	-	-
58	Acute rheumatic fever	9	-	1	-	1	-	2	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	5	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	221	-	-	-	-	-	-	2	1	5	1	5	4	4	9	19	17	36	39	36	28	10	5	3	1	-	-
	White-M	64	-	-	-	-	-	-	1	-	1	-	2	3	2	6	3	15	12	11	6	1	1	-	-	-	-	-
	F	92	-	-	-	-	-	-	1	2	1	2	1	2	1	8	6	11	18	15	15	7	2	3	-	-	-	-
	Nonwhite-M	24	-	-	-	-	-	-	-	1	-	1	-	-	-	3	2	4	3	4	3	1	-	-	-	-	-	-
	F	41	-	-	-	-	-	-	1	-	1	-	1	-	-	4	3	4	7	6	6	4	1	2	-	1	-	-
63b	Exophthalmic goiter	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	17	-	-	-	-	-	-	-	-	1	3	-	3	4	3	1	2	-	-	-	-	-	-	-	-	-	-
	White-M	6	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	6	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intercranial lesions of vascular origin	581	-	3	-	-	-	-	1	-	4	5	10	18	32	61	54	51	88	79	82	55	28	9	-	1	-	-
	White-M	164	-	-	-	-	-	-	1	-	1	-	1	3	5	19	18	17	26	24	26	15	7	1	-	-	-	-
	F	221	-	1	-	-	-	-	-	-	2	1	2	2	6	13	16	16	35	34	42	30	15	6	-	-	-	-
	Nonwhite-M	101	-	2	-	-	-	-	-	-	1	3	4	9	10	13	9	6	16	11	7	5	2	2	-	1	-	-
	F	95	-	-	-	-	-	-	-	-	-	1	3	4	11	16	11	12	11	10	7	5	4	-	-	-	-	-
90-95	Diseases of the heart	2,317	-	2	-	1	-	1	5	7	13	26	68	100	134	175	253	274	328	324	340	177	135	36	13	4	2	-
	White-M	894	-	2	-	1	-	1	1	1	2	5	23	34	53	86	110	121	141	102	92	64	33	4	6	1	1	-
	F	723	-	-	-	-	-	-	1	2	2	5	9	12	20	22	55	67	99	134	108	85	82	17	2	-	1	-
	Nonwhite-M	350	-	-	-	-	-	1	-	3	5	8	20	31	41	35	47	42	46	43	14	12	8	3	1	-	-	-
	F	350	-	-	-	-	-	3	1	4	6	16	23	20	32	41	44	40	45	26	16	12	12	4	3	-	-	-
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	114	-	-	-	-	-	-	5	3	2	5	9	5	7	8	16	17	7	10	10	4	4	2	-	-	-	-
	White-M	30	-	-	-	-	-	-	1	1	1	3	1	3	1	3	4	4	7	1	3	-	1	1	-	-	-	-
	F	53	-	-	-	-	-	-	1	-	1	2	2	2	3	3	10	6	4	5	8	3	3	1	-	-	-	-
	Nonwhite-M	17	-	-	-	-	-	-	2	1	2	3	2	1	-	1	2	1	-	1	-	1	-	1	-	-	-	-
	F	14	-	-	-	-	-	3	1	-	1	1	-	-	-	1	1	2	1	2	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	637	-	-	-	-	-	-	-	-	1	4	13	34	44	65	105	96	104	71	40	35	21	3	-	-	1	-
	White-M	370	-	-	-	-	-	-	-	-	1	2	10	22	29	46	67	59	60	32	25	11	5	-	-	-	1	-
	F	183	-	-	-	-	-	-	-	-	-	-	-	3	6	10	21	27	30	34	14	21	15	2	-	-	-	-
	Nonwhite-M	51	-	-	-	-	-	-	-	-	2	1	4	6	8	11	6	7	2	1	2	1	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	2	5	3	1	6	4	7	3	-	1	-	-	-	-	-	-
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of the heart (other forms)	1,566	-	2	-	1	-	1	1	-	4	10	17	46	61	83	102	132	16									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	DISTRICT OF COLUMBIA—Con.																											
	Arteriosclerosis and high blood pressure*	129	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	5	8	15	14	25	25	18	4	4	1	-
	White—M—	31	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	4	2	5	9	5	-	-	-	-
	F—	61	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	10	16	13	9	3	4	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	3	1	1	1	1	-	-	-	-
F—	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	1	3	2	3	1	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	266	42	3	2	-	-	2	2	1	5	4	11	13	16	12	16	14	21	24	23	28	24	18	5	2	-	-
	White—M—	95	14	-	-	-	-	1	1	-	1	-	3	4	4	3	4	6	9	10	7	14	9	4	2	-	-	-
	F—	81	5	-	1	-	-	1	-	1	1	1	1	2	2	-	3	3	9	6	10	6	12	12	3	2	-	-
	Nonwhite—M—	66	15	3	-	-	-	1	1	-	2	1	5	4	8	6	4	3	3	3	1	4	-	2	-	-	-	-
	F—	44	6	-	1	-	-	-	-	-	2	2	2	3	2	3	5	2	-	5	5	2	3	-	-	-	-	-
107	Bronchopneumonia	125	32	2	1	-	-	-	1	1	1	1	1	1	4	3	7	3	7	11	8	14	12	10	3	2	-	-
	White—M—	45	10	-	-	-	-	-	-	-	1	-	1	-	-	1	2	-	4	5	3	9	4	4	1	-	-	-
	F—	36	3	-	1	-	-	-	-	1	-	1	-	-	-	-	2	1	2	3	2	3	7	5	2	2	-	-
	Nonwhite—M—	32	14	2	-	-	-	-	1	-	-	-	-	-	1	3	2	1	2	1	1	2	-	1	-	-	-	-
	F—	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	1	-	-	-	-	-
108	Lobar pneumonia	120	4	1	-	-	-	2	-	-	3	3	10	9	9	8	8	10	11	11	12	6	8	4	1	-	-	-
	White—M—	34	2	-	-	-	-	-	-	-	-	-	2	3	3	1	1	5	4	5	3	2	3	-	-	-	-	-
	F—	31	1	-	-	-	-	1	-	-	1	-	1	1	1	-	1	2	6	2	6	1	3	3	1	-	-	-
	Nonwhite—M—	31	-	1	-	-	-	1	-	-	2	1	5	2	5	4	3	1	1	2	2	-	1	-	-	-	-	-
	F—	24	1	-	-	-	-	-	-	-	2	2	2	3	-	3	3	2	-	2	3	1	2	-	-	-	-	-
109	Pneumonia (unspecified)	29	5	-	-	-	-	-	1	-	1	-	-	1	2	1	1	1	1	-	2	5	3	4	1	-	-	-
	White—M—	13	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	1	-	1	3	1	-	1	-	-	-
	F—	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	12	1	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	2	2	1	1	1	-	-	-	-	-
	White—M—	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	47	-	1	-	-	-	-	-	-	-	1	2	4	4	2	5	5	3	6	3	5	3	3	-	-	-	-
	White—M—	31	-	1	-	-	-	-	-	-	-	1	1	2	1	1	4	1	3	5	3	4	3	1	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	3	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	60	68	1	-	-	-	-	1	-	-	-	1	-	3	1	1	-	1	2	1	-	-	-	-	-	-	-
	White—M—	25	18	1	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-
	F—	12	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	25	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	22	-	-	-	-	-	-	-	-	1	2	1	2	-	3	4	2	3	-	1	2	1	-	-	-	-	-
	White—M—	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	2	-	-	-	-	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	-	1	2	1	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	75	4	-	-	-	-	-	-	-	1	2	3	4	4	-	9	3	9	9	13	8	3	3	-	-	-	-
	White—M—	18	1	-	-	-	-	-	-	-	-	-	2	1	1	-	3	-	4	1	4	-	-	1	-	-	-	-
	F—	31	1	-	-	-	-	-	-	-	1	1	-	2	1	-	2	1	4	5	4	5	2	-	-	-	-	-
	Nonwhite—M—	16	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	1	4	2	1	-	-	-	-	-
	F—	10	1	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	2	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	111	-	1	-	-	-	-	-	-	1	1	4	9	9	18	13	24	15	6	3	3	4	-	-	-	-	-
	White—M—	66	-	1	-	-	-	-	-	-	-	-	3	5	5	11	9	18	11	4	2	1	3	-	-	-	-	-
	F—	28	-	-	-	-	-	-	-	-	1	1	3	4	1	3	3	4	3	2	-	2	1	-	-	-	-	-
	Nonwhite—M—	11	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	3	1	-	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	33	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	10	2	4	3	1	1	-	-	-
	White—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	1	1	-	-	-	-
	F—	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	7	1	4	2	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
130-132	Nephritis	690	-	-	-	-	-	-	-	1	7	7	20	29	43	52	64	62	64	70	58	78	74	44	11	5	1	-
	White—M—	195	-	-	-	-	-	-	-	-	2	-	2	5	11	13	15	23	21	22	15	20	24	18	3	1	-	-
	F—	226	-	-	-	-	-	-	-	1	1	1	6	5	9	7	15	11	17	24	22	40	36	21	7	1	-	-
	Nonwhite—M—	123	-	-	-	-	-	-	-	1	1	8	6	11	19	20	10	9	13	9	6	6	3	-	1	-	-	-
	F—	146	-	-	-	-	-	-	-	-	3	5	4	13	12	13	14	18	17	11	12	12	6	2	1	2	1	-
137	Diseases of the prostate	39	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	7	3	15	4	3	1	-	-	-
	White—M—	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	12	3	3	1	-	-	-
	F—	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

289

AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
140-150	DISTRICT OF COLUMBIA—Con.																											
	Diseases of preg- nancy, etc.—F—	31	-	-	-	-	-	-	-	3	8	5	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	8	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	23	-	-	-	-	-	-	-	1	7	3	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia—F—	12	-	-	-	-	-	-	-	1	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	11	-	-	-	-	-	-	-	1	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia White—F—	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock—F—	12	-	-	-	-	-	-	-	1	2	1	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	9	-	-	-	-	-	-	-	-	2	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes—F—	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M—	126	107	4	2	-	-	1	1	2	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	White—M—	48	38	3	-	-	-	-	1	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	48	44	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	18	15	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	12	10	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M—	487	487	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M—	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth—M—	323	323	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M—	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year—M—	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M—	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide—M—	144	-	-	-	-	-	-	-	4	5	17	13	20	13	18	12	15	12	6	6	1	1	1	-	-	-	-
	White—M—	77	-	-	-	-	-	-	-	1	3	9	4	10	7	9	7	11	7	3	3	1	1	1	-	-	-	-
	F—	42	-	-	-	-	-	-	-	2	1	4	5	4	5	6	4	2	3	3	3	-	-	-	-	-	-	-
	Nonwhite—M—	18	-	-	-	-	-	-	-	-	1	4	2	4	1	1	1	2	2	-	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	1	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—M—	112	1	1	-	-	-	-	1	2	19	16	22	15	11	11	7	-	3	-	2	1	-	-	-	-	-	-
	White—M—	18	1	-	-	-	-	-	-	-	3	-	2	3	1	3	1	-	3	-	-	1	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	1	1	-	1	-	1	3	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	66	-	-	-	-	-	-	1	7	14	16	10	7	5	5	-	-	-	-	1	-	-	-	-	-	-	-
	F—	19	-	1	-	-	-	-	-	9	1	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—M—	448	25	6	1	3	4	11	7	12	13	19	25	25	31	31	29	21	20	27	36	45	31	17	8	1	-	-
	White—M—	179	7	2	1	-	1	7	3	5	12	11	8	13	21	15	8	8	14	9	16	10	4	1	-	-	-	-
	F—	151	1	-	-	1	-	-	-	1	2	3	7	7	4	3	3	4	5	9	20	21	13	5	1	-	-	-
	Nonwhite—M—	99	11	3	-	-	2	1	4	6	6	4	5	10	11	6	10	7	2	1	5	4	-	1	-	-	-	-
	F—	39	6	1	-	2	1	3	-	2	-	-	2	-	3	1	1	2	5	3	2	4	-	1	-	-	-	-
170	Motor-vehicle accidents—M—	98	-	-	1	2	3	4	2	4	6	8	4	5	11	8	9	5	4	7	6	6	3	-	-	-	-	-
	White—M—	51	-	-	1	-	1	1	1	1	2	6	-	4	6	4	7	2	3	5	3	3	1	-	-	-	-	-
	F—	15	-	-	-	1	-	-	-	-	1	2	3	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	23	-	-	-	-	1	1	1	1	3	-	1	1	3	3	1	2	1	-	2	2	-	-	-	-	-	-
	F—	9	-	-	-	1	1	2	-	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
189, 171-195	Other accidents—M—	350	25	6	-	1	1	7	5	8	7	11	21	20	20	23	20	16	16	20	30	39	28	17	8	1	-	-
	White—M—	128	7	2	-	-	-	6	2	2	3	6	11	4	7	17	8	6	5	9	6	13	9	4	1	-	-	-
	F—	116	1	-	-	-	-	-	1	1	1	1	4	7	3	2	2	3	5	8	19	21	19	13	5	1	-	-
	Nonwhite—M—	76	11	3	-	-	1	3	5	3	4	4	9	8	3	9	5	1	1	3	2	3	-	-	1	-	-	-
	F—	30	6	1	-	1	-	1	-	-	-	-	2	-	2	1	1	2	5	2	2	-	-	1	-	-	-	-
162,199, 200	Semifatal, ill- defined and un- known causes—M—	20	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	3	2	5	-	-	-	-
	White—M—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	F—	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-
	All other causes—M—	491	22	7	6	2	2	2	8	5	10	18	23	30	42	34	49	38	39	39	44	31	26	9	4	1	-	-
	White—M—	161	12	1	2	-	1	-	2	3	2	3	1	9	8	6	8	16	17	15	16	17	12	8	6	1	-	-
	F—	145	2	2	1	-	1	2	3	-	2	7	4	7	12	12	9	11	16	13	16	11	9	2	2	1	-	-
	Nonwhite—M—	98	4	3	1	1	-	3	2	2	6	4	7	14	6	10	7	6	4	8	6	3	1	-	-	-	-	-
	F—	87	4	1	2	1	-	2	1	3	4	6	8	10	8	14	3	2	6	3	2	6	-	1	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																											
	All causes-----	23,005	2,116	173	100	78	57	181	189	326	584	585	682	851	1,096	1,399	1,694	1,846	2,023	2,178	2,198	2,042	1,361	805	297	75	25	44
	White-----M	9,888	811	47	38	29	19	80	63	146	242	198	187	239	366	486	645	834	987	1,097	1,137	1,030	666	389	131	24	3	18
	White-----F	6,508	578	53	31	17	12	41	38	49	110	94	156	190	213	285	329	410	541	684	786	802	574	361	137	33	5	3
	Nonwhite--M	3,649	388	38	22	15	16	40	47	60	116	145	190	227	270	388	416	354	273	226	177	125	61	29	12	10	8	16
	Nonwhite--F	2,980	341	35	9	17	11	20	41	71	116	151	169	195	247	282	304	248	222	171	98	85	60	26	17	8	9	7
1,2	Typhoid and paratyphoid fever	11	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	1	1	1	-	-	-	-	-	-	-	1
	White-----M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	31	9	2	2	4	1	1	1	1	1	-	2	1	1	1	1	-	1	1	-	-	-	-	-	-	-	1
	White-----M	11	3	-	1	2	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	10	4	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	2	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1
	Nonwhite--F	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	30	1	7	8	5	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	15	-	6	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	721	3	4	4	3	2	-	1	25	59	61	67	77	80	73	69	44	43	42	30	19	10	2	-	-	-	3
	White-----M	244	1	-	2	-	-	-	-	2	10	12	8	17	19	28	31	22	26	25	22	13	8	-	-	-	-	1
	White-----F	115	1	2	1	1	-	-	-	3	15	9	11	11	8	10	9	7	5	6	6	2	8	1	-	-	-	-
	Nonwhite--M	214	-	2	1	-	1	-	-	4	13	14	30	31	32	24	27	11	9	8	1	3	-	1	-	-	-	2
	Nonwhite--F	148	1	-	-	2	1	-	1	16	21	26	18	18	21	11	2	4	3	1	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.	674	1	3	1	1	1	-	1	25	55	58	67	72	77	70	65	38	41	40	29	16	8	2	-	-	-	3
	White-----M	225	-	-	-	-	-	-	-	2	8	11	8	17	18	25	30	20	25	25	21	11	3	-	-	-	-	1
	White-----F	106	-	2	1	1	-	-	-	3	14	9	11	10	8	10	9	4	4	6	6	2	5	1	-	-	-	-
	Nonwhite--M	201	-	1	-	-	1	-	-	4	12	12	30	29	30	24	24	11	9	8	1	2	-	1	-	-	-	2
	Nonwhite--F	142	1	-	-	-	-	-	1	16	21	26	18	16	21	11	2	3	3	1	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	47	2	1	3	2	1	-	-	-	4	3	-	5	3	3	4	8	2	2	1	5	2	-	-	-	-	-
	White-----M	19	1	-	2	-	-	-	-	-	2	1	-	-	1	3	1	2	1	-	1	2	2	-	-	-	-	-
	White-----F	9	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M	13	-	1	1	-	-	-	-	-	1	2	-	2	2	-	3	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F	6	-	-	-	2	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	21	7	1	-	-	-	-	-	-	-	-	-	-	2	-	4	2	1	-	2	1	1	-	-	-	-	-
	White-----M	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	White-----F	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	-	-	-	-	-
	Nonwhite--F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	20	-	-	-	-	-	1	-	1	2	1	-	3	-	2	3	-	1	2	1	1	1	-	-	-	-	1
	White-----M	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	1
	White-----F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F	8	-	-	-	-	-	-	-	1	1	1	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-
30	Syphilis	297	13	1	-	1	-	-	1	3	9	4	16	36	38	35	40	26	23	26	10	7	1	5	1	-	-	1
	White-----M	72	-	-	-	-	-	-	-	1	-	-	2	3	6	3	10	4	9	16	7	5	-	2	1	-	-	1
	White-----F	26	-	1	-	-	-	-	-	-	-	-	-	3	3	3	2	2	5	4	1	1	1	1	-	-	-	-
	Nonwhite--M	143	8	-	-	1	-	-	-	4	1	8	18	22	24	25	16	7	5	1	1	-	2	-	-	-	-	-
	Nonwhite--F	57	5	-	-	-	-	-	1	1	5	3	6	12	8	5	3	4	2	1	1	-	-	-	-	-	-	-
35	Measles	27	9	2	2	2	1	4	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	9	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	8	2	1	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	43	2	1	-	-	-	10	10	6	4	4	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M	22	-	-	-	-	-	6	6	5	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	17	2	1	-	-	-	3	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-																							



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

291

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
FLORIDA—Con.																												
45-55	Cancer and other malignant tumors	2,549		1	2	3	4	1	4	3	7	12	21	41	82	150	195	239	296	343	337	293	276	148	65	18	1	-
	White—M—	1,063		1	1	-	3	1	1	1	5	2	6	8	11	33	47	69	134	169	157	164	137	82	29	2	-	-
	F—	1,065		-	1	3	-	-	2	1	-	8	4	16	41	67	91	96	112	136	145	114	121	57	33	15	1	-
	Nonwhite—M—	162		-	-	-	-	-	1	-	1	-	1	3	3	8	12	17	26	22	15	21	11	4	2	1	-	-
	F—	259		-	-	-	1	-	1	-	2	1	8	14	22	38	40	48	28	23	14	6	7	5	1	-	-	-
46	Cancer of the digestive organs and peritoneum—	955		-	-	-	-	-	-	-	2	2	6	11	17	45	49	75	116	145	146	132	122	57	22	10	-	-
	White—M—	454		-	-	-	-	-	-	-	-	-	3	4	4	19	16	30	58	79	67	70	53	26	11	1	-	-
	F—	368		-	-	-	-	-	-	-	2	-	-	4	6	15	15	22	38	51	62	46	57	28	11	9	-	-
	Nonwhite—M—	79		-	-	-	-	-	-	-	-	-	1	1	3	6	11	13	11	7	12	6	7	1	-	-	-	-
	F—	56		-	-	-	-	-	-	-	2	-	2	2	4	5	7	8	9	8	5	2	-	2	-	-	-	-
46,49	Cancer of female genital organs—	404		-	-	-	-	-	1	-	-	5	9	18	31	42	54	56	43	47	31	24	28	4	9	1	1	-
	White—F—	288		-	-	-	-	-	1	-	-	4	3	9	20	23	35	36	34	40	28	21	22	2	8	1	1	-
	Nonwhite—F—	116		-	-	-	-	-	-	-	1	6	9	11	19	19	20	9	7	3	3	6	2	1	-	-	-	-
50	Cancer of breast—	215		-	-	-	-	-	-	-	-	-	-	2	16	27	30	21	20	24	25	17	9	4	2	-	-	1
	White—M—	2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	175		-	-	-	-	-	-	-	-	-	-	1	10	21	20	13	18	22	16	16	9	4	2	-	-	1
	Nonwhite—M—	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	975		1	2	3	4	1	3	3	5	5	6	10	18	36	62	89	117	127	135	126	109	78	30	5	-	-
	White—M—	607		1	1	-	3	1	1	1	5	2	3	4	7	14	31	39	76	90	90	85	78	56	18	1	-	-
	F—	236		-	-	1	3	-	-	1	-	2	1	2	5	8	21	25	22	23	33	31	26	18	10	3	-	-
	Nonwhite—M—	83		-	-	-	-	-	-	1	-	1	2	2	5	6	15	11	8	9	9	4	3	2	1	-	-	-
58	Acute rheumatic fever—	28		1	-	-	-	-	1	8	1	3	1	-	2	3	2	1	-	2	1	-	-	-	2	-	-	-
	White—M—	8		-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-
	F—	3		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M—	4		-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	430		1	-	-	-	-	-	3	6	3	9	9	9	10	23	33	41	44	75	75	51	28	10	1	-	-
	White—M—	165		-	-	-	-	-	-	1	1	1	2	2	1	3	6	10	15	15	32	30	26	15	4	1	-	-
	F—	184		1	-	-	-	-	-	1	3	2	2	1	2	1	9	9	12	20	37	42	25	12	5	-	-	-
	Nonwhite—M—	31		-	-	-	-	-	-	-	-	-	4	3	2	-	2	4	6	3	4	2	-	1	-	-	-	-
63b	Exophthalmic goiter—	31		-	-	-	-	-	-	-	1	-	-	-	5	3	1	5	5	2	7	1	-	-	-	-	-	-
	White—M—	6		-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-	-	-	-	-	-	-
	F—	19		-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	2	1	4	1	-	-	-	-	-	-
	Nonwhite—M—	7		-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	1	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	32		-	1	-	1	-	-	-	1	-	-	-	2	3	2	1	7	4	2	2	-	-	3	-	1	-
	White—M—	5		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	F—	10		-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	8	1	-	1	-	-	-	-	-	-
	Nonwhite—M—	3		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	48		-	-	-	-	-	-	-	-	-	2	3	7	6	14	9	4	2	1	-	-	-	-	-	-	-
	White—M—	27		-	-	-	-	-	-	-	-	-	-	2	4	4	7	6	3	-	1	-	-	-	-	-	-	-
	F—	10		-	-	-	-	-	-	-	-	-	1	1	-	1	3	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7		-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	2,209		2	-	-	-	-	3	2	5	6	9	19	37	75	139	195	220	279	308	307	280	183	93	26	7	-
	White—M—	810		-	-	-	-	-	-	-	1	2	2	4	9	17	35	46	79	106	122	136	120	84	36	9	2	-
	F—	716		2	-	-	-	-	2	-	1	1	5	5	17	27	34	41	79	112	116	133	75	49	14	1	-	
	Nonwhite—M—	327		-	-	-	-	-	1	1	2	2	4	9	16	35	48	57	40	33	35	20	10	6	2	2	-	-
90-95	Diseases of the heart—	5,759		3	3	2	1	-	7	8	13	14	34	63	111	213	352	500	619	671	785	797	719	481	240	90	17	8
	White—M—	3,041		-	1	1	1	-	2	3	3	6	12	24	40	104	161	251	333	364	480	450	395	241	133	47	5	1
	F—	1,605		3	1	1	-	-	3	1	4	6	13	25	25	51	71	119	185	219	271	272	212	96	35	7	3	1
	Nonwhite—M—	837		-	1	-	-	-	2	3	1	8	7	20	44	80	117	93	89	60	51	31	12	5	5	3	3	2
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart—	300		-	-	-	-	-	5	4	4	8	10	13	20	23	20	31	27	31	23	25	23	20	6	3	-	-
	White—M—	115		-	-	-	-	-	1	1	2	2	4	4	6	5	13	2	11	9	12	10	13	11	8	2	-	-
	F—	108		-	-	-	-	-	3	-	2	4	4	5	10	5	8	11	5	10	6	12	11	8	3	1	-	-
	Nonwhite—M—	49		-	-	-	-	-	2	2	2	2	2	2	5	2	4	5	4	12	6	5	-	4	1	-	-	-
94	Diseases of coronary arteries and angina pectoris—	2,036		-	-	-	-	-	1	-	2	2	6	22	47	98	139	200	274	254	329	282	232	132	51	19	4	-
	White—M—	1,394		-	-	-	-	-	-	-	1	4	11	28	69	98	142	185	185	218	201	147	71	57	13	6	-	-
	F—	477		-	-	-	-	-	-	-	-	-	4	3	8	10	18	57	57	95	73	77	55	12	6	-	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	FLORIDA—Con.																											
	Arteriosclerosis and high blood pressure—M—	349	-	-	-	-	-	-	-	-	1	-	2	1	2	10	10	26	20	30	43	62	54	55	25	8	-	-
	White—M—	156	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	11	8	13	18	30	29	13	2	-	-	
	F—	114	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	7	4	18	26	21	6	4	-	-	
	Nonwhite—M—	46	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	8	3	8	6	4	1	2	1	-	-	
	F—	33	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	7	2	5	1	2	-	2	1	-	-	
107-109, 33	Pneumonia (all forms) and influenza—M—	1,087	231	35	19	7	8	17	18	14	17	31	28	32	45	56	58	54	61	58	70	76	70	49	29	4	-	
	White—M—	338	53	10	3	1	-	7	6	2	2	3	3	7	9	14	5	15	13	31	22	32	27	29	24	12	1	
	F—	285	47	6	5	1	3	1	2	3	3	4	3	7	7	8	6	10	10	16	25	26	31	23	15	3	-	
	Nonwhite—M—	255	66	10	6	4	4	6	-	5	4	10	6	8	12	25	26	20	10	12	7	7	6	1	-	-	-	
	F—	229	65	9	4	1	1	3	10	4	8	14	12	8	12	18	11	11	10	8	6	6	4	1	2	-	-	
107	Bronchopneumonia—M—	415	123	24	11	3	-	10	4	5	6	4	7	6	6	17	15	5	19	18	29	32	31	22	14	2	-	
	White—M—	155	33	6	2	1	-	5	-	2	1	-	3	-	2	3	7	1	14	10	13	20	18	11	3	-	-	
	F—	114	27	4	2	1	-	-	-	-	-	-	2	2	2	3	5	2	2	5	13	11	10	10	2	-	-	
	Nonwhite—M—	75	29	8	4	1	-	4	-	2	2	1	1	3	2	6	2	-	2	3	2	1	1	1	-	-	-	
	F—	71	34	6	3	-	-	1	4	1	3	3	1	3	-	5	1	2	1	-	-	-	-	1	-	-	-	
109	Lobar pneumonia—M—	297	41	2	4	4	1	3	6	4	4	12	10	14	12	14	29	20	21	19	22	16	19	12	8	1	-	
	White—M—	93	9	1	1	-	-	-	2	-	-	1	1	7	5	1	6	5	9	7	12	6	7	8	4	1	-	
	F—	55	8	-	1	-	-	-	1	1	2	2	1	1	1	-	1	4	5	3	5	4	2	-	-	-	-	
	Nonwhite—M—	76	13	-	2	3	1	1	-	1	-	3	2	1	1	6	18	7	4	4	3	4	2	-	-	-	-	
	F—	73	11	1	-	1	-	2	3	2	2	6	5	4	5	7	6	4	3	5	2	2	1	-	-	-	-	
109	Pneumonia (unspecified)—M—	143	40	3	2	-	2	1	3	2	3	4	5	6	9	6	1	10	11	5	11	9	6	2	2	-	-	
	White—M—	41	8	-	-	-	-	2	-	-	1	1	1	2	4	1	1	1	6	2	5	4	1	1	-	-	-	
	F—	48	11	2	1	-	1	1	1	1	-	-	-	1	3	3	-	3	3	2	4	3	5	2	1	-	-	
	Nonwhite—M—	31	15	1	-	-	-	-	-	-	1	3	1	2	2	1	-	3	1	-	1	-	-	-	-	-	-	
	F—	23	6	-	1	-	1	-	-	1	1	-	3	1	-	1	-	3	1	1	1	2	-	-	-	-	-	
33	Influenza—M—	232	27	6	1	-	5	3	5	3	4	11	6	4	18	19	13	19	10	16	8	19	14	13	7	1	-	
	White—M—	49	3	3	-	-	2	-	2	-	-	1	2	-	3	-	1	6	2	3	2	7	3	6	4	1	-	
	F—	48	1	-	1	-	2	-	1	1	1	2	-	3	1	2	-	1	-	6	3	0	6	7	2	1	-	
	Nonwhite—M—	73	9	1	-	-	3	1	-	2	1	3	1	1	7	12	6	10	3	5	1	2	3	-	-	-	-	
	F—	62	14	2	-	-	-	3	-	-	2	5	3	-	7	5	4	2	5	2	2	2	2	1	-	-	-	
117	Ulcer of stomach or duodenum—M—	129	-	-	-	-	-	1	-	-	-	2	6	11	8	17	16	18	18	9	14	6	1	1	1	-	-	
	White—M—	72	-	-	-	-	-	-	-	-	-	-	4	5	1	8	11	12	9	7	9	3	1	1	1	-	-	
	F—	16	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	1	1	4	2	-	-	-	-	-	
	Nonwhite—M—	30	-	-	-	-	-	-	-	-	-	-	1	5	4	8	4	3	3	1	1	-	-	-	-	-	-	
	F—	11	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	5	-	-	1	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc.—M—	137	83	9	2	1	-	2	2	-	-	1	3	2	3	3	2	8	3	1	3	2	3	3	-	-	-	
	White—M—	43	27	5	-	-	-	1	1	-	-	-	-	-	-	-	1	2	2	-	1	1	2	-	-	-	-	
	F—	40	31	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	
	Nonwhite—M—	33	17	2	-	1	-	1	-	-	-	1	1	1	2	2	-	3	1	-	-	-	-	-	-	-	-	
	F—	21	8	1	1	-	-	1	-	-	-	-	1	1	1	1	1	2	-	1	1	-	-	-	-	-	-	
121	Appendicitis—M—	103	-	1	1	1	2	2	5	6	7	3	12	7	6	11	8	7	8	2	6	5	3	-	-	-	-	
	White—M—	39	-	-	-	-	1	1	1	3	3	-	5	2	1	2	6	4	5	2	2	1	-	-	-	-	-	
	F—	20	-	1	1	1	-	2	-	-	-	-	-	1	-	2	-	1	-	-	4	4	2	-	-	-	-	
	Nonwhite—M—	24	-	-	-	-	1	-	2	1	3	1	3	2	5	4	-	1	-	-	-	-	1	-	-	-	-	
	F—	20	-	-	-	-	1	-	2	1	2	4	2	-	-	3	2	1	2	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction—M—	233	8	1	-	-	1	1	2	-	8	6	13	8	19	18	15	26	22	26	22	20	10	8	-	1	-	
	White—M—	86	2	-	-	-	1	-	-	-	2	1	3	-	5	4	2	6	7	6	7	5	6	-	-	-	-	
	F—	60	-	1	-	-	1	-	-	-	2	2	2	3	7	2	4	7	3	2	2	-	2	-	-	-	-	
	Nonwhite—M—	43	3	-	-	-	-	1	-	-	1	2	5	3	1	5	6	7	3	2	-	-	-	-	-	-	-	
	F—	44	3	-	-	-	-	1	-	-	3	1	3	2	8	7	3	6	2	4	-	-	-	-	-	-	-	
124	Cirrhosis of the liver—M—	207	-	-	-	-	-	1	1	-	3	3	9	12	9	30	29	22	28	19	21	13	3	2	2	-	-	
	White—M—	119	-	-	-	-	-	-	-	-	-	1	3	7	4	21	18	14	15	8	15	7	3	1	1	-	-	
	F—	51	-	-	-	-	-	-	-	-	2	-	3	4	2	4	4	5	7	8	6	4	-	-	-	-	-	
	Nonwhite—M—	21	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	2	4	2	-	1	-	-	-	-	-	
	F—	16	-	-	-	-	-	1	-	-	1	2	2	-	1	1	3	1	2	1	-	-	-	-	-	-	-	
126,127	Biliary calculi, etc.—M—	79	-	-	-	-	-	-	-	-	1	3	3	2	4	4	12	8	8	12	6	7	6	1	2	-	-	
	White—M—	28	-	-	-	-	-	-	-	-	-	1	1	1	-	-	4	3	2	6	1	3	3	1	1	-	-	
	F—	45	-	-	-	-	-	-	-	-	-	2	2	-	2	3	7	5	5	6	5	4	3	-	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—																											

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

293

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
FLORIDA--Con.																												
140-150	Diseases of pregnancy, etc.*	159	-	-	-	-	-	-	-	-	9	46	39	32	23	8	2	-	-	-	-	-	-	-	-	-	-	-
	White--F--	79	-	-	-	-	-	-	-	-	2	25	25	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	80	-	-	-	-	-	-	-	-	7	21	14	19	17	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	44	-	-	-	-	-	-	-	3	11	14	6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	21	-	-	-	-	-	-	-	-	6	10	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	23	-	-	-	-	-	-	-	3	5	4	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	44	-	-	-	-	-	-	-	4	15	6	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	18	-	-	-	-	-	-	-	2	8	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	-	-	-	-	-	-	-	2	7	3	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	57	-	-	-	-	-	-	-	1	15	14	13	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	33	-	-	-	-	-	-	-	-	9	8	7	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	24	-	-	-	-	-	-	-	1	6	6	6	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	14	-	-	-	-	-	-	-	1	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	273	242	10	3	1	-	6	3	2	1	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	White--M--	127	113	2	3	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	87	7	-	-	-	1	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	26	24	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	18	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,223	1,223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	540	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	340	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	906	906	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	357	357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158,160, 161	Other diseases peculiar to first year	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide	263	-	-	-	-	-	-	1	7	14	15	27	39	23	31	25	22	16	16	14	7	4	1	-	-	-	1
	White--M--	185	-	-	-	-	-	-	1	6	10	6	15	23	13	21	20	20	16	13	13	5	2	1	-	-	-	-
	F--	66	-	-	-	-	-	-	-	1	3	5	12	13	8	9	5	2	-	3	1	2	2	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	3	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	392	-	-	-	-	-	1	1	20	54	73	64	59	42	28	21	12	9	5	1	2	-	-	-	-	-	-
	White--M--	77	-	-	-	-	-	-	-	5	11	8	6	9	8	5	10	7	6	1	1	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	1	-	-	6	2	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	235	-	-	-	-	-	1	10	27	45	49	36	28	19	10	5	1	3	-	1	-	-	-	-	-	-	-
	F--	63	-	-	-	-	-	-	5	10	16	7	12	5	2	1	-	-	2	-	-	1	-	-	-	-	-	-
169-195	Accidental deaths	2,028	62	40	29	26	22	75	71	153	247	184	141	131	121	106	93	85	87	65	62	75	63	54	24	1	-	13
	White--M--	1,065	19	12	11	12	11	34	26	98	173	124	69	65	68	45	51	41	54	38	30	29	23	17	6	-	-	9
	F--	398	19	13	9	4	2	16	18	19	16	10	16	23	14	15	13	17	14	12	23	36	37	34	17	1	-	-
	Nonwhite--M--	413	13	7	6	4	5	19	17	27	44	35	44	38	32	38	20	19	16	8	7	6	1	2	-	-	3	-
	F--	152	11	8	1	6	4	6	10	9	14	15	12	5	7	8	9	6	3	7	2	4	2	1	1	-	-	1
170	Motor-vehicle accidents	714	3	9	9	10	9	23	17	80	112	72	53	55	50	36	35	29	33	22	20	21	12	2	1	-	-	1
	White--M--	414	1	2	4	5	6	12	7	49	76	47	24	32	30	14	16	13	21	17	15	13	8	2	-	-	-	-
	F--	129	2	4	4	2	1	7	8	14	11	7	8	10	5	5	6	11	6	2	5	6	4	-	1	-	-	-
	Nonwhite--M--	124	-	1	1	1	1	3	-	10	19	13	15	11	11	14	11	4	6	2	-	1	-	-	-	-	-	-
	F--	47	-	2	-	2	1	1	2	7	6	5	6	2	4	3	2	1	-	1	-	1	-	-	-	-	-	1
169, 171-195	Other accidents	1,314	59	31	20	16	13	52	54	73	135	112	88	76	71	70	58	54	43	42	54	31	52	23	1	-	12	-
	White--M--	651	18	10	7	7	5	22	19	49	97	77	45	33	36	31	35	29	33	21	15	16	15	15	6	-	9	-
	F--	289	17	9	5	2	1	9	10	5	5	3	8	13	9	10	7	6	8	10	18	30	33	34	16	1	-	-
	Nonwhite--M--	289																										



TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																											
	All causes-----	27,511	3,075	246	137	103	74	244	269	485	742	810	960	1,215	1,262	1,744	2,114	2,241	2,303	2,408	2,479	1,982	1,316	805	291	98	56	52
	White-----M--	9,388	986	53	41	32	24	82	59	145	235	203	237	313	335	477	700	814	900	1,048	1,004	815	464	272	79	21	2	8
	White-----F--	6,878	721	89	34	22	23	58	45	102	114	125	155	218	212	284	319	416	534	697	856	761	556	382	123	35	5	12
	Nonwhite-M--	5,978	746	84	33	23	14	67	74	124	207	243	293	344	337	529	603	566	464	361	335	233	150	71	40	19	16	22
	Nonwhite-F--	5,268	622	60	29	26	13	39	51	114	166	239	275	340	376	454	492	445	405	302	284	173	146	80	49	23	33	10
1,2	Typhoid and paratyphoid fever--																											
	White-----M--	11	2	-	-	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis--																											
	White-----M--	32	5	6	-	2	-	4	1	6	-	1	1	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----F--	12	1	4	-	-	-	2	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-M--	10	3	1	-	1	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	8	1	1	-	1	-	1	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--																											
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--																											
	White-----M--	59	39	15	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	15	7	5	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	18	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	14	8	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--																											
	White-----M--	44	6	16	5	7	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	1	4	3	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	15	3	7	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	6	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	7	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--																											
	White-----M--	1,070	12	8	3	1	1	8	10	42	100	96	137	116	68	105	93	72	44	63	34	24	9	-	1	-	-	3
	White-----F--	309	1	1	2	-	-	1	-	1	11	10	27	24	26	35	46	37	23	35	15	11	3	-	-	-	-	1
	Nonwhite-M--	173	1	4	-	-	1	1	1	6	13	4	14	16	13	17	13	14	8	18	13	10	4	-	-	-	-	2
	Nonwhite-F--	297	6	2	1	-	-	4	3	14	33	34	45	35	29	39	20	11	8	6	6	2	-	-	-	-	-	-
	Nonwhite-F--	291	4	1	-	1	-	3	5	22	43	48	51	41	20	15	14	10	5	4	-	1	2	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*--																											
	White-----M--	984	3	3	-	-	-	5	7	41	93	88	128	109	79	95	93	69	41	63	33	22	9	-	1	-	-	3
	White-----F--	294	-	-	-	-	-	-	-	10	10	27	23	23	34	46	35	21	35	15	11	3	-	-	-	-	-	1
	Nonwhite-M--	159	-	1	-	-	-	1	-	6	12	4	12	15	13	15	14	8	18	13	9	4	-	-	-	-	-	2
	Nonwhite-F--	260	1	2	-	-	-	2	3	14	28	31	41	31	24	33	20	11	7	6	5	1	-	-	-	-	-	-
	Nonwhite-F--	271	2	-	-	-	-	2	4	21	43	43	48	40	20	13	14	8	5	4	-	1	2	-	1	-	-	-
14-22	Tuberculosis (other forms)--																											
	White-----M--	86	9	5	3	1	1	3	3	1	7	8	9	7	9	10	-	4	3	-	1	2	-	-	-	-	-	-
	White-----F--	15	1	1	2	-	-	1	-	1	1	-	1	3	1	2	-	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	14	1	3	-	-	1	1	-	1	-	2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-F--	37	5	-	1	-	-	2	-	-	5	3	4	4	5	5	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite-F--	20	2	1	-	1	-	1	1	1	-	5	3	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery--																											
	White-----M--	35	19	2	-	-	-	1	-	-	1	-	-	1	2	-	1	-	-	1	1	3	1	1	-	-	1	-
	White-----F--	11	5	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite-M--	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite-F--	11	7	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria--																											
	White-----M--	14	1	-	-	1	-	-	-	-	1	1	-	-	3	-	-	1	-	2	1	1	2	-	-	-	-	-
	White-----F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite-F--	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	6	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-
30	Syphilis--																											
	White-----M--	340	15	2	-	-	-	2	-	5	18	23	44	42	51	42	30	28	16	7	10	3	-	-	-	-	-	2
	White-----F--	63	1	-	-	-	-	-	-	-	-	-	3	5	5	7	12	7	3	5	-	-	-	-	-	-	-	1
	Nonwhite-M--	21	2	1	-	-	-	-	-	-	-	2	3	2	4	2	2	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite-F--	168	6	1	-	-	-	1	-	2	9	13	28	21	30	19	15	9	5	3	4	1	-	-	-	-	-	1
	Nonwhite-F--	88	6	-	-	-	-	1	-	3	9	6	10	14	12	7	6	3	1	1	1	1	-	-	-	-	-	-
35	Measles--																											
	White-----M--	40	13	4	6	4	1	5	-	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	5	-	3	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	6	-	1	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## 295

## and of deaths among armed forces overseas)

793002 O - 48 - 20



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	GEORGIA—Con.																											
	Arteriosclerosis and high blood pressure—	401	-	-	-	-	-	-	-	-	3	3	3	4	4	8	19	31	35	37	80	66	49	38	13	3	3	2
	White—M—	126	-	-	-	-	-	-	-	-	2	1	1	1	1	1	4	10	8	14	21	28	20	12	3	-	-	1
	F—	117	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	9	11	25	21	14	7	8	2	-	1
	Nonwhite—M—	85	-	-	-	-	-	-	-	-	-	-	1	-	-	4	7	11	10	6	19	11	7	3	2	1	1	-
F—	75	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	7	8	6	15	6	8	6	-	-	2	-	
107-109, 33	Pneumonia (all forms) and influenza—	1,741	402	63	23	15	5	26	19	23	29	47	47	48	60	92	105	112	100	95	116	86	112	67	30	9	7	3
	White—M—	423	92	7	5	1	3	5	4	3	4	7	10	13	10	16	21	31	27	26	36	34	35	18	13	3	-	1
	F—	432	79	9	4	2	1	7	3	3	4	7	5	8	5	12	9	15	24	32	49	38	53	42	6	3	1	-
	Nonwhite—M—	476	129	27	6	6	1	10	8	7	15	17	17	22	40	39	59	29	26	21	18	7	9	7	2	-	1	-
	F—	410	102	20	8	6	-	4	4	10	15	18	21	10	23	24	36	37	23	16	13	7	15	2	3	-	3	1
107	Bronchopneumonia—	563	193	24	9	8	2	9	4	3	6	8	11	10	16	15	17	22	22	27	45	25	40	28	14	4	1	-
	White—M—	162	47	2	2	1	1	2	2	1	2	-	3	5	2	5	4	9	7	12	15	9	16	9	5	1	-	-
	F—	168	41	4	-	1	-	4	1	-	-	1	3	1	3	1	6	6	6	11	25	11	21	14	7	3	1	-
	Nonwhite—M—	126	61	11	3	2	1	2	1	2	2	1	2	4	4	4	6	5	2	1	3	3	1	4	1	-	-	-
	F—	107	44	7	4	4	-	1	-	-	2	6	3	-	7	3	6	2	7	3	2	2	2	1	1	-	-	-
108	Lobar pneumonia—	550	75	13	6	3	1	4	6	11	9	20	23	17	24	42	46	49	41	27	41	31	18	6	3	1	2	1
	White—M—	128	16	-	1	-	1	1	1	1	1	8	3	5	3	8	8	13	10	7	12	13	11	2	3	1	-	-
	F—	120	13	3	-	1	-	1	-	1	2	2	-	2	1	3	5	7	11	8	13	15	11	15	3	2	-	1
	Nonwhite—M—	172	22	9	3	1	-	2	4	2	1	9	6	5	9	23	18	20	14	7	11	1	3	1	-	-	-	-
	F—	130	24	2	2	1	-	-	1	7	5	3	12	5	11	8	15	9	6	5	5	2	6	-	-	-	1	-
109	Pneumonia (unspecified)—	224	69	9	2	2	2	6	2	5	7	4	6	8	10	8	10	9	11	11	12	10	9	6	4	-	2	-
	White—M—	89	16	1	1	-	1	2	-	-	1	-	2	1	3	1	3	2	4	2	5	8	1	2	3	-	-	-
	F—	45	8	-	1	-	1	-	1	1	1	1	2	1	1	1	1	1	4	5	4	2	5	3	-	-	-	-
	Nonwhite—M—	71	27	4	-	1	-	3	1	3	2	2	-	4	4	5	4	2	2	2	2	2	2	1	-	-	-	-
	F—	51	18	4	-	1	-	1	-	1	3	1	3	1	2	2	2	4	1	2	1	-	1	-	1	-	2	-
33	Influenza—	404	65	17	6	2	-	7	7	4	7	15	7	13	10	27	32	32	26	30	18	20	32	15	6	2	3	1
	White—M—	74	13	4	1	-	-	1	1	1	-	1	2	2	2	2	6	7	6	5	4	4	7	3	2	1	-	-
	F—	101	17	2	3	-	-	2	1	1	-	3	1	3	-	6	2	1	3	8	7	10	16	10	2	1	2	-
	Nonwhite—M—	107	19	4	-	2	-	3	2	-	2	3	1	4	5	8	11	12	8	11	2	3	3	1	1	-	1	1
	F—	122	16	7	2	-	-	2	3	2	2	5	8	3	4	3	11	13	12	9	6	5	6	1	1	-	-	-
117	Ulcer of stomach or duodenum—	154	-	-	-	-	-	-	-	1	4	7	6	6	11	20	16	18	21	17	10	11	-	5	-	-	-	1
	White—M—	81	-	-	-	-	-	-	-	1	2	1	2	1	7	11	7	19	14	10	7	9	-	3	-	-	-	-
	F—	18	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	4	4	1	1	1	-	1	-	-	-	-
	Nonwhite—M—	38	-	-	-	-	-	-	-	1	3	4	1	1	2	6	7	8	1	2	2	-	-	-	-	-	-	1
	F—	17	-	-	-	-	-	-	-	2	1	-	2	1	2	1	3	2	1	1	-	1	-	1	-	-	-	-
119,120	Diarrhea, enteritis, etc.—	199	127	11	8	2	2	3	-	-	2	4	4	1	4	4	2	4	4	3	6	1	3	2	-	1	1	-
	White—M—	45	27	2	2	1	2	-	-	-	1	-	1	-	2	1	-	1	1	1	1	-	-	1	-	-	-	-
	F—	41	23	2	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	1	2	1	2	1	-	1	-	-
	Nonwhite—M—	59	44	4	4	-	1	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-
	F—	54	33	3	2	-	-	1	-	-	-	2	2	-	1	-	1	2	1	2	3	-	-	-	-	-	1	-
121	Appendicitis—	123	-	-	-	2	1	4	5	8	7	4	11	13	7	15	12	8	10	5	5	2	1	2	1	-	-	-
	White—M—	39	-	-	-	2	1	1	2	3	3	2	1	4	3	5	1	4	4	1	4	1	-	1	1	-	-	-
	F—	27	-	-	-	-	1	1	1	5	2	-	1	-	1	5	-	3	3	2	4	1	-	-	-	-	-	-
	Nonwhite—M—	34	-	-	-	-	1	1	1	2	-	1	5	4	2	7	4	2	2	2	1	-	-	-	-	-	-	-
	F—	23	-	-	-	-	1	2	-	-	-	1	4	5	1	3	2	2	1	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction—	253	11	2	5	-	2	4	3	7	6	11	15	15	13	20	25	15	27	19	16	18	12	3	2	-	-	-
	White—M—	75	3	1	3	-	1	1	1	3	1	3	4	2	2	5	2	3	6	10	9	9	2	1	1	-	-	-
	F—	64	2	1	-	-	-	1	-	3	1	3	3	4	4	4	4	9	3	7	6	6	2	1	-	-	-	-
	Nonwhite—M—	61	4	-	1	-	1	3	1	1	-	1	4	1	3	6	12	8	6	3	2	2	2	-	-	-	-	-
	F—	53	2	-	1	-	-	-	-	3	2	6	4	9	4	5	7	-	4	3	-	1	2	-	-	-	-	-
124	Cirrhosis of the liver—	184	-	-	-	-	-	-	1	1	2	8	8	12	18	22	19	24	18	17	20	7	4	1	2	-	-	-
	White—M—	85	-	-	-	-	-	-	1	-	2	3	4	4	11	13	6	10	10	10	8	4	3	-	-	-	-	-
	F—	48	-	-	-	-	-	-	-	-	-	2	4	4	4	2	9	3	4	19	2	1	1	1	-	-	-	-
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	1	1	1	3	-	1	3	5	1	2	1	1	-	-	-	-	-	-
	F—	29	-	-	-	-	-	-	1	-	1	3	-	1	3	3	6	3	4	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—	84	-	-	-	-	-	-	-	1	2	1	2	1	4	6	15	11	18	8	5	6	-	4	-	-	-	-
	White—M—	22	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	9	2	2	-	-	-	-	-	-	-	-
	F—	47	-	-	-	-	-	-	-	-	1	-	1	1	1	3	8	8	8	5	3	4	-	4	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	1	1	1	-	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis—	2,549	3	3	4	3	2	7	8	12	20	39	55	69	86	157	180	254	285	310	360	293	216	127	55	12	6	4
	White—M—	750	-	1	-	1	-	1	3	1	6	4	4	15	16	33	40	60	80	114	127	103	71	52	14	3	1	-
	F—	649	1	1	1	-	1	1	2	3	2	11	10	15	13	28	23	23	45	85	120	107	84	50	21	1	-	
	Nonwhite—M—	618	2	1	1	-	-	4	1	3	5	8	16	12	29	36	63	92	61	66	53	38	14	6	3	3	-	
	F—	532	-	-	2	2	1	1	2	5	7	16	25	26	28	60	54	64	68	50	47	30	23	11	6	2	2	-
137	Diseases of the prostate—	153	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	22	20	26	28	24	13	5	2	-	-	
	White—M—	95	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	14	22	18	12	3	2	-	-	-	
	F—	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	11	12	6	8	1	2	-	-	-	-
	Nonwhite—M—	68	-	-	-	-	-	-																				

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

297

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA--Con.																											
140-150	Diseases of pregnancy, etc.*	225	-	-	-	-	-	-	4	23	45	55	40	38	17	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--F	83	-	-	-	-	-	-	4	17	28	38	26	21	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	142	-	-	-	-	-	-	4	17	28	38	26	21	7	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	61	-	-	-	-	-	-	1	6	14	14	12	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	24	-	-	-	-	-	-	1	4	6	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	37	-	-	-	-	-	-	1	5	10	8	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,149	Puerperal toxemia	67	-	-	-	-	-	-	3	11	14	11	11	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	22	-	-	-	-	-	-	3	5	4	4	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	45	-	-	-	-	-	-	3	8	9	7	7	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma, or shock*	74	-	-	-	-	-	-	-	3	13	24	11	13	9	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--F	33	-	-	-	-	-	-	-	2	7	7	5	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	41	-	-	-	-	-	-	-	1	6	17	6	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	23	-	-	-	-	-	-	-	3	4	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	4	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	19	-	-	-	-	-	-	-	3	3	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	298	248	11	1	3	4	9	5	3	7	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	123	107	3	-	1	1	3	1	2	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	117	96	6	-	1	1	1	3	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	30	25	-	1	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	20	2	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159-161	Diseases peculiar to first year	1,578	1,578	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	594	594	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	414	414	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	300	300	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	270	270	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	982	982	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	347	347	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	176	176	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	180	180	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	596	596	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	247	247	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	124	124	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	230	-	-	-	-	-	-	3	6	18	20	28	25	25	26	23	15	16	13	6	5	1	-	-	-	-	-
	White--M	174	-	-	-	-	-	-	3	2	13	11	22	19	16	20	21	10	14	11	6	5	1	-	-	-	-	-
	F	40	-	-	-	-	-	-	-	4	3	5	3	6	4	2	5	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	1	3	1	3	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	564	2	1	-	-	-	7	29	105	93	77	97	49	42	23	11	5	7	4	5	-	1	-	-	-	-	6
	White--M	103	1	1	-	-	-	2	15	14	10	21	9	16	6	3	2	1	1	1	1	-	-	-	-	-	-	1
	F	21	1	-	-	-	-	2	-	1	2	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	364	-	-	-	-	-	4	17	67	66	56	65	32	20	14	7	2	5	2	3	-	1	-	-	-	-	3
	F	76	-	-	-	-	-	1	10	22	11	9	7	3	2	-	-	-	-	1	1	-	-	-	-	-	-	2
169-195	Accidental deaths	2,115	106	44	31	54	27	80	110	182	228	168	170	145	99	93	97	88	70	72	74	69	48	36	14	5	2	2
	White--M	1,002	28	14	5	12	9	39	48	95	134	98	90	79	57	29	49	48	36	45	32	29	12	12	-	1	-	-
	F	410	21	11	10	8	11	18	15	40	28	17	24	15	9	13	16	12	11	12	29	29	22	11	4	-	-	-
	Nonwhite--M	503	24	6	9	6	4	25	33	51	55	48	48	38	23	39	26	18	18	10	9	8	2	1	3	-	-	2
	F	200	53	15	7	8	3	10	13	6	11	5	8	14	10	12	6	10	5	5	7	3	5	1	3	-	-	-
170	Motor-vehicle accidents	809	5	9	9	11	9	39	36	84	142	83	79	62	38	38	43	30	25	21	23	18	4	-	-	-	-	1
	White--M	478	2	4	2	3	3	19	20	44	86	58	51	37	23	15	20	16	16	18	15	10	3	-	-	-	-	-
	F	119	-	2	4	6	4	9	8	17	16	6	7	5	4	6	8	3	3	2	5	3	1	-	-	-	-	-
	Nonwhite--M	171	-	-	2	1	-	9	6	20	28	17	18	15	7	13	14	6	6	-	3	5	-	-	-	-	-	1
	F	41	3	3	1	1	2	2	2	3	2	2	3	5	4	4	1	3	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,306	101	35	22	23	18	51	74	106	86	85	91	84	61	55	54	58	45	51	51	44	36	14	5	2	1	1
	White--M	524	26	10	3	9	6	20	29	51	39	40	39	42	34	14	29	30	20	26	17	19	9	12	-	1	-	-
	F	291	21	9	6	2	7	7	7	23	12	11	17	10	5	7	8	9	8	10	21	26	23	22	11	4	-	-
	Nonwhite--M	332	24	8	7	5	4	16	27	31	27	31	30	23	16	26	12	12	12	10	6	3	2	1	-	-	-	1
	F	159	30	10	6	7	1	8	11	3	9	3	5	9	6	8	5	7	5	5	7	3	5	1	3	-	-	-
162,199, 200	Sentility, ill-defined and unknown causes	1,156	302	10	6	4	5	6	7	9	22	13	20	31	40	44	64	43	56	71	86	78	89	56	45	27	17	5
	White--M	288	49	2	-	-	-	1	2	1	2	-	2	5	11	15	16	16	20	29	24	27	15	14	8	7	1	1
	F	190	27	3	2	-	-	1	1	-	1	5	3	3	3	1	4	6	10	11	24	17	26	21	14	5	1	-
	Nonwhite--M	365	130	3	1	3	2	4	2	2	7	2	7	11	9	18	24	13	13	16	18	21	27	10	10	6	5	1
	F	333	96	2	3	1	2	-	3	5	12	6	8	12	17	10	20	8	13	15	20	15	21	11	13	9	10	3
	All other causes	1,860	176	40	35	18	16	59	45	83	66	90	94	132	116	135	137	119	125	112	110	89	48	37	5	7	1	3
	White--M	587	61	7	14	6	4	13	20	14	19	19	21	29	29	35	50	44	49	50	43							



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	All causes-----	4,585	453	40	14	14	14	39	43	75	79	100	80	97	132	174	264	319	410	461	494	502	393	283	95	22	2	6
	White-----M	2,791	243	21	8	7	10	28	29	52	49	67	49	60	87	113	157	190	256	294	301	301	249	148	51	14	2	5
	White-----F	1,709	203	16	6	7	2	10	12	22	27	32	28	34	40	56	102	122	149	181	186	196	137	112	41	7	1	1
	Nonwhite--M	61	3	2	-	-	-	1	1	-	2	1	1	2	5	3	5	8	5	6	5	2	5	2	1	-	-	-
	Nonwhite--F	24	4	1	-	-	-	2	1	1	1	-	2	1	-	2	-	1	-	-	2	2	2	1	-	-	-	-
1,2	Typhoid and paratyphoid fever-----																											
	White-----M	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----																											
	White-----M	5	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----																											
	White-----M	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----																											
	White-----M	6	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----																											
	White-----M	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----																											
	White-----M	67	1	-	-	-	2	-	-	-	2	5	10	5	7	-	5	9	10	3	4	2	2	2	-	-	-	-
	White-----F	42	1	-	-	-	1	-	-	-	-	3	3	4	4	-	5	7	8	3	2	1	1	-	-	-	-	-
	Nonwhite--M	17	-	-	-	-	-	-	-	2	1	5	1	2	1	-	2	2	2	-	1	1	1	1	-	-	-	-
	Nonwhite--F	4	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----																											
	White-----M	57	-	-	-	-	1	-	-	-	2	5	9	5	4	-	5	7	8	3	4	2	2	2	-	-	-	-
	White-----F	34	-	-	-	-	-	-	-	-	-	3	2	4	2	-	5	5	7	3	2	1	1	-	-	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	2	1	5	1	2	-	-	2	1	1	-	1	1	1	1	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--F	4	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----																											
	White-----M	10	1	-	-	-	1	-	-	-	-	-	1	-	3	-	-	2	2	-	-	-	-	-	-	-	-	-
	White-----F	8	1	-	-	-	1	-	-	-	-	-	1	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----																											
	White-----M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----																											
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----																											
	White-----M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	1	3	3	2	2	-	1	1	-	-
	White-----F	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	2	2	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----																											
	White-----M																											

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

299

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAED-Continued																											
45-55	Cancer and other malignant tumors	564	1	-	1	-	-	1	2	3	3	4	5	12	17	19	41	71	65	96	86	70	47	19	5	2	-	-
	White-M	296	-	-	-	-	-	1	1	2	1	3	3	4	10	7	11	30	28	52	50	38	32	9	4	2	-	-
	F	265	1	-	1	-	-	-	1	1	2	1	2	7	7	12	29	39	34	35	36	31	15	10	1	-	-	-
	Nonwhite-M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	271	-	-	-	-	-	-	-	-	1	-	2	5	4	9	16	38	36	45	45	37	24	6	3	-	-	-
	White-M	141	-	-	-	-	-	-	-	-	-	-	1	3	3	3	6	21	15	26	25	20	12	3	3	-	-	-
	F	122	-	-	-	-	-	-	-	-	1	-	1	2	1	6	9	15	20	18	16	12	3	-	-	-	-	-
	Nonwhite-M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	46	-	-	-	-	-	-	-	1	-	1	-	4	-	3	7	12	4	6	3	4	-	1	-	-	-	-
	White-F	45	-	-	-	-	-	-	-	1	-	1	-	3	-	3	7	12	4	6	3	4	-	1	-	-	-	-
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	59	-	-	-	-	-	-	-	-	1	-	1	2	3	3	9	9	4	6	9	8	1	3	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	-	1	-	1	2	3	3	9	9	4	6	9	7	1	3	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	188	1	-	1	-	-	1	2	2	1	3	2	1	10	4	9	12	21	31	31	21	22	9	2	2	-	-
	White-M	146	-	-	-	-	-	1	1	2	1	3	2	1	7	4	5	9	13	26	25	17	20	6	1	2	-	-
	F	40	1	-	1	-	-	1	-	-	-	-	-	-	3	-	4	3	6	5	6	4	2	3	1	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	5	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	96	-	-	-	-	-	-	-	-	1	1	1	2	1	3	2	13	8	18	19	15	10	1	-	1	-	-
	White-M	39	-	-	-	-	-	-	-	-	1	1	1	2	1	1	2	3	4	5	5	6	4	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	10	4	13	14	9	4	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	1	1	1	-	1	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	1	1	1	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (etiology)	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	4	2	2	-	-	-	-	-	-
	White-M	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	2	2	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	404	3	-	-	1	-	1	-	1	1	1	2	3	8	10	23	29	47	48	65	61	52	37	8	2	1	-
	White-M	211	1	-	-	1	-	1	-	-	-	-	1	1	3	3	11	15	29	27	34	30	33	14	4	2	1	-
	F	189	2	-	-	1	-	-	1	1	1	1	2	5	5	12	13	18	21	30	31	19	23	4	-	-	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	1,266	2	-	-	-	-	1	3	3	3	5	11	15	28	59	84	87	159	161	172	197	145	93	30	8	-	-
	White-M	838	2	-	-	-	-	1	1	2	1	2	7	12	18	42	64	68	107	114	112	126	88	49	17	5	-	-
	F	412	-	-	-	-	-	2	1	1	3	4	2	9	17	19	18	52	45	59	69	55	42	12	2	-	-	
	Nonwhite-M	13	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	2	-	2	1	2	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90a, 92b,c, 93a,95b	Chronic rheumatic diseases of the heart	62	-	-	-	-	-	-	-	3	1	2	3	5	4	5	7	6	8	11	8	8	4	-	-	-	-	-
	White-M	55	-	-	-	-	-	1	1	-	-	1	4	3	2	5	5	4	4	9	4	7	2	-	-	-	-	-
	F	27	-	-	-	-	-	-	2	-	1	2	1	-	3	1	2	2	4	2	4	1	2	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	447	1	-	-	-	-	-	-	1	-	-	4	5	12	24	45	47	63	59	72	51	36	21	6	-	-	-
	White-M	333	1	-	-	-	-	-	-	1	-	-	2	4	11	18	41	39	45	44	55	32	24	11	5	-	-	-
	F	111	-	-	-	-	-	-	-	-	-	-	2	1	6	4	7	18	14	17	19	12	10	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	737	1	-	-	-	-	1	-	1	1	2	2	6	11	29	32	34	88	91	92	138	105	72	23	9	-	-
	White-M	452	1	-	-	-	-	1	-	-	1	1	1	5	5	19	18	25	58	61	53	87	62	38	11	5	-	-
	F	274	-	-	-	-	-	-	-	1	-	1	1	1	5	10	13	9	30	29	38	49	41	32	12	2	-	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	DIABO—Continued																											
	Arteriosclerosis and high blood pressure—M	60	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	3	8	13	8	13	6	1	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	6	7	5	10	4	1	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	2	6	3	3	2	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	189	41	9	1	1	1	5	1	3	2	3	2	6	3	5	3	5	8	16	9	20	19	18	7	-	1	-
	White—M	116	20	6	1	-	-	2	1	2	1	2	2	4	1	3	3	5	8	16	9	20	19	18	7	-	1	-
	Nonwhite—M	64	17	3	-	1	1	3	-	1	1	1	-	2	2	1	-	-	2	7	3	15	12	15	5	3	-	-
	White—F	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-
	Nonwhite—F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia—M	88	23	5	1	1	-	1	-	-	1	1	-	1	-	1	1	2	4	6	4	9	9	13	5	-	-	-
	White—M	53	10	5	1	-	-	1	-	-	-	1	-	-	-	1	1	2	2	2	3	8	7	8	2	-	-	-
	Nonwhite—M	32	12	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	2	3	1	1	1	5	3	-	-	-
	White—F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—M	44	2	-	-	-	-	3	1	2	1	1	1	1	1	4	-	2	3	5	4	7	3	2	1	-	-	-
	White—M	29	1	-	-	-	-	1	1	1	1	1	1	1	1	3	-	2	3	3	1	5	2	2	1	-	-	-
	Nonwhite—M	13	1	-	-	-	-	3	-	1	-	-	-	-	-	1	-	-	-	2	2	2	1	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—M	22	8	2	-	-	1	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1	2	1	-	-	1	-
	White—M	15	6	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1	2	1	-	-	1	-
	Nonwhite—M	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M	35	8	2	-	-	-	1	-	1	-	-	1	1	-	-	1	1	-	1	1	1	2	1	-	-	-	-
	White—M	19	3	-	-	-	-	1	-	1	-	-	1	1	-	-	1	1	-	1	1	1	3	2	1	-	-	-
	Nonwhite—M	12	2	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	2	1	1	-	-	-	-
	White—F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—M	37	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	6	10	5	2	-	-	-	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	1	1	3	3	6	4	8	2	2	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M	18	7	1	-	-	-	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	2	-	-	-	-	-
	White—M	10	4	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—M	30	-	1	-	2	1	-	-	3	2	5	-	1	2	2	1	3	2	2	2	-	1	-	-	-	-	-
	White—M	19	-	1	-	1	-	-	-	3	1	1	-	-	1	2	1	3	2	1	1	-	1	-	-	-	-	-
	Nonwhite—M	11	-	-	-	2	-	-	-	-	1	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	39	2	-	-	-	-	3	-	-	1	-	1	1	3	1	7	1	4	6	4	2	1	2	-	-	-	-
	White—M	22	2	-	-	-	-	1	-	-	-	-	1	1	2	-	3	3	3	3	3	2	1	1	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	2	-	-	1	-	-	-	1	4	1	1	1	3	1	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—M	22	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	2	4	-	3	4	-	-	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	-	1	3	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	1	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—M	25	-	-	-	-	-	2	-	-	-	-	2	-	-	-	2	6	3	2	4	2	1	-	1	-	-	-
	White—M	9	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	5	1	2	1	1	1	1	1	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—M	287	-	-	-	-	-	2	1	1	1	6	3	4	7	10	15	20	28	52	44	36	30	21	5	2	-	-
	White—M	170	-	-	-	-	-	1	1	1	5	2	3	5	7	6	9	15	36	27	20	20	11	2	-	-	-	-
	Nonwhite—M	114	-	-	-	-	-	1	-	1	1	1	1	2	3	9	10	13	16	16	16	10	10	3	2	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate—M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	5	8	6	3	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	5	8	6	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

301

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
IDAHO--Continued																												
140-150	Diseases of pregnancy, etc.*	22	-	-	-	-	-	-	-	3	6	7	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	21	-	-	-	-	-	-	-	3	5	7	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	1	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	10	-	-	-	-	-	-	-	2	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	2	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	67	58	5	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	42	38	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	24	19	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	278	278	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide	75	-	-	-	-	-	-	-	-	7	10	5	6	7	7	10	1	11	5	3	2	-	-	-	1	-	-
	White--M	58	-	-	-	-	-	-	-	-	6	6	3	4	7	6	7	1	8	4	3	2	-	-	-	1	-	-
	Nonwhite--M	15	-	-	-	-	-	-	-	-	1	4	2	2	-	1	2	-	2	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	22	-	-	-	1	-	-	-	-	1	5	1	2	-	1	3	4	1	2	-	-	-	-	-	-	-	1
	White--M	15	-	-	-	1	-	-	-	-	1	3	1	1	-	1	1	3	-	2	-	-	-	-	-	-	-	1
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	477	22	20	8	5	4	18	21	46	38	40	25	22	22	27	23	19	16	19	16	20	22	10	7	2	-	3
	White--M	351	10	9	6	2	3	16	19	35	32	39	19	21	18	23	18	15	11	15	11	12	16	4	3	1	-	3
	Nonwhite--M	105	12	8	2	3	1	2	1	10	5	1	6	1	2	3	5	3	5	4	7	8	5	6	4	1	-	-
	F	8	-	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	182	-	5	2	2	-	7	6	28	24	21	9	9	7	9	14	5	7	10	8	3	4	1	-	-	1	
	White--M	142	-	2	2	2	-	5	6	19	20	19	5	9	5	6	9	4	4	9	5	3	4	-	-	-	1	
	Nonwhite--M	39	-	3	-	-	-	2	9	9	3	1	4	-	2	1	5	1	3	1	3	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	295	22	15	6	3	4	11	15	18	14	19	16	13	15	18	9	14	9	9	10	17	18	9	7	2	-	2
	White--M	219	10	7	4	-	3	11	13	16	12	19	14	12	13	15	9	11	7	6	6	9	12	4	3	1	-	2
	Nonwhite--M	66	12	5	2	3	1	-	1	2	-	-	2	1	-	2	-	2	2	3	4	8	5	5	4	1	-	-
	F	7	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
162, 198, 200	Senility, ill-defined and unknown causes	149	7	1	-	1	-	1	1	1	-	1	-	-	2	3	5	4	5	3	10	25	30	27	19	2	-	1
	White--M	91	3	1	-	1	-	-	-	-	-	-	-	-	-	2	3	4	2	4	3	6	15	17	9	1	-	-
	Nonwhite--M	51	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	5	14	9	8	1	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	282	21	1	3	2	3	2	8	10	7	6	10	10	16	12	20	30	21	17	28	25	15	14	3	1	-	1
	White--M	159	12	1	1	1	3	2	3	6	5	2	5	5	6	6	8	19	12	9	19	11	10	13	1	-	-	1

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																											
	All causes-----	89,586	5,316	370	212	190	152	514	420	732	1,149	1,199	1,577	2,112	2,974	4,265	6,262	7,848	9,387	9,969	10,559	10,365	7,658	4,623	1,566	504	36	29
	White-----M	46,689	2,700	161	101	84	67	273	234	362	556	527	729	968	1,455	2,207	3,541	4,557	5,435	5,578	5,644	5,196	3,610	2,061	532	103	4	12
	White-----F	35,905	2,042	152	88	85	46	169	136	232	357	402	552	737	968	1,361	2,021	2,600	3,277	3,810	4,584	4,874	3,896	2,473	787	181	21	12
	Nonwhite--M	5,780	330	34	10	7	6	27	30	61	98	132	156	225	281	381	404	382	340	311	236	155	83	42	17	5	3	2
	Nonwhite--F	5,232	244	23	13	14	9	25	20	57	136	138	140	162	250	316	296	307	285	270	195	140	69	47	30	15	8	3
1,2	Typhoid and paratyphoid fever	12	-	-	1	-	-	-	1	-	1	1	-	3	-	1	1	1	1	-	1	-	-	-	-	-	-	-
	White-----M	8	-	-	1	-	-	-	1	-	-	-	-	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-
	White-----F	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis (meningococcus)	77	11	7	5	3	5	8	4	2	5	3	2	4	1	4	2	5	3	1	1	-	1	-	-	-	-	-
	White-----M	32	4	5	2	3	2	2	1	2	1	2	-	1	3	-	1	2	2	1	1	-	1	-	-	-	-	-
	White-----F	32	6	1	5	2	2	4	1	1	2	2	-	-	1	3	-	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F	9	1	1	-	1	-	2	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	10	-	-	-	-	2	1	2	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	7	-	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	30	21	4	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	14	10	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	14	9	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	32	2	1	3	3	4	8	2	2	3	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M	16	1	1	1	2	3	5	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	15	1	-	1	1	1	3	1	2	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	5,014	23	33	14	11	5	22	29	106	226	243	249	253	285	301	303	278	233	172	116	66	33	9	4	-	-	-
	White-----M	1,540	5	9	4	4	1	10	9	22	47	71	87	121	148	176	200	203	174	122	66	40	14	5	2	-	-	-
	White-----F	709	12	9	4	2	-	6	6	32	75	77	80	86	60	51	40	44	33	37	41	23	15	4	2	-	-	-
	Nonwhite--M	406	3	10	2	1	2	4	5	24	28	34	45	41	52	49	44	25	17	11	6	-	3	-	-	-	-	-
	Nonwhite--F	359	3	5	4	4	2	2	9	28	76	61	37	35	25	25	19	6	9	2	3	3	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,734	11	14	4	4	3	13	17	89	212	222	228	235	266	288	286	260	216	156	108	61	31	7	4	-	-	-
	White-----M	1,448	2	4	3	3	-	4	6	17	45	68	81	114	142	173	194	193	166	115	63	37	13	3	2	-	-	-
	White-----F	640	6	1	-	-	-	5	5	27	72	73	74	52	54	51	38	41	29	33	37	22	14	4	2	-	-	-
	Nonwhite--M	354	2	6	-	-	2	1	1	22	26	29	38	39	48	44	42	22	16	7	6	-	3	-	-	-	-	-
	Nonwhite--F	292	1	3	1	1	1	1	5	22	69	52	35	30	22	20	12	4	7	1	2	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	260	12	19	10	7	2	11	12	18	14	21	21	18	19	13	17	18	15	18	8	5	2	2	-	-	-	-
	White-----M	92	3	5	1	1	1	6	3	5	2	3	6	7	6	3	8	10	8	7	3	3	1	1	2	-	-	-
	White-----F	69	6	8	4	2	-	1	1	5	3	4	6	4	6	-	2	3	4	4	4	1	1	-	-	-	-	-
	Nonwhite--M	52	1	4	2	1	-	3	4	2	2	5	7	2	4	5	2	3	1	4	-	-	-	-	-	-	-	-
	Nonwhite--F	67	2	2	3	3	1	1	4	6	7	9	2	5	3	5	7	2	2	1	1	1	-	-	-	-	-	-
27	Dysentery	25	4	1	-	-	-	1	-	1	1	3	1	-	3	-	1	3	2	1	1	-	1	1	-	-	-	-
	White-----M	7	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	1	1	-	-	-	-
	White-----F	13	4	-	-	-	-	-	-	1	1	2	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	14	-	1	-	-	-	-	1	-	3	1	1	1	-	-	-	-	1	1	2	-	-	2	-	-	-	-
	White-----M	9	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-
	White-----F	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	758	22	-	-	-	-	-	-	3	6	11	23	39	63	80	121	106	106	65	49	17	19	5	-	-	1	1
	White-----M	414	5	-	-	-	-	-	-	1	1	4	4	12	31	43	74	63	67	54	30	13	10	3	-	-	-	-
	White-----F	133	6	-	-	-	-	-	-	1	3	1	6	7	11	16	19	16	15	12	6	4	6	2	-	-	-	-
	Nonwhite--M	140	7	-	-	-	-	-	-	1	1	2	2	15	16	17	21	17	17	16	6	-	2	-	-	-	1	-
	Nonwhite--F	71	4	-	-	-	-	-	-	2	3	4	11	4	5	4	7	10	7	3	5	-	1	-	-	-	-	1
35	Measles	51	5	8	9	6	4	13	-	1	1	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M	21	3	4	3	2	-	5	-	1	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----F	27	2	3	6	3	4	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	185	4	4	1	11	9	36	34	27	15	16	12	3	6	1	-	3	1	-	-	-	-	-	-	-	-	-
	White-----M	106	1	1	1	5	7	23	22	16	8	7	7	3	4	-	-	1	-	-	-							



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

303

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	ILLINOIS--Con.																											
	Cancer and other malignant tumors	12,810	3	8	7	9	9	17	18	32	36	63	149	301	484	805	1,307	1,589	1,802	1,808	1,718	1,444	833	377	72	15	2	2
	White--M	6,176	3	4	4	3	4	9	10	19	22	24	47	71	135	292	558	760	950	959	902	756	421	192	55	5	-	1
	F	6,009	-	4	3	6	4	6	8	13	10	31	64	192	295	423	628	722	778	765	766	653	400	174	33	9	1	1
	Nonwhite--M	345	-	-	-	-	-	-	-	-	2	9	11	18	41	59	41	39	49	34	23	9	7	1	-	-	-	-
	F	380	-	-	-	-	1	2	-	-	2	6	9	27	36	59	62	66	35	35	16	12	3	4	3	1	1	-
46	Cancer of the digestive organs and peritoneum	5,004	-	1	-	-	3	1	1	1	7	12	45	87	154	291	511	683	865	937	978	806	405	174	34	4	1	1
	White--M	3,189	-	-	-	-	2	-	1	-	5	20	29	65	127	282	389	502	532	532	405	200	77	12	3	-	1	-
	F	2,533	-	1	-	-	1	-	-	1	2	13	28	53	100	124	220	176	177	157	129	89	44	24	1	-	-	-
	Nonwhite--M	174	-	-	-	-	-	-	-	-	-	5	7	7	22	23	20	24	31	20	12	1	2	-	-	-	-	-
	F	108	-	-	-	-	-	1	-	-	-	-	1	6	7	15	17	21	12	12	8	3	1	1	2	-	1	-
48,49	Cancer of female genital organs	1,508	-	-	-	-	-	-	1	1	3	17	34	67	118	153	247	200	191	170	135	95	44	25	4	3	-	-
	White--F	1,543	-	-	-	-	-	-	1	1	1	13	28	53	100	124	220	176	177	157	129	89	44	24	1	1	-	-
	Nonwhite--F	165	-	-	-	-	-	-	-	-	1	4	6	14	18	29	27	24	14	13	6	6	-	1	1	1	-	-
50	Cancer of breast	1,283	-	-	-	-	-	-	-	-	1	2	22	74	87	119	164	179	165	135	116	96	67	30	4	2	-	-
	White--M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	3	1	1	1	1	-	-	-
	F	1,182	-	-	-	-	-	-	-	-	1	2	20	70	81	109	148	167	159	123	112	92	68	27	4	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	-	2	4	5	10	14	11	4	5	1	1	1	2	-	-	-	-
45,47, 51-55	Cancer (other sites)	4,135	3	7	7	9	6	16	16	30	25	32	48	73	125	242	385	527	581	566	489	445	217	148	30	6	1	1
	White--M	2,966	3	4	4	3	2	9	9	19	17	19	27	42	69	155	274	370	446	420	367	348	120	114	23	2	-	-
	F	951	-	3	3	6	3	6	7	11	5	9	17	24	39	63	71	126	115	123	107	84	88	29	6	4	1	1
	Nonwhite--M	171	-	-	-	-	-	-	-	-	2	2	4	11	19	36	21	15	18	14	11	8	5	1	-	-	-	-
	F	47	-	-	-	-	1	1	-	-	1	2	-	3	6	5	4	10	5	5	1	2	1	-	-	-	-	-
58	Acute rheumatic fever	54	1	1	1	3	2	7	3	10	4	2	6	2	4	2	-	1	1	1	-	2	2	-	-	-	-	-
	White--M	22	1	-	-	-	-	1	-	3	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	-	1	1	2	-	2	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,579	1	1	1	-	-	2	4	6	13	23	26	24	49	79	180	301	416	450	448	336	142	62	15	-	-	-
	White--M	885	1	1	1	-	-	1	2	3	5	9	14	20	24	64	87	148	153	145	123	50	20	6	-	-	-	-
	F	1,570	-	-	-	-	-	1	2	3	8	12	18	9	21	40	98	197	252	274	293	207	86	40	9	-	-	-
	Nonwhite--M	28	-	-	-	-	-	-	-	-	-	2	-	-	-	4	6	2	3	3	1	-	-	-	-	-	-	-
	F	96	-	-	-	-	-	-	-	-	-	2	1	8	11	12	15	13	16	7	5	4	2	-	-	-	-	-
63b	Exophthalmic goiter	201	-	-	-	-	-	-	-	-	2	3	2	5	10	17	10	28	23	33	24	19	13	7	1	4	-	-
	White--M	27	-	-	-	-	-	-	-	-	1	1	1	1	3	5	3	6	5	-	6	1	-	-	-	-	-	-
	F	180	-	-	-	-	-	-	-	-	1	1	2	4	6	12	5	21	18	31	16	18	13	7	1	4	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	-	2	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylish)	59	-	-	-	-	-	-	-	-	2	1	2	10	6	10	8	8	3	1	7	1	-	-	-	-	-	-
	White--M	46	-	-	-	-	-	-	-	-	-	1	2	5	6	8	6	8	3	-	6	1	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,166	6	4	1	2	1	3	3	5	18	20	35	74	123	277	428	596	798	932	1,143	1,196	860	478	151	26	2	2
	White--M	3,515	3	3	-	-	1	3	2	3	9	7	15	27	36	102	180	301	444	559	571	378	196	57	13	1	1	1
	F	3,541	1	1	-	2	-	1	1	1	7	12	15	24	50	115	192	220	324	420	540	597	468	274	71	14	1	1
	Nonwhite--M	235	1	-	-	-	-	-	-	-	2	-	4	7	14	23	38	36	36	32	19	13	5	3	3	-	-	-
	F	275	1	-	-	-	-	-	-	-	1	1	1	16	25	37	28	37	35	36	25	19	9	5	-	1	-	-
90-95	Diseases of the heart	31,806	3	5	4	1	3	21	37	65	78	122	237	411	790	1,292	2,168	2,947	3,721	4,154	4,806	4,604	3,585	2,258	648	146	17	5
	White--M	17,461	2	2	4	1	-	10	15	31	30	53	130	223	461	793	1,426	1,903	2,346	2,428	2,407	2,256	1,647	998	242	50	2	1
	F	12,335	1	2	-	-	2	10	18	21	23	51	72	106	199	286	510	768	1,112	1,484	1,905	2,193	1,862	1,220	380	84	12	4
	Nonwhite--M	1,036	-	1	-	-	-	3	6	9	9	16	43	66	114	141	146	131	123	94	74	51	17	8	4	-	-	-
	F	974	-	-	-	-	1	1	1	7	14	9	17	39	64	99	91	110	132	119	100	81	35	25	20	8	3	-
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	1,547	-	-	2	-	1	2	11	21	33	30	55	59	74	105	133	127	141	138	168	133	158	103	53	16	2	2
	White--M	757	-	-	-	-	1	4	9	16	16	13	26	37	43	57	62	73	87	92	65	78	42	25	10	1	-	-
	F	679	-	-	-	-	1	6	8	12	10	17	26	31	47	61	51	55	46	69	89	78	58	30	6	1	2	2
	Nonwhite--M	62	-	-	-	-	-	3	3	3	3	3	3	3	6	10	7	7	5	3	4	1	1	-	-	-	-	-
	F	49	-	-	-	-	1	1	1	2	1	2	1	3	7	5	7	6	-	4	5	1	2	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	7,582	-	-	-	-	-	-	-	-	6	15	58	123	269	453	732	960	1,102	1,118	1,021	880	527	258	51	11	-	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	ILLINOIS—Con.																											
	Arteriosclerosis and high blood pressure*—M	1,602	-	-	-	-	-	-	-	-	1	-	2	3	7	10	18	45	81	142	210	345	329	270	107	27	4	1
	White—M	813	-	-	-	-	-	-	-	-	-	-	1	1	2	3	8	26	50	84	103	182	167	135	40	10	-	1
	Female—F	715	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	14	26	45	91	156	150	65	16	2	-
	Nonwhite—M	42	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	9	12	4	2	4	1	-	1	-
	Female—F	32	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	3	3	4	4	3	5	1	1	1	1	-
107-109, 33	Pneumonia (all forms) and influenza—M	5,085	486	82	27	22	8	31	24	20	32	39	66	92	122	142	193	217	251	238	256	244	172	57	6	2	1	-
	White—M	1,824	218	36	12	7	5	14	9	6	20	19	33	45	66	80	113	130	162	150	138	134	125	74	27	1	-	-
	Female—F	1,075	179	33	13	12	3	13	12	8	8	10	16	26	30	29	46	49	62	72	101	116	111	91	28	5	1	1
	Nonwhite—M	241	46	7	2	1	-	1	2	2	-	7	9	13	18	23	25	29	18	11	5	7	2	1	-	-	-	-
	Female—F	145	43	6	-	-	-	3	1	4	4	3	8	8	8	10	9	9	9	5	6	-	1	5	1	-	-	-
107	Bronchopneumonia—M	1,634	385	50	16	13	7	24	10	9	14	18	21	32	38	48	77	91	99	110	146	142	141	102	35	4	1	1
	White—M	804	181	21	6	5	4	10	2	4	9	12	14	9	20	26	43	49	53	66	79	74	72	51	13	1	-	-
	Female—F	628	143	18	8	5	3	12	6	4	3	3	4	12	13	11	21	28	30	39	61	65	65	40	21	3	1	1
	Nonwhite—M	116	43	5	2	1	-	-	1	-	-	2	-	6	4	6	11	9	11	3	4	3	4	1	-	-	-	-
	Female—F	86	38	6	-	-	-	2	1	1	2	1	3	5	1	8	2	5	5	2	2	-	-	-	1	-	-	-
108	Lobar pneumonia—M	1,136	61	15	4	6	1	6	8	5	11	19	35	54	75	82	100	108	131	118	92	84	74	36	10	-	1	-
	White—M	664	30	8	1	1	1	3	4	-	9	6	16	34	39	50	62	72	91	79	50	48	41	12	7	-	-	-
	Female—F	315	25	5	3	5	-	1	3	2	1	6	9	11	15	18	20	18	29	28	32	34	30	22	2	-	-	-
	Nonwhite—M	113	3	2	-	-	-	1	1	2	-	5	8	7	14	13	11	17	7	8	6	2	3	1	1	-	1	-
	Female—F	44	3	-	-	-	-	1	-	1	1	2	2	2	7	3	7	3	4	3	4	-	-	1	-	-	-	-
109	Pneumonia (unspecified)—M	77	17	-	1	-	-	-	1	2	2	-	2	-	3	7	7	7	8	3	3	6	3	4	-	1	-	-
	White—M	45	12	-	-	-	-	-	2	2	-	1	-	-	3	3	2	6	7	2	1	2	-	2	-	-	-	-
	Female—F	27	5	-	1	-	-	-	1	-	-	-	-	-	-	2	4	1	1	1	1	4	3	2	-	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	Female—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M	236	23	17	6	3	-	1	5	4	5	2	8	6	6	5	9	11	13	7	15	23	26	30	12	1	-	-
	White—M	111	15	7	5	1	-	1	3	-	-	1	2	2	4	1	6	3	11	3	8	10	12	9	7	-	-	-
	Female—F	105	6	10	1	2	-	-	2	2	4	1	3	3	2	-	1	4	2	4	7	13	13	19	5	1	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-
	Female—F	14	2	-	-	-	-	-	-	2	1	-	2	1	-	2	-	1	-	-	-	-	1	2	-	-	-	-
117	Ulcer of stomach or duodenum—M	537	5	-	-	-	-	-	-	-	3	6	10	21	35	47	55	78	90	71	63	36	16	11	1	-	-	-
	White—M	427	1	-	-	-	-	-	-	-	3	2	7	16	29	37	47	69	75	63	37	21	12	8	1	-	-	-
	Female—F	86	-	-	-	-	-	-	-	-	-	3	1	4	3	7	6	6	14	7	16	14	4	3	-	-	-	-
	Nonwhite—M	12	1	-	-	-	-	-	-	-	1	1	-	-	3	1	1	3	-	1	-	-	-	-	-	-	-	-
	Female—F	10	3	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*—M	300	181	15	3	3	2	7	1	2	2	3	5	9	3	5	5	7	7	5	12	8	7	4	3	1	-	-
	White—M	133	87	6	-	2	1	5	1	-	-	1	2	2	2	1	4	1	4	2	5	3	2	1	1	-	-	-
	Female—F	144	83	6	3	1	1	2	-	2	2	2	3	6	1	2	-	3	2	2	7	5	5	3	2	1	-	-
	Nonwhite—M	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Female—F	12	4	2	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-
121	Appendicitis—M	359	2	1	3	5	-	19	8	18	22	16	11	25	28	30	27	30	31	32	23	20	6	2	-	-	-	-
	White—M	210	1	1	1	4	-	14	5	7	13	9	8	13	14	18	17	18	20	21	13	10	2	1	-	-	-	-
	Female—F	116	1	-	2	1	-	4	3	9	6	6	1	9	10	8	8	10	10	10	7	9	4	-	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	1	-	-	2	1	1	1	2	4	-	1	-	-	3	-	-	1	-	-	-	-
	Female—F	14	-	-	-	-	-	-	-	2	1	-	1	2	2	-	2	1	1	1	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	751	31	6	1	2	1	6	2	5	5	12	23	29	31	53	47	73	87	87	90	67	63	25	3	2	-	-
	White—M	549	18	5	-	-	-	1	1	2	1	6	12	15	5	20	17	31	42	44	49	30	34	15	1	-	-	-
	Female—F	337	9	1	1	1	4	4	3	9	6	6	1	13	10	15	29	38	39	40	37	34	27	10	2	1	-	-
	Nonwhite—M	33	3	-	-	-	-	-	-	1	-	1	1	3	3	3	2	2	5	2	3	1	2	-	-	1	-	-
	Female—F	32	1	-	-	1	-	1	-	1	3	5	1	8	2	3	2	3	1	1	1	2	-	-	-	-	-	-
124	Cirrhosis of the liver—M	991	1	3	-	-	-	-	2	1	3	5	21	44	78	111	126	147	130	121	77	60	39	18	3	1	-	-
	White—M	665	-	1	-	-	-	-	1	-	1	3	11	25	55	71	87	109	93	86	53	36	26	5	2	-	-	-
	Female—F	289	-	2	-	-	-	-	1	1	1	2	7	15	17	31	35	36	36	32	23	23	12	13	1	1	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	-	-	1	4	3	6	3	-	-	2	-	1	-	-	-	-	-	-
	Female—F	16	1	-	-	-	-	-	-	-	1	-	2	-	3	3	1	2	1	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*—M	457	-	-	-	-	-	-	-	-	2	4	8	13	30	27	33	64	73	67	48	47	24	13	4	-	-	-
	White—M	136	-	-	-	-	-	-	-	-	-	-	2	2	7	10	13	17	24	23	12	16	8	3	1	-	-	-
	Female—F	313	-	-	-	-	-	-	-	-	2	4	6	11	22	16	18	46	48	44	36	31	16	10	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Female—F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—M	5,852	2	6	7	6	2	11	13	22	37	47	60	114	158	242	352	408	560	628	786	854	710	434	155	33	3	2
	White—M	2,880	1	-	4	1	1	3	9	7	18	19	26	40	68	97	172	205	290	324	394	409	330	190	59	12	-	1
	Female—F	2,540	1	6	2	4	1	8	4	12	14	14	22	47	49	98	127	153	226	262	355	425	365	236	87	20	2	1
	Nonwhite—M	201	-	-	-	-	-	-	-	-	2	1	4	2	16	19	21	22	23	22	15	22	11	5	5	-	-	-
	Female—F	231	-	-	1	1	-	-	-	1	4	10	10															



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

305

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ILLINOIS--Con.																												
140-150	Diseases of pregnancy, etc.*	237	-	-	-	-	-	-	1	14	46	58	52	44	20	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	206	-	-	-	-	-	-	1	10	40	47	46	40	20	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	31	-	-	-	-	-	-	-	4	6	11	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a,147	Puerperal septicemia--	94	-	-	-	-	-	-	1	6	17	26	19	17	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	82	-	-	-	-	-	-	1	6	14	22	17	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	12	-	-	-	-	-	-	-	2	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia--	61	-	-	-	-	-	-	-	5	17	15	9	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	51	-	-	-	-	-	-	-	3	14	12	7	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	-	-	-	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	71	-	-	-	-	-	-	-	1	9	14	23	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	63	-	-	-	-	-	-	-	1	9	11	21	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145b,150	Other puerperal causes--	11	-	-	-	-	-	-	-	-	3	5	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	10	-	-	-	-	-	-	-	-	3	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations--	1,084	910	42	18	9	4	15	11	12	15	8	6	11	5	7	4	2	3	1	-	-	-	-	-	-	-	1
	White--M--	532	445	17	10	2	2	9	4	6	8	3	5	9	2	2	3	1	3	1	-	-	-	-	-	-	-	-
	F--	481	410	20	6	7	2	5	6	4	5	4	1	2	2	4	1	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	44	34	2	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	21	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year--	3,186	3,186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	1,876	1,876	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,178	1,178	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	1,989	1,989	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	1,011	1,011	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	745	745	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year--	1,197	1,197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	665	665	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	433	433	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide--	945	-	-	-	-	-	-	2	16	46	50	64	60	72	93	108	99	118	71	59	37	17	10	2	-	-	1
	White--M--	709	-	-	-	-	-	-	2	10	32	35	42	55	50	67	83	74	97	58	48	33	15	6	1	-	-	1
	F--	211	-	-	-	-	-	-	-	6	13	14	19	19	21	24	23	21	20	12	8	4	2	4	1	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	1	3	6	1	2	1	4	1	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
165-168	Homicide--	472	3	1	4	1	1	5	4	15	51	71	65	55	55	42	34	27	19	11	5	1	2	-	-	-	-	-
	White--M--	154	2	-	2	-	-	-	-	4	12	19	21	18	14	18	14	8	12	6	4	1	1	-	-	-	-	-
	F--	51	1	-	-	-	-	4	2	4	8	3	5	4	5	2	5	3	3	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	222	-	-	-	-	-	1	-	2	6	29	37	32	30	31	20	11	16	4	3	-	-	-	-	-	-	-
	F--	45	-	1	2	1	-	1	-	1	2	12	7	5	5	2	4	-	-	1	-	-	1	-	-	-	-	-
169-195	Accidental deaths--	5,586	108	75	56	50	42	172	144	269	324	236	239	233	261	295	353	350	381	378	409	459	379	252	86	16	1	9
	White--M--	3,584	55	33	27	30	22	101	103	201	244	180	184	172	195	211	268	271	270	248	238	247	160	85	27	6	1	5
	F--	1,635	36	32	24	14	13	51	23	51	60	33	46	37	35	47	60	60	87	113	162	205	215	182	59	10	-	1
	Nonwhite--M--	268	9	6	2	3	4	10	12	15	13	22	21	16	22	30	19	13	19	11	8	5	2	2	-	-	-	2
	F--	109	8	2	3	3	3	10	6	1	7	1	8	9	9	7	6	5	6	1	2	2	3	1	-	-	-	1
170	Motor-vehicle accidents--	1,871	6	8	18	22	17	92	51	124	215	130	115	75	96	100	123	120	147	124	122	96	49	17	4	-	-	-
	White--M--	1,364	4	3	7	14	10	52	40	88	164	101	80	61	70	70	91	95	104	100	86	77	32	13	4	-	-	-
	F--	403	2	4	8	7	6	29	8	33	43	18	27	8	16	23	28	20	35	20	32	16	4	-	-	-	-	-
	Nonwhite--M--	79	-	1	1	1	1	5	2	4	6	11	5	4	7	6	3	4	7	4	3	3	1	-	-	-	-	-
	F--	25	-	-	2	-	-	6	1	1	2	-	-	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	3,725	102	67	58	28	25	80	93	144	109	106	144	159	165	195	230	230	234	254	287	363	330	235	82	16	1	9
	White--M--	2,220	51	30	20	16	12	49	63	115	80	7																



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	INDIANA																											
	All causes-----	38,034	2,897	221	112	96	75	266	192	395	518	541	622	803	1,103	1,509	2,103	2,775	3,523	4,118	4,874	5,087	3,951	2,500	747	184	22	40
	White-M-----	20,571	1,447	105	55	53	33	159	116	225	304	283	314	395	547	802	1,154	1,585	1,990	2,293	2,624	2,644	1,938	1,112	340	56	3	23
	F-----	16,452	1,065	104	43	42	39	69	68	131	171	213	227	323	438	533	740	1,007	1,353	1,648	2,098	2,314	1,839	1,355	386	99	15	13
	Nonwhite-M-----	1,066	93	7	7	-	2	10	4	23	19	32	37	40	60	88	113	123	89	101	82	59	39	15	11	6	3	3
	F-----	945	92	5	7	1	2	8	4	18	24	33	44	55	58	86	96	60	91	76	70	50	34	18	10	3	1	1
1,2	Typhoid and para-typhoid fever--	11	-	1	-	-	-	-	-	1	-	-	2	-	-	2	1	1	-	1	-	1	1	-	-	-	-	-
	White-M-----	8	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	-	1	1	-	-	-	-	-
	F-----	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--	33	8	3	-	2	1	2	1	1	2	-	1	-	1	3	1	-	3	1	2	-	-	1	-	-	-	-
	White-M-----	16	2	2	-	1	-	2	1	1	1	-	-	-	-	1	2	1	-	1	-	1	-	1	-	-	-	-
	F-----	15	5	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite-M-----	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	5	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M-----	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	40	26	9	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M-----	20	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	18	11	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--	37	2	3	3	7	5	8	3	1	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White-M-----	19	1	1	2	3	2	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	17	-	2	1	4	3	1	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--	1,128	12	10	6	-	6	7	9	48	89	90	88	97	72	102	90	101	81	91	43	52	27	7	-	-	-	-
	White-M-----	565	4	3	1	-	1	3	4	11	29	23	31	51	44	52	62	67	54	67	22	24	11	1	-	-	-	-
	F-----	390	5	8	4	-	4	2	3	23	39	44	37	29	11	28	20	25	22	19	20	25	16	8	-	-	-	-
	Nonwhite-M-----	97	1	1	-	-	1	2	-	8	7	7	11	8	12	13	6	9	4	5	1	1	1	-	-	-	-	-
	F-----	76	2	-	1	-	-	2	6	14	18	9	9	5	8	2	-	-	1	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*--	1,012	7	-	1	-	1	3	6	42	81	85	82	92	67	92	77	93	75	84	42	49	26	7	-	-	-	-
	White-M-----	516	2	-	1	-	-	2	1	8	27	22	29	49	42	45	54	62	49	64	21	23	11	1	-	-	-	-
	F-----	347	3	-	-	-	1	3	3	20	36	44	34	28	10	26	17	23	21	16	20	24	15	6	-	-	-	-
	Nonwhite-M-----	84	-	-	-	-	-	1	-	8	7	10	8	10	12	5	8	4	4	4	1	1	1	-	-	-	-	-
	F-----	65	2	-	-	-	-	2	6	13	12	9	7	5	6	1	-	1	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)--	116	5	10	5	-	5	4	3	6	6	5	6	5	5	10	13	8	6	7	1	3	1	-	-	-	-	-
	White-M-----	49	2	3	-	-	1	1	3	3	2	1	2	2	2	4	8	5	5	3	1	1	1	-	-	-	-	-
	F-----	43	2	6	4	-	3	2	-	3	3	-	3	1	1	3	3	2	1	3	-	2	-	1	-	-	-	-
	Nonwhite-M-----	13	1	1	-	-	1	1	-	-	2	-	1	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-
	F-----	11	-	-	1	-	-	-	-	-	1	4	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery--	17	8	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	White-M-----	13	7	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F-----	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria--	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-M-----	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis--	391	12	-	-	-	-	1	1	2	5	6	11	26	39	46	44	44	53	43	50	17	7	4	-	-	-	-
	White-M-----	233	5	-	-	-	-	1	1	-	3	2	6	12	16	30	25	29	41	26	19	12	4	1	-	-	-	-
	F-----	85	4	-	-	-	-	-	2	2	2	4	6	17	6	9	9	9	5	10	10	4	3	-	-	-	-	-
	Nonwhite-M-----	41	1	-	-	-	-	-	-	-	-	1	1	4	4	9	9	4	5	3	1	1	1	-	-	-	-	-
	F-----	22	2	-	-	-	-	-	-	-	-	1	1	4	2	2	2	2	4	-	-	-	-	-	-	-	-	-
35	Measles--	51	11	13	7	3	3	9	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	White-M-----	29	6	9	2	3	1	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	19	5	3	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite-M-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)--	49	1	1	2	2	1	15	10	7	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M-----	30	-	1	-	1	1	12	7	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	17	-	1	-	2	-	3	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

307

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
INDIANA—Con.																												
45-55	Cancer and other malignant tumors	4,839	-	6	2	3	4	6	7	8	21	29	60	99	194	284	417	519	638	620	709	596	386	192	42	9	2	6
	White—M—	2,176	-	3	1	3	2	5	3	3	12	7	25	25	52	94	165	212	291	308	371	300	191	76	22	2	1	
	F—	2,471	-	3	1	-	2	1	4	4	9	20	31	65	133	149	219	276	325	294	319	296	185	112	19	7	2	
	Nonwhite—M—	90	-	-	-	-	-	-	-	-	1	-	-	1	3	6	16	22	8	9	14	4	6	1	1	-	-	
	F—	102	-	-	-	-	-	-	-	-	-	2	4	8	6	15	17	9	16	9	5	6	4	1	-	-	-	
46	Cancer of the digestive organs and peritoneum—	2,103	-	-	1	-	-	-	-	1	7	3	15	27	59	75	151	200	289	302	366	293	203	87	13	1	1	
	White—M—	1,072	-	-	1	-	-	-	1	-	5	3	9	10	24	36	80	97	165	173	187	140	103	31	6	-	3	
	F—	963	-	-	-	-	-	-	-	1	2	-	6	14	31	37	57	93	116	122	171	153	95	55	6	1	2	
	Nonwhite—M—	40	-	-	-	-	-	-	-	-	-	-	-	1	2	1	9	10	3	4	5	2	2	-	1	-	-	
	F—	28	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	-	5	3	3	3	1	-	-	-	-	
48,49	Cancer of female genital organs—	622	-	-	-	-	-	-	1	-	3	12	14	29	59	56	78	81	102	72	46	34	21	11	1	1	1	
	White—F—	580	-	-	-	-	-	-	1	-	3	12	11	24	57	47	72	77	96	68	46	32	20	11	1	1	1	
	Nonwhite—F—	42	-	-	-	-	-	-	-	-	-	-	3	5	2	9	6	4	6	4	-	2	1	-	-	-	-	
50	Cancer of breast—	425	-	-	-	-	-	-	-	-	-	4	9	14	27	34	55	58	51	40	44	42	27	14	3	1	2	
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
	F—	401	-	-	-	-	-	-	-	-	2	8	13	25	31	52	54	47	38	43	41	27	14	3	1	-	2	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	21	-	-	-	-	-	-	-	-	2	1	-	-	1	3	3	4	4	2	-	1	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)—	1,689	-	6	1	3	4	6	5	7	11	10	22	29	49	99	133	180	196	206	253	222	135	80	25	6	1	
	White—M—	1,101	-	3	-	3	2	5	2	3	7	4	16	14	27	58	85	115	126	135	183	160	88	47	16	2	-	
	F—	527	-	3	1	-	2	1	3	3	4	6	6	14	20	34	38	52	68	66	59	60	43	32	9	4	1	
	Nonwhite—M—	50	-	-	-	-	-	-	-	1	-	-	-	-	1	5	7	12	3	5	9	2	4	1	-	-	-	
	F—	11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	2	-	-	-	-	-	-	
58	Acute rheumatic fever—	39	-	-	2	1	2	3	8	5	-	-	-	3	5	3	2	-	-	-	1	1	-	-	-	-	-	
	White—M—	18	-	-	1	-	2	2	4	-	-	-	-	2	1	1	2	-	2	-	1	-	-	-	-	-	-	
	F—	20	-	-	1	1	2	1	6	1	-	-	-	1	4	2	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus—	966	-	-	1	-	1	-	2	2	4	7	8	12	25	32	66	91	151	168	179	139	53	18	6	-	1	
	White—M—	370	-	-	1	-	-	-	1	-	1	3	3	5	10	15	22	32	47	67	76	55	20	9	4	-	-	
	F—	554	-	-	-	-	1	-	2	1	4	4	4	5	11	14	36	55	100	96	99	79	31	9	2	-	1	
	Nonwhite—M—	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	2	-	1	2	-	-	-	-	
	F—	31	-	-	-	-	-	-	-	-	-	-	1	-	4	1	7	4	4	3	4	3	-	-	-	-	-	
63b	Exophthalmic goiter—	103	-	-	-	-	-	-	-	-	1	-	3	3	6	7	17	9	14	13	16	9	4	1	-	-	-	
	White—M—	15	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	2	3	3	2	-	-	-	-	-	
	F—	81	-	-	-	-	-	-	-	-	1	-	2	2	3	5	13	6	11	13	13	7	4	1	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylin)—	40	-	-	-	-	-	-	-	-	1	-	3	5	6	11	1	4	3	4	1	1	-	-	-	-	-	
	White—M—	33	-	-	-	-	-	-	-	-	-	-	2	2	5	10	1	4	3	4	1	1	-	-	-	-	-	
	F—	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin—	4,338	5	1	2	3	-	4	2	2	6	8	19	34	82	114	178	279	409	562	755	819	620	357	77	15	2	
	White—M—	2,082	4	1	2	1	-	2	-	2	5	9	14	22	37	62	135	203	280	372	427	299	149	27	5	1	3	
	F—	2,064	1	-	-	2	-	2	2	3	3	9	16	31	58	92	117	176	253	355	378	305	201	46	9	1	2	
	Nonwhite—M—	96	-	-	-	-	-	-	-	-	1	-	-	2	3	8	13	16	11	11	8	11	2	1	1	-	-	
	F—	116	-	-	-	-	-	-	-	-	-	-	1	2	6	11	11	17	18	20	6	5	5	3	-	-	-	
90-95	Diseases of the heart—	11,565	5	6	3	-	6	11	13	28	25	45	84	155	258	408	624	912	1,250	1,506	1,822	1,819	1,393	869	251	56	8	
	White—M—	6,610	1	3	-	-	5	5	3	14	14	20	50	88	151	279	426	625	810	876	1,027	968	888	410	118	19	2	
	F—	4,496	2	2	2	-	1	5	9	11	20	30	53	76	85	146	239	376	571	738	811	689	446	128	34	4	1	
	Nonwhite—M—	254	-	1	1	-	-	1	3	-	3	2	4	13	21	23	32	37	35	35	20	5	9	3	2	2	2	
	F—	215	-	-	-	-	-																					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97,102	INDIANA--Con.																												
	Arteriosclerosis and high blood pressure*	1,081	-	-	-	-	-	-	-	1	-	2	1	3	5	7	8	18	35	76	133	252	238	200	79	20	2	3	
	White--M	554	-	-	-	-	-	-	-	-	-	1	-	-	3	4	3	8	23	45	73	140	115	98	36	5	-	-	
	F	488	-	-	-	-	-	-	-	-	-	-	-	3	-	3	9	8	24	55	105	119	101	41	13	2	2		
	Nonwhite--M	21	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	6	2	5	2	-	1	1	-	1	
F	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	1	3	2	2	1	1	1	-	-		
107-109, 33	Pneumonia (all forms) and influenza	1,577	316	63	9	6	5	13	11	13	19	15	21	24	38	37	54	70	90	102	137	168	187	128	52	12	4	1	
	White--M	742	148	29	4	4	2	6	3	7	6	7	9	9	21	21	22	38	44	56	62	84	73	53	28	3	-	1	
	F	700	143	30	3	4	2	7	7	3	6	5	6	11	12	7	15	23	35	41	64	80	90	71	23	6	4		
	Nonwhite--M	70	14	1	-	-	-	-	-	1	2	3	3	1	5	6	9	7	5	2	5	2	2	1	-	1	-	-	
	F	65	11	5	2	-	1	-	1	2	3	-	3	-	3	-	3	8	2	6	3	6	2	3	1	-	-		
107	Bronchopneumonia	634	195	31	6	6	3	4	2	2	6	7	8	8	16	11	15	14	26	27	43	60	65	46	25	7	1	-	
	White--M	291	95	12	3	3	2	-	-	1	2	3	1	3	3	5	3	11	14	15	17	29	26	20	16	2	-	-	
	F	281	81	16	2	3	-	4	2	1	1	3	4	4	-	5	2	7	3	10	11	20	29	36	9	5	1	-	
	Nonwhite--M	34	10	1	-	-	-	-	-	1	1	2	1	-	-	3	4	6	4	1	1	4	1	1	-	-	-	-	
	F	28	9	2	1	-	1	-	-	-	2	-	1	1	-	1	2	-	1	-	2	1	2	-	-	-	-	-	
108	Lobar pneumonia	447	50	13	-	1	1	5	5	5	7	4	6	12	8	19	27	33	35	43	44	51	38	26	9	3	1	1	
	White--M	239	23	5	-	-	-	3	2	3	3	2	4	3	6	12	14	18	14	28	25	33	22	14	4	-	-	1	
	F	159	25	8	-	1	1	2	2	-	5	-	1	8	2	5	3	9	13	13	15	17	16	12	4	2	1	-	
	Nonwhite--M	26	1	-	-	-	-	-	-	1	2	-	1	-	-	3	4	6	4	1	1	1	-	-	-	-	-	-	
	F	23	1	-	-	-	-	-	1	2	-	-	1	2	-	1	6	-	4	1	3	-	-	-	1	-	-	-	
109	Pneumonia (unspecified)	211	48	8	1	1	1	2	2	4	4	2	3	2	5	1	1	10	13	12	23	18	32	14	2	1	1	-	
	White--M	111	24	6	1	1	-	1	1	3	2	1	1	1	3	-	-	3	7	8	12	12	15	6	2	1	-	-	
	F	90	21	2	-	-	1	1	1	1	2	1	-	1	2	-	1	6	5	3	11	6	16	8	-	-	1	-	
	Nonwhite--M	6	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	F	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
33	Influenza	285	23	11	2	-	-	2	2	2	2	2	4	2	9	6	11	13	16	20	27	39	32	42	16	1	1	-	
	White--M	101	6	6	-	-	-	2	-	-	1	1	3	2	4	4	5	6	9	5	8	10	10	13	6	-	-	-	
	F	170	16	4	1	-	-	-	2	1	-	1	1	-	5	1	4	5	7	14	18	28	22	28	10	1	1	-	
	Nonwhite--M	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
	F	10	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	1	1	-	1	-	-	-	-	
117	Ulcer of stomach or duodenum	172	-	-	-	-	-	-	1	1	1	1	3	7	2	12	16	31	30	28	18	8	6	6	1	-	-	-	
	White--M	141	-	-	-	-	-	1	-	1	1	1	3	6	2	9	13	27	24	22	13	8	6	5	-	-	-	-	
	F	26	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	6	6	5	-	-	1	1	-	-	-	
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc.*	199	126	13	2	-	-	2	2	-	-	1	2	2	3	2	1	3	4	2	6	5	10	5	6	1	1	-	-
	White--M	91	61	6	1	-	-	1	1	-	-	1	-	-	2	-	-	1	3	-	4	3	3	1	-	-	-	-	
	F	89	51	7	1	-	-	1	1	-	-	-	1	1	-	2	-	2	-	2	2	3	2	4	1	1	-	-	
	Nonwhite--M	6	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	13	10	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
121	Appendicitis	145	-	2	3	1	1	9	5	10	10	5	6	10	11	10	10	17	11	8	10	3	3	-	-	-	-	-	
	White--M	88	-	1	2	1	1	3	3	7	6	3	2	5	6	6	6	13	10	7	3	2	1	-	-	-	-	-	
	F	46	-	1	1	-	-	3	2	3	3	1	3	4	3	4	3	3	1	1	7	1	2	-	-	-	-	-	
	Nonwhite--M	5	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	6	-	-	-	-	-	1	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction	303	11	2	1	-	-	2	3	-	6	4	7	5	12	18	14	21	39	39	34	53	32	14	4	2	-	-	
	White--M	133	7	-	-	-	-	2	2	-	2	1	2	-	4	3	5	6	19	22	20	17	11	7	1	2	-	-	
	F	159	3	2	1	-	-	1	-	4	2	4	5	6	13	9	13	20	16	14	16	20	7	3	-	-	-	-	
	Nonwhite--M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	
	F	5	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
124	Cirrhosis of the liver	307	-	-	-	-	-	-	-	1	1	3	5	8	20	30	40	35	34	31	39	34	19	6	1	-	-	-	
	White--M	207	-	-	-	-	-	-	-	1	-	1	3	7	13	21	31	26	26	17	23	24	11	3	-	-	-	-	
	F	87	-	-	-	-	-	-	-	-	1	2	-	-	4	8	9	8	11	18	9	7	3	1	-	-	-	-	
	Nonwhite--M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	3	-	-	1	-	-	-	-	-	
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
126,127	Biliary calculi, etc.*	179	-	-	-	-	-	-	-	-	1	2	4	5	10	15	12	33	22	21	20	18	9	6	1	-	-	-	
	White--M	50	-	-	-	-	-	-	-	-	1	2	1	2	2	4	2	14	6	5	9	1	1	-	1	-	-	-	
	F	126	-	-	-	-	-	-	-	-	1	-	2	3	8	11	9	19	15	16	11	17	8	6	-	-	-	-	
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
130-132	Nephritis	2,948	1	1	1	2	1	8	5	16	9	19	21	40	38	78	138	173	218	320	436	513	474	307	109	16	-	4	
	White--M	1,478	-	1	-	2	1	6	3	8	6	7	10	10	15	33	64	93	114	164	225	257	244	144	51	9	-	3	
	F	1,515	1	-	1	-	-	2	2	5	3	9	8	22	19	32	53	67	94	128	197	244	209	159	53	6	-	1	
	Nonwhite--M	82	-	-	-	-	-	-	-	1	-	2	-	2	1	5	12	8	4	17	7	10	6	2	4	1	-	-	
	F	73	-	-	-	-	-	-	-	2	-	1	3	6	3	8	9	5	6	11	7	2	7	2	1	-	-	-	
137	Diseases of the prostate	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	25	31	43	39	23	5	1	-	-	
	White--M	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	24	29	41	39	23	5	1	-	-	
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

309

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
INDIANA--Con.																												
140-150	Diseases of pregnancy, etc.---F	112	-	-	-	-	-	-	-	-	13	23	21	26	17	10	1	1	-	-	-	-	-	-	-	-	-	-
	White---F	99	-	-	-	-	-	-	-	-	12	20	19	21	15	10	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	13	-	-	-	-	-	-	-	-	1	3	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia---F	31	-	-	-	-	-	-	-	-	5	8	7	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White---F	29	-	-	-	-	-	-	-	-	5	8	6	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia---F	32	-	-	-	-	-	-	-	-	3	7	2	7	8	4	1	-	-	-	-	-	-	-	-	-	-	-
	White---F	28	-	-	-	-	-	-	-	-	3	6	2	6	6	4	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock---F	37	-	-	-	-	-	-	-	-	4	6	8	10	4	4	-	1	-	-	-	-	-	-	-	-	-	-
	White---F	32	-	-	-	-	-	-	-	-	4	4	7	8	4	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145b, 150	Other puerperal causes---F	12	-	-	-	-	-	-	-	-	1	2	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F	10	-	-	-	-	-	-	-	-	-	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations---M	467	408	15	2	4	1	8	4	6	5	1	1	1	1	2	3	3	3	-	-	-	-	-	-	-	-	-
	White---M	261	223	9	1	3	1	4	4	6	2	1	1	1	-	-	2	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite---M	131	171	6	1	1	-	4	-	1	3	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite---F	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year---M	1,552	1,552	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	860	860	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	580	580	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth---M	1,039	1,039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	549	549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	407	407	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year---M	513	513	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide---M	501	-	-	-	-	-	-	2	12	20	46	33	47	40	40	48	47	53	42	24	25	14	5	1	-	2	
	White---M	375	-	-	-	-	-	-	2	6	18	29	22	33	30	25	40	37	36	35	19	23	13	4	1	-	2	
	Nonwhite---M	119	-	-	-	-	-	-	-	6	2	16	10	14	8	14	7	10	16	7	5	2	1	1	-	-	-	
	Nonwhite---F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide---M	147	5	2	1	3	1	4	1	4	11	24	18	15	13	17	11	6	5	4	1	-	-	1	-	-	-	-
	White---M	68	3	1	-	-	-	2	1	1	5	11	6	7	6	9	3	3	2	4	1	-	-	1	-	-	-	-
	Nonwhite---M	33	1	-	-	3	1	2	-	1	4	4	3	2	2	3	4	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite---F	39	1	1	1	-	-	-	-	1	2	7	7	4	5	4	4	1	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths---M	2,790	62	41	34	28	17	95	69	158	193	135	125	115	113	108	135	129	153	172	188	228	239	183	51	15	-	4
	White---M	1,772	37	22	22	21	5	58	55	120	166	105	101	75	82	86	102	91	106	116	112	104	98	63	16	5	-	4
	Nonwhite---M	929	24	17	10	7	10	32	14	33	21	24	19	32	25	18	25	32	38	52	72	119	140	120	35	10	-	-
	Nonwhite---F	71	1	2	2	-	1	3	-	5	5	4	5	7	4	4	7	4	8	3	3	2	1	-	-	-	-	-
170	Motor-vehicle accidents---M	966	1	9	10	14	6	51	27	92	128	89	64	50	43	30	54	50	53	69	43	43	29	9	1	-	1	
	White---M	722	1	5	8	11	4	28	22	68	106	68	53	29	29	26	40	34	41	53	35	28	21	6	1	-	1	
	Nonwhite---M	213	-	4	2	3	2	21	5	21	16	18	10	17	11	3	10	15	11	14	8	14	7	1	-	-	-	
	Nonwhite---F	26	-	-	-	-	-	1	-	3	3	2	1	3	3	1	4	1	1	2	-	-	1	-	-	-	-	-
169, 171-195	Other accidents---M	1,624	61	32	24	14	11	44	42	65	46	61	65	70	78	81	79	100	103	145	185	210	174	50	15	-	3	
	White---M	1,050	36	17	14	10	1	30	33	52	58	57	48	46	53	60	62	57	65	63	77	76	77	55	15	5	-	3
	Nonwhite---M	716	24	13	8	4	8	11	9	12	5	6	9	15	14	15	15	17	27	39	64	105	133	119	35	10	-	-
	Nonwhite---F	45	1	2	2	-	1	2	-	2	2	2	4	4	1	3	3	3	7	1	3	2	-	-	-	-	-	-
162, 199, 200	Sanility, ill-defined and unknown causes---M	424	13	2	1	-	-	3	-	3	5	2	4	4	6	9	13	21	23	39	38	52	70	69	38	10	3	-
	White---M	211	8	-	-	-	-	1	-	3	2	1	2	2	5	5	12	7	16	25	22	28	32	23	14	5	-	-
	Nonwhite---M	190	6	2	1	-	-	2	-	1	1	1	2	1	1	1	1	9	6	12	18	21	37	45	23	4	2	-
	Nonwhite---F	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	1	-	-	-	-
All other causes	White---M	2,293	115	28	28	26	19	56	31	49	54	68	65	63	113	132	153	204	196	185	201	224	142	96	28	7	-	2
	White---F	1,144	59	9	13	9	10	30	17	25	23	29	24	26	55													



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1 to 2	2 to 5	5 to 9	9 to 14	14 to 19	19 to 24	24 to 29	29 to 34	34 to 39	39 to 44	44 to 49	49 to 54	54 to 59	59 to 64	64 to 69	69 to 74	74 to 79	79 to 84	84 to 89	89 to 94	94 to 99	99 to 100 and over	Not stat- ed		
	IOWA																											
	All causes-----	25,756	1,681	107	80	68	63	165	132	224	278	280	328	400	559	632	1,191	1,673	2,077	2,611	3,248	3,715	3,095	2,078	710	147	9	7
	White-----M	14,206	947	57	45	44	34	102	76	146	164	151	171	219	327	463	734	1,038	1,237	1,493	1,813	2,000	1,602	968	320	59	2	4
	White-----F	11,295	711	49	35	24	28	62	55	78	112	123	152	169	222	354	443	621	816	1,089	1,408	1,689	1,471	1,097	390	88	7	2
	Nonwhite--M	152	8	-	-	-	-	1	-	-	1	6	3	8	5	6	9	15	15	22	16	16	16	4	-	-	-	1
	Nonwhite--F	105	15	1	-	-	1	-	1	-	1	2	4	5	5	9	5	9	7	11	10	6	9	-	-	-	-	-
1,2	Typhoid and para- typhoid fever-----	4	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	15	4	1	-	-	2	2	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M	15	4	1	-	-	2	2	1	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	11	-	1	-	3	1	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	6	-	1	-	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	17	15	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	12	10	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	15	1	2	-	1	-	3	3	1	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M	6	-	-	-	1	-	2	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F	9	1	2	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	329	-	2	1	1	-	5	4	3	17	18	21	29	27	23	34	29	37	25	27	16	9	1	-	-	-	-
	White-----M	186	-	-	-	1	-	3	2	1	5	5	8	12	20	14	25	21	21	19	15	8	5	1	-	-	-	-
	White-----F	133	-	2	1	-	-	2	2	2	12	12	11	14	6	9	8	14	6	12	8	4	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.-----	291	-	1	-	-	-	2	3	2	16	17	20	29	25	19	32	27	35	22	21	12	7	1	-	-	-	-
	White-----M	169	-	-	-	-	-	1	1	1	5	5	8	12	19	13	23	20	20	18	12	6	4	1	-	-	-	-
	White-----F	112	-	1	-	-	-	1	2	1	11	11	10	14	5	6	8	7	13	4	9	6	3	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	58	-	1	1	1	-	3	1	1	1	1	1	-	2	4	2	2	3	6	4	2	-	-	-	-	-	-
	White-----M	17	-	-	-	1	-	2	1	-	-	-	-	-	1	1	2	1	1	3	2	1	-	-	-	-	-	-
	White-----F	21	-	1	1	-	-	1	-	1	1	1	1	-	1	3	-	1	1	2	3	2	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	13	4	-	-	-	1	-	-	-	-	-	2	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-
	White-----M	10	3	-	-	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
	White-----F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	156	2	-	-	-	-	1	-	3	3	3	5	7	18	20	17	18	23	17	11	6	1	1	-	-	-	-
	White-----M	116	1	-	-	-	-	1	-	1	2	2	1	8	15	17	12	14	20	14	5	4	1	-	-	-	-	-
	White-----F	29	1	-	-	-	-	-	-	2	-	1	3	1	2	1	3	3	3	2	3	1	-	-	-	-	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	24	3	5	3	-	1	3	4	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	8	1	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	16	2	3	2	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioenceph- litis (acute)-----	53	2	-	1	4	1	12	6	8	5	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	31	1	-	1	4	1	9	2	4	3	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	22	1	-	-	-	-	4	4	4	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



## 311

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	IOWA—Continued																											
	Cancer and other malignant tumors	5,704	3	2	1	2	-	6	3	12	16	17	39	57	102	192	235	357	487	496	544	564	564	564	564	564	564	
	White—M	1,818	1	1	1	1	-	3	1	8	9	5	11	18	34	66	86	159	240	240	240	240	240	240	240	240	240	
	White—F	1,857	2	1	-	1	-	3	2	4	7	12	27	39	67	122	139	195	212	252	258	246	158	85	21	5	1	
	Nonwhite—M	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	1	1	1	-	-	-	-	
46	White—F	18	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	3	2	3	3	-	-	-	-	
	Cancer of the digestive organs and peritoneum	1,707	2	-	-	-	-	1	-	2	1	7	4	15	28	67	85	162	221	233	288	314	183	83	12	2	-	
	White—M	910	-	-	-	-	-	-	-	2	1	3	2	7	15	33	44	93	141	115	163	158	95	35	2	1	-	
	White—F	784	2	-	-	-	-	1	-	-	-	4	2	8	10	33	40	68	77	115	123	155	86	48	10	1	-	
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	
48, 49	Nonwhite—F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	1	-	-	-	-	
	Cancer of female genital organs	401	-	-	-	-	-	-	-	1	2	4	15	15	28	48	46	46	39	49	48	38	14	6	2	-	-	
	White—F	395	-	-	-	-	-	-	-	1	2	4	14	15	26	47	46	48	39	49	46	36	14	6	2	-	-	
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	2	-	-	-	-	-	
	50	Cancer of breast	567	-	-	-	-	-	-	-	-	-	2	9	12	23	26	35	42	57	46	45	29	28	11	2	-	-
45, 47, 51-55	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	
	White—F	361	-	-	-	-	-	-	-	-	-	2	9	12	23	25	32	42	57	45	45	29	27	11	2	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
	58	Cancer (other sites)	1,229	1	2	1	2	-	5	3	9	13	4	11	15	27	51	69	105	150	168	165	183	139	82	20	4	-
61	White—M	904	1	1	1	1	-	3	1	6	7	2	9	11	19	34	46	65	110	125	130	156	107	62	13	2	-	
	White—F	317	-	1	-	1	-	2	2	3	5	2	4	8	17	21	37	59	43	44	26	31	20	7	2	-	-	
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	58	Acute rheumatic fever	14	-	-	1	-	-	6	-	1	-	2	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-
63b	White—M	5	-	-	-	-	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
	White—F	9	-	-	-	-	-	4	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	61	Diabetes mellitus	673	1	-	1	1	-	2	1	3	4	11	6	5	10	15	42	51	82	111	123	118	60	22	4	-	-
63b	White—M	262	-	-	-	-	-	2	-	1	1	3	5	2	4	9	18	25	29	35	51	42	29	5	2	-	-	
	White—F	408	1	-	1	-	-	1	2	3	8	1	3	6	6	24	26	53	75	72	76	51	17	2	-	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	63b	Exophthalmic goiter	58	-	-	-	-	-	-	-	-	-	1	-	3	4	3	5	10	7	4	11	5	4	-	-	-	-
69	White—M	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	5	4	-	-	-	-	
	White—F	51	-	-	-	-	-	-	-	-	-	-	-	3	3	3	5	8	7	3	10	5	4	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
77	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	White—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	77	Alcoholism (ethylum)	21	-	-	-	-	-	-	-	-	-	2	1	3	4	1	2	3	2	1	1	1	-	-	-	-	-
83	White—M	21	-	-	-	-	-	-	-	-	-	2	1	3	4	1	2	3	2	1	1	1	1	-	-	-	-	
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	83	Intracranial lesions of vascular origin	2,899	-	3	-	1	-	2	1	3	4	3	9	8	32	45	69	105	222	339	485	594	488	288	81	18	1
90-95	White—M	1,419	-	-	-	1	-	2	1	2	-	2	4	1	12	20	46	79	102	197	239	292	228	140	41	10	-	-
	White—F	1,454	-	-	-	-	-	1	4	1	4	1	4	7	18	24	41	100	116	140	241	299	259	145	40	8	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	1	1	-	-	-	
	Nonwhite—F	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	2	1	2	-	2	-	-	-	-	
	90-95	Diseases of the heart	7,974	2	-	-	1	1	8	11	9	15	22	39	69	119	215	369	519	704	946	1,227	1,328	1,195	770	251	51	3
90a, 92b, c, 95c, 95b	White—M	4,675	2	-	-	1	-	2	4	6	5	15	20	45	95	151	284	390	487	573	733	732	633	361	123	23	-	-
	White—F	3,112	-	-	-	-	-	1	6	7	3	9	6	19	19	32	60	82	120	209	359	483	585	361	123	23	-	-
	Nonwhite—M	63	-	-	-	-	-	-	-	-	-	1	-	-	4	1	2	2	6	13	7	8	10	2	-	-	-	
	Nonwhite—F	24	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	1	4	3	1	5	-	-	-	
	90a, 92b, c, 95c, 95b	Chronic rheumatic diseases of the heart	472	-	-	-	1	-	5	8	7	5	9	16	14	13	25	31	42	53	50	58	61	38	13	1	-	-
94	White—M	246	-	-	-	1	-	1	3	4	-	7	7	10	5	11	8	22	23	27	27	29	34	19	8	-	-	
	White—F	216	-	-	-	-	-	4	5	3	4	1	9	4	7	12	14	9	18	24	22	29	27	18	5	1	-	
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	
	Nonwhite—F	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	
	94	Diseases of coronary arteries and angina pectoris	3,280	-	-	-	-	-	1	1	4	6	11	29	78	116	217	319	377	467	560	508	318	189	51	8	-	-
90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	White—M	2,282	-	-	-	-	-	1	1	3	4	8	20	63	99	185	258	295	326	377	319	192	101	27	5	-	-	
	White—F	950	-	-	-	-	-	-	1	1	3	6	14	16	32	56	81	136	160	186	124	67	24	3	-	-	-	
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	4	1	1	3	2	1	-	-	-	-	
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	Diseases of the heart (other forms)	4,142	2	-	-	-	1	3	2	1	6	8	11	26	28	74	129	169	285	426	617	762	815	543	187	42	3
90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	White—M	2,147	2	-	-	-	-	1	1	2	4	5	15	17	41	91	110	171	220	329	384	407	241	86	18	-	-	
	White—F	1,946	-	-	-	-	-	1	2	2	4	4	8	9	11	32												



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	IOWA—Continued																											
	Arteriosclerosis and high blood pressure—M	621	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	10	20	36	68	131	138	140	59	11	-	-
	White—M	312	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	9	11	19	36	77	65	61	24	5	-	-
	F	303	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	9	17	31	52	68	79	35	6	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	1,047	143	21	11	7	8	9	8	5	9	4	12	14	20	28	28	40	44	62	88	140	140	138	52	16	1	-
	White—M	566	85	12	7	5	4	6	7	5	4	2	8	7	15	15	19	30	27	38	47	69	76	53	23	2	-	-
	F	472	53	9	4	2	4	3	1	-	5	2	4	7	5	14	7	10	16	24	39	70	64	85	29	14	1	-
	Nonwhite—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
107	Bronchopneumonia—M	464	86	14	6	5	4	3	4	4	4	2	3	4	8	10	10	14	13	20	34	63	57	57	23	6	-	-
	White—M	249	55	6	3	3	3	2	4	4	1	1	1	2	7	6	7	11	8	12	19	30	30	23	11	-	-	-
	F	209	36	8	3	2	1	1	-	-	3	1	2	2	1	4	3	5	8	15	32	27	34	12	6	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia—M	328	19	4	5	2	5	4	2	-	4	1	2	9	5	14	12	19	21	29	30	49	44	41	8	3	-	-
	White—M	186	12	4	2	2	1	2	2	-	3	1	2	5	5	7	9	14	12	16	18	25	27	17	2	-	-	-
	F	139	7	-	1	-	2	2	-	-	1	-	-	4	-	7	3	5	8	13	12	24	17	24	6	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—M	47	15	-	-	-	-	-	1	-	-	-	1	-	2	2	-	2	1	3	6	6	3	3	-	-	-	-
	White—M	28	8	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	2	6	4	1	1	-	-	-	-
	F	19	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	2	2	2	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M	208	15	3	2	-	1	2	1	1	1	1	6	1	5	3	4	5	9	10	16	22	36	37	21	7	1	-
	White—M	103	10	2	2	-	2	1	1	1	-	-	4	-	2	-	3	4	8	8	10	10	12	10	2	-	-	-
	F	105	3	1	-	-	1	-	-	-	1	1	2	1	3	3	1	1	3	2	10	12	18	25	11	5	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—M	176	-	1	-	-	-	-	-	-	-	1	-	4	5	11	21	27	22	24	19	16	22	2	1	-	-	-
	White—M	149	-	1	-	-	-	-	-	-	-	1	-	4	3	10	17	23	19	20	17	14	18	2	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	3	4	2	4	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M	156	78	4	-	3	1	4	-	-	4	1	2	1	3	2	3	3	6	3	4	5	2	5	2	-	-	-
	White—M	73	51	1	-	2	-	2	-	-	2	-	2	1	2	1	1	3	2	-	1	1	-	1	-	-	-	-
	F	61	27	3	-	1	-	1	-	-	2	1	-	-	1	1	2	-	4	3	3	4	2	4	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—M	102	-	1	6	1	-	5	1	5	4	3	7	2	4	6	7	5	7	8	12	8	4	1	3	-	-	-
	White—M	62	-	4	-	-	-	1	-	3	2	-	2	2	3	3	6	4	4	8	10	7	1	-	2	-	-	-
	F	39	-	1	2	1	-	4	1	2	2	3	5	-	1	4	1	1	3	-	2	1	3	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	237	7	-	-	1	1	1	-	3	3	3	4	6	5	10	14	18	17	34	24	36	28	13	7	1	-	1
	White—M	133	6	-	-	1	1	-	-	-	1	3	1	3	2	5	6	11	8	19	17	22	14	7	5	-	-	-
	F	101	1	-	-	-	-	1	-	3	2	-	3	3	3	5	8	6	9	14	7	13	14	6	2	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—M	144	-	-	-	-	-	-	1	-	-	4	2	8	6	18	11	22	15	15	17	19	7	3	2	-	-	-
	White—M	104	-	-	-	-	-	-	-	-	-	2	1	7	5	6	10	16	12	10	13	5	2	1	-	-	-	-
	F	39	-	-	-	-	-	-	1	-	-	2	1	1	1	4	1	4	3	5	6	8	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—M	150	-	-	-	-	-	-	-	-	-	1	2	2	4	6	15	18	17	23	23	16	15	6	-	-	-	-
	White—M	52	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	5	5	12	8	8	5	2	-	-	-	-
	F	96	-	-	-	-	-	-	-	-	-	1	2	2	1	6	10	13	12	11	15	10	9	4	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
130-132	Nephritis—M	1,457	-	2	-	3	1	2	8	4	14	9	13	22	35	35	65	83	95	150	199	281	205	165	47	7	2	-
	White—M	790	-	1	-	2	1	1	3	2	7	4	4	8	19	19	40	57	59	87	106	151	113	77	25	4	-	-
	F	652	-	1	-	1	-	1	5	2	7	5	9	13	15	15	24	36	34	60	90	129	91	87	22	3	2	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	-	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-
137	Diseases of the prostate—M	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	25	37	39	35	29	12	1	-
	White—M	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	25	37	39	35	29	12	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	IOWA--Continued																											
	Diseases of pregnancy, etc.	59	-	-	-	-	-	-	-	4	10	14	15	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	59	-	-	-	-	-	-	-	4	10	14	14	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a,147	Puerperal septicemia	23	-	-	-	-	-	-	-	1	2	6	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	22	-	-	-	-	-	-	-	1	2	6	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia	16	-	-	-	-	-	-	-	-	5	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	16	-	-	-	-	-	-	-	-	5	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock	19	-	-	-	-	-	-	-	3	3	2	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F	19	-	-	-	-	-	-	-	3	3	2	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145b,150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	359	290	12	7	5	4	9	2	4	5	6	5	2	2	4	1	-	1	-	-	-	-	-	-	-	-	
	White--M	184	149	6	2	2	-	5	1	5	4	5	4	2	-	2	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite--M	175	139	6	5	3	4	4	1	1	1	5	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	995	995	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White--M	563	563	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite--M	419	419	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
159	Premature birth	623	623	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White--M	337	337	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite--M	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
159,160, 161	Other diseases peculiar to first year	372	372	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White--M	226	226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite--M	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
163,164	Suicide	327	-	-	-	-	-	-	-	4	11	20	16	23	27	38	40	38	43	18	22	17	6	3	-	1	-	
	White--M	226	-	-	-	-	-	-	-	4	11	13	20	18	27	24	26	28	13	16	13	5	3	-	-	1	-	
	Nonwhite--M	99	-	-	-	-	-	-	-	-	7	9	3	3	9	10	16	12	15	5	6	3	1	-	-	-	-	
165-168	Homicide	46	1	-	1	1	2	1	1	1	1	5	7	5	4	5	2	4	3	1	1	-	-	-	-	-	-	
	White--M	28	1	-	1	1	2	1	1	1	1	3	1	2	3	4	2	3	2	1	1	-	-	-	-	-	-	
	Nonwhite--M	15	-	-	-	-	-	-	-	-	-	1	5	5	1	1	-	1	1	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	1,638	45	25	26	22	24	56	54	122	119	85	71	67	68	58	75	90	93	103	110	165	147	136	62	12	3	
	White--M	1,153	26	19	16	15	13	39	44	90	100	62	59	51	39	40	59	65	65	65	83	57	47	16	4	-	3	
	Nonwhite--M	675	17	6	10	7	11	17	9	32	19	21	12	15	9	17	16	24	37	36	45	82	90	89	46	8	-	
170	Motor-vehicle accidents	549	3	4	7	6	12	17	20	67	79	45	27	26	29	19	20	34	32	30	27	26	8	10	2	1	-	
	White--M	399	2	2	3	5	5	11	13	42	67	30	19	22	25	12	14	24	16	22	24	21	7	9	2	-	-	
	Nonwhite--M	149	1	2	4	1	7	6	7	25	12	13	8	4	4	7	6	10	14	7	3	5	1	1	-	-	-	
169, 171-195	Other accidents	1,289	42	21	19	16	12	39	34	55	40	42	44	41	39	39	55	56	61	73	83	139	139	126	60	11	3	
	White--M	754	24	17	13	10	8	28	31	48	33	32	40	29	34	28	45	42	38	43	41	62	50	38	14	4	-	
	Nonwhite--M	526	18	4	6	6	4	11	2	7	7	8	4	11	5	10	10	14	23	29	42	77	89	88	46	7	-	
162,199, 200	Semility, ill-defined and unknown causes	384	1	-	-	-	-	-	-	1	1	-	-	2	1	4	3	2	7	9	31	58	89	98	59	17	1	
	White--M	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	17	30	41	46	19	3	-	
	Nonwhite--M	205	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	3	14	28	48	50	40	14	-	
	All other causes	1,602	84	25	20	10	15	34	15	30	27	41	43	50	60	88	103	122	137	153	156	144	131	75	31	6	1	
	White--M	846	48	12	12	4	9	20	6	16	13	23	19	24	27	42	53	75	80	83	86	80	65	33	12	3	1	
	Nonwhite--M	739	35	12	8	6	6	14	9	14	14	18	24	25	31	44	48	47	53	68	70	63	66	42	19	3	-	

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	All causes-----	18,059	1,217	91	59	26	26	122	127	216	237	213	272	322	438	602	857	1,133	1,542	1,907	2,284	2,438	1,952	1,351	492	114	10	11
	White-----M-----	9,669	681	54	28	11	16	64	84	126	145	110	143	167	216	339	494	619	887	1,046	1,254	1,245	1,014	634	242	40	3	6
	White-----F-----	7,397	484	32	25	15	8	50	37	71	66	77	105	127	171	213	284	413	580	743	934	1,107	884	680	236	69	4	1
	Nonwhite-----M-----	530	33	1	3	-	4	2	8	12	14	12	14	14	26	22	36	47	60	78	86	46	26	18	8	1	-	1
	Nonwhite-----F-----	463	19	4	3	-	2	4	4	11	11	12	12	14	25	28	43	54	35	40	36	40	28	19	6	4	3	4
1,2	Typhoid and paratyphoid fever																											
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	1	1	2	2	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-
	White-----M-----	7	1	1	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	3	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	13	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	1	1	1	2	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	5	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	6	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	307	4	2	-	1	1	-	3	10	21	24	26	16	23	26	30	24	26	24	17	12	9	5	1	-	-	-
	White-----M-----	152	1	1	-	1	1	-	1	3	5	6	11	5	9	14	18	16	16	16	13	7	6	1	1	-	-	-
	White-----F-----	108	2	-	-	-	-	-	1	2	8	11	14	7	11	10	9	4	6	7	4	5	3	4	-	-	-	-
	Nonwhite-----M-----	29	1	-	-	-	-	-	1	1	4	5	1	3	3	1	3	3	2	1	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	18	-	1	-	-	-	-	-	4	4	2	-	1	-	1	-	1	4	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	291	2	2	-	-	-	-	3	10	21	21	26	15	22	25	29	23	25	23	17	12	9	5	1	-	-	-
	White-----M-----	145	-	1	-	-	-	-	1	3	5	4	11	5	9	13	18	16	15	16	13	7	6	1	1	-	-	-
	White-----F-----	103	2	-	-	-	-	-	1	2	8	10	14	7	10	10	8	3	6	6	4	5	3	4	-	-	-	-
	Nonwhite-----M-----	26	-	-	-	-	-	-	1	1	4	5	1	2	3	1	3	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	17	-	1	-	-	-	-	-	4	4	2	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	16	2	-	-	1	1	-	-	-	-	3	-	1	1	1	1	1	3	1	-	-	-	-	-	-	-	-
	White-----M-----	7	1	-	-	1	1	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F-----	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----F-----	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	143	2	-	-	-	-	-	-	-	-	1	3	2	9	16	18	23	19	14	18	13	-	5	1	-	-	-
	White-----M-----	85	-	-	-	-	-	-	-	-	-	-	2	1	5	8	9	13	11	10	15	6	-	5	-	-	-	-
	White-----F-----	20	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	5	-	1	2	4	-	-	1	-	-	-
	Nonwhite-----M-----	28																										

\*Refer to International List for complete title, table V, Part I.



## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
KANSAS—Con.																												
45-55	Cancer and other malignant tumors	2,412			1		1	5	4	10	13	10	31	44	91	126	177	247	290	357	574	515	197	107	22	6		1
	White—M—	1,111	2				1	2	3	1	6	3	9	16	30	49	69	95	135	154	196	174	102	49	13	2		
	F—	1,175	3		1			3	1	7	5	5	19	26	55	70	94	123	144	167	166	132	87	56	9	4		
	Nonwhite—M—	62									2	2	3	1	4	3	5	10	7	9	10	1	3	1				1
	F—	64									2			1	4	4	9	19	4	7	2	6	5	1				
46	Cancer of the digestive organs and peritoneum	1,068	1							3	1	2	10	12	24	36	61	101	123	158	197	171	109	80	6	2		1
	White—M—	536											5	5	14	19	27	41	59	77	112	100	53	20	4			
	F—	475	1							3	1	1	4	6	7	16	26	50	61	70	77	68	51	29	2	2		
	Nonwhite—M—	36										1	1	1	3	1	4	2	4	7	7	5						1
	F—	21															3	6	1	4	1	3	2	1				
48,49	Cancer of female genital organs	305						1		1	2	2	5	10	24	20	36	43	42	40	31	30	11	5				
	White—F—	280						1		1	2	2	5	9	21	20	32	34	40	39	50	28	11	5				
	Nonwhite—F—	25												1	3		9	2	1	1	2							
50	Cancer of breast	258											5	9	21	25	24	24	31	33	23	18	15	7	2	1		
	White—M—	6													1	1			1				1	1				
	F—	223											5	9	20	20	24	22	29	32	23	18	13	6	1	1		
	Nonwhite—M—																											
	F—	9														4		2	1				2					
45,47, 51-55	Cancer (other sites)	803	4		1		1	4	4	6	10	6	11	13	22	45	56	79	94	106	123	94	62	45	14	3		
	White—M—	569	2				1	2	3	1	6	3	4	11	15	29	42	54	75	76	84	74	49	28	8	2		
	F—	197	2		1			2	1	3	2	2	5	2	5	14	12	17	14	26	36	18	12	16	6	1		
	Nonwhite—M—	26						2	1		2	1	2		1	2		6	5	2	3	1		1				
	F—	11								2								2	2			1	1					
58	Acute rheumatic fever	10				1				2	1	1	1							1	1	2						
	White—M—	5				1				1			1							1	1							
	F—	2																			1	1						
	Nonwhite—M—	1									1																	
	F—	2																										
61	Diabetes mellitus	437					1	1	1	4	5	3	6	6	3	10	23	38	55	71	81	70	38	18	2	1		
	White—M—	161					1	1	-	1	2	2	4	3	2	5	12	13	12	27	26	27	15	9	-	-		
	F—	252					1	1	3	3	1	1	3	1	4	8	22	38	39	50	45	22	9	2	1			
	Nonwhite—M—	11														1	1	2	3	3	3	-	-	-	-			
	F—	13											1				2	2	3	2	2	1	-	-	-	-		
63b	Exophthalmic goiter	39								1	1			1	6	3	2	4	4	8	7	1	1	-	-	-		
	White—M—	4													2	-	-	1	1	-	-	-	-	-	-	-		
	F—	34								1	1			1	4	3	2	3	3	8	6	1	1	-	-	-		
	Nonwhite—M—	1																			1	-	-	-	-	-		
	F—	1																										
69	Pellagra (except alcoholic)	6																1				2	1	1	-	-	1	
	White—M—	1																	1									
	F—	4																				2	1	1	-	-		
	Nonwhite—M—																											
	F—	1																										
77	Alcoholism (ethylish)	8												2	2	2	2			1		1	-	-	-	-		
	White—M—	6												1	2	2				1								
	F—	1												1														
	Nonwhite—M—																											
	F—	1																			1							
83	Intracranial lesions of vascular origin	2,049	1	1	1					2	2	2	9	9	24	46	65	104	184	249	332	402	335	205	62	12	2	-
	White—M—	971	1	1	1					1	2		4	6	10	19	28	48	93	126	166	172	165	95	29	4	1	-
	F—	974		1						1		1	4	2	11	23	26	45	79	111	154	212	163	104	30	7		-
	Nonwhite—M—	52										1			1		2	6	5	8	10	11	4	3	1			-
	F—	52											1	1	2	4	9	5	7	4	2	7	3	3	2	1		-
90-95	Diseases of the heart	5,415	2	2	1	1		6	10	15	13	14	42	46	89	177	255	365	569	716	804	904	676	483	182	40	3	1
	White—M—	3,179	1	2				3	7	12	8	6	27	28	63	137	179	256	377	432	464	483	355	232	95	12	1	-
	F—	1,981	1		1			2	2	3	4	7	10	12	17	31	52	86	161	239	309	392	306	240	78	27	2	-
	Nonwhite—M—	137			1								4	4	3	16	11	19	32	12	17	8	4	6	-	-	-	1
	F—	118						1	1		1	1	5	2	5	6	9	12	11	13	19	12	6	7	3	1	-	
90a, 92b,c, 95a,c,95b	Chronic rheumatic diseases of the heart	322						3	4	10	8	7	11	9	17	10	21	21	25	24	53	42	22	24	9	2		
	White—M—	180						3	3	9	5	2	9	6	10	7	11	14	16	11	25	23	10	12	4	-	-	
	F—	124						1	1	2	6	2	2	5	3	7	7	8	10	26	16	10	12	5	2	-	-	
	Nonwhite—M—	10												1	1	1		2		3	1	2	-	-	-	-	-	
	F—	8									1								1		1	2						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	KANSAS—Con.																											
	Arteriosclerosis and high blood pressure*	417	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	13	21	62	85	102	74	39	11	1	2
	White—M—	202	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	7	10	35	41	45	34	21	3	1	2
	F—	199	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	6	9	24	42	56	33	18	7	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	612	114	16	11	3	3	4	9	6	4	3	10	10	9	6	16	31	33	30	61	59	84	64	20	5	1	-
	White—M—	318	59	8	5	2	2	3	3	3	2	2	2	6	4	6	5	9	17	19	35	30	40	33	10	2	-	-
	F—	242	40	6	4	1	-	1	5	2	4	-	6	5	2	-	5	11	11	7	24	25	39	30	10	3	1	-
	Nonwhite—M—	26	7	-	1	-	-	-	1	1	-	1	2	1	-	1	1	1	2	1	1	3	2	-	-	-	-	-
	F—	26	8	2	1	-	1	-	-	-	-	-	-	-	1	-	1	2	1	3	1	1	3	1	-	-	-	-
107	Bronchopneumonia	265	73	10	6	2	1	2	3	3	1	-	2	5	2	2	3	8	8	7	24	31	34	27	10	1	-	-
	White—M—	137	37	5	3	2	1	2	-	2	-	-	2	2	1	2	4	6	5	5	12	18	16	14	4	1	-	-
	F—	105	25	3	3	-	-	-	2	1	1	-	2	2	1	-	3	2	2	10	13	16	12	6	-	-	-	-
	Nonwhite—M—	8	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F—	15	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	-	-	-	-
108	Lobar pneumonia	167	19	1	1	-	-	2	2	3	1	2	4	3	5	3	6	16	10	12	20	14	21	15	5	2	-	-
	White—M—	90	12	-	1	-	-	1	1	1	-	2	1	1	4	3	3	9	8	7	11	4	10	8	4	1	-	-
	F—	59	7	1	-	-	-	1	1	1	1	-	1	2	1	-	1	6	2	2	9	6	8	7	1	1	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	2	1	-	3	2	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	31	6	3	-	1	1	-	-	-	1	1	1	1	-	-	1	-	3	1	3	1	3	4	-	-	-	-
	White—M—	23	5	3	-	1	-	-	-	-	-	-	-	1	-	-	1	-	2	1	3	1	3	2	-	-	-	-
	F—	7	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	149	16	2	4	-	1	-	4	-	1	-	3	1	2	1	6	7	12	10	14	13	16	16	5	2	1	-
	White—M—	68	5	-	1	-	-	-	2	-	-	-	1	-	2	1	3	4	6	6	7	7	11	9	2	-	-	-
	F—	71	7	2	1	-	-	-	2	-	1	-	2	1	-	-	3	2	5	3	5	6	15	9	3	2	1	-
	Nonwhite—M—	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	104	-	-	-	-	-	-	-	-	1	1	1	4	5	6	9	13	13	16	14	10	6	3	-	2	-	-
	White—M—	76	-	-	-	-	-	-	-	-	1	1	3	3	3	2	8	7	10	14	11	7	6	2	1	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	1	-	-	3	-	5	3	3	2	3	3	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	79	42	4	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	8	5	-	4	4	2	-	-	-
	White—M—	43	28	2	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	3	1	-	1	1	1	-	-	-
	F—	33	14	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	5	4	-	2	2	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
121	Appendicitis	96	1	2	-	-	2	3	6	7	5	7	2	7	4	9	6	8	5	7	7	6	2	-	-	-	-	-
	White—M—	51	1	2	-	-	1	1	3	2	3	4	1	5	3	4	5	4	4	2	4	2	-	-	-	-	-	-
	F—	40	-	-	-	-	1	1	3	5	1	3	-	1	1	4	1	4	1	5	3	4	2	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	149	4	-	-	-	1	1	-	-	3	-	6	4	5	10	7	14	12	12	22	20	12	11	3	2	-	-
	White—M—	76	1	-	-	-	1	1	-	-	1	-	5	-	1	5	5	6	7	5	11	10	7	7	4	1	-	-
	F—	64	3	-	-	-	-	-	-	-	1	-	1	4	4	3	2	7	4	7	10	7	5	4	1	1	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	113	-	-	-	-	-	-	-	-	-	-	2	5	6	5	10	11	17	19	10	16	7	3	2	-	-	-
	White—M—	68	-	-	-	-	-	-	-	-	-	-	-	3	4	4	7	8	14	9	3	11	2	1	-	-	-	-
	F—	40	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	2	9	6	5	5	2	2	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	97	-	-	-	-	-	-	-	-	-	-	1	2	6	4	4	15	10	15	10	13	9	7	1	-	-	-
	White—M—	31	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	4	3	7	3	6	1	2	-	-	-	-
	F—	61	-	-	-	-	-	-	-	-	-	-	2	4	4	4	2	8	7	7	7	7	7	5	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-
130-132	Nephritis	1,257	1	2	-	1	-	4	3	4	6	5	12	18	23	20	67	65	108	142	197	221	183	124	40	9	-	-
	White—M—	647	-	-	-	-	-	1	1	3	3	3	7	5	9	10	33	29	55	80	107	117	103	55	19	7	-	-
	F—	500	1	1	-	1	-	2	2	1	3	1	2	9	11	8	28	25	41	44	73	93	65	19	1	-	-	-
	Nonwhite—M—	55	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	5	9	11	9	6	2	1	1	-	-	-
	F—	55	-	-	-	-	-	1	-	-	-	1	-	4	2	2	5	6	3	7	8	5	6	2	1	-	-	-
137	Diseases of the prostate	164	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	12	16	36	32	42	12	6	-	-	-
	White—M—	156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	10	17	32	42	12	6	-	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

317

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	KANSAS—Con.																											
140-150	Diseases of preg- nancy, etc.*	60	-	-	-	-	-	-	-	6	10	15	8	11	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	57	-	-	-	-	-	-	-	6	9	13	8	11	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia—	25	-	-	-	-	-	-	-	4	1	3	3	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	25	-	-	-	-	-	-	-	4	1	3	3	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia —	17	-	-	-	-	-	-	-	2	6	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	15	-	-	-	-	-	-	-	2	5	1	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock—	17	-	-	-	-	-	-	-	-	3	9	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	16	-	-	-	-	-	-	-	-	3	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	252	205	12	6	4	-	4	5	1	3	4	3	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	White—M—	133	112	7	1	1	-	1	2	1	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	107	84	5	5	3	-	2	3	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	718	718	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	285	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—	449	449	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158,160, 161	Other diseases peculiar to first year—	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide—	182	-	-	-	-	-	-	1	3	6	6	11	18	22	18	25	21	19	10	12	2	6	2	-	-	-	-
	White—M—	153	-	-	-	-	-	-	1	3	4	4	6	14	16	12	19	13	16	7	10	2	4	2	-	-	-	-
	F—	45	-	-	-	-	-	-	-	-	2	2	5	4	5	6	6	7	3	2	2	-	1	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—	53	2	-	-	-	-	-	4	8	7	9	4	5	5	2	3	-	3	-	5	-	1	1	-	-	-	1
	White—M—	16	-	-	-	-	-	-	1	2	5	1	1	1	1	2	2	-	2	-	2	-	1	-	-	-	-	1
	F—	17	1	-	-	-	-	-	2	2	1	3	2	-	2	2	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M—	13	1	-	-	-	-	-	-	3	2	1	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,334	40	27	20	8	7	38	42	95	96	74	51	70	46	50	60	50	59	74	80	106	103	65	38	12	-	3
	White—M—	943	19	15	10	6	2	18	33	68	67	58	40	54	33	39	48	33	41	50	44	46	49	33	12	3	-	2
	F—	458	17	11	8	2	5	18	7	24	6	14	8	12	10	5	8	14	16	21	35	57	54	52	26	8	-	-
	Nonwhite—M—	30	1	-	1	-	-	1	1	1	2	2	3	2	5	2	2	2	2	2	1	1	1	-	-	-	-	1
	F—	23	3	-	1	-	-	1	2	2	2	-	1	1	1	2	1	-	1	-	2	-	-	-	-	-	-	-
170	Motor-vehicle accidents—	487	7	10	8	1	4	18	9	52	65	39	22	29	20	22	25	20	26	28	20	17	14	9	1	-	-	1
	White—M—	333	4	5	5	1	1	10	7	34	58	25	18	21	11	17	19	11	18	20	17	15	13	6	1	-	-	-
	F—	113	3	5	3	-	3	7	2	17	6	12	4	6	7	2	4	7	8	7	2	4	1	3	-	-	-	-
	Nonwhite—M—	12	-	-	-	-	-	1	-	-	-	2	1	1	1	2	1	2	-	1	-	-	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	1
169, 171-195	Other accidents—	867	35	17	12	7	3	20	33	43	31	35	29	41	26	28	35	30	33	46	60	89	89	76	37	12	-	2
	White—M—	510	15	11	5	5	1	8	26	34	29	33	24	33	22	22	29	22	23	30	27	33	35	27	11	8	-	2
	F—	325	14	6	5	2	2	11	5	7	-	2	4	6	3	3	4	7	8	14	33	53	53	49	26	8	-	-
	Nonwhite—M—	18	1	-	1	-	-	-	-	1	1	-	1	2	1	3	1	-	2	2	-	1	1	-	-	-	-	-
	F—	14	3	-	1	-	-	1	2	1	1	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-	-	-
162,199, 200	Senility, ill- defined and un- known causes—	289	9	2	1	-	-	1	-	1	-	-	1	-	3	2	6	8	18	14	35	55	68	45	11	2	-	1
	White—M—	151	4	2	-	-	-	-	-	-	-	-	-	-	1	2	6	6	6	6	12	21	31	29	20	4	-	1
	F—	127	3	-	1	-	-	1	-	1	-	-	1	-	1	-	-	2	2	4	8	13	23	36	23	7	-	-
	Nonwhite—M—	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes—	1,097	50	13	9	2	4	19	16	33	31	31	31	39	43	52	63	79	83	92	117	114	78	68	27	3	-	-
	White—M—	533	25	9	5	-	3	12	13	18	14	11	16	11	16	11	16	21	22	30	42	70	50	39	31	13	-	-
	F—	514	25	3	4	2	1	6	3	10	17	14	18	21	22	30	29	38	32	47	43	58	39	35	14	2	-	-
</																												



(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	All causes-----	27,410	2,900	217	123	112	75	267	231	404	638	589	617	808	869	1,161	1,512	1,666	2,074	2,701	3,047	3,096	2,264	1,368	531	116	22	4
	White-----M--	13,515	1,491	99	53	62	36	130	138	204	330	304	311	383	394	589	733	824	1,031	1,401	1,550	1,537	1,089	573	199	44	6	4
	White-----F--	10,538	1,153	104	58	43	32	113	75	136	219	192	213	287	292	324	460	531	724	1,005	1,238	1,319	996	681	275	54	5	-
	Nonwhite--M--	1,799	146	7	9	5	4	9	11	27	50	54	40	81	102	117	178	182	173	147	145	130	93	54	22	7	6	-
	Nonwhite--F--	1,558	110	7	3	2	3	15	6	37	37	39	53	57	61	131	141	129	146	150	114	110	88	50	35	11	5	-
1,2	Typhoid and para-typhoid fever--	30	-	-	-	2	1	3	2	1	-	1	1	4	2	2	3	-	3	2	2	1	-	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	1	-	1	-	-	1	4	2	1	1	-	2	1	1	1	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis	39	8	4	3	1	1	2	1	-	2	-	-	5	1	3	1	1	2	4	-	-	-	-	-	-	-	-
	White-----M--	17	1	1	3	1	-	1	1	-	-	-	-	3	1	2	-	1	1	2	-	-	-	-	-	-	-	-
	White-----F--	20	7	3	-	-	1	-	-	-	2	-	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	12	-	1	1	-	-	3	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	7	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	47	31	9	1	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	26	17	6	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	53	8	8	10	5	4	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	22	4	2	2	3	1	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	29	4	5	7	2	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,602	16	13	1	3	3	10	7	74	137	145	150	137	132	121	136	95	102	109	100	60	34	9	5	1	-	-
	White-----M--	727	9	7	1	-	2	4	4	16	41	52	66	64	53	72	79	55	53	53	52	27	13	3	1	-	-	-
	White-----F--	599	8	6	-	3	-	4	1	33	69	58	59	49	49	29	35	22	35	45	42	25	19	5	3	-	-	-
	Nonwhite--M--	268	1	-	-	-	-	1	1	9	12	18	11	16	20	15	20	10	13	7	4	6	2	-	1	1	-	-
	Nonwhite--F--	109	-	-	-	-	1	1	1	16	15	17	14	8	10	5	2	8	1	4	2	2	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	1,492	6	4	-	1	1	4	4	70	129	142	137	150	128	117	129	91	91	105	96	59	34	8	5	1	-	-
	White-----M--	672	4	1	-	-	1	2	15	38	61	61	61	51	69	76	51	47	51	50	26	13	3	1	-	-	-	-
	White-----F--	568	1	3	-	1	-	3	1	31	66	56	56	47	48	29	34	22	33	43	41	25	19	4	3	-	-	-
	Nonwhite--M--	154	1	-	-	-	-	-	-	9	12	17	9	15	19	15	17	10	10	7	3	6	2	-	1	1	-	-
	Nonwhite--F--	98	-	-	-	-	1	1	15	13	16	11	7	10	4	2	6	1	4	2	2	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	110	12	9	1	2	2	6	3	4	8	3	13	7	4	4	7	4	11	4	4	1	-	1	-	-	-	-
	White-----M--	55	5	6	1	-	1	4	2	1	3	1	5	3	2	3	3	4	6	2	2	1	-	-	-	-	-	-
	White-----F--	31	7	3	-	2	-	1	-	2	3	-	3	2	1	-	1	-	2	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	1	-	-	1	2	1	1	-	3	-	3	-	1	-	-	-	-	-	-	-
	Nonwhite--F--	10	-	-	-	-	1	-	-	1	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	42	24	2	1	1	-	1	1	-	1	1	-	-	2	-	2	1	1	1	1	1	1	-	-	-	-	-
	White-----M--	20	12	-	-	1	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	1	1	-	-	-	-	-
	White-----F--	21	12	2	1	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	6	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	217	13	-	1	-	-	-	1	2	3	5	9	22	28	20	27	19	24	19	9	7	3	3	2	-	-	-
	White-----M--	115	5	-	-	-	-	-	1	-	2	2	3	12	10	14	15	12	13	6	3	2	2	1	-	-	-	-
	White-----F--	32	5	-	-	-	-	-	-	2	-	1	2	2	5	-	4	1	5	1	1	2	-	-	1	-	-	-
	Nonwhite--M--	36	2	-	-	-	-	-	-	1	2	2	5	4	3	3	6	6	-	-	1	1	1	1	-	-	-	-
	Nonwhite--F--	34	1	-	1	-	-	-	-	-	-	2	3	9	3	5	-	1	5	1	1	1	1	1	-	-	-	-
35	Measles-----	69	26	3	7	4	2	9	3	3	2	-	1	1	1	-	1	1	1	-	1	2	-	1	-	-	-	-
	White-----M--	31	12	1	4	2	2	3	1	-	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----F--	33	10	2	2	2	-	6	2	3	1	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)-----	14	3	1	-	-	-	1	3	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	3	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

319

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																											
45-55	Cancer and other malignant tumors	2,905	1	1	2	5	1	13	7	12	21	25	45	98	111	186	250	294	296	375	436	526	182	83	31	5	1	-
	White—M—	1,458	-	-	-	3	-	10	6	5	10	14	14	21	25	65	92	96	117	156	213	163	97	36	12	1	-	-
	White—F—	1,394	1	1	2	2	1	3	1	6	10	10	29	63	69	99	121	154	156	183	195	153	76	40	16	3	-	-
	Nonwhite—M—	103	-	-	-	-	-	-	-	-	1	-	-	1	5	6	12	23	14	17	12	2	4	5	-	-	-	
	Nonwhite—F—	152	-	-	-	-	-	-	-	1	-	1	2	11	12	16	25	21	9	19	16	6	5	2	3	1	-	-
46	Cancer of the digestive organs and peritoneum—M—	1,242	1	-	-	1	-	5	-	4	5	3	9	18	35	72	96	128	139	199	222	170	86	36	12	2	1	-
	White—M—	570	-	-	-	-	-	3	-	2	3	1	4	5	16	36	46	51	66	83	107	75	44	18	5	-	-	-
	White—F—	569	1	-	-	1	-	2	-	2	1	1	3	13	11	30	34	62	59	94	103	90	39	17	5	1	-	-
	Nonwhite—M—	54	-	-	-	-	-	-	-	-	1	-	-	-	-	2	8	9	11	9	6	1	1	1	-	-	-	-
	Nonwhite—F—	49	-	-	-	-	-	-	-	-	-	1	2	-	4	4	8	6	2	7	6	4	2	-	2	1	-	-
48,49	Cancer of female genital organs—M—	430	-	-	-	-	-	-	-	1	1	7	14	42	46	48	50	55	42	43	42	19	12	6	2	-	-	-
	White—M—	377	-	-	-	-	-	-	-	1	1	7	14	35	40	41	42	47	36	37	39	18	11	6	1	-	-	-
	Nonwhite—F—	53	-	-	-	-	-	-	-	-	-	-	-	7	6	7	8	8	4	6	4	1	1	-	1	-	-	-
50	Cancer of breast—M—	222	-	-	-	-	-	-	-	-	-	1	6	9	8	21	30	26	30	31	27	12	10	8	3	-	-	-
	White—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-
	White—F—	189	-	-	-	-	-	-	-	-	-	1	6	7	7	16	23	22	30	27	22	11	7	7	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	29	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	4	-	4	4	1	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)—M—	911	-	1	2	4	1	8	7	7	15	14	15	27	22	45	74	85	96	103	145	125	74	33	14	3	-	-
	White—M—	582	-	-	-	3	-	7	6	3	7	13	10	16	9	28	45	45	51	68	105	88	51	18	7	1	-	-
	White—F—	259	-	1	2	1	1	1	3	8	1	6	8	11	12	22	23	29	25	32	34	19	10	7	2	-	-	-
	Nonwhite—M—	49	-	-	-	-	-	-	-	-	-	-	-	1	1	4	14	3	8	6	1	3	4	-	-	-	-	-
	Nonwhite—F—	21	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	2	2	2	1	1	-	-	-	-	-
58	Acute rheumatic fever—M—	16	-	-	1	-	-	1	3	2	3	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
	White—M—	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—F—	7	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	4	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—M—	445	-	1	1	1	1	1	3	4	7	12	1	7	13	21	27	30	61	77	73	53	34	15	2	-	-	-
	White—M—	195	-	-	1	1	1	-	1	2	2	5	1	2	5	11	11	14	23	35	30	28	15	7	-	-	-	-
	White—F—	204	-	1	-	-	-	1	2	1	5	5	-	4	3	6	13	11	26	41	35	24	17	7	2	-	-	-
	Nonwhite—M—	16	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	1	5	-	2	1	-	-	-	-	-	-
	Nonwhite—F—	30	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	4	7	1	6	-	2	1	-	-	-	-
63b	Exophthalmic goiter—M—	32	-	-	-	-	-	-	-	-	-	-	3	1	2	1	7	4	7	2	2	3	-	-	-	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	White—F—	26	-	-	-	-	-	-	-	-	-	-	2	1	2	1	5	1	7	2	2	3	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—M—	18	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	1	1	4	1	3	1	-	1	-	-	-
	White—M—	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	1	-	-	1	-	-	-
	White—F—	8	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2	1	2	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylinism)—M—	44	-	-	-	-	-	1	-	-	-	2	2	8	5	13	5	4	2	1	-	-	-	-	-	-	-	1
	White—M—	37	-	-	-	-	-	1	-	-	-	2	2	6	5	10	4	4	1	1	-	-	-	-	-	-	-	1
	White—F—	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin—M—	2,782	4	1	2	3	-	3	2	6	4	9	9	30	55	93	136	166	257	417	459	498	350	199	58	18	3	-
	White—M—	1,267	2	1	1	2	-	3	2	3	-	3	11	23	31	41	77	106	207	232	253	154	86	21	7	1	-	-
	White—F—	1,118	1	-	1	1	-	2	2	1	5	1	13	17	29	52	51	100	159	186	200	162	101	27	7	-	-	-
	Nonwhite—M—	184	1	-	-	-	-	-	-	-	-	3	2	4	9	9	17	21	24	19	22	24	17	5	4	3	-	-
	Nonwhite—F—	213	-	-	-	-	-	-	2	-	-	1	3	2	6	24	26	17	32	19	22	21	17	7	6	1	-	-
90-95	Diseases of the heart—M—	7,148	4	1	1	1	2	11	23	28	37	38	54	113	179	289	467	584	729	970	1,067	1,143	767	456	150	28	4	-
	White—M—	3,683	3	-	1	1	-	4	12	14	18	14	27	58	97	160	257	309	403	553	547	556	367	190	58	13	1	-
	White—F—	2,574	1	-	-	-	2	5	9	12	15	17	15	41	40	58	104	140	192	322	431	495	353	235	74	12	1	-
	Nonwhite—M—	468	-	-	-	-	-	1	-	1	3	-	5	6	20	30	59	70	58	49	55	48	36	17	6	2	2	-
	Nonwhite—F—	445	-	1	-	-	-	1	2	1	1	7	7	8	22	41	47	45	76	46	36	44	31	16	12	1	-	-
90a, 92b,c, 95a,95b	Chronic rheumatic diseases of the heart—M—	472	-	-	-	-	1	9	16	14	11	15	10	18	21	37	29	34	39	49	63	48	38	14	6	-	-	-
	White—M—	218	-	-	-	-	2	10	5	5	6	5	9	9	17	12	17	22	27	28	25	11	7	1	-	-	-	-
	White—F—	171	-	-	-	-	1	5	5	7	6	6	3	8	9	10	11	8	4	18	23	17	19	6	5	-	-	-
	Nonwhite—M—	35	-	-	-	-	-	1	-	1	-	-	-	1	5	3	3	3	3	7	1	5	1	-	-	-	-	-
	Nonwhite—F—	48	-	-	-	-	-	1	1	1	-	3	1	1	2	5	3	6	10	1	5	5	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris—M—	1,941	-	-	-	-	-	1	-	2	4	5	18	35	71	107	182	214	251	292	257	265	130	72	19	4	2	-
	White—M—	1,248	-	-	-	-	-	1	-	1	2	3	9	23	49	78	144	154	175	189	148	148	76	35	10	3	-	-
	White—F—	569	-	-	-	-	-	-	-	1	1	7	9	12	14	29												



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	KENTUCKY—Con.																											
	Arteriosclerosis and high blood pressure*	610	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	8	28	60	93	123	133	109	40	6	1	-
	White—M—	278	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	18	23	46	54	64	44	15	3	2	-	
	F—	258	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	7	25	36	56	54	17	4	-	-	
	Nonwhite—M—	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	7	6	7	5	5	4	-	-	
F—	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	1	6	6	6	4	1	1	-	
107-109, 33	Pneumonia (all forms) and influenza	1,773	447	64	21	22	8	30	11	22	27	17	21	38	26	46	50	61	90	117	165	178	145	99	43	18	7	
	White—M—	799	219	29	10	12	4	15	6	7	15	6	8	16	9	21	27	45	55	68	87	75	29	10	4	2	3	
	F—	742	179	29	9	9	4	10	3	9	8	8	9	10	6	9	18	20	33	47	61	76	62	28	12	3		
	Nonwhite—M—	113	28	3	1	-	-	2	-	3	1	2	1	6	6	7	7	6	7	6	8	7	2	6	1	-	1	
	F—	119	21	3	1	1	-	3	-	3	3	3	1	6	3	9	7	8	5	9	8	8	6	5	3	2	1	
107	Bronchopneumonia	694	248	54	11	14	3	8	7	3	7	2	6	7	7	14	13	22	22	29	57	74	45	32	20	8	1	
	White—M—	316	126	17	6	7	-	5	1	3	-	-	4	3	2	7	4	6	12	12	23	37	24	9	6	2	-	
	F—	292	96	16	4	6	3	3	2	2	1	2	2	2	1	2	7	11	7	13	26	32	17	19	11	6	1	
	Nonwhite—M—	37	12	1	-	-	-	2	-	-	1	-	-	1	3	2	1	2	1	2	4	3	-	1	1	-	-	
	F—	49	14	-	1	1	-	3	-	-	2	-	-	1	1	3	1	3	2	2	4	2	4	3	2	-	-	
108	Lobar pneumonia	471	66	12	4	1	1	11	1	8	9	10	5	19	7	21	23	24	39	41	51	46	39	21	6	5	1	
	White—M—	218	30	6	-	1	1	7	-	2	4	3	1	8	2	9	11	12	18	22	25	23	8	2	1	-	-	
	F—	167	23	2	3	-	-	4	1	3	4	4	3	5	2	4	5	9	13	12	23	15	11	4	3	-	-	
	Nonwhite—M—	49	10	2	1	-	-	-	-	1	-	2	1	3	2	3	4	1	5	4	2	4	1	2	-	-	1	
	F—	37	3	2	-	-	-	-	-	2	1	1	-	3	1	5	3	3	3	3	4	2	-	-	-	1	-	
109	Pneumonia (unspecified)	307	85	8	6	6	3	6	-	3	3	3	3	5	6	6	6	8	15	21	27	20	20	24	9	4	2	
	White—M—	188	45	4	4	3	2	4	-	2	2	1	1	2	3	4	-	3	8	9	12	11	10	8	-	-	-	
	F—	147	45	4	2	3	1	2	-	1	1	2	2	2	1	1	3	1	7	10	15	8	10	13	9	3	1	
	Nonwhite—M—	11	3	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	2	-	-	-	
	F—	11	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	1	-	1	-	1	1	
33	Influenza	301	58	10	-	1	1	5	3	8	8	2	7	7	6	5	8	9	14	26	30	38	41	22	8	1	3	
	White—M—	127	18	2	-	1	1	4	3	2	6	2	2	3	2	1	3	6	6	12	11	14	18	4	2	1	2	
	F—	156	15	7	-	-	-	1	-	3	2	-	2	3	2	2	3	-	6	12	17	21	20	16	5	-	1	
	Nonwhite—M—	16	3	-	-	-	-	-	-	2	-	-	-	2	1	1	1	1	1	1	2	-	1	1	-	-	-	
	F—	22	2	1	-	-	-	-	-	1	-	-	3	1	1	1	1	2	-	2	-	3	2	1	1	-	-	
117	Ulcer of stomach or duodenum	141	-	-	-	-	-	1	1	-	2	-	4	12	7	18	8	12	19	16	11	19	7	2	2	-	-	
	White—M—	94	-	-	-	-	-	-	-	-	-	-	2	9	4	12	7	6	13	14	6	16	4	2	1	-	-	
	F—	28	-	-	-	-	-	1	1	-	-	-	1	1	1	1	1	4	3	2	3	3	2	1	-	-		
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	2	-	1	1	1	4	1	2	2	2	1	-	-	-	-	-	-	
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc.*	272	192	19	3	-	2	2	1	-	-	-	-	3	4	1	3	4	5	4	4	5	6	5	6	2	1	
	White—M—	136	92	11	2	-	1	2	1	-	-	-	-	1	2	-	2	2	2	1	2	1	2	5	2	5	1	
	F—	105	77	8	-	1	-	-	-	-	-	-	-	-	1	-	1	3	1	3	3	1	3	1	2	1	-	
	Nonwhite—M—	16	11	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	
	F—	15	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	
121	Appendicitis	103	1	-	1	1	3	3	9	5	7	5	5	5	5	9	7	7	8	4	8	7	1	1	1	-	-	
	White—M—	57	1	-	1	1	1	2	4	3	3	2	3	3	4	4	4	4	7	1	5	3	-	1	1	-	-	
	F—	38	-	-	1	-	2	1	4	2	4	3	2	1	-	4	3	1	1	2	3	3	1	-	-	-	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	
	F—	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	
122	Hernia, intestinal obstruction	168	20	1	1	1	2	1	1	2	3	1	3	6	3	11	15	9	20	17	16	17	10	6	1	1	-	
	White—M—	76	15	1	-	1	2	1	1	-	1	-	1	-	-	5	6	4	4	9	7	9	4	5	1	1	-	
	F—	71	5	-	1	-	-	-	-	1	1	1	2	3	2	4	6	4	12	6	8	7	5	1	1	1	-	
	Nonwhite—M—	9	-	-	-	-	-	-	-	1	1	-	-	2	1	-	2	-	1	-	1	-	-	-	-	-	-	
	F—	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	2	-	1	1	-	-	-	-	
124	Cirrhosis of the liver	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	131	-	-	-	-	-	-	-	-	-	-	-	4	9	14	20	24	25	18	27	17	10	4	2	-	-	
	F—	42	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	4	4	5	3	9	4	3	-	-	
	Nonwhite—M—	12	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	1	1	1	-	-	-	-	-	-	
	F—	10	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	-	-	-	1	-	-	-	-	-	-	
126,127	Biliary calculi, etc.*	113	1	-	-	-	-	-	-	-	1	-	2	2	5	8	6	17	14	15	19	10	9	2	2	-	-	
	White—M—	39	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	4	4	6	8	3	1	-	-	-	-	
	F—	72	1	-	-	-	-	-	-	-	1	-	1	-	2	6	4	13	9	9	11	7	5	1	2	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
130-132	Nephritis	1,691	3	2	2	2	1	6	11	8	22	17	23	30	51	52	92	121	126	170	260	275	220	131	57	8	1	
	White—M—	786	2	1	-	2	1	2	5	2	11	8	10	9	19	19	34	45	60	73	154	148	118	56	25	3	-	
	F—	612	-	1	-	-	-	3	5	6	9	7	11	12	22	16	36	40	56	63	90	91	61	57	25	2	-	
	Nonwhite—M—	166	-	-	1	-	-	1	-	-	2	2	-	7	7	12	22	17	18	17	25	12	13	3	4	3	-	
	F—	127	1	-	1	-	-	1	-	-	1	-	2	2	4	10	10	14	13	16	19	11	9	5	4	3	1	
137	Diseases of the prostate	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	9	16	28	22	33	18	4	-	-	
	White—M—	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	13	23	21	32	17	4	-	-	
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	1	1	1	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

321

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	KENTUCKY—Con.																											
	Diseases of pregnancy, etc.*	144	-	-	-	-	-	-	-	-	17	30	31	28	18	16	4	-	-	-	-	-	-	-	-	-	-	
	White—F	128	-	-	-	-	-	-	-	-	14	22	27	26	17	16	4	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	18	-	-	-	-	-	-	-	-	3	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
140,142a, 145A,147	Puerperal septicemia	47	-	-	-	-	-	-	-	-	6	9	13	7	4	7	1	-	-	-	-	-	-	-	-	-	-	
	White—F	38	-	-	-	-	-	-	-	-	5	5	11	5	4	7	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	9	-	-	-	-	-	-	-	-	1	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia	40	-	-	-	-	-	-	-	-	5	14	5	10	3	3	-	-	-	-	-	-	-	-	-	-	-	
	White—F	35	-	-	-	-	-	-	-	-	4	10	5	10	3	3	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	5	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,148, 149	Hemorrhage, trauma or shock*	41	-	-	-	-	-	-	-	-	3	4	10	10	8	3	3	-	-	-	-	-	-	-	-	-	-	
	White—F	39	-	-	-	-	-	-	-	-	3	4	8	10	7	3	3	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145B,150	Other puerperal causes	16	-	-	-	-	-	-	-	-	3	3	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	
	White—F	15	-	-	-	-	-	-	-	-	2	3	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	364	328	7	4	2	1	5	5	2	3	2	2	2	-	-	1	2	-	-	-	-	-	-	-	-	-	
	White—M	187	189	2	1	1	1	3	4	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	F	155	141	3	2	1	-	2	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	1,474	1,474	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White—M	783	783	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	563	563	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite—M	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
159	Premature birth	948	948	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White—M	504	504	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	349	349	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite—M	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
159,160, 161	Other diseases peculiar to first year	526	526	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White—M	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	214	214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite—M	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
163,164	Suicide	271	-	-	-	-	-	-	1	9	24	12	20	22	24	34	20	21	29	18	18	10	7	1	-	-	-	
	White—M	195	-	-	-	-	-	-	1	5	14	8	12	11	19	22	16	16	21	16	16	9	6	1	-	-	-	
	F	68	-	-	-	-	-	-	3	8	4	7	10	5	11	4	4	4	8	2	2	1	1	-	-	-	-	
	Nonwhite—M	9	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide	304	4	-	-	-	-	2	16	47	52	38	43	22	27	18	11	7	10	4	3	-	-	-	-	-	-	
	White—M	171	2	-	-	-	-	1	6	26	32	15	25	10	18	9	10	5	10	2	2	-	-	-	-	-	-	
	F	33	2	-	-	-	-	5	7	3	5	1	2	3	2	3	2	2	-	1	-	-	-	-	-	-	-	
	Nonwhite—M	80	-	-	-	-	-	1	4	11	14	11	16	8	7	5	1	-	-	2	-	-	-	-	-	-	-	
	F	20	-	-	-	-	-	1	3	3	7	1	2	1	2	1	2	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	2,130	79	43	34	34	26	86	84	148	208	150	126	122	77	60	93	77	90	102	102	122	113	77	34	7	2	
	White—M	1,372	40	23	15	17	12	42	64	115	167	128	103	96	63	62	66	55	60	60	57	50	40	26	8	1	2	
	F	585	28	17	16	14	10	39	14	21	29	14	17	16	6	10	11	12	21	30	41	69	68	49	25	5	1	
	Nonwhite—M	114	6	2	1	2	3	4	5	5	9	7	3	6	6	16	8	9	8	3	2	2	2	-	-	-	-	
	F	49	5	1	-	1	1	3	1	7	3	1	3	4	2	2	-	2	-	4	1	1	3	2	1	1	-	
170	Motor-vehicle accidents	729	2	6	7	7	9	25	22	79	136	84	46	51	30	32	39	29	37	29	28	16	10	3	-	-	-	
	White—M	552	1	4	4	3	6	10	18	63	107	71	38	39	26	23	28	22	27	22	18	13	7	2	-	-	-	
	F	126	1	4	3	3	2	14	2	12	22	10	5	7	2	6	6	3	7	4	6	3	3	1	-	-	-	
	Nonwhite—M	41	-	-	-	1	1	2	3	6	3	2	3	2	3	5	3	3	2	1	-	-	-	-	-	-	-	
	F	8	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	
169, 171-195	Other accidents	1,391	77	35	27	27	17	68	62	69	72	66	80	71	47	48	54	48	53	73	74	106	103	74	34	7	2	
	White—M	820	39	19	11	14	6	32	46	52	60	57	65	57	37	39	38	33	33	38	39	37	33	24	8	1	-	
	F	457	27	13	15	11	8	26	12	9	7	4	12	9	4	4	5	9	14	26	33	66	68	48	25	5	1	
	Nonwhite—M	73	6	2	1	1	2	3	3	2	3	4	1	3	4	3	11	5	6	2	2	2	2	-	-	-	-	
	F	41	5	1	-	1	1	3	1	6	2	1	2	2	2	-	-	1	-	3	-	1	3	2	1	1	-	
162,199, 200	Senility, ill-defined and unknown causes	570	97	6	1	2	-	3	-	3	1	3	1	2	6	6	12	7	24	22	45	65	90	93	65	13	2	
	White—M	270	52	3	1	1	-	1	-	1	-	-	1	1	4	4	4	5	15	10	22	30	49	39	20	6	1	
	F	251	40	3	-	1	-	1	-	2	1	2	-	-	1	1	3	1	7	9	21	26	35	50	42	5	-	
	Nonwhite—M	29	2	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	5	5	2	1	1	1	-	
	F	20	3	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	1	1	4	2	2	2	1	-	-	
	All other causes	1,542	114	30	24	19	17	53	40	39	39	58	65	69	75	91	93	103	102	119	105	121	86	52	25	9	-	
	White—M	709	57	13	9	11	8	25	17	21	9	29	33	24	23	40	41	52	39	64	57	57	35	26	14	5	-	
	F	674	48	16	13	6	8	26	20	12	23	24	20	37	37	28	31	41	55	44	62	45	25	9	4	-	-	
	Nonwhite—M	89	6	-	2	1	-	1	3	2	5	3	3	3	7	11	15	4	7	5	4	1	4	-	2	-	-	
	F	70	3	1	-	-	1	1	-	3	2	2	7	5	6	12	6	6	1	6								



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																											
	All causes—	22,030	2,553	210	132	91	64	212	207	324	502	504	562	778	996	1,201	1,565	1,766	2,031	2,164	2,100	1,761	1,116	705	295	95	58	20
	White—M—	7,536	744	63	40	31	19	67	68	100	173	149	160	241	320	398	564	625	801	827	801	656	364	224	75	20	3	4
	White—F—	5,421	529	54	30	24	17	47	35	54	70	86	118	134	174	206	274	352	451	600	660	632	425	297	123	25	4	1
	Nonwhite—M—	4,837	731	56	35	20	16	65	61	94	128	129	132	210	232	299	413	447	414	393	341	286	160	85	42	17	15	6
	Nonwhite—F—	4,236	550	37	27	16	13	33	43	76	131	140	152	181	270	298	324	342	365	344	298	207	167	89	55	33	36	9
1,2	Typhoid and paratyphoid fever—	22	-	-	2	1	-	-	1	4	1	5	-	-	3	-	2	1	1	1	-	-	-	-	-	-	-	-
	White—M—	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—F—	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	10	-	-	1	-	-	-	1	3	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis—	24	6	3	-	-	1	5	2	1	1	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-
	White—M—	9	3	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	9	1	1	-	-	-	5	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever—	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
9	Whooping cough—	24	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	11	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria—	42	2	7	10	5	7	7	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	15	-	4	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	10	1	2	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	11	-	1	3	-	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	6	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)—	1,099	14	3	3	4	-	8	6	46	99	93	101	95	102	97	121	86	79	65	39	16	9	-	3	-	-	1
	White—M—	384	7	-	1	-	-	3	-	4	12	15	22	20	34	37	58	44	40	30	25	9	2	-	1	-	-	-
	White—F—	141	-	1	-	-	-	-	-	4	11	14	19	17	11	11	17	9	11	12	6	3	2	-	1	-	-	-
	Nonwhite—M—	320	4	1	1	2	-	4	2	9	28	25	27	38	35	34	39	22	23	18	4	2	1	-	1	-	-	1
	Nonwhite—F—	284	3	1	1	2	-	1	4	29	48	39	33	20	22	22	11	5	5	5	5	2	4	-	1	-	-	1
13	Tuberculosis of respiratory system, etc.—	1,018	6	1	1	2	-	3	4	42	90	91	98	92	99	94	116	82	75	59	36	14	9	-	3	-	-	1
	White—M—	345	4	-	1	-	-	-	4	11	15	22	19	33	37	56	43	39	27	23	8	2	-	1	-	-	-	-
	White—F—	132	-	-	-	-	-	-	3	10	14	18	17	11	4	16	9	10	10	6	2	2	-	1	-	-	-	-
	Nonwhite—M—	295	-	1	-	1	-	2	-	9	25	24	26	34	31	37	20	21	17	4	2	1	-	1	-	-	-	-
	Nonwhite—F—	246	2	-	-	1	-	1	4	26	44	38	32	18	20	22	7	10	5	5	3	2	4	-	1	-	-	1
14-22	Tuberculosis (other forms)—	71	3	2	2	2	-	5	2	4	9	2	3	3	3	3	5	4	4	6	2	2	-	-	-	-	-	-
	White—M—	19	-	-	-	-	-	3	-	-	1	-	-	-	1	-	1	1	1	3	2	1	-	-	-	-	-	-
	White—F—	9	-	1	-	-	-	-	1	1	1	-	-	-	-	-	3	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	25	4	-	1	1	-	2	2	-	3	1	1	1	2	-	2	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite—F—	19	1	1	1	1	-	-	-	3	4	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery—	21	7	1	-	1	-	-	-	-	1	1	2	-	1	1	1	-	1	2	1	1	-	-	-	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F—	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	3	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—F—	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
28	Malaria—	22	1	1	2	-	-	-	1	-	1	-	1	1	1	2	2	2	1	1	-	1	4	-	-	-	-	-
	White—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	White—F—	5	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	6	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	7	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-
30	Syphilis—	422	33	-	-	-	-	-	-	5	5	6	14	36	68	49	59	45	44	27	14	13	3	2	-	-	-	2
	White—M—	92	2	-	-	-	-	-	-	-	-	-	1	1	16	16	12	11	16	11	6	5	-	-	-	-	-	-
	White—F—	15	-	-	-	-	-	-	-	1	-	-	1	1	2	1	3	1	4	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	219	18	-	-	-	-	-	-	3	1	3	7	25	30	33	34	23	18	11	6	4	2	1	-	-	-	-
	Nonwhite—F—	96	13	-	-	-	-	-	-	1	4	3	5	4	18	8	10	10	6	5	2	3	1	1	-	-	-	2
35	Measles—	22	5	1	2	-	-	5	1	3	-	-	-	1	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	White—M—	7	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—F—	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	8	3	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)—	23	1	1	4	2	2	2	1	2	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	10	1	1	1	-	-	-	1	1	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	6	-	-	1	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	1	1																					



## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
LOUISIANA--Con.																												
45-55	Cancer and other malignant tumors	2,506	-	1	1	5	1	6	8	8	17	33	52	104	138	200	258	310	341	322	304	217	105	54	17	3	-	1
	White--M--	906	-	1	2	-	-	3	2	3	3	10	11	21	20	53	79	104	137	142	141	104	47	17	8	-	-	-
	F--	829	-	-	1	1	-	1	2	3	4	8	22	37	57	69	81	95	102	111	94	61	46	28	5	1	-	-
	Nonwhite-M--	342	-	-	-	2	-	2	3	1	4	7	6	17	10	26	44	58	46	38	34	34	3	3	2	1	-	1
	F--	427	-	-	-	-	1	2	1	1	6	8	13	29	51	52	54	53	56	31	35	18	9	6	2	1	-	-
46	Cancer of the digestive organs and peritoneum	951	-	-	1	-	1	-	1	1	5	6	16	34	39	56	94	117	155	141	136	96	36	21	2	2	-	1
	White--M--	378	-	-	-	-	-	-	-	1	-	2	3	9	9	17	34	40	71	60	58	46	17	8	1	-	-	-
	F--	274	-	-	1	-	-	-	1	-	2	-	4	10	8	17	22	24	35	47	44	32	14	10	1	1	-	1
	Nonwhite-M--	168	-	-	-	-	-	-	-	-	2	3	3	12	5	16	27	26	32	18	13	8	1	1	-	-	-	1
	F--	141	-	-	-	-	1	-	-	-	1	1	6	3	17	6	11	27	16	16	21	8	4	2	-	1	-	-
48,49	Cancer of female genital organs	397	-	-	-	-	-	-	-	2	3	4	11	33	47	56	49	44	48	39	26	13	15	7	1	-	-	-
	White--F--	230	-	-	-	-	-	-	-	1	1	1	7	12	23	28	24	33	25	29	20	8	13	5	-	-	-	-
	Nonwhite-F--	167	-	-	-	-	-	-	-	1	2	3	4	21	24	28	25	11	23	9	6	5	2	2	1	-	-	-
50	Cancer of breast	178	-	-	-	-	-	-	-	-	1	5	2	16	16	23	22	25	23	13	14	4	12	1	1	-	-	-
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	128	-	-	-	-	-	-	-	-	-	3	2	11	15	12	15	18	18	11	10	2	9	1	1	-	-	-
	Nonwhite-M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	48	-	-	-	-	-	-	-	-	1	2	-	5	1	11	7	7	5	2	3	2	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	970	-	1	-	5	-	6	7	5	8	18	23	21	36	65	93	124	115	130	128	104	42	25	13	1	-	-
	White--M--	529	-	1	-	2	-	3	2	2	3	8	8	12	11	36	45	64	66	82	82	56	30	9	7	-	-	-
	F--	197	-	-	1	-	1	1	1	2	1	4	9	4	11	12	20	20	23	24	20	19	10	12	3	-	-	-
	Nonwhite-M--	173	-	-	2	-	2	3	1	2	4	3	5	5	5	10	17	32	14	20	21	26	1	2	2	1	-	-
	F--	71	-	-	-	-	-	1	-	-	2	2	3	-	9	7	11	8	12	4	5	3	1	2	1	-	-	-
58	Acute rheumatic fever	17	-	-	-	-	1	2	3	2	-	1	1	1	1	-	-	-	1	-	2	-	1	1	-	-	-	-
	White--M--	7	-	-	-	-	1	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	358	-	-	-	-	1	1	-	2	2	3	1	5	7	14	34	46	50	73	51	42	18	3	2	1	1	1
	White--M--	82	-	-	-	-	-	-	-	-	1	-	1	2	1	2	7	6	13	17	12	13	7	-	-	-	-	-
	F--	170	-	-	-	-	1	-	-	1	1	1	-	1	1	5	8	17	30	41	26	24	10	2	1	-	-	-
	Nonwhite-M--	23	-	-	-	-	-	-	-	1	-	1	-	1	4	-	2	6	-	2	4	1	1	-	-	-	-	-
	F--	83	-	-	-	-	1	-	-	-	1	-	1	1	1	7	17	17	7	13	9	4	-	1	1	1	1	1
63b	Exophthalmic goiter	30	-	-	-	-	-	-	-	1	-	1	1	5	1	4	4	5	2	1	2	1	-	2	-	-	-	-
	White--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	1	1	-	1	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	22	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	3	3	3	4	2	2	-	-	-	-
	White--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	1	1	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	-	-	-	-	-	-	-
77	Alcoholism (ethylish)	19	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	2	2	1	-	-	-	-	-	-	-	-
	White--M--	10	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,778	2	2	1	-	1	2	3	3	1	9	23	35	69	115	166	174	194	259	244	211	142	78	25	12	5	1
	White--M--	456	-	-	-	-	-	-	2	2	1	3	2	6	16	27	29	43	49	79	64	67	37	21	6	2	-	-
	F--	487	1	2	-	-	1	1	1	-	-	4	5	3	11	24	34	43	40	64	74	75	53	37	11	2	1	-
	Nonwhite-M--	360	-	-	1	-	1	-	-	-	-	-	-	4	4	15	22	53	37	46	55	49	35	23	8	4	3	-
	F--	475	1	-	-	-	-	-	-	1	-	2	12	22	27	42	50	51	59	61	57	34	29	12	5	5	4	1
90-95	Diseases of the heart	5,957	4	4	1	-	-	15	12	19	25	40	48	109	212	323	470	631	761	865	846	704	456	244	109	37	19	5
	White--M--	2,312	1	2	-	-	-	2	2	7	5	7	16	44	85	141	224	260	322	355	346	247	141	73	21	11	2	2
	F--	1,546	1	1	1	-	-	3	3	1	4	5	8	12	28	32	56	115	144	236	277	268	1868					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths.)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97,102	LOUISIANA—Con.																												
	Arteriosclerosis and high blood pressure <sup>a</sup>	250	-	-	-	-	-	-	-	-	-	-	2	1	4	5	3	4	8	15	33	36	42	28	36	16	6	5	1
	White—M	78	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	5	8	13	18	13	10	7	1	-	-	
	White—F	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	13	10	10	17	17	3	1	-	-	
	Nonwhite—M	39	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	5	6	6	6	4	3	2	3	1	
	Nonwhite—F	63	-	-	-	-	-	-	-	-	-	-	-	3	5	2	2	3	5	11	7	8	4	5	3	2	2	1	
107-109, 33	Pneumonia (all forms) and influenza	1,300	374	59	23	12	8	23	26	13	16	22	17	31	29	42	47	65	71	69	63	108	72	54	25	10	2	-	
	White—M	341	75	11	7	6	3	7	4	2	1	3	4	9	9	9	11	20	21	25	28	35	25	21	5	1	-	-	
	White—F	305	61	11	3	-	1	4	7	1	4	5	2	9	6	5	6	5	18	19	28	44	26	24	13	5	1	-	
	Nonwhite—M	358	136	24	9	3	-	8	7	9	5	5	3	9	5	13	14	22	23	10	13	18	11	9	1	-	-	-	
	Nonwhite—F	296	102	12	4	3	4	4	8	1	6	9	8	5	9	15	16	18	11	15	14	11	10	1	4	3	1	-	
107	Bronchopneumonia	601	224	30	16	4	3	7	10	5	5	8	6	14	11	13	21	26	28	28	28	45	37	17	9	6	-	-	
	White—M	163	45	6	5	2	2	2	1	2	-	1	1	3	5	5	4	9	13	11	6	15	15	7	2	-	-	-	
	White—F	139	36	3	2	-	-	1	4	1	-	-	1	4	4	-	6	3	4	7	12	21	12	9	6	3	-	-	
	Nonwhite—M	177	83	15	7	1	-	5	2	2	3	2	3	2	5	1	4	4	8	9	6	5	1	1	1	-	-	-	
	Nonwhite—F	122	60	6	2	1	1	1	3	-	3	4	2	2	1	4	7	6	2	4	3	2	5	-	-	3	-	-	
108	Lobar pneumonia	286	48	6	2	3	2	8	7	3	8	7	3	7	9	15	14	17	20	14	29	29	11	19	7	1	-	-	
	White—M	86	14	2	-	2	-	3	2	-	-	1	-	3	2	3	4	6	4	6	15	11	1	6	2	-	-	-	
	White—F	72	5	3	1	-	1	3	1	-	3	2	-	2	2	4	-	1	3	3	8	10	5	10	4	1	-	-	
	Nonwhite—M	69	19	-	1	-	-	2	3	1	2	1	2	2	2	3	5	6	8	-	2	6	2	2	1	-	-	-	
	Nonwhite—F	59	11	1	-	1	1	-	2	-	1	2	2	-	3	5	5	5	5	5	4	2	3	1	-	-	-	-	
109	Pneumonia (unspecified)	155	45	9	2	2	1	3	3	2	2	3	4	1	1	4	7	8	8	8	9	13	9	7	3	1	1	-	
	White—M	44	9	1	-	1	-	1	-	-	1	1	3	1	-	1	2	2	3	3	5	5	2	2	1	-	-	-	
	White—F	35	10	2	-	-	-	-	-	-	-	2	1	-	-	-	1	-	5	3	3	3	2	2	1	-	-	-	
	Nonwhite—M	37	11	4	1	1	-	-	1	2	-	-	-	-	-	1	4	4	-	-	1	3	3	1	1	1	1	-	
	Nonwhite—F	39	15	1	1	-	1	2	2	-	1	-	-	-	1	1	1	2	-	1	3	2	2	1	1	1	1	-	
33	Influenza	258	57	14	3	3	2	5	6	3	4	4	4	9	8	10	5	14	15	19	17	21	15	11	6	2	1	-	
	White—M	48	7	2	2	1	1	1	1	-	-	-	-	2	2	-	1	4	1	5	5	3	4	6	1	-	-	-	
	White—F	59	10	3	-	-	-	2	-	1	1	1	-	2	-	-	1	4	5	5	10	7	3	3	1	1	-	-	
	Nonwhite—M	75	24	5	-	1	-	3	2	2	2	-	-	2	2	5	1	4	6	4	3	3	4	2	1	-	-	-	
	Nonwhite—F	76	16	4	1	1	1	1	1	1	1	3	4	3	4	5	3	5	4	5	4	5	-	3	1	-	-	-	
117	Ulcer of stomach or duodenum	134	-	-	-	-	-	-	1	-	2	5	10	9	12	13	17	16	14	14	11	6	2	2	-	-	-	-	
	White—M	82	-	-	-	-	-	-	1	-	1	3	4	6	8	6	10	7	11	12	7	3	2	1	-	-	-	-	
	White—F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-	
	Nonwhite—M	34	-	-	-	-	-	-	-	-	2	4	3	1	6	3	9	1	2	1	2	1	2	1	-	-	-	-	
	Nonwhite—F	11	-	-	-	-	-	-	-	-	1	-	2	-	3	1	3	-	-	-	1	-	-	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc. <sup>a</sup>	145	98	9	4	2	-	1	2	-	-	1	1	2	1	2	1	2	5	3	1	4	5	1	2	-	-	-	
	White—M	32	18	3	2	1	-	-	1	-	-	-	1	1	1	-	-	-	1	1	1	1	1	1	1	-	-	-	
	White—F	29	15	2	1	-	-	1	-	-	-	1	-	1	-	2	-	1	-	1	1	1	1	1	1	-	-	-	
	Nonwhite—M	46	38	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-	
	Nonwhite—F	38	27	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	3	-	-	-	-	-	
121	Appendicitis	92	-	2	2	2	1	10	6	6	2	5	1	6	9	8	5	5	7	6	5	4	-	-	-	-	-	-	
	White—M	36	-	1	2	2	-	5	1	-	2	-	1	5	4	1	2	2	2	5	1	-	-	-	-	-	-	-	
	White—F	20	-	-	-	-	1	3	-	2	-	2	-	-	1	2	-	2	1	1	2	3	-	-	-	-	-	-	
	Nonwhite—M	14	-	1	-	-	-	1	1	3	-	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	22	-	-	-	-	-	1	4	1	-	3	-	1	1	4	1	-	3	-	2	1	-	-	-	-	-	-	
122	Hernia, intestinal obstruction	187	3	1	2	-	1	1	-	4	4	5	10	8	12	12	16	26	16	13	17	16	13	6	1	-	-	-	
	White—M	57	-	1	1	-	-	1	-	-	2	1	3	3	1	5	3	8	3	6	4	7	5	2	-	-	-	-	
	White—F	51	1	-	-	-	-	-	-	-	2	2	-	2	-	2	3	8	9	3	6	4	5	2	-	-	-	-	
	Nonwhite—M	50	2	-	1	-	1	-	-	2	-	2	1	-	6	3	6	9	3	3	4	4	2	2	1	-	-	-	
	Nonwhite—F	29	-	-	-	-	-	-	-	1	2	-	4	5	3	2	5	2	1	1	3	-	-	-	-	-	-	-	
124	Cirrhosis of the liver	181	3	1	1	-	-	-	2	-	1	1	5	12	14	23	24	21	22	20	13	11	6	3	-	-	-	-	
	White—M	88	1	-	-	-	-	-	1	-	1	-	-	5	9	13	13	9	12	10	6	4	4	-	-	-	-	-	
	White—F	43	-	1	-	-	-	-	-	-	-	-	1	2	2	4	5	3	5	7	6	4	2	1	-	-	-	-	
	Nonwhite—M	30	1	-	-	-	-	-	-	-	-	-	1	3	1	3	3	8	4	2	1	2	-	1	-	-	-	-	
	Nonwhite—F	20	1	-	1	-	-	-	1	-	-	1	1	2	2	3	3	1	1	1	-	1	-	1	-	-	-	-	
126,127	Biliary calculi, etc. <sup>a</sup>	69	-	-	-	-	-	-	1	-	1	1	3	5	4	4	6	13	9	10	6	1	5	-	-	-	-	-	
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	9	3	4	2	-	-	-	-	-	-	
	White—F	34	-	-	-	-	-	-	1	-	-	1	2	2	1	2	1	4	4	4	6	4	1	3	-	-	-	-	
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	2	-	-	-	-	-	-	-	-	
130-132	Nephritis	1,442	6	2	2	3	1	2	6	12	8	15	27	42	59	85	86	130	163	160	201	190	114	81	26	10	9	2	
	White—M	402	1	-	1	2	-	1	2	-	3	4	6	13	12	16	19	34	40	51	64	66	28	31	5	2	1	-	
	White—F	372	4	1	1	-	1	1	1	6	2	2	6	5	10	15	21	15	35	41	58	67	42	27	10	1	-	-	
	Nonwhite—M	320	1	1	-	-	-	-	-	2	1	1	2	8	10	12	24	20	31	47	32	47	36	21	14	5	5	2	
	Nonwhite—F	349	-	-	-	1	-	-	1	5	2	7	9	14	25	30	26	50	41	36	32	21	23	9	6	3	2	-	
137	Diseases of the prostate	107	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	13	22	22	17	12	10	1	-	-	-	
	White—M																												



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

325

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
LOUISIANA--Con.																												
140-150	Diseases of pregnancy, etc.*	139	-	-	-	-	-	-	-	6	30	34	32	24	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	65	-	-	-	-	-	-	-	2	12	20	16	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	74	-	-	-	-	-	-	-	-	6	18	14	16	13	6	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicaemia	47	-	-	-	-	-	-	-	3	12	15	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	19	-	-	-	-	-	-	-	1	1	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	29	-	-	-	-	-	-	-	2	11	6	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	45	-	-	-	-	-	-	-	3	14	10	7	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	22	-	-	-	-	-	-	-	1	10	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	21	-	-	-	-	-	-	-	2	4	5	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	34	-	-	-	-	-	-	-	-	1	7	12	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	19	-	-	-	-	-	-	-	-	-	5	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	15	-	-	-	-	-	-	-	-	1	2	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	15	-	-	-	-	-	-	-	2	3	2	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	10	-	-	-	-	-	-	-	2	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	263	216	22	5	3	4	4	6	4	10	2	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	114	92	9	-	-	-	1	4	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	91	63	9	5	1	3	2	1	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	43	34	1	-	-	1	1	1	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	27	3	-	1	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,471	1,471	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	464	464	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	318	318	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	390	390	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	962	962	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	322	322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	211	211	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	197	197	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	509	509	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	162	162	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	82	82	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	192	-	-	-	-	-	-	1	3	16	17	18	22	29	14	18	10	17	14	6	3	2	-	2	-	-	-
	White--M	139	-	-	-	-	-	-	1	1	10	11	12	18	23	10	15	6	12	9	6	3	2	-	1	-	-	-
	F	33	-	-	-	-	-	-	1	2	3	4	3	2	4	3	1	4	3	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	-	-	-	-	-	-	-	-	3	2	2	2	2	1	-	3	1	1	-	-	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide	261	6	-	1	-	1	-	3	18	51	40	41	34	26	14	9	2	11	1	-	2	2	1	-	-	-	-
	White--M	49	1	-	-	-	1	-	5	7	6	6	3	7	2	-	1	7	1	-	1	-	-	1	-	-	-	-
	F	19	4	-	-	-	-	-	1	3	-	2	2	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	162	1	-	1	-	-	-	3	9	33	29	27	25	12	10	7	1	2	-	1	1	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	1	8	5	6	4	3	2	-	-	1	-	-	-	-	1	-	-	-	-	-
169-195	Accidental deaths	1,636	70	43	34	23	21	78	82	127	157	107	86	102	86	78	85	64	75	72	73	59	45	39	21	5	1	3
	White--M	759	12	13	11	10	5	25	34	66	110	69	49	51	43	37	42	30	43	28	23	21	13	14	6	2	-	2
	F	277	17	10	6	7	4	12	7	14	9	6	10	8	8	8	7	6	13	17	32	22	21	20	11	2	-	-
	Nonwhite--M	423	23	10	11	4	7	25	27	42	28	28	22	30	29	27	29	21	17	16	11	6	5	2	2	-	-	1
	F	177	18	10	6	2	5	16	14	5	10	4	5	13	6	6	7	7	2	11	7	10	6	3	2	1	1	-
170	Motor-vehicle accidents	507	2	6	4	7	6	32	25	45	76	40	27	30	31	30	33	20	26	28	17	9	7	4	2	-	-	-
	White--M	293	1	3	2	4	3	14	15	27	62	23	15	16	12	14	20	10	16	16	7	7	4	1	1	-	-	-
	F	69	1	1	1	2	1	4	3	6	6	4	4	3	6	4	4	1	5	5	4	-	1	2	-	-	-	-
	Nonwhite--M	114	-	-	-	1	2	9	5	9	6	13	7	9	11	9	8	8	5	5	4	1	1	1	1	-	-	-
	F	32	-	2	1	-	-	5	2	3	2	-	1	3	2	3	1	1	-	2	2	1	1	-	-	-	-	-
169, 171-195	Other accidents	1,129	68	37	30	18	15	46	57	82	81	67	59	72	55	48	52	44	49	44	56	50	38	35	19	5	1	3
	White--M	466	11	10	9	6	2	11	19	39	48	46	34	35	31	23	22	20	27	12	16	14	9	13	5	2	-	2
	F	209	16	9	5	5	3	8	4	8	3	2	6	5	2	4	3	5	8	12	28	22	20	18	11	2	-	-
	Nonwhite--M																											



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																											
	All causes-----	10,058	833	57	31	25	25	70	57	113	128	121	139	161	258	344	478	611	823	1,063	1,301	1,361	1,065	681	258	52	3	4
	White-----M	5,549	475	25	21	13	14	41	34	67	74	69	88	89	141	219	274	370	483	598	738	759	537	292	103	19	2	3
	White-----F	4,474	354	32	10	10	9	29	25	45	54	52	51	71	113	121	204	237	336	460	559	600	527	388	154	33	1	1
	Nonwhite--M	25	1	-	-	-	-	-	-	-	-	-	-	1	3	3	-	3	3	3	3	2	1	-	-	-	-	-
	Nonwhite--F	12	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-	-	-	1	1	-	-	-
1,2	Typhoid and paratyphoid fever-----	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	9	2	-	1	1	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M	5	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	15	7	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	10	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	18	-	2	1	3	3	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	11	-	2	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	7	-	-	-	1	-	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	216	1	-	1	-	1	-	3	10	12	21	10	13	19	28	19	25	20	19	8	4	1	-	1	-	-	-
	White-----M	133	1	-	-	-	-	-	2	1	4	10	5	7	10	19	16	18	16	14	7	3	-	-	-	-	-	-
	White-----F	80	-	-	1	-	1	-	1	8	8	11	5	5	8	9	5	7	4	5	1	1	1	-	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	202	1	-	1	-	1	-	1	9	11	18	9	13	17	26	19	25	19	18	8	4	1	-	1	-	-	-
	White-----M	127	1	-	-	-	-	-	-	1	4	9	5	7	10	17	16	18	15	14	7	3	-	-	-	-	-	-
	White-----F	75	-	-	1	-	1	-	1	8	7	9	4	5	6	9	3	7	4	4	1	1	1	-	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	14	-	-	-	-	-	-	2	1	1	3	1	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M	6	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F	7	-	-	-	-	-	-	-	-	1	2	1	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	49	3	-	-	-	-	-	-	1	-	-	2	1	6	7	4	4	6	6	5	3	-	1	-	-	-	-
	White-----M	33	1	-	-	-	-	-	-	-	-	-	-	1	4	7	3	2	4	5	3	3	-	-	-	-	-	-
	White-----F	16	2	-	-	-	-	-	-	1	-	-	2	-	2	1	1	2	2	1	2	2	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	12	4	1	-	1	-	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M																											

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

327

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE-Cont.																											
45-55	Cancer and other malignant tumors	1,393	1	1	1	1	2	2	1	2	6	5	19	27	53	64	110	121	173	204	205	202	119	59	15	3	-	-
	White-M	664	1	1	1	1	2	2	1	1	1	1	7	7	14	23	40	59	79	97	124	110	69	21	7	-	-	-
	White-F	728	1	1	1	1	2	2	1	1	5	4	12	20	39	41	70	61	94	107	81	90	80	38	6	5	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	676	-	-	-	-	-	-	-	-	1	1	7	5	14	24	40	51	100	99	119	118	83	26	6	2	-	-
	White-M	370	-	-	-	-	-	-	-	-	1	1	2	2	5	11	22	31	52	53	80	73	29	7	2	-	-	-
	White-F	305	-	-	-	-	-	-	-	-	1	-	5	5	9	13	18	20	48	46	39	44	34	19	4	2	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	179	-	-	-	-	-	-	-	-	1	4	2	8	18	18	23	20	24	25	12	16	5	3	-	-	-	-
	White-F	179	-	-	-	-	-	-	-	-	1	4	2	8	18	18	23	20	24	25	12	16	5	3	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	124	-	-	-	-	-	-	-	-	1	-	4	7	9	6	17	9	8	17	13	13	10	9	1	1	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	124	-	-	-	-	-	-	-	-	1	-	4	7	9	6	17	8	8	17	13	13	10	9	1	1	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	414	1	1	1	1	2	2	1	2	3	-	6	7	12	16	30	42	41	63	61	55	41	21	6	-	-	-
	White-M	284	-	1	-	-	2	2	1	1	1	-	5	5	9	12	18	28	27	44	44	37	40	14	5	-	-	-
	White-F	118	1	-	-	1	2	-	-	1	2	-	1	2	3	4	12	13	14	19	17	17	1	7	1	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	7	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-M	5	-	-	1	-	-	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	235	-	-	-	-	-	1	3	3	2	2	4	3	3	7	14	16	19	41	42	45	26	3	1	-	-	-
	White-M	103	-	-	-	-	-	1	2	2	1	1	4	2	2	2	7	4	7	11	23	23	11	1	-	-	-	-
	White-F	132	-	-	-	-	-	1	3	3	1	1	1	1	1	5	7	12	12	30	19	22	15	2	1	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	14	-	-	-	-	-	-	-	-	-	1	-	1	2	-	7	2	1	-	-	-	-	-	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-F	13	-	-	-	-	-	-	-	-	-	-	1	-	2	-	6	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	24	-	-	-	-	-	-	-	1	-	-	3	3	4	6	2	1	3	-	1	-	-	-	-	-	-	-
	White-M	22	-	-	-	-	-	-	-	1	-	-	2	3	3	6	2	1	3	-	1	-	-	-	-	-	-	-
	White-F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,050	3	1	2	-	-	1	1	2	4	1	3	2	9	21	36	61	76	136	190	203	170	101	24	3	-	-
	White-M	502	-	-	-	-	-	1	1	2	4	1	1	1	4	13	15	27	33	67	96	77	48	12	3	-	-	-
	White-F	546	3	1	1	-	-	1	1	1	1	2	1	2	5	7	21	34	43	68	94	105	93	53	12	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	3,082	1	2	1	-	-	2	2	4	8	4	12	27	62	96	157	227	290	399	496	524	411	256	98	13	-	-
	White-M	1,802	1	-	-	-	-	1	2	3	5	1	9	20	47	70	111	158	190	237	287	297	214	105	37	7	-	-
	White-F	1,284	-	2	1	-	-	1	3	1	3	3	7	15	25	35	46	69	99	160	208	227	196	151	61	6	-	-
	Nonwhite-M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	202	-	-	-	-	-	1	-	3	3	2	3	5	11	12	14	13	16	26	24	35	19	11	2	2	-	-
	White-M	96	-	-	-	-	-	1	-	3	1	2	2	3	7	5	7	7	10	10	14	13	8	4	1	1	-	-
	White-F	106	-	-	-	-	-	-	-	2	2	1	3	4	7	7	6	6	16	10	10	22	11	7	1	1	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	1,164	-	-	-	-	-	-	-	-	2	1	5	17	39	59	88	123	140	184	189	162	89	54	12	-	-	-
	White-M	794	-	-	-	-	-	-	-	-	1	1	3	15	32	49	77	95	107	122	114	96	53	25	4	-	-	-
	White-F	369	-	-	-	-	-	-	-	-	1	-	2	2	7	9	11	27	33	62	75	66	36	29	8	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	1,726	1	2	1	-	-	1	2	1	3	1	4	8	12	25	55	91	134	189	263	327	305	191	84	11	-	-
	White-M	912	1	-	-	-	-	1	2	-	3	-	4</															



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	MAINE—Con.																											
	Arteriosclerosis and high blood pressure*	264	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	3	12	15	30	46	72	46	24	7	1
	White—M—	157	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	8	9	16	22	34	25	13	3	1
	F—	127	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	4	6	14	24	38	21	11	4	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	476	115	8	4	4	1	3	6	7	4	1	6	2	7	9	11	11	29	35	41	51	54	40	21	6	-	-
White—M—	261	63	2	3	2	1	1	3	3	3	2	-	5	2	5	8	11	7	18	26	18	30	30	16	5	-	-	-
F—	214	52	6	1	2	-	2	3	4	2	1	1	-	-	2	1	-	4	10	9	23	21	24	16	6	-	-	-
Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia—	227	62	5	2	4	1	1	2	4	2	1	2	-	1	2	3	3	13	12	18	26	27	25	9	4	-	-
	White—M—	125	36	1	1	2	1	-	2	2	2	-	2	-	1	2	3	2	8	10	7	15	15	10	3	-	-	-
	F—	102	26	4	1	2	-	1	-	2	-	1	-	-	-	-	-	1	5	2	9	11	12	15	6	4	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—	159	26	1	1	-	-	2	1	-	-	-	4	2	3	6	7	8	14	13	20	18	21	7	6	1	-	-
	White—M—	93	12	1	1	-	-	1	-	-	-	-	3	2	2	5	7	5	9	11	9	11	11	4	-	-	-	
	F—	65	14	1	-	-	-	1	1	-	-	-	1	-	1	1	-	3	4	2	11	5	10	3	6	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (un-specified)—	24	13	1	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	3	1	-	-	-	-
	White—M—	14	9	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	F—	10	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	66	14	1	-	-	-	2	2	1	-	-	-	-	3	-	1	-	2	9	5	6	5	8	6	1	-	-
	White—M—	29	6	-	-	-	-	1	1	-	-	-	-	-	2	-	1	-	1	5	2	3	3	2	2	-	-	-
	F—	37	8	1	-	-	-	1	1	1	-	-	-	-	1	-	-	-	1	4	3	3	2	6	4	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	50	-	-	-	-	-	-	1	-	-	-	3	4	2	4	2	9	5	10	3	6	1	-	-	-	-	-
	White—M—	47	-	-	-	-	-	-	1	-	-	-	3	4	2	4	2	9	5	9	2	6	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*—	51	35	1	-	1	-	-	-	-	2	-	1	-	1	1	-	2	2	1	1	1	-	-	1	1	-	-
	White—M—	28	19	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-
	F—	23	16	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	20	-	1	-	-	-	-	2	1	2	1	-	-	3	1	-	-	1	2	2	3	1	-	-	-	-	-
	White—M—	9	-	-	-	-	-	-	1	-	1	-	-	-	3	1	-	-	-	1	1	2	1	-	-	-	-	-
	F—	11	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	66	1	1	2	-	-	1	-	-	2	-	-	1	4	2	2	2	4	6	9	12	10	7	2	-	-	-
	White—M—	35	1	1	1	-	-	-	-	-	1	-	-	1	1	2	-	2	3	2	5	6	7	2	-	-	-	-
	F—	32	-	-	1	-	-	1	-	-	1	-	-	-	2	-	2	1	4	4	6	5	5	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	55	-	-	-	-	-	-	1	-	-	-	-	3	1	4	6	5	4	10	9	5	3	2	2	-	-	-
	White—M—	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	26	-	-	-	-	-	-	1	-	-	-	-	3	1	2	2	4	2	7	4	2	3	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*—	42	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	4	3	6	10	3	2	2	2	-	-	-
	White—M—	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	4	2	1	-	2	-	-	-
	F—	26	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	2	4	6	1	1	2	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—	622	2	-	-	-	2	-	1	7	5	5	2	4	9	12	25	25	57	64	110	107	85	71	18	10	-	-
	White—M—	340	1	-	-	-	2	-	4	4	4	4	2	4	4	9	12	12	33	39	61	69	38	37	4	2	-	-
	F—	274	1	-	-	-	-	-	1	3	1	1	-	2	4	3	13	12	23	24	47	58	47	33	13	6	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-
137	Diseases of the prostate—	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	14	16	8	2	5	-	-	-
	White—M—	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	14	16	8	2	5	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

329

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MAINE—Con.																												
140-150	Diseases of pregnancy, etc.*	32	-	-	-	-	-	-	-	-	1	10	9	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	32	-	-	-	-	-	-	-	-	1	10	9	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	8	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	8	-	-	-	-	-	-	-	-	1	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	-	1	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 145,146, 149	Hemorrhage, trauma or shock*	15	-	-	-	-	-	-	-	-	-	4	5	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	-	-	4	5	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	151	151	4	2	1	1	4	4	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	78	67	3	2	1	1	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	64	1	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	440	440	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158,160, 161	Other diseases peculiar to first year	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide	121	-	-	-	-	-	-	1	3	8	3	7	9	13	12	16	12	11	8	4	7	3	2	1	-	-	1
	White—M	68	-	-	-	-	-	-	1	1	6	2	4	4	8	10	11	10	7	8	4	5	3	2	1	-	-	1
	F	33	-	-	-	-	-	-	-	2	2	1	3	5	5	2	5	2	4	-	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	12	-	-	-	-	-	2	-	-	2	2	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	2	-	-	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	683	31	13	13	7	11	24	25	43	45	37	35	28	26	27	21	33	33	47	46	50	40	29	14	3	2	
	White—M	462	14	6	10	4	7	15	19	33	37	31	30	25	24	20	15	23	23	34	31	26	19	10	5	-	1	
	F	215	16	7	3	3	4	9	6	10	8	6	5	3	1	6	6	8	9	13	15	24	21	19	9	3	1	
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	193	3	4	1	4	3	12	8	23	21	20	15	14	5	4	4	9	4	9	16	7	5	1	1	-	-	-
	White—M	143	2	1	1	2	2	9	5	17	17	15	10	12	4	2	3	6	3	8	12	5	5	1	1	-	-	-
	F	49	1	3	-	2	1	3	3	6	4	5	5	2	-	2	1	3	1	1	4	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	490	28	9	12	3	8	12	17	20	24	17	20	14	21	23	17	24	29	38	30	43	35	28	13	3	-	2
	White—M	319	12	5	9	2	5	6	14	16	20	16	20	15	20	18	12	17	20	26	19	21	14	9	4	-	1	
	F	166	15	4	3	1	3	6	3	4	4	1	-	1	1	4	5	5	8	12	11	22	21	19	9	3	1	
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	188	16	1	-	-	-	-	1	1	-	2	3	-	3	2	3	4	10	7	17	21	31	38	22	4	1	1
	White—M	97	6	1	-	-	-	-	1	-	-	1	3	-	2	1	2	3	7	3	7	11	12	15	9	2	-	1
	F	100	9	-	-	-	-	-	-	1	-	1	-	-	1	1	1	1	3	4	10	10	19	23	13	2	1	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	584	38	16	3	2	2	17	6	16	19	23	18	24	25	34	36	42	55	44	54	52	28	22	9	2	-	-
	White—M	298	22	8	1	2	2	11	1	9	7	13	10	8	16	17	20	25	34	23	29	27	11	9	3	1	-	-
	F	284	16	8	2	-	2	6	5	7	11	10	-	-	16	16	16	17	21	20	25	25	17	13	6	1	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



# VITAL STATISTICS OF THE UNITED STATES

**TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,**

(By place of residence. Exclusive of stillbirths)

[illegible]

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

331

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	MARYLAND—Con.																											
	Cancer and other malignant tumors	2,787	3	2	1	2	2	9	2	13	13	24	44	77	124	188	267	335	392	379	340	290	177	81	20	1	1	
	White—M—	1,155	1	1	1	1	1	4	1	6	3	8	17	19	33	58	101	140	185	177	159	131	68	36	5	—	1	
	F—	1,267	2	1	1	1	1	5	2	3	5	9	14	33	57	97	120	137	151	170	155	144	103	42	15	—	—	
	Nonwhite—M—	155	—	—	—	—	1	—	—	2	1	2	3	6	8	9	18	29	30	20	12	6	4	2	—	—	—	
	F—	210	—	—	—	—	1	—	—	2	4	5	10	19	26	23	28	29	26	12	14	7	2	1	—	1	—	
46	Cancer of the digestive organs and peritoneum—	1,142	1	—	—	—	—	—	—	1	4	5	9	23	43	70	74	137	173	182	154	141	80	37	6	1	—	
	White—M—	812	1	—	—	—	—	—	—	1	1	2	5	10	10	30	34	63	89	86	72	61	33	13	1	—	1	
	F—	473	—	—	—	—	—	—	—	1	1	1	3	22	24	23	50	58	76	71	70	45	23	5	—	—	—	
	Nonwhite—M—	84	—	—	—	—	—	—	—	—	—	2	3	4	3	9	7	14	16	13	5	5	2	1	—	—	—	
	F—	73	—	—	—	—	—	—	—	—	2	—	—	6	8	7	10	10	7	6	5	—	—	1	—	1	—	
48, 49	Cancer of female genital organs—	398	—	—	—	—	—	1	—	1	3	6	14	28	25	47	62	37	43	39	41	16	16	6	3	—	—	
	White—F—	307	—	—	—	—	—	1	—	—	2	3	6	17	14	37	52	26	34	38	37	16	15	6	3	—	—	
	Nonwhite—F—	81	—	—	—	—	—	—	—	1	1	3	8	11	11	10	10	11	9	1	4	—	1	—	—	—	—	
50	Cancer of breast—	301	—	—	—	—	—	—	—	1	—	3	5	8	18	32	30	50	37	29	34	27	24	2	1	—	—	
	White—M—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
	F—	268	—	—	—	—	—	—	—	1	—	2	4	8	14	29	28	44	31	26	29	25	24	2	1	—	—	
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F—	29	—	—	—	—	—	—	—	—	1	1	—	—	4	3	2	5	5	3	3	2	—	—	—	—	—	
45, 47, 51-55	Cancer (other sites)—	956	2	2	1	2	2	8	2	10	6	10	16	18	38	39	101	111	139	129	111	106	57	36	10	—	—	
	White—M—	640	—	1	1	1	—	4	—	5	2	6	12	9	23	29	67	77	95	81	85	70	35	24	4	—	—	
	F—	219	2	1	1	1	—	4	2	2	2	3	5	5	7	7	17	17	28	30	18	33	19	11	6	—	—	
	Nonwhite—M—	70	—	—	—	—	—	—	—	2	1	1	—	2	5	—	11	14	14	7	3	—	—	—	—	—	—	
	F—	27	—	—	—	—	1	—	—	1	1	1	1	2	3	3	6	3	2	1	1	—	1	—	—	—	—	
58	Acute rheumatic fever—	16	—	—	—	1	—	4	2	2	2	—	1	1	1	—	—	1	—	—	1	—	—	—	—	—	—	
	White—M—	5	—	—	—	—	—	1	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	F—	5	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—M—	3	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
61	Diabetes mellitus—	539	1	—	—	—	—	—	—	1	3	6	5	2	13	26	34	67	94	89	97	64	21	10	6	—	—	
	White—M—	147	—	—	—	—	—	—	—	—	—	2	—	—	6	8	5	16	20	33	28	21	3	1	7	—	—	
	F—	319	—	—	—	—	—	—	—	1	2	2	4	—	4	12	17	34	66	46	66	39	17	7	2	—	—	
	Nonwhite—M—	18	—	—	—	—	—	—	—	—	1	—	—	—	1	3	5	2	2	1	1	—	—	2	—	—	—	
	F—	55	1	—	—	—	—	—	—	—	—	2	1	1	2	3	7	15	6	8	2	4	1	—	1	—	—	
63b	Exophthalmic goiter—	7	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	
	White—M—	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	F—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
69	Pellagra (except alcoholic)—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	
	White—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
	F—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
77	Alcoholism (ethylin)—	57	—	—	—	—	—	—	—	1	1	—	5	7	11	10	8	6	4	1	3	—	—	—	—	—	—	
	White—M—	46	—	—	—	—	—	—	—	—	—	—	4	4	10	10	6	4	4	1	3	—	—	—	—	—	—	
	F—	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	
	Nonwhite—M—	6	—	—	—	—	—	—	—	1	—	—	1	—	1	—	2	1	—	—	—	—	—	—	—	—	—	
	F—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
83	Intracranial lesions of vascular origin—	1,712	6	1	1	1	—	1	2	—	3	7	11	20	56	71	117	154	199	207	259	279	187	99	24	7	—	
	White—M—	630	5	—	1	—	—	1	1	—	—	3	3	8	10	17	33	61	78	77	108	120	66	27	9	2	—	
	F—	732	1	1	1	—	—	—	1	—	1	2	4	8	11	31	36	45	70	90	109	133	101	63	12	4	—	
	Nonwhite—M—	169	—	—	—	—	—	—	—	—	1	2	—	2	19	9	18	27	22	20	21	12	9	4	2	1	—	
	F—	181	—	—	—	—	—	—	—	—	1	—	4	2	16	14	30	21	29	12	21	14	11	5	1	—	—	
90-95	Diseases of the heart—	6,963	—	3	—	1	—	2	17	22	23	35	49	106	210	359	517	624	767	939	1,004	941	739	444	122	31	7	
	White—M—	3,391	—	1	—	—	—	1	8	6	9	13	21	45	115	206	266	318	446	498	506	420	305	165	45	7	1	
	F—	2,529	—	—	—	—	—	—	6	10	5	13	11	22	38	68	97	156	209	324	387	450	362	257	71	21	1	
	Nonwhite—M—	549	—	1	—	1	—	1	1	1	6	2	6	19	27	38	82	67	68	66	62	37	27	12	1	1	—	
	F—	434	—	1	—	—	—	—	2	5	3	7	11	20	30	47	72	63	44	61	49	34	25	10	7	2	—	
90a, 92b, c, 93a, b, d, e, 95a, c	Chronic rheumatic diseases of the heart—	338	—	—	—	1	—	2	13	11	11	17	13	20	28	31	38	29	20	22	29	24	18	10	2	—	—	
	White—M—	125	—	—	—	—	—	1	4	2	6	8	8	4	13	8	15	13	9	11	11	5	6	1	—	—	—	
	F—	147	—	—	—	—	—	—	6	4	2	6	3	11	12	19	14	10	8	8	14	12	9	8	1	—	—	
	Nonwhite—M—	24	—	—	—	1	—	1	1	1	1	1	—	—	—	1	3	4	3	—	1	3	1	1	—	—	—	
	F—	42	—	—	—	—	—	—	2	4	2	2	2	5	3	3	6	1	—	3	3	4	2	—	—	—	—	
94	Diseases of coronary arteries and angina pectoris—	1,918	—	—	—	—	—	—	—	1	1	5	13	34	93	139	213	225	282	270	257	135	115					



(By place of residence. Exclusive of stillbirths)

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

333

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.		AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated																
		MARYLAND--Con.																																											
140-150		Diseases of pregnancy, etc.--F--	56	-	-	-	-	-	-	-	-	3	16	15	13	4	5	-	-	-	-	-	-	-	-	-	-	-	-																
		White--F--	37	-	-	-	-	-	-	-	-	1	7	13	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-																
		Nonwhite--F--	19	-	-	-	-	-	-	-	-	2	9	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-																
140,142a, 145a,147		Puerperal septicaemia--F--	19	-	-	-	-	-	-	-	-	9	2	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-																
		White--F--	11	-	-	-	-	-	-	-	-	4	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-																
		Nonwhite--F--	8	-	-	-	-	-	-	-	-	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
141a,c, 144,148		Puerperal toxemia--F--	10	-	-	-	-	-	-	-	2	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
		White--F--	6	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
		Nonwhite--F--	4	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
141b,142b, 143,146, 149		Hemorrhage, trauma or shock--F--	24	-	-	-	-	-	-	-	1	4	8	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-																
		White--F--	18	-	-	-	-	-	-	-	1	2	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-																
		Nonwhite--F--	6	-	-	-	-	-	-	-	2	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
141d,e,f, 145B,150		Other puerperal causes--F--	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
		White--F--	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
		Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
157		Congenital malformations--M--	257	214	14	4	-	5	3	2	3	2	1	1	1	1	3	2	1	1	-	-	-	-	-	-	-	-	-																
		White--M--	134	114	5	2	-	3	2	1	1	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-																
		F--	90	71	9	2	-	2	1	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-																
		Nonwhite--M--	21	17	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-																
		F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
159-161		Diseases peculiar to first year--M--	973	973	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		White--M--	415	415	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		F--	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		Nonwhite--M--	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		F--	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
159		Premature birth--M--	625	625	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		White--M--	252	252	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		F--	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		Nonwhite--M--	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		F--	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
159,160, 161		Other diseases peculiar to first year--M--	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		White--M--	163	163	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		F--	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		Nonwhite--M--	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
		F--	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...																
163,164		Suicide--M--	271	-	-	-	-	-	-	-	5	21	17	23	35	20	26	33	30	19	17	9	7	6	3	-	-	-	-																
		White--M--	170	-	-	-	-	-	-	-	2	14	8	13	20	15	19	17	21	11	14	4	5	4	-	-	-	-	-																
		F--	89	-	-	-	-	-	-	-	2	6	9	8	14	4	6	14	9	8	2	4	1	2	-	-	-	-	-																
		Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-																
		F--	5	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-																
165-168		Homicide--M--	173	3	-	1	1	-	-	3	9	18	24	28	25	18	19	9	6	3	5	-	-	-	1	-	-	-	2																
		White--M--	33	1	-	-	-	-	-	-	-	1	3	5	5	3	7	3	1	-	2	-	-	-	1	-	-	-	1																
		F--	24	1	-	1	-	-	-	1	2	2	4	2	-	5	2	1	1	1	1	-	-	-	-	-	-	-	-																
		Nonwhite--M--	94	1	-	1	-	-	-	2	7	9	12	16	15	9	9	4	4	2	2	-	-	-	-	-	-	-	1																
		F--	22	-	-	-	-	-	-	-	-	6	5	5	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-																
169-195		Accidental deaths--M--	1,393	63	15	18	20	27	51	35	88	116	82	79	81	95	64	80	58	70	70	67	94	71	51	13	4	1	-																
		White--M--	790	24	4	9	9	14	27	19	56	81	42	52	49	52	47	58	39	41	41	34	37	25	17	2	1	-	-																
		F--	342	17	7	3	5	5	10	4	13	13	6	10	12	11	3	8	11	12	20	28	52	45	33	11	3	-	-																
		Nonwhite--M--	189	12	1	3	4	5	8	10	15	14	11	11	16	23	13	9	7	11	6	4	4	1	1	-	-	-	-																
		F--	82	10	3	3	2	3	6	2	4	8	3	6	4	9	1	5	1	6	3	1	1	-	-	-	-	-	1																
170		Motor-vehicle accidents--M--	429	1	1	2	5	12	19	8	44	63	21	26	33	30	22	30	24	23	18	18	19	7	3	-	-	-	-																
		White--M--	290	-	-	1	4	8	14	5	32	50	10	19	19	12	17	21	15	17	14	10	13	6	2	-	-	-	-																
		F--	59	-	-	1	1	3	1	5	5	6	3	4	4	2	2	2	1	1	2	7	4	1	1	-	-	-	-																
		Nonwhite--M--	53	-	-	1	-	2	1	2	4	7	3	3	9	6	2	4	3	2	2	1	1	-	-	-	-	-	-																
		F--	27	1	-	-	-	1	1	-	3	1	2	1	1	8	1	3	-	3	-	-	1	-	-	-	-	-	-																
169, 171-195		Other accidents--M--	954	62	14	16	15	15	32	27	44	53	41	53	48	65	42	50	34	47	52	49	75	64	48	13	4	1	-																
		White--M--	490	24	4	8	5	6	13	14	24	31																																	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. list No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	All causes-----	51,398	2,904	174	111	68	61	247	174	342	463	552	734	945	1,312	2,049	3,257	4,158	5,094	5,981	6,839	6,476	5,023	2,973	982	257	44	56
	White-----M--	26,584	1,706	89	64	49	42	144	105	215	285	277	367	545	776	1,224	1,957	2,512	2,942	3,207	3,566	2,972	2,152	1,132	338	75	5	37
	White-----F--	23,903	1,208	61	45	37	37	96	65	115	183	248	344	565	803	1,223	1,930	2,530	2,959	3,273	3,438	2,826	1,789	630	161	37	19	
	Nonwhite--M--	507	40	1	2	2	2	4	2	4	4	17	12	20	20	26	52	58	59	60	59	36	16	5	6	-	-	
	Nonwhite--F--	404	30	3	-	1	-	3	2	8	11	10	11	15	13	19	25	38	34	55	39	32	27	17	8	1	2	
1,2	Typhoid and paratyphoid fever--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--	24	5	3	1	2	-	3	-	-	2	-	-	-	-	2	1	-	1	4	-	-	-	-	-	-	-	-
	White-----M--	11	4	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----F--	13	1	1	1	-	-	3	-	-	1	-	-	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	16	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--	56	1	1	3	5	5	10	5	-	1	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	1	1	-	3	3	8	2	-	1	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	3	2	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,664	5	12	5	6	3	14	13	46	83	115	128	125	141	198	180	169	143	109	70	67	26	4	1	1	-	-
	White-----M--	1,072	1	5	2	3	1	6	4	16	26	49	61	79	99	148	146	125	110	82	50	39	13	3	1	1	-	-
	White-----F--	503	4	6	3	3	2	6	8	22	49	57	60	36	37	39	28	34	25	25	19	26	13	1	-	-	-	-
	Nonwhite--M--	52	-	-	-	-	1	-	1	1	1	4	4	7	4	5	5	8	8	1	1	2	-	-	-	-	-	-
	Nonwhite--F--	37	-	1	-	-	-	1	1	5	7	5	3	3	1	6	1	2	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc. *--	1,563	2	6	4	1	-	5	10	41	79	112	121	120	137	190	171	162	138	105	65	64	24	4	1	1	-	-
	White-----M--	1,029	-	3	2	1	-	1	4	16	25	48	58	78	97	143	142	121	108	79	49	38	12	3	1	1	-	-
	White-----F--	454	2	3	2	-	-	3	5	19	47	55	57	33	38	37	23	31	22	25	17	24	12	1	-	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	1	-	1	4	3	6	3	3	5	5	8	8	1	-	2	-	-	-	-	-	-
	Nonwhite--F--	32	-	-	-	-	-	-	1	5	6	5	3	3	1	5	1	2	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	101	3	6	1	5	3	9	3	5	4	3	7	5	4	6	9	7	5	4	5	3	2	-	-	-	-	-
	White-----M--	43	1	2	-	2	1	5	-	2	1	1	3	1	2	5	4	4	2	3	2	1	1	-	-	-	-	-
	White-----F--	49	2	3	1	3	2	3	3	3	2	2	3	3	1	2	5	3	3	-	2	2	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery-----	8	3	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	235	3	-	-	-	-	1	1	1	1	2	1	3	17	19	29	32	46	38	21	10	9	2	-	-	-	-
	White-----M--	167	1	-	-	-	-	1	1	1	1	1	1	3	12	11	19	25	37	29	14	8	4	1	-	-	-	-
	White-----F--	53	2	-	-	-	-	-	-	1	-	-	1	1	3	7	7	5	6	7	7	1	5	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	2	1	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
35	Measles-----	16	2	6	1	-	-	5	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	7	1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F--	9	1	4	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)-----	24	-	-	1	-	-	4	5	2	2	4	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	White-----M--	18	-	-	-	-	-	4	5	1	2	2	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	White-----F--	5	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-																										



## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	MASSACHUSETTS—Continued																											
	Cancer and other malignant tumors	7,760	4	3	6	2	2	15	5	18	18	46	80	120	230	400	688	860	1,054	1,184	1,156	968	570	244	67	11	-	7
	White—M—	3,623	-	2	3	1	1	6	3	15	10	21	22	39	80	165	293	434	530	696	544	483	238	106	24	5	-	2
	White—F—	4,027	4	1	3	1	1	9	1	3	8	25	53	78	143	233	384	434	506	572	597	476	327	135	42	6	-	5
	Nonwhite—M—	54	-	-	-	-	-	-	-	-	-	-	1	1	3	1	5	6	7	11	10	5	2	-	1	-	-	-
	Nonwhite—F—	56	-	-	-	-	-	-	-	-	-	-	4	2	4	1	6	6	11	5	7	4	3	3	-	-	-	-
46	Cancer of the digestive organs and peritoneum—	3,579	-	-	-	1	-	1	1	2	5	14	23	31	73	134	255	401	511	607	575	521	273	116	31	3	-	1
	White—M—	1,844	-	-	-	1	-	1	1	2	3	6	7	16	37	79	137	227	273	337	281	262	135	46	12	2	-	-
	White—F—	1,694	-	-	-	-	-	-	-	2	8	13	15	35	56	114	168	228	251	284	253	156	70	19	1	-	-	1
	Nonwhite—M—	27	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	4	5	8	3	-	-	-	-	-	-
	Nonwhite—F—	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	4	2	3	2	-	-	-	-	-
48,49	Cancer of female genital organs—	639	-	1	-	-	-	-	-	-	2	8	31	52	69	89	108	100	106	94	69	62	21	7	2	-	-	-
	White—M—	620	-	1	-	-	-	-	-	-	2	8	18	29	48	69	98	104	97	106	92	69	51	19	7	2	-	-
	White—F—	19	-	-	-	-	-	-	-	-	-	2	2	4	-	1	2	3	-	-	-	1	2	-	-	-	-	-
	Nonwhite—F—	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast—	806	-	-	-	-	-	-	-	-	-	2	10	22	41	69	98	76	85	108	118	87	49	26	6	1	-	4
	White—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	789	-	-	-	-	-	-	-	-	-	2	10	22	41	68	93	75	84	106	115	86	48	26	6	1	-	4
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	2,536	4	2	6	1	2	14	4	18	11	22	27	36	64	128	216	297	358	363	371	231	196	79	21	5	-	2
	White—M—	1,770	-	2	3	-	1	5	2	13	7	15	15	23	43	66	154	207	256	288	282	220	122	59	12	3	-	2
	White—F—	734	4	-	3	1	1	9	1	3	4	7	12	12	19	40	59	87	97	99	106	68	72	20	8	2	-	-
	Nonwhite—M—	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever—	23	-	-	-	-	-	6	3	5	-	1	1	2	-	1	-	-	1	1	-	1	1	-	-	-	-	-
	White—M—	12	-	-	-	-	-	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	11	-	-	-	-	-	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	1,585	-	1	2	1	-	3	3	6	6	9	6	16	20	37	83	153	214	293	279	246	135	60	8	1	-	1
	White—M—	612	-	1	1	-	-	2	3	5	3	5	4	10	11	21	35	50	72	84	89	72	33	18	2	-	-	-
	White—F—	1,045	-	-	1	1	-	2	3	5	3	4	1	5	8	13	47	100	139	205	188	171	102	41	6	1	-	1
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter—	42	-	-	-	-	-	-	-	-	-	2	1	4	1	3	2	5	6	6	8	3	1	-	-	-	-	-
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	110	-	-	-	-	-	1	1	-	-	1	7	12	11	15	17	20	14	6	2	2	-	1	-	-	-	-
	White—M—	91	-	-	-	-	-	1	1	-	-	-	4	10	10	11	13	16	14	6	2	2	-	1	-	-	-	-
	White—F—	14	-	-	-	-	-	-	-	-	-	-	3	1	1	4	3	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	4,751	7	2	-	1	1	1	2	2	8	8	13	27	55	117	228	339	474	640	847	810	653	392	83	34	2	4
	White—M—	1,943	3	1	-	-	-	1	2	2	6	1	6	11	22	47	101	158	212	307	328	322	250	136	18	7	-	2
	White—F—	2,726	4	1	-	1	1	-	-	-	1	7	7	14	29	67	122	170	254	311	506	481	399	255	65	27	2	2
	Nonwhite—M—	38	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	4	4	9	7	1	1	-	-	-	-	-
	Nonwhite—F—	44	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	4	13	6	3	1	-	-	-	-
90-95	Diseases of the heart—	18,901	3	2	-	3	-	10	13	30	42	57	109	191	346	636	1,192	1,559	2,029	2,485	2,971	2,886	2,352	1,365	462	120	15	23
	White—M—	10,264	9	1	-	2	-	4	5	15	21	26	70	137	241	441	833	1,068	1,298	1,404	1,538	1,354	1,038	531	175	41	1	16
	White—F—	8,563	-	1	-	1	-	6	8	15	21	30	39	47	93	185	333	461	695	1,034	1,390	1,504	1,293	822	280	78	14	7
	Nonwhite—M—	146	-	-	-	-	-	-	-	-	-	-	-	-	4	5	16	23	23	23	16	8	2	3	-	-	-	
	Nonwhite—F—	128	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	10	12	12	24	20	13	10	4	1	-	-
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart—	976	-	-	-	1	-	7	8	22	21	37	49	52	77	83	111	93	98	75	79	60	45	29	14	4	-	1
	White—M—	445	-	-	-	1	-	3	2	12	12	15	27	31	37	38	44	50	42	38	33	30	15	11	3	2	-	1
	White—F—	522	-	-	-	-	-	4	6	10	9	22	22	20	40	44	66	41	45	37	46	50	30	18	11	1	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris—	6,077	-	-	-	-	-	1	-	2	7	24	85	165	340	577	735	861	940	910	684	470	203	59	6	2	6	
	White—M—	4,109	-	-	-	-	-	-	-	-	5	21	73	141	279	474	633	621	547	379	240	89						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	MASSACHUSETTS—Continued																											
	Arteriosclerosis and high blood pressure—	1,065	-	-	-	-	-	-	-	-	1	-	-	2	1	6	16	23	31	67	140	207	230	198	91	32	10	2
	White—M—	480	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	15	21	37	81	94	98	86	29	5	1	
	F—	563	-	-	-	-	-	-	-	-	1	-	-	2	1	7	7	10	28	61	110	127	110	62	27	6	1	
	Nonwhite—M—	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	5	3	1	-	-	-	-	
	F—	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	2	1	-	-	1	-	
107-108, 33	Pneumonia (all forms) and influenza—	2,230	298	42	17	7	8	16	5	21	17	20	33	41	42	82	84	115	136	185	242	286	265	178	83	17	7	1
	White—M—	1,131	165	16	11	3	3	7	2	13	12	9	16	23	24	52	53	74	78	102	127	119	123	57	30	5	3	1
	F—	1,045	118	25	5	2	4	9	3	8	4	10	13	18	16	26	28	41	59	78	109	141	140	120	52	12	4	-
	Nonwhite—M—	35	7	1	1	2	1	-	-	-	-	1	1	-	2	3	3	-	1	3	4	5	-	-	-	-	-	-
	F—	19	7	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	2	1	2	1	1	-	-	-
107	Bronchopneumonia—	1,419	227	32	12	5	3	7	4	10	11	11	14	23	15	36	39	54	78	104	151	177	190	134	64	13	5	-
	White—M—	700	131	12	7	3	1	3	2	8	8	4	8	13	5	21	24	29	46	60	76	79	87	39	26	4	2	-
	F—	664	88	19	4	1	1	4	2	2	2	6	5	10	8	13	15	25	32	43	69	93	101	94	37	9	3	-
	Nonwhite—M—	22	5	1	1	1	1	-	-	-	-	1	-	-	2	2	-	-	-	1	3	4	-	-	-	-	-	-
	F—	13	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
108	Lobar pneumonia—	597	38	5	4	1	1	3	1	5	4	8	16	15	22	37	36	50	53	62	73	73	49	29	9	2	-	1
	White—M—	324	16	2	3	-	-	1	-	3	3	4	8	17	26	26	37	30	31	39	35	22	11	1	-	-	-	1
	F—	260	21	3	1	-	1	2	1	2	1	4	7	7	5	10	8	13	23	27	32	37	27	18	6	2	-	-
	Nonwhite—M—	9	1	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—	104	23	2	-	-	3	2	-	3	1	-	1	3	2	7	5	7	6	9	10	3	10	3	3	1	-	-
	White—M—	57	12	1	-	-	1	1	-	1	1	-	1	2	1	5	3	4	2	6	5	1	5	3	1	1	-	-
	F—	45	9	1	-	-	2	1	-	2	-	-	-	1	1	1	2	3	3	5	2	5	-	-	2	-	-	-
	Nonwhite—M—	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	110	10	3	1	1	1	4	-	3	1	1	2	-	3	2	4	4	1	10	8	13	16	12	7	1	2	-
	White—M—	50	7	1	1	-	1	2	-	1	1	-	1	-	1	-	-	4	-	5	5	4	9	4	2	-	1	-
	F—	58	2	2	-	1	-	2	-	2	1	-	1	-	2	2	3	-	1	5	3	9	7	8	5	1	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	341	-	-	-	-	-	1	-	1	1	4	6	11	19	30	46	39	51	43	29	29	23	5	1	-	-	-
	White—M—	264	-	-	-	-	-	1	-	1	1	3	3	10	16	26	44	32	39	31	22	18	17	-	-	-	-	-
	F—	72	-	-	-	-	-	-	-	-	-	1	2	1	3	3	4	7	12	11	6	10	6	5	1	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—	223	159	8	2	-	-	2	1	-	3	4	2	2	4	8	2	6	6	3	2	6	3	-	-	-	-	-
	White—M—	131	101	3	2	-	-	1	-	-	3	-	2	1	3	5	1	5	2	1	-	2	1	-	-	-	-	-
	F—	63	49	5	-	-	-	1	1	-	4	-	1	1	1	5	1	1	4	2	2	4	2	-	-	-	-	-
	Nonwhite—M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	133	-	-	6	1	6	6	4	5	8	5	4	6	7	9	15	10	13	10	10	9	4	1	1	-	-	-
	White—M—	78	-	-	4	1	4	2	1	2	3	2	2	4	5	4	8	7	8	8	5	1	1	1	1	-	-	-
	F—	60	-	-	2	-	2	4	3	3	3	3	2	2	2	5	8	2	5	2	5	4	3	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	390	10	-	-	-	1	3	-	2	5	8	7	7	11	19	24	34	34	44	58	59	31	25	6	3	-	-
	White—M—	194	5	-	-	-	1	3	-	2	2	4	3	6	5	10	12	18	17	20	31	27	20	5	2	1	-	-
	F—	191	5	-	-	-	-	-	-	3	4	4	3	6	5	8	12	14	17	22	26	32	11	20	4	2	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	577	-	2	-	-	-	-	-	1	1	5	18	42	45	54	73	88	82	61	47	35	19	6	-	-	-	-
	White—M—	365	-	2	-	-	-	-	-	1	-	2	7	23	33	34	47	61	53	42	29	18	11	2	-	-	-	-
	F—	206	-	-	-	-	-	-	-	-	1	3	11	18	12	20	24	25	18	18	15	8	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—	229	-	1	-	-	-	-	-	-	1	1	3	3	6	9	27	27	49	35	28	23	16	3	-	-	-	-
	White—M—	63	-	1	-	-	-	-	-	-	1	-	-	2	2	4	6	4	15	10	7	6	4	1	-	-	-	-
	F—	165	-	-	-	-	-	-	-	-	-	1	3	1	4	5	21	25	33	25	21	16	12	2	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis—	2,140	-	-	-	2	3	6	7	15	17	21	24	21	47	90	124	164	204	251	318	323	269	170	54	16	2	2
	White—M—	1,061	-	-	-	1	1	3	2	9	9	8	12	12	24	43	71	91	104	134	159	144	123	84	20	5	-	-
	F—	1,047	-	-	-	1	2	3	5	6	7	15	12	9	21	35	49	65	95	115	155	178	144	86	33	11	2	-
	Nonwhite—M—	20	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	2	2	4	-	1	-	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	-	-	1	-	1	-	-	-	-
137	Diseases of the prostate—	224	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10	22	33	52	46	38	17	3	-	-	-
	White—M—	219	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	10	22	33	51	47	37	15	3	-	-	-
	Nonwhite—M—	5	-																									



## 337

and of deaths of armed forces overseas)

[illegible]

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. Dist. No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	All causes-----	55,167	4,552	299	176	154	123	381	352	531	809	885	993	1,299	1,840	2,655	3,792	4,681	5,376	5,840	6,029	5,805	4,668	2,929	875	193	33	17
	White-----M	23,646	2,415	145	94	75	65	216	192	296	425	416	485	585	969	1,374	2,163	2,821	3,223	3,332	3,262	2,994	2,304	1,338	360	79	8	9
	White-----F	21,898	1,774	131	64	69	49	132	118	163	228	302	337	478	585	881	1,251	1,534	1,868	2,301	2,573	2,703	2,284	1,453	497	109	18	7
	Nonwhite--M	2,001	191	10	10	6	7	19	21	32	71	63	83	135	177	217	234	201	165	109	118	57	43	21	8	2	2	7
	Nonwhite--F	1,622	172	13	8	4	3	14	21	40	85	84	90	103	129	173	144	125	115	99	76	51	37	17	10	3	5	1
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	42	9	3	2	4	2	4	2	3	1	3	-	1	1	2	-	2	2	1	-	-	-	-	-	-	-	-
	White-----M	22	4	1	2	3	1	2	1	2	-	1	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-
	White-----F	17	5	2	-	1	1	2	-	1	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	45	30	9	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	18	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	18	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	5	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	26	-	-	2	5	4	10	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	16	-	-	2	2	6	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	12	-	-	-	3	2	4	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,891	21	13	13	8	8	12	24	73	161	162	155	155	150	172	192	180	139	107	76	43	17	7	2	-	-	1
	White-----M	980	9	3	2	6	2	9	3	10	34	44	53	66	90	95	130	133	109	83	51	30	15	1	2	-	-	1
	White-----F	451	6	5	3	1	3	1	6	17	51	62	58	44	24	27	26	24	19	20	20	9	2	5	-	-	-	-
	Nonwhite--M	282	2	2	3	-	2	1	5	21	33	24	27	31	29	36	26	18	11	4	3	4	-	1	-	-	-	-
	Nonwhite--F	196	4	3	5	1	1	2	10	25	43	32	19	14	8	14	10	5	-	-	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,694	7	7	7	3	3	3	20	61	147	147	143	140	139	159	179	170	128	101	67	42	15	4	2	-	-	1
	White-----M	902	3	2	1	2	1	2	2	10	34	39	50	59	83	88	124	128	103	78	46	30	13	1	2	-	-	1
	White-----F	382	2	3	2	-	1	-	5	14	48	59	53	41	22	25	22	22	14	19	16	9	2	2	-	-	-	-
	Nonwhite--M	245	1	-	3	-	-	1	5	16	25	22	25	28	26	34	25	15	11	4	1	4	-	1	-	-	-	-
	Nonwhite--F	165	1	2	1	1	1	-	8	21	40	27	17	12	7	12	8	5	-	-	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	197	14	6	6	5	5	9	4	12	14	15	12	15	12	13	13	10	11	6	9	1	2	3	-	-	-	-
	White-----M	78	6	1	1	4	1	6	1	-	-	5	3	7	7	7	6	5	6	5	5	-	2	-	-	-	-	-
	White-----F	49	4	2	1	1	2	1	1	3	3	3	3	3	2	2	4	2	5	1	2	1	-	3	-	-	-	-
	Nonwhite--M	37	1	2	-	-	2	-	-	5	8	2	4	3	2	2	1	3	-	-	2	-	-	-	-	-	-	-
	Nonwhite--F	33	3	1	4	-	-	2	2	4	3	5	2	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	15	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-
	White-----M	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	White-----F	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	552	15	1	-	-	-	-	1	3	7	4	14	24	35	64	76	89	72	55	49	26	13	3	-	1	-	-
	White-----M	301	-	1	-	-	-	-	1	-	3	-	4	9	11	34	46	53	45	35	37	17	4	1	-	-	-	-
	White-----F	103	6	-	-	-	-	-	2	-	-	1	4	4	6	10	11	13	11	13	7	7	5	2	-	1	-	-
	Nonwhite--M	102	4	-	-	-	-	-	-	1	1	5	10	13	18	16	16	6	6	3	-	1	-	-	-	-	-	-
	Nonwhite--F	46	5	-	-	-	-	-	-	1	3	2	1	1	5	2	3	5	10	1	2	2	3	-	-	-	-	-
35	Measles	47	13	7	6	7	1	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	21	6	1	4	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	24	6	6	2	3	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	90	3	1	2	3	5	14	18	16	11	7	5	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	55	2	-	1	1	4	8	12	12	5	4	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	28	1	-	-	2	1	6	5	3	4	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MICHIGAN-Con.																												
45-55	Cancer and other malignant tumors	7,481	6	7	8	7	9	17	14	24	21	58	106	198	311	514	698	899	1,042	1,021	992	746	498	226	52	5	1	1
	White-M	3,632	6	5	5	3	4	7	12	9	13	23	30	50	109	168	322	454	530	532	517	415	260	116	23	2	-	-
	White-F	3,472	-	3	2	4	3	9	1	12	6	25	58	122	157	273	337	396	471	451	450	317	232	110	28	3	1	1
	Nonwhite-M	177	-	-	-	-	1	1	1	2	1	2	3	6	16	16	25	23	28	20	18	9	5	-	1	-	-	-
	Nonwhite-F	201	-	1	1	-	1	1	-	1	1	8	15	20	29	37	14	26	13	18	7	7	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	3,294	2	1	2	-	-	1	1	3	4	15	29	39	89	165	249	390	496	513	508	402	238	121	21	3	1	1
	White-M	1,789	2	-	2	-	-	1	1	2	4	5	16	22	43	83	129	219	290	286	267	230	115	65	8	1	-	-
	White-F	1,599	-	-	-	-	-	-	-	1	-	-	7	12	13	35	65	103	147	186	207	233	164	122	58	12	2	1
	Nonwhite-M	91	-	-	-	-	-	-	-	-	-	2	1	3	9	7	12	15	15	12	8	5	1	-	1	-	-	-
	Nonwhite-F	45	-	1	-	-	-	-	-	-	-	1	-	1	2	10	5	9	5	8	3	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	943	-	-	-	-	-	-	-	4	3	12	32	62	71	109	117	122	130	90	87	47	39	17	1	-	-	-
	White-M	858	-	-	-	-	-	-	-	4	3	9	23	49	60	91	113	111	124	84	84	44	39	17	1	-	-	-
	White-F	87	-	-	-	-	-	-	-	-	-	3	9	13	11	18	4	11	6	6	3	3	-	-	-	-	-	-
	Nonwhite-M	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	898	-	-	-	-	-	1	-	-	-	4	14	48	48	71	73	79	91	79	75	55	36	18	6	1	-	-
	White-M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	1	-	-	-	-	-	-	-
	White-F	857	-	-	-	-	-	1	-	-	-	4	12	42	38	68	67	76	88	78	72	55	34	18	6	1	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	33	-	-	-	-	-	-	-	-	-	2	5	10	3	3	2	1	4	2	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,546	4	6	6	7	9	15	13	17	14	27	51	49	103	189	259	308	325	339	322	243	185	70	24	1	-	-
	White-M	1,854	4	3	3	3	4	6	11	7	9	18	14	27	66	105	190	235	238	246	249	183	144	53	15	1	-	-
	White-F	590	-	3	2	4	3	8	1	7	3	5	11	18	24	49	54	62	73	85	61	54	37	17	9	-	-	-
	Nonwhite-M	86	-	-	-	-	-	1	2	1	2	1	2	3	7	9	13	8	13	8	10	4	4	-	-	-	-	-
	Nonwhite-F	36	-	-	1	-	1	1	-	1	1	4	4	1	6	6	2	4	1	-	2	1	-	-	-	-	-	-
58	Acute rheumatic fever	26	1	-	-	1	1	3	4	4	-	1	1	5	1	-	1	-	-	2	1	-	-	-	-	-	-	-
	White-M	9	-	-	-	-	-	1	2	1	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-F	13	-	-	-	1	1	2	2	2	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,540	1	1	-	-	1	2	4	7	11	11	8	14	28	71	111	195	214	258	270	188	95	42	7	-	-	-
	White-M	534	1	1	-	-	1	1	1	2	3	6	5	8	13	19	27	73	76	87	80	84	32	12	2	-	-	-
	White-F	928	-	-	-	-	-	1	3	4	6	4	1	3	13	40	70	114	126	161	185	103	61	30	5	-	-	-
	Nonwhite-M	20	-	-	-	-	-	-	-	1	-	-	-	-	5	5	3	1	3	4	1	1	1	-	-	-	-	-
	Nonwhite-F	58	-	-	-	-	-	-	-	2	1	2	3	3	7	11	7	9	6	6	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	117	-	-	-	-	-	-	-	-	-	3	4	3	4	7	17	15	16	19	15	6	6	2	-	-	-	-
	White-M	24	-	-	-	-	-	-	-	-	-	1	2	1	1	2	6	2	2	3	2	2	2	-	-	-	-	-
	White-F	85	-	-	-	-	-	-	-	-	-	1	1	2	3	4	10	12	12	15	13	4	6	2	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	White-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	White-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylian)	31	-	-	-	-	-	-	-	-	1	1	1	3	3	8	5	3	3	2	1	-	1	-	-	-	-	-
	White-M	26	-	-	-	-	-	-	-	-	1	1	1	3	3	8	5	3	3	2	1	-	-	-	-	-	-	-
	White-F	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	5,207	8	3	1	2	-	2	6	5	14	14	26	53	81	206	292	396	568	689	792	902	662	373	103	14	2	2
	White-M	2,378	8	1	-	-	-	1	2	2	7	5	11	15	38	84	112	180	297	315	384	418	296	162	47	4	1	-
	White-F	2,593	3	2	1	2	-	1	4	2	5	8	29	35	93	148	184	240	333	384	473	365	205	52	8	-	-	-
	Nonwhite-M	107	-	-	-	-	-	-	-	2	2	1	2	4	13	13	19	16	11	12	3	6	2	-	-	-	-	-
	Nonwhite-F	139	-	-	-	-	-	-	-	1	-	1	6	7	14	16	21	13	15	10	12	8	5	4	4	1	1	-
90-95	Diseases of the heart	17,740	8	4	1	-	-	12	22	20	39	62	117	248	486	797	1,360	1,716	2,047	2,355	2,400	2,418	2,014	1,184	351	68	5	6
	White-M	10,310	7	2	-	-	-	7	8	9	20	31	70	142	303	513	896	1,167	1,372	1,439	1,360	1,246	994	554	140	28	1	4
	White-F	6,517	1	2	-	-	-	4	14	9	15	21	29	56	110	176	323	434	580	638	948	1,118	982	612	201	40	3	1
	Nonwhite-M	501	-	-	1	-	-	1	1	-	1	3	8	30	40	55	84	72	51	38	55	25	21	9	6	-	-	-
	Nonwhite-F	412	-	-	-	-	-	1	1	2	3	7	10	20	33	53	57	43	44	41	37	29	17	9	4	-	1	1
90a, 92b,c, 93a,95b	Chronic rheumatic diseases of the heart	893	-	1	-	-	-	6	15	11	18	17	41	41	51	63	79	85	77	96	89	83	70	38	10	2	-	-
	White-M	428	-	-	-	-	-	2	4	5	6	6	21	21	27	34	41	46	41	52	44	30	32	19	6	1	-	-
	White-F	409	-	1	-	-	-	3	9	5	10	9	14	16	20	34	27	35	33	38	42	52	37	19	4	1	-	-
	Nonwhite-M	28	-	-	-	-	-	1	1	-	-	-	1	3	2	2	3	6	2	2	1	3	-	-	-	-	-	-
	Nonwhite-F	28	-	-	-	-	-	1	1	2	1	3	2	2	2	2	5	2	1	5	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	6,377	4	-	-	-	-	2	1	-	3	12	37	101	251	432	682	853	977	957	794	653	378	190	42	5	1	2
	White-M	4,320</																										



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	MICHIGAN—Con.																											
	Arteriosclerosis and high blood pressure—M	1,006	-	-	-	-	-	-	-	-	-	-	2	2	2	11	13	24	33	70	121	181	221	217	72	32	5	-
	White—M	510	-	-	-	-	-	-	-	-	-	-	1	-	1	5	6	13	18	42	55	104	111	112	26	15	3	-
	Female—F	474	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	10	14	22	65	75	108	102	46	16	2	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	1	1	2	1	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	2,124	482	55	26	13	5	25	10	19	27	25	36	38	57	81	106	126	150	140	162	173	165	130	59	10	3	1
	White—M	1,114	245	24	14	5	2	12	2	15	20	11	19	17	23	36	67	82	88	95	93	76	83	96	21	4	1	1
	Female—F	823	188	23	11	5	3	10	8	4	6	9	11	10	21	26	20	27	49	37	67	95	79	68	38	6	2	-
	Nonwhite—M	132	28	4	2	2	3	-	-	-	2	4	8	11	16	13	14	12	5	1	2	3	4	-	-	-	-	-
	Female—F	65	21	4	1	1	-	-	-	-	1	3	2	5	2	3	3	3	1	3	1	-	-	-	-	-	-	-
107	Bronchopneumonia—M	927	266	30	16	10	2	14	5	6	13	10	15	10	14	31	21	38	55	51	71	77	77	58	28	7	2	-
	White—M	473	135	16	8	3	1	7	2	4	9	4	8	4	7	12	12	23	34	32	32	40	41	28	7	3	1	-
	Female—F	392	100	11	7	4	1	5	3	2	3	4	5	3	7	13	7	9	19	16	37	36	36	28	21	4	1	-
	Nonwhite—M	46	21	-	-	2	-	2	-	-	-	1	2	2	-	5	-	5	1	1	1	1	-	-	-	-	-	-
	Female—F	26	10	3	1	1	-	-	-	-	1	1	-	-	1	-	2	1	1	2	1	-	-	-	-	-	-	-
108	Lobar pneumonia—M	680	73	8	1	3	1	4	-	6	9	7	14	22	28	34	62	66	67	84	61	54	45	43	8	1	-	1
	White—M	382	42	1	-	2	1	2	-	5	7	5	8	11	12	17	39	46	36	46	39	21	19	17	5	-	-	1
	Female—F	209	21	4	1	1	-	1	-	1	2	1	4	4	6	6	10	22	15	22	32	24	24	3	1	-	-	-
	Nonwhite—M	70	4	1	-	-	-	1	-	-	-	1	-	6	11	9	13	8	9	2	1	2	2	-	-	-	-	-
	Female—F	19	6	-	-	-	-	-	-	-	-	-	2	1	1	2	4	2	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—M	288	100	14	4	-	1	2	3	4	1	2	4	3	10	7	13	10	18	16	13	21	16	16	8	1	1	-
	White—M	145	46	5	3	-	-	-	4	1	1	2	1	2	1	3	4	9	6	12	10	11	9	8	9	3	-	-
	Female—F	126	49	5	1	-	1	2	3	-	-	-	1	-	1	6	3	4	4	5	2	12	9	7	5	1	1	-
	Nonwhite—M	11	2	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	Female—F	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M	229	43	5	5	-	1	5	2	3	4	6	3	3	5	9	10	12	10	9	17	21	27	13	15	1	-	-
	White—M	114	22	2	3	-	-	5	-	2	3	1	1	1	1	3	7	7	6	7	11	6	17	4	6	1	-	-
	Female—F	106	18	3	2	-	1	2	2	1	1	3	2	2	4	4	3	4	4	1	6	15	10	9	9	-	-	-
	Nonwhite—M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	Female—F	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—M	326	2	-	-	-	-	-	-	1	2	5	3	11	29	32	39	31	53	41	45	16	15	6	1	-	-	-
	White—M	258	1	-	-	-	-	-	-	1	1	4	3	4	21	25	35	26	44	34	34	11	8	6	-	-	-	-
	Female—F	51	-	-	-	-	-	-	-	-	1	-	-	5	4	6	2	3	6	5	9	5	5	-	-	-	-	-
	Nonwhite—M	15	1	-	-	-	-	-	-	-	-	1	-	1	3	-	2	1	3	2	-	-	-	-	1	-	-	-
	Female—F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M	270	185	21	3	2	-	-	1	3	7	3	1	2	2	6	4	6	1	5	3	4	3	2	1	-	-	-
	White—M	142	101	9	1	1	-	-	1	-	4	1	-	1	1	1	4	6	-	3	1	2	3	2	-	-	-	-
	Female—F	114	75	11	2	1	-	-	-	3	2	2	1	1	1	3	-	-	1	2	2	2	4	-	-	-	-	-
	Nonwhite—M	8	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female—F	6	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
121	Appendicitis—M	238	2	-	2	1	4	8	10	15	14	10	16	8	18	15	23	22	30	14	12	8	4	2	-	-	-	-
	White—M	128	-	-	1	1	2	5	5	9	8	3	8	1	12	6	12	14	17	9	7	3	4	1	-	-	-	-
	Female—F	65	2	-	1	-	1	4	6	3	6	5	5	3	5	9	7	11	5	5	5	-	-	-	-	-	-	-
	Nonwhite—M	16	-	-	-	-	1	1	1	-	1	1	2	1	4	2	-	2	-	-	-	-	-	-	-	-	-	-
	Female—F	9	-	-	-	-	-	1	-	3	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	460	23	2	1	1	2	5	2	2	6	18	11	21	18	26	26	37	56	43	53	43	35	17	9	1	-	-
	White—M	215	12	1	-	1	2	5	2	1	1	4	2	4	7	12	9	20	27	26	23	21	25	8	2	1	-	-
	Female—F	204	6	1	1	-	-	-	-	1	2	8	1	14	7	15	12	15	26	17	29	20	10	9	7	1	-	-
	Nonwhite—M	18	3	-	-	-	-	-	-	-	3	2	1	1	1	3	1	2	-	1	1	1	-	-	-	-	-	-
	Female—F	23	-	-	-	-	-	-	-	-	3	3	6	2	3	1	2	1	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver—M	557	-	-	-	-	-	-	2	2	1	2	12	26	58	60	75	78	66	68	36	36	23	8	3	1	-	-
	White—M	348	-	-	-	-	-	-	-	-	-	-	5	15	33	33	51	55	48	46	25	20	12	3	1	1	-	-
	Female—F	179	-	-	-	-	-	-	2	2	-	2	5	9	20	19	19	20	17	21	9	16	11	5	2	-	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	-	-	1	2	4	6	3	3	1	2	-	-	-	-	-	-	-	-
	Female—F	7	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—M	265	-	-	-	-	-	-	-	-	-	6	5	6	9	22	27	48	28	32	23	31	17	8	3	-	-	-
	White—M	84	-	-	-	-	-	-	-	-	-	-	1	2	1	10	12	13	6	10	6	10	5	1	3	-	-	-
	Female—F	177	-	-	-	-	-	-	-	-	-	6	4	4	8	11	15	34	18	22	15	21	12	7	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-</																	



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

341

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
MICHIGAN—Con.																													
140-150	Diseases of pregnancy, etc.—F	167	-	-	-	-	-	-	-	-	8	31	47	31	39	10	1	-	-	-	-	-	-	-	-	-	-	-	
	White—F	144	-	-	-	-	-	-	-	-	7	23	39	28	37	9	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	23	-	-	-	-	-	-	-	-	1	8	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia—F	68	-	-	-	-	-	-	-	5	12	17	14	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	62	-	-	-	-	-	-	-	5	10	14	14	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	6	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 149	Puerperal toxemia—F	33	-	-	-	-	-	-	-	1	7	13	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	27	-	-	-	-	-	-	-	-	3	12	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	6	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F	46	-	-	-	-	-	-	-	1	8	13	9	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	39	-	-	-	-	-	-	-	1	6	10	8	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	8	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, e, f, 145B, 150	Other puerperal causes—F	20	-	-	-	-	-	-	-	1	4	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	17	-	-	-	-	-	-	-	1	4	3	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations—M	871	736	46	14	9	7	12	9	2	8	5	4	2	1	6	5	2	1	1	-	-	-	-	-	-	-	-	
	White—M	427	362	21	7	3	4	5	2	1	4	4	1	2	1	3	2	2	1	1	-	-	-	-	-	-	-	-	
	Nonwhite—M	447	363	24	6	5	3	7	6	1	3	1	2	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	19	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year—M	2,622	2,622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	1,435	1,435	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	957	957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth—M	1,732	1,732	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	917	917	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	662	662	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year—M	890	890	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	518	518	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide—M	608	-	-	-	-	-	-	-	6	33	33	51	50	58	70	57	69	50	48	45	25	10	2	1	-	-	-	
	White—M	445	-	-	-	-	-	-	-	5	19	26	35	33	39	53	38	54	39	38	37	19	6	2	1	-	-	-	
	Nonwhite—M	142	-	-	-	-	-	-	-	1	8	7	13	15	15	14	19	15	9	10	8	6	2	-	-	-	-	-	
	Nonwhite—F	16	-	-	-	-	-	-	-	-	4	-	2	2	5	1	-	-	2	-	-	-	-	-	-	-	-	-	
165-168	Homicide—M	198	3	-	1	2	3	-	3	6	22	25	27	30	27	15	13	8	4	2	2	3	-	-	-	-	-	-	
	White—M	67	3	-	1	-	-	-	1	4	8	4	9	7	7	3	8	5	3	-	2	2	-	-	-	-	-	-	
	Nonwhite—M	28	-	-	-	2	3	-	-	1	-	8	4	1	3	1	1	1	-	2	1	-	-	-	-	-	-	-	
	Nonwhite—F	77	-	-	-	-	-	-	1	12	9	9	16	15	8	4	2	1	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—M	3,654	120	66	58	47	46	165	141	228	283	216	166	147	184	159	223	231	213	212	215	231	234	162	55	20	6	4	
	White—M	2,558	60	35	32	29	30	108	98	176	226	185	147	116	142	111	166	173	162	149	114	112	107	51	18	9	-	2	
	Nonwhite—M	1,138	52	29	21	15	14	44	35	45	49	26	30	23	28	32	48	47	45	56	98	115	124	109	37	10	4	2	
	Nonwhite—F	130	6	2	5	2	2	9	8	4	5	6	8	7	13	14	8	10	6	5	3	3	-	2	-	1	1	-	
170	Motor-vehicle accidents—M	1,576	9	14	20	14	22	78	51	131	201	147	97	71	92	63	98	100	107	79	57	51	33	9	2	-	-	-	
	White—M	1,201	6	8	10	12	16	49	32	97	167	127	78	59	70	68	67	72	87	61	47	36	26	5	1	-	-	-	
	Nonwhite—M	334	3	6	7	2	6	24	17	33	31	18	17	10	19	18	30	24	18	18	10	13	7	2	1	-	-	-	
	Nonwhite—F	34	-	-	3	-	-	2	-	1	2	-	-	1	2	7	1	4	2	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents—M	2,278	111	52	38	33	24	87	90	97	82	71	69	76	92	66	125	131	106	133	158	180	201	153	53	20	6	4	
	White—M	1,357	54	27	22	17	14	59	66	79	59	58	69	57	72	43	99	101	75	88	67	76	81	46	17	9	-	2	
	Nonwhite—M	804	49	23	14	13	8	20	18	12	18	8	13	13	9	14	18	23	27	38	88	102	117	107	36	10	4	2	
	Nonwhite—F	96	6	2	2	2	2	6	6	4	4	4	6	6	11	7	6	4	5	3	1	-	-	-	-	-	-	-	
162, 199, 200	Semility, ill-defined and unknown causes—M	667	28	4	2	1	1	1	3	1	3	7	2	5	10	9	22	30	30	53	48	86	105	120	62	24	10	-	
	White—M	341	16	3	2	-	-	1	2	1	2	6	1	2	6	7	11	18	18	30	32	46	46	57	23	9	2	-	
	Nonwhite—M	305	10	1	-	1	1	-	1	-	1	1	1	1	1	3	1	10	10	9	22	15	40	57	62	58	14	6	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes	All other causes—M	3,242	223	54	31	37	23	68	60	64	83	107	126	151	161	189	226	259	297	282	278	208	171	10					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																											
	All causes-----	26,937	1,925	136	87	54	50	250	199	234	353	309	365	474	564	949	1,421	1,950	2,398	2,789	3,162	3,501	3,010	1,906	613	127	10	3
	White-----M	15,501	1,071	69	30	32	27	157	119	140	221	173	207	275	400	560	875	1,202	1,495	1,699	1,820	1,659	1,618	984	286	56	4	2
	White-----F	11,076	798	53	32	20	20	87	76	87	118	130	150	182	246	375	522	709	875	1,062	1,310	1,517	1,381	915	320	64	6	1
	Nonwhite--M	199	41	2	1	1	5	3	4	8	4	4	4	2	9	9	9	18	20	15	17	13	6	2	3	3	-	-
	Nonwhite--F	162	15	2	4	2	2	1	-	3	8	2	4	5	10	5	15	21	8	13	15	12	5	4	4	4	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	2	2	1	2	-	1	1	1	-	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M	9	1	2	1	1	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	6	1	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10	Diphtheria	41	1	1	1	5	3	8	3	-	2	1	-	-	3	3	3	3	3	1	1	2	-	-	-	-	-	-
	White-----M	21	-	-	-	2	1	4	2	-	1	1	-	-	-	2	2	2	1	1	-	-	-	-	-	-	-	-
	White-----F	20	1	1	1	2	4	1	-	-	1	-	-	-	3	1	1	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	585	5	2	2	1	1	5	5	18	36	37	36	30	50	55	61	66	42	45	43	24	15	6	1	1	-	-
	White-----M	345	1	-	1	1	-	2	1	7	13	20	13	12	27	32	45	47	31	31	26	16	11	6	-	-	-	-
	White-----F	199	2	2	-	-	2	2	7	16	15	22	16	21	21	20	16	13	9	12	12	7	4	-	1	-	-	-
	Nonwhite--M	24	-	-	-	-	-	2	2	4	1	-	1	1	1	2	2	4	1	2	2	1	-	-	-	1	-	-
	Nonwhite--F	17	-	-	1	-	1	1	-	2	3	1	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	535	3	-	1	-	1	2	5	14	33	37	33	26	48	49	59	59	39	41	39	23	15	6	1	1	-	-
	White-----M	315	1	-	1	-	-	1	1	4	11	20	12	9	27	29	43	41	28	28	26	16	11	6	-	-	-	-
	White-----F	181	2	-	-	-	-	1	2	6	15	15	20	15	19	17	16	12	9	11	10	6	4	-	1	-	-	-
	Nonwhite--M	24	-	-	-	-	-	2	2	4	1	-	1	1	1	2	2	4	1	2	2	1	-	-	-	1	-	-
	Nonwhite--F	15	-	-	-	-	1	-	-	2	3	1	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	50	-	2	1	1	-	3	-	4	3	-	3	4	2	6	2	7	3	4	4	1	-	-	-	-	-	-
	White-----M	30	-	-	-	1	-	1	-	3	2	-	1	3	-	3	2	6	3	3	2	-	-	-	-	-	-	-
	White-----F	18	-	2	-	-	-	1	-	1	1	-	2	1	2	3	-	1	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White-----M	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White-----F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	189	1	-	-	-	1	-	-	-	2	1	1	4	8	15	20	35	35	28	18	14	3	2	-	-	-	-
	White-----M	138	1	-	-	-	1	-	-	-	1	1	1	2	6	11	17	27	29	18	9	12	2	1	-	-	-	-
	White-----F	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	7	5	8	1	1	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	10	3	1	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	7	-	1	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	216	-	2	6	8	6	45	44	26	18	18	21	10	6	3	-	1	2	-	-	-	-	-	-	-	-	-
	White-----M	136	-	1	3	6	6	31	29	17	9	9	13	5	4	2	-	-	2	-	-	-	-	-	-	-	-	-
	White-----F	77	-	1	2	2	-	12	15	9	9	10	8	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List







## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97,102	MINNESOTA—Con.																												
	Arteriosclerosis and high blood pressure—	713	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	11	17	51	92	126	178	152	71	11	5	-	
	White—M—	393	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	5	8	27	42	76	108	82	33	6	-	-	
	F—	315	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	5	9	23	40	70	70	38	5	3	-	-	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	
F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
107-109, 33	Pneumonia (all forms) and influenza—	1,192	168	27	7	5	-	14	10	4	9	11	9	22	12	23	46	49	56	76	106	152	179	145	54	8	-	-	
	White—M—	620	72	13	5	4	-	8	6	3	6	5	8	12	9	17	30	34	31	47	57	71	89	70	26	1	-	-	
	F—	539	79	13	2	1	-	8	4	1	3	7	1	10	3	6	16	13	24	28	45	79	68	75	27	6	-	-	
	Nonwhite—M—	20	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	1	-	-	-	
	F—	13	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	1	-	-	1	-	-	
107	Bronchopneumonia—	668	103	17	6	3	-	5	1	2	5	2	3	9	4	10	18	21	33	39	61	87	108	90	35	6	-	-	
	White—M—	325	42	6	4	2	-	2	-	2	2	-	2	6	3	7	12	18	15	20	32	39	53	41	18	1	-	-	
	F—	320	49	11	2	1	-	3	1	-	3	2	1	3	1	3	6	3	17	18	26	47	54	49	16	4	-	-	
	Nonwhite—M—	18	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	
	F—	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	
108	Lobar pneumonia—	300	23	6	1	1	-	1	2	2	2	5	1	5	5	10	19	18	16	21	31	40	39	35	10	1	-	-	
	White—M—	178	12	4	1	1	-	1	2	1	2	1	1	2	5	9	14	10	12	21	19	17	18	20	6	-	-	-	
	F—	114	8	1	-	-	-	-	1	-	-	3	-	3	-	2	5	6	4	8	11	22	20	15	4	1	-	-	
	Nonwhite—M—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	F—	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
109	Pneumonia (unspecified)—	85	27	2	-	-	-	2	1	-	-	2	3	3	1	1	5	4	1	2	6	10	13	10	1	1	-	-	
	White—M—	52	11	1	-	-	-	1	1	-	-	2	3	1	1	1	3	3	1	2	3	5	9	5	-	-	-	-	
	F—	41	14	1	-	-	-	1	-	-	-	-	-	2	-	1	2	1	-	-	3	5	4	5	1	1	-	-	
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	Influenza—	129	15	2	-	1	-	6	6	-	2	2	2	5	2	2	4	8	6	6	8	15	19	10	8	-	-	-	
	White—M—	65	7	2	-	1	-	2	3	-	2	-	2	3	-	2	1	5	3	4	3	10	9	4	2	-	-	-	
	F—	64	8	-	-	-	-	4	3	-	-	2	-	2	-	2	3	3	2	5	5	10	6	6	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum—	150	-	-	-	-	-	1	-	-	1	1	1	5	7	12	14	17	21	19	14	22	9	5	1	-	-	-	
	White—M—	115	-	-	-	-	-	1	-	-	1	1	1	5	7	13	11	17	17	15	10	18	5	3	-	-	-		
	F—	34	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	8	4	4	4	3	4	2	1	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc.—	100	64	4	2	-	-	1	1	1	5	2	-	1	1	4	1	1	1	1	3	4	1	2	1	1	-	-	
	White—M—	57	39	2	2	-	-	-	-	-	1	-	-	1	-	1	2	-	1	-	1	3	2	1	1	-	-	-	
	F—	37	21	2	-	-	-	-	1	1	2	2	-	-	-	2	1	-	-	-	-	2	1	1	-	-	-	-	
	Nonwhite—M—	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Appendicitis—	101	-	1	2	-	2	8	2	8	4	2	1	9	5	11	3	5	10	8	6	6	5	3	-	-	-	-	
	White—M—	69	-	1	1	-	1	5	-	6	3	2	1	6	3	9	3	4	8	5	1	4	3	2	-	-	-	-	
	F—	33	-	-	1	-	1	3	2	2	1	-	-	3	2	2	-	1	2	3	5	2	2	1	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction—	219	7	4	-	1	-	4	5	1	4	-	4	2	5	5	11	15	13	33	32	25	24	20	4	-	-	-	
	White—M—	106	5	2	-	1	-	3	2	-	2	-	1	1	4	2	6	7	5	18	15	8	11	11	2	-	-	-	
	F—	109	2	2	-	-	-	1	3	1	2	-	3	1	1	3	5	6	8	14	16	17	13	9	2	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	
124	Cirrhosis of the liver—	232	-	1	1	-	-	-	2	-	3	2	5	12	8	15	20	32	29	23	27	20	17	5	1	-	-	-	
	White—M—	152	-	-	1	-	-	-	1	-	2	2	3	8	10	10	23	23	18	18	14	11	10	3	-	-	-	-	
	F—	79	-	1	-	-	-	-	1	-	1	2	2	4	4	8	9	11	5	9	6	6	7	2	1	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
126,127	Biliary calculi, etc.—	167	-	-	-	-	-	-	-	-	-	-	1	3	7	7	17	19	25	19	16	24	18	6	3	-	-	-	
	White—M—	55	-	-	-	-	-	-	-	-	-	-	-	2	4	1	5	5	6	7	7	8	7	3	-	-	-	-	
	F—	109	-	-	-	-	-	-	-	-	-	-	-	2	3	6	11	14	19	11	9	16	11	3	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
130-132	Nephritis—	911	1	-	2	1	1	5	7	5	10	9	17	10	26	30	54	74	67	105	115	132	143	72	21	4	-	-	
	White—M—	522	1	-	1	1	1	4	-	4	7	1	12	6	15	17	32	42	36	66	69	75	79	39	12	2	-	-	
	F—	380	-	-	1	-	-	1	7	1	3	8	5	4	11	11	22	30	31	38	45	57	62	32	9	2	-	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	
137	Diseases of the prostate—	164	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	7	20	25	37	40	17	9	2	-	-	
	White—M—	151	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	20	24	37	40	17	9	2	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

345

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MINNESOTA—Con.																												
140-150	Diseases of pregnancy, etc.—F	62	-	-	-	-	-	-	-	5	10	16	11	10	7	3	-	-	-	-	-	-	-	-	-	-	-	
	White—F	59	-	-	-	-	-	-	-	4	10	16	10	10	6	3	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
140,142a, 145A,147	Puerperal septicaemia—F	22	-	-	-	-	-	-	-	3	5	5	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	
	White—F	21	-	-	-	-	-	-	-	2	5	5	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia—F	14	-	-	-	-	-	-	-	-	1	8	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	14	-	-	-	-	-	-	-	-	1	8	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock—F	26	-	-	-	-	-	-	-	2	4	3	6	4	5	2	-	-	-	-	-	-	-	-	-	-	-	
	White—F	24	-	-	-	-	-	-	-	2	4	3	5	4	4	2	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145B,150	Other puerperal causes—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations—M	443	342	24	9	4	3	16	4	7	7	8	2	4	2	1	1	2	4	1	1	-	-	1	-	-	-	
	White—M	246	185	12	5	3	2	9	3	4	4	6	-	3	2	1	1	1	2	1	1	-	-	-	-	-	-	
	F	192	152	12	4	1	1	7	1	3	3	-	2	1	-	-	-	1	2	1	-	-	1	-	-	-	-	
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year—M	1,158	1,158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	660	660	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	476	476	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth—M	744	744	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	425	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158,160, 161	Other diseases peculiar to first year—M	414	414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163,164	Suicide—M	342	-	-	-	-	-	-	4	2	19	14	18	25	39	29	45	41	36	26	21	11	6	3	3	-	-	
	White—M	270	-	-	-	-	-	-	4	1	13	11	15	16	32	24	38	33	28	18	8	3	6	2	3	-	-	
	F	70	-	-	-	-	-	-	-	1	5	3	3	9	7	5	7	8	7	8	3	3	-	1	-	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide—M	45	11	-	1	1	-	-	-	3	4	5	5	2	1	1	3	4	1	1	1	1	-	-	-	-	-	
	White—M	24	6	-	-	-	-	-	-	1	1	1	3	1	1	1	2	4	1	1	1	-	-	-	-	-	-	
	F	19	5	-	1	1	-	-	-	2	2	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—M	1,894	48	25	26	16	15	70	56	64	135	72	81	84	71	70	94	63	111	120	134	169	153	127	38	10	1	
	White—M	1,293	27	13	18	7	10	47	42	65	111	65	67	70	61	57	77	73	86	78	77	95	80	47	14	4	2	
	F	579	21	12	7	8	5	23	13	18	21	7	13	13	8	13	16	10	21	36	56	72	73	80	24	6	1	
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	Motor-vehicle accidents—M	588	3	4	8	7	7	23	13	37	84	46	33	31	26	32	34	31	40	41	40	34	11	3	-	-	-	
	White—M	456	1	2	5	2	5	18	8	25	67	39	22	25	23	25	29	27	35	28	26	30	9	3	-	-	-	
	F	121	2	2	3	5	2	5	5	11	14	7	10	6	2	7	4	4	4	11	12	3	2	-	-	-	-	
	Nonwhite—M	8	-	-	-	-	-	-	-	1	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents—M	1,306	45	21	18	9	8	27	42	47	51	26	48	63	45	38	60	52	71	79	94	135	142	124	38	10	1	
	White—M	837	26	11	13	5	5	29	34	40	44	26	45	45	38	32	48	46	51	50	49	85	71	44	14	4	2	
	F	460	19	10	4	3	3	18	8	7	7	4	5	7	6	6	12	6	17	27	44	69	71	80	24	6	1	
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	1	-	-	-	-	-	-	
162,199, 200	Senility, ill-defined and unknown causes—M	321	22	2	2	-	2	2	-	1	2	2	3	2	3	4	2	8	14	9	19	38	51	66	45	20	2	
	White—M	160	10	-	-	-	-	1	-	-	2	2	2	1	2	4	2	7	8	6	12	20	24	33	18	5	1	
	F	139	7	-	1	-	1	-	-	-	-	-	-	1	1	1	-	-	4	3	4	17	27	32	25	14	1	
	Nonwhite—M	10	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
All other causes	Senility, ill-defined and unknown causes—M	321	22	2	2	-	2	2	-	1	2	2	3	2	3	4	2	8	14	9	19	38	51	66	45	20	2	
	White—M	160	10	-	-	-	-	1	-	-	2	2	2	1	2	4	2	7	8	6	12	20	24	33	18	5	1	
	F	139	7	-	1	-	1	-	-	-	-	-	-	1	1	1	-	-	4	3	4	17	27	32	25	14	1	
	Nonwhite—M	10	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
All other causes	Senility, ill-defined and unknown causes—M																											

\*Refer to International List for complete title, table V, Part I.



(By place of residence. Exclusive of stillbirths)

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

347

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	MISSISSIPPI-Cont.																											
	Cancer and other malignant tumors	1,674	-	1	-	1	3	6	8	12	16	18	45	64	105	126	156	196	204	214	207	153	73	46	12	4	-	4
	White-M	500	-	-	-	-	-	1	2	3	2	2	5	8	10	17	32	68	80	74	83	58	28	9	3	1	-	-
	White-F	530	-	1	-	1	2	2	4	2	2	4	13	31	34	41	44	52	51	69	68	51	27	22	4	2	-	1
	Nonwhite-M	250	-	-	-	-	1	2	2	2	2	4	5	4	9	15	30	28	26	30	35	28	8	2	1	-	1	
	Nonwhite-F	594	-	-	-	-	-	1	-	5	2	7	19	19	44	53	50	48	47	41	21	15	10	7	3	-	-	2
46	Cancer of the digestive organs and peritoneum	686	-	-	-	-	-	-	1	2	4	5	5	17	33	42	56	87	95	108	102	67	34	20	5	-	-	3
	White-M	239	-	-	-	-	-	-	-	-	-	1	1	2	6	7	8	15	36	39	43	39	26	12	3	1	-	-
	White-F	191	-	-	-	-	-	-	-	-	1	1	1	6	8	10	12	16	23	30	37	21	15	10	4	-	-	1
	Nonwhite-M	138	-	-	-	-	-	-	1	1	2	2	1	3	6	9	14	17	17	20	20	15	3	4	2	-	-	1
	Nonwhite-F	118	-	-	-	-	-	-	-	1	-	2	1	2	12	15	15	18	16	15	6	5	4	3	2	-	-	1
48,49	Cancer of female genital organs	300	-	-	-	-	-	-	-	3	3	5	22	24	33	43	41	35	27	25	16	12	6	4	-	-	-	1
	White-M	128	-	-	-	-	-	-	-	1	1	8	13	13	17	18	16	11	11	8	7	2	2	2	-	-	-	-
	White-F	172	-	-	-	-	-	-	-	3	2	4	14	11	20	26	23	19	16	14	8	5	4	2	-	-	-	1
50	Cancer of breast	135	-	-	-	-	-	-	-	-	1	2	4	8	12	15	14	17	19	15	7	11	5	3	2	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	78	-	-	-	-	-	-	-	-	1	2	1	6	5	10	7	9	7	11	3	10	3	2	1	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	55	-	-	-	-	-	-	-	-	-	-	3	2	7	5	7	8	10	4	4	1	2	1	1	-	-	-
45,47, 51-55	Cancer (other sites)	553	-	1	-	1	3	6	7	7	8	6	14	15	27	26	45	57	63	66	82	63	28	19	5	4	-	-
	White-M	260	-	-	-	-	-	1	2	3	1	2	6	4	11	9	17	32	40	31	44	32	16	6	2	1	-	-
	White-F	133	-	1	-	1	2	2	4	2	1	1	5	6	8	4	7	11	10	17	20	13	7	9	3	1	-	-
	Nonwhite-M	111	-	-	-	-	1	2	1	1	6	2	4	1	3	6	16	11	8	10	15	14	5	4	1	-	-	-
	Nonwhite-F	49	-	-	-	-	-	1	-	1	-	1	1	4	5	7	5	3	5	8	3	4	-	-	-	-	-	-
58	Acute rheumatic fever	18	-	-	-	1	-	3	5	2	2	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-M	5	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	8	-	-	-	1	-	2	1	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	311	2	-	-	1	-	-	2	6	4	7	8	9	10	15	23	31	42	48	42	32	8	13	4	2	-	2
	White-M	77	1	-	-	-	-	-	1	2	1	-	2	1	2	5	6	10	12	15	11	3	5	-	-	-	-	-
	White-F	114	-	-	-	1	-	-	-	2	-	2	1	2	-	3	8	10	14	24	16	16	3	7	3	1	-	1
	Nonwhite-M	57	-	-	-	-	-	-	1	2	1	2	1	1	3	3	4	7	3	4	3	-	1	-	1	-	-	-
	Nonwhite-F	83	1	-	-	-	-	-	2	2	-	3	5	4	8	7	7	11	11	9	7	2	2	-	1	-	-	1
63b	Exophthalmic goiter	23	-	-	-	-	-	-	-	-	-	1	1	1	3	2	3	2	3	4	1	1	1	-	-	-	-	-
	White-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-
	Nonwhite-M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	45	-	-	-	-	-	-	1	-	-	-	1	1	1	4	2	4	8	7	6	1	5	3	1	-	-	-
	White-M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	2	-	-	-	-	-
	White-F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	1	1	-	-	-	-
	Nonwhite-M	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite-F	19	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	4	3	3	-	1	-	-	-	-	-
77	Alcoholism (ethylin)	19	-	-	-	-	-	-	-	1	-	-	5	6	2	1	2	1	1	-	-	-	-	-	-	-	-	-
	White-M	10	-	-	-	-	-	-	-	1	-	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	8	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,803	4	-	-	-	-	2	2	4	6	11	19	31	63	123	138	172	186	255	292	212	141	94	29	12	5	2
	White-M	451	1	-	-	-	-	1	-	2	-	3	2	2	9	19	24	42	37	75	100	65	37	24	7	1	-	-
	White-F	419	-	-	-	-	-	2	1	2	1	4	7	7	18	16	36	30	68	69	69	40	38	10	3	-	-	1
	Nonwhite-M	400	2	-	-	-	-	1	-	1	4	7	4	13	30	41	45	53	48	61	36	29	12	6	4	2	1	1
	Nonwhite-F	533	1	-	-	-	-	-	1	3	3	6	18	34	56	57	49	66	66	62	43	35	20	6	4	3	-	-
90-95	Diseases of the heart	3,631	4	2	1	-	4	9	18	13	21	19	44	84	120	210	286	346	444	538	485	424	277	183	74	13	11	2
	White-M	1,398	1	-	-	-	1	3	4	2	3	14	23	34	66	111	158	183	229	189	171	106	63	23	2	-	-	2
	White-F	754	2	1	-	-	1	4	3	3	1	5	6	16	25	27	36	65	105	124	132	94	74	27	5	-	-	-
	Nonwhite-M	783	1	-	1	-	2	5	5	3	8	3	9	17	30	54	79	81	105	112	110	67	44	26	14	2	5	-
	Nonwhite-F	696	-	1	-	-	2	2	6	3	8	11	16	39	40	67	69	71	81	92	62	54	33	20	10	4	6	-
90a, 92b,c, 93a,95b	Chronic rheumatic diseases of the heart	358	-	-	-	-	3	5	9	5	6	2	8	9	17	25	24	26	38	45	43	22	20	9	2	1	1	1
	White-M	85	-	-	-	-	1	2	1	1	-	1	2	3	7	4	8	13	15	9	9	4	3	1	-	-	-	-
	White-F	74	-	-	-	-	-	1	1	2	-	3	2	3	3	4	3	5	6	6	15	9	7	2	1	-	-	-
	Nonwhite-M	106	-	-	-	-	1	2	3	1	1	-	3	2	5	7	10	12	11	14	8	7	7	3	-	-	-	-
	Nonwhite-F	95	-	-	-	-	2	2	3	2	2	2	1	3	6	7	9	6	8	10	11	9	2	3	1	1	-	-
94	Diseases of coronary arteries and angina pectoris	933	2	-	-	-	-	1	1	2	4	10	26	41	69	92	114	126	148	117	85	56	21	12	5	1	-	-
	White-M	542	1	-	-	-	-	1	-	-	1	5	11	20	38	61	79	83	92	64	46	23	10	5	2	-	-	-
	White-F	197	-	-	-	-	-	-	-	-	1	1	-	2	8	9	11	7	24	32	28	23	9	3	2	-	-	-
	Nonwhite-M	103	1	-	-	-	-	-	-	1	1	-	2	4	7	10	11	15	12	17	7	7	2	1	4	-	-	1
	Nonwhite-F	83	-	-	-	-	-	-	-	-	2	3	9	6	12	9												



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	MISSISSIPPI—Con.																											
	Arteriosclerosis and high blood pressure—	255	-	-	-	-	-	-	-	-	-	1	1	4	8	10	10	15	21	29	37	41	34	21	15	5	2	-
	White—M	63	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	11	8	18	10	6	3	-	-	-
	F	58	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	6	11	11	8	5	2	-	-	-
	Nonwhite—M	70	-	-	-	-	-	-	-	-	1	1	1	5	5	2	8	10	11	11	3	7	5	3	1	3	1	-
	F	64	-	-	-	-	-	-	-	-	-	-	3	5	4	6	4	5	4	12	9	6	2	3	1	1	-	-
107-109, 33	Pneumonia (all forms) and influenza—	1,160	287	52	22	8	5	27	15	13	17	21	24	31	29	44	48	48	47	75	70	79	80	61	31	10	5	1
	White—M	256	45	7	4	1	-	8	3	3	3	4	8	6	5	5	9	8	14	23	22	25	23	23	6	4	-	-
	F	218	44	3	4	1	-	4	-	-	1	3	3	2	5	2	7	4	8	9	21	22	29	29	13	4	-	-
	Nonwhite—M	350	114	24	7	2	4	7	6	4	4	7	8	10	7	18	19	14	10	25	15	20	9	6	8	1	2	-
	F	336	94	18	7	4	1	8	6	6	9	7	9	13	12	18	13	22	15	18	12	12	19	3	4	2	3	1
107	Bronchopneumonia—	301	125	20	6	5	1	4	7	1	4	4	3	8	5	6	4	7	7	9	10	17	20	16	9	2	1	-
	White—M	74	19	1	1	1	-	1	3	-	2	2	1	2	2	-	1	4	4	3	3	3	5	5	4	2	-	-
	F	62	21	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	2	5	5	9	10	5	-	-	-
	Nonwhite—M	86	51	10	3	-	1	-	1	-	1	1	-	3	-	2	-	2	1	2	1	5	-	1	-	-	1	-
	F	79	34	9	1	3	-	2	3	1	1	-	2	3	3	4	2	1	2	1	1	4	2	-	-	-	-	-
106	Lobar pneumonia—	377	61	9	5	2	-	8	1	5	6	7	11	18	15	16	23	23	23	30	32	28	24	22	8	-	1	-
	White—M	85	10	2	1	-	-	1	1	1	1	1	2	3	2	2	5	3	5	5	11	13	4	12	1	-	-	-
	F	67	7	-	1	-	-	-	-	-	-	1	1	2	1	2	4	3	6	4	8	8	8	8	3	-	-	-
	Nonwhite—M	120	28	3	2	2	-	3	1	1	1	1	4	6	6	9	8	9	5	12	8	3	5	1	2	-	-	-
	F	105	16	3	1	-	-	4	-	3	4	4	4	7	6	3	6	8	7	9	5	4	7	1	2	-	1	-
109	Pneumonia (unspecified)—	106	32	6	-	1	1	4	1	2	3	2	5	1	3	6	4	1	6	6	1	7	8	3	3	-	-	-
	White—M	29	5	-	-	-	-	3	-	1	-	-	2	1	-	1	1	-	3	4	1	3	3	1	1	-	-	-
	F	15	4	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	4	1	1	-	-	-
	Nonwhite—M	30	9	5	-	-	1	1	-	1	-	1	-	-	-	1	3	-	1	2	-	2	-	1	2	-	-	-
	F	32	14	1	-	1	-	-	1	-	3	1	1	-	2	4	-	1	2	-	-	-	1	-	-	-	-	-
33	Influenza—	376	79	18	11	-	3	11	6	5	4	8	5	4	6	16	17	17	11	30	27	27	26	20	11	8	3	1
	White—M	68	11	4	2	-	-	3	-	1	-	1	1	-	1	2	2	1	2	10	7	7	5	5	1	1	-	-
	F	74	12	3	2	-	-	3	-	-	1	1	-	-	3	-	2	1	2	3	8	7	6	10	4	1	-	-
	Nonwhite—M	114	26	6	2	-	2	3	4	2	2	4	2	1	1	7	8	3	3	8	6	10	4	3	2	2	2	1
	F	120	30	5	5	-	1	2	2	2	1	2	2	3	1	7	5	12	4	9	6	4	9	2	2	2	2	1
117	Ulcer of stomach or duodenum—	70	-	-	-	-	-	-	-	-	-	4	6	6	8	5	7	7	8	5	9	3	-	3	1	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	1	2	1	3	2	3	4	5	3	4	1	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	1	-	2	1	-	-	-
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	3	2	2	3	2	2	1	1	1	1	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—	96	49	7	2	-	2	3	2	-	-	1	3	1	1	1	2	2	4	7	5	2	1	2	-	-	-	-
	White—M	22	11	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	1	2	1	1	1	-	-	-	-
	F	19	10	2	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-
	Nonwhite—M	28	15	2	2	-	1	1	-	-	-	-	1	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-
	F	26	12	3	-	-	-	1	1	-	-	1	1	-	1	-	-	1	3	2	-	-	-	-	-	-	-	-
121	Appendicitis—	96	-	-	1	3	1	8	5	10	5	5	5	11	9	4	6	8	5	5	4	1	1	1	-	-	-	-
	White—M	22	-	-	1	-	-	1	2	1	1	1	1	3	2	1	3	2	1	1	1	1	-	-	-	-	-	-
	F	22	-	-	1	-	-	3	2	4	-	1	1	-	2	1	-	1	1	1	3	-	-	1	1	-	-	-
	Nonwhite—M	31	-	-	-	-	1	2	-	4	-	2	3	3	2	2	2	5	3	2	-	-	-	-	-	-	-	-
	F	23	-	-	-	2	-	3	2	4	-	1	-	5	3	-	1	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	147	5	2	1	2	1	3	1	2	2	2	3	17	10	15	11	14	11	14	11	5	8	4	2	-	-	1
	White—M	32	2	-	-	1	-	1	-	1	-	-	1	3	-	1	4	2	4	3	3	1	3	2	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	4	-	6	1	2	1	1	1	-	-	-
	Nonwhite—M	46	1	2	-	1	1	1	1	1	2	-	-	6	4	5	1	1	4	4	6	2	3	1	-	-	-	-
	F	47	2	-	1	-	-	2	-	-	1	2	2	6	6	7	4	7	3	1	1	-	1	-	1	-	-	1
124	Cirrhosis of the liver—	108	-	1	1	-	-	3	-	-	-	3	3	2	8	11	7	15	15	13	13	11	1	1	-	1	-	-
	White—M	52	-	-	-	-	-	2	-	-	-	-	2	1	3	5	4	3	9	8	6	3	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	1	1	3	-	-	-	-	-	-
	Nonwhite—M	32	-	1	-	-	-	1	-	-	-	3	-	-	1	4	2	8	4	4	1	2	1	-	-	-	-	-
	F	15	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	2	1	-	3	1	-	-	-	1	-	-
126,127	Biliary calculi, etc.—	50	-	-	-	-	-	-	-	-	1	1	2	2	5	8	5	6	1	7	6	2	1	2	1	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	3	2	-	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	-	4	2	-	-	1	1	1	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	3	5	1	2	-	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis—	1,610	4	3	3	-	1	9	9	12	20	18	30	41	51	74	120	147	169	200	207	206	146	88	40	10	1	3
	White—M	370	1	-	2	-	-	2	2	3	2	-	7	7	7	25	21	32	50	54	64	45	37	7	-	-	-	-
	F	293	1	-	-	-	-	2	2	4	5	2	3	7	11	8	19	27	31	41	42	41	28	15	4	-	-	-
	Nonwhite—M	496	2	2	-	-	1	4	1	3	3	4	8	11	12	20	40	65	53	61	75	67	37	12	6	4	1	2
	F	451	-	1	1	-	-	3	4	4	11	9	13	25	25	36	47	42	57	58	37	33	23	9	10	2	-	1
137	Diseases of the prostate—	109	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	4	15	14	22	22	13	6	4	-	-	-
	White—M	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	7	15	10	4	2	-	-	-
	Nonwhite—M																											



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

349

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas).

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI-Cont.																											
140-150	Diseases of pregnancy, etc.*	194	-	-	-	-	-	-	2	30	27	36	40	43	14	1	1	-	-	-	-	-	-	-	-	-	-	
	White-F	67	-	-	-	-	-	-	-	14	10	9	16	13	5	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	127	-	-	-	-	-	-	2	16	17	27	24	30	9	1	1	-	-	-	-	-	-	-	-	-	-	
140,142a, 145a,147	Puerperal septicemia	63	-	-	-	-	-	-	11	12	17	9	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	23	-	-	-	-	-	-	4	3	5	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	40	-	-	-	-	-	-	7	9	12	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia	58	-	-	-	-	-	-	1	10	11	5	13	13	4	-	1	-	-	-	-	-	-	-	-	-	-	
	White-F	18	-	-	-	-	-	-	4	4	7	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	40	-	-	-	-	-	-	1	6	7	5	7	9	4	-	1	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	55	-	-	-	-	-	-	6	4	9	14	15	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	20	-	-	-	-	-	-	3	3	3	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	35	-	-	-	-	-	-	3	1	6	10	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c,f, 143b,150	Other puerperal causes	18	-	-	-	-	-	-	1	3	-	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	6	-	-	-	-	-	-	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	12	-	-	-	-	-	-	1	-	-	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	208	171	8	5	2	1	5	6	2	3	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	
	White-M	82	67	3	2	1	1	3	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F	75	65	2	2	-	-	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	32	26	1	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F	20	13	3	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	1,020	1,020	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White-M	373	373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	279	279	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite-M	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
159	Premature birth	519	519	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White-M	221	221	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite-M	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
158,160, 161	Other diseases peculiar to first year	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	White-M	152	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite-M	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
163,164	Suicide	130	-	-	-	-	-	-	11	6	10	13	13	13	13	16	14	12	7	9	5	2	1	-	-	-	-	
	White-M	78	-	-	-	-	-	-	3	2	8	8	8	8	10	11	7	6	5	8	3	1	1	-	-	-	-	
	F	39	-	-	-	-	-	-	6	4	4	4	3	3	2	5	5	2	1	-	-	-	-	-	-	-	-	
	Nonwhite-M	12	-	-	-	-	-	-	2	-	1	1	1	1	1	3	2	1	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide	354	2	-	1	-	-	3	7	27	52	53	46	57	35	20	21	11	6	8	2	1	1	-	-	-	1	
	White-M	64	1	-	-	-	-	1	1	2	6	11	11	4	8	2	6	3	3	3	1	-	-	-	-	-	-	
	F	8	-	-	-	-	-	-	-	1	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	240	-	-	1	-	-	1	5	17	36	36	30	51	21	14	13	6	2	4	1	1	1	-	-	-	1	
	F	42	1	-	-	-	-	1	1	7	9	5	2	2	5	3	2	2	1	1	-	-	-	-	-	-	-	
169-195	Accidental deaths	1,395	52	43	27	29	18	86	79	134	142	102	87	71	89	59	54	54	62	43	35	45	39	27	9	7	1	
	White-M	540	9	7	9	8	7	17	22	54	70	54	40	36	49	22	27	21	29	17	14	10	7	6	2	1	-	
	F	215	12	4	5	8	1	22	9	13	14	9	11	6	5	6	2	6	5	7	6	19	26	14	3	2	-	
	Nonwhite-M	436	13	19	6	5	6	27	34	48	42	30	30	24	24	22	18	22	18	15	10	10	3	1	4	1	-	
	F	204	18	13	7	8	4	20	14	19	16	9	8	5	11	9	7	5	10	4	5	6	3	4	-	-	1	
170	Motor-vehicle accidents	479	5	5	4	11	6	34	28	56	74	43	40	22	28	21	21	23	24	14	8	8	2	-	1	1	-	
	White-M	255	-	2	3	4	4	6	7	27	41	25	22	12	18	8	13	10	13	9	6	3	1	-	1	-	-	
	F	71	4	1	1	4	-	16	6	10	7	3	6	4	2	2	1	2	2	-	-	-	-	-	-	-	-	
	Nonwhite-M	128	-	1	-	1	2	6	11	13	19	11	11	5	7	9	6	8	7	4	2	3	1	-	1	-	-	
	F	45	1	1	-	2	-	6	4	6	7	4	1	1	1	2	1	3	2	1	-	2	-	-	-	-	-	
169, 171-195	Other accidents	916	47	38	23	18	12	52	51	78	68	59	47	49	61	38	33	31	38	29	27	37	37	27	8	6	1	
	White-M	305	9	5	6	4	3	11	15	27	29	29	18	24	31	14	14	11	16	8	7	6	7	6	9	1	-	
	F	144	8	3	4	4	1	6	3	3	7	6	5	2	3	4	1	4	3	7	6	19	26	14	3	2	-	
	Nonwhite-M	308	13	18	6	4	4	21	23	35	23	19	19	17	13	12	14	11	11	8	7	2	1	4	3	1	-	
	F	159	17	12	7	6	4	14	10	13	9	5	5	4	10	7	6	2	8	3	5	4	3	4	-	-	1	
162,199, 200	Senility, ill-defined and unknown causes	2,633	548	32	17	11	14	21	15	33	46	24	51	61	69	104	119	143	195	226	210	222	167	114	88	46	58	
	White-M	315	42	3	-	1	1	3	1	3	3	1	5	3	11	7	17	18	25	31	36	32	26	22	18	5	1	
	F	214	22	3	2	-	-	2	-	2	4	2	1	5	3	4	4	11	13	15	18	29	21	22	22	4	1	
	Nonwhite-M	1,100	267	18	8	8	5	9	4	14	17	13	15	22	22	40	53	64	97	87	87	55	42	25	12	18	-	
	F	1,004	217	8	7	2	8	7	10	14	22	8	30	31	33	53	45	50	69	63	69	64	65	28	23	25	33	
	All other causes	1,080	78	18	18	19	14	36	28	40	49	52	45	64	71	78	75	74	53	71	67	44	35	28	11	6	2	
	White-M	290	18	1	10	3	8	13	5	6	8	8	7	15	8	21	22	28	16	27	25	17	11	10	4	1	-	
	F	259	14	5	4	4	1	4	8	8	5	12	15	14	15	17	19	19	12	15	23	14	12	12	5	3	1	
	Nonwhite-M	283	26	9	3	8	4	16	10	16	17	15	12	10	20	23	18	15	16	15	9	7	3	1	1	1	1	
	F	246	20																									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes—	42,451	2,665	165	105	97	58	250	221	384	530	579	694	966	1,317	1,703	2,434	3,165	3,866	4,625	5,444	5,329	4,178	2,576	850	189	27	54
	White—M	21,306	1,367	77	55	46	27	124	130	194	279	286	286	438	585	843	1,245	1,671	2,132	2,470	2,766	2,685	1,999	1,164	385	71	9	14
	White—F	16,903	965	62	41	41	23	102	64	132	154	198	243	287	432	528	744	1,046	1,300	1,804	2,348	2,436	2,032	1,539	461	99	10	15
	Nonwhite—M	2,301	181	11	6	3	6	11	14	33	46	55	84	126	144	185	250	255	255	205	172	119	73	44	12	3	4	4
	Nonwhite—F	1,941	152	15	5	7	2	13	13	25	51	60	81	115	156	149	196	193	179	146	159	89	74	30	12	16	4	1
1,2	Typhoid and paratyphoid fever—	11	-	-	-	-	-	1	-	3	-	-	-	-	2	-	-	3	-	-	1	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis—	31	8	3	1	-	1	1	-	3	-	-	-	-	2	1	4	2	2	1	1	1	-	-	-	-	-	-
	White—M	14	6	3	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	15	2	-	1	-	-	1	-	1	-	-	-	-	1	1	2	1	2	1	1	1	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever—	5	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough—	31	21	3	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	14	1	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria—	24	1	1	4	3	4	6	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	-	-	3	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	1	1	1	1	2	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)—	1,276	12	7	1	2	2	9	8	38	88	107	100	102	106	98	126	125	93	103	82	36	20	11	-	-	-	-
	White—M	632	5	3	-	-	-	3	2	7	20	32	30	50	52	52	78	82	56	66	56	25	12	3	-	-	-	-
	White—F	347	2	1	-	-	1	4	3	15	37	42	39	22	28	23	24	18	18	27	21	12	5	6	-	-	-	-
	Nonwhite—M	179	3	-	-	1	1	1	1	9	11	16	14	21	15	19	17	13	13	9	3	1	3	2	-	-	-	-
	Nonwhite—F	118	2	3	1	1	-	1	2	7	20	17	18	9	11	4	7	6	6	1	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.—	1,195	8	5	1	1	1	4	7	35	82	101	96	100	101	94	117	120	87	97	80	31	16	11	-	-	-	-
	White—M	597	3	2	-	-	-	1	7	19	30	27	50	49	51	51	74	79	55	62	55	21	9	3	-	-	-	-
	White—F	323	1	1	-	-	1	3	3	14	35	40	39	21	26	21	21	17	16	26	20	9	4	6	-	-	-	-
	Nonwhite—M	167	3	-	-	-	-	1	8	10	14	14	20	15	18	16	18	13	8	5	1	5	2	-	-	-	-	-
	Nonwhite—F	108	1	2	1	1	-	1	2	6	18	17	17	9	11	4	6	6	3	1	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)—	81	4	2	-	1	1	5	1	3	6	5	4	2	5	4	9	5	6	6	2	5	4	-	-	-	-	-
	White—M	35	2	1	-	-	-	3	1	-	1	2	3	-	3	1	4	3	1	4	1	2	3	-	-	-	-	-
	White—F	24	1	-	-	-	-	1	-	1	2	2	-	1	2	2	3	1	2	1	1	3	1	-	-	-	-	-
	Nonwhite—M	12	-	-	-	1	1	1	-	1	1	2	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	10	1	1	-	-	-	-	-	1	2	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-
27	Dysentery—	30	12	-	-	-	-	2	-	-	-	1	1	2	-	1	-	2	1	3	3	-	1	-	1	-	-	-
	White—M	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	White—F	11	3	-	-	-	-	2	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-
	Nonwhite—M	8	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	3	-	-	-	-	-	-	-	-
	Nonwhite—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria—	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis—	464	13	2	-	1	-	1	1	5	3	2	10	19	38	39	62	69	74	58	32	17	11	4	2	-	-	1
	White—M	219	6	-	-	-	-	-	-	2	1	1	1	7	12	15	30	35	42	39	14	7	4	2	-	-	-	1
	White—F	80	1	-	-	-	-	-	-	2	1	-	3	3	10	7	7	4	14	10	10	7	1	-	-	-	-	-
	Nonwhite—M	118	4	1	-	1	-	1	-	-	-	1	5	7	8	12	16	27	14	7	6	2	4	1	1	-	-	-
	Nonwhite—F	47	2	1	-	-	-	1	-	1	1	-	1	2	6	5	9	3	4	2	2	1	2	1	1	-	-	-
35	Measles—	50	16	9	4	5	1	5	1	-	-	1	1	1	1	-	-	-	-	1	1	2	-	-	1	-	-	-
	White—M	25	9	4	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White—F	23	6	4	1	3	-	3	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)—	97	3	1	4	5	2	21	16	13	11	10	2	4	1	2	-	-	2	-	-	-	-	-	-	-	-	-
	White—M	57	-	-	2	2	1	14	14	6	6	4	2	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—F	37	2	-	2	3	1	7	2	6	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1																									



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

351

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI-Cont.																											
45-55	Cancer and other malignant tumors	5,548	3	5	4	4	3	12	12	15	21	35	59	124	222	299	484	601	659	783	813	723	450	172	50	10	-	5
	White-M	2,471	2	3	3	2	2	4	7	7	10	15	18	42	58	111	190	250	298	374	398	371	212	79	20	3	-	2
	F	2,670	1	2	1	2	1	7	4	5	9	15	25	63	127	151	247	287	302	371	391	333	198	90	29	6	-	3
	Nonwhite-M	189	-	-	-	-	-	-	-	2	-	2	2	6	11	16	22	29	36	22	17	12	11	1	-	-	-	-
	F	218	-	-	-	-	-	1	1	1	2	3	14	13	26	21	25	35	23	16	17	7	9	2	1	1	-	-
46	Cancer of the digestive organs and peritoneum	2,417	-	-	1	-	-	-	1	3	4	7	18	36	58	106	169	243	290	385	435	337	217	78	23	3	-	3
	White-M	1,184	-	-	1	-	-	-	1	1	1	3	7	16	23	51	86	119	139	192	218	167	94	33	9	1	-	2
	F	1,073	-	-	-	-	-	-	-	1	3	2	6	17	25	37	64	94	123	176	197	159	111	42	13	2	-	1
	Nonwhite-M	109	-	-	-	-	-	-	-	-	-	-	2	2	6	9	12	19	21	12	10	7	8	1	-	-	-	-
	F	71	-	-	-	-	-	-	-	1	-	-	5	1	4	9	7	11	7	5	10	4	4	2	1	-	-	-
46, 49	Cancer of female genital organs	753	-	-	-	-	-	-	-	-	4	8	18	34	72	68	110	106	85	85	69	51	28	9	4	1	-	1
	White-F	670	-	-	-	-	-	-	-	-	2	7	10	26	57	61	99	91	77	82	65	51	27	9	4	1	-	1
	Nonwhite-F	83	-	-	-	-	-	-	-	-	2	1	8	8	15	7	11	15	8	5	4	-	1	-	-	-	-	-
50	Cancer of breast	479	-	-	-	-	-	-	-	-	1	2	6	10	32	40	49	60	55	55	68	48	30	17	4	2	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	441	-	-	-	-	-	-	-	-	1	-	5	9	29	37	43	52	51	51	67	47	27	17	4	1	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	2	1	1	3	5	6	8	4	4	1	1	3	-	-	1	-	-
45, 47, 51-55	Cancer (other sites)	1,899	3	5	3	4	3	12	11	12	12	18	17	44	60	85	156	192	229	258	241	267	155	69	19	4	-	1
	White-M	1,307	2	3	2	2	2	4	6	6	9	12	11	28	35	60	104	131	159	182	170	204	118	46	11	2	-	-
	F	486	1	2	1	2	1	7	4	4	3	6	4	11	16	16	41	50	51	62	62	76	33	22	8	2	-	1
	Nonwhite-M	80	-	-	-	-	-	-	2	-	-	-	2	4	5	7	10	10	15	10	7	5	3	-	-	-	-	-
	F	26	-	-	-	-	-	1	1	-	-	-	-	3	4	2	1	1	4	4	2	2	1	-	-	-	-	-
58	Acute rheumatic fever	28	-	1	2	-	1	3	6	2	3	2	-	1	3	-	2	-	-	-	2	-	-	-	-	-	-	-
	White-M	7	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	1	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	2	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	907	-	-	-	1	-	5	3	7	3	8	3	11	15	30	47	87	127	159	175	124	71	24	6	-	-	1
	White-M	347	-	-	-	-	-	5	1	3	2	7	1	3	8	12	13	34	48	61	64	46	33	8	1	-	-	1
	F	508	-	-	-	1	-	2	2	3	1	1	2	8	5	15	24	46	72	87	106	77	38	16	4	-	-	-
	Nonwhite-M	16	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	4	-	1	-	-	-	-	-	-	-
	F	56	-	-	-	-	-	-	-	1	-	-	-	-	2	3	8	5	7	5	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	80	-	1	-	-	-	-	-	-	1	2	3	3	-	5	7	10	12	10	9	6	3	2	-	-	-	-
	White-M	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	-	-	-	-	-	-
	F	63	-	-	-	-	-	-	-	-	-	1	2	3	3	6	6	10	8	9	4	6	3	2	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	47	-	-	-	-	-	-	-	-	1	-	3	8	6	9	10	4	2	1	3	-	-	-	-	-	-	-
	White-M	37	-	-	-	-	-	-	-	-	1	-	2	6	5	7	7	4	2	1	2	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,158	5	5	-	-	-	2	1	4	3	6	13	30	80	114	187	300	378	539	710	748	563	310	101	13	-	4
	White-M	1,905	2	4	-	-	-	1	-	2	2	6	9	14	30	37	69	136	190	267	324	358	260	132	37	4	-	1
	F	1,885	3	-	-	-	-	1	1	1	1	-	2	4	25	48	73	108	136	242	339	360	290	153	88	8	-	2
	Nonwhite-M	189	-	-	-	-	-	-	-	-	-	-	6	8	16	26	25	26	22	19	20	5	10	4	-	-	-	1
	F	199	-	-	-	-	-	-	-	1	-	2	2	6	17	13	19	31	26	29	28	10	8	5	2	1	-	-
90-95	Diseases of the heart	13,144	2	2	-	2	1	8	17	19	40	36	73	185	285	487	754	1,032	1,399	1,685	2,063	2,075	1,652	1,021	308	89	15	6
	White-M	7,075	-	-	-	2	-	1	4	9	21	12	29	82	135	264	476	635	859	980	1,113	1,054	765	471	137	23	4	1
	F	5,001	1	2	-	-	1	8	10	9	12	16	30	51	59	102	142	258	393	586	857	989	616	520	165	38	8	5
	Nonwhite-M	559	1	-	-	-	-	1	5	5	4	13	34	52	74	62	78	78	71	58	40	18	15	3	1	3	1	1
	F	509	-	-	-	-	-	3	-	2	3	10	19	27	49	62	59	69	48	55	42	33	15	3	7	2	-	2
90a, 92b, c, 95a, 95b	Chronic rheumatic diseases of the heart	867	-	-	-	-	-	4	10	13	12	15	22	33	42	49	53	78	88	92	96	115	84	39	14	5	-	2
	White-M	397	-	-	-	1	-	1	2	5	5	7	7	21	14	17	30	39	45	47	45	52	35	17	7	-	-	-
	F	372	-	-	-	-	-	3	6	7	4	6	12	10	23	20	15	27	28	34	37	61	47	22	6	4	-	-
	Nonwhite-M	42	-	-	-	-	-	-	1	2	2	1	2	1	4	2	4	4	9	5	5	1	-	-	-	-	-	1
	F	56	-	-	-	-	-	-	2	-	1	-	2	1	1	10	4	8	6	6	9	2	1	-	1	1	-	1
94	Diseases of coronary arteries and angina pectoris	4,090	-	-	-	-	-	-	-	-	10	9	19	57	116	200	337	445	553	596	659	533	340	158	47	8	-	3
	White-M	2,699	-	-	-	-	-	-	-	-	5	3	10	35	83	145	274	323	404	398	398	309	196	80	22	2	-	-
	F	1,191	-	-	-	-	-	-	-	-	3	3	7	13	16	35	54	80	123	178	242	209	141</					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	MISSOURI—Con.																											
	Arteriosclerosis and high blood pressure—	753	-	-	-	-	-	-	-	-	-	2	1	4	9	7	5	16	43	50	91	155	162	144	54	14	2	
	White—M—	359	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	8	21	26	47	76	76	71	20	3	2	
	F—	344	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	6	19	20	36	67	80	68	32	8	-	
	Nonwhite—M—	29	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	2	3	4	6	5	5	-	-	-	
	F—	27	-	-	-	-	-	-	-	-	-	1	-	3	4	4	-	1	1	1	2	4	1	-	2	3	-	
107-109, 33	Pneumonia (all forms) and influenza—	2,243	304	41	20	9	6	17	12	17	21	22	40	47	61	76	86	119	131	173	256	270	227	182	82	20	1	
	White—M—	1,002	127	19	5	4	2	6	6	8	9	11	16	19	26	36	32	49	64	86	111	145	110	65	35	12	1	
	F—	943	126	16	14	4	3	10	4	6	9	11	15	7	17	18	23	39	44	66	120	112	116	46	7	-		
	Nonwhite—M—	173	24	2	1	-	1	1	2	3	2	1	6	11	11	13	22	19	19	9	11	8	6	1	-	-		
	F—	125	27	4	-	1	-	-	-	-	1	2	3	10	7	9	9	12	4	12	14	5	1	2	1	1	-	
107	Bronchopneumonia—	952	199	24	12	3	3	6	7	5	7	8	13	14	24	17	32	32	33	63	88	120	108	86	35	12	1	
	White—M—	424	79	12	3	1	2	3	5	-	5	2	5	6	11	6	15	13	12	31	39	60	59	30	16	8	1	
	F—	414	85	7	8	1	1	3	1	5	2	4	5	1	7	4	9	12	12	27	42	55	45	56	18	4	-	
	Nonwhite—M—	60	18	2	1	-	-	1	-	-	-	1	2	4	3	1	4	3	6	3	4	3	4	-	-	-	-	
	F—	54	17	3	-	1	-	-	-	-	-	1	1	3	3	6	4	4	3	2	3	2	-	-	1	-	-	
108	Lobar pneumonia—	930	70	12	4	3	2	6	3	12	11	7	23	26	27	47	44	75	70	85	122	100	92	58	26	4	-	
	White—M—	426	30	6	1	1	-	1	-	6	4	5	10	10	10	24	14	33	38	41	55	60	39	24	12	2	-	
	F—	349	27	5	3	2	1	4	2	3	5	1	9	3	8	9	10	19	25	33	50	53	50	32	14	2	-	
	Nonwhite—M—	97	5	-	-	-	1	1	1	3	1	-	3	6	7	12	16	15	8	5	6	5	2	-	-	-	-	
	F—	58	8	1	-	-	-	-	-	-	1	1	1	7	2	2	4	8	1	6	11	2	1	2	-	-	-	
109	Pneumonia (un-specified)—	88	13	1	-	1	-	1	1	1	1	1	1	1	1	3	3	2	3	6	9	10	1	3	4	1	-	
	White—M—	29	5	-	-	-	-	1	-	1	-	-	-	1	1	2	1	-	2	4	4	4	1	1	1	-	-	
	F—	32	7	1	-	1	-	-	1	-	1	1	1	-	-	1	1	2	-	1	4	5	-	2	3	-	-	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	F—	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	
33	Influenza—	293	22	4	4	3	1	4	1	1	2	6	3	6	9	9	7	10	25	19	37	40	26	35	17	3	-	
	White—M—	123	13	1	1	2	-	1	1	1	-	4	1	2	4	4	2	3	12	10	13	21	11	8	6	2	-	
	F—	148	7	3	3	-	1	3	-	-	1	2	-	3	2	4	3	6	9	5	24	19	15	26	11	1	-	
	Nonwhite—M—	13	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	4	1	-	-	-	1	-	-	-	
	F—	9	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	3	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum—	241	-	-	-	-	-	-	-	4	2	4	3	9	15	22	24	23	33	30	34	21	8	7	2	-	-	
	White—M—	179	-	-	-	-	-	-	-	3	-	3	3	6	11	18	18	19	26	22	26	15	6	2	1	-	-	
	F—	45	-	-	-	-	-	-	-	1	1	1	-	2	1	2	3	2	7	6	6	5	2	5	1	-	-	
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	1	-	2	2	1	-	-	-	-	-	
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	
119,120	Diarrhea, enteritis, etc.—	227	172	11	3	-	-	-	-	-	-	3	1	1	3	1	2	2	6	4	4	5	4	3	2	-	-	
	White—M—	121	92	6	2	-	-	-	-	-	-	2	1	1	1	-	1	1	3	2	2	2	2	1	-	-	-	
	F—	77	57	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	2	1	1	-	-	
	Nonwhite—M—	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	17	12	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	
121	Appendicitis—	180	-	1	1	2	-	10	6	8	6	9	8	9	13	12	18	16	23	15	8	13	3	1	-	-	-	
	White—M—	99	-	1	1	2	-	6	4	2	2	4	3	4	7	7	11	12	17	4	3	7	1	1	-	-	-	
	F—	65	-	-	-	-	-	2	1	6	4	4	3	3	4	4	6	4	5	7	4	6	2	-	-	-	-	
	Nonwhite—M—	10	-	-	-	-	-	2	1	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	
	F—	6	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction—	384	13	-	2	1	-	-	2	4	5	9	11	3	18	23	26	33	34	50	61	40	33	12	3	3	-	
	White—M—	165	5	-	2	1	-	-	2	1	1	2	1	1	8	15	10	8	18	25	28	16	12	6	1	1	-	
	F—	167	6	-	-	-	-	-	3	1	4	7	1	2	5	10	16	13	21	29	22	18	6	1	2	-	-	
	Nonwhite—M—	19	1	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	3	3	3	1	-	-	-	-	-	
	F—	33	1	-	-	-	-	-	-	-	1	1	3	1	6	3	3	7	-	1	1	1	3	-	1	-	-	
124	Cirrhosis of the liver—	399	2	-	-	-	-	1	3	2	3	4	8	15	28	31	36	55	60	48	38	32	23	8	1	1	-	
	White—M—	250	1	-	-	-	-	1	1	1	1	2	4	6	18	18	21	39	45	35	22	22	10	3	1	1	-	
	F—	117	1	-	-	-	-	3	1	1	1	2	3	7	6	7	13	15	10	12	12	8	13	5	-	-	-	
	Nonwhite—M—	18	-	-	-	-	-	-	-	-	2	-	1	1	2	4	1	1	3	1	1	1	-	-	-	-	-	
	F—	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	-	3	1	-	-	-	-	-	
126,127	Biliary calculi, etc.—	207	1	-	-	-	-	-	-	1	1	1	5	4	7	18	20	20	24	24	38	13	25	4	1	-	-	
	White—M—	76	1	-	-	-	-	-	-	1	1	1	2	1	3	7	7	7	11	11	11	3	9	3	-	-	-	
	F—	124	-	-	-	-	-	-	-	1	1	1	2	3	4	10	10	12	12	13	27	10	16	1	1	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	
130-132	Nephritis—	3,177	2	-	4	3	3	7	5	10	15	21	28	55	89	95	155	230	300	368	455	503	458	288	84	18	1	
	White—M—	1,528	2	-	4	2	1	5	1	1	6	10	10	19	26	41	65	112	154	180	225	247	226	149	43	7	-	
	F—	1,289	-	-	-	-	2	2	3	8	8	8	9	16	21	28	46	73	99	150	186	230	209	135	39	8	-	
	Nonwhite—M—	186	-	-	-	-	-	-	-	-	-	1	3	8	8	12	17	23	27	24	23	18	16	3	1	1	-	
	F—	174	-	-	-	1	-	-	1	1	1	2	4	12	14	14	27	22	20	14	21	8	7	1	1	2	1	
137	Diseases of the prostate—	241	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	11	19	32	48	46	46	19	11	-	-	
	White—M—	216	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	14	26	43	46	44	19	11	-	-	
	Nonwhite—M—	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	5	6	5	2	2	-	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

353

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	MISSOURI--Con.																											
	Diseases of pregnancy, etc.*	131	-	-	-	-	-	-	-	12	24	28	35	21	7	4	-	-	-	-	-	-	-	-	-	-	-	
	White--F	105	-	-	-	-	-	-	-	8	19	23	31	14	6	4	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	26	-	-	-	-	-	-	-	4	5	5	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
140,142a, 145A,147	Puerperal septicemia	38	-	-	-	-	-	-	-	3	5	5	13	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F	29	-	-	-	-	-	-	-	2	4	5	11	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	6	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia	48	-	-	-	-	-	-	-	7	7	12	9	10	1	2	-	-	-	-	-	-	-	-	-	-	-	
	White--F	38	-	-	-	-	-	-	-	4	5	11	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	10	-	-	-	-	-	-	-	3	2	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	40	-	-	-	-	-	-	-	1	11	9	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F	33	-	-	-	-	-	-	-	1	10	7	11	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	7	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145B,150	Other puerperal causes	6	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	5	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	476	419	18	4	2	3	7	6	4	4	2	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	
	White--M	247	216	10	2	1	2	3	4	2	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	205	180	8	2	1	1	2	2	2	3	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite--M	13	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	13	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	1,429	1,429	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M	758	758	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	485	485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	929	929	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M	488	488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	508	508	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158,160, 161	Other diseases peculiar to first year	500	500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163,164	Suicide	516	-	-	-	-	-	-	2	6	21	22	30	38	55	53	58	56	53	45	41	15	12	8	1	-	-	
	White--M	370	-	-	-	-	-	-	2	2	13	13	17	31	38	33	39	40	43	33	34	14	10	7	1	-	-	
	F	126	-	-	-	-	-	-	3	6	7	8	7	16	14	18	14	10	12	7	1	2	1	-	-	-	-	
	Nonwhite--M	11	-	-	-	-	-	-	-	2	1	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
	F	9	-	-	-	-	-	-	1	-	1	1	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	
185-188	Homicide	284	5	1	-	1	1	-	1	22	29	36	42	38	37	25	15	11	9	6	3	1	1	-	-	-	-	
	White--M	97	3	-	-	1	1	-	-	9	8	13	10	10	12	10	6	3	4	4	1	1	1	-	-	-	-	
	F	31	2	1	-	-	-	-	-	3	3	6	1	4	2	-	-	3	4	-	2	-	-	-	-	-	-	
	Nonwhite--M	180	-	-	-	-	-	-	-	8	14	13	26	21	22	12	7	4	1	2	-	-	-	-	-	-	-	
	F	26	-	-	-	-	-	-	1	2	4	4	5	3	1	3	2	1	-	-	-	-	-	-	-	-	-	
189-195	Accidental deaths	2,812	69	26	24	33	23	71	85	150	169	154	111	127	121	135	121	149	143	192	214	235	210	183	63	13	2	9
	White--M	1,546	30	9	12	16	13	42	59	105	139	97	93	82	80	97	87	101	100	109	110	105	80	58	20	5	1	7
	F	945	29	11	8	12	6	19	17	33	20	27	20	24	28	22	22	29	29	69	93	120	124	122	43	6	-	2
	Nonwhite--M	153	4	3	3	1	4	5	8	10	6	8	7	15	8	12	11	9	10	8	10	4	2	2	-	1	-	-
	F	69	6	3	1	4	-	5	2	2	4	2	1	6	5	4	1	-	4	6	1	6	4	1	-	1	-	-
170	Motor-vehicle accidents	630	1	3	2	9	7	24	21	82	99	60	62	44	45	53	45	52	46	48	53	47	17	8	1	-	-	1
	White--M	614	1	2	2	6	4	15	15	56	68	46	48	36	34	39	32	37	36	34	33	33	9	6	1	-	-	1
	F	169	-	1	-	3	2	8	4	22	8	9	12	5	8	10	8	11	9	12	15	13	7	2	-	-	-	-
	Nonwhite--M	37	-	-	-	-	1	1	2	4	2	5	2	1	3	4	4	1	1	4	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	1	1	1	1	-	-	-	-	-
169, 171-195	Other accidents	1,982	68	23	22	24	16	47	64	68	70	74	49	83	76	62	76	97	97	144	161	188	195	175	62	13	2	8
	White--M	1,032	29	7	10	10	9	27	43	49	51	51	35	46	46	58	55	64	64	75	77	72	71	52	19	5	1	6
	F	776	29	10	8	9	4	11	13	11	12	18	8	13	20	12	14	28	20	57	78	107	120	122	43	6	-	2
	Nonwhite--M	115	4	3	3	1	3	4	6	6	4	3	5	13	7	9	7	5	9	7	6	4	2	2	-	1	-	-
	F	59	6	3	1	4	-	5	2	2	3	2	1	5	3	3	-	-	4	5	-	5	3	1	-	1	-	-
162,199, 200	Sentility, ill-defined and unknown causes	490	28	5	-	2	1	3	-	1	4	2	6	9	6	5	21	16	28	24	49	53	70	65	36	22	4	3
	White--M	254	14	3	-	-	-	1	-	-	3	2	3	4	6	4	15	10	16	16	29	25	34	42	21	1	1	1
	F	181	5	-	-	2	-	-	-	1	1	-	2	2	-	1	4	3	6	5	17	25	41	39	21	11	3	1
	Nonwhite--M	26	5	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	3	1	2	3	1	3	1	-	-	1
	F	19	4	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	2	1	-	2	1	-	-	-	-
	All other causes	2,312	125	22	21	26	6	58	50	53	54	66	94	112	129	125	156	171	212	202	212	193	135	87	41	6	2	-
	White--M	1,101	75	10	13	9	1	28	19	19	13	21	26	38	43	46	54	61	76	98	102	118	98	71	42	22	1	-
	F	967	58	9	5	11	4	27	8	12	31	24	35	42	59	52	60	88	94	87	83	90	60	42	18	5	1	-
	Nonwhite--M	102	6	2	2	-	-	1	1	-	3	3	8	8														



\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

355

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																											
45-55	Cancer and other malignant tumors	662	2	2	2	1	-	4	1	4	1	4	7	9	26	26	49	75	109	96	93	82	47	16	5	-	1	-
	White—M	342	2	1	1	1	-	1	1	1	1	2	2	4	11	5	19	40	62	45	52	49	29	10	5	-	-	-
	F	303	-	1	1	-	-	3	-	2	-	2	5	5	15	21	28	32	45	49	59	29	18	5	2	-	1	-
	Nonwhite—M	14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	1	2	1	3	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	288	1	-	-	-	-	-	-	-	-	-	1	2	9	9	16	31	43	41	55	44	22	6	3	-	-	-
	White—M	159	1	-	-	-	-	-	-	-	-	-	-	2	6	2	8	17	31	20	31	24	13	2	2	-	-	-
	F	119	-	-	-	-	-	-	-	-	-	-	1	-	3	7	8	12	16	20	23	16	9	3	1	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	74	-	-	-	-	-	-	-	-	-	1	1	1	5	7	11	10	12	14	4	3	2	2	-	-	-	-
	White—M	73	-	-	-	-	-	-	-	-	-	1	1	1	6	7	11	10	11	14	4	3	2	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast	53	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	6	9	8	6	7	5	-	1	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	-	-	1	-	3	3	4	6	9	7	5	7	4	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	247	1	2	2	1	-	4	1	4	1	3	4	6	8	7	18	28	40	33	28	28	18	8	1	-	1	-
	White—M	181	1	1	1	1	-	1	1	1	1	2	2	2	3	3	11	23	31	24	21	25	15	8	1	-	-	-
	F	61	-	1	1	-	-	3	-	2	-	1	2	4	5	4	5	9	8	7	3	3	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	137	-	-	-	-	-	-	1	2	-	1	3	-	4	1	5	13	22	29	20	21	5	9	1	-	-	-
	White—M	55	-	-	-	-	-	-	-	-	-	1	1	-	4	-	1	7	10	10	4	9	3	4	-	-	-	-
	F	81	-	-	-	-	-	-	1	1	-	-	2	-	-	1	4	6	11	19	16	12	2	5	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	1	1	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylishm)	15	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	-	6	-	1	-	-	-	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	6	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	430	-	1	-	-	-	-	-	-	1	-	1	3	7	8	16	33	60	73	79	84	68	40	12	3	1	-
	White—M	258	-	-	-	-	-	-	-	-	-	-	1	3	5	7	8	15	31	45	46	42	32	18	3	2	-	-
	F	223	-	1	-	-	-	-	-	-	1	-	-	-	2	1	8	18	26	28	33	59	36	21	7	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
90-95	Diseases of the heart	1,629	-	-	2	-	-	2	5	5	4	17	19	30	60	100	152	209	210	253	248	198	78	34	2	1	-	-
	White—M	1,072	-	-	1	-	-	-	4	3	2	11	8	19	39	74	114	157	135	169	152	117	47	18	1	1	-	-
	F	523	-	-	1	-	-	1	1	2	1	6	11	10	18	23	37	48	69	81	90	77	30	16	1	-	-	
	Nonwhite—M	23	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	1	2	4	3	4	2	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	-	2	-	-	-	-	-	-	-
90a, 92b,c, 95a,95b	Chronic rheumatic diseases of the heart	97	-	-	-	-	-	1	4	4	-	5	9	3	7	10	8	8	5	13	12	5	2	1	-	-	-	-
	White—M	49	-	-	-	-	-	-	3	2	-	2	3	3	3	4	7	5	2	10	1	2	2	-	-	-	-	-
	F	47	-	-	-	-	-	1	1	2	-	3	6	-	4	5	1	5	3	3	11	3	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	643	-	-	-	-	-	-	-	-	1	7	4	14	31	54	82	110	96	86	70	60	21	7	-	-	-	-
	White—M	462	-	-	-	-	-	-	-	-	-	1	7	3	10	23	42	66	90	66	56	44	36	15	3	-	-	-
	F	171	-	-	-	-	-	-	-	-	-	-	-	1	4	7	10	15	19	30	28	24	2	6	4	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	2	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 95a,b,d,e, 95a,c	Diseases of the heart (other forms)	889	-	-	2	-	-	1	1	1	1	3	5	6	13	22	36	62	91	109	154	166	133	55	26	2	1	-
	White—M	561	-	-	1	-	-	-	1	1	1	1	2	2	6	15	28	41	62	87	105	107	79	30	15	1	1	-
	F	305	-	-	1	-	-	-	-	-	-	1	3	4	6													



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	MONTANA—Con.																											
	Arteriosclerosis and high blood pressure <sup>a</sup>	100												1			2	1	3	10	18	21	26	19	3	1		
	White—M—	60											1				1	1	3	6	8	17	15	9	1			
	White—F—	40															1			4	5	4	13	10	2	1		
	Nonwhite—M—																											
	Nonwhite—F—																											
107-109, 33	Pneumonia (all forms) and influenza	260	58	11	4	5	1	2	1	2	2	1	4	6	4	11	10	11	20	16	17	22	21	23	6	2		
	White—M—	151	18	5	3	1		2	1	1	1	1	3	2	3	9	7	3	17	12	12	15	12	15	8	1		
	White—F—	77	18	4	1	2	1			1	1		1	5		1	3	3	3	3	4	6	7	8	5			
	Nonwhite—M—	16	9	1		1									1	1				1	1	1	1					
	Nonwhite—F—	18	11	1		1								1							1							
107	Bronchopneumonia	101	25	6	3	3	1	1					1	3		1	4	5	5	4	9	10	7	11	1	1		
	White—M—	59	9	5	2			1					1	2		1	3	3	4	3	7	6	3	8		1		
	White—F—	34	9	1	1	2	1						1				1	2	1	1	2	4	4	3	1			
	Nonwhite—M—	2	2																									
	Nonwhite—F—	6	5			1																						
108	Lobar pneumonia	83	10	4		2					2	2	1	2	2	3	5	4	4	11	9	3	7	5	6		1	
	White—M—	46	1			1					1	1	1	1		2	3	3	3	10	7	1	5	3	2		1	
	White—F—	24	2	2							1	1		1		1	1	1	1	1	2	2	2	4				
	Nonwhite—M—	9	5	1		1										1												
	Nonwhite—F—	4	2	1																								
109	Pneumonia (unspecified)	51	17	1	1			1					1	2	1	4	2	1	4		3	5	2	4	2			
	White—M—	31	6		1			1					1		1	4	1	1	3		2	4	1	4	1			
	White—F—	11	5	1										2				1		1					1			
	Nonwhite—M—	4	2																			1	1					
	Nonwhite—F—	5	4																		1							
33	Influenza	25	4						1					1		1		1		3	2		7	2	3			
	White—M—	15	2						1							1		1		2	2		5	1	1			
	White—F—	8	2											1										1	3			
	Nonwhite—M—	1																		1								
	Nonwhite—F—	1																					1					
117	Ulcer of stomach or duodenum	36											1	2	1	2	5	4	7	7	6	1						
	White—M—	31											1	2	1	2	3	4	6	7	6							
	White—F—	5											1				2		1			1						
	Nonwhite—M—																											
	Nonwhite—F—																											
118,120	Diarrhea, enteritis, etc. <sup>a</sup>	34	24		1									1			1	1	2	1	1	1		1				
	White—M—	10	6														1	1	1			1						
	White—F—	9	5											1					1		1			1				
	Nonwhite—M—	11	9		1															1								
	Nonwhite—F—	4	4																									
121	Appendicitis	24						1	1	4					1	1	1	3	2	3	3	2	1	1				
	White—M—	17						1	2	2					1	1	1	3	2	2	2	2	1					
	White—F—	6							2							1				2	1							
	Nonwhite—M—																											
	Nonwhite—F—	1						1																				
122	Hernia, intestinal obstruction	56	3			1					1	2	3	2	1	2	4	1	6	6	11	5	5	3				
	White—M—	29	1			1						1				1	2	1	3	3	7	3	3					
	White—F—	24	2									1	3	2	1	1	1		2	3	4	2	2					
	Nonwhite—M—	1															1											
	Nonwhite—F—	2										1							1									
124	Cirrhosis of the liver	53					1		1			2	2	3	3	1	6	6	11	2	4	2	3	2				
	White—M—	34										1	1	1	1	1	6	4	9	2	3	2	1	2				
	White—F—	18					1		1			1	1	2	2	2	4	1	4	1	1		2					
	Nonwhite—M—																											
	Nonwhite—F—	1																	1									
126,127	Biliary calculi, etc. <sup>a</sup>	32											1		1	3	4	5	3	4	5	5	1					
	White—M—	10													1	1	2	2	1	2	3	3	1					
	White—F—	22											1			2	4	3	2	4	3	2	1					
	Nonwhite—M—																											
	Nonwhite—F—																											
130-132	Nephritis	276	1					1	3		2	4	4	5	6	10	16	18	25	31	46	46	33	18	5	2		
	White—M—	160	1								1	3	2	2	3	4	9	12	16	27	26	19	14	4	1			
	White—F—	101						1	3			1	2	3	3	4	7	4	8	11	17	19	14	2	1	1		
	Nonwhite—M—	10									1					1		1		2	4	1						
	Nonwhite—F—	5														1		1	1	2								
137	Diseases of the prostate	30																1	1	5	7	5	7	3	1			
	White—M—	28																1	1	5	5	5	7	3	1			
	Nonwhite—M—	2																			2							

<sup>a</sup>Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

357

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MONTANA—Con.																												
140-150	Diseases of pregnancy, etc.*	18	-	-	-	-	-	-	-	-	5	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	-	5	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	9	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma, or shock*	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	67	59	2	-	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	41	36	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	21	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	256	256	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	148	148	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide	98	-	-	-	-	-	-	-	-	5	7	4	4	13	18	12	10	15	5	1	2	1	1	-	-	-	-
	White—M	76	-	-	-	-	-	-	-	-	4	6	3	3	7	13	10	7	13	5	1	2	1	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	1	1	1	-	5	5	2	3	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	22	-	-	1	-	-	1	-	1	2	2	2	1	-	3	2	1	3	1	2	-	-	-	-	-	-	-
	White—M	15	-	-	1	-	-	1	-	-	-	-	2	1	-	3	1	1	3	-	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	517	11	11	7	8	4	10	14	39	33	36	32	32	28	18	27	28	33	33	28	28	30	18	7	1	-	1
	White—M	372	7	6	4	4	3	7	12	29	27	29	24	29	20	14	22	25	20	24	19	18	15	13	2	-	-	1
	F	120	4	4	3	4	1	2	2	8	2	5	6	2	5	2	4	4	11	9	9	10	15	5	5	-	-	-
	Nonwhite—M	22	-	1	-	-	-	1	-	1	3	2	1	3	2	-	1	2	-	-	-	-	2	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	166	-	1	-	4	1	4	2	19	20	20	16	10	7	5	7	12	18	9	6	2	2	1	-	-	-	-
	White—M	115	-	-	-	2	1	3	1	16	16	13	13	9	5	4	4	9	8	6	4	1	1	1	-	-	-	-
	F	41	-	1	-	2	-	-	1	3	1	5	2	1	2	1	3	5	9	3	2	1	1	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	2	2	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	351	11	10	7	4	3	6	12	20	13	16	16	22	21	13	20	16	15	24	22	26	28	17	7	1	-	1
	White—M	257	7	6	4	2	2	4	11	13	11	16	11	20	17	10	18	14	12	18	15	17	14	12	2	-	-	1
	F	79	4	3	3	2	1	2	1	5	1	-	4	1	3	1	1	1	2	6	7	9	12	5	5	-	-	-
	Nonwhite—M	13	-	1	-	-	-	-	-	1	1	-	1	1	1	2	-	1	1	-	-	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
182, 189, 200	Senility, ill-defined and unknown causes	168	10	1	1	-	-	1	-	2	-	-	1	4	3	5	3	10	15	10	17	23	27	17	12	6	-	-
	White—M	109	3	-	-	-	-	1	-	-	-	-	-	3	8	4	3	7	12	6	17	17	11	9	7	-	-	-
	F	39	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	3	2	-	4	13	7	4	-	-	-
	Nonwhite—M	11	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-
	F	9	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-
	All other causes	367	19	4	2	4	4	9	7	1	5	5	10	14	23	10	24	40	44	44	30	51	20	7	10	-	-	-
	White—M	230	13	1	1	1	2	3	4	1	3	3	8	5	13	5	11	30	33	32	21	16	13	5	4	-	-	-
	F	116	3	2	1	2	2	3	1	-	2	2	1	7	9	4	13	10	10	9	13	7	2	3	-	-	-	-
	Nonwhite—M	11	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	All causes-----	12,440	846	86	35	26	27	54	87	125	155	160	194	200	270	430	606	619	1,035	1,275	1,616	1,623	1,395	928	343	80	8	15
	White-----M-----	6,880	497	47	17	15	15	28	55	72	93	89	111	111	152	236	360	493	609	718	866	871	764	453	164	42	4	8
	White-----F-----	5,267	327	35	16	11	9	25	32	47	56	65	72	80	108	178	221	298	387	527	728	735	618	472	174	36	4	6
	Nonwhite-M-----	169	16	1	1	-	2	1	-	4	4	1	6	4	1	10	16	19	22	20	14	12	10	1	3	-	-	1
	Nonwhite-F-----	124	16	3	1	-	1	-	-	2	2	5	5	5	9	6	9	9	17	10	8	7	3	2	2	-	-	-
1,2	Typhoid and paratyphoid fever-----	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	17	5	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M-----	11	4	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F-----	5	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	8	-	-	1	-	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	6	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	177	2	1	2	-	-	2	6	10	9	15	14	11	16	11	20	17	18	13	5	3	1	1	1	-	-	-
	White-----M-----	94	2	-	2	-	-	-	1	3	4	6	6	6	7	6	7	11	8	14	5	5	2	1	1	-	-	-
	White-----F-----	64	-	-	-	-	-	2	3	6	4	6	6	3	7	2	7	6	4	6	-	1	-	1	1	-	-	-
	Nonwhite-M-----	11	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	2	2	-	2	-	-	-	-	-	-	-
	Nonwhite-F-----	8	-	1	-	-	-	-	1	1	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	160	2	-	1	-	-	1	4	9	9	14	14	9	16	9	19	17	17	11	3	3	1	1	1	-	-	-
	White-----M-----	85	2	-	1	-	-	-	-	2	4	8	6	6	8	6	10	8	14	4	3	2	1	-	-	-	-	-
	White-----F-----	57	-	-	-	-	-	1	2	6	4	5	6	2	7	1	7	6	3	5	-	1	-	1	1	-	-	-
	Nonwhite-M-----	11	-	-	-	-	-	-	1	-	-	-	2	-	1	1	2	2	-	2	-	-	-	-	-	-	-	-
	Nonwhite-F-----	7	-	-	-	-	-	-	1	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	17	-	1	1	-	-	1	2	1	-	1	-	-	2	-	2	1	-	1	2	2	-	-	-	-	-	-
	White-----M-----	9	-	-	1	-	-	-	1	1	-	-	-	-	1	-	1	1	-	1	1	2	-	-	-	-	-	-
	White-----F-----	7	-	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M-----	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M-----	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	83	4	-	-	-	-	-	-	-	-	-	-	1	5	8	7	8	12	12	14	7	4	-	1	-	-	-
	White-----M-----	51	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	4	10	8	7	5	4	-	1	-	-	-
	White-----F-----	21	2	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	2	5	2	-	-	-	-	-	-
	Nonwhite-M-----	9	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	-	-	-	-	-	-
	Nonwhite-F-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-								

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

359

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEBRASKA—Con.																												
45-55	Cancer and other malignant tumors	1,754	1	-	2	1	3	3	5	3	4	10	23	31	39	82	152	166	198	246	261	280	181	80	17	4	-	2
	White—M	816	1	-	-	1	2	1	4	1	3	3	10	11	6	23	60	75	88	130	133	128	88	38	9	2	-	1
	White—F	906	-	-	2	-	-	2	1	2	1	7	13	18	31	59	88	84	107	111	124	132	73	41	7	2	-	1
	Nonwhite—M	16	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	4	3	2	2	-	2	-	-	-	-	-
	Nonwhite—F	16	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	3	-	3	2	-	-	1	1	-	-	-
46	Cancer of the digestive organs and peritoneum	818	1	-	-	-	-	-	1	-	2	1	3	5	6	30	54	64	109	114	131	148	99	37	10	2	-	1
	White—M	399	1	-	-	-	-	-	1	-	1	-	2	1	2	14	26	30	48	64	75	69	46	13	5	-	-	1
	White—F	401	-	-	-	-	-	-	-	-	1	1	1	3	4	16	25	31	59	46	54	79	51	24	4	2	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	1	-	-	-	1	-	-	-
48, 49	Cancer of female genital organs	185	-	-	-	-	-	-	-	1	-	-	6	8	13	20	25	23	23	19	20	17	8	2	-	-	-	-
	White—F	183	-	-	-	-	-	-	-	1	-	-	6	8	11	20	25	23	23	19	20	17	8	2	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	180	-	-	-	-	-	-	-	-	-	2	2	5	9	16	26	22	15	29	24	16	5	7	1	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F	173	-	-	-	-	-	-	-	-	-	2	2	4	9	18	25	19	14	29	24	16	5	6	1	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	571	-	-	2	1	3	3	4	2	2	7	12	13	11	16	47	57	51	84	86	79	49	34	6	2	-	-
	White—M	416	-	-	-	1	2	1	3	1	2	3	8	10	4	9	34	45	39	66	58	59	40	25	4	2	-	-
	White—F	149	-	-	2	-	-	2	1	1	-	4	4	3	7	13	11	11	17	26	20	9	9	2	-	-	-	-
	Nonwhite—M	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	5	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	356	-	-	-	-	-	1	1	2	2	8	3	3	6	10	17	33	40	59	76	52	22	14	6	-	-	1
	White—M	144	-	-	-	-	-	1	1	2	1	2	2	2	3	6	8	10	15	22	27	19	16	7	2	-	-	-
	White—F	206	-	-	-	-	-	-	-	-	1	5	3	1	3	4	9	22	22	37	48	33	6	7	4	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	4	3	2	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	3	3	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	29	-	-	-	-	-	-	-	1	-	-	-	-	4	5	1	3	1	5	4	3	-	1	-	-	-	1
	White—M	24	-	-	-	-	-	-	-	1	-	-	-	-	1	5	1	3	1	5	4	2	-	1	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,392	-	1	-	1	1	-	1	2	4	3	7	6	11	30	40	80	112	161	248	255	224	145	51	6	-	3
	White—M	707	-	-	-	-	1	-	1	1	4	1	5	4	5	22	19	44	60	87	122	126	105	70	26	3	-	1
	White—F	650	-	1	-	1	-	-	-	1	-	2	2	2	6	6	19	36	45	68	121	119	117	74	25	3	-	2
	Nonwhite—M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	2	1	-	-	-	-	-
	Nonwhite—F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	5	3	3	3	-	-	-	-	-	-
90-95	Diseases of the heart	3,536	1	-	-	-	-	2	4	11	11	9	22	39	50	113	170	255	362	440	567	557	487	306	105	23	1	1
	White—M	2,138	-	-	-	-	-	2	3	5	6	5	12	23	38	78	129	163	249	279	328	310	280	146	46	15	-	1
	White—F	1,333	1	-	-	-	-	1	6	5	3	6	14	12	31	33	64	101	153	234	245	205	159	56	7	1	-	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	5	8	6	3	1	2	-	-	-	-	-
	Nonwhite—F	27	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	3	4	2	2	3						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NEBRASKA—Con.																											
	Arteriosclerosis and high blood pressure—	231	-	-	-	-	-	-	-	-	-	2	1	-	-	-	4	7	10	10	22	45	61	35	23	10	-	-
	White—M	116	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	6	5	12	26	30	20	9	5	-	-
	F	108	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	3	5	10	19	29	15	14	5	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	523	74	19	4	4	2	1	3	7	3	6	8	7	10	16	19	19	25	41	56	75	58	44	17	3	1	1
	White—M	279	40	9	2	3	1	-	3	5	2	5	3	4	4	7	11	13	11	16	31	40	35	22	10	1	1	-
	F	214	24	9	1	1	1	1	-	1	1	1	5	3	4	7	6	3	12	21	24	35	22	7	2	-	1	-
	Nonwhite—M	15	3	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	3	1	2	1	-	-	-	-	-	-
	F	15	7	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia—	160	36	4	1	1	-	-	-	1	1	3	3	1	2	3	5	7	8	11	19	26	21	19	6	1	-	1
	White—M	93	19	-	1	1	-	-	-	1	1	3	2	-	-	1	4	4	7	4	9	10	15	9	3	1	-	-
	F	79	13	3	-	-	-	-	-	-	-	-	1	1	2	2	-	2	3	6	10	16	5	10	3	-	-	1
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—	134	6	5	-	1	-	-	-	4	-	2	1	1	2	5	5	6	9	15	21	22	17	10	2	-	-	-
	White—M	72	3	2	-	1	-	-	-	3	-	1	1	1	1	1	2	5	3	6	15	15	8	5	-	-	-	-
	F	51	-	3	-	-	-	-	-	-	-	1	1	-	-	3	2	-	6	7	5	7	9	5	2	-	-	-
	Nonwhite—M	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	7	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—	109	26	5	2	1	2	1	2	1	-	1	3	5	5	4	4	3	5	5	9	9	7	6	2	1	-	-
	White—M	59	13	3	1	-	1	-	2	-	-	1	-	3	2	3	2	2	4	2	4	5	6	3	2	-	-	-
	F	45	10	2	-	1	1	1	-	1	-	-	3	2	2	1	2	1	1	3	5	4	1	3	-	1	-	-
	Nonwhite—M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	100	6	5	1	1	-	-	1	1	2	-	1	-	1	4	5	3	3	10	7	18	13	9	7	1	1	-
	White—M	55	5	4	-	1	-	-	1	1	1	-	1	-	1	2	3	2	-	3	3	10	6	5	5	-	1	-
	F	40	1	1	1	-	-	-	-	-	1	-	-	-	-	1	2	-	2	5	4	9	7	4	2	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	75	-	-	-	-	-	-	-	-	1	-	1	3	2	7	7	9	19	6	4	6	5	1	-	-	-	-
	White—M	59	-	-	-	-	-	-	-	-	1	-	-	3	2	6	7	7	14	7	4	5	2	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	1	-	3	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—	56	33	3	1	-	1	1	-	1	-	-	3	-	1	-	-	-	2	2	2	2	1	3	-	-	-	-
	White—M	30	16	2	1	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	1	1	1	2	-	-	-	-
	F	22	13	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	50	-	1	-	-	1	2	1	3	2	3	3	2	4	4	4	6	7	4	-	1	-	-	-	-	-	-
	White—M	31	-	1	-	-	1	-	3	1	2	2	2	2	2	1	4	4	6	4	3	-	1	-	-	-	-	-
	F	19	-	-	-	-	2	1	-	1	1	3	-	-	2	3	-	2	3	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	130	4	2	-	-	1	-	-	-	1	2	4	1	5	6	7	13	12	12	14	14	16	10	3	1	-	-
	White—M	68	3	2	-	-	-	-	-	-	-	2	-	-	-	1	3	9	7	7	6	7	10	7	2	-	-	-
	F	58	1	-	-	-	1	-	-	-	1	-	3	1	4	4	3	5	5	6	7	8	3	1	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	106	-	-	-	-	-	-	-	-	2	2	6	4	7	8	9	10	10	17	10	6	5	8	2	-	-	-
	White—M	64	-	-	-	-	-	-	-	-	2	1	5	3	6	3	7	7	7	7	3	3	2	3	1	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1	3	3	10	3	3	5	1	-	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—	73	-	-	-	-	-	-	-	-	2	-	-	3	3	1	6	10	15	7	9	5	5	5	2	-	-	-
	White—M	29	-	-	-	-	-	-	-	-	1	-	-	1	1	1	5	4	5	3	2	2	2	3	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	1	-	-	2	2	1	6	10	4	7	3	3	2	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—	753	2	1	1	-	-	4	2	7	4	5	11	19	22	25	42	48	79	128	129	104	83	32	5	-	-	-
	White—M	418	2	1	1	-	-	2	2	5	2	1	5	11	13	11	25	31	54	72	69	63	46	21	1	-	-	-
	F	323	-	-	-	-	-	2	-	2	2	3	6	7	8	12	17	15	41	55	60	41	37	11	4	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate—	65	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	10	16	19	21	7	4	1	-	-
	White—M	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	10	15	19	21	7	4	1	-	-
	Nonwhite—M	3	-	-	-	-</																						

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

361

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																											
140-150	Diseases of pregnancy, etc.—	29									5	10	7	2	4	1												
	White—F—	29									5	10	7	2	4	1												
	Nonwhite—F—																											
140, 142a, 145a, 147	Puerperal septicemia—	6									1	1	1	1	1	1												
	White—F—	6									1	1	1	1	1	1												
	Nonwhite—F—																											
141a, c, 144, 148	Puerperal toxemia—	10									1	4	3		2													
	White—F—	10									1	4	3		2													
	Nonwhite—F—																											
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—	12									3	5	3	1														
	White—F—	12									3	5	3	1														
	Nonwhite—F—																											
141d, e, f, 145b, 150	Other puerperal causes—	1													1													
	White—F—	1													1													
	Nonwhite—F—																											
157	Congenital malformations—	151	137	7				1		2	1		1					2										
	White—M—	91	85	3				1		1			1					1										
	White—F—	59	51	4				1		1																		
	Nonwhite—M—																											
	Nonwhite—F—	1	1																									
158-161	Diseases peculiar to first year—	529	529																									
	White—M—	307	307																									
	White—F—	211	211																									
	Nonwhite—M—	6	6																									
	Nonwhite—F—	5	5																									
159	Premature birth—	373	373																									
	White—M—	216	216																									
	White—F—	149	149																									
	Nonwhite—M—	4	4																									
	Nonwhite—F—	4	4																									
158, 160, 161	Other diseases peculiar to first year—	156	156																									
	White—M—	91	91																									
	White—F—	62	62																									
	Nonwhite—M—	2	2																									
	Nonwhite—F—	1	1																									
163, 164	Suicide—	163								3	7	9	12	11	9	16	16	24	16	12	11	9	4	3		1		
	White—M—	127								3	5	9	9	8	6	12	10	18	12	8	10	9	4	3		1		
	White—F—	35									2		3	3	3	4	6	5	4	4	1							
	Nonwhite—M—	1																1										
	Nonwhite—F—																											
165-169	Homicide—	27				1					4	4	2	5	1	1	3	4	1		1							
	White—M—	12				1					1	1		3	1		3	1		1		1						
	White—F—	3										1		1				1										
	Nonwhite—M—	9									2	1	2	1		1		2										
	Nonwhite—F—	3									1	1		1														
169-195	Accidental deaths—	902	21	19	12	8	7	18	41	51	62	47	46	32	39	41	41	44	46	42	51	56	74	67	18	5	1	3
	White—M—	585	9	13	6	4	4	9	29	32	46	35	39	26	31	33	35	36	38	27	28	35	30	28	19	1	3	
	White—F—	299	8	6	5	4	2	8	12	16	15	12	6	6	8	6	6	8	7	14	23	29	44	39	11	4		
	Nonwhite—M—	12	3				1	1		2	1		1			1				1		1						
	Nonwhite—F—	6	1		1					1						1			1									
170	Motor-vehicle accidents—	289	2	2		3	3	5	12	31	41	29	21	14	10	22	15	17	10	11	15	12	7	4		1	2	
	White—M—	213	1	1		2	1	3	9	21	32	19	16	10	9	18	13	13	7	8	10	9	5	3		1	2	
	White—F—	72	1	1		1	1	2	3	10	9	10	4	4	1	3	2	4	2	3	5	3	2	1				
	Nonwhite—M—	2					1																					
	Nonwhite—F—	2														1			1									
169, 171-195	Other accidents—	613	19	17	12	5	4	13	29	20	21	18	25	18	29	19	26	27	36	31	36	54	67	63	18	4	1	1
	White—M—	372	8	12	6	2	3	6	20	11	14	16	23	16	22	15	22	23	31	19	18	26	25	25	7		1	1
	White—F—	227	7	5	5	3	1	6	9	6	6	2	2	2	7	3	4	4	5	1	1	1	4	3	11	4		
	Nonwhite—M—	10	3					1		2	1					1				1								
	Nonwhite—F—	4	1		1					1																		
162, 199, 200	Senility, ill-defined and unknown causes—	284	3	2						1			2		1	2	2	5	6	9	19	30	62	76	43	15	4	
	White—M—	144	1	2						1			2		1	2	2	4	3	6	11	13	33	32	19	8	2	
	White—F—	135	1															1	3	3	6	16	26	44	23	6	2	
	Nonwhite—M—	4	1																			1	1		1			
	Nonwhite—F—	1																										
	All other causes—	814	21	21	6	7	6	13	11	15	17	25	21	20	32	41	60	54	65	76	86	76	74	40	18	6	1	2
	White—M—	404	10	11	3	3	4	7	7	6	9	13	11	7	15	16	31	27	33	38	39	47	37	17	7	4	2	
	White—F—	398	11	9	3	4	2	6	4	9	8	11	9	12	13	25	28	27	31	36	47	28	36	23	11	2	1	
	Nonwhite—M—	5		1									1		1							1	1					
	Nonwhite—F—	7												1	4		1											

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	NEVADA																											
	All causes-----	1,502	130	9	12	7	4	12	6	25	24	27	37	59	72	73	115	127	132	177	139	123	104	50	15	3	5	16
	White-----M-----	841	69	7	4	4	2	9	4	14	9	15	19	33	50	49	74	96	96	126	96	75	52	24	5	1	-	10
	White-----F-----	423	47	1	7	1	1	2	-	6	7	10	15	16	19	15	28	27	29	43	30	39	46	22	9	1	1	1
	Nonwhite-M-----	68	7	1	1	1	-	1	1	1	3	2	1	7	1	2	8	3	3	5	7	5	1	1	1	-	2	3
	Nonwhite-F-----	70	7	-	-	1	1	1	1	4	6	-	2	3	2	7	5	1	4	3	5	4	5	3	-	1	2	2
1,2	Typhoid and para- typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	73	1	1	-	1	-	1	-	3	4	1	2	5	6	4	11	9	5	8	6	2	2	1	-	-	-	-
	White-----M-----	51	-	1	-	-	-	-	-	-	-	-	1	3	4	4	9	9	4	7	5	2	2	-	-	-	-	-
	White-----F-----	6	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	6	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-F-----	10	-	-	-	1	-	-	-	3	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	66	-	-	-	-	-	-	-	3	4	1	2	5	5	4	10	9	4	8	6	2	2	1	-	-	-	-
	White-----M-----	50	-	-	-	-	-	-	-	-	-	1	3	5	4	4	9	9	4	7	5	2	2	-	-	-	-	-
	White-----F-----	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite-F-----	9	-	-	-	-	-	-	-	3	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)-----	7	1	1	-	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	22	3	-	-	-	-	-	-	-	-	-	1	1	3	3	4	2	2	2	1	-	-	-	-	-	-	-
	White-----M-----	15	1	-	-	-	-	-	-	-	-	-	-	3	3	3	2	2	2	2	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M-----	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	4	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencepha- litis (acute)-----	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

363

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEVADA--Con.																												
45-55	Cancer and other malignant tumors	149																										
	White--M--	76	1						1	1			1	6	3	15	15	23	18	29	14	13	5	3	1			
	F--	63											1	4	2	9	5	9	8	10	5	6	1	3				
	Nonwhite--M--	4														1			1		1				1			
	F--	6														3	1			1		1						
46	Cancer of the digestive organs and peritoneum--	69												1	1	4	7	10	9	15	11	8	2		1			
	White--M--	41												1		1	6	7	5	8	7	4	2					
	F--	23													1	1	1	3	3	7	3	4						
	Nonwhite--M--	4														1			1		1				1			
	F--	1														1												
48,49	Cancer of female genital organs--	14												1		4	2	2	2	1		1		1				
	White--F--	13												1		4	2	2	2			1		1				
	Nonwhite--F--	1																		1								
50	Cancer of breast--	16											1	3	1	3	3	1	1	1	1	1	1	1	1			
	White--M--																											
	F--	16											1	3	1	2	2	1	1	1	1	1	1	1	1			
	Nonwhite--M--																											
45,47, 51-55	Cancer (other sites)--	48	1						1	1				1	1	4	3	10	6	12	2	3	2	1				
	White--M--	35	1						1	1				1	1	1	3	7	4	10	1	2	2					
	F--	11														2		3	2	2	1			1				
	Nonwhite--M--																											
58	Acute rheumatic fever--	1												1														
	White--M--																											
	F--	1												1														
	Nonwhite--M--																											
61	Diabetes mellitus--	24												2		1	2	2	4	5	5	2	2		1			
	White--M--	10												1		1	1	3	1	1	2	1	1					
	F--	11												1			2	1	2	1	1	1	2		1			
	Nonwhite--M--	2															1		1	1	1	1	1					
63b	Exophthalmic goiter--	3											1			1			1									
	White--M--	1																	1									
	F--	2														1												
	Nonwhite--M--																											
68	Pellagra (except alcoholic)--																											
	White--M--																											
	F--																											
	Nonwhite--M--																											
77	Alcoholism (ethylin)--	11										1		1	2	1	1	2	1		1	1						
	White--M--	6													1	1	1	1	1			1						
	F--	5																1										
	Nonwhite--M--	1												1														
83	Intracranial lesions of vascular origin--	125	1										1	1	3	3	8	8	13	26	16	14	16	12		2		1
	White--M--	71	1												1	1	2	5	8	19	11	6	8	7		1		1
	F--	44														2	1	5	2	7	5	7	7	5				
	Nonwhite--M--	4															1		1	1		1						
90-95	Diseases of the heart--	407	1						1	1		1	3	6	16	21	28	32	50	72	43	57	42	24	5			4
	White--M--	284										1	1	5	11	19	22	25	39	53	33	38	21	12	1		3	
	F--	102	1							1		2	1	4	1	5	6	10	16	16	10	16	10	4				1
	Nonwhite--M--	7																	3									
90a, 92b,c, 95a,95b	Chronic rheumatic diseases of the heart--	20							1			1	1		2	1	2	3	2	5		3	1					
	White--M--	15										1			2	1	2	2	1	3		2	1					
	F--	5																	1			1						
	Nonwhite--M--																											
94	Diseases of coronary arteries and angina pectoris--	146												5	4	10	11	11	15	37	15	20	10	7				1
	White--M--	105													4	4	10	9	9	12	27	8	14	5				
	F--	35															2	2	3	9	7	4	5	2				
	Nonwhite--M--	2																		1								
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)--	241	1						1				2	1	10	10	15	18	33	32	28	34	31	17	5			3
	White--M--	164											1	1	5	8	11	14	26	23	25	22	15	9	1			3
	F--	62	1												4	1	3	6	6	3	11	13	8	4				
	Nonwhite--M--	5																		2			2					
	F--	10													1	1	2	1	1	1	1	2						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NEVADA—Con.																											
	Arteriosclerosis and high blood pressure*	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	6	1	2	-	-	-
	White—M—	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	4	1	2	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	84	19	2	2	-	-	1	-	-	1	-	1	4	1	2	5	9	5	7	5	4	7	3	3	1	1	1
	White—M—	41	9	-	-	-	-	1	-	-	-	-	1	1	1	1	2	8	5	4	2	3	2	1	1	1	-	-
	F—	30	8	1	2	-	-	-	-	-	1	-	-	1	1	-	3	-	-	2	1	1	4	2	2	1	1	-
	Nonwhite—M—	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	F—	6	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	1
107	Bronchopneumonia—	32	10	1	2	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	1	4	2	2	1	1	-
	White—M—	17	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	1	1	1	1	1	-	-
	F—	14	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	1	1	-
	Nonwhite—M—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—	34	5	-	-	-	-	1	-	-	1	-	-	3	1	1	3	6	3	4	2	2	2	1	1	-	-	-
	White—M—	18	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	5	3	3	-	2	1	-	1	-	-	-
	F—	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified)—	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-
	White—M—	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	8	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1
	White—M—	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
117	Ulcer of stomach or duodenum—	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	3	2	-	-	-	-	-	-	-	-
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*—	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	5	-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	11	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	2	2	-	-	-	-	-	-
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	16	-	-	-	-	-	-	-	-	1	-	2	-	2	-	3	1	-	3	1	1	2	-	-	-	-	-
	White—M—	10	-	-	-	-	-	-	-	-	-	-	-															

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

365

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA--Con.																											
140-150	Diseases of pregnancy, etc.*	6	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	13	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	41	-	-	-	-	-	-	-	1	1	5	3	3	8	5	4	4	4	-	1	-	1	-	-	-	-	1
	White--M--	30	-	-	-	-	-	-	-	-	2	3	2	3	6	5	2	4	4	-	1	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	2	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	9	1	-	-	-	-	-	-	1	-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M--	5	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	186	4	1	6	1	2	3	2	14	14	13	10	15	17	8	21	12	8	6	8	7	9	3	-	-	1	3
	White--M--	139	2	1	4	1	1	2	2	11	7	11	8	9	16	7	16	11	6	6	7	4	4	1	-	-	1	2
	F--	34	2	-	2	-	1	1	-	2	4	2	1	1	1	-	4	1	1	-	1	5	5	2	-	-	-	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	3	-	1	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	64	-	-	2	-	1	1	2	4	8	6	5	5	7	2	7	5	4	2	-	3	-	-	-	-	-	-
	White--M--	48	-	-	1	-	1	1	2	2	4	3	3	3	6	2	6	5	3	2	-	2	-	-	-	-	-	-
	F--	10	-	-	1	-	-	-	-	2	1	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	122	4	1	4	1	1	2	-	10	6	7	5	8	10	6	14	7	4	4	8	4	9	3	-	-	1	3
	White--M--	91	2	1	3	1	-	1	-	9	3	6	5	6	10	5	10	6	3	4	7	2	4	1	-	-	-	2
	F--	24	2	-	1	-	1	1	-	-	3	1	-	-	-	-	3	1	1	-	1	2	5	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	46	3	-	-	1	-	1	-	-	-	-	2	3	2	-	2	4	2	1	8	4	5	2	1	-	1	4
	White--M--	29	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	4	1	1	6	3	3	1	1	-	-	3
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	Nonwhite--M--	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	6	2	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	All other causes	86	6	-	2	3	2	2	-	2	1	3	6	5	3	5	5	10	5	5	6	7	4	-	-	-	2	2
	White--M--	43	3	-	3	1	1	-	-	-	1	-	4	4	2	4	2	4	1	4	3	4	1	-	-	-	-	1
	F--	33	2	-	2	-	1	-	-	2	-	3	2	1	1	1	2	6	3	1	1	2	3	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																											
	All causes-----	6,049	349	23	15	19	8	27	26	57	50	70	66	119	128	217	302	399	512	658	818	861	673	455	161	41	1	16
	White-----M	3,254	204	11	6	12	4	13	17	36	36	39	37	63	76	133	177	243	311	379	431	449	317	177	61	13	-	7
	F	2,784	142	12	9	6	4	14	9	19	14	31	29	54	51	84	125	155	200	278	386	412	355	258	100	27	1	9
	Nonwhite-----M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	-	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	3	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	116	-	-	-	1	-	-	-	5	4	8	9	10	9	8	10	14	8	15	10	5	1	-	1	-	-	-
	White-----M	80	-	-	-	1	-	-	-	2	1	5	3	6	8	7	9	10	4	10	8	4	1	-	-	-	-	-
	F	36	-	-	-	-	-	-	-	3	3	2	6	4	1	1	1	4	4	3	2	1	-	-	1	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*-----	105	-	-	-	-	-	-	-	5	4	8	9	10	8	8	10	11	4	11	10	5	1	-	1	-	-	-
	White-----M	73	-	-	-	-	-	-	-	2	1	6	3	6	7	7	9	6	3	8	8	4	1	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	3	3	2	6	4	1	1	1	3	1	3	2	1	-	-	1	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	11	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	3	4	2	-	-	-	-	-	-	-	-
	White-----M	7	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	37	1	-	-	-	-	-	-	-	-	-	1	5	1	5	1	7	4	3	5	4	-	-	-	-	-	-
	White-----M	26	1	-	-	-	-	-	-	-	-	-	1	3	1	4	1	6	2	3	2	3	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	-	3	1	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	7	1	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-</

\*Refer to International List for complete title, table V, Part I.



## 367

and of deaths among armed forces overseas)

[illegible]



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NEW HAMPSHIRE—Continued																											
	Arteriosclerosis and high blood pressure*	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	23	49	56	39	26	5	-	-
	White—M—	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	24	26	18	13	3	-	-
	F—	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	14	25	32	20	13	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	282	58	3	-	3	3	1	1	4	2	2	2	3	6	9	6	13	18	21	23	34	46	27	14	3	-	-
	White—M—	139	20	1	-	2	1	-	1	2	1	1	2	3	4	5	4	6	7	14	11	23	19	8	4	1	-	-
	F—	141	17	2	-	1	2	1	-	2	1	1	-	-	2	4	2	7	11	6	12	11	28	19	10	2	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia—	136	22	1	-	1	3	-	-	-	2	-	2	1	2	4	2	6	8	5	14	12	27	13	9	2	-	-
	White—M—	71	12	1	-	1	1	-	-	-	1	-	2	1	1	2	1	5	3	5	7	10	11	4	3	2	-	-
	F—	64	9	-	-	-	2	-	-	-	1	-	-	-	1	2	1	1	5	-	7	2	16	9	6	2	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Lobar pneumonia—	89	5	-	-	1	-	-	1	3	-	2	-	2	3	3	2	6	7	10	8	12	12	7	4	1	-	-
	White—M—	49	2	-	-	1	-	-	1	2	-	1	-	2	3	2	2	1	3	3	8	5	3	1	1	1	-	-
	F—	40	3	-	-	-	-	-	-	1	-	1	-	-	3	2	1	5	4	2	5	4	7	4	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—	27	7	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	4	4	2	1	-	-	-
	White—M—	11	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	2	-	-	-	-	-
	F—	16	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	2	2	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	30	4	1	-	1	-	1	-	1	-	-	-	-	-	1	-	1	2	4	-	6	3	5	-	-	-	-
	White—M—	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	1	-	-	-	-
	F—	21	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	1	2	2	-	3	3	4	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	42	1	-	-	-	-	-	-	1	-	1	-	3	2	3	5	1	6	7	7	4	1	-	-	-	-	-
	White—M—	30	1	-	-	-	-	-	1	-	-	-	1	-	3	1	3	4	1	5	6	5	2	1	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	1	1	2	2	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*—	32	25	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
	White—M—	18	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F—	14	10	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	19	-	1	1	-	-	-	1	1	-	2	-	1	1	-	4	3	2	-	1	-	1	-	-	-	-	-
	White—M—	16	-	1	1	-	-	-	1	1	-	2	-	1	1	-	3	1	2	-	1	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	51	1	-	-	-	-	-	-	-	-	-	1	2	3	-	4	3	10	5	3	7	8	2	1	-	-	1
	White—M—	26	1	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	2	2	1	5	3	1	-	-	-	-
	F—	25	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	8	3	2	2	3	1	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	54	-	-	-	1	-	-	-	-	-	-	2	6	4	4	7	5	4	7	6	5	2	1	1	1	-	-
	White—M—	36	-	-	-	-	-	-	-	-	-	-	1	4	3	3	6	3	3	5	5	2	1	-	1	-	-	-
	F—	18	-	-	-	1	-	-	-	-	-	-	1	2	1	1	1	2	2	2	1	1	1	1	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*—	29	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	3	5	4	5	1	-	-	-	-
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	1	-	-	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	1	1	5	3	4	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—	293	1	-	-	-	-	-	-	1	1	2	2	1	3	9	17	13	23	31	49	44	49	31	14	1	-	1
	White—M—	150	1	-	-	-	-	-	1	1	2	2	1	2	-	1	2	10	7	6	18	26	23	14	7	-	-	-
	F—	141	-	-	-	-	-	-	-	-	1	1	-	1	2	7	7	5	17	13	20	16	26	17	7	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate—	27	-</																									

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

369

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE--Continued																											
140-150	Diseases of pregnancy, etc.	14										2	5	4	2	1												
	White--F--	14										2	5	4	2	1												
	Nonwhite--F--																											
140,142a, 145A,147	Puerperal septicemia	4										3		1														
	White--F--	4										3		1														
	Nonwhite--F--																											
141a,c, 144,148	Puerperal toxemia	4										1		2	1													
	White--F--	4										1		2	1													
	Nonwhite--F--																											
141b,142b, 143,146, 149	Hemorrhage, trauma or shock	4										1	2	1														
	White--F--	4										1	2	1														
	Nonwhite--F--																											
141d,e,f, 145B,150	Other puerperal causes	2											1		1													
	White--F--	2											1		1													
	Nonwhite--F--																											
157	Congenital malformations	86	71	2	2	1	1	1			1	1	2	1	1			1			1							
	White--M--	43	41	1				1			1	1	2					1										
	F--	37	30	1	2	1	1						1	1														
	Nonwhite--M--																											
	F--																											
158-161	Diseases peculiar to first year	172	172																									
	White--M--	103	103																									
	F--	68	68																									
	Nonwhite--M--	1	1																									
	F--																											
159	Premature birth	101	101																									
	White--M--	59	59																									
	F--	41	41																									
	Nonwhite--M--	1	1																									
	F--																											
158,160, 161	Other diseases peculiar to first year	71	71																									
	White--M--	44	44																									
	F--	27	27																									
	Nonwhite--M--																											
	F--																											
163,164	Suicide	65								2	3	2	3	3	7	3	10	6	7	5	9	5						
	White--M--	54								1	2	2	3	2	6	3	7	5	6	5	7	5						
	F--	11								1	1			1	1		3	1	1		2							
	Nonwhite--M--																											
	F--																											
165-168	Homicide	4									1	1		1		1												
	White--M--	1														1												
	F--	2									1	1																
	Nonwhite--M--																											
	F--	1												1														
169-195	Accidental deaths	350	13	4	7	7	1	11	13	24	22	24	14	17	12	13	12	15	19	23	24	22	22	25	5	1		1
	White--M--	219	6	2	4	5	1	7	9	20	21	17	13	15	9	11	10	10	12	10	15	9	4	6	3	1		1
	F--	131	7	2	3	2		4	4	4	1	7	1	2	4	2	2	5	6	13	9	14	18	19	2			
	Nonwhite--M--																											
	F--																											
170	Motor-vehicle accidents	100		2	2	2		5	5	11	13	12	5	6	4	5	4	6	6	5	3	4						
	White--M--	71		1	1	1		1	3	8	13	9	4	5	3	3	2	4	3	4	3	4						
	F--	29		1	1	1		4	2	3		4	1	1	1	2	2	2	3	1								
	Nonwhite--M--																											
	F--																											
169, 171-195	Other accidents	250	13	2	5	5	1	6	6	13	9	12	9	11	8	8	8	9	12	18	21	18	22	25	5	1		1
	White--M--	148	6	1	3	4	1	6	6	12	8	9	9	10	5	8	8	6	9	6	12	4	4	6	3	1		1
	F--	102	7	1	2	1		2	1	1	1	3		1	3		3	3	3	12	9	14	18	19	2			
	Nonwhite--M--																											
	F--																											
162,199, 200	Senility, ill-defined and unknown causes	73	4										1	2	2	2	3	5	3	8	6	6	9	13	4	3		2
	White--M--	40	3												2	2	3	4	2	7	3	5	6	3				
	F--	33	1										1	2			1	1	1	1	3	1	3	10	4	3		2
	Nonwhite--M--																											
	F--																											
	All other causes	313	11	3	2	3		3	2	11	4	10	10	17	10	18	16	28	32	26	35	29	23	12	7	3		
	White--M--	157	7	1	2	2		2	1	6	4	3	3	6	3	8	10	18	16	14	17	11	6	5	1			
	F--	156	4	2	1	1		1	1	5		7	7	11	9	11	6	10	16	12	18	11	10	6	2			
	Nonwhite--M--																											
	F--																											

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
1, 2	NEW JERSEY																											
	All causes-----	46,392	2,715	165	121	86	60	226	174	385	577	595	776	1,079	1,501	2,365	3,428	4,365	4,928	5,514	5,709	5,035	3,702	2,018	720	137	26	3
	White-----M	23,601	1,405	83	60	50	34	120	84	184	280	261	335	503	752	1,224	1,968	2,527	2,759	2,963	2,912	2,406	1,579	779	281	37	3	2
	White-----F	19,508	993	53	44	30	20	71	56	106	172	223	299	393	532	851	1,166	1,551	1,886	2,287	2,589	2,488	2,028	1,179	417	91	13	-
	Nonwhite-----M	1,754	180	17	9	6	5	11	17	33	62	62	66	81	112	167	170	156	149	147	120	79	43	23	8	4	6	1
	Nonwhite-----F	1,549	137	12	6	2	1	24	7	42	63	49	76	102	105	123	144	131	124	117	108	62	52	37	14	5	4	-
	Typhoid and para-																											
	typhoid fever-----	6	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M	4	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cerebrospinal																											
	(meningococcus)																											
	meningitis-----	38	6	7	2	2	2	3	3	1	-	2	-	1	5	-	2	-	2	-	-	-	-	-	-	-	-	-
	White-----M	23	5	5	1	2	2	1	1	1	-	1	-	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
	White-----F	12	1	2	-	-	-	3	1	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Scarlet fever-----	5	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Whooping cough-----	26	18	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M	9	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----F	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	12	-	1	1	3	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis																											
	(all forms)-----	1,647	8	9	9	5	2	10	10	52	120	119	144	170	141	189	173	164	137	103	63	31	27	8	3	-	-	-
13	Tuberculosis of																											
	respiratory																											
	system, etc.*-----	1,545	5	3	3	1	1	7	7	45	110	113	135	158	136	137	164	162	132	98	62	29	26	8	3	-	-	-
14-22	Tuberculosis																											
	(other forms)-----	102	3	6	6	4	1	3	3	7	10	6	9	12	5	2	9	2	5	5	1	2	1	-	-	-	-	-
27	Dysentery-----	16	-	-	-	-	-	-	-	1	-	2	2	-	2	-	2	1	1	2	-	3	-	-	-	-	-	-
	White-----M	12	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	1	1	2	-	3	-	-	-	-	-	-
28	Malaria-----	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
30	Syphilis-----	299	5	-	-	-	-	-	1	3	4	3	4	12	22	40	43	49	39	33	21	14	6	-	-	-	-	-
	White-----M	183	3	-	-	-	-	-	1	-	-	1	1	3	9	20	23	32	26	21	12	12	2	-	-	-	-	-
35	Measles-----	28	3	2	3	1	2	11	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	17	2	-	3	1	2	5	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Polioencephalitis																											
	(acute)-----	26	-	1	-	2	2	4	3	5	4	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	12	-	-	1	1	2	2	2	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	13	-	1	-	1	1	2	1	2	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

371

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed Forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEW JERSEY—Con.																												
45-55	Cancer and other malignant tumors	7,246	4	4	3	6	3	13	10	18	33	43	89	153	272	506	704	916	986	1,068	1,036	752	427	155	37	5	1	2
	White—M—	3,539	1	1	2	4	2	6	2	12	19	16	34	53	100	197	334	454	522	569	547	393	196	59	13	1	—	2
	White—F—	3,589	3	3	1	2	1	5	8	4	9	22	49	83	147	266	323	413	411	466	454	346	227	89	23	4	—	—
	Nonwhite—M—	152	—	—	—	—	—	—	—	—	2	3	2	—	3	7	17	21	22	25	16	16	6	2	4	1	—	—
	Nonwhite—F—	196	—	—	—	—	—	2	—	—	2	3	6	14	18	26	26	27	28	15	17	7	2	3	—	—	—	—
46	Cancer of the digestive organs and peritoneum	3,411	—	1	—	—	2	1	—	3	6	9	27	49	91	202	305	427	487	546	555	394	206	77	19	1	—	—
	White—M—	1,788	—	—	—	1	—	—	—	2	4	4	13	20	49	103	168	228	274	298	302	212	82	23	4	1	—	—
	White—F—	1,472	—	1	—	1	1	—	3	1	1	4	13	28	33	84	116	173	186	232	233	175	122	51	14	—	—	—
	Nonwhite—M—	63	—	—	—	—	—	—	—	—	1	1	—	1	—	3	9	12	15	13	8	12	4	1	2	1	—	—
	Nonwhite—F—	68	—	—	—	—	—	—	—	—	—	—	1	—	6	6	9	11	14	8	8	3	1	1	—	—	—	—
48, 49	Cancer of female genital organs	738	—	—	—	—	—	1	1	1	4	10	18	34	48	79	88	101	80	99	74	59	27	13	1	1	—	—
	White—F—	667	—	—	—	—	—	1	1	1	3	7	14	25	43	64	78	94	74	97	70	56	27	11	1	1	—	—
	Nonwhite—F—	71	—	—	—	—	—	1	—	—	1	3	4	9	5	15	10	7	6	2	4	2	—	2	—	—	—	—
50	Cancer of breast	709	—	—	—	—	—	—	—	—	—	3	10	21	56	88	74	92	90	72	92	62	39	7	3	—	—	—
	White—M—	9	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	2	—	2	1	1	—	—	—	—	—
	White—F—	676	—	—	—	—	—	—	—	—	—	3	10	19	50	86	70	87	85	72	89	60	37	7	3	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	24	—	—	—	—	—	—	—	—	—	—	—	2	5	2	2	5	5	—	1	1	1	—	—	—	—	—
45, 47, 51-55	Cancer (other sites)	2,398	4	3	3	4	2	12	6	14	23	21	34	49	77	137	237	296	329	351	315	238	155	58	14	3	1	2
	White—M—	1,742	1	1	2	3	2	6	2	10	15	12	21	33	50	94	164	226	246	271	243	180	113	36	9	—	—	—
	White—F—	544	3	2	1	1	—	5	4	2	5	8	12	11	21	32	59	59	68	65	62	55	41	20	5	3	—	—
	Nonwhite—M—	69	—	—	—	—	—	—	—	2	2	1	—	2	4	8	9	7	12	10	6	2	1	2	—	—	—	—
	Nonwhite—F—	33	—	—	—	—	—	1	—	—	1	—	1	3	2	3	5	4	3	5	4	1	—	—	—	—	—	—
58	Acute rheumatic fever	34	—	—	—	1	2	2	—	1	5	9	7	1	2	3	—	—	—	—	—	1	—	—	—	—	—	—
	White—M—	13	—	—	—	1	1	1	—	—	1	3	3	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
	White—F—	16	—	—	—	—	1	—	—	1	4	5	2	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	1,403	—	—	—	1	—	2	5	9	6	10	7	6	19	34	98	176	245	266	231	173	80	26	8	1	—	—
	White—M—	409	—	—	—	1	—	1	3	2	1	9	2	2	10	13	34	50	73	73	62	43	17	9	4	—	—	—
	White—F—	949	—	—	—	—	—	1	1	6	5	1	4	2	8	17	57	122	167	185	164	127	60	17	4	1	—	—
	Nonwhite—M—	16	—	—	—	—	—	—	—	1	—	—	—	1	—	—	2	1	1	4	3	1	—	—	—	—	—	—
	Nonwhite—F—	29	—	—	—	—	—	—	—	1	—	—	1	1	1	2	5	3	4	4	2	2	3	—	—	—	—	—
63b	Exophthalmic goiter	91	—	—	—	—	—	—	—	1	1	1	1	3	6	13	8	11	20	13	9	3	1	—	—	—	—	—
	White—M—	13	—	—	—	—	—	—	—	—	1	—	—	—	2	2	1	2	3	1	1	—	—	—	—	—	—	—
	White—F—	77	—	—	—	—	—	—	—	1	—	1	1	3	4	10	7	9	17	12	8	3	1	—	—	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	White—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	White—F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylin)	59	—	—	—	—	—	—	—	—	—	2	8	8	7	8	6	—	—	—	—	—	—	—	—	—	—	—
	White—M—	35	—	—	—	—	—	—	—	—	—	1	3	4	5	4	6	5	4	3	—	—	—	—	—	—	—	—
	White—F—	10	—	—	—	—	—	—	—	—	—	—	1	1	4	2	1	—	—	—	1	—	—	—	—	—	—	—
	Nonwhite—M—	9	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin	3,942	7	—	1	—	—	5	2	5	9	17	23	34	91	188	251	322	472	551	681	579	415	240	71	8	—	—
	White—M—	1,721	7	—	—	—	—	1	1	2	5	5	8	11	28	59	103	144	235	250	326	249	170	91	22	3	—	—
	White—F—	1,961	—	—	1	—	—	2	1	4	8	10	13	47	82	112	147	209	267	321	316	228	142	46	4	—	—	—
	Nonwhite—M—	130	—	—	—	—	—	—	—	—	2	4	2	5	9	20	17	12	20	18	9	8	2	1	—	—	—	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NEW JERSEY—Com.																											
	Arteriosclerosis and high blood pressure*	948										1		2	3	6	5	13	22	56	70	120	206	211	139	70	19	4
	White—M	426										1		1	3	4	3	6	11	22	37	52	103	94	59	24	6	
	F	467														2	1	3	10	29	32	60	97	115	79	45	12	
	Nonwhite—M	15																2	1	3		4	2		1		2	
	F	18											1			1	2		2	1	4	4	2		1			
107-109, 33	Pneumonia (all forms) and influenza	1,550	266	42	15	3	5	13	8	19	24	22	21	43	147	59	108	107	100	123	140	128	146	69	31	9	2	
	White—M	744	124	16	3		1	7	1	12	9	11	7	20	23	26	57	58	64	61	76	64	69	19	11	4	1	
	F	607	90	14	8	1	4	4	6	4	11	7	10	14	12	13	28	32	27	54	62	61	73	48	20	5	1	
	Nonwhite—M	115	24	9	1	2		1	1	2	1	3		3	7	13	17	13	6	7	2	1	2					
	F	84	28	3	3			1		1	3	1	4	6	5	7	8	4	3	1		2	2					
107	Bronchopneumonia	729	178	27	9	2	3	7	4	7	9	5	8	12	15	19	39	42	22	52	66	59	60	35	22	6	2	
	White—M	351	82	6	1		1	5		4	6	4	3	8	8	8	20	23	16	24	33	29	41	12	9	3	1	
	F	299	59	11	6	1	2	2	3	2	1	1	2	3	6	6	9	15	4	26	33	29	38	25	13	5	1	
	Nonwhite—M	46	20	5		1			1	1	1					2	6	3		2		1	1					
	F	33	17	3	2						1		3	1	1	2	2	1										
108	Lobar pneumonia	623	39	6	3	1	1	4	3	8	11	12	11	27	28	34	54	53	68	60	61	53	54	25	6	3		
	White—M	308	22	2	1			1	1	5	2	5	4	11	12	14	28	29	37	33	36	30	23	7	2	1		
	F	224	13	1	2		1	1	2	1	8	5	7	8	5	7	13	13	20	23	21	22	21	16	4	2		
	Nonwhite—M	54	1	3		1		1		1	2			3	7	8	7	8	6	3	2		1					
	F	37	3					1		1	1			5	4	5	6	3	3	1		1	1	2				
109	Pneumonia (unspecified)	98	31	1	1		1	1	1	2	1	1		3	4	4	9	2	9	6	4	5	6	5	1			
	White—M	44	14	1				1		2	1				3	3	5		7	2	2	2	1					
	F	42	10				1		1					3	1		3	2	2	3	2	3	5	5	1			
	Nonwhite—M	7	2		1							1				1	1			1								
	F	5	5																									
33	Influenza	100	18	9	2			1		2	3	4	2	1		3	6	10	3	5	9	11	6	4	2			
	White—M	41	6	5	1					1		2		1		1	4	6	2	2	3	3	4					
	F	42	8	2				1		1	2	1	1				1	2	1	2	6	7	1	4	2			
	Nonwhite—M	8	1	1												2	1	2		1								
	F	9	3		1						1	1	1									1	1					
117	Ulcer of stomach or duodenum	279						1			1	5	7	15	16	26	43	43	35	31	23	15	12	6				
	White—M	228						1				4	7	14	14	21	35	39	29	25	18	12	6	3				
	F	40									1			1	2	1	5	4	6	5	3	3	6	3				
	Nonwhite—M	8										1				3	2			1	1							
	F	3														1	1				1							
119,120	Diarrhea, enteritis, etc.*	161	94	6	4	2		3	1	1	2	1	2	5	6	6	3	4	3	5	3	3	2	1	1	1		
	White—M	87	49	6	3	2		2		2	1		1	1	2	5	2	1	2	2	1	2	2					
	F	55	32	1				1	1		1	1	1	3	3		1	3	1	3	1	1	1					
	Nonwhite—M	13	10		1									1		1												
	F	6	3	1											1						1							
121	Appendicitis	175	2	2	4	1		7	4	7	5	5	5	10	11	20	12	22	20	16	11	7	4					
	White—M	110		1	3	M		3	3	3	5	2	3	7	6	12	9	14	17	8	6	4	3					
	F	54	1	1	1			4	1	3		3		2	5	6	3	5	3	7	5	3	1					
	Nonwhite—M	4	1										1			1		1										
	F	7								1			1	1		1		2		1								
122	Hernia, intestinal obstruction	363	16	4	3	2	1	3	2	4	5	3	4	8	11	19	26	37	45	37	51	35	25	15	5	2		
	White—M	161	7	2	2	1	1	2	1		2	2		3	5	8	8	17	22	23	26	15	10	2	2			
	F	177	7	1		1		1	1	3	1	1	3	4	5	9	17	16	20	11	24	19	15	12	3	1		
	Nonwhite—M	13	1		1						2			1		1		1	2					1		1		
	F	12	1	1						1			1		1	1	1	1	1	1	1	1						
124	Cirrhosis of the liver	555			1			1		4	1	3	11	18	45	57	85	59	86	62	61	32	20	6	3			
	White—M	333						1		3			5	7	19	39	57	40	54	39	35	18	15	1	1			
	F	203								1		3	4	9	25	17	25	19	31	21	23	14	5	5	1			
	Nonwhite—M	14			1					1			2	1		2	3			2								
	F	5												1	1				1						1			
126,127	Biliary calculi, etc.*	203	1								2		4	4	6	22	22	24	26	33	28	18	10	3				
	White—M	63												1	4	7	8	6	10	10	8	4	4	1				
	F	138	1								2		4	3	2	14	14	17	16	23	20	14	6	2				
	Nonwhite—M	1														1												
	F	1																1										
130-132	Nephritis	2,667	1	4	4		1	1	6	13	16	31	37	47	90	135	166	229	256	324	303	370	329	172	70	12	1	
	White—M	1,259	1	3	3		1		4	9	11	10	17	21	31	61	72	114	127	150	185	157	148	83	30	1		
	F	1,176		1	1			1	2	3	4	13	9	12	27	51	63	84	104	146	170	192	169	80	35	9		
	Nonwhite—M	128										6	3	5	10	11	15	12	14	15	12	16	3	2	3		1	
	F	144								1	1	2	8	9	12	12	16	18	11	13	16	5	9	7	2	2		
137	Diseases of the prostate	195														1	2	11	20	24	60	37	19	14	5	2		
	White—M	163															2	8	18									

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

373

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued-

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEW JERSEY—Con.																												
140-150	Diseases of pregnancy, etc.*	124	-	-	-	-	-	-	-	-	7	20	29	34	28	6	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	105	-	-	-	-	-	-	-	-	5	17	27	28	24	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	19	-	-	-	-	-	-	-	-	2	3	2	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia—	50	-	-	-	-	-	-	-	3	9	12	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	42	-	-	-	-	-	-	-	1	7	12	10	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	2	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—	36	-	-	-	-	-	-	-	4	8	6	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	33	-	-	-	-	-	-	-	4	7	5	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 148, 149	Hemorrhage, trauma or shock*	26	-	-	-	-	-	-	-	-	3	5	5	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	21	-	-	-	-	-	-	-	-	3	5	5	4	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes—	12	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	9	-	-	-	-	-	-	-	-	-	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	539	462	18	10	2	4	6	4	4	8	5	4	3	2	3	-	2	1	1	-	-	-	-	-	-	-	-
	White—M—	261	220	9	4	2	2	2	2	3	5	4	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	241	213	8	5	-	1	3	2	-	1	1	3	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	1,618	1,618	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	889	889	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	558	558	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth—	1,054	1,054	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—F—	551	551	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	349	349	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159, 160, 161	Other diseases peculiar to first year—	584	584	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M—	338	338	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F—	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide—	576	-	-	-	-	-	1	18	22	34	34	55	39	67	79	55	63	43	27	23	11	2	3	-	-	-	-
	White—M—	394	-	-	-	-	-	10	16	24	20	31	24	47	59	37	47	30	20	15	10	2	2	-	-	-	-	-
	F—	189	-	-	-	-	-	5	4	7	10	19	14	18	20	17	16	13	6	8	1	-	-	-	-	-	-	-
165-168	Homicide—	107	7	1	1	-	-	-	5	9	17	16	13	7	10	8	4	5	2	1	1	-	-	-	-	-	-	-
	White—M—	40	3	-	-	-	-	-	3	4	4	4	4	2	5	3	4	2	1	1	-	-	-	-	-	-	-	-
	F—	24	2	1	1	-	-	-	1	2	5	2	7	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths—	2,495	70	21	27	31	14	69	59	102	138	103	92	99	111	135	166	184	169	189	169	212	172	117	35	8	2	-
	White—M—	1,522	32	16	15	18	6	45	44	78	98	78	67	71	71	86	123	133	115	125	89	97	63	41	11	-	-	-
	F—	772	25	3	9	7	4	17	7	15	19	14	12	16	22	33	30	37	45	53	76	114	105	75	24	7	2	-
170	Motor-vehicle accidents—	757	1	5	8	14	6	32	17	48	70	55	32	36	40	55	64	65	55	80	40	29	6	1	-	-	-	-
	White—M—	541	-	3	4	10	2	22	13	34	58	41	23	25	27	35	46	44	38	47	27	27	12	4	1	-	-	-
	F—	158	1	1	1	3	3	10	2	12	6	8	5	6	17	14	15	17	12	11	12	1	7	2	-	-	-	-
169, 171-195	Other accidents—	1,738	69	16	21	17	8	37	42	54	69	48	60	63	71	80	102	119	114	129	129	193	152	111	34	8	2	-
	White—M—	981	32	13	11	8	4	23	31	44	42	37	44	46	44	51	77	89	77	78	62	70	51	37	10	-	-	-
	F—	616	24	2	8	4	1	7	5	3	13	6	7	10	15	19	15	20	33	42	64	113	99	73	24	7	2	-
162, 199, 200	Senility, ill-defined and unknown causes—	248	11	-	-	-	1	1	-	-	2	-	2	2	1	4	4	4	10	15	19	27	44	56	35	8	4	-
	White—M—	99	4	-	-	-	1	-	-	-	1	-	1	-	1	4	2	4	6	10	7	13	17	16	11	1	1	-
	F—	151	4	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	3	5	11	11	25	37	21	7	4	-
All other causes	White—M—	1,199	54	21	15	13	10	32	14	28	38	29	47	51	58	71	98	132	111	127	102	80	51	25	10	2	-	-
	F—	1,045	40	13	13	11	8	15	16	25	26	22	38	48	69	77	94	100	87	92	85	58	28	10	3	1	-	-
	Nonwhite—M—	61	5	4	2	-	-	1	-	2	9	1	4	5	12	11	4	6	5	2	5	2	2	1	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes—	248	11	-	-	-	1	1	-	-	2	-	2	2	1	4	4	4	10	15	19	27	44	56	35	8	4	-
	White—M—	99	4	-	-	-	1	-	-	-	1	-	1	-	1	4	2	4	6	10	7	13	17	16	11	1	1	-
	F—	151	4	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	3	5	11	11	25	37	21	7	4	-
All other causes	White—M—	1,199	54	21	15	13	10	32	14	28	38	29	47	51	58	71	98	132	111	127	102	80	51	25	10	2	-	-
	F—	1,045	40	13	13	11	8	15	16	25	26	22	38	48	69	77	94	100	87	92	85	58	28	10	3	1	-	-
	Nonwhite—M—	61	5	4	2	-	-	1	-	2	9	1	4	5	12	11	4	6	5	2	5	2	2	1	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes—	248	11	-	-	-	1	1	-	-	2	-	2	2	1	4	4	4	10	15	19	27	44	56	35	8	4	-
	White—M—	99	4	-	-	-	1	-	-	-																		



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	All causes-----	5,436	1,415	117	55	23	25	73	60	81	156	135	162	192	199	221	263	299	332	338	381	362	270	170	67	14	8	18
	White-----M	2,837	653	50	23	9	4	40	25	37	68	70	89	103	113	118	157	161	195	184	232	198	145	83	35	7	6	14
	White-----F	1,977	536	38	11	7	9	26	18	29	53	40	57	63	68	61	90	99	114	131	133	152	107	75	30	2	1	3
	Nonwhite--M	333	109	16	11	4	7	6	9	8	20	13	7	11	11	12	8	10	9	17	11	14	12	9	2	1	1	
	Nonwhite--F	284	105	13	10	5	5	1	8	8	15	12	9	15	7	10	8	9	14	6	5	8	6	5	2	-	-	
1,2	Typhoid and para-typhoid fever--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Corobrospinal (meningococcus) meningitis--	5	2	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Scarlet fever--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Whooping cough--	22	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	Diphtheria--	12	-	-	-	1	3	2	1	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	
	White-----M	3	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	6	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	
13-22	Tuberculosis (all forms)--	398	5	6	6	2	3	6	8	14	40	36	33	41	48	30	37	23	19	16	4	8	1	-	-	-	2	
	White-----M	192	1	1	1	-	-	-	-	2	7	17	19	23	27	17	28	16	13	10	4	4	1	-	-	-	1	
	White-----F	96	1	2	-	-	-	1	1	4	11	11	8	9	15	10	6	5	6	4	1	1	1	-	-	-	1	
	Nonwhite--M	58	-	3	3	1	3	5	3	5	13	5	1	4	4	1	2	2	-	1	-	2	-	-	-	-	-	
	Nonwhite--F	42	3	1	2	1	-	-	4	3	9	3	5	5	2	2	1	-	-	1	-	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*--	341	1	-	3	2	1	3	6	11	36	32	30	35	45	30	36	22	18	16	4	7	1	-	-	-	2	
	White-----M	182	-	-	1	-	-	-	-	1	7	16	19	19	26	17	27	16	13	10	4	4	1	-	-	-	1	
	White-----F	83	-	-	-	-	-	-	1	3	10	10	6	9	13	10	6	4	5	4	-	1	-	-	-	-	1	
	Nonwhite--M	44	-	-	1	1	1	3	2	5	12	3	1	3	4	1	2	2	-	1	2	-	-	-	-	-	-	
	Nonwhite--F	32	1	-	1	1	-	-	3	2	7	3	4	4	2	2	1	-	-	1	-	-	-	-	-	-	-	
14-22	Tuberculosis (other forms)--	47	4	6	3	-	2	3	2	3	4	4	3	6	3	-	1	1	1	-	-	1	-	-	-	-	-	
	White-----M	10	1	-	-	-	-	-	1	-	1	-	1	4	1	-	1	1	-	-	-	1	-	-	-	-	-	
	White-----F	13	1	2	-	-	-	1	-	1	1	1	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	
	Nonwhite--M	14	-	3	2	-	2	2	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	10	2	1	1	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	Dysentery--	67	59	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
	White-----M	41	36	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
	White-----F	24	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis--	76	9	-	-	-	-	-	-	1	-	-	-	6	8	6	5	14	8	4	6	6	1	1	-	-	1	
	White-----M	47	1	-	-	-	-	-	-	-	-	-	-	2	7	5	4	8	6	2	5	5	-	-	-	-	-	
	White-----F	23	3	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	1	1	1	-	-	-	-	-	1	
	Nonwhite--M	10	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	1	-	1	-	-	-	-	-	
	Nonwhite--F	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	
35	Measles--	13	3	6	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F	5	1	2	-	1	-	-	1	-	-	-	-	-	-													

\*Refer to International List for complete title, table V, Part I.



## 375

and of deaths among armed forces overseas)

793002 O - 48 - 25



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NEW MEXICO—Con.																											
	Arteriosclerosis and high blood pressure—	41	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	5	2	11	6	7	-	-	-
	White—M	28	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	4	2	8	4	6	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	390	196	28	13	4	6	3	2	1	3	2	9	5	4	10	11	11	6	15	20	13	19	4	1	2	1	1
	White—M	194	90	12	5	3	2	2	1	-	-	2	6	3	2	5	4	7	2	8	12	9	13	2	1	1	1	1
	White—F	140	59	11	3	-	3	1	-	1	2	-	3	1	2	5	6	4	4	6	8	3	6	2	-	-	-	-
	Nonwhite—M	32	19	4	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
107	Bronchopneumonia—	169	102	12	9	2	5	3	-	1	1	-	-	1	2	-	4	2	1	6	8	2	5	-	1	1	1	-
	White—M	77	44	5	3	1	2	2	-	-	-	-	-	1	-	-	2	1	-	4	5	1	4	-	1	-	-	-
	White—F	53	31	3	2	-	2	1	-	1	-	-	-	-	2	-	2	1	1	1	3	1	1	-	-	-	-	-
	Nonwhite—M	23	14	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—	116	49	6	2	2	1	-	-	-	1	-	3	3	2	6	2	3	3	6	6	7	6	2	-	1	-	1
	White—M	62	23	3	2	2	-	-	-	-	-	-	2	1	2	4	1	2	1	4	3	5	5	-	-	-	-	-
	White—F	46	21	3	-	-	1	-	-	-	1	-	1	1	-	2	1	1	2	3	3	1	3	2	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)—	41	25	3	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	1	2	2	1	-	-	-	-
	White—M	18	11	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-
	White—F	20	11	2	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	64	20	7	2	-	-	2	-	-	1	1	5	1	-	3	4	4	2	-	5	2	4	1	-	-	-	-
	White—M	37	12	3	-	-	-	1	-	-	-	1	4	1	-	1	1	3	1	-	4	1	1	1	-	-	-	-
	White—F	21	6	3	1	-	-	-	-	-	1	-	1	-	-	2	2	1	1	-	1	1	1	1	-	-	-	-
	Nonwhite—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	24	-	-	1	-	-	-	-	-	-	-	-	2	1	3	1	3	3	-	6	2	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	2	-	5	1	-	-	-	-	-	-
	White—F	8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—	233	190	17	3	3	1	2	1	-	2	-	-	-	1	1	3	1	2	2	-	1	2	-	-	1	-	-
	White—M	104	91	5	-	-	-	1	1	-	2	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
	White—F	81	65	5	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-	1	-	-
	Nonwhite—M	22	16	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	28	-	1	1	-	1	5	-	2	1	7	-	1	-	2	2	-	3	2	-	-	-	-	-	-	-	-
	White—M	19	-	-	-	-	3	-	1	1	1	3	-	1	-	-	2	-	3	2	-	-	-	-	-	-	-	-
	White—F	8	-	-	1	-	1	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	48	7	1	-	-	2	1	-	-	2	1	4	2	3	5	4	2	5	1	2	2	2	2	-	-	-	-
	White—M	18	5	-	-	-	1	1	-	-	1	-	1	-	1	2	-	-	1	-	1	2	1	1	-	-	-	-
	White—F	26	2	1	-	-	1	-	-	-	1	1	3	2	-	2	3	2	3	1	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	43	-	1	-	-	-	-	-	-	-	-	1	2	4	1	7	6	7	4	7	2	1	-	-	-	-	-
	White—M	27	-	1	-	-	-	-	-	-	-	-	1	2	5	1	3	5	3	3	4	1	1	-	-	-	-	-
	White—F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—	21	-	-	-	-	-	-	-	-	-	-	2	2	3	2	5	2	2	1	2	2	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	-	1	1	-	-	-	-	-	-
	White—F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—	194	1	-	-	-	2	2	1	-	8	2	4	6	6	14	12	19	25	19	29	14	16	7	1	1	1	-
	White—M	110	1	-	-	-	-	1	1	-	4	2	-	2	4	4	8	13	14	13	17	7	6	4	1	1	1	-
	White—F	76	-	-	-	-	2	1	-	-	4	-	4	3	1	2	5	2	5	11	6	12	6	9	3	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate—	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

377

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEW MEXICO—Con.																												
140-150	Diseases of pregnancy, etc.—F	37									3	12	8	8	6													
	White—F	29									3	8	5	7	6													
	Nonwhite—F	8										4	3	1														
140, 142a, 145A, 147	Puerperal septicemia—F	9									2	3	2	2														
	White—F	8									2	2	2	2														
	Nonwhite—F	1										1																
141a, c, 144, 148	Puerperal toxemia—F	9									3	1	2	3														
	White—F	7									1	1	2	3														
	Nonwhite—F	2																										
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F	14									1	4	4	3	2													
	White—F	10									1	3	2	2	2													
	Nonwhite—F	4										1	2	1														
141d, e, f, 148B, 150	Other puerperal causes—F	5									2	1	1	1														
	White—F	4										2	1	1	1													
	Nonwhite—F	1											1															
157	Congenital malformations—M	94	89	3							1					1												
	White—M	49	46	2																								
	F	37	35	1							1																	
	Nonwhite—M	6	6																									
	F	2	2																									
158-161	Diseases peculiar to first year—M	394	394																									
	White—M	185	185																									
	F	172	172																									
	Nonwhite—M	20	20																									
	F	17	17																									
159	Premature birth—M	258	258																									
	White—M	128	128																									
	F	111	111																									
	Nonwhite—M	10	10																									
	F	9	9																									
158, 160, 161	Other diseases peculiar to first year—M	138	138																									
	White—M	59	59																									
	F	61	61																									
	Nonwhite—M	10	10																									
	F	8	8																									
163, 164	Suicide—M	36							1	1	1	2	3	2	6	4	3	4	6		2		1					
	White—M	25							1	1	1	1	3	2	4	1	3	5	5		2		1					
	F	7							1	1	1	1			1	2	1	1	1									
	Nonwhite—M	4													1	1		1										
	F																											
165-168	Homicide—M	37	1	1					1	5	6	8	3	3	5	5	3			1								
	White—M	27	1						1	4	5	8	2	3	2	2	2			1								
	F	2		1												1												
	Nonwhite—M	6								1	1		1		2	1												
	F	2									2						1											
169-195	Accidental deaths—M	476	16	14	14	4	3	17	17	27	49	40	38	37	21	26	23	19	13	21	16	25	10	11	5	1	9	
	White—M	352	8	11	10	1	1	14	11	19	38	28	31	25	15	20	20	14	9	11	12	12	6	4	3	1	9	
	F	90	4	3	1	2	1	3	2	5	8	6	3	6	2	3	1	4	1	7	3	12	4	7	2			
	Nonwhite—M	39	1	3	1	1	1	3	2	3	5	3	3	3	3	3	2	1	1	3	1	1						
	F	15	3	1	1	1	1	1	1	1	1	1	3	1				2										
170	Motor-vehicle accidents—M	186	2	3	1			7	7	13	21	19	14	19	11	17	9	7	8	8	8	9	2	1				
	White—M	131	2	3	1			5	3	9	16	12	10	13	7	14	8	5	4	4	6	8	2	1				
	F	32						2	1	3	4	4	2	4	1	1	1	2	1	2	1	3						
	Nonwhite—M	18						2	1	1	3	1	2	2	2	2			1	2	1							
	F	5						1					1		1				2									
169, 171-195	Other accidents—M	290	14	11	13	4	3	10	10	14	28	21	24	18	10	9	14	12	5	13	8	16	8	10	5	1	8	
	White—M	201	6	6	6	1		9	8	10	22	16	21	12	8	6	12	9	5	7	6	6	4	3	3	1	9	
	F	58	4	3	1	2	1	1	1	2	4	2	1	2	1	2		2		5	2	9	4	7	2			
	Nonwhite—M	21	1	2	1	1	1	1	1	1	2	2	2	1	1	1	1	2	1		1							
	F	10	3	1	1	1	1			1		1		3														
162, 199, 200	Sexuality, ill-defined and unknown causes—M	853	366	20	7	3	3	9	4	4	7	6	13	16	15	18	23	27	38	43	55	50	49	43	24	6	4	
	White—M	378	157	8	2	1		5	1	1	1	4	5	7	8	6	13	13	19	20	29	24	21	18	12	2	3	
	F	307	136	4	1	1	1	4	2	2	4	1	6	7	5	6	9	11	14	15	15	19	17	15	9	1	1	
	Nonwhite—M	90	36	3	1	1	1	1		1	1	1	1	1	1	1	1	2	2	6	8	5	4	2	1		1	
	F	77	37	5	3	1	2		1	1	1		1	1	1	3		1	3	1	3	3	4					
	All other causes—M	339	57	8	6	2	3	12	12	13	10	9	8	19	11	26	13	30	23	13	18	19	11	12	2	1		
	White—M	166	24	6	3	1	1	6	4	6	2	2	2	10	7	14	8	19	10	8	10	9	7	7	1	1		
F	148	23	2	3	1	2	6	5	4	8	6	6	9	4	10	6	9	12	5	8	9	4	5	1				
	Nonwhite—M	13	7	1	1	1	1	2	1	2	1	1				1												
	F	12	3					1	1	1	3					1	1	2	1									

\*Refer to International List for complete title, table V, Part I.



(By place of residence. Exclusive of stillbirths)

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

379

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEW YORK—Con.																												
45-55	Cancer and other malignant tumors	23,999	15	2	18	13	8	36	32	42	80	130	295	556	906	1,599	2,401	3,101	3,508	3,594	3,304	2,381	1,330	516	107	11	2	2
	White—M—	11,648	11	2	6	6	5	25	19	31	44	55	94	180	282	601	1,000	1,556	1,836	1,877	1,731	1,216	608	228	37	4	1	1
	F—	11,500	4	—	12	5	2	10	12	10	24	65	177	319	550	879	1,166	1,429	1,539	1,602	1,505	1,126	708	282	65	7	1	1
	Nonwhite—M—	447	—	—	—	—	1	—	—	1	7	3	8	15	20	45	72	68	70	72	32	20	6	4	3	—	—	—
	F—	494	—	—	—	—	—	1	1	—	5	7	16	34	54	74	63	68	61	43	36	19	8	2	2	—	—	—
46	Cancer of the digestive organs and peritoneum—	11,058	4	1	3	—	2	6	5	—	7	23	88	178	290	567	972	1,392	1,899	1,816	1,763	1,298	662	230	44	4	1	1
	White—M—	5,868	2	1	—	—	—	5	4	—	4	15	36	89	122	298	518	781	965	986	956	663	305	96	14	2	1	1
	F—	4,796	2	—	3	—	2	—	—	—	3	7	47	81	146	234	396	532	660	781	772	617	350	132	29	2	—	—
	Nonwhite—M—	224	—	—	—	—	—	—	—	—	—	—	4	5	8	18	39	43	45	32	16	9	3	2	1	—	—	—
	F—	172	—	—	—	—	—	1	1	—	—	1	2	4	14	17	20	36	29	15	19	9	4	—	—	—	—	—
48, 49	Cancer of female genital organs—	2,622	—	—	—	—	—	—	1	1	8	21	61	115	175	311	337	373	335	294	269	164	108	39	9	3	—	—
	White—F—	2,446	—	—	—	—	—	—	1	1	7	19	62	102	151	270	312	353	318	280	258	160	108	38	7	3	—	—
	Nonwhite—F—	176	—	—	—	—	—	—	—	—	1	2	9	13	22	41	25	15	16	14	11	4	—	1	2	—	—	—
50	Cancer of breast—	2,559	—	—	—	—	—	—	—	—	2	13	42	114	187	248	300	339	330	313	261	196	130	68	14	1	1	1
	White—M—	40	—	—	—	—	—	—	—	—	—	—	—	—	—	3	4	7	2	7	7	10	—	—	—	—	—	—
	F—	2,441	—	—	—	—	—	—	—	—	1	12	39	104	176	254	285	325	318	299	252	184	127	68	14	1	1	1
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	78	—	—	—	—	—	—	—	—	1	1	3	10	11	11	6	10	7	2	2	3	—	—	—	—	—	—
45, 47, 51-55	Cancer (other sites)—	7,750	11	1	15	13	6	30	26	41	63	73	103	148	256	473	792	998	1,144	1,171	1,011	723	430	179	40	3	—	—
	White—M—	5,642	9	1	6	8	5	20	15	31	40	40	69	99	160	300	578	749	871	882	768	543	303	132	23	2	—	—
	F—	1,817	2	—	9	5	—	10	11	9	13	27	39	32	77	141	173	214	242	223	185	123	44	15	1	—	—	—
	Nonwhite—M—	223	—	—	—	—	1	—	—	1	7	3	4	10	12	27	34	25	25	40	16	11	3	2	2	—	—	—
	F—	68	—	—	—	—	—	—	—	—	3	3	2	7	7	5	7	11	6	7	4	4	1	1	—	—	—	—
58	Acute rheumatic fever—	98	—	—	1	2	5	10	17	12	8	8	5	14	5	3	2	1	1	2	1	—	—	—	1	—	—	—
	White—M—	39	—	—	1	1	3	3	8	5	4	2	2	5	1	1	1	—	—	1	—	—	—	—	1	—	—	—
	F—	48	—	—	—	1	2	5	7	5	4	5	3	7	3	1	1	1	1	1	1	—	—	—	—	—	—	—
	Nonwhite—M—	8	—	—	—	—	—	2	2	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F—	3	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus—	5,314	—	—	1	1	2	5	9	8	9	23	29	41	80	155	264	626	868	1,009	879	620	357	113	12	1	2	—
	White—M—	1,755	—	—	—	—	—	2	3	3	4	10	15	22	37	56	144	210	280	315	300	214	120	30	2	—	—	—
	F—	3,347	—	—	1	1	2	1	5	4	3	12	10	14	27	78	197	382	566	667	661	398	222	63	10	1	2	—
	Nonwhite—M—	49	—	—	—	—	—	—	—	1	—	—	1	5	2	6	10	8	8	3	3	—	—	—	—	—	—	—
	F—	163	—	—	—	—	—	—	1	—	2	1	3	4	11	19	17	24	34	19	15	8	5	—	—	—	—	—
65b	Exophthalmic goiter—	277	—	—	—	—	—	—	—	2	3	6	9	8	15	26	33	48	49	38	25	13	4	1	—	—	—	—
	White—M—	51	—	—	—	—	—	—	—	—	—	—	2	2	4	7	13	10	10	2	1	—	—	—	—	—	—	—
	F—	215	—	—	—	—	—	—	—	2	3	5	4	4	11	17	19	35	39	36	22	13	4	1	—	—	—	—
	Nonwhite—M—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	9	—	—	—	—	—	—	—	—	—	—	2	1	—	2	1	3	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—	—	1	2	—	—	—	—	—
	White—M—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
	F—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylin)—	258	—	—	—	—	—	—	—	1	1	1	13	29	38	45	36	39	27	14	11	2	2	—	—	—	—	—
	White—M—	194	—	—	—	—	—	—	—	1	—	1	8	16	27	35	28	30	23	11	10	2	2	—	—	—	—	—
	F—	43	—	—	—	—	—	—	—	—	—	1	2	7	8	6	8	3	2	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	18	—	—	—	—	—	—	—	—	—	—	3	6	2	2	2	1	1	1	—	—	—	—	—	—	—	—
	F—	4	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin—	10,313	5	5	2	3	2	7	7	11	18	25	45	92	196	351	631	883	1,074	1,394	1,738	1,651	1,248	671	207	41	5	1
	White—M—	4,471	2	1	—	2	1	3	3	5	11	8	24	35	70	149	269	413	522	642	764	710	522	242	57	12	3	1
	F—	5,463	3	4	2</																							



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NEW YORK—Con.																											
	Arteriosclerosis and high blood pressure—	2,988									1	2	4	6	14	22	39	66	138	219	458	584	634	487	251	61	8	-
	White—M—	1,397											2	4	8	10	18	34	69	116	219	273	290	222	99	21	2	-
	White—F—	1,506									1		1	3	9	16	28	57	92	219	299	335	256	148	58	4	-	-
	Nonwhite—M—	52													1	2	2	3	8	3	4	9	3	6	3	1	1	-
	Nonwhite—F—	45									1	1	1	1	2	1	3	2	4	3	10	3	6	3	1	1	1	-
107-109, 33	Pneumonia (all forms) and influenza—	5,430	777	107	54	29	22	43	38	49	64	57	84	145	190	230	341	338	425	465	481	517	453	315	120	29	5	2
	White—M—	2,334	371	47	27	9	10	25	18	26	30	16	37	74	105	143	217	214	276	267	244	267	214	135	47	10	2	-
	White—F—	2,159	260	41	20	17	11	17	14	19	27	34	29	44	55	93	90	102	127	181	220	238	232	177	71	18	2	-
	Nonwhite—M—	237	61	10	3	1	1	1	2	1	4	5	12	14	17	24	25	16	13	7	9	4	3	1	1	1	2	-
	Nonwhite—F—	200	45	9	4	2	2	2	4	3	3	2	6	13	13	15	9	6	9	10	6	8	4	2	1	1	1	-
107	Bronchopneumonia—	2,858	607	74	39	15	15	28	17	20	29	25	25	50	69	99	114	96	170	186	258	240	239	176	66	17	3	1
	White—M—	1,306	278	34	19	5	9	16	8	11	14	9	11	22	29	49	69	53	101	102	184	116	115	78	28	4	1	-
	White—F—	1,126	218	25	15	7	6	10	7	7	11	14	9	19	32	40	36	56	84	78	109	117	121	96	38	12	1	-
	Nonwhite—M—	108	53	7	3	1	1	1	1	2	2	2	3	3	4	5	6	4	4	2	3	1	2	1	1	1	1	-
	Nonwhite—F—	118	58	8	2	2	1	2	2	2	2	2	3	6	4	5	3	3	1	6	2	6	1	1	1	1	1	-
108	Lobar pneumonia—	2,337	107	14	7	10	5	10	17	22	28	26	53	84	112	164	203	216	227	247	215	239	178	107	39	7	-	-
	White—M—	1,316	56	3	3	3	1	4	9	13	13	7	24	45	72	92	130	147	154	153	109	132	86	45	14	3	-	-
	White—F—	827	41	9	4	7	3	5	4	7	12	14	17	21	19	44	50	54	56	85	94	103	89	63	23	4	-	-
	Nonwhite—M—	119	4	2	-	-	1	2	1	2	3	9	11	12	18	18	12	9	5	6	3	1	1	1	1	1	-	-
	Nonwhite—F—	75	6	-	-	-	-	1	2	1	1	2	4	7	9	10	5	3	8	4	6	1	3	1	1	1	-	-
109	Pneumonia (unspecified)—	123	29	2	-	1	2	3	1	3	6	2	3	5	2	6	9	5	7	10	6	8	6	5	2	-	-	-
	White—M—	64	19	2	-	-	1	1	-	2	3	-	1	4	-	2	7	1	6	1	2	8	2	2	1	-	-	-
	White—F—	58	10	-	-	1	2	2	1	1	3	2	2	1	2	3	2	4	1	9	4	4	3	1	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	512	34	17	8	3	-	2	3	4	1	4	3	6	7	11	15	21	21	22	22	30	30	27	13	5	2	1
	White—M—	148	16	8	5	1	-	2	1	-	-	-	1	3	4	5	11	13	15	11	11	11	12	4	3	-	-	-
	White—F—	148	11	7	1	2	-	2	4	1	4	1	3	2	6	2	9	6	11	13	18	19	15	9	2	1	-	-
	Nonwhite—M—	9	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	7	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	1,123	2	-	-	-	-	-	-	5	7	11	29	43	62	93	147	169	154	151	125	67	40	16	2	-	-	-
	White—M—	900	2	-	-	-	-	-	-	4	4	7	19	33	52	81	123	145	131	123	93	46	27	8	2	-	-	-
	White—F—	177	-	-	-	-	-	-	-	1	-	3	5	4	7	14	22	19	25	31	18	13	8	-	-	-	-	-
	Nonwhite—M—	32	-	-	-	-	-	-	-	2	1	5	4	2	3	5	1	3	2	1	3	-	-	-	-	-	-	-
	Nonwhite—F—	14	-	-	-	-	-	-	-	1	-	-	-	2	1	2	5	1	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—	502	319	25	5	1	2	2	3	5	7	9	13	11	5	9	14	13	9	13	11	9	8	8	1	-	-	-
	White—M—	250	163	15	2	-	-	1	-	1	2	4	7	9	4	4	7	6	7	6	3	5	1	4	1	-	-	-
	White—F—	214	123	9	3	1	2	1	3	4	5	5	6	2	1	5	6	7	2	6	8	3	7	4	1	-	-	-
	Nonwhite—M—	26	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—F—	12	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	509	3	5	12	9	9	19	10	20	22	17	20	21	31	40	61	49	51	37	36	21	6	9	1	-	-	-
	White—M—	502	1	4	9	5	7	11	7	14	14	13	8	10	17	20	44	31	28	21	18	11	4	4	1	-	-	-
	White—F—	168	2	1	3	4	2	6	2	6	6	4	10	10	11	17	17	16	20	15	18	10	1	5	-	-	-	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	2	-	-	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction—	1,275	19	11	4	5	3	5	2	4	4	12	18	34	49	72	92	134	154	163	164	149	114	45	14	3	-	1
	White—M—	597	8	6	2	2	1	4	2	1	2	3	8	10	15	29	46	73	83	83	77	65	50	21	6	-	-	-
	White—F—	617	9	5	2	3	2	-	-	2	2	9	5	21	26	36	40	50	70	76	81	80	62	24	8	3	-	1
	Nonwhite—M—	30	2	-	-	-	-	1	-	-	-	2	2	2	2	2	4	1	3	4	1	1	1	-	-	-	-	-
	Nonwhite—F—	31	-	-	-	-	-	-	-	1	-	-	3	1	3	5	4	7	-	1	2	3	1	-	-	-	-	-
124	Cirrhosis of the liver—	1,898	4	3	-	-	-	2	1	5	18	46	89	194	237	235	264	252	216	155	95	61	25	8	1	-	-	-
	White—M—	1,184	-	-	-	-	-	1	1	3	7	23	49	85	156	162	180	181	144	89	52	23	13	5	-	-	-	-
	White—F—	645	3	3	-	-	-	-	-	2	6	20	27	79	69	67	73	65	70	64	43	37	12	3	1	-	-	-
	Nonwhite—M—	48	1	-	-	-	-	-	-	-	1	1	8	6	8	5	9	6	2	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	21	-	-	-	-	-	-	-	-	2	2	4	4	4	4	1	2	-	-	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—	745	-	-	-	-	-	-	-	2	-	5	6	16	30	48	79	101	114	134	91	57	44	13	6	-	-	-
	White—M—	245	-	-	-	-	-	-	-	-	-	2	5	6	10	27	41	32	51	33	18	15	3	2	-	-	-	-
	White—F—	496	-	-	-	-	-	-	-	1	-	5	4	11	24	37	47	57	83	57	37	29	10	4	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	3	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis—	6,297	5	2	8	11	4	13	19	33	52	68	94	135	242	331	410	510	647	739	869	887	675	395	124	23	1	2
	White—M—	3,026	4	2	5	7	2	7	8	10	23	27	36	61	103	148	212	269	329	372	433	429	308	171	53	6	-	-
	White—F—	2,849	1	-	3	4	2	5	11	21	18	29	36	47	91	130	148	200	285	323	405	434	352	218	69	16	1	-
	Nonwhite—M—	198	-	-	-	-																						



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

381

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK--Con.																											
140-150	Diseases of pregnancy, etc.	343	-	-	-	-	-	-	-	-	18	60	95	86	73	28	5	-	-	-	-	-	-	-	-	-	-	-
	White--F--	298	-	-	-	-	-	-	-	-	10	48	80	61	69	27	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	45	-	-	-	-	-	-	-	-	8	12	15	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a,147	Puerperal septicemia	151	-	-	-	-	-	-	-	-	12	23	34	26	25	9	1	-	-	-	-	-	-	-	-	-	-	-
	White--F--	105	-	-	-	-	-	-	-	-	7	14	26	23	25	9	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	-	-	-	-	-	-	-	-	5	9	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	57	-	-	-	-	-	-	-	-	2	14	16	9	9	7	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	53	-	-	-	-	-	-	-	-	-	13	15	9	9	7	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 145,146, 149	Hemorrhage, trauma or shock	151	-	-	-	-	-	-	-	-	3	16	36	29	34	12	2	-	-	-	-	-	-	-	-	-	-	-
	White--F--	117	-	-	-	-	-	-	-	-	2	14	30	26	32	11	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	-	-	-	-	-	-	-	-	1	2	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145b,150	Other puerperal causes	24	-	-	-	-	-	-	-	-	1	7	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	23	-	-	-	-	-	-	-	-	1	7	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	1,771	1,431	69	51	19	15	40	23	19	21	19	21	11	9	9	10	6	7	8	2	1	-	-	-	-	-	-
	White--M--	972	698	34	13	13	6	22	15	11	9	7	11	5	4	4	4	5	6	3	2	1	-	-	-	-	-	-
	White--F--	814	660	33	16	6	9	14	8	8	12	12	10	4	4	4	6	1	1	5	1	-	-	-	-	-	-	-
	Nonwhite--M--	42	57	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	43	36	1	1	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	5,049	5,049	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	2,673	2,673	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	1,851	1,851	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	308	308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	217	217	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	3,229	3,229	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	1,643	1,643	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	1,203	1,203	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	218	218	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	165	165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	1,820	1,820	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	1,030	1,030	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--F--	648	648	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--F--	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	1,676	-	-	-	-	-	1	1	24	50	90	118	172	162	171	221	175	176	121	82	61	34	14	1	1	-	1
	White--M--	1,143	-	-	-	-	-	1	1	14	28	59	86	104	107	117	148	132	158	86	59	48	27	10	-	-	-	-
	White--F--	487	-	-	-	-	-	-	-	9	18	21	46	62	51	80	89	39	39	35	23	13	7	4	1	-	-	-
	Nonwhite--M--	51	-	-	-	-	-	-	-	1	2	8	4	5	4	3	3	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	15	-	-	-	-	-	-	-	2	3	2	3	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
165-168	Homicide	479	24	3	1	1	2	3	6	38	57	76	84	45	42	40	26	19	9	10	5	2	4	2	-	-	-	-
	White--M--	181	8	2	1	1	-	2	3	11	18	27	20	18	10	20	15	12	3	8	3	-	1	-	-	-	-	-
	White--F--	73	9	1	-	-	1	-	1	2	7	5	8	7	7	3	5	4	5	1	-	2	3	2	-	-	-	-
	Nonwhite--M--	170	1	-	-	-	-	1	1	22	25	34	25	19	18	14	5	3	1	-	1	-	-	-	-	-	-	-
	Nonwhite--F--	55	6	-	-	-	1	-	1	3	7	10	11	3	7	3	1	-	-	1	1	-	-	-	-	-	-	-
169-195	Accidental deaths	8,314	185	93	97	89	51	244	164	326	396	341	323	335	402	461	537	543	578	624	612	696	621	400	156	22	3	16
	White--M--	5,041	98	49	53	49	33	139	115	240	302	227	221	220	292	330	395	409	409	400	328	296	232	130	53	5	-	14
	White--F--	2,766	67	39	30	29	11	66	28	67	53	69	46	77	78	90	109	113	146	203	274	331	377	269	101	16	3	1
	Nonwhite--M--	376	15	4	4	6	5	14	21	11	31	39	35	30	35	34	30	17	18	13	6	4	5	1	-	-	-	-
	Nonwhite--F--	151	7	2	10	5	2	6	-	8	10	7	11	8	7	7	3	5	6	-	8	4	5	7	-	2	1	-
170	Motor-vehicle accidents	2,086	3	5	20	51	28	94	59	144	215	133	109	100	114	124	163	160	162	158	118	91	57	25	4	-	-	1
	White--M--	1,551	2	2	15	16	17	64	44	105	177	97	66	72	83	90	121	117	125	100	65	48	17	4	-	-	-	1
	White--F--	447	1	3	5	11	5	25	10	39	29	30	17	19	18	26	35	39	31	32	31	26	8	8	-	-	-	-
	Nonwhite--M--	79	-	-	-	2	4	4	5	1	6	5	5	8	11	6	6	4	6	5	2	-	1	-	-	-	-	-
	Nonwhite--F--	19	-	-	-	2	-	1	-	1	3	1	1	1	2	2	1	1	-	3	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	6,218	192	88	77	57	25	150	105	182	181	208	214	235	298	337	374	383	416	486	494	605	564	375	152	22	3	15
	White--M--	5,490	96	47	59	52	16	74	71	137	125	130	145	148	205	240	274	291	283	300	243	231	184	115	49	5	-	13
	White--F--	2,319	66	35	25	18	6	61	18	28	24	39	29	58	54	64	74	75	115	171	243	365	369	261	101	16	3	1
	Nonwhite--M--	297	13	4	4	4	1	10	16	10	25	33	30	22	24	28	24	13	12	10	4	4	1	-	-	-	-	-
	Nonwhite--F--	112	7	2	10	5	2	5	-	7	7	6	10	7	5	5	2	4	6	5	4	5	7	-	2	1	-	-
162,199, 200	Semility, ill-defined and unknown causes	726	58	15	5	6	1	5	2	5	17	24	34	52	60	47	52	44	40	38	35	32	59	54	27	10	2	3
	White--M--	382	37	7	4	3	-	3	-	3	7	14	12	27	33	25	34	29	30	25	19	18	24	14	10	4	-	3
	White--F--	283	15	7	-	3	1	2	1	1	8	6	18	19	17	16	9	15	9	9	14	15	34	39	17	6	-	-
	Nonwhite--M--	41	4	-	-	-	-	-	-	-	1	4	3	5	4	4	7	2	1	2	2	2	-	-	-	-	-	-
	Nonwhite--F--	20	2	1	1	-	-	-	-	1	1	1	-	1	1	6	-	2	-	-	-	-	-	1	-	-	-	-
	All other causes																											



# VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	All causes-----	28,724	3,742	500	162	101	94	314	509	526	816	856	863	1,050	1,193	1,528	1,845	2,050	2,414	2,062	2,772	2,128	1,513	921	351	124	37	53
	White-----M--	11,082	1,329	93	53	32	39	126	122	203	303	281	282	343	396	562	758	810	1,034	1,179	1,165	954	507	369	123	31	3	9
	White-----F--	8,014	995	81	41	27	21	79	66	98	139	141	167	224	261	315	371	480	585	858	967	867	590	424	161	47	10	9
	Nonwhite-M--	5,112	770	71	41	23	14	59	69	120	193	246	209	249	275	359	401	398	416	430	353	168	104	62	38	18	8	19
	Nonwhite-F--	4,516	649	55	27	19	21	50	52	115	161	169	225	234	261	293	337	362	378	395	287	138	112	67	29	28	16	16
1,2	Typhoid and para-typhoid fever	8	1	1	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	White-----F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	30	6	4	2	1	1	3	3	5	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	13	3	1	1	1	-	1	2	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	11	2	1	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M--	4	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	59	43	9	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	13	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	21	13	4	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	46	3	10	10	7	6	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	-	5	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	2	3	3	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	9	-	2	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,182	7	14	6	3	1	2	18	74	137	152	103	114	99	99	109	63	59	45	32	13	8	4	-	-	-	-
	White-----M--	282	-	2	-	1	-	1	1	2	16	21	15	28	28	41	40	33	23	11	11	6	3	3	-	-	-	-
	White-----F--	190	2	1	2	1	-	1	10	13	18	16	20	14	14	13	11	14	18	12	6	3	1	-	-	-	-	-
	Nonwhite-M--	396	3	7	3	1	1	5	27	45	62	43	41	27	29	36	24	13	11	5	1	2	-	-	-	-	-	-
	Nonwhite-F--	394	2	4	1	-	-	1	11	35	63	51	29	27	32	15	20	15	9	5	4	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,096	3	2	2	-	-	1	15	69	131	148	99	103	93	93	103	79	56	44	31	13	8	4	-	-	-	-
	White-----M--	264	-	-	-	-	-	-	1	15	20	14	25	26	26	40	38	31	22	10	10	6	3	3	-	-	-	-
	White-----F--	177	1	-	-	-	-	-	10	13	17	16	20	12	13	11	11	13	18	12	6	3	1	-	-	-	-	-
	Nonwhite-M--	349	1	1	1	-	-	4	23	43	61	41	35	23	27	35	23	23	12	11	5	1	2	-	-	-	-	-
	Nonwhite-F--	306	1	1	1	-	-	1	11	34	60	50	26	23	32	13	19	14	9	5	4	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	86	4	12	4	3	1	1	3	6	6	4	4	11	6	6	6	4	3	1	1	-	-	-	-	-	-	-
	White-----M--	18	-	2	-	1	1	1	1	1	1	1	1	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-
	White-----F--	13	1	1	2	1	-	1	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	37	2	6	2	1	1	-	1	4	2	1	2	6	4	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	18	1	3	-	-	-	-	-	1	3	1	1	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	13	4	2	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite-M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	4	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	8	-	-	-	-	-	1	-	-	2	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	245	26	-	-	-	-	1	3	4	5	8	15	26	23	40	24	25	12	16	9	4	2	-	-	-	-	2
	White-----M--	59	5	-	-	-	-	-	1	-	-	-	-	-	4	6	8	7	6	9	5	3	1	-	-	-	-	-
	White-----F--	16	3	-	-	-	-	-	-	-	-	-	-	-	2	3	2	4	3	1	-	-	-	-	-	-	-	-
	Nonwhite-M--	119	11	-	-	-	-	1	1	-	1	6	5	16	15	28	13	12	4	2	2	1	-	-	-	-	-	-
	Nonwhite-F--	49	7	-	-	-	-	-	1	4	4	2	10	6	2	3	1	2	2	2	1	-	1	-	-	-	-	-
35	Measles	43	14	6	2	1	4	8	1	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	11	3	1	-	-	1	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	10	4	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-M--	12	5	3	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	10	2	2	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioccephalitis (acute)	16	1	1	1	1	1	5	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	1	1	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

383

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	NORTH CAROLINA-Continued																											
	Cancer and other malignant tumors	2,523	4	3	3	5	3	12	8	16	17	38	72	103	128	203	275	280	300	345	325	199	99	55	17	8	1	4
	White-M	908	3	1	2	4	1	6	3	8	5	12	12	29	33	49	87	81	116	141	144	93	47	24	4	-	-	1
	F	1,042	1	2	-	1	1	2	4	9	14	34	43	54	95	118	125	102	131	131	91	43	22	11	3	-	-	1
	Nonwhite-M	232	-	-	-	-	-	2	1	1	1	3	5	6	13	21	30	28	34	42	27	6	3	4	2	-	-	1
	F	343	-	-	1	-	1	2	-	3	2	9	21	25	28	38	40	46	48	31	23	9	5	5	-	3	-	1
46	Cancer of the digestive organs and peritoneum	986	2	-	-	-	-	2	-	1	3	10	14	25	41	77	104	104	117	149	154	94	51	21	10	5	1	1
	White-M	397	1	-	-	-	-	1	-	1	1	3	4	14	16	24	36	36	53	68	71	37	22	6	3	-	-	-
	F	368	1	-	-	-	-	-	-	-	2	4	3	3	13	30	40	43	35	45	59	48	24	12	5	2	-	-
	Nonwhite-M	128	-	-	-	-	-	1	-	-	-	2	4	3	6	12	21	13	17	22	16	5	1	2	2	1	-	-
	F	93	-	-	-	-	-	-	-	-	-	1	3	5	6	11	7	12	12	14	9	4	1	1	-	2	1	1
48, 49	Cancer of female genital organs	411	-	-	-	-	-	-	-	1	1	10	30	29	33	54	57	53	41	42	32	17	4	2	4	-	-	1
	White-F	273	-	-	-	-	-	-	-	-	3	16	19	20	36	40	31	19	36	29	16	3	-	4	-	-	-	1
	Nonwhite-F	138	-	-	-	-	-	-	-	1	1	7	14	10	13	18	17	22	22	6	3	1	1	2	-	-	-	-
50	Cancer of breast	232	-	-	-	-	-	-	-	1	6	11	17	15	20	32	32	25	27	18	14	4	8	1	1	-	-	-
	White-M	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	169	-	-	-	-	-	-	-	1	5	8	10	10	14	22	30	18	21	11	10	3	5	1	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	1	3	6	3	6	10	2	6	5	7	4	1	2	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	894	2	3	3	5	3	10	8	14	12	12	17	32	39	52	82	91	117	127	121	74	40	24	2	2	-	2
	White-M	505	2	1	2	4	1	5	3	7	4	9	8	14	18	23	31	45	63	72	73	56	25	18	1	-	-	1
	F	232	-	2	-	1	1	2	4	6	2	7	11	11	15	16	21	30	29	35	17	13	5	1	1	-	-	-
	Nonwhite-M	102	-	-	-	-	-	1	1	1	1	1	1	3	7	9	15	16	20	11	1	2	1	-	-	-	-	1
	F	55	-	-	1	-	1	2	-	2	1	-	1	4	6	3	6	10	8	6	4	-	-	-	-	-	-	-
58	Acute rheumatic fever	35	-	1	-	1	-	6	10	5	1	4	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-
	White-M	12	-	-	-	-	-	3	2	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	2	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	1	-	-	-	2	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	498	1	1	-	-	2	6	5	6	10	6	12	11	14	17	37	61	59	95	72	40	27	12	3	-	-	-
	White-M	206	1	1	-	-	2	4	-	1	2	3	5	3	5	6	16	16	28	45	34	17	11	2	2	-	-	-
	F	191	-	-	-	-	2	3	2	5	2	3	2	1	3	11	25	26	40	27	18	12	9	-	-	-	-	-
	Nonwhite-M	34	-	-	-	-	-	-	-	2	-	2	3	2	2	2	1	4	2	4	6	4	1	-	1	-	-	-
	F	67	-	-	-	-	-	2	1	3	1	2	3	6	4	9	18	3	7	5	1	3	1	-	-	-	-	-
65b	Exophthalmic goiter	25	-	-	-	-	-	-	-	1	-	-	1	1	4	1	4	-	6	2	3	-	1	1	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	5	2	1	-	1	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	2	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	73	-	-	-	-	-	-	-	-	1	-	1	-	2	1	6	4	7	14	16	6	5	3	4	2	-	1
	White-M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	3	2	3	1	1	-	-	1
	F	41	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	10	12	4	2	2	3	1	-	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-
77	Alcoholism (ethylinism)	67	-	-	-	-	1	-	-	-	-	5	6	15	7	9	10	8	2	1	1	-	-	-	1	1	-	-
	White-M	47	-	-	-	-	-	-	-	-	-	1	3	10	5	6	9	8	1	1	1	-	-	-	1	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	11	-	-	-	-	-	-	-	-	2	-	4	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	1	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,052	4	1	-	-	1	3	2	5	7	11	30	43	104	156	250	282	425	468	481	358	218	134	39	15	4	11
	White-M	1,090	-	-	-	-	2	1	3	3	2	10	12	19	33	82	82	154	174	213	139	74	59	14	3	-	-	1
	F	931	2	1	-	-	1	-	1	2	-	3	9	25	32	46	68	99	139	162	156	107	54	13	6	1	2	2
	Nonwhite-M	455	2	-	-	-	-	-	-	-	1	3	6	9	22	36	63	61	77	61	48	32	15	11	3	1	1	3
	F	576	-	-	-	-	1	-	-	-	3	4	11	13	38	58	59	71	85	94	58	31	22	10	9	5	2	5
90-95	Diseases of the heart	6,692	8	5	2	2	4	16	25	40	54	61	119	163	243	409	570	866	811	948	917	756	441	287	86	29	9	11
	White-M	3,037	4	2	1	-	4	7	15	14	17	49	63	95	197	285	344	400	446	401	355	177	119	30	7	1	4	4
	F	1,893	3	1	1	-	4	5	9	11	13	18	31	45	55	82	100	181	280	336	313	203	139	41	9	1	2	
	Nonwhite-M	931	1	-	-	1	3	4	7	5	12	13	24	39	57	80	111	121	131	118	96	44	29	14	11	5	3	2
	F	881	-	2	-	1	1	4	6	11	17	16	28	30	46	77	92	101	99	104	84	44	32	15	4	8	4	3
90a, 92a, c, 93a, b, d, e, 95a, c	Chronic rheumatic diseases of the heart	411	-	-	-	-	2	11	16	14	21	19	20	21	17	22	21	36	34	41	41	28	18	18	4	4	-	1
	White-M	146	-	-	-	-	1	6	7	4	3	7	8	2	10	7	20	10	15	11	16	8	10	1	-	-	-	-
	F	124	-	-	-	-	4	3	4	6	7	5	5	7	6	4	7	13	13	12	11	7	7	-	3	-	-	-
	Nonwhite-M	68	-	-	-	-	2	3	4	2	4	2	2	5	4	4	4	7	5	5	9	-	2	1	2	1	-	-
	F	73	-	-	-	-	3	3	1	7	7	6	3	4	2	6	4	6	8	9	1	1	-	1	-	-	-	1
94	Diseases of coronary arteries and angina pectoris	1,983	2	-	-	-	1	-	1	-	6	8	27	43	87	164	211	252	287	298	254	195	80	51	12	2	-	1
	White-M	1,209	1	-	-	-	-	-	-	-	3	4	18	26	54	99	140	173	196	192	139	100	36	21	6	1	-	1
	F	506	1	-	-	-	-	-	-	-	2	1	2	6	11	18	36	38	59	7								



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NORTH CAROLINA—Continued																											
	Arteriosclerosis and high blood pressure*—M—	429	-	-	-	-	-	-	-	-	-	3	2	5	9	17	17	26	37	55	71	58	54	40	26	6	1	2
	White—M—	128	-	-	-	-	-	-	-	-	-	-	1	-	4	6	3	5	7	14	24	23	15	14	12	-	-	-
	F—	128	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	3	6	15	22	23	22	16	8	4	-	-
	Nonwhite—M—	65	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	13	11	12	14	5	7	5	3	1	-	1
	F—	90	-	-	-	-	-	-	-	-	-	1	-	3	3	5	7	5	13	14	11	7	10	5	3	1	-	1
107-109, 35	Pneumonia (all forms) and influenza—M—	1,581	547	73	22	18	6	19	21	19	25	18	24	41	38	60	47	69	90	101	98	72	47	58	36	6	5	1
	White—M—	473	143	14	5	3	4	6	7	5	6	9	6	9	16	18	16	17	40	35	32	33	26	15	7	2	-	-
	F—	422	112	21	4	4	4	4	6	6	6	1	5	8	6	11	7	19	18	21	44	27	30	34	23	2	3	-
	Nonwhite—M—	387	163	23	7	4	1	6	4	5	5	5	9	12	7	26	13	16	16	30	13	7	5	3	5	1	1	-
	F—	299	129	15	6	7	1	3	4	3	8	3	4	13	9	5	11	27	16	15	9	5	6	6	1	1	1	-
107	Bronchopneumonia—M—	616	273	44	9	6	3	7	8	4	3	5	5	8	7	15	12	15	23	35	33	25	31	25	15	3	2	-
	White—M—	182	80	9	3	-	3	3	4	2	-	3	2	2	2	1	4	3	6	9	9	8	9	10	8	4	-	-
	F—	185	84	9	1	2	-	1	2	1	2	1	2	2	2	5	2	4	4	9	19	11	13	16	8	2	1	-
	Nonwhite—M—	147	82	16	4	2	-	2	-	1	-	-	1	2	2	5	2	-	5	9	4	2	3	1	2	1	1	-
	F—	104	47	10	1	2	-	1	2	-	1	1	-	2	2	1	5	5	5	8	2	3	5	-	1	-	-	-
108	Lobar pneumonia—M—	520	113	12	6	3	1	8	7	7	11	8	13	19	19	31	21	34	44	43	40	28	17	20	11	1	2	1
	White—M—	162	26	2	2	1	-	3	3	1	3	4	2	3	9	9	5	6	19	20	17	14	8	3	2	-	-	-
	F—	121	19	5	1	-	-	1	1	2	1	-	3	3	3	3	4	11	9	6	12	10	8	11	8	-	1	-
	Nonwhite—M—	133	34	2	2	1	1	3	2	3	3	3	4	8	3	16	7	13	7	12	8	3	1	1	1	-	-	-
	F—	99	34	3	2	1	-	1	1	1	4	1	4	5	4	3	5	4	9	5	3	1	-	5	-	1	1	1
109	Pneumonia (unspecified)—M—	176	83	6	4	4	-	2	2	2	4	2	2	6	6	3	5	2	9	8	12	6	5	2	1	-	-	-
	White—M—	43	12	-	-	-	-	-	-	1	1	1	1	1	3	2	3	1	6	2	4	2	3	-	-	-	-	-
	F—	41	13	3	2	1	-	1	-	-	-	-	-	3	1	-	1	-	1	2	6	4	2	1	-	-	-	-
	Nonwhite—M—	51	32	2	1	1	-	1	1	1	1	1	-	1	-	2	1	-	1	3	1	-	-	-	1	-	-	-
	F—	41	26	1	1	2	-	1	-	-	2	1	-	2	-	-	-	1	1	1	1	-	-	1	-	-	-	-
35	Influenza—M—	269	78	11	3	5	2	2	4	6	7	3	4	8	6	11	9	18	14	15	13	13	14	11	9	2	1	-
	White—M—	86	25	3	-	2	1	-	1	2	1	1	1	2	3	3	5	4	6	4	3	8	5	4	1	2	-	-
	F—	77	16	4	1	1	-	2	2	3	3	1	-	-	-	3	-	4	4	4	7	2	7	6	7	1	-	-
	Nonwhite—M—	51	15	3	-	-	-	1	-	1	2	3	2	-	4	3	3	3	6	3	1	3	2	1	1	1	-	-
	F—	55	22	1	2	2	1	-	1	1	2	1	-	-	4	3	1	7	1	1	3	1	1	1	-	-	-	-
117	Ulcer of stomach or duodenum—M—	123									2	6	7	12	12	9	10	13	15	18	8	5	4	1	1	-	-	-
	White—M—	74									-	2	3	6	7	4	8	9	8	14	5	3	4	1	-	-	-	-
	F—	16									1	2	1	1	1	-	-	1	4	1	2	2	-	-	1	-	-	-
	Nonwhite—M—	25									-	1	1	2	4	5	4	1	3	2	1	-	-	-	-	-	-	-
	F—	6									1	1	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M—	247	161	28	10	1	1	5	1	-	3	3	1	1	-	4	5	3	3	4	3	5	2	2	-	-	1	-
	White—M—	56	33	7	5	-	-	2	-	-	-	-	-	-	-	3	1	-	-	1	1	1	1	-	-	-	1	-
	F—	49	27	7	2	-	-	1	-	-	1	-	-	-	-	-	1	-	2	1	1	4	2	-	-	-	-	-
	Nonwhite—M—	76	53	7	2	-	1	1	1	-	1	2	1	1	-	-	-	3	-	1	1	-	1	-	-	-	-	-
	F—	66	48	7	1	1	-	1	-	-	1	1	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-
121	Appendicitis—M—	113		3	4	1	-	5	8	6	10	4	7	6	12	13	4	5	7	6	6	2	1	2	1	-	-	-
	White—M—	45		1	2	-	-	2	2	2	4	2	4	2	5	5	-	2	4	2	4	1	-	1	-	-	-	-
	F—	27		1	2	-	-	1	4	1	2	-	-	1	1	2	3	2	2	1	2	-	-	-	-	-	-	-
	Nonwhite—M—	22		1	-	-	-	2	-	1	2	-	1	1	2	3	2	2	1	1	2	-	-	-	-	-	-	-
	F—	19		-	-	1	-	2	2	2	2	2	2	2	2	3	-	-	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M—	213	12	2	2	3	-	3	1	1	11	7	12	12	10	19	17	14	17	17	20	17	9	4	2	1	-	-
	White—M—	65	2	2	1	1	-	1	1	1	-	1	1	1	1	6	5	6	6	9	6	7	5	1	1	-	-	-
	F—	66	1	-	-	-	-	1	-	-	-	5	1	6	4	5	7	4	3	2	4	9	8	3	1	1	1	-
	Nonwhite—M—	45	3	-	1	2	-	-	-	-	2	1	2	3	3	3	5	5	6	2	3	1	1	2	-	-	-	-
	F—	37	4	-	-	-	-	1	-	-	-	4	4	3	4	1	3	3	2	3	2	2	1	-	-	-	-	-
124	Cirrhosis of the liver—M—	159		1	-	-	1	-	-	1	2	1	6	17	17	9	19	19	19	19	13	12	3	-	-	-	-	-
	White—M—	77		-	-	-	-	-	-	-	-	-	3	6	7	8	7	10	5	12	10	9	6	1	-	-	-	-
	F—	48		1	-	-	1	-	-	1	-	1	2	6	3	1	5	8	4	6	4	4	1	-	-	-	-	-
	Nonwhite—M—	20		-	-	-	-	-	-	-	1	-	1	2	4	1	2	4	1	1	-	2	1	-	-	-	-	-
	F—	14		-	-	-	-	-	-	-	1	-	-	3	2	-	2	2	2	2	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—M—	48		-	-	-	-	-	-	2	-	-	-	3	4	5	7	6	7	7	1	-	1	5	-	-	-	-
	White—M—	14		-	-	-	-	-	-	1	-	-	-	-														

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

385

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	NORTH CAROLINA—Continued																											
	Diseases of pregnancy, etc.—	203	-	-	-	-	-	-	3	20	35	38	42	45	19	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	93	-	-	-	-	-	-	1	6	16	20	15	24	11	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Nonwhite—F	110	-	-	-	-	-	-	2	14	19	18	27	21	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Puerperal septicemia—	47	-	-	-	-	-	-	3	5	9	9	9	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	1	1	4	6	3	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Nonwhite—F	23	-	-	-	-	-	-	2	4	5	3	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Puerperal toxemia—	61	-	-	-	-	-	-	-	9	9	9	11	19	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	3	4	4	2	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Nonwhite—F	38	-	-	-	-	-	-	-	6	5	5	9	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Hemorrhage, trauma or shock—	70	-	-	-	-	-	-	-	4	12	17	14	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	29	-	-	-	-	-	-	-	-	3	9	5	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Nonwhite—F	41	-	-	-	-	-	-	-	3	9	8	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other puerperal causes—	25	-	-	-	-	-	-	-	2	5	3	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	1	5	1	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Nonwhite—F	8	-	-	-	-	-	-	-	1	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Congenital malformations—	464	386	23	10	6	1	11	8	6	6	2	1	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	207	172	11	4	1	1	5	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	F	171	143	9	4	2	-	2	2	-	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	46	36	3	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	40	35	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
159	Diseases peculiar to first year—	1,997	1,997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	795	795	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	554	554	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Nonwhite—M	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	296	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Premature birth—	1,359	1,359	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158,160, 161	White—M	529	529	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	410	410	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	F	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other diseases peculiar to first year—	628	628	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	266	266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165,166	F	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Suicide—	290	-	-	-	-	-	-	2	13	22	35	28	33	33	33	37	19	11	10	8	6	2	-	-	-	-	-
	White—M	207	-	-	-	-	-	-	1	9	15	23	15	23	27	23	27	13	9	10	6	5	1	-	-	-	-	-
	F	59	-	-	-	-	-	-	-	1	3	4	7	9	7	5	9	6	6	1	-	-	-	-	-	-	-	-
169-195	Nonwhite—M	21	-	-	-	-	-	-	-	-	1	2	5	3	3	1	4	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Homicide—	362	2	2	-	1	-	1	6	21	63	87	53	40	34	23	11	3	7	1	4	2	-	-	-	-	-	1
169-195	White—M	85	-	-	-	-	-	-	2	4	15	17	10	12	5	6	3	1	6	-	-	2	-	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	2	4	3	5	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	209	-	-	-	-	-	1	3	13	33	53	33	20	22	15	6	2	1	1	3	-	-	-	-	-	-	1
169-195	F	48	1	-	-	-	-	1	2	11	14	5	7	4	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	Accidental deaths—	2,385	135	51	40	28	28	124	119	182	285	217	160	137	132	109	95	94	63	84	74	78	55	45	23	6	4	
	White—M	1,242	48	21	15	10	13	54	67	109	184	130	107	79	71	62	45	44	40	43	27	32	19	11	9	1	1	
170	F	442	27	15	11	7	3	29	18	19	31	21	9	13	18	12	16	18	9	19	27	36	31	33	14	5	-	
	Nonwhite—M	514	30	9	7	2	5	22	27	43	60	61	31	39	38	31	28	25	11	19	13	7	2	1	-	-	3	
	F	167	30	6	7	6	7	19	7	11	10	5	13	6	4	4	6	7	3	3	7	3	3	-	-	-	-	
170	Motor-vehicle accidents—	1,062	4	10	14	7	13	66	51	116	179	130	77	75	58	48	47	45	34	39	17	13	5	2	-	-	2	
	White—M	638	4	5	8	2	7	33	28	76	127	80	53	46	29	29	26	20	20	23	7	11	3	1	-	-	-	
	F	144	-	2	4	2	1	16	7	14	22	18	3	8	12	6	4	10	5	3	3	1	2	1	-	-	-	
169, 171-195	Nonwhite—M	218	-	3	1	1	2	12	12	18	25	30	15	20	17	11	14	11	8	9	6	1	-	-	-	-	2	
	F	52	-	-	1	2	3	5	4	8	5	4	6	1	-	2	3	4	1	2	1	-	-	-	-	-	-	
	Other accidents—	1,313	131	41	26	18	15	58	68	66	106	87	83	62	74	61	48	49	29	45	57	65	50	43	23	6	2	
162,199, 200	White—M	604	44	16	7	8	6	21	39	33	57	50	54	33	42	33	19	24	20	20	20	21	16	10	9	1	1	
	F	290	27	13	7	5																						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	All causes-----	5,080	519	39	27	20	16	53	42	69	84	79	70	126	119	171	211	329	413	544	636	604	479	309	98	10	2	11
	White-----M-----	5,052	280	18	16	13	9	29	19	42	61	50	43	77	67	105	124	222	267	331	381	382	283	170	51	5	1	6
	White-----F-----	1,903	215	16	9	2	5	19	20	22	20	26	23	40	45	63	84	102	140	205	244	218	195	135	46	5	1	3
	Nonwhite-----M-----	69	14	1	1	1	-	3	1	2	2	1	2	5	6	1	2	2	6	7	6	1	1	2	1	-	-	1
	Nonwhite-----F-----	56	10	4	1	4	2	2	2	3	1	2	2	4	1	2	1	3	-	1	5	3	-	-	-	-	-	1
1,2	Typhoid and paratyphoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	4	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	3	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	7	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M-----	7	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	96	1	2	1	3	3	3	-	8	4	13	6	8	4	7	5	6	6	7	1	6	1	1	-	-	-	-
	White-----M-----	47	1	1	-	-	-	-	-	1	2	6	4	4	2	5	3	4	4	4	1	4	1	-	-	-	-	-
	White-----F-----	28	-	-	-	-	2	-	-	2	1	6	1	2	2	2	2	2	1	2	-	2	-	1	-	-	-	-
	Nonwhite-----M-----	9	-	-	-	1	-	2	-	2	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	12	-	1	1	2	1	1	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	78	-	1	1	2	1	1	-	6	4	12	6	7	4	6	5	5	5	6	1	3	1	1	-	-	-	-
	White-----M-----	41	-	-	-	-	-	-	-	1	2	6	4	3	2	4	3	3	4	4	1	3	1	-	-	-	-	-
	White-----F-----	23	-	-	-	-	1	-	-	2	1	6	1	2	2	2	2	2	-	1	-	-	-	1	-	-	-	-
	Nonwhite-----M-----	6	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	8	-	1	1	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	18	1	1	-	1	2	2	-	2	-	1	-	1	-	1	-	1	1	1	-	3	1	-	-	-	-	-
	White-----M-----	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F-----	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	Nonwhite-----M-----	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	4	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	29	3	-	-	-	-	-	-	-	1	-	1	2	1	-	1	2	6	6	2	4	-	-	-	-	-	-
	White-----M-----	19	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	5	5	2	3	-	-	-	-	-	-
	White-----F-----	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite-----M-----	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
</																												

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

387

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	NORTH DAKOTA—Continued																											
	Cancer and other malignant tumors	675	-	2	-	1	-	1	1	3	4	2	6	16	25	36	47	81	85	98	108	84	50	30	2	-	-	-
	White—M	365	-	1	-	1	-	1	2	2	2	2	3	5	8	12	22	47	45	53	57	57	34	14	1	-	-	-
	F	303	-	1	-	-	-	1	1	1	1	1	3	11	17	24	25	32	39	45	44	26	16	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	339	-	-	-	-	-	-	-	-	-	-	3	5	10	10	20	38	45	60	53	45	35	18	1	-	-	-
	White—M	199	-	-	-	-	-	-	-	-	-	-	2	2	4	6	13	26	22	33	30	32	21	8	-	-	-	-
	F	137	-	-	-	-	-	-	-	-	-	-	1	3	6	4	7	11	20	27	23	12	10	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
48, 49	Cancer of female genital organs	56	-	-	-	-	-	-	-	-	1	-	2	3	4	8	4	9	5	7	7	3	2	1	-	-	-	-
	White—F	53	-	-	-	-	-	-	-	-	1	-	2	3	4	8	4	9	5	7	5	3	2	1	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
50	Cancer of breast	57	-	-	-	-	-	-	-	-	-	-	-	4	5	6	8	6	4	5	12	4	1	2	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	-	-	4	5	6	8	6	4	5	11	4	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	225	-	2	-	1	-	1	1	3	3	2	1	4	6	12	15	28	31	26	31	32	14	8	1	-	-	-
	White—M	164	-	1	-	1	-	1	2	2	2	2	1	3	4	6	9	21	21	20	26	25	13	5	1	-	-	-
	F	58	-	1	-	-	-	1	1	1	1	-	-	1	2	6	6	6	10	6	5	7	1	4	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	155	-	3	1	-	-	-	3	1	-	1	1	1	2	4	4	10	15	31	34	24	13	5	-	-	-	-
	White—M	64	-	2	-	-	-	-	1	-	-	1	1	1	1	3	2	5	6	12	13	4	3	2	-	-	-	-
	F	85	-	-	1	-	-	-	1	1	-	1	1	1	1	1	2	5	8	12	13	11	4	-	-	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	-	-	-	-	1
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	478	-	-	-	-	-	1	-	1	2	3	-	5	6	8	12	35	45	70	84	69	72	33	12	1	-	1
	White—M	255	-	-	-	-	-	1	-	1	2	2	-	3	3	4	6	21	24	32	48	50	38	14	5	1	-	-
	F	216	-	-	-	-	-	-	-	-	-	1	-	2	3	4	5	12	18	37	35	38	34	19	7	-	-	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
90-95	Diseases of the heart	1,390	-	1	1	-	-	2	1	3	3	5	7	22	18	43	63	96	140	204	244	217	179	109	26	3	-	3
	White—M	926	-	1	1	-	-	1	1	2	-	2	4	15	14	32	38	78	106	139	159	139	109	67	14	1	-	2
	F	454	-	-	-	-	-	1	-	1	3	3	3	7	3	10	24	18	33	62	82	78	70	41	12	2	-	1
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
90a, 92b, c, 95c, 95b	Chronic rheumatic diseases of the heart	64	-	-	-	-	-	2	1	-	3	2	3	9	5	3	6	4	3	7	5	7	2	2	-	-	-	-
	White—M	36	-	-	-	-	-	1	1	-	-	1	1	6	4	3	2	2	5	3	4	1	-	-	-	-	-	-
	F	28	-	-	-	-	-	1	-	-	3	1	2	3	1	-	4	2	1	2	2	3	1	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	507	-	-	-	-	-	-	-	-	-	-	3	8	5	22	22	46	57	82	84	70	39	30	5	1	-	1
	White—M	396	-	-	-	-	-	-	-	-	-	-	2	7	4	18	19	43	69	65	60	53	28	24	5	-	-	1
	F	104	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	5	17	17	23	17	11	5	-	-	-	1
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	Diseases of the heart (other forms)	819	-	1	1	-	-	-	-	3	-	3	1	5	8	18	35	44	50	115	155	140	139	77	21	2	-	2
	White—M	492	-	1	1	-	-	-	-	2	-	1	1	2	6	11	18	33	35	69	96	82	60	43	9	1	-	1
	F	322	-	-	-	-	-	-	-	1	-	2	-	3	2	7	17	11	15									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	NORTH DAKOTA—Continued																											
	Arteriosclerosis and high blood pressure*	151	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	4	9	13	32	27	25	12	2	-	-
	White—M—	83	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	5	9	20	18	15	9	1	-	-
	F—	48	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	12	9	10	3	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	199	66	6	2	-	-	4	2	2	3	2	2	4	7	4	2	7	10	9	9	20	17	13	5	1	1	-
	White—M—	105	27	2	-	-	-	2	2	2	1	2	1	3	4	1	2	3	6	6	5	12	9	9	2	-	-	-
	F—	64	36	3	2	-	-	2	-	-	2	-	1	1	2	3	-	4	1	1	4	7	8	3	2	1	1	-
	Nonwhite—M—	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
107	Bronchopneumonia—	92	41	2	1	-	-	2	1	2	1	-	1	-	3	-	4	2	5	3	6	11	4	3	-	-	-	-
	White—M—	49	19	-	-	-	-	2	1	-	1	-	-	-	1	-	2	1	5	2	4	7	3	1	-	-	-	-
	F—	37	19	1	1	-	-	-	-	2	-	-	-	1	-	2	-	2	1	-	1	1	4	1	1	-	-	-
	Nonwhite—M—	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia—	54	7	2	-	-	-	2	-	1	1	1	-	3	4	-	1	3	5	4	3	9	3	4	1	-	-	-
	White—M—	32	-	1	-	-	-	1	-	1	1	1	-	3	2	-	1	1	5	3	2	6	1	3	-	-	-	-
	F—	20	7	1	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	1	1	3	2	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
109	Pneumonia (unspecified)—	30	12	2	1	-	-	1	-	-	-	-	2	-	1	-	1	-	2	-	1	1	1	3	1	-	1	-
	White—M—	18	6	1	-	-	-	1	-	-	-	-	1	-	1	-	1	-	1	-	1	1	1	1	1	-	-	-
	F—	15	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	22	6	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	2	4	2	2	-	1	-	-
	White—M—	8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-
	F—	14	4	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	2	3	1	-	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	24	1	-	-	-	-	-	-	2	2	-	1	1	1	1	1	4	4	1	2	3	1	-	-	-	-	-
	White—M—	22	1	-	-	-	-	-	-	1	2	-	1	1	1	1	4	4	-	1	2	3	1	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	37	28	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-
	White—M—	19	14	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	17	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	26	1	-	1	-	2	2	4	2	-	1	-	1	1	-	5	4	-	1	-	1	-	-	-	-	-	-
	White—M—	15	1	-	1	-	1	1	1	2	-	-	-	-	-	-	3	3	-	1	-	-	-	-	-	-	-	-
	F—	11	-	-	-	-	1	1	3	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	37	5	-	2	-	-	-	-	-	1	-	-	2	-	1	2	1	3	4	7	6	3	1	1	-	-	-
	White—M—	20	1	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	2	2	4	5	1	1	-	-	-	-
	F—	15	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	5	1	2	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	35	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	1	5	5	4	5	3	1	-	-	-	1
	White—M—	23	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	4	4	3	2	2	1	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	3	1	-	-	-	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127*	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	2	5	6	5	2	-	-	-	-	-
	White—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	3	3	2	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	2	2	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis—	221	-	1	3	1	1	1	1	-	1	4	3	3	3	12	15	14	27	33	22	25	26	21	4	-	-	-
	White—M—	129	-	-	1	1	1	-	-	-	1	-	2	2	2	8	7	10	17	16	13	20	15	11	2	-	-	-
	F—	86	-	1	1	-	-	1	1	-	-	4	1	-	-	1	4	8	4	10	15	8	5	11	9	2	-	-
	Nonwhite—M—	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-			

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

389

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NORTH DAKOTA--Continued																												
140-150	Diseases of pregnancy, etc.*	16	-	-	-	-	-	-	-	1	3	4	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	15	-	-	-	-	-	-	-	1	3	4	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*	9	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	6	-	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	90	74	4	-	-	2	1	1	3	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	55	46	1	-	-	2	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	30	23	3	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	277	277	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	177	177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide	60	-	-	-	-	-	-	-	-	3	3	5	10	8	5	7	6	-	6	3	2	1	1	-	-	-	-
	White--M	50	-	-	-	-	-	-	-	-	2	3	5	8	7	5	6	4	-	5	2	1	1	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	-	1	1	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	8	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-
	White--M	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	442	12	10	6	6	5	19	17	30	43	25	23	21	23	19	20	13	22	22	25	23	19	20	13	1	3	
	White--M	300	5	5	5	6	2	12	11	22	38	23	19	17	17	15	15	12	15	17	10	15	5	5	6	1	2	
	F	126	6	4	1	1	2	7	4	8	4	1	3	2	4	3	4	1	7	6	15	8	14	15	7	-	-	
	Nonwhite--M	9	1	1	-	1	1	-	1	-	1	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	144	2	2	1	2	1	6	4	17	29	12	6	9	9	9	12	5	7	9	2	-	-	-	-	-	-	-
	White--M	105	-	1	1	1	1	3	3	11	24	11	5	7	6	7	8	4	4	7	1	-	-	-	-	-	-	-
	F	36	2	1	-	1	-	3	1	6	4	1	1	1	3	1	4	1	3	2	1	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	298	10	8	5	6	4	13	13	13	14	15	17	12	14	10	8	8	15	13	23	23	19	20	13	1	3	
	White--M	195	5	4	4	5	1	9	8	11	14	12	14	10	11	8	7	8	11	10	9	15	5	5	6	1	2	
	F	80	4	3	1	-	2	4	3	2	-	-	2	1	1	2	-	-	4	3	14	8	14	15	7	-	-	
	Nonwhite--M	7	1	1	-	1	1	-	1	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Sanility, ill-defined and unknown causes	157	11	-	-	1	-	-	-	-	-	1	2	1	2	2	2	7	11	3	15	13	29	36	18	1	1	
	White--M	93	5	-	-	-	-	-	-	-	-	-	1	1	1	1	1	6	9	3	7	8	18	24	8	-	-	
	F	54	5	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	5	5	10	11	10	1	-	-
	Nonwhite--M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
All other causes	362	35	6	7	5	1	11	6	6	6	10	9	8	20	8	18	17	28	24	26	41	37	25	10	4	1	1	
	White--M	205	20	3	4	4	1	6	2	3	6	5	3	11	5	13	10	11	9	17	25	24	15	3	3	1	-	
	F	149	13	3	3	1	-	5	4	3	4	4	2	6	3	5	6	17	15	9	16	13	10	7	1	-	-	
	Nonwhite--M	3	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated			
	OHIO																											
	All causes-----	78,464	5,312	372	204	170	111	440	367	735	1,117	1,036	1,390	1,680	2,258	3,370	4,971	6,179	7,429	8,670	9,661	9,372	7,220	4,360	1,435	289	29	48
	White-----M	40,465	2,888	190	110	90	61	260	201	430	649	522	643	845	1,101	1,724	2,752	3,468	4,280	4,733	5,020	4,636	3,365	1,911	577	86	10	31
	White-----F	32,475	2,005	159	79	65	35	154	136	199	370	375	492	684	784	1,130	1,666	2,167	2,715	3,482	4,260	4,430	3,693	2,370	620	108	5	14
	Nonwhite--M	3,094	232	44	7	8	11	19	17	41	95	107	151	163	210	308	342	325	253	257	220	157	92	31	22	4	7	3
	Nonwhite--F	2,410	187	10	6	9	4	7	13	65	105	91	104	168	163	208	211	219	181	198	161	149	70	48	16	8	7	-
1,2	Typhoid and paratyphoid fever--	16	-	-	-	-	-	1	1	1	2	1	1	3	-	1	2	-	1	-	2	-	-	-	-	-	-	-
	White-----M	6	-	-	-	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	White-----F	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--	57	10	8	1	1	5	4	5	4	1	3	2	1	-	-	1	2	3	2	2	-	-	-	-	-	-	-
	White-----M	30	4	4	1	1	3	2	1	4	1	1	1	1	-	-	1	1	1	1	2	1	-	-	-	-	-	-
	White-----F	24	6	3	-	-	1	1	4	-	-	2	1	1	-	-	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	22	1	1	1	1	2	5	5	2	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M	14	1	-	1	-	2	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	8	-	1	-	1	-	1	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	60	40	10	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	26	20	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	26	16	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--	51	3	4	6	11	8	13	1	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M	32	3	4	3	7	4	7	1	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	White-----F	16	-	-	2	3	3	6	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--	2,583	16	23	5	7	5	17	15	90	224	242	238	210	223	229	271	225	181	130	120	65	34	9	2	1	-	1
	White-----M	1,246	6	10	2	2	3	7	3	18	47	72	69	69	97	122	169	150	120	91	67	38	16	6	1	1	-	-
	White-----F	708	8	7	2	2	2	5	4	23	91	88	74	63	67	40	39	36	37	30	46	24	17	2	-	-	-	1
	Nonwhite--M	375	-	4	1	-	-	1	2	18	31	33	50	38	42	55	36	29	16	8	6	1	1	-	1	-	-	-
	Nonwhite--F	254	2	2	-	3	-	4	6	31	53	49	25	20	17	12	7	10	6	1	1	2	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,370	10	14	1	2	3	9	12	82	200	230	221	195	205	216	257	205	165	123	115	61	31	7	2	1	-	1
	White-----M	1,166	3	7	1	-	2	5	2	17	44	70	63	84	89	117	179	141	111	88	65	36	16	4	1	1	-	-
	White-----F	636	5	2	-	-	1	2	2	22	78	66	74	60	60	35	37	31	33	26	43	22	14	2	-	-	-	1
	Nonwhite--M	349	-	3	-	-	-	1	2	16	31	30	45	36	40	54	35	25	14	6	1	1	1	-	1	-	-	-
	Nonwhite--F	219	2	2	-	2	-	1	6	27	47	44	19	15	16	12	6	6	7	1	1	2	-	1	-	-	-	-
14-22	Tuberculosis (other forms)--	213	6	9	4	5	2	8	3	8	24	12	17	15	18	11	14	20	16	7	5	4	3	2	-	-	-	-
	White-----M	30	3	3	1	2	1	2	1	1	3	2	6	5	8	5	10	9	9	3	2	2	-	2	-	-	-	-
	White-----F	72	3	5	2	2	1	3	2	1	13	2	-	3	7	5	2	5	4	3	2	3	-	-	-	-	-	-
	Nonwhite--M	26	-	1	1	-	-	-	-	2	2	3	5	2	2	1	1	4	2	-	-	-	-	-	-	-	-	-
	Nonwhite--F	35	-	-	-	1	-	3	-	4	6	5	6	5	1	-	1	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery--	13	5	1	1	-	-	-	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White-----M	7	2	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	White-----F	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria--	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis--	785	18	1	-	-	-	-	2	8	2	14	20	51	47	89	120	116	86	103	50	31	20	6	1	-	-	-
	White-----M	423	9	1	-	-	-	-	1	3	-	3	3	22	21	42	59	72	58	64	30	17	13	5	-	-	-	-
	White-----F	168	3	-	-	-	-	-	1	2	1	6	7	11	5	17	23	17	18	23	14	12	6	1	1	-	-	-
	Nonwhite--M	133	1	-	-	-	-	-	1	1	2	6	11	17	16	29	21	9	12	4	2	1	-	-	-	-	-	-
	Nonwhite--F	61	5	-	-	-	-	-	2	-	3	4	7	4	14	9	6	1	4	2	-	-	-	-	-	-	-	-
35	Measles--	27	5	9	3	1	1	5	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	16	4	7	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	11	1	2	-	1	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)--	59	-	1	2	-	5	22	7	5	4	8	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M	37	-	1	1	-	1	18	5	2	2	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	19	-	-	-	-	3	3	2	3	2	4																



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

391

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	OHIO-Continued																											
	Cancer and other malignant tumors	10,628	2	6	4	7	4	16	21	40	57	51	136	273	378	580	1,007	1,254	1,441	1,436	1,561	1,267	702	300	66	13	3	1
	White-M	4,764	1	3	2	3	1	11	9	20	28	24	44	72	113	171	412	539	681	728	765	632	343	144	31	6	2	1
	F	5,323	1	3	2	4	2	7	10	18	22	20	81	161	222	342	530	648	701	654	748	592	345	148	34	7	1	-
	Nonwhite-M	246	-	-	-	-	-	-	-	-	-	-	1	5	3	6	4	13	23	26	36	35	29	22	10	4	-	-
	F	275	-	-	-	-	1	-	2	1	2	4	5	16	30	44	39	31	24	28	19	21	4	4	-	-	-	-
46	Cancer of the digestive organs and peritoneum	4,700	-	-	-	-	-	1	-	2	11	9	35	74	100	191	364	508	666	738	810	670	360	131	25	5	1	1
	White-M	2,394	-	-	-	-	-	1	-	1	5	2	14	33	51	81	184	257	357	411	419	333	163	56	12	3	-	1
	F	2,093	-	-	-	-	-	-	-	1	5	5	19	34	87	89	148	217	272	300	356	321	192	72	12	2	1	-
	Nonwhite-M	133	-	-	-	-	-	-	-	-	-	1	2	1	5	4	14	17	23	25	15	10	4	2	1	-	-	-
	F	90	-	-	-	-	-	-	-	-	-	-	1	4	8	7	15	9	14	12	12	6	1	1	-	-	-	-
48,49	Cancer of female genital organs	1,441	-	1	-	-	-	1	2	8	7	33	99	112	151	178	191	182	159	146	99	50	19	3	1	-	-	-
	White-M	1,340	-	1	-	-	-	1	2	7	4	30	89	96	131	164	181	179	148	143	93	49	18	3	1	-	-	-
	F	101	-	-	-	-	-	-	-	1	3	3	10	16	20	14	10	3	10	3	6	1	1	-	-	-	-	-
50	Cancer of breast	1,015	-	-	-	-	-	-	1	1	5	15	33	55	79	129	136	148	115	120	96	45	30	7	-	-	-	-
	White-M	12	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	2	2	-	-	-	-	-	-	-	-
	F	959	-	-	-	-	-	-	1	1	4	13	30	52	69	121	129	142	111	116	90	45	28	7	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	1	1	2	3	8	7	6	5	2	2	6	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,472	2	5	4	7	4	17	20	35	37	30	53	67	111	159	336	421	445	425	485	402	247	120	31	7	2	-
	White-M	2,388	1	3	2	3	1	10	9	19	23	22	29	38	62	88	227	281	323	313	344	298	180	87	19	3	2	-
	F	851	1	2	2	4	2	7	9	14	9	7	18	28	37	53	97	121	108	85	123	88	59	30	12	4	-	-
	Nonwhite-M	113	-	-	-	-	-	-	1	4	1	5	1	5	1	9	9	13	12	13	16	12	6	2	-	-	-	-
	F	40	-	-	-	-	1	-	2	1	1	-	-	-	3	9	5	6	2	4	2	3	2	1	-	-	-	-
58	Acute rheumatic fever	57	-	-	-	3	2	11	6	6	2	1	5	4	4	1	1	3	3	-	1	4	-	-	-	-	-	-
	White-M	30	-	-	-	1	1	6	1	4	-	1	3	2	3	1	1	2	1	-	1	2	-	-	-	-	-	-
	F	21	-	-	-	2	-	5	4	1	1	-	1	2	1	-	-	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,123	-	-	-	1	1	3	6	13	16	15	17	21	24	61	134	237	346	398	375	281	133	42	7	1	-	1
	White-M	703	-	-	-	1	-	1	-	7	7	8	9	4	7	17	53	69	108	134	119	100	47	10	2	-	-	1
	F	1,309	-	-	-	1	2	5	4	6	4	6	10	10	39	64	149	224	241	247	177	83	31	5	1	-	-	-
	Nonwhite-M	35	-	-	-	-	-	-	1	-	-	3	1	1	-	1	7	4	3	7	4	1	2	-	-	-	-	-
	F	76	-	-	-	-	-	-	2	3	-	1	6	7	4	10	16	11	6	5	3	1	1	-	-	-	-	-
63b	Xerophthalmic goiter	195	-	-	-	-	-	-	-	-	1	3	4	5	11	15	18	19	38	26	29	15	10	1	-	-	-	-
	White-M	38	-	-	-	-	-	-	-	-	1	-	2	1	1	3	5	9	7	3	1	2	-	-	-	-	-	-
	F	151	-	-	-	-	-	-	-	-	3	1	4	10	11	13	14	29	19	25	13	8	1	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	1	-	-	-	-
	White-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	96	-	-	-	1	-	-	-	-	-	1	9	10	18	15	9	10	8	5	4	3	-	1	-	-	-	2
	White-M	75	-	-	-	-	-	-	-	-	-	1	8	8	14	11	8	8	7	4	3	3	-	1	-	-	-	1
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite-M	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	8,193	10	4	3	-	-	5	3	9	10	8	31	84	123	235	368	563	766	1,059	1,410	1,529	1,101	644	184	35	5	4
	White-M	3,755	9	3	1	-	-	5	2	7	7	4	8	30	44	82	136	262	403	509	658	713	493	288	74	11	3	3
	F	3,932	1	1	2	-	-	1	1	3	4	16	39	48	105	178	258	331	472	666	765	584	345	108	23	2	1	2
	Nonwhite-M	236	-	-	-	-	-	-	1	-	-	-	4	6	10	22	22	27	24	32	46	23	15	3	1	-	-	-
	F	270	-	-	-	-	-	-	-	-	-	-	3	9	21	26	34	36	28	46	20	28	9	8	1	1	-	-
90-95	Diseases of the heart	24,421	6	7	3	2	2	8	33	59	70	101	161	335	546	997	1,589	2,091	2,644	3,320	3,631	3,619	2,856	1,710	519	99	7	7
	White-M	13,498	3	2	1	1	1	3	13	31	26	52	81	194	334	640	1,045	1,355	1,700	1,905	1,983	1,844	1,306	750	189	32	2	5
	F	9,614	3	4	2	1	-	4	19	32	37	50	82	137	225	384	569	801	1,261	1,516	1,673	1,490	927	314	61	1	2	2
	Nonwhite-M	753	-	1	-	-	1	1	-	3	3	4	13	26	45	82	106	102	86	91	76	59	30	11	7	2	2	-
	F	556	-	-	-	-	-	1	6	8	8	17	33	30	50	52	65	57	63	56	43	30	22	9	4	2	-	-
90a, 92b, c, 95c, 95b	Chronic rheumatic diseases of the heart	1,538	-	1	-	1	-	7	21	37	35	35	57	72	65	111	120	133	137	166	159	155	117	62	23	3	-	1
	White-M	716	-	-	-	-	-	3	8	20	14	17	30	32	39	53	57	64	74	81	77	68	50	21	7	1	-	-
	F	717	-	1	-	1	-	3	13	13	13	17	20	36	37	47	52	56	73	74	82	65	40	14	2	-	1	-
	Nonwhite-M	60	-	-	-	-	-	1	-	2	-	-	5	3	3	8	8	6	5	8	6	3	2	-	-	-	-	-
	F	45	-	-	-	-	-	-	2	6	1	2	1	6	5	3	7	1	6	2	2	-	1	2	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	8,681	-	-	1	-	-	1	4	8	21	53	150	276	523	814	1,016	1,205	1,320	1,245	1,039	607	292	87	15	1	3	3
	White-M	5,780	-	-																								



(By place of residence. Exclusive of stillbirths)

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

393

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OHIO—Continued																												
140-150	Diseases of pregnancy, etc.	214	-	-	-	-	-	-	-	8	51	52	50	37	15	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	193	-	-	-	-	-	-	-	7	44	51	44	32	14	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	21	-	-	-	-	-	-	-	-	1	7	1	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicaemia	85	-	-	-	-	-	-	-	1	21	18	19	23	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	78	-	-	-	-	-	-	-	1	19	18	17	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	50	-	-	-	-	-	-	-	3	13	13	13	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	46	-	-	-	-	-	-	-	2	12	13	12	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock	57	-	-	-	-	-	-	-	2	10	15	13	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	49	-	-	-	-	-	-	-	2	7	14	11	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	22	-	-	-	-	-	-	-	2	7	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	2	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	957	822	30	16	13	4	11	5	11	9	6	9	6	3	2	3	2	-	2	1	-	2	-	-	-	-	1
	White—M	504	436	17	6	5	2	7	4	8	5	4	4	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	White—F	403	343	13	10	7	1	4	1	3	2	2	4	4	3	-	3	-	-	1	-	1	-	-	-	-	-	1
	Nonwhite—M	24	18	-	-	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—F	26	25	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	3,226	3,226	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,803	1,803	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—F	1,167	1,167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	150	150	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—F	106	106	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	2,032	2,032	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	1,097	1,097	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—F	762	762	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—F	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year	1,194	1,194	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	708	708	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—F	405	405	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—F	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide	986	-	-	-	-	-	1	1	12	45	54	78	74	86	100	101	121	106	78	54	37	21	12	2	1	2	
	White—M	708	-	-	-	-	-	1	1	10	26	40	46	42	61	68	76	88	85	63	45	27	18	9	2	1	2	
	White—F	248	-	-	-	-	-	-	-	2	16	12	28	29	24	25	24	31	18	15	8	8	5	3	-	-	-	
	Nonwhite—M	26	-	-	-	-	-	-	-	-	3	2	3	2	1	6	1	2	3	-	1	2	-	-	-	-	-	
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	398	6	-	-	-	-	5	15	44	55	56	50	31	40	28	18	16	8	8	4	2	-	-	-	-	2	
	White—M	140	3	-	-	-	-	2	8	17	13	14	15	10	15	12	6	10	2	2	8	1	2	-	-	-	2	
	White—F	49	2	-	-	-	-	2	2	6	7	6	3	5	6	2	2	2	3	-	1	-	-	-	-	-	-	
	Nonwhite—M	167	-	-	-	-	-	1	3	16	30	32	23	14	17	13	9	4	3	-	2	-	-	-	-	-	-	
	Nonwhite—F	32	1	-	-	-	-	-	2	5	5	4	9	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,339	125	77	75	51	30	160	132	280	373	240	241	247	200	263	296	287	301	380	342	417	389	306	94	23	1	
	White—M	3,364	62	44	42	29	17	116	102	217	265	184	188	172	155	183	217	215	225	243	195	181	142	108	33	5	6	
	White—F	1,676	54	28	26	16	7	57	52	123	161	111	107	97	86	100	106	104	120	156	227	239	196	60	18	-	3	
	Nonwhite—M	210	5	3	1	4	5	7	6	6	18	13	10	19	15	22	25	12	13	8	4	5	6	2	-	1	-	
	Nonwhite—F	89	4	2	6	2	1	-	1	5	9	2	6	9	3	3	4	6	3	9	7	4	2	-	1	-	-	
170	Motor-vehicle accidents	1,879	10	21	21	26	13	74	41	158	238	134	119	115	84	112	106	121	115	132	86	79	43	26	1	-	4	
	White—M	1,408	8	11	12	16	9	53	30	126	183	105	95	76	70	78	76	92	89	96	67	62	29	21	1	-	3	
	White—F	369	4	9	8	9	3	19	10	28	40	24	19	23	9	24	21	21	19	32	18	14	11	3	-	-	1	
	Nonwhite—M	72	-	-	-	-	1	2	1	1	12	3	2	10	5	8	7	6	6	1	1	2	2	-	-	-	-	
	Nonwhite—F	52	-	1	1	1	-	-	-	3	3	2	3	6	-	2	2	2	1	3	-	1	1	-	-	-	-	
169, 171-195	Other accidents	3,460	115	66	54	25	17	86	91	122	135	106	122	132	116	151	190	186	186	248	256	338	346	280	93	25	1	
	White—M	1,958	56	33	30	13	8	63	72	91	102	79	93	96	63	105	141	123	136	147	128	119	113	87	32	5	3	
	White—F	1,307	50	19	18	7	4	18	13																			



# VITAL STATISTICS OF THE UNITED STATES

**TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,**

(By place of residence. Exclusive of stillbirths)

[illegible]

\*Refer to International List for complete title, table V, Part I.



## 395

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																											
45-55	Cancer and other malignant tumors	2,263	2	1	1	2	3	4	6	9	13	17	51	59	90	150	196	244	258	276	337	284	160	93	26	1	-	-
	White—M—	1,030	2	1	1	1	2	2	4	5	8	7	9	17	24	39	79	107	111	141	176	153	86	41	15	1	-	-
	White—F—	1,058	-	-	-	1	1	2	2	4	6	8	18	33	59	92	98	113	127	112	139	115	68	50	9	-	-	-
	Nonwhite—M—	77	-	-	-	-	-	-	-	-	-	-	1	1	2	8	9	9	12	10	13	13	3	2	2	-	-	-
	Nonwhite—F—	98	-	-	-	-	-	-	-	-	1	2	3	8	6	17	10	15	8	13	9	3	3	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	941	-	-	-	1	-	1	1	1	3	4	7	16	28	42	71	109	110	115	164	145	85	51	13	-	-	-
	White—M—	462	-	-	-	-	-	1	1	1	2	3	5	6	13	14	37	57	56	63	78	77	33	10	8	-	-	-
	White—F—	413	-	-	-	1	-	-	-	1	1	1	2	8	10	23	29	41	48	44	73	60	47	19	5	-	-	-
	Nonwhite—M—	32	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	3	6	7	3	2	-	-	-	-	-
	Nonwhite—F—	34	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	8	3	3	7	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	301	-	-	-	-	-	-	-	-	2	5	9	18	28	38	37	35	29	32	34	25	4	5	-	-	-	-
	White—M—	259	-	-	-	-	-	-	-	-	2	3	9	12	24	30	32	31	26	25	33	24	3	5	-	-	-	-
	Nonwhite—F—	42	-	-	-	-	-	-	-	-	-	2	-	6	4	8	5	4	3	7	1	1	-	-	-	-	-	-
50	Cancer of breast	199	-	-	-	-	-	-	-	-	-	1	6	8	10	26	24	31	26	19	15	16	8	7	2	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	189	-	-	-	-	-	-	-	-	-	1	6	8	10	23	23	29	25	18	14	15	8	7	2	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	622	2	1	1	1	3	3	5	8	8	7	9	17	26	44	64	69	93	112	124	98	65	50	11	1	-	-
	White—M—	567	2	1	1	1	2	1	3	5	4	6	11	11	15	25	42	50	55	78	98	75	53	31	7	1	-	-
	White—F—	197	-	-	-	-	1	2	2	3	3	3	1	5	11	16	15	12	28	25	19	16	10	19	2	-	-	-
	Nonwhite—M—	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	9	7	7	6	-	-	2	-	-	-
	Nonwhite—F—	13	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	1	2	-	1	2	-	-	-	-	-
58	Acute rheumatic fever	13	-	-	-	1	-	1	2	3	1	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	White—M—	7	-	-	1	-	1	1	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F—	5	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	351	-	-	-	1	1	1	3	4	5	4	5	8	10	17	17	26	35	50	75	50	22	15	2	-	-	-
	White—M—	185	-	-	-	1	-	2	1	3	1	3	1	4	5	9	10	13	15	24	31	26	12	7	-	-	-	-
	White—F—	146	-	-	-	1	-	1	1	2	2	3	-	1	3	4	3	8	17	19	39	25	10	7	2	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	2	2	1	1	-	1	-	-	-	-	-
	Nonwhite—F—	25	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	3	5	5	4	-	-	-	-	-	-	-
63b	Exophthalmic goiter	19	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	2	1	3	1	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White—F—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	3	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	27	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	5	3	5	4	2	-	-	-
	White—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-	-	-
	White—F—	17	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	3	2	4	2	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylish)	23	-	-	-	-	-	-	-	-	-	1	2	6	4	3	2	2	2	1	-	-	-	-	-	-	-	-
	White—M—	20	-	-	-	-	-	-	-	-	-	1	2	5	4	2	2	2	2	1	-	-	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,984	4	1	-	-	2	1	1	4	-	9	7	9	32	69	84	123	174	300	364	528	239	171	49	11	2	-
	White—M—	951	3	-	-	-	1	-	1	1	-	2	2	4	8	25	35	65	79	147	185	160	125	87	18	7	-	-
	White—F—	818	1	1	-	-	1	1	-	2	-	5	3	4	16	26	31	39	71	118	141	102	74	27	2	-	-	-
	Nonwhite—M—	97	-	-	-	-	-	-	-	-	-	-	-	1	2	9	6	9	11	15	20	11	4	4	2	2	1	-
	Nonwhite—F—	118	-	-	-	-	-	-	-	1	-	2	2	-	6	11	12	11	13	20	7	16	8	6	2	-	-	-
90-95	Diseases of the heart	4,575	1	5	2	1	2	5	8	26	15	19	30	61	115	172	287	363	465	669	706	735	471	282	105	22	4	-
	White—M—	2,718	-	3	1	-	2	4	3	14	5	9	18	31	75	114	196	251	327	414	407	390	258	132	53	6	2	-
	White—F—	1,470	-	1	1	1	-	1	4	9	8	7	9	14	22	31	52	80	105	203	305	181	138	46	9	-	-	-
	Nonwhite—M—	211	1	1	-	-	-	1	2	1	-	2	2	12	14	22	14	29	15	24	35	26	6	2	4	1	-	-
	Nonwhite—F—	176	-	-	-	-	-	-	2	2	2	3	14	6	13	10	16	20	28	20	14	6	4	1	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of the heart	282	-	1	-	-	-	4	5	9	4	9	6	9	14	12	18	15	21	31	38	36	12	12	4	1	1	-
	White—M—	115	-	1	-	-	-	3	1	4	1	5	6	11	3	11	5	11	13	15	14	4	2	-	-	-	-	-
	White—F—	112	-	-	-	-	-	1	3	3	3	2	1	3	6	4	6	6	15	17	20	7	9	4	1	-	-	-
	Nonwhite—M—	20	-	-	-	-	-	1	1	-	-	-	-	1	-	2	3	3	1	3	2	1	1	-	-	-	-	-
	Nonwhite—F—	15	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	1	3	-	4	1	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	1,740	1	1	-	-	-	-	-	1	3	1	8	25	56	88	145	196	230	303	258	234	121	53	13	1	-	-
	White—M—	1,231	-	-	-	-	-	-	-	1	-	-	4	15	41	72	119	155	181	219	175	135	82	26	6	-	-	-
	White—F—	444	-	-	-	-	-	-	-	2	1	3	5	8	11	15	31	43	76	78	94	58	38	5	1	-	-	-
	Nonwhite—M—	44	1	-	-	-	-	-	-	-	-	-	1	6	4	7	7	3	5	3	2	1	-	-	-	-	-	-
	Nonwhite—F—	21	-	-	-	-	-	-	-	1	-	-	1	4	1	1	-	3	3	3	2	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	2,573	-	3	2	1	2	1	3																			



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	OKLAHOMA—Con.																											
	Arteriosclerosis and high blood pressure*—M—	335	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	6	18	45	48	79	53	51	20	4	2	
	White—M—	173	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	13	21	26	46	27	29	7	1	-	-	
	F—	136	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	4	18	31	22	21	13	2	-	-	
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	-	-	-	-	
107-109, 33	Pneumonia (all forms) and influenza—M—	967	198	38	15	6	4	12	10	11	11	12	13	15	13	21	25	28	40	60	61	116	110	75	41	9	3	
	White—M—	451	91	15	8	2	1	6	2	3	4	6	5	6	9	12	15	13	24	29	37	52	33	20	4	-	-	
	F—	350	57	11	4	2	2	2	5	4	4	2	4	5	2	6	4	6	10	21	35	55	49	39	19	2	-	
	Nonwhite—M—	85	31	6	1	-	-	2	1	-	1	1	2	3	1	-	4	5	4	7	5	5	6	2	1	3	2	
	F—	73	19	6	2	2	1	-	2	4	2	3	2	1	1	3	2	4	2	3	4	4	3	1	1	-	1	
107	Bronchopneumonia—M—	279	88	15	8	1	2	1	3	1	2	1	3	4	2	7	3	5	7	11	22	28	30	19	13	5	-	
	White—M—	149	46	3	4	1	1	1	1	1	2	1	1	3	2	4	2	5	7	6	8	15	17	9	7	2	-	
	F—	90	23	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	22	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	18	7	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Lobar pneumonia—M—	214	30	7	2	1	1	3	5	-	6	6	2	4	8	2	9	7	15	14	18	33	21	12	7	1	2	
	White—M—	103	17	6	2	-	-	3	1	-	1	3	-	2	3	2	7	1	18	15	16	10	11	7	3	1	-	
	F—	72	5	1	-	-	-	1	-	3	-	3	1	1	2	1	-	2	3	4	4	5	2	4	4	-	-	
	Nonwhite—M—	23	5	-	-	-	-	-	1	-	1	1	1	-	-	-	-	2	1	4	2	2	1	-	-	-	-	
	F—	16	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	2	-	2	1	1	1	-	-	-	
109	Pneumonia (un-specified)—M—	281	67	10	1	2	-	4	-	5	1	5	7	4	4	6	9	9	10	20	21	36	26	19	12	2	1	
	White—M—	125	23	3	-	-	-	2	-	1	1	2	4	1	4	3	3	4	5	9	14	17	12	11	6	-	-	
	F—	101	24	3	1	1	-	1	-	2	-	1	1	1	-	3	2	1	4	7	6	15	14	7	6	1	-	
	Nonwhite—M—	29	12	2	-	-	-	1	-	-	-	-	1	1	-	-	3	2	1	1	-	2	-	1	-	1	1	
	F—	26	8	2	-	1	-	-	-	2	-	2	1	1	-	-	1	2	-	3	1	2	-	-	-	-	-	
33	Influenza—M—	193	13	6	4	2	1	4	2	5	2	-	1	3	1	6	4	7	8	15	20	19	33	25	9	3	-	
	White—M—	74	5	3	2	1	-	2	-	1	-	-	-	-	-	3	3	3	4	8	6	10	12	6	4	1	-	
	F—	67	5	2	1	1	-	1	2	1	-	-	1	1	1	1	-	2	2	5	12	8	17	18	4	1	-	
	Nonwhite—M—	19	2	1	-	-	-	1	-	-	-	-	-	2	-	-	-	1	2	2	-	-	3	1	1	1	-	
	F—	13	1	-	1	-	1	-	1	2	1	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum—M—	105	-	-	-	-	-	-	-	-	2	3	3	5	4	10	8	13	14	14	14	6	4	5	-	-	-	
	White—M—	75	-	-	-	-	-	-	-	2	1	2	3	3	3	7	7	10	13	11	9	2	2	3	-	-	-	
	F—	12	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	1	1	3	2	4	2	1	-	-		
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	
	F—	6	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	1	-	-	1	-	-	-	
119,120	Diarrhea, enteritis, etc.*—M—	100	36	6	-	-	1	1	-	-	2	2	-	1	1	1	5	2	2	5	3	3	4	3	1	-	-	1
	White—M—	57	35	3	-	-	-	1	-	-	1	2	-	-	-	1	3	-	1	3	1	1	2	3	-	-	-	
	F—	26	15	1	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	1	2	2	1	-	-	-	-	
	Nonwhite—M—	9	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	-	1	
	F—	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
121	Appendicitis—M—	102	-	2	-	2	1	6	3	5	7	8	5	5	6	9	10	6	1	10	7	6	3	-	-	-	-	
	White—M—	57	-	-	-	-	1	1	2	1	3	6	2	3	1	5	7	4	1	6	7	5	3	-	-	-	-	
	F—	32	-	1	-	1	1	4	1	4	3	1	2	1	4	3	1	1	-	4	-	1	-	-	-	-	-	
	Nonwhite—M—	5	-	-	-	1	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F—	8	-	1	-	-	-	1	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction—M—	153	6	1	-	1	-	5	3	2	4	4	3	5	5	10	6	9	19	16	19	11	14	8	2	-	-	
	White—M—	63	2	-	-	1	-	3	2	2	-	3	1	1	1	-	2	3	5	8	9	6	8	4	2	-	-	
	F—	66	4	1	-	-	-	1	-	-	2	1	2	3	2	7	3	8	9	6	8	6	3	-	-	-		
	Nonwhite—M—	14	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	3	1	2	-	-	1	-	-	-	
	F—	10	-	-	-	-	1	1	-	1	-	-	-	1	2	1	-	-	2	1	-	-	-	-	-	-	-	
124	Cirrhosis of the liver—M—	139	-	-	-	-	-	-	-	2	3	3	1	4	7	15	9	18	17	20	13	16	7	3	2	-	-	
	White—M—	84	-	-	-	-	-	-	-	1	2	3	1	1	4	9	3	15	11	13	6	10	4	1	1	-	-	
	F—	44	-	-	-	-	-	-	-	-	-	-	-	2	1	6	4	3	6	6	6	2	1	1	-	-		
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	1	-	-	-	
	F—	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
126,127	Biliary calculi, etc.*—M—	97	1	-	-	-	1	1	-	-	-	-	1	4	1	1	2	11	11	8	12	12	18	8	5	2	-	
	White—M—	35	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	2	-	5	6	10	5	1	-	-	-	
	F—	54	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3	8	8	7	4	7	3	2	2	-	-	
	Nonwhite—M—	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	
130-132	Nephritis—M—	1,037	3	1	2	1	-	5	3	8	7	7	22	34	35	43	60	96	122	155	189	138	74	24	9	2	-	
	White—M—	518	1	-	-	1	-	2	1	4	4	3	3	8	11	16	14	34	48	57	83	66	39	12	6	1	-	
	F—	374	-	1	2	-	-	2	1	4	3	2	3	9	17	7	13	18	27	50	48	75	31	8	2	-	-	
	Nonwhite—M—	78	1	-	-	-	-	1	-	-	-	1	-	-	-	6	5	8	13	8	13	11	9	2	1	1	-	
	F—	67	1	-	-	-	-	-	1	-	-	1	1	5	4	4	10	3	6	7	11	7	4	2	2	-	-	
137	Diseases of the prostate—M—	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	3	8	28	32	20	20	2	1	-	
	White—M—	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	8	26	30	20	19	1	1	-	
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	1	1	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

397

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed	
OKLAHOMA--Con.																													
140-150	Diseases of preg- nancy, etc.*	85	-	-	-	-	-	-	-	8	21	18	17	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	66	-	-	-	-	-	-	-	6	19	16	11	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	17	-	-	-	-	-	-	-	2	2	2	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	20	-	-	-	-	-	-	-	3	8	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	15	-	-	-	-	-	-	-	2	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,146	Puerperal toxemia	29	-	-	-	-	-	-	-	4	7	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	21	-	-	-	-	-	-	-	3	7	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	8	-	-	-	-	-	-	-	1	-	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	25	-	-	-	-	-	-	-	1	5	7	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	22	-	-	-	-	-	-	-	1	5	7	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	9	-	-	-	-	-	-	-	-	1	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	8	-	-	-	-	-	-	-	-	1	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	296	249	12	2	1	3	6	6	2	6	1	1	2	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	White--M	161	133	8	2	-	2	4	2	-	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	109	93	3	-	1	1	1	4	2	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	14	12	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	671	671	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	453	453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	596	596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	229	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159,160, 161	Other diseases peculiar to first year	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide	166	-	-	-	-	-	-	1	3	9	11	12	17	16	17	12	24	18	11	9	2	2	2	2	-	-	-	-
	White--M	135	-	-	-	-	-	-	1	2	6	9	7	11	15	14	10	21	16	9	8	2	2	2	-	-	-	-	-
	White--F	26	-	-	-	-	-	-	-	-	2	2	5	5	1	3	1	3	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	128	-	-	-	-	-	-	1	5	15	18	18	14	13	15	10	6	7	2	1	2	1	-	-	-	-	-	-
	White--M	61	-	-	-	-	-	-	-	4	8	6	6	6	3	8	7	5	5	-	1	1	1	-	-	-	-	-	-
	White--F	12	-	-	-	-	-	-	-	-	-	3	-	3	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	46	-	-	-	-	-	-	1	-	7	7	9	5	8	4	3	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F	9	-	-	-	-	-	-	1	-	2	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,540	60	35	30	30	16	58	61	118	148	114	97	77	61	77	58	52	57	65	59	82	78	61	24	7	1	4	
	White--M	959	29	15	14	14	3	34	36	78	110	97	64	59	54	43	31	35	39	33	37	39	23	9	3	-	3	-	
	White--F	413	22	11	9	10	11	16	19	27	25	8	14	12	13	17	10	14	15	17	18	38	37	36	13	1	-	-	
	Nonwhite--M	108	4	3	6	4	1	5	2	10	8	7	7	6	7	4	2	4	6	8	6	3	-	1	2	2	-	-	
	Nonwhite--F	60	5	6	1	2	1	3	4	5	5	2	2	-	2	2	3	3	1	1	2	4	2	1	-	1	1	1	
170	Motor-vehicle accidents	539	3	6	5	8	3	21	21	59	97	60	33	28	26	34	28	21	25	22	14	8	8	5	2	-	-	2	
	White--M	376	3	3	1	3	1	14	11	36	78	51	25	21	17	20	21	12	17	14	9	7	7	3	1	-	-	1	
	White--F	125	-	3	3	4	2	5	9	16	13	6	3	7	6	11	7	9	7	8	3	1	1	1	-	-	-	-	
	Nonwhite--M	25	-	-	1	-	-	2	-	2	4	3	3	-	3	2	-	-	1	-	2	-	-	1	1	-	-	-	-
	Nonwhite--F	13	-	-	-	1	-	-	1	5	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,001	57	29	25	22	13	37	40	59	51	54	49	49	55	43	30	31	32	43	45	74	70	56	22	7	1	2	
	White--M	593	26	12	13	11	2	20	25	40	32	46	39	38	42	34	22	19	18</										



\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

399

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OREGON--Continued																												
45-55	Cancer and other malignant tumors	1,825	-	1	1	2	-	2	2	5	9	10	25	30	52	114	140	204	239	242	238	245	162	77	16	5	-	2
	White-M	919	-	-	1	1	-	-	-	2	7	3	8	7	14	37	67	91	125	140	136	154	94	42	6	3	-	1
	White-F	875	-	1	-	1	-	2	2	3	2	7	17	22	35	75	71	107	112	98	100	106	67	35	10	-	-	
	Nonwhite-M	21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	1	2	2	2	-	-	-	-	-	
	Nonwhite-F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	3	1	-	-	-	-	
46	Cancer of the digestive organs and peritoneum	799	-	-	-	-	-	-	-	-	1	4	8	5	14	36	46	78	110	123	121	122	85	35	9	2	-	
	White-M	461	-	-	-	-	-	-	-	-	1	1	4	1	5	18	30	40	73	81	72	71	44	16	3	1	-	
	White-F	320	-	-	-	-	-	-	-	-	-	3	4	4	7	15	15	34	36	39	47	49	41	19	6	1	-	
	Nonwhite-M	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	2	1	-	-	-	-	-	-	
	Nonwhite-F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	
48, 49	Cancer of female genital organs	189	-	-	-	-	-	-	1	2	-	2	7	11	12	24	26	25	21	19	11	17	7	4	-	-	-	
	White-F	185	-	-	-	-	-	-	1	2	-	2	7	11	11	24	26	25	20	18	11	16	7	4	-	-	-	
	Nonwhite-F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	
50	Cancer of breast	201	-	-	-	-	-	-	-	-	-	1	3	5	11	26	21	26	37	21	19	15	9	6	1	-	-	
	White-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	
	White-F	196	-	-	-	-	-	-	-	-	-	1	3	5	11	26	19	24	37	21	19	15	8	6	1	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45, 47, 51-55	Cancer (other sites)	634	-	1	1	2	-	2	1	3	8	3	7	9	15	28	47	75	71	79	87	91	61	32	6	3	-	
	White-M	453	-	-	1	1	-	-	2	6	2	4	6	6	9	19	35	49	52	59	64	63	49	26	3	2	-	
	White-F	172	-	1	-	1	-	2	1	1	2	1	3	2	6	8	11	24	19	20	23	26	11	6	3	1	-	
	Nonwhite-M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	
	Nonwhite-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
58	Acute rheumatic fever	10	-	-	-	-	-	-	2	1	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	
	White-M	5	-	-	-	-	-	2	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	White-F	4	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	303	-	1	-	-	1	-	1	2	3	3	1	6	-	4	10	23	44	65	54	35	27	18	4	1	-	
	White-M	119	-	1	-	-	-	-	1	1	1	1	1	4	-	2	2	4	12	25	27	14	10	10	3	1	-	
	White-F	180	-	-	-	-	1	-	-	1	3	2	-	2	-	2	8	18	30	40	27	20	17	8	1	-	-	
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
	Nonwhite-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
65b	Exophthalmic goiter	20	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	5	3	3	-	2	-	-	-	-	
	White-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	
	White-F	16	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	4	3	3	-	1	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylin)	32	-	-	-	-	-	-	-	1	-	2	-	6	4	5	1	5	3	3	1	1	-	-	-	-	-	
	White-M	31	-	-	-	-	-	-	-	-	-	-	-	6	3	5	1	5	3	3	1	1	-	-	-	-	-	
	White-F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	1,249	2	2	-	-	1	1	2	1	4	3	7	12	12	35	51	83	117	153	187	250	184	93	41	6	-	
	White-M	545	1	1	-	-	1	1	-	1	-	1	5	6	6	17	27	46	64	81	101	125	100	39	18	3	-	
	White-F	596	1	1	-	-	-	2	-	4	2	2	6	6	17	23	36	53	70	84	125	84	54	21	3	-	-	
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	
	Nonwhite-F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	
90-95	Diseases of the heart	3,784	1	-	-	-	-	4	5	6	7	13	21	50	85	142	233	322	489	513	575	550	408	262	78	16	1	
	White-M	2,399	-	-	-	-	-	2	-	1	3	9	12	42	62	111	176	246	349	343	331	299	228	121	42	8	1	
	White-F	1,348	1	-	-	-	-	2	5	4	4	6	8	19	27	53	73	134	165	237	247	176	139	56	8	-	-	
	Nonwhite-M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	5	3	2	2	-	-	-	
	Nonwhite-F	20	-	-	-	-	-	-	-	1	-	-	1	-	2	2	4	-	5	2	2	1	2	-	-	-	-	
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	227	-	-	-	-	-	1	4	4	5	5	10	10	15	19	18	10	21	23	27	26	16	11	2	-	-	
	White-M	113	-	-	-	-	-	-	1	1	1	3	5	7	6	12	9											



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	OREGON—Continued																											
	Arteriosclerosis and high blood pressure—M	293	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	9	12	27	29	48	60	70	25	3	-	1
	White—M	177	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	10	18	19	29	36	36	14	1	-	1
	Female—F	114	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	2	8	10	19	23	34	11	2	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	623	70	12	3	2	1	8	3	4	1	5	12	9	15	11	18	22	35	49	65	86	86	56	21	4	-	5
	White—M	353	40	7	1	1	1	4	2	1	-	3	7	3	7	9	10	13	22	29	47	55	50	26	9	3	-	3
	Female—F	245	21	4	2	1	-	4	1	3	1	2	5	5	5	2	8	9	12	13	35	29	35	30	12	1	-	2
	Nonwhite—M	15	4	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	2	3	2	-	-	-	-	-	-
	Female—F	10	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-
107	Bronchopneumonia—M	383	39	5	2	1	-	3	-	1	-	1	4	-	6	1	6	10	21	35	57	58	68	42	16	3	-	4
	White—M	208	22	3	-	1	-	1	-	-	-	1	2	-	1	-	1	5	13	18	30	41	39	20	7	2	-	2
	Female—F	181	11	2	2	-	-	2	-	1	-	2	-	-	3	1	5	4	8	16	24	17	29	22	9	1	-	-
	Nonwhite—M	9	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	3	-	-	-	-	-	-	-
	Female—F	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
108	Lobar pneumonia—M	130	9	3	1	-	1	5	1	1	-	2	6	6	6	6	8	10	6	7	23	8	9	7	3	1	-	1
	White—M	81	5	1	1	-	1	3	-	1	-	1	3	1	4	6	7	6	5	7	14	4	4	3	2	1	-	1
	Female—F	45	3	1	-	-	2	1	-	-	-	1	3	5	1	-	1	4	1	-	9	3	5	4	1	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female—F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)—M	43	19	3	-	-	-	-	-	1	-	-	-	-	3	2	1	1	1	3	1	5	2	-	1	-	-	-
	White—M	23	11	2	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	1	2	1	-	1	-	-	-
	Female—F	16	6	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M	67	3	1	-	1	-	-	2	1	1	2	2	3	-	2	3	1	7	4	4	15	7	7	1	-	-	-
	White—M	41	2	1	-	-	-	2	-	1	-	1	2	2	-	2	2	1	3	3	2	6	7	3	-	-	-	-
	Female—F	23	1	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	3	1	2	6	-	4	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female—F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—M	76	-	-	-	-	-	1	-	-	-	-	4	3	2	7	9	7	10	13	5	6	4	4	-	-	-	1
	White—M	63	-	-	-	-	-	1	-	-	-	-	4	3	2	4	9	6	8	11	5	5	1	3	-	-	-	1
	Female—F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	2	-	1	3	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M	37	20	1	-	-	1	-	-	-	-	1	1	1	2	-	1	-	3	3	1	1	-	1	-	-	-	-
	White—M	17	8	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	5	2	1	1	-	-	-	-	-	-
	Female—F	18	10	1	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—M	29	1	-	-	-	-	5	2	1	2	2	-	-	2	1	1	3	1	4	1	2	-	1	-	-	-	-
	White—M	21	1	-	-	-	-	4	2	1	2	-	-	-	1	1	-	3	1	2	1	2	-	-	-	-	-	-
	Female—F	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	99	3	-	2	1	-	-	1	-	2	1	1	1	6	3	3	7	15	8	17	16	7	3	3	-	-	-
	White—M	51	2	-	2	1	-	-	-	-	-	-	-	1	3	1	1	5	9	6	11	6	1	1	2	-	-	-
	Female—F	47	1	-	-	-	-	-	1	-	2	1	-	3	2	2	2	6	2	5	10	7	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—M	99	-	-	-	-	-	-	-	-	-	-	-	7	4	18	13	14	9	14	10	4	6	-	-	-	-	-
	White—M	66	-	-	-	-	-	-	-	-	-	-	-	2	3	11	11	12	5	10	6	2	4	-	-	-	-	-
	Female—F	31	-	-	-	-	-	-	-	-	-	-	-	5	1	6	2	2	4	3	4	2	2	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.—M	41	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	4	5	7	10	-	2	-	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	2	4	-	1	-	-	-	-	-
	Female—F	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	5	6	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—M	949	2	-	-	-	2	2	-	-	4	10	4	9	24	27	51	67	65	119	154	158	133	89	24	2	1	2
	White—M	518	2	-	-	-	2	-	-	-	3	5	-	5	12	15	32	36	45	59	81	78	69	54	16	1	1	2
	Female—F	422	-	-	-	-	-	2	-	-	1	5	4	4	12	11	17	31	39	57	53	80	62	35	8	1	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-
	Female—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate—M	85	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	7	17	21	16	14	2	1	-	-
	White—M	85	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	7	17	21	16	14	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

401

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OREGON--Continued																												
140-150	Diseases of pregnancy, etc.*	31	-	-	-	-	-	-	-	-	2	8	9	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	28	-	-	-	-	-	-	-	-	2	8	8	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	7	-	-	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	7	-	-	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	6	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	11	-	-	-	-	-	-	-	-	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	9	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	7	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	169	131	3	-	1	1	4	2	3	6	2	3	3	3	2	2	1	1	2	-	-	-	-	-	-	-	-
	White--M	92	73	1	-	-	-	3	1	2	4	1	3	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	74	55	2	-	1	1	1	1	1	2	1	-	2	-	2	2	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	489	489	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	288	288	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	204	-	-	-	-	-	1	2	2	7	10	18	24	23	19	23	20	18	9	17	7	4	-	-	-	-	-
	White--M	189	-	-	-	-	-	1	2	-	5	8	13	11	21	15	15	17	17	9	16	5	4	-	-	-	-	-
	F	41	-	-	-	-	-	-	-	1	-	2	5	13	2	4	8	2	1	-	1	2	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	53	-	-	-	-	-	-	-	3	2	2	2	7	9	9	6	10	-	-	1	-	1	-	-	-	-	1
	White--M	27	-	-	-	-	-	-	-	2	1	1	1	2	6	5	2	6	-	-	-	-	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	1	-	-	3	3	4	3	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,289	45	22	16	18	8	34	37	95	112	72	88	83	75	61	76	70	58	61	62	55	50	44	17	2	-	8
	White--M	920	25	13	12	8	4	24	29	66	84	62	72	70	68	50	58	59	43	46	38	29	26	13	6	1	-	5
	F	321	17	9	4	9	4	10	5	28	17	8	13	11	4	10	16	11	13	14	24	27	24	30	11	1	-	1
	Nonwhite--M	22	1	-	-	-	-	-	3	-	1	1	3	1	3	1	2	-	2	1	-	-	-	1	-	-	-	2
	F	6	2	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	493	4	4	3	8	3	14	12	57	71	38	26	25	29	23	34	29	27	29	24	19	8	4	1	1	-	2
	White--M	362	1	2	3	3	2	9	9	37	57	31	19	19	27	16	22	22	19	23	16	14	6	4	1	-	-	-
	F	123	3	2	-	4	1	5	2	20	13	7	6	6	2	6	10	7	8	6	8	5	-	-	1	-	1	-
	Nonwhite--M	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	776	41	18	13	10	5	20	25	38	41	34	62	58	46	38	42	41	31	32	38	36	44	40	16	1	-	6
	White--M	558	24	11	9	5	2	15	20	29	37	31	53	51	41	34	36	37	24	23	22	14	20	9	5	1	-	5
	F	198	14	7	4	5	3	5	3	8	4	1	7	5	2	4	6	4	5	8	16	22	24	30	11	-	-	-
	Nonwhite--M	15	1	-	-	-	-	-	2	-	-	-	1	2	1	3	-	-	2	1	-	-	-	1	-	-	-	1
	F	5	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes	283	9	1	-	1	-	-	-	1	1	1	2	2	2	5	8	6										

\*Refer to International List for complete title, table V, Part I.



# VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, RACE OF DEATH, CAUSE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																											
	All causes-----	107,683	7,198	495	286	245	154	801	851	946	1,437	1,542	1,791	2,514	3,395	5,104	7,151	9,363	11,164	12,710	13,405	12,010	8,772	4,964	1,623	322	56	10
	White-----M	55,409	3,856	244	149	138	78	316	300	447	723	788	846	1,261	1,681	2,633	3,936	5,334	6,271	6,769	6,966	5,993	4,074	2,025	602	86	8	8
	White-----F	45,172	2,692	199	105	82	63	224	192	278	481	536	698	881	1,179	1,743	2,536	3,316	4,230	5,355	5,978	5,712	4,526	2,942	894	217	22	1
	Nonwhite--M	3,833	355	28	16	15	8	38	35	52	102	103	135	211	281	396	372	423	322	337	251	172	99	51	20	4	2	-
	Nonwhite--F	3,269	313	24	16	10	5	23	24	69	121	140	112	208	244	332	305	290	281	249	211	133	73	46	22	15	4	1
1,2	Typhoid and para-typhoid fever																											
	White-----M	22	-	-	-	-	-	-	1	1	1	1	1	3	3	1	2	4	1	2	-	-	-	1	-	-	-	-
	White-----F	12	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis																											
	White-----M	90	15	9	3	3	1	6	5	-	2	8	2	1	6	4	5	1	3	3	3	-	-	-	-	-	-	-
	White-----F	49	11	5	1	2	-	2	3	-	1	4	1	1	6	2	2	1	2	2	3	-	-	-	-	-	-	-
	Nonwhite--M	28	4	4	1	1	1	4	2	-	1	3	1	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever																											
	White-----M	12	-	2	-	-	1	2	-	1	1	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-
	White-----F	4	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	2	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough																											
	White-----M	94	67	14	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	33	23	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	48	35	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	6	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria																											
	White-----M	58	1	4	5	6	6	18	8	4	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F	29	-	3	2	6	1	7	4	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	22	1	1	1	-	3	8	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	6	-	-	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)																											
	White-----M	5,697	23	26	10	11	7	16	30	118	296	324	291	342	346	350	350	360	309	201	161	80	36	8	-	-	-	2
	White-----F	1,897	8	7	2	7	1	2	6	17	67	103	112	146	182	198	240	257	228	144	103	46	18	3	-	-	-	2
	Nonwhite--M	855	8	6	3	2	2	10	8	44	107	136	113	106	74	44	54	45	58	40	46	30	16	3	-	-	-	-
	Nonwhite--F	494	3	6	2	2	4	3	7	16	50	28	37	52	59	89	42	46	20	15	7	3	1	2	-	-	-	-
	Nonwhite--F	351	4	7	3	-	-	1	9	41	72	57	29	36	31	19	14	12	5	2	5	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*																											
	White-----M	3,408	14	14	9	1	3	9	22	104	274	297	271	317	325	352	523	539	296	193	150	74	32	8	-	-	-	2
	White-----F	1,786	6	3	2	-	-	2	4	13	63	96	107	139	175	193	228	242	216	141	98	44	17	3	-	-	-	2
	Nonwhite--M	889	4	2	2	-	-	1	5	9	43	100	127	107	100	70	36	46	42	56	35	41	28	13	3	-	-	-
	Nonwhite--F	442	2	4	2	1	2	2	4	11	44	24	32	45	55	85	37	45	19	15	7	3	1	2	-	-	-	-
	Nonwhite--F	301	2	5	3	-	-	-	6	37	67	48	25	33	25	16	12	9	5	2	4	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)																											
	White-----M	289	9	12	1	10	4	7	8	14	22	27	20	25	21	18	27	22	13	8	11	6	4	-	-	-	-	-
	White-----F	101	2	4	-	7	1	-	2	4	4	5	5	7	7	5	12	15	10	3	5	2	1	-	-	-	-	-
	Nonwhite--M	36	4	4	1	2	1	5	-	1	7	9	6	6	4	6	8	3	2	5	5	4	3	-	-	-	-	-
	Nonwhite--F	52	1	2	-	1	2	1	3	5	6	4	5	7	4	4	5	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F	50	2	2	-	-	-	1	3	4	5	9	4	5	6	3	2	3	-	-	1	-	-	-	-	-	-	-
27	Dysentery																											
	White-----M	24	11	1	-	1	-	-	-	-	-	-	2	1	-	-	2	-	2	1	2	1	-	-	-	-	-	-
	White-----F	15	9	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	8	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria																											
	White-----M	11	-	-	-	-	-	-	-	-	3	2	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	White-----F	11	-	-	-	-	-	-	-	-	3	2	2	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis																											
	White-----M	918	24	2	1	-	-	-	2	9	11	13	23	56	89	119	117	132	119	100	54	25	17	4	-	-	-	1
	White-----F	457	5	1	-	-	-	-	-	4	2	1	2	15	41	55	64	66	78	68	34	13	7	1	-	-	-	-
	Nonwhite--M	149	2	-	-	-	-	-	2	3	5	4	12	11	18	12	25	14	10	11	8	9	1	-	-	-	-	-
	Nonwhite--F	227	10	-	1	-	-	-	-	2	3	4	11	22	23	35	32	33	20	18	6	4	1	2	-	-	-	-
	Nonwhite--F	85	7	1	-	-	-	-	-	1	3	3	6	7	14	11	9	8	7	4	3	-	-	-	-	-	-	-
35	Measles																											
	White-----M	116	21	33	9	8	6	25	11	3	1	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	White-----F	48	9	15	6	-	3	9	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	64	12	15	3																							

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

403

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
PENNSYLVANIA—Continued																												
45-55	Cancer and other malignant tumors	14,787	3	4	12	11	9	16	38	26	56	89	153	331	559	922	1,364	1,841	2,062	2,244	2,144	1,548	880	582	85	7	1	-
	White—M—	6,749	1	1	10	7	4	10	23	14	29	32	44	68	166	327	549	865	1,021	1,077	1,090	783	415	163	29	2	-	-
	White—F—	7,306	2	3	1	3	5	5	15	8	18	49	94	205	333	497	711	876	947	1,075	996	756	454	213	55	4	1	-
	Nonwhite—M—	344	-	-	1	-	-	-	-	2	5	1	2	13	15	35	53	55	45	58	36	14	5	3	1	-	-	-
	Nonwhite—F—	388	-	-	-	1	-	1	-	2	4	7	13	25	45	63	52	45	49	34	22	15	6	3	-	1	-	-
46	Cancer of the digestive organs and peritoneum	6,994	1	-	2	2	1	2	5	3	14	25	40	103	151	351	572	862	1,029	1,193	1,155	817	424	203	37	2	-	-
	White—M—	3,583	1	-	2	2	-	1	2	1	7	7	17	50	64	156	282	473	573	637	625	399	189	81	13	1	-	-
	White—F—	5,107	-	-	-	-	1	-	3	1	4	16	20	43	69	160	244	345	405	515	502	407	228	119	24	1	-	-
	Nonwhite—M—	176	-	-	-	-	-	-	-	1	1	1	2	6	8	23	30	30	22	23	19	5	4	1	-	-	-	-
	Nonwhite—F—	128	-	-	-	-	-	1	-	-	2	1	1	4	10	12	16	14	29	18	9	6	3	2	-	-	-	-
48,49	Cancer of female genital organs	1,867	-	-	-	-	-	1	2	2	7	17	45	88	189	191	242	248	251	222	178	131	54	23	5	1	-	-
	White—F—	1,710	-	-	-	-	-	1	2	1	6	14	34	77	158	164	220	229	238	211	170	125	53	22	5	-	-	-
	Nonwhite—F—	157	-	-	-	-	-	-	-	1	1	3	11	11	21	27	22	19	13	11	8	6	1	1	-	-	-	-
50	Cancer of breast	1,411	-	-	-	-	-	-	-	-	1	8	21	49	101	138	158	166	190	193	158	114	84	31	7	1	1	-
	White—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	4	1	1	1	-	-	-	-	-
	White—F—	1,331	-	-	-	-	-	-	-	-	1	7	21	42	81	120	149	159	175	183	153	112	81	30	7	1	1	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—F—	61	-	-	-	-	-	-	-	-	-	1	-	7	10	15	8	5	4	5	3	1	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	4,515	2	4	10	8	8	13	31	21	34	39	47	91	148	242	392	565	602	636	653	486	318	125	36	3	-	-
	White—M—	3,149	-	1	8	5	4	9	21	13	22	25	27	38	102	168	265	390	445	456	464	305	225	61	16	1	-	-
	White—F—	1,158	-	3	1	3	4	4	10	6	7	12	19	43	55	83	98	143	151	166	171	92	92	42	19	2	-	-
	Nonwhite—M—	166	-	-	1	-	-	-	-	1	4	-	-	7	12	23	25	23	23	34	16	9	1	2	1	-	-	-
	Nonwhite—F—	42	-	-	-	1	-	-	-	1	1	2	1	3	4	9	6	7	3	-	2	2	-	-	-	-	-	-
58	Acute rheumatic fever	123	3	-	1	2	1	17	16	21	11	10	5	8	7	2	5	6	1	1	2	3	-	1	-	-	-	-
	White—M—	57	2	-	1	1	1	6	8	10	4	5	2	4	4	2	1	3	1	1	1	1	-	-	-	-	-	-
	White—F—	52	1	-	-	-	-	8	7	8	6	5	2	4	2	2	3	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	9	-	-	-	-	-	2	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,325	1	1	-	1	-	2	14	11	17	18	26	28	55	103	236	394	499	635	613	407	191	58	15	-	-	-
	White—M—	948	-	1	-	-	-	6	6	3	7	8	12	12	20	33	72	105	129	173	169	108	67	20	3	-	-	-
	White—F—	2,253	1	-	-	1	-	2	8	7	10	9	12	10	27	56	147	271	353	447	432	290	121	38	11	-	-	-
	Nonwhite—M—	22	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	6	2	4	1	3	-	-	-	-	-	-
	Nonwhite—F—	102	-	-	-	-	-	-	-	1	-	1	1	4	8	13	16	12	15	11	11	6	3	-	-	-	-	-
63b	Exophthalmic goiter	193	-	-	-	-	-	-	-	-	3	2	2	6	7	19	30	27	30	29	22	11	3	1	1	-	-	-
	White—M—	27	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	8	2	4	3	-	1	-	-	-	-	-
	White—F—	154	-	-	-	-	-	-	-	-	3	1	2	2	5	14	26	16	26	24	18	11	2	1	1	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	113	-	-	-	-	-	-	-	-	5	2	3	12	21	9	16	18	15	4	6	1	-	1	-	-	-	-
	White—M—	88	-	-	-	-	-	-	-	-	3	2	2	8	18	7	13	13	11	4	6	1	-	-	-	-	-	-
	White—F—	13	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
63	Intracranial lesions of vascular origin	9,248	6	4	4	1	-	4	3	10	14	26	50	84	165	324	543	805	1,065	1,320	1,522	1,503	1,017	572	159	25	2	-
	White—M—	4,098	5	2	2	1	-	3	3	5	8	17	19	33	67	118	210	370	502	648	700	681	433	207	80	4	-	-
	White—F—	4,593	1	2	1	-	-	1	-	3	6	9	23	32	63	149	265	356	510	606	753	779	567	352	94	20	2	-
	Nonwhite—M—	256	-	-	-	-	-	-	-	1	-	1	1	6	13	17	29	37	35	38	35	26	9	5	3	-	-	-
	Nonwhite—F—	301	-	-	1	-	-	-	-	1	-	-	7	13	22	40	39	42	38	28	34	17	8	8	2	1	-	-
90-95	Diseases of the heart	36,189	11	8	6	4	4	31	69	87	147	192	278	495	833</													



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	PENNSYLVANIA—Continued																											
	Arteriosclerosis and high blood pressure—M	2,367	-	-	-	-	-	-	-	-	2	4	4	7	12	15	45	71	95	194	324	444	532	394	196	25	3	-
	White—M	1,175	-	-	-	-	-	-	-	-	1	1	1	3	6	4	29	38	52	100	179	229	253	180	83	12	2	-
	F	1,100	-	-	-	-	-	-	-	-	1	2	2	3	3	6	10	22	35	84	135	204	264	207	108	13	1	-
	Nonwhite—M	52	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	8	6	6	8	5	4	-	-	-	-
	F	40	-	-	-	-	-	-	-	-	-	-	-	1	4	3	5	8	2	4	3	7	2	1	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	4,473	780	120	48	32	13	30	37	46	39	46	65	98	115	198	221	310	339	375	398	434	380	243	78	24	4	-
	White—M	2,401	407	55	23	15	4	11	18	25	17	26	34	46	58	113	139	193	207	226	219	231	200	91	37	5	1	-
	F	1,673	299	54	20	13	8	15	18	19	13	14	17	27	28	56	42	73	104	132	160	169	167	146	39	17	3	-
	Nonwhite—M	214	37	6	2	2	-	2	-	2	4	1	6	14	19	14	22	26	16	8	12	11	4	3	1	-	-	-
	F	165	37	5	3	2	1	2	1	-	5	5	6	11	10	15	18	18	12	9	7	3	9	3	1	2	-	-
107	Bronchopneumonia—M	1,746	443	61	15	10	5	15	17	13	11	17	13	19	26	47	66	104	117	146	142	157	156	102	33	9	-	-
	White—M	915	230	26	7	3	1	7	7	6	5	9	10	6	13	29	43	58	72	91	74	91	76	34	16	1	-	-
	F	953	164	25	5	5	3	5	10	7	2	7	1	5	8	12	11	20	34	47	58	61	75	64	16	8	-	-
	Nonwhite—M	85	25	6	-	1	-	1	-	-	1	-	2	4	3	2	6	13	5	4	7	3	1	1	-	-	-	-
	F	93	24	4	3	1	1	2	-	-	3	1	-	4	4	6	13	6	4	3	2	4	3	1	-	-	-	-
108	Lobar pneumonia—M	1,672	155	25	15	10	5	9	9	20	21	21	38	49	61	101	101	151	170	150	153	176	128	76	19	7	2	-
	White—M	938	80	14	6	5	-	2	5	10	9	11	16	25	34	62	61	103	102	86	90	91	72	38	12	3	1	-
	F	577	64	10	8	4	5	7	4	8	9	5	10	11	11	23	16	34	58	58	56	78	52	37	7	2	1	-
	Nonwhite—M	95	6	-	1	1	-	-	-	2	3	1	6	9	12	8	13	9	7	3	4	7	2	1	-	-	-	-
	F	62	5	1	-	-	-	-	-	-	1	4	6	4	4	8	11	5	5	5	3	-	2	-	-	2	-	-
109	Pneumonia (unspecified)—M	416	106	13	10	2	1	3	3	6	2	4	5	10	6	20	25	26	24	37	38	29	23	15	2	3	1	-
	White—M	232	56	6	7	-	1	1	2	3	1	3	3	8	3	11	16	19	16	21	21	17	12	4	1	-	-	-
	F	159	45	7	3	1	-	1	1	3	1	1	2	2	2	6	6	6	15	15	11	10	11	1	3	1	-	-
	Nonwhite—M	16	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	1	1	-	-	-	-	-	-
	F	9	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
33	Influenza—M	639	74	21	8	10	2	3	8	7	5	4	9	20	30	29	29	28	42	65	72	73	50	24	5	1	-	-
	White—M	316	41	9	3	7	2	1	4	6	2	3	5	7	8	11	19	13	17	28	34	32	40	15	8	1	-	-
	F	294	26	12	4	3	-	2	3	1	2	1	4	9	7	15	9	13	6	12	31	39	30	34	16	4	1	-
	Nonwhite—M	18	3	-	1	-	-	-	-	-	-	-	-	1	3	2	-	3	3	1	-	-	1	-	-	-	-	-
	F	21	4	-	-	-	-	-	1	-	1	-	-	3	2	2	1	-	2	1	-	1	3	-	-	-	-	-
117	Ulcer of stomach or duodenum—M	540	1	-	-	-	1	-	-	2	3	11	13	18	30	89	93	80	68	56	40	33	15	7	-	-	-	-
	White—M	457	-	-	-	-	-	-	-	2	3	8	10	14	22	60	80	72	55	43	30	23	9	6	-	-	-	-
	F	82	1	-	-	-	1	-	-	-	-	-	1	3	7	4	11	6	10	12	9	10	6	1	-	-	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	3	2	1	1	4	2	1	2	1	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M	503	356	24	5	4	-	4	3	2	1	8	9	5	4	12	11	3	5	8	5	7	12	13	2	-	-	-
	White—M	249	189	12	3	1	-	2	2	1	1	3	5	3	2	4	3	1	2	3	2	3	4	3	-	-	-	-
	F	206	134	10	1	2	-	1	1	1	-	4	3	1	1	6	1	3	5	3	4	7	10	2	-	-	-	-
	Nonwhite—M	28	18	2	1	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-
	F	20	15	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—M	398	4	6	5	4	3	17	12	14	23	24	11	26	36	27	28	37	33	33	22	20	7	4	2	-	-	-
	White—M	218	2	4	2	1	2	12	5	9	11	16	5	14	15	15	14	25	22	16	15	8	4	-	1	-	-	-
	F	155	2	2	3	2	1	4	5	5	11	8	6	7	15	9	11	10	16	7	12	3	4	1	-	-	-	-
	Nonwhite—M	17	-	-	-	1	-	1	2	-	1	-	-	3	4	1	2	1	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	873	33	4	4	2	1	2	2	9	6	13	19	21	39	46	56	70	107	118	110	89	82	31	8	-	1	-
	White—M	449	17	4	4	1	1	-	6	3	8	8	9	16	17	28	43	59	61	55	53	40	13	5	-	-	-	-
	F	373	14	-	-	-	-	2	2	1	2	2	6	7	21	25	25	21	47	50	52	35	42	16	3	-	-	-
	Nonwhite—M	27	1	-	-	-	-	-	2	-	3	3	1	1	3	2	5	1	4	1	-	-	-	-	-	-	-	-
	F	24	1	-	-	1	-	-	-	1	-	-	2	4	1	3	3	1	-	3	2	1	-	-	-	-	1	-
124	Cirrhosis of the liver—M	989	1	1	-	-	-	4	2	3	1	13	25	46	63	91	136	126	134	102	120	67	35	11	3	1	-	-
	White—M	614	-	-	-	-	-	2	1	-	4	10	26	38	63	90	89	99	65	72	38	12	3	1	1	-	-	-
	F	345	1	1	-	-	-	2	2	1	1	6	13	16	22	26	42	36	32	33	49	26	23	8	2	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	1	-	-	2	2	2	1	5	3	1	3	-	2	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	2	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.—M	517	-	-	-	-	-	2	-	-	5	3	8	13	26	39	53	63	66	85	62	45	25	13	2	1	-	-
	White—M	153	-	-	-	-	-	-	-	-	8	-	3	6	3	6	19	16	21	27	20	18	10	2	-	-	-	-
	F	355	-	-	-	-	-	2	-	-	2	3	5	12	21	31	35	48	45	57	41	28	15	11	2	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-
130-132	Nephritis—M	6,938	9	6	2	6	6	15	18	36	65	51	64	122	184	291	369	520	646	862	1,052	1,067	860	474	150	39	4	-
	White—M	3,267	5	1	1	4	4	9	10	17	34	24	36	43	72	107	173	270	320	410	499	543	414	211	53	6	1	-
	F	3,224	3	4	-	2	2	6	8	17	27	17	41	49	83	129	162	204	267	338	503	469	422	252	90	28	1	-
	Nonwhite—M	217	1	1	-	-	-	-	-	1	1	2	5	10	11	24	18	29	16	33	21	17	16	6				



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

405

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
PENNSYLVANIA																												
Continued																												
140-150	Diseases of pregnancy, etc.-F	532	-	-	-	-	-	-	-	-	20	66	71	82	59	30	4	-	-	-	-	-	-	-	-	-	-	-
	White-F	295	-	-	-	-	-	-	-	-	14	59	64	77	51	26	4	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	37	-	-	-	-	-	-	-	-	6	7	7	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia-F	128	-	-	-	-	-	-	-	-	11	23	29	32	21	12	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	111	-	-	-	-	-	-	-	-	8	19	27	29	18	10	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	17	-	-	-	-	-	-	-	-	3	4	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia-F	61	-	-	-	-	-	-	-	-	5	16	13	15	9	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-F	55	-	-	-	-	-	-	-	-	3	14	11	15	9	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	6	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock-F	105	-	-	-	-	-	-	-	-	4	16	18	28	23	13	2	-	-	-	-	-	-	-	-	-	-	-
	White-F	93	-	-	-	-	-	-	-	-	3	16	18	26	18	12	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	12	-	-	-	-	-	-	-	-	1	-	3	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes-F	58	-	-	-	-	-	-	-	-	11	10	7	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	36	-	-	-	-	-	-	-	-	10	10	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations-M	1,222	1,048	45	16	12	7	16	9	13	9	7	10	12	3	5	4	3	-	-	-	-	2	1	-	-	-	-
	White-M	835	549	18	6	6	5	12	6	5	3	4	5	7	1	3	2	3	-	-	-	-	-	-	-	-	-	-
	F	522	442	26	10	6	1	2	3	8	5	2	4	5	2	2	1	-	-	-	-	-	2	1	-	-	-	-
	Nonwhite-M	36	32	1	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	28	25	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year-M	4,272	4,272	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-M	2,312	2,312	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,542	1,542	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-M	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	195	195	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
169	Premature birth-M	2,762	2,762	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-M	1,455	1,455	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	1,012	1,012	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-M	153	153	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year-M	1,510	1,510	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-M	857	857	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	530	530	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-M	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide-M	1,145	-	-	-	-	-	-	4	21	53	70	85	79	108	128	144	134	100	86	69	40	15	8	1	-	-	-
	White-M	837	-	-	-	-	-	-	3	10	35	51	54	54	76	91	110	102	77	70	47	37	12	7	1	-	-	-
	F	281	-	-	-	-	-	-	1	9	14	16	27	22	30	36	28	21	16	22	3	3	1	-	-	-	-	-
	Nonwhite-M	17	-	-	-	-	-	-	-	1	3	1	2	3	2	1	1	2	1	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	1	2	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
165-168	Homicide-M	299	5	5	1	4	-	4	1	10	31	45	31	47	38	30	11	11	10	6	2	3	2	-	-	-	-	2
	White-M	101	2	3	-	2	-	2	1	5	9	11	8	16	10	10	5	4	5	4	2	1	-	-	-	-	-	1
	F	62	3	2	1	2	-	2	-	-	6	7	5	11	5	8	1	1	2	1	-	2	2	-	-	-	-	1
	Nonwhite-M	103	-	-	-	-	-	-	-	4	10	16	12	15	20	12	4	6	3	1	-	-	-	-	-	-	-	-
	F	35	-	-	-	-	-	-	-	1	6	11	6	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths-M	6,361	133	70	61	75	49	246	176	247	404	284	289	321	272	511	371	426	438	457	459	452	400	282	101	21	5	2
	White-M	4,157	69	43	46	47	26	158	121	190	328	218	219	247	196	326	271	310	324	299	256	224	184	98	35	6	2	2
	F	1,840	46	20	25	19	21	85	41	46	96	44	42	52	35	51	73	90	99	124	193	225	214	178	65	14	2	-
	Nonwhite-M	276	13	4	3	7	1	18	10	10	17	24	24	18	33	17	23	22	11	5	1	1	2	-	1	-	-	-
	F	88	5	3	5	2	-	5	4	1	3	8	4	4	8	7	4	4	4	3	5	2	1	4	1	-	1	-
170	Motor-vehicle accidents-M	1,900	6	14	26	30	26	118	63	123	237	128	103	99	92	85	94	129	116	149	110	94	36	17	5	-	-	-
	White-M	1,402	5	10	17	20	12	73	45	90	202	98	72	72	59	63	65	98	69	109	87	68	27	16	5	-	-	-
	F	400	1	3	8	6	14	34	14	30	28	22	25	21	15	18	23	27	22	33	23	25	8	1	-	-	-	-
	Nonwhite-M	61	-	-	1	4	-	6	3	2	6	7	7	4	14	4	5	3	4	7	-	1	1	-	-	-	-	-
	F	17	-	1	-	-	-	3	1	1	-	1	1	2	4	-	1	1	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents-M	4,461	127	56	55	45	22	128	113	124	167	166	186	222	180	226	277	297	322	288	348	358	364	265	96	21	5	2
	White-M	2,755	64	33	31	27	14	85	76	100	126	120	147	175	137	173	206	212	235	190	169	156	157	82	30	6	2	2
	F	1,440	45	17	13	7	31	27	16	27																		



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																											
	All causes-----	8,073	494	29	18	18	11	40	51	55	69	94	103	154	212	344	485	665	889	994	1,097	1,058	668	404	114	26	2	-
	White-----M-----	4,130	280	19	16	11	8	28	14	32	45	53	46	73	103	202	266	387	503	521	535	489	291	165	37	6	-	-
	White-----F-----	3,776	198	9	1	6	3	10	16	20	21	39	55	76	100	135	206	263	370	449	541	557	369	236	76	20	2	-
	Nonwhite-----M-----	91	9	1	1	1	-	1	2	2	1	1	1	4	4	4	7	11	8	14	10	7	2	1	-	-	-	-
	Nonwhite-----F-----	76	9	-	-	-	-	2	-	1	1	1	1	1	5	3	6	4	7	10	11	5	6	2	1	-	-	-
1,2	Typhoid and paratyphoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	9	2	1	-	-	-	-	1	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M-----	7	2	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----F-----	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	232	2	-	2	1	2	1	-	5	16	19	9	18	24	22	25	18	21	23	15	5	3	1	-	-	-	-
	White-----M-----	147	1	-	2	1	2	-	-	-	8	8	3	6	18	17	19	12	16	16	11	3	3	1	-	-	-	-
	White-----F-----	67	1	-	-	-	-	1	-	4	6	11	5	10	2	4	3	4	4	6	4	2	-	-	-	-	-	-
	Nonwhite-----M-----	12	-	-	-	-	-	-	-	1	-	-	1	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	6	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	215	-	-	1	-	-	-	-	3	14	18	9	17	24	22	25	16	21	22	14	5	3	1	-	-	-	-
	White-----M-----	138	-	-	1	-	-	-	-	-	7	8	3	5	18	17	19	11	16	16	10	3	3	1	-	-	-	-
	White-----F-----	60	-	-	-	-	-	-	-	2	6	10	5	10	2	4	3	3	4	5	4	2	-	-	-	-	-	-
	Nonwhite-----M-----	11	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	6	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	17	2	-	1	1	2	1	-	2	2	1	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	White-----M-----	9	1	-	1	1	2	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	White-----F-----	7	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	43	1	-	-	-	-	-	-	-	-	2	-	-	3	2	12	6	5	9	1	1	1	-	-	-	-	-
	White-----M-----	32	1	-	-	-	-	-	-	-	-	-	-	-	3	-	9	5	5	7	-	1	1	-	-	-	-	-
	White-----F-----	7	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite-----M-----	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Polioencephalitis (acute)-----	7	-	-	2	1	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M-----	4	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

407

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	RHODE ISLAND-Continued																											
	Cancer and other malignant tumors	1,162	-	2	1	-	-	2	4	7	5	3	11	19	47	71	97	135	194	169	184	121	56	32	3	-	1	-
	White-M	530	-	1	1	-	-	2	2	5	5	1	4	7	8	37	33	55	87	75	100	55	29	13	2	-	-	-
	White-F	619	-	1	-	-	-	-	2	2	-	2	7	12	39	33	64	78	94	90	83	66	26	18	1	-	1	-
	Nonwhite-M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	1	2	1	-	-	-	-	-	-	-
	Nonwhite-F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	529	-	-	-	-	-	-	1	1	-	2	4	9	14	16	45	49	101	83	100	64	26	13	1	-	-	-
	White-M	265	-	-	-	-	-	-	1	1	-	-	-	5	3	13	14	25	57	37	59	29	13	6	1	-	-	-
	White-F	260	-	-	-	-	-	-	1	-	-	2	4	4	11	3	31	23	42	43	41	35	13	7	-	-	-	-
	Nonwhite-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-
	Nonwhite-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
48, 49	Cancer of female genital organs	128	-	-	-	-	-	-	-	-	-	-	-	2	3	11	13	13	21	15	18	16	10	2	4	-	-	-
	White-F	125	-	-	-	-	-	-	-	-	-	-	-	2	3	11	13	13	21	15	17	16	10	1	4	-	-	-
	Nonwhite-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast	118	-	-	-	-	-	-	-	-	-	-	-	3	6	15	10	22	19	14	12	7	7	2	-	-	1	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	3	6	14	10	22	18	14	12	7	7	1	-	-	1	-
	White-F	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite-F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	387	-	2	1	-	-	2	3	6	5	1	5	4	16	27	29	41	59	54	56	40	21	13	2	-	-	-
	White-M	287	-	1	1	-	-	2	2	4	5	1	4	2	5	24	19	28	40	38	41	26	18	7	1	-	-	-
	White-F	118	-	1	-	-	-	1	2	-	-	-	1	2	11	3	10	12	19	16	14	14	5	6	1	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	7	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-
	White-M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	White-F	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	285	-	-	-	-	-	1	1	2	1	3	3	3	8	16	31	48	51	54	36	17	7	3	-	-	-	-
	White-M	90	-	-	-	-	-	1	1	2	1	2	1	2	4	7	15	13	19	13	10	1	1	1	-	-	-	-
	White-F	167	-	-	-	-	-	1	1	1	1	1	2	1	3	9	16	34	31	39	25	15	6	2	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	-	-
	White-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	White-F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	14	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	2	-	1	1	2	-	-	-	-	-	-
	White-M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	-	1	1	2	-	-	-	-	-	-
	White-F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	699	-	1	-	-	-	-	-	1	1	1	2	9	7	23	34	61	84	106	121	108	87	42	8	3	-	-
	White-M	285	-	1	-	-	-	-	-	1	1	1	1	5	2	6	12	27	40	46	49	42	38	12	-	1	-	-
	White-F	405	-	-	-	-	-	-	-	-	-	-	1	4	4	16	22	33	42	57	71	66	49	50	8	2	-	-
	Nonwhite-M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	3,025	1	-	-	-	-	2	-	8	3	8	24	35	52	123	173	267	331	428	462	528	513	200	50	16	1	-
	White-M	1,585	1	-	-	-	-	2	-	3	1	6	12	16	33	79	114	182	208	256	222	242	129	87	14	3	-	-
	White-F	1,365	-	-	-	-	-	-	-	5	2	2	12	19	18	42	53	78	123	184	230	276	161	111	35	13	1	-
	Nonwhite-M	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	2	5	5	6	1	-	-	-	-	-
	Nonwhite-F	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	3	3	5	4	3	1	1	-	-	-
90a, 92b, c, 93a, 95b	Chronic rheumatic diseases of the heart	129	-	-	-	-	-	-	-	8	2	1	6	9	9	8	12	8	11	11	11	16	11	4	-	-	-	-
	White-M	64	-	-	-	-	-	-	-	3	1	-	3	2	6	4	4	5	6	9	7	6	5	3	-	-	-	-
	White-F	64	-	-	-	-	-	-	-	5	1	1	5	7	3	4	7	3	5	2	4	10	6	1	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	921	-	-	-	-	-	-	-	-	1	4	8	13	19	67	99	125	140	148	118	105	48	19	7	-	-	-
	White-M	619	-	-	-	-	-	-	-	-	4	6	6	16	22	52	77	104	104	87	62	59	27	10	3	-	-	-
	White-F	291	-	-	-	-	-	-	-	-	1	4	2	5	3	15	21	21	36	57	53	43	21	9	4	-	-	-
	Nonwhite-M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-
	Nonwhite-F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of the heart (other forms)	1,975	1	-	-	-	-	2	-	-	-	3	6	13	24	48	62	134	180	269	333	407	254	177	43	16	1	-
	White-M	902	1	-	-	-	-	2	-	-	-	2	3	6	11	23	33	73	93</									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths.)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	RHODE ISLAND—Continued																											
	Arteriosclerosis and high blood pressure*	114	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	3	5	6	15	22	25	19	9	1	-
	White—M—	52	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	4	5	11	9	8	5	1	-	-
	F—	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	11	11	17	11	4	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	270	35	4	3	2	2	2	3	3	-	1	3	6	6	9	6	18	22	21	33	33	25	20	10	2	-	-
	White—M—	147	18	2	3	2	2	1	-	1	-	-	1	5	4	8	2	8	13	11	20	20	12	8	6	-	-	-
	F—	115	13	2	-	-	-	1	3	1	-	1	2	1	2	1	4	10	9	10	11	13	13	12	4	2	-	-
	Nonwhite—M—	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
107	Bronchopneumonia—	125	21	1	3	2	1	1	1	1	-	1	-	4	2	1	2	10	7	5	13	14	14	13	6	2	-	-
	White—M—	68	11	1	3	2	1	1	1	1	-	-	3	1	1	1	1	5	2	1	6	12	6	8	4	-	-	-
	F—	55	8	-	-	-	-	-	1	-	-	1	-	1	1	-	1	5	5	4	7	2	8	7	2	2	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—	119	9	2	-	-	1	1	1	-	-	-	2	2	2	8	3	8	14	15	19	17	8	6	1	-	-	-
	White—M—	69	5	1	-	-	1	-	-	-	-	-	1	2	2	7	-	3	10	10	13	8	4	2	-	-	-	-
	F—	46	3	1	-	-	-	1	1	-	-	-	1	-	-	1	3	5	4	5	4	9	3	4	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
109	Pneumonia (unspecified)—	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	White—M—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	19	2	1	-	-	-	-	1	2	-	-	-	-	2	-	-	-	1	-	1	2	4	-	3	-	-	-
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	2	-	-	-
	F—	10	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	2	-	2	-	1	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	47	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	3	9	7	5	7	2	4	-	-	-	-
	White—M—	40	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	3	8	6	5	6	1	2	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	20	10	-	-	-	1	-	1	-	-	1	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-
	White—M—	12	5	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-
	F—	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	19	-	-	-	-	1	-	2	-	3	-	1	1	3	1	1	1	2	2	-	-	1	-	-	-	-	-
	White—M—	13	-	-	-	-	1	-	1	-	3	-	-	-	2	1	1	-	1	2	-	-	1	-	-	-	-	-
	F—	6	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	54	2	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	6	10	10	12	2	3	-	-	-	-
	White—M—	34	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	6	7	7	2	1	-	-	-	-
	F—	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	5	-	2	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	91	-	-	-	-	-	-	-	1	-	3	1	2	7	7	11	15	12	10	6	13	2	1	-	-	-	-
	White—M—	56	-	-	-	-	-	-	-	-	-	2	2	2	3	4	10	10	9	5	2	6	2	1	-	-	-	-
	F—	34	-	-	-	-	-	-	-	1	-	1	1	-	4	3	1	5	3	4	4	7	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125,127	Biliary calculi, etc.*	53	-	-	-	-	-	-	-	-	1	1	1	4	1	4	2	5	7	8	10	4	3	2	-	-	-	-
	White—M—	17	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	3	2	3	1	2	1	-	-	-	-
	F—	35	-	-	-	-	-	-	-	-	1	1	-	2	1	2	2	4	4	6	7	3	1	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—	556	-	-	1	2	1	2	-	-	2	4	10	8	11	23	33	40	58	68	89	86	63	44	12	1	-	-
	White—M—	265	-	-	1	1	-	1	-	-	1	2	5	3	7	9	20	27	33	39	42	41	32	17	4	-	-	-
	F—	262	-	-	-	1	1	1	-	-	1	1	5	4	4	14	11	13	25	24	45	45	51	27	8	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	3	1	-	-	-	-	-	-	-
137	Diseases of the prostate—	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	4	11	9	4	-	1	-	-
	White—M—	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	4	11	9	4	-	1	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

409

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
140-150	Diseases of pregnancy, etc.*	24	-	-	-	-	-	-	-	1	4	5	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	4	5	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140,142a, 145a,147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	-	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	-	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Puerperal toxemia	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	9	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145b,150	Other puerperal causes	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	138	112	8	3	2	1	4	2	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	79	60	6	3	1	1	3	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	58	51	2	-	1	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	291	291	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	74	74	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	102	102	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	57	-	-	-	-	-	-	-	1	-	5	3	3	1	9	9	4	4	10	3	4	1	-	-	-	-	-
	White—M	42	-	-	-	-	-	-	-	-	-	4	2	1	1	9	7	5	4	7	1	1	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	1	-	3	2	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	11	2	-	-	-	-	-	1	-	1	2	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	380	18	6	5	6	2	14	10	14	23	19	11	15	10	12	12	11	29	26	35	38	34	17	11	2	-	
	White—M	231	9	5	4	3	1	11	7	14	21	17	8	12	6	10	8	8	20	14	20	15	9	7	2	-	-	
	F	135	7	-	-	2	1	2	2	-	2	1	3	2	3	2	3	3	9	11	15	22	24	10	9	2	-	
	Nonwhite—M	9	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
170	Motor-vehicle accidents	96	-	-	1	2	2	8	2	6	12	9	4	9	8	2	2	-	7	4	9	5	2	2	-	-	-	
	White—M	79	-	-	1	1	1	7	2	6	11	9	5	7	4	1	1	-	6	4	8	4	2	2	-	-	-	
	F	16	-	-	-	2	1	1	-	-	1	-	1	2	3	1	1	-	1	-	1	1	-	-	-	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents	284	18	6	4	4	-	6	8	9	11	10	7	6	2	10	10	11	22	22	26	53	32	15	11	2	-	
	White—M	152	9	5	3	3	-	4	5	9	10	8	5	5	2	9	7	8	14	10	12	11	7	5	2	-	-	
	F	119	7	-	-	-	-	1	3	-	1	1	2	-	-	1	2	3	8	11	14	21	24	10	9	2	-	
	Nonwhite—M	8	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
162,198, 200	Senility, ill-defined and unknown causes	24	2	-	-	-	-	-	-	-	-	-	1	1	-	-	2	3	1	-	3	1	3	3	4	-	-	
	White—M	9	1	</																								

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	All causes—	16,351	2,255	205	118	67	57	107	169	297	497	542	553	654	777	1,032	1,270	1,340	1,471	1,430	1,239	985	562	408	151	64	29	12
	White—M—	4,941	601	43	19	20	11	40	57	89	141	143	122	155	165	254	372	424	498	567	487	573	184	132	35	6	1	2
	White—F—	5,560	452	36	19	15	10	44	20	47	66	66	77	92	123	141	175	212	286	383	415	380	228	180	70	21	2	
	Nonwhite—M—	4,133	657	79	40	20	21	45	53	85	157	181	177	204	225	309	403	378	358	249	182	133	80	50	15	16	6	
	Nonwhite—F—	3,717	525	47	40	12	15	58	39	76	131	152	177	203	226	328	320	328	329	231	157	99	70	46	33	21	16	4
1,2	Typhoid and paratyphoid fever—	23	-	-	-	-	-	-	2	1	2	1	2	3	1	-	-	2	5	3	1	-	-	-	-	-	-	-
	White—M—	5	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—F—	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	11	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	1	3	1	1	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis—	21	6	-	1	1	-	3	3	4	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	8	2	-	1	1	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	6	2	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough—	30	23	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	14	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	9	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria—	29	4	6	6	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M—	14	2	4	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—F—	8	1	1	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)—	562	6	3	-	1	1	6	9	26	78	68	87	46	46	41	42	32	19	19	12	10	3	5	-	-	-	2
	White—M—	116	1	-	-	-	-	1	-	-	6	11	15	6	7	9	14	12	11	5	7	7	3	3	-	-	-	1
	White—F—	41	-	1	-	-	-	-	1	7	1	6	3	3	3	2	7	1	3	2	1	2	1	1	-	-	-	-
	Nonwhite—M—	210	3	1	-	1	-	2	5	12	30	27	35	26	19	16	11	8	4	5	3	1	1	1	-	-	-	1
	Nonwhite—F—	195	2	1	-	-	1	3	4	13	35	29	31	11	17	16	15	5	3	6	-	2	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.—	529	5	3	-	1	-	6	8	24	73	62	86	44	42	38	39	30	17	19	12	10	3	5	-	-	-	2
	White—M—	113	1	-	-	-	-	1	-	-	5	11	15	6	7	8	13	12	11	5	7	7	3	3	-	-	-	1
	White—F—	38	-	1	-	-	-	-	1	7	1	6	3	3	2	-	2	6	-	3	2	1	2	1	-	-	-	-
	Nonwhite—M—	191	3	1	-	1	-	2	4	10	29	23	34	25	16	14	9	7	4	5	3	1	1	1	-	-	-	1
	Nonwhite—F—	187	1	1	-	-	-	3	4	13	33	27	31	10	17	16	15	5	2	6	-	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)—	33	1	-	-	-	1	-	1	2	5	6	1	2	4	3	3	2	2	-	-	-	-	-	-	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	19	-	-	-	-	-	1	2	2	4	1	1	3	2	2	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	1	-	-	-	1	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery—	16	5	1	-	1	-	1	-	1	1	1	-	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-
	White—M—	6	-	1	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	6	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria—	19	1	1	1	-	-	-	-	1	2	3	2	2	-	1	-	2	1	-	1	1	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	6	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis—	250	32	-	-	-	-	2	3	6	10	11	23	37	39	51	18	13	18	4	2	1	-	-	-	-	-	-
	White—M—	30	1	-	-	-	-	-	-	1	-	-	1	4	3	4	3	4	4	4	3	2	-	-	-	-	-	-
	White—F—	7	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	131	15	-	-	-	-	-	2	3	6	15	20	23	20	23	20	11	4	10	1	-	1	-	-	-	-	-
	Nonwhite—F—	62	15	-	-	-	-	2	3	3	7	5	6	12	12	6	4	5	2	-	-	-	-	-	-	-	-	-
35	Measles—	30	9	7	1	2	-	6	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	10	4	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	7	-	3	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	6	2	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	7	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)—	7	-	2	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F—	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-																								



## 411

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
45-55	SOUTH CAROLINA--Continued																												
	Cancer and other malignant tumors	1,337	1	1	1	2	2	9	2	6	12	22	43	78	97	122	165	171	147	166	125	80	43	28	10	3	1		
	White--M	374		1		1				3	5	2	7	13	11	20	41	52	50	56	54	29	14	9	4	1			
	F	489				1	1	4	1	1	3	8	12	27	31	44	46	55	53	72	54	37	20	14	3	2			
	Nonwhite--M	173	1				1		1			5	5	7	14	18	35	27	17	16	10	8	4	3					
	F	301			1			4		1	4	7	19	31	41	40	43	37	27	22	7	6	5	2	3		1		
46	Cancer of the digestive organs and peritoneum	495		1				2	1	1	2	5	14	19	26	36	58	62	61	76	50	41	19	14	4	3			
	White--M	140		1				1		1			2	4	5	8	8	19	20	29	18	15	3	3	2	1			
	F	171						1				1	5	2	5	7	13	20	16	33	25	20	11	8	2	2			
	Nonwhite--M	97						1	1			3	6	5	9	26	12	11	9	5	4	2	2						
	F	87						1			1	1	4	7	11	12	11	11	14	6	2	2	3	1					
48,49	Cancer of female genital organs	263								1	2	8	11	32	28	40	35	28	27	18	13	10	4	2	2		1		
	White--F	159								1	4	1	15	12	23	15	15	17	10	9	9	4	2	2					
	Nonwhite--F	125								1	1	4	10	17	16	17	20	13	10	8	4	1			2		1		
50	Cancer of breast	108										1	5	7	15	12	13	15	9	11	11	5	2	1	1				
	White--M	1																											
	F	70											3	3	9	7	7	10	9	8	10	3		1	1				
	Nonwhite--M	1															1												
	F	36										1	2	4	6	6	5	1	3	1	2	1							
45,47, 51-55	Cancer (other sites)	471	1		1	2	2	6	1	4	8	8	13	20	28	34	58	66	50	61	51	24	18	11	3				
	White--M	233			1			1		2	4	2	5	9	6	12	33	33	30	27	36	14	10	6	2				
	F	110			1	1	3	1	1	2	3	3	7	5	7	10	10	12	21	10	5	5	3						
	Nonwhite--M	75	1			1				1	2	2	1	9	8	9	15	6	8	5	4	2	1	1					
	F	53			1		3				2	1	3	3	8	7	6	8	2	5	1	1		1	1				
58	Acute rheumatic fever	29			1			7	7	4		3			2		3		1			1							
	White--M	2						1	1																				
	F	6						1	2	3																			
	Nonwhite--M	5						1	1	1					1		1												
	F	16			1			4	3			3			1		2		1			1							
61	Diabetes mellitus	259						3	3	1	4	2	7	7	11	21	22	31	39	46	28	23	9	2	1				
	White--M	73						2	2			2	4	2	2	4	4	9	10	14	8	5	3	1	1				
	F	94						1	1				1	2	1	2	7	10	14	22	18	10	6						
	Nonwhite--M	25						1		1	3		2	1	2	2	3	2	2	3	1	2							
	F	67									1			2	6	13	8	10	12	7	1	6		1					
63b	Exophthalmic goiter	16											1	1	1	2	1	3	1	3	2			1					
	White--M	1																											
	F	11													1	1	1	3		3	1			1					
	Nonwhite--M	4												1		1			1		1								
69	Pellagra (except alcoholic)	41								1		1		1		1	3	4	4	4	7	7	6		2				
	White--M	8									1						2		2	1	2	2							
	F	17												1		1	2	2	3	4	2			1					
	Nonwhite--M	3														1	1		1		1								
	F	13								1						1	1		2	1	3	1	2		1				
77	Alcoholism (ethylish)	39				1		1			4	2	9	2	5	7	2	3	1	1									
	White--M	27						1				2	4	1	5	6	1	3	1	1									
	F	1												1															
	Nonwhite--M	7										1		3	1		1	1											
	F	3				1						1		1															
83	Intracranial lesions of vascular origin	1,808		1		1		14		5	10	15	25	60	77	138	184	220	270	223	232	176	85	52	13	10	4	3	
	White--M	457				1				2	3		4	6	7	21	33	45	61	77	92	63	30	19	3				
	F	422						1		1		1	4	9	9	19	33	36	59	56	63	33	25	6	4				
	Nonwhite--M	441								6	1	6	25	24	35	67	73	73	37	42	28	12	4		2	2	1		
	F	489						3		2	1	13	9	23	37	63	51	66	77	53	42	22	10	4	4	4	2	2	
90-95	Diseases of the heart	3,539	2	2	3	1		8	14	12	15	33	57	99	157	252	380	427	481	477	395	317	202	133	47	16	5	3	
	White--M	1,378						1	2	3	2	11	11	26	41	87	154	176	217	231	167	121	67	47	13	1			
	F	846	1	1				1	4	5	3	9	8	20	23	41	46	87	127	147	147	90	60	20	6	1			
	Nonwhite--M	853			3	1		3	5	2	3	6	17	31	42	72	100	110	88	65	40	29	24	10	6	4	1	1	
	F	852	2	1				4	6	3	5	13	21	34	54	70	85	95	99	54	41	20	21	16	8	5	3	2	
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	229			1			3	12	7	4	10	7	15	13	15	14	16	21	25	16	15	16	12	3	2	1	1	
	White--M	62						1	1	2		4	3	2	3	5	3	4	3	15	4	3	5						
	F	54						1	2	2	2		2	3		3	1	5	3	7	9	7	6	1					
	Nonwhite--M	59			1			1	4	1			3	6	4	6	6	6	3	3	1	4		1	1		1		
	F	55						1	6	2	2	4	1	5	3	4	2	5	7	4	2	1	2	1	1	1	1		
94	Diseases of coronary arteries and angina pectoris	1,134	1								3	9	20	38	47	102	154	149	172	165	113	93	39	23	5	1			
	White--M	623										3	7	17	19	54	97	80	110	105	50	50	11	9	1				
	F	254									1		3	6	8	18	14	31	48	47	39	21	10	3	1				
	Nonwhite--M	142									1	1	7	12	13	20	23	27	15	8	5	3	4	2					
	F	115	1								1	5	3	6	9	19	16	18	16	4	11	1	3	2					
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of the heart (other forms)	2,176	2	2	2	1		5	2	5	8	14	30	46	97	135	212	262	288	287	266	209	147	98	39	13	4	2	
	White--M	693						1	1	1	2	4	1	7	19	28	54	82	104	111	113	67	53	33	12	1			
	F	539	1	1						2	1	1	5	3	11	14	20	31	51	76	93	99	62	44	16	5	1		
	Nonwhite--M	463			2	1		2	1	1	2	5	7	13	25	46	71	77	67	54	32	25	16	8	4	3	1		
	F	482	1	1					3	1	1	2	4	17	23	42	67	72	66	46	28	18	16	13	7	4	4	2	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	SOUTH CAROLINA—Continued																											
	Arteriosclerosis and high blood pressure—M	302	-	-	-	-	-	-	-	-	-	3	-	1	4	7	8	20	22	42	54	56	48	28	18	10	1	-
	White—M	87	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	5	11	18	16	19	6	5	1	1	-	-
	F	76	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	7	10	11	15	9	8	6	-	-	-
	Nonwhite—M	72	-	-	-	-	-	-	-	-	1	-	-	1	3	3	5	10	11	13	6	11	3	4	1	-	-	-
	F	67	-	-	-	-	-	-	-	-	2	-	1	1	1	3	8	4	13	13	5	3	10	1	2	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	1,042	328	65	33	8	8	19	13	8	21	20	21	31	25	41	45	48	63	58	47	42	30	47	11	5	5	-
	White—M	246	69	19	2	1	2	2	1	1	-	2	3	5	5	8	11	13	17	17	24	14	11	16	3	-	-	-
	F	190	45	4	5	3	1	3	2	-	1	3	4	2	2	6	3	4	10	17	15	18	12	21	7	2	-	-
	Nonwhite—M	341	122	26	12	2	4	7	8	3	12	9	6	15	11	15	16	19	21	13	2	5	4	5	1	1	2	-
	F	265	92	16	14	2	1	7	2	4	8	6	8	9	7	12	15	12	15	11	6	5	3	5	-	2	3	-
107	Bronchopneumonia—M	388	162	28	11	5	4	3	2	3	-	5	5	5	6	13	6	12	27	21	16	14	12	19	5	2	2	-
	White—M	101	30	10	1	1	-	-	1	1	-	1	-	5	2	5	3	4	12	7	7	3	4	5	1	-	-	-
	F	82	22	1	4	1	1	-	-	-	-	2	-	-	3	1	1	4	4	8	8	6	8	4	2	-	-	-
	Nonwhite—M	119	68	8	1	2	3	2	1	1	-	1	1	1	2	3	1	4	8	5	1	1	3	-	-	1	-	-
	F	67	42	9	5	1	-	1	-	1	-	1	2	1	2	2	1	3	5	1	2	1	3	-	-	-	-	-
108	Lobar pneumonia—M	367	68	21	15	2	3	8	8	2	12	9	10	16	15	20	27	21	17	28	14	17	13	12	4	1	3	-
	White—M	82	22	6	1	-	1	2	-	-	-	1	2	-	2	7	4	2	8	8	5	5	4	2	-	-	-	-
	F	63	9	2	-	1	-	1	1	-	-	-	1	-	1	2	2	3	4	10	4	8	4	6	2	-	-	-
	Nonwhite—M	135	18	2	8	-	1	2	5	1	6	5	3	12	8	9	12	10	7	6	2	3	3	2	-	-	1	-
	F	88	20	4	6	1	1	3	2	1	3	3	5	3	4	7	6	4	4	4	2	1	1	-	-	1	2	-
109	Pneumonia (unspecified)—M	70	35	3	-	-	-	8	1	-	-	3	2	2	-	1	1	2	5	-	4	3	-	2	-	1	-	-
	White—M	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	4	2	-	1	-	-	-	-
	F	11	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	27	15	1	-	-	-	3	1	-	-	3	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	17	10	1	-	-	-	2	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-
33	Influenza—M	217	62	13	7	1	1	3	2	3	9	3	4	8	4	7	11	13	14	9	13	8	5	14	2	1	-	-
	White—M	48	13	3	-	-	1	-	-	-	-	-	1	2	1	1	-	4	1	2	7	4	2	6	-	-	-	-
	F	35	8	-	1	1	-	2	1	-	-	1	1	1	-	-	-	-	3	3	1	2	6	1	-	-	-	-
	Nonwhite—M	61	21	8	3	-	-	1	1	4	-	1	-	1	3	3	4	6	2	-	1	-	-	-	1	1	-	-
	F	73	20	2	3	-	-	1	-	2	5	2	1	5	1	3	8	5	5	2	3	2	1	2	-	-	-	-
117	Ulcer of stomach or duodenum—M	77	-	-	-	-	-	-	-	-	1	5	9	3	7	9	3	11	2	7	10	7	-	2	-	-	-	1
	White—M	56	-	-	-	-	-	-	-	-	3	2	2	5	4	1	6	2	2	5	3	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	2	3	1	-	1	-	-	-	-	-
	Nonwhite—M	28	-	-	-	-	-	-	-	-	2	6	-	1	4	2	3	-	5	2	2	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.—M	118	77	16	6	1	-	1	-	-	-	-	1	-	1	-	4	1	2	2	1	1	4	-	-	-	-	-
	White—M	25	18	1	1	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
	Nonwhite—M	41	27	6	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-
	F	35	23	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-
121	Appendicitis—M	54	-	1	2	-	-	3	2	4	3	4	5	6	2	5	2	4	1	5	3	1	1	-	-	-	-	-
	White—M	14	-	1	1	-	-	-	-	-	-	1	1	2	1	2	-	3	-	1	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	2	1	1	2	2	1	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	1	1	2	1	1	2	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	1	-	-	-	-	1	-	-	1	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	93	6	-	-	-	-	1	1	1	1	5	3	8	7	11	7	10	3	12	6	4	1	1	4	-	-	-
	White—M	25	4	-	-	-	-	1	-	1	1	1	-	-	1	2	1	1	1	4	3	2	1	1	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	2	-	3	3	6	1	1	1	3	2	-	-	-	1	-	-	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	1	-	1	-	3	2	6	1	4	2	-	-	-	2	-	-	-	-
	F	23	2	-	-	-	-	1	-	1	3	4	3	-	3	2	-	1	1	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—M	77	-	-	-	-	-	-	-	1	-	-	3	7	7	9	16	6	12	4	3	3	2	2	2	-	-	-
	White—M	46	-	-	-	-	-	-	-	-	-	-	3	5	4	7	10	3	7	2	3	2	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	1	-	1	1	2	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.—M	38	-	-	-	-	-	1	1	-	-	1	1	2	2	-	-	11	5	7	6	2	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2	2	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	4	4	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	2	-	1	-	-	-	1	-	-	-	-
130-132	Nephritis—M	1,478	2	-	3	2	1	3	2	10	12	25	34	35	70	118	149	156	203	168	166	154	70	60	26	13	5	-
	White—M	337	1	-	-	2	-	1	-	2	1	4	2	5	12	11	24	25	42	55	48	56	25	16	4	-	1	-
	F	277	-	-	1	-	-	1	-	4	3	2	3	2	7	14	14	17	25	30	52	46	23	21	10	2	-	-
	Nonwhite—M	453	1	-	1	-	-	1	2	2	4	7	13	12	19	49	60	53	79	47	35	32	15	13	5	6	2	-
	F	406	-	-	1	-	1	-	-	2	4	12	16	16	32	44	42	61	57	36	31	20	7	10	7	5	2	-
137	Diseases of the prostate—M	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	9	22	16	4	3	1	1	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	14	13	4	2	1	1	-	-
	Nonwhite—M	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	8	3	-	1	-	-		



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

413

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
SOUTH CAROLINA--Continued																												
140-150	Diseases of pregnancy, etc.-F	148	-	-	-	-	-	-	2	21	31	31	25	24	10	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-F	53	-	-	-	-	-	-	-	6	13	13	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	95	-	-	-	-	-	-	2	15	18	18	16	17	5	3	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia-F	39	-	-	-	-	-	-	-	8	6	12	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	15	-	-	-	-	-	-	-	1	4	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	26	-	-	-	-	-	-	-	7	2	7	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia-F	47	-	-	-	-	-	-	2	12	10	6	7	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	11	-	-	-	-	-	-	-	5	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	36	-	-	-	-	-	-	2	7	7	5	7	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock-F	45	-	-	-	-	-	-	-	-	10	11	9	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-F	24	-	-	-	-	-	-	-	-	5	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	21	-	-	-	-	-	-	-	-	5	5	3	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes-F	17	-	-	-	-	-	-	-	1	5	2	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	12	-	-	-	-	-	-	-	-	1	4	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations-F	194	158	13	5	1	1	1	2	6	3	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-F	76	64	1	1	-	-	1	2	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	70	61	5	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	50	21	9	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year-F	1,067	1,067	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-F	361	361	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-F	275	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-F	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth-F	743	743	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-F	257	257	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-F	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-F	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year-F	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White-F	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-F	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite-F	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide-F	124	-	-	-	-	-	-	-	4	19	13	14	13	11	11	12	8	8	6	5	1	1	-	-	-	-	-
	White-F	91	-	-	-	-	-	-	-	1	12	10	11	11	7	8	9	5	5	5	5	1	1	-	-	-	-	-
	Nonwhite-F	17	-	-	-	-	-	-	-	2	3	2	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite-F	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide-F	246	2	-	-	-	-	2	3	18	50	58	56	20	18	13	9	9	4	2	-	1	-	-	-	-	-	1
	White-F	61	-	-	-	-	-	2	3	7	14	7	7	7	3	3	5	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	12	2	-	-	-	-	-	1	2	-	2	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-F	141	-	-	-	-	-	1	1	11	32	37	20	10	9	9	4	3	1	2	-	-	-	-	-	-	-	1
169-195	Accidental deaths-F	1,422	60	32	33	27	30	74	78	113	168	144	95	93	78	76	67	47	39	44	42	26	32	16	9	1	-	-
	White-F	806	23	5	4	8	7	20	41	54	92	66	41	40	28	32	27	23	23	28	19	8	9	5	2	-	-	-
	Nonwhite-F	213	11	5	3	9	16	7	13	18	18	9	6	12	8	7	4	5	6	11	15	16	9	7	1	-	-	-
	Nonwhite-F	435	14	11	14	9	13	18	21	35	46	52	38	39	26	28	24	16	9	6	8	2	5	1	-	-	-	-
170	Motor-vehicle accidents-F	169	12	11	12	5	5	20	9	11	14	10	5	8	12	8	9	4	2	4	1	2	1	-	-	-	-	-
	White-F	627	5	6	5	10	10	35	37	62	95	83	45	43	28	35	31	31	21	18	15	6	4	2	-	-	-	-
	Nonwhite-F	299	2	1	3	3	14	20	34	50	39	22	17	11	11	13	13	12	10	4	2	1	-	-	-	-	-	-
	Nonwhite-F	85	-	2	-	3	1	8	7	5	12	11	6	5	5	4	3	4	2	1	-	-	1	-	-	-	-	-
169, 171-195	Other accidents-F	795	55	26	28	17	20	39	41	51	73	61	48	50	50	41	56	16	18	26	27	20	28	14	9	1	-	-
	White-F	306	21	4	4	5	4	6	21	20	42	27	19	23	17	21	14	6	10	18	9	4	7	4	2	-	-	-
	Nonwhite-F	128	11	3	3	2	4	8	-	8	4	5	3	1	7	3	3	1	1	4	10	15	16	8	7	1	-	-
	Nonwhite-F	245	12	9	13	5	7	11	13	18	21	22	24	21	18	14	11	8	6	3	5	-	4	1	-	-	-	-
162,189, 200	Senility, ill-defined and unknown causes-F	851	332	15	6	-	4	7	4	8	18	15	16	22	30	41	53	41	46	36	41	34	23	22	17	12	8	-
	White-F	103	21	-	3	-	-	-	-	-	3	1	-	4	4	5	9	7	5	5	11	12	4	4	3	2	-	-
	Nonwhite-F	69	14	2	1	-	-	-	-	-	2	2	1	-	2	1	1	3	4	5	4	5	2	10	6	3	1	-
	Nonwhite-F	364	167	10	1	-	3	5	2	4	4	6	5	4	10	15	26	20	21	13	17	8	11	5	2	3	2	-
All other causes	White-F	315	130	3	1	-	1	2	2	4	9	6	10	14	14	20	17	11	16	13	9	9	6	3	6	4	5	-
	Nonwhite-F	897	133	35	11	13	7	27	16	36	33	56	47	56	64	69	45	56	46	59	43	31	17	12	2	2	1	1
	White-F	258	27	6	2	4	2																					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	All causes-----	5,508	432	41	28	22	18	56	41	72	93	77	87	101	130	184	275	335	475	585	637	685	564	402	129	30	4	5
	White-----M-----	3,128	205	15	9	13	5	32	27	41	44	46	50	66	73	107	169	209	304	361	368	378	296	209	65	12	1	3
	White-----F-----	2,045	157	18	11	5	8	17	7	17	23	20	28	27	48	63	89	114	151	209	227	267	253	168	59	17	2	-
	Nonwhite-M-----	177	38	4	6	3	3	2	2	5	8	5	6	6	5	5	8	8	13	6	17	14	9	2	1	-	1	-
	Nonwhite-F-----	158	32	4	2	1	2	5	5	9	18	6	3	2	4	9	9	4	7	9	5	6	7	3	4	1	-	1
1,2	Typhoid and paratyphoid fever																											
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M-----	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M-----	4	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	172	9	3	2	1	1	5	5	14	23	9	8	6	12	8	12	11	16	9	8	4	4	2	-	-	-	-
	White-----M-----	63	1	-	-	-	-	-	1	2	1	4	3	3	5	2	2	8	9	5	4	2	3	1	-	-	-	-
	White-----F-----	19	-	-	-	-	-	-	-	1	2	1	1	1	3	3	1	1	3	2	1	-	-	-	-	-	-	-
	Nonwhite-M-----	42	5	1	2	-	1	2	-	3	5	1	4	-	3	1	2	3	5	1	1	1	1	-	1	-	-	-
	Nonwhite-F-----	48	3	2	-	1	-	3	4	6	15	3	-	2	1	2	-	-	1	-	1	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	156	7	3	1	-	1	4	5	13	21	8	8	6	12	6	12	9	15	8	8	4	4	1	-	-	-	-
	White-----M-----	60	1	-	-	-	-	-	1	2	1	3	3	3	5	2	9	7	9	4	4	2	3	1	-	-	-	-
	White-----F-----	17	-	-	-	-	-	-	-	1	1	1	1	1	3	2	1	-	1	3	2	1	-	-	-	-	-	-
	Nonwhite-M-----	37	3	1	1	-	1	2	-	3	5	1	4	-	3	1	2	2	5	1	1	1	1	-	-	-	-	-
	Nonwhite-F-----	42	3	2	-	-	-	2	4	7	14	3	-	2	1	1	-	-	-	-	1	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	16	2	-	1	1	-	1	-	1	2	1	-	-	-	2	-	2	1	1	-	-	-	1	-	-	-	-
	White-----M-----	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite-F-----	6	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	27	2	-	-	-	-	-	-	-	-	1	-	-	1	3	1	5	5	3	2	2	2	-	-	-	-	-
	White-----M-----	19	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	5	2	1	1	1	2	-	-	-	-
	White-----F-----	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	6	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

415

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	SOUTH DAKOTA— Continued																											
45-55	Cancer and other malignant tumors	718	-	2	1	-	-	2	2	1	2	4	5	11	26	37	62	70	95	91	98	107	67	29	5	1	-	-
	White—M—	375	-	-	1	-	-	2	2	1	1	4	3	4	9	15	26	31	52	54	52	59	41	15	2	1	-	-
	White—F—	330	-	1	-	-	-	-	-	-	-	-	2	7	17	22	33	39	41	36	44	45	26	14	2	-	-	-
	Nonwhite—M—	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	2	-	-	1	-	-	-
46	Cancer of the digestive organs and peritoneum—	340	-	-	-	-	-	1	-	-	-	-	1	1	9	15	23	28	51	50	51	62	36	10	2	-	-	-
	White—M—	195	-	-	-	-	-	1	-	-	-	-	1	1	6	10	12	16	30	33	31	31	19	4	1	-	-	-
	White—F—	138	-	-	-	-	-	-	-	-	-	-	1	-	3	5	9	12	20	16	19	30	17	6	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
48,49	Cancer of female genital organs—	55	-	-	-	-	-	-	-	-	-	-	3	3	3	5	10	6	7	6	6	7	1	1	-	-	-	-
	White—F—	53	-	-	-	-	-	-	-	-	-	-	3	3	3	5	9	6	7	6	6	6	1	1	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
50	Cancer of breast—	70	-	-	-	-	-	-	-	-	-	-	1	4	9	10	13	6	8	8	5	4	7	2	1	-	-	-
	White—M—	69	-	-	-	-	-	-	-	-	-	-	1	4	9	10	13	6	8	8	5	3	7	2	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	253	-	2	1	-	-	1	2	1	2	4	4	6	10	8	19	23	31	27	36	34	23	16	2	1	-	-
	White—M—	180	-	-	1	-	-	1	2	1	1	4	3	3	3	5	14	15	22	21	21	28	22	11	1	1	-	-
	White—F—	70	-	1	-	-	-	-	-	-	1	-	1	3	7	3	5	6	8	6	14	6	1	5	1	-	-	-
	Nonwhite—M—	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever—	7	-	-	-	-	-	1	2	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M—	4	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—F—	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	120	-	-	-	-	-	2	-	-	1	1	2	5	1	4	5	5	9	21	24	21	14	5	2	-	-	-
	White—M—	52	-	-	-	-	-	-	-	-	1	-	1	2	1	3	1	1	4	9	13	10	11	9	3	-	-	-
	White—F—	64	-	-	-	-	-	2	-	-	-	1	2	3	-	1	3	3	5	11	10	11	9	3	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylish)—	14	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	1	2	-	2	-	-	-	-	-	-	-
	White—M—	13	-	-	-	-	-	-	-	-	-	1	-	1	1	4	1	1	2	-	2	-	-	-	-	-	-	-
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vas- cular origin—	543	-	-	-	-	-	1	-	-	-	1	-	2	6	9	15	30	46	84	84	105	89	59	10	1	-	1
	White—M—	285	-	-	-	-	-	-	-	-	-	1	-	1	4	2	7	16	23	44	50	54	42	37	3	-	-	1
	White—F—	252	-	-	-	-	-	1	-	-	-	-	-	1	2	7	7	14	22	40	33	49	46	22	7	1	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart—	1,469	1	1	-	-	-	3	1	2	5	8	10	13	18	41	75	94	175	213	228	229	180	126	38	9	1	-
	White—M—	931	-	1	-	-	-	2	1	1	3	2	5	7	14	26	61	77	124	137	147	130	98	73	17	5	-	-
	White—F—	511	1	-	-	-	-	1	-	1	-	4	3	4	4	11	14	16	49	72	77	98	61	53	20	3	1	-
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	1	-	1	2	-	2	-	-	2	-	4	3	-	-	-	-	-	-
	Nonwhite—F—	11	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	1	-	-
90a, 92b,c, 95c,95b	Chronic rheumatic diseases of the heart—	67	-	-	-	-	-	2	1	1	3	2	4	1	2	6	1	4	4	8	15	7	3	3	-	-	-	-
	White—M—	59	-	-	-	-	-	1	1	1	1	1	2	-	-	4	1	3	1	6	9	5	2	1	-	-	-	-
	White—F—	23	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	1	3	2	6	2	1	2	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arter- ies and angina pectoris—	558	1	1	-	-	-	-	-	-	1	4	4	4	10	17	47	52	82	96	85	65	51	38	12	1	-	-
	White—M—	389	-	1	-	-	-	-	-	-	1	2	4	4	9	14	39	44	63	65	57	27	22	5	1	-	-	-
	White—F—	161	1	-	-	-	-	-	-	-	-	-	2	-	1	2	8	8	19	28	24	22	24	16	6	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 95a,b,d,e, 95a,c	Diseases of the heart (other forms)—	844	-	-	-	-	-	1	-	1	2	3	2	8	6	18	27	38	89	109	132	162	126	85	26	8	1	-
	White—M—	503	-	-	-	-	-	1	-	-	2	-	1	3	5	8	21	30	60	66	83	69	50					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List - No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	SOUTH DAKOTA—Continued																											
	Arteriosclerosis and high blood pressure*	150	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	7	5	14	13	26	37	29	12	1	2	-
	White—M	86	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	3	10	6	17	23	15	5	1	-	-
	White—F	61	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	4	7	9	14	14	6	-	1	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	254	49	7	5	3	3	2	-	6	2	2	3	7	4	6	10	11	12	13	19	17	27	34	11	1	-	-
	White—M	135	15	4	1	2	-	2	-	2	2	1	2	6	3	5	7	4	9	11	14	8	14	15	8	-	-	-
	White—F	93	22	2	2	-	-	-	-	4	-	-	1	1	1	-	2	6	3	2	4	9	11	19	3	1	-	-
	Nonwhite—M	15	7	1	2	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—F	11	5	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-
107	Bronchopneumonia	94	31	1	1	1	1	1	-	4	-	1	-	3	-	3	2	1	4	3	6	4	9	12	5	1	-	-
	White—M	43	6	1	-	1	-	1	-	1	-	-	-	2	-	2	1	1	4	3	4	1	5	4	4	-	-	-
	White—F	40	17	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	1	3	4	8	1	1	-
	Nonwhite—M	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—F	6	3	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
109	Lobar pneumonia	87	10	3	4	1	1	-	-	2	-	1	-	2	2	2	8	5	2	5	11	8	6	10	3	-	-	-
	White—M	49	3	1	1	1	-	-	-	1	-	1	-	2	2	2	6	2	1	3	9	4	1	5	4	-	-	-
	White—F	31	3	1	2	-	-	-	-	1	-	-	-	2	2	2	1	3	1	2	2	4	5	5	1	-	-	-
	Nonwhite—M	7	3	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	52	7	-	-	-	-	-	-	-	2	-	2	-	1	-	-	3	2	3	-	2	6	4	-	-	-	-
	White—M	20	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	2	3	-	1	4	1	-	-	-	-
	White—F	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
33	Influenza	41	1	3	-	1	1	1	-	-	-	-	1	2	1	1	-	2	4	2	2	3	6	6	2	-	-	-
	White—M	24	-	2	-	-	1	-	-	-	-	-	1	2	-	1	-	-	2	2	1	2	4	5	1	-	-	-
	White—F	15	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	1	1	2	3	1	-	-	-
	Nonwhite—M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	27	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	2	4	2	4	4	-	-	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	2	4	2	3	3	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	30	12	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	2	1	-	-	-
	White—M	8	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F	17	5	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	1	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
121	Appendicitis	27	-	-	-	1	1	4	1	-	-	3	1	1	4	2	2	1	2	1	2	1	-	-	-	-	-	-
	White—M	14	-	-	-	1	1	2	-	-	-	2	-	1	1	2	1	1	1	1	1	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	2	1	-	-	1	1	-	2	-	1	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	-	-	-	-	-	-	1	-	1	-	-	1	1	4	3	7	5	4	9	6	3	2	-	-	-	-
	White—M	22	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	2	4	7	3	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	2	3	-	2	3	3	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	30	-	-	-	-	1	-	-	-	-	1	-	-	2	-	4	3	7	3	2	4	2	1	-	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	5	1	1	2	1	-	-	-	-	-
	White—F	12	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	1	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	33	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	5	3	5	4	1	2	1	-	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	1	1	2	1	1	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	2	3	1	1	1	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	260	-	-	-	-	-	2	-	1	3	3	1	6	4	5	11	17	22	33	40	51	30	24	5	2	-	-
	White—M	157	-	-	-	-	-	1	-	1	2	1	-	4	1	4	6	11	15	22	26	27	19	12	5	-	-	-
	White—F	96	-	-	-	-	1	-	-	-	2	1	2	3	1	4	6	5	11	14	21	11	12	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	17	7	6	4	3	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	16	6	4	4	3	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

417

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
SOUTH DAKOTA—Continued																												
140-150	Diseases of pregnancy, etc.—	15	-	-	-	-	-	-	-	1	2	2	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	1	2	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia—	7	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—	7	-	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, f, 145b, 150	Other puerperal causes—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	65	52	4	1	1	1	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	32	27	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	23	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	250	250	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth—	147	147	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	80	80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159, 160, 161	Other diseases peculiar to first year—	103	103	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide—	69	-	-	-	-	-	-	-	1	3	4	6	5	5	7	8	9	6	7	5	1	1	1	-	-	-	-
	White—M	54	-	-	-	-	-	-	-	1	1	3	4	4	5	6	6	7	5	6	4	1	1	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	2	1	2	1	-	1	2	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—	6	1	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—	459	6	16	9	6	1	15	17	28	31	22	28	30	17	13	22	20	14	35	29	35	34	19	9	6	1	-
	White—M	320	3	8	3	4	-	12	16	25	20	20	24	28	13	11	13	14	12	23	17	24	17	7	4	1	1	-
	F	121	2	8	5	2	1	3	1	2	10	-	3	1	3	2	7	4	1	9	11	9	16	12	4	5	-	-
	Nonwhite—M	14	-	-	1	-	-	-	-	1	1	2	1	1	1	-	2	1	1	-	1	-	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
170	Motor-vehicle accidents—	161	-	6	2	1	-	6	6	17	20	13	14	13	4	7	6	6	6	13	8	10	3	2	-	-	-	-
	White—M	127	-	3	1	1	-	5	5	15	11	12	12	12	4	6	4	5	5	10	3	10	2	1	-	-	-	-
	F	30	-	3	1	-	-	1	1	2	9	-	2	1	-	1	1	1	1	2	3	-	-	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—	298	6	10	7	5	1	9	11	11	11	9	14	17	13	6	16	14	9	20	23	23	31	17	9	6	1	-
	White—M	193	3	5	2	3	-	7	11	10	9	8	12	16	9	5	9	9	7	13	14	14	15	6	4	1	1	-
	F	91	2	5	4	2	1	2	-	-	1	-	1	-	3	1	6	3	-	7	8	9	16	11	4	5	-	-
	Nonwhite—M	11	-	-	1	-	-	-	-	1	1	1	1	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
162, 169, 200	Senility, ill-defined and unknown causes—	227	25	2	1	1	-	1	3	1	2	1	2	1	3	7	8	5	11	12	12	23	30	43	22	7	-	4
	White—M	95	4	-	-	-	-	-	1	-	-	-	-	-	-	2	4	4	3	6	5	2	9	13	20	15	4	2
	F	59	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	9	12	20	6	3	-
	Nonwhite—M	33	7	1	-	1	-	-	1	1	-	1	-	-	1	-	1	1	-	2	2	4	4	3	1	1	-	1
	F	40	18	1	1	-	-	2	1	-	1	-	1	-	1	2	3	1	3	2	3	1	2	2	-	-	-	1
	All other causes—	388	17	3	6	5	6	9	5	10	5	10	11	4	16	25	25	30	31	32	31	39	35	20	13	2	-	-
	White—M	195	9	2	3	4	1	6	2	3	5	3	7	2	9	14	12	14	18	20	20	20	12	7	2	-	-	-
	F	178	7	1	2	1	4	3	2	6	-	6	4	2	6	9	12	16	12	10	10	19	20	13	11	2	-	-
	Nonwhite—M	5	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	<b>TENNESSEE</b>																											
	All causes-----	27,650	2,974	234	116	91	64	239	213	425	621	705	752	953	1,065	1,326	1,720	2,006	2,252	2,811	3,080	2,785	1,811	1,075	377	113	46	16
	White-----M-----	11,996	1,369	90	51	31	31	98	99	192	245	275	286	349	425	502	715	886	996	1,158	1,385	1,509	842	444	147	34	6	8
	White-----F-----	9,171	941	90	37	37	22	66	66	99	191	188	205	271	271	351	421	531	684	877	1,161	1,087	774	541	173	53	11	3
	Nonwhite--M-----	3,356	344	31	15	11	5	36	19	55	99	121	125	165	191	243	329	297	295	309	282	194	97	43	25	12	10	3
	Nonwhite--F-----	3,137	301	23	13	12	6	19	29	79	88	121	136	168	200	230	255	292	277	267	234	175	98	47	32	14	19	2
1,2	Typhoid and paratyphoid fever--M-----	20	-	-	-	-	-	1	2	3	1	1	4	3	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	White-----M-----	12	-	-	-	-	-	1	2	2	-	-	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	White-----F-----	7	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--M-----	53	14	8	4	4	2	2	3	3	2	1	1	2	1	1	-	2	-	1	2	-	-	-	-	-	-	-
	White-----M-----	29	8	7	2	1	2	1	-	2	-	-	1	1	2	-	-	-	-	-	2	-	-	-	-	-	-	-
	White-----F-----	17	4	1	2	2	-	1	3	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M-----	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--M-----	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--M-----	51	36	9	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	17	15	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	28	17	6	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-----	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--M-----	25	3	4	4	3	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	11	2	2	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	13	1	2	1	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--M-----	1,631	12	9	10	3	1	9	19	73	125	150	131	146	132	115	122	111	106	124	104	70	35	21	2	1	-	1
	White-----M-----	615	9	2	3	1	1	3	5	7	15	44	49	61	60	51	51	52	43	51	43	31	18	11	1	-	-	1
	White-----F-----	572	2	3	4	-	-	2	4	16	57	49	38	42	35	31	44	34	43	61	50	31	15	8	1	1	-	1
	Nonwhite--M-----	218	1	3	2	1	-	1	5	17	19	15	23	21	23	22	17	14	12	7	5	7	1	2	-	-	-	-
	Nonwhite--F-----	226	-	1	1	1	-	3	5	33	31	42	21	22	14	11	10	11	7	5	6	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.--M-----	1,500	4	1	3	1	-	3	13	65	116	138	127	137	127	112	113	104	97	116	100	65	34	21	2	1	-	-
	White-----M-----	571	3	-	1	-	-	1	3	6	16	43	49	59	58	49	46	50	40	48	40	30	17	11	1	-	-	-
	White-----F-----	537	1	-	-	-	-	2	8	14	53	48	37	40	34	31	43	32	40	56	49	29	15	8	1	1	-	-
	Nonwhite--M-----	186	-	1	1	1	-	3	14	16	12	21	18	21	22	22	14	12	10	7	5	5	1	2	-	-	-	-
	Nonwhite--F-----	206	-	-	1	-	-	4	31	31	35	20	20	14	10	10	10	7	5	6	1	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)--M-----	131	8	8	7	2	1	6	6	8	9	12	4	9	5	3	9	7	8	8	4	5	1	-	-	-	-	1
	White-----M-----	44	6	2	2	1	1	2	2	1	2	4	1	1	2	1	2	3	5	1	2	1	-	-	-	-	-	1
	White-----F-----	35	1	3	4	-	-	3	1	2	3	3	3	2	3	2	-	3	2	2	-	-	-	-	-	-	-	-
	Nonwhite--M-----	32	1	2	1	-	-	1	2	3	3	3	2	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	20	-	-	1	-	-	3	1	2	1	7	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery--M-----	28	13	2	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	1	2	1	1	-	-	-
	White-----M-----	13	7	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-
	White-----F-----	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
28	Malaria--M-----	17	-	-	-	-	-	-	-	-	3	1	1	1	3	1	-	1	3	-	3	-	-	-	-	-	-	-
	White-----M-----	9	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	1	-	1	1	-	-	-	-	-	-	-
	White-----F-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-----	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
30	Syphilis--M-----	266	18	2	-	-	-	-	-	8	2	9	19	23	30	24	34	33	22	18	11	9	3	1	-	-	-	-
	White-----M-----	85	2	-	-	-	-	-	-	1	1	1	2	7	10	8	11	11	11	7	6	4	2	1	-	-	-	-
	White-----F-----	28	1	1	-	-	-	-	-	2	-	2	3	2	2	3	4	3	3	-	2	1	2	-	-	-	-	-
	Nonwhite--M-----	94	11	1	-	-	-	-	-	1	1	3	7	8	8	9	15	14	4	9	1	2	3	1	-	-	-	-
	Nonwhite--F-----	59	4	-	-	-	-	-	-	4	-	3	7	6	10	4	4	5	4	2	2	3	1	-	-	-	-	-
35	Measles--M-----	42	13	8	2	-	2	4	-	-	-	-	-	2	2	2	-	2	1	1	1	1	-	1	-	-	-	-
	White-----M-----	10	4	-	1	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	20	4	5	1	-	1	-	-	-	-	-	-	2	1	2	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M-----	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-----	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)--M-----	18	-	1	1	-	3	4	4	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M-----	8	-	1	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	8	-	-	1	-	1	1	3	-	1	1</																



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

419

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
TENNESSEE—Con.																												
45-55	Cancer and other malignant tumors	2,852	3	3	3	4	4	5	7	16	16	40	65	115	144	211	254	319	352	358	364	307	151	83	23	5	-	-
	White—M	1,071	3	1	2	2	3	3	1	7	9	15	17	26	27	56	74	99	137	156	162	145	78	37	12	1	-	-
	F	1,301	-	1	1	2	1	2	4	6	6	16	34	65	79	101	115	146	154	157	160	131	68	41	9	2	-	-
	Nonwhite—M	201	-	1	-	-	-	-	1	-	1	3	4	6	6	18	28	32	28	24	21	21	3	2	2	-	-	-
	F	279	-	-	-	-	-	-	1	3	-	6	10	18	32	36	37	42	33	21	21	12	2	3	-	2	-	-
46	Cancer of the digestive organs and peritoneum	1,178	1	2	-	1	2	-	2	2	5	13	15	25	32	68	102	129	159	168	189	148	68	39	8	2	-	-
	White—M	483	1	1	-	1	1	-	1	-	2	3	8	6	13	27	40	50	63	70	76	66	35	15	4	-	-	-
	F	507	-	-	-	-	1	-	1	1	3	7	5	13	9	24	30	56	64	73	96	66	33	22	2	1	-	-
	Nonwhite—M	113	-	1	-	-	-	-	-	-	-	1	2	4	4	7	18	19	17	16	12	10	-	-	2	-	-	-
	F	75	-	-	-	-	-	-	-	1	-	2	-	2	6	8	14	4	15	9	5	6	-	2	-	1	-	-
48,49	Cancer of female genital organs	442	-	-	-	-	-	-	1	1	-	6	24	44	52	52	59	54	41	37	32	26	7	6	-	-	-	-
	White—F	335	-	-	-	-	-	-	1	-	-	3	19	32	38	33	47	38	31	32	24	24	7	6	-	-	-	-
	Nonwhite—F	107	-	-	-	-	-	-	-	1	-	3	5	12	14	19	12	16	10	5	8	2	-	-	-	-	-	-
50	Cancer of breast	241	-	-	-	-	-	-	-	-	-	2	5	14	25	29	22	42	30	21	20	12	12	4	2	2	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-
	F	185	-	-	-	-	-	-	-	-	-	1	5	12	17	24	17	28	26	18	11	11	9	3	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	51	-	-	-	-	-	-	-	-	-	1	-	2	8	3	5	14	4	3	7	1	1	1	-	1	-	-
45,47, 51-55	Cancer (other sites)	981	2	1	3	3	2	5	4	13	11	19	21	32	35	65	71	94	122	132	123	121	64	34	13	1	-	-
	White—M	583	2	-	2	1	2	3	-	7	7	12	9	20	14	28	34	49	74	86	84	77	41	22	8	1	-	-
	F	274	-	1	1	2	-	2	5	3	5	5	8	15	20	21	24	33	34	29	30	19	10	5	-	-	-	-
	Nonwhite—M	68	-	-	-	-	-	1	-	1	2	2	2	2	2	11	10	13	11	8	9	11	3	2	-	-	-	-
	F	46	-	-	-	-	-	1	1	-	-	5	2	2	4	6	6	8	4	4	1	3	1	-	-	-	-	-
58	Acute rheumatic fever	32	-	-	-	3	3	7	4	1	4	1	1	2	-	1	-	1	-	1	-	1	1	-	1	-	-	-
	White—M	5	-	-	-	-	2	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	17	-	-	-	2	3	2	2	1	3	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite—M	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus	394	1	-	2	-	-	1	5	3	2	6	2	8	16	15	33	32	48	64	74	59	17	6	-	-	-	-
	White—M	145	-	-	1	-	-	1	1	2	2	3	-	4	3	2	14	8	17	23	27	29	4	4	-	-	-	-
	F	169	-	-	1	-	-	-	4	1	-	2	-	-	4	7	10	17	20	34	31	25	11	2	-	-	-	-
	Nonwhite—M	30	1	-	-	-	-	-	-	-	-	-	-	-	4	4	4	2	4	2	5	2	2	-	-	-	-	-
	F	50	-	-	-	-	-	-	-	-	1	2	4	5	2	5	5	7	5	11	3	-	-	-	-	-	-	-
63b	Exophthalmic goiter	44	-	-	-	-	-	-	1	-	-	-	1	1	2	5	9	4	9	5	4	3	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	6	3	3	2	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	1	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	60	-	-	-	-	-	-	-	1	-	1	-	1	-	1	4	4	5	11	11	9	6	4	2	-	-	-
	White—M	26	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	3	5	5	5	1	1	1	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	4	4	3	4	2	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
77	Alcoholism (ethylish)	36	-	-	-	-	-	-	-	-	2	1	3	3	2	8	9	2	1	3	3	-	1	-	-	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	2	1	3	3	2	6	6	2	-	3	3	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,782	-	2	2	3	-	2	3	2	6	17	19	35	64	110	195	223	288	386	509	439	270	145	43	12	6	1
	White—M	1,088	-	1	-	1	-	1	1	-	3	4	8	10	21	27	56	81	110	161	217	193	120	58	11	4	-	-
	F	1,027	-	1	2	2	-	2	1	1	6	2	8	13	35	51	61	92	138	207	176	122	77	24	4	1	1	-
	Nonwhite—M	294	-	-	-	-	-	1	-	1	-	5	5	7	8	15	48	33	38	44	38	31	9	5	4	3	1	-
	F	373	-	-	-	-	-	-	-	2	2	4	10	22	33	40	49	48	43	49	39	19	5	4	1	4	-	-
90-95	Diseases of the heart	6,521	9	4	1	3	1	6	22	25	26	52	82	129	191	318	475	599	729	855	1,033	937	569	316	117	27	12	2
	White—M	3,165	5	1	-	2	-	1	11	14	6	16	32	59	95	143	246	319	371	406	512	470	283	137	52	10	4	-
	F	2,022	4	2	-	-	1	3	9	7	16	20	30	33	5													



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97,102	TENNESSEE—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	359 147 115 58 39	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - 1	2 - - - 2	- - - - -	1 1 3 - -	5 4 7 5 6	14 8 5 5 6	24 11 3 7 7	27 11 3 7 5	40 21 3 7 4	57 32 25 14 3	56 25 25 15 2	33 14 15 9 -	15 4 13 9 -	6 2 3 3 1	1 - - - -	- - - - -	
107-109, 33	Pneumonia (all forms) and influenza— White—M— F— Nonwhite—M— F—	1,751 672 592 247 240	394 168 121 47 58	44 16 9 2 11	20 9 7 2 2	13 4 2 1 4	4 2 10 3 2	25 10 2 1 1	8 4 10 5 8	25 8 4 10 6	29 6 7 6 5	25 3 6 10 7	24 3 7 8 14	39 7 6 9 18	39 6 5 10 16	45 14 6 16 9	74 28 13 21 12	61 24 35 22 19	80 35 47 45 13	135 73 71 31 12	179 32 25 17 18	169 32 25 12 12	132 61 56 22 6	111 45 62 19 3	34 13 19 8 2	15 5 8 3 1	6 1 3 - -	1 1 - - -	
107	Bronchopneumonia— White—M— F— Nonwhite—M— F—	704 270 271 78 85	242 94 75 33 40	18 8 5 2 4	9 5 2 1 -	6 2 1 1 -	- - - - -	7 2 - - -	- - - - -	3 1 2 - -	11 3 4 2 2	6 - 2 1 -	7 - 4 3 -	10 1 2 2 5	10 2 2 1 5	13 3 4 1 2	15 5 9 7 3	28 9 7 2 5	21 18 20 6 3	45 32 26 4 1	67 32 25 3 5	69 35 30 22 1	47 21 22 3 2	43 12 13 - 1	15 2 3 - -	10 4 5 - 1	3 2 2 - 1	- - - - -	
108	Lobar pneumonia— White—M— F— Nonwhite—M— F—	550 229 157 83 81	73 32 22 6 13	12 4 3 - 4	7 3 2 - -	1 1 1 - -	2 1 5 - -	7 3 2 1 4	10 2 1 1 -	14 5 2 3 2	9 2 1 2 2	5 2 1 2 2	6 1 3 2 1	5 3 2 5 4	15 3 2 5 5	20 8 2 5 5	32 14 4 5 5	25 9 21 5 6	32 20 21 15 5	41 21 15 6 5	52 28 20 6 7	61 29 21 2 4	52 21 22 4 3	45 17 16 - 1	34 12 13 - 1	9 4 3 - 1	4 - 3 - 1	2 1 1 - 1	- - - - -
109	Pneumonia (un-specified)— White—M— F— Nonwhite—M— F—	119 51 37 21 10	26 13 10 2 1	6 1 - 3 1	- - - - -	- - - - -	- - - - -	2 - 2 - -	- - - - -	1 - - 1 -	- - - - -	- - - - -	4 2 1 1 -	3 1 2 1 -	4 1 2 3 -	3 2 3 1 2	9 3 3 1 -	8 3 2 2 1	4 1 3 1 1	11 4 6 3 1	14 7 3 2 -	6 3 2 - -	5 2 3 - -	5 4 1 - -	2 2 - - -	1 1 - - -	- - - - -		
33	Influenza— White—M— F— Nonwhite—M— F—	378 122 127 65 64	53 29 14 6 4	8 3 2 1 2	5 1 3 1 2	6 1 1 1 2	2 1 4 1 1	9 1 1 1 1	4 5 1 2 4	11 5 1 2 -	4 1 3 1 -	6 1 3 2 2	9 2 1 2 5	11 1 2 2 3	10 1 1 1 6	9 1 - 1 2	18 6 4 5 7	20 3 5 5 2	14 4 5 4 1	27 5 7 10 6	37 14 19 13 6	42 17 19 14 6	35 12 15 3 1	29 5 3 - -	8 5 3 - -	- - - - -	1 - 1 - -		
117	Ulcer of stomach or duodenum— White—M— F— Nonwhite—M— F—	162 85 30 23 24	3 1 2 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	3 1 2 - 1	5 2 - 2 -	3 8 2 2 1	13 6 - 3 1	13 5 3 1 3	12 5 1 2 4	16 9 3 2 4	14 9 1 1 3	20 13 5 4 3	17 11 2 3 1	18 7 7 3 1	10 5 2 2 2	4 2 2 - -	7 5 2 - -	1 1 2 - -	- - - - -	1 - - - -		
119,120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	233 87 71 36 39	168 62 53 26 27	16 6 9 1 1	3 1 2 - -	1 1 - - -	- 1 - - -	1 2 - - -	3 2 1 1 -	3 2 1 2 -	2 1 - - -	2 1 - - -	4 - 1 2 1	2 - - - -	2 - 1 - 2	2 - 1 - -	2 - 4 2 -	4 2 1 1 1	3 1 - 2 1	3 1 - 1 1	3 1 - 1 1	1 3 - 1 1	4 2 - 1 1	4 1 1 - -	1 3 1 - -	- - - - -	- - - - -		
121	Appendicitis— White—M— F— Nonwhite—M— F—	115 55 34 14 13	- - - - -	- - - - -	- - - - -	1 1 - - -	7 2 3 1 1	6 3 2 1 2	8 5 3 2 1	7 3 3 2 1	6 5 2 1 -	6 3 2 1 -	5 3 1 2 1	10 5 2 2 1	9 2 4 1 2	9 3 4 1 2	9 7 8 2 1	8 4 3 2 1	9 2 2 - -	9 8 5 3 1	7 2 3 - -	3 2 2 - -	4 2 1 - -	- 1 - - -	- - - - -	- - - - -	- - - - -		
122	Hernia, intestinal obstruction— White—M— F— Nonwhite—M— F—	195 89 57 36 33	16 9 1 2 4	5 4 1 - -	1 2 - - -	2 1 1 - -	1 1 - - -	2 1 1 - -	1 1 1 - -	6 1 2 - -	8 1 4 - -	6 1 3 1 -	9 3 1 1 3	8 1 1 2 1	13 4 4 1 2	17 2 4 2 5	19 4 8 6 3	15 4 2 3 4	23 9 5 3 2	25 10 9 4 1	11 2 5 - -	18 7 2 - -	11 2 7 - -	3 2 1 - -	2 1 - - -	- - - - -	- - - - -		
124	Cirrhosis of the liver— White—M— F— Nonwhite—M— F—	152 86 44 15 7	2 - - - 1	- - - - -	- - - - -	1 1 - 1 -	1 1 - 1 -	1 1 - 1 -	- - - - -	- - - - -	1 1 - 1 -	2 2 - 1 -	3 1 1 1 -	6 4 1 1 -	13 6 4 1 -	12 5 6 1 2	18 9 5 3 1	21 16 4 2 -	20 11 6 3 -	17 10 4 1 -	16 12 8 - -	10 5 4 - -	5 2 3 - -	2 1 2 - -	- - - - -	- - - - -	- - - - -		
126,127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	78 24 48 3 3	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	- - - - -	1 - - - -	5 - - - -	3 2 1 - -	5 1 8 - -	9 4 9 - -	13 5 4 - -	9 4 7 - -	15 4 1 - -	4 2 6 - -	8 2 1 - -	3 1 1 - -	1 1 - - -	- - - - -	- - - - -			
130-132	Nephritis— White—M— F— Nonwhite—M— F—	1,655 625 550 252 228	1 1 1 2 -	4 1 1 - -	1 1 1 1 -	- - - - -	3 1 2 - -	6 1 4 - 1	7 1 4 - 1	14 3 5 7 2	14 5 11 4 3	25 12 14 7 10	43 21 14 4 17	62 31 24 15 22	88 42 24 7 17	88 22 18 20 19	124 30 19 20 24	153 46 28 26 25	201 59 41 45 29	237 71 89 41 17	233 102 89 20 23	191 56 61 12 8	108 47 50 2 9	40 15 16 4 5	10 2 16 2 2	3 1 4 - 1	2 - - - -		
137	Diseases of the prostate— White—M— Nonwhite—M—	159 124 35	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - -	- - -	2 1 1	6 4 2	13 8 5	20 16 3	42 31 11	33 28 5	29 26 3	10 9 1	2 1 1	- - -	- - -		

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

421

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
TENNESSEE--Con.																												
140-150	Diseases of pregnancy, etc.*	142	-	-	-	-	-	-	-	11	29	27	28	32	13	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	98	-	-	-	-	-	-	-	8	22	17	17	22	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	43	-	-	-	-	-	-	-	3	7	10	11	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia	45	-	-	-	-	-	-	-	7	5	12	5	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	24	-	-	-	-	-	-	-	5	1	7	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	21	-	-	-	-	-	-	-	2	4	5	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	46	-	-	-	-	-	-	-	2	15	8	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	37	-	-	-	-	-	-	-	1	13	5	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	-	-	-	-	-	-	-	1	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	35	-	-	-	-	-	-	-	2	6	3	8	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	26	-	-	-	-	-	-	-	2	6	2	3	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	-	-	-	-	-	-	-	-	-	-	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145b, 150	Other puerperal causes	16	-	-	-	-	-	-	-	-	3	4	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	12	-	-	-	-	-	-	-	-	2	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	4	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	315	282	9	4	4	2	4	1	4	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White--M	171	155	3	2	2	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	144	96	6	2	2	1	3	1	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White--F	17	16	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	17	15	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,508	1,508	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	735	735	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	493	493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	997	997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	459	459	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	340	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year	511	511	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	250	-	-	-	-	-	-	3	6	15	19	17	23	31	28	30	32	21	12	8	3	2	-	-	-	-	-
	White--M	181	-	-	-	-	-	-	1	4	8	11	11	15	22	20	23	26	17	11	8	2	2	-	-	-	-	-
	Nonwhite--M	57	-	-	-	-	-	-	2	2	7	5	6	5	8	7	6	4	3	1	-	-	-	-	-	-	-	-
	White--F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	389	3	1	1	-	-	1	1	18	54	59	66	55	47	25	22	12	10	4	6	2	1	-	-	-	-	1
	White--M	141	2	1	1	-	-	1	-	5	19	17	26	20	14	10	10	5	4	4	2	-	-	-	-	-	-	-
	Nonwhite--M	38	-	-	-	-	-	-	-	1	7	5	7	1	6	4	1	1	4	-	1	-	-	-	-	-	-	-
	White--F	171	-	-	-	-	-	-	-	6	22	33	26	26	24	11	11	6	2	-	2	1	-	-	-	-	-	1
	Nonwhite--F	39	1	-	-	-	-	-	1	6	6	4	7	8	3	-	-	-	-	-	1	1	1	-	-	-	-	-
169-195	Accidental deaths	1,919	54	51	22	20	20	90	89	155	189	146	115	98	99	88	79	89	58	81	86	95	87	69	30	7	-	3
	White--M	1,098	21	25	10	7	8	39	58	109	129	102	89	63	70	57	45	56	28	43	35	36	32	20	11	3	-	3
	Nonwhite--M	482	17	19	2	11	7	30	21	27	31	16	12	14	9	8	13	12	12	18	35	54	47	46	18	3	-	-
	White--F	247	8	4	4	1	1	17	6	16	24	11	17	18	18	16	15	15	13	11	2	3	2	1	-	-	-	-
	Nonwhite--F	92	6	3	6	1	4	4	4	3	5	4	3	4	2	5	5	6	3	7	5	3	5	1	-	1	-	-
170	Motor-vehicle accidents	676	3	8	2	7	4	32	36	73	119	76	58	56	38	35	33	38	12	21	17	17	4	-	2	-	2	
	White--M	450	1	6	1	3	3	16	22	50	86	59	44	22	25	23	19	23	7	12	8	14	3	-	1	-	-	-
	Nonwhite--M	128	2	2	1	4	-	12	16	16	15	10	8	10	3	2	5	6	3	5	2	1	-	-	-	-	-	-
	White--F	83	-	-	-	-	-	3	6	16	6	6	4	9	8	8	7	2	3	3	1	-	-	-	-	-	-	-
	Nonwhite--F	15	-	1	-	-	1	1	-	1	2	1	-	-	-	1	2	1	2	-	1	1	-	-	-	-	-	-
169, 171-195	Other accidents	1,243	51	42	20	13	16	58	51	82	69	70	57	62	61	53	46	51	46	60	69	78	83	89	28	7	-	1
	White--M	648	20	19	9	4	5	23	36	59	42	43	45	41	45	34	26	33	21	31	27	22	29	20	10	3	-	1
	Nonwhite--M	354	15	17	1	7	7	18	5	11	16	6	4	4	6	6	8	6	9	13	30	52	46	18	5	-	-	-
	White--F	164	8																									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20. DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																											
	All causes-----	59,706	7,564	731	316	228	162	559	513	1,009	1,496	1,459	1,587	2,016	2,292	3,058	3,655	4,211	4,770	5,585	5,732	5,308	3,575	2,490	933	233	93	141
	White-----M-----	29,263	3,700	340	124	112	70	262	251	473	727	642	672	895	1,015	1,395	1,784	2,280	2,652	2,838	2,835	2,703	1,717	1,192	397	103	23	84
	White-----F-----	20,349	2,687	291	133	63	64	199	147	314	424	435	488	597	677	815	942	1,094	1,453	1,926	2,167	2,064	1,617	1,158	464	104	29	27
	Nonwhite-----M-----	5,491	682	57	34	16	16	39	64	109	180	192	206	257	313	450	543	496	572	467	405	304	126	70	33	19	10	34
	Nonwhite-----F-----	4,563	489	43	25	17	12	39	51	114	165	190	221	277	287	398	396	361	283	354	327	237	115	60	39	10	21	16
1,2	Typhoid and paratyphoid fever-----	48	1	1	-	-	1	-	2	2	6	1	3	6	2	3	5	3	2	-	-	5	-	-	1	-	-	-
	White-----M-----	22	-	-	-	-	-	1	1	1	5	1	1	2	1	1	3	1	2	-	-	3	-	-	1	-	-	-
	White-----F-----	11	-	1	-	-	-	-	-	-	-	-	-	2	3	-	1	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite-----M-----	10	-	-	-	-	1	-	-	-	2	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	5	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	58	16	6	4	4	-	6	2	4	2	2	-	1	3	3	1	-	2	2	-	-	-	-	-	-	-	-
	White-----M-----	30	9	2	3	2	-	2	2	3	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	20	6	3	-	2	-	4	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	5	-	1	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	7	-	-	1	1	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	3	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	4	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	92	65	14	6	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	27	22	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	50	31	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	108	18	23	15	11	20	17	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M-----	56	9	15	6	9	9	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F-----	39	6	5	7	1	7	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	8	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	5	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,923	39	40	12	7	6	12	32	170	313	285	279	270	254	226	225	186	164	165	105	69	29	19	4	-	1	9
	White-----M-----	1,322	21	19	5	2	4	8	9	47	94	93	96	112	127	127	119	115	111	96	82	37	12	9	2	-	-	5
	White-----F-----	1,055	16	19	6	5	-	2	16	76	155	128	114	106	76	56	56	50	41	47	39	21	12	9	1	-	1	4
	Nonwhite-----M-----	261	1	-	1	-	2	1	-	17	30	25	30	33	30	33	33	15	5	16	3	8	3	1	-	-	-	-
	Nonwhite-----F-----	265	1	2	-	-	-	1	7	30	44	39	39	24	21	14	17	6	7	6	1	3	2	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	2,721	15	20	3	2	4	6	30	161	292	273	260	258	242	214	218	181	156	155	99	66	28	16	4	-	1	9
	White-----M-----	1,226	6	10	3	-	3	4	7	45	76	67	83	106	122	121	117	111	106	90	58	35	9	6	2	-	-	5
	White-----F-----	990	9	9	-	2	-	2	16	71	147	126	109	101	75	54	52	50	38	45	37	21	12	9	1	-	1	4
	Nonwhite-----M-----	255	-	-	-	-	1	-	-	19	27	23	28	27	26	26	33	14	5	13	5	7	3	1	-	-	-	-
	Nonwhite-----F-----	250	-	1	-	-	-	-	7	26	40	37	38	24	19	13	16	6	7	6	1	5	2	-	1	-	-	-
14-22	Tuberculosis (other forms)-----	202	24	20	9	5	2	6	2	9	21	12	11	12	12	14	7	5	8	10	6	3	3	1	-	-	-	-
	White-----M-----	96	15	9	2	2	1	4	2	2	6	6	3	6	5	6	2	4	5	6	4	2	3	1	-	-	-	-
	White-----F-----	65	7	10	6	3	-	-	-	5	8	2	5	4	3	2	4	3	1	3	1	2	-	-	-	-	-	-
	Nonwhite-----M-----	26	1	-	1	-	1	1	-	1	3	2	2	2	2	2	1	-	1	3	-	1	-	-	-	-	-	-
	Nonwhite-----F-----	15	1	1	-	-	-	1	-	1	4	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	252	161	23	5	1	-	6	1	2	4	-	1	3	3	2	5	3	4	9	7	4	3	2	1	1	-	1
	White-----M-----	122	96	7	2	1	-	1	-	1	1	-	1	-	-	1	3	-	3	4	5	3	1	-	1	1	-	-
	White-----F-----	103	65	14	3	-	-	4	1	1	2	-	-	-	1	1	-	2	1	3	1	1	2	1	-	-	-	-
	Nonwhite-----M-----	16	6	1	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite-----F-----	11	4	1	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-
28	Malaria-----	63	7	5	3	1	1	-	2	1	2	3	2	5	4	4	3	5	4	1	2	5	-	3	-	-	-	-
	White-----M-----	27	2	3	1	1	1	-	-	1	1	1	1	3	1	2	-	4	2	-	1	2	-	1	-	-	-	-
	White-----F-----	13	1	1	1	-	-	-	1	-	1	1	1	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite-----M-----	17	4	-	1	-	-	1	-	-	-	-	1	1	2	-	2	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite-----F-----	6	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis-----	640	63	2	2	1	-	-	1	4	7	12	22	54	44	93	67	72	66	48	40	21	11	3	1	2	-	4
	White-----M-----	281	20	1	1	-	-	-	1	1	-	2	4	15	17	35	34	39	33	35	24	10	8	1	1	-	-	1
	White-----F-----	91	14	-	1	1	-	-	1	2	4	2	3	6	3	7	6	9	7	5	6	6	6	1	2	-	-	2
	Nonwhite-----M-----	188	18	1	-	-	-	-	-	1	-	7	20	18	42	22	21	20	9	8	1	2	-	-	-	-	-	-
	Nonwhite-----F-----	81	11	-	-	-	-	-	-	1	2	8	8	13	6	9	5	5	6	3	2	2	-	-	-	-	-	-
35	Measles-----	85	20	29	10	5	2	13	1	3	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White-----M-----	38	17	10	4	2	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	35	3	15	5	2	2	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-----M-----	6	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite-----F-----	7	-	1	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)-----	102	3	7	4	9	5	13	16	14	6	8	14	2	-	3	-	-										



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

423

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
TEXAS—Con.																												
45-55	Cancer and other malignant tumors	5,424	6	6	10	9	9	20	19	22	34	73	115	206	324	532	618	709	790	874	792	622	363	187	64	13	2	7
	White—M—	2,706	4	4	1	4	5	10	11	11	18	22	25	50	81	132	217	313	342	406	357	334	198	100	30	8	1	1
	F—	2,916	2	4	5	1	3	8	4	5	9	34	65	113	179	268	289	298	380	383	351	246	155	77	32	3	—	2
	Nonwhite—M—	334	—	—	—	3	—	—	1	6	4	3	3	7	15	36	45	52	55	42	48	20	4	6	—	2	—	—
	F—	468	—	1	1	—	1	2	3	—	3	14	20	36	49	76	67	46	53	43	35	22	6	4	—	—	1	3
46	Cancer of the digestive organs and peritoneum	2,457	2	—	3	—	1	3	2	3	9	18	21	50	99	163	228	261	314	390	363	280	161	71	16	3	—	6
	White—M—	1,123	2	—	—	—	1	3	1	2	3	7	5	19	39	48	88	132	151	190	156	149	87	33	5	1	—	1
	F—	1,040	—	—	2	—	—	—	1	—	3	6	10	20	33	77	102	87	134	166	169	112	70	35	11	1	—	1
	Nonwhite—M—	171	—	—	—	—	—	—	—	1	2	2	2	4	9	18	19	29	21	22	23	11	3	3	—	—	1	1
	F—	123	—	—	1	—	—	—	—	—	1	3	4	7	8	20	19	13	8	12	15	8	1	—	—	—	—	3
48,49	Cancer of female genital organs	799	—	—	—	—	1	—	1	—	2	16	35	48	80	107	90	101	101	78	55	47	24	10	3	1	—	1
	White—F—	638	—	—	—	—	1	—	—	—	1	11	22	39	60	73	70	81	92	65	47	41	22	9	2	1	—	1
	Nonwhite—F—	161	—	—	—	—	—	—	1	—	1	5	11	9	20	34	20	9	13	8	6	6	2	1	1	—	—	—
50	Cancer of breast	523	—	—	—	—	—	—	—	—	—	5	15	37	63	74	57	50	57	56	47	35	17	5	4	—	1	—
	White—M—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—
	F—	438	—	—	—	—	—	—	—	—	—	4	12	27	55	64	44	43	50	48	41	30	14	3	3	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	79	—	—	—	—	—	—	—	—	—	1	3	10	9	9	12	7	6	8	6	5	2	2	—	—	1	—
45,47, 51-55	Cancer (other sites)	2,645	4	6	7	9	7	17	16	19	23	34	44	71	92	188	243	297	318	350	327	260	161	101	41	9	1	—
	White—M—	1,577	2	1	4	5	4	7	10	9	15	15	20	31	42	102	128	161	190	216	201	165	110	67	24	7	1	—
	F—	800	2	4	3	1	2	8	3	5	5	13	21	27	31	54	73	87	104	104	94	63	49	30	16	1	—	—
	Nonwhite—M—	163	—	—	—	3	—	—	1	5	2	1	1	3	6	18	26	23	14	20	26	9	1	3	—	—	—	—
	F—	105	—	1	—	—	1	2	2	—	1	5	2	10	13	14	16	6	10	10	6	3	1	1	1	—	—	—
58	Acute rheumatic fever	54	1	1	1	1	1	9	8	7	5	1	—	—	2	3	3	1	1	2	2	2	3	—	—	—	—	—
	White—M—	21	1	—	—	1	—	4	5	2	1	1	—	—	—	1	1	—	—	—	2	1	1	—	—	—	—	—
	F—	18	—	—	1	—	—	3	1	2	2	—	—	—	—	1	1	1	1	1	1	1	2	—	—	—	—	—
	Nonwhite—M—	8	—	—	1	—	—	—	—	1	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F—	7	—	—	—	—	1	2	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	904	2	2	—	1	—	2	3	8	7	14	13	16	17	47	62	88	117	145	161	128	50	19	2	—	—	—
	White—M—	358	1	2	—	—	—	1	1	1	2	5	6	4	6	14	21	25	40	50	63	69	17	9	—	—	—	—
	F—	444	1	—	—	—	—	1	1	3	5	7	1	7	7	19	24	39	67	82	85	53	32	8	1	—	—	—
	Nonwhite—M—	41	—	—	—	—	—	—	—	3	—	1	2	1	1	6	2	7	2	8	5	1	—	—	—	—	—	—
	F—	81	—	—	—	—	—	—	1	1	—	1	4	4	3	8	15	17	8	11	5	1	—	1	1	—	—	—
63b	Exophthalmic goiter	57	—	—	—	—	—	—	1	1	—	5	3	7	5	9	7	5	5	2	4	1	2	—	—	—	—	—
	White—M—	10	—	—	—	—	—	—	—	—	—	—	1	1	—	—	3	1	1	—	—	—	—	—	—	—	—	—
	F—	41	—	—	—	—	—	—	—	—	—	2	6	3	6	6	5	4	2	2	1	2	—	—	—	—	—	—
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	5	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	147	2	—	—	—	—	—	1	—	—	1	3	4	4	4	8	4	17	14	30	25	16	11	2	1	—	—
	White—M—	37	1	—	—	—	—	—	—	—	—	—	—	2	1	—	2	1	4	3	12	2	6	3	—	—	—	—
	F—	78	1	—	—	—	—	—	—	—	—	—	—	2	—	2	4	2	7	8	14	20	10	6	1	1	—	—
	Nonwhite—M—	7	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—	3	1	—	—	—	—	—	—
	F—	25	—	—	—	—	—	—	—	—	1	1	2	3	2	1	1	5	3	1	2	—	2	1	—	—	—	—
77	Alcoholism (ethylin)	68	—	—	—	—	—	—	—	1	2	4	7	10	14	11	12	8	7	4	2	3	—	—	—	—	—	—
	White—M—	65	—	—	—	—	—	—	—	1	1	1	3	7	10	10	10	7	6	3	2	3	—	—	—	—	—	—
	F—	12	—	—	—	—	—	—	—	—	—	3	1	1	4	—	1	1	—	1	—	—	—	—	—	—	—	—
	Nonwhite—M—	8	—	—	—	—	—	—	—	—	1	—	3	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin	5,032	13	1	1	2	—	2	4	8	23	27	39	83	141	243	362	442	541	704	811	700	447	317	78	21	4	18
	White—M—	2,119	8	—	—	1	—	—	3	3	8	10	11	29	42	70	142	169	262	293	363	331	182	147	33	9	—	3
	F—	1,888	4	1	1	1	—	1	—	2	9	5	12	14	42	70	87	131	180	274	342	287	224	151	38	6	2	4
	Nonwhite—M—	431	1	—	—	—	—	—	1	2	3	5																



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	TEXAS—Con.																											
	Arteriosclerosis and high blood pressure*	861	-	-	-	-	-	-	-	-	1	1	1	6	13	12	31	39	57	107	134	146	128	121	50	9	3	-
	White—M—	419	-	-	-	-	-	-	-	-	-	-	-	4	1	4	16	19	29	54	62	78	66	63	20	3	-	-
	F—	313	-	-	-	-	-	-	-	-	-	1	-	-	3	2	3	9	15	37	53	46	57	51	30	5	1	-
	Nonwhite—M—	71	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	6	8	12	12	14	3	2	-	-	1	-
F—	58	-	-	-	-	-	-	-	-	-	1	-	1	3	7	4	4	5	5	4	7	8	2	5	-	1	1	-
107-109, 53	Pneumonia (all forms) and influenza	3,155	984	151	51	25	16	43	28	53	40	43	51	73	79	75	99	118	135	177	209	217	221	156	81	18	6	6
	White—M—	1,328	437	79	19	9	4	16	10	18	9	10	19	27	28	26	34	46	61	80	86	94	95	81	28	8	3	3
	F—	1,176	543	50	20	10	9	18	11	16	16	18	9	23	21	17	25	33	42	58	96	94	116	70	60	9	1	1
	Nonwhite—M—	346	105	10	7	2	-	3	4	7	3	6	10	17	21	19	26	23	22	20	15	15	5	2	1	-	2	1
	F—	305	99	12	5	4	3	6	3	12	12	9	14	6	9	13	14	16	10	19	12	14	5	3	2	1	1	1
107	Bronchopneumonia	4,036	434	67	18	9	4	14	6	12	10	3	9	13	20	13	18	25	32	37	54	64	74	67	27	5	1	-
	White—M—	460	208	34	8	2	1	5	3	4	4	-	3	7	7	1	7	10	16	14	19	30	38	27	9	2	1	-
	F—	393	144	22	4	6	2	6	3	5	4	1	2	2	6	4	7	6	11	14	27	25	33	39	17	3	-	-
	Nonwhite—M—	98	45	4	5	-	-	-	-	2	1	2	-	3	5	4	3	4	4	4	4	5	3	3	1	-	-	-
	F—	85	37	7	1	1	1	3	8	1	1	-	4	1	2	4	1	5	1	3	4	5	2	1	-	-	-	-
108	Lobar pneumonia	675	146	21	7	3	3	9	8	15	9	12	15	18	24	23	28	34	44	53	64	45	48	27	16	4	-	1
	White—M—	291	63	11	2	1	-	2	4	6	2	5	8	8	10	6	12	15	24	28	26	19	18	4	-	-	2	1
	F—	235	53	8	3	-	2	5	2	2	4	1	2	4	6	6	6	7	8	17	30	19	28	10	11	-	-	1
	Nonwhite—M—	62	12	-	1	-	-	1	-	3	-	2	3	6	6	6	7	8	4	6	4	6	1	1	-	-	-	-
	F—	87	18	2	1	2	1	1	2	4	3	4	2	-	2	3	3	4	4	4	2	3	1	-	1	-	-	-
109	Pneumonia (unspecified)	862	296	43	15	9	3	13	12	15	15	15	17	27	21	15	30	29	27	46	50	55	50	29	18	7	2	3
	White—M—	358	124	21	5	5	1	6	2	3	1	3	6	9	8	9	10	12	10	26	26	22	19	18	8	4	1	1
	F—	330	112	16	9	3	1	4	5	2	5	7	1	12	7	5	7	11	10	12	21	27	26	10	10	3	-	1
	Nonwhite—M—	98	33	5	-	-	-	1	4	5	2	1	6	5	6	2	11	3	4	5	2	3	2	2	-	-	-	-
	F—	76	27	1	1	1	1	2	1	5	7	4	4	1	2	1	2	3	3	3	1	3	1	1	-	-	-	-
33	Influenza	592	108	20	11	4	8	7	2	11	6	13	10	15	14	24	23	30	32	41	41	53	49	33	20	6	1	2
	White—M—	219	42	13	4	1	2	3	1	5	2	2	2	3	5	10	5	9	11	12	15	23	20	20	7	2	-	-
	F—	218	34	4	4	1	4	3	1	4	3	9	3	5	2	4	5	9	13	15	18	23	27	11	12	3	-	-
	Nonwhite—M—	68	15	1	1	1	2	-	1	-	-	1	1	3	4	5	5	8	6	5	3	4	1	1	-	-	-	-
	F—	77	17	2	2	-	-	-	-	2	1	1	4	4	3	5	8	4	2	9	5	3	1	1	1	1	1	-
117	Ulcer of stomach or duodenum	267	2	1	-	-	-	-	-	-	2	6	7	13	17	22	37	30	36	31	21	15	6	1	-	-	1	1
	White—M—	161	-	1	-	-	-	-	-	-	1	2	5	10	13	16	24	25	31	21	16	10	4	1	-	-	1	-
	F—	31	2	-	-	-	-	-	-	-	-	1	1	1	1	3	4	1	3	4	2	5	3	-	-	-	-	-
	Nonwhite—M—	30	-	-	-	-	-	-	-	-	-	3	-	3	2	2	7	3	3	4	1	-	1	-	-	-	-	-
	F—	15	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	1	1	2	2	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	1,007	751	66	12	7	2	10	2	1	4	5	6	8	1	4	9	9	10	14	15	25	15	7	5	2	1	-
	White—M—	483	368	45	5	6	1	5	1	-	2	2	3	3	-	2	-	5	3	6	8	6	6	3	1	2	-	-
	F—	400	301	33	7	1	1	3	1	1	2	2	3	3	-	1	3	1	5	5	11	5	3	4	-	1	-	-
	Nonwhite—M—	67	44	5	-	-	-	2	-	-	-	-	-	-	-	1	1	3	2	-	3	2	1	-	-	-	-	-
	F—	57	39	3	-	-	-	-	-	-	-	1	-	2	-	-	3	1	2	-	7	-	-	-	-	-	-	-
121	Appendicitis	248	1	2	4	3	2	11	14	19	9	14	15	14	24	15	22	21	13	13	17	8	4	3	-	-	-	-
	White—M—	116	1	-	2	2	1	7	8	9	-	6	5	5	7	5	12	14	8	6	10	5	3	-	-	-	-	-
	F—	70	-	2	2	1	-	3	2	8	4	3	2	3	9	2	4	5	3	5	5	1	3	-	-	-	-	-
	Nonwhite—M—	33	-	-	-	-	1	1	1	1	3	3	2	2	5	4	3	2	2	2	2	-	-	-	-	-	-	-
	F—	29	-	-	-	-	1	3	1	2	2	6	4	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	519	32	8	2	2	6	4	5	7	8	7	22	24	27	33	31	46	47	53	59	50	22	18	5	-	-	1
	White—M—	218	19	6	2	1	4	2	5	2	1	3	5	6	4	9	10	18	19	22	28	27	14	8	2	-	-	1
	F—	199	6	1	-	1	2	1	-	2	4	1	6	13	13	10	14	16	23	22	28	17	7	10	3	-	-	-
	Nonwhite—M—	47	1	1	-	-	-	1	-	1	2	2	2	2	4	6	4	7	3	5	2	3	1	-	-	-	-	-
	F—	55	4	-	-	-	-	-	-	2	1	1	9	3	6	8	3	3	2	4	7	2	-	-	-	-	-	-
124	Cirrhosis of the liver	406	-	-	-	-	-	1	2	2	-	7	9	28	27	41	45	49	51	48	41	31	12	9	2	-	-	1
	White—M—	273	-	-	-	-	-	1	-	-	-	2	7	19	17	28	35	35	39	34	27	15	5	3	1	-	-	1
	F—	87	-	-	-	-	-	-	1	1	-	5	2	8	6	8	8	10	11	7	4	12	1	4	-	-	-	-
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	-	4	1	2	1	2	-	-	-	-
	F—	13	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	1	1	3	1	2	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	243	-	1	-	-	-	-	1	3	1	1	-	4	17	16	26	24	29	29	29	28	22	7	3	-	-	-
	White—M—	79	-	1	-	-	-	-	-	-	-	-	-	1	6	3	4	10	9	11	13	9	6	3	1	-	-	-
	F—	139	-	-	-	-	-	-	1	3	-	1	-	2	6	13	16	12	18	17	14	14	13	4	-	-	-	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	2	1	1	-	-	-	-	-	-
	F—	15	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	-	2	-	-	-	1	-	-	-	-	-
130-132	Nephritis	3,133	15	6	6	10	2	17	15	17	26	47	49	78	98	154	197	219	253	365	436	446	292	251	63	12	13	6
	White—M—	1,396	11	2	1	7	-	7	5	5	11	15	14	30	26	58	80	93	126	163	168	237	146	131	41	6	3	-
	F—	1,022	4	4	4	2	2	9	4	4	7	19	21	19	35	39	55	42	73	123	157	140	118	100	32	4	4	1
	Nonwhite—M—	387	-	-	-	1	-	-	4	3	5	4	7	8	19	33	44	46	30	50	62	43	15	10	7	2	1	3
	F—	338	-	-	1	-	-	1	2	5	3	9	7	21	18	24	38	38	24	49	39	26	13	10	3	-	5	2
137	Diseases of the prostate	323	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	12	30	46	70	61	42	42	13	1	1	-
	White—M—	275	-	-	-	-	-	-	-	-	-	-	-	-	1	1												

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

425

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed	
TEXAS-Cont.																													
140-150	Diseases of preg- nancy, etc.*	295	-	-	-	-	-	-	1	35	65	56	67	46	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	210	-	-	-	-	-	-	-	22	47	44	50	28	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	85	-	-	-	-	-	-	1	13	18	12	17	18	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	106	-	-	-	-	-	-	1	8	21	21	30	16	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	77	-	-	-	-	-	-	-	4	14	17	23	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	29	-	-	-	-	-	-	1	4	7	4	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,149	Puerperal toxemia	76	-	-	-	-	-	-	-	19	17	10	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	52	-	-	-	-	-	-	-	12	13	9	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	24	-	-	-	-	-	-	-	7	4	1	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	78	-	-	-	-	-	-	-	6	17	20	12	15	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	62	-	-	-	-	-	-	-	5	14	16	10	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	-	-	-	-	-	-	-	1	3	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	35	-	-	-	-	-	-	-	2	10	5	8	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	19	-	-	-	-	-	-	-	1	6	2	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	-	-	-	-	-	-	-	1	4	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations--	815	698	30	13	4	6	17	7	8	3	9	6	3	1	1	3	2	1	1	-	-	-	1	-	-	-	-	2
	White--M--	408	357	13	4	2	4	8	3	4	1	5	2	1	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-
	F--	337	282	15	7	2	2	7	2	4	2	5	3	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	38	34	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year--	5,668	3,668	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	1,828	1,157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	1,261	1,261	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	360	360	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	2,424	2,424	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	1,157	1,157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	860	860	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	248	248	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159,160, 161	Other diseases peculiar to first year--	1,244	1,244	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	671	671	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide--	632	-	-	-	-	-	-	4	25	45	50	52	73	72	54	69	48	48	31	23	23	9	5	-	-	-	1	
	White--M--	458	-	-	-	-	-	-	1	10	24	41	27	49	54	39	52	39	42	26	20	21	7	5	-	-	-	-	
	F--	148	-	-	-	-	-	-	3	13	13	6	22	22	16	14	15	7	6	4	3	2	2	-	-	-	-	-	
	Nonwhite--M--	18	-	-	-	-	-	-	-	1	5	3	1	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide--	805	6	1	-	-	-	1	4	43	124	133	112	116	80	80	39	21	21	12	2	3	2	1	-	-	-	4	
	White--M--	345	3	1	-	-	-	2	16	47	48	48	49	32	37	24	11	15	6	2	1	-	1	-	-	-	-	2	
	F--	57	2	-	-	-	-	-	4	4	5	6	12	7	8	2	1	1	1	1	2	2	-	-	-	-	-	-	
	Nonwhite--M--	324	1	-	-	-	-	1	15	52	63	47	48	34	32	11	9	5	3	-	-	-	-	-	-	-	-	-	2
169-195	Accidental deaths	5,169	147	126	91	66	43	209	227	392	561	377	356	327	287	268	229	222	193	199	218	202	183	130	64	18	5	29	
	White--M--	5,247	71	61	38	30	21	120	130	245	446	272	261	234	200	176	145	162	138	116	117	85	74	48	28	3	2	24	
	F--	1,198	40	39	30	23	16	62	32	96	62	45	32	46	37	48	35	26	31	53	73	99	103	78	34	15	3	4	
	Nonwhite--M--	517	19	16	15	6	4	14	35	36	39	45	35	39	42	32	38	24	20	22	15	10	3	3	1	-	-	-	
170	Motor-vehicle accidents--	1,821	18	31	18	21	13	88	73	179	285	178	135	124	105	103	91	87	77	77	58	28	15	12	2	-	1	1	
	White--M--	1,243	7	18	10	11	7	47	43	108	229	126	98	86	70	65	61	57	54	39	22	13	9	2	-	-	1	1	
	F--	396	10	12	7	7	6	33	26	63	32	26	26	18	25	13	12	16	14	15	5	2	2	-	-	-	-	-	
	Nonwhite--M--	130	-	-	1	1	-	4	2	4	18	19	9	11	14	11	9	4	8	4	1	-	-	-	-	-	-	-	
169, 171-195	Other accidents--	3,348	129	95	73	45	30	121	154	213	276	199	220	203	182	165	138	135	116	122	160	174	168	118	62	18	4	28	
	White--M--	1,998	64	43	28	19	14	73	87	137	217	146	163	148	130	111	90	101	81	62	78	63	61	39	26	3	1	23	
	F--	803	30	27	23	16	10	29	26	33	30	19	26	20	19	23	22	14	15	39	58	94	101	76	34	15	3	1	
	Nonwhite--M--	387	19	16	14	5	4	10	33	32	21	26	26	28	28	21	29	15	16	14	11	9	3	2	1	-	-	4	
162,199, 200	Senility, ill- defined and un- known causes--	2,720	358	33	11	10	4	9	13	12	21	23	24	42	56	86	106	135	170	191	261	284	312	271	178	88	29	13	
	White--M--	1,240	166	15	2	4	1	6	2	4	10	11	6	15	20	31	54	60	100	85	125	109	144	122	69	25	6	8	
	F--	940	121	15	8	5	3	2	5	4	5	9	8	12															



# VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

[illegible]

\*Refer to International List for complete title, table V, Part I.



# GENERAL TABLES-DEATHS FROM SELECTED CAUSES

427

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	Utah-Continued																											
45-55	Cancer and other malignant tumors	529	1	2	1	1	1	1	3	2	2	3	8	20	21	28	39	61	48	89	74	59	40	21	4	1	-	-
	White-M	243	1	1	1	1	1	1	1	1	1	1	4	3	6	13	17	19	25	48	37	33	21	7	3	1	-	-
	F	272	-	2	-	-	-	1	2	2	1	2	4	16	15	15	20	39	22	39	37	23	17	14	1	-	-	-
	Nonwhite-M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	235	1	1	-	-	-	-	1	-	-	3	2	5	9	10	12	20	16	43	40	38	23	9	2	-	-	-
	White-M	119	1	-	-	-	-	-	1	-	-	1	1	1	3	8	7	4	9	30	20	18	12	2	2	-	-	-
	F	108	-	1	-	-	-	-	-	-	-	2	1	5	6	2	4	15	6	11	20	17	11	7	-	-	-	-
	Nonwhite-M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	62	-	-	-	-	-	-	-	-	-	-	3	5	2	6	7	11	5	11	5	2	4	1	-	-	-	-
	White-M	59	-	-	-	-	-	-	-	-	-	-	3	5	2	6	7	10	5	11	5	2	3	1	-	-	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
50	Cancer of breast	46	-	-	-	-	-	-	-	-	-	-	3	5	6	4	7	5	8	5	1	2	-	-	-	-	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	3	5	6	4	7	5	8	5	1	1	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	186	-	1	1	1	1	1	2	2	2	-	3	7	5	6	16	23	22	27	24	18	11	11	2	1	-	-
	White-M	124	-	1	1	1	1	1	2	2	1	-	3	3	3	5	10	15	16	18	17	15	9	5	1	1	-	-
	F	60	-	1	-	-	-	1	2	1	-	-	3	2	1	2	6	7	9	7	3	2	6	1	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	119	-	-	-	-	-	-	1	2	2	-	1	4	2	4	5	10	17	19	17	19	8	7	1	-	-	-
	White-M	47	-	-	-	-	-	-	-	-	-	-	1	3	1	2	4	5	8	6	4	7	3	2	1	-	-	-
	F	71	-	-	-	-	-	-	1	2	2	-	1	1	1	2	1	5	9	13	12	12	5	5	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	2	2	-	-	-	-	-	-
	White-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	2	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	2	-	1	-	-	-	-	-	-	-
	White-M	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	2	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	338	-	-	-	1	-	1	-	-	-	1	-	2	2	11	10	23	42	41	66	55	48	26	8	1	-	-
	White-M	180	-	-	-	1	-	1	-	-	-	1	-	1	1	6	6	12	24	17	30	20	24	11	5	-	-	-
	F	175	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	11	18	24	35	35	24	14	3	1	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
90-95	Diseases of the heart	1,571	-	1	1	-	-	4	3	9	13	7	21	31	38	73	88	120	147	175	167	205	160	81	25	1	1	-
	White-M	613	-	-	1	-	-	3	3	4	9	5	10	23	21	47	62	88	99	115	92	114	76	30	10	1	1	-
	F	537	-	-	-	-	-	1	3	4	2	11	7	17	24	25	29	45	59	73	90	82	51	13	1	-	-	-
	Nonwhite-M	12	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	2	2	-	2	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	2	-	-	-	-
90a, 92b,c, 95c,95b	Chronic rheumatic diseases of the heart	154	-	-	-	-	-	2	3	9	11	5	11	11	14	18	10	10	9	15	9	10	4	2	-	-	1	-
	White-M	79	-	-	-	-	-	2	3	4	8	3	4	6	7	7	6	7	7	8	3	4	1	1	-	-	1	-
	F	72	-	-	-	-	-	-	3	3	3	2	7	5	7	11	3	3	2	10	6	6	5	1	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	487	-	1	-	-	-	-	-	-	-	1	5	13	15	26	48	66	69	74	62	62	33	8	4	-	-	-
	White-M	368	-	-	-	-	-	-	-	-	-	1	3	11	10	22	38	53	53	59	44	44	21	3	4	-	-	-
	F	114	-	-	-	-	-	-	-	-	-	-	2	1	5	3	10	13	15	17	18	11	5	-	-	-	-	-
	Nonwhite-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,q, 93a,b,d,e, 95a,c	Diseases of the heart (other forms)	730	-	-	1	-	-	2	-	-	2	1	5	7	9	29	30	44	69	86	96	133	123	71	21	1	-	-
	White-M	366	-	-	1	-	-	1	-	-	1	1	3	6	4	18	18	28	37	51	45	68	54	28	6	-	-	-
	F	351	-	-	-	-	-	1	-	-	1	-	2	1	5	10	12</											



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence.) Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	UTAH—Continued																											
	Arteriosclerosis and high blood pressure*	79	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	3	5	3	21	20	13	6	1	1	-
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	4	2	11	9	6	3	1	1	-
	F	37	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	10	11	7	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	223	48	10	5	1	-	4	2	3	-	6	4	3	5	8	8	17	14	17	12	21	18	14	3	-	-	-
	White—M	114	22	4	2	1	-	1	1	1	-	3	2	2	2	5	5	11	9	9	9	12	6	5	2	-	-	-
	F	108	25	6	3	-	-	3	1	2	-	3	2	1	3	2	3	6	4	5	3	9	12	9	1	-	-	-
	Nonwhite—M	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	99	27	7	1	1	-	1	1	2	-	1	2	1	2	1	3	6	5	9	7	7	8	6	1	-	-	-
	White—M	51	11	2	1	1	-	1	-	-	-	1	1	1	1	1	2	4	3	4	6	5	3	2	1	-	-	-
	F	46	16	5	-	-	-	-	1	2	-	-	-	-	-	-	1	2	2	3	1	2	5	4	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	72	9	2	2	-	-	2	1	1	-	3	-	2	-	4	4	7	5	4	3	9	7	6	1	-	-	-
	White—M	42	6	1	1	-	-	1	1	1	-	1	-	1	-	2	3	5	3	3	2	5	3	3	1	-	-	-
	F	27	3	1	1	-	-	2	-	-	-	2	-	1	-	1	1	2	1	-	1	4	4	3	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	24	6	1	-	-	-	1	-	-	-	1	2	-	2	1	-	2	2	1	-	2	1	-	-	-	-	-
	White—M	12	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-
	F	11	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	28	4	-	2	-	-	-	-	-	-	1	-	-	1	2	1	2	2	3	2	3	2	2	1	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	1	1	-	-	-	-	-
	F	19	3	-	2	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	2	2	2	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	54	1	-	-	-	-	-	-	-	-	1	-	3	4	9	5	9	9	5	5	4	-	-	-	-	-	-
	White—M	48	1	-	-	-	-	-	-	-	-	-	-	3	4	8	5	8	7	5	4	3	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	26	13	2	1	-	1	-	-	-	-	-	-	1	1	2	2	-	-	1	1	-	-	1	-	-	-	-
	White—M	17	8	-	1	-	1	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	14	-	-	-	-	-	1	-	-	1	2	-	-	2	-	-	1	4	1	1	-	-	1	-	-	-	-
	White—M	7	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	45	3	-	1	-	-	-	-	1	-	1	-	1	1	4	1	5	3	9	8	4	3	-	-	-	-	-
	White—M	26	2	-	1	-	-	-	-	1	-	1	-	-	1	1	-	2	2	9	3	1	2	-	-	-	-	-
	F	18	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	1	-	5	2	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	37	-	-	-	-	-	-	-	-	-	-	1	1	4	7	3	7	3	3	3	2	3	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	6	2	1	-	2	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	1	1	1	3	-	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	1	5	1	4	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	4	1	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	218	-	-	-	-	-	2	2	2	5	3	4	3	9	7	9	16	22	29	31	30	31	11	-	1	2	-
	White—M	126	-	-	-	-	-	2	1	1	1	2	3	2	6	5	7	11	13	18	19	9	16	6	-	1	1	-
	F	92	-	-	-	-	-	-	1	1	4	1	1	1	1	2	2	4	9	11	12	21	15	5	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-																					

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

429

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	UTAH--Continued																												
140-150	Diseases of pregnancy, etc.*	25							1	1	7	5	4	6	1														
	White--F--	25							1	1	7	5	4	6	1														
	Nonwhite--F--																												
140, 142a, 145a, 147	Puerperal septicemia--	10							1		3	2	1	2	1														
	White--F--	10							1		3	2	1	2	1														
	Nonwhite--F--																												
141a, c, 144, 148	Puerperal toxemia	7								1	1		2	3															
	White--F--	7								1	1		2	3															
	Nonwhite--F--																												
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock--	8									3	3	1	1															
	White--F--	8									3	3	1	1															
	Nonwhite--F--																												
141d, e, f, 145b, 150	Other puerperal causes--																												
	White--F--																												
	Nonwhite--F--																												
157	Congenital malformations--	80	65	4	1	1	1		5			2	1																
	White--M--	50	42	2	1		1		2			1	1																
	F--	29	23	2		1			2																				
	Nonwhite--M--																												
	F--	1							1																				
158-161	Diseases peculiar to first year--	325	323																										
	White--M--	180	180																										
	F--	137	137																										
	Nonwhite--M--	5	5																										
	F--	1	1																										
159	Premature birth--	213	213																										
	White--M--	115	115																										
	F--	95	95																										
	Nonwhite--M--	2	2																										
	F--	1	1																										
158, 160, 161	Other diseases peculiar to first year--	110	110																										
	White--M--	65	65																										
	F--	42	42																										
	Nonwhite--M--	3	3																										
	F--																												
163, 164	Suicide--	41							1	3	2	4	4	7	4	5	2	3	2	2	2								
	White--M--	28							2		3	2	4	2	4	2	3	2	2	2	2								
	F--	12							1		2	1	2	3	2	1													
	Nonwhite--M--																												
	F--	1							1																				
165-168	Homicide--	14	1								1	3			3	1	2	2			1								
	White--M--	9									1	1			3		2	1			1								
	F--	4	1									2				1													
	Nonwhite--M--	1																1											
	F--																												
169-195	Accidental deaths	511	8	19	9	12	7	20	13	31	59	34	30	25	23	26	23	28	21	19	25	29	20	20	7	2			
	White--M--	367	6	12	4	8	6	14	10	26	53	31	26	19	20	21	19	22	15	14	12	13	7	7	1				
	F--	139	2	7	5	4	1	6	3	5	9	3	3	6	3	4	3	6	5	4	13	16	13	13	6	2			
	Nonwhite--M--	5																											
	F--																												
170	Motor-vehicle accidents--	185		5	3	8	2	8	6	14	32	20	8	8	8	11	7	9	8	8	11	6	3						
	White--M--	142		3	1	8	1	6	4	11	27	18	6	4	6	9	4	7	7	6	9	3	3						
	F--	42		2	2		1	2	2	3	5	2	2	4	2	2	2	2	1	2	2	3							
	Nonwhite--M--	1																											
	F--																												
169, 171-195	Other accidents--	326	8	14	6	6	5	12	7	17	26	14	22	17	15	15	16	19	13	11	14	23	17	20	7	2			
	White--M--	225	6	9	3	2	5	8	6	15	26	13	20	15	14	12	15	15	8	8	3	10	4	7	1				
	F--	97	2	5	3	4		4	1	2		1	1	2	1	2	1	4	4	2	11	13	13	6	2				
	Nonwhite--M--	4																											
	F--																												
162, 199, 200	Sexuality, ill-defined and unknown causes--	199	7	2	1			2		3	1		2	3	1	3	7	11	11	11	11	36	35	26	23	2	1		
	White--M--	94	3	1						1			2	1	1	3	9	6	7	2	18	14	15	7	1				
	F--	95	4		1			2		1				2			3	1	3	4	7	16	21	11	16	1			
	Nonwhite--M--	7																											
	F--	3		1						1																			
	All other causes--	312	19	5	8	4	6	11	6	5	7	16	9	16	13	19	29	15	25	20	24	26	21	8	1	1			
	White--M--	174	10	3	2	2	5	8	2	3		5	5	5	6	13	18	11	15	14	16	16	11	4					
	F--	131	8	2	4	2	1	2	4	2	7	11	4	11	5	6	10	2	10	6	8	10	4	1	1				
	Nonwhite--M--	4						1																					
	F--	3	1														1	1											

\*Refer to International List for complete title, table V, Part I.



# VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes-----	4,140	284	19	17	9	9	22	20	31	45	44	43	67	81	124	202	246	335	486	579	576	479	273	107	23	4	6
	White-----M-----	2,260	134	13	13	3	7	17	12	25	34	21	23	39	50	74	117	147	216	277	319	294	233	109	46	12	1	4
	White-----F-----	1,877	130	6	4	5	2	5	9	6	11	23	20	28	41	50	85	98	119	208	260	282	245	164	61	11	3	2
	Nonwhite-M-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M-----	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	129	1	-	-	-	-	-	-	2	7	5	7	10	10	12	15	15	16	13	8	5	3	-	-	-	-	-
	White-----M-----	86	1	-	-	-	-	-	-	-	4	1	4	5	3	8	12	12	13	12	6	4	3	-	-	-	-	-
	White-----F-----	41	-	-	-	-	-	-	-	2	3	4	3	5	7	4	3	3	3	1	2	1	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	123	-	-	-	-	-	-	-	2	6	5	7	10	10	12	14	15	15	12	8	5	2	-	-	-	-	-
	White-----M-----	84	-	-	-	-	-	-	-	-	4	1	4	5	3	9	11	12	12	6	4	2	-	-	-	-	-	-
	White-----F-----	39	-	-	-	-	-	-	-	2	2	4	3	5	7	4	3	3	3	-	2	1	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	White-----M-----	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	4	1	2	-	-	-	-	-	-
	White-----M-----	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	2	1	2	-	-	-	-	-	-
	White-----F-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	4	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)-----	5	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	5	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

431

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	VERMONT--Con.																											
	Cancer and other malignant tumors	565	1	-	-	-	-	-	1	1	1	4	6	9	22	22	43	55	53	83	100	80	42	30	10	2	-	-
	White--M	272	1	-	-	-	-	-	1	1	1	2	1	2	8	9	15	26	27	35	62	39	24	14	4	1	-	-
	F	293	-	-	-	-	-	-	1	-	-	2	5	7	14	13	28	29	26	48	58	41	18	6	1	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	266	1	-	-	-	-	-	-	-	-	2	2	1	9	7	11	31	29	44	53	33	23	15	5	-	-	-
	White--M	147	1	-	-	-	-	-	-	-	-	2	-	-	4	3	8	19	17	23	33	16	13	6	2	-	-	-
	F	119	-	-	-	-	-	-	-	-	-	-	2	1	5	4	3	12	12	21	20	17	10	9	5	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48, 49	Cancer of female genital organs	78	-	-	-	-	-	-	-	-	-	1	1	2	6	4	11	5	7	13	9	12	3	4	-	-	-	-
	White--F	78	-	-	-	-	-	-	-	-	-	1	1	2	6	4	11	5	7	13	9	12	3	4	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	61	-	-	-	-	-	-	-	-	-	-	2	4	3	4	13	7	4	7	6	6	2	1	1	1	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	-	-	-	-	2	4	3	4	12	7	4	7	6	6	2	1	1	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	160	-	-	-	-	-	-	1	1	1	1	1	2	4	7	8	12	13	19	32	29	14	10	4	1	-	-
	White--M	124	-	-	-	-	-	-	1	1	1	1	1	2	4	6	6	7	10	12	29	23	11	8	2	1	-	-
	F	36	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	5	3	7	3	6	3	2	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	109	-	-	-	-	-	-	1	-	-	-	-	-	2	2	9	7	18	16	19	24	8	3	-	-	-	-
	White--M	37	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	7	2	7	8	4	2	-	-	-	-	-
	F	72	-	-	-	-	-	-	1	-	-	-	-	-	2	1	7	3	11	14	12	16	4	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	1	-	-	-	-	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
	White--M	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	411	-	-	-	-	-	-	-	-	-	-	-	3	4	6	12	23	33	49	75	98	71	33	12	2	-	-
	White--M	177	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	9	20	20	32	39	31	11	5	-	-	-
	F	233	-	-	-	-	-	-	-	-	-	-	-	1	3	3	8	14	13	29	43	49	39	22	7	2	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	1,390	-	-	-	-	-	1	1	2	2	4	3	4	9	18	35	63	80	126	197	234	237	204	110	37	7	2
	White--M	794	-	-	-	-	-	1	1	1	2	4	3	7	13	27	46	59	69	128	132	118	95	44	17	4	-	3
	F	594	-	-	-	-	-	-	-	-	-	-	3	1	2	5	8	17	30	37	68	102	119	109	66	20	3	1
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b, c, 93e, 95b	Chronic rheumatic diseases of the heart	82	-	-	-	-	-	1	-	2	1	3	2	2	3	2	3	7	5	10	9	6	14	6	2	1	1	-
	White--M	45	-	-	-	-	-	1	-	1	1	3	-	1	1	2	2	4	1	7	3	8	1	1	1	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	3	4	3	2	5	6	5	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	449	-	-	-	-	-	-	-	-	-	-	1	2	5	10	20	42	43	56	76	75	58	39	19	3	-	-
	White--M	291	-	-	-	-	-	-	-	-	-	-	2	5	8	16	33	32	43	45	47	30	22	7	1	-	-	-
	F	157	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	11	13	30	28	28	17	12	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of the heart (other forms)	859	-	-	-	-	-	1	-	1	1	-	-	1	6	12	14	42	60	112	151	165	159	89	33	6	2	4
	White--M	458	-	-	-	-	-	1	-	1	1	-	-	1	3	9	9	26	39	76	82	80	72	36	15	4	-	3
	F	400	-	-	-	-	-	-	-	-	-	-	-	3	3	5	15	21	36	69	85	87	53	18	2	2	1	1
	Nonwhite--M	1	-	-	-	-	-																					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	VERMONT—Con.																											
	Arteriosclerosis and high blood pressure*—M	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	5	7	10	26	33	22	13	5	-	-
	White—M	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	4	14	21	10	6	3	-	-	-
	F	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	8	12	19	12	7	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—M	200	35	3	2	1	-	2	2	1	2	1	2	2	1	4	5	9	12	13	24	25	26	21	2	4	-	1
	White—M	117	18	3	2	-	-	1	1	1	1	1	1	1	1	3	4	5	12	9	12	16	16	9	1	1	-	-
	F	83	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	4	12	9	10	12	-	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia—M	82	24	3	-	-	-	2	2	-	-	-	2	-	-	-	2	1	1	4	8	12	11	8	1	1	-	-
	White—M	46	12	3	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	1	4	7	6	5	-	-	-	-
	F	36	12	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	4	5	5	3	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—M	69	7	-	-	-	-	-	-	-	2	1	2	-	-	3	3	5	7	4	13	7	8	7	-	-	-	-
	White—M	42	4	-	-	-	-	-	-	-	1	1	-	-	-	2	3	3	7	3	6	5	5	2	-	-	-	-
	F	27	3	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	-	1	7	2	3	5	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)—M	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	3	-	-	-	-	1
	White—M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—M	36	2	-	2	1	-	-	-	1	-	-	-	-	1	-	-	3	2	3	2	5	4	6	1	3	-	-
	White—M	20	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	3	2	2	1	1	-	-
	F	16	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	2	4	-	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—M	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	1	4	-	4	-	1	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	4	-	3	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*—M	12	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—M	20	-	-	-	-	1	3	2	1	1	-	-	-	3	1	-	1	2	3	1	1	-	-	-	-	-	-
	White—M	10	-	-	-	-	1	2	1	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	1	1	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—M	36	3	-	-	-	-	1	-	1	-	-	1	-	-	4	1	-	3	8	5	4	2	2	1	-	-	-
	White—M	15	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	5	2	3	-	1	-	-	-	-
	F	21	1	-	-	-	-	1	-	-	-	-	1	-	-	3	1	-	3	3	3	1	2	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—M	22	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	1	6	3	1	4	-	-	-	-	-
	White—M	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	4	3	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*—M	18	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	4	1	4	1	3	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	4	-	2	-	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—M	183	1	-	-	-	-	-	1	-	-	-	-	-	5	4	13	6	10	24	41	25	27	16	8	-	-	-
	White—M	98	1	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	7	19	19	18	14	8	5	-	-	-
	F	85	-	-	-	-	-	-	1	-	-	-	-	-	4	4	9	3	3	8	22	7	13	8	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	2	7	1	2	-	-	-
	White—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	2	7	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

433

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT--Con.																											
140-150	Diseases of pregnancy, etc.--	12	-	-	-	-	-	-	-	-	3	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	12	-	-	-	-	-	-	-	-	3	4	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a,147	Puerperal septicaemia--	5	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	5	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,146	Puerperal toxemia--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 145,146, 149	Hemorrhage, trauma or shock--	6	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	6	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,c,f, 145b,150	Other puerperal causes--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations--	58	49	5	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White--M--	25	21	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	28	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year--	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	93	93	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth--	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year--	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M--	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite--M--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F--	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide--	45	-	-	-	-	-	1	-	2	1	3	3	2	2	6	5	8	6	1	1	4	-	-	-	-	-	-
	White--M--	39	-	-	-	-	-	1	-	2	1	1	2	2	1	6	5	6	6	1	1	4	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide--	6	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White--M--	4	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths--	271	6	5	6	1	1	10	5	18	18	12	11	14	9	6	11	10	15	14	23	18	26	16	11	1	2	1
	White--M--	186	4	5	5	-	-	9	4	16	18	10	11	11	8	3	10	9	12	9	14	9	10	5	1	1	1	1
	F--	85	2	-	1	1	1	1	1	2	-	2	-	3	1	3	1	1	3	5	9	10	16	11	10	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents--	88	-	-	2	-	1	7	2	8	13	8	6	5	4	4	1	4	3	3	8	4	3	1	-	-	1	-
	White--M--	73	-	-	2	-	-	7	2	6	13	6	6	3	4	1	1	3	3	2	7	2	3	1	-	-	1	-
	F--	15	-	-	-	-	1	-	-	2	-	2	-	2	-	3	-	1	1	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents--	183	6	5	4	1	-	3	3	10	5	4	5	9	5	2	10	6	12	11	15	15	23	15	11	1	1	1
	White--M--	113	4	5	3	-	-	3	2	10	5	4	5	8	4	2	9	6	9	7	7	7	7	4	1	1	1	1
	F--	70	2	-	1	1	-	1	1	-	-	-	-	1	1	-	1	-	3	4	8	8	16	11	10	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,198, 200	Senility, ill-defined and unknown causes--	53	5	-	1	-	-	-	-	-	-	1	-	1	-	4	2	3	3	1	5	8	5	8	5	1	1	-
	White--M--	27	-	-	1	-	-	-	-	-	-	1	-	1	-	3	1	1	3	1	4	5	2	1	1	1	-	-
	F--	26	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	3	7	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes--	222	11	4	5	3	5	3	4	2	6	9	6	8	10	9	13	7	19	23	20	20	15	7	6	1	-	-
	White--M--	120	7	2	3	2	4	2	3	2	3	3	1	5	7	7	7	3	9	14	13	10	6	3	3	1	-	-
	F--	102	4	2	2	1	1	1	1	-	3	6	5	3	3	2	6	4	10	15	7	10	9	4	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



# VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																											
	All causes-----	28,154	2,935	214	133	104	77	234	233	427	680	713	794	952	1,169	1,395	1,848	2,179	2,484	2,858	2,949	2,428	1,890	1,028	445	126	29	60
	White-----M--	11,299	1,167	70	54	37	32	91	99	185	286	268	280	344	431	514	654	883	992	1,203	1,286	1,097	696	393	161	40	2	14
	White-----F--	6,026	809	60	38	28	17	58	48	76	115	128	151	191	239	296	380	469	596	825	1,022	955	750	508	196	47	4	11
	Nonwhite--M--	4,904	545	43	26	22	16	41	53	89	159	177	229	242	257	298	451	470	476	456	360	208	131	63	39	21	9	23
	Nonwhite--F--	3,955	414	41	15	17	12	34	33	77	120	130	134	175	242	287	363	357	420	374	261	168	113	64	50	18	14	12
1,2	Typhoid and para-typhoid fever--	6	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis--	41	9	1	1	2	2	6	5	-	1	-	-	-	3	2	1	3	-	1	2	-	-	-	-	-	-	-
	White-----M--	19	4	-	-	2	1	2	2	4	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-
	White-----F--	13	4	1	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	13	-	-	1	2	-	3	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	-	-	1	1	-	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	57	40	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	10	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--	45	2	6	3	7	6	12	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	-	4	1	3	3	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	1	2	-	3	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,300	12	8	7	5	2	4	17	64	109	136	136	113	106	106	103	91	77	69	61	46	19	6	-	-	-	3
	White-----M--	378	2	2	-	1	-	1	2	7	15	23	30	35	36	42	38	34	35	22	26	19	7	1	-	-	-	-
	White-----F--	279	3	2	2	2	-	-	3	13	19	31	16	18	21	21	11	19	16	26	21	25	6	4	-	-	-	-
	Nonwhite--M--	373	2	1	3	1	1	1	4	24	38	41	45	39	31	30	37	25	19	13	10	2	4	1	-	-	-	1
	Nonwhite--F--	270	5	3	2	1	1	2	9	20	37	41	45	21	18	13	17	13	7	8	4	-	2	-	-	-	-	2
13	Tuberculosis of respiratory system, etc.*-----	1,174	1	3	2	1	-	3	11	52	98	125	128	102	100	102	95	87	74	63	57	43	19	6	-	-	-	2
	White-----M--	358	-	1	-	-	-	-	1	6	14	23	30	33	34	40	36	34	34	20	23	18	7	1	-	-	-	-
	White-----F--	255	-	-	-	-	-	-	2	11	18	26	16	16	21	19	11	19	16	26	20	24	6	4	-	-	-	-
	Nonwhite--M--	326	-	-	1	1	-	1	2	19	33	37	40	33	29	30	31	22	19	11	10	1	4	1	-	-	-	1
	Nonwhite--F--	238	1	2	1	-	-	2	6	16	33	39	42	20	16	13	17	12	5	6	4	-	2	-	-	-	-	1
14-22	Tuberculosis (other forms)-----	126	11	5	5	4	2	1	6	12	11	11	6	11	6	4	8	4	3	6	4	3	-	-	-	-	-	1
	White-----M--	23	2	1	-	1	-	1	1	1	1	-	-	2	2	2	2	-	1	2	3	1	-	-	-	-	-	-
	White-----F--	24	3	2	2	2	-	-	1	2	1	5	-	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	47	2	1	2	-	1	-	2	5	6	4	6	6	2	-	6	3	-	2	-	1	-	-	-	-	-	-
	Nonwhite--F--	32	4	1	1	1	1	-	2	4	4	2	3	1	2	-	-	1	2	2	-	-	-	-	-	-	-	1
27	Dysentery-----	28	13	1	1	-	-	2	-	-	1	1	-	2	-	1	1	-	-	1	-	3	1	-	-	-	-	-
	White-----M--	9	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	White-----F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	12	6	-	1	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	537	18	1	-	-	-	1	-	5	6	10	11	35	49	35	42	45	39	17	14	4	2	2	1	-	-	-
	White-----M--	67	1	-	-	-	-	-	1	1	1	1	7	6	12	8	16	12	6	7	3	2	-	-	-	-	-	-
	White-----F--	26	2	-	-	-	-	-	-	-	2	1	4	7	2	2	3	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	169	12	-	-	-	-	1	-	1	4	6	19	27	15	26	25	19	6	6	1	-	-	-	-	-	-	-
	Nonwhite--F--	55	3	1	-	-	-	-	4	4	3	3	5	9	6	6	1	7	3	-	-	-	-	-	-	-	-	-
35	Measles-----	39	10	7	3	3	2	6	2	-	-	-	1	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	White-----M--	6	1	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	3	4	1	-	1	3	-	-	-	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	9	4	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	2	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)-----	14	1	-	1	1	-	3	2	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	2	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## 435

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																											
45-55	Cancer and other malignant tumors	2,768	3	5	7	4	1	11	12	7	19	26	50	82	140	196	294	317	308	422	366	247	158	59	22	6	1	4
	White—M—	1,006	2	4	3	1	4	3	4	6	11	13	16	32	50	77	113	113	108	171	168	116	66	21	10	1	1	1
	F—	1,115	1	2	2	1	1	4	2	1	6	11	18	34	63	90	110	119	111	158	148	108	80	31	10	8	—	2
	Nonwhite—M—	263	—	1	—	—	—	1	3	—	2	2	7	8	17	20	45	34	40	52	27	14	6	3	—	—	—	1
	F—	364	—	2	1	—	—	2	4	2	5	2	12	24	28	43	62	51	38	41	23	9	6	4	2	2	—	1
46	Cancer of the digestive organs and peritoneum—	1,119	—	—	1	—	—	2	1	—	5	6	18	22	37	67	102	131	118	200	171	120	78	29	5	3	—	3
	White—M—	441	—	—	1	—	—	1	1	—	1	3	6	7	12	17	31	54	44	88	74	58	29	12	2	1	—	1
	F—	402	—	—	—	—	—	1	—	—	2	1	6	5	9	25	29	38	39	65	68	57	44	15	2	1	—	1
	Nonwhite—M—	151	—	—	—	—	—	1	—	—	2	2	2	4	8	11	26	18	18	30	17	7	3	1	—	—	—	1
	F—	125	—	—	—	—	—	—	—	—	—	—	4	6	8	14	16	21	17	17	12	4	2	1	1	1	—	1
48,49	Cancer of female genital organs—	402	—	—	—	—	—	1	—	—	4	7	10	25	33	45	71	57	39	42	38	14	8	5	1	2	—	—
	White—F—	276	—	—	—	—	—	1	—	—	2	5	5	13	24	29	45	35	33	52	29	12	7	3	1	1	—	—
	Nonwhite—F—	126	—	—	—	—	—	—	—	—	2	2	5	12	9	16	26	22	6	10	9	2	1	2	—	—	—	—
50	Cancer of breast—	268	—	—	—	—	—	—	—	—	1	6	15	23	25	35	29	25	32	27	21	18	7	2	1	—	—	1
	White—M—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—
	F—	201	—	—	—	—	—	—	—	—	1	4	12	15	20	25	22	16	21	24	17	15	7	2	1	—	—	1
	Nonwhite—M—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	59	—	—	—	—	—	—	—	—	—	—	2	3	7	5	12	6	9	10	1	2	—	—	—	—	—	—
45,47, 51-55	Cancer (other sites)—	979	3	5	6	4	1	8	11	7	10	12	16	20	47	59	86	100	127	148	130	92	54	18	14	—	1	—
	White—M—	559	2	3	3	1	4	2	4	2	5	8	7	9	20	26	46	58	76	82	92	57	36	9	6	—	1	—
	F—	236	1	2	2	1	—	2	2	1	2	4	3	4	15	16	13	24	23	40	27	28	14	6	—	—	—	—
	Nonwhite—M—	130	—	1	—	—	—	3	—	—	—	—	5	4	8	9	19	16	22	22	10	6	3	2	—	—	—	—
	F—	54	—	2	1	—	—	2	4	2	3	—	1	3	4	8	8	2	6	4	1	1	1	1	—	—	—	—
58	Acute rheumatic fever—	32	3	—	1	—	—	2	4	4	5	5	4	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	White—M—	9	—	—	—	—	—	1	—	2	1	1	1	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	F—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	7	—	—	—	—	—	1	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	14	1	—	1	—	—	—	1	2	3	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	541	—	1	—	—	1	3	4	4	7	6	10	9	14	35	25	58	75	99	87	60	26	11	5	2	—	1
	White—M—	177	—	1	—	—	—	1	2	3	3	2	4	4	6	13	5	17	14	29	37	19	9	5	3	—	—	—
	F—	255	—	—	—	—	1	—	1	1	2	1	3	—	2	9	8	26	42	51	44	40	16	5	1	1	—	—
	Nonwhite—M—	34	—	—	—	—	—	1	—	—	1	3	2	2	3	4	4	2	4	5	1	1	—	—	—	—	—	—
	F—	75	—	—	—	—	1	1	—	—	1	—	1	3	3	8	8	11	15	14	5	—	1	1	—	1	—	—
63b	Exophthalmic goiter—	50	—	—	—	—	—	—	—	1	—	2	—	2	10	4	4	6	10	5	4	—	1	—	—	1	—	—
	White—M—	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	—
	F—	28	—	—	—	—	—	—	—	—	—	1	—	1	3	2	3	2	7	4	3	—	1	—	1	—	—	—
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F—	16	—	—	—	—	—	—	—	1	—	1	—	1	7	1	1	3	—	1	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)—	25	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	1	3	4	7	4	2	—	1	—	—	—
	White—M—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	4	1	1	—	—	—	—	—
	F—	12	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	4	2	1	1	—	1	—	—	—
	Nonwhite—M—	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	—	—	—	—	—	—
	F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethyliam)—	91	—	—	—	—	—	—	—	—	2	5	11	13	16	13	9	7	7	4	4	—	—	—	—	—	—	—
	White—M—	65	—	—	—	—	—	—	—	—	1	3	5	9	14	9	6	6	6	3	3	—	—	—	—	—	—	—
	F—	6	—	—	—	—	—	—	—	—	1	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	15	—	—	—	—	—	—	—	—	1	—	3	3	3	1	3	1	1	1	—	—	—	—	—	—	—	—
	F—	5	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin—	2,869	4	1	3	—	—	2	3	4	13	9	26	45	82	127	232	291	362	390	435	405	230	130	49	14	5	9
	White—M—	952	2	1	1	—	—	2	2	1	5	2	7	11	21	23	48	96	99	134	170	169	92	47	18	6	—	2
	F—	878	1	—	1	—	—	—	1	2	2	7	7	12	26	51	46	95	113	151	165	101	68	21	6	—	—	4
	Nonwhite—M—	483	1	—	1	—	—	—	—	—	3	2	10	11	16	31	61	71	78	73	54	33	19	5	5	2	3	3
	F—	556	—	—	—	—	—	—	—	1	3	7	14	33	47	72	78	78	70	60	38	18	10	7	—	—	2	4
90-95	Diseases of the heart—	7,437	1	6	—	3	4	12	17	18	23	42	76	121	233	371	576	752	903	1,006	1,134	932	620	374	160	33	6	10
	White—M—	3,280	—	2	—	1	2	5	8	3	9	18	32	50	93	168	246	354	453	470	515	411	263	138	56	9	—	4
	F—	2,073	—	2	—	—	—	3	5	7	4	8	13	21	30	49	88	125	189	256	372	373	256	184	71	13	2	1
	Nonwhite—M—	1,147	—	1	—	—	—	3	—	5	4	9	18	29	59	83	143	159	154	157	145	80	54	29	13	7	3	2
	F—	927	1	1	—	2	2	1	4	3	6	7	13	21	31	71	99	114	139	126	102	68	45	23	20	4	3	3
90a, 92b, c, 93a, b, d, e, 95a, b, c	Chronic rheumatic diseases of the heart—	396	—	—	—	1	3	7	13	9	8	8	13	17	13	19	29	41	45	38	54	28	30	6	8	3	—	3
	White—M—	142	—	—	—	—	1	2	6	2	2	5	4	6	6	7	4	17	13	12	22	10	15	3	3	1	—	2
	F—	113	—	—	—	—	—	2	5	2	2	1	3	7	2	7	7	10	11	12	13	11	9	2	3	1	—	—
	Nonwhite—M—	78	—	—	—	—	—	—	—	1	2	1	4	3	3	3	9	9	11	8	11	3	4	1	1	2	—	—
	F—	63	—	—	—	1	2	1	2	1	2	1	2	1	2	2	9	5	10	8	8	4	2	—	1	—	—	1
94	Diseases of coronary arteries and angina pectoris—	2,202	—	—																								



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97,102	VIRGINIA—Con. Arteriosclerosis and high blood pressure—M— White—M— F— Nonwhite—M— F—	425 156 122 58 89	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	7 1 - - -	8 1 - - -	8 5 2 4 3	15 1 2 4 4	20 6 7 5 6	29 7 12 8 12	44 10 20 6 14	61 17 33 11 13	73 33 24 7 9	78 33 30 11 4	53 31 16 1 5	21 8 8 2 4	5 3 - - -	1 1 - - -	1 1 - - -
107-109, 33	Pneumonia (all forms) and influenza—M— White—M— F— Nonwhite—M— F—	1,484 504 418 308 254	402 123 90 101 88	65 18 19 12 17	21 5 5 2 2	14 2 5 5 2	11 4 5 3 2	8 2 3 2 2	13 4 6 4 3	19 8 7 2 3	27 4 6 6 6	25 8 6 6 9	26 5 6 6 1	32 7 6 6 10	43 14 2 14 13	51 21 8 16 6	62 18 16 18 10	85 29 13 19 12	78 36 11 15 19	104 39 37 40 16	110 53 40 29 18	100 53 41 13 9	65 33 33 7 4	67 24 38 3 2	40 16 18 4 2	10 2 7 1 -	5 2 1 4 -	3 2 - - -	
107	Bronchopneumonia—M— White—M— F— Nonwhite—M— F—	557 197 152 111 97	216 68 42 53 83	27 3 7 6 11	6 4 2 1 1	6 1 2 4 1	2 1 1 1 1	4 2 3 2 1	6 1 3 1 1	3 2 2 2 1	9 3 2 4 1	3 1 2 3 1	6 1 2 4 2	9 6 1 3 3	9 2 - 4 5	10 8 5 1 1	19 7 3 4 5	24 9 6 9 8	21 5 10 4 6	27 14 13 10 5	36 19 13 9 4	32 19 16 7 3	33 16 16 1 1	27 9 7 - -	14 7 7 - -	5 2 8 - -	- - - - -		
108	Lobar pneumonia—M— White—M— F— Nonwhite—M— F—	352 114 99 72 67	51 13 12 12 14	7 4 2 - 1	3 1 1 - 1	3 1 1 - 1	2 - 1 - -	1 - 1 - -	2 3 1 - 1	5 3 3 - 1	6 3 4 2 5	14 2 3 2 1	6 3 4 1 2	12 4 2 1 2	21 10 7 5 6	22 4 2 9 3	18 1 7 6 4	18 8 4 4 2	24 11 16 6 5	36 9 16 4 7	32 9 12 6 5	32 13 6 4 7	28 7 9 3 1	20 6 9 3 1	14 8 8 - -	6 2 3 1 -	1 - 1 - -	- - - - -	
109	Pneumonia (unspecified)—M— White—M— F— Nonwhite—M— F—	297 111 84 61 41	103 36 25 23 19	15 5 3 6 1	6 4 1 1 -	3 1 1 1 -	2 1 2 1 -	4 1 1 1 -	4 1 2 1 2	3 - 1 1 1	4 1 2 3 1	7 1 2 1 -	3 1 3 1 -	8 2 1 3 -	8 4 - 2 1	10 3 3 3 1	11 5 6 3 2	15 8 10 3 4	17 11 6 5 2	22 9 10 5 -	17 3 5 4 1	17 9 5 2 -	8 3 4 1 -	8 3 4 2 -	10 4 4 1 -	3 - 2 1 -	1 - 1 - -	2 - - - -	
33	Influenza—M— White—M— F— Nonwhite—M— F—	278 82 83 64 49	32 6 11 15 2	16 6 6 - 4	4 3 1 - -	2 - 1 2 -	5 2 1 - 1	- - 1 - -	1 7 3 2 -	7 2 1 1 -	9 2 1 2 3	4 3 1 5 2	7 1 1 1 -	8 - 2 1 -	5 - 1 2 -	11 5 1 8 3	15 3 5 5 1	12 1 2 3 4	18 7 5 6 3	24 11 16 4 7	20 5 5 2 4	25 12 8 9 3	24 6 10 2 1	18 3 4 1 3	10 4 4 1 -	1 - 1 - 1	2 - - - -	- - - - -	
117	Ulcer of stomach or duodenum—M— White—M— F— Nonwhite—M— F—	149 86 19 31 13	1 - 1 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	2 1 1 2 1	4 3 - 6 -	9 2 3 2 -	12 9 3 1 -	19 12 2 4 -	16 10 4 1 3	15 5 1 6 1	17 11 1 3 2	18 5 1 3 2	19 11 4 3 -	8 7 1 3 -	1 - 1 - -	- - - - -	- - - - -	- - - - -			
119,120	Diarrhea, enteritis, etc.—M— White—M— F— Nonwhite—M— F—	228 73 70 48 37	148 53 42 30 23	9 2 4 3 1	3 2 1 - -	3 1 1 - -	1 - 1 - -	2 - 1 - -	1 - 1 - -	3 - 1 - -	- - 1 - -	3 2 1 - -	5 1 3 - -	1 2 1 - -	8 2 1 - -	2 - 1 1 -	5 - 2 1 -	4 - 2 1 -	7 2 1 3 2	4 1 1 1 2	4 2 - 1 -	3 2 1 - -	7 2 5 1 -	3 2 1 - -	2 1 - 1 -	- - - - -	- - - - -		
121	Appendicitis—M— White—M— F— Nonwhite—M— F—	85 31 24 23 7	1 - - - -	- - - - -	3 - 2 1 -	1 - 1 - -	- - 1 - -	- - 1 - -	7 2 1 4 1	3 2 1 2 2	6 2 1 2 2	10 3 1 4 3	5 3 2 2 -	7 4 1 4 -	11 3 1 2 -	5 3 1 1 -	5 3 3 4 1	6 2 3 1 -	4 - 1 1 -	2 4 1 1 -	5 - 3 1 -	2 - 2 - -	1 - 1 - -	1 - 1 - -	- - - - -	- - - - -	- - - - -		
122	Hernia, intestinal obstruction—M— White—M— F— Nonwhite—M— F—	201 69 64 35 33	4 2 1 - 1	2 1 - 1 -	- - - 1 -	- - - 1 -	- - - 1 -	- - - 1 -	2 1 1 - -	3 2 1 - -	6 2 1 1 2	6 2 1 3 2	8 7 4 3 1	14 6 5 2 3	8 2 2 1 -	11 4 2 4 3	12 6 2 1 2	13 4 2 3 2	17 7 9 5 3	27 10 4 3 5	23 11 8 3 1	16 6 9 1 -	13 5 6 - 2	12 6 6 - 1	2 - 1 - -	- - - - -	- - - - -		
124	Cirrhosis of the liver—M— White—M— F— Nonwhite—M— F—	166 98 34 26 8	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -			
126,127	Biliary calculi, etc.—M— White—M— F— Nonwhite—M— F—	90 23 49 6 12	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -			
130-132	Nephritis—M— White—M— F— Nonwhite—M— F—	2,070 727 554 424 565	3 1 1 - 1	1 - - - -	- - - - -	3 1 - 1 1	3 3 - - 1	3 2 - - 1	2 8 1 - 4	13 3 3 6 2	10 5 3 2 5	19 12 4 13 9	37 12 8 18 18	51 23 19 28 35	85 23 15 18 25	91 13 15 37 35	138 40 22 37 39	161 39 35 58 29	222 76 34 58 53	296 114 84 58 50	282 104 94 49 35	249 110 81 36 22	200 82 87 17 14	127 51 57 9 10	52 19 21 3 3	18 7 3 9 5	5 1 1 2 2	9 - - - -	
137	Diseases of the prostate—M— White—M— Nonwhite—M—	141 95 46	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

437

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
VIRGINIA—Con.																												
140-150	Diseases of pregnancy, etc.—F	124	-	-	-	-	-	-	-	17	24	30	22	22	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	72	-	-	-	-	-	-	-	7	14	14	16	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	52	-	-	-	-	-	-	-	10	10	16	6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicaemia—F	39	-	-	-	-	-	-	-	5	5	11	7	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	2	3	5	6	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	13	-	-	-	-	-	-	-	3	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia—F	36	-	-	-	-	-	-	-	10	9	5	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	17	-	-	-	-	-	-	-	4	6	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	19	-	-	-	-	-	-	-	6	3	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock—F	37	-	-	-	-	-	-	-	2	8	8	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	1	4	3	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	17	-	-	-	-	-	-	-	1	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes—F	12	-	-	-	-	-	-	-	2	6	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	1	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M	364	302	14	12	4	4	7	4	4	4	1	1	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	182	154	7	5	1	3	2	1	1	3	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	126	100	4	6	2	1	4	2	1	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	37	30	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M	1,618	1,618	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	701	701	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	457	457	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	271	271	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth—M	1,039	1,039	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	447	447	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	304	304	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year—M	579	579	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White—M	254	254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	153	153	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite—M	100	100	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide—M	337	-	-	-	-	-	1	3	10	17	41	38	40	37	32	28	18	27	24	14	6	1	-	-	-	-	-
	White—M	223	-	-	-	-	-	1	1	7	8	27	26	26	24	23	17	10	16	19	12	5	1	-	-	-	-	-
	F	80	-	-	-	-	-	-	2	4	8	6	13	11	8	10	7	7	7	2	1	-	-	-	-	-	-	-
	Nonwhite—M	29	-	-	-	-	-	1	1	3	5	6	1	1	1	1	1	3	3	1	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide—M	336	3	-	2	-	-	1	4	21	69	54	38	36	32	21	20	14	7	4	4	2	1	1	-	-	-	2
	White—M	85	-	-	-	-	-	-	3	15	13	5	8	4	7	8	6	4	3	3	2	1	1	-	-	-	-	-
	F	31	-	-	1	-	-	-	5	7	5	2	2	4	-	1	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	179	2	-	1	-	-	4	8	37	30	26	22	19	13	8	5	2	1	-	-	-	-	-	-	-	-	2
	F	45	1	-	-	-	-	1	5	10	6	5	4	6	1	3	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—M	2,225	69	29	36	29	22	79	77	168	228	191	162	174	122	115	91	98	83	108	108	71	80	57	22	5	2	10
	White—M	1,231	26	15	18	17	6	34	43	111	156	120	99	103	74	75	60	58	56	42	32	29	29	20	6	1	-	4
	F	422	16	4	6	4	7	16	9	18	23	23	15	16	14	13	6	15	18	27	43	31	46	34	12	3	-	3
	Nonwhite—M	433	13	6	9	4	5	13	21	27	41	41	46	48	25	16	28	22	21	18	15	8	1	2	1	-	1	3
	F	139	14	5	3	4	4	15	4	10	8	7	3	7	9	9	7	1	6	7	5	2	5	1	3	1	1	-
170	Motor-vehicle accidents—M	809	-	4	10	8	9	36	22	75	137	100	76	65	39	48	38	31	29	31	23	12	8	6	-	-	-	2
	White—M	478	-	2	5	7	4	16	11	50	91	62	44	32	26	31	20	17	12	19	10	8	5	8	-	-	-	-
	F	122	-	1	1	1	1	10	5	12	19	13	7	9	3	9	1	8	6	5	7	1	2	-	-	-	-	1
	Nonwhite—M	172	-	1	3	-	4	5	5	8	22	23	23	22	8	4	13	5	9	6	6	3	1	-	-	-	-	1
	F	37	-	-	1	-	-	5	1	5	5	2	2	2	2	4	4	1	2	1	-	-	-	-	-	-	-	-
169, 172-195	Other accidents—M	1,416	89	24	26	21	15	42	55	91	91	91	86	109	83	65	53	67	54	77	80	59	72	51	22	5	2	8
	White—M	783	28	11	13	10	2	18	32	61	65	58	54	71	48	44	30	43	26	37	32	24	23	14	6	1	-	4
	F	300	16	3	5	3	6	6	4	6	4	10	8	7	11	4	5	7	12	22	36	30	44	34	12	3	-	2
	Nonwhite—M	261	13	5	6	4	1	8	16	19	19	18	23	26	17	12	15	17	12	12	9	3	-	2	1	-	1	2
	F	102	14	5	2	4	4	10	3	5	3	5	1	5	7	5	3	-	4	6	3	2	5	1	3	1	1	-
162,199, 200	Senility, ill-defined and unknown causes—M	675	148	10	4	2	2	4	3	7	10	8	9	10	13	7	23	26	37	35	38	46	84	71	47	27	2	2
	White—M	222	39	1	1	1	2	3	-	2	3	5	3	5	6	4	9	4	14	12	15	20	31	19	13	8	-	-
	F	224	47	3	2	-	-	-	1	1	2	-	-	3	1	-	2	4	7	6	11	16	39	38	29	10	-	2
	Nonwhite—M	120	30	3	1	1	-	1	2	2	1	2	5	1	2	2	6	10	8	11	5	7	6	8	1	5	-	-
	F	109	32	3	-	-	-	-	-	2	4	1	1	1	2	1	6	6	6	6	7	3	8	6	4	4	2	-
	All other causes—M	1,742	120	37	24	16	14	51	43	45	67	73	89	109	102	113	112	131	124	133	122	100	49	44	16	2	2	6
	White—M	693	42	16	9	4	7	19	20	15	24	21	27	31	40	33	41	55	55	66	64	54	19					



# VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

[illegible]

\*Refer to International List for complete title, table V, Part I.



## 439

## and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																											
45-55	Cancer and other malignant tumors	2,808	1	2	4	4	2	3	9	5	10	17	48	50	87	153	225	327	407	408	390	333	191	107	24	1	-	-
	White—M	1,443	1	1	2	2	1	3	4	3	9	6	17	13	32	56	84	140	229	239	210	200	111	55	15	1	-	-
	White—F	1,319	-	-	2	2	1	-	4	2	1	11	30	36	54	93	137	171	173	162	175	127	77	52	9	-	-	-
	Nonwhite—M	28	-	1	-	-	-	-	-	-	-	-	1	1	-	1	2	5	2	3	5	4	2	1	-	-	-	-
	Nonwhite—F	18	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	2	3	2	2	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	1,229	1	-	-	1	-	-	3	-	2	4	13	17	30	42	75	118	182	206	207	175	98	43	11	1	-	-
	White—M	733	1	-	-	-	-	-	2	-	2	3	5	18	26	43	66	124	135	117	108	52	21	7	1	-	-	-
	White—F	473	-	-	1	-	-	1	-	-	-	2	9	11	11	15	28	47	57	67	89	65	44	22	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	1	3	1	1	1	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	1	1	1	-	-	-	-	-
46,49	Cancer of female genital organs	321	-	-	-	-	-	-	-	-	-	3	8	8	24	35	40	46	46	42	27	22	11	7	2	-	-	-
	White—F	317	-	-	-	-	-	-	-	-	-	3	8	8	24	34	39	46	45	42	26	22	11	7	2	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
50	Cancer of breast	268	-	-	-	-	-	-	-	-	-	2	6	9	11	22	36	47	39	27	30	17	14	7	1	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-
	White—F	259	-	-	-	-	-	-	-	-	-	2	6	9	11	22	35	47	35	28	30	15	13	7	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	990	-	2	4	3	2	3	6	5	8	8	21	16	22	54	74	116	140	133	126	119	68	50	10	-	-	-
	White—M	704	-	1	2	2	1	3	2	3	7	4	14	8	14	30	40	83	102	104	95	91	58	34	8	-	-	-
	White—F	270	-	-	2	1	1	-	3	2	1	4	7	8	8	22	34	31	36	27	31	25	9	18	2	-	-	-
	Nonwhite—M	13	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	2	3	1	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	16	-	-	-	-	-	1	4	3	1	1	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	White—M	11	-	-	-	-	-	1	2	2	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	482	1	1	-	-	1	-	4	4	3	3	9	3	6	10	22	51	64	86	77	73	43	17	3	1	-	-
	White—M	167	-	-	-	-	-	-	3	1	1	2	2	2	4	7	9	22	20	27	28	31	18	9	1	-	-	-
	White—F	288	1	1	-	-	1	-	-	3	2	1	6	1	1	2	12	29	44	59	49	41	25	8	2	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
63b	Xerophthalmic goiter	43	-	-	-	-	-	-	-	-	-	1	-	1	1	2	7	5	7	6	7	2	3	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	1	1	-	-	-	-	-	-
	White—F	34	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	5	6	5	7	2	2	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylishm)	85	-	-	-	-	-	-	-	1	-	1	3	5	14	15	11	10	8	7	7	3	-	-	-	-	-	-
	White—M	75	-	-	-	-	-	-	-	-	-	1	2	5	12	15	10	10	7	6	7	1	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,958	1	-	-	1	-	1	-	3	3	5	13	19	20	47	91	143	209	238	344	353	280	153	45	7	-	-
	White—M	1,014	-	-	-	1	-	-	-	3	2	3	5	8	9	23	40	79	119	135	185	173	129	72	26	2	-	-
	White—F	917	1	-	-	-	-	1	-	-	1	1	6	11	11	21	50	61	85	101	154	160	146	80	19	4	-	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	2	2	2	3	1	-	-	-	-	-
	Nonwhite—F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-	-	-
80-95	Diseases of the heart	7,104	3	3	-	-	1	1	5	11	12	28	47	78	139	261	395	647	843	1,033	1,055	1,088	809	476	134	28	2	-
	White—M	4,563	-	2	-	-	1	-	6	5	14	28	48	98	198	298	455	597	706	885	856	456	257	74	14	2	-	-
	White—F	2,416	2	1	-	-	-	5	3	7	14	16	26	39	59	97	177	232	308	371	436	347	213	58	14	-	-	-
	Nonwhite—M	69	1	-	-	-	-	1	2	-	-	2	3	1	3	8	12	11	12	13	12	5	3	2	-	-	-	-
	Nonwhite—F	36	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	3	7	6	4	3	3	-	-	-	-	-
90a, 92b, c, 95a, b, d, e, 95a, c	Chronic rheumatic diseases of the heart	363	-	-	-	-	1	1	5	6	10	9	15	18	18	27	27	34	35	46	32	40	52	20	4	2	-	-
	White—M	192	-	-	-	-	1	-	2	4	2	7	9	9	9	14	16	22	20	22	15	18	19	8	3	1	-	-
	White—F	179	-	-	-	-	-	5	2	6	7	6	8	12	10	11	15	23	15	23	16	22	13	12	1	-	-	-
	Nonwhite—M	8	-	-	-	-	1	-	2	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries and angina pectoris	2,875	-	-	-	-	-	-	-	-	-	10	13	39	77	158	237	383	443	463	400	325	196	98	20	5	-	-
	White—M	2,183	-	-	-	-	-	-	-	-	-	6	12	30	61	139	200	309	355	357	285	223	132	65	13	4	-	-
	White—F	646	-	-	-	-	-	-	-	-	-	4	1	7	15	17	33	70	88	100	107	99	63	33	7	1	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	4	5	5	5	2	1	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90b, 91, 92a, d, e, 95a, b, d, e, 95a, c	Diseases of the heart (other forms)	3,846	3	3	-	-	-	-	5	2	9	19	21	44	76	131	230	389	524	623	723	581	358	110	21	2	-</	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	WASHINGTON—Con.																											
	Arteriosclerosis and high blood pressure—	379	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	7	11	29	52	75	93	72	31	10	1	-
	White—M—	223	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	5	8	15	30	50	52	39	17	3	-	
	F—	152	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	14	22	23	29	34	14	7	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	876	166	20	13	4	3	10	7	6	6	6	9	16	21	26	28	33	47	44	79	122	102	75	25	7	-	1
	White—M—	481	76	10	6	1	1	5	3	3	3	2	6	7	15	19	20	22	33	28	37	72	57	39	12	1	-	
	F—	347	68	7	5	2	2	5	4	3	3	4	2	8	5	6	7	8	11	14	36	49	43	36	13	6	-	
	Nonwhite—M—	28	12	1	-	-	-	-	-	-	-	-	1	1	1	1	-	2	3	2	5	-	-	-	-	-	-	
	F—	20	10	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	2	-	-	-	-	
107	Bronchopneumonia—	455	103	10	8	2	2	7	3	3	3	2	5	7	9	7	8	15	18	12	48	59	62	41	17	5	-	1
	White—M—	234	52	5	5	1	1	3	2	2	2	-	3	-	7	8	4	7	12	8	18	36	35	15	8	1	-	
	F—	198	38	3	3	-	1	4	1	1	1	2	1	4	2	-	2	8	5	4	27	23	27	26	9	4	-	
	Nonwhite—M—	13	7	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	
	F—	10	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
108	Lobar pneumonia—	272	33	2	3	2	1	2	3	2	1	4	4	7	9	14	15	13	22	22	43	23	25	21	4	-	-	
	White—M—	169	13	1	3	-	-	1	1	1	-	2	3	6	7	10	11	10	15	13	22	14	16	4	-	-		
	F—	84	15	-	-	2	1	1	2	1	1	2	1	1	1	4	3	-	5	7	6	18	8	5	-	-		
	Nonwhite—M—	12	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	-	-	-	-	-	-		
	F—	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	
109	Pneumonia (unspecified)—	71	24	6	1	-	-	-	1	-	1	-	-	1	2	2	3	2	4	5	4	6	3	3	-	1	-	
	White—M—	32	8	2	-	-	-	-	-	1	-	-	-	-	-	-	2	2	4	3	3	3	2	2	-	-		
	F—	34	12	4	1	-	-	-	1	-	-	-	-	1	2	2	1	-	-	2	1	4	1	1	-	1		
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
33	Influenza—	78	6	2	1	-	-	1	-	1	1	-	-	1	1	3	4	3	3	5	5	12	14	10	4	1	-	
	White—M—	46	3	2	-	-	-	1	-	-	-	-	-	1	1	3	5	3	2	4	3	8	6	6	-	-		
	F—	31	3	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	1	2	4	7	4	4	1		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
117	Ulcer of stomach or duodenum—	158	1	1	-	-	-	-	-	-	1	1	3	9	5	10	12	24	27	18	21	13	9	4	-	1	-	
	White—M—	131	1	-	-	-	-	-	-	-	1	1	2	6	5	10	10	21	23	15	18	10	7	4	-	1	-	
	F—	25	-	1	-	-	-	-	-	-	-	-	-	3	-	-	2	3	3	1	5	3	2	-	-	-		
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-		
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
118,120	Diarrhea, enteritis, etc.*—	76	47	5	-	-	-	1	3	1	2	2	1	1	1	3	1	1	1	-	1	3	1	1	-	-	-	
	White—M—	37	20	2	-	-	-	1	3	1	-	1	1	1	1	3	1	-	1	-	1	-	-	-	-	-		
	F—	34	23	2	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	1	2	1	1	-	-		
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Appendicitis—	69	1	-	1	1	-	1	-	4	2	2	1	3	4	2	4	10	7	10	4	8	2	2	-	-		
	White—M—	42	1	-	-	-	-	-	-	3	-	1	1	3	3	2	2	5	4	7	4	3	2	1	-	-		
	F—	25	-	-	1	-	-	1	-	1	2	1	-	-	1	-	2	4	3	3	-	5	-	1	-			
	Nonwhite—M—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
122	Hernia, intestinal obstruction—	147	4	5	-	1	-	-	1	2	4	4	5	6	5	2	6	12	15	16	12	14	23	9	1	-		
	White—M—	71	2	1	-	-	-	-	1	2	2	1	1	1	1	1	2	7	5	11	4	9	15	4	2	-		
	F—	75	2	4	-	1	-	-	-	-	2	3	4	5	4	1	4	5	9	5	8	5	6	5	-			
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-			
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124	Cirrhosis of the liver—	171	-	-	-	1	-	1	-	1	3	1	2	8	15	15	24	22	23	18	14	13	7	2	1	-		
	White—M—	107	-	-	-	1	-	-	-	1	1	1	-	1	4	6	15	13	16	10	6	9	5	2	1	-		
	F—	62	-	-	-	-	-	1	-	-	1	1	1	4	9	-	11	6	7	8	7	4	2	-	-			
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
126,127	Biliary calculi, etc.*—	117	-	-	-	-	-	-	-	-	-	-	2	4	3	5	7	18	19	11	14	12	15	7	-	-		
	White—M—	45	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	7	5	4	8	4	8	6	-	-		
	F—	69	-	-	-	-	-	-	-	-	-	-	1	3	1	4	6	9	14	7	8	8	7	1	-			
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
130-132	Nephritis—	972	2	-	1	-	1	4	3	5	9	6	14	19	29	36	57	66	100	113	141	137	111	88	29	-		
	White—M—	538	1	-	-	-	-	2	-	1	4	1	7	12	12	18	26	43	58	68	80	76	48	14	-	-		
	F—	407	-	-	1	-	1	2	3	4	4	5	6	6	15	15	25	21	38	44	60	59	43	39	15	-		
	Nonwhite—M—	19	-	-	-	-	-	-	-	-	1	-	1	1	1	2	4	1	3	1	1	2	-	-	-	-		
	F—	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	1	-	-	-		
137	Diseases of the prostate—	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	12	25	27	21	18	3	2	-	
	White—M—	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	12	25	27	21	18	3	2	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

441

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un- der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stat- ed
	WASHINGTON-Cont.																											
140-150	Diseases of preg- nancy, etc.*	62	-	-	-	-	-	-	-	3	15	10	19	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	59	-	-	-	-	-	-	-	3	13	10	17	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140,142a, 145A,147	Puerperal septicemia	16	-	-	-	-	-	-	-	1	3	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	16	-	-	-	-	-	-	-	1	3	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,149	Puerperal toxemia	12	-	-	-	-	-	-	-	1	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	12	-	-	-	-	-	-	-	1	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	26	-	-	-	-	-	-	-	-	5	3	8	7	2	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F	24	-	-	-	-	-	-	-	-	5	3	7	7	2	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
141A,c,f, 145B,150	Other puerperal causes	8	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	7	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	261	228	8	4	4	5	2	1	1	1	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
	White--M	156	136	4	1	2	3	2	1	1	1	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F	100	87	3	3	2	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
150-161	Diseases peculiar to first year	1,053	1,053	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M	611	611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	397	397	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	665	665	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158,160, 161	Other diseases peculiar to first year	388	388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163,164	Suicide	353	-	-	-	-	-	-	1	5	16	13	25	33	40	36	39	37	34	20	26	14	10	4	-	-	-	
	White--M	284	-	-	-	-	-	-	1	5	10	8	19	20	33	23	29	32	24	14	20	12	10	4	-	-	-	
	F	79	-	-	-	-	-	-	-	4	4	5	11	7	12	9	5	5	6	5	6	2	-	-	-	-	-	
	Nonwhite--M	4	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	F	6	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
165-169	Homicide	61	1	-	-	-	-	1	2	2	8	4	10	15	7	11	4	6	3	3	2	1	1	-	-	-	-	
	White--M	50	1	-	-	-	-	1	2	1	4	7	10	15	6	5	4	4	1	3	2	1	1	-	-	-	-	
	F	14	-	-	-	-	-	-	1	1	2	-	4	1	5	2	5	1	1	-	-	-	-	-	-	-	-	
	Nonwhite--M	14	-	-	-	-	-	-	-	-	4	-	1	5	-	1	-	1	2	-	-	-	-	-	-	-	-	
	F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
169-185	Accidental deaths	1,922	77	32	26	17	23	55	43	94	131	123	107	117	77	111	112	106	115	108	100	118	114	62	24	5	-	
	White--M	1,384	42	18	19	7	15	39	31	73	117	105	88	90	63	91	92	85	95	86	62	64	54	41	11	3	-	
	F	485	28	13	5	8	8	16	11	16	9	13	15	21	7	19	16	20	18	20	35	51	59	41	13	3	-	
	Nonwhite--M	53	5	-	2	1	-	1	5	4	5	4	6	5	1	4	1	1	1	1	2	3	1	-	-	-	-	
	F	10	2	1	-	1	-	-	-	-	1	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-	
170	Motor-vehicle accidents	633	6	6	7	4	11	21	8	44	72	50	42	40	20	38	40	41	48	33	37	36	20	8	1	-	-	
	White--M	479	5	2	4	3	8	14	7	33	66	41	32	26	16	24	28	28	37	29	24	29	15	7	1	-	-	
	F	141	1	4	2	1	3	7	-	11	5	8	9	13	3	13	12	12	10	4	12	5	5	1	-	-	-	
	Nonwhite--M	12	-	-	1	-	-	-	1	-	1	1	1	1	1	1	-	1	-	-	1	2	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents	1,289	71	26	19	13	12	34	35	50	59	73	65	77	57	73	72	65	67	75	63	82	94	74	23	5	-	
	White--M	915	37	16	15	4	7	25	24	40	51	64	56	64	47	67	64	64	58	57	58	35	39	34	10	2	-	
	F	324	27	9	3	7	5	9	11	5	4	5	6	8	4	6	4	8	8	16	23	46	54	40	13	3	-	
	Nonwhite--M	41	5	-	1	1	-	-	5	3	4	3	5	4	2	-	-	-	-	1	1	1	1	-	-	-	-	
	F	9	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
162,199, 200	Senility, ill- defined and un- known causes	392	20	1	-	-	-	-	1	1	1	4	2	8	8	8	21	22	27	28	31	57	53	60	31	13	1	
	White--M	232	9	-	-	-	-	-	1	1	-	-	3	2	8	6	18	17	20	23	30	35	36	17	5	-	-	
	F	147	10	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	8	8	26	35	26	12	8	-	-	
	Nonwhite--M	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	
	F	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	
	All other causes	1,256	93	12	19	10	10	28	9	18	35	40	36	53	85	74	92	88	106	100	103	111	72	36	21	5	-	
	White--M	685	55	8	9	5	2	16	6	11	22	18	17	28	35	39	52	47	65	67	62	55	33	20	10	3	-	
	F	527	31	4	9	5	7	12	3	6	21	20	17	25	45	33	35	37	36	33	39	54	39	16	11	2	-	
	Nonwhite--M	28	6	-	-	-	-	-	-	-	1	1	2	-	3	1	3	3	4	-	2	-	-	-	-	-	-	
	F	16	1	-	1	-	1	-	-	1	1	1	-	2	-	1	1	1	-	-	-	1	-	-	-	-	-	







## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

443

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
WEST VIRGINIA--Continued																													
45-55	Cancer and other malignant tumors	1,702	-	-	-	-	-	2	3	6	11	23	32	58	76	115	147	182	217	229	255	183	95	48	9	4	-	7	
	White--M--	722	-	-	-	-	-	-	-	3	6	7	12	14	21	34	59	76	100	99	121	90	47	24	3	3	-	3	
	F--	881	-	-	-	-	-	2	3	2	5	15	18	40	49	69	76	90	105	118	124	88	45	22	6	1	-	3	
	Nonwhite--M--	51	-	-	-	-	-	-	-	1	-	-	1	1	2	6	6	5	7	11	5	3	3	-	-	-	-	1	
	F--	47	-	-	-	-	-	-	-	-	-	1	1	3	4	6	6	11	5	-	5	2	-	-	-	-	-	-	
46	Cancer of the digestive organs and peritoneum	698	-	-	-	-	-	-	1	-	-	-	4	7	10	17	39	51	73	100	116	123	77	52	25	1	1	-	1
	White--M--	340	-	-	-	-	-	-	-	-	-	1	2	5	9	17	26	39	52	56	66	31	26	9	-	-	-	-	
	F--	315	-	-	-	-	-	-	1	-	-	3	5	4	8	19	18	25	42	53	55	43	24	14	1	-	-	-	
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	7	1	2	2	-	-	-	-	-	-	
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	-	1	1	-	2	-	-	-	-	
48,49	Cancer of female genital organs	274	-	-	-	-	-	-	-	-	2	8	7	26	30	30	33	31	28	26	27	14	8	1	1	-	-	2	
	White--F--	257	-	-	-	-	-	-	-	-	2	7	7	25	29	27	31	27	26	26	24	14	8	1	1	-	-	2	
	Nonwhite--F--	17	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	4	2	-	3	-	-	-	-	-	-	-	
50	Cancer of breast	157	-	-	-	-	-	-	-	-	-	1	2	9	11	11	18	19	25	15	22	15	5	3	1	-	-	-	
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	149	-	-	-	-	-	-	-	-	-	1	2	8	9	11	18	17	24	15	21	14	5	3	1	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	1	-	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)	572	-	-	-	-	-	2	2	6	9	10	16	13	18	35	45	59	64	71	83	77	30	19	6	3	-	4	
	White--M--	381	-	-	-	-	-	-	3	6	6	10	9	12	17	33	37	47	43	56	59	21	15	3	2	-	-	3	
	F--	160	-	-	-	-	-	2	2	2	3	4	3	3	12	9	21	13	24	24	17	8	4	3	1	-	-	1	
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	-	1	-	2	5	2	1	2	4	1	1	-	-	-	-	-	-	
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
58	Acute rheumatic fever	19	-	-	1	1	-	5	-	2	2	1	1	-	-	-	1	-	-	2	1	-	1	1	-	-	-	-	
	White--M--	11	-	-	1	-	-	3	-	1	-	-	1	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	
	F--	8	-	-	1	-	-	2	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	306	-	-	1	-	-	1	4	2	4	2	2	2	13	12	21	30	35	65	59	32	14	9	-	-	-	-	
	White--M--	95	-	-	-	-	-	-	2	1	2	2	1	2	4	1	7	5	10	21	17	7	6	5	-	-	-	-	
	F--	187	-	-	-	-	-	1	2	1	2	-	-	-	6	10	8	21	24	37	40	24	7	4	-	-	-	-	
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5	3	1	5	2	-	1	-	-	-	-	-	
65b	Exophthalmic goiter	38	-	-	-	-	-	-	-	-	2	1	1	2	1	7	2	2	4	10	5	1	-	-	-	-	-	-	
	White--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F--	34	-	-	-	-	-	-	-	-	2	1	-	2	1	6	2	2	4	9	4	1	-	-	-	-	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
69	Fellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylum)	42	-	-	-	1	-	-	-	-	3	1	1	4	9	4	6	6	3	3	1	-	-	-	-	-	-	-	
	White--M--	33	-	-	-	-	-	-	-	-	3	1	-	4	4	4	5	6	3	2	1	-	-	-	-	-	-	-	
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite--M--	5	-	-	-	1	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	1,484	3	1	1	-	-	3	2	1	5	9	9	24	29	42	79	39	143	212	236	260	180	95	50	2	2	15	
	White--M--	738	2	-	-	-	-	1	1	1	2	6	2	13	14	14	34	48	67	117	126	134	90	44	17	1	2	3	
	F--	616	1	1	1	-	-	3	-	-	3	2	5	8	8	16	31	33	55	85	99	113	84	47	12	3	-	6	
	Nonwhite--M--	67	-	-	-	-	-	1	-	-	-	1	2	3	8	6	6	9	15	2	5	8	2	2	-	-	-	5	
	F--	65	-	-	-	-	-	-	-	-	1	1	1	1	4	6	8	9	6	8	6	5	4	2	1	-	-	1	
90-95	Diseases of the heart	4,015	4	-	-	1	1	9	16	12	29	27	24	59	119	171	256	358	447	512	608	608	390	231	82	22	3	24	
	White--M--	2,305	4	-	-	1	1	6	11	5	14	12	15	36	69	101	166	230	265	315	339	328	213	109	40	12	1	12	
	F--	1,407	-	-	-	-	-	2	4	4	13	14	4	14	36	47	65	97	132	157	235	251	167	114	38	8	-	5	
	Nonwhite--M--	181	-	-	-	-	-	-	-	2	2	-	1	4	9	13	19	24	23	26	22	20	3	4	4	-			



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	WEST VIRGINIA--Continued																											
	Arteriosclerosis and high blood pressure*-----	254	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	7	8	21	24	30	49	44	37	18	3	1
	White-----M-----	131	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	7	12	12	29	23	17	9	1	-	2
	F-----	104	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	6	7	16	18	21	19	9	2	1	-
	Nonwhite-----M-----	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	2	1	1	-	-	-	-	-
	F-----	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza-----	923	251	28	12	2	7	4	9	10	11	7	11	14	15	22	16	40	34	68	82	102	75	71	26	2	1	3
	White-----M-----	465	125	12	4	1	5	2	4	8	5	4	6	6	7	11	14	18	21	36	43	51	42	31	8	-	-	1
	F-----	378	104	13	8	1	1	1	4	2	5	2	2	6	5	5	1	17	10	25	35	44	30	38	16	2	-	1
	Nonwhite-----M-----	50	14	2	-	-	1	-	-	-	-	-	2	2	2	5	-	4	2	3	2	6	1	2	-	-	-	1
	F-----	30	8	1	-	-	-	1	1	-	1	1	1	-	1	1	1	1	1	4	2	1	2	-	2	-	-	-
107	Bronchopneumonia-----	409	158	19	5	1	2	2	1	1	4	4	1	3	5	6	4	13	14	23	30	33	32	54	13	1	-	-
	White-----M-----	194	75	10	3	-	1	-	-	-	1	3	-	1	2	2	3	6	8	15	13	14	20	13	4	-	-	-
	F-----	180	68	7	2	1	1	1	1	1	3	1	1	2	2	2	1	6	4	5	16	16	10	20	8	1	-	-
	Nonwhite-----M-----	19	6	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	2	-	1	-	-	-	-
	F-----	16	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	1	-	-	-
108	Lobar pneumonia-----	282	42	4	4	1	3	2	5	5	4	2	8	6	7	10	10	13	9	28	28	38	23	22	5	-	1	3
	White-----M-----	149	21	1	-	1	2	2	1	4	3	-	6	2	5	3	9	6	7	12	16	21	13	11	2	-	-	-
	F-----	104	16	2	4	-	-	3	1	1	1	1	1	2	2	3	-	5	2	11	11	15	9	10	2	-	-	1
	Nonwhite-----M-----	22	3	1	-	-	1	-	-	-	-	-	1	2	-	3	-	2	-	2	1	2	1	1	-	-	-	-
	F-----	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified)-----	74	33	2	1	-	1	-	-	1	1	1	-	2	2	2	-	3	4	3	2	7	5	2	2	-	-	-
	White-----M-----	44	19	-	1	-	-	-	-	1	1	1	-	2	-	2	-	2	2	3	1	6	1	1	1	-	-	-
	F-----	25	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----M-----	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza-----	156	18	3	2	-	1	-	3	3	2	-	2	3	1	4	2	11	7	16	21	24	15	13	6	1	-	-
	White-----M-----	78	10	1	-	-	1	-	3	3	-	-	-	1	-	4	2	4	4	6	13	10	8	6	2	-	-	-
	F-----	69	5	2	2	-	-	-	-	-	1	-	-	-	2	1	-	-	5	3	9	7	13	7	7	4	1	-
	Nonwhite-----M-----	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F-----	6	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum-----	64	-	1	-	-	-	-	-	-	-	-	1	2	-	5	9	6	10	13	7	3	2	2	2	1	-	-
	White-----M-----	48	-	1	-	-	-	-	-	-	-	-	1	2	-	3	6	5	7	11	6	2	1	1	2	-	-	-
	F-----	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	-	-	-
	Nonwhite-----M-----	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*-----	121	95	5	1	1	-	2	1	1	1	-	-	1	-	-	-	1	1	3	3	-	3	2	-	-	-	-
	White-----M-----	65	50	3	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-
	F-----	45	35	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	2	-	-	-	-	-
	Nonwhite-----M-----	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F-----	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis-----	66	1	1	2	1	-	7	1	2	3	1	4	5	7	5	6	3	5	4	2	3	2	-	1	-	-	-
	White-----M-----	39	1	1	-	1	-	4	-	2	3	1	2	3	4	4	4	2	3	-	2	1	-	-	-	-	-	-
	F-----	21	-	-	2	-	-	3	1	-	-	-	-	-	1	-	-	-	2	-	2	-	2	-	1	-	-	-
	Nonwhite-----M-----	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
	F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction-----	119	5	2	-	-	2	2	1	-	-	2	7	8	10	7	4	9	7	15	11	13	7	5	2	-	-	-
	White-----M-----	49	5	1	-	-	2	1	-	-	-	-	1	-	1	2	1	4	4	9	7	5	3	1	2	-	-	-
	F-----	60	-	1	-	-	-	1	1	-	-	2	6	6	7	3	2	4	4	6	4	8	4	4	-	-	-	-
	Nonwhite-----M-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F-----	7	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver-----	114	-	-	-	-	-	-	-	2	1	3	2	4	9	10	15	15	13	16	9	6	7	-	-	-	-	-
	White-----M-----	65	-	-	-	-	-	-	-	1	1	2	1	1	4	5	9	10	7	12	6	5	1	-	-	-	-	-
	F-----	42	-	-	-	-	-	-	-	-	-	-	1	1	3	4	3	4	5	6	2	1	5	-	-	-	-	
	Nonwhite-----M-----	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*-----	50	-	-	-	-	-	-	-	-	-	-	1	2	5	2	4	6	4	6	6	7	4	1	-	-	-	-
	White-----M-----	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	2	1	-	-	-	-
	F-----	38	-	-	-</																							

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

445

## AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
140-150	Diseases of pregnancy, etc.—	73	-	-	-	-	-	-	-	3	13	14	15	11	18	3	-	-	-	-	-	-	-	-	-	-	-	1
	White—F—	71	-	-	-	-	-	-	-	3	12	14	15	10	15	3	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia—	20	-	-	-	-	-	-	-	1	1	5	4	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	19	-	-	-	-	-	-	-	1	1	5	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—	13	-	-	-	-	-	-	-	2	-	4	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	13	-	-	-	-	-	-	-	2	-	4	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock—	29	-	-	-	-	-	-	-	-	9	3	6	2	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F—	29	-	-	-	-	-	-	-	-	9	3	6	2	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes—	11	-	-	-	-	-	-	-	3	2	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	10	-	-	-	-	-	-	-	2	2	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	269	243	5	2	2	1	3	3	3	1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M—	160	142	5	2	1	1	1	1	3	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F—	98	92	-	-	1	-	2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	1,061	1,061	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	602	602	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—	698	698	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	402	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—	363	363	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—	177	-	-	-	-	-	-	-	8	18	24	13	16	17	15	15	15	15	9	7	3	1	-	-	-	-	1
	White—M—	138	-	-	-	-	-	-	-	4	11	19	11	11	14	12	13	13	14	7	6	2	1	-	-	-	-	-
	F—	35	-	-	-	-	-	-	-	4	7	5	-	5	3	2	2	2	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—	134	-	-	-	-	-	-	-	5	19	18	15	19	17	10	10	8	1	3	-	-	2	-	-	-	-	6
	White—M—	67	-	-	-	-	-	-	-	2	11	12	5	9	7	5	5	5	-	2	-	-	1	-	-	-	-	2
	F—	22	-	-	-	-	-	-	-	2	-	4	4	3	2	3	2	3	1	1	-	-	-	-	-	-	-	1
	Nonwhite—M—	38	-	-	-	-	-	-	-	1	5	2	4	6	7	2	3	3	1	1	-	-	-	-	-	-	-	3
	F—	7	-	-	-	-	-	-	-	3	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—	1,550	47	19	17	26	20	59	57	80	157	120	105	102	82	90	78	88	79	72	42	57	61	42	19	2	1	10
	White—M—	1,104	22	8	7	15	11	35	40	70	133	104	87	84	74	71	63	66	61	53	27	25	19	16	7	-	-	6
	F—	322	21	8	5	8	9	22	14	18	17	7	10	8	7	5	8	10	10	15	13	28	40	25	12	2	-	-
	Nonwhite—M—	109	3	1	5	2	-	2	3	2	6	9	7	8	11	13	8	9	8	3	1	3	-	1	-	-	-	4
	F—	15	1	2	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-	1	1	1	2	-	-	-	-	-
170	Motor-vehicle accidents—	406	1	3	1	5	7	22	15	37	76	43	30	27	22	15	20	17	17	21	10	8	5	1	1	-	-	2
	White—M—	325	1	2	-	3	4	14	11	23	88	39	23	23	16	13	13	14	14	19	9	8	4	1	1	-	-	2
	F—	64	-	1	-	2	3	6	4	14	5	4	4	3	5	1	4	3	1	2	1	-	-	-	-	-	-	-
	Nonwhite—M—	17	-	-	1	-	-	2	-	-	3	-	3	1	1	1	3	-	2	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—	1,144	46	16	16	21	13	37	42	53	81	77	75	75	70	75	59	68	62	51	32	49	56	41	18	2	1	8
	White—M—	779	21	6	7	12	7	21	29	47	65	65	64	61	58	58	50	52	47	34	18	17	15	15	6	-	-	4
	F—	258	21	7	5	6	6	16	10	4	12	3	8	5	2	4	4	7	9	13	12	28	39	25	12	2	-	-
	Nonwhite—M—	92	3	1	4	2	-	3	2	3	9	4	7	10	12	5	9	6	3	1	3	1	1	-	-	-	-	4
	F—	15	1	2	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-	1	1	1	2	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes—	622	101	5	3	3	2	1	3	4	3	5	13	9	11	19	17	18	36	36	61	65	84	66	45	13	6	4
	White—M—	341	58	1	2	-	2	-	1	2	2	3	6	4	4	12	10	12	26	21	31	40	45	27	22	5	2	5
	F—	246	40	4	1	3	-	1	2	1	1	1	6	4	5	2	5	4	9	12	20	20	36	37	21	6	4	1
	Nonwhite—M—	24	2	-	-	-	-	-	-	-	-	-	1	1	-	1	3	2	2	1	3	4	2	1	1	1	-	-
	F—	11	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	2	1	1	-	-
	All other causes—	978	89	18	10	15	8	41	39	25	30	40	31	59	41	58	64	66	79	67	60	61	46	16	9	2	1	6
	White—M—	477	48	7	5	6	5	19	18	9	15	17	10	19	17	15	38	40	42	38	33	30	29	7	5	2	-	4
	F—	417	84	9	5	9	3	21	19	14	13	19	14	28	20	35	21	19	26	22	26	29	17	7	4	-	-	2
	Nonwhite—M—																											



(By place of residence. Exclusive of stillbirths)

\*Refer to International List for complete title, table V, Part I.



## 447

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	WISCONSIN--Con.																											
	Cancer and other malignant tumors	4,836																										
	White--M--	2,415	7	2	1	7	4	13	7	11	21	18	70	94	161	239	390	533	641	664	711	638	401	154	52	5	1	
	F--	2,380	4	1	1	6	1	7	4	8	13	8	23	24	55	76	188	251	330	365	403	542	217	73	30	4	1	
	Nonwhite--M--	20	2	1	1	1	3	6	3	3	9	6	46	58	103	159	217	277	307	298	305	288	184	79	22	1	1	
	F--	21	1	1	1	1	1	1	1	1	2	1	2	3	2	2	3	3	3	1	1	3	6	2	2	1	1	
46	Cancer of the digestive organs and peritoneum	2,370	1	1	1	1	1	2	2	4	3	16	15	50	83	157	244	324	360	391	379	211	78	25	2	1	1	
	White--M--	1,340	1	1	1	1	1	1	1	4	2	6	9	24	35	97	140	182	226	239	207	102	36	13	1	1	1	
	F--	1,015	1	1	1	1	1	1	1	1	1	6	6	25	46	59	104	130	153	150	169	109	40	12	1	1	1	
	Nonwhite--M--	10	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	3	3	3	2	2	1	1	1	
	F--	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
48, 49	Cancer of female genital organs	515	1	1	1	1	1	2	2	1	4	4	19	30	46	67	67	67	66	56	44	33	15	14	1	1	1	
	White--F--	506	1	1	1	1	1	2	2	1	4	3	18	28	45	66	66	66	56	44	32	15	14	1	1	1	1	
	Nonwhite--F--	9	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
50	Cancer of breast	474	1	1	1	1	1	1	1	1	5	13	17	23	42	60	58	68	55	54	43	24	8	5	1	1	1	
	White--M--	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	468	1	1	1	1	1	1	1	1	3	13	17	22	42	80	56	67	53	53	42	24	8	5	1	1	1	
	Nonwhite--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
45, 47, 51-55	Cancer (other sites)	1,477	6	2	1	6	4	11	3	10	12	6	22	22	42	68	106	164	182	175	222	183	151	54	22	3	1	
	White--M--	1,070	4	1	1	5	1	6	3	8	9	5	15	15	31	41	71	110	137	139	163	134	115	37	17	5	1	
	F--	393	2	1	1	1	3	5	2	3	5	1	7	7	11	25	32	51	44	36	58	45	36	17	5	1	1	
	Nonwhite--M--	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	
	F--	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
58	Acute rheumatic fever	24	1	1	1	1	2	5	5	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	
	White--M--	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Nonwhite--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
61	Diabetes mellitus	1,021	1	1	1	1	2	4	5	4	6	10	12	13	33	45	103	154	185	169	157	82	28	5	1	1	1	
	White--M--	389	1	1	1	1	2	2	2	2	2	2	5	6	5	13	22	42	61	55	66	62	26	10	5	1	1	
	F--	627	1	1	1	1	1	2	3	2	4	5	5	8	20	21	61	93	129	103	94	56	18	2	1	1	1	
	Nonwhite--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
63b	Scrophthalmic goiter	111	1	1	1	1	1	1	1	1	1	2	1	4	10	14	14	21	20	12	7	5	1	1	1	1	1	
	White--M--	14	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3	3	4	2	2	2	1	1	1	1	1	
	F--	97	1	1	1	1	1	1	1	1	1	1	1	1	4	8	12	11	20	16	12	5	5	1	1	1	1	
	Nonwhite--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
69	Pellagra (except alcoholic)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	White--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Nonwhite--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
77	Alcoholism (ethylish)	34	1	1	1	1	1	1	1	1	3	2	1	3	3	5	6	3	7	1	2	1	1	1	1	1	1	
	White--M--	32	1	1	1	1	1	1	1	1	3	1	1	3	3	5	6	3	7	1	2	1	1	1	1	1	1	
	F--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Nonwhite--M--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
83	Intracranial lesions of vascular origin	3,208	4	1	1	1	2	4	4	3	5	10	28	44	74	150	215	315	392	539	600	467	289	55	10	1	1	
	White--M--	1,527	3	1	1	1	1	1	3	3	5	11	23	32	66	105	163	203	268	274	218	119	26	4	1	1	1	
	F--	1,659	1	1	1	1	1	1	1	3	2	5	17	20	40	80	106	150	183	270	325	249	170	29	5	1	1	
	Nonwhite--M--	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	5	1	1	1	1	1	1	1	1	
	F--	10	1	1	1	1	1	1	1	1	1	1	1	1	2	3	3	2	1	1	1	1	1	1	1	1	1	
90-95	Diseases of the heart	10,485	3	4	2	3	6	24	19	30	43	58	100	190	323	566	793	1,084	1,351	1,589	1,591	1,452	884	300	63	5	1	
	White--M--	6,177	1	1	1	3	1	15	6	18	24	35	70	127	237	422	539	709	852	885	759	415	137	35	5	1	1	
	F--	4,234	2	3	1	4	5	12	12	12	12	22	26	60	94	140	249	361	496	695	689	466	161	29	5	1	1	
	Nonwhite--M--	42	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	6	2	4	3	1	2	1	1	1	
	F--	32	1	1	1	1	1	1	1	1	1	1	1	2	2	3	1	5	1	6	6	1	1	1	1	1	1	
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	624	1	1	1	1	5	19	15	11	21	21	29	36	58	54	46	65	59	64	44	52	36	7	2	1	1	
	White--M--	332	1	1	1	1	1	12	5	6	11	12	17	21	24	32	22	39	33	35	22	23	11	3	1	1	1	
	F--	280	1	1	1	1	3	9	5	9	5	9	10	15	14	22	23	22	25	22	22	23	24	3	1	1	1	
	Nonwhite--M--	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	F--	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
94	Diseases of coronary arteries and angina pectoris	3,119	1	1	1	1	1	1	1	6	6	14	37	76	145	247	367	436	495	461	372	261	136	36	3	1	1	
	White--M--	2,183	1	1	1	1	1	1	1	4	5	11	32	64	119	215	279	314	348	292	254	177	77	12	2	1	1	
	F--	928	1	1	1	1	1	1	1	2	3	3	5	12	26													



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	WISCONSIN—Com.																											
	Arteriosclerosis and high blood pressure*	555	-	-	-	-	-	-	-	-	-	-	2	2	2	6	5	8	9	30	47	98	155	128	53	11	1	-
	White—M—	273	-	-	-	-	-	-	-	-	-	-	2	2	-	4	-	4	5	17	22	49	83	80	23	4	-	-
	F—	280	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	6	12	25	49	71	88	30	7	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,285	221	28	13	9	2	9	7	15	14	10	26	26	30	33	62	55	81	80	120	142	135	112	46	7	2	-
	White—M—	705	113	17	5	3	1	7	2	9	6	6	13	17	17	18	40	39	60	53	70	80	59	44	24	1	1	-
	F—	564	104	10	6	6	-	2	5	6	8	6	12	8	13	14	20	15	21	26	50	62	74	67	22	6	1	-
	Nonwhite—M—	15	4	1	-	-	1	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	2	1	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107.	Bronchopneumonia	644	127	17	6	5	1	2	4	5	5	6	15	8	10	19	22	18	27	32	61	59	63	69	36	5	2	-
	White—M—	336	67	10	1	1	1	2	1	1	2	3	9	6	8	7	11	13	21	22	33	31	42	24	18	1	1	-
	F—	300	59	6	5	4	-	3	4	3	3	6	2	2	2	11	9	4	8	10	28	28	40	44	18	4	1	-
	Nonwhite—M—	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	1	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	386	52	5	1	3	1	3	2	4	2	2	8	15	11	11	29	25	40	30	42	46	23	23	8	-	-	-
	White—M—	241	27	3	1	2	-	2	1	3	-	2	3	11	6	9	21	20	28	20	27	29	9	12	5	-	-	-
	F—	138	23	2	-	1	-	1	1	1	2	-	4	3	5	2	8	5	12	9	15	17	13	11	3	-	-	-
	Nonwhite—M—	6	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	75	20	2	1	-	-	1	-	1	3	-	3	1	2	-	3	3	6	4	5	6	9	4	-	1	-	-
	White—M—	40	9	2	1	-	-	-	-	1	2	-	1	-	-	-	2	3	5	3	5	4	2	1	-	-	-	-
	F—	34	11	-	-	-	-	1	-	-	1	-	2	1	2	-	1	-	1	1	-	2	7	3	-	1	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	180	22	4	5	1	-	3	1	5	4	2	-	2	7	3	6	9	8	14	12	31	20	16	2	1	-	-
	White—M—	88	11	2	2	-	-	3	-	4	2	1	-	-	3	2	6	3	6	8	5	16	6	7	1	-	-	-
	F—	92	11	2	3	1	-	1	1	1	2	1	-	2	4	1	2	6	2	6	7	15	14	9	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	177	-	-	-	-	-	-	-	-	3	1	3	4	13	15	21	23	32	17	20	10	13	2	-	-	-	-
	White—M—	141	-	-	-	-	-	-	-	-	2	1	3	2	11	13	17	19	28	15	12	7	10	1	-	-	-	-
	F—	35	-	-	-	-	-	-	-	-	1	-	-	1	2	2	4	4	4	2	8	3	3	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118,120	Diarrhea, enteritis, etc.*	115	72	6	2	2	2	2	1	-	2	1	3	2	2	1	3	2	1	2	-	1	4	-	2	-	-	-
	White—M—	58	38	3	1	1	-	1	-	-	-	-	2	1	1	1	3	1	-	1	-	1	2	-	1	-	-	-
	F—	55	33	4	1	1	2	1	1	-	2	1	1	1	1	-	-	-	1	1	-	-	2	-	1	-	-	-
	Nonwhite—M—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	123	-	2	4	4	-	6	5	4	9	2	6	8	4	6	13	8	16	11	8	5	2	-	-	-	-	-
	White—M—	76	-	1	3	3	-	4	3	3	5	1	2	6	4	4	9	1	12	5	6	4	2	-	-	-	-	-
	F—	42	-	1	1	1	-	1	2	1	4	1	4	2	-	2	2	6	4	5	2	1	-	-	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	258	15	3	-	-	1	4	3	-	5	3	4	9	7	15	25	18	25	19	36	33	16	13	4	-	-	-
	White—M—	128	7	1	-	-	-	3	3	-	2	2	1	1	3	9	14	9	9	13	20	15	7	7	2	-	-	-
	F—	126	8	1	-	-	1	1	-	-	3	1	2	7	3	6	11	9	16	6	16	18	9	6	2	-	-	-
	Nonwhite—M—	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	308	-	1	-	-	-	-	-	-	1	1	6	16	18	39	29	44	35	38	39	24	9	5	1	1	-	-
	White—M—	218	-	-	-	-	-	-	-	-	-	-	4	12	12	29	22	34	27	29	26	13	6	4	-	-	-	
	F—	86	-	-	-	-	-	-	-	-	1	1	2	4	5	9	7	10	8	9	13	10	3	1	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	196	-	-	-	-	-	-	-	-	2	1	2	4	9	16	22	26	27	25	25	21	11	2	3	-	-	-
	White—M—	58	-	-	-	-	-	-	-	-	-	-	-	2	1	4	6	10	10	11	4	8	1	1	-	-	-	-
	F—	137	-	-	-	-	-	-	-	-	2	1	2	2	8	12	15	16	17	14	21	13	10	1	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-																					

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

449

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	WISCONSIN--Con.																											
	Diseases of pregnancy, etc.*	108	-	-	-	-	-	-	-	4	24	24	22	24	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	105	-	-	-	-	-	-	-	4	24	22	22	24	9	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Nonwhite--F	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Puerperal septicaemia	44	-	-	-	-	-	-	-	1	11	9	8	11	4	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	43	-	-	-	-	-	-	-	1	11	8	8	11	4	-	-	-	-	-	-	-	-	-	-	-	-	
141a,c, 144,148	Nonwhite--F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Puerperal toxemia	19	-	-	-	-	-	-	-	-	3	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	19	-	-	-	-	-	-	-	-	3	7	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b,142b, 143,146, 149	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Hemorrhage, trauma or shock*	39	-	-	-	-	-	-	-	3	7	7	8	8	6	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	37	-	-	-	-	-	-	-	3	7	6	8	8	5	-	-	-	-	-	-	-	-	-	-	-	-	
141d,e,f, 145B,150	Nonwhite--F	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Other puerperal causes	6	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F	6	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Congenital malformations	457	393	16	4	8	1	8	3	5	4	3	4	1	4	2	-	-	1	-	-	-	-	-	-	-	-	
	White--M	246	209	7	1	6	1	3	1	3	4	2	3	1	3	1	-	-	1	-	-	-	-	-	-	-	-	
158-161	F	205	179	9	5	2	-	5	1	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	6	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	799	799	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White--M	458	458	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	324	324	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
158,160, 161	Nonwhite--M	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Other diseases peculiar to first year	491	491	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
163,164	White--M	299	299	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	F	185	185	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Nonwhite--M	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
165-168	F	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
	Suicide	419	-	-	-	-	-	-	2	5	11	22	21	27	43	45	58	53	34	36	29	13	12	6	1	-	-	
	White--M	327	-	-	-	-	-	-	2	4	9	20	15	19	34	35	41	39	28	27	26	11	11	5	1	-	-	
169-195	F	90	-	-	-	-	-	-	-	2	2	2	6	8	8	9	17	14	6	9	3	2	1	1	-	-	-	
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	Homicide	30	2	-	-	1	1	-	-	-	5	1	3	8	1	2	-	3	1	1	1	-	-	-	-	-	-	
	White--M	13	-	-	-	-	-	-	-	-	2	1	2	2	1	1	-	3	-	-	1	-	-	-	-	-	-	
	F	13	2	-	-	1	1	-	-	-	2	-	-	4	-	1	-	-	1	1	-	-	-	-	-	-	-	
169, 171-195	Nonwhite--M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Accidental deaths	2,254	77	30	28	54	12	66	63	122	157	102	97	89	62	101	104	116	120	128	163	164	175	146	53	9	1	
170	White--M	1,472	44	16	13	20	7	43	63	96	129	86	80	71	71	84	81	78	90	94	102	72	60	49	20	4	-	
	F	748	32	14	10	13	5	21	19	25	26	15	14	14	10	16	19	33	29	31	61	91	114	97	35	5	1	
	Nonwhite--M	25	1	-	-	-	-	1	-	-	2	-	3	4	1	1	3	4	1	3	-	1	-	-	-	-	-	
162,199, 200	F	9	-	-	-	1	-	1	1	1	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	
	Motor-vehicle accidents	740	1	10	6	14	5	34	22	61	95	62	44	42	35	48	47	53	46	31	46	23	10	5	-	-	-	
	White--M	561	1	5	4	7	4	21	15	44	79	55	32	32	31	36	33	39	36	23	36	16	8	4	-	-	-	
162,199, 200	F	164	-	5	2	6	1	11	7	17	16	6	10	8	4	11	11	13	10	6	10	7	2	1	-	-	-	
	Nonwhite--M	11	-	-	-	-	-	1	-	-	-	-	2	2	-	1	2	1	-	2	-	-	-	-	-	-	-	
	F	4	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents	1,514	76	20	17	20	7	32	61	61	62	40	53	47	47	53	57	63	74	87	117	141	165	141	53	9	1	
	White--M	911	43	11	9	13	3	22	48	52	49	31	48	39	40	48	48	39	54	71	66	56	52	45	20	4	-	
	F	584	32	9	8	7	4	10	12	8	10	9	4	6	6	5	8	20	19	25	51	84	112	96	33	5	1	
162,199, 200	Nonwhite--M	14	1	-	-	-	-	-	-	-	2	-	1	2	1	-	1	3	1	1	-	-	-	-	-	-	-	
	F	5	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	Senility, ill-defined and unknown causes	406	13	1	1	1	-	-	2	-	1	2	5	3	8	2	6	12	12	13	27	53	76	90	58	18	1	
162,199, 200	White--M	219	6	1	1	1	-	-	2	-	1	2	4	2	7	-	4	9	10	16	23	42	38	29	7	1	1	
	F	184	4	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	2	3	11	30	34	52	28	10	-	
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
162,199, 200																												

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	All causes-----	2,135	205	20	10	5	6	19	32	27	49	46	62	48	62	65	136	191	195	217	210	201	164	95	38	8	1	3
	White-----M-----	1,346	124	7	7	1	4	9	19	15	31	30	37	31	43	55	68	122	134	147	133	119	108	58	18	3	-	3
	White-----F-----	718	68	11	2	4	2	8	12	10	15	16	16	17	17	27	46	65	55	63	71	77	55	36	19	5	-	-
	Nonwhite-M-----	46	5	1	1	-	-	2	1	1	3	-	6	-	2	2	1	3	5	5	3	2	-	1	1	-	1	-
	Nonwhite-F-----	25	6	1	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	2	3	3	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M-----	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	26	-	1	-	-	-	1	-	2	1	3	2	2	4	1	3	2	1	2	2	1	-	-	-	-	-	-
	White-----M-----	15	-	1	-	-	-	-	-	1	-	1	1	1	2	1	2	2	1	2	1	1	-	-	-	-	-	-
	White-----F-----	7	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite-M-----	6	-	-	-	-	-	1	-	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	24	-	-	-	-	-	1	-	1	1	3	1	2	4	1	3	2	1	1	2	1	-	-	-	-	-	-
	White-----M-----	12	-	-	-	-	-	-	-	1	-	1	1	2	1	1	2	2	1	1	1	1	-	-	-	-	-	-
	White-----F-----	7	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite-M-----	5	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	4	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M-----	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	23	-	-	-	-	-	-	-	-	-	-	3	1	1	1	3	3	4	4	2	1	-	-	-	-	-	-
	White-----M-----	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	3	2	1	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	5	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-F-----	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)-----	7	-	-	-	1	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-----	4	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-----	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## 451

and of deaths among armed forces overseas)

[illegible]



## VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97,102	WYOMING—Con.																											
	Arteriosclerosis and high blood pressure*	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	11	3	7	2	-	-
	White—M—	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	8	2	3	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	4	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza—	101	27	2	1	-	-	1	2	1	2	2	3	1	3	-	4	4	0	6	10	9	9	4	2	-	-	-
	White—M—	62	16	1	1	-	-	-	1	1	1	1	2	-	3	-	2	3	0	6	5	4	5	3	1	-	-	-
	F—	34	8	1	-	-	-	1	2	-	2	1	-	1	-	-	2	1	-	5	5	4	4	1	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia—	43	16	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	4	3	6	3	2	-	-
	White—M—	25	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	3	2	1	-	-
	F—	15	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	3	1	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia—	28	3	-	-	-	-	-	1	1	-	-	-	1	1	-	4	-	4	3	5	2	2	-	-	-	-	-
	White—M—	19	3	-	-	-	-	-	-	1	1	-	-	-	1	-	2	-	4	3	2	3	2	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (un-specified)—	14	7	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White—M—	7	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F—	7	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza—	16	1	-	1	-	-	1	-	-	1	-	1	-	2	-	-	-	2	1	-	-	4	1	1	-	-	-
	White—M—	11	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	3	1	1	-	-	-
	F—	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum—	17	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	2	4	-	1	1	-	-	-	-
	White—M—	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	2	3	-	1	1	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	15	8	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White—M—	10	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis—	18	-	-	-	-	1	1	1	1	3	1	2	-	-	1	-	2	2	1	-	1	1	-	-	-	-	-
	White—M—	11	-	-	-	-	1	1	1	1	1	1	1	-	-	1	-	2	2	1	-	1	1	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction—	26	-	1	-	-	-	-	2	1	-	-	1	2	1	-	3	-	5	5	2	1	2	2	1	-	-	
	White—M—	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	3	2	-	1	1	1	-	-	
	F—	13	-	1	-	-	-	-	1	1	-	-	1	1	1	-	-	-	1	2	-	1	-	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver—	16	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	4	4	2	2	-	-	-	-	-	-	
	White—M—	12	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	4	2	1	-	-	-	-	-	-	
	F—	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	1	4	-	-	-	-	-	
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis—	130	1	-	-	-	-	1	-	1	1	1	5	2	2	2	7	11	14	13	17	21	13	10	8	-	-	
	White—M—	87	1	-	-	-	-	-	-	1	-	1	4	1	1	1	4	7	9	11	13	14	9	7	4	-	-	
	F—	42	-	-	-	-	-	1	-	-	1	1	1	1	-	1	3	4	5	2	4	7	4	3	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

453

## AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

and of deaths of armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING--Con.																											
140-150	Diseases of pregnancy, etc.*	10	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	10	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145a,147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145b,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	28	24	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	15	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	11	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159,160, 161	Other diseases peculiar to first year	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163,164	Suicide	44	-	-	-	-	-	-	-	-	1	2	1	3	4	4	4	6	5	7	1	4	1	1	-	-	-	-
	White--M--	38	-	-	-	-	-	-	-	-	1	1	1	1	2	4	4	5	5	7	1	4	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	10	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	1	-	2	-	-	-	-	-	-	-	-
	White--M--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	254	11	4	4	1	2	6	14	14	26	27	25	14	14	10	14	18	11	5	10	6	8	3	4	2	-	1
	White--M--	195	5	1	3	-	2	4	10	8	21	22	21	12	12	9	13	16	9	5	7	5	5	2	2	-	-	1
	F--	56	5	3	1	1	-	2	3	6	5	5	3	2	2	1	1	2	2	-	3	1	3	1	2	2	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	105	-	1	4	-	-	3	6	10	16	12	13	7	6	3	4	6	1	2	3	-	-	-	-	-	-	-
	White--M--	74	-	-	3	-	-	1	5	4	11	9	11	7	5	2	3	6	4	1	1	2	-	-	-	-	-	-
	F--	31	-	1	1	-	-	2	5	6	5	3	2	-	1	1	1	1	2	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	149	11	3	-	1	2	3	8	4	10	15	12	7	8	7	10	11	5	4	8	3	8	2	4	2	-	1
	White--M--	121	5	1	-	-	2	3	7	4	10	13	10	5	7	7	10	10	5	4	6	3	5	1	2	2	-	1
	F--	25	5	2	-	1	-	-	-	-	-	2	1	2	1	-	-	1	-	-	2	-	3	1	2	2	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	52	9	2	-	-	-	1	-	1	-	-	-	-	-	2	1	2	4	3	5	8	3	5	5	-	1	-
	White--M--	17	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	2	3	2	-	-	-	-
	F--	21	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	1	5	3	2	3	-	-	-
	Nonwhite--M--	8	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	132	7	4	2	1	2	2	5	2	4	-	3	4	7	12	8	18	9	15	8	8	5	1	3	2	-	-
	White--M--	67	2	1	2	-	1	1	4	1	3	-	2	2	4	6	4	7	6	10	4	4	2	1	1	1	-	-
	F--	61	5	3	-	1	1	1	1	-	-	-	3	2	3	6	4	11	3	5	2	4	3	-	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	1,395,617	697,323	535,014	88,366	74,914	24,727	9,287	6,144	5,374	4,922
	I.—Infectious and parasitic diseases-----	87,287	41,039	23,641	13,097	9,511	2,229	529	431	678	591
1	Typhoid fever-----	349	149	102	58	40	8	2	4	1	1
2	Paratyphoid fever-----	58	29	13	7	9	1	-	-	1	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	69	37	25	6	1	1	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	1,257	641	448	96	72	31	12	4	8	7
7	Anthrax (infection by Bacillus anthracis)-----	7	4	3	-	-	-	-	-	-	-
8	Scarlet fever-----	199	101	89	5	4	1	1	-	-	-
9	Whooping cough-----	1,241	420	518	134	169	37	10	8	8	11
10	Diphtheria (infection by C. diphtheriae)-----	1,259	619	487	94	69	28	13	8	6	1
11	Erysipelas-----	123	59	50	8	6	5	1	4	-	-
12	Tetanus-----	585	239	129	145	72	32	6	5	16	5
13-22	Tuberculosis (all forms)-----	50,911	24,283	13,057	7,603	5,968	1,122	269	195	326	332
	Tuberculosis of respiratory system, etc.*-----	46,939	22,832	11,928	6,829	5,350	1,049	253	181	297	318
14	Tuberculosis of meninges, etc.*-----	1,150	411	329	225	185	25	5	5	10	5
15	Tuberculosis of intestines and peritoneum-----	578	158	182	105	153	14	-	-	7	4
16	Tuberculosis of vertebral column-----	439	166	123	95	57	8	3	2	3	-
17	Tuberculosis of bones and joints, etc.*-----	137	68	50	29	10	1	1	-	-	-
18	Tuberculosis of skin, etc.*-----	26	6	15	4	1	1	-	-	1	-
19	Tuberculosis of lymphatic system, etc.*-----	80	24	27	16	13	1	1	-	-	-
20	Tuberculosis of genito-urinary system-----	367	203	123	27	14	-	-	-	-	-
21	Tuberculosis of other organs-----	105	45	41	11	8	-	-	-	-	-
22	Disseminated tuberculosis-----	1,090	370	279	264	177	23	6	4	8	5
23	Leprosy-----	16	3	8	4	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	594	270	209	52	63	14	3	3	3	5
25	Monococcus infection-----	150	27	42	18	63	16	-	3	2	11
26	Other diseases due to bacteria (except dysentery)-----	115	57	24	20	12	2	1	-	-	1
27	Dysentery-----	952	428	332	117	75	22	7	11	2	2
28	Malaria-----	341	132	60	79	70	30	8	3	9	10
29	Other diseases due to parasitic protozoa, etc.*-----	19	12	3	3	1	-	-	-	-	-
30	Syphilis (all forms)-----	12,955	6,286	1,954	3,248	1,467	317	85	18	165	79
30a	Loocomotor ataxia (tabes dorsalis)-----	486	353	75	40	18	8	2	-	4	2
30b	General paralysis of insane-----	4,028	2,057	569	1,059	343	31	18	5	7	1
30c	Aneurysm of aorta-----	2,943	1,740	411	574	218	40	14	3	15	6
30d	Congenital syphilis-----	624	150	127	218	149	27	3	1	15	6
30e,g	Syphilis (other forms)-----	4,874	2,006	772	1,357	739	211	18	9	124	60
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	390	184	142	32	32	7	2	4	1	-
33	Influenza-----	8,783	5,327	3,431	1,001	1,024	409	90	112	107	100
34	Smallpox-----	25	18	6	1	-	-	-	-	-	-
35	Measles-----	1,310	510	553	130	117	44	10	11	10	15
36	Poliomyelitis and polioencephalitis (acute)-----	1,845	1,082	681	45	37	22	8	9	2	5
37	Acute infectious encephalitis (lethargic)-----	642	357	248	23	14	8	5	2	1	-
38	Other diseases due to filtrable viruses-----	145	63	62	11	9	8	2	1	3	2
39	Typhus fever and typhus-like diseases*-----	209	153	97	18	21	25	10	8	5	2
40	Ankylostomiasis-----	8	3	2	3	-	2	1	1	-	-
41	Hydatid disease-----	10	7	3	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	52	22	10	11	9	-	-	-	-	-
43	Mycoses-----	336	176	99	44	17	8	3	4	1	-
44	Other infectious and parasitic diseases-----	2,255	1,340	755	91	69	29	10	13	1	5
	II.—Cancer and other tumors-----	188,003	84,887	89,132	6,037	7,967	2,381	781	909	260	451
45-55	Cancer and other malignant tumors-----	162,005	82,985	85,922	5,616	7,282	2,261	728	872	253	408
45	Cancer of buccal cavity and pharynx-----	5,438	4,086	1,034	219	99	87	41	24	12	10
45a	Cancer of lip-----	613	541	63	5	4	7	6	-	-	1
45b	Cancer of tongue-----	1,307	976	246	62	23	18	4	6	5	1
45c	Cancer of mouth-----	780	565	157	24	14	10	5	3	1	1
45d	Cancer of jaw bone-----	877	614	196	39	28	22	10	6	3	3
45e	Cancer of unspecified parts of buccal cavity-----	82	65	13	2	2	-	-	-	-	-
45f	Cancer of pharynx-----	1,799	1,325	359	87	28	32	16	9	3	4
46	Cancer of digestive organs and peritoneum-----	80,866	41,099	34,508	3,056	2,203	853	326	299	119	109
46a	Cancer of esophagus-----	3,307	2,331	611	298	67	24	9	10	3	2
46b	Cancer of stomach-----	25,625	14,627	8,878	1,357	763	292	115	75	62	40
46c	Cancer of duodenum-----	348	187	138	14	9	2	1	1	-	-
46d	Cancer of rectum and anus-----	10,037	5,441	4,038	276	282	79	21	33	12	15
46e	Cancer of intestines, etc.*-----	21,854	9,493	11,409	436	516	197	92	77	15	23
46f	Cancer of liver and biliary passages-----	10,804	4,438	5,648	368	352	156	54	64	18	20
46g	Cancer of pancreas-----	6,820	3,664	2,802	214	140	80	37	33	5	5
46h	Cancer of mesentery and peritoneum-----	1,261	588	594	39	40	10	2	4	2	2
46m	Cancer of other and unspecified sites-----	810	330	392	54	34	13	5	2	2	4
47	Cancer of respiratory system-----	15,216	11,286	3,019	697	214	153	87	35	24	7
47a	Cancer of larynx-----	1,746	1,482	179	74	11	9	5	1	3	-
47b,c	Cancer of trachea and bronchus-----	3,999	3,120	508	234	37	25	17	1	6	1
47d	Cancer of lung-----	8,964	6,212	2,143	352	157	111	63	50	12	6
47e	Cancer of pleura-----	115	72	34	7	2	2	1	1	-	-
47f	Cancer of other respiratory organs-----	592	400	155	30	7	6	1	2	3	-
48	Cancer of uterus-----	17,205	...	14,639	...	2,566	346	...	182	...	164
48a	Cancer of cervix-----	7,398	...	6,246	...	1,150	135	...	92	...	53
48b	Cancer of other and unspecified sites of uterus-----	9,808	...	8,393	...	1,416	211	...	100	...	111
49	Cancer of other female genital organs-----	5,441	...	5,132	...	309	51	...	40	...	11
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	4,696	...	4,437	...	259	46	...	36	...	10
49c-e	Cancer of other female genital organs-----	745	...	695	...	50	5	...	4	...	1
50	Cancer of breast-----	17,516	225	16,157	17	1,117	222	2	149	4	67
51	Cancer of male genital organs-----	11,584	10,689	...	875	...	169	107	...	62	...
51b	Cancer of prostate-----	10,616	9,813	...	803	...	157	101	...	56	...
51a,c-e	Cancer of other male genital organs-----	948	876	...	72	...	12	6	...	6	...
52	Cancer of urinary organs-----	8,745	5,332	2,948	283	183	104	46	33	14	11
52a	Cancer of kidney-----	2,900	1,730	1,023	87	60	43	22	11	6	4
52b	Cancer of bladder-----	5,746	3,566	1,873	189	118	60	24	22	8	6
52c	Cancer of other and unspecified sites-----	100	36	52	7	5	1	-	-	-	1
53	Cancer of skin, etc.*-----	3,520	2,047	1,351	68	54	72	33	34	5	-

\*Refer to International List for complete title, table V, Part I



## GENERAL TABLES-DEATHS FROM EACH CAUSE

455

## UNITED STATES AND EACH STATE, 1946

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5,737	3,069	1,744	519	406	14,338	6,105	4,202	2,138	1,895	94,678	52,414	37,524	3,006	1,734	12,053	6,937	4,910	175	136	
973	473	215	154	131	1,362	482	346	309	225	5,955	3,461	1,654	583	257	755	472	244	26	13	
3	3	-	-	-	14	5	4	5	-	12	4	6	-	2	5	3	1	1	-	1
2	-	-	1	1	3	2	-	-	1	6	3	3	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	2	-	1	1	-	3	-	-	-	-	-	-	-	-	-	4
6	6	-	-	-	17	7	6	3	1	87	58	24	2	3	11	6	5	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
1	1	-	-	-	3	-	3	-	-	11	-	8	1	-	-	2	1	-	-	7
16	3	8	2	3	20	7	7	1	5	43	18	19	1	5	6	4	2	-	-	8
17	6	5	4	2	40	18	16	2	4	92	53	35	3	1	19	11	8	-	-	9
1	-	-	-	-	-	-	-	-	-	5	1	1	-	1	1	1	-	-	-	10
2	2	-	-	-	27	4	7	10	6	25	19	5	1	-	1	1	-	-	-	11
727	376	152	102	97	699	250	177	156	116	3,959	2,288	1,063	409	179	401	250	126	19	6	13-22
664	353	140	90	81	662	244	166	146	106	3,648	2,159	976	363	150	567	224	119	18	6	13
20	1	3	7	9	11	1	6	4	-	88	32	51	18	7	6	4	2	-	-	14
8	2	1	2	3	9	2	2	1	4	38	10	15	7	6	7	6	1	-	-	15
3	2	1	-	-	2	-	-	-	2	32	15	9	7	1	2	1	1	1	-	16
1	1	1	-	-	3	-	-	2	1	8	1	2	1	1	2	1	1	-	-	17
2	-	-	1	1	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	18
9	8	-	-	1	2	1	1	-	-	30	3	2	6	3	1	6	-	-	-	19
-	-	-	-	-	-	-	-	-	-	9	20	4	-	1	5	2	1	-	-	20
19	9	6	2	2	10	2	2	3	3	101	43	33	13	12	8	6	2	-	-	21
-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	22
5	2	1	2	-	9	2	1	3	3	27	17	7	1	2	2	2	-	-	-	23
-	-	-	-	-	-	-	-	-	-	16	10	3	-	3	-	-	-	-	-	24
25	3	5	11	4	22	15	5	2	2	37	20	17	-	-	15	9	5	-	1	25
2	-	2	-	-	25	5	3	9	8	7	6	-	1	-	-	-	-	-	-	26
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
65	30	10	16	9	148	40	15	60	33	962	639	149	130	44	106	72	25	5	4	28
-	-	-	-	-	3	-	-	3	-	38	29	5	1	1	6	5	1	-	-	29
8	5	1	1	1	50	21	2	21	6	247	169	34	40	4	33	27	3	2	1	30a
24	18	4	2	2	20	7	4	8	1	298	218	38	35	9	35	23	8	2	2	30b
8	1	-	4	3	11	-	3	3	5	35	9	10	10	6	3	2	1	-	-	30c
25	8	5	9	3	84	12	8	25	21	346	216	62	44	24	29	15	12	1	1	30d,e,g
-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	1	2	-	25	11	10	3	1	3	-	2	1	-	32
46	20	15	5	6	225	73	72	41	39	230	89	127	7	7	74	45	28	-	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
26	6	7	8	5	27	11	9	5	2	68	31	34	2	1	11	7	4	-	-	35
12	7	3	1	1	26	12	11	2	1	99	52	44	2	1	56	35	20	-	1	36
5	1	4	-	-	8	6	-	1	1	46	29	16	-	1	3	1	2	-	-	37
1	-	1	-	-	3	1	-	-	-	10	7	3	-	-	1	1	-	-	-	38
-	-	-	-	-	3	1	2	-	-	3	1	2	-	-	4	4	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	41
6	3	-	1	2	3	2	1	-	-	48	17	12	16	3	6	5	1	-	-	42
6	4	2	-	-	20	15	1	2	2	129	79	44	3	3	27	13	14	-	-	43
516	251	235	14	16	1,501	561	641	122	177	13,193	6,232	6,416	334	211	1,527	691	797	22	17	44
495	242	226	13	14	1,436	550	607	118	161	12,813	6,110	6,183	325	195	1,447	662	749	21	16	45-55
11	8	5	-	-	57	26	9	2	-	349	267	69	13	-	27	22	4	1	-	45
2	2	-	-	-	4	3	1	-	-	43	40	2	1	-	7	5	2	-	-	45a
2	1	1	-	-	5	3	2	-	-	102	77	20	5	-	4	4	-	-	-	45b
2	-	2	-	-	4	4	-	-	-	45	37	8	-	-	-	-	-	-	-	45c
1	1	-	-	-	10	6	3	1	-	34	26	7	1	-	7	8	1	-	-	45d
-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	45e
4	4	-	-	-	14	10	3	1	-	115	77	32	6	-	9	7	1	1	-	45f
196	114	74	4	4	570	249	222	62	37	5,548	2,959	2,331	191	67	886	331	314	15	6	46
6	6	-	-	-	12	5	2	5	-	220	153	85	9	3	17	11	6	-	-	46a
68	41	26	-	1	209	92	70	33	14	1,800	1,092	578	101	29	221	118	97	7	1	46b
-	-	-	-	-	6	4	-	1	1	21	13	7	-	1	5	3	2	-	-	46c
18	11	6	-	1	39	21	10	2	6	768	421	325	14	8	84	34	29	-	1	46d
44	23	20	-	1	144	59	69	10	6	1,379	573	767	23	16	175	76	94	3	2	46e
35	18	14	3	-	103	40	50	6	7	627	290	304	26	7	91	40	47	3	1	46f
20	13	6	1	-	43	22	19	1	1	576	335	227	12	2	81	43	35	2	1	46g
3	2	1	-	-	9	5	1	1	2	97	45	50	1	1	6	2	-	-	-	46h
2	-	1	-	1	5	1	1	3	-	60	37	18	5	-	4	2	2	-	-	46a
49	34	11	2	2	96	63	22	8	3	1,203	910	243	42	8	112	79	30	3	-	47
3	3	-	-	-	6	5	1	-	-	128	109	15	4	-	10	8	2	-	-	47a
6	4	1	1	-	18	11	5	2	-	464	368	79	15	2	20	16	3	1	-	47b,c
40	27	10	1	2	68	44	16	5	3	554	397	131	21	5	77	51	25	1	-	47d
-	-	-	-	-	1	1	-	-	-	5	1	4	-	-	-	-	-	-	-	47e
-	-	-	-	-	3	2	-	1	-	52	35	14	2	1	5	4	-	1	-	47f
57	...	53	...	4	205	...	130	...	75	1,052	...	996	...	56	125	...	120	...	5	48
24	...	23	...	1	70	...	46	...	24	530	...	499	...	31	66	...	63	...	3	48a
33	...	30	...	3	135	...	84	...	51	522	...	497	...	25	59	...	57	...	2	48b
18	...	18	...	-	29	...	20	...	9	476	...	462	...	14	28	...	28	...	-	49</



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	3,168	1,798	1,232	75	63	45	19	21	2	3
55	Cancer of other and unspecified organs—	15,325	6,423	5,902	526	474	159	67	55	11	26
56,57	Nonmalignant tumors and tumors of unspecified nature—	5,998	1,882	3,210	221	685	120	33	37	7	45
56	Nonmalignant tumors (including dermoid cysts)—	3,487	676	2,179	77	555	89	19	30	5	37
56a-c	Nonmalignant tumors of female genital organs—	2,082	...	1,592	...	490	57	...	23	...	34
56d	Nonmalignant tumors of central nervous system*	813	384	361	39	29	17	9	5	3	...
56e	Nonmalignant tumors of other and unspecified organs—	592	292	226	38	36	15	10	2	...	5
57	Tumors of unspecified nature—	2,511	1,206	1,031	144	130	31	14	7	4	6
57a-c	Tumors, female genital organs (nature unspecified)—	77	...	62	...	15	...	...	...	...	...
57d	Tumors, central nervous system* (nature unspecified)—	1,656	856	670	91	59	19	9	4	3	3
57e	Tumors, other organs (nature unspecified)—	778	370	299	53	56	12	5	3	1	3
	III.—Rheumatism, diseases of nutrition, etc.*	45,736	14,870	25,395	1,118	2,355	582	160	214	68	140
58	Acute rheumatic fever—	1,118	429	440	92	157	24	6	6	5	7
58a	Acute rheumatic pericarditis—	46	20	19	4	3	...	...	...	...	...
58b	Acute rheumatic endocarditis—	525	133	133	17	42	10	2	2	2	4
58c	Acute rheumatic myocarditis—	127	37	80	17	23	2	1	...	1	...
58d	Other acute rheumatic heart diseases—	212	83	82	19	28	3	1	1	1	...
58e,f	Other forms of acute rheumatic fever, etc.*	408	156	156	35	61	9	2	3	1	3
59	Chronic rheumatism, other rheumatic diseases—	1,803	608	1,051	56	88	39	12	16	3	8
60	Gout—	5	5	...	...	...	...	...	...	...	...
61	Diabetes mellitus—	34,731	11,968	20,429	715	1,613	335	109	124	34	68
62	Diseases of pituitary gland—	138	56	73	4	5	4	2	1	...	1
63	Diseases of thyroid and parathyroid glands—	2,859	456	2,155	44	204	33	4	21	...	8
63a	Simple goiter—	164	24	120	5	15	2	...	1	...	1
63b	Exophthalmic goiter—	2,357	349	1,801	31	176	30	3	20	...	7
63c-e	Other diseases of thyroid and parathyroid glands—	358	83	234	8	13	1	1	...	...	...
64	Diseases of thymus gland—	1,114	623	373	62	56	25	7	3	4	11
65	Diseases of adrenal glands*	479	205	240	17	17	9	2	3	3	1
66	Other general diseases—	431	195	168	38	30	14	2	3	5	4
67	Scurvy—	21	9	12	...	...	...	...	...	...	...
68	Beriberi—	49	23	16	5	5	...	...	...	...	...
69	Pellagra (except alcoholic)—	804	212	373	60	159	96	15	37	13	31
70	Rickets—	72	32	18	17	5	1	1	...	...	...
71	Other avitaminoses—	112	49	45	8	10	2	...	...	1	1
	IV.—Diseases of the blood and blood-forming organs—	10,754	5,495	4,569	353	339	174	77	69	15	13
72	Hemorrhagic conditions—	639	292	288	24	35	16	5	9	2	...
73	Anemias (except splenic anemia)—	2,772	1,210	1,315	95	152	45	18	16	5	6
73a	Pernicious anemia—	1,638	724	821	31	60	21	9	7	2	3
73b-d	Other anemias (except splenic)—	1,136	486	494	64	92	24	9	9	3	3
74	Leukemias and aleukemias—	6,608	3,651	2,637	204	116	102	53	37	6	6
74a	Leukemia—	6,304	3,472	2,520	202	110	99	51	35	6	6
74b	Aleukemia—	304	179	117	2	6	4	2	2	...	...
75	Diseases of spleen—	486	226	215	24	21	6	...	4	2	...
76	Other diseases of blood and blood-forming organs—	249	114	114	6	15	5	1	3	...	1
	V.—Chronic poisoning and intoxication—	2,332	1,755	305	210	62	34	18	4	8	4
77	Alcoholism (ethylin)—	2,209	1,687	265	199	58	31	17	4	6	4
78	Lead poisoning—	46	31	7	6	2	2	1	...	1	...
79	Chronic poisoning by other mineral substances*	77	37	33	5	2	1	...	...	1	...
	VI.—Diseases of the nervous system, etc.*	140,768	61,438	62,194	8,125	9,011	2,708	780	780	550	598
80	Encephalitis (nonepidemic)—	1,312	626	484	108	94	20	8	7	3	2
81	Meningitis (not due to meningococcus)—	1,992	952	596	268	196	57	18	10	15	14
82	Diseases of spinal cord (see exceptions)*	2,566	1,401	996	110	59	32	11	10	7	4
83	Intracranial lesions of vascular origin—	125,646	54,058	56,469	6,978	6,141	2,380	679	684	473	544
83a	Cerebral hemorrhage or effusion*	108,999	46,512	48,964	6,228	7,394	2,256	643	645	443	524
83b,c	Cerebral embolism, thrombosis, and softening—	15,414	6,240	6,510	441	423	60	21	24	8	7
83d	Hemiplegia, other paralysis, etc.*	5,234	1,306	1,295	309	324	64	15	14	22	13
84	Mental diseases and deficiency (see exception)*	1,571	549	685	169	169	77	20	32	11	14
85	Epilepsy—	2,348	1,160	759	274	153	60	20	10	22	8
86	Convulsions (under 5 years)—	367	137	123	50	47	26	5	8	10	5
87	Other diseases of nervous system—	4,155	2,127	1,796	121	111	37	10	15	8	4
88	Diseases of organs of vision—	43	23	16	3	1	...	...	...	...	...
89	Diseases of ear and mastoid process—	780	425	270	45	40	19	9	6	1	3
	VII.—Diseases of the circulatory system—	461,687	249,939	174,508	19,769	17,471	5,674	2,209	1,412	1,060	993
90-95	Diseases of the heart (all forms)—	429,230	234,332	160,410	18,371	16,117	5,320	2,096	1,313	1,003	908
90	Pericarditis (except acute rheumatic)—	520	279	159	48	34	7	2	...	4	1
90a	Chronic rheumatic pericarditis—	13	5	7	...	1	...	...	...	...	...
90b	Other pericarditis—	507	274	152	48	33	7	2	...	4	1
91	Acute endocarditis (except rheumatic)—	1,474	701	452	156	165	29	9	5	8	7
91a,b	Bacterial, acute, and subacute endocarditis—	1,316	654	405	127	130	26	8	5	7	6
91c	Endocarditis (unspecified, under 45 years)—	158	47	47	29	35	3	1	...	1	1
92	Chronic affections of valves and endocardium—	33,825	15,726	13,908	2,184	2,007	781	225	157	196	203
92a	Diseases of aortic valve, etc.*	3,008	1,579	886	315	248	73	18	13	22	20
92b	Diseases of mitral valve, etc.*	13,981	6,238	5,000	862	881	292	101	63	54	74
92c	Chronic rheumatic endocarditis, etc.*	1,962	1,017	830	67	48	19	6	2	8	3
92d	Other chronic endocarditis, etc.*	13,123	6,090	5,564	792	677	387	97	76	110	104
92e	Endocarditis (unspecified, 45 years and over)—	1,751	802	648	148	153	10	5	3	2	2
93	Diseases of the myocardium—	223,049	107,553	98,166	9,863	9,467	2,529	856	684	535	474
93a	Acute myocarditis (except rheumatic)—	3,329	1,502	1,225	307	235	116	39	23	24	30
93b	Myocarditis (unspecified, under 45 years)—	430	154	127	63	56	14	2	1	4	7
93c	Chronic rheumatic myocarditis, etc.*	1,142	510	533	67	52	24	6	5	6	7
93d	Other chronic myocarditis, etc.*	201,652	97,123	87,958	8,440	8,133	2,232	753	625	460	394
93e	Other myocarditis (unspecified)—	16,496	8,264	6,525	1,006	901	145	36	30	41	36
94	Diseases of coronary arteries, angina pectoris—	137,153	93,023	37,995	3,728	2,407	1,521	625	377	168	151
94a	Diseases of coronary arteries—	133,175	90,500	36,855	3,552	2,268	1,404	752	348	181	143
94b	Angina pectoris—	3,978	2,523	1,140	176	139	117	73	29	7	8

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

457

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13	8	4	1	-	34	23	8	1	2	257	149	98	8	2	17	11	6	-	-	54
55	28	21	4	2	120	47	58	5	10	874	452	385	25	12	132	47	82	1	2	55
21	9	9	1	1	65	11	34	4	16	390	122	233	9	16	80	29	49	1	1	56,57
12	3	5	1	2	44	5	22	2	15	292	70	201	6	15	36	11	23	1	1	56
4	...	4	...	-	29	...	16	...	13	150	...	138	...	12	19	...	18	...	1	56a-c
4	2	2	-	-	9	3	4	1	1	94	44	43	5	2	6	4	1	1	-	56d
4	1	-	1	2	6	2	2	1	1	48	26	20	1	1	11	7	4	-	-	56e
9	6	3	-	-	21	6	12	2	1	98	52	32	3	1	44	18	26	-	-	57
-	...	-	...	-	3	...	3	...	-	2	...	2	...	-	1	...	1	...	-	57a-c
5	4	1	-	-	12	5	6	1	-	55	32	20	3	-	26	12	14	-	-	57d
4	2	2	-	-	6	1	3	1	1	31	20	10	-	1	17	6	11	-	-	57e
94	39	48	2	5	316	115	131	21	49	2,459	963	1,364	53	79	296	133	157	3	3	
6	2	3	-	1	20	6	6	2	6	42	16	21	3	2	20	11	9	-	-	58
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	1	-	-	-	58a
-	-	-	-	-	4	1	-	1	2	15	10	4	-	1	6	2	4	-	-	58b
1	-	1	-	-	2	2	-	-	-	5	1	3	1	1	1	1	-	-	-	58c
1	-	-	-	-	3	2	1	-	-	11	2	7	1	1	5	4	1	-	-	58d
4	2	2	-	-	10	-	5	1	4	10	3	7	-	-	7	3	4	-	-	58e, f
5	2	3	-	-	19	4	10	2	3	100	31	66	1	2	15	6	9	-	-	59
63	26	33	1	3	205	78	86	15	24	1,931	760	1,076	35	60	217	96	116	2	3	60
-	-	-	-	-	1	-	-	-	-	12	-	5	-	-	1	1	-	-	-	61
8	1	6	-	1	25	3	13	1	8	158	28	116	5	9	17	6	11	-	-	62
-	-	-	-	-	-	-	-	-	-	9	3	3	2	1	1	-	-	-	-	63
6	1	4	-	1	19	3	9	-	7	125	17	98	3	7	15	6	9	-	-	63a
2	-	2	-	-	6	-	4	1	1	24	8	15	-	1	1	-	-	-	-	63b
9	6	2	1	-	2	2	-	-	-	136	87	40	5	4	16	7	8	1	-	63c-e
2	1	1	-	-	12	8	3	-	1	18	17	14	2	1	2	1	1	-	-	64
-	-	-	-	-	1	-	1	-	-	-	4	13	1	-	5	3	2	-	-	65
-	-	-	-	-	26	-	-	-	-	9	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	3	10	9	-	7	17	6	11	-	-	2	1	1	-	-	67
1	1	-	-	-	3	1	2	-	-	2	1	-	-	-	1	1	-	-	-	68
39	19	17	1	2	101	46	34	9	12	726	372	328	16	10	95	51	43	-	1	69
8	4	3	-	1	9	7	1	1	-	42	13	28	1	-	4	2	2	-	-	70
8	2	6	-	-	26	9	10	2	5	131	53	75	-	2	22	12	10	-	-	71
5	2	3	-	-	16	5	7	2	2	72	24	47	-	1	14	7	-	-	-	72a
3	2	3	-	-	10	4	3	-	3	59	29	28	1	1	8	5	3	-	-	73a-d
19	10	7	1	1	62	30	22	6	4	504	280	203	14	7	62	33	28	-	1	74
19	10	7	1	1	61	29	22	6	4	476	261	194	14	7	60	31	28	-	1	74a
-	-	-	-	-	1	1	-	-	-	28	19	9	-	-	2	2	-	-	-	74b
3	2	1	-	-	2	-	-	-	2	36	21	14	-	1	7	4	3	-	-	75
1	1	-	-	-	2	-	1	-	1	13	5	8	-	-	-	-	-	-	-	76
20	18	-	2	-	11	8	2	1	-	200	151	41	8	-	38	27	7	3	1	
20	18	-	2	-	10	7	2	1	-	192	144	40	8	-	35	27	6	3	-	77
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	-	1	-	-	78
-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	1	-	-	-	1	79
359	179	150	14	16	1,568	589	501	218	261	8,266	3,903	4,159	176	128	1,128	534	556	18	20	
6	5	1	-	-	16	6	6	2	2	67	33	29	4	1	7	6	1	-	-	80
6	3	1	1	1	25	11	5	6	3	110	60	38	5	7	22	13	8	-	1	81
8	4	2	1	1	15	9	4	2	-	174	95	77	2	-	28	17	10	1	-	82
514	157	198	10	9	1,410	516	461	196	237	7,437	3,355	3,612	152	118	970	440	495	16	19	83
257	124	119	5	9	1,254	458	400	176	220	6,029	2,656	3,162	120	91	874	403	440	13	18	83a
46	27	16	3	-	54	27	22	2	3	1,348	677	616	29	28	77	28	47	2	-	83b, c
11	6	3	2	-	102	31	39	18	14	60	22	34	3	1	19	9	8	1	1	83d
2	-	-	-	2	37	12	8	4	13	63	25	33	4	1	17	8	8	-	-	84
5	2	2	1	-	29	11	8	6	4	103	59	41	3	-	29	19	9	1	-	85
-	-	-	-	-	6	2	3	-	1	2	1	1	-	-	6	2	4	-	-	86
12	8	5	-	2	18	14	3	1	-	250	135	110	4	1	43	24	19	-	-	87
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	88
6	3	1	1	1	12	7	3	1	1	55	38	15	2	-	6	4	2	-	-	89
1,370	880	402	63	25	3,505	1,773	923	426	383	33,598	18,439	12,872	674	413	3,454	2,087	1,298	38	31	
1,279	624	372	59	24	3,278	1,680	857	381	350	30,506	16,001	11,521	613	371	3,186	1,951	1,173	33	29	90-95
1	1	-	-	-	12	5	3	2	2	36	24	8	2	2	14	9	4	1	-	90
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	12	5	3	2	2	35	23	9	2	2	14	9	4	1	-	90b
1	-	-	-	-	33	11	2	7	13	89	53	27	7	2	19	11	6	1	1	91
1	-	-	1	-	32	11	2	7	12	82	50	25	6	1	17	11	4	1	1	91a, b
91	51	35	2	3	435	165	115	83	72	1,971	1,035	968	41	27	307	170	135	-	2	91c
3	1	1	1	-	46	15	8	11	12	252	170	70	9	3	36	24	11	-	-	92
42	21	19	-	2	151	54	44	28	25	936	444	459	20	14	135	66	68	-	1	92a
6	4	2	-	-	5	2	1	2	-	171	110	57	1	3	22	11	11	-	-	92b
35	22	13	1	-	221	89	61	39	32	574	289	269	11	7	99	58	41	-	-	92c
4	3	-	-	1	12	5	1	3	3	38	23	15	-	-	15	11	4	-	-	92d
604	363	203	25	13	1,173	536	375	130	132	16,643	8,921	7,201	376	245	1,380	747	594	15	24	93
17	7	3	6	1	47	21	14	7	5	118	62	50	3	3	29	18	11	-	-	93a
2	1	1	-	-	2	-	1	1	-	2										



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	33,209	17,060	11,730	2,392	2,037	453	199	90	32	72
95a	Functional diseases of heart, etc.*	1,052	539	444	31	38	19	8	8	1	2
95b	Other diseases of heart (rheumatic)	6,461	2,917	2,880	313	345	57	15	9	16	17
95c	Other diseases of heart (not rheumatic)	25,696	13,594	8,406	2,042	1,654	377	176	73	75	53
96	Aneurysm (except of heart and aorta)	1,645	1,101	580	94	68	24	9	4	9	2
97	Arteriosclerosis (except coronary or renal sclerosis)	24,918	11,997	11,214	913	794	209	74	65	22	48
98	Gangrene	396	204	112	41	39	10	3	2	2	3
99	Other diseases of arteries	2,018	1,022	857	63	76	26	9	11	3	3
100	Diseases of veins	1,195	541	543	51	60	12	3	5	2	1
101	Diseases of lymphatic system	60	28	15	13	4	3	1	-	1	1
102	High blood pressure (idiopathic)	1,826	611	727	199	289	64	12	12	16	24
103	Other diseases of circulatory system	201	103	50	24	24	6	2	-	2	2
	VIII.—Diseases of the respiratory system	67,184	32,618	24,308	5,763	4,495	1,324	391	343	312	278
104	Diseases of nasal fossae, accessory sinuses	501	220	151	71	59	15	4	3	4	4
105	Diseases of larynx	272	154	75	24	19	5	3	-	-	2
106	Bronchitis	3,084	1,704	1,134	147	99	55	25	16	9	5
107	Bronchopneumonia (including capillary bronchitis)	27,667	12,809	10,877	2,128	1,853	505	137	135	120	113
108	Lobar pneumonia	20,252	9,987	6,570	2,184	1,531	530	149	156	138	107
109	Pneumonia (unspecified)	5,622	2,500	2,021	617	484	82	22	15	17	28
109a	Atypical or virus pneumonia	918	469	364	48	37	19	9	4	1	5
109b	Pneumonia (all other, unspecified)	4,704	2,031	1,657	569	447	63	13	11	16	23
110	Pleurisy (not tuberculous)	1,248	660	378	134	76	16	8	2	4	4
111	Hemorrhagic infarction, thrombosis, edema*	3,902	1,803	1,764	169	166	51	12	24	8	7
112	Asthma	2,555	1,375	909	143	128	36	15	9	7	5
113	Pulmonary emphysema	254	189	45	15	5	4	1	1	2	-
114	Other diseases of respiratory system (except tuberculosis)	1,827	1,217	384	151	75	25	17	2	5	3
114a,b	Silicosis, other forms of pneumoconiosis	490	467	8	14	1	2	1	-	-	1
114c-e	Other diseases of respiratory system (except tuberculosis)	1,337	750	376	137	74	23	16	2	3	2
	IX.—Diseases of the digestive system	61,031	31,999	22,231	5,729	3,072	932	355	211	192	174
115	Diseases of buccal cavity and adnexa, etc.*	1,714	778	632	141	163	41	13	7	10	11
116	Diseases of esophagus	236	123	92	14	7	5	3	-	-	-
117	Ulcer of stomach or duodenum	8,164	6,151	1,326	494	193	106	61	5	35	5
117a	Ulcer of stomach	5,312	3,874	892	393	153	74	37	3	29	5
117b	Ulcer of duodenum	2,852	2,277	434	101	40	32	24	2	6	-
118	Other diseases of stomach (except cancer)	1,435	645	395	208	187	37	13	7	7	10
119	Diarrhea, enteritis, etc.* (under 2 years)	6,019	2,802	2,073	640	504	128	36	23	36	31
120	Diarrhea, enteritis, etc.* (2 years and over)	2,071	877	834	185	175	46	16	11	8	11
121	Appendicitis	5,285	2,822	1,767	389	307	121	41	30	25	25
122	Hernia and intestinal obstruction	11,221	4,979	4,816	720	704	167	42	53	32	40
122a	Hernia	4,782	2,448	1,907	281	146	50	17	14	14	5
122b	Intestinal obstruction	6,439	2,531	2,911	439	558	117	25	39	18	35
123	Other diseases of intestines	1,707	842	675	91	99	22	12	2	3	5
124	Cirrhosis of liver	13,451	8,375	4,262	518	296	155	78	22	17	18
124a	Cirrhosis of liver with mention of alcoholism	1,807	1,279	453	48	27	11	4	-	1	-
124b	Cirrhosis of liver without mention of alcoholism	11,644	7,096	3,809	470	269	124	69	22	16	18
125	Other diseases of liver	1,792	769	768	132	123	26	8	9	4	5
126	Biliary calculi	3,632	1,124	2,408	25	75	33	12	18	1	2
127	Other diseases of gallbladder, biliary ducts	2,516	856	1,503	61	98	36	11	13	7	5
128	Diseases of pancreas (except diabetes mellitus)	897	478	361	37	81	12	5	5	1	1
129	Peritonitis (cause not stated)	989	378	317	74	120	21	4	6	6	5
	X.—Diseases of the genito-urinary system	95,779	46,158	34,742	7,972	6,906	2,144	692	486	523	441
130	Acute nephritis	2,397	1,012	714	318	353	74	22	13	16	23
131	Chronic nephritis	75,256	33,934	29,833	5,926	5,565	1,769	566	421	414	368
131a	Arteriosclerotic kidney	56,095	24,960	22,742	4,263	4,124	1,201	369	284	286	282
131b	Other chronic nephritis	19,161	8,974	7,091	1,657	1,439	568	197	137	128	106
132	Nephritis unspecified (10 years and over)	4,048	1,888	1,301	476	393	49	19	8	12	10
133	Other diseases of kidneys, ureters, etc.*	2,950	1,374	1,189	219	168	47	11	10	12	14
134	Calculi of urinary passages	1,398	672	445	57	24	24	9	14	1	-
135	Diseases of urinary bladder	1,623	294	225	92	12	10	2	2	5	1
136	Diseases of urethra (except calculus)	309	165	25	112	7	12	-	1	9	2
137	Diseases of prostate	7,361	6,599	...	762	...	114	62	...	52	...
137a	Hypertrophy of prostate	6,288	5,672	...	616	...	93	50	...	43	...
137b	Other diseases of prostate	1,073	927	...	146	...	21	12	...	9	...
138	Diseases of other male genital organs (not venereal)	50	20	...	10	...	3	1	...	2	...
139	Diseases of female genital organs	1,406	...	1,010	...	396	42	...	19	...	23
139a	Diseases of ovaries, fallopian tubes, parametria	804	...	495	...	309	28	...	8	...	20
139b	Diseases of uterus	566	...	491	...	75	11	...	9	...	2
139c	Diseases of other female genital organs*	36	...	24	...	12	3	...	2	...	1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	5,153	...	3,607	...	1,346	209	...	78	...	131
140	Abortion with mention of infection	476	...	329	...	147	23	...	8	...	15
141	Abortion without mention of infection	284	...	206	...	78	9	...	3	...	5
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	84	...	55	...	29	4	...	-	...	4
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	88	...	63	...	25	-	...	-	...	-
141d-f	Other abortions (nonseptic)*	112	...	88	...	24	4	...	3	...	1
142	Ectopic gestation	329	...	211	...	118	13	...	5	...	8
142a	Ectopic gestation, with mention of infection	71	...	50	...	21	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	258	...	161	...	97	12	...	4	...	8
143	Hemorrhage of pregnancy (death before delivery)	59	...	43	...	16	3	...	1	...	2
144	Toxemias of pregnancy (death before delivery)	475	...	321	...	154	17	...	6	...	11
145	Other diseases of pregnancy (death before delivery)*	257	...	197	...	60	10	...	4	...	6
145a	With mention of infection	168	...	129	...	39	5	...	1	...	4
145b	Without mention of infection	89	...	68	...	21	5	...	3	...	2
146	Hemorrhage of childbirth and puerperium	789	...	619	...	170	25	...	10	...	15
147	Infection during childbirth and puerperium	1,056	...	822	...	234	42	...	14	...	26
148	Puerperal toxemias (excluding death before delivery)	737	...	530	...	207	48	...	21	...	27
149	Other accidents and specified conditions of childbirth	395	...	330	...	65	6	...	2	...	4
150	Other and unspecified conditions of childbirth and puerperium	296	...	199	...	97	14	...	4	...	10

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

459

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
155	94	47	12	2	610	304	157	83	66	1,263	603	518	34	28	299	188	130	3	-	95
4	3	1	-	-	22	12	7	1	2	34	16	18	-	-	2	2	-	-	-	95a
24	11	11	1	1	27	6	17	1	3	395	196	173	14	12	65	32	33	-	-	95b
127	80	35	11	1	561	286	133	81	61	834	471	327	20	16	232	132	97	3	-	95c
7	5	1	1	-	10	6	2	2	-	354	241	103	4	6	7	5	2	-	-	96
64	35	25	3	1	138	63	42	19	14	2,263	1,053	1,137	47	26	207	103	100	2	2	97
2	2	-	-	-	2	1	-	-	1	19	12	5	-	2	4	2	1	1	-	98
10	8	2	-	-	17	6	6	1	4	102	57	38	3	4	24	9	14	1	-	99
2	1	1	-	-	7	1	2	1	3	83	43	36	2	2	18	13	4	1	-	100
-	-	-	-	-	2	-	-	-	-	2	-	1	-	1	-	-	-	-	-	101
4	3	1	-	-	46	13	13	10	10	60	25	31	3	1	8	4	4	-	-	102
2	2	-	-	-	5	3	1	-	1	9	7	-	2	-	-	-	-	-	-	103
443	225	132	47	39	933	375	291	123	144	4,502	2,519	1,694	163	126	661	505	332	12	12	
8	3	1	2	2	5	4	-	-	1	24	13	7	4	-	5	4	1	-	-	104
3	2	-	1	-	1	-	-	-	1	9	5	2	1	1	2	2	-	-	-	105
25	16	7	-	-	27	12	9	2	4	169	116	69	1	4	28	17	10	-	1	106
207	93	74	19	21	333	116	112	52	53	2,344	1,237	962	72	73	381	210	165	3	3	107
89	41	30	12	6	371	159	111	44	57	1,251	761	396	63	31	252	143	96	7	4	108
37	13	7	10	7	96	36	28	13	19	62	34	23	3	2	46	32	14	-	-	109
2	1	1	-	-	21	14	4	-	3	18	12	6	-	-	6	6	-	-	-	109a
35	12	6	10	7	75	22	24	13	16	44	22	17	3	2	40	26	14	-	-	109b
6	5	1	-	-	10	4	2	2	2	108	65	34	8	1	20	9	8	1	2	110
15	9	6	-	-	42	16	20	4	2	223	104	103	6	10	50	36	12	-	2	111
30	25	3	2	-	28	18	8	3	1	148	79	66	2	1	50	30	19	1	-	112
4	4	-	-	-	1	1	-	-	-	28	23	4	1	-	2	2	-	-	-	113
19	14	3	1	1	19	9	3	3	4	118	82	29	2	3	25	20	5	-	-	114
8	8	-	-	-	2	2	-	-	-	25	24	1	-	-	12	12	-	-	-	114a,b
11	6	3	1	1	17	7	3	3	4	91	58	28	2	3	13	8	5	-	-	114c-e
561	166	112	59	44	671	285	192	107	87	4,685	2,821	1,845	140	79	682	386	268	6	2	
18	10	4	3	1	25	8	8	3	6	99	47	41	6	5	19	8	11	-	-	115
1	-	1	-	-	1	1	-	-	-	28	18	7	3	-	4	2	2	-	-	116
36	30	6	1	1	77	56	10	7	4	737	572	147	16	2	92	68	22	1	1	117
27	21	5	-	1	55	39	6	7	3	429	318	97	12	2	63	45	17	1	-	117a
11	9	1	1	-	22	17	4	-	1	308	254	50	4	-	29	23	5	-	1	117b
8	1	2	3	2	61	17	10	18	16	40	25	13	2	-	13	8	5	-	-	118
116	38	29	20	29	57	22	17	11	7	415	215	164	22	14	96	62	33	1	-	119
16	6	6	3	1	29	11	6	5	5	90	43	42	4	1	19	10	8	1	-	120
22	11	8	1	2	75	26	23	12	14	315	187	110	11	7	71	45	24	2	-	121
41	19	17	3	2	140	48	49	27	17	703	323	345	16	19	110	57	52	-	1	122
10	7	-	1	2	34	12	16	6	-	283	147	121	9	6	38	26	12	-	-	122a
31	12	17	2	-	106	36	32	21	17	420	176	224	7	13	72	31	40	-	1	122b
5	3	1	1	-	16	4	6	5	1	132	75	53	2	2	22	14	8	-	-	123
48	28	18	1	1	97	57	22	13	5	1,675	1,036	581	40	18	120	68	52	-	-	124
4	4	-	-	-	2	2	-	-	-	469	316	140	9	4	13	9	4	-	-	124a
44	24	18	1	1	95	55	22	13	5	1,206	720	441	31	14	107	59	48	-	-	124b
10	6	3	1	1	22	7	8	3	4	171	86	71	9	5	22	11	11	-	-	125
8	3	4	1	-	18	5	12	-	1	220	76	142	1	1	44	12	32	-	-	126
13	3	5	2	3	25	10	13	-	2	142	60	79	2	2	30	9	21	-	-	127
10	5	5	-	-	10	4	5	1	-	90	47	39	3	1	9	5	4	-	-	128
7	3	3	-	1	18	9	2	2	5	29	11	12	3	2	11	7	3	1	-	129
255	135	95	11	14	1,526	629	326	267	204	4,990	2,749	1,974	137	130	855	480	352	15	8	
8	3	4	-	1	57	21	15	13	8	92	49	30	6	7	22	14	7	-	1	130
190	95	74	9	13	1,005	579	269	194	163	3,879	1,961	1,711	106	101	668	359	293	11	5	131
128	61	54	5	9	640	240	169	124	107	2,935	1,442	1,339	81	73	512	265	237	7	3	131a
61	34	20	3	4	365	139	100	70	58	944	519	572	25	20	156	94	56	4	2	131b
12	5	6	1	-	78	33	14	16	15	105	61	37	3	4	32	18	12	1	1	132
4	4	3	1	-	33	15	8	6	4	212	104	100	3	5	39	16	21	1	-	133
4	2	2	-	-	17	11	5	1	-	111	75	31	4	1	3	2	1	-	-	134
2	2	-	-	-	19	11	1	7	-	36	24	9	3	-	6	3	3	-	-	135
1	1	-	-	-	4	-	-	-	-	13	12	-	1	-	-	-	-	-	-	136
24	23	-	1	-	65	59	-	26	-	473	462	-	11	-	70	68	-	2	-	137
17	17	-	-	-	55	39	-	16	-	441	431	-	10	-	59	57	-	2	-	137a
7	6	-	1	-	30	20	-	10	-	32	31	-	1	-	11	11	-	-	-	137b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	138
8	-	6	-	-	28	-	14	-	14	68	-	58	-	12	16	-	15	-	1	139
4	-	4	-	-	16	-	6	-	10	40	-	31	-	9	6	-	5	-	1	139a
2	-	2	-	-	12	-	8	-	-	27	-	24	-	3	10	-	10	-	-	139b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	139c
35	-	25	-	12	95	-	59	-	36	266	-	243	-	23	57	-	55	-	2	
5	-	3	-	2	13	-	9	-	4	30	-	27	-	3	5	-	4	-	1	140
4	-	3	-	1	8	-	7	-	1	14	-	13	-	1	-	-	-	-	-	141



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	926	346	406	67	107	25	7	7	4	7
151	Carbuncle and furuncle-----	73	33	22	8	12	2	-	1	-	1
152	Phlegmon and acute abscess-----	187	78	53	23	23	5	-	1	1	3
153	Other diseases of skin and cellular tissue-----	666	235	321	38	72	18	7	5	3	3
	XIII.—Diseases of the bones, etc.*-----	765	384	282	60	39	7	-	2	4	1
154	Osteomyelitis and periostitis-----	249	140	57	33	19	7	-	2	4	1
155	Other diseases of bones (except tuberculosis)-----	170	72	90	7	1	-	-	-	-	-
156	Diseases of joints, other organs of movement-----	346	172	135	20	19	-	-	-	-	-
157	XIV.—Congenital malformations-----	17,749	9,028	7,466	688	567	265	109	96	31	29
157a-d	Congenital malformations of central nervous system-----	5,372	2,335	2,726	163	146	81	32	30	9	11
157e,f	Congenital malformations of cardiovascular system-----	8,464	4,526	3,343	323	272	107	44	42	12	9
157g,h,m	Other congenital malformations-----	3,913	2,187	1,397	202	147	77	33	24	11	9
	XV.—Diseases peculiar to the first year of life-----	61,738	31,534	21,562	4,840	3,802	1,531	603	386	301	241
158	Congenital debility (cause not stated)-----	1,797	776	525	297	199	61	16	10	22	13
159	Premature birth (cause not stated)-----	39,824	19,606	14,251	3,151	2,616	1,015	381	269	203	162
160	Injury at birth-----	11,738	6,516	3,977	729	516	301	136	73	52	40
161	Other diseases peculiar to first year of life-----	8,379	4,436	2,809	683	471	154	70	34	24	26
162	XVI.—Senility-----	10,027	5,879	4,688	703	757	325	71	109	74	71
	XVII.—Violent or accidental deaths-----	123,119	75,208	51,995	12,028	3,888	2,636	1,212	424	753	247
163,164	Suicide-----	16,152	11,631	3,942	443	136	203	143	41	13	6
163	Suicide by poisoning-----	3,659	2,088	1,663	53	55	29	13	14	-	2
164	Suicide by other means-----	12,493	9,543	2,279	390	81	174	130	27	13	4
165-168	Homicide <sup>1</sup> -----	9,784	3,025	973	3,860	928	421	97	22	257	65
166	Homicide by firearms-----	4,966	1,760	562	2,201	443	249	75	15	129	30
167	Homicide by cutting or piercing instruments-----	2,159	457	105	1,272	328	123	10	2	84	27
168	Homicide by other means-----	1,659	808	306	587	159	49	12	5	24	8
169-195	Accidental deaths-----	99,033	60,467	27,080	7,542	2,824	2,003	969	361	497	176
169	Railway accidents (except collisions with motor vehicles)-----	2,937	2,191	255	438	53	89	49	4	33	3
170	Motor-vehicle accidents-----	35,411	23,506	6,779	2,454	672	768	448	110	168	40
170a	Collisions between automobiles and trains-----	1,703	1,144	432	81	46	31	18	5	9	1
170b	Collisions between automobiles and streetcars-----	174	100	28	46	-	4	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	30,827	21,632	6,268	2,506	621	713	411	104	159	39
170d	Motorcycle accidents (exc. collisions with automobiles)-----	707	650	51	21	5	18	17	1	-	-
171	Streetcar and other road-transport accidents-----	754	492	155	63	24	10	3	-	6	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	544	363	129	36	16	2	2	-	-	-
171b	Other and unspecified road-transport accidents-----	190	129	26	27	8	8	1	-	6	1
172	Water-transport accidents-----	1,055	649	93	103	10	35	22	4	9	-
173	Air-transport accidents-----	1,631	1,606	123	37	1	31	28	-	3	-
174	Accidents in mines and quarries-----	1,273	1,146	11	115	1	41	18	-	23	-
175	Agricultural and forestry accidents-----	2,453	2,109	130	202	12	53	29	1	22	1
175a-c	Agricultural accidents-----	2,047	1,752	130	154	11	41	25	1	14	1
175d,e	Forestry accidents-----	406	357	-	48	1	12	4	-	8	-
176	Other accidents involving machinery-----	1,173	987	42	140	4	33	21	-	12	-
177	Food poisoning-----	369	143	115	64	47	10	2	1	4	3
178	Accidental absorption of poisonous gas-----	1,974	1,173	588	103	32	7	5	2	-	-
179	Acute accidental poisoning by solids or liquids-----	1,536	719	585	149	108	49	12	15	15	7
180	Conflagration-----	3,017	1,367	888	430	322	72	17	19	20	17
181	Accidental burns (except conflagration)-----	4,856	2,146	1,688	489	323	159	39	38	39	43
182	Accidental mechanical suffocation-----	1,605	807	506	157	135	29	12	5	3	9
183	Accidental drowning-----	5,577	4,007	691	774	108	114	55	11	39	9
184	Accidental injury by firearms-----	2,815	1,949	291	464	112	96	45	6	34	11
185	Accidental injury by cutting or piercing instruments-----	317	147	49	76	45	9	-	2	3	4
186	Accidental injury by fall or crushing-----	23,028	10,199	11,832	642	335	244	93	106	27	18
186a	Accidental injury by fall-----	22,581	9,852	11,793	583	353	233	86	105	24	18
186b	Accidental injury by crushing-----	447	347	39	59	2	11	7	1	3	-
187	Cataclysm, etc.*-----	148	71	45	20	12	11	2	-	5	4
188	Injury by animals (except in agriculture and forestry)-----	142	104	17	15	6	3	2	-	1	-
189	Hunger or thirst-----	27	15	4	4	-	3	1	-	2	-
190	Excessive cold-----	193	139	20	27	7	1	-	-	1	-
191	Excessive heat-----	182	119	22	33	8	1	-	-	1	-
192	Lightning-----	231	160	32	29	10	12	5	2	3	2
193	Accidents due to electric currents (except lightning)-----	725	631	41	49	4	18	14	2	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	62	31	18	7	6	3	-	-	1	1
195	Other accidents-----	6,441	3,592	2,060	558	211	104	47	53	21	3
195a	Sequelae of preventive immunization, etc.*-----	19	10	7	1	1	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	47	18	7	5	7	1	-	-	1	-
195d	Obstruction, suffocation, etc.*-----	1,076	566	364	71	55	15	6	5	4	-
195c,e	Other and unspecified accidents-----	5,299	2,978	1,692	481	148	88	41	28	16	3
196	Deaths of military personnel during operations of war-----	20	20	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	1	1	-	-	-	-	-	-	-	-
198	Legal executions-----	129	44	-	83	2	9	3	-	6	-
	XVIII.—Ill-defined and unknown causes-----	17,580	6,769	3,785	3,807	3,219	1,547	313	181	541	512
199	Sudden death-----	1,065	542	217	169	127	81	25	11	26	19
200	Ill-defined and unknown causes-----	16,525	6,227	3,568	3,638	3,092	1,466	288	170	515	493
200a	Ill-defined causes-----	6,931	3,425	1,673	1,052	781	512	142	60	162	148
200b,c	Unknown or unspecified causes-----	9,594	2,802	1,895	2,586	2,311	954	146	110	353	345

\*Refer to International List for complete title, table V, Part I.

<sup>1</sup>Includes figures for infanticide (1955).



## 461

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	2	1	-	2	9	3	2	2	2	55	21	26	4	2	16	9	7	-	-	151 152 153
1	-	-	-	1	3	-	-	1	2	2	2	-	-	-	-	-	-	-	-	
4	2	1	-	1	4	1	-	1	-	12	4	5	1	2	2	1	1	-	-	
7	3	3	1	-	10	4	5	1	-	41	15	23	3	-	14	8	6	-	-	
2	1	-	1	-	3	2	1	-	-	10	10	-	-	-	2	1	1	-	-	154 155 156
5	-	-	-	-	5	2	3	1	-	6	3	3	-	-	2	1	1	-	-	
75	35	36	4	2	138	69	50	10	9	1,162	622	477	37	26	162	92	64	2	4	
19	7	11	-	1	28	11	13	3	1	296	130	154	8	4	29	21	7	-	1	157a-d 157e,f 157g,h,m
40	19	19	1	1	76	40	26	4	6	607	352	227	14	14	94	47	43	1	3	
16	7	6	3	-	34	18	11	3	2	258	140	96	15	8	39	24	14	1	-	
243	116	93	17	17	615	301	223	50	41	3,930	2,106	1,535	173	116	654	390	250	6	8	
13	6	2	3	2	23	7	10	4	2	51	25	18	4	4	18	9	9	-	-	158 159 160 161
159	78	65	8	8	401	184	154	37	26	2,445	1,298	951	122	74	434	254	173	1	6	
32	20	9	2	1	115	64	32	8	11	888	485	346	21	16	109	72	34	2	1	
39	12	17	4	6	76	46	27	1	2	566	298	220	26	22	93	55	54	3	1	
54	30	9	10	5	264	84	92	47	41	340	145	186	7	4	156	66	87	2	1	
677	423	146	83	25	1,440	741	282	307	110	10,135	6,874	2,643	494	124	1,249	870	350	20	9	
71	52	15	3	1	114	84	24	6	-	1,662	1,167	430	54	11	176	138	35	3	-	163,164 163 164
14	8	5	-	1	24	16	8	-	-	480	264	206	6	4	54	39	14	1	-	
57	44	10	3	-	90	68	16	6	-	1,182	905	224	48	7	122	99	21	2	-	
38	20	4	13	1	186	55	11	94	28	531	276	93	126	36	61	40	12	8	1	
20	11	2	6	1	123	37	5	64	17	258	132	83	56	17	25	15	7	3	-	165-168 166 167 168
5	-	2	3	-	43	11	2	23	7	129	55	11	53	10	19	12	2	4	1	
13	9	-	4	-	20	7	4	7	2	144	89	29	17	9	17	13	5	1	-	
568	351	127	67	23	1,136	600	247	205	84	7,937	5,427	2,120	313	77	1,012	692	303	9	8	
33	18	-	15	-	34	21	2	7	4	207	169	16	21	1	30	29	1	-	-	169-195 169 170 170a 170b 170c 170d 171
190	134	40	12	4	367	235	57	61	14	3,770	2,739	855	147	31	361	263	96	1	1	
6	4	1	1	-	29	18	8	5	-	152	111	51	7	5	26	21	5	-	-	
180	126	39	11	4	333	216	49	55	13	3,508	2,534	809	137	28	354	232	90	1	1	
4	4	-	-	-	5	3	-	1	1	78	71	5	2	-	9	8	1	-	-	171a 171b 172 173 174 175 175a,c 175d,e 176 177 178 179 180 181 182 183 184 185 186 186a 187 188 189 190 191 192 193 194 195 195a 195b 195d 195e,g 196 197 198
2	-	-	1	1	5	3	-	2	-	65	49	15	-	1	8	6	1	-	-	
-	-	-	-	-	-	-	-	-	-	55	39	15	-	1	8	6	1	-	-	
2	1	1	1	1	5	7	1	-	-	10	10	-	-	-	-	-	-	-	-	
21	16	2	3	-	18	12	4	-	-	242	210	27	5	-	29	23	1	-	-	199 200 200a 200b
9	9	-	-	-	7	7	-	-	-	18	17	1	-	-	34	33	-	-	-	
17	11	1	5	-	36	18	2	15	1	119	113	4	2	-	58	34	3	1		
13	9	1	3	-	28	11	2	14	1	89	83	4	2	-	57	33	3	-		
4	4	2	-	-	8	7	-	-	-	30	30	-	-	-	1	1	-	-	-	199 200 200a 200b
3	3	-	-	-	21	14	-	6	1	87	77	7	3	-	15	15	1	-	-	
8	6	2	-	-	15	5	3	4	3	15	8	7	-	-	2	1	1	-	-	
12	2	10	-	-	7	2	2	1	2	120	78	32	10	-	28	18	9	-	-	
16	10	3	1	2	82	21	20	17	24	183	117	43	14	9	9	19	30	-	-	199 200 200a 200b
37	14	18	2	3	84	31	24	15	16	289	167	109	9	4	51	10	2	-	-	
8	1	2	2	3	20	10	7	1	2	129	75	46	4	3	12	10	1	-	-	
36	22	6	7	1	96	54	10	27	5	384	296	60	26	2	51	36	14	1	1	
22	19	1	1	-	69	41	6	21	1	112	91	13	7	1	27	21	5	-	-	199 200 200a 200b
2	1	-	2	-	2	1	-	-	-	11	8	2	1	-	1	1	-	-	-	
75	34	29	7	5	124	41	70	9	4	1,502	756	696	37	13	241	120	116	3	2	
70	30	29	7	7	120	39	70	7	4	1,470	726	694	37	13	239	119	115	3	2	
5	4	-	-	1	4	2	-	2	-	32	30	2	-	-	2	1	2	-	-	199 200 200a 200b
-	-	-	-	-	5	1	1	1	2	3	5	-	-	-	2	4	2	-	-	
1	1	-	-	-	4	2	2	-	-	6	6	-	-	-	1	2	-	-	-	
4	2	1	-	-	3	2	-	-	-	14	15	-	-	-	2	1	-	-	-	
10	8	2	2	-	9	2	2	4	1	5	-	5	-	-	5	4	1	-	-	199 200 200a 200b
-	-	-	-	-	2	2	-	-	-	43	40	3	1	-	9	8	1	-	-	
12	11	-	1	-	16	12	1	3	-	5	-	-	-	-	-	-	-	-	-	
6	1	2	3	1	9	48	25	12	3	360	259	83	10	9	55	22	11	1	1	
39	26	9	2	8	98	-	-	-	-	2	1	1	-	-	-	-	-	-	-	199 200 200a 200b
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	
10	8	2	-	-	10	6	3	1	-	102	65	27	3	7	13	9	3	-	-	
29	18	7	3	1	77	42	21	11	3	254	190	55	7	2	22	13	8	1	1	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	199 200 200a 200b
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	
-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
211	77	27	57	50	473	141	102	116	114	176	110	55	6	5	66	39	21	2	4	
1	-	1	-	-	35	18	4	7	6	5	4	1	-	-	3	3	-	-	-	199 200 200a 200b
210	77	26	57	50	439	123	98	109	108	171	106	54	6	5	63	36	21	2	4	
88	59	17	6	103	39	26	21	17	17	76	47	25	1	3	32	17	14	7	1	
122	18	9	51	44	335	84	72	88	91	95	59	29	5	2	31	19	7	2	3	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21-DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	19,127	10,215	6,424	296	192	3,229	1,522	1,121	341	245
	I.--Infectious and parasitic diseases-----	665	552	241	47	25	213	85	47	37	44
1	Typhoid fever-----	1	-	1	-	-	-	-	-	-	-
2	Paratyphoid fever-----	-	-	-	-	-	-	-	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	16	9	6	1	-	4	2	-	-	2
7	Anthrax (infection by Bacillus anthracis)-----	1	1	-	-	-	-	-	-	-	-
8	Scarlet fever-----	2	2	-	-	-	-	-	-	-	-
9	Whooping cough-----	5	2	2	-	1	3	-	1	-	2
10	Diphtheria (infection by C. diphtheriae)-----	6	1	5	-	-	2	1	1	-	-
11	Erysipelas-----	1	1	-	-	-	-	-	-	-	-
12	Tetanus-----	3	2	1	-	-	2	1	1	-	-
13-22	Tuberculosis (all forms)-----	599	363	153	32	21	133	51	29	28	25
13	Tuberculosis of respiratory system, etc.*-----	548	361	138	28	21	119	47	28	24	20
14	Tuberculosis of meninges, etc.*-----	7	5	1	1	-	4	-	1	1	2
15	Tuberculosis of intestines and peritoneum-----	1	1	-	-	-	3	1	-	-	2
16	Tuberculosis of vertebral column-----	9	3	4	2	-	1	-	-	1	-
17	Tuberculosis of bones and joints, etc.*-----	5	3	2	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*-----	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	1	-	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system-----	5	4	1	-	-	1	1	-	-	-
21	Tuberculosis of other organs-----	1	1	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis-----	12	5	6	1	-	5	2	-	2	1
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	9	3	5	1	-	-	-	-	-	-
25	Gonococcus infection-----	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	1	-	-	1	-	1	1	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	113	74	25	11	3	35	14	3	7	11
30a	Locomotor ataxia (tabes dorsalis)-----	1	1	-	-	-	1	1	-	-	-
30b	General paralysis of insane-----	26	15	7	4	-	10	5	-	2	3
30d	Aneurysm of aorta-----	39	29	7	3	-	8	4	-	3	1
30r	Congenital syphilis-----	-	-	-	-	-	2	-	-	-	2
30e,g	Syphilis (other forms)-----	47	29	11	4	3	14	4	3	2	5
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	7	5	2	-	-	1	1	-	-	-
33	Influenza-----	39	26	13	-	-	20	8	8	2	2
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	3	1	2	-	-	2	-	2	-	-
36	Poliomyelitis and polioencephalitis (acute)-----	17	13	4	-	-	3	1	2	-	-
37	Acute infectious encephalitis (lethargic)-----	11	5	6	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses-----	-	-	-	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases*-----	-	-	-	-	-	3	3	-	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	-	-	-	-	-
43	Mycoses-----	5	4	1	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases-----	35	19	15	1	-	3	1	-	-	2
	II.--Cancer and other tumors-----	3,132	1,558	1,525	24	25	367	172	176	17	22
45-55	Cancer and other malignant tumors-----	3,032	1,517	1,469	23	23	373	166	171	16	20
45	Cancer of buccal cavity and pharynx-----	111	95	15	1	-	9	6	2	-	1
45a	Cancer of lip-----	10	9	1	-	-	1	1	-	-	-
45b	Cancer of tongue-----	29	26	3	-	-	2	1	1	-	-
45c	Cancer of mouth-----	9	7	2	-	-	-	-	-	-	-
45d	Cancer of jaw bone-----	12	8	4	-	-	1	-	1	-	-
45e	Cancer of unspecified parts of buccal cavity-----	4	3	1	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	47	42	4	1	-	5	4	-	-	1
46	Cancer of digestive organs and peritoneum-----	1,473	795	661	9	8	158	76	80	14	6
46a	Cancer of esophagus-----	70	56	12	2	-	3	1	1	1	-
46b	Cancer of stomach-----	418	240	175	2	1	46	23	13	8	2
46c	Cancer of duodenum-----	5	4	1	-	-	-	-	-	-	-
46d	Cancer of rectum and anus-----	228	132	92	3	1	21	11	8	2	-
46e	Cancer of intestines, etc.*-----	467	218	244	-	5	52	22	27	1	2
46f	Cancer of liver and biliary passages-----	113	54	58	1	-	20	11	8	1	-
46g	Cancer of pancreas-----	130	70	58	1	1	10	6	2	1	1
46h	Cancer of mesentery and peritoneum-----	32	17	15	-	-	3	2	1	-	-
46m	Cancer of other and unspecified sites-----	10	4	6	-	-	1	-	-	-	1
47	Cancer of respiratory system-----	268	213	51	4	-	30	26	4	-	-
47a	Cancer of larynx-----	36	35	1	-	-	6	5	1	-	-
47b,c	Cancer of trachea and bronchus-----	51	40	10	1	-	7	7	-	-	-
47d	Cancer of lung-----	167	128	36	3	-	15	12	3	-	-
47e	Cancer of pleura-----	2	1	1	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs-----	12	9	3	-	-	2	2	-	-	-
48	Cancer of uterus-----	188	...	184	...	4	37	...	29	...	8
48a	Cancer of cervix-----	79	...	77	...	2	13	...	9	...	4
48b	Cancer of other and unspecified sites of uterus-----	109	...	107	...	2	24	...	20	...	4
49	Cancer of other female genital organs-----	84	...	83	...	1	16	...	16	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	77	...	76	...	1	15	...	15	...	-
49c-e	Cancer of other female genital organs-----	7	...	7	...	-	1	...	1	...	-
50	Cancer of breast-----	304	...	293	...	6	35	...	31	...	2
51	Cancer of male genital organs-----	181	175	...	6	...	24	23	...	1	...
51b	Cancer of prostate-----	161	156	...	5	...	22	21	...	1	...
51a,c-e	Cancer of other male genital organs-----	20	13	...	1	...	2	...	...	...	...
52	Cancer of urinary organs-----	143	88	52	1	2	27	14	11	1	1
52a	Cancer of kidney-----	49	24	22	1	2	8	5	2	1	-
52b	Cancer of bladder-----	91	64	27	-	-	19	9	9	-	1
52c	Cancer of other and unspecified sites-----	3	-	3	-	-	-	-	-	-	-
53	Cancer of skin, etc.*-----	50	28	22	-	-	9	6	3	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

463

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,289	2,841	2,506	1,582	1,360	23,005	9,888	6,508	5,649	2,980	27,511	9,369	6,876	5,978	5,268	4,585	2,791	1,709	61	24	
667	166	71	248	182	1,606	483	280	512	326	2,234	592	331	679	572	160	96	47	8	9	
5	1	1	-	3	10	3	2	3	2	8	2	2	3	1	3	2	1	-	-	1
1	-	1	-	-	1	-	-	-	-	3	1	-	-	2	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
8	3	2	1	2	31	11	10	7	3	32	12	10	8	2	5	4	1	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	1	1	1	-	10	2	2	2	4	59	12	15	18	14	6	1	1	4	1	8
2	-	-	1	1	30	8	15	4	3	44	16	15	6	7	2	1	1	-	-	9
1	-	1	-	-	4	1	3	-	-	2	1	-	1	-	-	-	-	-	-	10
1	1	-	-	-	40	5	2	22	11	54	8	2	18	6	1	1	1	-	-	11
498	116	46	182	144	721	244	115	214	148	1,070	309	173	297	291	67	42	17	4	4	13-22
441	109	41	165	126	674	225	106	201	142	964	294	159	260	271	57	34	16	3	4	13
7	1	-	2	4	9	4	2	3	1	25	6	4	9	6	2	2	2	-	-	14
1	-	-	1	-	14	5	1	4	3	10	1	3	2	4	1	1	1	-	-	15
7	1	1	3	2	4	3	3	-	1	9	-	-	7	2	1	1	1	-	-	16
1	1	-	-	-	3	1	1	1	-	2	-	-	1	1	1	1	1	-	-	17
-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	18
3	1	1	1	1	6	3	3	-	-	4	1	2	1	1	1	1	1	-	-	19
3	-	1	1	1	1	1	1	-	-	2	-	-	1	1	1	-	-	-	-	20
25	3	2	9	11	9	2	1	5	1	33	6	5	16	6	4	4	4	-	-	21
-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	22
3	3	-	-	-	17	5	6	4	2	21	5	4	6	6	2	1	1	-	-	23
2	-	-	1	1	2	1	-	2	-	2	1	-	-	2	-	-	-	-	-	24
-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	25
1	-	-	1	-	21	5	5	9	2	35	11	8	11	5	1	-	-	-	-	26
-	-	-	-	-	20	6	2	4	8	14	3	3	2	6	-	-	-	-	-	27
115	30	7	58	20	297	72	25	143	57	340	63	21	168	88	19	14	3	1	1	28
3	2	1	-	-	5	2	-	2	1	8	3	-	5	-	2	2	2	-	-	29
18	6	1	8	3	92	20	7	51	14	126	18	9	63	38	1	1	-	-	-	30a
45	18	2	20	7	72	28	9	28	8	61	23	2	18	18	7	4	2	1	-	30b
1	-	-	1	-	13	-	1	6	6	16	1	2	7	6	-	-	-	-	-	30c
48	6	3	29	10	115	22	9	56	28	129	18	8	75	28	9	7	1	-	-	30d,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	-	-	-	-	13	6	5	2	-	8	3	5	-	-	-	-	-	-	-	32
12	3	4	1	4	232	49	48	73	62	404	74	101	107	122	35	19	12	2	2	33
7	2	1	1	3	27	6	9	4	8	40	12	6	13	9	5	2	2	-	-	34
4	3	1	-	-	43	22	17	2	2	8	5	3	-	-	2	1	1	-	-	35
-	-	-	-	-	11	3	5	2	1	8	5	5	-	-	4	2	2	-	-	36
1	-	1	-	-	3	2	1	-	-	8	4	2	1	1	-	-	-	-	-	37
-	-	-	-	-	17	12	1	-	4	37	21	8	5	3	1	1	1	-	-	38
-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	5	1	-	2	2	3	1	-	-	2	-	-	-	-	-	40
-	-	-	-	-	4	2	2	-	-	7	1	2	3	1	1	1	1	-	-	41
11	3	4	1	3	37	18	4	8	7	41	19	6	10	4	3	3	-	-	-	42
1,181	418	437	161	165	2,678	1,096	1,115	174	293	2,569	859	964	270	478	592	298	283	9	2	43
1,134	408	422	155	149	2,549	1,063	1,065	162	259	2,440	831	920	256	433	564	288	265	9	2	44
37	26	4	6	1	90	63	18	6	3	105	61	28	12	4	16	10	6	-	-	45-55
2	2	-	-	-	3	2	1	-	-	12	8	3	1	-	2	2	-	-	-	45a
15	11	2	2	-	14	9	3	1	1	19	10	4	5	-	1	1	-	-	-	45b
6	4	-	1	1	15	7	6	2	-	23	12	8	1	2	3	1	2	-	-	45c
2	2	-	-	-	14	8	4	-	2	13	9	2	1	1	2	1	1	-	-	45d
1	1	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	45e
11	6	2	3	-	43	36	4	3	-	36	21	10	4	1	8	5	3	-	-	45f
488	197	165	76	50	955	454	366	79	56	871	343	285	126	117	271	141	122	7	1	46
36	22	3	10	1	35	20	4	10	1	52	26	12	8	6	6	6	-	-	-	46a
152	61	35	41	15	282	151	83	35	13	299	115	78	62	44	94	59	32	3	-	46b
1	1	-	-	-	7	4	1	2	-	6	4	-	1	1	-	-	-	-	-	46c
68	26	26	8	8	112	51	39	9	13	69	15	26	13	15	28	13	15	-	-	46d
120	48	52	8	12	269	122	123	8	16	188	89	64	17	18	62	29	30	2	1	46e
48	15	29	-	4	146	63	65	8	10	141	49	57	14	21	47	16	29	2	-	46f
49	20	15	7	7	80	35	38	6	1	91	56	21	4	10	29	17	12	-	-	46g
6	4	2	-	-	15	4	9	-	2	14	5	5	3	1	5	1	4	-	-	46h
8	-	3	2	3	9	4	1	1	-	11	4	2	4	1	-	-	-	-	-	46m
105	61	14	24	6	263	175	62	14	12	193	129	32	24	8	30	19	10	1	-	47
13	7	-	6	-	36	29	5	2	-	21	14	3	4	-	1	1	-	-	-	47a
38	21	5	9	3	55	38	12	3	2	55	44	4	7	-	3	3	-	-	-	47b,c
50	31	9	8	2	157	98	42	8	9	106	66	21	11	8	25	15	9	1	-	47d
1	-	-	-	1	5	1	3	-	1	3	1	-	2	-	1	-	1	-	-	47e
3	2	-	1	-	10	9	-	1	-	8	4	-	-	-	-	-	-	-	-	47f
119	...	66	...	53	336	...	229	...	107	420	...	244	...	176	32	...	31	...	1	48
57	...	31	...	26	130	...	91	...	39	167	...	92	...	75	13	...	13	...	-	48a
62	...	35	...	27	206	...	138	...	68	253	...	152	...	101	19	...	18	...	1	48b
35	...	29	...	7	68	...	59	...	9	58	...	47	...	11	14	...	14	...	-	49
31	...	24	...	7	61	...	52	...	9	48	...	39	...	9	14	...	14	...	-	49a,b
4	...	4	...	-	7	...	7	...	-	10	...	8	...	2	-	...				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT						DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	II.—Cancer and other tumors—Continued												
54	Cancer and other malignant tumors—Continued												
55	Cancer of central nervous system*	43	24	19	-	-	10	5	5	-	-	-	-
55,57	Cancer of other and unspecified organs	187	94	99	2	2	20	8	10	-	2	2	2
56	Nonmalignant tumors and tumors of unspecified nature	100	41	56	1	2	14	6	5	1	1	1	1
56a-c	Nonmalignant tumors (including dermoid cysts)	41	15	27	1	-	11	4	5	1	1	1	1
56d	Nonmalignant tumors of female genital organs	15	...	15	...	-	3	...	2	...	1	1	1
56e	Nonmalignant tumors of central nervous system*	14	5	8	1	-	6	4	2	-	-	-	-
57	Nonmalignant tumors of other and unspecified organs	12	8	4	-	-	2	-	1	1	-	-	-
57a-c	Tumors of unspecified nature	59	28	29	-	2	3	2	-	-	1	1	1
57d	Tumors, female genital organs (nature unspecified)	-	...	...	...	-	...	...	...	...	...	...	...
57e	Tumors, central nervous system* (nature unspecified)	40	21	19	-	-	2	1	-	-	1	1	1
57e	Tumors, other organs (nature unspecified)	19	7	10	-	2	1	1	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	756	225	511	9	11	78	25	44	4	5	5	5
58	Acute rheumatic fever	13	4	9	-	-	1	-	1	-	-	-	-
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	3	1	2	-	-	1	-	1	-	-	-	-
58c	Acute rheumatic myocarditis	3	-	3	-	-	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	3	1	2	-	-	-	-	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	4	2	2	-	-	-	-	-	-	-	-	-
59	Chronic rheumatism, other rheumatic diseases	22	3	18	-	1	4	1	2	-	1	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	196	447	8	10	69	23	39	4	5	5	5
62	Diseases of pituitary gland	1	-	1	-	-	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	23	1	22	-	-	2	-	2	-	-	-	-
63a	Simple goiter	1	-	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	18	1	17	-	-	2	-	2	-	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	4	-	4	-	-	-	-	-	-	-	-	-
64	Diseases of thymus gland	11	6	5	-	-	1	1	-	-	-	-	-
65	Diseases of adrenal glands*	14	6	8	-	-	1	-	-	-	-	1	1
66	Other general diseases	7	6	-	1	-	-	-	-	-	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	2	1	-	-	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	1	1	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	173	92	80	1	-	33	15	14	3	1	1	1
72	Hemorrhagic conditions	3	1	2	-	-	2	1	-	-	1	1	1
73	Anemias (except splenic anemia)	36	19	17	-	-	10	5	3	-	-	-	-
73a	Pernicious anemia	23	12	11	-	-	6	1	3	2	-	-	-
73b-d	Other anemias (except splenic)	13	7	6	-	-	4	4	1	-	-	-	-
74	Leukemias and aleukemias	123	67	55	1	-	20	8	11	1	-	-	-
74a	Leukemias	116	64	51	1	-	17	7	9	1	-	-	-
74b	Aleukemias	7	3	4	-	-	3	1	2	-	-	-	-
75	Diseases of spleen	8	2	6	-	-	1	1	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	3	3	-	-	-	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	52	42	8	1	1	7	5	-	2	-	-	-
77	Alcoholism (ethyism)	51	41	8	1	1	7	5	-	2	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	1	1	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,735	797	901	19	18	315	145	121	22	27	27	27
80	Encephalitis (nonepidemic)	18	12	5	-	1	-	-	-	-	-	-	-
81	Meningitis (not due to meningococcus)	15	7	7	1	-	7	1	6	-	-	-	-
82	Diseases of spinal cord (see exceptions)*	35	18	16	1	-	5	2	3	-	-	-	-
83	Intracranial lesions of vascular origin	1,562	707	823	16	16	283	134	101	21	27	27	27
83a	Cerebral hemorrhage or effusion*	1,244	575	642	12	15	250	115	89	21	26	26	26
83b,c	Cerebral embolism, thrombosis, and softening	299	120	174	3	1	30	17	13	-	-	-	-
83d	Hemiplegia, other paralysis, etc.*	20	12	7	1	-	3	2	-	-	1	1	1
84	Mental diseases and deficiency (see exception)*	11	4	6	-	1	1	-	1	-	-	-	-
85	Epilepsy	23	11	12	-	-	4	1	3	-	-	-	-
86	Convulsions (under 5 years)	5	3	2	-	-	1	1	-	-	-	-	-
87	Other diseases of nervous system	53	28	26	1	-	11	5	5	1	-	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	13	9	4	-	-	3	1	2	-	-	-	-
	VII.—Diseases of the circulatory system	7,250	4,018	3,067	88	57	1,139	571	390	106	72	72	72
90-95	Diseases of the heart (all forms)	6,854	3,615	2,862	83	54	1,072	540	366	101	65	65	65
90	Pericarditis (except acute rheumatic)	3	2	1	-	-	1	-	1	-	-	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	3	2	1	-	-	1	-	1	-	-	-	-
91	Acute endocarditis (except rheumatic)	8	6	-	2	-	6	4	1	-	1	1	1
91a,b	Bacterial, acute, and subacute endocarditis	8	6	-	-	-	6	4	1	-	-	-	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	318	158	154	5	1	110	41	30	27	12	12	12
92a	Diseases of aortic valve, etc.*	26	13	10	2	1	3	1	2	-	-	-	-
92b	Diseases of mitral valve, etc.*	147	76	70	1	-	28	11	13	2	2	2	2
92c	Chronic rheumatic endocarditis, etc.*	29	16	13	-	-	8	3	2	1	2	2	2
92d	Other chronic endocarditis, etc.*	107	48	57	2	-	68	26	11	24	7	7	7
92e	Endocarditis (unspecified, 45 years and over)	9	5	4	-	-	3	-	2	-	1	1	1
93	Diseases of the myocardium	3,962	1,974	1,922	47	39	592	261	234	51	38	38	38
93a	Acute myocarditis (except rheumatic)	36	22	14	-	-	16	6	2	6	2	2	2
93b	Myocarditis (unspecified, under 45 years)	1	-	1	-	-	1	-	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	23	11	12	-	-	4	1	3	-	-	-	-
93d	Other chronic myocarditis, etc.*	3,772	1,862	1,828	45	37	519	238	213	37	31	31	31
93e	Other myocarditis (unspecified)	150	79	67	2	2	42	16	16	7	3	3	3
94	Diseases of coronary arteries, angina pectoris	2,199	1,510	656	23	10	323	207	83	19	14	14	14
94a	Diseases of coronary arteries	2,190	1,503	654	23	10	318	203	83	18	14	14	14
94b	Angina pectoris	9	7	2	-	-	5	4	-	1	-	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

465

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA						FLORIDA					GEORGIA					IDAHO					Int. List No.
Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
22	11	7	2	2	32	19	12	1	1	42	26	14	-	2	7	5	2	-	-	54	
94	31	36	18	9	226	92	88	20	26	217	90	65	29	35	41	27	13	1	-	55	
47	10	15	6	16	123	33	50	12	34	129	28	44	14	43	28	10	18	-	-	56, 57	
16	1	7	8	8	68	3	31	5	29	75	7	30	6	32	12	2	10	-	-	56	
11	...	6	...	5	55	...	26	...	29	56	...	26	...	30	8	...	8	...	-	56a-c	
4	1	1	-	2	4	1	2	1	-	8	4	2	2	-	3	2	1	-	-	56d	
1	-	-	-	1	9	2	3	4	-	11	3	2	4	2	1	1	1	-	-	56e	
31	9	8	6	8	61	30	19	7	5	54	21	14	8	11	16	8	8	-	-	57	
1	...	-	...	1	1	...	1	...	-	5	...	2	...	3	1	...	1	...	-	57a-c	
17	6	6	3	2	36	19	13	3	1	35	17	10	4	4	14	8	6	-	-	57d	
13	3	2	3	5	24	11	5	4	4	14	4	2	4	4	1	-	1	-	-	57e	
261	76	99	35	51	601	217	244	48	92	664	197	270	73	124	137	58	79	-	-		
9	-	1	5	3	28	8	3	4	13	35	10	7	6	12	5	1	4	-	-	58	
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	58a	
-	-	-	-	-	5	1	-	-	4	7	3	1	3	-	1	-	1	-	-	58b	
2	-	-	1	1	5	1	-	1	3	2	-	-	-	2	-	-	-	-	-	58c	
1	-	1	-	-	3	-	-	1	2	6	2	1	1	2	2	1	1	-	-	58d	
6	-	-	4	2	13	5	2	2	4	19	5	4	2	8	2	-	2	-	-	58e, f	
7	2	2	1	2	36	13	17	2	4	40	15	20	2	3	10	8	2	-	-	59	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	
221	64	92	24	41	430	165	184	31	50	399	135	150	45	69	96	39	57	-	-	61	
1	1	-	-	-	3	1	1	-	1	-	-	-	-	-	2	1	1	-	-	62	
4	2	1	-	1	34	7	20	-	7	41	6	21	3	11	15	2	13	-	-	63	
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	63a	
2	-	1	-	1	31	6	18	-	7	32	2	17	2	11	14	1	13	-	-	63b	
2	2	-	-	-	-	-	-	-	-	-	4	4	1	1	1	1	1	-	-	63c-e	
5	3	-	1	1	16	10	4	2	-	22	9	7	3	3	5	8	2	-	-	64	
5	2	2	1	2	13	5	2	3	3	8	-	6	3	-	1	1	-	-	-	65	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66	
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67	
3	-	-	2	1	32	5	10	3	14	93	16	51	9	17	-	-	-	-	-	68	
-	-	-	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	69	
1	-	-	-	1	3	-	2	1	-	15	2	7	2	4	1	1	-	-	-	70	
57	24	19	7	7	159	74	54	12	19	169	64	66	19	20	37	25	12	-	-	71	
3	1	1	-	1	11	3	7	-	1	12	6	4	1	1	2	-	2	-	-	72	
11	3	4	1	3	62	21	19	7	15	49	11	14	13	11	11	8	3	-	-	73	
3	2	1	-	-	31	12	9	3	7	25	7	8	3	7	6	6	-	-	-	73a	
8	1	3	1	3	31	9	10	4	8	24	4	6	10	4	5	2	3	-	-	73b-d	
40	20	14	5	1	72	47	18	4	3	96	45	41	5	5	16	12	4	-	-	74	
38	19	13	5	1	65	41	17	4	3	89	43	37	5	4	16	12	4	-	-	74a	
2	1	1	-	-	9	6	1	-	-	7	2	4	-	1	-	-	-	-	-	74b	
3	-	-	1	2	7	1	7	1	-	8	2	4	-	2	3	1	2	-	-	75	
-	-	-	-	-	5	2	3	-	-	4	-	3	-	1	5	4	1	-	-	76	
17	6	4	6	1	52	29	12	7	4	73	39	11	18	5	15	12	1	2	-		
17	6	4	6	1	48	27	10	7	4	69	38	8	18	5	14	12	-	2	-	77	
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	78	
-	-	-	-	-	3	1	2	-	-	3	-	3	-	-	1	-	1	-	-	79	
647	191	239	112	105	2,440	893	781	369	397	3,361	957	892	746	766	451	231	216	3	1		
2	1	1	-	-	25	9	6	3	7	38	12	14	7	5	1	1	-	-	-	80	
11	3	1	4	3	53	14	10	18	11	55	22	12	9	12	7	3	4	-	-	81	
17	7	6	2	2	32	18	8	1	5	43	16	13	11	3	2	1	1	-	-	82	
561	164	221	101	95	2,209	810	716	327	356	2,995	842	782	663	708	404	211	189	3	1	83	
476	142	176	80	78	1,923	694	609	293	327	2,681	745	684	608	644	362	190	168	3	1	83a	
89	16	39	20	14	203	90	88	14	11	173	63	67	18	25	33	16	17	-	-	83b, c	
16	6	6	1	3	83	26	19	20	18	141	34	31	37	39	9	5	4	-	-	83d	
3	2	1	-	-	8	4	3	1	-	-	9	19	19	14	4	-	4	-	-	84	
8	3	1	2	2	35	11	9	11	4	67	24	19	17	7	13	6	7	-	-	85	
-	-	-	-	-	7	1	1	1	4	24	7	5	7	5	1	-	1	-	-	86	
21	10	7	2	2	54	20	25	3	6	61	18	25	10	8	17	9	8	-	-	87	
-	-	-	-	-	3	-	2	1	-	1	1	-	-	-	-	-	-	-	-	88	
4	1	1	1	1	14	6	1	3	4	16	6	3	3	4	2	-	2	-	-	89	
2,502	933	605	386	378	6,210	3,248	1,746	694	522	6,432	2,654	1,557	1,158	1,063	1,346	889	441	13	3		
2,317	884	723	360	350	5,759	3,041	1,605	637	476	5,927	2,486	1,415	1,055	971	1,266	838	412	13	3	90-95	
2	-	-	1	1	17	7	5	5	-	12	2	3	2	5	-	-	-	-	-	90	
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	90a	
2	-	-	1	1	17	7	5	5	-	10	2	1	2	5	-	-	-	-	-	90b	
9	1	1	5	2	22	9	2	4	7	46	8	8	12	16	6	3	2	1	-	91	
9	1	1	5	2	19	8	2	3	6	35	5	5	9	16	4	3	1	-	-	91a, b	
-	-	-	-	-	3	1	-	1	1	11	3	3	3	2	2	-	1	1	-	91c	
132	37	55	19	21	467	178	136	101	52	530	131	130	135	134	98	67	30	1	-	92	
20	8	5	5	4	46	14	10	17	5	76	18	11	32	15	4	1	3	-	-	92a	
60	15	33	4	8	177	66	58	37	16	240	56	52	60	72	41	28	13	-	-	92b	
13	4	6	2	1	11	3	6	2	-	11	4	2	2	3	8	6	2	-	-	92c	
36	10	11	8	7	185	77	47	37	24	167	44	56	36	29	36	26	9	1	-	92d	
3	-	2	-	-	49	16	15	8	7	36	9	7	5	15	9	6	3	-	-	92e	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT						DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	VII.—Diseases of the circulatory system—Continued												
	Diseases of the heart (all forms)—Continued												
95	Other diseases of heart—	324	185	149	6	4	50	27	17	4	2		
95a	Functional diseases of heart, etc.*	7	2	5	-	-	4	2	2	-	-		
95b	Other diseases of heart (rheumatic)—	117	47	67	2	1	11	5	3	3	-		
95c	Other diseases of heart (not rheumatic)—	200	116	77	4	3	35	20	12	1	2		
96	Aneurysm (except of heart and aorta)—	33	21	10	1	1	3	2	-	1	-		
97	Arteriosclerosis (except coronary or renal sclerosis)—	313	149	162	2	-	53	22	23	3	5		
98	Gangrene—	4	4	-	-	-	1	1	-	-	-		
99	Other diseases of arteries—	24	11	12	-	1	4	3	1	-	-		
100	Diseases of veins—	29	16	13	-	-	2	2	-	-	-		
101	Diseases of lymphatic system—	1	1	-	-	-	-	-	-	-	-		
102	High blood pressure (idiopathic)—	11	1	8	1	1	4	1	-	1	2		
103	Other diseases of circulatory system—	1	-	-	1	-	-	-	-	-	-		
	VIII.—Diseases of the respiratory system—	729	397	313	12	7	137	53	50	23	11		
104	Diseases of nasal fossae, accessory sinuses—	5	2	3	-	-	1	-	-	-	1		
105	Diseases of larynx—	2	2	-	-	-	1	1	-	-	-		
106	Bronchitis—	39	26	12	1	-	4	1	2	1	-		
107	Bronchopneumonia (including capillary bronchitis)—	279	147	126	3	1	42	12	23	5	2		
108	Lobar pneumonia—	261	158	114	5	4	59	29	14	13	3		
109	Pneumonia (unspecified)—	41	24	16	-	1	9	1	2	5	3		
109a	Atypical or virus pneumonia—	9	4	5	-	-	1	1	-	-	-		
109b	Pneumonia (all others, unspecified)—	32	20	11	-	1	8	-	2	3	3		
110	Pleurisy (not tuberculous)—	16	9	7	-	-	3	3	-	-	-		
111	Hemorrhagic infarction, thrombosis, edema*—	53	28	22	3	-	5	1	4	-	-		
112	Asthma—	16	11	6	-	1	9	4	4	-	1		
113	Pulmonary emphysema—	1	1	-	-	-	1	-	1	-	-		
114	Other diseases of respiratory system (except tuberculosis)—	14	9	5	-	-	3	1	-	1	1		
114a,b	Silicosis, other forms of pneumoconiosis—	2	2	-	-	-	1	1	-	-	-		
114a-c	Other diseases of respiratory system (except tuberculosis)—	12	7	5	-	-	2	-	-	1	1		
	IX.—Diseases of the digestive system—	872	516	336	15	5	124	64	39	15	6		
115	Diseases of buccal cavity and adnexa, etc.*—	10	4	6	-	-	1	-	1	-	-		
116	Diseases of esophagus—	1	-	1	-	-	1	1	-	-	-		
117	Ulcer of stomach or duodenum—	135	111	24	-	-	17	14	2	1	-		
117a	Ulcer of stomach—	70	57	13	-	-	11	8	2	1	-		
117b	Ulcer of duodenum—	65	54	11	-	-	6	6	-	-	-		
118	Other diseases of stomach (except cancer)—	8	5	3	-	-	4	3	-	1	-		
119	Diarrhea, enteritis, etc.* (under 2 years)—	40	21	16	2	1	9	4	1	4	-		
120	Diarrhea, enteritis, etc.* (2 years and over)—	51	15	16	-	-	7	2	2	1	2		
121	Appendicitis—	53	37	16	-	-	11	5	4	1	1		
122	Hernia and intestinal obstruction—	142	75	65	2	-	29	13	10	4	2		
122a	Hernia—	71	41	29	1	-	11	6	2	2	1		
122b	Intestinal obstruction—	71	34	36	1	-	18	7	8	2	1		
123	Other diseases of intestines—	31	14	16	-	1	2	2	-	-	-		
124	Cirrhosis of liver—	275	178	90	6	1	23	14	7	2	-		
124a	Cirrhosis of liver with mention of alcoholism—	30	21	7	1	1	-	-	-	-	-		
124b	Cirrhosis of liver without mention of alcoholism—	245	157	83	5	-	23	14	7	2	-		
125	Other diseases of liver—	28	10	15	3	-	2	1	1	-	-		
126	Biliary calculi—	55	15	39	-	1	5	-	5	-	-		
127	Other diseases of gallbladder, biliary ducts—	27	7	19	-	1	9	3	5	1	-		
128	Diseases of pancreas (except diabetes mellitus)—	18	11	7	-	-	1	1	-	-	-		
129	Peritonitis (cause not stated)—	18	13	5	2	-	3	1	1	-	1		
	X.—Diseases of the genito-urinary system—	1,055	549	466	22	18	344	149	125	39	31		
130	Acute nephritis—	20	10	6	4	-	6	2	1	1	2		
131	Chronic nephritis—	867	421	417	13	16	287	120	111	32	24		
131a	Arteriosclerotic kidney—	724	340	360	11	13	217	94	84	21	18		
131b	Other chronic nephritis—	143	81	57	2	3	70	26	27	11	6		
132	Nephritis unspecified (10 years and over)—	24	12	10	1	1	14	5	5	2	2		
133	Other diseases of kidneys, ureters, etc.*—	35	21	13	1	-	6	4	4	-	-		
134	Calculi of urinary passages—	16	12	4	-	-	4	1	2	-	1		
135	Diseases of urinary bladder—	5	3	2	-	-	1	-	1	-	-		
136	Diseases of urethra (except calculus)—	2	1	1	-	-	-	-	-	-	-		
137	Diseases of prostate—	72	69	...	3	...	21	17	...	4	...		
137a	Hypertrophy of prostate—	67	65	...	2	...	21	17	...	4	...		
137b	Other diseases of prostate—	5	4	...	1	...	-	-	...	-	...		
138	Diseases of other male genital organs (not venereal)—	-	-	...	-	...	-	-	...	-	...		
139	Diseases of female genital organs—	14	...	13	...	1	3	...	1	...	2		
139a	Diseases of ovaries, fallopian tubes, parametria—	5	...	4	...	1	2	...	...	...	2		
139b	Diseases of uterus—	9	...	9	...	-	1	...	1	...	-		
139c	Diseases of other female genital organs*—	-	...	-	...	-	-	...	-	...	-		
	XI.—Diseases of pregnancy, childbirth, and the puerperium—	36	...	36	...	2	9	...	7	...	2		
140	Abortion with mention of infection—	7	...	7	...	-	2	...	1	...	1		
141	Abortion without mention of infection—	1	...	1	...	-	1	...	1	...	-		
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*—	-	...	-	...	-	1	...	1	...	-		
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*—	-	...	-	...	-	-	...	-	...	-		
141d-f	Other abortions (nonseptic)*—	1	...	1	...	-	-	...	-	...	-		
142	Ectopic gestation—	2	...	1	...	1	1	...	-	...	1		
142a	Ectopic gestation, with mention of infection—	-	...	-	...	-	-	...	-	...	-		
142b	Ectopic gestation, without mention of infection—	2	...	1	...	1	1	...	-	...	1		
143	Hemorrhage of pregnancy (death before delivery)—	1	...	1	...	-	-	...	-	...	-		
144	Toxemias of pregnancy (death before delivery)—	2	...	2	...	-	2	...	2	...	-		
145	Other diseases of pregnancy (death before delivery)*—	1	...	1	...	-	1	...	1	...	-		
145a	With mention of infection—	-	...	-	...	-	1	...	1	...	-		
145b	Without mention of infection—	1	...	1	...	-	-	...	-	...	-		
146	Hemorrhage of childbirth and puerperium—	6	...	6	...	-	-	...	-	...	-		
147	Infection during childbirth and puerperium—	7	...	7	...	-	1	...	1	...	-		
148	Puerperal toxemias (excluding death before delivery)—	5	...	5	...	-	-	...	-	...	-		
149	Other accidents and specified conditions of childbirth—	6	...	5	...	1	1	...	1	...	-		
150	Other and unspecified conditions of childbirth and puerperium—	-	...	-	...	-	-	...	-	...	-		

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

467

## UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA						FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
100	37	28	18	19	698	347	185	88	66	986	363	197	217	209	159	104	49	4	2	95	
3	3	-	-	-	23	10	12	-	1	31	16	12	-	3	7	4	2	1	-	95a	
32	9	11	10	2	91	40	35	9	7	76	25	20	13	18	28	15	11	2	-	95b	
65	25	15	8	17	572	287	138	79	58	879	322	165	204	188	124	85	36	1	2	95c	
17	5	7	4	1	23	11	7	3	2	22	13	2	6	1	3	3	-	-	-	96	
114	30	80	8	16	304	141	106	33	24	330	109	102	63	56	51	56	15	-	-	97	
3	1	-	1	1	18	5	4	4	5	14	1	1	6	8	-	-	-	-	-	98	
15	5	8	2	2	36	22	11	2	1	41	20	13	5	3	14	9	5	-	-	99	
17	6	6	2	3	14	7	4	1	2	17	6	6	3	2	3	1	2	-	-	100	
3	-	-	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	101	
15	1	1	6	7	45	15	8	13	9	71	17	15	20	19	9	2	7	-	-	102	
1	1	-	-	-	11	6	1	1	3	9	2	3	-	4	-	-	-	-	-	103	
358	117	100	87	52	1,112	396	302	219	195	1,612	436	416	423	337	210	133	72	5	-	-	
-	-	-	-	-	11	6	1	4	-	30	4	6	11	9	2	-	2	-	-	104	
2	-	-	1	1	4	1	2	1	-	4	2	-	2	-	2	-	-	-	-	105	
19	8	7	4	-	55	26	18	5	6	54	20	20	7	7	10	6	4	-	-	106	
125	45	36	32	12	415	185	114	75	71	563	162	168	126	107	88	53	32	3	-	107	
120	34	31	31	24	297	93	55	76	73	550	128	120	172	130	44	29	13	2	-	108	
29	13	10	2	4	143	41	48	31	23	224	59	43	71	51	22	15	7	-	-	109	
5	3	2	-	-	20	8	8	3	1	28	11	6	7	4	4	2	2	-	-	109a	
24	10	8	2	4	123	33	40	28	22	196	48	57	64	47	18	13	5	-	-	109b	
11	3	3	4	1	26	9	5	7	5	23	7	3	5	8	6	5	1	-	-	110	
29	8	9	4	8	80	37	32	6	5	76	20	34	11	11	16	10	6	-	-	111	
15	3	4	7	1	49	15	18	10	6	55	22	18	9	8	16	10	6	-	-	112	
1	1	-	-	-	2	1	1	-	-	3	2	1	-	-	2	1	1	-	-	113	
5	2	-	2	1	30	12	8	4	6	30	10	5	9	6	2	2	-	-	-	114	
5	-	-	-	-	1	-	1	-	-	2	2	-	-	-	1	1	-	-	-	114a,b	
5	2	-	2	1	29	12	7	4	6	28	8	5	9	6	1	1	-	-	-	114c-a	
428	178	125	74	53	1,099	436	276	203	184	1,250	423	305	272	250	209	127	79	2	1	-	
5	1	1	1	2	42	10	10	10	12	60	19	16	10	15	9	4	4	-	-	115	
2	1	1	-	-	6	1	4	1	-	6	1	1	3	1	-	-	-	-	-	116	
47	31	4	10	2	129	72	16	30	11	154	61	18	39	17	37	30	7	-	-	117	
27	15	4	6	2	93	47	10	25	11	119	65	12	31	11	28	22	6	-	-	117a	
20	16	-	4	-	38	25	8	5	-	35	16	8	7	8	9	8	1	-	-	117b	
11	2	1	5	3	50	9	8	15	18	60	19	8	16	17	9	8	1	-	-	118	
69	19	8	24	18	92	32	32	19	9	138	29	25	48	36	8	5	2	1	-	119	
11	6	4	1	-	45	11	8	14	12	61	18	16	11	18	8	5	3	-	-	120	
22	8	10	2	2	103	39	20	24	20	123	39	27	34	23	30	19	11	-	-	121	
75	18	31	16	10	253	86	60	43	44	253	75	64	61	53	39	22	16	1	-	122	
32	8	14	9	1	73	40	10	18	5	79	28	20	25	6	18	9	6	1	-	122a	
43	10	17	7	9	160	46	50	25	39	174	47	44	36	47	23	13	10	-	-	122b	
20	7	9	1	3	28	5	5	6	12	31	10	8	4	9	8	3	5	-	-	123	
111	66	28	11	6	207	119	51	21	16	184	85	48	23	28	22	14	8	-	-	124	
12	8	2	1	1	19	16	3	-	-	25	16	5	4	-	2	2	-	-	-	124a	
99	58	26	10	5	198	103	48	21	16	159	69	43	19	28	20	12	8	-	-	124b	
10	3	4	1	2	48	14	10	15	9	50	17	14	7	12	6	4	2	-	-	125	
23	8	13	-	2	37	9	24	-	4	26	8	15	1	2	11	3	8	-	-	126	
10	1	7	-	2	42	17	21	2	2	58	14	32	5	7	14	6	8	-	-	127	
9	3	4	2	-	8	6	2	-	-	13	5	7	-	1	4	3	1	-	-	128	
3	2	-	-	1	29	6	5	3	15	33	5	6	11	11	4	1	3	-	-	129	
791	236	242	150	161	1,748	684	516	318	260	2,922	890	722	721	589	334	207	124	2	1	-	
10	2	-	5	3	84	26	16	23	19	145	30	24	41	50	5	3	2	-	-	130	
643	188	217	107	131	1,291	470	413	219	189	2,286	686	609	543	448	268	158	107	2	1	131	
592	169	205	98	120	981	355	314	162	150	1,999	491	450	363	295	193	113	79	1	-	131a	
51	19	12	9	11	310	115	99	57	39	687	195	159	180	153	75	45	28	1	1	131b	
37	5	9	11	12	100	33	31	23	13	118	34	16	34	34	14	9	5	-	-	132	
35	10	10	8	7	72	23	30	15	4	87	23	33	11	20	2	2	-	-	-	133	
13	3	4	4	2	31	18	10	2	1	44	23	17	3	1	-	1	-	-	-	134	
3	1	-	2	5	13	5	2	5	1	21	5	4	10	2	1	1	-	-	-	135	
3	-	-	3	-	8	1	-	6	1	14	3	-	11	-	1	1	-	-	-	136	
39	29	-	10	-	101	76	-	25	-	153	85	-	69	-	33	33	-	-	-	137	
34	26	-	8	-	84	65	-	19	-	122	70	-	52	-	27	27	-	-	-	137a	
5	3	-	2	-	17	11	-	6	-	31	15	-	16	-	6	6	-	-	-	137b	
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	138	
8	-	2	-	6	46	-	14	-	32	53	-	19	-	34	10	-	10	-	-	139	
8	-	2	-	6	32	-	8	-	26	36	-	12	-	24	6	-	6	-	-	139a	
-	-	-	-	-	13	-	-	-	5	15	-	6	-	9	4	-	4	-	-	139b	
-	-	-	-	-	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	139c	
31	-	8	-	23	159	-	79	-	60	225	-	85	-	142	22	-	21	-	1	-	
4	-	-	-	4	15	-	8	-	7	15	-	7	-	8	3	-	3	-	-	140	
1	-	1	-	-	6	-	4	-	2	20	-	3	-	17	1	-	1	-	-	141	
1	-	-	-	-	2	-	2	-	-	8	-	-	-	8	1	-					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	19	6	11	-	2	-	-	-	-	-
151	Carbuncle and furuncle-----	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess-----	2	1	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue-----	17	5	10	-	2	-	-	-	-	-
	XIII.—Diseases of the bones, etc.*-----	7	3	3	-	1	1	1	-	-	-
154	Osteomyelitis and periostitis-----	1	-	1	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)-----	2	1	1	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement-----	4	2	1	-	1	1	1	-	-	-
157	XIV.—Congenital malformations-----	303	149	150	1	-	39	19	10	7	3
157a-d	Congenital malformations of central nervous system-----	141	64	76	1	-	13	5	3	3	2
157e,f	Congenital malformations of cardiovascular system-----	113	58	55	-	-	19	9	4	4	1
157g,h,m	Other congenital malformations-----	46	27	19	-	-	8	5	3	-	-
	XV.—Diseases peculiar to the first year of life-----	702	409	264	20	9	108	47	36	14	11
158	Congenital debility (cause not stated)-----	8	7	-	1	-	1	-	-	1	-
159	Premature birth (cause not stated)-----	454	251	183	15	5	74	30	26	8	10
160	Injury at birth-----	142	86	52	1	1	19	13	5	1	-
161	Other diseases peculiar to first year of life-----	98	63	29	3	3	14	4	5	4	1
162	XVI.—Senility-----	61	20	40	1	-	12	1	8	1	2
	XVII.—Violent or accidental deaths-----	1,300	830	426	34	10	274	169	51	47	7
163,164	Suicide-----	253	184	67	1	1	33	23	7	2	1
165	Suicide by poisoning-----	87	52	34	-	1	12	7	4	-	1
166	Suicide by other means-----	166	132	33	1	-	21	16	3	2	-
165-168	Homicide-----	31	19	2	9	1	24	4	3	13	4
166	Homicide by firearms-----	12	7	1	4	-	13	3	3	4	3
167	Homicide by cutting or piercing instruments-----	6	4	-	1	1	8	1	-	7	-
168	Homicide by other means-----	13	8	1	4	-	3	-	-	2	1
169-195	Accidental deaths-----	1,013	624	357	24	8	216	142	41	31	2
169	Railway accidents (except collisions with motor vehicles)-----	16	14	2	-	-	5	5	-	-	-
170	Motor-vehicle accidents-----	284	191	60	9	4	76	55	13	8	-
170a	Collisions between automobiles and trains-----	6	5	1	-	-	4	1	2	1	-
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	249	179	59	8	4	72	54	11	7	-
170d	Motorcycle accidents (exc. collisions with automobiles)-----	9	8	-	1	-	-	-	-	-	-
171	Streetcar and other road-transport accidents-----	2	1	1	-	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	1	-	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	1	1	-	-	-	1	1	-	-	-
172	Water-transport accidents-----	17	14	3	-	-	3	3	-	-	-
173	Air-transport accidents-----	16	13	2	-	1	7	7	-	-	-
174	Accidents in mines and quarries-----	-	-	-	-	-	1	-	-	1	-
175	Agricultural and forestry accidents-----	11	11	-	-	-	7	6	-	1	-
175a-c	Agricultural accidents-----	10	10	-	-	-	6	5	-	1	-
175d,e	Forestry accidents-----	1	1	-	-	-	1	1	-	-	-
176	Other accidents involving machinery-----	8	6	-	2	-	6	3	-	3	-
177	Food poisoning-----	2	-	2	-	-	1	-	1	-	-
178	Accidental absorption of poisonous gas-----	50	29	21	-	-	2	2	-	-	-
179	Acute accidental poisoning by solids or liquids-----	21	17	4	-	-	5	4	1	-	-
180	Conflagration-----	30	15	13	1	1	9	4	1	4	-
181	Accidental burns (except conflagration)-----	42	21	17	3	1	11	4	4	2	1
182	Accidental mechanical suffocation-----	22	11	11	-	-	3	2	1	-	-
183	Accidental drowning-----	69	69	-	3	-	17	11	-	6	-
184	Accidental injury by firearms-----	5	5	-	-	-	4	3	-	1	-
185	Accidental injury by cutting or piercing instruments-----	-	-	-	-	-	1	-	-	1	-
186	Accidental injury by fall or crushing-----	347	161	181	4	1	39	22	16	1	-
186a	Accidental injury by fall-----	345	159	181	4	1	39	22	16	1	-
186b	Accidental injury by crushing-----	2	2	-	-	-	-	-	-	-	-
187	Cataclysm, etc.*-----	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst-----	-	-	-	-	-	-	-	-	-	-
190	Excessive cold-----	6	4	2	-	-	1	-	-	1	-
191	Excessive heat-----	-	-	-	-	-	-	-	-	-	-
192	Lightning-----	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)-----	3	3	-	-	-	4	3	1	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	-	-	-	-	-	1	1	-	-	-
195	Other accidents-----	63	49	32	2	-	12	6	3	2	1
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	1	1	-	-	-	1	1	-	-	-
195d	Obstruction, suffocation, etc.*-----	23	11	11	1	-	4	2	2	-	-
195e,c	Other and unspecified accidents-----	59	37	21	1	-	7	3	1	2	1
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	3	3	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes-----	31	52	26	2	1	9	1	3	4	1
199	Sudden death-----	22	15	7	-	-	-	-	-	-	-
200	Ill-defined and unknown causes-----	59	37	19	2	1	9	1	3	4	1
200a	Ill-defined causes-----	46	32	11	2	1	7	1	3	2	1
200b,c	Unknown or unspecified causes-----	13	5	8	-	-	2	-	-	2	-

\*Refer to International List for complete title, table V, Part I.

†Includes figures for infanticide (165).



## GENERAL TABLES—DEATHS FROM EACH CAUSE

469

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA						FLORIDA						GEORGIA						IDAHO						Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
7	2	1	4	-	17	5	7	3	2	25	3	3	7	12	3	1	2	-	-	-	-	-	-	-	
1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	151	
1	-	-	1	-	1	-	-	1	-	8	-	1	4	3	1	-	1	-	-	-	-	-	-	152	
5	2	1	2	-	15	4	7	2	2	16	3	2	2	9	1	-	1	-	-	-	-	-	-	153	
3	1	1	1	-	15	7	3	3	2	18	8	4	5	1	1	1	-	-	-	-	-	-	-	-	
1	-	-	1	-	5	2	-	1	2	10	3	2	4	1	1	1	-	-	-	-	-	-	-	154	
1	-	1	-	-	3	2	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	155	
1	1	-	-	-	7	3	2	2	-	6	5	-	1	-	-	-	-	-	-	-	-	-	-	156	
126	49	48	18	12	273	127	100	26	20	298	123	117	30	28	67	42	24	-	-	1	-	-	-	157	
42	14	23	4	1	75	30	40	4	1	68	16	33	10	9	15	10	5	-	-	-	-	-	-	157a-d	
56	21	15	12	8	124	58	41	14	11	149	70	56	9	14	37	24	13	-	-	-	-	-	-	157e,f	
28	13	10	2	3	74	39	19	8	8	81	37	28	11	5	15	8	6	-	-	1	-	-	-	157g,h,m	
487	164	117	106	100	1,223	540	340	177	166	1,578	594	414	300	270	278	146	132	-	-	-	-	-	-	-	
8	3	1	3	1	50	12	7	11	20	95	20	12	38	25	9	3	6	-	-	-	-	-	-	158	
323	100	71	74	78	806	357	235	109	105	982	347	279	176	180	187	98	89	-	-	-	-	-	-	159	
98	38	29	19	12	200	86	59	29	24	330	157	82	48	43	48	27	21	-	-	-	-	-	-	160	
58	23	16	10	9	167	83	39	28	17	171	70	41	38	22	34	18	16	-	-	-	-	-	-	161	
9	2	5	-	2	240	102	73	24	41	282	60	77	67	78	103	60	38	3	2	-	-	-	-	162	
708	276	182	185	65	2,687	1,328	481	660	218	2,925	1,282	471	892	280	574	434	125	12	3	-	-	-	-	-	
144	77	42	18	7	263	185	86	9	3	230	174	40	12	4	75	58	15	2	-	-	-	-	-	163,164	
51	15	25	5	6	89	40	27	1	1	28	13	14	-	1	16	8	6	-	-	-	-	-	-	165	
93	42	17	13	1	194	145	59	8	2	202	161	26	12	3	59	50	7	2	-	-	-	-	-	164	
112	18	9	66	19	392	77	17	235	63	564	103	21	364	76	22	15	5	2	-	-	-	-	-	165-168	
52	8	7	32	7	213	52	12	118	31	325	75	13	198	39	14	8	5	1	-	-	-	-	-	166	
36	3	1	24	8	134	11	1	96	26	179	12	1	138	28	1	1	-	-	-	-	-	-	-	167	
24	9	1	10	4	45	14	4	21	6	60	16	7	28	9	7	6	-	1	-	-	-	-	-	168	
448	179	131	99	39	2,029	1,065	398	413	152	2,115	1,002	410	503	200	477	361	103	6	3	-	-	-	-	169-195	
7	3	1	3	-	60	26	5	27	2	81	45	4	29	3	6	5	-	1	-	-	-	-	-	169	
98	51	15	23	9	714	414	129	124	47	909	478	119	171	41	182	142	39	4	-	-	-	-	-	170	
1	-	-	1	-	24	15	6	4	1	45	24	12	3	6	7	4	2	1	-	-	-	-	-	170a	
1	1	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	170b	
93	48	14	22	9	667	361	121	119	46	738	435	105	163	35	174	137	37	-	-	-	-	-	-	170c	
3	2	1	-	-	22	19	2	1	-	24	19	1	4	-	1	1	-	-	-	-	-	-	-	170d	
10	4	2	4	-	6	5	-	1	-	7	3	1	2	1	-	-	-	-	-	-	-	-	-	171	
10	4	2	4	-	2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	171a	
-	-	-	-	-	4	3	-	1	-	5	2	-	2	1	-	-	-	-	-	-	-	-	-	171b	
3	1	1	1	-	47	35	2	8	2	26	14	3	9	-	11	11	-	-	-	-	-	-	-	172	
12	10	1	1	-	139	133	6	-	-	32	29	2	1	-	11	10	1	-	-	-	-	-	-	173	
-	-	-	-	-	9	16	-	9	-	3	-	-	-	3	5	5	-	-	-	-	-	-	-	174	
2	2	-	-	-	25	15	-	7	-	59	36	2	19	2	51	48	2	1	-	-	-	-	-	175	
2	2	-	-	-	3	1	-	2	-	9	29	2	17	2	27	24	2	1	-	-	-	-	-	175a-c	
-	-	-	-	-	22	15	-	7	-	9	7	2	2	-	24	24	-	-	-	-	-	-	-	175d,e	
2	-	-	-	-	16	12	-	4	-	29	18	1	10	-	5	5	-	-	-	-	-	-	-	176	
3	2	-	1	1	17	17	4	3	5	23	1	9	5	0	3	2	1	-	-	-	-	-	-	177	
9	2	5	2	-	14	6	5	2	1	20	10	7	3	-	2	1	1	-	-	-	-	-	-	178	
6	2	4	-	-	42	21	11	4	6	46	10	7	16	13	8	3	5	-	-	-	-	-	-	179	
6	2	1	5	-	29	7	7	10	4	129	36	60	15	20	13	7	5	1	-	-	-	-	-	180	
30	10	4	8	3	112	35	25	30	24	160	46	40	35	39	13	10	3	-	-	-	-	-	-	181	
15	4	-	8	-	31	12	11	6	2	54	17	11	8	18	18	14	4	-	-	-	-	-	-	182	
28	14	2	12	3	209	105	24	69	11	120	60	7	48	5	38	30	5	2	1	-	-	-	-	183	
4	2	-	3	-	86	32	9	36	9	128	53	7	55	13	21	19	1	1	-	-	-	-	-	184	
181	61	86	24	10	214	78	103	25	8	243	89	114	27	19	62	29	32	-	-	-	-	-	-	185	
178	59	86	23	10	203	72	102	21	8	238	83	114	22	19	60	28	31	-	-	-	-	-	-	186a	
3	2	-	1	-	11	6	1	4	-	11	6	-	5	-	2	1	1	-	-	-	-	-	-	186b	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187	
-	-	-	-	-	1	1	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-	188	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	190	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	191	
1	1	-	-	-	12	9	-	3	-	4	-	-	3	1	-	-	-	-	-	-	-	-	-	192	
-	-	-	-	-	23	14	2	6	1	13	10	-	3	-	3	3	-	-	-	-	-	-	-	193	
-	-	-	-	-	4	3	1	-	-	3	1	-	-	-	2	-	-	-	-	-	-	-	-	194	
25	10	7	3	5	196	85	56	31	24	103	42	14	35	12	21	14	5	1	-	-	-	-	-	195	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a	
-	-	-	-	-	2	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	195b	
9	4	2	1	2	21	9	6	2	4	17	8	3	2	4	3	2	1	-	-	-	-	-	-	195c	
16	6	5	2	3	173	76	50	28	19	85	34	11	33	7	17	12	3	1	-	-	-	-			



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS						INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	
			Male	Female	Male	Female		Male	Female	Male	Female		
	ALL CAUSES-----	89,566	46,689	35,905	3,760	3,232	39,034	20,571	16,452	1,066	945		
	I.—Infectious and parasitic diseases-----	4,714	2,438	1,228	581	467	2,176	1,114	794	152	116		
1	Typhoid fever-----	10	7	2	1	-	8	6	2	-	-		
2	Paratyphoid fever-----	2	1	1	-	-	3	2	1	-	-		
3	Plague-----	-	-	-	-	-	-	-	-	-	-		
4	Cholera-----	-	-	-	-	-	-	-	-	-	-		
5	Undulant fever (brucellosis)-----	2	1	1	-	-	6	4	2	-	-		
6	Cerebrospinal (meningococcus) meningitis-----	77	32	32	4	9	33	16	15	2	-		
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-		
8	Scarlet fever-----	10	7	2	1	-	5	2	3	-	-		
9	Whooping cough-----	30	14	14	1	1	40	20	18	1	1		
10	Diphtheria (infection by C. diphtheriae)-----	32	16	15	-	1	37	19	17	-	1		
11	Erysipelas-----	9	4	5	-	-	3	2	1	-	-		
12	Tetanus-----	12	10	2	-	-	22	14	5	1	2		
13-22	Tuberculosis (all forms)-----	5,014	1,540	709	406	359	1,128	565	390	97	76		
13	Tuberculosis of respiratory system, etc.*-----	2,734	1,448	640	354	292	1,012	516	347	84	65		
14	Tuberculosis of meninges, etc.*-----	91	36	23	11	21	35	13	16	2	4		
15	Tuberculosis of intestines and peritoneum-----	26	6	4	5	13	14	7	2	3	2		
16	Tuberculosis of vertebral column-----	30	10	8	6	6	18	7	7	4	-		
17	Tuberculosis of bones and joints, etc.*-----	8	5	1	2	-	8	5	1	1	1		
18	Tuberculosis of skin, etc.*-----	2	-	-	1	-	1	-	1	-	-		
19	Tuberculosis of lymphatic system, etc.*-----	4	1	-	1	2	1	-	-	-	1		
20	Tuberculosis of genito-urinary system-----	21	11	6	2	-	9	5	3	1	-		
21	Tuberculosis of other organs-----	9	4	2	2	1	4	2	2	-	-		
22	Disseminated tuber. sclerosis-----	87	19	22	22	24	26	10	11	2	3		
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-		
24	Septicemia and purulent infection (nonpuerperal)-----	19	8	9	-	2	23	11	9	2	1		
25	Gonococcus infection-----	6	-	4	-	2	2	2	-	-	-		
26	Other diseases due to bacteria (except dysentery)-----	9	5	3	1	-	2	2	-	-	-		
27	Dysentery-----	25	7	13	3	2	17	13	4	-	-		
28	Malaria-----	14	9	5	-	-	3	3	-	-	-		
29	Other diseases due to parasitic protozoa, etc.*-----	1	1	-	-	-	-	-	-	-	-		
30	Syphilis (all forms)-----	759	414	133	140	71	391	233	95	41	22		
30a	Locomotor ataxia (tabes dorsalis)-----	27	22	2	2	1	11	10	1	-	-		
30b	General paralysis of insane-----	308	172	41	73	22	163	104	32	16	11		
30c	Aneurysm of aorta-----	155	97	29	18	11	66	50	11	4	1		
30d	Congenital syphilis-----	23	5	7	7	4	20	9	8	1	2		
30e,g	Syphilis (other forms)-----	245	118	54	40	33	131	60	43	20	8		
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-		
32	Other diseases due to spirochetes-----	22	13	4	5	-	2	-	2	-	-		
33	Influenza-----	238	111	105	8	14	285	101	170	4	10		
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-		
35	Measles-----	51	21	27	3	-	51	29	19	1	2		
36	Pollencephalitis and poliomyelitis (acute)-----	185	106	73	6	-	49	30	17	2	-		
37	Acute infectious encephalitis (lethargic)-----	23	14	8	1	-	14	8	5	1	-		
38	Other diseases due to filtrable viruses-----	10	4	5	-	1	3	-	3	-	-		
39	Typhus fever and typhus-like diseases*-----	5	4	1	-	-	3	2	1	-	-		
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-		
41	Hydatid disease-----	3	2	1	-	-	-	-	-	-	-		
42	Other diseases caused by helminths-----	-	-	-	-	-	-	-	-	-	-		
43	Mycoses-----	19	12	5	-	2	3	2	1	-	-		
44	Other infectious and parasitic diseases-----	128	75	49	1	3	43	28	14	-	1		
	II.—Cancer and other tumors-----	13,236	6,258	6,210	351	419	5,017	2,243	2,572	91	111		
45-55	Cancer and other malignant tumors-----	12,910	6,176	6,009	345	380	4,839	2,176	2,471	90	102		
45	Cancer of buccal cavity and pharynx-----	396	315	60	16	5	131	98	30	2	1		
45a	Cancer of lip-----	38	34	3	1	-	25	20	5	-	-		
45b	Cancer of tongue-----	82	63	12	4	3	16	11	4	-	1		
45c	Cancer of mouth-----	38	35	2	1	-	19	16	1	2	-		
45d	Cancer of jaw bone-----	78	60	15	2	1	29	22	7	-	-		
45e	Cancer of unspecified parts of buccal cavity-----	7	7	-	-	-	1	-	-	-	-		
45f	Cancer of pharynx-----	153	116	29	8	1	41	28	13	-	-		
46	Cancer of digestive organs and peritoneum-----	6,004	3,189	2,535	174	108	2,103	1,072	963	40	28		
46a	Cancer of esophagus-----	305	244	41	17	3	54	43	6	5	-		
46b	Cancer of stomach-----	1,815	1,077	636	66	36	599	353	223	13	10		
46c	Cancer of duodenum-----	25	16	9	-	-	14	8	6	-	-		
46d	Cancer of rectum and anus-----	731	421	271	26	13	252	140	102	6	4		
46e	Cancer of intestines, etc.*-----	1,682	781	843	24	34	605	289	320	8	6		
46f	Cancer of liver and biliary passages-----	805	325	453	16	11	334	146	161	2	5		
46g	Cancer of pancreas-----	514	278	212	18	6	199	94	99	4	2		
46h	Cancer of mesentery and peritoneum-----	96	37	50	6	3	32	16	14	2	-		
46a	Cancer of other and unspecified sites-----	31	10	18	1	2	16	3	12	-	1		
47	Cancer of respiratory system-----	1,147	861	219	54	13	305	212	79	12	2		
47a	Cancer of larynx-----	151	126	16	9	-	42	33	5	2	-		
47b,c	Cancer of trachea and bronchus-----	306	240	41	22	3	50	40	5	5	-		
47d	Cancer of lung-----	652	470	152	21	9	198	126	65	5	2		
47e	Cancer of pleura-----	9	6	2	1	-	2	1	1	-	-		
47f	Cancer of other respiratory organs-----	29	19	8	1	1	13	10	3	-	-		
48	Cancer of uterus-----	1,129	...	963	...	146	494	...	459	...	36		
48a	Cancer of cervix-----	413	...	352	...	61	168	...	154	...	14		
48b	Cancer of other and unspecified sites of uterus-----	716	...	631	...	85	326	...	304	...	22		
49	Cancer of other female genital organs-----	379	...	360	...	19	128	...	122	...	6		
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	332	...	318	...	14	111	...	105	...	6		
49c-e	Cancer of other female genital organs-----	47	...	42	...	5	17	...	17	...	-		
50	Cancer of breast-----	1,263	21	1,182	...	60	425	3	401	...	21		
51	Cancer of male genital organs-----	781	719	...	42	...	348	330	...	18	...		
51b	Cancer of prostate-----	697	689	...	38	...	328	310	...	18	...		
51a,c-e	Cancer of other male genital organs-----	84	80	...	4	...	20	20	...	-	...		
52	Cancer of urinary organs-----	675	434	206	19	16	229	131	91	5	2		
52a	Cancer of kidney-----	209	130	71	6	2	76	45	31	-	-		
52b	Cancer of bladder-----	459	301	132	12	14	151	85	58	5	2		
52c	Cancer of other and unspecified sites-----	7	3	3	1	-	2	1	1	-	-		
53	Cancer of skin, etc.*-----	195	139	55	2	-	96	57	38	1	-		

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

471

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25,758	14,206	11,285	152	105	18,059	9,669	7,397	530	463	27,410	15,515	10,538	1,799	1,558	22,030	7,536	5,421	4,837	4,238	
955	556	378	17	4	858	447	291	62	38	2,546	1,171	955	245	177	2,112	602	289	707	514	
3	1	2	-	-	1	1	-	-	-	27	15	8	5	1	18	3	3	4	8	1
1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	4	1	1	-	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	2	-	2	-	-	1	-	1	-	-	3	1	1	1	-	5
15	15	-	-	-	11	7	4	-	-	39	17	20	-	2	24	8	9	4	3	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
11	6	5	-	-	4	3	1	-	-	12	7	5	-	-	2	-	-	1	1	8
17	5	12	-	-	13	7	5	-	1	47	17	26	1	3	24	3	5	5	11	9
15	6	9	-	-	12	5	6	1	-	53	22	28	2	1	42	15	10	11	6	10
5	2	3	-	-	2	2	-	-	-	5	2	3	-	-	1	-	-	-	-	11
4	3	1	-	-	8	6	2	-	-	13	7	3	1	2	36	7	4	12	13	12
329	166	133	8	2	307	152	108	29	18	1,602	727	599	168	108	1,089	384	141	320	264	13-22
291	169	112	8	2	291	145	103	26	17	1,492	672	568	154	98	1,018	345	132	295	246	13
11	5	6	-	-	5	4	1	1	-	50	24	18	3	5	15	3	3	5	4	14
8	2	6	-	-	2	-	2	-	-	11	4	2	2	3	8	1	4	1	2	15
4	2	2	-	-	2	-	2	-	-	14	6	5	2	1	11	2	-	4	5	16
1	-	1	-	-	1	1	-	-	-	7	5	2	-	-	3	1	-	1	1	17
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	18
1	-	-	-	-	-	-	-	-	-	4	2	-	-	1	2	-	-	2	-	19
6	4	2	-	-	-	-	-	-	-	6	4	1	1	-	4	2	1	-	1	20
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	21
5	3	2	-	-	5	2	2	-	1	16	8	3	5	-	27	9	1	12	5	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	2	-	23
13	5	8	-	-	5	4	1	-	-	10	5	5	-	-	12	3	4	2	3	24
-	-	-	-	-	-	1	4	-	-	2	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	1	1	-	-	6	1	4	-	1	8	-	1	7	-	26
13	10	3	-	-	3	1	2	-	-	42	20	21	1	-	21	3	5	8	5	27
4	3	1	-	-	2	1	1	-	-	6	3	1	2	-	22	4	5	6	7	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
156	116	29	9	2	143	85	20	28	10	217	115	32	36	34	422	92	15	219	96	30
15	13	2	-	-	6	5	-	-	-	12	10	1	1	-	7	4	-	3	-	30a
58	40	11	7	-	47	22	8	13	4	89	50	13	14	12	114	27	5	63	21	30b
43	35	6	1	-	51	37	7	6	1	19	12	3	3	1	81	23	6	37	15	30c
3	1	2	-	-	2	-	-	2	-	14	6	5	2	1	35	3	-	19	13	30d
37	27	8	1	-	37	21	4	7	5	93	37	10	16	20	185	35	6	97	47	30e, c, e, g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
6	4	2	-	-	4	-	4	-	-	5	3	1	-	-	6	1	-	2	3	32
208	103	105	-	-	149	68	71	4	6	301	127	136	16	22	258	48	59	75	76	33
1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	34
24	8	16	-	-	23	12	9	-	2	69	31	33	5	-	22	7	4	8	3	35
53	31	22	-	-	81	63	27	-	1	14	5	8	1	-	23	10	6	3	4	36
15	8	7	-	-	16	7	9	-	-	8	5	2	1	-	6	3	-	1	2	37
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	38
-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	8	5	1	1	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	12	-	1	7	4	42
7	6	1	-	-	2	2	-	-	-	9	4	4	1	-	6	2	3	1	-	43
54	36	18	-	-	51	19	12	-	-	46	31	10	3	2	55	19	8	7	1	44
3,811	1,858	1,922	11	22	2,489	1,128	1,223	63	74	2,691	1,174	1,445	107	165	2,600	928	884	556	452	
3,704	1,818	1,857	11	18	2,412	1,111	1,175	62	64	2,805	1,156	1,394	103	152	2,506	908	829	342	427	45-55
104	89	15	-	-	83	59	20	2	2	88	64	20	2	2	81	46	16	6	13	45
31	31	-	-	-	22	17	5	-	-	11	8	3	-	-	11	8	3	-	-	45a
13	10	3	-	-	8	6	2	-	-	24	17	4	2	1	15	9	3	1	2	45b
8	7	1	-	-	12	9	2	1	-	9	7	2	-	-	12	6	3	-	3	45c
20	14	6	-	-	18	12	4	1	1	13	11	2	-	-	19	6	4	3	6	45d
2	2	-	-	-	2	1	1	-	-	1	-	1	-	-	3	1	1	1	-	45e
30	25	5	-	-	21	14	6	-	1	30	21	8	-	1	21	16	2	1	2	45f
1,707	910	794	6	7	1,068	536	475	36	21	1,242	570	569	54	49	961	378	274	168	141	46
54	38	16	-	-	29	22	3	3	1	40	29	3	7	1	46	22	1	19	4	46a
549	339	205	3	2	340	192	129	12	7	386	202	149	18	17	336	139	71	62	64	46b
11	8	5	-	-	5	2	3	-	-	9	6	2	-	1	3	1	-	1	1	46c
183	110	72	-	-	98	53	40	4	1	110	45	58	3	4	83	34	24	12	13	46d
509	285	281	1	2	303	135	152	8	8	306	111	171	14	10	218	80	38	17	33	46e
232	100	129	2	1	173	71	85	5	2	260	106	134	8	12	146	58	49	28	11	46f
123	70	52	-	-	101	55	41	3	2	98	56	36	3	3	86	34	29	14	9	46g
31	16	15	-	-	13	4	8	1	-	16	9	7	-	-	20	4	10	6	-	46h
15	6	9	-	-	6	2	4	-	-	17	6	9	1	1	23	6	2	9	6	46i
202	147	94	-	-	152	111	34	5	2	185	110	45	9	1	268	166	35	52	13	47
13	12	1	-	-	15	14	1	-	-	16	14	2	-	-	24	18	1	4	-	47a
52	43	9	-	-	51	27	2	2	-	34	25	6	3	-	72	49				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	243	135	94	11	3	59	36	20	3	-
55	Cancer of other and unspecified organs	719	364	317	27	10	521	237	269	9	6
56,57	Nonmalignant tumors and tumors of unspecified nature	329	82	201	6	39	178	67	101	1	9
56	Nonmalignant tumors (including dermoid cysts)	254	48	167	3	36	73	12	53	1	7
56a-c	Nonmalignant tumors of female genital organs	159	...	132	...	26	46	...	40	...	6
56d	Nonmalignant tumors of central nervous system*	61	27	25	3	6	11	3	7	-	1
56e	Nonmalignant tumors of other and unspecified organs	35	21	10	-	4	16	9	6	1	-
57	Tumors of unspecified nature	74	34	34	3	3	105	55	48	-	2
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	...	...	2	...	2	...	-
57d	Tumors, central nervous system* (nature unspecified)	52	24	23	2	3	80	42	37	-	1
57e	Tumors, other organs (nature unspecified)	20	10	9	1	-	23	13	9	-	1
	III.—Rheumatism, diseases of nutrition, etc.*	3,067	1,022	1,985	38	122	1,242	464	725	15	38
58	Acute rheumatic fever	54	22	24	3	5	38	18	20	-	-
58a	Acute rheumatic pericarditis	1	1	-	-	-	2	-	2	-	-
58b	Acute rheumatic endocarditis	19	10	8	-	1	4	2	2	-	-
58c	Acute rheumatic myocarditis	3	-	2	-	1	7	3	4	-	-
58d	Other acute rheumatic heart diseases	10	1	5	2	2	5	3	2	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	21	10	9	1	1	20	10	10	-	-
59	Chronic rheumatism, other rheumatic diseases	87	24	59	3	1	62	24	36	1	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,579	885	1,570	28	96	966	370	554	11	31
62	Diseases of pituitary gland	10	3	7	-	-	2	2	-	-	-
63	Diseases of thyroid and parathyroid glands	227	52	180	1	14	122	20	94	2	6
63a	Simple goiter	10	3	6	-	1	6	1	5	-	-
63b	Exophthalmic goiter	201	27	160	1	13	103	15	81	2	5
63c-e	Other diseases of thyroid and parathyroid glands	16	2	14	-	-	13	4	8	-	1
64	Diseases of thymus gland	56	32	20	3	1	24	15	8	1	-
65	Diseases of adrenal glands*	32	14	15	-	3	15	10	5	-	-
66	Other general diseases	14	7	7	-	-	5	1	4	-	-
67	Scurvy	1	-	1	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	2	1	1	-	-
69	Pellagra (except alcoholic)	4	2	-	-	2	3	2	1	-	-
70	Rickets	1	-	1	-	-	1	-	1	-	-
71	Other avitaminoses	2	1	1	-	-	2	1	1	-	-
	IV.—Diseases of the blood and blood-forming organs	789	381	340	17	21	336	181	146	3	6
72	Hemorrhagic conditions	41	15	22	1	3	24	10	14	-	-
73	Anemias (except splenic anemia)	210	84	115	2	9	116	61	52	-	3
73a	Pernicious anemia	128	55	70	-	3	80	43	36	-	1
73b-d	Other anemias (except splenic)	82	29	45	2	6	36	18	16	-	2
74	Leukemias and aleukemias	458	257	179	14	8	183	103	74	3	3
74a	Leukemias	433	245	167	13	8	174	98	70	3	3
74b	Aleukemias	25	12	12	1	-	9	5	4	-	-
75	Diseases of spleen	28	15	13	-	-	6	3	3	-	-
76	Other diseases of blood and blood-forming organs	22	10	11	-	1	7	4	3	-	-
	V.—Chronic poisoning and intoxication	68	52	9	5	2	41	34	3	4	-
77	Alcoholism (ethyliam)	59	46	8	4	1	40	33	3	4	-
78	Lead poisoning	4	2	-	1	1	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	5	4	1	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc.*	8,023	3,754	3,693	274	302	4,776	2,289	2,249	112	126
80	Encephalitis (nonepidemic)	61	35	21	2	3	49	24	22	1	1
81	Meningitis (not due to meningococcus)	115	65	26	16	8	54	26	22	4	2
82	Diseases of spinal cord (see exceptions)*	170	90	71	6	3	78	46	30	1	1
83	Intracranial lesions of vascular origin	7,166	3,315	3,341	235	275	4,338	2,062	2,064	96	116
83a	Cerebral hemorrhage or effusion*	6,200	2,848	2,921	195	238	3,911	1,840	1,870	89	112
83b,c	Cerebral embolism, thrombosis, and softening	792	387	537	32	56	307	167	134	3	3
83d	Hemiplegia, other paralysis, etc.*	174	82	83	8	1	120	65	60	4	1
84	Mental diseases and deficiency (see exception)*	49	22	24	1	2	53	19	31	2	1
85	Epilepsy	120	66	41	9	4	51	26	19	3	3
86	Convulsions (under 5 years)	4	3	-	-	1	6	1	3	1	1
87	Other diseases of nervous system	279	125	146	3	5	119	63	53	3	-
88	Diseases of organs of vision	2	2	-	-	-	3	2	1	-	-
89	Diseases of ear and mastoid process	57	31	23	2	1	26	20	4	1	1
	VII.—Diseases of the circulatory system	33,734	18,450	13,181	1,087	1,016	12,804	7,249	5,041	280	234
90-95	Diseases of the heart (all forms)	31,806	17,461	12,338	1,036	974	11,565	6,510	4,486	254	215
90	Pericarditis (except acute rheumatic)	41	28	12	-	1	11	6	5	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	41	28	12	-	1	11	6	5	-	-
91	Acute endocarditis (except rheumatic)	100	48	54	12	6	39	21	14	1	3
91a,b	Bacterial, acute, and subacute endocarditis	92	46	29	12	5	35	19	13	1	2
91c	Endocarditis (unspecified, under 45 years)	8	2	5	-	1	4	2	1	-	1
92	Chronic affections of valves and endocardium	2,048	1,046	908	46	46	974	518	403	28	27
92a	Diseases of aortic valve, etc.*	154	100	47	4	3	69	44	21	2	2
92b	Diseases of mitral valve, etc.*	944	475	425	19	25	444	213	202	15	14
92c	Chronic rheumatic endocarditis, etc.*	108	52	51	3	-	40	29	10	-	1
92d	Other chronic endocarditis, etc.*	738	365	335	21	17	359	197	149	5	8
92e	Endocarditis (unspecified, 45 years and over)	106	64	50	1	1	62	35	21	4	2
93	Diseases of the myocardium	19,693	9,951	8,350	686	706	5,286	2,617	2,441	129	109
93a	Acute myocarditis (except rheumatic)	254	128	116	5	5	153	76	71	4	2
93b	Myocarditis (unspecified, under 45 years)	15	7	6	-	-	14	8	4	2	-
93c	Chronic rheumatic myocarditis, etc.*	100	52	40	6	2	23	10	13	-	-
93d	Other chronic myocarditis, etc.*	18,199	9,153	7,727	646	673	4,555	2,231	2,120	107	97
93e	Other myocarditis (unspecified)	1,125	611	459	29	26	551	282	233	16	10
94	Diseases of coronary arteries, angina pectoris	7,582	5,128	2,218	158	80	4,131	2,849	1,171	72	39
94a	Diseases of coronary arteries	7,367	4,974	2,160	155	78	3,969	2,735	1,124	72	38
94b	Angina pectoris	215	154	58	1	2	162	114	47	-	1

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

473

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
81	40	40	1	-	41	25	14	1	1	48	31	17	-	-	28	12	10	5	1	54
234	123	107	2	2	142	81	52	5	4	223	107	98	10	8	215	85	78	30	22	55
107	38	65	-	4	76	17	48	1	10	86	18	51	4	13	94	20	35	14	25	56,57
73	16	53	-	4	55	7	38	1	9	55	7	35	2	11	58	3	17	3	15	56
41	...	37	...	4	39	...	31	...	8	36	...	25	...	11	25	...	12	...	13	58a-c
26	14	12	-	-	11	5	5	1	-	12	6	6	-	-	5	1	2	1	1	58d
6	2	4	-	-	5	2	2	-	1	7	1	4	2	-	8	2	3	2	1	58e
34	22	12	-	-	21	10	10	-	1	31	11	16	2	2	56	17	18	11	10	57
-	...	-	...	-	1	...	-	...	1	2	...	2	...	-	2	...	1	...	1	57a-c
24	14	10	-	-	13	9	4	-	-	16	8	7	-	1	36	9	14	8	5	57d
10	8	2	-	-	7	1	6	-	-	13	3	7	2	1	18	8	3	3	4	57e
863	324	531	3	5	562	190	343	12	17	595	243	289	25	38	491	112	213	42	124	
14	5	9	-	-	10	5	2	1	2	16	4	7	4	1	17	7	2	3	5	58
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	58a
4	2	2	-	-	1	1	-	-	-	3	3	-	-	-	1	-	-	-	1	58b
2	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	58c
3	1	2	-	-	2	1	-	-	1	1	-	1	-	-	5	1	2	1	1	58d
5	2	3	-	-	4	3	1	-	-	7	1	3	2	1	10	5	-	2	3	58e,f
55	25	28	1	1	27	6	21	-	-	48	15	28	3	2	20	5	11	-	4	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
673	262	408	2	1	437	161	252	11	13	445	195	204	16	30	358	82	170	23	83	61
2	1	1	-	-	3	1	2	-	-	-	-	-	-	-	1	-	1	-	-	62
73	9	62	-	-	50	8	41	-	1	59	4	30	1	3	33	2	15	3	13	63
3	2	1	-	-	3	1	2	-	-	2	-	2	-	-	1	-	-	-	-	63a
58	6	51	-	-	39	4	34	-	1	32	3	26	1	2	30	2	12	3	13	63b
12	1	10	-	-	8	3	5	-	-	4	1	2	-	1	2	-	2	-	-	63c-e
22	12	9	-	-	17	7	10	-	-	3	2	1	-	-	20	4	4	6	6	64
10	5	5	-	-	3	-	-	-	-	13	4	9	-	-	3	1	1	1	-	65
8	3	5	-	-	6	1	5	-	-	7	6	-	-	-	11	6	2	2	1	66
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	68
3	1	2	-	-	6	1	4	-	-	18	10	8	-	-	22	4	6	3	9	69
1	-	1	-	-	1	-	-	-	-	4	2	1	1	-	1	1	-	-	-	70
1	1	-	-	-	1	-	1	-	-	2	-	1	-	-	1	-	1	-	-	71
250	129	121	-	-	191	102	87	2	-	199	97	95	6	1	141	54	41	28	18	
14	9	5	-	-	5	3	2	-	-	22	10	9	3	-	20	11	7	2	-	72
72	32	40	-	-	71	34	37	-	-	75	34	39	1	1	25	7	6	6	6	73
54	25	29	-	-	44	20	24	-	-	46	22	24	-	-	7	2	1	2	2	73a
18	7	11	-	-	27	14	13	-	-	29	12	15	1	1	18	5	5	4	4	73b-d
145	80	65	-	-	107	59	46	2	-	88	49	38	2	-	73	32	21	16	4	74
134	72	62	-	-	101	55	44	2	-	88	48	38	2	-	71	31	20	16	4	74a
11	8	3	-	-	6	4	2	-	-	-	-	-	-	-	2	1	1	-	-	74b
14	6	8	-	-	6	5	1	-	-	8	4	4	-	-	16	3	4	3	6	75
5	2	3	-	-	2	1	1	-	-	6	1	5	-	-	7	1	3	1	2	76
23	21	2	-	-	8	6	1	-	1	46	38	4	4	-	21	10	2	6	3	
21	21	-	-	-	8	6	1	-	1	44	37	3	4	-	19	10	1	5	3	77
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	78
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	79
3,270	1,624	1,617	14	15	2,276	1,096	1,059	63	60	3,106	1,426	1,253	201	226	2,004	530	545	415	514	
34	18	16	-	-	20	9	9	-	2	46	21	21	2	2	31	9	6	12	4	80
20	16	4	-	-	20	16	2	1	1	56	23	24	7	2	50	12	11	14	13	81
68	38	29	1	-	47	25	17	4	1	50	25	23	1	1	36	21	11	2	2	82
2,699	1,419	1,454	11	15	2,049	971	974	52	52	2,782	1,267	1,118	184	215	1,778	456	487	360	475	83
2,610	1,275	1,311	11	13	1,639	863	879	49	46	2,448	1,116	973	167	192	1,624	405	432	338	449	83a
260	128	131	-	1	176	88	84	1	3	138	71	61	3	3	98	38	39	10	11	83b,c
29	16	12	-	-	34	20	11	2	1	196	60	84	14	18	58	13	16	12	15	84
47	24	22	1	-	24	5	15	1	3	27	6	14	4	3	14	2	6	3	3	84
42	22	19	1	-	45	26	15	3	1	46	29	15	1	1	42	12	8	14	8	85
6	3	3	-	-	1	1	-	-	-	10	3	7	-	-	9	2	3	2	2	86
141	74	67	-	-	64	38	24	2	-	73	43	26	1	3	30	9	9	6	6	87
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	88
11	8	3	-	-	8	5	3	-	-	15	8	5	-	-	14	7	4	2	1	89
8,631	5,066	3,471	69	25	5,915	3,430	2,212	146	127	7,634	3,982	2,863	510	479	6,263	2,410	1,626	1,153	1,074	
7,974	4,675	3,112	63	24	5,415	3,179	1,961	137	118	7,148	3,663	2,574	466	445	5,957	2,312	1,546	1,100	999	90-95
6	5	1	-	-	8	5	2	1	-	15	10	3	1	1	3	1	1	-	1	90
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	90a
5	4	1	-	-	8	5	2	1	-	14	10	2	1	1	3	1	1	-	1	90b
34	15	19	-	-	22	10	9	1	2	26	12	10	-	4	27	4	4	10	9	91
31	14	17	-	-	20	9	9	-	2	19	10	8	-	-	24	3	4	9	8	91a,b
3	1	2	-	-	2	1	-	-	1	7	2	2	-	-	3	1	-	1	1	91c
716	360	346	7	3	590	316	257	11	24	663	406	333	64	60	515	137	119	124	136	92
55	29	25	-	1	42	22	15	-	5	93	47	35	6	5	65	17	12	16	20	92a
330	176	148	4	2	230	124	94	7	5	319	132	116	31	40	195	46	35	43	71	92b
39	18	21																		



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart—	2,342	1,260	813	134	135	1,114	599	452	26	37
95a	Functional diseases of heart, etc.*	37	20	15	1	1	42	19	23	-	-
95b	Other diseases of heart (rheumatic)—	397	178	163	54	22	160	76	67	7	10
95c	Other diseases of heart (not rheumatic)—	1,908	1,062	635	99	112	912	504	362	19	27
96	Aneurysm (except of heart and aorta)—	112	68	36	2	6	32	20	11	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)—	1,548	793	686	39	50	1,024	527	463	19	15
98	Gangrene—	19	11	6	2	-	11	5	5	1	-
99	Other diseases of arteries—	118	57	55	3	3	83	45	36	1	1
100	Diseases of veins—	70	34	33	2	1	26	13	13	-	-
101	Diseases of lymphatic system—	4	4	-	-	-	2	-	-	2	-
102	High blood pressure (idiopathic)—	54	20	29	3	2	57	27	25	2	3
103	Other diseases of circulatory system—	3	2	1	-	-	4	2	2	-	-
	VIII.—Diseases of the respiratory system—	3,499	1,875	1,206	265	153	1,735	884	698	83	70
104	Diseases of nasal fossae, accessory sinuses—	18	9	8	1	-	15	8	6	1	-
105	Diseases of larynx—	16	10	5	-	1	8	5	2	1	-
106	Bronchitis—	168	110	62	13	3	85	45	34	3	3
107	Bronchopneumonia (including capillary bronchitis)—	1,634	804	628	116	86	634	291	261	34	28
108	Lobar pneumonia—	1,136	664	315	113	44	447	239	159	26	23
109	Pneumonia (unspecified)—	77	45	27	4	1	211	111	90	6	4
109a	Atypical or virus pneumonia—	23	14	9	-	-	10	3	7	-	-
109b	Pneumonia (all other, unspecified)—	54	31	16	4	1	201	108	83	6	4
110	Pleurisy (not tuberculous)—	75	44	25	4	2	25	14	5	4	2
111	Hemorrhagic infarction, thrombosis, edema—	129	56	65	3	5	181	95	79	4	4
112	Asthma—	130	72	50	3	5	80	46	31	-	3
113	Pulmonary emphysema—	13	8	2	-	3	8	6	-	1	1
114	Other diseases of respiratory system (except tuberculosis)—	83	53	19	8	3	41	24	12	3	2
114a,b	Silicosis, other forms of pneumoconiosis—	11	11	-	-	-	3	3	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)—	72	42	19	8	3	38	21	12	3	2
	IX.—Diseases of the digestive system—	3,805	2,118	1,458	123	106	1,536	818	639	40	39
115	Diseases of buccal cavity and adnexa, etc.*	95	54	36	2	3	55	23	26	2	4
116	Diseases of esophagus—	14	9	3	2	-	5	2	2	1	-
117	Ulcer of stomach or duodenum—	537	427	89	12	10	172	141	26	2	3
117a	Ulcer of stomach—	359	298	59	8	5	110	87	19	2	2
117b	Ulcer of duodenum—	178	139	30	4	5	62	54	7	-	1
118	Other diseases of stomach (except cancer)—	45	23	15	4	3	31	13	14	3	1
119	Diarrhea, enteritis, etc.* (under 2 years)—	196	95	89	8	6	139	67	58	4	10
120	Diarrhea, enteritis, etc.* (2 years and over)—	104	40	55	3	6	80	24	31	2	3
121	Appendicitis—	369	210	118	17	14	145	88	46	5	6
122	Hernia and intestinal obstruction—	751	349	337	33	32	303	133	159	6	5
122a	Hernia—	345	184	145	10	6	125	60	62	2	1
122b	Intestinal obstruction—	406	165	192	23	26	178	73	97	4	4
123	Other diseases of intestines—	80	27	43	7	3	45	27	16	2	-
124	Cirrhosis of liver—	991	665	289	21	16	307	207	97	9	4
124a	Cirrhosis of liver with mention of alcoholism—	170	134	26	2	6	16	14	2	-	-
124b	Cirrhosis of liver without mention of alcoholism—	821	531	261	19	10	291	193	95	9	4
125	Other diseases of liver—	102	40	48	5	9	45	18	26	1	-
126	Biliary calculi—	272	79	190	1	2	82	23	57	1	1
127	Other diseases of gallbladder, biliary ducts—	185	59	123	2	1	97	27	69	-	1
128	Diseases of pancreas (except diabetes mellitus)—	51	32	15	3	1	16	8	8	-	-
129	Peritonitis (cause not stated)—	23	11	9	3	-	34	17	14	2	1
	X.—Diseases of the genito-urinary system—	6,669	3,442	2,720	256	250	3,317	1,725	1,414	94	64
130	Acute nephritis—	72	31	30	7	4	75	40	27	5	3
131	Chronic nephritis—	5,420	2,574	2,444	184	218	2,714	1,346	1,250	70	66
131a	Arteriosclerotic kidney—	3,647	1,733	1,681	106	127	2,107	1,027	971	52	57
131b	Other chronic nephritis—	1,773	841	763	78	91	607	319	259	18	11
132	Nephritis unspecified (10 years and over)—	160	75	66	10	9	159	92	58	7	2
133	Other diseases of kidneys, ureters, etc.*	182	100	69	6	7	78	34	40	2	-
134	Calculi of urinary passages—	98	67	25	4	2	38	22	15	1	-
135	Diseases of urinary bladder—	37	21	12	4	-	20	11	7	2	-
136	Diseases of urethra (except calculus)—	29	18	4	7	-	6	5	-	1	-
137	Diseases of prostate—	590	556	...	34	...	180	174	...	6	...
137a	Hypertrophy of prostate—	554	523	...	31	...	132	126	...	6	...
137b	Other diseases of prostate—	36	33	...	3	...	48	48	...	-	...
138	Diseases of other male genital organs (not venereal)—	-	-	...	-	...	1	1	...	-	...
139	Diseases of female genital organs—	80	...	70	...	10	48	...	37	...	11
139a	Diseases of ovaries, fallopian tubes, parametria—	45	...	37	...	8	22	...	15	...	7
139b	Diseases of uterus—	33	...	31	...	2	26	...	22	...	4
139c	Diseases of other female genital organs*—	2	...	2	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium—	237	...	206	...	31	112	...	99	...	13
140	Abortion with mention of infection—	21	...	15	...	6	11	...	11	...	-
141	Abortion without mention of infection—	9	...	8	...	1	7	...	7	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*—	1	...	1	...	-	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*—	3	...	3	...	-	3	...	3	...	-
141d-f	Other abortions (nonseptic)*—	5	...	4	...	1	3	...	3	...	-
142	Ectopic gestation—	19	...	14	...	5	10	...	9	...	1
142a	Ectopic gestation, with mention of infection—	5	...	3	...	2	2	...	2	...	-
142b	Ectopic gestation, without mention of infection—	14	...	11	...	3	8	...	7	...	1
143	Hemorrhage of pregnancy (death before delivery)—	-	...	-	...	-	1	...	1	...	-
144	Toxemias of pregnancy (death before delivery)—	14	...	12	...	2	23	...	21	...	2
145	Other diseases of pregnancy (death before delivery)*—	11	...	9	...	2	6	...	6	...	-
145a	With mention of infection—	8	...	6	...	2	4	...	4	...	-
145b	Without mention of infection—	3	...	3	...	-	2	...	2	...	-
146	Hemorrhage of childbirth and puerperium—	32	...	28	...	4	20	...	17	...	3
147	Infection during childbirth and puerperium—	60	...	58	...	2	14	...	12	...	2
148	Puerperal toxemias (excluding death before delivery)—	46	...	38	...	8	8	...	6	...	2
149	Other accidents and specified conditions of childbirth—	22	...	21	...	1	5	...	4	...	1
150	Other and unspecified conditions of childbirth and puerperium—	3	...	3	...	-	7	...	5	...	2

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

475

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
591	322	260	4	5	385	216	152	10	7	1,058	558	352	74	74	504	187	101	125	111	95
27	14	13	-	-	34	19	15	-	-	22	8	11	1	2	9	5	1	2	3	95a
63	41	38	1	3	46	31	11	2	2	123	71	41	4	7	66	20	15	11	20	95b
481	267	209	3	2	305	166	126	8	5	913	479	300	69	65	429	144	85	112	88	95c
32	15	17	-	-	13	8	4	1	-	14	7	6	-	1	14	7	1	3	3	96
595	301	288	5	1	386	194	188	7	7	566	255	242	41	28	182	67	57	27	31	97
12	10	2	-	-	6	4	2	-	-	17	11	4	-	2	5	-	1	2	2	98
54	28	25	1	-	41	23	17	-	1	25	16	8	1	-	18	9	4	2	3	99
31	20	11	-	-	19	11	8	-	-	17	5	12	-	-	15	4	4	4	3	100
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	101
26	11	15	-	-	21	8	11	1	1	44	23	16	2	3	68	11	13	12	32	102
4	4	-	-	-	4	5	1	-	-	2	1	1	-	-	2	-	-	1	1	103
1,092	611	469	6	6	642	339	254	28	21	1,762	618	730	112	102	1,272	363	322	329	258	
6	6	-	-	-	3	2	1	-	-	12	5	6	-	1	4	2	-	-	2	104
5	2	5	-	-	1	-	-	-	-	5	3	2	-	-	5	-	1	-	2	105
53	28	24	1	-	51	24	27	-	-	73	38	32	2	1	46	17	19	5	5	106
484	249	209	2	4	285	137	105	8	15	694	318	292	37	49	601	163	139	177	122	107
328	186	159	2	1	167	90	59	13	5	471	218	167	49	37	286	86	72	69	59	108
47	28	19	-	-	31	23	7	1	-	307	139	147	11	11	155	44	35	37	39	109
16	8	6	-	-	12	10	1	1	-	27	15	11	1	-	15	7	6	1	1	109a
31	20	11	-	-	19	13	6	-	-	280	123	136	10	11	140	37	29	36	38	109b
22	11	11	-	-	10	3	6	1	-	15	9	4	2	-	33	6	8	14	5	110
85	46	39	-	-	63	32	30	1	-	89	57	48	4	-	67	18	27	11	11	111
46	33	13	-	-	32	18	13	1	-	65	34	26	3	2	45	15	12	6	10	112
3	3	-	-	-	2	-	-	2	-	4	4	-	-	-	2	2	-	-	-	113
33	19	12	1	1	3	10	5	1	1	27	16	6	4	1	30	8	9	10	3	114
2	2	-	-	-	17	3	-	-	-	6	3	-	3	-	-	-	-	-	-	114a,b
31	17	12	1	1	14	7	5	1	1	21	13	6	1	1	30	8	9	10	3	114c-e
1,078	637	431	4	6	722	387	298	17	20	1,188	623	431	77	57	977	376	223	215	163	
33	17	16	-	-	21	14	7	-	-	42	18	18	5	1	31	10	11	3	7	115
6	3	3	-	-	4	3	1	-	-	3	2	-	-	1	3	2	-	1	-	116
176	149	26	-	1	104	76	22	3	3	141	94	28	15	4	134	82	7	34	11	117
104	88	16	-	-	82	57	20	2	3	104	68	20	12	4	98	52	6	30	10	117a
72	61	10	-	1	22	19	2	1	-	37	26	8	3	-	36	30	1	4	1	117b
21	15	6	-	-	14	10	3	-	1	58	22	23	9	4	37	12	8	8	9	118
82	52	30	-	-	46	30	16	-	-	211	105	85	11	12	107	21	17	40	29	119
54	21	31	1	1	33	15	17	1	2	61	33	20	5	3	38	11	12	6	9	120
102	62	39	-	1	96	51	40	3	3	103	57	38	4	4	92	36	20	14	22	121
237	133	101	2	1	149	76	64	3	6	168	76	71	9	12	187	57	51	50	29	122
99	68	28	2	1	73	47	23	1	2	61	32	22	3	4	61	25	17	18	3	122a
138	65	73	-	-	76	29	41	2	4	107	44	49	6	8	126	34	34	32	26	122b
20	10	10	-	-	14	4	9	-	1	31	18	7	1	3	32	13	5	-	1	123
144	104	39	1	-	113	68	40	5	-	195	131	42	12	10	161	89	43	30	20	124
10	10	-	-	-	3	2	1	-	-	15	14	-	-	1	10	9	-	-	1	124a
134	94	59	1	-	110	66	39	3	-	130	117	42	12	9	171	79	43	30	19	124b
24	8	16	-	-	18	5	11	1	-	34	16	13	3	-	39	12	8	11	7	125
87	28	57	-	2	69	15	41	-	3	65	17	47	-	1	53	12	16	-	5	126
63	24	39	-	-	38	16	20	1	1	48	22	25	-	1	36	12	18	3	3	127
20	6	14	-	-	6	1	5	-	-	14	7	6	1	-	11	5	3	2	1	128
9	5	4	-	-	7	5	2	-	-	14	5	6	2	1	17	3	4	6	4	129
1,745	1,030	700	8	7	1,500	858	540	63	59	1,957	980	676	191	140	1,691	479	413	422	377	
33	16	16	1	-	40	23	15	-	2	72	37	19	9	7	58	15	12	7	24	130
1,541	714	613	7	7	1,179	605	472	51	51	1,443	673	532	132	106	1,284	362	340	282	300	131
1,086	585	499	7	5	759	394	303	27	35	1,000	443	369	104	84	956	260	260	197	239	131a
245	129	114	-	2	420	211	169	24	16	443	230	163	26	22	326	102	80	85	61	131b
83	60	23	-	-	38	19	13	4	2	176	76	61	25	14	100	25	20	31	24	132
38	19	19	-	-	38	20	18	-	-	54	16	27	5	4	66	18	18	20	10	133
27	19	8	-	-	17	12	5	-	-	23	13	9	1	-	20	8	6	6	-	134
10	8	2	-	-	7	2	5	-	-	15	8	4	2	1	14	3	4	7	-	135
3	3	-	-	-	1	1	-	-	-	8	3	2	2	1	9	3	1	5	-	136
191	191	...	...	...	164	156	...	8	...	134	119	...	15	...	107	45	...	62	...	137
182	162	...	...	...	141	134	...	7	...	100	88	...	12	...	81	53	...	48	...	137a
29	29	...	...	...	23	22	...	1	...	34	31	...	3	...	26	12	...	14	...	137b
-	-	...	...	...	-	-	...	-	...	3	3	...	-	...	2	-	...	2	...	138
19	...	19	...	...	16	...	12	...	4	29	...	22	...	7	31	...	12	...	19	139
8	...	8	...	...	9	...	5	...	4	18	...	12	...	6	23	...	7	...	16	139a
11	...	11	...	...	7	...	7	...	-	10	...	10	...	-	7	...	5	...	2	139b
-	...	-	...	...	-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	139c
59	...	58	...	1	60	...	57	...	3	144	...	126	...	18	139	...	65	...	74	
5	...	5	...	-	6	...	6	...	-	16	...	14	...	2	10	...	4	...	6	140
2	...	2	...	-	2	...	2	...	-	6	...	6	...	-	7	...				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS						INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	XII.—Diseases of the skin and cellular tissue-----	43	14	23	2	4	32	11	16	1	4		
151	Carbuncle and furuncle-----	4	2	1	-	1	2	-	1	-	1		
152	Phlegmon and acute abscess-----	10	5	5	-	-	7	4	2	1	-		
153	Other diseases of skin and cellular tissue-----	29	7	17	2	3	23	7	13	-	3		
	XIII.—Diseases of the bones, etc.*-----	38	20	15	2	1	27	13	14	-	-		
154	Osteomyelitis and periostitis-----	14	9	4	1	-	9	5	4	-	-		
155	Other diseases of bones (except tuberculosis)-----	11	5	6	-	-	6	1	5	-	-		
156	Diseases of joints, other organs of movement-----	13	6	5	1	1	12	7	5	-	-		
157	XIV.—Congenital malformations-----	1,084	532	481	44	27	467	281	197	8	7		
157a-d	Congenital malformations of central nervous system-----	341	137	184	15	5	127	64	60	1	2		
157e,f	Congenital malformations of cardiovascular system-----	495	271	195	14	15	247	146	94	4	3		
157g,h,i	Other congenital malformations-----	248	124	102	15	7	95	51	37	3	2		
	XV.—Diseases peculiar to the first year of life-----	3,186	1,676	1,178	193	139	1,552	860	580	56	56		
158	Congenital debility (cause not stated)-----	39	19	18	2	-	39	24	11	4	-		
159	Premature birth (cause not stated)-----	1,989	1,011	745	131	102	1,039	549	407	37	46		
160	Injury at birth-----	722	413	245	39	25	237	147	78	7	5		
161	Other diseases peculiar to first year of life-----	436	233	170	24	12	237	140	84	8	5		
162	XVI.—Sentility-----	192	66	113	4	9	215	84	125	2	4		
	XVII.—Violent or accidental deaths-----	7,013	4,447	1,897	512	157	3,440	2,214	1,081	115	80		
163,164	Suicide-----	945	709	211	22	3	801	575	119	4	3		
163	Suicide by poisoning-----	163	93	67	3	-	96	55	40	-	1		
164	Suicide by other means-----	782	616	144	19	3	405	520	79	4	2		
165-169	Homicide <sup>1</sup> -----	472	154	51	222	45	147	66	33	39	9		
166	Homicide by firearms-----	275	93	27	156	19	72	30	21	19	2		
167	Homicide by cutting or piercing instruments-----	113	25	7	85	16	29	10	2	13	4		
168	Homicide by other means-----	84	36	17	21	10	46	26	10	7	3		
169-195	Accidental deaths-----	5,595	3,534	1,635	268	109	2,790	1,772	929	71	18		
169	Railway accidents (except collisions with motor vehicles)-----	216	167	27	18	4	128	102	15	8	3		
170	Motor-vehicle accidents-----	1,871	1,364	403	79	25	966	722	213	26	5		
170a	Collisions between automobiles and trains-----	147	92	45	3	7	98	71	27	-	-		
170b	Collisions between automobiles and streetcars-----	17	14	3	-	-	3	3	-	-	-		
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	1,665	1,218	383	76	18	845	650	184	26	5		
170d	Motorcycle accidents (exc. collisions with automobiles)-----	42	40	2	-	-	20	18	2	-	-		
171	Streetcar and other road-transport accidents-----	111	65	34	7	5	11	8	2	1	-		
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	105	62	33	5	5	6	4	1	1	-		
171b	Other and unspecified road-transport accidents-----	6	3	1	2	-	5	4	1	-	-		
172	Water-transport accidents-----	51	41	9	1	-	13	11	1	1	-		
173	Air-transport accidents-----	69	58	4	7	-	23	30	5	-	-		
174	Accidents in mines and quarries-----	77	74	2	1	-	23	21	1	-	1		
175	Agricultural and forestry accidents-----	76	70	6	-	-	76	69	7	-	-		
175a-c	Agricultural accidents-----	75	69	6	-	-	75	69	7	-	-		
175d,e	Forestry accidents-----	1	1	-	-	-	1	1	-	-	-		
176	Other accidents involving machinery-----	86	69	1	6	-	29	23	2	4	-		
177	Food poisoning-----	13	8	6	1	-	7	4	-	-	-		
178	Accidental absorption of poisonous gas-----	68	57	25	3	3	43	32	11	-	-		
179	Acute accidental poisoning by solids or liquids-----	103	59	34	5	5	32	15	15	2	1		
180	Conflagration-----	155	80	53	11	11	41	18	20	2	1		
181	Accidental burns (except conflagration)-----	255	131	84	21	19	122	62	52	7	1		
182	Accidental mechanical suffocation-----	77	36	22	12	7	40	24	15	1	-		
183	Accidental drowning-----	235	180	34	21	-	118	95	15	7	-		
184	Accidental injury by firearms-----	103	61	13	7	2	54	41	12	1	-		
185	Accidental injury by cutting or piercing instruments-----	25	11	5	6	3	7	6	-	-	-		
186	Accidental injury by fall or crushing-----	1,705	836	801	47	21	540	251	281	5	3		
186a	Accidental injury by fall-----	1,683	817	800	45	21	515	229	278	5	3		
186b	Accidental injury by crushing-----	22	19	1	2	-	25	22	3	-	-		
187	Cataclysm, etc.*-----	1	-	-	-	-	-	-	-	-	-		
188	Injury by animals (except in agriculture and forestry)-----	4	4	-	-	-	1	-	1	-	-		
189	Hunger or thirst-----	1	1	-	-	-	-	-	-	-	-		
190	Excessive cold-----	7	6	-	1	-	8	6	1	-	1		
191	Excessive heat-----	9	9	-	-	-	3	1	-	2	-		
192	Lightning-----	9	8	1	-	-	2	2	-	-	-		
193	Accidents due to electric currents (except lightning)-----	56	32	4	-	-	21	19	2	-	-		
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	1	1	-	-	-	-	-	-	-	-		
195	Other accidents-----	252	168	66	14	4	470	219	255	4	1		
195a	Sequelae of preventive immunization, etc.*-----	1	-	-	1	-	-	-	-	-	-		
195b	Other accidents due to medical or surgical intervention-----	1	-	-	1	-	2	1	1	-	-		
195c	Obstruction, suffocation, etc.*-----	41	26	11	3	1	18	13	5	-	-		
195d,e	Other and unspecified accidents-----	209	142	55	9	3	450	196	249	4	1		
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	1	1	-	-	-		
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-		
198	Legal executions-----	-	-	-	-	-	1	-	-	1	-		
	XVIII.—Ill-defined and unknown causes-----	198	124	62	6	6	209	127	65	10	7		
199	Sudden death-----	4	2	1	1	-	4	2	1	1	-		
200	Ill-defined and unknown causes-----	194	122	61	5	6	205	125	64	9	7		
200a	Ill-defined causes-----	83	52	28	2	1	165	98	54	7	6		
200b,c	Unknown or unspecified causes-----	111	70	33	3	5	40	27	10	2	1		

\*Refer to International List for complete title, table V, Part I.

<sup>1</sup>Includes figures for infanticide (155).



# GENERAL TABLES-DEATHS FROM EACH CAUSE

477

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas]

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female				
17	11	4	1	1	13	5	7	1	-	18	4	12	1	1	15	2	1	4	8	151 152 153	
1	1	-	-	-	-	-	-	-	-	7	2	4	-	1	2	-	-	-	2		
3	1	-	-	1	1	-	-	-	-	3	-	2	1	-	5	1	-	2	2		
13	9	4	-	-	13	5	7	1	-	8	2	6	-	-	8	1	1	2	4		
13	6	7	-	-	14	8	6	-	-	16	10	4	2	-	14	6	3	4	1	154 155 156 157	
3	2	1	-	-	3	2	1	-	-	8	4	2	2	-	5	4	-	1	-		
2	-	2	-	-	1	1	-	-	-	1	1	-	-	-	2	-	1	1	-		
8	4	4	-	-	10	5	5	-	-	7	5	2	-	-	7	2	2	2	1		
359	194	173	2	-	252	133	107	7	5	364	187	155	11	11	263	114	91	43	35		
92	44	48	-	-	62	36	26	-	-	72	28	42	1	1	76	31	23	11	11	157a-a 157e,f 157g,h,m	
186	91	95	2	-	148	76	60	6	4	217	119	84	8	6	142	58	48	18	20		
81	49	32	-	-	44	21	21	1	1	75	40	29	2	4	65	27	20	14	4		
995	563	419	4	9	718	417	285	12	4	1,474	783	563	75	53	1,471	484	318	390	279		
14	10	4	-	-	23	13	9	1	-	94	44	44	4	2	54	13	6	24	11	158 159 160 161	
623	337	279	1	6	449	254	183	9	3	948	504	349	52	43	962	322	211	232	197		
219	134	82	1	2	148	94	51	2	1	245	136	95	10	4	256	85	63	74	36		
139	82	54	2	1	98	56	42	-	-	187	99	75	9	4	199	66	38	60	35		
324	139	184	1	1	181	86	89	4	2	324	137	159	17	11	187	54	43	26	64	162	
2,213	1,409	789	12	3	1,569	992	500	46	31	2,700	1,739	866	205	70	2,091	947	329	605	210		
327	226	99	2	-	182	133	45	3	1	271	193	68	9	1	192	139	33	18	2	163,164 165	
56	19	37	-	-	31	11	20	-	-	45	26	18	1	-	19	12	6	-	1		
271	207	62	2	-	151	122	25	3	1	226	167	50	8	1	173	127	27	18	1	164	
46	28	15	3	-	53	16	17	13	7	304	171	33	60	20	281	49	19	162	31	165-169	
19	11	5	3	-	33	9	11	10	3	226	130	17	63	16	153	30	12	97	14		
10	4	6	-	-	10	2	1	3	4	36	16	6	11	3	62	5	1	46	10	167	
17	13	4	-	-	10	5	5	-	-	42	25	10	6	1	46	14	6	19	7	168	
1,838	1,153	675	7	3	1,334	843	439	30	23	2,120	1,372	585	114	49	1,636	759	277	423	177	169-195	
85	44	10	1	-	35	29	5	1	-	94	68	17	7	2	53	25	3	24	1		
549	399	149	1	-	467	333	113	12	9	729	552	128	41	8	507	293	68	114	32	170	
54	41	13	-	-	52	37	15	-	-	30	21	6	2	1	26	14	6	3	3	170a	
2	2	-	-	-	1	1	-	-	-	40	2	-	38	-	-	-	-	-	-	170b	
466	351	134	1	-	411	292	96	12	9	642	513	121	1	7	472	272	60	111	29	170c	
7	5	2	-	-	3	3	-	-	-	17	16	1	-	-	9	7	2	-	-	170d	
11	10	1	-	-	4	4	-	-	-	3	2	1	-	-	10	4	2	3	1	171	
6	5	1	-	-	2	2	-	-	-	1	-	1	-	-	4	3	-	-	1	171a	
5	5	-	-	-	2	2	-	-	-	2	2	-	-	-	6	1	2	3	-	171b	
11	9	2	-	-	6	6	-	-	-	14	14	-	-	-	46	26	-	17	3	172	
31	30	1	-	-	38	37	1	-	-	13	12	1	-	-	25	25	-	-	-	173	
14	13	1	-	-	3	3	-	-	-	119	112	-	7	-	2	1	-	1	-	174	
112	107	5	-	-	73	70	2	1	-	70	62	6	2	-	45	25	1	18	1	175	
112	107	5	-	-	70	67	2	1	-	57	49	8	2	-	51	19	1	10	1	175a-c	
-	-	-	-	-	3	3	-	-	-	13	13	-	-	-	14	6	-	8	-	175d,e	
23	21	2	-	-	10	9	1	-	-	16	15	-	1	-	34	20	1	12	1	176	
6	1	5	-	-	6	4	-	2	-	13	8	4	-	1	11	3	3	4	1	177	
13	6	7	-	-	21	16	5	-	-	19	8	9	2	-	8	2	2	3	1	178	
25	13	12	-	-	8	4	4	-	-	26	15	10	-	-	1	39	7	13	9	10	179
55	36	19	-	-	44	19	18	2	5	88	40	27	12	9	70	15	4	24	27	180	
58	34	24	-	-	55	27	27	-	-	114	33	63	10	8	126	44	27	28	27	181	
29	14	13	-	-	17	9	7	-	-	51	25	20	4	2	25	1	5	11	8	182	
58	51	6	1	-	40	29	8	1	2	109	86	10	10	3	165	82	19	57	7	183	
46	41	4	1	-	45	36	5	4	-	84	61	16	5	2	81	35	5	31	10	184	
2	1	-	1	-	5	4	-	-	-	11	4	3	4	-	15	3	3	6	3	185	
647	251	395	1	-	352	130	218	3	1	430	168	250	4	8	217	78	92	19	28	186	
634	241	392	1	-	344	123	218	2	1	422	163	247	4	8	207	74	92	14	27	186a	
13	10	3	-	-	8	7	-	1	-	8	5	3	-	-	10	4	-	5	1	186b	
1	1	-	-	-	1	-	1	-	-	4	1	3	-	-	4	-	1	2	1	187	
2	1	1	-	-	4	4	-	-	-	4	2	2	-	-	7	4	-	2	1	188	
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	188a	
6	5	-	-	-	1	4	3	-	1	1	1	-	-	-	-	-	-	-	-	190	
6	5	1	-	-	6	3	3	-	-	3	3	-	-	-	2	-	-	2	-	191	
16	16	-	-	-	9	9	-	-	-	6	4	2	-	-	3	3	-	-	-	192	
-	-	-	-	-	13	11	2	-	-	12	12	-	-	-	24	18	-	4	2	193	
62	44	17	1	-	68	44	18	3	3	86	63	13	5	5	114	44	27	32	11	194	
2	1	1	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	195	
20	15	5	-	-	14	7	5	1	1	20	13	5	1	1	18	7	4	4	3	195a	
40	28	11	1	-	54	37	13	2	2	64	49	8	4	3	93	35	23	28	7	195b	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	195c	
2	2	-	-	-	-	-	-	-	-	4	2	-	2	-	2	-	-	2	-	196	
80	41	19	-	-	108	65	38	4	1	246	133	92	12	9	258	65	33	92	68	197	
5	2	3	-	-	12	11	1	-	-	11	8	1	1	1	18	3	1	8	6	199	
55	39	18	-	-	86	54	37	4	1	235	125	91	11	8	240	62	32	94	62	200	
50	34	18	-	-	58	33	23	1	1	84	51	28	2	3	127	48	25	29	25	200a	
5	5	-	-	-	38	21	14	3	-	151	74	63	9	5	113	14	7	55	37	200b,c	



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	10,058	5,549	4,474	23	12	21,703	9,567	7,670	2,464	2,082
	I.—Infectious and parasitic diseases-----	435	253	179	2	1	1,766	625	342	480	319
1	Typhoid fever-----	2	-	2	-	-	4	3	1	-	-
2	Paratyphoid fever-----	1	1	-	-	-	-	-	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	-	-	-	-	-	1	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	9	5	4	-	-	20	3	11	5	1
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	2	1	1	-	-	2	-	1	-	-
9	Whooping cough-----	15	5	10	-	-	16	3	9	1	3
10	Diphtheria (infection by C. diphtheriae)-----	18	11	7	-	-	30	20	6	2	2
11	Erysipelas-----	2	1	1	-	-	4	1	2	1	-
12	Tetanus-----	2	2	-	-	-	12	4	1	6	1
13-22	Tuberculosis (all forms)-----	216	133	80	2	1	1,196	413	209	320	244
13	Tuberculosis of respiratory system, etc.*-----	202	127	73	2	-	1,115	398	199	302	216
14	Tuberculosis of meninges, etc.*-----	6	4	1	-	1	34	6	8	8	12
15	Tuberculosis of intestines and peritoneum-----	2	1	1	-	-	11	-	-	3	6
16	Tuberculosis of vertebral column-----	1	1	-	-	-	12	4	1	4	3
17	Tuberculosis of bones and joints, etc.*-----	1	-	1	-	-	4	1	-	2	1
18	Tuberculosis of skin, etc.*-----	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	-	-	-	-	-	1	-	-	1	-
20	Tuberculosis of genito-urinary system-----	-	-	-	-	-	2	2	-	-	-
21	Tuberculosis of other organs-----	1	-	1	-	-	-	-	-	-	-
22	Disseminated tuberculosis-----	3	-	3	-	-	7	2	1	-	4
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	3	1	2	-	-	8	4	3	1	-
25	Gonococcus infection-----	1	-	1	-	-	1	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	1	1	-	-	-
27	Dysentery-----	2	2	-	-	-	6	4	1	1	-
28	Malaria-----	-	-	-	-	-	1	-	-	1	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	49	33	16	-	-	294	92	37	120	45
30a	Locomotor ataxia (tabes dorsalis)-----	3	3	-	-	-	6	4	1	1	-
30b	General paralysis of insane-----	19	15	4	-	-	94	35	9	37	13
30c	Aneurysm of aorta-----	8	6	2	-	-	76	31	5	30	10
30d	Congenital syphilis-----	4	1	3	-	-	23	-	5	13	5
30e, g	Syphilis (other forms)-----	15	8	7	-	-	95	22	17	39	17
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	6	5	1	-	-	11	6	4	-	1
33	Influenza-----	66	29	37	-	-	86	26	34	16	10
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	12	7	5	-	-	16	6	4	2	4
36	Poliomyelitis and poliomyelitis (acute)-----	3	2	1	-	-	6	3	3	-	-
37	Acute infectious encephalitis (lethargic)-----	4	2	2	-	-	12	3	6	1	2
38	Other diseases due to filtrable viruses-----	-	-	-	-	-	2	2	-	-	-
39	Typhus fever and typhus-like diseases*-----	-	-	-	-	-	7	4	1	-	2
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	1	1	-	-	-
43	Mycoses-----	1	-	1	-	-	3	3	-	-	-
44	Other infectious and parasitic diseases-----	21	13	8	-	-	38	22	10	3	5
	II.—Cancer and other tumors-----	1,430	672	755	3	-	2,869	1,182	1,305	160	222
45-55	Cancer and other malignant tumors-----	1,393	664	726	3	-	2,767	1,155	1,267	155	210
45	Cancer of buccal cavity and pharynx-----	35	26	9	-	-	89	57	19	8	5
45a	Cancer of lip-----	11	11	-	-	-	12	10	1	1	-
45b	Cancer of tongue-----	7	4	3	-	-	20	17	2	1	-
45c	Cancer of mouth-----	6	5	1	-	-	11	7	2	1	1
45d	Cancer of jaw bone-----	5	2	3	-	-	19	10	4	4	-
45e	Cancer of unspecified parts of buccal cavity-----	-	-	-	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	8	4	2	-	-	28	13	10	1	4
46	Cancer of digestive organs and peritoneum-----	676	370	305	1	-	1,142	512	473	84	73
46a	Cancer of esophagus-----	28	16	12	-	-	48	34	5	8	1
46b	Cancer of stomach-----	163	120	43	-	-	352	178	109	40	26
46c	Cancer of duodenum-----	8	5	3	-	-	4	3	-	1	-
46d	Cancer of rectum and anus-----	118	67	51	-	-	144	63	60	13	8
46e	Cancer of intestines, etc.*-----	230	106	123	1	-	313	116	166	10	21
46f	Cancer of liver and biliary passages-----	68	23	45	-	-	147	53	83	4	7
46g	Cancer of pancreas-----	46	28	18	-	-	100	51	38	6	5
46h	Cancer of mesentery and peritoneum-----	7	3	4	-	-	19	7	7	-	5
46i	Cancer of other and unspecified sites-----	8	2	6	-	-	15	7	6	2	-
47	Cancer of respiratory system-----	35	60	23	-	-	265	202	39	20	4
47a	Cancer of larynx-----	5	4	1	-	-	34	30	2	2	-
47b, c	Cancer of trachea and bronchus-----	23	18	5	-	-	78	61	7	9	1
47d	Cancer of lung-----	53	36	17	-	-	142	104	26	9	3
47e	Cancer of pleura-----	-	-	-	-	-	1	1	-	-	-
47f	Cancer of other respiratory organs-----	2	2	-	-	-	10	6	4	-	-
48	Cancer of uterus-----	155	...	155	...	-	296	...	227	...	69
48a	Cancer of cervix-----	70	...	70	...	-	131	...	105	...	28
48b	Cancer of other and unspecified sites of uterus-----	85	...	85	...	-	165	...	124	...	41
49	Cancer of other female genital organs-----	24	...	24	...	-	82	...	80	...	12
49a, b	Cancer of ovary, fallopian tube, and parametrium-----	22	...	22	...	-	76	...	68	...	8
49c, e	Cancer of other female genital organs-----	2	...	2	...	-	16	...	12	...	4
50	Cancer of breast-----	124	...	124	-	-	501	...	266	...	29
51	Cancer of male genital organs-----	102	100	...	2	...	157	135	...	22	...
51a, c, e	Cancer of prostate-----	96	94	...	2	...	137	117	...	20	...
52	Cancer of other male genital organs-----	6	6	...	-	...	20	18	...	2	...
52a	Cancer of urinary organs-----	64	40	24	-	-	152	87	53	9	3
52b	Cancer of kidney-----	23	18	5	-	-	39	22	15	1	1
52c	Cancer of bladder-----	41	22	19	-	-	111	65	36	8	2
53	Cancer of other and unspecified sites-----	-	-	-	-	-	2	-	2	-	-
	Cancer of skin, etc.*-----	22	15	7	-	-	57	33	21	2	1

\*Refer to International List for complete title, table V, Part I.



# GENERAL TABLES-DEATHS FROM EACH CAUSE

479

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
51,398	26,584	23,903	507	404	55,167	29,646	21,896	2,001	1,622	28,937	15,501	11,076	198	162	19,417	5,333	3,797	5,369	4,918	
2,304	1,453	741	69	42	3,184	1,662	829	405	269	1,312	789	466	35	22	1,629	323	221	575	510	
1	-	1	-	-	6	2	3	-	1	2	-	2	-	-	10	1	2	2	5	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
24	11	13	-	-	42	22	17	1	2	15	9	6	-	-	24	4	6	6	8	5
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
2	1	1	-	-	3	2	1	-	-	4	2	2	-	-	3	2	1	-	-	7
16	10	6	-	-	45	18	18	4	5	16	7	8	-	1	31	4	6	10	11	8
38	25	13	-	-	28	16	12	-	-	41	21	20	-	-	31	13	7	8	3	9
4	2	2	-	-	4	1	2	1	-	1	-	1	-	-	3	-	1	1	1	10
5	2	2	-	-	13	7	5	-	1	7	4	2	-	1	20	2	4	11	3	11
1,664	1,072	503	52	37	1,891	980	431	282	198	565	345	199	24	17	741	153	89	253	245	13-22
1,563	1,029	454	48	32	1,694	902	382	245	165	535	315	181	24	15	669	145	81	217	225	13
27	11	13	1	2	65	23	15	15	12	7	3	3	-	1	14	4	-	6	4	14
14	7	5	1	1	18	4	6	-	6	6	3	3	-	-	16	-	2	5	8	15
2	1	1	-	-	23	8	6	5	4	7	5	2	-	-	14	1	3	8	2	16
-	-	-	-	-	6	5	-	-	1	1	1	-	-	-	1	-	-	-	-	17
4	3	1	-	-	7	2	4	1	-	3	1	2	-	-	3	-	1	2	-	18
13	7	5	1	-	25	17	7	-	1	7	5	2	-	-	-	-	-	-	-	19
3	-	3	-	-	1	-	-	1	-	3	1	2	-	-	3	-	2	1	-	20
24	10	12	1	1	52	19	9	14	10	16	11	4	-	1	20	2	-	14	4	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	34	17	13	2	2	7	4	3	-	-	12	-	3	4	5	23
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	24
8	4	3	-	1	15	7	7	-	1	6	4	2	-	-	5	1	-	3	1	25
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	28	5	2	9	12	26
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29	2	2	12	13	27
235	167	53	12	3	552	301	103	102	46	189	138	41	8	2	217	32	4	120	61	29
13	11	2	-	-	30	24	6	-	-	12	9	3	-	-	2	2	-	-	-	30a
56	44	10	2	-	146	83	26	31	6	48	41	6	1	-	56	11	-	28	17	30b
95	66	24	3	2	163	99	25	30	9	68	50	11	3	1	30	10	1	12	7	30c
3	1	2	-	-	20	2	8	4	6	5	4	1	-	-	24	1	1	11	11	30f
68	45	15	7	1	193	93	38	37	25	59	34	20	4	1	105	8	2	69	26	30c, e, g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
22	11	11	-	-	22	13	9	-	-	8	5	3	-	-	4	-	1	1	2	32
110	50	58	1	1	229	114	106	5	4	129	65	64	-	-	376	68	74	114	120	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
16	7	9	-	-	47	21	24	-	2	10	3	7	-	-	45	9	9	12	13	35
24	18	5	1	-	90	55	28	4	3	216	136	77	2	1	17	10	9	3	4	36
14	6	8	-	-	15	10	5	-	-	15	10	5	-	-	7	5	2	-	-	37
4	2	2	-	-	8	3	4	1	-	-	-	-	-	-	4	1	2	-	1	38
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	3	1	-	-	39
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	41
7	4	2	1	-	11	5	4	1	1	4	3	1	-	-	3	2	-	1	-	42
95	50	45	-	-	101	61	38	2	2	55	32	22	1	-	14	6	5	3	-	43
7,995	3,710	4,167	57	61	7,737	3,715	3,617	184	221	4,104	2,146	1,932	8	18	1,760	517	554	261	428	44
7,760	3,623	4,027	54	56	7,481	3,631	3,472	177	201	3,982	2,099	1,858	7	18	1,674	500	530	250	394	45-55
275	225	48	2	-	187	160	66	6	1	90	66	24	-	-	62	27	15	9	11	45
27	25	2	-	-	20	20	5	-	-	15	13	2	-	-	3	-	1	1	-	45a
76	59	15	2	-	50	41	5	4	-	13	5	8	-	-	8	6	3	-	3	45b
39	33	6	-	-	25	23	2	-	-	12	9	3	-	-	9	4	2	1	1	45c
44	37	7	-	-	22	19	2	-	1	21	16	5	-	-	8	2	2	2	3	45d
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	45e
85	67	18	-	-	70	57	11	2	-	29	23	6	-	-	29	15	7	4	3	45f
3,579	1,844	1,684	27	24	3,294	1,789	1,369	91	45	1,897	1,101	776	3	7	686	239	191	139	118	46
170	132	51	7	-	127	92	21	12	2	73	59	15	-	-	10	4	2	4	-	46a
1,026	608	395	12	11	1,115	696	374	33	12	746	491	253	2	-	253	96	49	76	43	46b
8	6	2	-	-	12	6	6	-	-	5	3	2	-	-	-	-	-	-	-	46c
507	277	226	3	1	400	225	158	11	6	200	130	69	-	1	65	13	17	11	24	46d
1,120	477	635	2	6	853	402	429	13	9	479	244	232	1	2	149	49	63	15	22	46e
366	154	207	1	4	448	184	243	12	9	204	77	125	-	2	136	50	41	22	25	46f
302	155	145	1	1	239	139	91	5	4	147	78	67	-	-	54	29	15	8	2	46g
45	22	21	-	-	68	34	29	3	2	24	15	9	-	-	13	5	3	2	3	46h
37	13	22	1	1	32	11	18	2	1	9	5	4	-	-	6	3	2	-	1	46i
669	509	148	10	2	642	517	91	26	8	240	185	43	2	-	113	63	25	24	3	47
64	55	9	-	-	81	68	9	2	2	17	15	2	-	-	12	7	3	2	-	47a
107	94	11	2	-	184	154	20	10	-	75	67	7	-	-	23	16	1	6	-	47b, c
477	348	121	6	2	344	270	54	14	6	135	102	32	1	-	75	39	19	14	3	47d
5	3	1	1	-	7	7	-	-	-	5	4	1	-	-	-	-	-	-	-	47e
16	9	8	1	-	26	18	8	-	-	8	7	1	-	-	5	1	-	2	-	47f
594	...	577	...	17																



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths.)

Int. List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	14	8	6	-	-	52	31	18	-	3
55	Cancer of other and unspecified organs	94	45	49	-	-	184	95	89	9	11
56, 57	Nonmalignant tumors and tumors of unspecified nature	37	8	29	-	-	82	27	55	2	12
56	Nonmalignant tumors (including dermoid cysts)	16	1	15	-	-	46	8	37	2	9
56a-c	Nonmalignant tumors of female genital organs	11	...	11	...	...	17	...	13	...	4
56d	Nonmalignant tumors of central nervous system*	3	1	2	-	-	17	5	7	1	4
56e	Nonmalignant tumors of other and unspecified organs	2	-	2	-	-	12	3	7	1	1
57	Tumors of unspecified nature	21	7	14	-	-	36	19	11	3	3
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	...	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	16	6	10	-	-	27	15	7	3	2
57e	Tumors, other organs (nature unspecified)	5	1	4	-	-	8	4	3	-	1
	III.—Rheumatism, diseases of nutrition, etc.*	295	126	169	-	-	646	180	368	30	68
58	Acute rheumatic fever	7	5	2	-	-	16	5	5	3	3
58a	Acute rheumatic pericarditis	-	-	-	-	-	1	-	-	-	-
58b	Acute rheumatic endocarditis	3	3	-	-	-	5	2	1	1	1
58c	Acute rheumatic myocarditis	2	1	1	-	-	2	-	2	-	-
58d	Other acute rheumatic heart diseases	-	-	-	-	-	4	2	-	1	1
58e, f	Other forms of acute rheumatic fever, etc.*	2	1	1	-	-	4	-	2	1	1
59	Chronic rheumatism, other rheumatic diseases	19	8	11	-	-	15	5	8	-	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	235	103	132	-	-	539	147	319	18	55
62	Diseases of pituitary gland	2	-	2	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	19	2	17	-	-	31	5	23	1	2
63a	Simple goiter	1	-	1	-	-	21	1	19	-	1
63b	Exophthalmic goiter	14	1	13	-	-	7	3	3	1	-
63c-e	Other diseases of thyroid and parathyroid glands	4	1	3	-	-	3	1	1	-	1
64	Diseases of thymus gland	5	3	2	-	-	25	12	5	2	6
65	Diseases of adrenal glands*	3	1	2	-	-	7	2	3	2	-
66	Other general diseases	3	2	1	-	-	5	2	2	1	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	4	1	2	1	-
70	Rickets	-	-	-	-	-	2	-	-	2	-
71	Other avitaminoses	1	1	-	-	-	2	1	1	-	-
	IV.—Diseases of the blood and blood-forming organs	67	53	34	-	-	127	60	54	8	5
72	Hemorrhagic conditions	6	3	3	-	-	9	3	3	1	2
73	Anemias (except splenic anemia)	22	10	12	-	-	29	9	15	4	1
73a	Pernicious anemia	15	6	7	-	-	9	4	5	-	-
73b-d	Other anemias (except splenic)	7	2	5	-	-	20	5	10	4	1
74	Leukemias and aleukemias	55	38	17	-	-	76	38	34	2	2
74a	Leukemias	52	36	16	-	-	70	36	30	2	2
74b	Aleukemias	3	2	1	-	-	6	2	4	-	-
75	Diseases of spleen	4	2	2	-	-	10	8	1	1	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	3	2	1	-	-
	V.—Chronic poisoning and intoxication	25	22	3	-	-	64	48	6	7	3
77	Alcoholism (ethyism)	24	22	2	-	-	57	46	3	6	2
78	Lead poisoning	1	-	1	-	-	5	2	1	1	1
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	2	-	2	-	-
	VI.—Diseases of the nervous system, etc.*	1,149	554	591	2	2	1,990	712	793	190	196
80	Encephalitis (non-epidemic)	7	6	1	-	-	20	12	5	2	1
81	Meningitis (not due to meningococcus)	11	5	6	-	-	25	9	9	2	5
82	Diseases of spinal cord (see exceptions)*	19	8	10	1	-	23	12	6	4	1
83	Intracranial lesions of vascular origin	1,050	502	546	-	2	1,712	630	732	169	181
83a	Cerebral hemorrhage or effusion*	933	443	488	-	2	1,510	544	647	148	171
83b, c	Cerebral embolism, thrombosis, and softening	112	57	55	-	-	154	71	67	12	4
83d	Hemiplegia, other paralysis, etc.*	5	2	3	-	-	40	15	18	9	6
84	Mental diseases and deficiency (see exception)*	12	6	6	-	-	16	5	4	5	2
85	Epilepsy	18	10	7	1	-	21	7	5	6	3
86	Convulsions (under 5 years)	-	-	-	-	-	2	1	-	-	1
87	Other diseases of nervous system	24	14	10	-	-	57	28	26	2	1
88	Diseases of organs of vision	-	-	-	-	-	1	1	-	-	-
89	Diseases of ear and mastoid process	8	3	5	-	-	13	7	6	-	-
	VII.—Diseases of the circulatory system	3,405	1,962	1,437	6	-	7,363	3,540	2,690	598	535
90-95	Diseases of the heart (all forms)	3,092	1,802	1,294	6	-	6,963	3,391	2,529	549	494
90	Pericarditis (except acute rheumatic)	3	-	3	-	-	8	3	2	1	2
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	3	-	3	-	-	8	3	2	1	2
91	Acute endocarditis (except rheumatic)	9	6	3	-	-	24	14	4	5	1
91a, b	Bacterial, acute, and subacute endocarditis	8	6	2	-	-	24	14	4	5	1
91c	Endocarditis (unspecified, under 45 years)	1	-	1	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	320	171	148	1	-	509	195	199	62	53
92a	Diseases of aortic valve, etc.*	25	16	9	-	-	52	23	11	14	4
92b	Diseases of mitral valve, etc.*	118	55	63	-	-	202	72	89	14	27
92c	Chronic rheumatic endocarditis, etc.*	22	13	9	-	-	26	13	10	2	1
92d	Other chronic endocarditis, etc.*	146	81	64	1	-	212	82	82	31	17
92e	Endocarditis (unspecified, 45 years and over)	9	6	3	-	-	17	5	7	1	4
93	Diseases of the myocardium	1,418	730	685	3	-	4,194	1,801	1,700	349	344
93a	Acute myocarditis (except rheumatic)	21	14	7	-	-	58	20	19	10	9
93b	Myocarditis (unspecified, under 45 years)	1	1	-	-	-	6	1	2	-	3
93c	Chronic rheumatic myocarditis, etc.*	12	6	6	-	-	40	18	19	2	3
93d	Other chronic myocarditis, etc.*	1,314	675	636	3	-	3,944	1,694	1,613	319	318
93e	Other myocarditis (unspecified)	70	34	36	-	-	146	70	47	16	11
94	Diseases of coronary arteries, angina pectoris	1,164	794	389	1	-	1,918	1,260	509	88	61
94a	Diseases of coronary arteries	1,092	746	345	1	-	1,863	1,227	492	87	57
94b	Angina pectoris	72	48	24	-	-	55	33	17	1	4

\*Refer to International List for complete title, table V. Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

481

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
130	79	51	-	-	129	81	45	2	3	84	54	30	-	-	16	10	4	2	-	54
552	271	274	4	3	613	294	279	21	19	295	169	125	1	-	151	53	49	23	26	55
235	87	140	3	5	256	84	145	7	20	122	47	74	1	-	86	17	24	11	34	56,57
119	28	85	2	4	137	16	98	4	19	80	27	52	1	-	41	2	10	3	26	56
61	...	57	...	4	90	...	72	...	18	32	...	32	...	-	32	...	8	...	24	56a-c
39	18	20	1	-	28	8	18	2	-	31	15	16	-	-	1	-	1	-	-	56d
19	10	8	1	-	19	8	8	2	1	17	12	4	1	-	8	2	1	3	2	56e
116	59	55	1	1	119	69	47	3	1	42	20	22	-	-	45	15	14	8	8	57
2	...	2	...	-	6	...	6	...	-	2	...	2	...	-	3	...	2	...	1	57a-c
82	41	39	1	1	69	40	26	3	-	25	12	13	-	-	30	12	10	4	4	57d
32	18	14	-	-	44	28	15	-	1	15	8	7	-	-	12	3	2	4	3	57e
1,766	578	1,157	13	18	1,939	891	1,143	27	78	937	361	569	4	3	451	109	152	60	130	
23	12	11	-	-	26	9	13	1	3	22	7	13	1	1	18	5	2	3	8	58
2	1	1	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	58a
9	4	5	-	-	10	5	4	-	1	8	1	6	-	1	6	2	1	2	1	58b
-	-	-	-	-	2	-	1	-	1	2	1	1	-	-	2	1	-	-	-	58c
6	4	2	-	-	7	3	3	1	-	3	1	1	1	-	1	-	-	-	-	58d
6	3	3	-	-	7	1	5	-	1	6	4	2	-	-	9	2	1	1	5	58e, f
40	11	28	1	-	69	22	45	1	1	63	26	37	-	-	23	8	7	5	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1,583	512	1,045	10	16	1,540	534	928	20	58	743	298	439	3	2	311	77	114	37	83	61
9	2	6	1	-	7	3	3	-	1	1	-	-	-	-	-	-	-	-	-	62
58	11	45	1	1	146	31	104	3	8	87	9	58	-	-	29	3	8	2	16	63
1	-	1	-	-	6	1	3	-	2	4	1	3	-	-	3	-	-	2	1	63a
42	8	32	1	1	117	24	85	2	6	50	7	43	-	-	23	2	8	-	13	63b
15	3	12	-	-	23	6	16	1	-	13	1	12	-	-	3	1	-	-	2	63c-e
18	11	7	-	-	90	55	30	2	3	11	6	5	-	-	5	3	2	-	-	64
14	7	6	-	1	28	19	9	-	-	16	6	10	-	-	2	1	1	-	-	65
9	5	4	-	-	15	7	7	-	1	9	8	1	-	-	15	5	5	5	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	67
4	3	1	-	-	4	3	1	-	-	2	-	-	-	-	2	-	-	-	1	68
3	1	2	-	-	5	2	2	-	1	2	-	2	-	-	45	7	12	7	19	69
-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	70
5	3	2	-	-	5	3	1	-	1	-	-	-	-	-	1	-	1	-	-	71
372	185	171	3	3	482	259	201	13	9	253	142	109	1	1	110	47	37	15	11	
16	8	7	-	-	23	13	9	1	-	4	2	2	-	-	13	9	4	-	-	72
80	35	44	-	1	150	67	60	-	3	76	35	39	1	1	24	8	5	6	5	73
50	21	28	-	1	81	41	38	-	2	54	29	24	1	-	8	3	3	1	1	73a
30	14	16	-	-	49	26	22	-	1	22	6	15	-	1	18	5	2	5	4	73b-d
253	139	109	3	2	296	165	115	11	5	159	99	60	-	-	63	26	24	7	6	74
232	128	99	3	2	280	156	108	11	5	154	96	58	-	-	63	26	24	7	6	74a
21	11	10	-	-	16	9	7	-	-	5	3	2	-	-	-	-	-	-	-	74b
20	9	11	-	-	19	9	10	-	-	6	3	3	-	-	8	3	3	2	-	75
3	3	-	-	-	14	5	7	1	1	8	3	5	-	-	2	1	1	-	-	76
115	94	16	5	-	34	27	7	-	-	42	33	6	2	1	20	11	1	8	-	
110	91	14	5	-	31	26	5	-	-	37	29	6	1	1	19	10	1	8	-	77
4	3	1	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	78
1	-	1	-	-	3	1	2	-	-	2	1	-	1	-	1	1	-	-	-	79
5,224	2,214	2,918	46	46	5,797	2,680	2,833	132	152	3,118	1,606	1,477	20	15	2,012	508	462	475	567	
27	13	10	3	1	50	25	21	2	2	25	12	12	-	1	28	6	7	10	5	80
48	29	18	-	1	66	27	25	10	4	24	19	4	1	-	40	5	4	22	9	81
96	57	39	-	-	101	55	43	2	1	68	42	26	-	-	13	8	4	-	-	82
4,751	1,943	2,786	38	44	5,207	2,378	2,593	107	139	2,766	1,414	1,323	17	12	1,903	451	419	400	533	83
3,858	1,564	2,235	24	35	4,507	2,054	2,242	86	125	2,418	1,234	1,160	14	10	1,652	399	382	370	501	83a
844	358	484	13	9	593	280	285	15	13	313	160	148	3	2	72	29	21	10	13	83b, c
49	21	27	1	-	107	44	56	6	1	35	20	15	-	-	79	24	16	20	19	83d
30	16	12	2	-	35	18	17	-	-	22	11	11	-	-	33	6	5	13	9	84
101	66	34	1	-	91	44	38	6	3	41	16	25	-	-	43	10	11	20	2	85
3	2	1	-	-	11	6	5	-	-	7	5	1	-	1	10	2	2	2	4	86
147	73	73	1	-	213	121	86	4	2	146	78	68	-	-	29	14	8	5	2	87
-	-	-	-	-	2	-	2	-	-	2	1	-	-	1	4	1	1	2	-	88
21	15	5	1	-	21	6	13	1	1	17	8	7	2	-	9	5	1	1	2	89
20,175	10,847	9,029	159	140	18,986	10,946	7,089	519	432	9,187	5,617	3,484	43	43	3,950	1,477	825	871	777	
18,901	10,284	8,383	146	128	17,740	10,310	6,517	501	412	8,336	5,159	3,115	40	41	3,631	1,398	754	785	696	90-95
11	3	7	-	-	29	14	11	4	-	5	4	1	-	-	7	-	1	2	4	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
11	3	7	1	-	29	14	11	4	-	5	4	1	-	-	7	-	1	2	4	90b
39	22	16	-	1	51	27	15	6	3	25	11	13	1	-	25	8	3	5	9	91
38	22	15	-	1	49	26	14	6	3	22	10	11	1	-	24	7	3	5	9	91a, b
1	-	1	-	-	2	1	1	-	-	3	1	2	-	-	1	1	-	-	-	91c
1,144	526	602	6	10	1,445	747	634	34	30	800	434	357	3	6	546	139	109	167	132	92
128	65	57	3	3	99	70	25	2	2	77	51	26	-	-	62	20	8	19	15	92a



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE						MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	VII.—Diseases of the circulatory system—Continued												
	Diseases of the heart (all forms)—Continued												
95	Other diseases of heart—	178	101	76	1	-	310	118	115	44	33		
95a	Functional diseases of heart, etc.*	4	2	2	-	-	12	6	6	-	-		
95b	Other diseases of heart (rheumatic)—	50	122	28	-	-	70	24	29	6	11		
95c	Other diseases of heart (not rheumatic)—	124	77	46	1	-	228	88	80	38	22		
96	Aneurysm (except of heart and aorta)—	10	4	6	-	-	12	5	5	1	1		
97	Arteriosclerosis (except coronary or renal sclerosis)—	256	134	122	-	-	331	124	126	43	38		
98	Gangrene—	1	1	-	-	-	5	1	3	-	1		
99	Other diseases of arteries—	16	8	8	-	-	14	6	8	2	-		
100	Diseases of veins—	21	10	11	-	-	19	7	11	1	-		
101	Diseases of lymphatic system—	-	-	-	-	-	1	-	1	-	-		
102	High blood pressure (idiopathic)—	8	3	5	-	-	14	4	7	2	1		
103	Other diseases of circulatory system—	1	-	1	-	-	4	2	2	-	-		
	VIII.—Diseases of the respiratory system—	529	297	231	1	-	944	380	266	158	140		
104	Diseases of nasal fossae, accessory sinuses—	4	2	2	-	-	8	1	1	5	1		
105	Diseases of larynx—	2	1	1	-	-	6	5	1	-	-		
106	Bronchitis—	36	19	17	-	-	44	25	14	3	2		
107	Bronchopneumonia (including capillary bronchitis)—	227	125	102	-	-	384	146	128	50	60		
108	Lobar pneumonia—	159	93	65	1	-	317	124	70	68	55		
109	Pneumonia (unspecified)—	24	14	10	-	-	46	21	12	11	2		
109a	Atypical or virus pneumonia—	8	-	8	-	-	10	5	2	3	-		
109b	Pneumonia (all other, unspecified)—	16	14	2	-	-	36	16	10	8	2		
110	Pleurisy (not tuberculous)—	6	3	3	-	-	28	14	6	6	2		
111	Hemorrhagic infarction, thrombosis, edema*—	25	12	13	-	-	53	17	19	8	9		
112	Asthma—	33	18	15	-	-	35	17	12	1	5		
113	Pulmonary emphysema—	1	-	1	-	-	6	3	1	2	-		
114	Other diseases of respiratory system (except tuberculosis)—	12	10	2	-	-	17	7	2	4	4		
114a,b	Silicosis, other forms of pneumoconiosis—	2	2	-	-	-	2	2	-	-	-		
114c-e	Other diseases of respiratory system (except tuberculosis)—	10	8	2	-	-	15	5	2	4	4		
	IX.—Diseases of the digestive system—	348	199	148	1	-	920	463	282	97	78		
115	Diseases of buccal cavity and adnexa, etc.*—	18	12	6	-	-	25	11	7	4	3		
116	Diseases of esophagus—	-	-	-	-	-	6	3	1	2	-		
117	Ulcer of stomach or duodenum—	50	47	3	-	-	93	63	12	5	3		
117a	Ulcer of stomach—	35	32	3	-	-	61	45	9	5	2		
117b	Ulcer of duodenum—	15	15	-	-	-	22	16	3	-	1		
118	Other diseases of stomach (except cancer)—	16	9	8	-	-	19	11	6	2	-		
119	Diarrhea, enteritis, etc.* (under 2 years)—	36	19	17	-	-	136	61	30	30	15		
120	Diarrhea, enteritis, etc.* (2 years and over)—	15	9	6	-	-	29	11	9	4	5		
121	Appendicitis—	20	9	11	-	-	63	32	20	8	3		
122	Hernia and intestinal obstruction—	68	35	32	1	-	151	68	57	16	20		
122a	Hernia—	27	15	11	1	-	86	44	28	8	6		
122b	Intestinal obstruction—	41	20	21	-	-	75	24	29	8	14		
123	Other diseases of intestines—	12	7	5	-	-	34	21	9	2	2		
124	Cirrhosis of liver—	55	29	26	-	-	231	138	66	16	11		
124a	Cirrhosis of liver with mention of alcoholism—	3	2	1	-	-	38	24	12	-	2		
124b	Cirrhosis of liver without mention of alcoholism—	52	27	25	-	-	193	114	54	16	9		
125	Other diseases of liver—	7	3	4	-	-	30	11	12	1	6		
126	Biliary calculi—	28	8	20	-	-	39	9	27	1	2		
127	Other diseases of gallbladder, biliary ducts—	14	8	6	-	-	34	12	18	1	5		
128	Diseases of pancreas (except diabetes mellitus)—	3	1	2	-	-	21	10	6	4	1		
129	Peritonitis (cause not stated)—	6	4	2	-	-	9	2	2	1	4		
	X.—Diseases of the genito-urinary system—	718	413	297	3	5	1,958	802	689	254	233		
130	Acute nephritis—	12	5	6	1	-	37	12	9	7	9		
131	Chronic nephritis—	597	327	263	2	5	1,704	671	611	210	212		
131a	Arteriosclerotic kidney—	402	215	181	2	4	1,433	554	532	169	178		
131b	Other chronic nephritis—	195	112	82	-	1	271	117	79	41	34		
132	Nephritis unspecified (10 years and over)—	13	8	5	-	-	32	9	16	5	2		
133	Other diseases of kidneys, ureters, etc.*—	17	10	7	-	-	37	15	13	7	2		
134	Calculi of urinary passages—	10	7	3	-	-	22	12	8	1	1		
135	Diseases of urinary bladder—	2	-	2	-	-	9	3	3	2	1		
136	Diseases of urethra (except calculus)—	1	1	-	-	-	8	2	-	6	-		
137	Diseases of prostate—	55	55	...	-	...	93	78	...	15	...		
137a	Hypertrophy of prostate—	46	46	...	-	...	87	74	...	13	...		
137b	Other diseases of prostate—	9	9	...	-	...	6	4	...	2	...		
138	Diseases of other male genital organs (not venereal)—	-	-	...	-	...	1	-	...	1	...		
139	Diseases of female genital organs—	11	...	11	...	-	15	...	9	...	6		
139a	Diseases of ovaries, fallopian tubes, parametria—	6	...	6	...	-	8	...	3	...	5		
139b	Diseases of uterus—	5	...	5	...	-	6	...	5	...	1		
139c	Diseases of other female genital organs*—	-	...	-	...	-	1	...	1	...	-		
	XI.—Diseases of pregnancy, childbirth, and the puerperium—	32	...	32	...	-	56	...	37	...	19		
140	Abortion with mention of infection—	-	...	-	...	-	8	...	3	...	5		
141	Abortion without mention of infection—	1	...	1	...	-	2	...	2	...	-		
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*—	-	...	-	...	-	-	...	-	...	-		
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*—	1	...	1	...	-	-	...	-	...	-		
141d-f	Other abortions (nonseptic)*—	-	...	-	...	-	2	...	2	...	-		
142	Ectopic gestation—	2	...	2	...	-	4	...	2	...	2		
142a	Ectopic gestation, with mention of infection—	1	...	1	...	-	1	...	-	...	1		
142b	Ectopic gestation, without mention of infection—	1	...	1	...	-	3	...	2	...	1		
143	Hemorrhage of pregnancy (death before delivery)—	-	...	-	...	-	-	...	-	...	-		
144	Toxemias of pregnancy (death before delivery)—	1	...	1	...	-	4	...	2	...	2		
145	Other diseases of pregnancy (death before delivery)*—	1	...	1	...	-	3	...	2	...	1		
145a	With mention of infection—	1	...	1	...	-	3	...	2	...	1		
145b	Without mention of infection—	-	...	-	...	-	-	...	-	...	-		
146	Hemorrhage of childbirth and puerperium—	6	...	6	...	-	14	...	12	...	2		
147	Infection during childbirth and puerperium—	6	...	6	...	-	7	...	6	...	1		
148	Puerperal toxemias (excluding death before delivery)—	7	...	7	...	-	6	...	4	...	2		
149	Other accidents and specified conditions of childbirth—	5	...	5	...	-	7	...	4	...	3		
150	Other and unspecified conditions of childbirth and puerperium—	1	...	1	...	-	1	...	-	...	1		

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

483

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

MASSACHUSETTS						MICHIGAN						MINNESOTA						MISSISSIPPI						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female					
1,327	695	609	16	7	1,328	753	501	36	38	635	404	270	5	6	490	175	79	138	98	95				
20	9	11	-	-	53	35	16	-	2	34	21	13	-	-	9	2	4	1	2	95a				
369	169	198	1	2	241	125	99	8	9	65	44	21	-	-	40	9	10	11	10	95b				
939	517	402	15	5	1,034	593	386	28	27	536	339	236	5	6	441	164	65	126	86	95c				
53	30	21	1	1	58	33	23	1	1	37	21	16	-	-	11	5	-	5	1	96				
1,043	472	552	8	11	943	488	436	10	9	674	378	291	3	2	199	57	49	54	39	97				
6	4	2	-	-	26	20	6	-	-	5	2	3	-	-	8	1	-	5	2	98				
77	35	41	1	-	91	43	42	1	5	39	24	15	-	-	22	5	7	2	6	99				
70	33	37	-	-	52	21	24	2	5	31	13	18	-	-	15	3	5	4	3	100				
-	-	-	-	-	4	1	2	1	-	4	3	1	-	-	1	1	-	-	-	101				
22	8	11	3	-	65	22	38	3	-	39	15	24	-	-	56	6	9	16	25	102				
3	1	2	-	-	9	8	1	-	-	3	2	1	-	-	7	1	1	2	3	103				
2,534	1,315	1,160	37	22	2,452	1,322	908	148	74	1,350	729	588	21	14	942	234	190	273	245					
14	6	8	-	-	22	14	5	1	2	10	5	4	-	1	10	3	1	4	2	104				
3	2	-	-	1	12	9	3	-	-	7	5	2	-	-	2	-	-	2	-	105				
112	70	42	-	-	124	70	52	1	1	55	36	19	-	-	26	12	8	2	4	106				
1,419	700	684	22	13	927	473	382	46	26	668	325	320	15	8	301	74	62	86	79	107				
597	324	260	9	4	680	362	209	70	19	300	178	114	3	5	377	85	67	120	105	108				
104	57	43	3	1	288	145	126	11	6	95	52	41	2	-	106	29	15	30	32	109				
35	21	13	1	-	26	16	9	1	-	16	7	9	-	-	15	5	3	4	3	109a				
69	36	30	2	1	262	129	117	10	6	79	45	32	2	-	91	24	12	26	29	109b				
39	28	10	-	1	50	28	15	4	3	28	21	7	-	-	18	2	6	6	4	110				
118	48	68	1	1	159	81	66	4	8	112	57	54	1	-	42	9	17	7	9	111				
73	42	29	1	1	103	66	29	3	5	46	29	17	-	-	38	10	11	10	5	112				
12	9	3	-	-	17	13	4	-	-	4	3	1	-	-	5	4	-	1	-	113				
43	29	13	1	-	70	41	17	8	4	25	18	7	-	-	19	6	3	5	5	114				
1	1	-	-	-	20	19	-	2	-	1	1	-	-	-	-	-	-	-	-	114a,b				
42	28	13	1	-	50	23	17	6	4	24	17	7	-	-	19	6	3	5	5	114c-a				
2,201	1,251	917	20	13	2,416	1,332	928	95	61	1,146	655	474	10	7	720	207	137	205	171					
51	27	23	1	-	52	30	17	2	3	30	18	12	-	-	37	8	7	11	11	115				
10	6	4	-	-	10	5	5	-	-	7	5	2	-	-	1	-	1	-	-	116				
341	284	72	4	1	328	258	51	15	4	150	115	34	1	-	70	30	11	19	10	117				
207	158	46	2	1	195	148	32	13	2	76	62	14	-	-	51	20	7	14	10	117a				
134	106	26	2	-	133	110	19	2	2	74	53	20	1	-	19	10	4	5	-	117b				
18	11	6	-	1	34	23	10	1	-	15	11	4	-	-	32	8	5	9	10	118				
167	104	54	7	2	206	110	86	7	3	68	41	23	3	1	55	11	12	17	15	119				
56	27	29	-	-	64	32	28	1	3	32	16	14	2	-	41	11	7	12	11	120				
138	78	60	-	-	238	128	85	16	9	101	68	33	-	-	98	22	22	31	23	121				
390	194	191	3	2	460	215	204	18	23	219	106	109	1	3	147	32	22	46	47	122				
210	115	91	2	1	190	97	85	5	3	117	57	56	1	3	40	8	7	16	9	122a				
180	78	100	1	1	270	118	119	13	20	102	49	53	-	-	107	24	15	30	36	122b				
86	44	40	-	2	58	28	29	1	2	43	22	21	-	-	18	8	3	4	3	123				
577	365	206	3	3	557	348	179	23	7	232	152	79	-	1	109	52	12	32	13	124				
128	86	41	-	-	26	23	1	2	-	31	26	4	-	1	6	5	-	2	1	124a				
449	279	165	2	3	531	325	178	21	7	201	136	75	-	-	101	47	12	30	12	124b				
62	26	35	1	-	67	28	33	6	2	41	25	16	-	-	31	7	11	9	4	125				
150	41	108	-	1	141	43	94	2	2	117	40	74	1	2	25	5	13	3	4	126				
79	22	57	-	-	124	41	83	-	-	50	15	35	-	-	25	6	5	5	9	127				
45	23	20	1	1	37	21	14	1	1	24	13	10	1	-	7	4	1	1	1	128				
51	19	12	-	-	40	28	10	2	2	17	8	8	1	-	24	3	5	6	10	129				
2,589	1,392	1,160	31	16	3,122	1,711	1,191	117	103	1,190	751	425	8	6	1,843	443	315	587	498					
45	18	24	2	1	63	28	22	8	5	25	14	11	-	-	96	15	16	25	40	130				
2,029	1,002	999	17	11	2,030	1,172	961	72	65	836	476	352	4	4	1,434	336	261	448	388	131				
1,588	767	795	16	10	1,606	795	698	51	62	593	329	258	5	3	967	227	179	292	269	131a				
441	235	204	1	1	694	377	263	21	23	243	147	94	1	1	467	109	82	157	119	131b				
66	41	24	1	-	135	109	77	5	4	50	32	17	-	-	80	19	16	22	23	132				
125	65	54	3	3	144	72	60	11	1	49	30	16	1	1	49	18	9	11	11	133				
47	29	15	2	1	48	31	15	2	-	36	26	10	-	-	6	3	-	2	1	134				
14	8	6	-	-	33	27	4	2	-	10	7	3	-	-	12	3	1	8	-	135				
11	9	1	-	-	12	10	-	-	-	3	3	-	-	-	9	1	-	8	-	136				
224	219	...	5	...	275	260	...	15	...	164	161	...	3	...	109	48	...	61	...	137				
203	199	...	5	...	202	191	...	11	...	147	143	...	2	...	77	35	...	42	...	137a				
21	21	...	-	...	73	69	...	4	...	17	16	...	1	...	32	13	...	19	...	137b				
1	1	...	-	...	2	2	...	-	...	2	2	...	-	...	1	-	...	1	...	138				
37	...	37	...	-	60	...	52	...	8	16	...	16	...	-	47	...	12	...	35	139				
18	...	18	...	-	42	...	34	...	8	4	...	4	...	-	34	...	7	...	27	139a				
19	...	19	...	-	16	...	16	...	-	11	...	11	...	-	11	...	3	...	8	139b				
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	2	...	2	...	-	139c				
126	...	122	...	4	167	...	144	...	23	62	...	59	...	3	194	...	87	...	127					
14	...	14	...	-	14	...	12	...	2															



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE						MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	XII.—Diseases of the skin and cellular tissue-----	7	2	5	-	-	8	3	3	2	-		
151	Carbuncle and furuncle-----	1	-	1	-	-	-	-	-	-	-		
152	Phlegmon and acute abscess-----	3	1	2	-	-	4	2	1	1	-		
153	Other diseases of skin and cellular tissue-----	3	1	2	-	-	4	1	2	1	-		
	XIII.—Diseases of the bones, etc.*-----	3	1	2	-	-	10	4	3	1	2		
154	Osteomyelitis and pericostitis-----	-	-	-	-	-	4	3	1	-	-		
155	Other diseases of bones (except tuberculosis)-----	1	1	-	-	-	-	-	-	-	-		
156	Diseases of joints, other organs of movement-----	2	-	2	-	-	6	1	2	1	2		
157	XIV.—Congenital malformations-----	151	78	73	-	-	257	134	90	21	12		
157a-d	Congenital malformations of central nervous system-----	63	28	35	-	-	87	45	35	4	3		
157e,f	Congenital malformations of cardiovascular system-----	61	33	28	-	-	119	61	38	13	7		
157g,h,m	Other congenital malformations-----	27	17	10	-	-	51	28	17	4	2		
	XV.—Diseases peculiar to the first year of life-----	440	272	166	-	2	973	415	277	151	130		
158	Congenital debility (cause not stated)-----	10	8	2	-	-	23	7	3	8	5		
159	Premature birth (cause not stated)-----	262	157	105	-	2	625	252	181	98	94		
160	Injury at birth-----	101	67	34	-	-	197	97	55	28	16		
161	Other diseases peculiar to first year of life-----	67	40	27	-	-	128	59	38	16	15		
162	XVI.—Senility-----	113	45	68	-	-	35	10	17	3	5		
	XVII.—Violent or accidental deaths-----	816	558	252	4	2	1,842	983	455	295	109		
163,164	Suicide-----	121	88	33	-	-	271	170	89	7	5		
163	Suicide by poisoning-----	23	11	12	-	-	101	47	50	2	2		
164	Suicide by other means-----	98	77	21	-	-	170	123	39	5	3		
165-168	Homicide <sup>1</sup> -----	12	8	4	-	-	173	33	24	94	22		
166	Homicide by firearms-----	8	5	3	-	-	86	10	11	56	9		
167	Homicide by cutting or piercing instruments-----	1	1	-	-	-	40	6	5	21	8		
168	Homicide by other means-----	3	2	1	-	-	47	17	8	17	5		
169-195	Accidental deaths-----	683	462	215	4	2	1,393	780	342	189	82		
169	Railway accidents (except collisions with motor vehicles)-----	7	7	-	-	-	42	33	2	7	-		
170	Motor-vehicle accidents-----	193	143	48	1	-	429	290	58	53	27		
170a	Collisions between automobiles and trains-----	13	6	7	-	-	12	9	1	-	2		
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	4	4	-	-	-		
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	177	134	42	1	-	402	267	58	53	24		
170d	Motorcycle accidents (exc. collisions with automobiles)-----	3	3	-	-	-	11	10	-	-	1		
171	Streetcar and other road-transport accidents-----	2	2	-	-	-	26	15	6	5	-		
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	-	-	-	-	-	23	13	6	4	-		
171b	Other and unspecified road-transport accidents-----	2	2	-	-	-	3	2	-	1	-		
172	Water-transport accidents-----	20	19	1	-	-	14	9	3	2	-		
173	Air-transport accidents-----	8	7	1	-	-	20	20	-	-	-		
174	Accidents in mines and quarries-----	2	2	-	-	-	7	7	-	-	-		
175	Agricultural and forestry accidents-----	24	23	1	-	-	26	19	1	5	1		
175a-c	Agricultural accidents-----	16	15	1	-	-	24	18	1	4	1		
175d,e	Forestry accidents-----	8	8	-	-	-	2	1	-	1	-		
176	Other accidents involving machinery-----	14	12	2	-	-	14	12	-	2	-		
177	Food poisoning-----	-	-	-	-	-	3	1	-	2	-		
178	Accidental absorption of poisonous gas-----	22	15	5	1	1	38	18	15	3	2		
179	Acute accidental poisoning by solids or liquids-----	7	5	1	1	-	18	7	8	2	1		
180	Conflagration-----	48	34	14	-	-	60	16	9	21	14		
181	Accidental burns (except conflagration)-----	37	18	19	-	-	81	52	24	8	17		
182	Accidental mechanical suffocation-----	14	5	9	-	-	30	15	7	6	2		
183	Accidental drowning-----	48	43	5	-	-	111	64	14	51	2		
184	Accidental injury by firearms-----	15	15	1	-	-	30	18	3	7	2		
185	Accidental injury by cutting or piercing instruments-----	2	-	2	-	-	4	2	-	2	-		
186	Accidental injury by fall or crushing-----	168	76	93	-	-	316	139	157	13	7		
186a	Accidental injury by fall-----	166	73	93	-	-	312	136	157	12	7		
186b	Accidental injury by crushing-----	2	2	-	-	-	4	3	-	1	-		
187	Cataclysm, etc.*-----	-	-	-	-	-	1	1	-	-	-		
188	Injury by animals (except in agriculture and forestry)-----	-	-	-	-	-	-	-	-	-	-		
189	Hunger or thirst-----	-	-	-	-	-	1	-	-	-	-		
190	Excessive cold-----	8	7	-	1	-	3	-	1	2	-		
191	Excessive heat-----	-	-	-	-	-	2	1	-	1	-		
192	Lightning-----	-	-	-	-	-	3	2	-	1	-		
193	Accidents due to electric currents (except lightning)-----	3	3	-	-	-	6	4	-	2	-		
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	40	27	12	-	1	108	53	33	14	6		
195	Other accidents-----	-	-	-	-	-	-	-	-	-	-		
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	-	-	-	-	-		
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	-	-	-	-	-		
195d	Obstruction, suffocation, etc.*-----	12	7	5	-	-	27	10	10	4	3		
195e,c	Other and unspecified accidents-----	28	20	7	-	1	81	45	23	10	3		
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-		
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-		
198	Legal executions-----	-	-	-	-	-	5	-	-	5	-		
	XVIII.—Ill-defined and unknown causes-----	75	42	32	1	-	55	26	13	9	7		
199	Sudden death-----	19	11	8	-	-	-	-	-	-	-		
200	Ill-defined and unknown causes-----	56	31	24	1	-	55	26	13	9	7		
200a	Ill-defined causes-----	33	19	14	-	-	31	15	7	5	4		
200b,c	Unknown or unspecified causes-----	23	12	10	1	-	24	11	6	4	3		

\*Refer to International List for complete title, table V, Part I.

<sup>1</sup>Includes figures for infanticide (165).



## GENERAL TABLES-DEATHS FROM EACH CAUSE

485

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

MASSACHUSETTS						MICHIGAN						MINNESOTA						MISSISSIPPI						Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
30	11	19	-	-	29	11	14	-	4	14	8	6	-	-	24	4	4	5	11						
2	2	-	-	-	1	-	1	-	-	1	-	1	-	-	5	1	1	2	1	151					
7	5	2	-	-	4	2	2	-	-	2	2	-	-	-	6	1	3	-	2	152					
21	4	17	-	-	24	9	11	-	4	11	6	5	-	-	13	2	-	3	8	153					
27	14	13	-	-	24	17	7	-	-	18	10	8	-	-	12	1	2	4	5						
5	4	1	-	-	5	4	2	-	-	6	3	3	-	-	4	-	-	2	2	154					
12	5	7	-	-	6	5	1	-	-	4	2	2	-	-	-	-	-	-	-	155					
10	5	5	-	-	12	8	4	-	-	8	5	3	-	-	8	1	2	2	3	156					
663	346	309	4	4	671	427	417	9	19	443	246	192	3	2	209	92	75	32	20	157					
249	110	138	-	1	351	132	193	2	4	167	77	88	1	1	59	17	26	10	6	157a-d					
285	162	117	3	3	357	193	152	3	9	193	118	72	2	1	89	39	36	8	7	157e,f					
129	74	54	1	-	183	102	72	3	6	83	51	32	-	-	61	27	13	14	7	157g,h,m					
1,733	1,011	686	23	13	2,622	1,435	957	125	105	1,158	680	476	16	6	1,020	373	279	201	167						
12	8	4	-	-	55	29	20	3	3	13	5	7	1	-	64	13	9	27	15	158					
1,110	641	443	16	10	1,732	917	662	82	71	744	425	306	10	3	619	221	189	111	98	159					
330	194	129	6	1	438	267	156	21	14	258	155	99	2	2	209	84	54	40	31	160					
281	168	110	1	2	397	222	139	19	17	143	75	64	3	1	128	55	27	23	23	161					
52	15	35	1	1	405	177	220	1	7	207	93	112	-	2	308	59	65	93	91	162					
3,377	2,075	1,243	38	21	4,658	3,070	1,306	223	57	2,282	1,539	668	17	9	1,988	682	262	697	247						
466	321	138	8	1	608	445	142	16	5	342	270	70	1	1	130	78	39	12	1	163,164					
182	99	79	3	1	109	64	43	1	1	89	44	24	1	-	13	5	7	-	1	165					
286	222	59	5	-	499	381	99	15	4	273	226	46	-	1	117	73	32	12	-	166					
64	41	15	5	3	196	67	28	77	24	45	24	19	1	1	354	64	8	240	42	165-168					
19	10	8	1	-	93	30	17	33	13	17	7	10	-	-	246	46	7	166	27	166					
11	3	2	4	2	55	12	1	35	7	3	-	2	1	-	75	7	-	59	10	167					
34	26	5	-	1	49	25	10	9	4	25	17	7	-	1	33	11	1	16	5	168					
2,643	1,711	1,090	25	17	3,854	2,538	1,138	130	28	1,894	1,293	579	15	7	1,395	540	215	436	204	169-195					
50	46	4	-	-	61	51	7	3	-	80	52	5	3	-	60	23	2	29	7	169					
618	459	153	4	2	1,576	1,201	334	34	7	588	456	121	8	3	479	235	71	129	45	170					
8	5	3	-	-	99	70	29	-	-	51	37	14	-	-	25	8	-	9	8	170a					
-	-	-	-	-	4	4	-	-	-	2	2	-	-	-	-	-	-	-	-	170b					
595	440	149	4	2	1,450	1,106	303	54	7	532	414	107	8	3	448	221	71	119	37	170c					
15	14	1	-	-	23	21	2	-	-	3	3	-	-	-	6	6	-	-	-	170d					
20	15	4	1	-	19	16	3	-	-	9	9	-	-	-	4	1	-	2	1	171					
14	10	3	1	-	13	11	2	-	-	8	8	-	-	-	-	-	-	-	-	171a					
6	5	1	-	-	6	5	1	-	-	1	1	-	-	-	4	1	-	2	1	171b					
49	44	4	1	-	15	15	-	-	-	49	43	5	1	-	11	3	-	6	-	172					
35	30	5	-	-	52	47	4	1	-	23	22	1	-	-	18	14	2	2	-	173					
4	4	-	-	-	14	12	-	2	-	10	10	-	-	-	4	2	-	2	-	174					
12	10	2	-	-	76	67	7	1	1	99	90	9	-	-	56	28	-	25	3	175					
11	9	2	-	-	63	55	7	-	1	98	89	9	-	-	45	22	-	20	3	175a-c					
1	1	-	-	-	13	12	-	-	-	1	1	-	-	-	11	6	-	5	-	175d,e					
45	43	1	1	-	39	34	3	2	-	18	17	1	-	-	21	17	-	4	-	176					
1	1	-	-	-	4	4	-	-	-	4	3	-	-	1	16	4	3	7	2	177					
113	70	43	-	-	51	33	16	1	1	36	27	9	-	-	4	3	-	1	-	178					
46	26	18	1	1	36	19	17	1	-	17	9	6	-	-	28	6	4	7	11	179					
80	40	35	4	1	151	86	46	17	2	56	34	20	2	-	51	7	6	16	22	180					
115	69	45	-	1	148	77	54	14	3	68	33	34	-	1	148	22	28	35	63	181					
36	19	17	-	-	64	38	22	4	-	18	8	10	-	-	12	2	2	6	2	182					
151	133	15	3	-	254	211	28	14	1	93	80	13	-	-	100	37	5	46	12	183					
34	30	2	-	2	77	64	10	1	2	51	47	4	-	-	91	38	4	39	10	184					
2	1	1	-	-	11	10	-	-	-	1	-	1	-	-	18	3	3	10	2	185					
1,209	527	669	6	7	989	433	522	26	8	534	274	308	1	1	105	40	42	13	10	186					
1,192	513	666	6	7	968	418	521	21	8	578	269	307	1	1	97	35	42	10	10	186a					
17	14	3	-	-	21	15	1	5	-	6	5	1	-	-	8	5	-	3	-	186b					
2	2	-	-	-	4	2	2	-	-	9	6	3	-	-	7	-	-	3	4	187					
5	5	-	-	-	3	3	-	-	-	1	1	-	-	-	8	4	-	4	-	188					
2	2	-	-	-	-	2	1	-	-	2	1	-	-	-	3	-	-	-	1	189					
3	2	-	1	-	7	5	1	1	-	15	13	2	-	-	-	-	-	-	-	190					
5	5	-	-	-	4	3	1	-	-	1	1	-	-	-	4	2	-	2	-	191					
1	1	-	-	-	6	4	1	1	-	7	7	-	-	-	11	5	2	2	2	192					
6	7	1	-	-	28	24	3	1	-	9	8	1	-	-	9	6	-	3	-	193					
197	120	71	3	3	164	99	57	5	3	66	42	23	-	1	126	38	39	40	10	194					
2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	195a					
43	25	16	1	1	41	18	23	-	-	9	-	9	-	-	8	4	1	3	-	195b					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21-DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI				MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	42,451	21,306	18,903	2,301	1,941	5,595	3,386	1,915	185	109
	I.--Infectious and parasitic diseases-----	2,476	1,199	759	333	185	280	150	51	43	36
1	Typhoid fever-----	10	4	5	1	-	2	2	-	-	-
2	Paratyphoid fever-----	1	-	-	-	1	-	-	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	7	7	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	31	14	15	2	-	3	2	-	1	-
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	5	4	1	-	-	2	1	-	-	1
9	Whooping cough-----	31	8	21	2	-	3	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)-----	24	11	13	-	-	5	3	2	-	-
11	Erysipelas-----	1	-	1	-	-	1	1	-	-	-
12	Tetanus-----	16	6	9	1	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,276	652	347	179	118	164	78	25	32	28
13	Tuberculosis of respiratory system, etc.*-----	1,195	597	323	167	108	135	72	17	23	23
14	Tuberculosis of meninges, etc.*-----	14	6	2	4	2	10	-	3	3	4
15	Tuberculosis of intestines and peritoneum-----	17	3	8	1	5	3	2	1	-	-
16	Tuberculosis of vertebral column-----	16	8	5	3	-	2	1	1	-	-
17	Tuberculosis of bones and joints, etc.*-----	6	2	-	1	3	1	-	-	1	-
18	Tuberculosis of skin, etc.*-----	1	-	1	-	-	1	1	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	1	-	1	-	-	2	1	-	1	-
20	Tuberculosis of genito-urinary system-----	7	3	2	2	-	3	1	2	-	-
21	Tuberculosis of other organs-----	4	4	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis-----	15	9	5	1	-	7	-	1	4	2
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	17	8	9	-	1	3	1	1	-	1
25	Gonococcus infection-----	2	-	-	1	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	12	9	3	-	1	1	1	-	-	-
27	Dysentery-----	30	10	11	8	1	1	-	-	-	1
28	Malaria-----	6	3	3	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	2	2	-	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	464	219	80	118	47	47	32	5	9	2
30a	Locomotor ataxia (tabes dorsalis)-----	13	9	3	1	-	7	6	-	-	1
30b	General paralysis of insane-----	131	52	34	36	9	10	8	1	1	-
30c	Aneurysm of aorta-----	120	74	13	23	10	8	6	1	1	-
30d	Congenital syphilis-----	18	8	1	6	3	2	1	-	1	-
30e,g	Syphilis (other forms)-----	182	76	29	52	25	20	11	3	5	1
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	9	3	3	2	1	2	-	2	1	-
33	Influenza-----	293	123	148	13	9	25	15	8	1	1
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	50	25	23	-	2	3	-	2	1	-
36	Poliomyelitis and polioencephalitis (acute)-----	97	57	37	1	2	5	4	1	-	-
37	Acute infectious encephalitis (lethargic)-----	11	7	4	-	-	2	-	2	-	-
38	Other diseases due to filtrable viruses-----	2	1	1	-	-	1	-	-	-	-
39	Typhus fever and typhus-like diseases*-----	4	2	2	-	-	5	3	1	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	1	1	-	-	-
43	Mycoses-----	9	5	1	2	1	-	-	-	-	-
44	Other infectious and parasitic diseases-----	66	40	23	3	-	6	5	1	-	-
	II.--Cancer and other tumors-----	5,718	2,516	2,788	193	241	687	354	315	14	4
45-55	Cancer and other malignant tumors-----	5,548	2,471	2,670	189	218	662	342	303	14	3
45	Cancer of buccal cavity and pharynx-----	180	141	29	7	3	19	14	4	1	-
45a	Cancer of lip-----	22	18	3	-	-	3	3	-	-	-
45b	Cancer of tongue-----	37	30	4	2	1	4	3	1	-	-
45c	Cancer of mouth-----	28	24	2	2	-	1	1	-	-	-
45d	Cancer of jaw bone-----	28	21	4	2	1	5	3	1	1	-
45e	Cancer of unspecified parts of buccal cavity-----	5	4	1	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	60	43	15	1	1	6	4	2	-	-
46	Cancer of digestive organs and peritoneum-----	2,417	1,164	1,073	109	71	288	159	119	9	1
46a	Cancer of esophagus-----	87	60	10	14	3	11	6	5	2	-
46b	Cancer of stomach-----	736	408	265	44	19	128	81	44	8	-
46c	Cancer of duodenum-----	14	2	12	-	-	1	1	-	-	-
46d	Cancer of rectum and anus-----	256	136	98	9	13	22	12	9	1	-
46e	Cancer of intestines, etc.*-----	645	281	330	21	13	67	28	36	5	-
46f	Cancer of liver and biliary passages-----	431	167	241	9	14	32	16	15	-	1
46g	Cancer of pancreas-----	176	81	78	9	8	23	12	11	-	-
46h	Cancer of mesentery and peritoneum-----	37	19	17	2	-	2	1	1	-	-
46m	Cancer of other and unspecified sites-----	35	11	22	1	1	2	2	-	-	-
47	Cancer of respiratory system-----	488	353	104	27	4	75	59	13	3	-
47a	Cancer of larynx-----	55	47	7	1	-	6	6	-	-	-
47b,c	Cancer of trachea and bronchus-----	135	104	14	15	2	19	18	-	1	-
47d	Cancer of lung-----	277	192	73	10	2	48	33	13	2	-
47e	Cancer of pleura-----	4	1	3	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs-----	17	9	7	1	-	2	2	-	-	-
48	Cancer of uterus-----	574	...	505	...	69	57	...	56	...	1
48a	Cancer of cervix-----	248	...	211	...	37	19	...	19	...	-
48b	Cancer of other and unspecified sites of uterus-----	326	...	294	...	32	38	...	37	...	1
49	Cancer of other female genital organs-----	179	...	165	...	14	17	...	17	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	157	...	145	...	12	13	...	13	...	-
49c-e	Cancer of other female genital organs-----	22	...	20	...	2	4	...	4	...	-
50	Cancer of breast-----	479	...	441	...	38	53	2	50	-	1
51	Cancer of male genital organs-----	394	372	...	22	...	34	34	...	-	...
51a	Cancer of prostate-----	365	345	...	20	...	34	34	...	-	...
51a,c-e	Cancer of other male genital organs-----	29	27	...	2	...	-	-	...	-	...
52	Cancer of urinary organs-----	228	136	66	5	1	37	28	9	-	-
52a	Cancer of kidney-----	74	51	22	1	-	14	10	4	-	-
52b	Cancer of bladder-----	148	83	61	3	1	23	18	5	-	-
52c	Cancer of other and unspecified sites-----	6	2	3	1	-	-	-	-	-	-
53	Cancer of skin, etc.*-----	105	61	42	-	2	8	5	3	-	-

\*Refer to International List for complete title, table V, Part I.



## 487

and of deaths among armed forces overseas)

793002 O - 48 - 32



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI						MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	II.—Cancer and other tumors—Continued												
	Cancer and other malignant tumors—Continued												
54	Cancer of central nervous system*	103	51	48	2	2	14	8	8	-	-	-	-
55	Cancer of other and unspecified organs	401	193	177	17	14	60	35	24	1	-	-	-
56, 57	Nonmalignant tumors and tumors of unspecified nature	170	45	98	4	23	25	12	12	-	-	-	-
56	Nonmalignant tumors (including dermoid cysts)	105	15	66	3	21	10	4	5	-	-	-	-
56a-c	Nonmalignant tumors of female genital organs	67	...	48	...	19	6	...	6	...	...	-	-
56d	Nonmalignant tumors of central nervous system*	18	8	8	2	3	3	3	...	-	-	-	-
56e	Nonmalignant tumors of other and unspecified organs	20	9	10	1	-	1	1	-	-	-	-	-
57	Tumors of unspecified nature	65	30	32	1	2	15	8	7	-	-	-	-
57a-c	Tumors, female genital organs (nature unspecified)	4	...	4	...	-	-	...	-	...	-	-	-
57d	Tumors, central nervous system* (nature unspecified)	41	20	19	1	1	9	6	3	-	-	-	-
57e	Tumors, other organs (nature unspecified)	20	10	9	-	1	6	2	4	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,149	408	657	23	61	172	66	103	2	1	-	-
58	Acute rheumatic fever	28	7	9	2	10	3	1	1	1	-	-	-
58a	Acute rheumatic pericarditis	1	-	-	1	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	8	2	3	-	3	2	1	1	-	-	-	-
58c	Acute rheumatic myocarditis	7	1	2	-	4	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	4	-	1	1	2	-	-	-	-	-	-	-
58e, f	Other forms of acute rheumatic fever, etc.*	9	4	3	-	1	1	-	-	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	50	19	29	-	2	11	5	6	-	-	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	907	347	508	16	36	137	55	81	1	-	-	-
62	Diseases of pituitary gland	2	-	2	-	-	1	-	1	-	-	-	-
63	Diseases of thyroid and parathyroid glands	97	12	74	2	9	15	1	14	-	-	-	-
63a	Simple goiter	5	-	4	-	1	1	-	1	-	-	-	-
63b	Exophthalmic goiter	80	8	63	2	7	12	1	11	-	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	12	4	7	-	1	2	-	2	-	-	-	-
64	Diseases of thymus gland	28	13	12	1	2	4	3	-	-	-	-	-
65	Diseases of adrenal glands*	12	3	9	-	-	1	1	-	-	-	-	-
66	Other general diseases	13	3	8	-	2	-	-	-	-	-	-	-
67	Scurvy	1	-	1	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	1	3	-	-	-	-	-	-	-	-	-
70	Rickets	4	1	1	2	-	-	-	-	-	-	-	-
71	Other avitaminoses	2	1	1	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	319	175	133	4	7	39	25	13	-	1	-	-
72	Hemorrhagic conditions	12	8	3	-	1	4	2	1	-	-	-	-
73	Anemias (except splenic anemia)	80	30	46	1	3	11	9	2	-	-	-	-
73a	Pernicious anemia	57	20	37	-	-	4	4	-	-	-	-	-
73b-d	Other anemias (except splenic)	23	10	9	1	3	7	5	2	-	-	-	-
74	Leukemias and leukemias	201	120	76	2	3	20	11	9	-	-	-	-
74a	Leukemias	196	116	75	2	3	19	10	9	-	-	-	-
74b	Leukemias	5	4	1	-	-	1	1	-	-	-	-	-
75	Diseases of spleen	20	13	6	1	-	2	2	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	6	4	2	-	-	2	1	1	-	-	-	-
	V.—Chronic poisoning and intoxication	51	39	3	6	3	16	12	3	1	-	-	-
77	Alcoholism (ethylium)	47	37	2	5	3	15	12	2	1	-	-	-
78	Lead poisoning	2	1	-	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	2	1	1	-	-	1	-	1	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	4,569	2,121	2,017	207	224	556	300	242	9	5	-	-
80	Encephalitis (nonepidemic)	37	22	11	4	-	2	-	1	-	-	-	-
81	Meningitis (not due to meningococcus)	45	22	12	5	6	6	3	1	2	-	-	-
82	Diseases of spinal cord (see exceptions)*	86	43	38	2	3	10	5	5	-	-	-	-
83	Intracranial lesions of vascular origin	4,158	1,905	1,965	189	199	490	258	223	6	3	-	-
83a	Cerebral hemorrhage or effusion*	3,618	1,653	1,619	168	178	427	225	193	6	3	-	-
83b, c	Cerebral embolism, thrombosis, and softening	385	183	169	19	14	43	21	22	-	-	-	-
83d	Hemiplegia, other paralysis, etc.*	153	69	77	2	7	20	12	8	-	-	-	-
84	Mental diseases and deficiency (see exception)*	36	16	12	3	5	6	5	1	-	-	-	-
85	Epilepsy	50	31	15	1	3	13	10	3	-	-	-	-
86	Convulsions (under 5 years)	5	3	2	-	-	3	1	1	1	-	-	-
87	Other diseases of nervous system	118	61	48	3	6	22	16	5	-	-	-	-
88	Diseases of organs of vision	1	1	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	33	17	14	-	2	4	2	2	-	-	-	-
	VII.—Diseases of the circulatory system	14,053	7,515	5,402	594	542	1,761	1,153	574	23	11	-	-
90-95	Diseases of the heart (all forms)	13,144	7,075	5,001	559	509	1,629	1,072	523	23	11	-	-
90	Pericarditis (except acute rheumatic)	31	19	8	3	1	1	1	-	-	-	-	-
90a	Chronic rheumatic pericarditis	3	-	3	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	28	19	5	3	1	1	1	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	69	40	23	3	7	7	5	2	-	-	-	-
91a, b	Bacterial, acute, and subacute endocarditis	64	39	21	2	2	7	5	2	-	-	-	-
91c	Endocarditis (unspecified, under 45 years)	5	1	2	1	1	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	1,377	663	577	63	74	159	91	67	1	-	-	-
92a	Diseases of aortic valve, etc.*	126	76	33	11	6	7	2	5	-	-	-	-
92b	Diseases of mitral valve, etc.*	670	297	293	32	48	73	39	33	1	-	-	-
92c	Chronic rheumatic endocarditis, etc.*	42	24	15	1	2	10	3	7	-	-	-	-
92d	Other chronic endocarditis, etc.*	488	237	217	18	15	57	37	20	-	-	-	-
92e	Endocarditis (unspecified, 45 years and over)	51	29	19	-	3	12	10	2	-	-	-	-
93	Diseases of the myocardium	6,785	3,206	2,918	328	335	652	397	243	6	6	-	-
93a	Acute myocarditis (except rheumatic)	127	60	50	9	8	21	13	8	-	-	-	-
93b	Myocarditis (unspecified, under 45 years)	14	8	4	1	1	1	-	1	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	33	16	14	2	1	4	2	2	-	-	-	-
93d	Other chronic myocarditis, etc.*	6,093	2,843	2,641	305	304	519	307	203	5	4	-	-
93e	Other myocarditis (unspecified)	518	279	209	11	19	107	75	29	1	2	-	-
94	Diseases of coronary arteries, angina pectoris	4,090	2,699	1,191	127	74	643	462	171	9	1	-	-
94a	Diseases of coronary arteries	3,932	2,592	1,148	123	69	631	455	187	8	1	-	-
94b	Angina pectoris	158	106	43	4	5	12	7	4	1	-	-	-

\*Refer to International List for complete title, table V. Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

489

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
28	15	12	1	-	4	3	1	-	-	8	3	5	-	-	114	61	51	1	1	54
103	55	47	-	1	6	3	1	-	2	44	23	21	-	-	468	261	183	12	12	55
41	14	23	1	3	4	-	4	-	-	28	8	20	-	-	184	59	109	2	14	56,57
30	8	19	-	1	4	-	4	-	-	8	1	7	-	-	129	29	86	1	13	56
18	...	15	...	3	3	...	3	...	-	4	...	4	...	-	72	...	59	...	13	56a-c
10	7	3	-	-	-	-	-	-	-	2	-	2	-	-	31	15	16	-	-	56d
2	1	1	-	-	1	-	1	-	-	2	1	1	-	-	26	14	11	1	1	56e
11	6	4	1	-	-	-	-	-	-	20	7	13	-	-	55	30	23	1	1	57
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	...	...	-	57a-c
8	4	3	1	-	-	-	-	-	-	11	6	5	-	-	38	21	15	1	1	57d
2	2	-	-	-	-	-	-	-	-	8	1	7	-	-	17	9	8	-	-	57e
436	168	262	1	5	33	13	14	3	3	205	66	137	-	-	1,656	494	1,102	21	39	
6	1	5	-	-	1	-	1	-	-	3	1	2	-	-	34	13	18	2	3	58
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	58a
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7	1	4	-	-	58b
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	-	-	58c
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	10	5	4	-	1	58d
2	-	2	-	-	-	-	1	-	-	2	1	1	-	-	12	6	5	1	-	58e,f
33	11	22	-	-	3	1	-	1	1	6	2	4	-	-	43	17	23	2	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
356	144	206	1	5	24	10	11	2	1	170	57	113	-	-	1,403	409	949	16	29	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	-	2	62
20	2	18	-	-	3	1	2	-	-	17	4	13	-	-	104	16	87	-	-	63
2	-	2	-	-	-	-	-	-	-	2	-	2	-	-	5	2	3	-	-	63a
17	1	16	-	-	3	1	2	-	-	12	4	8	-	-	91	15	77	-	1	63b
1	1	-	-	-	-	-	-	-	-	3	-	3	-	-	8	1	7	-	-	63c-e
6	3	3	-	-	1	-	-	-	1	-	-	-	-	-	34	25	7	1	1	64
6	2	4	-	-	-	-	-	-	-	5	2	3	-	-	13	3	10	-	-	65
6	3	3	-	-	1	1	-	-	-	1	-	1	-	-	13	5	7	-	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	68
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	70
129	62	65	1	1	11	6	5	-	-	42	15	27	-	-	368	185	166	8	9	71
8	7	1	-	-	-	-	-	-	-	1	-	1	-	-	19	8	9	1	1	72
38	14	22	1	1	4	2	2	-	-	13	-	6	-	-	85	30	49	2	4	73
24	6	16	1	1	-	-	-	-	-	7	3	4	-	-	48	16	29	1	2	73a
14	8	6	-	-	4	2	2	-	-	6	4	2	-	-	37	14	20	1	2	73b-d
75	40	35	-	-	7	4	3	-	-	26	7	19	-	-	239	139	92	4	4	74
71	37	34	-	-	6	3	3	-	-	26	7	19	-	-	222	128	86	4	4	74a
4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	16	10	6	-	-	74b
6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	19	8	10	1	-	75
2	-	2	-	-	-	-	-	-	-	2	1	1	-	-	7	1	6	-	-	76
29	24	4	1	-	11	6	3	1	1	10	7	3	-	-	60	37	10	9	4	
29	24	4	1	-	11	6	3	1	1	9	7	2	-	-	58	35	10	9	4	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	78
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	79
1,549	791	723	20	16	144	83	49	5	7	670	311	358	1	-	4,437	1,955	2,179	146	157	
10	5	5	-	-	3	2	1	-	-	3	2	1	-	-	34	17	10	1	6	80
16	8	8	-	-	4	2	2	-	-	7	-	3	-	-	60	34	16	3	7	81
33	25	8	-	-	1	1	-	-	-	3	5	2	-	-	117	51	60	3	3	82
1,392	707	650	19	16	125	71	44	4	6	614	283	330	1	-	3,942	1,721	1,961	130	130	83
1,215	615	566	16	16	107	62	35	4	8	518	237	278	1	-	3,286	1,417	1,646	112	111	83a
146	80	65	1	-	15	9	6	-	-	88	42	46	-	-	593	279	290	18	17	83b,c
31	12	19	-	-	3	-	3	-	-	10	4	6	-	-	63	22	35	-	2	83d
13	5	8	-	-	2	-	-	-	-	4	2	2	-	-	59	22	33	-	-	84
24	15	9	-	-	2	-	1	1	-	14	7	7	-	-	56	26	19	7	4	85
2	-	2	-	-	4	2	3	-	-	1	1	-	-	-	4	2	2	-	-	86
57	26	31	-	-	4	3	1	-	-	22	10	12	-	-	143	68	71	2	2	87
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	88
2	-	1	1	-	3	2	-	-	1	1	1	-	-	-	22	14	7	-	1	89
3,823	2,299	1,462	40	32	433	301	110	7	15	2,330	1,331	995	-	4	17,375	9,329	7,185	421	441	
3,536	2,136	1,333	38	27	407	284	102	7	14	2,090	1,213	873	-	4	15,248	8,613	6,622	398	415	90-95
1	1	-	-	-	1	1	-	-	1	4	2	2	-	-	8	4	4	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	-	-	-	-	-	-	2	2	-	-	8	4	4	-	-	90b
21	10	9	1	1	4	3	1	-	-	3	2	1	-	-	49	22	22	1	4	91
19	10	9	-	-	4	3	1	-	-	2	1	1	-	-	47	22	21	-	4	91a,b
2	-	-	1	1	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	91c
338	194	131	6	7	36	24	11	1	-	195	110	94	-	1	844	364	410	36	34	92
11	4	6	-	1	5	4	-	1	-	24	19	5	-	-	66	30	22	8	6	92a
148	90	57	-	1	14	10	4	-	-	56	31	25	-	-	306	135	144	14	12	92b
18	15	3	-	-	5	4	1	-	-	14	7	7	-	-	63	21	41	1	-	92c
144	80	58	5	3	10	5	5	-	-	89	50	38	-	1	361	157	179	13	12	92d
17	5	9	1	2	2	1	1	-	-	12	3	9	-	-	49	21	24	-	4	92e
1,381	755	601	15	10	183	126	49	3	5	957	510	444	-	3	9,553	4,672	4,372	240	279	93
33	19	14	-	-	4	2	-	-	-	10	5	5	-	-	99	49	45	3	2	93a
5	3	2	-	-	-	-	-	-	-	4	-	1	-	-	9	5	2	-	2	93b
8	3	5	-	-	-	-	-	-	-	-	2	2	-	-	42	19	20	2		



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI				MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart-----	792	449	284	35	24	187	116	40	7	4
95a	Functional diseases of heart, etc.*-----	64	40	23	-	1	5	4	1	-	-
95b	Other diseases of heart (rheumatic)-----	119	60	47	7	5	10	5	5	-	-
95c	Other diseases of heart (not rheumatic)-----	609	349	214	28	18	152	107	34	7	4
96	Aneurysm (except of heart and aorta)-----	52	32	15	2	3	5	3	2	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)-----	696	338	320	24	14	89	54	35	-	-
98	Gangrene-----	13	6	5	-	-	3	3	-	-	-
99	Other diseases of arteries-----	47	27	19	1	-	17	14	3	-	-
100	Diseases of veins-----	33	14	15	3	1	6	1	5	-	-
101	Diseases of lymphatic system-----	2	1	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)-----	63	21	24	5	13	11	6	5	-	-
103	Other diseases of circulatory system-----	3	1	2	-	-	1	-	1	-	-
	VIII.—Diseases of the respiratory system-----	2,372	1,087	969	182	134	336	210	91	19	16
104	Diseases of nasal fossae, accessory sinuses-----	4	2	2	-	-	1	-	1	-	-
105	Diseases of larynx-----	5	1	3	-	1	2	1	1	-	-
106	Bronchitis-----	96	55	30	7	4	22	15	6	1	-
107	Bronchopneumonia (including capillary bronchitis)-----	952	424	414	60	54	101	59	34	2	6
108	Lobar pneumonia-----	930	426	349	97	58	83	46	24	9	4
109	Pneumonia (unspecified)-----	68	29	32	3	4	51	31	11	4	5
109a	Atypical or virus pneumonia-----	22	10	12	-	-	15	9	3	-	3
109b	Pneumonia (all other, unspecified)-----	46	19	20	3	4	36	22	8	4	2
110	Pleurisy (not tuberculous)-----	41	19	16	2	4	4	4	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*-----	150	59	85	3	3	31	18	9	3	1
112	Asthma-----	62	32	25	3	2	11	7	4	-	-
113	Pulmonary emphysema-----	7	6	1	-	-	7	7	-	-	-
114	Other diseases of respiratory system (except tuberculosis)-----	57	34	12	7	4	23	22	1	-	-
114a,b	Silicosis, other forms of pneumoconiosis-----	8	6	-	2	-	15	15	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)-----	49	26	12	5	4	8	7	1	-	-
	IX.—Diseases of the digestive system-----	1,903	1,010	703	87	103	276	155	97	16	10
115	Diseases of buccal cavity and adnexa, etc.*-----	51	25	20	2	4	10	5	4	1	-
116	Diseases of esophagus-----	10	6	3	-	1	1	1	-	-	-
117	Ulcer of stomach or duodenum-----	241	179	45	14	3	36	31	5	-	-
117a	Ulcer of stomach-----	164	122	29	10	3	26	23	3	-	-
117b	Ulcer of duodenum-----	77	57	16	4	-	10	8	2	-	-
118	Other diseases of stomach (except cancer)-----	49	22	19	4	4	10	6	2	1	1
119	Diarrhea, enteritis, etc.* (under 2 years)-----	183	98	62	11	12	24	6	5	9	4
120	Diarrhea, enteritis, etc.* (2 years and over)-----	44	23	15	1	5	10	4	4	2	-
121	Appendicitis-----	180	99	65	10	6	24	17	6	-	1
122	Hernia and intestinal obstruction-----	344	165	167	19	33	56	29	24	1	2
122a	Hernia-----	157	90	55	5	7	18	13	5	-	-
122b	Intestinal obstruction-----	227	75	112	14	26	38	16	19	1	2
123	Other diseases of intestines-----	48	23	23	1	1	9	4	5	-	-
124	Cirrhosis of liver-----	399	250	117	18	14	53	34	18	-	1
124a	Cirrhosis of liver with mention of alcoholism-----	35	28	4	1	2	3	2	1	-	-
124b	Cirrhosis of liver without mention of alcoholism-----	364	222	113	17	12	50	32	17	-	1
125	Other diseases of liver-----	57	22	23	4	8	7	4	1	1	1
126	Biliary calculi-----	112	39	68	-	5	20	7	13	-	-
127	Other diseases of gallbladder, biliary ducts-----	95	37	56	1	1	12	3	9	-	-
128	Diseases of pancreas (except diabetes mellitus)-----	20	8	9	2	1	3	2	1	-	-
129	Peritonitis (cause not stated)-----	30	14	11	-	5	1	-	-	1	-
	X.—Diseases of the genito-urinary system-----	3,661	1,847	1,392	225	197	324	199	106	12	5
130	Acute nephritis-----	91	46	30	6	9	14	9	2	2	1
131	Chronic nephritis-----	2,992	1,444	1,220	168	160	236	134	91	7	4
131a	Arteriosclerotic kidney-----	2,051	962	868	112	109	173	95	72	2	4
131b	Other chronic nephritis-----	941	482	352	56	51	63	39	19	5	-
132	Nephritis unspecified (10 years and over)-----	94	39	39	12	5	26	17	6	1	-
133	Other diseases of kidneys, ureters, etc.*-----	112	61	40	8	3	10	8	2	-	-
134	Calculi of urinary passages-----	53	28	20	1	4	2	1	1	-	-
135	Diseases of urinary bladder-----	20	12	5	3	-	3	2	1	-	-
136	Diseases of urethra (except calculus)-----	5	2	-	2	1	-	-	-	-	-
137	Diseases of prostate-----	241	216	...	25	...	30	28	...	2	...
137a	Hypertrophy of prostate-----	185	160	...	25	...	20	18	...	2	...
137b	Other diseases of prostate-----	56	56	...	-	...	10	10	...	-	...
138	Diseases of other male genital organs (not venereal)-----	-	-	...	-	...	-	-	...	-	...
139	Diseases of female genital organs-----	53	...	38	...	15	3	...	3	...	-
139a	Diseases of ovaries, fallopian tubes, parametria-----	30	...	18	...	12	2	...	2	...	-
139b	Diseases of uterus-----	23	...	20	...	3	1	...	1	...	-
139c	Diseases of other female genital organs*-----	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium-----	131	...	105	...	26	18	...	18	...	-
140	Abortion with mention of infection-----	7	...	4	...	3	3	...	3	...	-
141	Abortion without mention of infection-----	6	...	4	...	2	3	...	3	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*-----	2	...	2	...	-	2	...	2	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*-----	2	...	1	...	1	-	...	-	...	-
141d-f	Other abortions (nonseptic)*-----	2	...	1	...	1	1	...	1	...	-
142	Ectopic gestation-----	4	...	3	...	-1	2	...	2	...	-
142a	Ectopic gestation, with mention of infection-----	-	...	-	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection-----	4	...	3	...	1	1	...	1	...	-
143	Hemorrhage of pregnancy (death before delivery)-----	3	...	2	...	1	-	...	-	...	-
144	Toxemia of pregnancy (death before delivery)-----	18	...	15	...	3	1	...	1	...	-
145	Other diseases of pregnancy (death before delivery)*-----	5	...	5	...	-	2	...	2	...	-
145a	With mention of infection-----	5	...	5	...	-	2	...	2	...	-
145b	Without mention of infection-----	-	...	-	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium-----	19	...	17	...	2	2	...	2	...	-
147	Infection during childbirth and puerperium-----	23	...	20	...	3	3	...	3	...	-
148	Puerperal toxemia (excluding death before delivery)-----	28	...	21	...	7	1	...	1	...	-
149	Other accidents and specified conditions of childbirth-----	12	...	10	...	2	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium-----	6	...	4	...	2	1	...	1	...	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

491

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

NEBRASKA						NEVADA						NEW HAMPSHIRE						NEW JERSEY						Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
389	216	169	1	3	36	25	6	1	4	213	111	102	-	-	1,022	542	398	42	40	95					
26	14	12	-	-	2	1	1	-	-	-	-	-	-	-	24	12	10	-	2	95a					
29	7	22	-	-	-	-	-	-	-	35	10	23	-	-	326	136	166	11	13	95b					
334	195	135	1	3	34	24	5	1	4	180	101	79	-	-	672	394	282	31	25	95c					
14	10	3	-	1	1	1	-	-	-	5	4	1	-	-	74	38	30	5	1	96					
214	112	97	2	3	15	11	4	-	-	213	103	110	-	-	907	411	487	13	16	97					
8	5	3	-	-	1	-	-	-	1	1	-	1	-	-	10	2	5	1	2	98					
22	13	9	-	-	5	3	2	-	-	6	5	1	-	-	61	33	24	1	3	99					
11	4	6	-	1	2	1	1	-	-	10	5	5	-	-	33	14	16	1	2	100					
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	101					
17	6	11	-	-	2	1	1	-	-	4	1	3	-	-	39	15	20	2	2	102					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	103					
578	306	245	12	15	93	51	28	9	5	320	170	149	1	-	1,860	923	716	128	93						
5	3	2	-	-	1	-	1	-	-	-	-	-	-	-	9	3	4	1	1	104					
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	1	-	105					
21	13	7	1	-	3	3	-	-	-	15	8	7	-	-	100	55	35	4	6	106					
180	93	78	3	6	32	17	14	1	-	136	71	64	1	-	729	351	299	46	33	107					
134	72	51	4	7	34	18	8	4	4	89	48	40	-	-	623	308	224	54	37	108					
109	59	45	3	2	10	3	4	2	1	27	11	16	-	-	98	44	42	7	5	109					
31	20	10	-	1	2	-	2	-	-	11	5	6	-	-	40	18	18	3	1	109a					
78	38	35	3	1	9	5	2	2	1	16	8	10	-	-	58	28	24	4	4	109b					
9	6	2	1	-	1	1	-	-	-	2	1	1	-	-	48	29	12	3	4	110					
75	34	41	-	-	6	4	-	2	-	31	20	11	-	-	117	57	51	7	2	111					
25	13	12	-	-	3	3	-	-	-	15	6	9	-	-	73	37	31	1	4	112					
4	2	2	-	-	1	-	1	-	-	-	-	-	-	-	6	5	1	-	-	113					
13	9	4	-	-	2	2	-	-	-	5	4	1	-	-	51	33	13	4	1	114					
1	1	-	-	-	2	2	-	-	-	2	2	-	-	-	7	6	1	-	-	114a,b					
12	8	4	-	-	-	-	-	-	-	3	2	1	-	-	44	27	12	4	1	114c-e					
584	326	247	7	4	62	36	20	2	4	252	150	102	-	-	1,986	1,102	758	59	47						
19	7	12	-	-	3	1	2	-	-	3	1	2	-	-	44	27	16	1	-	115					
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4	-	1	116					
75	39	14	1	1	10	7	2	1	-	42	30	12	-	-	279	228	40	8	3	117					
43	35	6	1	1	9	7	2	-	-	20	13	7	-	-	185	151	26	5	3	117a					
32	24	8	-	-	1	-	-	1	-	22	17	5	-	-	94	77	14	3	-	117b					
19	6	13	-	-	-	-	-	-	-	3	3	-	-	-	13	10	3	-	-	118					
36	20	14	1	1	6	4	1	-	1	26	15	11	-	-	102	56	35	10	4	119					
20	10	8	1	1	5	-	-	-	-	6	3	3	-	-	59	32	22	3	2	120					
50	31	19	-	-	5	2	2	-	1	19	16	3	-	-	175	110	54	4	7	121					
130	68	58	3	1	11	7	3	1	-	51	26	25	-	-	363	161	177	13	12	122					
59	38	20	1	1	6	5	1	-	-	34	18	16	-	-	152	67	78	6	1	122a					
71	30	39	2	1	5	2	2	1	-	17	8	9	-	-	211	94	99	7	11	122b					
17	13	4	-	-	-	-	-	-	-	4	3	1	-	-	61	32	24	3	2	123					
106	64	41	1	1	16	10	5	-	1	54	36	18	-	-	553	333	203	14	5	124					
9	6	-	-	-	5	3	2	-	-	8	6	2	-	-	46	25	19	2	-	124a					
97	56	40	1	-	11	7	3	-	1	48	30	16	-	-	509	309	184	12	5	124b					
19	7	12	-	-	2	-	-	-	-	5	4	1	-	-	44	10	27	1	6	125					
47	17	30	-	-	2	-	1	-	1	20	6	14	-	-	145	49	96	-	-	126					
28	12	14	-	-	6	4	2	-	-	9	1	8	-	-	59	14	42	1	1	127					
8	5	3	-	-	1	1	-	-	-	3	1	2	-	-	41	29	11	-	1	128					
9	5	4	-	-	-	-	-	-	-	7	5	2	-	-	21	11	6	1	3	129					
897	526	355	12	4	85	35	24	1	5	346	193	151	1	1	3,087	1,517	1,264	150	156						
25	16	8	1	-	1	1	-	-	-	3	3	-	-	-	64	36	20	4	4	130					
690	375	304	8	3	50	30	17	1	2	284	145	138	-	-	2,546	1,185	1,133	113	135	131					
527	292	237	6	2	59	25	11	1	2	221	109	111	-	-	2,056	921	935	93	107	131a					
163	93	67	2	1	11	5	6	-	-	63	36	27	-	-	490	244	198	20	28	131b					
38	27	11	-	-	3	1	1	-	1	6	2	3	1	-	77	38	23	11	5	132					
23	11	12	-	-	6	-	5	-	1	14	8	6	-	-	85	46	53	3	3	133					
16	12	4	-	-	-	-	-	-	-	4	4	-	-	-	54	37	18	2	-	134					
10	3	7	-	-	1	-	-	-	1	2	2	-	-	-	28	8	17	2	1	135					
1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	8	1	1	-	-	136					
85	52	33	3	...	3	3	...	-	...	27	27	...	-	...	195	163	...	12	...	137					
73	70	3	3	...	3	8	...	-	...	22	22	...	-	...	180	170	...	10	...	137a					
12	12	...	...	...	...	...	...	-	...	5	5	...	-	...	15	13	...	2	...	137b					
-	-	...	-	-	-	-	...	-	...	-	-	...	-	...	-	-	-	-	-	138					
9	...	8	...	1	1	...	1	...	-	4	...	4	...	-	30	...	22	...	8	139					
5	...	4	...	1	1	...	1	...	-	1	...	1	...	-	18	...	12	...	6	139a					
4	...	4	...	-	-	...	-	...	-	2	...	2	...	-	11	...	9	...	2	139b					
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	139c					
29	...	29	...	-	6	...	3	...	3	14	...	14	...	-	124	...	105	...	19						
2	...	2	...	-	-	...	-	...	-	2	...	-	...	-	11	...	8	...	3	140					
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	10	...	8	...	2	141					
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	5	...	5	...	-	141a,c					
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	141b					
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	141d-f					
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	9	...	6	...	3	142					
1	...	1	...	-	-	...	-	...	-	1	...	1													



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI						MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite			
			Male	Female	Male	Female		Male	Female	Male	Female		
	XII.—Diseases of the skin and cellular tissue-----	21	10	8	1	2	1	1	-	-	-	-	
151	Carbuncle and furuncle-----	1	1	-	-	-	-	-	-	-	-	-	
152	Phlegmon and acute abscess-----	4	2	1	1	-	-	-	-	-	-	-	
153	Other diseases of skin and cellular tissue-----	16	7	7	-	2	1	1	-	-	-	-	
	XIII.—Diseases of the bones, etc.*-----	17	7	4	5	1	1	1	-	-	-	-	
154	Osteomyelitis and perionitis-----	11	4	2	4	1	-	-	-	-	-	-	
155	Other diseases of bones (except tuberculosis)-----	3	1	1	1	-	-	-	-	-	-	-	
156	Diseases of joints, other organs of movement-----	3	2	1	-	-	1	1	-	-	-	-	
157	XIV.—Congenital malformations-----	478	247	205	13	13	67	41	24	2	-	-	
157a-d	Congenital malformations of central nervous system-----	112	48	56	4	4	20	14	6	-	-	-	
157e,f	Congenital malformations of cardiovascular system-----	265	137	117	7	4	56	22	12	2	-	-	
157g,h,m	Other congenital malformations-----	101	52	32	2	5	11	5	6	-	-	-	
	XV.—Diseases peculiar to the first year of life-----	1,429	758	485	107	79	256	149	90	10	7	-	
158	Congenital debility (cause not stated)-----	53	24	17	9	3	7	3	1	3	-	-	
159	Premature birth (cause not stated)-----	929	488	308	74	59	148	84	57	3	4	-	
160	Injury at birth-----	234	126	92	8	8	62	40	19	2	1	-	
161	Other diseases peculiar to first year of life-----	213	120	68	16	9	39	22	13	2	2	-	
162	XVI.—Senility-----	259	113	129	10	7	70	43	25	2	2	-	
	XVII.—Violent or accidental deaths-----	5,614	2,113	1,102	295	104	637	463	147	23	4	-	
163, 164	Suicide-----	516	370	126	11	9	98	76	20	1	1	-	
163	Suicide by poisoning-----	105	58	44	-	3	10	8	5	-	1	-	
164	Suicide by other means-----	411	312	82	11	6	88	70	17	1	-	-	
165-168	Homicide <sup>1</sup> -----	284	97	31	130	26	22	15	7	-	-	-	
166	Homicide by firearms-----	155	51	16	73	15	14	9	5	-	-	-	
167	Homicide by cutting or piercing instruments-----	63	14	3	37	9	-	-	-	-	-	-	
168	Homicide by other means-----	66	32	12	20	2	8	6	2	-	-	-	
169-185	Accidental deaths-----	2,812	1,648	945	158	69	517	372	120	22	3	-	
169	Railway accidents (except collisions with motor vehicles)-----	89	72	9	8	-	18	14	-	2	-	-	
170	Motor-vehicle accidents-----	630	614	169	37	10	168	115	41	9	1	-	
170a	Collisions between automobiles and trains-----	45	33	12	-	-	9	4	5	-	-	-	
170b	Collisions between automobiles and streetcars-----	10	6	3	1	-	-	-	-	-	-	-	
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	758	560	153	35	10	154	108	36	9	1	-	
170d	Motorcycle accidents (exc. collisions with automobiles)-----	17	15	1	1	-	3	3	-	-	-	-	
171	Streetcar and other road-transport accidents-----	32	20	10	-	2	-	-	-	-	-	-	
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	28	18	9	-	1	-	-	-	-	-	-	
171b	Other and unspecified road-transport accidents-----	4	2	1	-	1	-	-	-	-	-	-	
172	Water-transport accidents-----	22	20	2	-	-	2	1	1	-	-	-	
173	Air-transport accidents-----	43	40	3	-	-	12	10	2	-	-	-	
174	Accidents in mines and quarries-----	9	9	-	-	-	21	21	-	-	-	-	
175	Agricultural and forestry accidents-----	75	69	4	2	-	36	36	-	-	-	-	
175a-c	Agricultural accidents-----	71	65	4	2	-	33	33	-	-	-	-	
175d,e	Forestry accidents-----	4	4	-	-	-	3	3	-	-	-	-	
176	Other accidents involving machinery-----	22	18	1	3	-	7	7	-	-	-	-	
177	Food poisoning-----	10	6	2	1	1	2	1	1	-	-	-	
178	Accidental absorption of poisonous gas-----	35	19	12	3	1	5	4	1	-	-	-	
179	Acute accidental poisoning by solids or liquids-----	37	13	18	2	4	5	4	1	-	-	-	
180	Conflagration-----	102	44	28	17	13	10	6	4	-	-	-	
181	Accidental burns (except conflagration)-----	161	71	84	15	11	21	9	7	4	1	-	
182	Accidental mechanical suffocation-----	41	18	15	4	4	7	5	2	-	-	-	
183	Accidental drowning-----	112	88	14	8	2	34	26	5	2	1	-	
184	Accidental injury by firearms-----	73	57	7	7	2	28	26	2	-	-	-	
185	Accidental injury by cutting or piercing instruments-----	11	5	2	2	2	1	1	-	-	-	-	
186	Accidental injury by fall or crushing-----	949	322	490	24	12	109	58	49	2	-	-	
186a	Accidental injury by fall-----	935	313	488	22	12	108	57	49	2	-	-	
186b	Accidental injury by crushing-----	13	9	2	2	-	1	1	-	-	-	-	
187	Cataclysm, etc.*-----	2	1	1	-	-	3	3	-	-	-	-	
188	Injury by animals (except in agriculture and forestry)-----	4	3	1	-	-	-	-	-	-	-	-	
189	Hunger or thirst-----	1	1	-	-	-	-	-	-	-	-	-	
190	Excessive cold-----	7	4	1	2	-	1	1	-	-	-	-	
191	Excessive heat-----	11	9	1	1	-	1	1	-	-	-	-	
192	Lightning-----	8	5	3	-	-	6	6	-	-	-	-	
193	Accidents due to electric currents (except lightning)-----	16	16	-	-	-	1	1	-	-	-	-	
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	1	1	-	-	-	-	-	-	-	-	-	
195	Other accidents-----	180	101	68	16	5	23	16	4	3	-	-	
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	1	-	1	-	-	-	
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	1	-	-	1	-	-	
195d	Obstruction, suffocation, etc.*-----	27	16	10	-	1	3	1	1	1	-	-	
195c,e	Other and unspecified accidents-----	163	85	58	16	4	18	15	2	1	-	-	
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-	-	
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-	-	
198	Legal executions-----	2	-	-	2	-	-	-	-	-	-	-	
	XVIII.—Ill-defined and unknown causes-----	231	141	62	18	12	98	66	16	9	7	-	
199	Sudden death-----	8	5	1	2	-	4	3	1	-	-	-	
200	Ill-defined and unknown causes-----	223	136	61	14	12	94	63	15	9	7	-	
200a	Ill-defined causes-----	124	79	31	8	8	71	57	10	3	1	-	
200b,c	Unknown or unspecified causes-----	99	57	30	6	4	23	6	5	6	6	-	

<sup>1</sup>Refer to International List for complete title, table V, Part I.

\*Includes figures for infanticide (165).



## GENERAL TABLES—DEATHS FROM EACH CAUSE

493

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NEBRASKA						NEVADA						NEW HAMPSHIRE						NEW JERSEY						Int. List No.	
Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		Total Deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
8	3	5	-	-	2	1	1	-	-	2	2	-	-	-	22	8	13	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	
6	2	4	-	-	2	1	1	-	-	-	-	-	-	-	18	4	13	1	-	-	-	-	-	-	
9	4	5	-	-	-	-	-	-	-	6	3	3	-	-	35	22	8	-	-	-	-	-	-	-	
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	11	7	1	-	-	-	-	-	-	-	
3	-	3	-	-	-	-	-	-	-	3	-	3	-	-	11	8	3	-	-	-	-	-	-	-	
4	2	2	-	-	-	-	-	-	-	2	2	-	-	-	13	7	4	-	-	-	-	-	-	-	
151	91	59	-	1	13	6	5	-	-	86	49	37	-	-	539	261	241	18	19	-	-	-	-	-	
35	18	16	-	1	1	-	1	-	-	30	11	19	-	-	202	86	102	7	7	-	-	-	-	-	
75	50	25	-	-	7	5	2	-	-	38	25	13	-	-	230	117	98	5	9	-	-	-	-	-	
41	23	18	-	-	5	3	2	-	-	18	13	5	-	-	107	58	40	6	3	-	-	-	-	-	
529	307	211	6	5	75	43	28	2	2	172	103	68	1	-	1,618	989	559	103	67	-	-	-	-	-	
6	1	4	1	-	2	1	1	-	-	6	3	3	-	-	24	15	6	2	1	-	-	-	-	-	
373	216	149	4	4	46	28	16	2	-	101	58	41	1	-	1,034	551	348	81	53	-	-	-	-	-	
99	62	35	1	1	11	4	7	-	-	42	28	16	-	-	295	172	110	8	5	-	-	-	-	-	
51	28	23	-	-	16	10	4	-	2	23	15	8	-	-	265	151	94	12	8	-	-	-	-	-	
231	109	119	3	-	10	5	2	3	-	27	8	19	-	-	174	57	108	6	3	-	-	-	-	-	
1,092	724	337	22	9	237	175	43	17	2	419	274	144	-	1	3,179	1,957	955	206	61	-	-	-	-	-	
163	127	35	1	-	41	30	8	2	1	65	54	11	-	-	576	394	159	17	6	-	-	-	-	-	
31	17	13	1	-	8	5	3	-	-	10	8	2	-	-	225	119	98	3	5	-	-	-	-	-	
132	110	22	-	-	33	25	5	2	1	55	46	9	-	-	351	275	61	14	1	-	-	-	-	-	
27	12	3	9	3	9	5	1	3	-	4	1	2	-	1	107	40	24	80	13	-	-	-	-	-	
14	7	3	3	1	5	4	-	1	1	1	-	1	-	-	31	13	8	7	3	-	-	-	-	-	
8	-	-	6	2	1	-	-	1	-	-	-	-	-	-	36	10	4	14	8	-	-	-	-	-	
5	5	-	-	-	3	1	1	1	-	3	1	1	-	1	40	17	12	9	2	-	-	-	-	-	
902	585	299	12	6	186	139	34	12	1	350	219	131	-	-	2,495	1,522	772	159	42	-	-	-	-	-	
33	24	9	-	-	15	12	1	2	-	6	6	-	-	-	59	48	7	3	1	-	-	-	-	-	
289	213	72	2	2	84	48	10	6	-	100	71	29	-	-	787	541	156	53	7	-	-	-	-	-	
33	28	5	-	-	1	-	1	-	-	7	3	4	-	-	17	15	-	2	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	
252	181	67	2	2	82	47	9	6	-	92	67	25	-	-	718	510	153	48	7	-	-	-	-	-	
3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	20	16	3	1	-	-	-	-	-	-	
5	3	1	1	-	-	-	-	-	-	2	2	-	-	-	11	8	3	-	-	-	-	-	-	-	
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	
2	1	1	-	-	-	-	-	-	-	2	2	-	-	-	4	2	2	-	-	-	-	-	-	-	
19	16	3	-	-	4	2	2	-	-	7	7	-	-	-	21	19	1	-	1	-	-	-	-	-	
2	2	-	-	-	8	8	-	-	-	2	2	-	-	-	40	38	2	-	-	-	-	-	-	-	
58	50	7	1	-	4	4	-	-	-	11	11	-	-	-	12	11	1	-	-	-	-	-	-	-	
58	50	7	1	-	4	4	-	-	-	8	8	-	-	-	23	18	1	4	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	25	18	1	4	-	-	-	-	-	-	
11	11	-	-	-	-	-	-	-	-	3	3	-	-	-	25	20	2	3	-	-	-	-	-	-	
3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	6	2	2	2	-	-	-	-	-	-	
15	8	6	1	-	2	2	2	-	-	8	6	2	-	-	110	73	34	2	1	-	-	-	-	-	
7	4	3	-	-	4	1	2	1	-	8	4	4	-	-	37	22	10	4	1	-	-	-	-	-	
13	9	4	-	-	4	2	1	-	1	6	4	2	-	-	70	30	17	16	7	-	-	-	-	-	
38	17	19	1	1	7	6	1	-	-	17	9	8	-	-	98	63	27	5	3	-	-	-	-	-	
18	11	5	2	-	3	2	1	-	-	9	4	5	-	-	52	25	18	6	3	-	-	-	-	-	
50	39	11	-	-	9	7	1	-	-	23	19	4	-	-	150	106	15	25	4	-	-	-	-	-	
25	20	3	2	-	8	8	-	-	-	10	8	2	-	-	33	25	5	2	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	7	5	-	-	-	-	-	-	-	-	
259	113	144	1	1	16	8	8	-	-	110	43	67	-	-	835	378	426	21	10	-	-	-	-	-	
259	113	144	1	1	16	8	8	-	-	108	42	66	-	-	829	372	426	21	10	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	6	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	1	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-
7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
7	7	-	-	-	3	3	-	-	-	4	4	-	-	-	15	12	2	1	-	-	-	-	-	-	-
1	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	21	5	1	1	20	15	4	1	-	19	11	8	-	-	127	72	42	12	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	4	1	1	-	3	2	1	-	-	4	1	3	-	-	23	14	7	2	-	-	-	-	-	-	-
22	17	4	-	1	17	13	3	1	-	15	10	5	-	-	103	57	35	10	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5																									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21-DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO						NEW YORK					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	ALL CAUSES	5,436	2,837	1,977	338	284	152,666	78,969	65,500	4,609	3,968		
	I.—Infectious and parasitic diseases	680	356	184	76	64	8,200	4,580	2,007	1,008	625		
1	Typhoid fever	1	-	1	-	-	11	5	5	1	-	-	-
2	Paratyphoid fever	-	-	-	-	-	1	1	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	1	-	-	3	2	1	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	5	3	2	-	-	121	52	45	12	4	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	1	-	-	-	11	5	4	1	1	-	-
9	Whooping cough	22	13	9	-	1	65	30	29	1	3	-	-
10	Diphtheria (infection by C. diphtheriae)	12	3	2	1	6	50	28	19	1	2	-	-
11	Erysipelas	1	-	1	-	-	12	6	5	-	-	-	-
12	Tetanus	-	-	-	-	-	3	3	-	-	-	-	-
13-22	Tuberculosis (all forms)	398	192	96	98	42	5,601	3,160	1,275	687	479	-	-
13	Tuberculosis of respiratory system, etc.*	341	182	83	44	32	5,237	3,019	1,167	618	435	-	-
14	Tuberculosis of meninges, etc.*	21	-	5	11	5	84	32	22	24	6	-	-
15	Tuberculosis of intestines and peritoneum	7	1	-	3	3	47	16	12	10	9	-	-
16	Tuberculosis of vertebral column	4	2	2	-	-	40	16	15	6	5	-	-
17	Tuberculosis of bones and joints, etc.*	1	-	1	-	-	8	4	2	2	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	2	1	1	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	8	1	5	1	1	-	-
20	Tuberculosis of genito-urinary system	3	2	1	-	-	41	21	15	3	2	-	-
21	Tuberculosis of other organs	3	1	1	-	1	14	5	6	2	1	-	-
22	Disseminated tuberculosis	6	4	3	-	1	120	45	32	21	22	-	-
23	Leprosy	-	-	-	-	-	1	-	1	-	-	-	-
24	Septicemia and purulent infection (nongonorrheal)	2	-	2	-	-	35	22	11	1	1	-	-
25	Gonococcus infection	2	-	1	1	-	19	6	-	4	9	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	67	41	24	-	2	35	11	21	2	1	-	-
28	Malaria	1	1	-	-	-	3	2	1	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	1	-	-	-	-	1	-	-	-	-	-	-
30	Syphilis (all forms)	76	47	13	10	6	1,509	717	234	276	102	-	-
30a	Locomotor ataxia (tabes dorsalis)	2	-	1	1	-	65	48	11	4	2	-	-
30b	General paralysis of insano	16	12	4	-	-	429	261	61	96	20	-	-
30c	Aneurysm of aorta	10	6	1	1	2	281	175	59	50	17	-	-
30d	Congenital syphilis	9	1	3	3	2	25	4	10	8	3	-	-
30e,g	Syphilis (other forms)	39	28	4	5	2	510	239	93	118	60	-	-
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	-	2	-	-	37	16	18	2	1	-	-
33	Influenza	64	37	21	2	4	312	148	148	9	7	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	13	2	5	3	3	64	28	32	2	2	-	-
36	Poliomyelitis and polioencephalitis (acute)	10	9	1	-	-	64	49	15	-	-	-	-
37	Acute infectious encephalitis (lethargic)	-	-	-	-	-	117	64	46	4	3	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	6	4	2	-	-	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	4	1	3	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	5	3	2	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	3	1	2	-	-	-	-
43	Mycoses	1	-	1	-	-	27	18	8	1	-	-	-
44	Other infectious and parasitic diseases	11	7	3	1	-	282	188	102	4	8	-	-
	II.—Cancer and other tumors	417	182	214	10	11	24,607	11,778	11,833	489	537	-	-
45-55	Cancer and other malignant tumors	400	179	202	10	9	25,989	11,548	11,500	447	494	-	-
45	Cancer of buccal cavity and pharynx	7	4	3	-	-	735	594	114	25	2	-	-
45a	Cancer of lip	1	-	1	-	-	54	51	3	-	-	-	-
45b	Cancer of tongue	-	-	-	-	-	252	202	39	10	1	-	-
45c	Cancer of mouth	1	-	1	-	-	117	94	21	2	-	-	-
45d	Cancer of jaw bones	2	1	1	-	-	82	64	15	3	-	-	-
45e	Cancer of unspecified parts of buccal cavity	-	-	-	-	-	12	11	1	-	-	-	-
45f	Cancer of pharynx	3	3	-	-	-	218	172	35	10	1	-	-
46	Cancer of digestive organs and peritoneum	202	97	95	8	4	11,058	5,866	4,796	224	172	-	-
46a	Cancer of esophagus	3	1	2	-	-	613	443	117	43	10	-	-
46b	Cancer of stomach	92	48	40	3	1	5,222	1,879	1,196	87	60	-	-
46c	Cancer of duodenum	2	2	-	-	-	42	25	15	1	1	-	-
46d	Cancer of rectum and anus	11	5	5	1	-	1,743	1,011	692	17	23	-	-
46e	Cancer of intestines, etc.*	37	12	22	2	1	3,161	1,380	1,705	30	46	-	-
46f	Cancer of liver and biliary passages	35	16	16	2	1	1,086	474	574	24	14	-	-
46g	Cancer of pancreas	13	9	4	-	-	925	528	367	17	13	-	-
46h	Cancer of mesentery and peritoneum	3	1	2	-	-	169	79	93	2	5	-	-
46m	Cancer of other and unspecified sites	6	3	2	-	1	97	47	47	3	-	-	-
47	Cancer of respiratory system	29	19	8	2	-	2,512	1,992	429	73	18	-	-
47a	Cancer of larynx	4	4	-	-	-	347	314	28	5	-	-	-
47b,c	Cancer of trachea and bronchus	8	4	3	1	-	661	568	68	23	2	-	-
47d	Cancer of lung	14	10	3	1	-	1,399	1,040	305	39	14	-	-
47e	Cancer of pleura	1	-	1	-	-	14	9	4	1	-	-	-
47f	Cancer of other respiratory organs	2	1	1	-	-	91	61	23	5	2	-	-
48	Cancer of uterus	49	...	48	...	1	1,768	...	1,628	...	140	-	-
48a	Cancer of cervix	29	...	28	...	1	1,020	...	912	...	108	-	-
48b	Cancer of other and unspecified sites of uterus	20	...	20	...	-	748	...	716	...	32	-	-
49	Cancer of other female genital organs	6	...	6	...	-	854	...	818	...	36	-	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	4	...	4	...	-	752	...	718	...	34	-	-
49c-e	Cancer of other female genital organs	2	...	2	...	-	102	...	100	...	2	-	-
50	Cancer of breast	28	...	25	...	3	2,559	...	2,441	...	78	-	-
51	Cancer of male genital organs	29	29	...	...	...	1,132	1,139	...	53	...	-	-
51a	Cancer of prostate	24	24	...	...	...	1,069	1,025	...	44	...	-	-
51b,c-e	Cancer of other male genital organs	5	5	...	...	...	123	114	...	9	...	-	-
52	Cancer of urinary organs	10	8	2	-	-	1,168	783	352	19	14	-	-
52a	Cancer of kidney	5	4	1	-	-	365	242	117	2	4	-	-
52b	Cancer of bladder	5	4	1	-	-	785	532	229	16	8	-	-
52c	Cancer of other and unspecified sites	-	-	-	-	-	18	9	6	1	2	-	-
53	Cancer of skin, etc.*	7	6	1	-	-	362	197	157	6	2	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

495

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28,724	11,082	8,014	5,112	4,516	5,080	3,082	1,908	69	56	78,464	40,485	32,475	3,094	2,410	18,620	9,792	6,609	1,163	1,056	
2,075	560	396	620	499	211	108	74	14	15	4,473	2,236	1,332	552	353	1,353	625	392	167	169	
7	4	-	1	2	1	1	-	-	-	13	5	6	1	1	7	3	1	2	1	1
1	-	1	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	-	1	-	-	-	1	-	-	-	6	3	3	-	-	-	-	-	-	-	4
30	13	11	4	2	4	3	1	-	-	57	30	24	2	1	13	6	5	-	2	5
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	6
5	2	-	-	1	1	-	-	-	-	22	14	8	-	-	6	3	3	-	-	7
99	10	15	13	21	1	1	-	-	-	60	26	26	5	3	25	8	7	2	8	8
46	14	18	9	5	7	7	-	-	-	51	32	16	1	2	28	11	10	3	2	9
7	2	2	3	1	1	-	-	-	-	3	3	-	-	-	1	1	-	-	-	10
10	6	1	1	2	1	-	-	-	-	19	8	5	4	2	1	3	1	2	-	11
1,182	282	190	386	324	96	47	28	9	12	2,593	1,246	708	375	254	708	309	192	97	110	12
1,096	264	177	349	306	78	41	23	6	8	2,370	1,166	636	349	219	656	293	171	89	103	13-22
27	5	4	12	6	9	1	2	2	4	66	21	21	5	9	18	8	8	1	3	13
16	3	1	5	7	1	1	-	-	-	47	13	10	7	17	11	4	3	3	1	14
4	1	1	1	1	1	-	-	-	-	27	9	9	5	4	4	1	2	1	-	15
1	-	-	-	-	2	-	1	1	-	6	6	3	-	-	4	2	1	1	-	16
-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	17
3	1	1	1	-	2	1	1	-	-	27	12	12	2	1	2	1	1	-	1	18
1	-	1	-	-	-	-	-	-	-	9	6	3	-	-	-	-	-	-	-	19
34	8	5	17	4	2	2	-	-	-	36	13	13	6	4	12	2	6	2	2	20
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	21
16	8	4	2	2	3	3	-	-	-	27	15	9	1	2	18	6	9	3	-	22
6	-	-	-	6	-	-	-	-	-	6	4	1	-	1	5	1	2	-	2	23
6	3	1	1	1	2	1	1	-	-	2	1	-	-	-	2	2	-	-	-	24
13	2	3	4	4	6	1	-	2	3	13	7	5	1	-	10	3	2	1	1	25
8	2	2	3	1	-	-	-	-	-	3	3	-	-	-	12	3	3	2	4	26
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	27
245	59	18	119	49	29	19	7	3	-	785	426	168	133	61	197	124	26	26	19	28
1	-	-	1	-	3	3	-	-	-	45	29	13	1	2	6	5	-	-	1	29
48	9	7	31	1	3	2	1	-	-	265	140	48	57	20	74	58	9	5	2	30a
42	23	4	12	3	11	8	2	1	1	148	89	30	21	8	41	23	7	6	3	30b
30	6	3	15	8	3	6	2	-	-	23	12	5	1	5	9	-	1	2	6	30c
124	21	4	62	37	9	8	2	1	1	304	153	72	53	26	67	38	9	13	7	30d, e, g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
8	3	3	-	2	1	1	-	-	-	17	11	3	2	1	4	-	4	-	-	32
269	66	77	51	55	22	8	14	-	-	489	212	236	19	22	193	74	87	19	13	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	34
43	11	10	12	10	26	10	16	-	-	27	16	11	-	-	30	11	13	2	4	35
16	9	5	1	1	1	1	1	-	-	59	37	19	3	-	34	19	12	1	1	36
4	3	-	1	-	2	-	-	-	-	52	31	21	-	-	9	7	1	-	-	37
1	-	-	1	-	-	-	-	-	-	12	5	7	-	-	2	1	1	-	-	38
29	11	15	1	2	-	-	-	-	-	3	2	1	-	-	6	2	2	2	-	39
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	42
18	5	3	4	4	3	-	3	-	-	16	12	3	1	-	5	1	3	1	-	43
47	25	15	3	4	6	5	1	-	-	137	85	48	3	1	33	24	8	1	-	44
2,653	931	1,094	246	382	708	377	323	3	5	10,955	4,890	5,507	256	302	2,351	1,050	1,114	79	108	
2,523	906	1,042	232	343	675	365	305	3	4	10,628	4,784	5,323	246	275	2,263	1,030	1,058	77	98	45-55
78	37	28	8	5	20	15	5	-	-	278	210	53	12	3	91	70	17	4	-	45
8	-	-	-	-	4	3	-	-	-	31	30	1	-	-	13	13	-	-	-	45a
10	5	3	1	1	4	3	1	-	-	61	59	18	3	1	7	5	1	1	-	45b
16	6	10	3	1	1	1	-	-	-	36	25	7	4	-	9	4	5	-	-	45c
20	7	9	3	1	1	1	-	-	-	40	29	10	-	1	24	17	6	1	-	45d
-	-	-	-	-	-	-	-	-	-	6	4	1	-	-	-	-	-	-	-	45e
24	11	6	4	3	10	7	3	-	-	84	63	16	5	-	38	31	5	2	-	45f
906	397	368	128	93	339	199	137	2	1	4,700	2,384	2,093	133	90	941	462	413	32	34	46
32	13	12	7	6	11	11	-	-	-	187	136	54	14	3	20	8	8	4	-	46a
346	152	105	55	34	189	110	48	1	1	1,451	875	498	49	29	301	169	112	11	9	46b
4	1	2	1	-	1	-	1	-	-	26	14	11	-	1	9	5	3	1	-	46c
91	44	38	5	4	30	15	15	-	-	583	305	248	16	14	75	40	30	5	-	46d
219	89	108	21	21	63	28	34	1	-	1,326	574	708	19	25	230	84	182	6	8	46e
166	62	62	23	19	46	18	28	-	-	670	253	382	20	15	194	85	88	5	16	46f
97	46	31	13	7	23	15	7	-	1	334	171	151	10	2	92	59	32	-	1	46g
14	6	5	1	2	4	2	2	-	-	69	31	37	1	-	13	7	6	-	-	46h
11	4	5	2	2	2	-	2	-	-	54	25	24	4	1	7	5	2	-	-	46i
175	114	29	17	15	48	36	11	1	-	818	616	159	32	11	151	106	36	7	2	47
20	18	1	3	3	1	1	-	-	-	97	79	11	4	3	10	9	1	-	-	47a
30	19	4	3	3	14	11	2	1	-	229	189	26	13	1	26	20	4	2	-	47b, c
114	71	25	9	11	30	23	7	-	-	452	317	114	14	7	106	73	27	4	2	47d
2	1	-	-	-	-	-	-	-	-	7	7									



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO				NEW YORK					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	2	1	1	-	-	448	258	172	8	10
55	Cancer of other and unspecified organs	31	15	15	-	1	1,333	679	593	39	22
56,57	Nonmalignant tumors and tumors of unspecified nature	17	3	12	-	2	618	280	333	12	43
58	Nonmalignant tumors (including dermoid cysts)	12	1	10	-	1	404	89	262	7	36
58a-c	Nonmalignant tumors of female genital organs	11	...	10	...	1	222	...	192	...	30
58d	Nonmalignant tumors of central nervous system*	1	1	-	-	-	100	46	46	5	3
58e	Nonmalignant tumors of other and unspecified organs	-	-	-	-	-	82	53	24	2	3
57	Tumors of unspecified nature	5	2	2	-	1	214	131	71	5	7
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	4	...	4	...	-
57d	Tumors, central nervous system* (nature unspecified)	2	1	1	-	-	127	79	42	1	5
57e	Tumors, other organs (nature unspecified)	3	1	1	-	1	83	52	25	4	2
	III.—Rheumatism, diseases of nutrition, etc.*	103	41	58	3	1	6,107	2,011	3,845	67	184
58	Acute rheumatic fever	7	3	4	-	-	98	39	48	8	3
58a	Acute rheumatic pericarditis	-	-	-	-	-	8	4	3	1	-
58b	Acute rheumatic endocarditis	1	-	1	-	-	45	17	22	2	2
58c	Acute rheumatic myocarditis	2	1	1	-	-	3	-	2	1	-
58d	Other acute rheumatic heart diseases	1	-	1	-	-	21	9	11	1	-
58e,f	Other forms of acute rheumatic fever, etc.*	3	2	1	-	-	25	9	10	3	1
59	Chronic rheumatism, other rheumatic diseases	7	1	5	1	-	145	43	98	1	1
60	Gout	-	-	-	-	-	2	2	-	-	-
61	Diabetes mellitus	61	26	35	-	-	5,314	1,755	3,347	49	163
62	Diseases of pituitary gland	1	-	-	1	-	20	7	13	-	-
63	Diseases of thyroid and parathyroid glands	6	-	6	-	-	332	61	258	3	10
63a	Simple goiter	1	-	1	-	-	13	-	12	-	1
63b	Exophthalmic goiter	5	-	5	-	-	277	51	215	2	9
63c-e	Other diseases of thyroid and parathyroid glands	-	-	-	-	-	42	10	31	1	-
64	Diseases of thymus gland	10	5	4	1	-	91	56	30	2	3
65	Diseases of adrenal glands*	3	2	-	-	1	56	24	26	1	3
66	Other general diseases	4	2	2	-	-	23	10	12	1	-
67	Scurvy	1	1	-	-	-	2	1	1	-	-
68	Beriberi	-	-	-	-	-	2	-	2	-	-
69	Pellagra (except alcoholic)	3	1	2	-	-	9	5	3	-	1
70	Rickets	-	-	-	-	-	1	-	1	-	-
71	Other avitaminoses	-	-	-	-	-	14	8	4	2	-
	IV.—Diseases of the blood and blood-forming organs	45	21	22	1	1	1,102	590	477	19	16
72	Hemorrhagic conditions	9	4	4	-	1	46	16	26	1	3
73	Anemias (except splenic anemia)	10	3	6	1	-	202	96	96	4	6
73a	Pernicious anemia	5	2	3	-	-	123	49	69	1	4
73b-d	Other anemias (except splenic)	5	1	3	1	-	79	47	27	3	2
74	Leukemias and aleukemias	24	13	11	-	-	793	449	326	11	7
74a	Leukemias	23	12	11	-	-	759	424	318	11	6
74b	Aleukemias	1	1	-	-	-	34	25	8	-	1
75	Diseases of spleen	2	1	1	-	-	41	18	20	3	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	20	11	9	-	-
	V.—Chronic poisoning and intoxication	11	9	2	-	-	271	200	49	18	4
77	Alcoholism (ethylism)	10	8	2	-	-	259	194	43	18	4
78	Lead poisoning	1	1	-	-	-	3	3	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	9	3	6	-	-
	VI.—Diseases of the nervous system, etc.*	324	164	140	10	10	11,675	5,192	5,995	215	275
80	Encephalitis (nonepidemic)	10	6	4	-	-	65	39	22	1	3
81	Meningitis (not due to meningococcus)	12	7	4	-	1	149	77	39	18	15
82	Diseases of spinal cord (see exceptions)*	11	6	4	-	1	268	142	115	8	3
83	Intracranial lesions of vascular origin	250	126	110	7	7	10,313	4,471	5,463	160	219
83a	Cerebral hemorrhage or effusion	219	113	96	5	5	8,441	3,615	4,506	133	187
83b,c	Cerebral embolism, thrombosis, and softening	22	11	9	1	1	1,756	805	895	26	30
83d	Hemiplegia, other paralysis, etc.*	9	2	5	1	1	116	51	62	1	2
84	Mental diseases and deficiency (see exception)*	6	4	4	-	-	128	52	54	9	13
85	Epilepsy	7	4	2	1	-	212	131	60	11	10
86	Convulsions (under 5 years)	3	1	2	-	-	7	4	3	-	-
87	Other diseases of nervous system	12	7	5	-	-	455	231	208	7	9
88	Diseases of organs of vision	-	-	-	-	-	3	1	2	-	-
89	Diseases of ear and mastoid process	11	3	5	2	1	75	44	27	1	3
	VII.—Diseases of the circulatory system	862	516	317	13	16	61,747	33,091	26,272	1,165	1,219
90-95	Diseases of the heart (all forms)	800	479	292	13	16	59,174	31,394	24,519	1,102	1,159
90	Pericarditis (except acute rheumatic)	2	2	-	-	-	40	17	21	1	1
90a	Chronic rheumatic pericarditis	-	-	-	-	-	1	-	-	-	-
90b	Other pericarditis	2	2	-	-	-	39	17	21	1	-
91	Acute endocarditis (except rheumatic)	5	3	2	-	-	104	60	39	4	1
91a,b	Bacterial, acute, and subacute endocarditis	3	3	-	-	-	99	58	36	4	1
91c	Endocarditis (unspecified, under 45 years)	2	-	2	-	-	5	2	3	-	-
92	Chronic affections of valves and endocardium	121	47	65	3	6	3,227	1,514	1,602	52	59
92a	Diseases of aortic valve, etc.*	11	4	5	1	1	197	129	56	8	4
92b	Diseases of mitral valve, etc.*	43	20	18	1	4	1,145	501	601	18	25
92c	Chronic rheumatic endocarditis, etc.*	6	3	3	-	-	322	155	155	7	5
92d	Other chronic endocarditis, etc.*	53	16	36	1	-	1,482	686	753	19	24
92e	Endocarditis (unspecified, 45 years and over)	8	4	3	-	1	81	43	37	-	1
93	Diseases of the myocardium	334	182	137	8	7	36,515	17,570	17,285	764	896
93a	Acute myocarditis (except rheumatic)	9	5	4	-	-	199	87	102	6	4
93b	Myocarditis (unspecified, under 45 years)	4	4	-	-	-	22	13	5	2	2
93c	Chronic rheumatic myocarditis, etc.*	4	2	2	-	-	153	53	91	4	5
93d	Other chronic myocarditis, etc.*	275	151	113	6	5	35,501	17,065	16,813	747	876
93e	Other myocarditis (unspecified)	42	20	18	2	2	640	352	274	5	9
94	Diseases of coronary arteries, angina pectoris	234	171	60	-	3	15,990	11,137	4,532	204	117
94a	Diseases of coronary arteries	222	160	59	-	3	15,875	11,061	4,494	204	116
94b	Angina pectoris	12	11	1	-	-	115	76	38	-	1

\*Refer to International List for complete title, table V. Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

497

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

NORTH CAROLINA						NORTH DAKOTA						OHIO						OKLAHOMA						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female					
60	32	19	6	3	14	8	6	-	-	200	114	79	1	6	19	11	8	-	-	54				
219	91	88	19	21	46	27	19	-	-	835	393	403	26	13	198	100	82	7	9	55				
130	25	52	14	39	33	12	20	-	1	327	106	184	10	27	88	20	56	2	10	56,57				
63	6	24	4	29	16	3	13	-	-	189	41	122	2	24	38	3	28	-	-	56				
41	...	12	...	2	11	...	11	...	-	105	...	88	...	17	30	...	24	...	6	56a-c				
12	4	6	2	-	2	1	1	-	-	45	25	15	2	3	6	3	2	-	-	56d				
10	2	6	2	-	3	2	1	-	-	39	16	19	-	4	2	-	2	-	-	56e				
87	19	28	10	10	17	9	7	-	1	136	65	62	8	3	50	17	28	2	3	57				
4	...	2	...	2	-	...	2	...	-	2	...	2	...	-	4	...	3	...	1	57a-c				
43	17	16	5	5	10	7	2	-	1	93	43	41	7	2	32	12	18	1	1	57d				
20	2	10	5	3	7	2	5	-	-	43	22	19	1	1	14	5	7	1	1	57e				
737	275	292	53	117	190	84	101	2	3	2,657	880	1,640	46	91	497	210	224	22	31					
35	12	9	4	10	8	6	2	-	-	57	30	21	2	4	13	7	5	-	1	58				
2	1	-	-	-	-	3	1	-	-	4	3	-	-	1	-	-	-	-	-	58a				
9	4	-	-	-	5	4	1	-	-	14	7	6	1	-	3	2	1	-	-	58b				
7	2	-	4	1	1	-	1	-	-	7	2	4	-	-	-	-	-	-	-	58c				
4	2	2	-	-	1	1	-	-	-	14	7	5	1	1	2	-	2	-	-	58d				
13	3	7	-	3	2	2	-	-	-	18	11	6	-	1	8	5	2	-	1	58e,f				
39	10	17	2	10	8	3	5	-	-	120	38	78	1	3	37	13	20	3	1	59				
498	206	191	34	67	153	64	85	2	2	2,123	703	1,309	35	76	351	165	146	15	25	60				
1	-	1	-	-	-	-	-	-	-	10	7	2	1	-	4	-	4	-	-	61				
34	3	17	2	12	8	1	7	-	-	218	42	169	2	5	29	5	19	1	3	62				
3	-	1	-	2	-	-	-	-	-	13	2	10	1	-	2	-	2	-	-	63				
25	1	14	1	9	7	1	6	-	-	195	38	151	1	5	19	1	14	1	3	63a				
6	2	2	1	1	1	-	1	-	-	10	2	8	-	-	7	4	3	-	-	63b				
28	13	9	4	2	7	7	-	-	-	59	31	23	3	2	10	4	5	1	-	63c-e				
4	-	3	-	1	3	1	2	-	-	29	11	17	1	-	3	-	3	-	-	64				
18	9	2	3	4	2	2	-	-	-	22	9	11	1	1	10	5	4	-	1	65				
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	66				
73	19	41	3	10	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	67				
1	-	-	1	-	-	-	-	-	-	9	3	6	-	-	27	9	17	1	-	68				
5	3	2	-	-	1	-	-	-	-	5	5	-	-	-	3	2	-	1	-	69				
207	84	76	25	22	51	35	16	-	-	580	318	235	16	11	161	85	65	6	5	70				
20	8	4	3	5	6	3	3	-	-	31	16	15	-	-	10	4	5	-	1	71				
45	16	15	5	9	16	13	3	-	-	163	83	74	3	3	44	16	24	3	1	72				
26	10	9	3	4	12	10	2	-	-	108	51	55	2	-	25	10	13	2	-	73				
19	6	6	2	5	4	3	1	-	-	55	32	19	1	3	19	6	11	1	1	73a				
129	53	53	14	7	23	16	7	-	-	336	195	127	8	6	92	56	30	3	3	73b-d				
126	52	53	14	7	22	16	6	-	-	325	189	123	8	5	80	56	28	3	3	74				
3	3	-	-	-	1	-	1	-	-	11	6	4	-	1	2	-	2	-	-	74a				
8	4	2	1	1	5	3	2	-	-	34	15	15	4	-	6	4	2	-	-	74b				
5	1	2	2	-	1	-	1	-	-	16	9	4	1	2	9	5	4	-	-	75				
67	47	3	11	6	8	7	1	-	-	102	81	11	8	2	25	20	3	1	1	76				
67	47	3	11	6	8	7	1	-	-	96	75	11	8	2	23	20	2	1	-	77				
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	78				
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	2	-	1	-	1	79				
3,453	1,216	1,012	564	661	562	297	255	7	3	9,049	4,200	4,275	274	300	2,255	1,098	908	114	135					
37	13	10	5	8	9	2	6	1	-	67	33	25	4	5	28	16	8	1	3	80				
63	20	11	21	11	5	5	1	1	-	104	55	34	11	4	21	14	2	4	1	81				
38	19	8	8	3	7	3	2	-	-	145	82	55	4	4	35	19	14	2	-	82				
3,032	1,090	931	455	578	479	255	216	4	3	8,193	3,785	3,932	236	270	1,984	931	819	97	116	83				
2,780	977	840	430	543	424	221	197	4	2	7,249	3,329	3,470	212	238	1,742	848	720	88	92	83a				
189	87	84	18	20	41	29	12	-	-	829	381	404	20	24	91	38	45	2	6	83b,c				
73	28	27	7	13	13	5	7	-	1	115	45	58	4	8	145	65	53	7	20	83d				
69	14	9	31	16	6	2	4	-	-	60	23	33	-	4	55	23	26	3	3	84				
99	22	17	24	36	14	5	9	-	-	150	79	53	10	9	51	25	19	3	5	85				
12	3	2	5	2	13	6	6	1	-	14	6	7	-	1	5	3	-	-	2	86				
65	28	21	9	9	28	17	11	-	-	278	149	118	8	3	62	37	20	3	2	87				
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	88				
18	9	4	5	-	1	1	-	-	-	37	18	17	1	1	13	9	2	1	1	89				
7,215	3,215	2,043	1,025	932	1,546	1,024	512	7	3	26,438	14,499	10,521	809	609	4,991	2,938	1,635	228	195					
6,682	3,037	1,883	931	831	1,390	926	454	7	3	24,421	13,498	9,614	753	556	4,575	2,718	1,470	211	176	90-95				
8	3	1	2	2	2	2	-	-	-	26	15	7	3	1	9	8	1	-	-	90				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	90a				
8	3	1	2	2	2	2	-	-	-	26	15	7	3	1	8	7	1	-	-	90b				
21	7	3	6	5	2	1	1	-	-	74	36	31	1	6	26	16	6	2	2	91				
18	6	3	4	5	2	1	1	-	-	70	34	30	1	5	21	12	5	2	2	91a,b				
3	1	-	2	-	-	-	-	-	-	4	2	1	-	1	5	4	1	-	-	91c				
614	218	184	110	102	144	88	55	-	1	2,167	1,034	982	89	62	392	189	152	25	26	92				
52	15	10	15	12	10	9	1	-	-	175	101	58	13	3	42	24	10	4	4	92a				
275	91	78	49	57	45	28	19	-	-	1,032	465	490	45	32	181	75	75	18	13	92b				
22	8	9	4	1	6	3	3	-	-	147	75	63	8	1	12	7	5	-	-	92c				
254	104	81																						



TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO				NEW YORK					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart—	104	74	28	2	-	2,298	1,098	1,040	77	85
95a	Functional diseases of heart, etc.*	4	2	2	-	-	25	12	11	1	1
95b	Other diseases of heart (rheumatic)—	24	18	8	-	-	1,245	526	605	46	68
95c	Other diseases of heart (not rheumatic)—	76	58	18	2	-	1,028	558	424	30	16
96	Aneurysm (except of heart and aorta)—	2	1	1	-	-	252	157	93	6	6
97	Arteriosclerosis (except coronary or renal sclerosis)—	36	25	11	-	-	2,895	1,345	1,468	46	36
98	Gangrene—	2	1	1	-	-	8	4	3	-	1
99	Other diseases of arteries—	12	5	7	-	-	185	85	95	1	5
100	Diseases of veins—	5	2	3	-	-	129	56	64	4	5
101	Diseases of lymphatic system—	-	-	-	-	-	3	3	-	-	-
102	High blood pressure (idiopathic)—	5	3	2	-	-	93	42	38	6	7
103	Other diseases of circulatory system—	-	-	-	-	-	7	5	2	-	-
	VIII.—Diseases of the respiratory system—	391	199	139	32	21	6,188	3,300	2,401	274	213
104	Diseases of nasal fossae, accessory sinuses—	4	1	3	-	-	40	25	9	5	1
105	Diseases of larynx—	3	2	1	-	-	30	21	8	-	1
106	Bronchitis—	19	15	5	1	-	309	177	120	9	3
107	Bronchopneumonia (including capillary bronchitis)—	169	77	53	23	16	2,658	1,306	1,128	108	118
108	Lobar pneumonia—	116	62	46	5	3	2,337	1,316	827	119	75
109	Pneumonia (unspecified)—	41	18	20	2	1	123	84	58	1	-
109a	Atypical or virus pneumonia—	6	2	4	-	-	43	18	24	1	-
109b	Pneumonia (all other, unspecified)—	35	16	16	2	1	80	46	34	-	-
110	Pleurisy (not tuberculous)—	4	2	1	1	-	146	79	51	9	7
111	Hemorrhagic infarction, thrombosis, edema*—	11	5	6	-	-	183	103	82	5	3
112	Asthma—	19	14	4	-	1	206	109	85	7	5
113	Pulmonary emphysema—	-	-	-	-	-	39	30	7	2	-
114	Other diseases of respiratory system (except tuberculosis)—	5	5	-	-	-	107	70	28	9	-
114a,b	Silicosis, other forms of pneumoconiosis—	1	1	-	-	-	13	12	1	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)—	4	4	-	-	-	94	58	27	9	-
	IX.—Diseases of the digestive system—	435	211	170	23	31	6,755	3,851	2,617	174	113
115	Diseases of buccal cavity and adnexa, etc.*—	9	6	3	-	-	114	59	41	6	6
116	Diseases of esophagus—	-	-	-	-	-	26	16	10	-	-
117	Ulcer of stomach or duodenum—	24	16	8	-	-	1,123	900	177	32	14
117a	Ulcer of stomach—	19	12	7	-	-	726	574	117	25	10
117b	Ulcer of duodenum—	5	4	1	-	-	397	326	60	7	4
118	Other diseases of stomach (except cancer)—	7	4	3	-	-	60	41	16	3	-
119	Diarrhea, enteritis, etc.* (under 2 years)—	207	96	70	19	22	344	178	132	23	11
120	Diarrhea, enteritis, etc.* (2 years and over)—	26	8	11	3	4	158	72	62	3	1
121	Appendicitis—	20	19	8	-	1	508	302	188	10	8
122	Hernia and intestinal obstruction—	40	18	26	1	3	1,275	597	617	30	31
122a	Hernia—	10	2	7	-	1	687	360	303	16	8
122b	Intestinal obstruction—	38	16	19	1	2	588	237	314	14	23
123	Other diseases of intestines—	4	3	1	-	-	193	94	93	4	2
124	Cirrhosis of liver—	45	27	16	-	-	1,898	1,184	645	48	21
124a	Cirrhosis of liver with mention of alcoholism—	1	1	-	-	-	342	223	107	9	3
124b	Cirrhosis of liver without mention of alcoholism—	42	26	16	-	-	1,556	961	538	39	18
125	Other diseases of liver—	9	3	6	-	-	158	86	63	4	5
126	Biliary calculi—	13	6	7	-	-	494	151	335	4	4
127	Other diseases of gallbladder, biliary ducts—	8	2	6	-	-	251	94	151	1	5
128	Diseases of pancreas (except diabetes mellitus)—	1	1	-	-	-	88	43	40	2	3
129	Peritonitis (cause not stated)—	8	2	5	-	1	65	34	27	2	2
	X.—Diseases of the genito-urinary system—	231	155	85	4	7	7,679	4,044	3,147	237	251
130	Acute nephritis—	6	4	2	-	-	77	42	27	5	3
131	Chronic nephritis—	182	91	64	3	4	6,075	2,911	2,762	166	216
131a	Arteriosclerotic kidney—	111	64	44	1	2	4,724	2,221	2,168	146	189
131b	Other chronic nephritis—	51	27	20	2	2	1,351	690	584	40	27
132	Nephritis unspecified (10 years and over)—	26	15	10	-	1	145	73	60	7	5
133	Other diseases of kidneys, ureters, etc.*—	8	4	3	1	-	272	133	125	7	7
134	Calculus of urinary passages—	2	1	1	-	-	166	98	63	3	2
135	Diseases of urinary bladder—	1	-	1	-	-	58	21	36	1	-
136	Diseases of urethra (except calculus)—	4	4	-	-	-	22	13	4	4	1
137	Diseases of prostate—	16	16	...	...	...	776	752	...	24	...
137a	Hypertrophy of prostate—	15	15	...	...	...	721	698	...	23	...
137b	Other diseases of prostate—	1	1	...	...	...	55	54	...	1	...
138	Diseases of other male genital organs (not venereal)—	-	-	...	...	...	1	1	...	-	...
139	Diseases of female genital organs—	6	-	4	-	2	67	...	70	...	17
139a	Diseases of ovaries, fallopian tubes, parametria—	5	...	3	...	2	53	...	37	...	16
139b	Diseases of uterus—	1	...	1	...	-	33	...	32	...	1
139c	Diseases of other female genital organs*—	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium—	37	...	29	...	8	343	...	298	...	45
140	Abortion with mention of infection—	4	...	4	...	-	42	...	26	...	16
141	Abortion without mention of infection—	5	...	3	...	2	17	...	16	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*—	-	...	-	...	-	4	...	4	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*—	2	...	1	...	1	7	...	7	...	-
141d-f	Other abortions (nonseptic)*—	3	...	2	...	1	6	...	5	...	1
142	Ectopic gestation—	1	...	-	...	1	26	...	20	...	6
142a	Ectopic gestation, with mention of infection—	-	...	-	...	-	5	...	5	...	-
142b	Ectopic gestation, without mention of infection—	1	...	-	...	1	21	...	15	...	6
143	Hemorrhage of pregnancy (death before delivery)—	1	...	-	...	1	4	...	4	...	-
144	Toxemia of pregnancy (death before delivery)—	3	...	2	...	1	19	...	18	...	-
145	Other diseases of pregnancy (death before delivery)*—	2	...	2	...	-	16	...	13	...	3
145a	With mention of infection—	-	...	-	...	-	12	...	9	...	3
145b	Without mention of infection—	2	...	2	...	-	4	...	4	...	-
146	Hemorrhage of childbirth and puerperium—	8	...	7	...	1	56	...	52	...	4
147	Infection during childbirth and puerperium—	5	...	4	...	1	72	...	65	...	7
148	Puerperal toxemia (excluding death before delivery)—	6	...	5	...	1	34	...	30	...	4
149	Other accidents and specified conditions of childbirth—	2	...	2	...	-	43	...	39	...	4
150	Other and unspecified conditions of childbirth and puerperium—	-	...	-	...	-	14	...	14	...	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

499

## UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,160	507	264	209	180	141	89	49	3	-	1,871	997	747	76	51	725	397	225	64	49	95
17	6	4	6	1	8	6	2	-	-	53	28	22	1	2	49	25	23	-	1	95a
103	42	31	15	15	11	6	5	-	-	296	144	137	6	9	58	28	27	2	1	95b
1,040	459	229	189	164	122	77	42	3	-	1,522	825	588	69	40	618	334	175	62	47	95c
27	14	10	2	1	9	6	2	-	-	96	51	34	3	8	14	7	5	1	1	96
361	114	109	67	72	117	72	45	-	-	1,604	807	729	38	30	273	154	104	7	8	97
6	3	2	1	-	1	1	-	-	-	24	13	8	3	-	11	8	3	-	-	98
47	22	16	4	5	7	3	4	-	-	133	67	59	5	2	39	24	13	2	-	99
17	9	3	2	3	7	4	3	-	-	80	32	38	4	6	10	4	6	-	-	100
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	101
68	14	20	16	18	14	11	3	-	-	61	21	30	3	7	62	19	32	1	10	102
5	1	-	2	2	2	1	1	-	-	18	9	9	-	-	6	4	1	1	-	103
1,627	522	438	386	281	240	134	96	5	5	3,389	1,761	1,312	189	127	1,022	505	355	91	71	
31	6	7	9	9	4	3	1	-	-	26	14	10	2	-	9	4	1	2	2	104
15	6	5	3	1	1	1	-	-	-	10	6	3	-	1	-	-	-	-	-	105
59	29	18	10	2	24	13	10	-	1	190	111	70	6	3	44	23	17	2	2	106
616	182	183	147	104	92	49	37	4	-	1,458	713	622	61	62	279	149	90	22	18	107
520	162	121	138	99	54	32	20	-	2	968	506	334	85	43	214	103	72	23	16	108
176	43	41	51	41	30	16	13	1	-	209	103	90	12	4	281	125	101	29	26	109
42	19	14	6	3	4	3	1	-	-	40	23	17	-	-	16	11	4	-	1	109a
154	24	27	45	38	26	13	12	1	-	169	80	73	12	4	265	114	97	29	25	109b
22	7	6	6	3	5	4	1	-	-	60	37	14	6	3	16	10	4	4	-	110
91	42	28	7	14	16	7	9	-	-	209	100	94	7	8	90	43	45	2	-	111
59	26	19	9	5	9	6	3	-	-	124	66	53	4	1	37	23	6	3	5	112
1	1	-	-	-	1	-	1	-	-	16	14	2	-	-	2	1	1	-	-	113
37	18	10	6	3	4	3	1	-	-	119	91	20	6	2	48	24	18	4	2	114
3	3	-	-	-	-	-	-	-	-	54	52	-	2	-	1	1	-	-	-	114a,b
34	15	10	6	3	4	3	1	-	-	65	39	20	4	2	47	25	18	4	2	114c-e
1,091	398	283	228	182	220	136	78	2	4	3,146	1,721	1,240	101	84	858	454	289	59	56	
43	9	10	10	14	6	4	2	-	-	79	40	34	2	3	44	23	13	4	4	115
1	1	-	-	-	-	-	-	-	-	15	8	6	1	-	1	-	-	-	-	116
123	74	16	25	8	24	22	2	-	-	406	311	72	19	4	105	75	19	5	6	117
89	47	12	24	6	9	8	1	-	-	252	183	51	16	2	77	55	14	3	5	117a
34	27	4	1	2	15	14	1	-	-	154	128	21	3	2	28	20	5	2	1	117b
30	10	7	3	5	7	5	2	-	-	48	26	18	1	3	52	28	12	3	9	118
189	40	34	60	55	30	15	14	1	-	233	135	82	10	6	62	38	16	3	5	119
58	18	15	16	11	7	4	3	-	-	116	57	52	5	2	38	19	10	6	3	120
113	45	27	22	19	28	15	11	-	-	268	145	101	13	9	102	57	32	5	8	121
215	65	66	45	37	37	20	15	1	1	616	271	295	22	28	153	63	66	14	10	122
66	33	16	12	5	13	9	3	1	-	281	133	130	8	10	53	20	21	6	6	122a
147	32	50	33	32	24	11	12	-	-	335	138	165	14	18	100	43	45	8	4	122b
42	14	15	10	3	7	5	-	-	2	89	56	29	2	2	23	7	12	2	2	123
159	77	49	20	14	35	23	12	-	-	729	473	251	15	10	139	84	44	8	3	124
19	11	5	2	1	3	3	-	-	-	76	51	20	4	1	7	6	-	1	-	124a
140	66	43	18	13	32	20	12	-	-	653	422	211	11	9	132	78	44	7	3	124b
33	16	9	5	3	7	3	4	-	-	84	33	43	4	4	21	14	3	4	-	125
21	7	11	-	3	18	9	8	-	1	238	80	153	1	4	47	15	27	2	3	126
27	7	13	1	6	11	8	3	-	-	134	47	79	2	6	50	20	27	2	1	127
14	9	4	1	-	1	-	1	-	-	39	19	16	3	1	7	4	3	-	-	128
25	8	8	5	4	4	3	1	-	-	52	20	29	1	2	14	7	4	1	2	129
3,008	1,010	775	630	535	285	184	95	5	1	5,329	2,801	2,108	222	198	1,252	661	423	97	71	
117	37	25	22	33	6	1	5	-	-	102	48	33	11	10	44	21	18	2	3	130
2,501	802	676	511	512	195	115	75	4	1	4,314	2,125	1,846	175	168	804	399	288	66	51	131
1,918	622	510	401	385	155	83	51	1	-	3,378	1,644	1,469	133	132	547	270	206	42	29	131a
583	180	166	110	127	60	32	24	3	1	936	481	377	42	36	257	129	82	24	22	131b
118	49	29	21	17	20	13	6	1	-	145	76	61	4	4	189	98	68	10	13	132
63	23	23	11	6	11	9	2	-	-	178	98	65	6	9	57	16	15	6	-	133
31	17	9	3	2	7	4	3	-	-	87	65	20	3	1	14	9	4	1	-	134
5	-	2	2	1	2	-	2	-	-	30	10	16	4	-	17	6	8	3	-	135
8	1	-	7	-	1	1	-	-	-	18	16	-	2	-	1	-	1	-	-	136
134	81	...	33	...	41	41	...	-	...	382	365	...	17	...	120	112	...	8	...	137
112	71	...	41	...	32	32	...	-	...	325	310	...	15	...	92	86	...	6	...	137a
22	10	...	12	...	9	9	...	-	...	57	55	...	2	...	29	26	...	2	...	137b
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	1	-	...	1	...	138
33	...	11	...	22	2	...	2	...	...	73	...	67	...	6	25	...	21	...	4	139
22	...	6	...	16	1	...	1	...	-	37	...	32	...	5	16	...	13	...	3	139a
7	...	4	...	3	1	...	-	...	-	39	...	34	...	1	9	...	8	...	1	139b
4	...	1	...	3	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	139c
203	...	33	...	110	16	...	15	...	1	214	...	193	...	21	83	...	66	...	17	
17	...	7	...	10	1	...	1	...	-	22	...	18	...	4	8	...	5	...</		



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	7	5	1	-	1	80	30	45	2	3
151	Carbuncle and furuncle-----	-	-	-	-	-	3	2	1	-	-
152	Phlegmon and acute abscess-----	2	1	-	-	1	12	5	6	-	1
153	Other diseases of skin and cellular tissue-----	5	4	1	-	-	65	23	38	2	2
	XIII.—Diseases of the bones, etc.*-----	3	1	1	1	-	89	43	42	2	2
154	Osteomyelitis and periostitis-----	2	-	1	1	-	29	19	8	-	2
155	Other diseases of bones (except tuberculosis)-----	1	1	-	-	-	27	9	16	2	-
156	Diseases of joints, other organs of movement-----	-	-	-	-	-	33	15	18	-	-
157	XIV.—Congenital malformations-----	94	49	37	6	2	1,771	872	814	42	43
157a-d	Congenital malformations of central nervous system-----	17	9	7	1	-	608	286	319	12	9
157e,f	Congenital malformations of cardiovascular system-----	49	24	21	4	-	809	413	350	19	27
157g,h,n	Other congenital malformations-----	28	16	9	1	2	354	191	145	11	7
	XV.—Diseases peculiar to the first year of life-----	394	185	172	20	17	5,049	2,673	1,851	306	217
158	Congenital debility (cause not stated)-----	25	10	9	2	4	30	17	7	2	4
159	Premature birth (cause not stated)-----	256	126	111	10	9	3,229	1,645	1,203	218	165
160	Injury at birth-----	60	27	30	3	-	1,083	612	406	46	29
161	Other diseases peculiar to first year of life-----	53	22	22	5	4	697	401	235	42	19
162	XVI.—Senility-----	53	27	22	3	1	174	68	104	-	2
	XVII.—Violent or accidental deaths-----	549	384	99	49	17	10,477	6,372	3,526	578	201
163,164	Suicide-----	36	25	7	4	-	1,676	1,143	487	31	15
165	Suicide by poisoning-----	5	3	2	-	-	583	302	266	9	6
166	Suicide by other means-----	31	22	5	4	-	1,093	841	221	22	9
165-168	Homicide <sup>1</sup> -----	37	27	2	6	2	479	182	73	170	55
166	Homicide by firearms-----	18	14	1	2	1	182	79	30	64	9
167	Homicide by cutting or piercing instruments-----	6	6	-	1	1	161	37	7	91	26
168	Homicide by other means-----	11	7	1	3	-	136	65	36	15	20
169-195	Accidental deaths-----	476	332	90	39	15	8,514	5,041	2,766	378	131
169	Railway accidents (except collisions with motor vehicles)-----	15	11	-	4	-	162	133	20	7	2
170	Motor-vehicle accidents-----	186	131	32	18	5	2,096	1,551	447	78	19
170a	Collisions between automobiles and trains-----	12	3	2	4	3	76	50	26	-	-
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	12	9	3	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	172	126	30	14	2	1,965	1,457	412	77	19
170d	Motorcycle accidents (exc. collisions with automobiles)-----	2	2	-	-	-	43	35	6	2	-
171	Streetcar and other road-transport accidents-----	1	1	-	-	-	158	110	31	10	6
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	-	-	-	-	-	154	91	28	10	6
171b	Other and unspecified road-transport accidents-----	1	1	-	-	-	22	19	3	-	-
172	Water-transport accidents-----	-	-	-	-	-	90	76	10	3	1
173	Air-transport accidents-----	39	36	3	-	-	120	98	9	3	-
174	Accidents in mines and quarries-----	9	8	1	-	-	8	6	1	1	-
175	Agricultural and forestry accidents-----	8	7	-	1	-	99	92	7	-	-
175a-c	Agricultural accidents-----	6	5	-	1	-	92	85	7	-	-
175d,e	Forestry accidents-----	2	2	-	-	-	7	7	-	-	-
176	Other accidents involving machinery-----	4	4	-	-	-	80	73	2	5	-
177	Food poisoning-----	2	2	-	-	-	8	6	1	1	-
178	Accidental absorption of poisonous gas-----	7	4	3	-	-	366	227	110	22	7
179	Acute accidental poisoning by solids or liquids-----	7	6	1	-	-	105	55	45	4	1
180	Conflagration-----	12	7	-	5	-	245	119	98	15	12
181	Accidental burns (except conflagration)-----	28	16	10	1	1	328	156	137	19	16
182	Accidental mechanical suffocation-----	1	-	1	-	-	104	66	28	7	3
183	Accidental drowning-----	24	16	5	2	1	536	429	56	46	5
184	Accidental injury by firearms-----	23	19	1	2	1	82	66	11	5	-
185	Accidental injury by cutting or piercing instruments-----	-	-	-	-	-	10	5	2	2	1
186	Accidental injury by fall or crushing-----	63	33	23	4	3	2,969	1,279	1,557	90	43
186a	Accidental injury by fall-----	58	30	23	2	3	2,934	1,252	1,557	82	43
186b	Accidental injury by crushing-----	5	3	-	2	-	35	27	-	8	-
187	Cataclysm, etc.*-----	-	-	-	-	-	5	3	2	-	-
188	Injury by animals (except in agriculture and forestry)-----	2	-	-	-	2	7	6	1	-	-
189	Hunger or thirst-----	-	-	-	-	-	-	-	-	-	-
190	Excessive cold-----	5	3	-	1	1	6	4	1	1	-
191	Excessive heat-----	-	-	-	-	-	3	3	-	-	-
192	Lightning-----	3	3	-	-	-	8 <sup>1</sup>	5	3	-	-
193	Accidents due to electric currents (except lightning)-----	2	2	-	-	-	41	34	5	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	2	2	-	-	-	-	-	-	-	-
195	Other accidents-----	33	21	10	1	1	690	439	181	54	16
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	4	3	1	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	2	2	-	-	-
195d	Obstruction, suffocation, etc.*-----	5	5	-	-	-	111	56	46	6	3
195e,e	Other and unspecified accidents-----	28	16	10	1	1	573	378	154	48	13
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	4	4	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	-	-	-	-	-	4	3	-	1	-
	XVIII.—Ill-defined and unknown causes-----	800	352	285	87	76	552	314	179	41	18
199	Sudden death-----	1	1	-	-	-	17	14	3	-	-
200	Ill-defined and unknown causes-----	799	351	285	87	76	535	300	176	41	18
200a	Ill-defined causes-----	84	62	18	3	1	286	156	91	30	9
200b,c	Unknown or unspecified causes-----	715	289	267	84	75	249	144	85	11	9

\*Refer to International List for complete title, table V, Part I.

<sup>1</sup>Includes figures for infanticide (165).



## GENERAL TABLES-DEATHS FROM EACH CAUSE

501

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

NORTH CAROLINA						NORTH DAKOTA						OHIO						OKLAHOMA						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female					
31	3	11	8	9	6	3	3	-	-	45	20	22	1	2	10	5	3	-	2					
2	-	-	1	1	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	151				
6	-	1	2	3	1	-	1	-	-	9	7	1	1	-	2	1	1	-	-	152				
23	3	10	5	5	5	3	2	-	-	32	10	20	-	2	8	4	2	-	2	153				
15	7	4	3	1	3	2	1	-	-	41	21	17	3	-	8	4	3	-	1					
5	2	1	2	-	1	-	1	-	-	13	8	4	1	-	2	1	-	-	1	154				
1	1	-	-	-	1	1	-	-	-	11	3	8	-	-	2	1	1	-	-	155				
9	4	3	1	1	1	1	-	-	-	17	10	5	2	-	4	2	2	-	-	156				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
464	207	171	46	40	90	55	30	3	2	957	504	403	24	26	296	161	109	12	14	157				
107	45	49	6	8	38	21	14	1	2	336	136	177	4	19	64	30	29	4	1	157a-d				
252	122	83	31	16	37	23	14	-	-	435	254	166	15	-	157	83	62	4	8	157e,f				
105	40	40	9	16	15	11	2	2	-	186	114	60	5	7	75	48	18	4	5	157g,h,m				
1,987	795	554	342	296	277	157	114	3	3	3,226	1,803	1,167	150	106	871	453	321	52	45					
70	25	9	17	13	3	1	1	-	1	82	44	31	4	3	49	17	15	10	7	158				
1,359	529	410	219	201	177	96	76	3	2	2,032	1,097	762	96	77	596	316	229	25	26	159				
299	139	87	45	28	68	41	27	-	-	664	402	221	26	15	126	71	42	7	6	160				
289	102	48	61	48	29	19	10	-	-	448	260	153	24	11	100	49	35	10	6	161				
208	51	93	24	40	96	55	39	1	1	650	257	362	11	20	398	178	161	35	24	162				
3,030	1,535	523	754	218	510	356	135	12	7	6,718	4,218	1,973	403	124	1,837	1,157	451	158	71					
290	207	59	21	3	60	50	9	1	-	986	709	248	26	3	166	135	26	3	2	163,164				
44	21	21	2	-	9	8	1	-	-	170	87	78	4	1	23	18	5	-	-	163				
246	186	38	19	3	51	42	8	1	-	816	622	170	22	2	143	117	21	3	2	164				
362	83	22	209	48	8	6	-	2	-	388	140	49	167	32	128	61	12	48	9	165-168				
229	56	12	134	27	1	1	-	-	-	240	86	34	104	16	82	39	7	32	4	166				
89	11	1	61	15	2	1	-	1	-	67	10	2	47	8	24	7	1	12	4	167				
45	16	9	14	6	5	4	-	1	-	81	44	15	16	8	22	15	4	2	1	168				
2,365	1,242	442	514	167	442	300	126	9	7	5,339	3,364	1,676	210	89	1,540	959	413	108	60	169-195				
78	37	6	11	4	11	10	-	1	-	192	155	16	19	2	32	23	2	4	3	169				
1,052	639	144	218	52	144	105	36	2	1	1,679	1,406	369	72	32	539	376	125	25	13	170				
38	31	3	4	-	11	6	4	-	1	157	110	40	3	4	21	16	5	-	-	170a				
-	-	-	-	-	-	-	-	-	-	11	8	3	-	-	-	-	-	-	-	170b				
997	582	140	215	52	131	97	32	2	-	1,681	1,248	321	68	26	501	344	119	25	13	170c				
27	25	1	1	2	2	2	-	-	-	50	42	5	1	2	17	16	1	-	-	170d				
7	2	2	3	-	1	1	-	-	-	22	13	5	3	1	5	4	-	1	-	171				
1	-	-	1	-	-	-	-	-	-	13	5	4	3	1	-	-	-	-	-	171a				
6	2	2	2	-	1	1	-	-	-	9	8	1	-	-	5	4	-	1	-	171b				
50	36	2	12	-	1	1	-	-	-	47	40	6	1	-	5	5	-	-	-	172				
30	27	2	1	-	6	6	-	-	-	76	71	4	1	-	53	48	2	3	-	173				
5	5	-	-	-	4	4	-	-	-	42	40	-	2	-	12	10	-	2	-	174				
59	37	4	18	-	34	31	2	1	-	105	101	4	-	-	43	37	3	3	-	175				
43	29	4	10	-	34	31	2	1	-	105	99	4	-	-	43	37	3	3	-	175a-c				
16	8	-	8	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	175d,e				
24	13	-	11	-	5	5	-	-	-	57	52	1	4	-	25	22	2	1	-	176				
17	6	2	4	5	14	9	3	1	1	10	7	2	1	-	16	6	8	1	1	177				
26	11	1	12	2	14	9	3	-	-	92	65	24	1	2	22	10	7	3	2	178				
39	13	10	9	7	4	2	2	-	-	85	49	28	6	2	26	14	9	1	2	179				
85	26	15	29	15	21	13	8	-	-	143	66	56	16	5	59	26	11	10	11	180				
117	31	38	23	25	27	14	9	2	2	265	139	100	15	11	110	51	34	12	13	181				
91	33	20	18	20	9	7	1	1	1	75	42	28	2	3	27	16	7	1	3	182				
112	67	11	31	3	25	23	-	1	1	211	166	34	9	2	76	46	21	7	2	183				
110	64	7	31	5	15	12	3	-	-	83	60	11	9	3	90	68	6	15	3	184				
4	2	-	1	1	-	-	-	-	-	21	13	6	1	1	10	5	5	-	-	185				
313	119	154	26	14	93	42	51	-	-	1,475	630	793	31	21	239	104	127	4	4	186				
304	112	154	24	14	91	40	51	-	-	1,465	626	791	27	21	234	100	126	4	4	186a				
9	7	-	-	-	2	2	-	-	-	10	4	2	4	-	5	4	1	-	-	187				
3	2	1	-	-	1	1	-	-	-	2	1	1	-	-	3	1	1	1	-	188				
1	1	-	-	-	1	1	-	-	-	9	7	2	-	-	3	1	1	1	-	189				
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	190				
3	1	-	2	-	5	4	-	-	1	15	11	3	1	-	1	-	-	1	-	191				
2	-	-	2	-	2	2	-	-	-	12	9	1	2	-	6	5	-	-	-	192				
15	7	3	4	1	1	1	-	-	-	9	6	3	-	-	3	3	-	-	-	193				
23	19	1	3	-	2	2	-	-	-	44	42	2	-	-	11	8	1	2	-	194				
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	195				
99	45	19	25	10	16	5	10	1	-	366	172	176	14	4	123	71	40	9	3	195a				
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	195b				
1	1	-	-	-	-	-	-	-	-	8	1	6	-	1	2	-	1	1	-	195c				
24	7	7	5	5	3	2	1	-	-	46	20	22	3	1	22	11	10	-	-	195d				
74	37	12	20	5	13	3	9	1	-	311	151	147	11	2	99	60	29	8	2	195e				
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	196				
13	3	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197				
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	1	-	198				
653	226	153	147	127	61	38	15	5	3	495	275	157	29	34	362	189	87	47	40					
84	32	17	11	4	4	3	1	-	-	25	19	4	1	1	14	10	3	1	-	199				
589	194	136	136	123	57	35	14	5	3	470	256	153	28	33	348	178	84	46	40	200				
289	97	66	60	46	41	31	9	1	-	365	202	112	17	24	176	105	45	14	12	200a				
320	97	70	76	77	16	4	5	4	3	115	54	41	11	9	172	73	39	32	28	200b,c				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21-DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	13,319	7,844	5,206	167	101	107,683	55,409	45,172	3,835	3,269
	I.—Infectious and parasitic diseases-----	605	589	160	32	24	6,065	3,095	1,710	764	496
1	Typhoid fever-----	6	3	1	-	2	18	10	5	2	1
2	Paratyphoid fever-----	-	-	-	-	-	4	2	-	1	1
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	1	1	-	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis-----	14	8	6	-	-	80	49	28	1	2
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	1	-	1	-	-	12	4	8	-	-
9	Whooping cough-----	7	4	1	1	1	94	53	48	4	9
10	Diphtheria (infection by C. diphtheriae)-----	10	8	2	-	-	58	29	22	1	6
11	Erysipelas-----	-	-	-	-	-	4	4	-	-	-
12	Tetanus-----	4	3	1	-	-	19	11	5	2	1
13-22	Tuberculosis (all forms)-----	311	187	86	25	11	3,697	1,897	955	494	351
13	Tuberculosis of respiratory system, etc.*-----	286	173	80	23	10	3,408	1,796	869	442	301
14	Tuberculosis of meninges, etc.*-----	4	1	2	1	-	74	25	20	18	11
15	Tuberculosis of intestines and peritoneum-----	3	2	-	-	1	60	16	20	9	15
16	Tuberculosis of vertebral column-----	2	1	1	-	-	45	20	8	6	11
17	Tuberculosis of bones and joints, etc.*-----	1	1	-	-	-	5	2	2	1	-
18	Tuberculosis of skin, etc.*-----	1	-	-	1	-	4	1	2	1	-
19	Tuberculosis of lymphatic system, etc.*-----	-	-	-	-	-	8	-	4	3	1
20	Tuberculosis of genito-urinary system-----	2	-	2	-	-	31	18	9	1	3
21	Tuberculosis of other organs-----	-	-	-	-	-	10	3	5	1	1
22	Disseminated tuberculosis-----	12	9	3	-	-	52	16	16	12	8
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	2	1	1	-	-	33	14	17	-	2
25	Gonococcus infection-----	-	-	-	-	-	15	-	10	-	5
26	Other diseases due to bacteria (except dysentery)-----	1	1	-	-	-	-	-	-	-	-
27	Dysentery-----	3	3	-	-	-	24	15	8	-	1
28	Malaria-----	-	-	-	-	-	11	11	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	3	3	-	-	-
30	Syphilis (all forms)-----	120	95	14	3	8	918	457	149	227	85
30a	Locomotor ataxia (tabes dorsalis)-----	5	4	1	-	-	41	28	9	3	1
30b	General paralysis of insane-----	33	30	2	1	-	316	156	50	86	24
30c	Aneurysm of aorta-----	53	42	8	1	2	147	76	17	43	11
30d	Congenital syphilis-----	1	1	-	-	-	28	7	3	11	7
30e,e	Syphilis (other forms)-----	28	18	3	1	6	388	190	70	84	42
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	8	3	2	1	-	28	16	8	-	4
33	Influenza-----	67	41	23	1	2	639	316	284	18	21
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	7	4	3	-	-	116	48	64	3	1
36	Poliomyelitis and polioencephalitis (acute)-----	9	6	3	-	-	29	17	11	1	-
37	Acute infectious encephalitis (lethargic)-----	5	1	4	-	-	42	26	13	2	1
38	Other diseases due to filtrable viruses-----	2	1	1	-	-	13	5	8	-	-
39	Typhus fever and typhus-like diseases*-----	5	3	-	-	-	4	1	2	1	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	3	3	-	-	-
43	Mycoses-----	2	1	1	-	-	27	13	13	-	1
44	Other infectious and parasitic diseases-----	24	15	8	1	-	172	110	51	7	4
	II.—Cancer and other tumors-----	1,872	941	899	21	11	15,274	6,920	7,578	350	416
45-55	Cancer and other malignant tumors-----	1,823	919	873	21	10	14,787	6,749	7,306	344	388
45	Cancer of buccal cavity and pharynx-----	59	47	12	-	-	432	326	87	14	5
45a	Cancer of lip-----	10	8	2	-	-	34	29	5	-	-
45b	Cancer of tongue-----	17	14	3	-	-	119	89	23	5	2
45c	Cancer of mouth-----	4	3	1	-	-	75	62	11	2	-
45d	Cancer of jaw bone-----	4	4	4	-	-	57	43	14	-	-
45e	Cancer of unspecified parts of buccal cavity-----	1	1	-	-	-	8	3	4	-	1
45f	Cancer of pharynx-----	19	17	2	-	-	139	100	30	7	2
46	Cancer of digestive organs and peritoneum-----	799	461	320	14	4	6,994	3,585	3,107	176	128
46a	Cancer of esophagus-----	25	19	5	1	-	271	205	58	23	5
46b	Cancer of stomach-----	290	181	100	7	2	2,094	1,204	771	70	49
46c	Cancer of duodenum-----	3	2	-	1	-	32	12	20	-	-
46d	Cancer of rectum and anus-----	95	56	38	1	-	957	524	384	17	22
46e	Cancer of intestines, etc.*-----	188	108	80	-	-	1,961	893	1,020	27	21
46f	Cancer of liver and biliary passages-----	105	42	57	4	2	963	388	536	23	16
46g	Cancer of pancreas-----	68	41	27	-	-	505	259	224	13	9
46h	Cancer of mesentery and peritoneum-----	16	10	6	-	-	128	66	58	1	3
46i	Cancer of other and unspecified sites-----	9	2	7	-	-	83	32	46	2	3
47	Cancer of respiratory system-----	132	102	27	3	-	1,170	878	236	48	8
47a	Cancer of larynx-----	7	7	-	-	-	153	131	14	8	-
47b,c	Cancer of trachea and bronchus-----	58	46	9	1	-	276	213	44	17	2
47d	Cancer of lung-----	59	40	17	2	-	667	462	158	21	6
47e	Cancer of pleura-----	1	-	1	-	-	11	7	4	-	-
47f	Cancer of other respiratory organs-----	9	9	-	-	-	63	45	16	2	-
48	Cancer of uterus-----	141	...	137	...	4	1,420	...	1,294	...	128
48a	Cancer of cervix-----	65	...	63	...	2	540	...	486	...	54
48b	Cancer of other and unspecified sites of uterus-----	76	...	74	...	2	890	...	808	...	72
49	Cancer of other female genital organs-----	48	...	48	...	-	447	...	416	...	31
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	43	...	43	...	-	365	...	340	...	25
49c-e	Cancer of other female genital organs-----	5	...	5	...	-	82	...	76	...	6
50	Cancer of breast-----	201	5	196	-	-	1,411	17	1,331	2	61
51	Cancer of male genital organs-----	135	134	...	1	...	839	785	...	53	...
51b	Cancer of prostate-----	125	125	...	-	...	776	727	...	48	...
51a,c-e	Cancer of other male genital organs-----	10	9	...	1	...	62	58	...	4	...
52	Cancer of urinary organs-----	96	60	35	1	-	729	445	269	17	8
52a	Cancer of kidney-----	31	17	13	1	-	206	122	73	6	5
52b	Cancer of bladder-----	63	42	21	-	-	516	320	182	11	3
52c	Cancer of other and unspecified sites-----	2	1	1	-	-	7	3	4	-	-
53	Cancer of skin, etc.*-----	41	25	15	1	-	237	133	98	4	2

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

503

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

RHODE ISLAND						SOUTH CAROLINA						SOUTH DAKOTA						TENNESSEE						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	Male	Female			
6,075	4,150	3,776	91	76	16,351	4,941	5,590	4,133	3,717	5,509	3,128	2,045	177	158	27,650	11,986	9,171	3,358	3,137					
341	212	104	18	7	1,285	262	139	475	409	517	150	67	49	51	2,697	999	875	422	391					
-	-	-	-	-	23	5	4	11	3	-	-	-	-	-	20	12	7	1	-	1				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3				
1	1	-	-	-	4	1	2	1	-	-	-	-	-	-	1	1	-	-	-	4				
9	7	2	-	-	21	8	6	4	3	3	3	-	-	-	53	29	17	4	3	5				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6				
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-	7				
4	2	2	-	-	30	3	4	14	9	-	-	1	-	-	51	17	28	4	2	8				
2	1	-	-	-	29	14	8	2	5	6	4	1	-	1	25	11	13	1	-	9				
2	1	1	-	-	2	1	-	-	1	6	-	-	-	-	6	4	2	-	-	10				
-	-	-	-	-	10	1	1	4	4	3	2	1	-	-	21	6	5	8	2	11				
232	147	67	12	6	562	116	41	210	195	172	63	19	42	49	1,631	615	572	218	226	13-22				
215	138	60	11	6	529	113	38	191	187	156	60	17	37	42	1,500	571	537	186	206	13				
8	5	3	-	-	2	-	-	2	-	7	2	1	2	2	45	16	13	9	7	14				
2	-	2	-	-	14	1	2	6	5	4	-	-	-	1	19	4	6	4	5	15				
3	2	-	1	-	1	-	1	-	-	-	-	-	-	-	11	6	1	3	1	16				
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	6	3	3	-	-	17				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	19				
-	-	-	-	-	3	1	-	2	-	3	1	1	-	1	10	6	3	-	1	20				
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	21				
4	2	2	-	-	11	1	-	8	2	1	-	-	-	-	37	7	8	16	6	22				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23				
-	-	-	-	-	11	-	1	6	4	3	-	-	-	-	19	8	5	-	6	24				
-	-	-	-	-	8	-	1	-	7	-	-	-	-	-	7	1	1	1	4	25				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	6	3	3	4	26				
-	-	-	-	-	16	6	2	6	2	1	1	-	-	-	20	13	9	1	5	27				
-	-	-	-	-	19	1	6	7	5	1	1	-	-	-	17	9	3	3	2	28				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	29				
45	32	7	4	-	250	30	7	131	82	27	19	4	3	1	266	85	29	94	59	30				
1	1	-	-	-	3	1	-	-	1	1	1	-	-	-	5	2	2	-	1	30a				
14	10	3	1	-	82	11	3	48	20	8	7	-	-	-	76	30	10	23	13	30b				
14	11	2	1	-	44	11	1	21	11	4	2	1	1	-	38	14	4	13	7	30c				
2	1	1	1	-	35	1	1	16	15	2	-	-	2	-	22	3	3	11	5	30d				
12	9	1	2	-	88	6	-	45	35	12	9	3	-	-	125	36	9	47	33	30e, c, g				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31				
2	1	-	-	-	-	1	1	2	-	-	-	-	-	-	13	5	2	2	4	32				
19	7	10	2	-	217	48	55	61	75	41	24	15	2	-	378	122	127	65	64	33				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34				
-	-	-	-	-	30	10	7	6	7	6	-	5	1	-	42	10	20	8	4	35				
7	4	3	-	-	7	1	3	1	2	36	23	11	1	1	18	8	8	-	2	36				
5	2	3	-	-	2	1	1	1	-	2	1	1	-	-	14	5	7	1	1	37				
-	-	-	-	-	7	1	2	2	2	-	-	-	-	-	1	1	-	-	-	38				
-	-	-	-	-	9	6	2	-	1	-	-	-	-	-	14	4	9	1	-	39				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41				
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42				
14	6	8	-	-	3	1	-	1	1	-	2	-	-	-	12	5	1	5	1	43				
-	-	-	-	-	21	7	6	5	3	12	7	5	-	-	29	21	4	2	2	44				
1,201	541	645	6	9	1,397	393	505	182	327	750	388	549	5	8	2,968	1,103	1,350	205	308					
1,162	530	619	6	7	1,337	374	489	173	301	718	375	330	5	8	2,852	1,071	1,301	201	279	45-55				
33	29	4	-	-	44	25	11	3	5	21	18	5	-	-	111	59	36	11	6	45				
1	1	-	-	-	5	5	-	-	-	6	6	-	-	-	13	7	6	-	-	45a				
8	8	-	-	-	10	2	4	1	3	3	2	1	-	-	26	16	8	1	1	45b				
3	2	1	-	-	6	4	1	1	-	-	-	-	-	-	24	14	8	-	2	45c				
7	6	1	-	-	12	8	2	-	2	5	4	1	-	-	18	7	8	2	1	45d				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	45e				
14	12	2	-	-	11	6	4	1	-	7	6	1	-	-	28	13	5	8	2	45f				
529	263	260	4	2	495	140	171	97	87	340	195	138	3	4	1,178	483	507	113	75	46				
16	10	6	-	-	27	3	10	6	6	11	7	4	-	-	30	17	7	4	2	46a				
154	87	64	1	2	184	59	40	54	31	125	65	38	1	1	434	198	152	56	28	46b				
2	1	1	-	-	1	-	-	1	-	2	-	2	-	-	6	2	3	-	1	46c				
69	36	33	-	-	37	4	18	4	11	48	27	20	1	-	103	44	43	10	6	46d				
177	78	98	1	-	112	29	49	17	18	81	39	40	1	1	270	95	146	15	18	46e				
54	20	34	-	-	61	23	34	7	17	47	18	27	-	2	208	83	101	10	14	46f				
41	23	17	1	-	46	21	18	5	2	20	16	4	-	-	97	36	40	16	5	46g				
9	3	6	-	-	6	2	2	-	2	4	2	2	-	-	15	5	6	2	3	46h				
7	5	1	1	-	1	-	-	1	-	1	1	1	-	-	15	5	9	-	1	46m				
102	75	26	1	-	104	58	22	17	7	45	34	10	-	1	192	125	38	19	11	47				
12	11	1	-	-	12	7	-	-	2	1	-	-	-	-	22	15	4	3	-	47a				
23	17	5	1	-	20	13	2	2	3	7	6	1	-	-	51	41	2	7	1	47b, c				
65	45	20	-	-	68	37	17	13	1	34	27	6	-	1	107	59	31	7	10	47d				
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	47e				
2	2	-	-	-	3	1	-	-	-	2	-	2	-	-	10	8	1	1	-	47f				
90	...	88	-	-	233	...	116	...	117	32	...	30												



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON				Total deaths	PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
			Male	Female	Male			Female	Male	Female	Male	Female
	II.—Cancer and other tumors—Continued											
	Cancer and other malignant tumors—Continued											
54	Cancer of central nervous system—	26	17	9	-	-	206	127	74	3	2	
55	Cancer of other and unspecified organs—	145	68	74	1	2	905	455	404	27	17	
56,57	Nonmalignant tumors and tumors of unspecified nature—	49	22	26	-	1	487	171	272	16	28	
56	Nonmalignant tumors (including dermoid cysts)—	27	9	17	-	1	270	59	184	5	22	
56a-c	Nonmalignant tumors of female genital organs—	15	...	14	...	1	152	...	133	...	19	
56d	Nonmalignant tumors of central nervous system—	6	5	1	-	-	60	35	24	1	-	
56e	Nonmalignant tumors of other and unspecified organs—	8	4	2	-	-	58	24	27	4	3	
57	Tumors of unspecified nature—	22	13	9	-	-	217	112	88	11	6	
57a-c	Tumors, female genital organs (nature unspecified)—	1	...	1	...	-	3	...	2	...	1	
57d	Tumors, central nervous system* (nature unspecified)—	18	10	6	-	-	141	77	57	6	1	
57e	Tumors, other organs (nature unspecified)—	5	3	2	-	-	73	35	29	5	4	
	III.—Rheumatism, diseases of nutrition, etc.*—	571	144	221	4	2	4,007	1,194	2,642	41	130	
58	Acute rheumatic fever—	10	5	4	1	-	123	57	52	5	9	
58a	Acute rheumatic pericarditis—	-	-	-	-	-	6	3	3	-	-	
58b	Acute rheumatic endocarditis—	5	2	3	-	-	38	14	22	-	2	
58c	Acute rheumatic myocarditis—	1	1	-	-	-	15	7	5	1	2	
58d	Other acute rheumatic heart diseases—	1	-	1	-	-	26	15	7	2	2	
58e,f	Other forms of acute rheumatic fever, etc.*—	3	2	-	1	-	38	18	15	2	3	
59	Chronic rheumatism, other rheumatic diseases—	14	7	7	-	-	125	48	68	4	5	
60	Gout—	-	-	-	-	-	1	1	-	-	-	
61	Diabetes mellitus—	305	119	180	2	2	5,325	948	2,255	22	102	
62	Diseases of pituitary gland—	-	-	-	-	-	12	7	5	-	-	
63	Diseases of thyroid and parathyroid glands—	24	4	20	-	-	220	35	172	2	11	
63a	Simple goiter—	-	-	-	-	-	13	4	8	-	1	
63b	Exophthalmic goiter—	20	4	16	-	-	193	27	154	2	10	
63c-e	Other diseases of thyroid and parathyroid glands—	4	-	4	-	-	14	4	10	-	-	
64	Diseases of thymus gland—	13	8	4	1	-	107	59	45	2	1	
65	Diseases of adrenal glands—	4	1	3	-	-	38	18	16	2	2	
66	Other general diseases—	2	-	2	-	-	51	12	17	2	-	
67	Scurvy—	-	-	-	-	-	2	1	1	-	-	
68	Beriberi—	-	-	-	-	-	2	-	2	-	-	
69	Pellagra (except alcoholic)—	1	-	1	-	-	7	3	4	-	-	
70	Rickets—	-	-	-	-	-	6	3	2	1	-	
71	Other avitaminoses—	-	-	-	-	-	8	2	5	1	-	
	IV.—Diseases of the blood and blood-forming organs—	104	50	52	1	1	778	410	341	13	14	
72	Hemorrhagic conditions—	2	1	1	-	-	39	18	17	1	3	
73	Anemias (except splenic anemia)—	25	10	14	1	-	228	101	121	2	4	
73a	Pernicious anemia—	16	7	9	-	-	141	64	75	1	1	
73b-d	Other anemias (except splenic)—	9	3	5	1	-	87	37	46	1	3	
74	Leukemias and aleukemias—	75	39	35	-	1	454	269	179	10	6	
74a	Leukemias—	70	36	34	-	-	444	259	169	10	6	
74b	Aleukemias—	5	3	1	-	1	20	10	10	-	-	
75	Diseases of spleen—	2	-	2	-	-	51	13	17	-	1	
76	Other diseases of blood and blood-forming organs—	-	-	-	-	-	16	9	7	-	-	
	V.—Chronic poisoning and intoxication—	34	32	2	-	-	124	95	15	11	5	
77	Alcoholism (ethylism)—	32	31	1	-	-	115	88	13	9	5	
78	Lead poisoning—	-	-	-	-	-	6	3	1	2	-	
79	Chronic poisoning by other mineral substances*—	2	1	1	-	-	5	4	1	-	-	
	VI.—Diseases of the nervous system, etc.*—	1,404	752	660	6	6	10,445	4,714	5,105	302	324	
80	Encephalitis (nonepidemic)—	12	7	5	-	-	119	58	55	6	3	
81	Meningitis (not due to meningococcus)—	23	12	9	1	1	165	85	59	11	8	
82	Diseases of spinal cord (see exceptions)*—	25	18	7	-	-	250	142	97	9	2	
83	Intracranial lesions of vascular origin—	1,249	645	595	4	5	9,248	4,098	4,595	256	301	
83a	Cerebral hemorrhage or effusion—	1,111	575	528	4	4	7,804	3,438	3,910	205	251	
83b,c	Cerebral embolism, thrombosis, and softening—	104	54	49	-	1	1,255	568	596	44	45	
83d	Hemiplegia, other paralysis, etc.*—	34	16	18	-	-	191	92	87	7	5	
84	Mental diseases and deficiency (see exception)*—	22	11	11	-	-	91	28	57	3	3	
85	Epilepsy—	19	10	8	1	-	162	87	65	10	2	
86	Convulsions (under 5 years)—	3	1	2	-	-	26	17	9	-	-	
87	Other diseases of nervous system—	45	26	19	-	-	356	168	156	7	5	
88	Diseases of organs of vision—	1	-	1	-	-	1	1	-	-	-	
89	Diseases of ear and mastoid process—	5	2	3	-	-	49	30	18	1	-	
	VII.—Diseases of the circulatory system—	4,133	2,603	1,480	29	21	38,947	21,164	15,871	990	922	
90-95	Diseases of the heart (all forms)—	3,784	2,389	1,548	27	20	36,169	19,767	14,608	928	666	
90	Pericarditis (except acute rheumatic)—	2	1	1	-	-	46	27	14	2	3	
90a	Chronic rheumatic pericarditis—	-	-	-	-	-	1	1	-	-	-	
90b	Other pericarditis—	2	1	1	-	-	45	26	14	2	3	
91	Acute endocarditis (except rheumatic)—	13	8	4	-	1	115	59	40	9	7	
91a,b	Bacterial, acute, and subacute endocarditis—	13	8	4	-	1	100	54	34	8	4	
91c	Endocarditis (unspecified, under 45 years)—	-	-	-	-	-	15	5	6	1	5	
92	Chronic affections of valves and endocardium—	327	180	144	2	1	2,832	1,355	1,318	85	74	
92a	Diseases of aortic valve, etc.*—	51	32	18	1	-	213	102	81	13	17	
92b	Diseases of mitral valve, etc.*—	139	76	63	-	-	1,016	482	483	30	21	
92c	Chronic rheumatic endocarditis, etc.*—	22	12	10	-	-	211	106	85	8	2	
92d	Other chronic endocarditis, etc.*—	102	54	46	1	1	1,251	587	608	32	26	
92e	Endocarditis (unspecified, 45 years and over)—	15	6	7	-	-	141	78	53	4	8	
93	Diseases of the myocardium—	1,401	771	609	15	8	19,787	9,582	9,051	566	588	
93a	Acute myocarditis (except rheumatic)—	12	10	2	-	-	327	161	129	10	7	
93b	Myocarditis (unspecified, under 45 years)—	1	1	-	-	-	29	19	8	-	2	
93c	Chronic rheumatic myocarditis, etc.*—	8	4	4	-	-	101	45	51	4	3	
93d	Other chronic myocarditis, etc.*—	1,247	681	535	13	6	17,915	8,604	8,255	519	538	
93e	Other myocarditis (unspecified)—	133	65	68	-	-	1,414	735	608	33	38	
94	Diseases of coronary arteries, angina pectoris—	1,709	1,231	463	9	6	11,173	7,560	3,270	207	136	
94a	Diseases of coronary arteries—	1,680	1,214	451	9	6	10,981	7,457	3,206	204	134	
94b	Angina pectoris—	29	17	12	-	-	192	123	64	3	2	

\*Refer to International List for complete title, table V. Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

505

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	12	10	-	-	27	11	9	2	5	16	9	7	-	-	51	26	19	2	4	54
107	56	51	-	-	116	46	31	15	24	71	37	33	1	-	232	99	102	14	17	55
39	11	26	-	-	60	9	16	9	26	32	15	19	-	-	114	32	48	4	29	56,57
25	5	18	-	-	39	2	11	-	26	15	2	13	-	-	69	10	31	2	26	56
15	...	14	...	1	34	...	10	...	24	11	...	11	...	-	43	...	20	-	23	56a-c
7	4	3	-	-	4	2	1	-	1	1	-	1	-	-	17	9	6	1	1	56d
3	1	1	-	-	1	-	-	-	1	3	2	1	-	-	9	1	5	1	2	56e
14	6	8	-	-	21	7	5	9	-	17	11	6	-	-	45	22	18	2	3	57
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a-c
8	3	5	-	-	17	6	3	8	-	15	10	5	-	-	34	16	15	1	2	57d
6	3	3	-	-	4	1	2	1	-	2	1	1	-	-	11	6	3	1	1	57e
318	103	206	2	7	406	101	148	47	110	164	72	96	2	4	629	219	269	55	86	
7	2	4	-	1	29	2	8	5	16	7	4	3	-	-	32	5	17	3	7	58
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	58a
3	2	1	-	-	6	-	1	1	4	3	2	1	-	-	10	1	5	1	3	58b
-	-	-	-	-	2	-	2	-	-	2	-	2	-	-	6	2	3	1	-	58c
2	-	1	-	-	5	1	-	1	3	-	-	-	-	-	5	-	3	-	2	58d
1	-	1	-	-	16	1	3	3	9	2	2	-	-	-	9	2	6	-	1	58e,f
5	2	3	-	-	21	6	8	1	6	22	8	12	-	2	50	15	23	7	5	59
265	90	187	2	6	259	73	94	25	67	120	52	64	2	2	394	145	169	30	50	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
11	3	8	-	-	22	1	17	-	4	9	3	5	-	-	55	9	29	3	14	62
2	-	2	-	-	3	-	3	-	-	1	-	1	-	-	3	-	1	-	2	63a
6	2	4	-	-	16	1	11	-	4	3	1	2	-	-	44	8	24	2	10	63b
3	1	2	-	-	3	-	3	-	-	4	2	2	-	-	8	1	4	1	2	63c-e
2	1	1	-	-	17	6	4	6	1	4	4	-	-	-	9	5	1	1	2	64
3	1	2	-	-	2	1	1	-	-	2	1	1	-	-	8	3	2	2	1	65
3	2	1	-	-	7	2	-	3	2	1	-	-	-	-	10	6	1	3	-	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	67
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	68
1	-	-	-	-	41	8	17	3	13	-	-	-	-	-	60	26	24	4	6	69
1	1	-	-	-	5	1	1	4	-	-	-	-	-	-	6	2	2	1	1	70
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	4	3	1	-	-	71
55	27	26	1	1	111	38	41	12	20	63	39	22	-	2	195	94	74	12	15	
1	1	-	-	-	16	4	6	2	4	2	1	1	-	-	15	5	9	1	-	72
15	6	8	-	-	23	8	7	1	7	23	12	9	-	2	53	21	18	4	10	73
9	4	5	-	-	9	3	3	-	3	18	10	7	-	-	31	15	13	-	3	73a
6	2	3	-	-	14	5	4	1	4	5	2	2	-	1	22	6	5	4	7	73b-d
57	19	17	1	-	58	20	26	8	4	54	23	11	-	-	114	64	40	5	5	74
36	19	16	1	-	55	19	24	8	4	33	22	11	-	-	111	63	38	5	5	74a
1	-	1	-	-	3	1	2	-	-	1	1	-	-	-	3	1	2	-	-	74b
2	1	1	-	-	4	2	2	-	-	3	3	-	-	-	9	2	5	2	-	75
-	-	-	-	-	10	4	-	1	5	1	-	1	-	-	4	2	2	-	-	76
14	11	3	-	-	38	27	1	7	3	14	13	-	1	-	40	31	3	4	2	
14	11	3	-	-	38	27	1	7	3	14	13	-	1	-	38	31	1	4	2	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	79
786	321	455	8	2	2,003	511	464	493	535	617	321	285	9	3	3,140	1,238	1,135	347	420	
8	5	3	-	-	23	8	8	3	4	5	4	1	-	-	35	10	13	9	3	80
5	1	4	-	-	47	13	9	14	11	11	4	3	2	2	40	17	13	7	3	81
12	8	4	-	-	14	7	6	1	-	11	5	6	-	-	37	21	8	2	6	82
699	285	405	8	1	1,808	457	422	441	488	543	285	252	5	1	2,782	1,088	1,027	294	373	83
556	230	318	7	1	1,583	397	347	395	444	480	254	220	5	1	2,568	1,011	951	268	338	83a
141	53	87	1	-	155	42	60	26	27	43	22	21	-	-	154	53	50	17	14	83b,c
2	2	-	-	-	70	18	15	20	17	20	9	11	-	-	80	24	26	9	21	83d
5	3	2	-	-	25	4	2	8	11	7	3	4	-	-	82	25	29	13	15	84
2	1	-	-	-	37	9	3	15	10	6	4	2	-	-	63	31	17	12	3	85
-	-	-	-	-	13	2	3	6	2	2	1	1	-	-	9	4	1	1	3	86
30	16	14	-	-	31	11	8	4	8	29	14	14	-	-	66	29	20	5	12	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
5	2	3	-	-	5	-	3	1	1	4	1	2	1	-	26	13	7	4	2	89
3,164	1,653	1,456	28	27	5,891	1,482	935	747	727	1,644	1,033	581	18	12	6,949	3,546	2,166	725	712	
3,025	1,585	1,385	28	27	5,539	1,378	846	663	652	1,469	931	511	16	11	6,521	3,165	2,022	674	660	90-95
1	1	-	-	-	4	-	-	1	3	2	-	1	-	-	26	15	6	4	1	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
1	1	-	-	-	4	-	-	1	3	2	-	1	1	-	26	15	6	4	1	90b
3	2	1	-	-	23	6	2	12	3	9	5	4	-	-	31	5	9	8	11	91
2	1	1	-	-	17	5	2	8	2	7	3	4	-	-	27	5	7	6	9	91a,b
1	1	-	-	-	6	1	-	4	1	2	2	-	-	-	4	-	2	-	2	91c
187	92	90	3	2	400	97	91	114	98	108	68	35	3	3	760	298	217	110	135	92
15	5	8	2	-	50	12	3	18	17	9	7	1	1	-	91	41	19	8	23	92a
75	42	33	-	-	174	43	47	45	39	45	28	13	2	2	336	135	102	47	52	92b
12	4	7	1	-	8	6	1	-	1	6	4	2	-	-	33	16	10	5	2	92c
73	34	37	-	-	125	23	30	39	33	42	26	15	-	1	228	87	72	26	43	92d
12	7	5	-	-	43	13	10	12	8	7	3	4	-	-	72	19	14	24	15	92e
1,7																				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON						PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	VII.—Diseases of the circulatory system—Continued												
	Diseases of the heart (all forms)—Continued												
95	Other diseases of heart—	332	198	127	3	4	2,216	1,184	915	59	58		
95a	Functional diseases of heart, etc.*	14	8	5	-	1	74	31	39	2	2		
95b	Other diseases of heart (rheumatic)	58	21	35	-	2	645	305	289	21	20		
95c	Other diseases of heart (not rheumatic)	260	169	97	3	1	1,497	848	577	36	36		
96	Aneurysm (except of heart and aorta)	15	10	4	-	1	146	90	41	5	10		
97	Arteriosclerosis (except coronary or renal sclerosis)	275	167	106	2	-	2,259	1,152	1,044	48	35		
98	Gangrene	5	3	2	-	-	23	13	9	1	-		
99	Other diseases of arteries	23	15	8	-	-	145	72	69	2	2		
100	Diseases of veins	9	8	1	-	-	86	42	40	1	3		
101	Diseases of lymphatic system	-	-	-	-	-	2	-	1	1	-		
102	High blood pressure (idiopathic)	18	10	8	-	-	108	43	56	4	5		
103	Other diseases of circulatory system	4	1	3	-	-	9	5	3	-	1		
	VIII.—Diseases of the respiratory system	708	411	273	15	9	5,104	2,914	1,760	258	192		
104	Diseases of nasal fossae, accessory sinuses	5	4	1	-	-	26	10	12	1	3		
105	Diseases of larynx	6	5	1	-	-	21	12	5	1	3		
106	Bronchitis	26	18	8	-	-	260	155	92	6	7		
107	Bronchopneumonia (including capillary bronchitis)	383	208	161	9	5	1,746	915	653	85	95		
108	Lobar pneumonia	130	81	45	2	2	1,672	938	577	95	62		
109	Pneumonia (unspecified)	43	23	16	3	1	416	232	159	16	9		
109A	Atypical or virus pneumonia	9	5	4	-	-	86	53	31	-	2		
109B	Pneumonia (all other, unspecified)	34	18	12	3	1	330	179	128	16	7		
110	Pleurisy (not tuberculous)	14	8	6	-	-	95	45	35	11	4		
111	Hemorrhagic infarction, thrombosis, edema*	51	34	17	-	-	299	155	129	8	7		
112	Asthma	32	18	12	1	1	232	154	69	6	3		
113	Pulmonary emphysema	2	2	-	-	-	12	10	2	-	-		
114	Other diseases of respiratory system (except tuberculosis)	16	10	6	-	-	325	288	27	9	1		
114a,b	Silicosis, other forms of pneumoconiosis	2	2	-	-	-	231	226	3	2	-		
114c-e	Other diseases of respiratory system (except tuberculosis)	14	8	6	-	-	94	62	24	7	1		
	IX.—Diseases of the digestive system	466	278	176	10	2	4,436	2,429	1,778	132	97		
115	Diseases of buccal cavity and adnexa, etc.*	17	6	8	2	1	120	61	48	8	3		
116	Diseases of esophagus	2	1	1	-	-	21	10	11	-	-		
117	Ulcer of stomach or duodenum	76	63	12	1	-	540	437	92	17	4		
117a	Ulcer of stomach	51	43	7	1	-	334	263	59	9	3		
117b	Ulcer of duodenum	25	20	5	-	-	206	174	23	8	1		
118	Other diseases of stomach (except cancer)	13	9	4	-	-	72	43	26	2	1		
119	Diarrhea, enteritis, etc.* (under 2 years)	21	8	11	2	-	380	201	144	20	15		
120	Diarrhea, enteritis, etc.* (2 years and over)	16	9	7	-	-	123	48	62	8	5		
121	Appendicitis	29	21	7	1	-	398	218	155	17	8		
122	Hernia and intestinal obstruction	99	51	47	1	-	873	449	373	27	24		
122a	Hernia	43	24	19	-	-	427	225	183	13	6		
122b	Intestinal obstruction	56	27	29	1	-	446	224	190	14	18		
123	Other diseases of intestines	21	11	10	-	-	124	68	47	1	8		
124	Cirrhosis of liver	99	66	31	2	-	988	614	343	22	10		
124a	Cirrhosis of liver with mention of alcoholism	8	4	3	1	-	47	31	11	3	2		
124b	Cirrhosis of liver without mention of alcoholism	91	62	28	1	-	942	583	332	19	8		
125	Other diseases of liver	18	6	11	-	1	139	71	60	4	4		
126	Biliary calculi	18	8	10	-	-	343	101	236	1	3		
127	Other diseases of gallbladder, biliary ducts	23	9	14	-	-	174	52	117	-	5		
128	Diseases of pancreas (except diabetes mellitus)	10	7	2	1	-	72	29	36	4	3		
129	Peritonitis (cause not stated)	4	3	1	-	-	68	27	36	1	4		
	X.—Diseases of the genito-urinary system	1,098	629	459	8	2	7,798	3,867	3,417	259	256		
130	Acute nephritis	16	9	6	1	-	187	84	69	6	8		
131	Chronic nephritis	904	496	401	5	2	6,463	3,017	3,049	193	204		
131a	Arteriosclerotic kidney	763	420	336	5	2	5,104	2,329	2,451	157	167		
131b	Other chronic nephritis	141	76	65	-	-	1,359	688	598	36	37		
132	Nephritis unspecified (10 years and over)	29	13	15	1	-	308	168	106	18	18		
133	Other diseases of kidneys, ureters, etc.*	34	14	19	1	-	163	77	74	6	6		
134	Calculi of urinary passages	12	10	2	-	-	81	52	25	1	3		
135	Diseases of urinary bladder	5	4	1	-	-	32	18	11	3	-		
136	Diseases of urethra (except calculus)	2	-	2	-	-	24	15	3	6	-		
137	Diseases of prostate	83	83	-	-	-	463	439	-	25	-		
137a	Hypertrophy of prostate	75	75	-	-	-	421	397	-	24	-		
137b	Other diseases of prostate	8	8	-	-	-	42	41	-	1	-		
138	Diseases of other male genital organs (not venereal)	-	-	-	-	-	1	-	-	1	-		
139	Diseases of female genital organs	13	-	13	-	-	97	-	80	-	17		
139a	Diseases of ovaries, fallopian tubes, parametria	4	-	4	-	-	54	-	39	-	15		
139b	Diseases of uterus	9	-	9	-	-	40	-	39	-	2		
139c	Diseases of other female genital organs*	-	-	-	-	-	3	-	3	-	-		
	XI.—Diseases of pregnancy, childbirth, and the puerperium	31	-	28	-	3	332	-	295	-	37		
140	Abortion with mention of infection	3	-	3	-	-	31	-	22	-	9		
141	Abortion without mention of infection	1	-	1	-	-	18	-	18	-	-		
141a,c	Abortion (nonspecific), spontaneous, therapeutic, with toxemia*	-	-	-	-	-	8	-	5	-	-		
141b	Abortion (nonspecific), spontaneous, therapeutic, without toxemia*	-	-	-	-	-	4	-	4	-	-		
141d-f	Other abortions (nonspecific)*	1	-	1	-	-	9	-	9	-	-		
142	Ectopic gestation	2	-	1	-	1	28	-	21	-	7		
142a	Ectopic gestation, with mention of infection	-	-	-	-	-	6	-	5	-	1		
142b	Ectopic gestation, without mention of infection	2	-	1	-	1	22	-	16	-	6		
143	Hemorrhage of pregnancy (death before delivery)	1	-	1	-	-	1	-	1	-	-		
144	Toxemia of pregnancy (death before delivery)	1	-	1	-	-	17	-	16	-	1		
145	Other diseases of pregnancy (death before delivery)*	2	-	1	-	1	12	-	11	-	1		
145A	With mention of infection	1	-	1	-	-	8	-	7	-	1		
145B	Without mention of infection	1	-	-	-	1	4	-	4	-	-		
146	Hemorrhage of childbirth and puerperium	4	-	4	-	-	55	-	50	-	5		
147	Infection during childbirth and puerperium	3	-	3	-	-	83	-	77	-	6		
148	Puerperal toxemia (excluding death before delivery)	5	-	5	-	-	38	-	34	-	5		
149	Other accidents and specified conditions of childbirth	4	-	3	-	1	23	-	22	-	1		
150	Other and unspecified conditions of childbirth and puerperium	5	-	5	-	-	25	-	23	-	2		

\*Refer to International List for complete title, table V, Part I.



## 507

## and of deaths among armed forces overseas)

RHODE ISLAND						SOUTH CAROLINA						SOUTH DAKOTA						TENNESSEE						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female					
140	73	61	2	4	374	128	62	89	95	167	97	62	8	2	920	430	255	124	111	95				
5	1	2	-	-	9	6	2	-	1	10	6	3	1	-	38	20	9	3	4	95a				
41	18	23	-	-	46	13	6	12	15	11	6	4	-	1	105	47	46	7	5	95b				
96	54	36	2	4	319	109	54	77	79	146	85	55	5	1	779	363	200	114	102	95c				
11	8	3	-	-	18	8	4	5	1	3	1	2	-	-	14	7	3	1	3	96				
109	50	59	-	-	269	83	69	66	51	142	79	60	2	1	289	134	99	30	26	97				
2	1	1	-	-	5	-	1	3	1	2	2	-	-	-	6	2	1	1	2	98				
8	4	4	-	-	16	6	6	-	4	17	12	5	-	-	35	14	16	3	2	99				
3	2	1	-	-	6	3	1	-	2	3	1	2	-	-	20	8	7	4	1	100				
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	3	1	1	-	1	101				
5	2	3	-	-	35	4	7	6	16	8	7	1	-	-	50	13	16	8	13	102				
-	-	-	-	-	4	-	1	3	-	-	-	-	-	-	11	2	1	4	4	103				
308	175	126	1	6	946	236	180	310	210	280	139	116	13	12	1,623	656	547	223	197					
3	1	2	-	-	14	1	1	4	8	2	1	1	-	-	15	4	7	1	3	104				
3	3	-	-	-	3	-	1	1	1	-	-	-	-	-	4	1	2	1	-	105				
9	6	3	-	-	35	16	9	7	3	11	5	6	-	-	59	25	20	11	3	106				
125	68	55	1	1	398	101	82	118	87	94	45	40	5	6	704	270	271	78	85	107				
119	69	46	-	4	367	82	62	135	88	87	48	31	7	1	550	229	157	83	81	108				
7	3	4	-	-	70	15	11	27	17	32	20	7	1	4	119	51	37	21	10	109a				
4	1	3	-	-	11	2	4	4	1	7	6	1	-	-	27	14	11	2	-	109B				
3	2	1	-	-	59	13	7	23	16	25	14	6	1	4	82	37	28	19	10	109B				
6	3	3	-	-	8	3	1	3	1	3	2	1	-	-	15	8	2	3	1	110				
13	8	5	-	-	23	6	10	4	3	31	10	21	-	-	51	19	22	7	3	111				
8	5	3	-	-	20	6	9	4	1	16	8	7	-	1	65	24	21	9	9	112				
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	113				
14	8	5	-	1	18	6	4	7	1	4	2	2	-	-	41	23	8	8	2	114				
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	7	6	-	1	-	114a,b				
14	8	5	-	1	17	5	4	7	1	3	1	2	-	-	34	17	8	7	2	114a,c				
326	192	129	5	-	553	184	123	133	113	226	116	97	8	7	1,161	478	345	171	167					
6	3	3	-	-	24	4	8	6	6	8	2	5	-	1	45	19	9	6	11	115				
3	1	2	-	-	1	-	1	1	1	-	-	-	-	-	4	1	2	-	1	116				
47	40	6	1	-	77	36	12	26	3	27	23	5	1	-	162	85	30	23	24	117				
27	23	3	1	-	58	24	9	22	3	17	14	3	-	-	120	59	21	19	21	117a				
20	17	3	-	-	19	12	3	4	-	10	9	-	1	-	42	26	9	4	3	117b				
4	2	2	-	-	11	1	2	3	5	7	6	1	-	-	79	13	16	25	25	118				
10	5	5	-	-	93	19	13	33	28	14	4	6	2	2	184	69	61	27	28	119				
10	7	3	-	-	25	6	4	8	7	16	4	11	-	1	49	19	10	9	11	120				
19	13	6	-	-	54	14	16	15	9	27	14	12	1	-	116	55	34	14	13	121				
54	34	20	-	-	93	25	23	22	23	47	22	24	-	1	195	69	57	36	33	122				
30	21	9	-	-	40	11	9	14	6	26	16	11	-	1	62	28	14	9	11	122a				
24	13	11	-	-	53	14	14	8	17	19	6	13	-	-	133	41	43	27	22	122b				
7	4	2	1	-	13	5	2	3	3	7	4	2	-	1	29	12	11	5	1	123				
91	56	34	1	-	77	46	15	10	6	30	17	12	1	-	152	86	44	15	7	124				
7	3	4	-	-	10	8	2	-	-	1	1	-	-	-	13	8	4	1	-	124a				
84	53	30	1	-	67	38	13	10	6	29	16	12	1	-	139	79	40	14	7	124b				
11	6	5	-	-	23	6	5	3	2	4	2	2	-	-	43	19	13	7	6	125				
31	8	23	-	-	19	7	10	-	9	2	8	8	1	-	48	13	32	1	2	126				
22	9	12	1	-	19	5	6	1	7	16	7	7	1	1	30	11	16	2	1	127				
3	2	1	-	-	11	7	4	-	-	3	-	3	-	-	8	4	3	1	-	128				
8	2	5	1	-	13	3	2	3	5	5	3	1	1	-	17	5	8	-	4	129				
646	354	292	3	7	1,644	417	298	504	425	327	205	110	8	4	1,927	779	596	296	256					
10	7	3	-	-	37	8	4	13	12	9	5	3	-	1	61	24	16	11	10	130				
536	271	256	2	7	1,348	311	261	411	365	232	143	83	4	2	1,475	571	497	209	198	131				
427	222	199	2	4	1,090	257	213	321	299	152	95	53	3	1	1,037	410	333	154	140	131a				
109	49	57	-	3	258	54	48	90	66	80	48	30	1	1	438	161	164	55	58	131b				
10	7	3	-	-	93	18	12	34	29	19	9	10	-	-	119	30	37	32	20	132				
18	9	9	-	-	34	15	6	7	6	12	4	7	-	1	37	14	15	2	6	133				
8	5	3	-	-	25	17	5	3	-	3	2	1	-	-	15	8	5	1	1	134				
7	5	2	-	-	2	1	-	1	-	3	2	1	-	-	17	7	6	3	1	135				
3	2	-	1	-	12	3	-	9	-	1	1	-	-	-	5	1	2	2	-	136				
47	47	...	...	...	69	44	...	25	...	43	59	...	4	...	159	124	...	35	...	137				
44	44	...	...	...	56	36	...	20	...	35	31	...	4	...	134	106	...	28	...	137a				
3	3	...	...	...	13	8	...	5	...	8	8	...	-	...	25	18	...	7	...	137b				
1	1	...	...	...	1	-	...	1	...	-	-	...	-	...	1	-	...	1	...	139				
6	...	6	...	...	23	...	10	...	13	5	...	5	...	...	38	...	18	...	20	139				
-	...	-	...	...	14	...	3	...	11	1	...	1	...	-	27	...	11	...	16	139a				
6	...	6	...	...	9	...	7	...	2	4	...	4	...	-	11	...	7	...	4	139b				
-	...	-	...	...	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c				
24	...	24	...	-	148	...	53	...	95	15	...	12	...	3	142	...	99	...	43					
-	...	-	...	-	7	...	4	...	3	2	...	2	...	-	12	...	4	...	8	140				
-	...	-	...	-	3	...	1	...	2	1	...	1	...	-	9	...	6	...	3	141				
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	5	...	3	...	2	141a,c				
2	...	2	...	-	2	...	1	...	2	-	...	1	...	-	3	...	2	...	1	141b				
1	...	1	...	-	3	...	1	...	1	-	...	-	...	-	1	...	1	...	-	141d-f				
1	...	1	...	-	1	...	1	...	2	-	...	-	...	-	6	...	2	...	4	142				
-	...	1	...	-	1	...	1	...	1	-	...	-	...	-	2	...	1	...	1	142a				
2	...	2	...	-	3	...	1	...	3	-	...	-	...	-	4	...	1	...	3	142b				
1	...	1	...	-	24	...	4	...	20	-	...	-	...	-	3	...	2	...	1	143				
2	...	2	...	-	1	...	-	...	1	-	...	-	...	-	18	...	13	...	5	144				
-	...	-	...	-	...	...	-	...	-	-	...	-	...	-	13	...	8	...	5	145				
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	9	...	5	...	4	145A				
4	...	4	...	-	32	...	20	...	12	3	...	1	...	2	4	...	3	...	1	145B				
6	...	6	...	-	31	...	9	...	22	5	...	5	...	-	20	...	17	...	3	146				
2	...	2	...	-	20	...	6	...	14	-	...	-	...	-	23	...	14	...	8	147				
3	...	3	...	-	6	...	3	...	3	3	...	3	...	-	5	...	4	...	1	149				
1	...	1	...	-	14	...	4	...	10	1	...	-	...	1	11	...	8	...	3	150				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON						PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	XII.—Diseases of the skin and cellular tissue-----	9	2	7	-	-	61	24	29	4	4		
151	Carbuncle and furuncle-----	1	-	1	-	-	4	2	2	-	-		
152	Phlegmon and acute abscess-----	1	-	1	-	-	17	9	7	1	-		
153	Other diseases of skin and cellular tissue-----	7	2	5	-	-	40	13	20	3	4		
	XIII.—Diseases of the bones, etc.*-----	14	6	8	-	-	58	21	30	7	-		
154	Osteomyelitis and peritonitis-----	3	2	1	-	-	19	10	5	4	-		
155	Other diseases of bones (except tuberculosis)-----	4	1	3	-	-	10	3	7	-	-		
156	Diseases of joints, other organs of movement-----	7	3	4	-	-	29	8	18	3	-		
157	XIV.—Congenital malformations-----	169	92	74	2	1	1,222	635	522	36	29		
157a-d	Congenital malformations of central nervous system-----	34	14	19	-	1	406	175	216	7	8		
157e,f	Congenital malformations of cardiovascular system-----	94	57	36	1	-	582	303	220	21	18		
157g,h,m	Other congenital malformations-----	41	21	19	1	-	254	157	86	8	3		
	XV.—Diseases peculiar to the first year of life-----	469	288	194	1	6	4,272	2,312	1,542	223	195		
158	Congenital debility (cause not stated)-----	11	6	4	-	1	125	68	36	13	8		
159	Premature birth (cause not stated)-----	300	172	127	-	1	2,762	1,455	1,012	153	142		
160	Injury at birth-----	78	47	29	1	1	796	461	282	28	25		
161	Other diseases peculiar to first year of life-----	100	63	34	-	3	589	328	212	29	20		
162	XVI.—Senility-----	177	73	97	4	3	386	169	207	5	5		
	XVII.—Violent or accidental deaths-----	1,528	1,108	379	32	9	7,813	5,101	2,183	397	132		
163,164	Suicide-----	204	159	41	3	1	1,145	837	281	17	10		
163	Suicide by poisoning-----	47	29	18	-	-	277	144	122	5	6		
164	Suicide by other means-----	157	130	23	3	1	868	693	159	12	4		
165-168	Homicide <sup>1</sup> -----	53	27	17	7	2	299	101	62	103	33		
166	Homicide by firearms-----	31	15	13	2	1	140	45	34	50	11		
167	Homicide by cutting or piercing instruments-----	8	3	1	3	1	71	11	10	37	13		
168	Homicide by other means-----	14	9	3	2	-	88	45	18	16	9		
169-195	Accidental deaths-----	1,269	920	321	22	6	6,361	4,157	1,840	276	88		
169	Railway accidents (except collisions with motor vehicles)-----	21	18	1	4	-	226	185	25	14	2		
170	Motor-vehicle accidents-----	493	362	123	7	1	1,900	1,402	400	61	17		
170a	Collisions between automobiles and trains-----	24	22	2	-	-	52	39	11	2	-		
170b	Collisions between automobiles and streetcars-----	2	1	1	-	-	14	7	5	2	-		
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	455	328	119	7	1	1,791	1,317	392	76	16		
170d	Motorcycle accidents (exc. collisions with automobiles)-----	12	11	1	-	-	43	39	2	1	1		
171	Streetcar and other road-transport accidents-----	2	2	-	-	-	79	53	19	6	1		
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	1	1	-	-	-	68	47	15	5	1		
171b	Other and unspecified road-transport accidents-----	1	1	-	-	-	11	6	4	1	-		
172	Water-transport accidents-----	27	22	4	-	1	29	26	2	1	-		
173	Air-transport accidents-----	22	21	1	-	-	62	57	4	1	-		
174	Accidents in mines and quarries-----	2	2	-	-	-	348	337	2	9	-		
175	Agricultural and forestry accidents-----	126	121	4	1	-	116	109	7	-	-		
175a-c	Agricultural accidents-----	32	28	4	-	-	110	103	7	-	-		
175d,e	Forestry accidents-----	94	93	-	1	-	6	6	-	-	-		
176	Other accidents involving machinery-----	22	22	-	-	-	92	85	3	4	-		
177	Food poisoning-----	3	1	1	-	1	15	5	7	2	1		
178	Accidental absorption of poisonous gas-----	9	7	2	-	-	175	108	55	10	2		
179	Acute accidental poisoning by solids or liquids-----	13	7	6	-	-	102	50	40	8	4		
180	Conflagration-----	43	25	14	4	-	186	92	57	21	16		
181	Accidental burns (except conflagration)-----	41	23	17	1	-	304	169	109	15	11		
182	Accidental mechanical suffocation-----	17	11	4	-	2	89	51	30	6	2		
183	Accidental drowning-----	80	64	14	1	1	277	216	30	26	5		
184	Accidental injury by firearms-----	34	29	4	1	-	125	96	21	8	-		
185	Accidental injury by cutting or piercing instruments-----	2	2	-	-	-	9	4	2	3	-		
186	Accidental injury by fall or crushing-----	228	113	111	2	-	1,896	877	970	30	19		
186a	Accidental injury by fall-----	212	100	110	2	-	1,882	867	966	30	19		
186b	Accidental injury by crushing-----	14	13	1	-	-	14	10	4	-	-		
187	Cataclysm, etc.*-----	2	1	1	-	-	7	5	1	-	-		
188	Injury by animals (except in agriculture and forestry)-----	1	1	-	-	-	5	5	-	-	-		
189	Hunger or thirst-----	1	1	-	-	-	1	1	-	-	-		
190	Excessive cold-----	1	1	-	-	-	4	3	1	-	-		
191	Excessive heat-----	2	1	1	-	-	5	5	-	-	-		
192	Lightning-----	-	-	-	-	-	9	7	2	-	-		
193	Accidents due to electric currents (except lightning)-----	17	17	-	-	-	39	35	2	2	-		
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	-	-	-	-	-	1	1	-	-	-		
195	Other accidents-----	63	49	13	1	-	260	172	51	29	8		
195a	Scars due to preventive immunization, etc.*-----	-	-	-	-	-	2	2	-	-	-		
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	-	-	-	-	-		
195c	Obstruction, suffocation, etc.*-----	28	19	8	1	-	56	35	13	6	2		
195d,e	Other and unspecified accidents-----	35	30	5	-	-	202	136	38	23	6		
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	2	2	-	-	-		
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	1	1	-	-	-		
198	Legal execution-----	2	2	-	-	-	5	3	-	1	1		
	XVIII.—Ill-defined and unknown causes-----	106	66	37	2	1	560	345	147	51	17		
199	Sudden death-----	4	2	2	-	-	3	3	-	-	-		
200	Ill-defined and unknown causes-----	102	64	35	2	1	557	342	147	51	17		
200a	Ill-defined causes-----	64	37	25	1	1	489	304	125	43	17		
200b,c	Unknown or unspecified causes-----	38	27	10	1	-	68	38	22	8	-		

\*Refer to International List for complete title, table V, Part I.

<sup>1</sup>Includes figures for infanticide (165).



## GENERAL TABLES—DEATHS FROM EACH CAUSE

509

## UNITED STATES AND EACH STATE, 1946—Continued

and of deaths among armed forces overseas)

RHODE ISLAND						SOUTH CAROLINA						SOUTH DAKOTA						TENNESSEE						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female					
6	3	3	-	-	14	1	5	2	6	7	5	2	-	-	24	13	7	-	4	151 152 153				
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	1					
3	2	1	-	-	4	-	1	-	3	2	2	-	-	-	5	2	2	-	1					
2	-	2	-	-	10	1	4	2	3	5	3	2	-	-	15	9	4	-	2					
3	2	1	-	-	5	1	2	-	2	5	4	-	1	-	16	9	7	1	1	154 155 156 157				
-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	4	3	1	-	-					
2	1	1	-	-	1	-	1	-	-	1	1	-	-	-	4	2	2	-	-					
1	1	-	-	-	3	-	1	-	2	2	2	-	-	-	10	4	4	1	1					
138	79	59	-	1	194	76	70	30	18	65	32	31	1	1	315	171	110	17	17	157a-d 157e,f 157g,h,m				
65	31	33	-	1	54	18	24	7	5	21	8	13	-	-	64	28	32	2	2					
52	34	18	-	-	97	38	33	16	10	27	13	13	1	-	164	90	60	8	6					
21	14	7	-	-	43	20	13	7	3	17	11	5	-	1	87	55	18	7	9					
291	171	111	5	4	1,067	361	275	232	199	250	139	91	13	7	1,508	735	493	151	129	158 159 160 161 162				
4	2	2	-	-	38	8	5	15	10	7	3	2	1	1	50	25	16	6	5					
189	108	74	3	4	743	257	212	146	128	147	80	55	9	3	997	439	340	109	89					
55	35	18	2	-	130	54	27	20	29	55	33	18	2	2	296	172	82	21	21					
43	26	17	-	-	156	42	31	51	32	41	23	16	1	1	165	81	55	15	14					
11	3	6	2	-	88	15	28	22	23	109	59	46	2	2	376	129	150	42	55	163,164 165 166 167 168 169-195				
448	277	154	12	5	1,798	758	242	595	203	535	377	137	17	4	2,564	1,422	577	428	137					
57	42	14	1	-	124	91	17	14	2	69	54	14	1	-	250	181	57	7	5					
28	16	10	-	-	13	8	4	-	1	14	8	6	-	-	44	21	19	2	2					
31	26	4	1	-	111	83	13	14	1	55	46	8	1	-	206	160	38	5	3					
11	4	5	2	-	246	61	12	141	32	6	2	2	2	-	389	141	38	171	39					
3	1	2	-	-	163	51	8	90	14	3	2	1	-	-	261	103	28	111	19					
2	-	2	-	-	55	4	-	38	13	-	-	-	-	-	75	16	2	45	12					
6	3	1	2	-	28	6	4	13	5	3	-	1	2	-	53	22	8	15	8					
380	231	135	9	5	1,422	605	213	435	169	459	320	121	14	4	1,819	1,098	492	347	92					
4	3	1	-	-	37	16	1	18	2	11	7	1	3	-	72	51	3	15	3					
96	79	16	1	-	627	289	85	189	54	161	127	30	3	1	676	450	128	83	15					
-	-	-	-	-	33	15	5	11	2	10	8	2	-	-	24	18	6	-	-					
94	77	16	1	-	586	277	80	177	52	148	117	27	3	1	658	423	120	80	15					
2	2	-	-	-	8	7	-	1	-	3	2	1	-	-	12	8	2	2	-					
3	1	2	-	-	5	3	-	-	2	4	3	-	1	-	2	2	-	-	-					
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-					
6	6	-	-	-	5	3	-	-	2	4	3	-	1	-	-	1	-	-	-					
5	4	1	-	-	20	20	-	-	-	11	11	-	-	-	27	20	4	2	1					
-	-	-	-	-	6	1	-	5	-	3	3	-	-	-	12	11	-	-	-					
-	-	-	-	-	28	15	-	13	-	27	26	1	-	-	56	47	2	6	1					
-	-	-	-	-	25	13	-	12	-	27	26	1	-	-	47	39	2	5	1					
5	3	2	-	-	3	2	-	1	-	-	-	-	-	-	9	8	-	1	-					
-	-	-	-	-	24	12	1	10	1	2	2	-	-	-	20	14	1	5	-					
15	6	9	1	1	6	2	1	2	1	3	2	1	-	-	15	5	4	4	2					
4	2	-	2	-	10	4	3	2	1	4	2	2	-	-	10	7	1	1	1					
10	8	1	-	-	29	11	2	11	5	6	4	2	-	-	30	15	10	2	3					
15	9	4	-	2	66	13	8	23	22	11	5	5	-	1	82	26	24	17	15					
14	6	7	-	1	96	20	20	23	33	21	10	8	3	-	112	37	38	16	21					
24	21	2	1	-	42	14	8	11	9	3	2	1	-	-	31	13	9	3	6					
2	1	1	-	-	72	28	5	35	4	31	22	7	2	-	116	70	22	23	1					
-	-	-	-	-	69	29	12	23	4	20	18	2	-	-	99	63	14	17	5					
150	61	85	4	-	8	1	1	3	3	1	-	1	-	-	14	8	1	4	1					
150	61	85	4	-	137	53	54	21	9	111	55	54	1	1	351	143	174	21	13					
-	-	-	-	-	125	46	54	16	9	111	55	54	1	1	346	138	174	21	13					
-	-	-	-	-	12	7	-	5	-	-	-	-	-	-	5	5	-	-	-					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	4	-	-					
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	6	2	2	1	1					
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	3	2	-	-	1	2	1	-	1	-	4	3	-	-	-					
-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
-	-	-	-	-	11	5	-	4	2	2	2	-	-	-	5	2	-	1	2					
2	2	-	-	-	19	13	2	3	1	4	4	-	-	-	19	17	-	-	-					
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	5	4	1	-	-					
24	19	5	-	-	67	22	7	26	12	17	11	6	-	-	117	55	39	20	3					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
10	8	2	-	-	9	3	3	1	2	2	2	-	-	-	-	-	-	-	-					
14	11	3	-	-	58	19	4	25	10	15	9	6	-	-	99	45	34	18	2					
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-					
-	-	-	-	-	5	-	-	5	-	-	-	-	-	-	-	-	-	-	-					
13	6	7	-	-	763	88	41	542	292	118	56	13	31	38	1,396	564	368	257	197					
1	-	1	-	-	24	8	1	9	6	5	1	2	-	-	92	51	23	13	5					
12	6	6	-	-	739	80	40	333	286	115	35	11	31	38	1,294	513	345	244	192					
8	4	4	-	-	279	52	20	103	104	37	26	7	2	2	230	90	40	60	40					
4	2	2	-	-	460	28	20	230	182	78	9	4	28	36	1,064	423	305	184	152					



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21-DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS						UTAH					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite			
			Male	Female	Male	Female		Male	Female	Male	Female		
	ALL CAUSES-----	59,706	29,263	20,369	5,491	4,563	4,785	2,714	1,978	61	32		
	I.--Infectious and parasitic diseases-----	5,376	2,410	1,815	651	500	206	124	71	8	3		
1	Typhoid fever-----	42	19	9	9	5	-	-	-	-	-		
2	Paratyphoid fever-----	6	3	2	1	-	1	-	-	-	-		
3	Plague-----	-	-	-	-	-	-	-	-	-	-		
4	Cholera-----	-	-	-	-	-	-	-	-	-	-		
5	Undulant fever (brucellosis)-----	4	-	3	1	-	-	-	-	-	-		
6	Cerebrospinal (meningococcus) meningitis-----	58	30	20	5	3	6	3	3	-	-		
7	Anthrax (infection by Bacillus anthracis)-----	2	-	2	-	-	-	-	-	-	-		
8	Scarlet fever-----	7	3	4	-	-	1	1	-	-	-		
9	Whooping cough-----	92	27	50	6	9	6	2	4	-	-		
10	Diphtheria (infection by C. diphtheriae)-----	108	56	39	8	5	4	4	-	-	-		
11	Erysipelas-----	7	4	2	1	-	1	-	1	-	-		
12	Tetanus-----	118	54	38	18	8	1	1	-	-	-		
13-22	Tuberculosis (all forms)-----	2,923	1,322	1,055	281	255	83	60	15	6	2		
13	Tuberculosis of respiratory system, etc.*-----	2,721	1,226	990	255	250	72	53	13	4	2		
14	Tuberculosis of meninges, etc.*-----	68	33	25	4	6	3	2	1	-	-		
15	Tuberculosis of intestines and peritoneum-----	21	10	9	1	1	1	1	-	-	-		
16	Tuberculosis of vertebral column-----	9	5	2	2	-	1	-	1	-	-		
17	Tuberculosis of bones and joints, etc.*-----	3	2	-	-	1	1	-	-	1	-		
18	Tuberculosis of skin, etc.*-----	2	1	1	-	-	-	-	-	-	-		
19	Tuberculosis of lymphatic system, etc.*-----	3	-	1	1	1	-	-	-	-	-		
20	Tuberculosis of genito-urinary system-----	15	10	3	1	1	-	-	-	-	-		
21	Tuberculosis of other organs-----	1	1	-	-	-	-	-	-	-	-		
22	Disseminated tuberculosis-----	60	34	24	17	5	5	4	-	1	-		
23	Leprosy-----	3	-	2	1	-	-	-	-	-	-		
24	Septicemia and purulent infection (nonpuerperal)-----	48	20	16	3	9	5	3	2	-	-		
25	Gonococcus infection-----	3	-	1	2	-	-	-	-	-	-		
26	Other diseases due to bacteria (except dysentery)-----	3	2	-	1	-	2	2	-	-	-		
27	Dysentery-----	252	122	103	16	11	4	3	-	1	-		
28	Malaria-----	63	27	13	17	6	-	-	-	-	-		
29	Other diseases due to parasitic protozoa, etc.*-----	2	1	-	1	-	-	-	-	-	-		
30	Syphilis (all forms)-----	640	281	90	188	81	30	21	7	1	1		
30a	Locomotor ataxia (tabes dorsalis)-----	16	10	3	1	2	1	1	-	-	-		
30b	General paralysis of insane-----	214	94	24	77	19	11	9	1	1	-		
30d	Aneurysm of aorta-----	151	79	20	38	14	10	8	2	-	-		
30f	Congenital syphilis-----	65	20	15	19	11	-	-	-	-	-		
30c,e,g	Syphilis (other forms)-----	194	78	28	53	35	8	5	4	-	1		
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-		
32	Other diseases due to spirochetes-----	20	8	5	2	5	3	2	1	-	-		
33	Influenza-----	582	219	218	68	77	28	9	19	-	-		
34	Smallpox-----	1	1	-	-	-	-	-	-	-	-		
35	Measles-----	86	59	35	6	7	5	2	3	-	-		
36	Poliomyelitis and poliomyelitis (acute)-----	102	59	38	3	3	9	2	7	-	-		
37	Acute infectious encephalitis (lethargic)-----	16	8	8	2	-	4	2	2	-	-		
38	Other diseases due to filtrable viruses-----	13	8	4	1	-	-	-	-	-	-		
39	Typhus fever and typhus-like diseases*-----	54	25	24	1	4	2	2	-	-	-		
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-		
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-		
42	Other diseases caused by helminths-----	3	1	-	1	1	-	-	-	-	-		
43	Mycoses-----	24	12	9	3	-	-	-	-	-	-		
44	Other infectious and parasitic diseases-----	94	61	27	5	1	11	4	7	-	-		
	II.--Cancer and other tumors-----	6,713	2,819	3,038	358	504	548	251	283	9	5		
45-55	Cancer and other malignant tumors-----	6,424	2,706	2,918	334	468	529	243	272	9	5		
45	Cancer of buccal cavity and pharynx-----	190	132	44	9	5	12	6	4	2	-		
45a	Cancer of lip-----	19	18	1	-	-	2	2	-	-	-		
45b	Cancer of tongue-----	34	28	4	2	-	2	-	2	-	-		
45c	Cancer of mouth-----	23	11	9	1	2	2	1	1	-	-		
45d	Cancer of jaw bone-----	44	25	11	5	3	2	2	-	-	-		
45e	Cancer of unspecified parts of buccal cavity-----	3	3	-	-	-	1	1	-	-	-		
45f	Cancer of pharynx-----	87	47	19	1	-	3	-	1	2	-		
46	Cancer of digestive organs and peritoneum-----	2,457	1,123	1,040	171	123	235	119	108	7	1		
46a	Cancer of esophagus-----	81	47	18	14	2	2	1	1	-	-		
46b	Cancer of stomach-----	825	421	288	76	40	92	51	35	5	1		
46c	Cancer of duodenum-----	11	6	4	1	-	-	-	-	-	-		
46d	Cancer of rectum and anus-----	184	73	90	10	11	23	10	13	-	-		
46e	Cancer of intestines, etc.*-----	584	224	301	29	30	55	25	29	1	-		
46f	Cancer of liver and biliary passages-----	484	202	227	28	27	31	15	15	1	-		
46g	Cancer of pancreas-----	222	127	76	10	9	22	13	9	-	-		
46h	Cancer of mesentery and peritoneum-----	39	15	21	-	3	5	3	2	-	-		
46m	Cancer of other and unspecified sites-----	27	8	15	3	1	5	1	4	-	-		
47	Cancer of respiratory system-----	559	367	135	22	15	40	27	13	-	-		
47a	Cancer of larynx-----	53	41	8	3	1	1	1	-	-	-		
47b,c	Cancer of trachea and bronchus-----	96	79	11	4	2	14	11	3	-	-		
47d	Cancer of lung-----	370	235	109	15	11	23	15	8	-	-		
47e	Cancer of pleura-----	2	2	-	-	-	-	-	-	-	-		
47f	Cancer of other respiratory organs-----	13	10	7	-	1	2	-	2	-	-		
48	Cancer of uterus-----	636	...	490	...	146	49	...	46	...	2		
48a	Cancer of cervix-----	259	...	205	...	54	21	...	20	...	1		
48b	Cancer of other and unspecified sites of uterus-----	377	...	285	...	92	27	...	26	...	1		
49	Cancer of other female genital organs-----	163	...	148	...	15	14	...	13	...	1		
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	136	...	124	...	14	12	...	11	...	1		
49c-e	Cancer of other female genital organs-----	25	...	24	...	1	2	...	2	...	-		
50	Cancer of breast-----	523	...	438	...	79	46	...	45	...	1		
51	Cancer of male genital organs-----	430	378	...	54	...	32	32	...	...	...		
51b	Cancer of prostate-----	397	348	...	51	...	30	30	...	...	...		
51a,c-e	Cancer of other male genital organs-----	33	30	...	3	...	2	2	...	...	...		
52	Cancer of urinary organs-----	284	145	85	18	16	24	18	6	-	-		
52a	Cancer of kidney-----	114	69	34	7	4	9	6	3	-	-		
52b	Cancer of bladder-----	148	76	49	11	12	15	12	3	-	-		
52c	Cancer of other and unspecified sites-----	2	-	2	-	-	-	-	-	-	-		
53	Cancer of skin, etc.*-----	199	119	69	5	6	6	3	3	-	-		

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

511

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,140	2,260	1,877	3	-	28,154	11,259	8,026	4,904	3,965	22,011	13,094	8,255	425	237	16,236	8,695	6,213	814	516	
218	146	72	-	-	2,306	702	496	676	432	1,212	705	344	93	70	1,292	616	489	107	70	
-	-	-	-	-	5	3	-	1	1	4	2	1	1	-	6	3	4	1	-	1
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
3	3	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	5
-	-	-	-	-	41	19	13	4	5	19	9	9	1	-	21	11	8	2	-	6
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
5	2	1	-	-	13	5	7	1	1	1	1	-	-	-	9	5	4	-	-	8
2	1	1	-	-	57	12	12	17	16	15	6	8	1	-	33	15	16	1	1	9
-	-	-	-	-	43	21	16	4	2	25	13	11	1	-	21	11	9	1	-	10
1	1	-	-	-	3	2	1	-	-	4	4	-	-	-	2	-	2	-	-	11
129	88	41	-	-	14	5	3	4	2	3	3	-	-	-	3	3	-	-	-	12
123	84	39	-	-	1,300	378	279	373	270	738	427	186	67	58	718	325	299	61	33	13-22
-	-	-	-	-	1,174	355	255	326	239	679	400	167	59	53	650	297	271	56	26	13
-	-	-	-	-	40	11	10	15	4	19	12	4	1	2	28	12	8	2	4	14
-	-	-	-	-	20	2	5	6	7	6	1	3	2	-	14	6	6	-	2	15
2	1	1	-	-	8	2	-	3	-	5	2	2	1	-	5	1	3	1	-	16
-	-	-	-	-	5	1	-	4	-	-	-	-	-	-	2	-	1	1	-	17
-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	1	1	-	-	-	18
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	19
-	-	-	-	-	9	3	3	3	-	9	3	5	1	-	6	2	4	-	-	20
4	3	1	-	-	39	4	5	14	16	17	8	3	3	3	13	6	6	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
4	2	2	-	-	22	11	4	4	3	13	6	7	-	-	10	7	2	1	-	23
-	-	-	-	-	12	1	4	1	1	1	-	-	1	-	-	-	-	-	-	24
-	-	-	-	-	5	1	1	1	2	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	26	9	3	12	4	5	1	3	-	-	-	-	-	-	-	26
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	1	29	16	11	2	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
15	12	3	-	-	357	87	26	169	55	186	119	42	15	10	195	102	54	33	26	29
2	2	-	-	-	7	4	-	3	-	10	7	2	-	1	6	4	2	-	-	30a
8	5	3	-	-	125	30	7	70	18	50	30	13	4	3	79	42	13	14	10	30b
-	-	-	-	-	66	25	5	32	4	58	42	9	4	3	23	15	2	5	1	30c
5	5	-	-	-	20	2	2	12	4	2	-	-	-	-	17	11	5	-	-	30d
-	-	-	-	-	119	26	12	52	29	66	40	17	7	2	70	30	12	14	14	30e,g
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
36	20	16	-	-	7	2	2	1	2	9	4	4	1	-	3	1	-	-	2	32
-	-	-	-	-	278	82	63	64	49	78	46	31	-	1	158	78	69	5	6	33
4	2	2	-	-	-	-	-	-	-	19	14	4	1	-	-	-	-	-	-	34
5	5	-	-	-	39	6	17	9	7	21	7	12	2	-	11	7	4	-	-	35
1	1	-	-	-	14	7	6	-	1	34	20	13	1	-	7	1	5	-	1	36
1	1	1	-	-	9	6	1	2	-	10	4	6	-	-	7	5	2	-	-	37
-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	3	3	-	-	-	38
-	-	-	-	-	14	8	5	-	-	-	-	-	-	-	4	2	2	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	3	1	2	-	-	42
9	7	2	-	-	6	5	1	-	-	1	1	-	-	-	5	4	1	-	-	43
-	-	-	-	-	49	26	10	8	5	25	18	6	1	-	28	14	13	-	1	44
576	275	301	-	-	2,904	1,032	1,172	294	406	2,898	1,470	1,375	29	22	1,760	741	812	53	54	
565	272	293	-	-	2,768	1,006	1,115	283	364	2,808	1,443	1,319	28	18	1,701	722	861	51	47	45-55
12	10	2	-	-	84	30	20	11	3	68	38	10	-	-	45	30	12	3	-	45
-	-	-	-	-	7	6	1	-	-	6	6	-	-	-	-	4	1	-	-	45a
1	1	-	-	-	16	10	5	-	1	22	16	6	-	-	9	5	2	2	-	45b
4	2	2	-	-	11	5	4	1	1	11	8	3	-	-	9	6	3	-	-	45c
1	1	-	-	-	17	8	5	3	1	10	10	-	-	-	12	8	3	1	-	45d
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	45e
6	6	-	-	-	83	21	5	7	-	18	17	1	-	-	-	-	-	-	-	45f
266	147	119	-	-	1,119	441	402	151	125	1,229	733	473	15	8	698	340	315	27	16	46
5	3	2	-	-	48	19	9	19	2	35	24	10	1	-	15	11	3	1	-	46a
71	46	25	-	-	394	176	106	69	43	471	312	181	6	2	253	141	90	15	7	46b
40	27	13	-	-	3	-	2	-	1	5	3	2	-	-	1	1	-	-	-	46c
95	48	47	-	-	104	42	31	15	18	138	79	57	1	1	70	31	36	1	2	46d
32	12	20	-	-	280	86	127	18	29	292	153	136	1	2	156	61	85	5	5	46e
17	7	10	-	-	179	61	76	21	21	139	74	61	3	1	127	54	67	4	2	46f
2	1	1	-	-	102	46	39	8	9	117	68	46	2	1	53	32	20	1	-	46g
3	2	1	-	-	17	8	6	2	1	17	10	7	-	-	13	7	6	-	-	46h
21	18	3	-	-	11	3	3	1	1	15	10	3	1	1	10	2	8	-	-	46i
1	1	-	-	-	234	157	41	23	15	213	160	48	4	1	127	87	27	9	4	47
4	4	-	-	-	22	17	3	2	-	19	15	3	1	-	15	9	3	1	2	47a
12	11	1	-	-	37	23	6	2	-	65	51	13	1	-	24	17	4	3	-	47b,c
-	-	-	-	-	102	28	14	11	-	116	83	30	2	1	86	59	20	5	2	47d
4	2	2	-	-	5	3	1	-	-	1	1	-	-	-	1	1	-	-	-	47e
59	59	-	-	-	12	3	-	-	-	12	10	2								



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS				UTAH					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*-----	120	61	52	4	3	13	7	6	-	-
55	Cancer of other and unspecified organs-----	803	377	415	51	60	59	31	28	-	-
56, 57	Nonmalignant tumors and tumors of unspecified nature-----	295	113	122	24	36	19	8	11	-	-
58	Nonmalignant tumors (including dermoid cysts)-----	81	17	41	1	22	6	2	4	-	-
58a-c	Nonmalignant tumors of female genital organs-----	57	---	36	---	21	4	---	4	---	---
56d	Nonmalignant tumors of central nervous system*-----	11	8	2	-	1	1	1	-	-	-
56e	Nonmalignant tumors of other and unspecified organs-----	13	9	3	1	-	1	1	-	-	-
57	Tumors of unspecified nature-----	214	96	81	23	14	13	6	7	-	-
57a-c	Tumors, female genital organs (nature unspecified)-----	9	---	7	---	2	-	---	-	---	-
57d	Tumors, central nervous system* (nature unspecified)-----	150	72	58	15	4	9	4	5	-	-
57e	Tumors, other organs (nature unspecified)-----	55	24	16	7	8	4	2	2	-	-
	III.—Rheumatism, diseases of nutrition, etc.*-----	1,382	507	679	65	151	160	61	98	-	1
58	Acute rheumatic fever-----	54	21	18	8	7	4	3	1	-	-
58a	Acute rheumatic pericarditis-----	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis-----	10	4	4	1	1	1	1	-	-	-
58c	Acute rheumatic myocarditis-----	7	2	1	1	3	-	-	-	-	-
58d	Other acute rheumatic heart diseases-----	5	2	2	-	-	2	1	1	-	-
58e, f	Other forms of acute rheumatic fever, etc.*-----	32	13	11	5	3	1	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases-----	78	26	44	2	6	10	3	7	-	-
60	Gout-----	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus-----	904	338	444	41	81	119	47	71	-	1
62	Diseases of pituitary gland-----	5	4	1	-	-	2	1	1	-	-
63	Diseases of thyroid and parathyroid glands-----	71	13	50	1	7	14	4	10	-	-
63a	Simple goiter-----	4	1	2	-	1	1	-	1	-	-
63b	Exophthalmic goiter-----	57	10	41	1	5	12	4	8	-	-
63c-e	Other diseases of thyroid and parathyroid glands-----	10	2	7	-	1	1	-	1	-	-
64	Diseases of thymus gland-----	43	26	12	2	3	4	2	2	-	-
65	Diseases of adrenal glands*-----	13	7	5	-	1	3	-	3	-	-
66	Other general diseases-----	33	15	15	2	1	1	-	1	-	-
67	Scurvy-----	2	2	-	-	-	-	-	-	-	-
68	Beriberi-----	4	3	1	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)-----	147	37	78	7	25	2	-	2	-	-
70	Rickets-----	13	8	3	2	-	-	-	-	-	-
71	Other avitaminoses-----	15	7	8	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs-----	473	233	165	30	25	34	21	12	-	1
72	Hemorrhagic conditions-----	34	18	12	2	2	2	-	1	-	1
73	Anemias (except aplastic anemia)-----	129	52	54	8	15	10	6	4	-	-
73a	Pernicious anemia-----	50	19	22	2	7	5	3	2	-	-
73b-d	Other anemias (except aplastic)-----	79	33	32	6	8	5	3	2	-	-
74	Leukemias and aleukemias-----	281	151	105	20	5	19	13	6	-	-
74a	Leukemias-----	276	147	104	20	5	18	13	5	-	-
74b	Aleukemias-----	5	4	1	-	-	1	-	1	-	-
75	Diseases of spleen-----	18	8	7	-	3	1	1	-	-	-
76	Other diseases of blood and blood-forming organs-----	11	4	7	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication-----	90	68	13	8	1	9	9	-	-	-
77	Alcoholism (ethylism)-----	86	65	12	8	1	9	9	-	-	-
78	Lead poisoning-----	1	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*-----	3	2	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*-----	5,842	2,493	2,175	520	654	396	191	200	2	3
80	Encephalitis (nonepidemic)-----	98	47	32	8	11	9	7	2	-	-
81	Meningitis (not due to meningococcus)-----	165	72	64	17	12	5	2	3	-	-
82	Diseases of spinal cord (see exceptions)*-----	89	47	29	10	3	10	4	5	1	-
83	Intracranial lesions of vascular origin-----	5,032	2,119	1,888	431	594	338	160	175	1	2
83a	Cerebral hemorrhage or effusion*-----	4,392	1,851	1,656	357	528	291	137	151	1	2
83b, c	Cerebral embolism, thrombosis, and softening-----	306	137	128	25	16	37	17	20	-	-
83d	Hemiplegia, other paralysis, etc.*-----	334	131	104	49	50	10	6	4	-	-
84	Mental diseases and deficiency (see exception)*-----	114	37	47	16	14	6	4	4	-	-
85	Epilepsy-----	127	60	34	27	6	7	3	4	-	-
86	Convulsions (under 5 years)-----	46	15	16	6	9	-	-	-	-	-
87	Other diseases of nervous system-----	135	75	55	4	3	13	8	4	-	1
88	Diseases of organs of vision-----	3	2	1	-	-	1	1	-	-	-
89	Diseases of ear and mastoid process-----	33	19	11	1	2	5	2	3	-	-
	VII.—Diseases of the circulatory system-----	15,145	8,285	4,715	1,180	965	1,472	688	580	14	9
90-95	Diseases of the heart (all forms)-----	14,039	7,748	4,325	1,082	886	1,371	813	537	12	9
90	Pericarditis, (except acute rheumatic)-----	19	10	6	2	1	2	2	-	-	-
90a	Chronic rheumatic pericarditis-----	1	-	1	-	-	-	-	-	-	-
90b	Other pericarditis-----	18	10	5	2	1	2	2	-	-	-
91	Acute endocarditis (except rheumatic)-----	70	22	22	11	15	2	1	1	-	-
91a, b	Bacterial, acute, and subacute endocarditis-----	58	20	19	10	9	2	1	1	-	-
91c	Endocarditis (unspecified, under 45 years)-----	12	2	3	1	6	-	-	-	-	-
92	Chronic affections of valves and endocardium-----	845	373	375	100	97	130	63	65	1	1
92a	Diseases of aortic valve, etc.*-----	84	43	18	13	10	6	4	2	-	-
92b	Diseases of mitral valve, etc.*-----	335	156	114	34	31	55	25	30	-	-
92c	Chronic rheumatic endocarditis, etc.*-----	50	15	11	2	2	18	11	6	-	1
92d	Other chronic endocarditis, etc.*-----	270	114	88	34	34	46	19	26	1	-
92e	Endocarditis (unspecified, 45 years and over)-----	126	45	44	17	20	5	4	1	-	-
93	Diseases of the myocardium-----	5,610	2,878	2,050	470	432	608	297	298	4	7
93a	Acute myocarditis (except rheumatic)-----	140	48	42	20	30	17	10	7	-	-
93b	Myocarditis (unspecified, under 45 years)-----	37	12	9	5	11	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*-----	17	5	9	-	3	7	4	3	-	-
93d	Other chronic myocarditis, etc.*-----	4,352	2,091	1,611	349	301	520	250	260	4	6
93e	Other myocarditis (unspecified)-----	1,064	522	359	96	87	62	33	28	-	1
94	Diseases of coronary arteries, angina pectoris-----	5,551	3,667	1,407	277	180	487	368	114	5	-
94a	Diseases of coronary arteries-----	5,270	3,520	1,541	251	158	476	359	112	5	-
94b	Angina pectoris-----	261	147	66	26	22	11	9	2	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

513

## UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

VERMONT						VIRGINIA						WASHINGTON						WEST VIRGINIA						Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite						
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female					
5	2	3	-	-	44	18	18	5	3	63	33	29	-	1	24	13	10	1	-	54				
30	19	11	-	-	243	97	92	32	22	235	114	116	4	1	143	68	74	1	-	55				
11	3	8	-	-	136	26	57	11	42	88	27	56	1	4	59	19	31	2	7	56,57				
4	-	4	-	-	70	4	35	1	30	55	11	39	1	4	36	8	20	2	6	56				
2	...	2	...	...	54	...	26	...	28	30	...	26	...	4	23	...	17	...	6	56a-c				
2	-	2	-	-	8	2	5	1	-	16	5	10	1	-	10	7	2	1	-	56d				
-	-	-	-	-	8	2	4	-	2	9	6	3	-	-	3	1	1	1	-	56e				
7	3	4	-	-	66	22	22	10	12	33	16	17	-	-	23	11	11	-	1	57				
-	...	-	...	...	1	...	-	...	1	4	...	4	...	-	1	...	-	...	1	57a-c				
6	3	3	-	-	48	15	20	5	8	17	12	5	-	-	19	9	10	-	-	57d				
1	-	1	-	-	17	7	2	5	3	12	4	8	-	-	3	2	1	-	-	57e				
132	46	86	-	-	757	239	345	59	114	638	250	377	7	4	424	132	260	6	26					
1	1	-	-	-	32	9	2	7	14	16	11	5	-	-	19	11	8	-	-	58				
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	58a				
1	1	-	-	-	9	4	-	2	3	7	6	1	-	-	2	-	2	-	-	58b				
-	-	-	-	-	6	2	-	2	2	1	1	-	-	-	1	1	-	-	-	58c				
-	-	-	-	-	6	-	1	1	4	4	2	2	-	-	6	5	1	-	-	58d				
7	4	3	-	-	11	3	1	2	5	3	1	2	-	-	9	4	5	-	-	58e,f				
-	-	-	-	-	52	16	27	3	6	24	6	18	-	-	20	9	10	1	-	59				
109	37	72	-	-	541	177	255	34	75	492	167	288	3	4	306	93	187	4	22	60				
1	-	1	-	-	4	1	3	-	-	3	1	2	-	-	-	-	-	-	-	61				
8	1	7	-	-	62	6	37	3	16	55	12	42	1	-	44	3	39	1	1	62				
-	-	-	-	-	5	1	4	-	-	-	-	-	-	-	5	-	5	-	-	63a				
7	1	6	-	-	50	5	28	1	16	43	8	34	1	-	36	2	34	1	1	63b				
1	1	1	-	-	7	-	5	2	-	12	4	8	-	-	1	1	-	-	-	63c-e				
3	1	2	-	-	18	9	6	3	-	34	19	12	3	-	18	9	8	-	1	64				
1	-	1	-	-	6	4	2	-	-	15	8	7	-	-	5	2	3	-	-	65				
1	1	-	-	-	12	6	-	3	1	5	3	2	-	-	8	3	3	-	2	66				
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67				
-	-	-	-	-	25	8	12	4	1	2	2	-	-	-	1	1	-	-	-	68				
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	69				
1	1	-	-	-	2	-	-	1	1	3	1	1	-	-	2	-	2	-	-	70				
26	14	12	-	-	172	71	60	18	23	188	102	85	-	1	132	66	59	4	3	71				
1	1	-	-	-	21	15	4	-	2	7	2	5	-	-	9	5	4	-	-	72				
5	1	4	-	-	43	8	16	7	12	49	25	24	-	-	40	18	20	-	2	73				
3	-	3	-	-	13	-	8	2	3	32	15	17	-	-	22	12	9	-	-	73a				
2	1	1	-	-	30	6	8	5	9	17	10	7	-	-	18	6	11	-	1	73b-a				
18	11	7	-	-	96	44	39	9	5	119	68	50	-	1	75	37	33	4	1	74				
17	11	6	-	-	92	43	37	8	4	113	66	47	-	-	75	37	33	4	1	74a				
1	-	1	-	-	4	1	1	1	1	6	2	3	-	1	-	-	-	-	-	74b				
2	1	1	-	-	11	4	2	2	3	10	5	5	-	-	1	-	1	-	-	75				
-	-	-	-	-	1	-	-	-	1	3	2	1	-	-	7	6	1	-	-	76				
10	9	1	-	-	96	68	8	15	5	88	76	9	3	-	43	34	4	5	-					
8	8	-	-	-	91	65	6	15	5	85	75	9	1	-	42	33	4	5	-	77				
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	78				
-	-	-	-	-	4	2	2	-	-	3	1	-	2	-	1	1	-	-	-	79				
458	200	257	1	-	5,236	1,106	967	554	609	2,172	1,157	1,000	21	14	1,671	833	686	78	74					
-	-	-	-	-	45	13	18	11	5	18	11	4	1	2	14	7	7	-	-	80				
2	2	-	-	-	55	19	11	11	14	20	10	8	1	1	29	16	9	3	1	81				
3	1	2	-	-	57	31	16	7	3	41	25	16	-	-	24	18	4	2	-	82				
411	177	233	1	-	2,869	952	878	483	556	1,958	1,014	917	17	10	1,494	738	616	67	63	83				
341	151	189	1	-	2,571	823	778	452	518	1,708	888	817	16	7	1,322	681	566	58	57	83a				
67	26	41	-	-	166	69	63	16	18	194	118	73	1	2	95	54	34	4	3	83b,c				
3	-	3	-	-	132	60	37	15	20	56	28	27	-	1	67	33	26	5	3	83d				
4	1	3	-	-	49	15	13	10	11	20	10	10	-	-	17	6	9	-	2	84				
9	4	5	-	-	65	25	10	19	11	31	19	12	-	-	36	19	11	2	4	85				
1	1	-	-	-	14	4	2	5	3	4	-	3	1	-	9	2	7	-	-	86				
25	11	14	-	-	61	38	14	6	3	72	43	27	1	1	46	22	17	4	-	87				
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	88				
3	3	-	-	-	20	9	6	2	3	7	4	3	-	-	11	4	6	-	1	89				
1,537	866	669	2	-	7,980	3,503	2,230	1,218	1,029	7,584	4,849	2,803	94	38	4,330	2,468	1,537	197	130					
1,390	794	594	2	-	7,437	3,290	2,073	1,147	927	7,104	4,563	2,416	89	36	4,013	2,305	1,407	181	120	90-95				
1	-	-	-	-	5	4	1	-	-	8	2	6	-	-	9	6	2	1	-	90				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a				
1	-	1	-	-	5	4	1	-	-	9	2	6	-	-	9	6	2	1	-	90b				
3	3	-	-	-	49	17	8	10	14	26	19	6	1	-	22	14	6	-	2	91				
3	3	-	-	-	31	16	7	2	6	24	18	6	-	-	17	11	4	-	2	91a,b				
-	-	-	-	-	18	1	1	8	8	2	1	-	1	-	5	3	2	-	-	91c				
133	77	56	-	-	701	210	192	172	127	648	361	273	11	3	427	219	171	25	12	92				
14	13	1	-	-	73	16	14	25	18	62	38	23	-	1	34	22	5	6	1	92a				
53	28	25	-	-	262	94	71	58	39	231	124	102	5	-	146	64	67	9	6	92b				
7	5	2	-	-	23	8	7	4	4	30	15	14	-	1	20	12	7	-	1	92c				
56	29	27	-	-	266	79	66	60	41	295	165	123	6	1	164	90	65	6	3	92d				
3	2	1	-	-	77	13	14	25	25	50	19	11	-	-	63	31	27	4	1	92e				
721	375	345	1	-	3,663	1,848	1,179	695	530	3,013	1,668	1,285	41	19	1,779	917	703	87	72	93				
1	1	-	-	-	62	16	10	24	12	34	20	13	1	-	29	20	9	-	-	93a				
-	-	-	-	-	13	5	-	4	4	5	4	1	-	-	8	4	2	1	-	93b				
1	1	-	-	-	7	4	1	-	2	20	9	10	1	-	9	4	-	-	-	93c				
674																								



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS				UTAH					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart-----	1,964	998	583	222	161	144	82	59	2	1
95a	Functional diseases of heart, etc.*-----	89	40	39	6	4	4	4	4	-	-
95b	Other diseases of heart (rheumatic)-----	141	64	57	12	8	74	39	33	1	1
95c	Other diseases of heart (not rheumatic)-----	1,734	894	487	204	149	66	43	22	1	-
96	Aneurysm (except of heart and aorta)-----	47	23	10	11	3	5	3	1	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)-----	668	353	244	47	22	73	40	33	-	-
98	Gangrene-----	30	13	10	5	2	1	-	1	-	-
99	Other diseases of arteries-----	98	48	38	4	8	10	6	3	1	-
100	Diseases of veins-----	48	21	16	4	7	3	3	-	-	-
101	Diseases of lymphatic system-----	1	1	-	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)-----	195	66	69	24	36	6	2	4	-	-
103	Other diseases of circulatory system-----	21	12	5	3	1	2	1	1	-	-
	VIII.—Diseases of the respiratory system-----	3,372	1,485	1,266	345	276	256	145	105	6	-
104	Diseases of nasal fossae, accessory sinuses-----	25	11	7	4	3	2	2	-	-	-
105	Diseases of larynx-----	24	11	7	5	1	-	-	-	-	-
106	Bronchitis-----	164	89	57	10	8	10	6	4	-	-
107	Bronchopneumonia (including capillary bronchitis)-----	1,036	460	393	98	85	99	51	46	2	-
108	Lobar pneumonia-----	675	291	235	82	67	72	42	27	3	-
109	Pneumonia (unspecified)-----	862	358	330	98	76	24	12	11	1	-
109a	Atypical or virus pneumonia-----	56	22	26	5	3	7	3	4	-	-
109b	Pneumonia (all other, unspecified)-----	806	336	304	93	73	17	9	7	1	-
110	Pleurisy (not tuberculous)-----	64	30	26	5	3	1	1	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*-----	301	125	142	17	17	20	10	10	-	-
112	Asthma-----	127	59	44	14	10	16	12	4	-	-
113	Pulmonary emphysema-----	14	8	3	2	1	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)-----	80	43	22	10	5	11	8	3	-	-
114a,b	Silicosis, other forms of pneumoconiosis-----	2	2	-	-	-	3	3	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)-----	78	41	22	10	5	8	5	3	-	-
	IX.—Diseases of the digestive system-----	3,290	1,612	1,159	280	259	229	143	78	4	4
115	Diseases of buccal cavity and adnexa, etc.*-----	83	32	29	10	12	13	9	4	-	-
116	Diseases of esophagus-----	5	2	3	-	-	1	-	1	-	-
117	Ulcer of stomach or duodenum-----	257	181	31	30	15	54	48	5	1	-
117a	Ulcer of stomach-----	201	135	25	27	14	41	35	5	1	-
117b	Ulcer of duodenum-----	56	46	6	3	1	13	13	-	-	-
118	Other diseases of stomach (except cancer)-----	223	91	59	42	32	3	2	-	1	-
119	Diarrhea, enteritis, etc.* (under 2 years)-----	637	413	354	49	41	15	8	5	1	1
120	Diarrhea, enteritis, etc.* (2 years and over)-----	170	70	66	18	16	11	9	2	-	-
121	Appendicitis-----	248	116	70	33	29	14	7	7	-	-
122	Hernia and intestinal obstruction-----	519	216	199	47	55	45	26	18	1	-
122a	Hernia-----	152	79	48	13	12	18	11	6	1	-
122b	Intestinal obstruction-----	367	139	151	34	43	27	15	12	-	-
123	Other diseases of intestines-----	84	39	29	8	8	5	3	1	-	1
124	Cirrhosis of liver-----	406	273	97	23	13	37	19	16	-	2
124a	Cirrhosis of liver with mention of alcoholism-----	18	15	3	-	-	6	4	2	-	-
124b	Cirrhosis of liver without mention of alcoholism-----	388	258	94	23	13	31	15	14	-	2
125	Other diseases of liver-----	87	36	41	6	4	4	2	2	-	-
126	Biliary calculi-----	69	25	41	1	2	12	4	8	-	-
127	Other diseases of gallbladder, biliary ducts-----	174	54	98	9	13	10	2	8	-	-
128	Diseases of pancreas (except diabetes mellitus)-----	49	31	16	-	2	2	2	-	-	-
129	Peritonitis (cause not stated)-----	79	31	27	4	17	3	2	1	-	-
	X.—Diseases of the genito-urinary system-----	3,611	1,778	1,179	467	367	275	170	105	-	-
130	Acute nephritis-----	213	87	64	33	29	7	5	2	-	-
131	Chronic nephritis-----	2,413	1,060	812	286	255	199	115	94	-	-
131a	Arteriosclerotic kidney-----	1,573	714	545	167	147	141	79	62	-	-
131b	Other chronic nephritis-----	840	346	267	119	108	58	36	22	-	-
132	Nephritis unspecified (10 years and over)-----	507	239	146	68	54	12	6	6	-	-
133	Other diseases of kidneys, ureters, etc.*-----	163	59	68	16	20	15	9	7	-	-
134	Calculi of urinary passages-----	54	32	21	1	-	6	4	2	-	-
135	Diseases of urinary bladder-----	32	17	4	9	2	2	2	-	-	-
136	Diseases of urethra (except calculus)-----	15	8	-	6	1	1	1	-	-	-
137	Diseases of prostate-----	323	275	...	46	...	29	29	...	...	...
137a	Hypertrophy of prostate-----	203	174	...	31	...	26	26	...	...	...
137b	Other diseases of prostate-----	119	101	...	17	...	3	3	...	...	...
138	Diseases of other male genital organs (not venereal)-----	1	1	...	-	...	-	-	...	...	...
139	Diseases of female genital organs-----	90	...	64	...	26	4	...	4	...	...
139a	Diseases of ovaries, fallopian tubes, parametria-----	40	...	27	...	13	1	...	1	...	-
139b	Diseases of uterus-----	47	...	36	...	11	3	...	3	...	-
139c	Diseases of other female genital organs*-----	3	...	1	...	2	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium-----	295	...	210	...	65	25	...	25	...	-
140	Abortion with mention of infection-----	33	...	24	...	9	1	...	1	...	-
141	Abortion without mention of infection-----	12	...	7	...	5	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*-----	3	...	1	...	2	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*-----	6	...	5	...	1	-	...	-	...	-
141d-f	Other abortions (nonseptic)*-----	3	...	1	...	2	-	...	-	...	-
142	Ectopic gestation-----	15	...	10	...	5	2	...	2	...	-
142a	Ectopic gestation, with mention of infection-----	3	...	2	...	1	1	...	1	...	-
142b	Ectopic gestation, without mention of infection-----	12	...	8	...	4	1	...	1	...	-
143	Hemorrhage of pregnancy (death before delivery)-----	1	...	1	...	-	-	...	-	...	-
144	Toxemia of pregnancy (death before delivery)-----	44	...	31	...	13	3	...	3	...	-
145	Other diseases of pregnancy (death before delivery)*-----	25	...	18	...	7	3	...	3	...	-
145a	With mention of infection-----	13	...	9	...	4	3	...	3	...	-
145b	Without mention of infection-----	12	...	9	...	3	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium-----	44	...	37	...	7	6	...	6	...	-
147	Infection during childbirth and puerperium-----	57	...	42	...	15	5	...	5	...	-
148	Puerperal toxemia (excluding death before delivery)-----	29	...	20	...	9	3	...	3	...	-
149	Other accidents and specified conditions of childbirth-----	15	...	11	...	4	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium-----	20	...	9	...	11	-	...	-	...	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

515

## UNITED STATES AND EACH STATE, 1946-Continued

and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female			
83	48	35	-	-	818	331	215	155	117	534	320	200	7	7	511	298	175	26	14	95
1	1	-	-	-	15	6	8	1	-	24	13	10	1	-	18	8	7	1	-	95a
21	11	10	-	-	104	36	34	16	18	102	44	53	2	3	90	46	37	3	4	95b
61	36	25	-	-	699	289	173	138	99	408	263	137	4	4	405	242	131	22	10	95c
2	2	-	-	-	44	27	12	4	1	54	25	8	-	1	15	6	7	2	-	96
128	69	64	-	-	366	143	104	50	69	344	209	132	4	-	228	116	94	9	7	97
4	4	-	-	-	9	3	1	2	3	5	4	1	-	-	2	2	-	-	-	98
6	3	5	-	-	44	19	15	4	6	42	19	21	1	1	25	14	8	2	1	99
5	2	3	-	-	14	5	6	2	1	15	11	4	-	-	15	5	9	-	1	100
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	101
5	2	3	-	-	59	13	18	8	20	35	15	20	-	-	28	15	10	2	1	102
-	-	-	-	-	6	3	-	1	2	4	3	1	-	-	5	3	1	1	-	103
206	124	82	-	-	1,493	541	412	293	247	1,042	573	414	34	21	956	489	385	52	30	
4	3	1	-	-	13	5	1	4	3	8	4	3	1	-	7	3	4	-	-	104
2	2	-	-	-	6	2	1	2	1	3	1	2	-	-	11	8	3	-	-	105
12	7	5	-	-	53	19	17	10	7	44	22	21	-	1	36	15	19	2	-	106
82	46	36	-	-	557	197	152	111	97	455	234	198	13	10	409	194	180	19	16	107
69	42	27	-	-	352	114	99	72	67	272	169	84	12	7	282	149	104	22	7	108
13	9	4	-	-	297	111	84	61	41	71	32	34	3	2	74	44	25	4	1	109
4	2	2	-	-	25	11	6	4	4	15	5	10	-	-	10	5	4	-	1	109a
9	7	2	-	-	272	100	79	57	37	56	27	24	3	2	64	39	21	4	-	109b
5	3	2	-	-	22	10	2	6	4	18	6	6	2	-	6	3	3	-	-	110
11	5	6	-	-	72	30	25	8	9	98	55	40	2	1	51	23	25	1	2	111
5	5	-	-	-	71	27	20	9	15	45	27	17	1	-	44	23	14	3	4	112
-	-	-	-	-	5	3	1	1	-	3	2	1	-	-	2	1	1	-	-	113
3	2	1	-	-	45	23	10	9	3	25	19	6	-	-	34	26	7	1	-	114
-	-	-	-	-	3	3	-	-	-	4	4	-	-	-	14	12	1	1	-	114a,b
3	2	1	-	-	42	20	10	9	3	21	15	6	-	-	20	14	6	-	-	114c-e
145	72	73	-	-	1,123	464	310	202	147	858	502	335	15	6	641	324	269	31	18	
5	4	1	-	-	44	17	11	7	9	26	12	13	-	1	27	12	11	1	3	115
-	-	-	-	-	2	-	1	-	1	3	1	1	-	1	4	2	2	-	-	116
16	12	4	-	-	149	86	19	31	13	158	121	23	3	1	64	48	11	5	-	117
11	7	4	-	-	91	49	14	22	6	98	80	14	3	1	45	35	7	3	-	117a
5	5	-	-	-	58	37	5	9	7	60	51	9	-	-	19	13	4	2	-	117b
2	-	2	-	-	40	16	6	11	7	15	9	6	-	-	20	11	8	1	-	118
10	4	6	-	-	157	84	46	33	24	52	22	25	4	1	100	53	57	6	4	119
2	2	-	-	-	71	19	24	15	13	24	15	9	-	-	21	12	8	1	-	120
20	10	10	-	-	65	31	24	23	7	69	42	25	1	1	66	38	21	6	1	121
36	15	21	-	-	201	69	64	35	33	147	71	75	1	-	119	49	60	3	7	122
13	4	9	-	-	81	33	24	17	7	57	34	23	-	-	42	18	22	2	-	122a
23	11	12	-	-	120	36	40	18	26	90	37	52	1	-	77	31	38	1	7	122b
7	5	2	-	-	37	17	10	4	6	25	16	8	1	-	21	4	16	-	1	123
22	13	9	-	-	166	98	34	26	8	171	107	62	1	1	114	65	42	7	-	124
4	4	-	-	-	22	18	3	1	-	22	18	4	-	-	6	6	-	-	-	124a
18	9	9	-	-	144	80	31	25	8	149	89	58	1	1	108	59	42	7	-	124b
3	-	3	-	-	35	12	10	8	5	25	13	12	-	-	22	11	10	1	-	125
12	3	9	-	-	46	14	27	-	5	82	29	52	1	-	27	6	20	-	1	126
6	2	4	-	-	44	9	22	6	7	35	16	17	2	-	23	4	18	-	1	127
2	-	2	-	-	24	17	5	1	1	18	12	5	1	-	7	6	1	-	-	128
2	2	-	-	-	22	5	7	2	8	8	6	2	-	-	6	3	3	-	-	129
223	132	91	-	-	2,353	671	601	494	367	1,163	707	444	23	9	1,080	564	412	66	36	
5	3	2	-	-	64	23	8	15	18	34	19	13	1	1	36	15	15	4	2	130
176	94	82	-	-	1,858	647	523	374	314	904	497	383	17	7	810	406	321	49	28	131
128	63	65	-	-	1,415	482	398	287	248	697	381	302	10	4	556	272	228	36	20	131a
49	31	17	-	-	443	165	125	87	66	207	116	81	7	3	254	134	99	13	8	131b
2	1	1	-	-	148	57	23	35	33	34	22	11	1	-	76	37	31	3	5	132
8	6	2	-	-	52	22	10	14	6	42	24	14	4	-	34	19	12	2	1	133
5	4	1	-	-	32	18	10	4	-	20	18	2	-	-	12	5	7	-	-	134
-	-	-	-	-	14	8	4	2	-	10	3	7	-	-	5	1	4	-	-	135
-	-	-	-	-	5	-	1	4	-	4	4	-	-	-	4	4	-	-	-	136
24	24	...	...	...	141	95	...	46	...	120	120	...	-	...	83	75	...	8	...	137
18	18	...	...	...	123	81	...	42	...	107	107	...	-	...	69	61	...	8	...	137a
6	6	...	...	...	18	14	...	4	...	13	13	...	-	...	14	14	...	-	...	137b
-	-	...	...	...	1	1	...	-	...	-	-	...	-	...	2	2	...	-	...	138
3	...	3	...	...	38	...	22	...	16	15	...	14	...	1	18	...	16	...	2	139
1	...	1	...	...	19	...	9	...	10	9	...	9	...	-	11	...	9	...	2	139a
2	...	2	...	...	15	...	11	...	4	6	...	5	...	1	6	...	6	...	-	139b
-	...	-	...	...	4	...	2	...	2	-	...	-	...	-	1	...	1	...	-	139c
12	...	12	...	-	124	...	72	...	52	62	...	58	...	3	73	...	71	...	2	
-	...	-	...	-	10	...	4	...	6	5	...	5	...	-	7	...	6	...	1	140
-	...	-	...	-	11	...	6	...	5	7	...	6	...	1	3	...	3	...	-	141
-	...	-	...	-	5	...	3	...	2	2	...	2	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	141b
-	...	-	...	-	4	...	2	...	2	4	...	3	...	1						



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the skin and cellular tissue-----	54	25	22	4	3	5	1	4	-	-
151	Carbuncle and furuncle-----	7	4	3	-	-	-	-	-	-	-
152	Phlegmon and acute abscess-----	9	3	5	1	-	1	1	-	-	-
153	Other diseases of skin and cellular tissue-----	38	18	14	3	3	4	-	4	-	-
	XIII.—Diseases of the bones, etc.*-----	41	20	11	3	7	2	1	1	-	-
154	Osteomyelitis and periostitis-----	17	9	4	1	3	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)-----	6	2	2	1	1	-	-	-	-	-
156	Diseases of joints, other organs of movement-----	18	9	5	1	3	2	1	1	-	-
	XIV.—Congenital malformations-----	815	408	337	38	32	80	50	29	-	1
157a-d	Congenital malformations of central nervous system-----	208	85	108	9	8	24	15	9	-	-
157e,f	Congenital malformations of cardiovascular system-----	386	204	151	15	16	39	24	14	-	1
157g,h,m	Other congenital malformations-----	221	121	78	14	8	17	11	6	-	-
	XV.—Diseases peculiar to the first year of life-----	3,668	1,828	1,261	360	218	323	180	137	5	1
158	Congenital debility (cause not stated)-----	227	110	84	20	13	5	3	2	-	-
159	Premature birth (cause not stated)-----	2,424	1,157	860	248	159	215	115	95	2	1
160	Injury at birth-----	554	322	166	44	22	58	32	24	2	-
161	Other diseases peculiar to first year of life-----	463	239	151	48	25	47	30	18	1	-
162	XVI.—Semility-----	1,090	416	487	103	84	104	42	60	2	-
	XVII.—Violent or accidental deaths-----	6,613	4,052	1,404	884	293	566	404	155	6	1
163,164	Suicide-----	632	458	148	18	8	41	28	12	-	1
163	Suicide by poisoning-----	133	59	69	1	4	11	6	5	-	-
164	Suicide by other means-----	498	399	79	17	4	30	22	7	-	1
165-168	Homicide <sup>1</sup> -----	805	345	57	324	79	14	9	4	1	-
166	Homicide by firearms-----	488	208	39	199	42	5	4	1	-	-
167	Homicide by cutting or piercing instruments-----	232	89	7	107	29	4	4	-	-	-
168	Homicide by other means-----	87	50	11	18	8	5	1	3	1	-
169-195	Accidental deaths-----	5,189	3,247	1,199	517	206	511	367	139	5	-
169	Railway accidents (except collisions with motor vehicles)-----	163	124	8	28	3	13	9	2	-	-
170	Motor-vehicle accidents-----	1,821	1,249	386	130	46	195	142	42	1	-
170a	Collisions between automobiles and trains-----	78	39	31	5	3	8	6	2	-	-
170b	Collisions between automobiles and streetcars-----	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	1,696	1,164	364	125	43	174	133	40	1	-
170d	Motorcycle accidents (exc. collisions with automobiles)-----	46	45	1	-	-	3	3	-	-	-
171	Streetcar and other road-transport accidents-----	20	14	4	2	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	7	6	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	13	8	3	2	-	1	1	-	-	-
172	Water-transport accidents-----	26	21	3	2	-	4	4	-	-	-
173	Air-transport accidents-----	166	163	9	4	-	12	12	-	-	-
174	Accidents in mines and quarries-----	4	3	1	-	-	27	26	-	1	-
175	Agricultural and forestry accidents-----	49	37	1	11	-	10	9	1	-	-
175a-c	Agricultural accidents-----	43	35	1	7	-	9	8	1	-	-
175d,e	Forestry accidents-----	6	2	-	4	-	1	1	-	-	-
176	Other accidents involving machinery-----	68	57	1	10	-	6	6	-	-	-
177	Food poisoning-----	46	13	20	7	6	3	2	-	1	-
178	Accidental absorption of poisonous gas-----	44	26	12	6	-	5	5	-	-	-
179	Acute accidental poisoning by solids or liquids-----	96	42	33	13	8	5	4	1	-	-
180	Conflagration-----	74	26	12	21	15	13	6	7	-	-
181	Accidental burns (except conflagration)-----	370	165	115	41	49	19	10	9	-	-
182	Accidental mechanical suffocation-----	65	35	10	12	8	8	8	-	-	-
183	Accidental drowning-----	397	282	51	57	7	25	21	4	-	-
184	Accidental injury by firearms-----	292	213	16	50	13	25	23	2	-	-
185	Accidental injury by cutting or piercing instruments-----	37	20	-	10	7	-	-	-	-	-
186	Accidental injury by fall or crushing-----	404	229	150	17	8	110	49	61	-	-
186a	Accidental injury by fall-----	355	187	146	14	8	107	46	61	-	-
186b	Accidental injury by crushing-----	49	42	4	3	-	3	3	-	-	-
187	Cataclysm, etc.*-----	41	14	15	7	5	2	2	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	24	19	1	3	1	2	1	1	-	-
189	Hunger or thirst-----	3	3	-	-	-	-	-	-	-	-
190	Excessive cold-----	4	2	-	1	1	1	1	-	-	-
191	Excessive heat-----	43	27	3	9	4	1	1	-	-	-
192	Lightning-----	17	10	2	5	-	1	1	-	-	-
193	Accidents due to electric currents (except lightning)-----	53	45	2	6	-	6	6	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	14	9	5	-	-	-	-	-	-	-
195	Other accidents-----	828	409	329	65	25	27	18	9	-	-
195a	Sequelae of preventive immunization, etc.*-----	1	-	1	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	5	3	1	-	1	-	-	-	-	-
195d	Obstruction, suffocation, etc.*-----	39	20	13	1	5	7	4	3	-	-
195e,e	Other and unspecified accidents-----	783	386	314	64	19	20	14	6	-	-
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	7	2	-	5	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes-----	1,630	824	453	215	138	95	52	35	5	3
199	Sudden death-----	27	18	8	1	-	2	1	1	-	-
200	Ill-defined and unknown causes-----	1,603	806	445	214	138	93	51	34	5	3
200a	Ill-defined causes-----	1,144	576	299	172	97	71	40	27	3	1
200b,c	Unknown or unspecified causes-----	459	230	146	42	41	22	11	7	2	2

\*Refer to International List for complete title, table V, Part I.

<sup>1</sup>Includes figures for infanticide (185).



## GENERAL TABLES-DEATHS FROM EACH CAUSE

517

## UNITED STATES AND EACH STATE, 1946-Continued

(and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	1	2	-	-	32	12	11	1	8	12	6	5	1	-	17	9	6	1	1	151 152 153
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	
3	1	2	-	-	5	2	1	1	1	5	3	1	1	-	2	-	2	-	-	
2	1	1	-	-	24	7	10	-	7	7	3	4	-	-	14	9	3	1	1	
-	-	-	-	-	13	6	2	3	2	12	9	3	-	-	16	9	3	2	2	154 155 156
1	1	-	-	-	6	3	-	1	2	4	2	2	-	-	5	3	-	1	1	
-	-	-	-	-	3	1	-	2	-	2	2	-	-	-	3	2	1	-	-	
1	-	1	-	-	4	2	2	-	-	6	5	1	-	-	8	4	2	1	1	
58	25	33	-	-	364	182	126	37	19	261	155	100	4	2	269	160	98	7	4	157
21	5	16	-	-	94	38	45	8	3	49	26	21	2	-	73	42	26	3	2	157a-d 157e,f 157g,h,m
24	14	10	-	-	186	100	56	19	11	137	82	54	-	1	123	65	55	2	1	
13	6	7	-	-	84	44	25	10	5	75	47	25	2	1	73	53	17	2	1	
159	93	66	-	-	1,613	701	457	271	189	1,053	611	397	23	22	1,061	602	398	31	30	
3	1	2	-	-	97	31	22	28	16	17	10	6	1	-	53	33	19	1	-	158
112	60	52	-	-	1,039	447	304	171	117	665	386	253	14	12	698	402	285	21	20	159
29	20	9	-	-	295	147	87	38	23	218	122	86	5	5	195	105	81	3	6	160
15	12	3	-	-	187	76	44	34	33	153	93	52	3	5	115	62	43	6	4	161
18	6	12	-	-	248	75	115	25	33	170	75	91	2	2	208	107	90	7	4	162
322	229	93	-	-	2,908	1,539	533	649	187	2,358	1,710	558	71	19	1,861	1,309	379	150	23	
45	39	6	-	-	337	223	80	29	5	353	264	79	4	6	177	138	35	5	1	163,164
8	6	2	-	-	71	36	33	1	1	121	85	34	1	1	20	9	11	-	-	163
37	33	4	-	-	266	187	47	28	4	232	179	45	3	5	157	129	24	3	1	164
6	4	2	-	-	356	83	31	179	43	81	50	14	14	3	134	67	22	38	7	165-168
3	2	1	-	-	202	58	21	100	23	40	26	6	6	2	84	45	12	22	5	166
-	-	-	-	-	82	10	2	60	10	18	8	2	6	2	23	5	5	14	1	167
3	2	1	-	-	52	15	8	19	10	25	16	6	2	1	27	17	7	2	1	168
271	186	85	-	-	2,225	1,231	422	433	139	1,922	1,394	485	53	10	1,550	1,104	322	109	15	169-195
3	3	-	-	-	64	34	4	25	1	49	45	1	3	-	87	75	4	8	-	169
88	73	15	-	-	809	478	122	172	37	633	479	141	12	1	406	325	84	17	-	170
-	-	-	-	-	17	12	4	-	-	22	15	6	1	-	13	10	3	-	-	170a
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	170b
86	71	15	-	-	774	451	117	170	36	591	444	135	11	1	384	307	60	17	-	170c
2	2	-	-	-	16	14	-	2	-	19	19	-	-	-	9	8	1	-	-	170d
-	-	-	-	-	15	9	2	1	1	3	2	1	-	-	5	5	-	-	-	171
-	-	-	-	-	8	6	1	1	-	-	-	-	-	-	4	4	-	-	-	171a
-	-	-	-	-	5	3	1	-	1	3	2	1	-	-	1	1	-	-	-	171b
1	1	-	-	-	41	35	1	5	-	40	33	2	5	-	6	6	-	-	-	172
1	1	-	-	-	59	55	3	1	-	43	41	2	-	-	19	18	1	-	-	173
2	2	-	-	-	58	54	-	4	-	10	10	-	-	-	247	203	-	44	-	174
18	18	-	-	-	61	43	5	12	1	97	95	-	2	-	36	34	2	-	-	175
14	14	-	-	-	53	37	5	11	-	53	33	-	-	-	24	22	2	-	-	175a-c
4	4	-	-	-	8	6	-	1	1	64	62	-	2	-	12	12	-	-	-	175d,e
2	2	-	-	-	19	13	-	6	-	28	27	1	-	-	22	18	1	3	-	176
-	-	-	-	-	12	4	4	2	2	6	2	3	1	-	5	4	1	-	-	177
9	8	1	-	-	26	15	8	3	-	72	59	12	1	-	16	10	5	1	-	178
3	3	-	-	-	43	17	9	11	6	24	12	11	1	-	16	10	5	-	1	179
5	2	3	-	-	82	21	15	31	15	75	48	23	4	-	68	36	24	4	4	180
10	6	4	-	-	126	42	31	22	31	50	28	17	2	3	76	35	32	5	6	181
2	2	-	-	-	34	13	6	9	6	27	14	13	-	-	27	15	12	-	-	182
16	12	4	-	-	166	95	8	51	2	163	130	23	9	1	86	73	9	3	1	183
5	4	1	-	-	97	59	5	27	6	82	45	5	2	-	59	44	10	5	-	184
-	-	-	-	-	5	1	1	1	2	1	-	-	-	1	6	3	3	-	-	185
81	31	50	-	-	340	143	158	23	16	363	200	158	5	-	243	115	118	7	3	186
80	30	50	-	-	330	134	158	22	16	355	193	157	5	-	236	110	116	7	3	186a
1	1	-	-	-	10	9	-	1	-	8	7	1	-	-	7	5	2	-	-	186b
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	187
-	-	-	-	-	4	2	-	2	-	2	2	-	-	-	4	4	-	-	-	188
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
-	-	-	-	-	6	4	-	1	1	4	2	1	1	1	6	5	-	1	-	190
-	-	-	-	-	2	1	-	1	-	2	1	-	-	-	-	-	-	-	-	191
-	-	-	-	-	17	13	1	1	2	-	-	-	-	-	4	2	2	-	-	192
2	2	-	-	-	14	12	-	2	-	18	17	-	1	-	13	13	-	-	-	193
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	194
21	14	7	-	-	154	65	39	20	10	159	102	49	4	4	90	51	28	11	-	195
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	195a
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	195b
5	3	2	-	-	28	14	9	2	3	41	22	13	3	3	24	10	10	4	-	195d
15	10	5	-	-	106	51	30	18	7	115	77	36	1	1	65	41	17	7	-	195e,g
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	9	1	-	8	-	2	2	-	-	-	-	-	-	-	-	198
35	21	14	-	-	427	147	109	95	76	222	157	56	5	4	414	234	156	17	7	
3	1	2	-	-	55	21	9	12	13	23	15	7	1	-	41	29	12	-	-	199
32	20	12	-	-	372	126	100	63	63	199	142	49	4	4	373	205	144	17	7	200
20	13	7	-	-	139	51	28	37	23	98	72	23	2	1	88	46	37	5	-	200a
12	7	5	-	-	233	75	72	46	40	101	70	26	2	3	285	159	107	12	7	200b,c



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN				Total deaths	WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	32,545	17,945	14,056	196	143	2,135	1,346	719	46	25
	I.—Infectious and parasitic diseases	1,512	813	447	37	15	91	58	20	11	2
1	Typhoid fever	3	2	1	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	1	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	23	13	10	-	-	3	1	2	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	4	2	-	-	-	-	-	-	-
9	Whooping cough	25	11	13	1	-	2	1	1	-	-
10	Diphtheria (infection by C. diphtheriae)	20	10	9	1	-	3	2	1	-	-
11	Erysipelas	1	1	-	-	-	-	-	-	-	-
12	Tetanus	5	3	2	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	648	434	180	22	12	26	15	7	6	-
13	Tuberculosis of respiratory system, etc.*	589	400	159	20	10	24	12	7	5	-
14	Tuberculosis of meninges, etc.*	18	8	6	2	2	3	2	-	1	-
15	Tuberculosis of intestines and peritoneum	5	4	1	-	-	-	-	-	-	-
16	Tuberculosis of vertebral column	6	4	2	-	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*	5	4	1	-	-	1	1	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	3	2	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	13	6	7	-	-	-	-	-	-	-
21	Tuberculosis of other organs	5	3	2	-	-	-	-	-	-	-
22	Disseminated tuberculosis	4	3	1	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nongonorrheal)	14	10	4	-	-	1	-	1	-	-
25	Gonococcus infection	2	-	2	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	3	3	-	-	2	2	-	-	-
29	Other diseases due to parasitic protozoa, etc.*	1	1	-	-	-	1	1	-	-	-
30	Syphilis (all forms)	-	-	-	-	-	-	-	-	-	-
30a	Loocomotor ataxia (tabes dorsalis)	172	115	45	12	2	23	17	-	5	1
30b	General paralysis of insane	10	8	1	-	1	1	1	-	-	-
30c	Aneurysm of aorta	44	27	15	3	1	8	7	-	1	-
30d	Congenital syphilis	56	37	15	4	-	3	3	-	-	-
30e,g	Syphilis (other forms)	4	1	2	1	-	-	-	-	-	-
31	Relapsing fever	58	40	14	4	-	11	6	-	4	1
32	Other diseases due to spirochetes	-	-	-	-	-	-	-	-	-	-
33	Influenza	180	88	92	-	-	16	11	4	-	1
34	Smallpox	1	1	-	-	-	-	-	-	-	-
35	Measles	21	9	11	-	1	-	-	-	-	-
36	Poliomyelitis and polioencephalitis (acute)	88	51	37	-	-	7	4	3	-	-
37	Acute infectious encephalitis (lethargic)	31	20	11	-	-	2	1	1	-	-
38	Other diseases due to filtrable viruses	2	-	1	1	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases*	-	-	-	-	-	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	5	3	2	-	-	-	-	-	-	-
44	Other infectious and parasitic diseases	50	30	20	-	-	1	1	-	-	-
	II.—Cancer and other tumors	4,969	2,461	2,466	20	22	239	140	96	1	2
45-55	Cancer and other malignant tumors	4,836	2,415	2,380	20	21	229	136	89	1	2
45	Cancer of buccal cavity and pharynx	114	98	17	-	1	9	6	2	-	-
45a	Cancer of lip	18	15	2	-	1	1	1	-	-	-
45b	Cancer of tongue	21	17	4	-	-	2	1	1	-	-
45c	Cancer of mouth	20	18	2	-	-	1	-	1	-	-
45d	Cancer of jaw bones	17	14	3	-	-	2	2	-	-	-
45e	Cancer of unspecified parts of buccal cavity	2	2	-	-	-	-	-	-	-	-
45f	Cancer of pharynx	36	30	6	-	-	2	2	-	-	-
46	Cancer of digestive organs and peritoneum	2,370	1,340	1,015	10	5	113	70	41	1	1
46a	Cancer of esophagus	105	76	27	2	-	4	4	-	-	-
46b	Cancer of stomach	812	521	286	5	-	54	38	15	-	1
46c	Cancer of duodenum	8	6	3	-	-	1	1	-	-	-
46d	Cancer of rectum and anus	308	194	112	2	-	10	4	5	1	-
46e	Cancer of intestines, etc.*	605	290	314	-	1	19	8	11	-	-
46f	Cancer of liver and biliary passages	275	127	145	-	3	15	9	6	-	-
46g	Cancer of pancreas	209	106	102	-	1	10	6	4	-	-
46h	Cancer of mesentery and peritoneum	31	12	18	1	-	-	-	-	-	-
46i	Cancer of other and unspecified sites	16	8	8	-	-	-	-	-	-	-
47	Cancer of respiratory system	314	235	75	4	-	19	16	3	-	-
47a	Cancer of larynx	42	35	7	-	-	2	2	-	-	-
47b,c	Cancer of trachea and bronchus	73	59	15	-	-	3	3	-	-	-
47d	Cancer of lung	178	128	47	3	-	13	10	3	-	-
47e	Cancer of pleura	4	1	3	-	-	1	1	-	-	-
47f	Cancer of other respiratory organs	17	13	3	1	-	-	-	-	-	-
48	Cancer of uterus	366	...	359	...	7	9	...	8	...	-
48a	Cancer of cervix	149	...	144	...	5	5	...	5	...	-
48b	Cancer of other and unspecified sites of uterus	217	...	215	...	2	4	...	4	...	-
49	Cancer of other female genital organs	149	...	147	...	2	4	...	4	...	-
49a,b	Cancer of ovary, fallopian tube, and parametrium	128	...	127	...	1	4	...	4	...	-
49c-e	Cancer of other female genital organs	21	...	20	...	1	-	...	-	...	-
50	Cancer of breast	474	...	466	...	3	20	...	19	...	1
51	Cancer of male genital organs	328	325	...	3	...	19	19	...	...	...
51a	Cancer of prostate	305	302	...	3	...	15	15	...	...	...
51a,c-e	Cancer of other male genital organs	23	23	...	...	...	4	4	...	...	...
52	Cancer of urinary organs	256	161	92	1	2	9	4	5	-	-
52a	Cancer of kidney	87	47	38	-	2	3	1	2	-	-
52b	Cancer of bladder	168	114	53	1	-	6	3	3	-	-
52c	Cancer of other and unspecified sites	1	1	-	-	-	-	-	-	-	-
53	Cancer of skin, etc.*	70	41	29	-	-	3	2	1	-	-

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES-DEATHS FROM EACH CAUSE

519

TABLE 21.-DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN				WYOMING					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
54	Cancer of central nervous system*	85	52	33	-	-	5	5	-	-	-
55	Cancer of other and unspecified organs	310	160	147	2	1	19	14	5	-	-
56,57	Nonmalignant tumors and tumors of unspecified nature	153	46	86	-	1	11	4	7	-	-
56	Nonmalignant tumors (including dermoid cysts)	96	24	71	-	1	3	-	3	-	-
56a-c	Nonmalignant tumors of female genital organs	55	...	54	...	1	2	...	2	...	-
56a	Nonmalignant tumors of central nervous system*	25	13	12	-	-	1	-	1	-	-
56e	Nonmalignant tumors of other and unspecified organs	16	11	5	-	-	-	-	-	-	-
57	Tumors of unspecified nature	37	22	15	-	-	3	4	4	-	-
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	27	16	11	-	-	4	1	3	-	-
57e	Tumors, other organs (nature unspecified)	10	5	4	-	-	3	3	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,277	463	808	2	4	43	15	28	-	-
58	Acute rheumatic fever	24	10	14	-	-	3	-	3	-	-
58a	Acute rheumatic pericarditis	3	1	2	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	11	4	7	-	-	1	-	1	-	-
58c	Acute rheumatic myocarditis	1	-	1	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	5	3	2	-	-	1	-	1	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	4	2	2	-	-	1	-	1	-	-
59	Chronic rheumatism, other rheumatic diseases	43	13	29	1	-	2	1	1	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,021	389	627	1	4	32	14	18	-	-
62	Diseases of pituitary gland	4	1	3	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	125	18	107	-	-	5	-	5	-	-
63a	Simple goiter	2	-	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	111	14	97	-	-	4	-	4	-	-
63c-e	Other diseases of thyroid and parathyroid glands	12	4	8	-	-	-	-	-	-	-
64	Diseases of thymus gland	20	11	9	-	-	-	-	-	-	-
65	Diseases of adrenal glands*	21	10	11	-	-	-	-	-	-	-
66	Other general diseases	10	4	6	-	-	1	-	1	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	-	-	-	-	-
70	Rickets	2	1	1	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	280	157	120	3	-	19	11	8	-	-
72	Hemorrhagic conditions	13	5	8	-	-	2	-	2	-	-
73	Anemias (except splenic anemia)	74	45	28	1	-	3	1	2	-	-
73a	Pernicious anemia	49	31	18	-	-	1	-	1	-	-
73b-d	Other anemias (except splenic)	25	14	10	1	-	2	1	1	-	-
74	Leukemias and leukemias	171	92	77	2	-	11	9	2	-	-
74a	Leukemias	162	85	75	2	-	10	7	3	-	-
74b	Leukemias	9	7	2	-	-	1	1	-	-	-
75	Diseases of spleen	17	12	5	-	-	1	1	-	-	-
76	Other diseases of blood and blood-forming organs	5	3	2	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication	36	34	1	-	1	9	8	-	1	-
77	Alcoholism (ethylish)	34	32	1	-	1	9	8	-	1	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	2	2	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	5,546	1,716	1,800	18	12	204	106	89	4	5
80	Encephalitis (nonepidemic)	22	9	13	-	-	2	-	2	-	-
81	Meningitis (not due to meningococcus)	40	26	14	-	-	2	1	-	-	1
82	Diseases of spinal cord (see exceptions)*	70	46	22	1	1	5	-	4	-	1
83	Intracranial lesions of vascular origin	3,208	1,527	1,659	12	10	180	97	77	3	3
83a	Cerebral hemorrhage or effusion	2,952	1,399	1,533	10	10	163	67	70	3	3
83b,c	Cerebral embolism, thrombosis, and softening	237	119	117	1	-	14	9	5	-	-
83d	Hemiplegia, other paralysis, etc.*	19	9	9	1	-	3	1	2	-	-
84	Mental diseases and deficiency (see exception)*	36	9	26	1	-	1	-	1	-	-
85	Epilepsy	47	28	17	2	-	6	4	2	-	-
86	Convulsions (under 5 years)	12	7	4	1	-	-	-	-	-	-
87	Other diseases of nervous system	95	56	38	-	1	7	3	3	1	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	16	8	7	1	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	11,179	6,523	4,578	43	35	650	419	198	10	3
90-95	Diseases of the heart (all forms)	10,485	6,177	4,234	42	32	597	400	185	9	3
90	Pericarditis, (except acute rheumatic)	9	5	3	1	-	-	-	-	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	9	5	3	1	-	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	33	21	11	-	1	1	1	-	-	-
91a,b	Bacterial, acute, and subacute endocarditis	33	21	11	-	1	1	1	-	-	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	886	488	392	8	8	85	55	30	1	-
92a	Diseases of aortic valve, etc.*	71	37	29	2	3	3	3	-	-	-
92b	Diseases of mitral valve, etc.*	370	193	171	4	2	38	20	16	-	-
92c	Chronic rheumatic endocarditis, etc.*	79	45	32	1	1	1	1	-	-	-
92d	Other chronic endocarditis, etc.*	354	201	151	1	1	41	27	13	1	-
92e	Endocarditis (unspecified, 45 years and over)	22	12	9	-	1	5	4	1	-	-
93	Diseases of the myocardium	5,773	3,106	2,628	24	17	261	153	99	6	3
93a	Acute myocarditis (except rheumatic)	61	40	41	-	-	6	5	1	-	-
93b	Myocarditis (unspecified, under 45 years)	10	2	8	-	-	1	1	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	43	21	20	2	-	-	-	-	-	-
93d	Other chronic myocarditis, etc.*	5,325	2,866	2,421	22	16	229	133	88	5	3
93e	Other myocarditis (unspecified)	314	177	136	-	1	25	14	10	1	-
94	Diseases of coronary arteries, angina pectoris	3,119	2,183	928	4	4	213	166	46	1	-
94a	Diseases of coronary arteries	3,089	2,153	918	4	4	206	160	45	1	-
94b	Angina pectoris	30	20	10	-	-	7	6	1	-	-

\*Refer to International List for complete title, table V, Part I.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN						WYOMING					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	Total deaths
			Male	Female	Male	Female		Male	Female	Male	Female		
	VII.—Diseases of the circulatory system—Continued												
	Diseases of the heart (all forms)—Continued												
95	Other diseases of heart—	655	374	274	5	2	38	25	10	1	-	-	-
95a	Functional diseases of heart, etc.*	18	10	8	-	-	3	3	-	-	-	-	-
95b	Other diseases of heart (rheumatic)	132	73	57	2	-	5	3	2	-	-	-	-
95c	Other diseases of heart (not rheumatic)	505	291	209	3	2	29	19	8	1	-	-	-
96	Aneurysm (except of heart and aorta)	37	25	14	-	-	1	-	1	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	529	267	260	-	1	26	15	11	-	-	-	-
98	Gangrene	16	9	7	-	-	-	-	-	-	-	-	-
99	Other diseases of arteries	49	29	21	-	-	5	3	1	1	-	-	-
100	Diseases of veins	35	11	22	1	1	-	-	-	-	-	-	-
101	Diseases of lymphatic system	1	1	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	27	6	20	-	1	1	1	-	-	-	-	-
103	Other diseases of circulatory system	1	1	-	-	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	1,382	776	584	17	5	120	72	44	1	3	-	-
104	Diseases of nasal fossae, accessory sinuses	10	7	3	-	-	1	-	1	-	-	-	-
105	Diseases of larynx	6	4	1	1	-	1	-	1	-	-	-	-
106	Bronchitis	59	35	23	-	1	6	4	2	-	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	644	336	300	8	-	43	25	15	-	3	-	-
108	Lobar pneumonia	396	241	158	6	1	28	19	8	1	-	-	-
109	Pneumonia (unspecified)	75	40	34	1	-	14	7	7	-	-	-	-
109a	Atypical or virus pneumonia	30	15	15	-	-	9	5	4	-	-	-	-
109b	Pneumonia (all other, unspecified)	45	25	19	1	-	5	2	3	-	-	-	-
110	Pleurisy (not tuberculous)	34	26	8	-	-	3	2	1	-	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	88	38	49	-	1	10	4	6	-	-	-	-
112	Asthma	49	27	21	-	1	8	6	2	-	-	-	-
113	Pulmonary emphysema	2	2	-	-	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	29	20	7	1	1	6	5	1	-	-	-	-
114a,b	Silicosis, other forms of pneumoconiosis	7	6	1	-	-	1	1	-	-	-	-	-
114c-o	Other diseases of respiratory system (except tuberculosis)	22	14	7	-	1	5	4	1	-	-	-	-
	IX.—Diseases of the digestive system	1,334	762	557	9	6	123	74	45	2	2	-	-
115	Diseases of buccal cavity and pharynx, etc.*	45	19	26	-	-	7	5	2	-	-	-	-
116	Diseases of esophagus	5	2	3	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	177	141	35	1	-	17	16	-	-	-	-	-
117a	Ulcer of stomach	110	88	21	1	-	11	10	-	-	1	-	-
117b	Ulcer of duodenum	67	53	14	-	-	6	6	-	-	-	-	-
118	Other diseases of stomach (except cancer)	6	3	3	-	-	1	1	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	80	41	37	1	1	9	7	2	-	-	-	-
120	Diarrhea, enteritis, etc.* (2 years and over)	35	17	18	-	-	6	3	2	1	-	-	-
121	Appendicitis	123	76	42	4	1	16	11	7	-	-	-	-
122	Hernia and intestinal obstruction	258	128	126	3	1	26	11	13	1	1	-	-
122a	Hernia	109	56	51	2	-	13	8	5	-	-	-	-
122b	Intestinal obstruction	149	72	75	1	1	13	3	8	1	1	-	-
123	Other diseases of intestines	35	21	14	-	-	5	3	2	-	-	-	-
124	Cirrhosis of liver	306	218	86	-	2	16	12	4	-	-	-	-
124a	Cirrhosis of liver with mention of alcoholism	42	38	4	-	-	2	1	1	-	-	-	-
124b	Cirrhosis of liver without mention of alcoholism	264	180	82	-	2	14	11	3	-	-	-	-
125	Other diseases of liver	36	18	18	-	-	2	-	2	-	-	-	-
126	Biliary calculi	143	38	104	-	1	10	3	7	-	-	-	-
127	Other diseases of gallbladder, biliary ducts	53	20	33	-	-	3	2	1	-	-	-	-
128	Diseases of pancreas (except diabetes mellitus)	22	13	9	-	-	1	-	1	-	-	-	-
129	Peritonitis (cause not stated)	10	7	3	-	-	2	-	2	-	-	-	-
	X.—Diseases of the genito-urinary system	2,034	1,189	826	8	11	142	96	45	1	-	-	-
130	Acute nephritis	33	21	12	-	-	4	2	2	-	-	-	-
131	Chronic nephritis	1,544	827	702	5	10	121	82	39	-	-	-	-
131a	Arteriosclerotic kidney	1,162	608	543	4	7	93	62	31	-	-	-	-
131b	Other chronic nephritis	382	219	159	1	3	28	20	8	-	-	-	-
132	Nephritis unspecified (10 years and over)	66	34	31	1	-	5	3	1	1	-	-	-
133	Other diseases of kidneys, ureters, etc.*	67	33	33	1	-	1	1	-	-	-	-	-
134	Calculi of urinary passages	27	15	12	-	-	3	3	-	-	-	-	-
135	Diseases of urinary bladder	16	4	12	-	-	1	-	1	-	-	-	-
136	Diseases of urethra (except calculus)	5	5	-	-	-	-	-	-	-	-	-	-
137	Diseases of prostate	251	250	-	1	...	5	5	...	-	...	-	...
137a	Hypertrophy of prostate	238	237	-	1	...	5	5	...	-	...	-	...
137b	Other diseases of prostate	13	13	-	-	...	-	-	...	-	...	-	...
138	Diseases of other male genital organs (not venereal)	-	-	-	-	...	-	-	...	-	...	-	...
139	Diseases of female genital organs	25	...	24	...	1	2	...	2	...	...	-	...
139a	Diseases of ovaries, fallopian tubes, parametria	10	...	9	...	1	2	...	2	...	...	-	...
139b	Diseases of uterus	15	...	15	...	-	-	...	-	...	...	-	...
139c	Diseases of other female genital organs*	-	...	-	...	-	-	...	-	...	...	-	...
	XI.—Diseases of pregnancy, childbirth, and the puerperium	106	...	105	...	3	10	...	10	...	...	-	...
140	Abortion with mention of infection	8	...	8	...	-	-	...	-	...	...	-	...
141	Abortion without mention of infection	3	...	3	...	-	2	...	2	...	...	-	...
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	1	...	1	...	...	-	...
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	1	...	1	...	...	-	...
141d-f	Other abortions (nonseptic)*	-	...	-	...	-	-	...	-	...	...	-	...
142	Ectopic gestation	3	...	9	...	-	1	...	1	...	...	-	...
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	1	...	1	...	...	-	...
142b	Ectopic gestation, without mention of infection	7	...	7	...	-	-	...	-	...	...	-	...
143	Hemorrhage of pregnancy (death before delivery)	5	...	4	...	1	1	...	1	...	...	-	...
144	Toxemia of pregnancy (death before delivery)	2	...	2	...	-	1	...	1	...	...	-	...
145	Other diseases of pregnancy (death before delivery)*	8	...	8	...	-	-	...	-	...	...	-	...
145a	With mention of infection	4	...	4	...	-	-	...	-	...	...	-	...
145b	Without mention of infection	4	...	4	...	-	-	...	-	...	...	-	...
146	Hemorrhage of childbirth and puerperium	14	...	14	...	-	1	...	1	...	...	-	...
147	Infection during childbirth and puerperium	30	...	29	...	1	3	...	3	...	...	-	...
148	Puerperal toxemia (excluding death before delivery)	16	...	16	...	-	-	...	-	...	...	-	...
149	Other accidents and specified conditions of childbirth	11	...	10	...	1	1	...	1	...	...	-	...
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	-	-	...	-	...	...	-	...

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—DEATHS FROM EACH CAUSE

521

TABLE 21.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue	14	7	7	-	-	2	1	1	-	-
151	Carbuncle and furuncle	3	2	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	9	4	5	-	-	2	1	1	-	-
	XIII.—Diseases of the bones, etc.*	17	9	8	-	-	-	-	-	-	-
154	Osteomyelitis and periostitis	1	1	-	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	4	2	2	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement	12	6	6	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	457	246	205	-	6	28	15	12	1	-
157a-d	Congenital malformations of central nervous system	154	75	77	-	2	2	2	-	-	-
157e,f	Congenital malformations of cardiovascular system	205	111	92	-	2	20	10	9	1	-
157g,h,m	Other congenital malformations	98	60	36	-	2	6	3	3	-	-
	XV.—Diseases peculiar to the first year of life	1,290	757	509	10	14	115	76	37	1	1
158	Congenital debility (cause not stated)	23	15	9	1	-	1	1	-	-	-
159	Premature birth (cause not stated)	799	458	324	7	10	74	48	24	-	1
160	Injury at birth	280	170	105	2	3	24	15	8	1	-
161	Other diseases peculiar to first year of life	186	114	71	-	1	16	11	5	-	-
162	XVI.—Senility	284	129	153	-	2	19	7	11	1	-
	XVII.—Violent or accidental deaths	2,704	1,815	851	29	11	308	238	64	5	1
163,164	Suicide	419	327	90	2	-	44	39	5	1	-
163	Suicide by poisoning	72	45	27	-	-	8	3	5	-	-
164	Suicide by other means	347	282	65	2	-	36	35	-	1	-
165-168	Homicide	30	13	13	2	2	10	5	3	1	1
166	Homicide by firearms	17	8	5	2	2	5	3	2	-	-
167	Homicide by cutting or piercing instruments	3	-	3	-	-	2	-	-	1	1
168	Homicide by other means	10	5	5	-	-	3	2	1	-	-
169-195	Accidental deaths	2,254	1,472	748	25	9	254	195	56	3	-
169	Railway accidents (except collisions with motor vehicles)	44	41	2	1	-	6	6	-	-	-
170	Motor-vehicle accidents	740	561	164	11	4	105	74	31	-	-
170a	Collisions between automobiles and trains	45	31	14	-	-	4	4	-	-	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)	681	518	148	11	4	100	70	30	-	-
170d	Motorcycle accidents (exc. collisions with automobiles)	13	11	2	-	-	1	-	1	-	-
171	Streetcar and other road-transport accidents	8	6	2	-	-	1	1	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)	4	3	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	4	3	1	-	-	1	1	-	-	-
172	Water-transport accidents	41	37	4	-	-	-	-	-	-	-
173	Air-transport accidents	34	34	-	-	-	6	5	1	-	-
174	Accidents in mines and quarries	8	8	-	-	-	8	8	-	-	-
175	Agricultural and forestry accidents	103	91	12	-	-	8	7	1	-	-
175a,c	Agricultural accidents	102	90	12	-	-	8	7	1	-	-
175b	Forestry accidents	1	1	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	42	38	2	2	-	4	4	-	-	-
177	Food poisoning	1	1	-	-	-	1	1	-	-	-
178	Accidental absorption of poisonous gas	69	43	25	1	-	10	10	-	-	-
179	Acute accidental poisoning by solids or liquids	13	6	7	-	-	1	1	-	-	-
180	Conflagration	51	37	14	-	-	4	2	2	-	-
181	Accidental burns (except conflagration)	54	27	26	-	1	8	5	3	-	-
182	Accidental mechanical suffocation	51	28	23	-	-	5	2	3	-	-
183	Accidental drowning	114	95	16	3	-	15	13	2	-	-
184	Accidental injury by firearms	57	45	11	-	1	15	13	1	1	-
185	Accidental injury by cutting or piercing instruments	3	3	-	-	-	1	1	-	-	-
186	Accidental injury by fall or crushing	715	292	414	6	3	32	23	9	-	-
186a	Accidental injury by fall	710	287	414	6	3	28	19	9	-	-
186b	Accidental injury by crushing	5	5	-	-	-	4	4	-	-	-
187	Cataclysm, etc.*	2	2	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	1	1	-	-	-
189	Hunger or thirst	1	-	1	-	-	-	-	-	-	-
190	Excessive cold	10	8	2	-	-	2	2	-	-	-
191	Excessive heat	4	4	-	-	-	-	-	-	-	-
192	Lightning	6	4	2	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	16	15	1	-	-	5	5	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*	-	-	-	-	-	-	-	-	-	-
195	Other accidents	66	45	20	1	-	15	10	3	2	-
195a	Sequelae of preventive immunization, etc.*	1	-	1	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention	1	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*	27	17	9	1	-	7	5	1	1	-
195e,c	Other and unspecified accidents	37	28	9	-	-	8	5	2	1	-
196	Deaths of military personnel during operations of war	1	1	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	122	90	31	-	1	33	10	10	7	6
199	Sudden death	30	25	5	-	-	1	-	1	-	-
200	Ill-defined and unknown causes	92	65	26	-	1	32	10	9	7	6
200a	Ill-defined causes	61	46	15	-	-	15	8	7	-	-
200b,c	Unknown or unspecified causes	31	19	11	-	1	17	2	2	7	6

\*Refer to International List for complete title, table V, Part I.

\*Includes figures for infanticide (185).



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1 UNITED STATES-----	1,395,617	407	1,257	198	1,241	1,259	50,911	952	341	12,955	1,310	1,845	182,005	1,118
2 ALABAMA-----	24,727	9	31	1	37	28	1,122	22	30	317	44	22	2,261	24
3 Autauga-----	150	-	-	-	1	-	6	-	-	3	-	-	17	-
4 Baldwin-----	294	-	1	-	1	-	11	-	1	1	-	1	23	-
5 Barbour-----	286	-	-	-	-	-	10	2	-	-	2	-	17	-
6 Bibb-----	169	-	-	-	-	-	5	-	-	2	1	-	20	-
7 Blount-----	191	-	-	-	-	2	5	-	-	-	-	1	16	-
8 Bullock-----	201	-	-	-	-	-	4	-	-	-	1	-	8	1
9 Butler-----	239	-	-	-	-	1	6	-	-	1	-	1	21	-
10 Calhoun-----	572	-	3	-	3	-	31	-	-	4	5	1	57	2
11 Anniston-----	277	-	2	-	-	-	14	-	-	1	4	-	26	1
12 Balance of county-----	295	-	1	-	3	-	17	-	-	3	1	1	29	1
13 Chambers-----	317	-	-	-	-	-	6	-	1	-	-	-	26	-
14 Cherokee-----	127	-	-	-	1	-	5	-	-	-	-	-	16	-
15 Chilton-----	239	-	-	-	-	-	9	-	-	1	-	-	22	-
16 Choctaw-----	133	-	-	-	-	1	4	-	-	1	-	-	6	-
17 Clarke-----	197	-	-	-	-	-	7	-	-	3	-	-	19	-
18 Clay-----	135	-	-	-	-	-	1	-	-	1	-	-	12	-
19 Cleburne-----	87	-	1	-	-	-	3	-	-	1	3	-	7	-
20 Coffee-----	175	-	-	-	-	1	2	-	-	2	-	-	15	-
21 Colbert-----	295	-	-	-	-	1	19	-	1	2	-	-	34	-
22 Conecuh-----	168	-	-	-	-	2	3	-	-	2	-	-	17	-
23 Coosa-----	117	1	-	-	-	-	-	1	-	-	-	-	15	-
24 Covington-----	302	-	-	-	-	-	7	-	1	1	1	-	29	-
25 Crenshaw-----	178	-	-	-	-	-	5	-	-	2	-	-	15	1
26 Cullman-----	303	-	-	-	-	1	9	-	-	1	1	-	27	-
27 Dale-----	160	-	1	-	-	-	3	-	-	1	-	-	16	1
28 Dallas-----	626	-	2	-	3	-	25	-	3	9	-	-	63	-
29 Selma-----	294	-	-	-	3	-	18	-	2	6	-	-	38	-
30 Balance of county-----	332	-	2	-	-	-	9	-	1	3	-	-	25	-
31 De Kalb-----	289	1	-	-	1	1	15	-	-	-	-	-	38	1
32 Elmore-----	288	-	1	-	-	-	11	1	-	2	-	1	32	-
33 Escambia-----	293	-	-	-	1	1	6	-	-	-	-	-	26	-
34 Etowah-----	573	-	-	-	1	1	31	1	-	4	1	-	56	-
35 Gadsden-----	328	-	-	-	1	-	17	1	-	2	1	-	30	-
36 Balance of county-----	245	-	-	-	-	1	14	-	-	2	-	-	26	-
37 Fayette-----	156	-	-	-	-	2	6	-	-	-	1	-	18	-
38 Franklin-----	174	1	-	-	-	1	12	-	-	-	-	-	12	-
39 Geneva-----	198	-	-	-	-	1	3	-	-	1	1	-	20	1
40 Greene-----	165	1	-	-	1	-	6	-	-	5	-	-	10	-
41 Hale-----	203	-	-	-	1	-	10	-	1	5	-	-	16	-
42 Henry-----	147	-	-	-	-	1	4	-	-	2	-	1	8	-
43 Houston-----	368	-	-	-	-	-	5	1	-	-	2	1	25	2
44 Dothan-----	161	-	-	-	-	-	4	-	-	1	1	-	13	-
45 Balance of county-----	207	-	-	-	-	-	1	1	-	-	1	1	12	2
46 Jackson-----	271	1	-	-	-	-	15	-	-	-	1	-	23	-
47 Jefferson-----	4,750	2	3	-	3	2	270	1	2	53	-	5	500	3
48 Tusamee-----	232	-	-	-	-	-	18	-	-	4	-	-	35	-
49 Birmingham-----	2,853	-	-	-	1	1	184	1	-	33	4	2	298	2
50 Fairfield-----	92	-	-	-	-	-	2	-	-	1	-	-	9	-
51 Balance of county-----	1,523	2	1	-	2	1	66	-	2	15	2	3	158	1
52 Lenoir-----	102	-	-	-	-	-	2	-	-	1	-	-	11	1
53 Lauderdale-----	838	-	-	-	-	-	23	-	2	1	-	1	34	-
54 Florence-----	158	-	-	-	-	-	9	-	1	-	-	-	21	-
55 Balance of county-----	180	-	-	-	-	-	14	-	1	1	-	1	13	-
56 Lawrence-----	152	-	-	-	-	-	9	-	-	1	-	-	11	-
57 Lee-----	301	-	3	-	-	-	8	-	-	1	-	-	28	-
58 Limestone-----	274	-	-	-	1	-	21	1	2	1	-	1	25	-
59 Lowndes-----	189	-	-	-	-	1	21	1	1	6	-	-	5	-
60 Macon-----	327	-	1	-	-	-	21	-	-	19	-	-	20	-
61 Madison-----	598	-	-	-	4	-	46	-	2	4	-	2	51	-
62 Huntsville-----	242	-	-	-	2	-	22	-	2	-	-	-	20	-
63 Balance of county-----	346	-	-	-	2	-	24	-	-	2	-	2	31	-
64 Marengo-----	312	-	-	-	-	-	10	-	-	9	-	-	32	1
65 Marion-----	159	-	-	-	-	-	3	-	-	-	1	-	17	-
66 Marshall-----	291	-	-	-	-	2	19	-	-	-	-	1	32	-
67 Mobile-----	2,028	-	3	-	3	2	108	2	3	79	2	1	150	-
68 Mobile-----	1,119	-	2	-	2	-	50	1	-	9	1	1	100	-
69 Balance of county-----	909	-	1	-	1	-	58	1	3	70	1	-	50	-
70 Monroe-----	251	-	-	-	1	-	6	-	-	-	-	-	19	-
71 Montgomery-----	1,241	-	1	-	1	-	67	1	2	22	1	-	111	2
72 Montgomery-----	971	-	1	-	1	-	52	-	1	19	1	-	96	2
73 Balance of county-----	270	-	-	-	-	-	15	1	1	3	-	-	15	-
74 Morgan-----	301	-	1	-	-	2	12	-	-	-	-	-	18	-
75 Decatur-----	112	-	1	-	-	1	5	-	1	-	-	-	29	-
76 Balance of county-----	189	-	-	-	1	-	7	-	-	-	-	-	14	-
77 Perry-----	165	-	-	-	-	-	10	-	1	-	1	-	11	-
78 Pickens-----	201	-	-	-	-	-	9	-	-	3	2	-	11	-
79 Pike-----	297	-	-	-	1	-	11	-	1	2	1	-	20	-
80 Randolph-----	184	-	-	-	3	-	-	-	-	1	-	-	20	-
81 Russell-----	354	-	-	-	2	-	7	-	-	3	3	-	19	1
82 Phenix City-----	171	-	-	-	-	-	5	-	-	-	-	-	13	-
83 Balance of county-----	183	-	-	-	2	-	2	-	-	3	3	-	6	-
84 St. Clair-----	228	-	-	-	-	-	12	-	-	1	-	-	30	-
85 Shelby-----	209	1	1	-	1	-	8	-	-	3	-	-	24	-
86 Sumter-----	212	-	-	-	-	-	10	-	1	4	-	-	17	1
87 Talladega-----	438	-	-	-	1	1	15	-	1	5	4	1	43	1
88 Tallapoosa-----	238	-	1	-	1	-	6	-	-	-	-	-	30	-
89 Tuscaloosa-----	920	1	3	-	-	-	63	11	-	31	2	2	69	-
90 Tuscaloosa-----	499	-	-	-	-	-	33	-	-	24	1	-	27	-
91 Balance of county-----	421	1	3	-	-	-	30	-	-	7	-	2	42	-
92 Walker-----	444	-	2	-	2	2	11	-	-	-	-	1	46	3
93 Washington-----	131	-	-	-	-	-	1	-	3	2	-	-	11	-
94 Wilcox-----	242	-	-	-	-	-	12	-	1	3	-	-	19	1
95 Winston-----	105	-	-	-	-	-	9	-	-	-	1	-	9	-



## GENERAL TABLES—DEATHS FROM SELECTED CAUSES

523

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
54,731	804	125,646	429,230	62,324	8,090	81,701	5,153	79,487	16,152	8,764	35,411	64,622	27,607	162,076
335	96	2,390	5,320	1,526	172	1,692	209	1,796	205	421	766	1,237	1,672	2,554
1	1	19	17	12	-	7	4	16	1	-	3	6	19	17
3	-	24	66	26	1	18	2	21	4	7	16	16	15	36
2	3	28	73	20	-	18	9	16	2	1	7	12	36	28
-	-	11	36	11	1	8	1	11	1	3	3	10	17	28
2	3	26	47	13	1	6	1	11	2	-	6	11	15	23
2	1	27	56	8	2	15	2	9	-	1	5	8	51	22
2	-	28	66	17	3	16	2	19	-	1	1	8	26	20
12	2	52	136	34	2	38	3	54	6	12	22	20	14	59
4	-	22	78	19	-	21	1	23	3	9	6	9	6	26
8	2	30	58	15	2	17	2	31	3	3	16	11	8	33
3	3	51	54	26	1	39	6	22	1	8	8	12	14	37
1	1	19	33	3	-	10	-	4	1	2	7	4	11	11
6	3	23	59	13	1	14	2	19	4	5	11	7	16	25
4	2	13	21	8	-	8	2	14	-	6	5	6	14	16
4	-	8	48	11	1	15	2	12	1	3	6	6	35	16
2	2	14	21	12	2	11	-	9	1	2	5	12	9	19
3	3	10	19	4	1	1	1	6	-	1	2	6	10	8
4	1	25	35	14	1	13	-	12	2	-	10	11	12	17
2	1	32	69	16	3	10	-	22	1	2	14	19	16	31
4	1	12	28	12	2	12	2	11	-	3	8	7	27	15
1	1	10	28	8	-	7	-	4	-	-	-	4	9	12
13	1	21	65	12	3	24	2	35	3	9	10	24	23	18
4	-	18	35	10	1	13	-	12	3	-	7	8	28	16
2	1	29	67	20	1	37	2	30	2	3	15	18	10	27
3	1	13	43	13	-	9	2	14	-	3	6	11	4	14
10	4	61	114	43	7	48	4	31	3	10	9	24	97	53
4	3	35	70	23	5	13	7	14	2	5	4	9	12	26
6	1	26	44	20	2	39	3	17	1	5	5	15	85	27
7	1	23	56	17	1	19	-	30	-	2	8	15	22	30
3	1	31	52	14	2	20	4	15	-	3	14	11	39	30
1	1	31	63	25	3	23	3	20	4	8	13	19	31	33
11	2	50	106	27	4	66	2	65	7	6	30	30	25	50
8	1	32	67	1	1	34	1	34	4	4	12	15	4	29
1	-	18	38	14	3	27	2	29	3	2	18	15	9	21
1	1	12	33	7	-	10	1	11	2	1	3	16	5	7
4	1	14	29	26	-	13	-	20	2	-	8	5	14	15
1	1	22	49	8	2	20	1	13	2	2	5	10	7	23
1	-	9	29	9	2	11	-	7	1	1	3	10	44	15
3	-	34	48	15	1	17	3	5	-	4	4	13	19	16
3	-	14	27	8	3	10	-	7	3	6	3	11	15	21
4	1	50	67	26	5	46	4	30	7	8	17	25	5	36
3	-	18	24	10	-	25	3	19	2	5	8	10	2	13
1	1	32	43	16	5	21	1	11	5	3	9	15	3	23
5	4	30	60	29	4	15	1	21	3	1	13	13	9	23
66	14	437	1,043	243	33	303	34	392	51	100	124	241	369	450
3	1	28	53	18	4	30	2	31	2	5	4	9	7	28
46	7	265	639	132	18	167	19	207	37	66	60	115	267	280
-	-	13	25	3	-	7	1	9	-	3	1	6	4	8
17	6	131	326	90	11	99	12	145	12	26	59	111	91	134
2	1	11	13	8	1	15	1	10	1	1	5	8	1	9
3	1	28	63	29	1	24	2	21	1	12	6	16	31	38
2	1	13	20	10	-	18	2	13	1	7	2	9	6	20
1	-	15	35	19	1	11	-	8	-	5	4	7	25	18
3	1	17	28	9	3	11	1	8	1	5	10	5	11	19
3	2	25	51	20	3	24	4	19	3	6	10	22	30	39
1	-	17	53	18	6	34	1	17	4	2	17	6	20	24
-	1	13	43	9	2	5	6	8	-	2	4	9	55	15
3	-	37	81	14	1	30	2	7	3	5	4	10	40	29
12	1	48	116	34	4	52	6	43	4	6	14	29	39	71
7	1	17	43	13	1	20	2	17	2	5	7	12	17	31
5	1	31	73	21	3	32	4	26	2	1	7	17	22	40
6	3	24	54	28	2	34	5	20	2	3	9	16	30	23
2	-	23	21	13	1	11	3	17	1	2	4	9	14	18
8	3	19	60	21	1	32	3	27	3	2	8	14	31	36
25	13	157	518	180	11	182	14	177	12	43	48	100	50	217
20	4	81	319	87	5	107	10	95	9	27	26	51	17	117
5	9	56	199	63	6	75	4	84	3	16	22	49	33	100
2	4	30	38	21	-	23	2	14	-	3	8	10	6	15
12	4	135	336	64	11	72	11	65	8	28	31	54	45	161
11	3	107	277	52	10	46	6	47	6	19	19	39	31	128
1	1	26	59	12	1	26	5	16	2	10	12	15	12	35
2	-	36	51	6	2	27	1	23	3	4	12	17	26	51
-	-	12	16	-	-	12	-	9	-	2	3	4	9	12
2	-	24	35	15	2	15	1	14	1	2	9	13	17	19
1	-	21	21	8	2	13	2	6	-	2	5	4	39	15
3	1	26	48	14	1	15	1	5	1	3	5	7	20	28
3	1	34	63	13	3	19	2	14	1	6	10	12	24	40
4	1	24	32	18	-	39	-	13	2	2	4	10	6	14
3	-	47	68	24	4	31	9	22	1	7	7	21	33	42
1	-	18	33	11	3	19	5	13	1	2	1	9	8	28
1	-	29	35	13	1	13	4	9	-	5	6	12	25	14
3	-	22	65	11	-	10	4	11	3	2	13	12	6	24
1	-	23	35	15	-	15	3	23	5	7	5	15	9	12
6	2	15	24	13	1	28	2	14	-	5	10	18	29	19
6	2	46	108	33	3	22	4	35	3	4	12	16	21	51
11	1	24	56	15	1	27	1	9	2	4	7	13	13	20
7	-	83	202	48	7	47	7	44	10	18	21	53	26	159
4	-	35	121	17	5	28	2	19	5	10	6	23	11	114
4	-	49	81	51	2	19	5	25	5	9	15	30	15	45
2	-	44	88	32	4	23	1	43	4	7	22	27	38	38
1	3	29	33	13	2	15	2	18	1	3	3	3	10	9
2	-	8	33	11	-	15	2	16	-	2	14	4	40	16
2	-	8	23	4	-	5	3	8	-	-	3	5	5	19



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1 ARIZONA-----	5,737	5	6	1	16	17	727	23	2	65	26	12	495	8
2 Apache-----	184	1	-	-	3	1	52	2	-	-	6	1	4	-
3 Cochise-----	323	-	-	-	-	1	24	-	1	2	-	-	39	-
4 Coconino-----	173	-	-	-	2	-	20	7	-	5	2	1	10	-
5 Gila-----	227	1	-	-	-	1	28	2	-	2	1	-	24	-
6 Graham-----	96	-	-	-	-	-	6	1	-	-	2	-	10	-
7 Greenlee-----	79	-	-	-	-	-	6	-	-	-	1	1	12	-
8 Maricopa-----	2,479	2	4	-	6	3	293	2	1	38	4	6	232	2
9 Phoenix-----	1,434	2	2	-	3	-	161	-	-	18	3	2	142	2
10 Balance of county-----	1,045	-	2	-	3	3	132	2	1	20	1	4	90	-
11 Mohave-----	60	-	-	-	-	-	1	4	-	-	2	-	5	-
12 Navajo-----	257	-	-	-	1	5	40	-	-	1	1	-	18	3
13 Pima-----	968	-	2	1	1	3	178	2	-	7	5	3	80	1
14 Tucson-----	623	-	-	-	-	1	94	-	-	5	-	2	66	1
15 Balance of county-----	345	-	2	1	1	2	84	2	-	2	5	1	24	-
16 Pinal-----	298	-	-	-	2	3	34	3	-	3	-	-	18	-
17 Santa Cruz-----	78	-	-	-	-	-	4	-	-	2	-	-	9	-
18 Yavapai-----	317	-	-	-	1	-	24	-	-	4	-	-	28	-
19 Yuma-----	198	1	-	-	-	-	17	-	-	1	2	-	6	-
20 ARKANSAS-----	14,338	17	17	3	20	40	699	15	25	148	27	26	1,436	20
21 Arkansas-----	157	-	-	-	1	-	5	-	-	-	1	-	18	-
22 Ashley-----	174	-	-	-	-	-	7	-	-	2	-	-	15	-
23 Baxter-----	75	-	-	1	1	-	5	-	-	-	-	-	11	-
24 Benton-----	344	1	-	1	-	-	10	-	-	1	1	-	37	-
25 Boone-----	126	-	-	-	-	-	5	-	-	1	-	-	13	-
26 Bradley-----	98	-	-	-	-	-	9	1	-	2	-	-	4	-
27 Calhoun-----	67	-	-	-	-	-	2	-	1	-	-	-	11	-
28 Carroll-----	135	-	-	-	-	-	2	-	-	-	1	-	16	1
29 Chicot-----	226	-	-	-	-	1	13	-	-	6	-	1	29	1
30 Clark-----	154	-	-	-	-	-	6	-	2	1	-	-	13	-
31 Clay-----	153	-	-	-	-	1	8	-	-	1	2	-	14	-
32 Cleburne-----	103	1	-	-	-	2	1	-	-	-	-	-	13	-
33 Cleveland-----	73	-	-	-	-	-	-	-	-	2	-	-	6	-
34 Columbia-----	165	-	1	-	-	1	9	-	-	1	-	-	14	-
35 Conway-----	133	-	-	-	-	-	7	-	-	-	-	-	4	1
36 Craighead-----	343	-	-	2	2	2	15	-	-	2	1	5	42	2
37 Jonesboro-----	136	-	-	-	1	-	8	-	-	-	-	2	21	1
38 Balance of county-----	207	-	-	-	1	2	6	-	-	2	1	3	21	1
39 Crawford-----	158	-	-	-	-	-	6	-	-	-	-	-	26	-
40 Crittenden-----	405	-	1	-	-	-	24	1	-	5	-	-	43	-
41 Cross-----	145	-	-	2	2	2	6	-	-	5	-	-	7	1
42 Dallas-----	100	-	-	-	-	-	10	-	-	-	-	-	13	-
43 Desha-----	169	-	-	-	-	-	6	2	-	2	1	-	13	-
44 Drew-----	119	-	-	-	-	-	6	-	-	-	-	-	10	1
45 Faulkner-----	188	-	-	-	3	2	9	-	-	-	-	-	18	-
46 Franklin-----	112	-	2	-	-	-	2	-	-	1	-	-	11	-
47 Fulton-----	57	1	-	-	-	-	5	-	-	-	-	1	4	-
48 Garland-----	465	-	-	-	-	-	20	-	-	4	-	-	62	-
49 Hot Springs-----	402	-	-	-	-	-	17	-	-	4	-	-	54	-
50 Balance of county-----	63	-	-	-	-	-	3	-	-	-	-	-	8	-
51 Grant-----	41	-	-	-	-	-	-	-	-	-	-	-	3	-
52 Greene-----	181	1	-	-	-	-	14	1	-	2	-	1	18	-
53 Hempstead-----	205	-	-	-	1	-	12	-	-	6	1	-	25	1
54 Hot Spring-----	120	-	-	-	-	-	5	-	-	-	-	-	10	-
55 Howard-----	109	1	-	-	-	-	6	-	-	2	1	-	8	1
56 Independence-----	176	-	-	-	-	-	4	-	2	2	-	-	18	-
57 Izard-----	63	-	-	-	-	-	2	-	-	-	-	-	7	-
58 Jackson-----	212	-	-	-	-	1	8	-	-	3	1	-	20	-
59 Jefferson-----	581	-	-	-	-	-	23	-	4	5	-	-	49	1
60 Pine Bluff-----	355	-	-	-	-	-	10	-	3	3	-	-	33	-
61 Balance of county-----	226	-	-	-	-	-	13	-	1	2	-	-	16	1
62 Johnson-----	119	1	1	-	-	-	3	-	-	-	-	1	15	1
63 Lafayette-----	90	1	-	-	1	-	6	-	-	2	-	-	6	-
64 Lawrence-----	126	-	1	-	-	2	2	-	-	-	-	-	15	-
65 Lee-----	192	-	-	-	-	2	10	1	-	-	-	1	12	-
66 Lincoln-----	119	-	-	-	-	-	5	-	-	3	-	-	8	-
67 Little River-----	62	-	-	-	-	-	1	-	-	-	-	-	6	-
68 Logan-----	143	-	1	-	-	-	33	-	-	1	-	1	10	-
69 Lenoire-----	163	-	-	-	-	1	8	-	2	-	-	-	21	1
70 Madison-----	66	-	-	-	-	1	3	-	-	-	-	-	11	-
71 Marion-----	60	-	-	-	-	-	4	-	-	-	-	-	5	-
72 Miller-----	245	-	1	-	1	2	11	1	-	1	-	-	18	-
73 Texarkana <sup>1</sup> -----	155	-	-	-	-	2	6	1	-	1	-	-	14	-
74 Balance of county-----	90	-	1	-	1	-	5	-	-	-	-	-	4	-
75 Mississippi-----	480	-	-	-	3	1	21	5	3	1	-	-	36	1
76 Blytheville-----	168	-	-	-	1	1	9	1	1	1	-	-	10	1
77 Balance of county-----	322	-	-	-	2	-	12	4	2	-	-	-	26	-
78 Monroe-----	132	-	-	-	-	-	5	-	-	2	1	-	8	-
79 Montgomery-----	41	-	-	-	-	-	2	-	-	1	1	-	7	1
80 Nevada-----	119	-	-	-	-	1	5	-	-	2	-	1	20	-
81 Newton-----	34	-	-	-	-	-	2	-	-	-	-	-	8	-
82 Ouachita-----	254	2	1	-	1	-	14	1	-	-	-	-	30	-
83 Perry-----	26	-	-	-	-	-	-	-	-	-	-	-	1	-
84 Phillips-----	428	2	1	-	-	1	25	-	4	2	1	-	31	1
85 Pike-----	47	-	-	-	-	-	4	-	-	-	1	-	2	-
86 Polk-----	216	-	-	-	-	3	13	-	1	-	2	1	19	-
87 Polk-----	143	1	-	-	-	2	2	-	-	1	-	-	10	-
88 Pope-----	189	-	-	-	-	1	6	-	-	-	2	-	15	1
89 Prairie-----	58	-	-	-	-	-	2	-	-	-	-	2	8	-
90 Pulaski-----	2,115	1	3	-	-	3	91	1	2	68	1	4	177	3
91 Little Rock-----	1,517	-	2	-	-	1	69	1	2	57	1	2	134	-
92 North Little Rock-----	241	1	-	-	-	-	8	-	-	1	-	1	21	-
93 Balance of county-----	355	-	1	-	-	2	14	-	-	10	-	1	22	3

<sup>1</sup>Includes data for Texarkana, Ark., only.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

525

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued.

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 133	119, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	162, 199, 200	
65	-	314	1,279	379	132	210	35	518	71	38	190	378	265	664
-	-	4	11	24	10	2	2	14	-	-	4	11	19	13
3	-	22	95	19	5	16	2	12	2	3	5	18	12	44
2	-	5	28	12	4	6	3	9	-	3	4	20	13	17
4	-	9	59	14	4	8	-	12	5	2	5	16	9	21
-	-	7	24	8	1	-	2	6	-	-	7	9	1	12
-	-	6	16	3	3	3	1	3	1	1	7	6	3	6
30	-	144	593	165	37	102	14	144	36	16	94	145	61	305
16	-	93	353	81	21	64	9	73	22	13	55	80	20	199
14	-	51	240	84	16	39	5	71	14	3	39	65	41	106
-	-	3	16	-	1	4	1	3	-	1	5	5	2	9
-	-	5	25	21	20	7	1	24	2	1	6	26	30	20
11	-	59	204	57	27	28	4	48	9	3	26	52	31	126
8	-	37	150	27	21	21	3	39	8	1	21	32	15	81
3	-	22	54	30	6	7	1	9	1	2	5	20	16	45
4	-	10	48	19	12	10	2	20	5	1	10	24	46	23
1	-	8	21	8	-	1	1	6	4	-	3	2	1	17
5	-	22	90	18	3	8	1	11	6	1	10	28	30	30
8	-	10	49	13	5	15	1	6	2	6	4	18	7	32
208	26	1,410	5,278	1,025	86	1,140	95	753	114	186	367	769	737	1,656
3	-	16	49	7	1	10	-	11	1	6	1	7	3	17
1	-	21	28	13	1	19	4	4	-	3	7	6	14	26
3	-	3	10	10	-	4	-	6	1	1	2	4	4	8
5	-	43	89	27	1	21	1	15	8	-	10	16	11	46
1	-	11	25	12	-	11	-	9	1	4	5	4	4	17
2	-	8	25	7	3	7	-	8	1	1	4	2	5	9
1	-	10	21	3	-	5	-	2	-	1	-	3	-	7
1	-	28	19	12	-	13	-	7	2	-	3	11	8	20
5	-	20	45	7	-	20	1	7	1	2	3	12	31	21
3	-	13	45	10	2	15	2	5	-	3	6	8	9	18
2	-	10	37	7	2	15	2	12	-	-	-	7	11	16
1	-	12	25	4	-	11	2	6	2	1	4	3	3	12
1	-	14	14	1	-	1	-	4	-	5	2	5	5	13
1	-	20	32	18	1	8	-	5	1	6	10	9	5	22
1	-	15	35	7	1	12	2	12	3	-	4	4	10	12
3	-	45	98	30	-	16	3	30	3	3	9	17	13	51
3	-	21	31	5	-	10	1	8	2	1	1	7	2	14
1	-	17	33	8	-	6	2	22	4	2	10	10	11	17
5	-	36	84	32	-	11	3	10	1	1	3	7	13	18
1	-	16	29	13	2	28	5	12	3	5	10	23	49	35
3	-	10	27	8	-	5	-	5	-	3	4	14	8	19
4	-	13	44	9	1	17	2	9	1	2	4	5	13	20
1	-	13	25	12	3	8	1	3	4	1	-	6	8	15
3	-	22	47	11	-	9	1	18	2	3	2	6	9	20
1	-	9	33	7	-	5	-	-	-	-	-	8	3	45
2	-	2	10	3	-	-	1	8	1	1	4	3	10	23
8	-	40	131	26	1	45	1	23	5	13	13	20	5	47
6	-	32	121	21	-	39	1	25	5	12	12	21	4	49
2	-	8	10	5	1	6	-	3	-	-	1	7	33	50
1	-	3	13	4	1	3	-	2	2	1	1	3	1	51
3	-	22	40	13	-	17	2	12	3	1	6	3	6	13
7	-	20	44	12	-	19	4	9	-	-	2	6	9	32
3	-	20	24	12	2	6	1	12	-	-	1	6	7	11
1	-	10	30	8	1	7	1	5	1	-	2	5	3	16
1	-	20	41	17	1	21	1	10	3	1	7	9	2	17
2	-	6	15	5	1	6	-	3	-	-	2	3	6	5
1	-	24	47	19	3	9	-	15	3	1	9	20	8	19
11	-	42	153	39	4	67	3	23	-	14	14	30	29	70
6	-	24	98	24	2	45	1	19	-	7	9	16	15	40
5	-	18	55	15	2	22	2	4	-	7	5	14	14	30
1	-	10	32	6	2	7	1	8	-	-	3	9	2	15
-	-	10	26	4	-	6	1	3	2	1	3	6	8	4
1	-	15	24	10	3	10	1	10	2	2	5	3	3	17
1	-	16	51	5	1	10	3	4	-	6	3	16	29	21
1	-	11	28	8	1	9	3	5	1	2	3	8	7	18
2	-	2	25	2	1	7	2	2	-	1	1	3	2	5
2	-	12	34	5	-	10	-	6	1	-	6	3	6	12
2	-	24	33	11	-	16	1	8	-	3	3	11	6	12
2	-	6	10	6	-	4	1	2	-	-	-	2	8	10
2	-	6	11	12	2	2	1	1	-	-	-	5	2	9
1	-	19	50	9	2	25	2	18	1	7	6	17	17	37
1	-	12	36	4	2	12	2	13	1	5	5	7	9	22
1	-	7	14	5	-	11	-	5	-	2	1	10	8	15
7	-	56	82	33	5	48	1	36	2	11	15	24	58	63
3	-	20	22	15	3	15	-	14	2	2	3	7	12	25
4	-	36	60	18	2	31	1	22	-	9	12	17	26	39
1	-	12	32	12	1	9	1	5	1	1	2	15	4	19
2	-	-	7	3	1	-	-	3	-	1	1	4	2	5
1	-	14	22	5	-	10	1	2	2	2	5	4	1	19
2	-	2	7	2	-	6	-	-	-	1	1	-	3	81
1	-	16	51	18	6	14	2	16	1	5	10	12	7	25
1	-	3	8	2	-	-	-	2	-	-	1	3	1	3
6	-	37	94	30	3	49	4	9	2	7	7	28	51	33
-	-	3	10	1	-	7	-	1	-	1	5	-	6	8
3	-	13	39	13	2	11	1	28	2	3	9	21	13	22
3	-	9	32	18	1	5	-	6	3	1	6	8	17	18
1	-	14	29	14	1	18	1	9	-	-	6	11	12	20
-	-	2	17	4	-	4	-	2	-	-	3	6	2	6
27	3	230	530	166	9	186	7	96	15	29	42	96	59	264
23	2	164	377	110	4	144	5	49	11	19	22	67	47	204
-	-	25	71	25	-	18	1	25	3	3	9	11	1	17
4	1	41	82	31	5	24	1	22	1	7	11	18	11	43



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
ARKANSAS—Continued														
1 Randolph	93	-	-	-	-	1	2	1	-	-	-	-	8	-
2 St. Francis	282	1	-	-	-	-	25	-	2	-	-	1	58	-
3 Saline	217	-	1	-	-	-	52	-	-	2	-	-	14	-
4 Scott	78	-	-	-	-	1	3	-	1	-	1	-	12	-
5 Searay	66	-	-	-	-	-	2	-	-	-	-	1	4	-
6 Sebastian	523	-	1	-	1	1	21	-	-	2	1	3	71	-
7 Fort Smith	366	-	1	-	1	1	10	-	-	2	1	2	50	-
8 Balance of county	137	-	-	-	-	-	11	-	-	-	-	1	21	-
9 Sevier	98	-	-	-	-	-	2	-	-	-	-	-	15	-
10 Sharp	52	-	-	-	-	1	1	-	-	-	1	1	6	-
11 Stone	44	-	-	-	-	-	2	-	-	-	-	-	4	-
12 Union	302	-	1	-	-	-	12	-	1	4	3	-	37	-
13 El Dorado	156	-	-	-	-	-	4	-	1	3	2	-	20	-
14 Balance of county	144	-	1	-	-	-	8	-	-	1	1	-	17	-
15 Van Buren	61	-	-	-	1	1	3	-	-	-	-	-	6	-
16 Washington	353	3	1	-	1	-	7	-	-	1	1	-	44	-
17 White	229	-	-	1	-	2	11	-	-	1	-	1	28	1
18 Woodruff	96	-	-	-	1	-	5	-	-	-	-	-	18	-
19 Yell	77	-	-	-	-	-	5	-	-	-	-	-	9	-
20 CALIFORNIA	94,676	16	87	11	43	92	3,959	37	7	962	69	99	12,813	42
21 Alameda	7,036	2	4	-	1	5	278	1	-	41	1	9	978	2
22 Alameda	495	-	-	-	-	1	11	-	-	-	-	2	73	-
23 Albany	109	-	1	-	-	-	1	-	-	-	-	-	10	-
24 Berkeley	1,056	-	-	-	-	-	25	-	-	5	-	2	154	-
25 Oakland	4,181	1	2	-	1	4	172	1	-	33	-	3	578	2
26 San Leandro	206	-	1	-	-	-	5	-	-	-	-	-	32	-
27 Balance of county	1,004	1	-	-	-	-	64	-	-	3	1	2	131	-
28 Alpine	6	-	-	-	-	-	-	-	-	-	-	-	-	-
29 Amador	111	-	-	-	-	-	5	-	-	-	-	-	17	-
30 Butte	626	-	1	-	-	1	23	-	-	6	-	-	63	-
31 Calaveras	94	-	-	-	1	-	6	-	-	2	-	-	13	-
32 Calusa	126	-	-	-	1	-	1	-	-	2	-	-	11	-
33 Contra Costa	1,491	-	-	-	2	3	55	-	-	11	-	2	185	-
34 Richmond	806	-	-	-	2	1	26	-	-	3	-	2	50	-
35 Balance of county	985	-	-	-	-	2	25	-	-	8	-	-	105	-
36 Del Norte	71	-	-	-	-	-	2	-	-	2	-	-	3	-
37 El Dorado	162	-	-	-	-	1	7	-	-	1	-	-	17	-
38 Fresno	2,203	1	2	1	4	4	104	1	-	20	5	2	266	4
39 Fresno	1,202	1	2	-	-	1	78	-	-	12	1	1	166	3
40 Balance of county	1,001	-	-	1	4	3	26	1	-	8	4	1	100	1
41 Glenn	134	-	-	-	-	-	5	-	-	2	-	-	13	-
42 Humboldt	643	-	-	-	-	-	27	-	-	3	-	-	74	-
43 Eureka	311	-	-	-	-	-	17	-	-	-	-	-	43	-
44 Balance of county	332	-	-	-	-	-	10	-	-	3	-	-	31	-
45 Imperial	548	1	5	-	2	-	30	2	-	4	5	1	35	1
46 Brawley	117	1	-	-	2	-	2	-	-	2	4	-	7	-
47 El Centro	106	-	-	-	-	-	2	-	-	-	-	-	9	-
48 Balance of county	325	-	5	-	-	-	21	2	-	2	1	1	19	1
49 Inyo	100	-	-	-	-	-	6	-	-	1	-	-	16	-
50 Kern	1,599	-	4	-	1	3	61	-	-	11	3	3	147	-
51 Bakersfield	531	-	1	-	1	-	13	-	-	3	1	1	42	-
52 Balance of county	1,008	-	3	-	-	3	68	-	-	8	2	2	105	-
53 Kings	366	-	-	-	-	-	19	-	-	2	3	1	47	-
54 Lake	164	-	1	-	-	-	7	-	-	2	-	-	21	-
55 Lassen	151	-	-	-	-	-	3	-	-	1	-	-	24	-
56 Los Angeles	37,796	6	33	6	12	31	1,438	10	4	356	17	45	5,551	16
57 Alhambra	446	-	1	-	-	-	5	-	-	3	-	-	65	-
58 Bell	116	-	1	-	-	-	2	-	-	1	-	-	20	-
59 Belvedere (twp.) <sup>a</sup>	282	-	-	-	1	2	29	-	-	2	1	-	40	-
60 Beverly Hills	206	-	-	-	-	-	2	-	-	1	-	-	37	-
61 Burbank	435	-	1	-	-	-	13	-	-	3	-	1	65	-
62 Compton	241	-	-	-	-	-	4	-	-	1	-	1	33	-
63 Glendale	944	-	1	-	-	-	20	1	-	2	-	1	153	-
64 Huntington Park	314	-	-	-	-	-	7	-	-	-	-	-	43	-
65 Inglewood	413	-	-	-	-	-	7	-	-	2	1	4	66	-
66 Long Beach	2,404	-	1	1	1	1	56	-	-	24	1	4	356	1
67 Los Angeles	21,009	4	20	5	5	21	892	6	2	217	10	23	3,117	10
68 Lynwood	139	-	-	-	-	-	2	-	-	1	-	3	22	-
69 Maywood	101	-	-	-	-	-	1	-	-	1	-	-	16	-
70 Maywood	101	-	-	-	-	-	20	-	-	1	-	-	28	-
71 Pasadena	1,405	2	2	-	-	1	27	-	1	5	-	-	224	-
72 Pomona	322	-	-	-	-	-	8	-	-	1	-	-	37	1
73 Redondo Beach	176	-	-	-	-	-	4	-	-	2	-	-	25	-
74 San Gabriel	178	-	-	-	-	1	2	-	-	1	-	1	22	-
75 Santa Monica	759	-	1	-	-	1	19	-	-	5	-	1	117	-
76 South Gate	275	-	-	-	-	1	4	-	-	3	-	1	46	-
77 South Pasadena	174	-	-	-	-	-	1	-	-	-	-	-	31	-
78 Whittier	244	-	-	-	-	-	3	-	-	-	-	-	44	-
79 Balance of county	7,009	-	5	-	5	4	310	3	1	82	4	5	944	4
80 Madera	285	-	-	-	-	-	20	-	-	4	-	-	28	1
81 Merin	584	-	-	-	-	-	17	-	-	5	-	-	84	1
82 Meriposa	45	-	-	-	-	-	-	1	-	-	-	-	7	-
83 Mendocino	444	-	-	-	-	1	29	-	-	19	-	1	50	1
84 Merced	474	-	-	-	1	-	29	2	-	1	1	1	55	-
85 Merced	144	-	-	-	-	-	8	1	-	-	1	-	13	-
86 Balance of county	350	-	-	-	1	-	21	1	-	1	-	1	42	-
87 Modoc	113	-	-	-	-	-	3	-	-	-	-	-	14	-
88 Mono	13	-	-	-	-	-	-	-	-	-	-	-	3	-
89 Monterey	919	-	1	-	-	2	32	1	-	7	-	1	108	-
90 Monterey	100	-	-	-	-	-	2	-	-	1	-	1	15	-
91 Salinas	163	-	-	-	-	-	6	-	-	-	-	-	24	-
92 Balance of county	556	-	1	-	-	2	24	1	-	6	-	-	69	-

<sup>a</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



## 527

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
4	-	10	17	11	-	5	-	6	-	1	3	6	4	14
3	1	26	36	22	4	12	3	23	-	5	8	21	21	25
2	1	15	34	10	1	19	2	16	5	-	4	11	7	28
5	1	9	8	8	-	4	1	2	2	1	-	3	13	3
-	-	12	12	12	-	2	-	4	-	2	4	2	1	8
15	-	49	133	28	2	35	2	26	4	2	18	28	11	71
11	-	40	105	13	-	34	2	19	4	2	11	19	3	55
2	-	9	20	15	2	2	-	7	-	-	7	9	8	16
1	-	9	23	7	1	5	-	8	1	-	2	5	2	17
-	-	3	15	4	-	7	-	1	2	-	-	2	4	10
-	-	3	14	4	-	2	1	2	-	1	1	1	7	2
5	-	24	70	21	2	24	4	15	3	4	8	26	6	32
3	-	15	37	11	2	13	2	11	1	3	4	12	-	14
2	-	9	33	10	-	11	2	4	2	1	4	14	6	18
1	-	5	23	7	1	7	-	4	-	1	2	6	5	15
6	1	39	82	26	1	29	1	8	3	2	7	16	13	41
1	4	20	56	15	1	23	3	8	2	1	4	15	8	25
1	-	8	17	14	-	7	1	3	1	-	1	7	5	19
-	1	8	19	4	-	5	-	7	-	-	1	2	3	13
1,931	17	7,437	30,506	3,987	505	4,076	266	5,092	1,662	531	3,770	4,167	516	12,077
162	2	570	2,480	285	52	350	20	393	101	42	217	254	14	791
12	-	37	172	13	37	16	4	57	7	2	14	27	-	44
2	-	3	47	3	1	5	1	7	3	-	4	3	1	14
32	-	91	378	31	5	65	2	60	13	8	20	36	4	107
80	1	342	1,470	167	18	209	10	199	64	28	130	153	6	508
10	-	12	76	14	3	7	2	15	1	-	4	6	1	19
26	1	85	337	54	2	48	1	56	13	4	45	29	2	99
2	-	-	1	1	-	-	-	-	-	-	-	1	2	1
2	-	6	32	4	-	3	-	3	1	-	6	8	9	15
15	-	58	185	12	1	27	3	40	9	4	27	47	11	73
3	-	9	34	3	-	2	-	1	4	-	2	6	1	5
4	-	10	27	3	-	2	-	2	-	1	6	11	-	19
39	-	110	407	64	5	89	6	172	35	19	80	94	4	152
10	-	30	112	21	2	20	4	90	14	11	22	34	1	45
29	-	80	295	43	3	64	2	82	21	6	58	50	3	107
2	-	76	17	1	-	6	-	2	1	-	5	7	-	14
3	-	12	54	6	-	6	-	3	4	1	10	15	-	15
41	-	175	568	92	35	94	15	165	37	14	142	120	7	294
20	-	103	307	41	11	61	9	73	21	9	59	57	4	163
21	-	72	261	51	24	33	7	92	16	5	93	63	3	121
4	-	11	36	6	-	13	-	5	2	-	3	13	6	15
6	-	59	218	20	-	14	2	25	11	5	34	39	1	65
8	-	31	116	8	-	12	1	9	5	1	8	8	-	44
9	-	28	102	12	-	14	1	16	6	4	26	31	1	41
2	-	19	101	45	13	13	4	55	11	13	50	66	9	54
1	-	4	25	12	5	3	-	18	-	-	5	6	3	11
6	-	4	19	9	3	3	-	13	3	-	3	20	2	15
-	-	6	31	2	1	3	-	6	4	-	2	9	-	13
10	-	89	375	91	33	40	7	97	27	7	101	81	4	175
4	-	27	102	22	13	13	2	27	5	1	28	24	1	50
6	-	61	273	69	20	27	5	70	22	6	73	57	3	125
12	-	26	97	21	16	8	2	52	6	-	15	22	8	29
2	-	14	52	4	1	7	-	6	2	-	5	8	2	30
-	-	7	31	6	-	5	-	14	2	-	7	15	-	16
836	6	3,036	12,758	1,364	125	1,628	97	1,858	675	202	1,231	1,303	111	5,039
15	-	41	167	12	2	23	-	19	5	-	10	23	-	57
4	-	12	31	2	1	2	-	6	3	1	6	7	1	16
12	-	11	64	18	1	12	3	26	2	1	10	8	-	39
6	-	15	81	3	-	15	-	3	7	1	8	6	-	21
9	-	33	137	16	1	26	2	31	12	1	16	19	1	48
13	-	22	69	8	3	20	-	22	1	-	13	12	-	28
6	-	75	370	27	2	50	1	37	15	1	23	34	2	116
7	-	37	106	8	4	14	1	12	9	1	11	10	-	47
45	-	32	161	10	-	27	6	18	8	2	9	10	2	47
495	4	1,997	806	51	6	111	6	133	48	8	71	102	15	359
10	-	1,661	6,645	781	78	874	54	982	393	158	685	732	54	2,801
2	-	10	39	5	1	4	-	15	1	-	8	1	-	18
5	-	4	28	3	-	9	-	12	2	-	5	4	-	16
21	-	21	60	5	1	12	6	10	3	-	7	7	-	22
17	1	157	491	56	1	84	2	48	20	-	41	42	6	198
7	-	38	113	10	1	20	1	17	3	1	23	8	-	33
5	-	15	65	4	1	8	-	8	2	-	7	6	-	24
6	-	18	56	4	-	5	1	13	3	-	7	6	3	29
27	-	78	262	28	1	27	2	43	16	1	18	23	2	88
7	-	16	90	3	1	14	1	19	3	-	15	13	1	38
5	-	22	57	8	-	2	-	5	2	1	6	9	-	25
8	-	16	65	11	-	16	1	15	2	1	4	10	-	31
124	1	505	2,578	293	21	273	22	365	115	24	248	211	24	838
7	-	17	78	5	9	7	2	21	3	1	24	15	2	41
15	-	60	198	17	1	25	1	37	14	1	16	24	1	67
-	-	13	1	1	1	-	-	3	2	-	1	1	-	7
7	-	38	128	26	-	15	1	16	10	2	14	20	5	61
3	-	38	126	16	5	12	3	30	7	6	42	38	4	47
7	-	10	48	8	3	4	2	10	1	3	4	5	1	19
1	-	28	78	8	2	7	1	20	6	3	38	33	3	28
-	-	11	33	4	-	6	-	16	1	-	4	11	2	6
-	-	-	4	-	1	-	-	1	1	1	-	-	2	88
18	4	76	229	26	7	29	-	49	15	6	74	33	3	102
2	-	19	25	3	-	4	-	4	3	2	5	2	-	12
8	-	12	44	5	1	8	-	12	2	-	14	8	-	19
8	-	45	160	18	6	17	-	33	10	4	55	23	3	71







## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

529

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 110	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 193, 200	
19	3	68	347	53	2	42	2	15	18	-	22	22	13	137
7	-	35	77	9	-	4	-	6	8	-	10	12	3	28
35	1	171	300	76	20	89	9	105	31	4	95	73	22	194
4	-	13	57	3	-	11	1	9	3	1	11	2	1	17
2	-	14	31	6	-	3	1	12	2	-	4	9	-	12
6	1	46	150	25	-	25	1	24	5	2	18	14	11	57
23	-	96	342	42	10	52	6	80	21	1	62	48	10	109
5	-	26	103	17	-	5	-	11	8	5	24	24	5	32
1	-	3	29	5	-	1	-	8	5	-	8	16	-	35
31	-	109	435	84	10	55	2	88	27	7	87	65	8	166
14	-	54	170	29	1	19	-	32	9	2	23	24	1	58
17	-	55	265	55	9	36	2	56	18	5	64	41	7	106
90	-	181	876	99	9	68	4	124	33	12	85	109	8	253
37	-	135	625	63	4	55	1	73	22	8	44	68	7	185
13	-	86	251	25	5	15	3	51	11	4	41	45	1	68
4	-	11	36	10	-	-	1	6	5	-	6	10	-	19
50	1	170	786	125	20	97	4	145	45	9	148	134	15	383
2	-	8	54	8	2	15	-	12	3	-	13	7	1	9
5	-	18	96	6	1	4	1	12	4	-	4	10	2	27
22	-	57	222	50	7	40	2	46	14	5	48	46	5	125
21	1	87	61	61	10	38	1	75	24	4	85	71	7	222
66	-	318	1,204	156	24	262	17	316	74	18	161	179	39	496
2	-	10	36	9	-	15	2	15	1	-	6	9	1	28
46	-	212	807	97	15	197	8	220	52	10	88	102	27	314
18	-	97	361	50	9	52	7	81	21	8	67	68	11	158
186	-	647	3,072	418	14	422	17	383	175	68	215	471	32	1,217
31	1	143	616	175	17	62	8	100	33	23	118	143	25	322
2	-	11	57	4	-	7	1	8	2	1	8	9	-	25
13	-	41	212	52	5	19	3	43	13	12	42	52	5	87
16	1	91	347	119	12	37	4	49	18	10	68	82	20	210
5	-	32	134	20	1	15	2	27	5	1	24	19	1	52
22	1	117	403	41	4	55	1	61	33	3	65	65	13	180
2	-	9	36	2	-	5	-	5	2	-	1	5	1	15
1	-	10	34	2	1	5	-	5	2	2	11	9	-	34
5	-	36	127	12	-	12	-	11	4	-	23	15	3	71
14	1	62	206	25	3	33	1	42	25	1	30	36	9	86
20	-	69	320	32	6	27	5	52	23	5	40	37	6	115
12	-	43	189	20	2	16	1	16	11	4	17	18	3	81
8	-	26	131	12	4	11	2	16	12	1	23	19	3	34
47	-	250	960	106	54	109	5	113	28	9	147	103	13	406
8	-	25	105	6	1	6	-	8	2	2	9	12	1	30
15	-	82	252	23	10	47	3	55	4	1	59	32	5	97
24	-	143	603	77	25	56	2	80	22	6	79	59	7	279
21	-	89	286	29	2	35	1	36	15	2	20	32	10	117
8	-	33	145	10	1	19	-	17	4	-	4	9	3	40
13	-	56	141	16	1	16	1	19	11	2	16	23	7	77
5	-	25	97	10	-	27	2	17	8	3	24	19	1	26
-	-	1	6	-	-	1	-	1	2	-	-	3	1	4
6	-	32	85	4	-	16	-	8	7	2	15	26	-	36
3	-	48	215	37	15	20	2	76	14	7	38	52	4	101
8	-	17	80	22	7	7	-	47	2	3	20	24	1	36
5	-	31	135	15	6	13	3	29	12	4	18	28	3	65
23	-	87	372	58	3	70	3	59	18	2	27	41	18	137
5	-	26	69	8	-	20	-	14	2	-	1	4	5	20
18	-	61	303	60	3	50	4	45	16	2	26	37	13	117
12	1	73	301	32	4	51	3	51	13	4	73	57	14	96
6	1	25	115	14	3	28	5	16	5	3	21	17	2	48
6	-	48	186	18	3	23	1	35	8	1	52	40	12	47
5	-	14	68	6	-	7	-	15	5	4	13	24	1	30
3	-	19	64	12	1	1	1	7	4	-	15	15	7	14
1	-	5	13	2	-	9	-	1	2	-	3	5	-	5
20	1	94	263	50	20	42	4	116	9	10	79	63	9	122
-	-	18	52	11	-	11	-	11	2	-	5	10	1	13
19	-	77	223	69	7	19	2	63	17	3	48	60	21	125
3	-	9	32	2	2	1	1	16	1	2	4	4	-	13
16	-	68	191	66	5	18	1	47	16	1	44	46	21	112
22	-	22	81	11	2	10	-	17	6	3	26	20	17	37
1	-	14	65	20	4	11	1	16	1	-	14	17	1	23
217	2	970	3,186	753	115	722	57	616	176	81	361	651	222	1,648
1	-	17	48	10	-	18	-	12	3	1	9	18	4	38
1	-	4	16	10	9	5	1	18	1	-	7	7	-	10
7	-	27	78	17	1	19	-	29	5	2	8	9	3	40
-	-	1	6	1	-	-	-	1	1	-	-	-	5	2
-	-	1	16	3	-	3	2	4	1	-	1	-	-	7
-	-	3	32	5	-	6	1	3	-	-	6	4	-	11
9	-	33	107	20	1	27	2	18	8	-	15	26	5	55
4	-	15	50	6	1	13	1	9	3	-	5	9	4	30
5	-	18	57	14	-	14	1	9	5	-	10	17	1	25
1	-	4	28	4	-	8	1	2	1	-	4	5	-	8
-	-	2	7	-	-	2	-	1	-	1	-	1	-	3
1	-	1	10	-	-	2	-	3	1	-	1	4	1	6
1	-	8	25	13	5	1	2	10	1	1	3	2	1	11
-	-	2	3	-	-	2	-	4	-	-	-	2	1	10
1	-	4	7	1	-	2	-	3	-	-	1	4	1	7
-	-	1	5	2	-	-	-	-	1	-	-	3	-	1
4	-	5	54	10	-	10	1	6	3	-	2	14	1	19
83	-	363	1,167	246	20	267	15	217	63	29	91	192	86	602
-	-	1	2	1	-	1	-	1	1	-	-	-	-	2
-	-	5	10	3	-	3	-	-	1	-	-	3	1	4
-	-	2	10	2	-	1	-	-	-	-	2	3	-	5
1	-	2	10	2	-	1	-	4	-	-	1	2	-	5



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56
COLORADO—Continued															
1	El Paso	776	-	2	-	-	1	36	-	-	4	-	2	107	-
2	Colorado Springs	692	-	1	-	-	1	30	-	-	4	-	1	99	-
3	Balance of county	84	-	1	-	-	-	6	-	-	-	-	1	8	-
4	Fremont	207	-	-	-	-	-	4	-	-	1	-	-	57	-
5	Garfield	93	1	-	-	-	1	-	-	-	-	-	2	9	-
6	Gilpin	14	-	-	-	-	-	1	-	-	-	-	-	-	1
7	Grand	25	-	-	-	-	-	1	1	-	-	-	-	1	-
8	Gunnison	49	-	-	-	-	-	1	-	-	1	-	-	7	-
9	Hinsdale	2	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Huerfano	128	-	-	-	-	-	3	-	-	1	-	1	12	-
11	Jackson	11	-	-	-	-	-	-	-	-	-	-	-	2	1
12	Jefferson	384	-	-	1	-	-	42	-	-	4	-	2	45	1
13	Kiowa	28	-	-	-	-	-	-	-	-	-	-	-	3	-
14	Kit Carson	54	-	-	-	-	-	-	-	-	-	-	-	6	-
15	Lake	77	-	-	-	-	-	-	-	-	-	1	-	2	-
16	La Plata	154	-	-	-	-	-	4	-	-	2	-	-	12	1
17	Larimer	333	-	-	-	-	-	5	-	-	-	1	2	43	-
18	Fort Collins	99	-	-	-	-	-	2	-	-	-	-	-	12	-
19	Balance of county	234	-	-	-	-	-	3	-	-	-	1	2	31	-
20	Las Animas	296	-	-	1	-	-	11	-	-	1	-	-	30	5
21	Trinidad	160	-	-	1	-	-	9	-	-	-	-	-	18	2
22	Balance of county	138	-	-	-	-	-	3	-	-	1	-	-	12	1
23	Lincoln	33	-	-	-	-	-	2	-	-	-	-	-	6	-
24	Logan	150	-	-	-	-	-	2	-	-	-	-	1	28	1
25	Mesa	336	-	1	-	-	-	6	2	-	3	1	3	42	-
26	Grand Junction	186	-	1	-	-	-	4	2	-	3	1	2	23	-
27	Balance of county	150	-	-	-	-	-	2	-	-	-	-	1	19	-
28	Mineral	5	-	-	-	-	-	1	-	-	-	-	-	-	-
29	Moffat	40	-	-	-	-	-	-	-	-	-	-	-	3	-
30	Montezuma	75	-	-	-	-	-	2	-	-	-	-	-	11	-
31	Montrose	151	-	-	-	-	-	2	1	-	-	1	-	16	-
32	Morgan	166	-	-	-	-	1	6	-	-	1	1	-	19	1
33	Otero	240	1	-	1	1	2	8	1	-	-	-	2	26	-
34	Ouray	25	-	-	-	-	-	-	-	-	-	-	-	2	-
35	Park	18	-	-	-	-	-	-	-	-	-	-	-	5	-
36	Phillips	39	-	-	-	-	-	-	-	-	-	-	1	2	-
37	Pitkin	16	-	-	-	-	-	-	-	-	-	-	-	1	-
38	Prowers	106	-	-	-	-	-	1	-	-	-	-	-	18	-
39	Pueblo	1,011	1	-	-	-	1	39	2	-	26	-	2	105	2
40	Pueblo	981	1	-	-	-	-	35	-	-	26	-	2	89	1
41	Balance of county	130	-	-	-	-	1	4	2	-	2	-	-	16	1
42	Rio Blanco	27	-	-	-	-	-	2	-	-	-	-	-	1	-
43	Rio Grande	136	1	1	-	-	-	2	3	-	-	-	-	9	-
44	Routt	73	-	-	-	-	-	-	-	-	1	-	-	9	-
45	Saguache	42	1	-	-	-	-	1	2	-	-	-	-	2	-
46	San Juan	11	-	-	-	-	-	2	-	-	-	-	-	1	-
47	San Miguel	24	-	-	-	-	-	1	-	-	-	-	-	1	-
48	Sedgwick	43	-	-	-	-	-	-	-	-	-	-	1	6	-
49	Summit	19	-	-	-	-	-	-	-	-	-	-	-	5	-
50	Teller	55	-	-	-	1	-	-	-	-	-	-	-	5	-
51	Washington	59	-	-	-	-	-	1	-	-	1	2	1	8	-
52	Weld	509	-	-	-	1	4	13	1	-	4	1	3	56	1
53	Greeley	226	-	-	-	-	-	4	1	-	1	-	-	31	1
54	Balance of county	283	-	-	-	1	4	9	-	-	3	1	3	25	-
55	Yuma	84	-	-	-	1	-	-	-	-	1	-	2	10	-
56	CONNECTICUT	19,127	1	16	2	5	6	589	1	-	113	3	17	3,032	13
57	Fairfield	4,721	1	3	1	1	-	134	-	-	20	1	3	773	5
58	Bridgeport	1,673	1	-	1	-	-	50	-	-	6	-	1	284	2
59	Danbury	331	-	-	-	-	-	3	-	-	3	-	-	42	-
60	Norwalk	475	-	-	-	-	-	12	-	-	1	-	-	94	-
61	Shelton	95	-	-	-	-	-	24	-	-	2	-	-	15	-
62	Stamford	647	-	2	-	-	-	12	-	-	3	-	2	102	1
63	Stratford (town)	165	-	1	-	-	-	1	-	-	1	-	-	24	-
64	Balance of county	1,355	-	-	-	1	-	32	-	-	4	1	-	214	2
65	Hartford	4,693	-	4	1	2	2	174	1	-	28	-	6	619	4
66	Bristol	282	-	1	-	1	-	12	-	-	1	-	-	33	-
67	East Hartford (town)	221	-	-	-	-	-	1	-	-	2	-	-	39	-
68	Hartford	1,819	-	1	1	1	1	76	-	-	15	-	1	312	1
69	New Britain	640	-	1	-	-	-	26	-	-	2	-	-	114	2
70	West Hartford (town)	340	-	-	-	-	-	5	-	-	1	-	3	58	-
71	Balance of county	1,391	-	1	-	-	1	54	1	-	7	-	2	265	1
72	Litchfield	954	-	2	-	-	-	15	-	-	2	-	-	147	1
73	Torrington	249	-	1	-	-	-	7	-	-	1	-	-	46	-
74	Balance of county	685	-	1	-	-	-	8	-	-	1	-	-	101	1
75	Middlesex	892	-	-	-	-	-	35	-	-	18	-	-	118	-
76	Middletown	521	-	-	-	-	-	33	-	-	18	-	-	63	-
77	Balance of county	371	-	-	-	-	-	2	-	-	-	-	-	55	-
78	New Haven	5,324	-	6	-	2	2	154	-	-	29	2	7	834	3
79	Ansonia	193	-	-	-	-	-	2	-	-	-	-	-	32	1
80	Derby	132	-	-	-	-	-	1	-	-	-	1	1	22	-
81	Meriden	417	-	-	-	-	-	34	-	-	2	-	-	65	-
82	Naugatuck	159	-	1	-	-	1	5	-	-	-	1	-	24	-
83	New Haven	1,897	-	1	-	-	-	50	-	-	14	-	3	312	1
84	Wallingford	170	-	-	-	-	-	4	-	-	1	-	1	25	-
85	Waterbury	1,068	-	1	-	-	-	34	-	-	3	-	-	169	-
86	West Haven (town)	258	-	1	-	-	-	3	-	-	3	-	-	41	-
87	Balance of county	1,030	-	2	-	2	1	21	-	-	6	-	2	144	1
88	New London	1,622	-	1	-	-	1	64	-	-	12	-	-	220	-
89	New London	323	-	-	-	-	-	9	-	-	-	-	-	59	-
90	Norwich	391	-	1	-	-	1	26	-	-	1	-	-	59	-
91	Balance of county	908	-	-	-	-	-	27	-	-	11	-	-	102	-
92	Tolland	328	-	-	-	-	-	3	-	-	1	-	-	46	-
93	Windham	612	-	-	-	-	1	10	-	-	3	-	1	73	-
94	Willimantic	145	-	-	-	-	1	3	-	-	-	-	1	11	-
95	Balance of county	469	-	-	-	-	-	7	-	-	3	-	-	62	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

531

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 33	119, 120	130-132	140-150	157-161	183, 184	185-168	170	169, 171-195	182, 199, 200	
18	-	72	218	40	3	46	4	61	9	3	18	30	7	95
17	-	82	193	38	3	39	4	52	8	2	14	28	6	90
1	-	10	25	2	-	7	-	9	1	1	4	2	1	5
6	-	22	61	9	1	14	-	10	2	-	5	9	-	26
-	-	14	22	2	-	4	-	8	4	-	2	10	2	12
1	-	-	1	2	-	2	-	-	-	-	1	2	-	3
-	-	3	7	2	-	-	-	2	1	-	1	3	-	3
-	-	-	16	4	-	3	-	4	3	-	2	2	-	6
-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
5	-	7	41	3	5	6	2	9	-	-	3	11	1	18
-	-	-	5	-	-	1	-	1	-	-	1	-	-	11
7	-	13	84	19	-	41	3	20	7	2	18	22	-	55
-	-	2	7	1	1	3	-	2	-	-	1	-	-	12
3	-	6	12	2	-	2	-	2	-	-	2	6	1	9
-	-	19	11	11	1	1	-	10	3	-	2	4	-	12
-	-	11	30	8	1	14	3	11	2	1	5	6	2	11
4	1	40	88	15	4	11	-	24	5	2	18	17	6	13
2	-	13	25	6	3	3	-	8	-	-	6	5	1	16
2	1	27	63	9	1	3	-	16	5	2	13	12	5	18
5	-	23	64	31	4	29	3	28	2	3	7	18	3	33
3	-	13	28	18	3	16	1	16	2	1	5	4	2	20
2	-	10	35	13	1	13	2	12	-	2	4	14	1	12
-	-	4	10	1	-	-	-	3	-	-	1	2	1	3
5	-	15	38	1	3	12	2	10	3	2	6	11	-	10
3	-	31	98	18	1	19	-	21	5	1	14	12	5	50
1	-	19	58	6	1	12	-	8	1	1	8	6	2	27
2	-	12	40	12	-	7	-	13	4	-	6	6	3	23
-	-	-	1	-	-	-	-	-	1	-	-	-	1	1
-	-	2	12	3	-	3	-	5	3	-	3	4	-	28
-	-	4	17	3	3	-	-	7	-	2	2	4	2	2
2	-	10	38	4	1	11	2	16	2	-	4	3	5	13
1	1	9	41	10	3	13	2	14	2	-	9	17	-	19
7	-	16	66	11	14	11	-	23	1	2	7	12	4	31
-	-	3	5	3	-	3	-	1	-	-	3	4	-	1
-	-	1	5	1	-	1	-	1	1	-	1	2	-	35
1	-	4	8	1	-	1	-	6	2	-	2	3	-	8
-	-	-	12	-	-	-	-	-	-	-	-	1	-	2
-	-	10	29	4	1	12	-	5	3	1	9	5	-	9
18	-	77	234	113	11	32	6	59	12	5	16	55	34	159
14	-	72	207	99	7	30	6	50	11	4	14	44	34	135
4	-	5	27	14	4	2	-	9	1	1	2	11	-	24
-	-	2	3	-	-	-	-	4	2	-	3	4	3	42
1	-	6	26	13	13	7	1	20	1	1	5	7	5	16
1	-	3	24	5	-	3	1	3	1	-	5	9	2	8
-	-	5	1	11	1	4	1	6	1	-	1	2	-	45
-	-	-	2	1	-	2	-	-	-	-	-	1	-	2
-	-	2	5	1	-	-	-	3	1	-	-	3	-	47
-	-	4	13	-	-	1	-	6	1	-	3	1	2	5
1	-	7	7	-	-	-	-	-	-	-	-	2	1	49
-	-	9	9	1	-	2	1	6	-	-	4	4	9	50
-	-	2	17	3	-	2	-	4	-	-	4	5	-	7
7	-	42	132	29	3	16	1	55	5	1	25	24	6	79
3	-	24	56	14	-	9	-	21	1	1	9	8	4	38
4	-	18	76	15	3	7	1	34	4	-	16	16	2	41
4	-	4	16	10	-	9	-	4	1	-	3	6	3	10
661	3	1,562	6,834	620	71	911	38	1,002	253	31	264	749	142	2,183
142	1	407	1,721	166	13	194	9	222	62	10	69	195	27	521
58	-	127	670	47	6	49	5	89	15	5	17	71	3	166
8	1	33	117	8	2	33	-	18	5	-	3	10	2	43
11	-	48	168	17	1	16	1	19	4	2	8	11	2	60
4	-	8	29	-	-	3	-	5	3	-	1	2	-	61
28	-	61	213	23	-	40	-	33	8	2	7	36	2	72
4	-	16	68	7	1	5	-	15	4	1	3	3	2	9
29	-	114	436	94	3	48	2	43	23	-	30	62	16	171
168	-	317	1,645	123	25	224	8	251	64	7	64	194	17	545
3	-	18	93	10	1	19	1	19	3	-	6	17	-	44
5	-	12	87	5	3	5	1	16	2	-	2	11	1	29
83	-	102	696	42	8	66	1	80	27	5	17	72	6	205
23	-	49	210	14	4	47	1	38	14	2	4	25	-	64
9	-	30	116	9	3	17	1	28	-	-	7	12	-	41
45	-	106	443	43	6	70	3	70	18	-	23	57	10	162
43	1	75	319	29	2	53	2	56	22	-	14	36	14	101
16	1	15	78	6	-	-	1	12	5	-	5	10	-	37
27	-	60	243	23	2	43	1	44	17	9	9	28	14	64
25	-	88	311	46	2	40	2	33	9	3	5	54	2	101
12	-	49	173	39	2	21	1	18	4	2	1	24	-	61
13	-	39	138	7	-	19	1	15	5	1	4	30	2	40
202	1	469	1,957	161	20	243	13	304	53	9	78	177	62	636
7	-	16	79	6	-	14	-	13	4	-	1	5	1	12
3	1	13	41	4	-	8	-	12	-	-	1	12	-	80
19	-	46	131	15	-	14	-	15	-	3	4	9	-	59
2	-	10	54	6	1	6	-	10	6	-	3	7	3	20
82	-	148	680	59	9	89	4	90	13	2	28	65	30	218
3	-	27	61	3	-	3	-	6	1	-	5	8	3	19
38	-	89	338	40	6	48	6	84	19	1	14	33	4	141
12	-	30	96	8	-	14	-	12	2	-	2	7	2	25
36	-	90	377	20	5	47	3	62	8	3	20	31	19	130
54	-	118	618	46	7	104	2	88	22	1	19	58	15	172
17	-	22	128	5	1	12	1	20	3	-	3	14	-	29
8	-	28	127	8	2	40	-	23	4	1	4	11	1	44
29	-	68	363	33	4	52	1	45	15	-	12	33	14	99
7	-	24	139	7	-	24	1	12	6	1	3	14	2	37
20	-	64	224	22	2	29	1	36	15	-	12	21	3	75
3	-	12	59	2	1	15	-	10	7	-	1	6	-	12
17	-	52	166	20	1	14	1	26	9	-	11	15	3	63



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	15-22	27	28	30	35	36	45-55	58
1 DELAWARE-----	3,229	-	4	-	3	2	133	1	-	35	2	3	373	1
2 Kent-----	542	-	-	-	-	1	10	-	-	3	1	-	52	-
3 New Castle-----	2,055	-	2	-	1	-	96	1	-	27	1	2	264	-
4 Wilmington-----	1,322	-	2	-	-	-	57	-	-	15	1	1	161	-
5 Balance of county-----	743	-	-	-	1	-	39	1	-	12	-	1	63	-
6 Sussex-----	622	-	2	-	2	1	27	-	-	5	-	1	57	1
7 DISTRICT OF COLUMBIA-----	8,289	6	8	-	3	2	498	-	1	115	7	4	1,154	9
8 FLORIDA-----	23,005	11	31	1	10	30	721	21	20	297	27	43	2,549	28
9 Alachua-----	440	1	1	-	1	-	12	-	1	2	2	-	43	-
10 Gainesville-----	193	-	1	-	-	-	10	-	-	1	-	-	21	-
11 Balance of county-----	247	1	-	-	1	-	2	-	1	1	2	-	22	-
12 Baker-----	56	-	-	-	-	1	3	-	-	2	-	-	5	-
13 Bay-----	243	-	-	-	1	-	4	-	1	1	-	-	21	-
14 Panama City-----	144	-	-	-	1	-	3	-	1	-	-	-	11	-
15 Balance of county-----	99	-	-	-	-	-	1	-	-	1	-	-	10	-
16 Bradford-----	127	-	-	-	-	-	2	-	-	1	-	-	5	-
17 Brevard-----	213	-	-	-	-	1	8	-	-	1	-	1	24	2
18 Broward-----	522	-	-	-	1	1	12	2	-	4	3	2	69	-
19 Fort Lauderdale-----	240	-	-	-	-	1	6	-	-	1	2	1	28	-
20 Balance of county-----	282	-	-	-	1	-	6	2	-	3	1	1	40	-
21 Calhoun-----	69	-	-	-	-	1	2	-	-	-	-	-	4	-
22 Charlotte-----	36	-	-	-	-	-	1	-	-	1	-	-	8	-
23 Citrus-----	43	-	-	-	-	-	-	-	-	-	1	-	1	-
24 Clay-----	124	-	-	-	-	-	-	-	-	-	-	-	11	1
25 Collier-----	33	-	-	-	-	-	1	-	-	-	-	-	4	-
26 Columbia-----	167	-	-	1	-	-	6	-	-	2	-	-	10	-
27 Dade-----	3,357	2	5	-	1	2	118	2	1	37	1	8	443	3
28 Miami-----	2,184	-	4	-	1	1	64	1	1	26	-	5	286	1
29 Miami Beach-----	305	1	-	-	-	-	5	-	-	1	1	1	40	-
30 Balance of county-----	868	1	1	-	-	1	29	1	-	10	-	2	107	2
31 De Soto-----	64	-	-	-	-	-	1	-	-	-	-	-	9	-
32 Dixie-----	28	-	-	-	-	-	-	-	-	-	1	-	2	-
33 Duval-----	2,679	1	2	-	1	1	122	2	2	20	1	5	236	6
34 Jacksonville-----	2,246	1	1	-	1	1	101	2	2	20	1	5	195	6
35 Balance of county-----	433	-	1	-	-	-	21	-	-	-	-	-	41	-
36 Escambia-----	848	-	3	-	-	-	36	2	-	9	-	1	94	-
37 Pensacola-----	524	-	3	-	-	-	22	1	-	8	-	1	57	-
38 Balance of county-----	324	-	-	-	-	2	14	1	-	1	-	-	37	-
39 Flagler-----	44	-	-	-	-	-	1	-	-	-	-	-	2	-
40 Franklin-----	50	1	-	-	-	-	-	-	1	-	-	-	1	-
41 Gadsden-----	640	3	1	-	1	1	30	3	-	112	-	-	41	3
42 Gilchrist-----	46	-	-	-	-	-	-	-	-	-	-	1	2	-
43 Glades-----	14	-	-	-	-	-	-	-	-	1	-	-	1	-
44 Gulf-----	49	-	-	-	-	-	2	-	-	-	-	1	6	-
45 Hamilton-----	91	-	-	-	1	-	4	-	2	-	-	-	2	-
46 Hardee-----	68	-	-	-	-	-	2	-	-	-	1	1	12	-
47 Hendry-----	41	-	-	-	-	-	2	-	1	-	-	-	2	-
48 Hernando-----	64	-	-	-	-	-	1	-	-	1	-	-	4	-
49 Highlands-----	99	-	-	-	-	-	2	-	-	1	-	-	16	-
50 Hillsborough-----	2,107	2	7	-	-	5	81	-	1	16	1	5	248	4
51 Tampa-----	1,424	1	3	-	-	3	62	-	-	13	1	1	180	4
52 Balance of county-----	683	1	4	-	-	2	19	-	1	3	-	4	68	-
53 Holmes-----	115	-	-	-	-	1	3	-	-	2	1	-	12	-
54 Indian River-----	122	-	-	-	-	2	3	-	-	1	-	-	15	1
55 Jackson-----	256	-	-	-	-	-	12	-	1	2	1	-	20	1
56 Jefferson-----	119	-	-	-	-	-	-	1	1	2	-	1	7	1
57 Lafayette-----	32	-	-	-	-	-	1	1	-	-	1	-	5	-
58 Lake-----	334	-	1	-	1	1	10	-	1	4	-	-	33	1
59 Lee-----	219	-	-	-	-	1	8	-	-	-	-	-	29	-
60 Fort Myers-----	166	-	-	-	-	1	6	-	-	-	-	-	21	-
61 Balance of county-----	53	-	-	-	-	-	-	-	-	-	-	-	8	-
62 Leon-----	301	-	-	-	-	-	4	-	-	1	-	1	20	-
63 Tallahassee-----	164	-	-	-	-	-	2	-	-	-	-	-	10	-
64 Balance of county-----	137	-	-	-	-	-	2	-	-	1	-	1	10	-
65 Levy-----	112	-	-	-	-	-	2	-	-	-	-	-	10	-
66 Liberty-----	37	-	-	-	-	1	-	-	-	-	-	-	3	-
67 Madison-----	159	-	-	-	-	-	5	-	1	2	1	-	10	-
68 Manatee-----	315	-	-	-	-	1	3	1	3	2	-	-	42	-
69 Marion-----	363	-	2	-	1	1	9	-	1	2	-	1	25	-
70 Martin-----	62	-	-	-	-	-	1	-	-	1	-	-	4	-
71 Monroe-----	182	-	-	-	-	-	6	1	-	-	-	4	28	-
72 Key West-----	172	-	-	-	-	-	4	1	-	-	-	4	27	-
73 Balance of county-----	10	-	-	-	-	-	2	-	-	-	-	-	2	-
74 Nassau-----	114	-	-	-	-	-	1	-	-	-	-	-	13	-
75 Okaloosa-----	125	-	-	-	-	-	1	-	-	-	-	1	7	-
76 Oklawaha-----	20	-	-	-	-	-	1	-	-	-	-	-	1	-
77 Orange-----	952	1	1	-	-	-	32	-	-	8	-	1	118	-
78 Orlando-----	633	1	1	-	-	-	20	-	-	5	-	1	84	-
79 Balance of county-----	319	-	-	-	-	-	12	-	-	3	-	-	34	-
80 Osceola-----	185	-	-	-	-	-	5	-	-	1	-	-	18	-
81 Palm Beach-----	920	-	2	-	1	-	26	3	-	10	4	-	107	1
82 West Palm Beach-----	425	-	-	-	-	-	12	-	-	6	-	-	51	-
83 Balance of county-----	495	-	2	-	1	-	14	3	-	4	4	-	58	1
84 Pasco-----	206	-	1	-	-	1	6	-	-	2	-	-	30	-
85 Pinellas-----	1,671	1	1	-	-	-	40	1	-	11	2	2	251	-
86 Clearwater-----	175	-	1	-	-	-	7	-	-	1	-	-	22	-
87 St. Petersburg-----	1,123	-	-	-	-	-	22	1	-	10	1	2	172	-
88 Balance of county-----	573	-	-	-	-	-	11	-	-	-	1	-	57	-
89 Polk-----	1,019	-	1	-	-	4	27	-	1	17	1	2	111	1
90 Lakeland-----	292	-	-	-	-	-	9	-	-	3	-	2	36	-
91 Balance of county-----	727	-	1	-	-	4	18	-	1	14	1	-	75	1
92 Putnam-----	234	-	-	-	-	-	4	1	-	2	1	-	26	-
93 St. Johns-----	249	-	-	-	-	-	5	1	-	4	-	1	36	-
94 St. Augustine-----	193	-	-	-	-	-	2	-	-	3	-	1	30	-
95 Balance of county-----	55	-	-	-	-	-	3	1	-	1	-	-	6	-



## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 53	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
69	-	283	1,072	130	16	307	8	147	33	24	76	140	21	345
19	-	57	208	16	2	66	-	17	6	5	10	14	5	50
42	-	161	677	90	10	172	5	90	20	13	45	86	10	230
32	-	117	401	64	7	114	4	59	17	8	25	60	6	151
10	-	64	276	26	3	58	1	31	3	5	20	26	4	79
8	-	45	187	24	4	69	4	40	7	6	21	40	6	65
221	3	581	2,317	286	80	690	31	615	144	112	98	350	20	966
430	32	2,209	5,759	1,087	137	1,475	159	1,496	263	392	714	1,314	926	2,823
11	-	53	107	26	6	31	3	28	6	10	14	18	18	48
5	-	21	53	7	1	12	-	13	2	5	3	7	7	21
8	-	38	54	19	5	19	3	13	4	5	11	9	11	27
-	-	3	10	3	-	5	2	2	-	2	1	2	2	12
3	1	18	40	20	3	13	4	33	2	8	16	19	7	28
2	-	10	29	8	1	10	4	17	1	5	8	13	4	16
1	1	8	11	12	2	5	-	16	1	3	8	6	3	12
2	-	10	37	15	3	8	-	5	1	1	2	17	6	15
6	1	32	43	15	-	8	-	7	4	4	9	14	7	26
10	1	49	126	15	1	30	5	47	6	16	20	32	9	62
7	-	17	73	7	-	17	-	17	5	8	4	14	2	30
3	1	32	55	8	1	13	5	30	1	8	16	18	7	82
1	-	8	21	3	1	2	1	6	2	3	2	2	2	8
1	-	8	10	-	-	2	-	1	1	-	-	-	4	3
1	1	6	13	1	-	2	1	2	2	3	2	3	1	6
1	1	23	24	3	-	6	-	7	3	1	5	23	3	12
-	-	6	9	-	2	10	-	5	-	2	-	4	2	3
58	-	259	1,008	137	15	160	20	207	60	51	111	168	48	432
35	-	174	625	88	11	108	14	125	45	30	59	111	32	277
8	-	22	132	15	1	15	1	15	4	-	5	9	1	26
15	-	63	251	34	3	37	5	67	11	21	47	15	97	30
2	-	8	13	1	-	11	-	2	-	1	2	6	8	31
-	-	3	11	-	-	-	-	2	-	-	-	2	-	3
55	1	256	582	145	12	154	21	207	22	74	106	147	184	354
49	1	222	501	124	11	115	18	172	18	64	79	103	143	280
6	-	34	61	21	1	19	3	35	4	10	27	44	41	86
12	2	80	214	44	7	39	7	84	11	15	27	51	18	89
11	1	46	153	29	4	23	2	47	7	6	8	28	8	59
1	2	32	61	15	3	15	5	37	4	9	19	23	10	33
1	-	6	7	1	-	6	-	2	-	2	-	7	3	39
1	1	6	10	1	-	2	-	3	-	1	1	4	11	7
7	2	44	173	40	3	54	7	16	1	3	5	23	19	48
-	-	5	3	5	-	5	1	1	1	2	1	4	3	6
-	-	4	7	-	-	-	-	-	-	-	-	3	-	1
2	2	8	17	11	3	7	1	6	1	2	3	4	5	4
1	-	10	17	5	1	5	1	6	-	1	6	6	4	13
-	-	4	20	2	1	1	1	5	-	2	2	5	8	12
1	1	7	21	2	1	3	1	6	2	-	1	4	1	8
-	-	9	23	7	-	7	-	7	-	2	5	5	-	8
40	6	174	484	85	19	179	9	179	26	34	62	99	88	255
28	4	124	343	56	3	121	5	107	16	28	30	53	60	178
12	2	50	141	29	16	58	4	72	10	6	30	46	28	77
1	1	8	28	3	-	15	1	6	1	2	6	5	5	16
1	1	13	27	2	-	5	1	6	1	3	7	15	8	11
2	-	34	47	15	1	15	3	20	2	3	7	22	17	31
2	-	18	9	8	-	9	3	2	-	1	5	9	34	6
1	1	3	5	-	-	1	-	3	-	1	2	2	1	5
3	1	35	70	22	1	39	3	20	1	7	10	21	10	39
7	-	18	56	5	1	19	3	12	3	2	2	16	4	35
6	-	15	45	4	1	13	3	9	1	1	2	13	2	25
1	1	3	11	1	-	6	2	3	2	1	2	5	2	10
8	2	17	59	13	3	52	3	24	3	8	9	15	23	57
6	1	13	34	6	2	32	2	9	1	2	6	9	4	24
2	1	4	25	7	1	20	1	15	1	2	2	8	19	13
4	-	23	15	5	1	6	-	10	1	1	2	6	4	17
-	-	8	5	3	-	4	1	-	-	-	-	2	-	3
1	-	19	36	11	1	18	1	10	-	1	3	5	7	8
6	-	35	69	13	-	26	-	19	-	-	-	-	-	24
7	-	33	100	26	2	35	6	24	2	4	9	11	15	38
1	-	5	16	-	-	9	-	7	1	3	9	24	13	35
3	-	12	32	20	1	7	-	16	1	2	5	3	1	6
3	-	12	31	20	1	7	-	16	1	2	4	8	16	20
-	-	-	1	-	-	-	-	-	-	-	-	5	16	19
-	-	14	29	4	-	7	2	-	1	-	-	3	-	1
3	-	10	18	12	-	11	2	8	4	-	9	6	8	11
-	-	2	4	2	-	-	-	1	-	-	6	13	16	11
19	-	90	284	45	2	56	3	57	20	12	1	5	1	2
15	-	64	185	25	1	33	1	37	14	7	27	39	14	115
4	-	26	99	18	1	23	2	20	6	5	17	21	10	81
5	1	20	54	8	3	13	1	4	1	10	18	4	4	34
15	1	82	227	48	5	44	6	74	11	2	5	11	9	24
6	-	39	112	20	-	26	-	30	6	21	37	54	34	107
9	1	43	115	28	5	18	2	44	5	9	14	23	11	59
4	-	20	50	5	2	13	3	8	12	28	31	23	49	83
41	1	198	514	38	6	81	7	68	27	1	8	20	1	29
3	-	28	44	3	-	3	-	12	1	1	2	11	4	30
32	1	123	362	27	5	60	2	36	22	7	15	40	26	157
6	-	47	108	8	1	18	-	20	4	7	7	17	13	52
24	-	101	256	46	11	59	7	66	3	19	31	60	43	128
9	-	27	74	15	3	17	8	47	1	4	7	20	5	40
15	-	74	182	31	3	42	1	19	2	15	24	40	38	88
3	-	15	62	13	3	19	2	21	-	4	7	15	10	27
7	1	19	61	10	2	21	2	10	3	2	5	21	9	28
6	-	12	51	9	1	18	2	8	3	2	4	14	4	23
1	1	7	10	1	1	3	-	2	-	-	1	7	5	95



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- theri- a	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
FLORIDA--Continued															
1	St. Lucie-----	130	-	1	-	-	-	4	-	-	2	-	-	9	-
2	Santa Rosa-----	156	-	-	-	-	-	3	-	-	1	-	-	13	2
3	Sarasota-----	231	-	-	-	-	-	4	-	-	2	-	1	27	-
4	Sarasota-----	163	-	-	-	-	-	4	-	-	2	-	-	26	-
5	Balance of county-----	48	-	-	-	-	-	-	-	-	-	-	1	1	-
6	Seminole-----	238	-	-	-	-	-	8	-	-	3	-	-	29	-
7	Sanford-----	128	-	-	-	-	-	5	-	-	2	-	-	18	-
8	Balance of county-----	110	-	-	-	-	-	3	-	-	1	-	-	11	-
9	Sumter-----	108	-	-	-	-	-	3	-	1	-	-	1	10	-
10	Suwannee-----	169	-	-	-	-	-	4	-	-	1	1	-	17	-
11	Taylor-----	82	-	-	-	-	-	2	-	-	-	-	1	9	-
12	Union-----	76	-	-	-	-	-	9	-	-	1	1	-	7	-
13	Volusia-----	759	-	-	-	-	-	11	-	-	2	2	1	91	1
14	Daytona Beach-----	333	-	-	-	-	-	9	-	-	1	-	-	37	-
15	Balance of county-----	426	-	-	-	-	-	2	-	-	1	2	1	54	1
16	Wakulla-----	33	-	1	-	-	-	1	-	-	-	-	-	4	-
17	Walton-----	117	-	-	-	-	-	5	-	-	-	-	-	16	-
18	Washington-----	102	-	1	-	-	-	1	-	-	-	-	-	12	-
19	GEORGIA-----	27,511	11	32	1	59	44	1,070	35	14	340	40	8	2,440	35
20	Appling-----	82	-	-	-	-	-	3	-	-	-	-	-	7	1
21	Atkinson-----	37	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Bacon-----	64	-	-	-	-	-	2	-	-	-	-	-	6	-
23	Baker-----	28	-	-	-	-	-	1	-	-	-	-	-	3	-
24	Baldwin-----	906	-	-	-	-	1	122	-	-	117	-	1	33	-
25	Banks-----	43	-	-	-	-	-	2	-	-	1	-	-	3	-
26	Barrow-----	110	-	-	-	-	-	-	-	-	-	-	-	9	-
27	Bartow-----	260	-	3	-	1	-	12	2	-	3	-	-	23	1
28	Ben Hill-----	141	-	-	-	-	-	1	-	1	-	-	-	10	-
29	Berrien-----	102	-	1	-	-	-	2	-	-	-	-	-	6	-
30	Bibb-----	938	-	2	-	2	-	39	1	-	16	1	-	86	-
31	Macon-----	809	-	1	-	2	-	33	1	-	16	-	-	69	-
32	Balance of county-----	129	-	1	-	-	-	6	-	-	-	-	-	17	-
33	Blackley-----	89	-	-	-	-	-	3	-	-	1	-	-	6	-
34	Brantley-----	51	-	-	-	-	1	1	-	-	-	-	-	6	-
35	Brooks-----	160	-	-	-	-	-	7	-	2	1	2	-	11	-
36	Bryan-----	58	-	-	-	-	-	3	-	2	-	-	-	4	-
37	Bulloch-----	197	1	-	-	-	-	4	-	-	1	-	-	8	-
38	Burke-----	201	-	-	-	-	-	1	1	-	4	1	-	13	-
39	Butts-----	91	-	-	-	-	-	1	-	1	-	-	-	6	-
40	Calhoun-----	89	-	-	-	-	-	1	-	-	3	-	-	5	-
41	Camden-----	61	-	-	-	-	-	4	-	-	-	-	-	5	-
42	Candler-----	50	-	-	-	-	-	2	-	-	-	-	-	6	-
43	Carroll-----	261	-	-	-	3	2	9	-	-	-	-	-	25	-
44	Catoosa-----	68	-	-	-	1	-	4	-	-	-	-	-	8	-
45	Charlton-----	56	-	-	-	1	1	-	-	-	-	-	-	7	-
46	Chatham-----	1,547	-	1	-	1	1	65	1	1	14	3	-	139	2
47	Savannah-----	1,293	-	1	-	1	1	52	1	1	11	1	-	117	2
48	Balance of county-----	254	-	-	-	-	-	13	-	-	3	2	-	21	-
49	Chattahoochee-----	39	-	-	-	-	-	1	-	-	-	-	1	3	-
50	Chattooga-----	119	-	-	-	-	-	17	-	-	-	-	-	15	-
51	Cherokee-----	152	-	-	-	-	-	3	-	-	2	-	-	15	-
52	Clarke-----	283	-	-	-	2	-	10	1	-	5	-	-	30	-
53	Athens-----	236	-	-	-	2	-	9	-	-	4	-	-	28	-
54	Balance of county-----	57	-	-	-	-	-	1	1	-	1	-	-	2	-
55	Clay-----	61	-	-	-	-	-	-	-	-	-	-	-	4	-
56	Clayton-----	81	-	-	-	-	-	3	1	-	1	2	-	9	-
57	Clinch-----	33	-	-	-	-	-	1	-	-	-	-	-	1	-
58	Cobb-----	348	-	1	-	-	-	11	-	1	1	1	-	42	1
59	Coffee-----	800	-	-	-	1	1	7	-	-	1	3	1	12	-
60	Colquitt-----	209	-	-	-	-	1	6	2	-	2	-	-	17	-
61	Moultrie-----	112	-	-	-	-	1	2	1	-	-	-	-	10	-
62	Balance of county-----	97	-	-	-	-	-	4	1	-	2	-	-	7	-
63	Columbia-----	70	-	-	-	-	-	-	-	-	1	-	-	6	-
64	Cook-----	95	-	-	-	2	-	3	-	-	2	-	-	9	-
65	Coweta-----	193	-	-	-	1	1	3	-	-	1	-	-	19	-
66	Crawford-----	35	-	1	-	-	-	-	-	-	-	-	-	1	-
67	Crisp-----	152	-	-	-	2	-	5	1	-	3	-	-	5	-
68	Dade-----	47	-	-	-	-	-	4	-	-	-	-	-	3	-
69	Dawson-----	20	-	-	-	-	-	1	-	-	-	-	-	2	-
70	Decatur-----	209	-	-	-	-	1	3	-	-	3	2	-	9	-
71	De Kalb-----	755	-	-	-	-	-	35	1	-	5	-	-	89	-
72	Atlanta (part)-----	249	-	-	-	-	-	9	-	-	1	-	-	32	-
73	Decatur-----	155	-	-	-	-	-	8	-	-	-	-	-	17	-
74	Balance of county-----	351	-	-	-	-	-	18	1	-	4	-	-	40	-
75	Dodge-----	108	-	-	-	-	2	3	-	-	-	1	-	6	1
76	Dooly-----	125	-	-	-	-	-	1	-	-	-	-	-	8	-
77	Dougherty-----	335	-	1	-	1	-	9	1	-	8	2	-	24	-
78	Albany-----	279	-	1	-	1	-	8	1	-	6	2	-	22	-
79	Balance of county-----	56	-	-	-	-	-	1	-	-	2	-	-	2	-
80	Douglas-----	68	-	-	-	-	-	1	-	-	-	-	-	4	-
81	Early-----	126	1	1	-	-	-	11	-	-	1	-	-	12	-
82	Echols-----	20	-	-	-	-	-	-	-	-	-	-	-	1	-
83	Effingham-----	91	-	1	-	-	-	2	-	-	-	-	-	8	-
84	Elbert-----	134	-	-	-	1	-	6	-	-	-	-	-	15	-
85	Emanuel-----	159	1	-	-	-	2	2	-	-	1	1	1	12	1
86	Evans-----	52	-	-	-	-	-	2	-	-	-	-	-	7	1
87	Fannin-----	122	1	-	-	-	1	6	-	-	-	-	-	9	-
88	Fayette-----	64	1	-	-	-	-	-	-	-	-	-	-	7	-
89	Floyd-----	420	-	-	-	1	-	29	-	-	6	-	-	54	1
90	Rome-----	242	-	-	-	1	-	12	-	-	4	-	-	37	-
91	Balance of county-----	178	-	-	-	-	-	17	-	-	2	-	-	17	1
92	Forsyth-----	71	-	-	-	-	-	2	-	-	-	-	-	4	-
93	Franklin-----	101	-	1	-	-	1	5	-	-	-	-	-	2	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

535

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 53	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
4	2	21	24	4	1	10	1	16	-	4	3	10	6	8
4	-	11	21	8	1	9	-	10	2	4	5	33	7	22
4	2	27	56	13	-	9	1	8	5	2	14	10	16	30
4	2	20	46	10	-	7	1	5	2	2	9	8	11	26
-	-	7	10	3	-	2	-	3	3	-	5	4	5	4
6	1	24	50	5	6	26	3	13	2	3	9	14	8	23
4	1	11	32	4	2	15	1	7	1	2	5	4	2	12
2	-	13	18	1	4	11	2	6	1	1	4	10	6	16
3	-	9	19	6	1	11	1	10	2	2	2	10	9	12
5	-	20	52	9	-	5	2	7	1	2	3	12	6	22
1	-	19	7	5	1	6	-	4	-	-	2	5	7	13
2	-	9	12	5	-	4	-	1	1	3	2	4	3	12
13	-	80	230	35	2	58	1	34	3	19	17	39	15	105
5	-	36	104	16	1	32	-	12	1	9	6	16	1	47
8	-	44	126	19	1	26	1	22	2	10	11	23	14	58
1	1	2	5	-	-	1	-	-	1	1	-	3	6	6
2	-	10	19	8	2	16	-	3	1	-	1	6	12	15
1	-	11	26	10	1	6	1	3	1	1	5	4	7	11
398	83	2,895	5,927	1,741	188	2,549	225	1,878	230	564	809	1,306	1,156	3,513
2	2	8	18	5	-	10	-	3	-	3	1	2	8	9
3	-	7	8	3	1	1	1	1	-	1	3	-	1	4
1	-	9	19	6	-	4	2	3	1	-	-	2	-	7
-	-	2	7	3	-	2	-	3	-	-	1	1	2	3
10	2	56	135	76	5	50	1	14	5	6	4	10	30	218
-	-	3	14	1	1	5	-	1	-	1	-	1	2	2
3	1	15	22	4	-	17	1	12	1	2	4	6	2	10
2	-	20	38	20	4	40	3	27	3	4	9	8	8	29
1	-	23	43	7	1	8	1	14	1	-	2	8	7	13
1	2	10	23	5	-	10	2	8	3	5	4	1	4	16
14	1	81	216	41	5	109	9	58	7	22	24	32	76	97
11	1	74	191	33	4	96	8	49	7	20	21	29	58	86
3	-	7	25	8	1	13	1	10	-	2	3	3	10	11
1	-	7	13	13	-	11	1	7	-	5	2	7	4	10
-	-	5	7	4	1	1	1	4	-	3	7	1	4	6
1	2	15	23	8	1	23	1	11	-	3	2	7	1	8
2	-	10	11	1	1	1	1	1	-	1	2	4	-	24
0	1	23	50	13	2	12	2	15	3	2	2	11	7	29
3	1	28	54	17	-	24	2	12	-	7	5	12	12	25
4	-	9	10	10	-	14	1	12	1	-	4	8	6	14
1	-	14	26	7	-	8	-	6	1	2	2	2	3	9
-	-	7	14	3	-	1	1	2	-	2	5	4	7	5
-	-	9	4	2	-	5	1	-	3	1	1	5	4	7
7	3	15	67	13	2	19	-	22	2	5	10	18	9	30
-	-	4	10	5	-	-	1	15	1	1	4	3	2	8
-	-	1	8	2	-	5	-	1	-	1	1	1	3	4
20	2	174	364	96	6	134	15	132	18	39	37	84	12	167
19	1	148	323	82	4	116	11	109	14	30	26	71	9	142
1	1	26	61	14	2	18	4	23	4	9	11	13	3	25
-	1	3	4	2	-	-	1	3	-	2	7	6	1	4
1	-	6	27	4	3	11	-	5	1	2	3	6	5	13
6	1	14	31	17	-	7	-	13	1	1	6	11	6	18
5	-	26	65	10	2	51	3	24	3	7	7	10	2	30
5	-	23	50	9	2	35	1	18	3	7	3	7	2	28
-	-	3	13	1	-	16	2	6	-	4	3	3	-	2
2	-	8	9	4	-	3	1	3	1	1	4	4	11	6
2	-	7	14	7	-	6	-	5	1	1	1	5	4	9
1	2	3	9	2	-	2	-	2	-	1	1	-	5	5
5	2	31	79	23	3	29	6	27	2	6	16	26	4	31
2	-	27	33	15	1	7	1	23	2	4	4	14	13	28
1	-	26	41	14	1	18	2	18	2	3	8	9	9	30
-	-	17	17	11	-	10	1	13	1	2	3	5	4	14
1	-	9	24	3	1	8	1	5	1	1	5	3	5	16
-	-	13	14	6	-	9	2	1	1	1	3	7	2	4
-	-	12	15	7	1	7	-	9	2	4	2	5	4	11
3	1	24	42	11	2	16	2	13	2	2	11	9	10	20
1	-	6	10	1	-	1	1	3	1	1	-	2	5	2
2	-	16	25	12	2	16	2	13	1	3	4	11	9	20
-	-	3	5	4	1	1	-	7	-	2	3	4	3	7
3	-	3	2	-	-	-	-	1	1	2	2	-	3	1
3	-	36	38	12	4	15	1	10	1	5	5	20	10	31
25	4	65	188	38	3	67	4	34	11	7	13	36	28	106
8	2	27	65	12	-	23	-	10	3	4	7	12	3	31
3	2	41	6	6	2	18	1	6	3	-	1	7	7	17
12	-	22	82	18	1	26	3	18	5	3	5	17	18	58
-	-	17	22	6	-	8	1	2	-	1	6	5	12	15
4	-	16	23	15	1	13	1	9	1	3	3	9	3	15
4	2	37	67	15	2	39	3	17	5	11	6	28	15	58
4	2	34	58	11	1	31	2	14	5	9	6	20	10	31
-	-	3	9	4	1	8	1	3	-	2	-	8	5	7
1	-	4	19	4	-	6	1	4	1	-	5	7	2	9
1	-	6	34	8	1	14	-	4	1	4	5	9	4	10
-	-	2	5	-	-	1	-	4	-	3	1	1	-	1
5	1	13	21	3	1	6	3	8	1	1	2	8	3	8
1	-	16	19	9	1	25	3	8	-	-	6	5	5	13
1	2	18	28	6	3	18	3	11	1	6	1	7	10	26
2	-	5	15	5	-	2	1	3	-	-	-	4	-	5
1	-	12	35	9	-	3	-	10	1	1	3	7	10	13
1	1	10	7	2	1	5	-	3	1	1	2	5	10	8
9	1	46	63	15	3	45	1	42	1	7	12	19	9	56
7	-	29	34	9	3	30	1	25	-	3	3	13	2	29
2	1	17	29	6	-	15	-	17	1	4	9	6	7	27
-	-	6	12	4	2	8	-	5	2	2	5	3	6	9
-	-	13	16	14	-	17	1	2	-	3	3	6	6	11



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccal) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56
GEORGIA—Continued														
1 Fulton	4,272	-	5	-	5	2	206	6	1	29	2	1	489	2
2 Atlanta (part) <sup>a</sup>	3,430	-	4	-	4	1	164	5	1	29	2	-	416	2
3 Atlanta (total) <sup>a</sup>	3,579	-	4	-	4	1	173	5	1	30	2	-	448	2
4 District 1511, Center Hill <sup>a</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 East Point	98	-	-	-	-	-	2	-	-	-	-	-	4	-
6 Balance of county	744	-	1	-	1	1	40	1	-	-	-	1	69	-
7 Gilmer	67	-	-	-	-	1	2	-	-	-	-	-	3	-
8 Glascock	33	-	1	-	-	1	-	-	-	1	-	-	1	-
9 Glynn	294	-	-	-	-	-	8	-	-	4	-	-	17	-
10 Brunswick	230	-	-	-	-	-	6	-	-	3	-	-	13	-
11 Balance of county	84	-	-	-	-	-	2	-	-	1	-	-	4	-
12 Gordon	107	-	1	-	-	-	4	-	-	-	-	-	9	-
13 Grady	132	-	-	-	-	-	2	1	-	-	-	-	11	-
14 Greene	137	-	-	-	-	1	4	-	-	-	1	-	12	1
15 Gwinnett	217	-	-	-	-	1	2	1	-	-	-	-	27	-
16 Habersham	121	-	-	-	1	1	8	-	-	3	-	-	8	-
17 Hall	232	1	-	-	-	-	6	-	-	1	-	-	14	1
18 Gainesville	116	-	-	-	-	1	4	-	-	-	-	-	10	-
19 Balance of county	116	1	-	-	-	-	2	-	-	-	-	-	4	1
20 Hancock	93	-	-	-	-	-	3	-	-	1	-	-	4	-
21 Haralson	86	-	-	-	1	-	3	-	-	-	-	1	4	-
22 Harris	109	-	1	-	1	-	2	1	-	-	-	-	9	-
23 Hart	76	-	-	-	-	-	-	-	-	-	-	-	4	-
24 Heard	58	-	-	-	1	-	1	2	-	-	1	-	7	-
25 Henry	119	-	-	-	-	-	7	-	-	1	-	-	13	-
26 Houston	127	-	-	-	2	1	3	-	-	2	-	-	10	-
27 Irwin	76	-	-	-	-	-	-	-	-	-	-	-	9	-
28 Jackson	135	1	-	-	-	-	1	-	-	-	1	-	13	-
29 Jasper	90	-	-	-	-	-	4	-	-	-	1	-	6	-
30 Jeff Davis	64	-	1	-	-	-	2	-	-	-	-	-	6	-
31 Jefferson	113	-	-	-	-	-	4	1	-	-	-	-	10	1
32 Jenkins	123	-	-	-	-	-	7	-	-	2	1	-	6	1
33 Johnson	69	-	-	-	-	-	1	-	-	-	-	-	4	-
34 Jones	60	-	-	-	-	-	3	-	-	1	-	-	6	-
35 Lamar	107	-	-	-	-	-	2	-	-	-	-	-	9	-
36 Lanier	21	-	-	-	-	-	-	-	-	-	-	-	5	-
37 Laurens	268	-	-	-	-	1	5	2	1	2	-	-	17	1
38 Lee	64	-	-	-	-	-	-	-	-	1	-	-	4	-
39 Liberty	68	-	-	-	1	-	3	-	-	-	1	-	6	1
40 Lincoln	22	-	-	-	-	-	1	-	-	-	-	-	4	-
41 Long	26	-	-	-	-	-	2	-	-	1	-	-	1	-
42 Lowndes	289	-	-	-	-	-	9	-	-	1	-	-	23	-
43 Valdosta	185	-	-	-	-	-	6	-	-	1	-	-	14	-
44 Balance of county	104	-	-	-	-	-	3	-	-	-	-	-	9	-
45 Lumpkin	45	-	-	-	-	-	1	-	-	-	-	-	2	-
46 McDuffie	78	-	-	-	-	-	2	-	-	-	-	-	7	-
47 McIntosh	60	-	-	-	-	-	1	-	-	-	-	-	3	-
48 Macon	136	-	-	-	1	1	2	-	-	2	-	-	12	-
49 Madison	89	-	-	-	1	-	-	-	-	1	-	-	5	-
50 Marion	58	-	-	-	-	-	3	-	-	1	-	-	2	-
51 Meriwether	168	1	1	-	-	-	3	-	-	1	-	-	17	-
52 Miller	65	-	-	-	-	1	1	-	-	1	-	-	3	1
53 Mitchell	179	-	-	-	1	1	4	1	-	2	-	-	13	1
54 Monroe	112	-	-	-	-	-	8	-	-	1	-	-	13	-
55 Montgomery	42	-	-	-	-	-	-	-	-	-	1	-	4	-
56 Morgan	104	-	-	-	1	-	2	-	-	3	-	-	7	1
57 Murray	84	-	-	-	-	1	3	-	-	1	-	-	7	-
58 Muscogee	791	-	3	-	4	1	32	1	-	5	2	-	59	2
59 Columbus	674	-	1	-	2	-	22	1	-	5	2	-	55	2
60 Balance of county	117	-	2	-	2	1	10	-	-	-	-	-	4	-
61 Newton	140	-	-	-	1	-	4	-	-	-	-	-	18	-
62 Oconee	63	-	1	-	-	-	1	-	-	2	-	-	3	-
63 Oglethorpe	90	-	-	-	1	1	1	-	-	1	-	-	7	-
64 Paulding	79	-	-	-	-	-	-	-	-	-	1	-	10	1
65 Peach	118	-	-	-	-	-	4	-	-	1	-	-	10	-
66 Pickens	67	1	-	-	-	-	-	-	-	-	-	-	4	1
67 Pierce	72	-	-	-	-	2	1	-	-	2	-	-	7	-
68 Pike	98	-	-	-	-	-	2	-	-	-	-	-	10	-
69 Polk	201	-	-	-	-	-	7	2	-	1	-	-	13	-
70 Pulaski	59	-	-	-	1	-	1	-	-	-	-	-	4	-
71 Putnam	78	-	-	-	-	-	1	-	-	-	-	-	5	-
72 Quitman	24	-	-	-	-	-	2	-	-	-	-	-	-	-
73 Rabun	30	-	-	-	-	-	-	-	-	1	-	-	6	-
74 Randolph	133	-	-	-	-	-	1	-	-	2	-	-	12	1
75 Richmond	995	1	-	-	1	-	62	-	1	23	4	-	123	1
76 Augusta	945	1	-	-	1	-	56	-	1	21	1	-	104	1
77 Balance of county	150	-	-	-	-	-	6	-	-	2	3	-	19	-
78 Rockdale	66	-	-	-	-	-	1	-	-	-	-	-	6	-
79 Schley	44	-	-	-	-	-	1	-	-	-	-	-	5	-
80 Screven	94	-	-	-	-	1	4	-	1	-	-	-	8	-
81 Seminole	72	-	-	-	-	-	1	-	2	-	-	-	9	-
82 Spalding	273	-	1	-	1	-	4	1	-	-	1	-	31	1
83 Griffin	192	-	1	-	1	-	2	1	-	-	1	-	20	1
84 Balance of county	31	-	-	-	-	-	2	-	-	-	-	-	11	-
85 Stephens	69	-	-	-	-	-	3	-	-	-	-	-	4	-
86 Stewart	94	-	-	-	-	-	1	-	-	1	-	-	8	-
87 Sumter	268	-	-	-	1	-	9	-	-	3	-	-	28	-
88 Talbot	79	-	-	-	-	-	1	1	-	1	-	-	10	1
89 Taliaferro	46	-	-	-	-	-	2	-	-	-	-	-	2	-
90 Tattnall	103	-	-	-	-	-	2	-	-	5	-	-	3	1
91 Taylor	68	-	-	-	2	-	-	-	-	-	-	-	2	-
92 Telfair	82	-	-	-	1	-	5	1	-	-	-	-	3	-
93 Terrell	159	-	-	-	-	-	4	-	-	1	-	-	6	-

<sup>a</sup>Figures for District 1511, Center Hill, are included in those for Atlanta.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

537

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 133	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
71 56 64	8 6 8	439 351 378	1,059 857 922	218 159 171	25 20 20	388 301 324	12 9 9	290 213 225	38 29 32	115 100 112	115 94 101	162 133 145	69 50 53	515 416 447
4	-	7	25	13	-	12	-	14	1	-	3	2	3	10
11	2	81	179	46	5	75	3	63	8	7	18	27	16	89
-	2	5	12	5	1	8	1	7	1	1	2	6	2	8
-	-	9	5	2	-	2	-	-	-	-	1	5	2	3
12	-	22	58	29	13	30	5	38	1	1	6	10	9	35
1	-	14	45	25	12	24	5	34	1	6	6	5	4	26
1	-	8	13	4	1	6	-	4	1	1	-	5	5	9
2	1	11	22	9	-	6	-	9	3	-	7	4	4	14
3	-	20	17	9	4	10	-	14	2	4	4	7	10	17
1	-	14	26	17	2	16	2	3	2	4	4	4	9	17
1	-	24	49	13	2	18	1	18	3	4	9	11	7	14
5	3	15	25	8	1	6	1	8	1	1	1	9	5	23
2	1	19	45	17	-	28	1	15	1	1	14	20	21	25
1	-	7	24	4	-	15	1	6	1	1	8	9	9	16
1	1	12	21	13	-	13	-	7	1	1	3	11	12	19
1	-	19	20	6	-	15	1	5	-	1	6	8	8	20
-	-	8	15	5	-	15	-	5	-	1	4	2	6	10
-	1	15	30	5	-	16	2	6	1	1	4	-	2	22
2	-	9	18	14	1	10	-	2	-	1	1	3	3	4
3	-	10	4	7	-	5	-	1	-	-	1	1	2	23
4	-	14	25	10	-	14	2	4	-	4	1	3	11	24
2	1	5	46	9	2	2	2	11	-	2	3	7	1	25
-	-	5	17	5	2	7	2	7	-	2	3	9	3	26
1	1	17	24	14	2	12	1	13	1	2	7	3	6	27
1	-	9	24	1	2	2	-	1	-	2	2	13	8	28
1	-	7	11	8	1	10	-	1	-	2	2	2	3	29
5	-	14	23	7	1	10	6	6	1	-	4	4	3	30
5	1	18	22	8	-	9	-	4	-	-	2	4	11	31
1	-	15	13	6	2	5	2	4	2	3	1	1	6	32
2	1	9	5	5	1	10	-	2	1	2	3	1	3	33
2	-	12	18	8	1	19	-	7	-	1	3	9	7	34
-	-	6	2	1	-	-	-	-	-	-	-	-	4	35
1	1	23	68	22	-	37	2	18	1	2	9	10	25	36
-	-	17	14	4	2	3	1	2	1	2	2	2	4	37
-	-	8	13	2	-	4	-	6	-	1	5	3	2	38
-	-	2	2	1	-	1	-	1	-	1	1	3	2	39
-	-	3	8	1	-	1	-	-	-	-	-	-	4	40
1	-	30	45	11	4	36	4	1	3	9	10	14	42	41
3	-	19	25	7	4	27	3	13	1	7	5	10	21	42
2	-	11	20	4	-	9	1	11	2	2	5	4	21	43
1	-	7	9	3	-	6	-	2	1	1	4	2	-	44
-	-	11	16	4	-	5	-	5	-	5	6	7	2	45
-	-	4	20	2	-	2	2	4	1	2	-	4	3	46
1	2	11	23	11	1	12	1	12	-	2	4	10	6	47
2	-	20	24	5	1	15	-	4	1	1	2	3	2	48
1	-	8	10	2	2	9	-	-	-	2	2	3	10	49
1	2	22	31	8	-	25	2	12	1	11	6	5	13	50
2	-	4	18	4	-	9	1	4	-	2	-	6	7	51
1	-	20	33	12	2	21	4	12	-	3	6	8	14	52
1	-	11	21	7	-	5	-	4	-	3	1	3	6	53
8	-	13	4	4	-	8	-	5	1	1	1	1	1	54
2	2	12	18	12	2	9	-	3	1	3	2	3	13	55
2	-	6	15	5	-	6	-	5	-	3	4	5	5	56
9	2	81	174	45	6	54	4	90	9	14	25	45	25	57
8	2	71	153	37	6	46	4	72	8	11	20	35	21	58
1	-	10	21	8	-	8	-	16	1	3	5	10	4	59
1	-	12	30	12	1	9	2	7	-	-	7	5	7	60
3	-	9	17	6	-	10	-	5	-	-	2	2	8	61
2	-	11	22	8	-	11	1	3	-	-	2	2	6	62
1	-	13	37	8	2	9	-	2	3	-	2	2	3	63
1	1	5	9	2	-	4	2	6	-	-	4	4	14	64
3	-	7	14	2	-	12	-	8	-	-	1	6	1	65
1	-	17	47	8	-	4	1	5	3	1	2	4	5	66
1	-	21	44	22	-	10	-	6	1	2	4	12	4	67
1	-	4	10	5	-	9	-	3	1	3	5	4	6	68
1	-	13	20	7	3	1	1	1	1	1	2	1	1	69
-	-	2	4	4	-	2	-	1	-	-	1	2	1	70
-	-	1	7	2	-	1	-	3	-	1	-	3	1	71
-	-	12	36	6	-	8	-	11	1	4	2	6	9	72
16	5	122	262	52	6	58	3	40	11	17	25	46	4	73
13	5	104	234	44	5	44	2	29	8	14	19	43	2	74
3	-	18	28	8	1	14	-	11	3	3	6	3	2	75
1	-	8	21	5	1	8	-	5	-	4	2	5	3	76
-	-	12	15	-	-	3	-	2	-	-	5	5	2	77
-	-	16	19	5	-	8	4	10	1	1	1	10	1	78
3	2	29	57	15	1	27	5	14	6	1	16	10	15	79
1	1	21	47	10	1	18	5	8	-	11	11	4	4	80
1	-	8	10	5	-	9	-	6	-	5	5	6	11	81
1	-	4	13	9	1	5	-	7	-	4	4	5	2	82
4	-	7	16	7	-	2	1	5	1	2	2	8	4	83
-	-	38	72	16	1	17	4	12	3	3	2	8	11	84
-	-	15	8	-	-	7	-	2	-	3	1	2	4	85
-	-	6	3	4	-	8	1	2	-	-	2	4	6	86
3	1	11	23	4	1	7	-	4	-	3	3	4	5	87
-	-	13	18	5	-	3	-	5	-	-	3	4	3	88
-	-	10	22	6	-	8	1	4	-	5	1	2	6	89
2	1	29	39	9	2	19	1	8	1	4	1	5	20	90







## 539

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Causes of death are those of the principal diseases, list of causes of death, 1900-1909.															
Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
81	89	83	90-95	107-108, 33	119, 120	130-132	140-150	157-161	163, 164	165-166	170	169, 171-195	162, 199, 200		
5 3 2 4 4 - - 5 3 2 2 1 1 5 1 2 2 2 2 - - 5 1 4 - 1 - 96	1 - 1 - - - - 2 1 - - - - - 1 - - 2 2 - - 2 1 - - -	30 22 8 16 16 6 12 54 25 29 6 4 3 8 21 18 37 22 15 11 27 11 20 2 2 11 2 11 6 5 6 25 8 14	52 13 19 25 29 - 5 36 79 43 13 13 8 43 49 36 64 48 18 19 29 7 10 2 3 3 6 13 10 17	25 14 11 6 9 3 4 27 13 14 1 5 5 14 7 18 14 13 9 5 2 13 4 5 2 3 30 10 3 4 6 15	3 1 2 2 2 - - 5 5 - - - - 2 2 2 2 2 2 - - 2 1 - - - - - - - - - 4	26 10 16 21 13 - - 31 16 15 9 7 2 17 12 6 28 21 7 15 13 7 5 17 7 10 4 13 12 19	3 - 3 1 - - - 4 1 3 1 - - 4 - 2 1 - - 2 1 - - - - - - - - - 2	25 14 11 6 10 2 1 40 15 25 4 5 3 17 28 18 17 8 9 9 10 10 1 2 3 3 18 9 2 7	- - - 2 - 1 - - 1 - - - - 6 2 - - - - - - - - - - - - - - - -	8 6 2 2 - - - 5 5 - 1 3 - - - - - - - - - - - - - - - - 4	11 5 6 9 2 - 12 5 7 - 3 1 11 5 4 4 4 - - - - - - - - - - - 4	11 4 7 9 9 3 11 11 12 3 4 3 14 10 11 8 6 2 2 9 9 1 1 5 1 1 1 2 2 3 6 7 7	9 2 7 7 1 - 16 6 10 6 7 12 4 24 13 11 11 4 12 4 13 22 30 1 2 1 1 8 27 15 6 3 8 1 9	40 19 21 22 17 3 7 42 18 24 14 23 16 22 17 10 19 6 20 21 22 1 2 4 25 26 27 28 29 30 31 32	1 2 3 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32
14 8 6 4 4 4 2 2 7 2 7 5 4 1 1 - 8 4 4 3 2 2 1 1 1 1 1 6 3 3 3 1 4 1 1 6 2 2 - 4 3 1 4 1 1 - 6 2 4 -	- -														



(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total Deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- cococcus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- illis	Measles	Polio-my- elitis, polio- enceph- alitis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
ILLINOIS-----	89,686	12	77	10	30	32	3,014	25	14	758	51	185	12,910	54
Adams-----	820	-	-	-	-	-	17	1	-	3	-	2	100	-
Quincy-----	569	-	-	-	-	-	12	-	-	2	-	1	76	-
Balance of county-----	252	-	-	-	-	-	5	1	-	1	-	1	24	-
Alexander-----	261	1	1	-	-	-	13	-	-	5	1	-	29	-
Cairo-----	178	-	1	-	-	-	8	-	-	2	1	-	17	-
Balance of county-----	83	1	-	-	-	-	5	-	-	3	-	-	12	-
Boad-----	141	-	-	-	-	-	-	-	-	1	-	-	24	-
Boone-----	177	-	-	-	-	-	-	-	-	-	-	-	24	-
Brown-----	84	-	-	-	-	-	5	-	-	-	-	-	8	-
Bureau-----	407	-	-	-	-	-	3	-	1	-	-	4	51	1
Calhoun-----	66	-	-	-	-	-	1	-	-	-	-	-	9	-
Carroll-----	212	-	-	-	-	-	-	1	-	-	-	-	20	-
Cass-----	182	-	-	-	-	-	2	-	-	2	-	-	29	-
Champaign-----	660	-	-	-	-	-	7	-	-	7	-	1	89	1
Champaign-----	239	-	-	-	-	-	4	-	-	4	-	-	27	-
Urbana-----	166	-	-	-	-	-	1	-	-	3	-	-	30	-
Balance of county-----	255	-	-	-	-	-	2	-	-	-	-	1	32	1
Christian-----	361	1	-	-	1	-	3	-	-	1	-	2	59	-
Clark-----	190	-	-	-	-	-	4	-	-	-	-	-	29	-
Clay-----	160	-	-	-	-	-	1	-	-	-	-	-	20	-
Clinton-----	232	-	-	-	-	-	1	-	-	1	-	2	41	-
Centralia (part)-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county-----	229	-	-	-	-	-	1	-	-	1	-	2	41	-
Colpe-----	450	-	1	-	1	-	6	1	-	2	2	1	63	-
Mattoon-----	204	-	1	-	-	-	2	1	-	1	1	-	35	-
Balance of county-----	246	-	-	-	1	-	4	-	-	1	1	1	28	-
Cook-----	45,042	2	45	-	10	16	1,945	9	2	260	17	73	7,164	31
Berwyn-----	445	-	1	-	-	-	6	-	-	2	-	-	80	-
Blue Island-----	198	-	-	-	-	-	5	-	-	4	-	-	29	-
Brockfield-----	104	-	-	-	-	-	2	-	-	1	-	1	16	-
Calumet City-----	94	-	-	-	-	-	2	-	-	-	-	-	7	-
Chicago-----	58,511	2	40	-	9	15	1,739	8	2	167	14	54	6,052	28
Chicago Heights-----	208	-	1	-	-	-	6	-	-	5	-	1	28	1
Cicero-----	527	-	-	-	-	-	8	-	-	1	-	-	98	-
Elgin (part)-----	8	-	-	-	-	-	2	-	-	-	-	-	13	-
Elmwood Park-----	85	-	-	-	-	-	2	-	-	-	-	-	1	-
Evanston-----	608	-	-	-	-	-	15	1	-	6	-	4	115	-
Forest Park-----	182	-	-	-	1	-	1	-	-	-	-	1	26	-
Harvey-----	167	-	1	-	-	-	3	-	-	-	-	-	22	-
La Grange-----	128	-	-	-	-	-	2	-	-	-	-	-	32	-
Maywood-----	247	-	-	-	-	-	5	-	-	-	-	1	36	-
Melrose Park-----	105	-	-	-	-	-	2	-	-	-	-	-	16	-
Oak Park-----	693	-	1	-	-	-	3	-	-	-	-	1	116	-
Park Ridge-----	97	-	-	-	-	-	1	-	-	-	-	1	23	1
Wilmette-----	183	-	-	-	-	-	1	-	-	3	-	2	23	-
Winnetka-----	85	-	-	-	-	-	-	-	-	-	-	-	20	-
Balance of county-----	3,412	-	1	-	-	1	142	-	-	75	.3	7	411	1
Crawford-----	215	-	1	-	-	-	5	-	-	1	-	1	34	-
Cumberland-----	118	-	-	-	-	-	1	-	-	4	-	-	19	-
De Kalb-----	393	1	-	-	-	-	6	-	-	2	-	-	58	-
De Witt-----	203	-	-	-	-	-	2	-	-	-	-	2	28	-
Douglas-----	179	-	-	-	-	-	1	-	-	-	-	-	21	-
Du Page-----	1,039	-	1	-	-	-	23	-	-	3	-	4	159	-
Elmhurst-----	144	-	-	-	-	-	1	-	-	-	-	2	30	-
Balance of county-----	895	-	1	-	-	-	22	-	-	3	-	2	129	-
Edgar-----	296	-	-	-	-	-	8	-	-	2	-	-	43	1
Edward-----	109	1	-	-	-	-	3	-	-	-	-	2	15	-
Effingham-----	205	-	-	-	-	-	4	-	-	1	-	-	33	-
Fayette-----	268	-	-	-	-	1	4	1	-	-	-	1	35	-
Ford-----	160	-	-	-	-	-	1	-	-	-	-	-	29	-
Franklin-----	524	-	-	-	-	-	20	-	1	1	-	-	71	-
West Frankfort-----	125	-	-	-	-	-	4	-	1	-	-	-	19	-
Balance of county-----	399	-	-	-	-	-	16	-	-	1	-	-	52	-
Fulton-----	453	1	-	-	-	-	6	-	-	-	-	1	61	-
Canton-----	143	-	-	-	-	-	2	-	-	-	-	-	27	-
Balance of county-----	310	1	-	-	-	-	4	-	-	-	-	1	34	-
Gallatin-----	112	-	1	-	-	-	-	-	-	-	1	-	13	-
Greene-----	204	-	-	-	-	-	5	-	-	-	-	-	24	-
Grundy-----	217	-	-	-	-	-	3	-	-	2	-	-	29	1
Hamilton-----	119	-	-	-	-	-	7	-	-	-	-	-	11	-
Hancock-----	293	-	-	-	-	-	-	-	-	3	-	-	7	-
Hardin-----	80	-	-	1	-	-	10	-	1	-	-	-	6	-
Henderson-----	80	-	-	-	-	-	2	-	-	-	-	-	7	-
Henry-----	481	-	1	-	-	-	10	-	1	2	-	-	62	-
Kewanee-----	204	-	-	-	-	-	6	-	1	-	-	-	26	-
Balance of county-----	277	-	1	-	-	-	4	-	-	2	-	-	45	-
Iroquois-----	318	1	-	-	-	-	1	-	-	1	-	-	35	-
Jackson-----	390	-	-	-	1	1	5	-	1	3	-	-	51	-
Jasper-----	155	-	-	-	-	-	2	-	-	-	1	1	24	-
Jefferson-----	350	-	-	-	-	-	10	-	-	2	1	5	46	-
Mount Vernon-----	164	-	-	-	-	-	6	-	-	1	1	5	19	-
Balance of county-----	186	-	-	-	-	-	4	-	-	1	-	-	27	-
Jersey-----	132	-	-	-	-	-	-	-	-	1	-	-	16	-
Jo Daviess-----	262	-	-	-	-	-	2	-	-	-	-	1	47	-
Johnson-----	105	-	1	-	-	-	2	-	-	-	-	-	13	-
Kane-----	1,907	1	-	-	1	1	54	-	-	45	-	5	226	-
Aurora-----	569	-	-	-	-	-	11	-	-	3	-	1	79	-
Elgin (part)-----	864	-	-	-	-	1	25	-	-	41	-	1	73	-
Elgin (total)-----	872	-	-	-	-	1	27	-	-	41	-	1	74	-
Balance of county-----	474	1	-	-	1	-	18	-	-	1	-	3	74	-
Kankakee-----	1,439	-	5	-	-	-	124	1	-	124	-	1	122	-
Kankakee-----	255	-	1	-	-	-	6	-	-	-	-	1	44	-
Balance of county-----	1,184	-	4	-	1	-	118	1	-	124	-	-	78	-
Kendall-----	118	-	-	-	-	-	1	-	-	-	-	-	16	-
Knox-----	647	-	-	-	-	-	4	-	-	3	-	-	98	-
Galesburg-----	399	-	-	-	-	-	4	-	-	3	-	-	57	-
Balance of county-----	248	-	-	-	-	-	-	-	-	-	-	-	41	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

541

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61.	69	83	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
2,579	4	7,166	31,806	3,085	300	5,652	237	4,270	945	472	1,671	3,725	390	9,892
28	-	95	307	15	1	55	-	44	9	3	5	26	3	108
25	-	58	198	10	1	39	-	35	5	2	3	19	3	80
3	-	97	109	3	-	16	-	9	4	1	2	7	-	28
3	-	56	76	15	1	12	3	15	4	1	7	11	5	22
-	-	25	53	10	1	11	1	12	1	1	9	9	4	16
-	-	11	23	5	-	1	2	3	3	-	5	2	1	6
3	-	15	48	6	1	17	-	10	1	-	1	2	1	10
3	-	15	76	1	1	4	-	11	-	-	5	14	2	21
3	-	8	29	3	-	11	-	5	-	-	1	6	-	5
8	-	44	159	10	3	29	-	16	6	-	11	18	-	44
1	-	11	25	-	1	2	-	7	-	1	-	2	-	6
5	-	25	80	4	-	16	1	11	3	-	9	8	3	26
4	-	24	49	5	1	16	-	11	2	1	4	11	1	20
13	-	71	221	13	5	47	3	44	5	6	16	31	5	72
5	-	23	90	7	3	16	1	14	3	5	5	8	3	31
4	-	12	54	6	-	10	-	19	1	-	1	5	2	19
4	-	36	87	5	-	21	2	12	1	1	10	18	-	22
12	-	29	121	11	1	28	-	21	5	-	5	24	-	37
4	-	14	65	2	-	26	1	8	1	-	2	8	-	26
4	-	19	69	9	1	8	2	8	2	-	2	14	-	22
8	-	23	74	2	2	13	-	17	5	-	6	10	-	27
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	-	23	73	2	2	11	-	17	5	-	6	10	-	27
10	-	56	142	7	2	52	-	20	6	-	14	17	-	47
4	-	25	62	5	2	19	-	9	2	-	5	5	-	24
6	-	30	80	2	-	33	-	11	4	-	9	12	-	23
1,438	2	3,160	17,319	1,601	72	2,802	115	2,051	451	351	619	1,648	49	4,613
21	-	30	159	12	1	24	-	21	7	-	12	9	1	48
7	-	18	71	2	-	17	1	4	3	-	3	7	-	12
3	-	6	41	3	-	7	-	7	3	-	1	3	-	10
5	-	7	35	2	2	4	-	81	3	-	3	2	-	14
1,216	2	2,622	14,580	1,401	62	2,381	97	1,747	373	317	653	1,415	33	3,672
5	-	16	66	9	-	7	-	10	1	5	7	8	-	32
23	-	34	222	10	1	39	1	22	4	-	10	11	1	45
-	-	-	-	-	-	1	-	1	1	-	1	1	-	-
6	-	6	35	-	-	-	-	6	4	-	2	2	-	8
13	-	45	232	11	-	35	1	21	6	1	18	25	-	62
6	-	14	59	5	-	23	1	7	1	2	5	5	1	23
7	-	14	64	8	-	14	-	7	1	-	8	5	-	16
6	-	10	42	4	-	1	1	11	-	-	2	2	1	13
9	-	25	89	3	-	15	2	16	-	-	5	11	-	30
5	-	2	30	4	-	5	2	7	-	-	4	5	1	19
19	-	58	266	12	1	54	6	37	3	-	10	20	4	82
-	-	13	28	1	-	6	-	5	2	-	2	5	-	9
3	-	13	75	4	-	9	-	3	3	-	1	3	2	18
6	-	6	31	1	-	2	-	3	2	-	4	4	-	10
78	-	221	1,384	109	5	149	3	108	33	6	81	104	5	487
-	-	26	70	4	-	21	-	6	3	-	1	8	2	32
1	-	13	32	3	-	14	-	7	-	-	3	4	-	17
14	-	33	132	12	4	41	1	28	5	-	9	9	1	37
8	-	12	75	4	-	16	1	14	4	-	3	9	-	25
7	-	15	46	4	-	38	-	10	-	-	7	6	1	25
28	-	96	356	29	2	55	3	59	12	1	37	52	3	116
5	-	5	59	1	-	4	-	14	2	-	3	6	-	12
23	-	91	297	28	2	51	3	45	10	1	34	46	3	104
8	-	32	93	9	2	25	1	14	4	-	4	9	5	34
2	-	6	45	3	-	6	-	3	2	-	3	5	6	9
3	-	9	69	5	-	22	-	13	3	-	7	12	1	24
6	-	27	79	10	2	21	2	20	6	2	9	10	3	31
4	-	9	63	1	-	13	-	6	2	1	5	4	-	22
16	-	47	142	16	2	39	3	31	4	3	16	37	9	66
3	-	9	34	1	-	5	1	8	-	1	3	14	2	20
13	-	38	108	15	2	34	2	23	4	2	13	23	7	46
8	-	28	170	5	2	37	-	22	10	1	13	18	7	63
4	-	9	62	-	-	14	-	12	1	1	4	5	-	12
4	-	19	118	5	2	23	-	10	9	-	9	13	7	51
2	-	4	39	6	1	6	-	15	1	1	6	2	3	11
13	-	16	68	6	1	13	1	9	2	-	4	10	6	26
7	-	26	78	6	-	9	-	9	1	-	7	15	2	21
3	-	12	49	2	-	5	1	8	1	-	2	5	5	8
3	-	49	103	14	1	16	1	10	3	-	7	7	1	47
5	-	8	14	4	-	6	-	3	-	1	1	3	5	11
6	-	11	32	1	-	4	-	2	2	-	2	6	1	3
14	-	45	163	15	1	37	-	24	9	3	5	26	3	60
6	-	13	78	3	1	20	-	10	4	1	2	8	3	22
8	-	32	85	12	-	17	-	14	5	2	3	18	-	38
15	-	27	103	5	1	21	-	22	2	-	11	22	3	40
6	-	48	125	8	1	26	3	21	5	1	11	22	11	40
7	-	8	43	7	-	29	-	4	3	-	1	6	1	18
5	-	32	114	15	2	17	-	17	2	1	15	22	14	30
1	-	13	52	5	1	8	-	10	1	1	8	6	6	18
4	-	19	82	10	1	9	-	7	1	-	7	14	8	12
7	-	10	34	4	2	18	-	6	2	2	4	4	3	17
9	-	29	79	11	3	11	1	11	4	-	8	16	3	25
3	-	9	27	3	1	10	-	4	1	1	4	5	-	21
41	-	163	626	161	5	87	2	93	18	4	45	95	3	231
22	-	53	194	16	3	38	1	45	5	2	14	17	1	63
10	-	67	299	130	-	23	-	18	5	1	11	56	1	101
10	-	67	299	130	-	24	1	19	6	1	12	57	1	101
9	-	43	133	15	2	26	-	29	8	1	20	22	1	67
31	-	59	612	66	7	24	2	24	6	-	15	50	4	161
4	-	28	104	8	3	10	-	10	5	-	5	5	2	23
27	-	31	508	59	4	14	1	14	6	-	10	45	2	138
4	-	5	31	3	1	13	-	7	2	-	4	9	1	19
17	-	59	248	20	2	46	2	17	10	1	9	31	5	72
13	-	34	182	14	1	26	2	9	3	-	6	21	3	50
4	-	25	96	6	1	22	-	8	7	1	3	10	2	22



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
ILLINOIS—Continued														
1 Lake-----	1,315	-	1	1	-	6	29	1	1	28	1	5	186	-
2 Highland Park-----	115	-	-	-	-	-	-	-	-	2	-	-	12	-
3 Waukegan-----	349	-	1	1	-	3	13	1	-	6	1	1	52	-
4 Balance of county-----	852	-	-	-	-	3	16	-	1	20	-	4	122	-
5 La Salle-----	1,062	-	-	-	1	-	16	-	-	7	-	1	161	3
6 La Salle-----	147	-	-	-	-	-	2	-	-	-	-	-	23	-
7 Ottawa-----	170	-	-	-	-	-	3	-	-	1	-	1	23	1
8 Streator-----	196	-	-	1	-	-	2	-	-	4	-	-	27	-
9 Balance of county-----	549	-	-	-	-	-	9	-	-	2	-	-	88	2
10 Lawrence-----	215	-	-	-	-	-	3	-	-	2	-	-	32	-
11 Lee-----	573	-	1	-	-	-	45	2	-	6	16	3	55	-
12 Dixon-----	132	-	-	-	-	-	4	-	-	2	-	1	25	-
13 Balance of county-----	441	-	1	-	-	-	41	2	-	4	16	2	30	-
14 Livingston-----	368	-	-	-	1	-	12	-	-	2	-	1	52	-
15 Logan-----	379	-	-	1	-	-	18	-	-	4	-	1	42	1
16 Lincoln-----	205	-	-	-	-	-	17	-	-	1	-	-	23	-
17 Balance of county-----	174	-	-	1	-	-	1	-	-	3	-	1	19	1
18 McDonough-----	321	-	-	-	-	-	8	-	-	1	-	-	56	-
19 McHenry-----	461	-	1	-	1	-	7	-	-	-	-	-	70	1
20 McLean-----	856	-	-	-	-	-	14	-	-	3	-	-	110	-
21 Bloomington-----	432	-	-	-	-	-	6	-	-	3	-	-	64	-
22 Balance of county-----	424	-	-	-	-	-	8	-	-	-	-	-	46	-
23 Macon-----	907	-	1	-	2	-	17	-	-	8	2	1	118	-
24 Decatur-----	578	-	1	-	1	-	15	-	-	4	1	-	82	-
25 Balance of county-----	229	-	-	-	1	-	2	-	-	4	1	1	36	-
26 Macoupin-----	502	-	1	-	-	-	4	-	-	3	-	1	90	-
27 Madison-----	1,802	-	2	1	1	-	58	-	-	33	1	7	186	1
28 Alton-----	378	-	-	-	-	-	11	-	-	1	-	1	50	1
29 Granite City-----	205	-	-	-	1	-	7	-	-	4	-	-	20	-
30 Balance of county-----	1,219	-	2	1	-	-	40	-	-	28	1	6	116	-
31 Marion-----	397	-	-	-	-	-	10	-	-	-	2	4	69	1
32 Centralia (part)-----	154	-	-	-	-	-	4	-	-	-	-	3	17	-
33 Centralia (total)-----	157	-	-	-	-	-	4	-	-	-	-	3	17	-
34 Balance of county-----	243	-	-	-	-	-	6	-	-	-	2	1	42	1
35 Marshall-----	145	-	1	-	-	-	2	-	-	-	-	-	20	-
36 Massac-----	197	-	-	-	-	-	5	-	-	2	-	-	27	-
37 Massac-----	149	-	-	-	-	-	3	1	-	1	-	-	24	-
38 Menard-----	102	-	-	-	-	-	2	-	-	-	-	1	8	-
39 Mercer-----	197	-	-	-	-	-	1	-	-	1	-	3	18	-
40 Monroe-----	113	-	-	-	-	-	1	-	-	-	-	-	15	-
41 Montgomery-----	374	-	-	-	-	-	1	-	-	1	-	-	52	1
42 Morgan-----	696	-	-	-	-	-	21	-	-	14	2	-	59	-
43 Jacksonville-----	529	-	-	-	-	-	16	-	-	14	2	-	38	-
44 Balance of county-----	167	-	-	-	-	-	5	-	-	-	-	-	21	-
45 Moultrie-----	141	-	-	-	-	-	1	-	-	-	-	-	15	-
46 Ogle-----	322	-	-	-	-	-	1	1	-	-	-	1	52	-
47 Peoria-----	1,913	-	2	-	2	-	56	-	-	39	1	1	273	1
48 Peoria-----	1,199	-	1	-	1	-	30	-	-	12	-	-	188	1
49 Balance of county-----	714	-	1	-	1	-	26	-	-	26	1	1	95	-
50 Perry-----	229	1	-	-	-	-	-	-	-	1	-	-	32	-
51 Piatt-----	142	-	-	-	-	-	-	-	-	-	-	-	22	-
52 Pike-----	247	-	-	-	-	-	4	-	-	-	-	-	26	-
53 Pope-----	70	-	-	-	-	-	1	-	-	1	-	1	4	-
54 Pulaski-----	156	-	-	1	-	-	8	-	-	-	-	-	16	-
55 Putnam-----	39	-	-	-	-	-	-	-	-	-	-	-	4	-
56 Randolph-----	334	-	-	-	1	-	11	1	-	9	-	2	41	-
57 Richland-----	153	-	-	-	-	1	3	-	-	2	-	-	27	-
58 Rock Island-----	1,459	-	1	-	-	-	36	-	-	18	-	2	190	-
59 East Moline-----	356	-	-	-	-	-	23	-	-	15	-	-	25	-
60 Moline-----	565	-	-	-	-	-	1	-	-	3	-	1	58	-
61 Rock Island-----	517	-	1	-	-	-	8	-	-	-	-	-	82	-
62 Balance of county-----	200	-	-	-	-	-	4	-	-	-	-	1	25	-
63 St. Clair-----	1,929	1	1	2	1	-	50	1	-	6	-	8	243	2
64 Belleville-----	326	-	-	-	-	-	2	-	-	-	-	2	46	1
65 East St. Louis-----	969	-	1	-	-	-	38	1	-	3	-	2	124	1
66 Balance of county-----	614	1	-	2	1	-	10	-	-	3	-	4	71	-
67 Saline-----	404	-	-	1	-	-	14	-	1	3	2	-	82	-
68 Harrisburg-----	132	-	-	-	-	-	5	-	-	1	1	-	16	-
69 Balance of county-----	272	-	-	-	1	-	9	-	1	2	1	-	36	-
70 Sangamon-----	1,299	-	2	1	1	-	43	2	-	11	-	2	196	1
71 Springfield-----	904	-	1	-	1	-	17	2	-	8	-	1	135	1
72 Balance of county-----	395	-	1	1	-	-	26	-	-	3	-	1	61	-
73 Schuyler-----	125	-	-	1	-	-	3	-	-	-	-	-	17	-
74 Scott-----	87	-	-	-	-	-	2	-	-	-	-	-	4	-
75 Shelby-----	259	-	-	-	-	-	3	-	2	2	-	1	24	-
76 Stark-----	98	-	-	-	-	-	1	-	-	-	-	-	1	-
77 Stephenson-----	451	-	-	-	-	-	5	-	1	-	1	9	69	-
78 Freeport-----	285	-	-	-	-	-	3	-	1	-	1	4	46	-
79 Balance of county-----	166	-	-	-	-	-	2	-	-	-	-	5	22	-
80 Tazewell-----	504	-	2	-	-	1	10	1	-	3	-	-	81	-
81 Pekin-----	177	-	1	-	-	-	5	-	-	2	-	-	27	-
82 Balance of county-----	327	-	1	-	-	1	5	1	-	1	-	-	54	-
83 Union-----	487	1	1	-	-	-	27	1	-	16	-	1	27	-
84 Vermilion-----	1,046	-	-	-	3	2	37	-	-	25	-	2	153	1
85 Danville-----	463	-	-	-	-	1	11	-	-	1	-	1	86	-
86 Balance of county-----	593	-	-	-	3	1	26	-	-	24	-	1	67	1
87 Wabash-----	145	-	-	-	-	1	2	-	-	1	-	1	18	-
88 Warren-----	253	-	1	-	-	-	1	-	-	3	-	-	31	-
89 Washington-----	163	-	1	-	-	-	1	-	-	-	-	-	23	-
90 Wayne-----	196	-	-	-	-	-	5	-	1	-	-	-	28	-
91 White-----	190	-	-	-	-	-	4	-	-	-	-	2	15	-
92 Whiteside-----	426	-	-	-	-	1	3	-	-	2	-	-	68	1
93 Sterling-----	130	-	-	-	-	-	1	-	-	-	-	-	18	-
94 Balance of county-----	296	-	-	-	-	1	2	-	-	2	-	-	50	1
95 Will-----	1,261	-	1	-	-	-	29	-	-	11	-	5	187	1
96 Joliet-----	699	-	-	-	-	-	14	-	-	7	-	4	112	1
97 Balance of county-----	562	-	1	-	-	-	15	-	-	4	-	1	75	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

543

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	85	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
33	-	103	403	52	4	80	5	76	22	2	31	78	5	162
2	-	9	47	3	1	3	1	1	1	-	1	9	2	19
6	-	29	97	10	2	19	1	27	3	-	4	23	-	42
25	-	85	259	39	1	58	5	48	10	2	26	46	3	101
38	-	99	331	22	4	82	1	56	9	-	22	43	7	109
4	-	10	60	4	-	9	-	9	-	-	3	5	1	17
8	-	9	59	2	2	24	-	10	-	-	3	5	-	17
6	-	21	65	7	-	10	-	15	1	-	3	9	2	25
20	-	59	197	9	2	39	1	24	6	-	13	22	4	50
7	-	28	75	6	2	16	1	8	2	3	8	5	-	17
15	-	37	130	41	8	31	1	51	1	1	9	17	3	96
5	-	8	43	4	-	5	-	15	2	-	4	4	1	10
10	-	29	87	37	8	26	1	39	3	1	5	13	2	86
9	-	45	115	10	1	24	-	21	4	-	11	21	1	38
13	-	26	89	24	6	33	-	30	4	-	8	17	3	57
6	-	11	37	13	3	26	-	21	2	-	3	10	1	31
7	-	15	52	11	3	9	-	9	2	-	5	7	2	26
7	-	49	99	8	2	2	2	10	3	-	6	15	11	34
16	-	58	156	18	1	26	2	24	2	-	9	20	1	47
27	-	98	292	20	12	53	3	42	12	-	22	34	7	104
8	-	54	147	9	7	19	1	28	6	5	7	20	3	53
19	-	44	145	11	5	35	2	18	7	1	15	14	4	51
56	-	76	314	22	3	43	4	54	7	1	28	37	9	124
28	-	56	236	16	2	31	4	46	6	1	20	28	-	95
8	-	20	78	6	1	12	-	8	1	-	8	11	-	31
11	-	54	161	19	2	27	2	7	7	-	8	22	3	62
34	-	172	570	61	30	78	5	24	21	12	78	97	27	221
4	-	31	129	10	7	20	2	11	3	2	12	25	4	32
6	-	17	67	4	1	10	-	35	3	2	12	14	5	21
24	-	124	374	47	22	48	3	62	14	10	53	58	18	168
8	-	42	105	18	4	27	4	22	1	2	10	19	8	51
4	-	17	45	6	-	10	1	7	-	2	4	9	2	25
4	-	17	46	6	-	12	1	7	-	2	4	8	2	25
4	-	25	60	12	4	17	3	15	-	1	6	10	6	28
2	-	16	57	4	1	8	1	4	-	-	11	2	-	18
2	-	21	72	3	1	12	-	8	3	1	4	3	2	25
3	-	15	49	8	-	8	-	9	1	1	4	7	2	36
1	-	14	44	1	-	12	1	2	3	-	1	2	1	14
8	-	26	74	4	2	10	-	11	4	-	6	7	2	20
4	-	16	32	3	-	14	1	1	1	-	1	7	1	39
11	1	42	130	15	1	38	2	14	6	1	9	17	2	37
14	-	74	280	32	-	33	2	11	3	1	10	45	2	41
13	-	47	228	25	-	21	-	6	3	1	7	35	2	95
1	-	27	52	7	-	12	2	5	-	-	3	10	1	21
9	-	20	54	5	-	8	-	6	2	-	6	2	1	44
9	-	43	108	11	1	15	-	15	4	1	5	1	2	14
56	-	116	593	53	15	121	5	83	17	11	38	115	2	38
36	-	74	381	31	15	89	5	67	11	10	20	57	2	317
16	-	42	212	22	-	32	-	16	6	1	15	58	-	168
9	-	25	70	3	1	18	1	18	2	2	11	11	-	149
10	-	12	49	1	2	15	-	5	1	2	4	4	6	27
7	-	36	100	4	2	7	-	8	1	-	6	12	2	15
2	-	8	23	4	-	8	1	3	1	-	1	2	-	29
1	-	20	43	8	2	9	1	14	-	3	2	2	2	9
1	-	7	13	2	-	1	-	-	1	-	2	5	-	22
0	-	31	96	9	1	24	-	14	6	-	14	17	2	54
4	-	9	54	1	1	5	2	19	5	1	3	8	2	44
32	1	120	540	53	9	64	1	61	19	5	28	85	4	169
5	-	18	148	37	1	7	-	3	-	-	3	30	-	41
9	1	36	136	3	1	25	-	27	6	3	8	22	1	60
12	-	46	198	10	6	23	-	37	9	-	10	23	3	59
6	-	20	68	3	1	9	1	14	4	2	7	10	-	25
53	-	177	612	78	17	137	5	120	29	16	46	85	22	217
5	-	33	96	8	1	29	-	19	5	-	7	11	4	55
28	-	94	308	51	14	61	5	64	10	15	16	42	6	105
20	-	50	208	19	2	47	-	37	14	1	23	32	12	66
8	-	36	118	13	5	37	2	16	2	2	14	21	7	57
2	-	6	42	1	-	20	2	5	1	-	6	6	2	16
4	-	50	76	12	5	17	-	11	1	2	8	15	5	36
32	-	106	397	49	-	104	4	67	20	4	30	69	15	143
21	-	84	286	31	-	72	4	53	13	3	21	46	11	93
11	-	22	111	18	-	32	-	14	7	1	9	23	4	50
3	-	15	44	7	-	9	1	2	3	-	1	2	1	16
1	-	7	45	3	-	2	-	7	1	-	3	2	-	10
4	-	20	120	4	-	22	-	9	4	-	8	12	-	24
4	-	7	34	5	1	5	1	5	1	-	3	5	-	9
12	-	43	169	10	1	32	2	12	4	-	6	11	3	62
7	-	24	107	4	1	19	2	7	3	-	4	6	1	45
5	-	19	62	6	-	15	-	5	1	-	2	5	2	17
8	-	52	161	10	5	37	3	34	10	2	8	26	-	50
2	-	25	47	3	2	9	2	16	8	-	5	12	-	81
6	-	27	114	7	3	28	1	18	2	2	3	14	-	39
5	-	29	104	6	-	9	2	13	5	1	8	34	3	194
29	-	86	337	25	4	87	3	41	7	5	54	50	4	111
7	-	33	139	9	2	38	1	23	4	2	23	30	1	84
22	-	55	198	16	2	49	2	18	3	3	11	20	3	51
5	-	19	52	3	-	7	-	12	2	1	3	6	-	12
8	-	20	99	8	-	30	-	8	3	2	1	18	-	13
4	-	22	65	2	1	12	-	5	1	1	2	7	1	15
5	-	27	71	9	2	3	-	9	5	5	2	4	1	13
7	-	19	68	9	2	10	-	7	1	1	9	15	3	18
15	-	27	150	22	3	28	2	20	4	-	8	25	3	44
4	-	10	52	5	1	10	1	6	2	-	-	5	-	15
11	-	17	98	17	2	18	1	14	2	-	8	20	3	29
37	-	95	408	47	1	101	5	67	10	6	50	62	3	135
20	-	51	213	28	1	53	3	44	5	5	24	33	2	79
17	-	44	195	19	-	48	2	23	5	1	26	29	1	56



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
ILLINOIS--Continued															
1	Williamson-----	463	-	-	-	-	-	18	-	1	2	-	1	57	2
2	Winnebago-----	1,228	-	-	1	-	1	26	-	-	3	-	4	199	-
3	Rockford-----	881	-	-	1	-	-	23	-	-	1	-	2	148	-
4	Balance of county-----	347	-	-	-	-	1	3	-	-	2	-	2	51	-
5	Woodford-----	183	-	-	-	-	-	1	-	-	1	-	1	23	-
6	INDIANA-----	39,034	11	33	5	40	37	1,128	17	3	391	51	49	4,839	38
7	Adams-----	221	-	1	-	-	-	2	-	-	1	-	-	25	-
8	Allen-----	1,625	1	1	-	2	-	50	-	-	11	1	-	209	1
9	Fort Wayne-----	1,273	-	-	-	1	-	36	-	-	9	1	-	167	1
10	Balance of county-----	352	1	1	-	1	-	14	-	-	2	-	-	42	-
11	Bartholomew-----	325	-	-	-	-	2	9	1	-	2	-	-	33	-
12	Columbus-----	150	-	-	-	-	-	1	1	-	2	-	-	18	-
13	Balance of county-----	175	-	-	-	-	2	8	-	-	-	-	-	15	-
14	Benton-----	110	-	-	-	-	-	2	-	-	-	-	-	14	-
15	Blackford-----	140	-	-	-	-	-	1	1	-	3	-	-	13	-
16	Boone-----	257	-	-	-	1	-	8	1	-	1	-	1	37	-
17	Brown-----	51	-	-	-	-	-	1	1	-	-	1	-	2	-
18	Carroll-----	167	-	-	-	-	-	-	1	-	4	1	-	23	-
19	Cass-----	637	-	-	-	-	-	36	-	-	26	-	-	58	-
20	Logansport-----	280	-	-	-	-	-	6	-	-	1	-	-	30	-
21	Balance of county-----	357	-	-	-	-	-	30	-	-	25	-	-	28	-
22	Clark-----	407	-	1	-	1	2	15	-	-	5	-	1	45	-
23	Jeffersonville-----	194	-	-	-	-	-	8	-	-	-	-	-	21	-
24	Balance of county-----	213	-	1	-	1	2	7	-	-	-	-	1	24	-
25	Clay-----	251	1	-	-	1	-	4	-	1	1	1	1	42	1
26	Clinton-----	320	-	-	-	1	-	6	-	1	1	-	-	37	-
27	Frankfort-----	166	-	-	-	-	-	4	-	-	-	-	-	24	-
28	Balance of county-----	154	-	-	-	-	-	2	-	-	1	-	-	13	-
29	Crawford-----	117	-	-	-	-	-	7	-	-	-	1	-	16	-
30	Daviess-----	278	-	-	-	1	-	8	-	-	2	-	-	28	-
31	Dearborn-----	259	1	1	-	-	-	7	-	-	3	2	-	34	-
32	Decatur-----	264	-	-	-	-	-	5	-	-	2	1	-	30	-
33	De Kalb-----	303	-	-	-	-	2	6	-	-	-	-	-	42	-
34	Delaware-----	788	1	1	-	-	1	12	-	-	10	2	-	96	-
35	Muncie-----	554	-	1	-	-	1	11	-	-	7	2	-	71	-
36	Balance of county-----	244	1	-	-	-	-	1	-	-	3	-	-	25	-
37	Dubois-----	227	1	-	-	-	-	2	1	-	-	1	-	20	-
38	Elkhart-----	779	-	1	-	3	-	8	-	-	3	-	1	127	-
39	Elkhart-----	372	-	-	-	-	-	5	-	-	-	-	1	67	-
40	Goshen-----	126	-	-	-	-	-	-	-	-	-	-	-	20	-
41	Balance of county-----	281	-	1	-	3	-	3	-	-	3	-	-	40	-
42	Fayette-----	196	-	-	-	-	-	7	-	-	1	-	-	19	1
43	Connersville-----	135	-	-	-	-	-	6	-	-	1	-	-	12	1
44	Balance of county-----	61	-	-	-	-	-	1	-	-	-	-	-	7	2
45	Floyd-----	442	-	1	-	2	-	10	-	-	1	3	-	52	4
46	New Albany-----	332	-	1	-	2	-	4	-	-	1	2	-	47	4
47	Balance of county-----	110	-	-	-	-	-	6	-	-	-	1	-	5	-
48	Fountain-----	202	-	-	-	-	-	7	-	-	-	2	-	30	-
49	Franklin-----	173	-	-	-	-	1	10	-	-	2	-	-	18	1
50	Fulton-----	199	-	-	-	-	-	2	-	-	1	-	-	30	-
51	Gibson-----	206	-	-	-	-	-	6	-	-	2	-	-	35	-
52	Grant-----	709	-	1	-	-	-	30	-	1	26	-	-	99	1
53	Marion-----	368	-	-	-	-	-	12	-	-	1	-	-	57	-
54	Balance of county-----	340	-	1	-	-	-	18	-	1	25	-	-	42	1
55	Greene-----	326	-	1	-	-	-	2	-	-	1	-	-	53	1
56	Hamilton-----	300	1	-	-	-	-	7	-	-	2	-	-	42	-
57	Hancock-----	219	-	-	-	-	-	2	-	-	1	-	-	26	-
58	Harrison-----	165	-	-	-	-	-	2	-	-	-	1	-	22	-
59	Hendricks-----	249	-	-	-	-	-	6	-	-	-	-	1	33	-
60	Henry-----	466	-	-	-	-	2	13	-	-	4	2	-	45	2
61	New Castle-----	164	-	-	-	-	-	9	-	-	3	1	-	15	-
62	Balance of county-----	302	-	-	-	-	2	4	-	-	1	1	-	30	2
63	Howard-----	509	-	-	-	2	2	13	-	-	2	-	2	56	-
64	Kokomo-----	361	-	-	-	2	-	11	-	-	1	-	2	42	-
65	Balance of county-----	148	-	-	-	-	2	2	-	-	1	-	-	14	-
66	Huntington-----	404	-	1	-	-	-	3	-	-	2	-	-	47	-
67	Huntington-----	208	-	1	-	-	-	2	-	-	2	-	-	27	-
68	Balance of county-----	196	-	-	-	-	-	1	-	-	-	-	-	20	-
69	Jackson-----	255	-	-	-	-	2	8	-	-	-	1	-	33	2
70	Jasper-----	169	-	-	-	1	1	2	-	-	1	-	3	19	-
71	Jay-----	259	-	-	-	-	-	3	-	-	2	-	-	26	-
72	Jefferson-----	361	-	-	-	-	-	16	-	-	9	3	-	16	1
73	Jennings-----	141	-	-	-	-	-	9	-	-	1	-	1	13	1
74	Johnson-----	310	-	-	-	-	1	3	-	-	1	1	-	28	-
75	Knox-----	483	-	-	1	2	-	15	-	-	4	3	-	56	-
76	Vincennes-----	228	-	-	-	1	-	7	-	-	3	2	-	28	-
77	Balance of county-----	235	-	-	1	1	-	8	-	-	1	1	-	30	-
78	Kosciusko-----	376	-	-	-	2	-	3	-	-	-	-	-	45	-
79	Lagrange-----	172	-	-	-	-	-	1	-	-	1	-	-	18	1
80	Lake-----	2,812	-	3	2	3	-	132	1	-	14	-	3	402	1
81	East Chicago-----	521	-	-	-	-	-	29	1	-	2	-	-	72	-
82	Gary-----	1,156	-	2	-	1	-	60	-	-	6	-	2	178	1
83	Hammond-----	614	-	1	2	1	-	21	-	-	1	-	-	84	-
84	Whiting-----	84	-	-	-	-	-	3	-	-	-	-	-	15	-
85	Balance of county-----	437	-	-	-	1	-	19	-	-	5	-	1	53	-
86	La Porte-----	764	-	2	-	2	-	20	-	-	7	-	1	101	-
87	La Porte-----	275	-	1	-	-	-	6	-	-	1	-	1	35	-
88	Michigan City-----	302	-	1	-	2	-	10	-	-	6	-	-	39	-
89	Balance of county-----	187	-	-	-	-	-	4	-	-	-	-	-	27	-
90	Lawrence-----	583	-	-	-	-	1	8	2	-	2	1	-	37	1
91	Bedford-----	153	-	-	-	-	-	1	2	-	1	1	-	14	1
92	Balance of county-----	210	-	-	-	-	1	7	-	-	1	-	-	23	-
93	Madison-----	919	-	-	-	2	-	26	-	-	6	-	1	107	-
94	Anderson-----	482	-	-	-	1	-	5	-	-	4	-	1	55	-
95	Elwood-----	120	-	-	-	-	-	9	-	-	-	-	-	25	-
96	Balance of county-----	337	-	-	-	1	-	12	-	-	2	-	-	27	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

545

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined, and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	182, 199, 200	
10	-	52	131	11	3	40	3	29	7	5	12	20	5	55
29	-	111	359	46	4	81	5	87	16	2	32	63	12	147
21	-	77	280	32	-	53	4	65	6	1	22	42	9	112
8	-	34	99	14	4	28	1	22	8	1	10	21	3	35
5	-	19	72	5	-	16	-	11	2	-	3	4	3	17
966	3	4,538	11,565	1,577	199	2,948	112	2,019	501	147	966	1,824	424	4,803
7	-	23	80	25	-	13	-	21	-	-	12	10	-	21
42	-	163	488	69	11	136	3	79	19	6	38	68	9	208
34	-	135	390	46	9	104	3	57	18	6	21	56	7	172
8	-	28	108	23	2	32	-	22	1	-	17	12	2	36
7	-	49	101	14	1	13	1	20	3	2	2	13	9	43
2	-	20	51	5	1	6	1	12	1	1	1	5	3	20
5	-	29	50	9	-	7	-	8	3	1	1	8	6	23
3	-	15	33	3	-	12	-	4	-	-	3	6	-	15
4	-	18	47	7	-	10	-	3	2	-	3	6	1	21
4	-	44	72	1	1	26	-	9	4	-	1	12	6	30
1	-	6	20	3	2	5	1	1	-	-	2	2	-	3
7	-	21	41	2	1	19	1	7	1	-	4	12	1	21
13	-	65	217	23	2	53	-	16	8	3	4	37	4	72
9	-	26	101	11	2	30	-	12	3	1	5	15	2	28
4	-	39	116	12	-	23	-	4	5	2	1	22	2	44
14	-	27	119	15	5	29	5	32	2	-	9	25	5	50
4	-	12	54	2	2	19	3	17	1	-	3	7	4	32
10	-	15	65	13	3	10	2	15	1	-	6	18	1	18
6	-	30	54	10	3	44	-	12	2	-	3	10	-	24
4	-	44	84	12	4	37	1	13	9	-	5	16	6	41
3	-	24	41	5	2	17	1	4	5	-	3	9	2	22
1	-	20	45	7	2	20	-	9	4	-	2	7	4	19
2	-	13	37	5	1	7	-	5	2	1	3	9	-	9
5	-	29	76	21	2	27	1	20	7	-	5	11	5	32
11	-	24	73	4	2	20	-	13	6	-	9	16	5	28
10	-	42	82	5	-	22	1	10	2	-	5	11	1	35
9	-	37	93	9	3	26	1	16	5	-	8	15	5	26
15	-	91	230	38	1	42	5	45	6	2	25	42	12	121
9	-	63	158	27	1	30	2	36	4	-	21	28	9	73
6	-	28	72	11	-	12	3	9	2	3	4	14	3	48
9	-	36	62	6	3	19	2	12	1	-	10	9	5	28
34	-	88	226	40	1	41	2	51	11	-	17	31	5	87
17	-	30	110	19	1	24	-	23	5	-	7	14	2	47
3	-	17	34	2	-	4	-	14	3	-	3	6	1	19
14	-	41	84	19	-	13	2	14	3	-	7	11	2	21
4	-	22	56	13	1	7	-	12	5	1	10	10	5	30
3	-	14	41	5	1	7	-	7	3	1	-	8	3	22
1	-	8	15	8	-	-	-	5	2	-	2	2	2	8
10	-	59	152	16	5	20	2	24	11	5	12	25	1	47
10	-	29	114	12	4	11	2	15	8	5	10	16	-	35
-	-	10	39	4	1	9	-	9	3	-	2	9	1	12
3	-	20	56	5	2	28	2	6	3	-	7	8	1	24
1	-	20	50	10	1	21	-	6	1	-	8	8	2	13
5	-	23	56	7	-	24	-	7	4	2	5	12	6	15
5	-	32	92	7	2	22	1	16	6	1	10	18	2	29
20	-	82	201	19	5	75	1	30	4	1	17	22	5	70
8	-	43	108	7	3	44	1	24	1	1	9	11	2	36
12	-	39	93	12	2	31	-	6	3	-	8	11	1	34
7	-	35	90	12	1	41	4	11	4	-	10	17	2	34
7	-	27	94	7	1	23	-	13	7	-	16	19	2	32
5	-	23	72	8	-	23	-	12	3	1	6	8	-	29
6	-	21	29	6	-	26	-	5	5	1	5	10	8	18
10	-	31	73	9	-	13	1	7	3	-	9	14	-	39
13	-	62	137	22	5	25	2	30	8	1	9	18	12	54
6	-	23	44	4	2	8	-	14	3	1	2	4	6	19
7	-	39	95	18	3	17	2	16	5	-	7	14	6	35
16	-	61	147	30	6	43	-	29	3	1	12	16	6	62
10	-	36	114	18	6	29	-	24	2	1	11	7	3	42
6	-	25	33	12	-	14	-	5	1	-	1	9	3	20
12	-	54	136	8	-	28	1	8	11	-	7	16	7	61
6	-	20	73	3	-	12	1	4	4	-	4	8	6	35
6	-	34	63	5	-	16	-	4	7	-	3	10	1	26
6	-	25	61	12	2	25	-	10	3	1	8	16	3	37
7	-	33	33	7	-	13	2	9	4	1	13	9	-	21
11	-	26	92	14	2	15	2	15	2	-	5	19	2	23
4	-	26	115	12	3	26	-	8	6	1	5	14	2	94
2	-	23	27	4	1	13	-	7	3	-	4	8	2	22
9	-	50	89	12	1	23	2	10	4	1	14	16	4	41
23	-	52	133	22	-	35	1	25	6	3	11	27	5	39
13	-	32	64	5	-	15	-	16	2	-	9	14	1	18
10	-	20	69	17	-	20	1	9	4	3	2	13	4	21
9	-	38	125	15	1	42	1	15	6	1	6	25	4	38
6	-	23	56	11	1	14	-	6	2	-	6	11	1	14
70	-	285	744	177	19	103	16	207	34	20	66	122	53	335
9	-	46	124	38	4	16	4	33	5	7	15	31	21	64
53	-	108	270	77	8	39	7	92	17	12	39	39	11	157
17	-	60	185	28	6	31	5	41	9	1	17	29	11	64
3	-	3	25	4	1	3	-	10	1	-	4	6	-	6
8	-	48	140	30	-	14	-	31	2	-	14	17	10	44
16	-	78	234	24	3	59	2	45	12	7	14	29	25	84
3	-	37	84	9	1	16	1	20	1	1	3	13	10	32
10	-	24	94	7	1	25	1	13	6	2	6	10	10	35
3	-	17	56	8	1	18	-	12	5	4	5	5	5	17
5	2	38	100	14	2	22	1	32	6	1	10	22	2	54
3	-	16	47	4	2	8	1	17	2	-	1	8	-	24
2	2	22	53	10	-	14	-	15	4	1	9	14	2	30
24	-	108	279	28	5	53	2	65	10	3	32	45	19	104
15	-	43	143	16	1	19	1	45	5	3	15	23	6	60
2	-	10	27	1	1	13	-	3	1	-	6	8	4	10
7	-	55	109	11	3	21	1	16	4	-	11	14	9	34



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephalo- myelitis (acute)	Cancer and other malignant tumors	Acute rheuma- tic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
INDIANA--Continued															
1	Marion	5,665	1	8	-	6	5	222	1	-	86	7	17	711	7
2	Indianapolis	4,992	1	8	-	6	4	164	1	-	83	6	14	646	6
3	Balance of county	673	-	-	-	-	1	58	-	-	3	1	3	65	1
4	Marshall	267	-	-	-	-	-	1	-	1	2	-	-	45	-
5	Martin	67	-	-	-	-	1	3	-	-	-	-	-	10	-
6	Miami	305	-	-	1	1	-	6	-	-	-	-	-	42	-
7	Peru	148	-	-	-	1	-	5	-	-	-	-	-	23	-
8	Balance of county	157	-	-	1	-	-	1	-	-	-	-	-	19	-
9	Monroe	337	-	-	-	-	-	13	2	-	5	4	-	46	-
10	Bloomington	181	-	-	-	-	-	7	-	-	2	1	-	32	-
11	Balance of county	156	-	-	-	-	-	6	2	-	1	3	-	14	-
12	Montgomery	355	-	-	-	-	-	4	1	-	4	-	-	46	1
13	Crawfordsville	178	-	-	-	-	-	4	1	-	5	-	-	18	1
14	Balance of county	177	-	-	-	-	-	-	-	-	1	-	-	26	-
15	Morgan	274	-	2	-	-	-	7	-	-	-	2	-	32	1
16	Newton	107	-	-	-	-	1	2	-	-	-	-	1	13	-
17	Noble	281	-	-	-	-	-	5	-	-	-	-	-	27	-
18	Ohio	58	-	-	-	-	-	1	-	-	1	-	-	11	-
19	Orange	208	1	-	-	2	-	7	-	-	2	-	-	28	-
20	Owen	150	-	-	-	-	-	3	-	-	1	-	-	15	-
21	Parke	190	-	1	-	-	-	9	-	-	-	1	-	21	-
22	Perry	132	-	1	-	-	-	6	1	-	3	-	-	14	-
23	Pike	182	-	-	-	1	-	3	-	-	1	-	-	21	-
24	Porter	297	-	-	-	-	-	6	-	-	1	-	-	41	1
25	Posey	198	-	1	-	-	2	10	-	-	2	-	-	29	-
26	Pulaski	87	-	-	-	-	-	1	-	-	1	-	-	11	-
27	Putnam	246	-	-	-	-	-	5	-	-	1	-	-	38	-
28	Randolph	308	-	-	-	-	-	9	-	-	6	-	-	34	-
29	Ripley	195	-	-	-	-	-	4	-	-	-	-	-	25	-
30	Rush	262	-	-	-	-	-	8	-	-	1	-	1	31	-
31	St. Joseph	1,561	-	1	-	-	-	55	-	-	4	-	2	209	-
32	Michewaka	275	-	-	-	-	-	6	-	-	1	-	-	35	-
33	South Bend	986	-	1	-	-	-	37	-	-	2	-	1	126	-
34	Balance of county	300	-	-	-	-	-	12	-	-	1	-	1	48	-
35	Scott	105	-	1	-	1	-	5	-	-	1	-	-	11	-
36	Shelby	500	-	-	-	-	-	10	-	-	2	1	-	31	1
37	Shelbyville	135	-	-	-	-	-	6	-	-	2	1	-	10	-
38	Balance of county	165	-	-	-	-	-	4	-	-	-	-	-	21	1
39	Spencer	153	-	-	-	-	1	2	-	-	-	1	-	20	-
40	Starke	148	-	-	-	-	-	4	-	-	1	-	1	24	-
41	Steuben	178	-	-	-	-	-	2	-	-	-	-	1	26	-
42	Sullivan	304	-	-	-	1	-	5	1	-	1	-	-	34	-
43	Switzerland	36	-	-	-	-	-	2	-	-	1	-	-	10	-
44	Tipton	650	-	-	-	-	1	12	-	-	4	3	4	77	1
45	Lafayette	430	-	-	-	-	1	6	-	-	3	3	4	47	1
46	Balance of county	220	-	-	-	-	-	6	-	-	1	-	-	30	-
47	Tipton	163	-	-	-	-	1	5	-	-	-	-	-	24	-
48	Union	69	-	-	-	-	-	2	-	-	-	-	-	9	-
49	Vanderburgh	1,561	-	1	-	2	5	56	1	-	30	-	-	181	1
50	Evansville	1,224	-	1	-	1	4	42	1	-	13	-	-	154	-
51	Balance of county	337	-	-	-	1	1	14	-	-	17	-	-	27	1
52	Vermillion	217	-	1	-	-	-	4	-	-	-	-	-	25	-
53	Vigo	1,223	2	-	-	-	1	24	-	-	9	3	1	161	-
54	Terre Haute	636	1	-	-	-	-	18	-	-	7	2	1	134	-
55	Balance of county	338	1	-	-	-	1	6	-	-	2	1	-	27	-
56	Wabash	321	-	-	-	-	-	6	-	-	2	-	-	35	1
57	Warren	80	-	-	-	-	-	2	-	-	1	-	-	9	-
58	Warrick	232	-	-	-	-	1	4	-	-	1	1	-	36	1
59	Washington	179	-	-	-	-	-	5	-	-	-	-	-	20	1
60	Wayne	916	1	1	-	1	1	33	-	-	46	-	2	93	3
61	Richmond	398	-	1	-	1	1	9	-	-	3	-	2	49	2
62	Balance of county	521	1	-	-	-	1	25	-	-	43	-	-	44	1
63	Wells	244	-	-	-	-	-	2	1	-	2	-	-	29	-
64	White	180	-	-	1	-	-	1	-	-	2	-	1	16	-
65	Whitley	197	-	-	-	-	-	4	-	-	2	-	2	30	-
66	IOWA	25,758	4	15	11	17	15	329	13	4	156	24	53	3,704	14
67	Adair	116	-	-	1	-	-	1	-	-	-	-	2	17	-
68	Adams	80	-	-	-	-	-	-	-	1	-	-	-	10	-
69	Allamakee	189	-	-	-	-	-	2	-	-	1	-	-	37	-
70	Appanoose	275	-	-	-	-	-	-	-	-	3	-	-	58	-
71	Audubon	113	-	-	-	-	1	-	-	-	-	-	-	14	-
72	Benton	231	-	-	-	-	-	1	-	-	2	-	-	34	-
73	Black Hawk	819	-	-	-	1	-	9	-	-	1	-	2	102	-
74	Waterloo	496	-	-	-	1	-	7	-	-	1	-	2	60	-
75	Balance of county	333	-	-	-	-	-	2	-	-	-	-	-	42	-
76	Boone	365	-	-	-	-	-	13	-	-	1	6	-	55	-
77	Boone	183	-	-	-	-	-	-	-	-	-	3	-	31	-
78	Balance of county	182	-	-	-	-	-	13	-	-	1	3	-	24	-
79	Bremer	176	-	-	-	-	-	2	-	-	-	-	2	22	1
80	Buchanan	353	-	1	1	-	-	5	-	-	9	-	1	36	-
81	Buena Vista	178	-	-	-	-	-	-	1	-	2	-	1	32	-
82	Butler	155	-	-	-	1	-	1	-	-	-	-	-	21	1
83	Calhoun	156	-	-	-	-	-	2	-	-	-	1	-	16	-
84	Carroll	221	-	-	-	-	-	-	-	-	-	1	1	41	-
85	Cass	183	-	-	-	-	-	2	-	-	-	-	1	28	-
86	Cedar	159	-	-	-	1	-	-	-	-	-	-	-	29	-
87	Cerro Gordo	425	-	-	-	-	1	4	-	-	3	1	-	49	-
88	Mason City	287	-	-	-	-	-	5	-	-	3	1	-	34	-
89	Balance of county	138	-	-	-	-	1	1	-	-	-	-	-	15	-
90	Cherokee	250	1	-	-	-	-	11	1	-	10	-	-	31	-
91	Chickasaw	131	-	-	-	-	-	2	-	-	-	-	-	15	-
92	Clarke	98	-	-	-	-	-	-	-	-	-	-	-	10	-
93	Clay	153	-	-	-	-	-	1	-	-	-	-	-	21	-
94	Clayton	238	-	-	-	-	-	1	-	-	-	-	1	37	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

547

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
61	69	83	90-95	107-109, 113	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200		
125	-	605	1,656	205	31	446	8	305	55	39	131	245	18	725	1
115	-	557	1,458	181	27	384	7	278	50	38	112	229	15	624	2
12	-	68	198	24	4	62	1	27	5	1	19	16	3	101	3
6	-	39	85	15	-	15	1	13	3	-	7	14	1	39	4
1	-	7	14	-12	-	8	1	2	1	-	6	10	2	9	5
12	-	44	83	11	2	36	-	6	5	-	7	15	3	31	6
5	-	20	41	5	-	14	-	4	1	-	3	5	2	19	7
7	-	24	42	6	2	22	-	2	4	-	4	10	1	12	8
8	-	44	87	16	1	27	1	19	1	3	9	13	6	34	9
19	-	50	7	7	-	12	-	9	-	2	3	9	2	20	10
2	-	25	57	9	1	15	1	10	1	1	6	4	4	14	11
12	-	50	110	10	-	31	-	19	3	-	5	16	2	41	12
6	-	24	55	4	-	18	-	9	1	-	2	9	-	23	13
6	-	26	55	6	-	13	-	10	2	-	3	7	2	18	14
10	-	24	91	12	1	18	-	16	5	1	4	17	7	24	15
3	-	5	31	5	-	14	1	4	1	-	5	3	1	17	16
4	-	40	96	8	-	25	1	14	4	-	6	9	1	41	17
2	-	11	14	4	-	3	-	-	1	-	1	2	-	7	18
4	-	18	64	6	-	15	2	7	3	1	9	9	6	24	19
6	-	22	37	5	1	28	-	6	4	-	4	8	1	9	20
3	-	22	64	9	1	17	-	4	5	-	6	10	3	15	21
1	-	15	33	9	1	7	-	3	2	-	3	9	3	21	22
3	-	24	53	7	2	11	-	4	3	-	4	14	2	29	23
5	-	22	87	13	1	23	-	16	4	-	13	20	6	38	24
5	-	21	54	11	-	16	1	7	3	1	3	6	1	25	25
-	-	9	26	2	-	6	-	6	2	-	2	6	-	15	26
8	-	29	74	8	1	12	-	5	7	-	6	12	3	37	27
3	-	30	97	10	1	38	-	15	4	-	5	13	8	52	28
3	1	18	62	10	1	14	1	12	3	1	5	8	2	25	29
1	-	52	78	10	-	22	1	14	2	1	3	12	1	24	30
50	-	157	543	63	5	71	8	92	24	5	45	59	14	169	31
11	-	20	108	10	1	9	1	17	7	2	11	6	4	26	32
32	-	93	350	39	3	44	5	56	12	3	24	41	6	111	33
7	-	24	90	14	1	18	2	19	5	-	10	12	4	32	34
2	-	11	32	8	-	3	-	7	-	-	6	1	-	18	35
4	-	36	85	7	2	34	1	15	5	1	4	19	5	37	36
-	-	22	36	4	1	17	-	5	1	1	2	9	3	13	37
4	-	14	47	3	1	17	1	10	4	-	2	10	2	24	38
5	-	23	40	3	1	17	-	8	2	-	4	8	1	22	39
5	-	19	41	8	2	7	1	7	2	-	7	6	1	12	40
7	-	22	68	5	-	8	-	4	4	-	9	6	2	16	41
1	-	42	100	12	1	33	-	11	2	1	7	18	2	29	42
15	-	18	56	4	-	10	1	4	-	-	-	3	1	8	43
12	-	64	240	11	5	27	3	42	8	-	11	32	5	85	44
3	-	47	164	6	4	18	2	28	5	-	5	17	4	53	45
5	-	17	76	5	1	9	1	14	3	-	6	15	1	32	46
1	-	18	51	5	-	15	-	3	1	-	5	7	-	23	47
28	-	6	29	2	-	2	-	2	-	-	-	6	-	10	48
24	-	177	425	59	5	122	3	84	17	10	32	54	37	233	49
2	-	136	380	45	3	102	3	72	14	8	30	44	10	167	50
7	-	41	75	14	2	20	-	12	3	2	2	10	27	66	51
29	-	26	66	10	2	15	2	7	2	-	8	9	-	33	52
21	-	95	408	48	6	108	2	65	13	7	21	64	4	152	53
11	-	71	294	35	3	66	2	50	6	4	12	44	2	112	54
2	-	24	114	13	3	42	-	15	7	3	9	20	2	40	55
5	-	58	80	11	1	27	-	13	7	1	8	19	3	40	56
2	-	7	17	4	-	6	1	7	3	1	3	4	-	13	57
4	-	35	64	12	3	15	1	13	-	-	4	14	-	22	58
21	-	22	55	7	2	20	1	9	1	1	6	9	2	14	59
13	-	105	242	35	4	48	2	42	8	5	15	35	6	167	60
8	-	54	112	18	2	35	1	29	4	4	9	12	3	54	61
9	-	51	130	17	2	13	1	13	4	1	7	23	3	133	62
3	-	30	72	11	3	28	1	12	6	-	2	11	-	25	63
3	-	18	61	6	-	23	-	9	5	1	4	12	2	15	64
4	-	28	53	5	1	14	-	7	4	-	4	16	4	20	65
673	3	2,899	7,874	1,047	136	1,457	59	1,354	327	46	549	1,289	384	3,502	66
2	-	17	34	7	2	2	-	9	-	-	2	4	2	14	67
2	-	13	26	3	-	3	-	4	2	2	1	5	2	6	68
3	-	22	48	9	1	11	-	11	2	1	1	11	4	25	69
2	-	39	80	16	-	12	1	11	5	-	1	14	3	30	70
1	-	10	36	5	-	7	-	2	3	-	8	6	1	19	71
9	-	27	69	6	-	19	-	16	2	-	6	15	2	23	72
31	-	106	250	26	6	61	1	50	13	3	17	39	13	88	73
19	-	58	154	14	5	40	1	38	7	3	8	22	1	45	74
12	-	48	96	12	1	21	-	12	6	-	9	17	12	43	75
13	-	40	91	31	5	10	-	14	6	-	10	19	1	50	76
11	-	28	52	6	1	7	-	4	3	-	5	14	-	18	77
2	-	12	39	25	4	3	-	10	3	-	5	5	1	32	78
14	-	28	50	7	-	6	1	6	1	-	5	10	1	20	79
7	-	25	109	19	1	21	-	10	4	-	4	8	-	92	80
5	-	22	42	9	1	7	-	13	1	-	7	11	-	22	81
5	-	23	41	10	1	3	-	10	2	-	3	15	1	17	82
2	-	17	47	3	1	13	1	9	2	-	3	13	3	20	83
1	-	22	62	9	-	11	2	15	2	-	6	15	2	30	84
5	-	21	60	3	-	14	-	10	2	-	7	5	3	26	85
12	-	14	47	11	-	9	1	2	4	-	3	7	6	19	86
9	-	40	134	21	1	31	1	41	5	1	8	16	3	53	87
3	-	33	93	15	-	13	1	31	1	-	5	9	-	36	88
6	-	7	41	6	1	18	-	10	4	1	3	7	3	17	89
8	-	25	56	15	1	14	-	11	-	-	6	10	17	35	90
3	-	18	37	8	-	6	-	10	1	-	5	5	1	19	91
3	-	12	25	8	-	10	-	5	-	1	2	4	2	16	92
3	-	12	58	3	-	7	-	13	-	-	3	3	1	22	93
4	-	31	72	13	1	21	1	7	2	-	2	11	4	30	94



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
IOWA—Continued															
1	Clinton	598	1	-	1	-	-	7	-	-	3	-	1	88	-
2	Clinton	402	-	-	1	-	-	6	-	-	1	-	-	53	-
3	Balance of county	196	1	-	-	-	-	1	-	-	2	-	1	36	-
4	Crawford	187	-	-	-	-	-	1	-	-	-	-	-	35	-
5	Dallas	231	-	-	-	-	-	2	-	-	1	-	-	22	-
6	Davis	100	-	-	-	-	-	-	-	-	-	-	-	22	-
7	Decatur	128	-	-	-	-	-	2	1	-	-	1	-	18	-
8	Delaware	161	-	-	-	-	-	2	-	-	-	-	1	22	-
9	Des Moines	456	-	-	-	-	-	12	-	-	2	-	-	67	-
10	Burlington	363	-	-	-	-	-	11	-	-	1	-	-	52	-
11	Balance of county	83	-	-	-	-	-	1	-	-	1	-	-	15	-
12	Dickinson	100	-	-	-	-	-	-	-	-	1	-	-	18	-
13	Dubuque	808	-	2	1	-	-	12	-	-	4	-	-	98	-
14	Dubuque	592	-	2	1	-	-	12	-	-	3	-	-	69	-
15	Balance of county	216	-	-	-	-	-	-	-	-	1	-	-	29	-
16	Emmet	117	-	-	-	-	-	1	-	-	-	-	1	23	-
17	Fayette	302	-	-	-	-	-	1	-	-	2	-	1	43	-
18	Floyd	204	-	-	1	-	-	2	-	-	-	-	-	23	-
19	Franklin	156	-	-	1	1	-	1	-	-	-	1	-	26	-
20	Fremont	124	-	-	-	-	1	1	-	-	-	1	-	16	-
21	Greene	169	-	-	-	-	-	2	-	-	-	-	-	19	-
22	Grundy	106	-	-	-	-	-	-	-	-	1	-	-	14	-
23	Guthrie	153	-	-	-	-	-	-	-	-	1	-	-	21	-
24	Hamilton	168	-	-	-	1	2	1	-	1	-	1	1	30	-
25	Hancock	128	-	-	-	-	-	1	-	-	-	1	1	22	-
26	Hardin	210	-	-	-	-	-	2	-	-	2	-	-	37	-
27	Harrison	223	-	-	1	-	-	2	-	-	1	-	-	22	-
28	Henry	364	-	-	-	-	-	10	1	-	10	-	2	31	1
29	Howard	89	-	-	-	-	-	1	-	-	-	-	-	10	-
30	Humboldt	100	-	-	-	-	-	1	-	-	-	-	-	13	-
31	Ida	79	-	1	-	-	-	2	-	-	-	-	-	9	-
32	Iowa	175	-	-	-	-	-	2	-	-	1	-	-	33	-
33	Jackson	189	-	-	-	-	1	1	-	-	-	-	-	25	-
34	Jasper	305	-	-	-	1	-	4	-	-	1	1	-	37	-
35	Newton	139	-	-	-	-	-	2	-	-	1	-	-	14	-
36	Balance of county	166	-	-	-	1	-	2	-	-	-	1	-	23	-
37	Jefferson	146	-	-	-	1	1	1	-	-	-	-	-	17	-
38	Johnson	344	-	-	-	-	-	23	-	-	-	-	-	51	-
39	Iowa City	215	-	-	-	-	-	5	-	-	-	-	-	33	-
40	Balance of county	129	-	-	-	-	-	18	-	-	-	-	-	18	-
41	Jones	202	-	-	-	-	-	2	-	-	1	-	1	39	-
42	Keokuk	175	-	-	-	-	-	-	-	-	-	-	-	31	-
43	Kossuth	215	-	1	-	-	-	-	2	-	2	-	-	27	2
44	Lee	472	-	-	-	-	-	8	-	-	-	-	-	53	-
45	Fort Madison	149	-	-	-	-	-	4	-	-	-	-	-	20	-
46	Keokuk	210	-	-	-	-	-	3	-	-	-	-	-	19	-
47	Balance of county	113	-	-	-	-	-	1	-	-	-	-	-	15	-
48	Linn	1,005	-	1	-	1	-	15	-	-	7	-	-	150	-
49	Cedar Rapids	717	-	1	-	-	-	12	-	-	7	-	-	111	-
50	Balance of county	288	-	-	-	1	-	3	-	-	-	-	-	39	-
51	Louisa	96	-	-	-	-	-	1	-	-	-	-	-	15	-
52	Lucas	166	-	-	-	-	-	-	-	-	-	-	-	26	-
53	Lyon	108	-	-	-	-	-	-	-	-	1	-	2	17	-
54	Madison	122	-	-	-	-	-	1	-	-	-	-	-	17	-
55	Mahaska	275	-	-	-	1	-	4	-	-	-	1	-	32	-
56	Okaloosa	138	-	-	-	-	-	4	-	-	-	-	-	12	-
57	Balance of county	137	-	-	-	1	-	-	-	-	-	1	-	20	-
58	Marion	282	-	1	-	-	-	4	-	-	14	-	-	35	-
59	Marshall	347	-	-	-	-	2	3	1	-	-	-	-	52	-
60	Marshalltown	208	-	-	-	-	-	2	-	-	2	-	-	36	-
61	Balance of county	139	-	-	-	-	-	1	1	-	-	-	-	17	-
62	Mills	173	-	-	-	-	-	5	-	-	2	-	-	29	-
63	Mitchell	137	-	1	-	-	-	1	-	-	-	-	-	20	-
64	Monona	138	-	-	-	-	-	3	-	-	-	-	-	23	-
65	Monroe	138	1	-	-	-	-	1	-	-	1	-	1	16	-
66	Montgomery	167	-	-	-	-	-	1	-	-	-	-	-	30	1
67	Muscatine	359	-	-	2	1	-	5	-	-	3	-	-	52	-
68	Muscatine	243	-	-	2	-	-	5	-	-	3	-	-	30	-
69	Balance of county	116	-	-	-	1	-	-	-	-	-	-	-	22	-
70	O'Brien	160	-	1	-	-	-	2	-	1	1	-	1	23	1
71	Osceola	66	-	-	-	-	-	1	-	1	-	-	-	12	-
72	Page	386	-	-	-	-	-	20	-	-	10	-	-	43	-
73	Palo Alto	141	-	-	-	-	1	1	-	-	-	-	-	17	-
74	Plymouth	208	-	-	-	-	-	1	-	-	1	1	1	30	-
75	Pocahontas	124	-	-	-	-	-	2	-	-	-	-	-	13	1
76	Polk	2,083	-	2	-	-	-	27	1	-	22	-	13	322	3
77	Des Moines	1,801	-	2	-	-	-	25	1	-	18	-	12	286	3
78	Balance of county	282	-	-	-	-	-	2	-	-	4	-	1	36	-
79	Pottawattamie	639	-	1	-	1	-	10	-	-	-	-	-	92	-
80	Council Bluffs	448	-	-	-	-	-	9	-	-	-	-	-	64	-
81	Balance of county	191	-	1	-	1	-	1	-	-	-	-	-	28	-
82	Poweshiek	177	-	-	1	-	-	1	-	1	-	-	-	30	-
83	Ringgold	90	-	-	-	-	-	1	-	-	-	-	-	11	-
84	Sac	122	-	-	-	-	-	2	-	-	-	-	2	21	-
85	Scott	970	-	-	-	3	-	14	2	-	6	-	4	135	-
86	Davenport	786	-	-	-	3	-	12	2	-	5	-	4	117	-
87	Balance of county	184	-	-	-	-	-	2	-	-	1	-	-	18	-
88	Shelby	130	-	-	-	-	-	-	-	-	-	-	-	22	-
89	Sioux	207	-	-	-	-	-	1	1	-	-	-	4	38	-
90	Story	303	-	-	-	-	-	3	-	-	1	-	1	44	-
91	Ames	119	-	-	-	-	-	1	-	-	-	-	1	16	-
92	Balance of county	184	-	-	-	-	-	2	-	-	1	-	-	28	-
93	Tama	195	-	-	-	-	-	-	-	-	1	-	-	31	1
94	Taylor	149	-	-	-	2	-	1	-	-	-	1	-	19	-
95	Union	176	-	-	-	-	-	3	-	-	-	-	-	37	-
96	Van Buren	134	-	-	-	-	-	3	-	-	3	-	-	22	-



# GENERAL TABLES-DEATHS FROM SELECTED CAUSES

549

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
'61	69	83	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
20	-	67	187	23	5	37	-	32	10	1	14	26	8	66
15	-	46	131	17	4	24	-	25	4	1	9	20	3	42
5	-	21	56	6	1	13	-	7	6	-	5	5	5	24
3	-	19	43	9	1	10	1	13	4	-	5	12	9	24
5	-	21	78	12	1	13	-	8	1	-	7	17	2	41
-	-	12	37	8	-	3	-	7	-	-	3	3	2	3
5	-	15	32	9	-	13	-	4	1	-	3	8	3	13
3	-	13	59	7	1	12	-	7	1	-	5	4	9	15
10	-	57	129	15	1	32	-	21	4	-	5	27	4	68
8	-	47	98	11	1	24	-	19	3	-	6	24	3	55
2	-	10	31	4	-	8	-	2	1	-	1	4	1	13
1	-	14	36	4	1	5	1	6	1	-	-	4	2	6
30	-	67	262	27	14	33	-	47	10	-	21	49	17	114
23	-	38	210	17	11	22	-	35	8	-	15	36	5	85
7	-	29	52	10	3	11	-	12	2	-	6	13	12	29
3	-	11	24	3	-	7	1	8	1	-	4	8	3	19
9	-	41	60	14	-	29	-	6	6	-	8	21	2	35
3	-	24	67	10	-	5	1	8	2	-	10	10	6	23
11	-	11	45	12	6	6	-	13	2	-	4	3	1	18
4	-	9	42	4	1	8	-	5	2	1	3	5	3	16
4	-	23	60	3	1	10	-	5	2	-	4	4	3	30
2	-	13	39	5	-	2	-	6	2	-	7	4	5	16
3	-	24	51	5	-	8	-	6	2	-	6	10	-	18
-	-	20	53	4	-	11	-	8	3	-	1	8	1	19
5	-	12	34	6	-	4	-	10	8	-	4	8	3	26
6	-	21	71	11	-	9	1	8	2	-	8	19	1	26
3	-	16	82	10	-	16	-	10	5	-	4	14	25	61
10	-	30	101	22	3	26	-	6	7	-	2	4	-	13
8	-	13	22	5	-	7	-	4	4	-	2	3	-	14
5	-	14	25	4	1	4	-	6	2	-	3	4	-	12
3	-	11	22	2	-	5	1	3	1	-	3	6	1	24
4	-	9	53	3	-	14	1	12	5	1	6	5	-	21
10	-	43	96	15	-	15	-	19	1	2	4	23	-	29
5	-	16	45	7	-	8	-	17	2	1	3	12	1	11
5	-	27	51	8	-	9	-	5	1	1	6	11	2	17
6	-	28	42	9	-	7	-	2	2	-	7	5	-	14
11	-	49	96	13	2	15	-	18	3	3	2	12	1	29
7	-	27	65	6	1	11	-	15	7	-	2	7	-	11
4	-	22	31	7	1	9	-	3	3	-	3	5	-	11
7	-	19	57	6	2	5	-	12	4	2	1	14	2	22
4	-	13	57	7	2	11	-	20	2	-	7	13	2	36
4	-	15	63	3	-	17	2	21	3	-	9	23	1	58
9	-	50	176	15	-	35	-	30	3	-	1	3	-	20
4	-	16	57	4	-	8	2	10	3	-	1	14	-	28
5	-	20	72	8	-	20	-	15	5	-	4	6	1	10
-	-	14	47	3	-	47	3	63	15	1	22	59	18	130
29	-	130	277	26	12	34	3	49	10	-	16	41	3	97
20	-	91	194	20	9	13	-	15	5	1	6	17	15	53
9	-	39	83	7	1	6	-	2	1	-	-	3	-	14
2	-	21	44	3	2	14	1	10	2	-	-	8	1	20
4	-	17	29	6	-	5	-	5	-	-	3	4	2	16
1	-	21	49	4	-	3	-	2	1	-	4	3	2	11
4	-	38	89	13	1	27	2	5	3	-	1	13	1	36
8	-	23	36	7	-	20	1	3	3	-	-	8	-	15
6	-	15	51	6	1	7	-	2	3	-	1	5	1	21
2	-	30	97	15	-	22	1	11	4	1	3	12	1	37
3	-	45	106	17	1	18	-	23	1	1	9	7	6	47
4	-	23	67	9	1	7	-	17	1	-	4	4	4	28
4	-	22	39	9	-	11	-	6	-	-	5	3	2	19
5	-	19	50	11	3	5	-	7	-	-	4	13	1	20
12	-	49	11	3	-	5	-	10	-	-	-	8	-	23
19	-	39	5	5	-	7	-	6	2	-	2	11	2	16
3	-	18	53	5	2	4	-	7	1	-	5	6	2	10
4	-	22	35	5	-	4	2	5	3	-	2	7	10	16
7	-	36	121	8	3	39	-	14	4	2	6	18	2	36
6	-	21	80	5	3	10	-	9	4	1	2	14	1	26
1	-	15	41	3	-	9	-	5	-	1	4	6	1	6
1	-	23	37	5	-	4	-	3	2	-	2	4	10	21
1	-	5	22	1	-	8	2	9	3	-	2	2	3	4
11	-	41	74	19	-	4	-	9	1	3	2	16	30	99
3	-	24	44	4	-	4	1	8	7	-	8	7	-	15
8	-	18	65	10	1	11	-	4	5	-	4	12	2	28
5	-	15	33	7	1	9	-	118	8	-	4	3	3	24
46	1	236	693	11	11	60	-	103	20	8	43	103	16	259
41	1	200	591	8	8	55	6	15	19	5	32	85	12	232
5	-	36	102	11	3	5	1	26	1	1	10	18	4	27
15	-	60	231	30	6	30	4	14	5	2	10	39	6	71
8	-	45	165	21	3	24	3	12	2	-	6	25	3	53
7	-	20	66	9	3	6	1	10	3	-	4	14	3	18
6	-	47	10	1	1	17	-	7	5	1	5	5	-	18
1	-	17	25	3	-	13	-	7	2	-	3	7	1	16
4	-	91	306	31	8	39	-	68	15	6	23	53	15	125
22	-	75	246	25	7	36	4	51	10	5	16	38	13	99
18	-	16	60	6	1	3	-	17	5	-	7	15	2	26
4	-	19	42	1	-	5	-	14	2	-	5	5	2	14
2	-	19	58	9	2	13	1	13	2	-	2	8	8	25
6	-	32	105	8	-	17	-	20	5	-	6	11	1	40
4	-	10	41	2	-	6	-	12	2	-	2	4	3	15
2	-	22	62	6	-	11	-	8	3	1	4	7	2	25
5	-	28	75	11	1	10	-	9	4	-	2	4	-	13
2	-	20	51	3	-	17	-	5	2	-	4	3	1	20
3	-	22	62	3	-	5	1	9	1	1	4	7	-	18
2	-	29	40	5	-	3	-	2	-	-	-	7	1	16



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Polio- mye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	5	8	9	10	13-22	27	28	30	35	36	45-55	58
IOWA—Continued															
1	Wapello-----	452	-	-	-	-	2	6	1	-	2	-	-	59	-
2	Ottumwa-----	325	-	-	-	-	1	4	1	-	1	-	-	42	-
3	Balance of county-----	127	-	-	-	-	1	2	-	-	1	-	-	17	-
4	Warren-----	157	-	1	-	-	-	-	-	-	1	-	-	23	-
5	Washington-----	235	-	1	1	-	-	1	-	-	1	1	-	31	-
6	Wayne-----	159	-	-	-	-	1	5	-	-	-	-	-	20	-
7	Webster-----	421	-	1	-	1	-	2	1	-	-	1	-	62	1
8	Fort Dodge-----	265	-	1	-	1	-	2	-	-	-	-	-	39	-
9	Balance of county-----	156	-	-	-	-	-	-	1	-	-	1	-	23	1
10	Winnebago-----	104	-	-	-	-	1	-	-	-	-	-	-	21	-
11	Winnebago-----	190	-	-	-	-	-	1	-	-	1	1	-	27	-
12	Woodbury-----	1,058	1	-	-	-	-	8	-	-	9	3	3	164	-
13	Sioux City-----	673	1	-	-	-	-	8	-	-	8	3	2	133	-
14	Balance of county-----	165	-	-	-	-	-	-	-	-	1	-	1	31	-
15	Worth-----	91	-	-	-	-	-	2	-	-	-	-	-	14	-
16	Wright-----	172	-	-	-	-	1	2	-	-	2	-	1	25	-
17	KANSAS-----	18,059	1	11	4	13	12	307	3	2	143	23	91	2,412	10
18	Allen-----	224	-	-	-	-	-	2	-	-	-	-	-	27	-
19	Anderson-----	109	-	-	-	-	-	1	-	-	-	-	-	14	1
20	Atchison-----	253	-	-	-	-	-	7	-	-	2	-	1	26	-
21	Atchison-----	184	-	-	-	-	-	7	-	-	1	-	-	21	-
22	Balance of county-----	69	-	-	-	-	-	-	-	-	1	-	1	5	-
23	Barber-----	65	-	-	-	-	-	-	-	-	1	-	-	10	-
24	Barton-----	210	-	-	-	-	-	1	-	-	1	1	2	27	-
25	Bourbon-----	263	-	1	-	-	-	2	-	-	-	-	2	30	-
26	Fort Scott-----	183	-	1	-	-	-	2	-	-	-	-	2	25	-
27	Balance of county-----	80	-	-	-	-	-	-	-	-	-	-	-	5	-
28	Brown-----	158	-	-	-	-	-	2	-	-	-	1	-	24	-
29	Butler-----	259	-	-	-	-	-	1	-	-	1	-	2	31	-
30	El Dorado-----	111	-	-	-	-	-	1	-	-	1	-	-	12	-
31	Balance of county-----	148	-	-	-	-	-	-	-	-	-	-	2	19	-
32	Chase-----	47	-	-	-	-	-	1	-	-	-	-	-	7	-
33	Chautauqua-----	79	-	-	-	-	-	-	-	-	-	-	-	7	-
34	Cherokee-----	296	-	-	-	1	-	21	-	-	1	-	3	36	1
35	Cheyenne-----	32	-	-	-	-	-	-	-	-	-	-	-	5	-
36	Clark-----	24	-	-	-	-	-	-	-	-	-	-	-	1	-
37	Clay-----	128	-	-	-	-	-	1	-	-	2	-	-	19	-
38	Cloud-----	203	-	-	-	-	-	3	-	-	1	-	-	26	-
39	Coffey-----	95	-	-	-	-	-	2	-	-	1	-	2	13	-
40	Comanche-----	19	-	-	-	-	-	-	-	-	-	-	-	3	-
41	Cowley-----	424	-	-	1	1	-	12	-	-	1	3	-	58	-
42	Arkansas City-----	144	-	-	-	1	-	2	-	-	-	-	-	21	-
43	Balance of county-----	280	-	-	1	-	-	10	-	-	1	3	-	37	-
44	Crawford-----	501	1	-	-	-	2	8	-	-	3	1	3	72	-
45	Pittsburg-----	198	-	-	-	-	-	4	-	-	2	1	-	22	-
46	Balance of county-----	303	1	-	-	-	-	4	-	-	1	-	3	50	-
47	Decatur-----	48	-	-	-	-	-	-	-	-	-	-	-	6	-
48	Dickinson-----	268	-	2	-	-	-	-	-	-	-	-	-	43	-
49	Doniphan-----	110	-	-	-	-	-	2	-	-	-	-	-	16	-
50	Douglas-----	289	-	-	-	-	-	1	-	-	2	1	1	39	-
51	Lawrence-----	200	-	-	-	-	-	1	-	-	2	1	1	27	-
52	Balance of county-----	69	-	-	-	-	-	-	-	-	-	-	-	12	-
53	Edwards-----	56	-	-	-	-	-	-	-	-	-	-	-	8	-
54	Elk-----	66	-	-	-	-	-	1	-	-	-	-	-	11	-
55	Ellis-----	116	-	-	-	-	-	2	-	-	-	-	1	13	-
56	Ellsworth-----	101	-	-	-	-	-	-	-	-	-	-	1	15	-
57	Finney-----	87	-	-	-	-	-	-	-	-	-	-	1	10	-
58	Ford-----	184	-	-	-	-	-	3	-	-	1	1	1	32	-
59	Franklin-----	251	-	-	-	1	-	4	-	-	-	1	6	39	-
60	Ottawa-----	152	-	-	-	1	-	2	-	-	-	-	4	20	-
61	Balance of county-----	99	-	-	-	-	-	2	-	-	-	1	2	19	-
62	Geary-----	132	-	-	-	-	-	-	-	-	-	-	1	12	-
63	Gove-----	35	-	-	-	-	-	-	-	-	-	-	-	5	-
64	Graham-----	36	-	1	-	-	-	-	-	-	1	-	-	3	-
65	Grant-----	18	-	-	-	-	-	-	-	-	-	-	-	2	-
66	Gray-----	30	-	-	-	-	-	-	-	-	-	-	1	4	-
67	Greeley-----	15	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Greenwood-----	136	-	-	-	1	-	-	-	-	-	-	1	19	-
69	Hamilton-----	38	-	-	1	-	-	1	-	-	-	-	-	1	-
70	Harper-----	112	-	-	-	-	-	1	1	-	-	-	-	13	-
71	Harvey-----	212	-	-	-	-	-	1	-	-	3	-	-	33	-
72	Newton-----	133	-	-	-	-	-	-	-	-	3	-	-	21	-
73	Balance of county-----	79	-	-	-	-	-	1	-	-	-	-	-	12	-
74	Haskell-----	13	-	-	-	-	-	-	-	-	-	-	-	-	-
75	Hodgeman-----	20	-	-	-	-	-	-	-	-	-	-	1	2	-
76	Jackson-----	130	-	-	-	-	-	1	-	-	-	-	-	21	-
77	Jefferson-----	121	-	1	-	-	-	-	-	-	1	-	1	13	-
78	Jewell-----	81	-	-	1	-	-	-	-	-	-	-	1	11	1
79	Johnson-----	281	-	-	-	-	-	2	-	-	-	-	5	45	-
80	Kearny-----	15	-	-	-	-	-	-	-	-	-	-	-	1	-
81	Kingman-----	93	-	-	-	-	-	-	-	-	-	-	-	10	-
82	Kiowa-----	27	-	-	-	-	-	-	-	-	-	-	-	2	-
83	Labette-----	339	-	-	-	-	-	7	-	1	4	-	1	30	-
84	Parsons-----	166	-	-	-	-	-	3	-	-	3	-	-	15	-
85	Balance of county-----	171	-	-	-	-	-	4	-	1	1	-	1	15	-
86	Lane-----	23	-	-	-	-	-	1	-	-	-	1	-	-	-
87	Leavenworth-----	518	-	1	-	1	-	31	-	-	17	2	-	61	-
88	Leavenworth-----	277	-	-	-	-	-	8	-	-	3	2	-	43	-
89	Balance of county-----	241	-	1	-	1	-	23	-	-	14	-	-	36	-
90	Lincoln-----	62	-	-	-	-	-	-	-	-	-	-	-	12	-
91	Linn-----	137	-	-	-	-	-	1	-	-	1	-	3	13	-
92	Logan-----	37	-	-	-	-	-	-	-	-	-	1	-	6	-
93	Lyon-----	298	-	-	-	-	-	3	-	-	-	-	3	43	-
94	Emporia-----	213	-	-	-	-	-	2	-	-	-	-	3	32	-
95	Balance of county-----	65	-	-	-	-	-	1	-	-	-	-	-	11	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

551

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Semility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 108, 33	119, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	162, 199, 200	
15	-	43	134	20	1	57	-	20	4	3	6	22	2	55
11	-	27	102	15	-	45	-	15	2	2	5	17	1	38
4	-	16	32	7	1	12	-	5	2	1	1	5	1	19
2	1	26	55	6	-	8	-	3	5	-	1	10	-	15
5	-	32	61	15	1	16	1	8	4	-	7	12	3	34
5	-	14	51	5	-	21	-	6	3	-	1	9	3	15
12	-	41	114	17	5	30	3	31	5	-	8	13	6	67
6	-	25	71	10	4	21	1	22	2	-	4	8	4	44
6	-	16	45	7	-	9	2	9	3	-	4	5	2	23
5	-	13	28	4	-	5	-	5	1	-	2	4	2	13
6	-	25	61	5	-	15	1	9	5	-	3	11	1	26
26	-	110	313	46	6	54	4	61	14	1	27	59	15	134
18	-	88	259	42	5	46	4	52	12	1	25	45	6	115
8	-	22	54	4	1	6	-	9	2	-	4	14	9	19
1	-	12	20	6	-	10	1	8	2	-	2	4	-	9
3	-	12	61	2	-	5	-	8	6	-	7	15	5	17
437	6	2,049	5,415	512	79	1,257	50	970	182	53	457	867	289	2,294
4	-	28	77	9	1	16	1	10	-	-	8	14	4	21
3	-	14	40	2	-	2	1	3	-	-	2	6	3	15
9	1	19	87	12	-	29	4	15	4	1	8	12	2	15
9	-	9	65	6	-	22	4	10	4	-	6	11	-	10
1	-	10	22	6	-	7	-	5	-	1	2	1	2	5
1	-	8	24	1	1	5	-	2	-	1	2	3	1	5
4	-	25	64	5	1	19	-	16	2	-	10	5	1	26
7	-	27	103	6	3	21	-	20	2	-	2	5	2	28
4	-	16	63	5	-	16	2	18	1	-	1	5	1	20
4	-	9	40	1	3	5	-	2	1	-	1	-	1	6
4	-	15	66	8	-	8	-	3	4	-	1	4	4	14
0	1	28	85	8	1	20	-	6	4	-	8	13	4	38
6	-	8	37	3	-	7	-	3	3	-	6	4	2	18
2	1	20	48	5	1	13	-	3	1	-	2	9	2	20
1	-	5	17	1	-	3	-	2	2	-	6	-	-	1
-	-	11	26	-	-	15	-	3	1	-	2	3	1	9
4	-	37	84	4	2	24	-	10	1	1	3	14	4	45
1	-	4	5	2	-	4	-	1	-	-	1	1	-	8
-	-	4	6	2	-	1	-	2	-	-	-	2	1	5
2	-	20	38	3	1	7	-	3	-	-	3	5	6	18
2	-	25	70	5	1	18	1	11	2	1	8	9	-	20
1	-	11	27	1	1	5	-	6	4	-	-	4	6	10
1	-	5	5	1	1	1	-	1	-	-	-	-	-	1
13	-	38	136	19	-	26	-	24	5	1	12	23	8	43
7	-	11	53	5	-	11	-	7	1	-	3	8	2	12
6	-	27	85	14	-	15	-	17	4	1	9	15	6	31
11	-	67	192	14	2	23	1	22	9	-	5	15	2	48
5	-	28	86	5	-	2	-	16	3	-	3	5	-	14
6	-	39	106	9	2	21	1	6	6	-	2	10	2	34
13	-	3	15	1	-	4	-	4	4	-	1	4	-	6
1	-	27	88	9	-	25	1	11	2	-	5	11	2	27
1	-	12	30	2	-	9	1	6	1	2	4	6	3	15
6	-	35	90	7	-	15	1	14	2	3	7	12	4	47
2	-	25	61	3	-	14	1	11	2	3	1	6	3	34
12	-	12	29	4	-	1	-	3	-	-	6	6	1	13
-	1	8	15	5	-	4	-	1	4	-	2	2	1	7
1	-	17	27	5	-	8	-	3	-	-	2	3	2	10
3	-	14	33	2	-	6	3	17	1	-	6	4	-	12
1	-	7	18	3	-	7	-	2	1	-	2	5	2	16
8	-	19	39	4	1	18	-	11	-	-	5	13	2	11
4	-	23	75	9	-	28	-	9	-	-	6	11	-	27
2	-	12	52	6	1	23	-	5	1	-	3	16	2	28
2	-	11	24	3	-	12	-	12	-	-	3	8	-	20
3	-	9	59	4	1	16	-	4	1	-	5	8	2	61
1	-	2	6	1	-	3	-	2	1	1	10	1	1	23
1	-	3	8	1	-	2	-	3	-	-	2	2	-	9
-	-	3	4	1	-	1	-	2	1	-	1	2	3	64
-	-	3	4	2	1	1	-	6	1	-	2	3	-	5
3	1	14	52	4	1	4	1	2	1	-	-	4	1	1
-	-	3	11	2	-	3	-	5	-	-	5	8	2	16
2	-	12	30	2	-	17	-	6	1	-	3	7	1	4
8	-	21	65	3	-	7	-	17	4	-	8	12	6	27
5	-	15	42	1	-	4	-	11	1	1	3	8	2	14
3	-	6	23	2	-	3	-	6	1	-	1	4	4	13
-	-	-	4	-	1	-	-	2	-	-	1	3	-	3
4	-	21	47	2	-	6	1	2	-	-	1	6	1	5
2	-	15	51	5	-	6	-	2	-	-	1	2	2	15
4	-	10	24	4	-	6	-	4	-	-	1	4	1	15
6	-	20	35	12	1	28	2	19	3	-	7	6	2	10
2	-	15	33	1	-	1	-	3	-	-	1	2	4	37
-	-	3	12	1	-	8	-	7	-	-	2	3	-	1
10	-	41	85	14	-	19	-	12	5	-	8	12	3	77
4	-	19	47	7	-	12	-	7	3	-	1	4	2	49
1	-	1	6	-	-	1	-	5	2	-	7	8	1	28
16	-	43	138	14	-	52	1	20	7	2	1	13	2	69
10	-	25	77	9	-	36	1	14	5	1	4	7	-	32
6	-	18	61	6	-	16	-	6	2	1	4	6	2	37
-	-	6	19	4	-	9	-	2	-	-	-	2	-	8
4	-	23	36	5	1	13	-	3	-	-	9	9	1	13
1	-	3	10	1	1	3	-	3	-	-	9	3	1	1
6	-	35	79	12	-	32	1	18	1	-	12	12	7	53
5	-	30	56	5	-	24	1	10	-	-	11	9	3	22
1	-	5	23	7	-	8	-	8	1	1	1	3	4	11



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccal) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
KANSAS—Continued														
1 McPherson	239	-	-	-	-	-	1	-	-	-	-	-	23	-
2 Marion	178	-	-	-	-	-	1	-	-	-	-	2	28	1
3 Marshall	210	-	-	-	-	1	3	-	-	2	1	-	42	-
4 Meade	48	-	-	-	-	-	1	-	-	-	-	-	2	-
5 Miami	321	-	-	-	-	-	10	-	-	19	-	2	35	-
6 Mitchell	124	-	1	-	-	-	-	-	-	-	-	-	15	-
7 Montgomery	546	-	-	-	-	-	4	-	-	4	-	3	69	-
8 Coffeyville	170	-	-	-	-	-	2	-	-	1	-	-	20	-
9 Independence	180	-	-	-	-	-	2	-	-	2	-	1	21	-
10 Balance of county	196	-	-	-	-	-	-	-	-	1	-	2	28	-
11 Morris	116	-	-	-	1	-	-	-	-	-	-	-	15	-
12 Morton	18	-	-	-	-	-	-	-	-	-	-	-	-	-
13 Nowata	151	-	-	-	-	-	-	-	-	-	1	1	23	-
14 Nowata	244	-	-	-	-	-	-	-	-	3	-	1	28	-
15 Cherokee	140	-	-	-	-	-	-	-	-	1	-	-	17	-
16 Balance of county	104	-	-	-	-	-	-	-	-	2	-	1	11	-
17 Ness	56	-	-	-	-	-	-	-	-	-	-	-	3	-
18 Norton	105	-	-	-	1	-	27	-	-	-	1	-	10	-
19 Oage	144	-	-	-	1	-	2	-	-	1	-	1	17	-
20 Osborne	89	-	-	-	-	-	2	1	-	-	-	-	16	-
21 Ottawa	79	-	-	-	-	-	1	-	-	1	-	-	16	-
22 Pawnee	168	-	-	-	-	-	3	-	-	9	-	-	18	-
23 Phillips	88	-	-	-	-	-	1	-	-	-	-	1	14	-
24 Pottawatomie	106	-	-	-	-	-	2	-	-	-	-	-	17	-
25 Pratt	120	-	-	-	-	-	-	-	-	4	-	-	12	-
26 Rawlins	30	-	-	-	-	-	-	-	-	-	-	-	5	-
27 Reno	467	-	-	1	1	-	2	-	-	5	1	4	57	-
28 Hutchinson	338	-	-	-	1	-	1	-	-	5	1	3	42	-
29 Balance of county	129	-	-	-	1	-	1	-	-	-	-	1	15	-
30 Republic	115	-	-	-	-	-	1	-	-	1	-	-	21	-
31 Rice	140	-	-	-	-	-	-	-	-	2	-	-	21	1
32 Riley	206	-	-	-	-	-	1	-	1	1	-	1	23	-
33 Manhattan	142	-	-	-	-	-	1	-	-	1	-	1	18	-
34 Balance of county	64	-	-	-	-	-	-	-	1	-	-	-	5	-
35 Rocks	66	-	-	-	-	-	-	-	-	-	-	-	7	-
36 Rush	59	-	-	-	-	-	1	-	-	-	-	-	6	-
37 Russell	80	-	-	-	-	-	3	-	-	-	-	3	16	-
38 Saline	307	-	-	-	-	-	3	-	-	3	1	-	52	-
39 Saline	242	-	-	-	-	-	2	-	-	2	-	-	42	-
40 Balance of county	65	-	-	-	-	-	1	-	-	1	1	-	10	-
41 Scott	41	-	-	-	-	-	-	-	-	-	-	1	2	-
42 Sedgwick	1,586	-	1	-	1	1	34	-	-	10	1	6	251	1
43 Wichita	1,359	-	1	-	1	1	24	-	-	8	1	4	222	1
44 Balance of county	227	-	-	-	-	-	10	-	-	2	-	2	29	-
45 Seward	56	-	-	-	-	-	-	-	-	-	-	-	6	-
46 Shawnee	1,148	-	1	-	1	1	18	-	-	13	2	8	128	-
47 Topeka	809	-	-	-	1	1	10	-	-	4	2	8	102	-
48 Balance of county	339	-	1	-	-	-	8	-	-	9	-	2	26	-
49 Sheridan	36	-	1	-	-	-	-	-	-	-	-	-	1	-
50 Sherman	65	-	-	-	-	1	-	-	-	-	-	1	7	-
51 Smith	98	-	-	-	-	-	1	-	-	-	-	-	19	-
52 Stafford	88	-	-	-	-	1	1	-	-	1	-	-	8	-
53 Stanton	12	-	-	-	-	-	-	-	-	-	-	-	1	-
54 Stevens	25	-	-	-	-	-	-	-	-	-	-	-	2	-
55 Sumner	224	-	-	-	-	-	2	-	-	2	-	-	26	-
56 Thomas	88	-	-	-	-	-	-	-	-	-	-	2	8	-
57 Trago	39	-	-	-	-	-	2	-	-	-	-	-	5	-
58 Wabunsee	57	-	-	-	-	-	-	-	-	-	-	-	10	-
59 Wallace	14	-	-	-	-	-	-	-	-	-	-	-	3	-
60 Washington	129	-	-	-	-	-	-	-	-	-	1	-	12	-
61 Wichita	17	-	-	-	-	-	-	-	-	-	-	-	1	-
62 Wilson	183	-	1	-	-	2	2	-	-	1	-	-	22	1
63 Woodson	80	-	-	-	-	-	1	-	-	-	-	1	12	-
64 Wyandotte	1,582	-	-	-	2	3	51	1	-	17	1	7	231	3
65 Kansas City	1,406	-	-	-	2	3	48	1	-	15	1	5	211	3
66 Balance of county	176	-	-	-	-	-	3	-	-	2	-	2	20	-
67 KENTUCKY	27,410	30	39	12	47	53	1,602	42	6	217	69	14	2,805	16
68 Adair	162	-	-	-	1	1	15	-	-	-	-	-	12	-
69 Allen	152	-	-	-	-	-	11	-	-	1	2	-	14	-
70 Anderson	86	1	-	-	-	-	5	-	-	-	-	-	8	-
71 Ballard	95	-	-	-	-	-	4	1	-	-	-	-	9	-
72 Barren	247	1	-	-	-	-	18	-	-	2	-	-	22	-
73 Bath	88	-	-	-	-	1	9	-	-	1	1	-	12	-
74 Bell	410	2	-	-	-	-	23	2	-	-	-	-	38	2
75 Middlesborough	181	1	-	-	-	-	13	-	-	-	-	-	13	-
76 Balance of county	229	1	-	-	-	-	10	2	-	-	-	-	23	2
77 Boone	117	-	-	-	-	-	5	-	-	2	1	-	9	-
78 Bourbon	219	-	-	1	-	1	9	-	-	-	-	-	22	-
79 Boyd	598	-	1	-	3	-	23	-	-	2	-	-	33	-
80 Ashland	267	-	1	-	2	-	15	-	-	2	-	-	23	-
81 Balance of county	121	-	-	-	1	-	8	-	-	-	-	-	10	-
82 Boyle	173	-	-	-	-	-	7	-	-	2	-	-	9	-
83 Bracken	90	-	-	-	-	-	1	-	-	-	-	-	12	-
84 Breathitt	107	3	-	-	-	2	11	-	-	2	1	-	1	-
85 Breckinridge	175	-	1	-	1	-	9	-	-	-	2	1	18	-
86 Bullitt	87	-	1	-	-	-	4	-	-	-	-	-	6	-
87 Butler	97	-	-	-	-	-	4	-	-	-	-	-	17	-
88 Caldwell	143	1	-	-	-	1	8	-	-	-	6	-	16	-
89 Calloway	169	-	1	-	-	-	8	-	-	-	1	1	18	-
90 Campbell	841	-	2	-	-	1	26	-	-	5	1	-	111	1
91 Fort Thomas	110	-	-	-	-	-	2	-	-	1	-	-	17	1
92 Newport	594	-	1	-	-	-	15	-	-	3	1	-	44	-
93 Balance of county	347	-	1	-	-	1	9	-	-	1	-	-	50	-
94 Carlisle	80	-	-	-	-	-	3	-	-	-	-	-	10	-
95 Carroll	119	-	-	-	-	-	3	-	-	-	-	-	17	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

553

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms), and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 33	119, 120	130-132	140-150	157-161	163, 164	185-188	170	189, 171-195	162, 199, 200	
5	-	28	69	8	-	29	-	14	1	-	11	10	5	36
2	-	25	50	11	-	8	-	7	2	-	10	9	3	36
7	-	29	70	8	-	9	-	8	1	-	4	5	-	19
2	-	10	14	5	-	1	-	2	2	-	2	1	1	3
7	-	38	82	7	-	26	-	8	4	-	3	9	10	62
2	-	20	29	8	-	9	-	7	1	-	5	9	3	22
12	1	77	177	22	4	32	4	21	5	3	6	26	12	64
3	-	26	56	7	1	15	1	5	-	-	3	9	3	15
3	1	26	57	6	1	9	1	11	1	3	2	9	2	25
6	-	25	64	9	2	8	2	5	4	-	1	6	7	24
4	-	23	30	3	-	1	-	8	1	-	4	5	3	13
-	-	-	5	-	-	7	-	9	1	2	3	5	2	3
8	-	22	47	4	-	5	-	10	4	3	5	20	10	22
4	-	27	90	8	-	7	1	9	-	1	4	10	6	15
4	-	13	49	6	-	2	-	1	1	2	1	10	4	7
-	-	14	41	3	-	2	-	1	-	1	1	2	-	11
3	-	8	7	-	1	2	-	1	4	-	1	3	1	17
2	-	16	57	7	-	8	-	2	1	-	3	3	-	11
2	-	15	19	1	-	5	-	1	1	-	3	12	-	18
5	-	10	24	1	-	4	2	2	1	-	1	6	1	18
1	-	14	27	13	1	1	-	2	1	-	-	8	2	13
2	-	10	21	15	1	9	-	2	1	-	3	6	6	21
2	-	7	33	5	-	10	-	9	1	3	2	3	1	9
8	-	11	38	3	2	12	-	3	1	-	3	5	1	23
1	-	3	9	1	-	3	-	12	1	-	3	5	-	14
13	-	70	128	5	-	5	-	2	2	-	1	2	-	15
9	-	52	92	5	-	51	2	30	3	1	15	23	3	70
4	-	18	36	-	2	24	1	23	1	1	12	14	2	49
3	-	6	47	2	-	7	1	7	2	-	3	9	1	21
-	-	17	40	4	-	8	-	5	1	-	4	4	2	30
6	-	22	58	3	-	8	2	6	4	1	6	8	1	19
4	-	12	45	3	-	15	1	22	2	-	1	11	9	25
2	-	10	13	-	-	10	1	16	1	-	1	7	1	29
1	-	6	20	2	2	5	-	6	1	-	-	4	1	20
1	-	5	23	1	-	3	1	3	-	-	1	1	8	9
1	-	8	20	2	-	4	-	1	-	-	3	5	1	12
10	-	33	72	6	1	12	-	6	3	-	4	2	-	35
7	-	25	55	5	1	8	2	22	2	2	9	18	1	7
3	-	8	17	1	-	4	-	21	1	2	7	11	13	46
-	-	4	6	2	-	2	-	10	1	-	2	7	4	42
38	-	142	445	86	6	96	-	11	-	-	2	4	1	7
33	-	127	373	74	6	85	11	130	14	5	41	66	24	176
5	-	15	72	12	-	85	10	119	12	5	30	47	16	157
2	-	5	14	1	1	11	1	11	2	-	11	19	8	19
22	-	161	356	37	9	5	1	4	-	1	3	2	-	11
16	-	111	258	23	6	69	5	54	9	5	18	59	32	140
6	-	50	98	14	-	58	4	47	7	3	13	44	10	85
-	-	2	11	2	3	11	1	7	2	2	5	15	22	57
4	-	8	15	-	-	4	-	2	-	-	2	4	-	5
3	-	19	27	2	-	6	-	7	1	-	1	9	1	8
1	-	1	2	1	-	7	-	3	1	-	1	4	1	51
1	-	1	7	1	-	-	-	5	1	-	4	3	6	12
4	-	28	64	6	1	1	1	8	-	-	2	2	-	3
2	-	8	23	2	-	8	-	3	6	-	13	14	6	35
2	1	2	9	1	-	3	-	6	-	-	-	3	-	11
2	-	8	14	1	1	1	-	2	2	-	3	3	2	4
7	-	2	6	-	-	5	-	1	2	-	5	2	-	7
-	-	19	41	6	2	1	-	-	1	-	-	1	-	1
2	-	1	6	-	-	12	-	5	2	-	-	-	-	16
1	-	24	58	4	1	2	-	1	1	-	-	2	5	3
32	1	160	459	62	16	110	1	2	2	-	3	7	1	36
30	1	138	385	55	16	99	-	97	4	-	2	7	-	10
2	-	22	74	7	-	11	-	89	4	10	48	80	10	176
445	18	2,792	7,148	1,773	272	1,691	144	1,838	271	304	729	1,591	570	3,082
3	2	14	46	8	1	9	-	18	2	2	2	4	3	19
5	-	25	53	2	1	9	1	14	-	-	-	4	5	17
1	1	10	25	5	-	6	-	4	-	-	4	3	2	11
3	-	5	28	4	-	2	-	4	-	-	3	5	7	14
7	-	24	63	18	3	27	-	4	-	2	7	6	2	27
-	-	7	21	11	-	3	1	19	-	-	7	6	1	7
10	1	17	77	35	10	25	3	7	1	-	4	2	2	6
4	-	10	39	12	-	11	-	49	6	-	9	33	20	50
6	1	7	38	23	7	14	-	28	4	4	5	10	6	22
5	-	9	42	2	-	4	3	21	2	-	4	23	14	28
2	-	24	75	11	1	4	2	4	4	-	3	9	-	15
8	-	39	120	29	5	21	2	11	2	-	4	9	5	15
6	-	27	85	16	4	22	2	32	1	1	7	16	5	38
2	-	12	35	11	-	12	-	24	-	1	4	12	4	25
1	-	22	50	11	2	10	-	8	1	1	3	4	1	22
-	-	13	54	5	-	8	1	15	2	2	1	10	2	6
-	-	13	25	5	1	6	-	5	-	1	1	2	1	8
2	-	16	56	7	5	13	1	3	-	5	4	11	5	15
4	-	4	30	7	-	4	-	12	2	-	3	3	2	8
4	-	12	16	5	-	4	-	9	2	-	3	5	5	11
2	1	14	36	7	2	5	1	6	-	2	2	5	5	7
6	-	21	52	6	2	6	-	7	2	2	5	6	2	17
24	-	95	268	34	3	35	4	10	1	2	3	3	2	22
1	-	16	34	1	-	5	-	48	13	9	11	43	3	104
13	-	41	121	17	2	16	2	6	1	-	-	4	1	20
10	-	38	113	16	1	14	-	22	6	-	5	27	1	41
3	-	14	18	8	-	3	2	20	4	4	6	12	1	43
-	-	18	39	6	1	4	-	11	1	1	3	3	-	8
-	-	18	39	6	1	4	-	11	1	1	4	2	2	12



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheum- atic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
KENTUCKY--Continued														
1 Carter	169	-	-	1	1	1	1	1	-	-	1	-	18	-
2 Casey	113	-	-	-	-	-	15	-	-	-	-	-	12	-
3 Christian	686	-	-	-	-	-	67	-	-	25	1	1	59	-
4 Hopkinsville	200	-	-	-	-	-	5	-	-	2	-	-	25	-
5 Balance of county	486	-	-	-	-	-	62	-	-	23	1	1	34	-
6 Clark	209	-	-	-	-	-	14	-	-	1	-	-	26	-
7 Clay	113	-	-	-	-	-	5	-	-	-	-	-	7	-
8 Clinton	86	-	-	-	-	-	4	-	-	-	-	-	6	-
9 Crittenden	132	-	-	-	-	-	12	-	-	1	1	-	9	-
10 Cumberland	82	-	-	-	-	-	13	1	-	-	-	-	10	-
11 Daviess	535	-	-	-	-	7	8	1	-	-	1	1	52	-
12 Owensboro	354	-	-	-	-	5	6	1	-	-	1	1	32	-
13 Balance of county	181	-	-	-	-	2	2	-	-	-	-	-	20	-
14 Edmonson	81	-	-	1	-	-	3	-	-	-	2	-	8	-
15 Elliott	39	-	-	-	-	-	2	-	-	-	-	-	3	-
16 Estill	115	1	-	-	-	-	13	-	-	-	1	-	8	-
17 Fayette	1,280	-	2	-	-	-	114	-	1	51	1	-	125	-
18 Lexington	978	-	2	-	-	-	89	-	-	39	1	-	94	-
19 Balance of county	302	-	-	-	-	-	25	-	1	12	-	-	31	-
20 Fleming	143	-	-	-	-	-	7	-	-	-	-	-	17	-
21 Floyd	307	-	1	-	-	4	31	-	-	1	-	-	20	-
22 Franklin	250	-	-	-	1	-	12	2	-	-	2	-	22	1
23 Frankfort	160	-	-	-	-	-	11	2	-	-	1	-	11	1
24 Balance of county	90	-	-	-	1	-	1	-	-	-	1	-	11	-
25 Fulton	144	1	-	-	1	1	3	-	-	1	-	-	20	-
26 Gallatin	52	-	-	-	-	-	5	1	-	-	-	-	6	-
27 Garrard	103	-	1	-	-	1	8	-	-	-	-	-	14	-
28 Grant	134	-	1	-	-	-	5	-	-	1	-	-	17	-
29 Graves	292	-	-	1	2	-	19	-	-	1	1	-	36	-
30 Grayson	169	-	-	-	-	-	12	1	-	-	-	-	21	-
31 Green	101	1	-	-	-	1	5	-	-	-	-	1	5	-
32 Gretna	207	-	1	1	-	3	11	-	-	-	-	-	20	-
33 Hancock	72	-	-	-	-	-	1	-	-	-	-	-	8	-
34 Hardin	278	-	-	-	-	-	14	1	1	1	2	1	28	-
35 Harlan	442	4	4	1	1	2	19	2	-	6	1	-	26	-
36 Harrison	173	-	-	-	-	-	12	-	-	-	-	-	22	-
37 Hart	161	-	-	-	-	1	11	1	-	-	1	-	14	-
38 Henderson	327	-	-	-	1	-	5	-	-	5	-	-	29	-
39 Henderson	198	-	-	-	-	-	1	-	-	4	-	-	15	-
40 Balance of county	129	-	-	-	1	-	4	-	-	1	-	-	14	-
41 Henry	151	1	-	-	-	1	9	-	-	2	-	-	14	-
42 Hickman	88	-	-	-	-	-	4	-	1	-	1	-	14	-
43 Hopkins	422	3	-	-	1	1	13	-	1	2	1	1	48	-
44 Jackson	69	-	-	1	-	-	4	1	-	-	-	-	1	-
45 Jefferson	5,165	2	14	1	7	1	320	3	-	49	7	1	592	2
46 Louisville	4,328	2	14	1	6	1	244	3	-	23	6	1	514	2
47 Balance of county	637	-	-	-	1	-	76	-	-	26	1	-	78	-
48 Jessamine	113	-	-	-	-	1	4	-	-	2	-	-	15	-
49 Johnson	176	-	-	-	-	-	17	1	-	-	-	-	18	-
50 Kenton	1,003	-	-	-	1	1	41	-	-	7	4	-	141	1
51 Covington	702	-	-	-	1	-	31	-	-	6	3	-	101	1
52 Balance of county	301	-	-	-	-	1	10	-	-	1	1	-	40	-
53 Knott	81	-	-	-	-	-	3	1	-	-	-	-	5	1
54 Knox	228	1	-	-	1	-	15	3	-	-	-	-	16	-
55 Laramie	78	-	1	-	-	-	4	1	-	1	-	-	7	1
56 Laurel	201	-	-	-	2	1	8	1	-	1	-	-	24	-
57 Lawrence	125	-	-	-	-	-	6	-	-	-	-	-	7	-
58 Lee	51	-	-	-	-	-	4	-	-	-	-	-	2	-
59 Leslie	57	-	-	-	1	-	2	-	-	-	-	-	2	-
60 Letcher	298	1	1	1	-	-	10	-	-	2	-	-	19	-
61 Lewis	150	-	-	-	-	1	8	2	-	-	1	-	6	-
62 Lincoln	173	-	-	-	-	1	8	-	-	1	1	-	20	-
63 Livingston	95	1	-	-	-	-	5	-	1	-	-	-	7	-
64 Logan	254	-	1	-	-	-	16	-	-	1	-	2	35	1
65 Lyon	94	-	-	-	-	-	4	-	-	-	2	-	8	-
66 McCracken	511	1	-	1	-	-	25	2	-	7	1	1	58	1
67 Paducah	366	1	-	1	1	-	20	1	-	4	1	-	40	1
68 Balance of county	143	-	-	1	-	-	5	1	-	3	-	1	18	-
69 McCreary	117	-	-	-	-	1	10	-	-	-	-	-	10	-
70 McLean	114	-	-	-	-	-	7	-	-	1	1	-	16	-
71 Madison	280	-	-	-	-	1	22	1	-	-	-	-	32	1
72 Magoffin	84	1	-	-	3	-	2	-	-	-	2	-	4	-
73 Marion	154	1	-	-	-	1	8	-	-	-	-	-	16	-
74 Marshall	126	-	-	-	1	-	10	-	-	-	-	-	16	-
75 Martin	51	-	-	-	1	-	4	-	-	-	1	-	8	-
76 Mason	227	-	-	-	1	-	12	-	-	1	1	-	24	1
77 Meade	86	-	-	-	1	-	2	-	-	-	-	-	9	-
78 Menifee	45	-	-	-	1	-	2	-	-	-	-	-	5	-
79 Mercer	151	-	-	-	-	-	7	-	-	-	-	-	52	-
80 Metcalfe	85	-	-	-	-	-	11	-	-	-	3	-	11	-
81 Monroe	107	-	-	-	-	-	13	-	-	-	1	-	6	-
82 Montgomery	136	-	-	-	-	3	5	-	-	-	2	-	12	-
83 Morgan	71	-	-	-	-	-	6	-	-	-	-	-	6	-
84 Muhlenberg	343	2	-	1	1	-	13	1	-	1	-	-	37	1
85 Nelson	197	-	1	-	-	-	13	-	-	-	-	-	19	-
86 Nicholas	98	-	-	-	-	-	4	-	-	-	1	-	10	-
87 Ohio	184	1	-	-	-	-	9	-	-	-	-	-	17	-
88 Oldham	108	-	-	-	1	-	6	-	-	1	-	-	11	-
89 Owen	98	-	-	-	-	-	6	-	-	1	-	-	6	-
90 Owlsley	45	-	1	-	-	1	7	-	-	-	-	-	3	-
91 Padletton	129	-	-	-	1	-	6	-	-	-	-	-	12	-
92 Perry	282	-	2	-	-	2	14	-	-	4	-	-	15	-
93 Pike	507	-	1	-	7	3	37	5	-	4	-	-	38	-
94 Powell	58	-	-	-	-	-	7	-	-	-	-	-	1	-
95 Pulaski	287	-	-	-	-	1	13	1	-	3	-	-	37	-
96 Robertson	28	-	-	-	-	-	1	-	-	-	-	-	2	-
97 Rockcastle	70	-	-	-	-	-	7	-	-	-	-	-	6	-



## 555

causes of death are those of the detailed International List of Causes of Death, - 1938 revision)



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
KENTUCKY—Continued														
1 Rowan	87	-	-	-	-	-	8	-	-	-	1	-	3	-
2 Russell	104	-	-	-	1	-	5	-	-	-	-	-	6	-
3 Scott	157	-	-	-	-	-	6	-	-	1	-	-	15	-
4 Shelby	193	-	-	-	-	-	12	-	-	1	-	-	19	-
5 Simpson	127	-	-	-	-	-	8	-	-	-	1	-	9	-
6 Spencer	67	-	1	-	-	-	6	-	-	-	-	-	2	-
7 Taylor	130	-	-	-	-	-	12	-	-	-	-	-	15	-
8 Todd	134	-	-	-	1	-	8	1	-	3	1	-	14	-
9 Trigg	122	-	-	-	-	-	9	-	-	1	1	1	12	-
10 Trimble	42	-	-	-	-	-	2	-	-	-	-	-	5	-
11 Union	142	-	-	-	-	-	5	1	-	1	-	-	14	-
12 Warren	405	-	-	1	1	1	25	1	-	1	-	2	44	-
13     Bowling Green	213	-	-	-	1	1	13	-	-	1	-	-	23	-
14     Balance of county	192	-	-	1	-	-	12	1	-	-	-	2	21	-
15 Washington	108	-	-	-	-	-	8	-	-	4	-	-	12	-
16 Wayne	108	-	-	-	-	1	9	-	-	-	4	-	5	-
17 Webster	192	-	-	-	-	-	9	-	-	1	-	-	26	-
18 Whitley	260	-	-	-	-	-	11	-	1	1	1	-	26	-
19 Wolfe	73	-	-	-	-	-	4	-	-	-	-	-	4	-
20 Woodford	102	-	-	-	-	-	4	2	-	1	-	-	11	-
21 LOUISIANA	22,030	22	24	2	24	42	1,089	21	22	422	22	23	2,506	17
22 Acadie	365	1	3	-	2	1	14	-	-	2	-	-	45	-
23 Allen	123	-	-	-	-	-	9	-	1	2	-	-	15	-
24 Ascension	180	-	-	-	-	-	11	-	-	1	-	-	17	-
25 Assumption	160	1	1	-	1	-	5	-	-	4	-	-	19	-
26 Avoyelles	271	-	-	-	-	2	7	-	1	2	-	-	35	-
27 Beauregard	139	-	-	-	-	1	5	-	-	-	1	-	10	-
28 Bienville	167	-	-	-	-	1	9	2	-	1	1	-	22	1
29 Bossier	238	1	-	-	-	-	12	-	-	6	1	-	22	-
30 Caddo	1,426	2	-	-	6	2	73	1	3	17	2	1	171	4
31     Shreveport	1,052	-	-	-	3	1	49	1	1	12	1	1	125	4
32     Balance of parish	374	2	-	-	3	1	24	-	2	5	1	-	46	-
33 Calcasieu	562	-	-	-	-	1	18	2	-	4	-	1	67	-
34     Lake Charles	318	-	-	-	-	-	6	-	-	2	-	-	37	-
35     Balance of parish	244	-	-	-	-	1	12	2	-	2	-	1	30	-
36 Caldwell	64	-	-	-	-	-	1	-	-	1	-	-	6	1
37 Cameron	41	-	-	-	-	-	-	-	-	-	-	-	2	-
38 Catahoula	65	-	-	-	-	-	3	-	-	-	-	-	5	-
39 Claiborne	194	1	-	-	-	-	13	-	-	5	-	1	14	-
40 Concordia	135	-	-	-	-	-	5	-	-	11	-	-	12	-
41 De Soto	256	-	-	-	-	-	6	-	1	1	1	-	33	1
42     East Baton Rouge	938	-	6	1	3	1	43	2	1	15	-	2	100	-
43     Baton Rouge	390	-	-	-	1	1	20	1	-	8	-	-	45	-
44     Balance of parish	548	-	6	1	2	-	23	1	1	7	-	2	55	-
45     East Carroll	138	-	-	-	-	-	5	-	1	2	-	-	13	-
46     East Feliciana	438	1	-	-	-	-	54	1	-	74	-	-	25	1
47 Evangeline	210	-	-	-	-	1	15	-	2	1	-	-	16	1
48 Franklin	204	1	-	-	-	1	11	-	-	1	1	-	19	-
49 Grant	119	-	-	-	-	1	2	-	-	1	-	-	16	-
50 Iberia	355	-	-	-	-	1	8	-	-	4	-	-	44	1
51     New Iberia	158	-	-	-	-	-	3	-	-	3	-	-	23	1
52     Balance of parish	196	-	-	-	-	1	5	-	-	1	-	-	21	-
53 Iberville	259	-	-	-	-	-	12	-	-	3	-	2	23	-
54 Jackson	322	-	1	-	-	1	12	-	-	8	-	1	35	-
55 Jefferson	301	-	-	-	-	-	5	-	-	3	1	-	47	-
56     Gretna	61	-	-	-	-	-	4	-	-	-	-	-	11	-
57     Balance of parish	220	-	-	-	-	-	6	-	-	3	1	-	36	-
58 Jefferson Davis	197	-	-	-	-	-	6	-	-	2	-	-	21	-
59 Lafayette	427	1	1	-	-	2	24	1	2	6	-	-	45	-
60     Lafayette	246	-	1	-	-	1	17	-	-	4	-	-	25	-
61     Balance of parish	181	1	-	-	-	1	7	1	2	4	-	-	20	-
62 Lafourche	275	-	-	-	-	1	9	-	-	-	-	-	29	2
63 La Salle	100	1	-	-	-	1	8	-	-	2	-	-	13	-
64 Lincoln	183	-	1	-	-	-	10	-	-	1	1	-	25	-
65 Livingston	105	-	-	-	-	-	5	-	-	1	-	-	17	-
66 Madison	166	-	-	-	1	-	13	-	-	2	-	-	6	-
67 Morehouse	226	1	-	-	2	1	5	1	-	4	-	-	23	-
68 Natchitoches	327	1	1	-	-	1	15	-	-	1	3	-	33	1
69 Orleans, coextensive with														
70     New Orleans	5,686	2	4	-	4	5	341	6	-	108	1	5	775	1
71 Ouachita	622	-	1	-	-	-	41	-	2	4	-	1	72	-
72     Monroe	413	-	1	-	-	-	20	-	2	4	-	-	38	-
73     Balance of parish	209	-	-	-	-	-	21	-	-	-	-	1	34	-
74 Plaquemines	90	-	-	-	-	1	3	-	-	5	-	-	11	1
75 Pointe Coupee	193	-	-	-	-	-	5	-	-	3	-	-	30	-
76 Rapides	902	1	-	-	-	2	59	-	-	49	1	-	79	-
77     Alexandria	337	-	-	-	-	1	12	-	-	9	1	-	38	-
78     Balance of parish	565	1	-	-	-	1	47	-	-	40	-	-	40	-
79 Red River	109	-	-	-	-	-	2	-	-	3	1	-	10	-
80 Richland	218	2	-	-	-	-	9	-	1	5	-	1	26	-
81 Sabine	165	-	-	-	-	-	2	-	2	1	1	-	17	-
82 St. Bernard	53	-	-	-	-	-	1	-	-	1	-	-	9	-
83 St. Charles	93	-	-	-	-	-	1	-	-	3	-	-	10	-
84 St. Helena	53	-	-	-	-	-	5	-	-	1	-	-	3	-
85 St. James	126	-	-	-	-	-	2	-	-	1	-	-	8	-
86 St. John the Baptist	124	-	-	-	1	-	3	-	-	1	-	-	14	-
87 St. Landry	597	1	1	-	2	3	30	-	1	6	1	1	59	-
88 St. Martin	187	-	-	1	-	1	17	1	-	1	-	-	16	-
89 St. Mary	297	-	-	-	-	1	8	1	1	5	-	-	33	-
90 St. Tammany	235	-	-	-	-	1	8	-	-	1	-	-	30	1
91 Tangipahoa	380	1	-	-	1	-	22	-	-	7	-	3	37	-
92 Tensas	139	-	-	-	-	-	8	-	-	4	1	-	17	-
93 Terrebonne	296	-	2	-	-	1	6	-	-	2	-	-	39	-
94 Union	159	-	1	-	-	-	1	-	-	-	-	-	8	-
95 Vermilion	237	1	-	-	1	2	15	2	-	1	1	-	23	-



## 557

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined, and unknown causes	All other causes
61	69	83	90-95	107-109,33	118,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
1	-	7	28	5	-	1	-	7	-	1	9	4	4	8
1	-	15	19	12	1	9	2	3	-	2	3	3	5	17
2	-	30	43	10	-	9	1	3	2	1	4	15	-	15
2	-	19	60	13	1	7	-	13	2	2	10	4	2	26
2	-	10	24	13	1	10	1	13	-	2	3	8	5	17
1	-	7	14	3	-	1	-	12	2	-	5	4	-	9
3	-	12	27	5	1	13	1	8	-	3	2	4	5	19
1	-	16	37	12	-	11	-	6	1	1	3	6	1	11
1	-	21	28	6	1	4	-	11	1	1	1	6	5	12
-	-	2	18	2	-	-	1	4	-	-	-	-	-	6
2	-	21	45	4	1	8	-	6	1	1	6	7	5	14
5	-	44	99	26	3	3	-	25	2	5	10	22	6	38
4	-	23	55	15	2	24	-	11	1	5	4	7	2	21
1	-	21	44	11	1	20	-	14	1	-	6	15	4	17
3	-	4	42	6	1	2	-	1	1	-	4	6	1	13
-	-	7	32	7	-	4	-	2	2	3	4	11	4	13
1	-	25	46	3	1	26	2	13	2	3	4	12	1	17
2	-	34	53	25	5	28	1	14	-	6	8	12	7	25
-	-	4	13	5	-	2	-	10	-	3	3	2	11	10
-	-	11	42	6	1	3	2	6	-	1	1	4	-	9
358	22	1,778	5,857	1,300	145	1,442	139	1,754	192	261	507	1,129	445	2,365
9	-	15	93	25	11	23	4	31	2	2	8	18	13	43
2	-	12	38	7	-	38	2	11	1	1	3	4	1	23
1	-	19	58	11	1	6	2	14	-	2	-	9	9	19
4	-	10	55	9	2	5	-	14	-	-	4	10	3	13
4	-	29	84	14	-	12	3	16	5	2	10	15	2	28
1	1	7	34	6	2	18	1	19	1	-	5	11	5	11
4	1	16	31	7	1	17	1	18	-	-	5	8	11	10
3	-	32	49	17	-	17	1	23	3	1	12	17	1	20
18	1	123	307	64	12	143	7	144	15	26	35	66	13	170
15	1	98	236	45	8	92	6	115	10	19	29	39	10	133
3	-	27	71	19	4	51	1	29	5	7	6	27	3	37
8	-	31	129	27	6	50	4	60	7	13	18	32	10	74
4	-	17	80	13	1	33	2	34	3	8	12	21	5	40
4	-	14	49	14	5	17	2	26	4	5	6	11	5	34
1	-	2	18	5	-	8	-	7	1	-	5	8	7	11
1	-	5	16	3	-	1	-	5	2	3	-	2	-	3
1	-	18	23	3	-	7	1	2	-	4	1	7	1	12
1	-	16	50	13	2	11	2	11	-	8	7	9	11	19
-	-	10	24	4	1	20	-	10	-	-	6	11	8	12
1	1	23	73	14	4	6	2	12	-	7	3	18	3	27
17	3	73	226	62	-	64	6	80	12	8	26	35	31	121
7	1	32	101	20	-	33	1	25	5	6	15	15	5	53
10	2	41	125	42	-	31	5	55	7	2	16	20	26	68
2	-	32	35	8	2	6	1	7	-	2	4	5	3	11
2	-	15	176	19	4	10	2	4	2	2	5	13	1	27
1	-	15	39	18	4	14	2	17	6	3	8	17	9	21
4	2	25	36	22	-	14	1	15	1	2	6	12	4	26
-	-	14	31	7	1	7	-	10	2	-	6	6	1	14
8	2	30	80	22	2	26	3	36	5	2	6	17	4	55
6	1	10	38	7	1	12	1	21	4	-	3	6	-	21
2	-	20	45	15	1	14	2	15	1	2	3	11	4	34
2	-	37	67	13	2	20	3	20	1	2	9	16	2	26
7	-	20	65	15	1	11	6	48	2	2	11	21	20	35
5	-	25	98	12	2	28	1	7	5	5	19	6	6	28
1	-	9	24	2	1	1	-	4	1	-	1	6	2	11
4	-	16	74	10	1	19	1	3	4	5	5	13	4	17
4	-	17	61	12	2	8	1	18	-	2	5	8	2	28
4	-	24	82	32	7	19	1	38	7	2	12	13	16	98
1	-	15	52	15	6	12	-	18	2	2	8	11	6	50
3	-	9	30	17	1	7	1	20	5	-	4	2	10	36
8	-	14	74	25	5	22	1	17	2	3	10	9	5	35
2	-	6	28	6	-	4	-	6	3	-	3	7	5	6
5	1	15	45	11	2	18	1	7	1	-	3	10	4	22
3	-	10	24	8	-	3	-	6	1	4	5	9	4	6
2	-	10	43	3	1	4	3	9	1	3	6	10	27	21
2	-	14	66	17	1	16	4	14	1	2	8	1	33	23
2	-	20	89	19	-	17	5	39	3	3	9	11	21	33
127	2	480	1,896	279	15	368	20	380	45	68	94	281	19	530
11	1	49	178	51	4	51	1	60	5	9	12	32	5	52
7	-	36	128	20	2	38	1	39	5	7	9	18	4	36
4	1	13	52	11	2	13	-	21	-	2	3	14	1	16
1	1	5	22	7	1	-	3	9	-	-	-	6	6	10
1	-	23	55	10	-	11	-	19	1	3	2	9	6	15
15	-	68	236	48	3	61	3	76	4	17	14	45	23	98
6	-	33	94	10	1	30	3	29	2	7	6	14	4	36
9	-	55	142	38	2	31	-	47	2	10	8	31	19	62
1	-	17	8	8	-	8	1	13	-	1	5	7	3	20
3	-	51	50	19	2	11	1	16	2	3	3	16	1	21
-	-	33	12	12	-	6	1	12	1	2	6	13	8	21
-	-	3	24	3	-	3	-	3	-	-	1	3	-	4
-	-	8	19	11	1	2	1	8	-	2	1	5	-	10
-	2	2	12	4	1	2	2	1	-	4	4	1	3	8
1	-	7	40	12	5	8	-	10	-	1	-	8	-	21
1	-	13	32	13	2	4	1	7	-	-	2	7	1	22
2	-	47	120	55	6	37	7	71	13	6	14	25	29	53
6	-	11	48	15	4	7	-	16	3	-	3	20	1	18
4	-	25	76	28	4	30	2	15	2	5	7	17	3	25
4	-	14	74	22	-	15	2	18	1	1	5	13	2	23
5	1	38	102	31	4	14	2	34	4	6	8	20	1	39
-	-	18	37	8	1	3	1	8	1	1	3	10	4	16
-	-	12	82	27	6	20	3	30	2	2	7	17	7	28
-	2	13	42	10	1	25	2	11	4	-	5	8	1	31
-	-	12	44	21	2	15	2	25	4	-	3	8	12	24



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	29	30	35	36	45-55	58
LOUISIANA—Continued														
1 Vernon.....	187	-	-	-	-	1	6	-	-	-	-	-	18	-
2 Washington.....	326	-	-	-	-	1	17	-	-	2	-	2	35	-
3 Bogalusa.....	167	-	-	-	-	1	7	-	-	2	-	-	19	-
4 Balance of parish.....	159	-	-	-	-	-	10	-	-	-	-	2	16	-
5 Webster.....	258	1	-	-	-	-	10	1	-	3	2	1	28	-
6 West Baton Rouge.....	104	-	-	-	-	-	2	-	1	7	-	-	8	-
7 West Carroll.....	116	-	-	-	-	1	5	-	-	2	1	-	16	-
8 West Feliciana.....	75	1	-	-	-	-	5	-	-	3	-	-	6	-
9 Winn.....	117	-	-	-	-	1	2	-	-	3	-	1	13	1
10 MAINE.....	10,058	3	9	2	15	18	216	2	-	49	12	3	1,393	7
11 Androscoggin.....	693	-	-	-	-	1	20	-	-	4	1	1	119	-
12 Auburn.....	186	-	-	-	-	1	1	-	-	2	-	-	13	-
13 Lewiston.....	442	-	-	-	-	-	10	-	-	1	1	-	76	-
14 Balance of county.....	263	-	-	-	-	-	9	-	-	1	-	-	30	-
15 Arden.....	738	-	2	-	-	3	23	-	-	-	-	1	79	2
16 Cumberland.....	1,859	2	-	-	-	4	32	-	-	10	5	-	276	1
17 Portland.....	351	-	-	-	2	-	18	-	-	5	3	-	140	1
18 South Portland.....	203	1	-	-	-	-	6	-	-	1	1	-	37	-
19 Westbrook.....	125	1	-	-	-	-	-	-	-	1	-	-	10	-
20 Balance of county.....	600	-	-	-	2	1	8	-	-	3	1	-	89	-
21 Franklin.....	258	-	-	-	-	-	6	-	-	-	-	-	36	-
22 Hancock.....	387	-	-	-	-	-	10	-	-	1	1	-	64	-
23 Kennebec.....	1,029	1	1	1	1	9	26	1	-	14	2	1	124	-
24 Augusta.....	264	-	-	-	-	3	12	-	-	10	-	-	26	-
25 Waterville.....	163	-	-	-	1	4	6	-	-	-	-	-	26	-
26 Balance of county.....	596	1	1	1	-	2	8	1	-	4	1	1	72	-
27 Knox.....	566	-	-	-	-	1	8	1	-	2	-	-	65	1
28 Lincoln.....	226	-	-	-	-	-	1	-	-	2	-	-	31	-
29 Oxford.....	439	-	2	-	-	-	11	-	-	1	1	-	69	-
30 Penobscot.....	1,294	-	1	-	1	1	37	-	-	8	1	-	153	1
31 Bangor.....	505	-	-	-	-	-	25	-	-	6	-	-	54	1
32 Balance of county.....	791	-	1	-	1	1	12	-	-	2	1	-	99	-
33 Piscataquis.....	213	-	-	-	-	-	3	-	-	-	-	-	25	-
34 Sagadahoc.....	255	-	1	-	2	-	-	-	-	1	-	-	27	-
35 Bath.....	127	-	1	-	-	-	-	-	-	-	-	-	14	-
36 Balance of county.....	123	-	-	-	2	-	-	-	-	1	-	-	13	-
37 Somerset.....	481	-	-	-	1	2	21	-	-	1	1	-	59	-
38 Waldo.....	259	-	-	-	-	1	3	-	-	2	-	-	32	-
39 Washington.....	429	-	1	-	2	1	6	-	-	1	-	-	65	1
40 York.....	954	-	1	1	1	-	9	-	-	2	1	-	169	1
41 Biddeford.....	177	-	-	-	-	-	3	-	-	-	-	-	35	-
42 Balance of county.....	777	-	1	1	1	-	6	-	-	2	1	-	134	1
43 MARYLAND.....	21,783	4	20	2	15	30	1,186	6	1	294	16	6	2,787	16
44 Allegany.....	900	-	-	-	1	-	20	-	-	2	-	-	103	1
45 Cumberland.....	504	-	-	-	-	-	8	-	-	-	-	-	57	1
46 Balance of county.....	396	-	-	-	1	-	12	-	-	-	-	-	46	-
47 Anne Arundel.....	888	-	1	-	-	2	60	-	-	49	-	-	93	2
48 Annapolis.....	166	-	-	-	-	-	11	-	-	1	-	-	23	-
49 Balance of county.....	722	-	1	-	-	-	49	-	-	48	-	-	70	2
50 Baltimore.....	1,965	-	2	-	-	2	90	1	-	27	1	-	236	-
51 District 12 <sup>2</sup> .....	152	-	-	-	-	-	4	-	-	2	-	-	23	-
52 District 13 <sup>2</sup> .....	67	-	-	-	-	-	1	-	-	-	-	-	20	-
53 Balance of county.....	1,626	-	2	-	-	2	85	1	-	25	1	-	193	-
54 Baltimore (city).....	10,438	1	13	1	2	20	641	3	1	124	7	4	1,434	9
55 Calvert.....	125	-	-	-	1	-	5	-	-	3	-	-	19	-
56 Caroline.....	237	-	-	-	1	-	7	-	-	4	-	-	25	-
57 Carroll.....	615	-	1	-	1	-	69	-	-	16	-	-	68	-
58 Cecil.....	369	-	-	-	-	-	18	-	-	26	1	-	35	-
59 Charles.....	205	-	1	-	-	-	9	-	-	5	-	-	23	-
60 Dorchester.....	363	-	-	-	-	1	13	1	-	4	-	-	38	-
61 Cambridge.....	146	-	-	-	-	-	4	-	-	-	-	-	18	-
62 Balance of county.....	217	-	-	-	-	1	9	1	-	4	-	-	20	-
63 Frederick.....	666	1	1	-	3	2	56	1	-	6	-	-	91	1
64 Frederick.....	182	-	1	-	-	-	10	-	-	1	-	-	26	1
65 Balance of county.....	474	1	-	-	3	2	26	1	-	5	-	-	55	-
66 Garrett.....	180	-	-	-	-	1	1	-	-	-	-	-	21	-
67 Harford.....	418	-	-	-	1	-	15	-	-	3	1	-	58	-
68 Howard.....	186	-	-	-	-	1	4	-	-	-	-	-	25	-
69 Kent.....	180	-	1	-	-	-	4	-	-	-	-	-	25	-
70 Montgomery.....	880	1	-	-	-	-	16	-	-	1	1	-	108	1
71 Prince Georges.....	933	-	-	-	1	2	67	-	-	6	2	2	119	1
72 Queen Anne's.....	146	-	-	-	-	-	7	-	-	1	1	-	17	-
73 St. Marys.....	201	-	-	-	-	-	11	-	-	-	-	-	19	-
74 Somerset.....	284	-	-	-	-	-	15	-	-	1	1	-	26	-
75 Talbot.....	237	-	-	-	-	-	7	-	-	2	1	-	27	-
76 Washington.....	772	-	-	-	1	-	24	-	-	8	-	-	103	-
77agerstown.....	424	-	-	-	-	-	10	-	-	5	-	-	61	-
78 Balance of county.....	348	-	-	-	-	-	30	-	-	3	-	-	42	-
79 Wicomico.....	445	1	-	-	-	-	15	-	-	2	-	-	57	-
80 Salisbury.....	201	-	-	-	-	-	15	-	-	-	-	-	30	-
81 Balance of county.....	244	1	-	-	-	-	15	-	-	2	-	-	27	-
82 Worcester.....	290	-	-	-	1	-	17	-	-	-	-	-	27	1
83 MASSACHUSETTS.....	51,398	2	24	2	16	36	1,664	8	-	235	16	24	7,760	23
84 Barnstable.....	521	-	-	-	-	-	10	-	-	2	-	-	78	-
85 Berkshire.....	1,416	-	2	-	1	-	28	-	-	3	-	1	202	1
86 Adams (town).....	139	-	1	-	-	-	3	-	-	1	-	-	22	-
87 North Adams.....	255	-	1	-	-	-	4	-	-	-	-	-	43	1
88 Pittsfield.....	595	-	-	-	-	-	15	-	-	1	-	1	78	-
89 Balance of county.....	429	-	-	-	1	-	6	-	-	1	-	-	59	-

<sup>2</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

559

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed international list of causes of death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
2	-	12	30	13	-	23	-	29	5	1	8	14	4	21
6	1	22	93	27	1	17	8	26	2	3	13	20	2	28
5	-	11	50	9	-	5	4	16	-	2	8	9	1	18
1	1	11	43	18	1	12	4	10	2	1	5	11	1	10
2	-	29	58	12	3	11	3	30	-	6	8	12	6	33
2	-	13	22	3	1	10	1	9	-	1	4	8	1	11
2	-	7	29	8	-	6	-	13	-	2	2	9	2	11
1	-	6	25	4	-	5	-	2	1	-	2	5	3	5
1	-	14	28	5	-	7	-	8	1	1	3	6	7	15
235	-	1,050	3,092	478	51	622	32	591	121	12	193	490	188	1,176
14	-	104	293	58	6	60	2	46	6	2	19	37	11	109
3	-	28	69	9	3	10	-	10	-	1	4	8	4	22
7	-	57	128	20	2	35	-	17	3	-	9	17	4	55
4	-	19	96	9	1	15	2	19	3	1	6	12	3	32
11	-	67	172	52	18	44	8	69	7	-	25	49	22	85
43	-	207	594	74	6	92	5	129	24	1	29	97	31	197
21	-	110	303	36	2	39	2	59	11	-	12	56	20	91
2	-	19	63	1	1	11	1	18	2	-	2	9	1	19
3	-	21	34	6	-	13	-	14	2	-	2	6	1	11
17	-	57	194	23	3	29	2	37	9	1	13	26	9	76
6	-	24	74	11	2	7	3	17	6	-	5	9	4	28
10	-	47	129	5	-	24	-	16	6	-	7	13	5	49
11	-	97	330	58	-3	78	4	53	15	2	16	49	5	128
3	-	28	70	19	1	22	-	20	3	-	1	16	-	30
4	-	19	51	9	1	5	2	11	2	-	1	10	2	15
4	-	50	209	30	1	51	2	22	10	2	14	23	3	83
7	-	34	133	12	-	25	-	13	8	1	2	12	8	33
2	-	29	67	13	-	19	1	9	5	-	2	9	7	28
16	-	55	122	19	1	18	-	27	6	-	13	27	5	48
47	-	106	391	56	2	87	6	70	7	2	29	73	43	172
17	-	42	161	23	1	20	2	18	4	1	8	21	15	84
30	-	64	230	33	1	67	4	52	3	1	21	52	28	88
8	-	13	68	8	2	22	1	7	6	1	1	17	8	23
10	-	17	92	20	-	13	1	10	1	1	2	9	7	41
6	-	9	51	11	-	6	-	4	-	-	-	3	2	21
4	-	7	41	9	-	7	1	6	1	1	2	6	5	20
10	-	55	140	26	1	24	1	23	9	1	17	30	4	55
7	-	29	71	14	2	28	-	21	1	-	4	7	12	24
11	-	62	129	17	2	26	-	27	4	-	8	17	5	43
22	-	104	287	53	6	55	2	55	11	1	15	35	11	112
2	-	20	58	9	-	8	-	7	1	-	2	6	-	28
20	-	94	229	44	6	47	2	48	10	1	13	29	11	86
539	4	1,712	6,963	633	165	1,773	56	1,230	271	173	429	964	90	2,198
29	-	69	289	29	5	93	1	61	11	-	21	34	2	130
14	-	45	173	14	2	54	-	32	8	-	7	15	1	75
15	-	24	115	15	3	39	1	29	3	-	14	19	1	57
17	-	61	271	32	5	46	1	43	6	6	24	43	7	119
4	-	11	64	6	3	6	-	6	1	3	3	5	3	16
13	-	50	207	26	2	40	1	37	5	3	21	38	4	103
47	-	132	670	56	11	99	8	139	35	6	41	104	1	157
4	-	6	32	9	2	8	1	25	3	2	5	15	-	11
43	-	120	37	1	-	2	-	1	1	-	1	7	-	7
269	-	601	37	9	2	89	7	112	32	3	35	82	1	139
3	-	700	415	62	84	644	25	559	126	107	141	386	27	1,016
6	-	14	38	5	1	5	-	30	-	1	3	7	2	8
15	-	25	82	3	1	30	2	12	1	4	6	5	1	22
4	-	35	175	36	2	34	1	16	3	3	10	30	4	68
5	-	15	109	18	1	25	3	16	9	-	12	16	5	36
19	1	46	114	18	4	19	-	19	6	1	9	11	2	16
6	-	17	45	1	-	35	1	13	-	2	6	15	1	37
12	-	29	69	4	-	20	1	4	-	1	2	7	-	17
22	-	93	197	16	4	54	2	27	14	2	16	36	4	47
3	-	29	64	2	-	13	-	8	4	1	8	8	1	12
19	-	64	133	14	4	41	2	19	10	1	9	28	3	35
5	-	13	63	6	2	12	1	14	2	1	1	14	2	22
8	-	61	104	23	1	25	1	26	2	1	22	16	4	48
1	-	16	72	10	4	6	-	8	1	1	8	8	1	16
20	1	11	56	2	2	17	3	8	1	3	4	17	-	26
22	1	45	290	39	7	69	2	56	19	7	16	35	5	103
3	-	14	51	5	1	13	-	5	11	10	23	50	3	83
4	1	14	36	12	2	15	2	18	1	1	13	23	1	29
12	-	22	56	11	1	53	-	16	5	3	7	11	2	30
8	-	29	75	9	1	16	2	14	1	-	6	7	2	25
3	-	90	269	28	2	53	1	42	9	3	15	39	8	70
5	-	51	165	14	1	29	1	23	3	3	3	18	-	34
7	-	39	104	14	1	24	-	19	6	-	12	21	8	36
2	-	48	130	12	2	40	2	17	3	7	13	27	3	44
5	-	25	59	5	1	21	2	6	1	5	6	13	-	12
8	-	71	82	11	2	19	-	11	2	2	7	14	3	32
1,583	3	4,761	18,901	2,230	223	2,140	126	2,396	468	64	618	2,225	157	5,701
19	-	55	174	28	2	29	-	23	5	-	12	23	5	55
49	1	126	515	58	1	91	3	69	24	-	19	71	3	151
7	-	6	51	2	-	10	-	5	3	-	2	7	1	18
10	1	21	93	7	-	18	-	12	3	-	2	14	-	25
21	-	53	190	25	1	48	3	35	11	-	10	30	-	69
11	-	44	161	21	-	15	-	17	7	-	5	20	2	39



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
MASSACHUSETTS—Con.														
1 Bristol	4,493	-	1	-	2	1	153	-	-	15	3	-	762	1
2 Attleboro	279	-	-	-	-	-	13	-	-	1	-	-	39	-
3 Fairhaven (town)	129	-	1	-	1	-	3	-	-	-	-	-	21	-
4 Fall River	1,531	-	-	-	-	-	69	-	-	5	2	-	384	1
5 New Bedford	1,176	-	-	-	-	-	34	-	-	2	-	-	182	-
6 North Attleborough (town)	114	-	-	-	-	-	1	-	-	-	-	-	20	-
7 Taunton	612	-	-	-	1	1	20	-	-	5	-	-	61	-
8 Balance of county	652	-	-	-	-	-	13	-	-	2	1	-	96	-
9 Dukes	97	-	-	-	-	-	1	-	-	1	-	-	11	-
10 Essex	5,994	-	5	2	4	3	161	-	-	17	6	1	896	2
11 Amesbury (town)	143	-	-	-	-	-	4	-	-	-	1	-	23	-
12 Andover (town)	115	-	-	-	-	-	1	-	-	-	-	-	14	-
13 Beverly	293	-	-	-	-	-	2	-	-	-	-	-	43	-
14 Danvers (town)	397	-	-	-	-	-	26	-	-	6	-	-	18	-
15 Gloucester	277	-	1	-	-	-	6	-	-	1	-	1	44	-
16 Haverhill	589	-	-	-	-	2	16	-	-	2	-	-	105	1
17 Lawrence	972	-	1	1	1	1	28	-	-	2	2	-	146	-
18 Lynn	1,174	-	-	-	-	-	23	-	-	1	2	-	174	1
19 Marblehead (town)	150	-	-	-	1	-	1	-	-	-	-	-	29	-
20 Methuen (town)	215	-	-	-	-	-	3	-	-	-	-	-	39	-
21 Newburyport	196	-	1	1	-	-	4	-	-	-	-	-	34	-
22 Peabody	225	-	-	-	-	-	5	-	-	2	-	-	39	-
23 Salem	450	-	1	-	1	-	13	-	-	1	-	-	64	-
24 Saugus (town)	143	-	-	-	-	-	3	-	-	-	-	-	12	-
25 Swampscott (town)	95	-	-	-	-	-	2	-	-	1	-	-	16	-
26 Balance of county	580	-	1	-	1	-	29	-	-	1	1	-	99	-
27 Franklin	597	-	-	-	-	-	5	-	-	1	-	-	89	-
28 Greenfield (town)	195	-	-	-	-	-	1	-	-	1	-	-	35	-
29 Balance of county	392	-	-	-	-	-	4	-	-	-	-	-	54	-
30 Hampden	3,625	1	2	-	1	2	104	1	-	10	1	2	557	2
31 Chicopee	362	1	-	-	-	-	6	-	-	1	-	-	51	-
32 Holyoke	613	-	1	-	-	-	19	1	-	2	-	-	84	-
33 Springfield	1,671	-	-	-	-	-	39	-	-	6	1	-	261	2
34 West Springfield (town)	153	-	-	-	-	-	1	-	-	-	-	-	29	-
35 Westfield	239	-	-	-	-	-	26	-	-	-	-	1	53	-
36 Balance of county	507	-	1	-	1	2	13	-	-	1	-	1	79	-
37 Hampshire	1,076	1	-	-	-	1	27	-	-	15	-	-	125	1
38 Easthampton (town)	94	-	-	-	-	1	1	-	-	-	-	-	14	-
39 Northampton	958	-	-	-	-	-	18	-	-	14	-	-	57	1
40 Balance of county	424	1	-	-	-	-	8	-	-	1	-	-	54	-
41 Middlesex	10,872	-	5	-	2	13	289	1	-	50	2	6	1,750	6
42 Arlington (town)	419	-	-	-	-	-	3	-	-	1	-	1	64	-
43 Belmont (town)	208	-	-	-	-	-	3	-	-	-	-	-	38	-
44 Cambridge	1,419	-	-	-	-	-	44	-	-	5	1	1	249	-
45 Everett	364	-	-	-	-	-	7	-	-	1	-	-	61	-
46 Framingham (town)	252	-	-	-	-	-	5	-	-	1	-	-	41	-
47 Lexington (town)	312	-	-	-	-	-	25	-	-	5	-	-	27	-
48 Lowell	1,285	-	1	-	1	2	30	-	-	8	1	-	206	-
49 Malden	621	-	2	-	-	-	16	-	-	2	-	-	99	-
50 Marlborough	193	-	-	-	-	-	7	-	-	-	-	-	24	-
51 Medford	626	-	-	-	-	-	7	-	-	-	-	-	88	-
52 Melrose	302	-	-	-	-	-	6	1	-	1	-	-	57	-
53 Mattick (town)	204	-	-	-	-	-	3	-	-	-	-	1	31	-
54 Newton	790	-	-	-	-	-	14	-	-	-	-	2	133	-
55 Reading (town)	140	-	-	-	-	-	2	-	-	-	-	-	26	-
56 Scarsville	1,032	-	-	-	1	7	27	-	-	4	-	-	160	4
57 Stoneham (town)	132	-	-	-	-	-	3	-	-	-	-	-	15	-
58 Wakefield (town)	189	-	-	-	-	1	3	-	-	-	-	-	29	1
59 Waltham	489	-	1	-	-	-	46	-	-	5	-	-	66	-
60 Watertown (town)	274	-	-	-	-	-	8	-	-	-	-	-	57	-
61 Winchester (town)	111	-	-	-	-	-	2	-	-	-	-	-	27	-
62 Woburn	199	-	-	-	-	-	6	-	-	-	-	-	26	-
63 Balance of county	1,510	-	1	-	-	3	34	-	-	17	-	1	199	1
64 Weymouth	58	-	-	-	-	-	1	-	-	1	-	-	11	-
65 Norfolk	5,745	-	-	-	-	1	121	2	-	18	1	3	579	3
66 Braintree (town)	183	-	-	-	-	-	11	-	-	-	-	-	23	-
67 Brookline (town)	666	-	-	-	-	-	12	-	-	-	-	1	116	-
68 Dedham (town)	158	-	-	-	-	-	2	-	-	1	-	-	15	-
69 Milton (town)	205	-	-	-	-	-	2	-	-	-	-	-	41	-
70 Needham (town)	124	-	-	-	-	-	3	-	-	-	-	1	20	-
71 Norwood (town)	165	-	-	-	-	-	3	-	-	1	-	-	26	-
72 Quincy	716	-	-	-	-	-	20	-	-	2	1	1	110	-
73 Wellesley (town)	114	-	-	-	-	-	2	-	-	-	-	-	26	-
74 Weymouth (town)	258	-	-	-	-	-	3	-	-	-	-	-	42	1
75 Balance of county	1,176	-	-	-	-	1	66	2	-	14	-	-	160	2
76 Plymouth	2,106	-	1	-	-	2	42	-	-	14	1	-	315	1
77 Brockton	719	-	-	-	-	1	9	-	-	3	-	-	108	-
78 Plymouth (town)	162	-	-	-	-	-	3	-	-	3	-	-	30	-
79 Balance of county	1,225	-	1	-	-	1	30	-	-	9	1	-	176	-
80 Suffolk	10,738	-	2	-	4	12	495	1	-	56	1	5	1,562	4
81 Boston	9,757	-	2	-	3	11	470	1	-	54	1	5	1,567	-
82 Chelsea	509	-	-	-	1	1	14	-	-	1	-	-	105	-
83 Revere	299	-	-	-	-	-	6	-	-	-	-	-	51	-
84 Winthrop (town)	171	-	-	-	-	-	5	-	-	1	-	-	19	-
85 Worcester	6,072	-	6	-	2	3	217	3	-	32	1	6	621	2
86 Athol (town)	108	-	-	-	-	-	-	-	-	-	-	-	13	1
87 Clinton (town)	161	-	-	-	-	-	-	-	-	-	-	-	24	-
88 Fitchburg	444	-	1	-	-	-	11	-	-	1	-	-	70	-
89 Gardner	297	-	-	-	-	-	10	-	-	2	-	-	30	-
90 Leominster	255	-	-	-	-	1	4	-	-	-	-	-	40	-
91 Milford (town)	195	-	1	-	-	-	1	-	-	-	-	-	35	-
92 Northbridge (town)	84	-	-	-	-	-	3	-	-	-	-	-	16	-
93 Southbridge (town)	176	-	1	-	1	-	5	-	-	-	-	-	33	-
94 Webster (town)	128	-	-	-	-	-	2	-	-	1	-	-	32	-
95 Worcester	2,502	-	3	-	-	2	83	3	-	15	-	5	343	1
96 Balance of county	1,722	-	-	-	1	-	99	-	-	10	-	1	186	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

561

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Howi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	85	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
165	1	395	1,631	175	15	252	13	207	47	7	49	146	19	435
17	-	27	99	4	-	17	1	16	6	-	1	9	2	28
5	1	15	47	7	-	3	-	7	1	-	1	4	1	11
56	-	124	481	48	9	82	4	70	10	3	17	44	2	120
47	-	114	433	57	3	57	4	53	11	2	8	41	4	142
3	-	16	47	2	-	6	2	5	2	-	3	1	-	6
11	-	57	297	32	2	18	1	17	6	1	8	27	5	62
26	-	60	225	25	1	49	1	39	11	1	11	20	5	66
-	-	12	37	4	-	4	-	3	2	-	-	7	-	15
198	-	617	2,208	261	29	279	11	284	53	6	77	228	25	641
7	-	12	54	12	-	9	-	5	1	-	1	2	-	12
3	-	10	50	7	-	6	-	4	-	-	-	7	-	13
11	-	43	95	14	1	21	1	13	4	-	4	14	2	25
4	-	51	157	55	1	5	-	5	4	-	5	17	4	59
10	-	16	114	9	3	17	-	11	3	-	2	10	3	26
24	-	61	215	21	-	24	-	18	4	1	10	31	5	49
27	-	96	360	30	4	44	4	53	11	1	17	35	1	112
48	-	148	414	42	6	62	3	51	9	3	10	35	2	140
2	-	17	41	8	-	4	-	9	4	-	1	5	1	10
7	-	17	82	14	-	9	-	7	2	-	4	9	-	22
10	-	23	62	8	1	9	-	8	1	-	-	12	3	19
6	-	23	85	8	5	5	-	13	4	-	2	5	-	24
8	-	31	186	11	6	17	2	30	2	1	7	15	1	53
4	-	19	62	3	-	2	1	11	-	-	1	6	-	18
4	-	20	29	2	-	5	-	7	-	-	-	3	-	6
19	-	50	204	17	2	40	-	20	4	-	15	24	2	53
12	-	64	205	28	7	53	1	23	10	-	11	21	7	50
2	-	19	61	14	5	15	-	8	1	-	2	11	1	19
10	-	45	144	14	2	38	1	15	9	-	9	10	6	31
114	-	341	1,341	134	9	155	7	168	38	2	41	140	15	439
16	-	32	135	17	-	29	1	17	5	-	4	13	-	34
30	-	54	254	24	-	23	-	29	7	1	6	25	-	53
39	-	174	640	51	7	64	1	78	16	1	20	53	8	210
3	-	12	60	5	1	2	1	7	3	-	8	7	2	14
7	-	25	62	6	-	9	2	9	1	-	2	12	1	23
19	-	44	190	31	1	26	2	28	6	-	3	30	2	105
29	-	101	446	41	5	33	2	39	9	-	18	44	11	126
2	-	13	31	5	-	5	-	9	-	-	2	4	-	7
14	-	41	279	21	1	12	1	8	5	-	5	17	7	57
13	-	47	158	15	4	16	1	22	4	-	11	23	4	62
309	1	1,097	3,996	433	46	440	37	520	89	12	158	484	24	1,142
9	-	48	149	12	-	17	-	17	3	1	9	19	1	40
6	-	26	76	7	-	10	-	10	3	-	1	15	-	14
48	-	120	485	55	8	42	10	80	9	-	17	67	-	170
12	1	45	121	15	4	23	5	19	2	-	4	10	1	35
8	-	23	97	6	2	8	1	14	1	1	6	11	1	26
12	-	37	107	29	-	4	-	2	3	-	1	27	1	32
57	-	140	433	55	3	77	4	59	2	4	16	46	12	148
15	-	62	233	19	1	31	-	23	2	1	9	32	1	74
7	-	21	85	10	-	4	-	6	1	-	3	6	-	26
19	-	67	262	20	5	25	3	35	4	-	5	28	-	60
8	-	23	119	11	1	11	1	8	2	-	1	16	1	35
8	-	27	76	9	2	3	2	13	2	1	6	4	-	14
27	-	90	288	30	3	28	2	35	9	-	5	35	-	89
4	-	11	56	2	1	6	-	5	2	-	2	5	-	19
29	-	112	368	39	6	55	7	54	11	2	15	42	1	88
4	-	11	52	4	1	6	-	8	-	1	2	10	1	14
4	-	20	73	8	-	11	-	15	3	-	2	6	-	12
11	-	51	164	26	-	16	-	22	5	-	6	21	-	49
6	-	25	99	10	1	11	-	18	2	-	-	7	-	30
4	-	12	44	2	-	4	-	1	-	-	2	7	-	6
7	-	18	78	2	-	11	-	11	-	-	6	15	-	19
24	-	100	521	62	8	39	2	65	23	1	20	55	3	162
1	-	8	26	1	-	2	-	1	-	-	-	3	-	3
114	-	346	1,347	176	6	148	6	161	33	2	53	173	8	444
-	-	23	81	8	-	8	-	7	1	-	3	8	-	10
33	-	62	241	31	-	27	-	16	4	-	6	31	-	86
4	-	17	48	7	-	4	-	12	1	-	2	6	-	19
7	-	19	80	3	-	6	-	12	7	-	2	8	-	18
5	-	12	47	4	1	3	-	5	2	1	3	3	-	17
4	-	13	57	7	1	11	1	9	2	-	2	6	1	21
21	-	67	230	18	4	27	1	37	2	-	12	29	-	74
6	-	4	40	4	-	2	1	10	3	-	1	6	-	9
7	-	28	99	4	-	16	2	14	3	-	4	10	-	27
27	-	103	364	90	-	44	1	39	8	1	18	66	7	163
69	-	226	793	84	5	77	6	78	21	4	30	94	17	237
26	-	95	251	25	1	21	2	28	5	3	12	24	3	100
2	-	15	63	7	-	6	-	4	2	-	2	12	-	12
40	-	116	469	52	4	50	4	46	14	-	16	58	14	125
323	-	857	3,824	536	67	339	31	522	95	22	97	504	17	1,370
292	-	857	3,471	487	60	295	28	475	75	22	86	470	12	1,263
15	-	48	162	27	2	15	1	20	1	-	6	16	2	52
13	-	28	114	17	3	16	-	15	4	-	4	11	2	16
3	-	20	57	5	2	13	2	12	5	-	1	7	1	19
184	-	517	2,366	274	31	258	9	518	52	9	73	287	8	593
3	-	14	44	6	-	4	-	5	3	-	1	2	-	12
7	-	20	63	7	1	6	-	10	-	-	3	10	-	10
18	-	45	169	18	2	19	-	20	4	-	3	24	-	39
9	-	19	109	21	2	18	1	14	2	-	1	19	-	40
6	-	22	104	9	2	2	-	17	4	1	4	11	-	26
5	-	21	73	8	1	16	-	7	-	-	1	5	-	21
1	-	4	44	-	1	4	-	3	-	-	2	2	-	8
9	-	15	53	6	1	10	-	11	5	3	-	9	-	15
4	-	15	38	3	1	5	-	10	-	-	3	3	-	10
74	-	195	986	128	16	76	4	132	23	2	25	119	2	259
48	-	147	683	69	4	98	4	89	11	3	30	83	5	153



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	38	45-55	58
1 MICHIGAN-----	55,167	6	42	3	45	28	1,891	15	3	552	47	90	7,461	26
2 Alcona-----	51	-	-	-	-	-	2	-	-	1	-	-	6	-
3 Alger-----	90	-	-	-	-	-	1	-	-	2	-	-	13	-
4 Allegan-----	514	-	-	-	-	-	6	-	-	-	-	-	86	-
5 Alpena-----	214	-	-	-	-	-	2	-	-	5	-	-	30	-
6 Alpena-----	164	-	-	-	-	-	2	-	-	2	-	-	23	-
7 Balance of county-----	50	-	-	-	-	-	-	-	-	1	-	-	7	-
8 Antrim-----	122	-	-	-	-	-	-	-	-	-	-	-	17	-
9 Arenac-----	103	-	-	-	-	-	3	-	-	-	-	-	20	-
10 Baraga-----	87	-	-	-	-	1	2	-	-	1	-	-	9	-
11 Barry-----	265	-	-	-	1	1	1	-	-	1	-	-	35	-
12 Bay-----	724	-	-	-	3	-	6	-	-	3	-	-	83	-
13 Bay City-----	503	-	-	-	1	-	5	-	-	3	-	-	59	-
14 Balance of county-----	221	-	-	-	2	-	1	-	-	-	-	-	24	-
15 Benzie-----	105	-	-	-	-	-	1	-	-	-	-	-	4	-
16 Berrien-----	1,080	-	1	-	-	2	25	-	-	10	-	-	151	1
17 Benton Harbor-----	223	-	-	-	-	-	9	-	-	1	-	-	27	-
18 Biles-----	135	-	-	-	-	-	4	-	-	3	-	-	12	-
19 Balance of county-----	722	-	1	-	-	2	12	-	-	6	-	-	112	1
20 Branch-----	366	-	1	-	-	-	7	-	-	-	1	1	39	-
21 Calhoun-----	1,147	1	1	-	3	2	54	-	-	20	-	1	131	1
22 Battle Creek-----	577	1	-	-	1	2	12	-	-	6	-	1	78	1
23 Balance of county-----	570	-	1	-	2	-	22	-	-	14	-	-	53	-
24 Cass-----	309	-	-	-	-	-	2	-	-	2	-	1	36	-
25 Charlevoix-----	167	-	1	-	-	-	4	-	-	1	-	-	17	-
26 Cheboygan-----	151	-	-	-	-	-	-	-	-	-	-	-	20	-
27 Chippewa-----	272	-	-	-	-	-	4	-	-	1	-	-	30	-
28 Sault Ste. Marie-----	180	-	-	-	-	-	2	-	-	1	-	-	19	-
29 Balance of county-----	92	-	-	-	-	-	2	-	-	-	-	-	11	-
30 Clare-----	95	-	-	-	-	-	-	-	-	-	-	-	9	-
31 Clinton-----	277	-	2	-	-	-	3	-	-	1	-	1	38	-
32 Crawford-----	52	-	-	-	-	-	-	-	-	2	-	-	3	-
33 Delta-----	362	-	-	-	-	-	6	-	-	1	1	-	64	-
34 Escondido-----	183	-	-	-	-	-	3	-	-	-	1	-	24	-
35 Balance of county-----	179	-	-	-	-	-	3	-	-	1	-	-	40	-
36 Dickinson-----	249	-	-	-	-	-	6	-	-	1	-	-	40	-
37 Iron Mountain-----	133	-	-	-	-	-	5	-	-	1	-	-	25	-
38 Balance of county-----	115	-	-	-	-	-	1	-	-	-	-	-	15	-
39 Eaton-----	409	-	1	-	-	-	5	-	-	3	-	1	47	-
40 Emmet-----	206	-	-	-	-	-	4	-	-	-	-	-	16	-
41 Genesee-----	1,940	-	-	1	2	-	35	-	-	17	-	4	247	1
42 Flint-----	1,335	-	-	1	2	-	32	-	-	14	-	1	163	1
43 Balance of county-----	605	-	-	-	-	-	4	-	-	3	-	3	84	-
44 Gladwin-----	83	-	-	-	-	-	-	-	-	1	-	1	2	-
45 Gogebic-----	345	-	1	-	-	1	16	-	-	-	-	-	42	-
46 Grand Traverse-----	106	-	1	-	-	-	5	-	-	-	-	-	10	-
47 Balance of county-----	239	-	-	-	-	1	11	-	-	-	-	-	32	-
48 Grand Traverse-----	518	-	-	-	-	-	20	-	-	20	1	-	38	-
49 Traverse City-----	137	-	-	-	-	-	2	-	-	-	-	-	16	-
50 Balance of county-----	379	-	-	-	-	-	18	-	-	20	1	-	22	-
51 Gratiot-----	396	-	1	-	-	1	2	-	-	-	-	-	54	-
52 Hillsdale-----	345	-	-	-	-	-	2	-	-	1	-	-	48	-
53 Houghton-----	588	-	-	-	-	-	22	-	-	2	-	1	90	-
54 Huron-----	311	-	-	-	3	-	2	-	-	-	-	-	40	-
55 Ingham-----	1,313	-	-	-	1	-	18	-	-	5	1	-	180	-
56 Lansing-----	819	-	-	-	1	-	5	-	-	3	-	-	129	-
57 Balance of county-----	494	-	-	-	-	-	13	-	-	2	1	-	51	-
58 Ionia-----	452	-	-	-	-	-	19	-	-	-	1	-	57	-
59 Iosco-----	96	2	-	-	1	-	3	-	-	-	-	-	8	-
60 Iron-----	220	-	1	-	-	-	1	-	-	-	-	-	27	-
61 Isabella-----	235	-	-	-	-	-	1	-	-	-	-	-	25	-
62 Jackson-----	1,134	-	-	-	2	1	25	-	-	7	1	2	178	1
63 Jackson-----	652	-	-	-	-	-	19	-	-	5	-	2	104	-
64 Balance of county-----	482	-	-	-	2	1	6	-	-	2	1	-	74	1
65 Kalamazoo-----	1,540	-	3	-	-	-	40	2	-	26	-	-	167	-
66 Kalamazoo-----	943	-	1	-	-	-	29	1	-	23	-	-	120	-
67 Balance of county-----	397	-	2	-	-	-	11	1	-	3	-	-	47	-
68 Kalamazoo-----	40	-	-	-	1	-	-	-	-	-	-	-	4	-
69 Kent-----	2,687	-	1	-	2	-	44	1	-	14	-	1	368	1
70 Grand Rapids-----	1,802	-	1	-	2	-	25	-	-	8	-	-	249	-
71 Balance of county-----	885	-	-	-	-	-	19	1	-	6	-	1	119	1
72 Keweenaw-----	36	-	1	-	-	-	1	-	-	-	-	-	3	-
73 Lake-----	60	-	-	-	-	-	1	-	-	1	-	-	6	-
74 Leapeer-----	394	-	-	-	-	-	14	-	-	3	1	-	43	-
75 Leelanau-----	74	-	-	-	-	-	2	-	-	1	-	-	9	-
76 Leosawee-----	672	-	-	-	1	1	12	-	-	1	-	-	98	-
77 Adrian-----	224	-	-	-	-	-	1	-	-	-	-	-	30	-
78 Balance of county-----	448	-	-	-	1	1	11	-	-	1	-	-	58	-
79 Ildingston-----	267	-	-	-	-	-	19	-	-	1	-	1	33	-
80 Lapeer-----	211	-	-	-	-	-	12	-	-	11	-	-	16	-
81 Mackinac-----	68	-	-	-	-	-	-	-	-	-	-	-	15	1
82 Macomb-----	1,079	-	-	-	3	-	27	1	-	6	2	4	142	1
83 Mount Clemens-----	216	-	-	-	-	-	6	-	-	2	-	1	17	-
84 St. Clair Shores-----	68	-	-	-	-	-	1	-	-	-	-	1	17	-
85 Balance of county-----	775	-	-	-	3	-	20	1	-	4	2	2	108	1
86 Manistee-----	181	-	-	1	-	-	3	-	-	-	-	-	19	-
87 Marquette-----	467	-	1	-	-	-	16	-	-	2	-	1	75	-
88 Marquette-----	161	-	-	-	-	-	2	-	-	1	-	-	29	-
89 Balance of county-----	306	-	1	-	-	-	14	-	-	1	-	1	46	-
90 Mason-----	210	-	-	-	-	-	4	-	-	3	2	-	22	-
91 Mecosta-----	219	-	-	-	1	-	2	-	-	1	1	1	25	-
92 Menominee-----	238	-	-	-	-	-	14	1	-	-	-	1	32	-
93 Menominee-----	123	-	-	-	-	-	1	-	-	-	-	-	17	-
94 Balance of county-----	115	-	-	-	-	-	13	1	-	-	-	1	15	-
95 Midland-----	230	-	1	-	-	-	3	-	-	2	1	1	24	-
96 Midland-----	110	-	-	-	-	-	2	-	-	1	-	-	12	-
97 Balance of county-----	120	-	1	-	-	-	1	-	-	1	1	1	12	-
98 Missaukee-----	72	-	-	-	-	-	2	-	-	-	1	-	7	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

563

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	162, 199, 200	
1,540	5	5,207	17,740	2,124	270	2,549	187	3,493	608	196	1,576	2,278	667	6,519
1	-	3	21	-	1	3	-	3	-	-	2	4	-	4
3	-	5	17	3	-	5	1	4	6	1	8	4	4	18
19	-	74	169	9	3	19	1	23	8	-	12	20	5	61
7	-	18	72	8	4	11	-	18	1	1	5	11	1	22
5	-	13	57	7	4	10	-	12	1	1	2	9	1	15
2	-	5	15	1	-	1	-	6	-	-	3	2	-	7
3	-	22	48	3	1	1	-	5	1	-	2	2	1	16
4	-	6	32	4	-	4	1	14	1	-	2	4	2	6
1	-	3	24	3	1	4	-	6	2	-	3	6	7	12
1	-	38	99	8	-	14	1	3	3	-	6	12	4	37
26	-	61	245	28	3	47	4	58	11	1	23	28	11	85
18	-	45	174	19	3	28	4	37	8	1	15	17	10	56
8	-	16	69	9	-	19	-	21	3	-	8	11	1	29
4	-	11	89	8	-	6	-	7	1	1	1	6	1	15
31	-	113	331	46	5	62	4	57	17	3	35	62	12	112
9	-	23	62	10	2	9	1	21	4	1	12	19	1	22
4	-	17	48	4	-	9	1	9	3	1	3	4	1	12
18	-	73	231	32	3	44	2	27	10	1	20	39	10	78
12	-	42	123	23	-	22	-	10	-	-	10	16	17	42
25	2	125	372	49	4	46	2	63	17	4	46	44	20	134
13	1	50	202	17	1	21	1	40	4	2	22	19	6	76
12	1	75	170	32	3	25	1	23	13	2	24	25	14	68
8	-	36	123	6	2	13	2	8	3	-	13	13	2	39
1	-	24	56	5	1	7	1	13	1	1	4	9	3	18
3	-	15	61	8	-	5	1	7	1	1	1	9	1	19
16	-	27	86	11	-	21	-	17	3	2	7	13	5	29
9	-	17	57	7	-	13	-	16	-	-	5	10	2	22
7	-	10	29	4	-	8	-	1	3	2	2	3	3	7
7	-	12	29	4	1	7	-	4	1	-	2	5	1	13
4	-	36	68	13	1	33	1	10	3	-	9	21	8	26
-	-	6	15	2	1	2	-	7	-	-	-	2	-	12
13	-	34	109	18	5	12	-	24	4	-	11	25	3	32
7	-	20	57	9	2	7	-	13	2	-	2	13	1	22
6	-	14	52	9	3	5	-	11	2	-	9	12	2	10
7	-	25	78	14	1	5	4	18	2	-	10	10	3	24
4	-	14	33	9	-	3	3	10	2	-	6	5	1	12
3	-	11	45	5	1	2	1	8	-	-	4	5	2	12
6	-	53	119	11	2	24	-	24	8	-	15	17	20	53
2	-	32	92	7	1	5	1	11	3	-	2	6	2	18
51	-	168	571	92	10	94	9	160	19	8	77	77	22	286
35	-	108	401	56	6	62	7	112	10	6	55	49	17	199
16	-	60	170	28	4	32	2	48	9	2	22	28	5	87
2	-	8	36	6	-	4	-	11	1	-	3	3	-	5
4	-	50	117	7	3	13	-	21	3	-	14	20	4	29
1	-	17	37	1	1	7	-	7	2	-	3	4	1	9
3	-	33	80	6	2	8	-	14	1	-	11	16	3	20
17	-	32	216	38	1	19	-	13	6	1	5	29	3	57
3	-	10	49	5	-	5	-	11	4	1	3	9	1	18
14	-	22	167	33	1	14	-	2	2	-	2	20	2	39
9	1	44	139	13	1	18	1	16	5	-	10	23	7	52
11	-	41	114	9	1	16	1	16	4	-	6	18	11	49
16	-	57	176	15	2	22	1	21	2	2	10	33	14	69
7	-	44	94	13	1	13	-	19	3	-	15	11	2	47
43	-	139	429	50	5	58	4	95	12	-	51	66	18	158
32	-	83	268	17	1	38	3	52	5	-	34	36	6	106
11	-	56	161	13	4	20	1	43	7	-	30	30	12	52
9	-	64	143	23	-	12	-	26	11	1	10	24	8	44
3	-	4	46	3	-	9	1	1	-	-	2	5	1	9
1	-	20	67	11	-	17	-	10	4	1	3	16	4	30
3	-	28	84	13	2	11	-	13	4	-	10	12	3	24
27	-	132	348	39	7	37	6	66	17	2	53	42	15	146
17	-	79	194	25	1	22	4	38	10	2	13	20	8	89
10	-	53	154	14	6	15	2	28	7	-	20	22	7	57
28	-	112	516	47	5	58	4	51	18	-	30	51	46	139
20	-	71	376	32	3	33	2	40	9	-	14	36	29	105
8	-	41	140	15	2	23	2	11	9	-	16	16	17	33
-	-	9	10	2	-	4	-	-	2	-	7	2	1	3
94	-	317	906	56	7	126	6	152	16	2	74	119	24	356
66	-	227	582	33	6	88	4	122	12	2	48	66	14	217
28	-	90	314	23	1	38	2	30	4	-	26	33	10	139
-	-	5	7	2	1	1	-	2	1	-	1	2	7	4
3	-	17	3	-	-	11	-	2	-	1	2	-	1	7
9	-	32	89	34	4	15	2	34	3	-	16	21	10	54
3	-	3	26	4	1	9	-	3	1	-	2	2	1	7
18	-	95	180	17	5	30	1	29	14	3	25	30	27	95
5	-	30	60	8	1	12	1	17	4	-	13	8	11	25
13	-	65	120	9	4	18	-	12	10	3	12	24	16	70
9	-	20	95	10	1	6	1	14	5	-	12	13	3	24
4	-	17	82	7	1	12	1	4	1	-	3	9	4	27
-	-	3	28	1	-	2	-	3	1	-	3	2	1	8
34	-	104	307	40	2	64	1	101	20	3	43	59	12	103
6	-	21	64	7	-	12	1	20	2	-	9	14	3	31
3	-	11	31	4	-	2	-	7	1	1	1	2	1	5
25	-	72	212	29	2	50	-	74	17	2	33	43	8	67
7	-	28	73	2	-	4	-	8	2	-	4	9	3	18
11	-	82	129	15	2	26	2	23	2	-	9	29	12	50
5	-	22	43	6	-	11	-	7	1	-	4	16	1	13
6	-	40	86	9	2	15	2	18	1	-	5	13	11	37
8	-	20	81	9	3	11	-	4	3	-	9	8	5	23
12	-	21	72	7	4	9	1	10	1	-	12	20	2	28
8	-	25	73	11	2	7	1	14	3	-	8	12	1	25
5	-	16	39	7	-	5	-	6	2	-	3	4	4	17
3	-	9	34	4	2	2	1	8	1	-	5	8	-	8
1	-	22	67	7	3	16	1	20	2	-	11	14	8	25
-	-	13	28	4	1	9	1	10	1	-	7	5	5	10
1	-	9	38	3	2	7	-	10	1	-	4	9	4	15
1	-	8	30	7	-	1	-	4	1	-	3	3	-	4



TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	5	8	9	10	13-22	27	28	30	35	36	45-55	58
MICHIGAN—Continued														
1 Monroe	587	-	1	-	1	-	8	-	-	5	-	-	70	1
2 Monroe	231	-	-	-	1	-	2	-	-	2	-	-	25	1
3 Balance of county	356	-	1	-	-	-	6	-	-	3	-	-	45	-
4 Montcalm	350	-	-	-	-	-	2	-	-	1	-	4	47	-
5 Montmorency	40	-	-	-	-	-	1	-	-	-	-	-	4	-
6 Muskegon	1,019	-	1	-	1	1	33	2	-	12	-	-	126	-
7 Muskegon	567	-	-	-	-	1	11	2	-	4	-	-	68	-
8 Muskegon Heights	132	-	-	-	-	-	5	-	-	3	-	-	20	-
9 Balance of county	320	-	-	-	1	-	17	-	-	5	-	-	38	-
10 Nowaygo	235	-	-	-	1	-	2	-	-	2	-	-	39	1
11 Oakland	2,549	1	1	-	3	3	68	-	-	36	6	11	320	-
12 Birmingham	82	-	-	-	-	-	-	-	-	-	-	-	16	-
13 Ferndale	208	-	-	-	1	-	7	-	-	2	1	1	39	-
14 Pontiac	828	1	-	-	2	1	27	-	-	25	2	-	89	-
15 Royal Oak	245	-	-	-	-	-	5	-	-	2	-	2	29	-
16 Balance of county	1,188	-	1	-	-	2	29	-	-	7	3	7	148	-
17 Oceana	166	-	-	-	-	-	-	-	-	1	-	-	24	-
18 Ogemaw	94	-	-	-	-	-	1	-	-	-	-	-	15	-
19 Ontonagon	147	-	-	-	-	-	5	-	-	-	-	-	18	-
20 Osceola	161	-	-	-	-	-	1	-	-	-	-	-	16	-
21 Oscoda	27	-	-	-	-	-	-	-	-	1	-	-	5	-
22 Otsego	68	-	-	-	-	-	7	-	-	1	-	-	5	-
23 Ottawa	583	-	1	1	-	-	5	-	-	2	-	1	99	-
24 Holland	157	-	-	-	-	-	1	-	-	-	-	-	30	-
25 Balance of county	426	-	1	1	-	-	4	-	-	2	-	1	69	-
26 Presque Isle	99	-	-	-	-	-	3	-	-	-	-	-	11	-
27 Roscommon	49	-	-	-	-	-	1	-	-	-	-	-	3	-
28 Saginaw	1,342	-	-	-	-	2	36	-	-	8	2	4	181	-
29 Saginaw	931	-	-	-	-	1	16	-	-	7	-	1	129	-
30 Balance of county	411	-	-	-	-	1	20	-	-	1	2	3	52	-
31 St. Clair	922	-	1	-	-	1	14	1	-	6	-	1	103	-
32 Fort Huron	419	-	1	-	-	1	9	1	-	5	-	-	43	-
33 Balance of county	503	-	-	-	-	-	5	-	-	1	-	1	60	-
34 St. Joseph	408	-	-	-	-	-	8	-	1	4	-	-	48	-
35 Sanilac	336	-	-	-	-	1	4	-	-	-	-	-	34	2
36 Schoolcraft	107	-	-	-	-	1	2	-	-	-	-	-	19	-
37 Shiawassee	460	-	2	-	1	2	4	-	-	2	1	-	69	-
38 Owasco	167	-	-	-	-	1	1	-	-	2	-	-	22	-
39 Balance of county	293	-	2	-	1	1	3	-	-	-	1	-	47	-
40 Tuscola	435	-	-	-	-	-	16	-	-	3	1	-	51	-
41 Van Buren	459	-	-	-	-	1	2	-	-	4	-	-	70	-
42 Washtenaw	1,173	-	-	-	-	-	32	1	-	38	-	2	145	1
43 Ann Arbor	396	-	-	-	-	-	5	1	-	1	-	1	60	-
44 Ypsilanti	152	-	-	-	-	-	1	-	-	1	-	1	13	1
45 Balance of county	653	-	-	-	-	-	26	-	-	36	-	-	72	-
46 Wayne	19,228	2	19	-	14	6	1,122	5	2	247	23	43	2,855	13
47 Dearborn	457	-	2	-	1	-	12	-	1	1	1	5	69	-
48 Detroit	14,355	1	13	-	11	2	915	5	1	146	15	28	2,037	11
49 Ecorse	87	-	-	-	-	1	4	-	-	-	-	-	13	1
50 Grosse Pointe Park	78	-	-	-	-	-	1	-	-	-	-	-	17	-
51 Eastland	366	-	-	-	-	-	25	-	-	4	-	1	49	-
52 Highland Park	530	-	-	-	-	-	8	-	-	3	1	4	74	-
53 Lincoln Park	100	-	-	-	-	1	3	-	-	1	-	-	12	-
54 River Rouge	131	-	-	-	-	2	2	-	-	2	-	-	20	1
55 Wyandotte	251	-	1	-	-	-	3	-	-	3	-	1	39	-
56 Balance of county	2,873	1	2	-	2	-	149	-	-	87	6	4	525	-
57 Wexford	228	-	-	-	-	-	2	1	-	1	-	1	25	1
58 MINNESOTA	26,937	2	15	4	16	41	585	6	1	189	10	216	3,962	22
59 Atkin	123	-	-	-	-	-	2	-	-	1	-	2	13	-
60 Anoka	287	-	-	-	-	-	8	-	-	4	-	9	41	-
61 Becker	242	-	-	-	-	1	2	-	-	-	-	5	24	-
62 Beltrami	259	-	1	-	-	-	10	-	-	3	-	3	29	2
63 Benton	119	-	-	-	-	-	-	-	-	1	-	2	15	1
64 St. Cloud (part)	20	-	-	-	-	-	-	-	-	1	-	-	1	-
65 Balance of county	99	-	-	-	-	-	-	-	-	-	-	2	14	1
66 Big Stone	86	-	-	-	-	-	-	-	-	-	-	-	13	-
67 Blue Earth	373	-	1	-	2	-	3	-	-	1	-	1	61	-
68 Mankato	215	-	-	-	1	-	3	-	-	1	-	1	35	-
69 Balance of county	153	-	1	-	1	-	-	-	-	-	-	-	26	-
70 Brown	228	-	-	-	-	-	5	-	-	-	-	-	31	-
71 Carlton	286	-	-	-	-	-	5	-	-	5	-	-	27	1
72 Carver	145	-	-	-	-	-	4	-	-	-	-	-	17	-
73 Cass	190	-	-	-	-	2	25	-	-	1	1	-	33	-
74 Chippewa	139	-	-	-	-	-	8	-	-	1	-	3	24	1
75 Chicago	141	-	-	-	-	-	1	-	-	1	-	1	16	-
76 Clay	208	-	-	-	-	1	2	-	-	-	-	-	24	-
77 Clearwater	96	-	-	-	-	-	1	-	-	-	-	-	8	-
78 Cook	10	-	-	-	-	-	-	-	-	-	-	-	1	-
79 Cottonwood	131	-	-	-	-	-	-	-	-	-	-	2	32	-
80 Crow Wing	317	-	-	-	1	-	9	-	-	3	2	-	44	-
81 Brainerd	178	-	-	-	1	-	5	-	-	1	-	-	31	-
82 Balance of county	139	-	-	-	-	-	4	-	-	2	2	-	13	-
83 Dakota	369	-	-	-	-	1	2	-	-	2	-	3	49	-
84 South St. Paul	87	-	-	-	-	-	-	-	-	-	-	2	15	-
85 Balance of county	282	-	-	-	-	1	2	-	-	2	-	1	54	-
86 Dodge	95	-	-	-	-	-	1	-	-	1	-	1	13	-
87 Douglas	177	-	-	-	-	1	3	-	-	-	-	4	25	-
88 Faribault	215	-	-	-	-	-	1	-	-	-	1	-	37	1
89 Fillmore	246	1	-	-	-	-	1	-	-	-	-	1	41	-
90 Freeborn	259	-	1	-	-	-	2	-	-	2	1	-	36	-
91 Albert Lee	129	-	1	-	-	-	-	-	-	1	1	-	19	-
92 Balance of county	130	-	-	-	-	-	2	-	-	1	-	-	17	-
93 Goodhue	319	-	-	-	-	1	2	-	-	-	-	3	69	-
94 Grant	80	-	-	-	-	-	1	-	-	-	-	1	15	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

565

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	89	83	90-95	107-109, 113	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
26	-	49	176	29	2	29	2	48	10	-	18	30	11	72
11	-	16	61	10	-	12	1	32	4	-	7	14	2	30
15	-	32	115	19	2	17	1	16	6	-	11	16	9	42
6	-	30	109	21	2	21	4	21	6	-	7	16	10	46
-	-	3	21	-	1	2	-	3	-	-	1	1	-	3
45	-	94	269	51	8	51	2	80	9	7	58	40	19	132
29	-	59	146	35	4	31	2	45	4	7	20	18	5	75
5	-	10	41	5	1	1	-	17	2	-	4	2	1	15
11	-	25	62	11	3	19	-	18	3	-	12	20	15	42
3	-	30	70	9	1	16	2	14	1	-	3	9	1	32
55	-	218	790	96	20	113	11	206	33	8	100	119	31	310
1	-	10	29	1	1	5	-	5	-	-	-	1	1	10
4	-	20	60	7	-	12	1	18	-	1	10	1	-	12
10	-	61	257	25	9	32	5	66	11	3	38	40	11	22
4	-	28	76	11	1	8	-	27	5	-	13	13	4	114
36	-	99	368	42	9	56	5	90	17	4	49	60	15	25
4	-	24	41	6	-	5	-	15	-	-	4	6	5	139
3	-	11	26	1	1	4	-	-	-	-	4	6	3	31
5	-	14	41	10	1	11	2	7	2	-	6	11	3	12
3	-	22	55	10	1	7	-	4	1	1	2	10	3	17
-	-	3	8	1	-	-	-	1	-	-	11	3	-	20
3	-	5	18	1	-	4	-	4	-	-	1	2	-	3
13	-	53	201	14	1	27	-	41	-	-	1	5	1	12
4	-	17	48	5	-	6	-	11	3	-	16	19	15	71
9	-	36	153	9	1	21	-	30	-	-	3	3	8	21
2	-	15	19	5	-	5	-	5	1	-	13	16	7	50
1	-	5	19	3	-	4	-	3	-	-	5	4	3	21
31	-	140	372	59	18	64	3	122	11	1	42	49	-	4
25	-	108	255	40	11	46	2	73	9	1	28	34	9	181
6	-	34	117	19	7	18	1	49	2	1	17	15	7	141
32	-	92	330	42	5	32	-	53	11	1	32	50	5	40
18	-	39	151	16	2	28	-	20	4	1	12	24	3	80
14	-	64	179	26	3	34	-	33	7	1	20	26	2	43
17	-	51	124	13	1	29	-	13	6	1	17	17	4	37
9	-	56	106	14	3	16	-	17	3	1	10	4	1	59
1	-	6	46	-	6	6	-	8	1	1	8	11	10	41
6	-	41	133	25	6	40	2	33	3	-	4	4	2	8
-	-	16	46	10	2	20	-	15	1	-	12	24	3	51
6	-	25	87	15	4	20	2	18	2	-	5	7	-	19
12	-	46	147	19	1	25	1	21	6	-	17	17	3	32
18	-	49	175	10	1	18	1	11	3	-	12	17	4	59
8	-	111	381	46	4	44	4	61	15	4	12	24	12	52
-	-	41	106	17	2	21	-	36	4	-	34	48	18	146
10	-	12	52	5	4	4	2	26	3	-	14	9	5	58
578	1	56	223	24	2	19	2	19	12	1	7	8	2	16
16	-	1,449	6,185	773	81	804	65	1,282	200	133	13	618	11	72
433	1	27	171	12	1	11	1	54	6	1	437	74	3	2,190
-	-	7	4,675	535	65	642	53	972	161	116	14	14	49	34
4	-	6	28	2	-	5	-	13	-	1	1	8	1	47
14	-	16	120	19	1	16	1	6	-	-	1	1	-	8
18	-	51	179	15	-	30	1	32	9	2	1	6	2	46
2	-	10	21	2	1	2	-	51	5	-	16	9	4	81
1	-	13	35	4	1	6	2	17	3	1	5	7	1	11
12	-	8	69	9	2	10	-	18	1	3	2	8	1	15
78	-	206	885	172	10	79	7	157	11	9	12	21	2	37
6	-	39	85	3	1	10	-	10	1	-	85	93	11	336
743	2	2,766	8,355	1,182	100	911	62	1,601	342	45	588	1,306	321	3,514
6	-	16	42	8	-	3	-	5	3	1	-	4	-	17
5	-	24	104	11	1	9	-	10	4	1	-	4	-	29
2	-	32	78	12	-	9	-	26	3	-	5	15	4	61
13	-	14	79	9	-	5	1	14	5	-	4	10	24	34
2	-	11	36	3	2	5	-	5	2	-	10	4	4	15
1	-	1	6	-	1	1	-	1	1	-	1	1	1	4
1	-	10	30	3	3	4	-	4	3	-	1	3	5	11
3	-	2	23	4	-	8	-	10	1	-	9	7	1	11
7	-	38	110	18	4	16	1	25	6	1	7	23	9	39
3	-	23	60	9	-	7	-	15	4	1	6	11	6	29
4	-	15	50	9	-	11	1	8	2	-	1	12	3	10
6	-	32	59	8	-	16	1	14	2	-	3	12	1	39
8	-	18	90	9	-	9	1	15	3	-	7	14	2	82
4	-	14	52	3	1	6	1	7	-	3	6	9	-	19
3	-	22	47	14	5	3	1	9	1	2	-	4	1	18
1	-	14	35	10	-	10	-	11	-	-	4	6	1	10
7	-	18	36	5	-	8	-	5	1	-	4	8	1	26
6	-	31	57	6	1	13	-	11	6	1	5	19	2	21
2	-	14	38	5	-	3	1	4	-	-	3	5	-	14
-	-	4	-	-	-	-	-	-	-	-	-	-	-	1
3	-	21	39	2	-	3	-	3	-	-	-	-	-	1
8	-	46	84	16	1	14	1	23	2	-	3	1	2	17
2	-	23	52	12	-	10	-	12	6	-	7	17	8	28
6	-	23	32	4	-	4	-	11	2	-	4	6	2	15
12	-	42	121	13	1	8	-	22	4	-	3	11	6	32
4	-	9	29	2	1	1	1	8	5	-	15	15	2	55
8	-	33	92	11	-	-	1	8	-	-	5	3	-	8
2	-	13	28	4	-	5	-	14	5	-	10	12	2	47
3	-	19	62	6	-	2	-	9	2	-	2	4	2	9
4	-	24	60	11	-	9	2	10	1	-	1	7	3	26
7	-	38	93	9	-	14	-	16	1	-	8	15	1	24
6	-	31	74	8	2	10	-	6	5	1	3	6	1	19
5	-	15	39	5	1	3	-	26	5	1	3	10	1	40
1	-	16	35	5	1	7	-	13	2	1	2	4	-	17
8	-	49	59	10	1	18	-	13	3	-	1	6	1	23
4	-	9	25	3	-	4	-	24	5	-	11	13	6	43
								3	1	-	2	5	1	6



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
MINNESOTA--Continued															
1	Hennepin	5,784	-	4	1	1	7	162	2	-	46	-	80	853	3
2	Minneapolis	4,995	-	3	1	1	7	93	2	-	40	-	46	741	3
3	Balance of county	789	-	1	-	-	-	69	-	-	6	-	14	112	-
4	Houston	132	-	1	-	-	-	1	-	-	-	-	1	12	-
5	Hubbard	106	-	-	-	-	2	3	-	-	-	-	1	11	-
6	Isanti	156	-	-	-	1	-	3	-	-	1	-	2	15	-
7	Itasca	307	-	1	-	-	2	11	-	-	2	-	2	51	1
8	Jackson	105	-	-	-	-	-	1	-	-	-	-	-	15	-
9	Kanabec	84	-	-	-	-	-	-	-	-	-	-	1	8	-
10	Kandiyohi	308	-	-	-	1	-	29	-	-	5	-	-	39	1
11	Kittson	120	-	-	-	-	-	-	-	-	1	-	-	11	-
12	Koochiching	137	-	-	-	-	-	1	-	-	-	-	4	25	-
13	Lac qui Parle	113	-	-	-	-	-	1	-	-	-	-	-	18	1
14	Lake	79	-	1	-	-	1	-	-	1	1	-	-	11	-
15	Lake of the Woods	37	-	-	-	-	-	-	-	-	-	-	-	2	-
16	Le Sueur	170	-	-	-	-	-	-	-	-	-	-	1	29	-
17	Lincoln	105	-	-	-	-	-	1	-	-	-	-	-	15	-
18	Lyon	194	-	-	-	-	-	2	-	-	2	-	3	24	-
19	McLeod	209	-	-	-	-	-	1	-	-	-	-	-	34	-
20	Mahnomen	50	-	-	-	-	-	1	1	-	1	-	-	8	-
21	Marshall	140	-	-	-	-	-	3	-	-	-	-	2	19	-
22	Martin	200	-	-	-	-	-	1	-	-	1	-	2	24	-
23	Meeker	149	-	-	-	1	-	2	-	-	-	-	1	19	-
24	Mille Lacs	148	-	-	-	-	-	2	-	-	3	-	6	25	-
25	Morrison	214	1	-	-	-	1	2	-	-	-	-	1	31	-
26	Mower	314	-	-	-	-	-	4	-	-	1	1	2	49	1
27	Austin	163	-	-	-	-	-	1	-	-	-	1	-	27	1
28	Balance of county	151	-	-	-	-	-	3	-	-	1	-	2	22	-
29	Murray	82	-	-	-	1	-	-	-	-	-	-	-	19	-
30	Nicollet	419	-	-	-	-	-	20	-	-	15	-	-	29	-
31	Nobles	179	-	-	-	-	-	4	-	-	1	2	2	24	1
32	Norman	120	-	-	-	-	-	3	-	-	1	-	-	15	-
33	Olmsted	605	-	1	-	-	-	17	-	-	16	-	5	70	1
34	Rochester	488	-	-	-	-	-	16	-	-	16	-	2	55	1
35	Balance of county	119	-	-	1	-	-	1	-	-	-	-	3	15	-
36	Otter Tail	648	-	-	-	-	3	18	1	-	1	-	5	77	-
37	Fergus Falls	314	-	-	-	-	2	17	-	-	1	-	-	29	-
38	Balance of county	532	-	-	-	-	1	1	1	-	-	-	5	48	-
39	Pennington	111	-	-	-	-	-	6	-	-	-	-	1	13	-
40	Pine	186	-	-	-	-	-	1	-	-	1	-	2	25	-
41	Pipestone	97	-	-	-	-	-	-	-	-	-	-	-	17	-
42	Polk	539	-	1	-	1	-	10	-	-	1	-	3	44	-
43	Pope	102	-	-	-	-	-	2	-	-	-	-	2	15	-
44	Ramsey	5,273	-	2	2	2	3	51	1	-	23	-	21	646	2
45	St. Paul	5,023	-	2	2	2	3	55	1	-	20	-	21	612	1
46	Balance of county	250	-	-	-	-	-	6	-	-	3	-	-	34	1
47	Red Lake	58	-	-	-	-	1	-	-	-	-	-	2	10	-
48	Redwood	170	-	-	-	1	2	1	-	-	-	-	2	29	-
49	Renville	169	-	-	-	-	-	3	-	-	1	-	1	31	-
50	Rice	356	-	-	-	-	1	9	-	-	3	-	2	34	-
51	Faribault	217	-	-	-	-	1	8	-	-	3	-	2	17	-
52	Balance of county	139	-	-	-	-	-	1	-	-	-	-	-	17	-
53	Rock	88	-	-	-	-	-	1	-	-	-	-	-	20	-
54	Roseau	103	-	-	-	-	-	3	-	-	-	-	2	12	-
55	St. Louis	2,117	-	2	-	1	6	56	-	-	21	1	13	527	-
56	Duluth	1,123	-	-	-	-	4	22	-	-	18	-	5	165	-
57	Hibbing	154	-	-	-	1	1	5	-	-	-	-	2	22	-
58	Virginia	145	-	-	-	-	-	-	-	-	1	1	2	23	-
59	Balance of county	695	-	2	-	-	1	29	-	-	2	-	4	97	-
60	Scott	152	-	-	-	-	-	3	-	-	1	-	1	15	-
61	Sherburne	87	-	-	-	-	-	1	-	-	-	-	-	12	-
62	St. Cloud (part)	14	-	-	-	-	-	-	-	-	-	-	-	2	-
63	Balance of county	73	-	-	-	-	-	1	-	-	-	-	-	10	-
64	Sibley	132	-	-	-	-	-	1	-	-	-	-	-	11	-
65	Stearns	519	-	-	-	1	2	9	-	-	11	-	5	65	2
66	St. Cloud (part)	200	-	-	-	-	1	6	-	-	7	-	3	27	1
67	St. Cloud (total)	234	-	-	-	-	1	6	-	-	8	-	3	30	1
68	Balance of county	519	-	-	-	1	1	3	-	-	4	-	2	38	1
69	Steele	189	-	-	-	-	-	3	-	-	-	-	-	34	-
70	Stevens	75	-	-	-	-	-	2	-	-	1	-	2	9	-
71	Swift	148	-	-	-	1	-	-	-	-	-	-	1	32	1
72	Todd	248	-	-	-	-	-	4	-	-	2	-	3	28	-
73	Traverse	67	-	-	-	-	1	2	-	-	-	-	-	12	-
74	Wabasha	168	-	-	-	-	-	3	-	-	-	-	-	18	-
75	Wadena	117	-	-	-	-	1	3	-	-	-	-	-	12	-
76	Waseca	139	-	-	-	-	-	2	-	-	-	1	1	21	-
77	Washington	252	-	-	-	-	-	1	-	-	-	-	2	37	-
78	Watsonwan	117	-	-	-	1	-	-	-	-	-	-	2	15	-
79	Wilkin	75	-	-	-	-	-	-	-	-	1	-	-	13	-
80	Winona	369	-	-	-	-	1	4	1	-	-	-	1	56	-
81	Winona	257	-	-	-	-	-	3	1	-	-	-	1	40	-
82	Balance of county	112	-	-	-	-	1	1	-	-	-	-	-	16	-
83	Wright	231	-	-	-	-	-	1	-	-	-	-	3	29	-
84	Yellow Medicine	122	-	-	-	-	-	1	-	-	1	-	2	18	1
MISSISSIPPI															
85		19,417	10	24	3	31	31	741	28	29	217	45	17	1,674	18
86	Adams	327	-	-	-	-	-	9	-	2	4	-	1	21	-
87	Natchez	216	-	-	-	-	-	7	-	1	2	-	-	17	-
88	Balance of county	111	-	-	-	-	-	2	-	1	2	-	1	4	-
89	Alcorn	285	-	1	-	-	2	13	-	-	2	-	-	25	-
90	Amite	156	-	-	-	-	-	6	-	-	2	-	-	9	-
91	Attala	245	-	-	-	-	-	7	2	-	2	-	-	18	-
92	Benton	61	-	-	-	-	-	-	-	1	-	-	-	7	-
93	Bolivar	631	-	-	-	2	2	28	1	7	4	-	4	65	-
94	Calhoun	133	-	-	-	-	-	3	-	-	1	1	-	13	-
95	Carroll	154	1	-	-	-	-	5	-	-	2	-	-	13	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

567

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
175	1	554	1,958	261	24	133	10	302	75	13	107	267	37	728
184	1	472	1,740	231	21	118	10	283	66	13	84	242	31	612
21	-	82	218	30	3	15	-	39	9	-	23	25	6	116
3	-	17	37	5	-	7	-	10	-	-	3	8	7	19
2	-	10	30	3	2	4	-	8	-	-	3	10	4	13
6	-	24	40	10	-	5	-	2	-	-	4	12	2	28
11	-	21	78	13	3	1	2	21	3	-	11	19	3	51
3	-	16	35	5	1	-	-	9	1	-	2	4	-	12
4	-	15	27	4	-	3	1	6	1	-	3	1	-	10
9	-	22	96	17	-	11	1	13	1	1	6	7	6	41
3	-	4	32	4	-	8	1	18	2	-	4	8	9	15
4	-	9	32	10	2	4	-	6	4	-	4	10	2	20
2	-	7	42	5	-	7	1	1	1	-	5	11	-	11
3	-	7	24	1	-	4	-	3	2	1	1	6	-	12
2	-	4	8	3	-	1	-	2	-	-	2	5	-	8
2	-	16	52	6	-	13	1	10	1	-	8	7	-	24
3	-	15	22	7	1	3	1	19	3	-	3	3	1	11
7	-	23	56	6	1	14	-	18	3	-	3	11	8	53
4	-	32	50	7	-	12	1	6	-	-	8	6	-	42
1	-	1	19	1	1	-	-	2	-	-	2	5	-	8
1	-	13	45	5	-	8	-	11	2	1	3	6	-	19
5	-	29	57	11	-	5	1	16	3	-	2	10	5	27
4	-	19	37	4	1	7	1	10	2	-	4	11	3	23
4	-	11	41	5	1	9	-	12	1	-	1	9	5	13
8	-	26	55	5	-	6	1	20	2	1	4	12	2	36
8	-	41	89	10	2	4	-	21	5	-	12	7	17	40
5	-	19	42	6	1	2	-	20	3	-	6	2	9	18
3	-	22	47	4	1	2	-	1	2	-	6	5	8	22
1	-	1	22	7	-	1	-	7	1	-	2	3	3	14
8	-	38	220	12	-	15	2	10	2	-	3	18	2	29
6	-	15	59	4	-	2	-	16	3	1	9	7	3	20
4	-	17	36	6	-	2	-	5	1	-	4	8	1	19
7	1	74	134	84	-	14	-	28	6	2	6	27	6	108
5	1	57	105	82	-	7	-	18	6	2	3	17	5	88
2	-	17	29	2	-	7	-	10	-	-	3	10	1	18
16	-	56	192	51	3	39	1	21	6	-	12	33	6	105
8	-	14	96	33	1	27	1	7	2	-	-	14	3	59
4	-	42	96	18	2	12	-	14	4	-	12	19	3	46
5	-	11	29	5	-	6	-	8	1	-	3	6	2	15
4	-	17	60	13	1	9	2	12	5	-	4	10	1	19
3	-	12	29	3	-	6	-	8	-	-	1	6	1	11
11	-	56	61	11	2	5	1	21	4	-	6	20	3	58
5	-	13	25	4	-	2	-	4	-	-	3	4	3	18
105	-	274	1,032	136	7	93	10	216	34	4	64	132	16	397
102	-	258	932	124	7	85	8	205	34	4	59	118	14	354
3	-	16	100	12	-	8	-	11	-	-	5	14	-	33
2	-	7	8	4	-	2	-	6	-	-	4	7	-	5
2	-	20	54	4	1	12	-	10	-	-	3	8	1	20
5	-	21	47	7	-	7	-	6	-	-	2	12	-	26
6	-	27	85	32	1	25	1	28	3	-	6	18	4	73
4	-	13	41	27	1	20	1	23	-	-	3	8	1	44
2	-	14	42	5	-	5	-	5	3	-	3	10	3	29
2	-	6	22	3	-	1	-	7	-	-	5	8	4	9
-	-	9	36	2	-	3	-	10	-	1	1	3	1	19
60	-	196	736	62	11	34	3	130	47	2	49	110	10	240
26	-	118	385	35	3	18	1	62	18	1	24	51	3	144
2	-	7	51	6	4	2	-	18	1	-	6	6	-	19
7	-	11	49	3	-	2	-	14	3	-	2	10	1	17
25	-	60	251	18	4	12	2	56	25	1	17	43	6	60
7	-	18	42	7	1	6	-	4	1	-	9	13	1	21
2	-	8	57	-	1	4	-	2	5	-	1	-	1	13
-	-	-	5	-	-	2	-	-	2	-	-	-	1	2
2	-	8	52	-	1	2	-	2	3	-	1	-	-	11
6	-	15	44	5	-	8	-	5	2	1	4	6	2	22
12	-	48	153	24	3	21	4	44	2	-	9	26	4	74
5	-	17	60	8	1	10	2	12	1	-	3	9	-	27
6	-	18	71	8	1	13	2	13	4	-	4	10	2	33
7	-	31	93	16	2	11	2	32	1	-	6	17	4	47
4	-	27	46	12	1	13	1	10	2	-	6	4	2	24
4	-	6	18	1	1	3	-	6	-	-	7	-	-	15
1	-	11	35	8	-	5	-	9	2	-	3	9	9	21
6	-	24	61	6	1	14	-	21	3	1	8	10	4	32
3	-	8	21	3	-	-	-	4	1	-	6	1	1	4
4	-	14	66	8	1	10	-	9	5	-	3	9	1	17
3	-	13	23	6	-	10	-	11	4	1	2	8	2	18
4	-	14	37	8	1	3	-	15	4	-	3	11	-	14
7	-	23	90	5	1	10	-	11	7	-	3	19	2	34
2	-	14	46	1	-	7	3	1	-	3	4	5	3	9
-	-	8	18	5	-	3	-	8	1	-	-	6	3	9
12	-	57	100	8	1	23	-	18	3	-	10	16	13	45
10	-	45	74	2	-	16	-	9	1	-	8	11	9	27
2	-	12	26	6	1	7	-	9	2	-	2	5	4	18
7	-	43	80	11	1	10	-	7	3	-	4	5	5	22
2	-	11	34	5	-	4	1	7	1	-	3	6	3	21
311	45	1,605	3,631	1,160	96	1,610	194	1,229	130	354	479	916	2,633	1,950
3	-	28	77	25	5	38	3	21	1	-	9	14	44	27
3	-	18	49	20	4	30	2	17	-	-	8	10	9	19
-	-	5	28	5	1	8	1	4	1	-	1	4	35	8
4	-	32	42	14	-	8	4	31	1	3	10	15	7	41
1	1	7	42	11	4	13	4	10	1	3	4	4	23	15
2	-	20	58	23	2	20	4	19	2	4	7	10	24	21
3	-	7	7	4	-	5	1	2	-	1	1	2	15	5
6	3	52	96	41	2	60	7	22	1	19	11	21	134	43
2	-	10	39	13	-	4	1	3	-	7	6	4	18	9
1	-	12	25	8	-	14	3	3	-	2	1	11	23	10



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
MISSISSIPPI—Continued														
1 Chickasaw	146	-	-	-	-	-	3	1	-	-	2	1	14	1
2 Choctaw	110	-	1	-	-	-	2	-	-	-	-	-	10	-
3 Claiborne	116	-	-	-	-	-	4	-	-	1	-	-	16	-
4 Clarke	177	-	-	-	1	1	9	2	1	1	-	-	17	-
5 Clay	167	-	-	-	-	-	3	-	-	1	3	-	13	-
6 Coahoma	453	1	-	-	1	-	22	-	2	2	-	-	34	-
7 Clarksdale	160	-	-	-	-	-	5	-	1	1	-	-	19	-
8 Balance of county	293	1	-	-	1	-	17	-	1	1	-	-	15	-
9 Copiah	289	-	-	-	-	-	10	-	-	-	1	-	31	-
10 Covington	113	-	-	-	-	-	3	-	-	-	-	-	5	-
11 De Soto	226	-	-	-	-	-	10	1	-	2	-	-	18	1
12 Forrest	405	-	1	-	2	-	9	3	-	3	1	1	33	-
13 Hattiesburg	281	-	1	-	1	-	5	2	-	2	-	1	27	-
14 Balance of county	124	-	-	-	1	-	4	1	-	1	1	-	6	-
15 Franklin	97	-	-	-	-	1	2	-	1	1	-	-	7	-
16 George	69	1	-	-	-	-	1	-	-	-	-	-	4	-
17 Greene	65	-	1	-	-	-	1	-	-	1	-	-	8	1
18 Grenada	196	-	-	1	-	-	8	-	-	1	-	-	17	1
19 Hancock	93	-	-	-	-	1	3	-	-	-	-	-	8	-
20 Harrison	636	-	-	1	1	1	21	-	1	12	2	-	68	2
21 Biloxi	223	-	-	-	-	-	9	-	-	2	1	-	29	1
22 Gulfport	204	-	-	-	1	-	7	-	-	7	-	-	19	-
23 Balance of county	209	-	-	1	-	1	5	-	1	3	1	-	20	1
24 Hinds	1,045	-	1	-	-	-	48	3	2	11	2	2	119	-
25 Jackson	697	-	1	-	-	-	17	2	1	8	-	2	95	-
26 Balance of county	348	-	-	-	-	-	31	1	1	5	2	-	24	-
27 Holmes	331	-	-	-	-	-	13	-	1	6	-	-	26	1
28 Humphreys	226	-	1	-	2	-	12	1	-	2	3	-	11	-
29 Ison	47	-	-	-	1	-	2	-	-	1	-	-	2	-
30 Itawamba	103	-	-	-	-	-	3	-	-	1	-	-	14	-
31 Jackson	241	-	-	-	-	-	7	-	-	1	-	-	23	-
32 Jasper	140	-	-	-	1	1	4	-	1	-	2	-	19	-
33 Jefferson	127	-	-	-	-	-	4	-	-	2	-	-	13	-
34 Jefferson Davis	144	-	-	-	-	2	2	-	-	2	-	-	15	-
35 Jones	376	1	-	-	-	2	12	1	2	2	2	-	31	1
36 Laurel	196	-	-	-	-	2	7	-	-	2	2	-	15	1
37 Balance of county	180	1	-	-	-	-	5	1	2	-	-	-	18	-
38 Kemper	143	-	-	-	-	-	6	-	-	-	-	-	7	1
39 Lafayette	178	-	1	-	-	-	7	-	-	1	-	-	11	-
40 Lamar	80	-	-	-	-	-	1	-	-	-	-	-	7	1
41 Lauderdale	727	1	1	-	-	-	21	1	-	7	-	2	63	-
42 Meridian	489	1	1	-	-	-	14	-	-	7	-	1	45	-
43 Balance of county	238	-	-	-	-	-	7	1	-	-	-	1	18	-
44 Lawrence	119	-	-	-	-	-	3	1	-	1	-	-	14	-
45 Leake	174	2	1	-	3	-	6	-	-	1	5	1	22	-
46 Lee	327	-	-	-	-	2	15	-	-	4	1	1	29	-
47 Leflore	480	-	1	-	-	-	28	1	2	3	-	-	31	-
48 Greenwood	169	-	1	-	-	-	9	-	1	2	-	-	15	-
49 Balance of county	291	-	-	-	-	-	19	1	1	1	-	-	16	-
50 Lincoln	255	-	1	-	1	-	6	-	-	1	-	-	28	-
51 Lowndes	338	-	-	-	-	1	9	-	-	1	1	-	28	-
52 Columbus	182	-	-	-	-	1	4	-	-	-	1	-	19	-
53 Balance of county	153	-	-	-	-	-	5	-	-	1	-	-	9	-
54 Madison	333	1	-	-	-	-	21	-	-	2	1	-	12	-
55 Marion	193	-	2	-	-	-	3	-	-	-	1	-	18	-
56 Marshall	232	-	-	-	-	-	7	-	1	2	-	-	27	-
57 Monroe	316	-	1	-	-	1	12	-	-	-	1	-	38	1
58 Montgomery	146	-	-	-	-	-	5	-	-	1	-	-	19	-
59 Neshoba	197	-	1	-	2	1	6	-	1	-	1	1	20	-
60 Newton	205	-	-	-	-	-	6	-	-	-	-	-	20	-
61 Noxubee	222	-	1	-	-	-	10	1	-	5	-	-	16	-
62 Oktibbeha	171	-	-	-	-	-	11	1	-	5	-	-	17	-
63 Panola	260	-	1	-	-	1	10	-	-	3	1	-	19	1
64 Pearl River	166	-	-	-	-	2	10	-	-	1	-	-	20	-
65 Perry	62	-	-	-	-	1	3	-	-	-	-	-	5	-
66 Pike	358	-	-	-	-	1	11	-	-	1	-	1	32	1
67 Pontotoc	157	-	1	1	-	-	10	1	-	-	-	-	17	-
68 Prentiss	179	-	-	-	-	1	8	-	-	-	-	-	10	1
69 Quitman	227	-	1	-	-	-	11	1	-	1	-	-	19	-
70 Rankin	585	-	-	-	1	1	34	3	-	59	-	-	24	-
71 Scott	182	-	-	-	1	1	7	1	-	1	1	-	13	-
72 Sharkey	125	-	-	-	-	-	3	1	-	3	-	-	11	-
73 Simpson	171	-	-	-	1	-	9	-	-	2	1	-	18	-
74 Smith	115	-	-	-	1	-	5	-	-	1	-	1	5	-
75 Stone	66	-	-	-	-	1	1	-	-	-	-	-	5	-
76 Sunflower	432	-	1	-	4	1	23	-	-	5	1	-	20	-
77 Tallahatchie	313	-	1	-	-	-	17	-	-	4	2	-	19	2
78 Tate	149	-	-	-	-	-	10	-	-	1	-	-	8	-
79 Tippah	132	-	1	-	-	-	6	-	-	-	-	-	16	-
80 Tishomingo	114	-	-	-	-	-	1	-	1	-	-	-	10	-
81 Tunica	232	-	-	-	-	-	15	-	-	3	-	-	15	-
82 Union	158	-	-	-	-	-	6	-	-	1	-	-	16	-
83 Walthall	125	-	-	-	2	-	5	1	-	3	-	-	9	-
84 Warren	452	-	1	-	1	1	16	-	3	6	1	-	37	-
85 Vicksburg	321	-	1	-	1	-	12	-	2	5	-	-	29	-
86 Balance of county	131	-	-	-	-	1	4	-	1	1	1	-	8	-
87 Washington	687	2	-	-	-	1	15	1	-	6	1	-	69	1
88 Greenville	315	1	-	-	-	-	5	1	-	2	-	-	38	1
89 Balance of county	372	1	-	-	-	1	10	-	-	4	1	-	31	-
90 Wayne	118	-	-	-	1	-	4	-	-	-	-	-	11	-
91 Webster	82	-	-	-	-	-	3	-	-	-	-	-	9	-
92 Wilkinson	163	-	-	-	-	-	7	-	-	3	-	-	12	-
93 Winston	190	-	-	-	-	-	10	-	-	-	1	1	20	-
94 Yalobusha	148	-	-	-	1	-	4	-	-	5	-	-	12	-
95 Yazoo	356	-	-	-	1	-	5	-	-	4	4	-	19	1



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

569

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	80-85	107-109, 33	118, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	162, 199, 200	
6		15	36	6		4		9		2	7	11	17	11
1		9	18	8		11		6		3	3	2	19	13
1		2	26	12		9		2		1	3	4	29	5
1		16	35	11	1	15		12		1	3	8	24	15
2	1	14	40	8	2	16		13		1	3	6	23	20
6		39	84	19	2	48		16		1	3	16	104	42
3		15	38	5	2	21		6		1	1	9	16	17
3		24	46	14	2	27		10		1	2	7	88	25
9		23	57	14	2	32		9		5	3	8	17	21
5		8	19	6	2	9		10		3	2	10	10	18
1	2	37	30	22	3	11		13		5	3	9	38	20
3	1	50	92	33		31		34		8	18	15	18	42
2	1	30	58	41		25		26		2	12	10	13	32
1		20	34	12		6		8		2	6	5	5	3
2		5	17	8	1	9		2		3	3	8	16	9
1		4	6	9	2	11		11		1	1	2	7	8
1		9	12	2	1	8		6		1	2	3	3	7
1		17	34	17	3	27		11		1	4	9	24	16
11		12	23	4	2	7		4		1	1	5	7	13
3		167	58	58	8	35		47		5	14	39	23	78
3		12	67	12	5	5		23		2	7	7	9	32
16		16	40	16	2	16		20		3	5	11	4	26
5		16	60	10	3	15		4		8	2	20	10	20
23		93	187	43	1	126	11	71		15	13	45	118	113
18		55	127	25	1	80	8	62		8	10	28	64	80
2		28	60	18	2	46	3	9		7	3	17	54	33
1		19	57	25	2	19	6	17		1	9	15	65	42
1		14	29	9		30	1	8		9	9	12	55	15
1		11	5	1		1		1		1		6	8	8
8		10	23	9		4	2	10		1	3	3	13	5
8		16	49	15		19	3	37		3	5	6	20	10
2		26	17	3		10		10		1	5	6	14	19
2		9	28	8		26		6		1	3	3	13	17
9		14	26	7	1	12		8		2	4	6	28	6
9		59	56	27	2	33	4	34		10	20	13	19	13
6		33	35	12	2	14	2	17		6	9	9	8	30
4		26	21	15	2	19	2	17		3	4	11	4	12
4		20	30	9	1	9	1	8		1	3	3	11	18
1		28	28	13		30		9		2	6	5	20	11
1		5	15	7		8		5			3	4	22	7
9		68	165	41	3	50	7	59		7	14	24	34	11
2		50	127	24	3	25	5	47		6	5	10	15	72
1		18	38	17		25	2	12		1	9	14	41	53
3		12	15	7	1	8	3	11		1	3	19	34	19
3		23	20	9	1	18	4	7		3	4	7	23	4
3		24	58	20		30	3	24		2	3	8	15	15
2		47	74	30	3	49	4	18		3	7	22	41	36
1		19	39	12	2	17	1	9		1	16	18	94	51
9		35	18	18	1	32	3	9		2	9	6	27	25
7		17	67	16	3	22	3	24		1	13	12	67	28
3		28	61	10	2	23	1	18		2	3	11	22	50
4		22	36	5	1	14		14		1	12	16	81	31
4		6	25	5		9		4		1	4	10	25	21
2		38	39	27	1	27	3	29		5	8	6	56	10
2		14	45	5	1	11	6	17		3	5	15	88	27
3		17	35	16	1	20	4	11		1	3	10	26	21
5		28	51	22	2	32	2	27		2	4	8	57	15
5		15	33	8		15	1	2		1	5	16	44	25
6		23	32	13	3	17	4	9		1	11	7	12	12
2		17	36	13	3	6	4	21			6	14	18	14
1		15	34	13	1	22	4	14			7	6	32	29
5		16	36	5		16	1	6		1	3	8	50	15
2		27	49	13		25	2	17		2	5	9	17	16
2		14	29	10	1	8		14		2	8	14	35	26
4		4	11	4		8		25		3	7	0	8	17
2		24	94	20	2	33		24		1	1	4	3	10
4		15	28	9		11		11		11	12	18	28	37
3		16	33	17	2	11	2	17		2	3	7	14	20
5		16	29	18	1	14		11		4	10	7	13	20
4		70	119	36	1	17	5	14		2	8	15	46	16
2		15	36	8		13		7		3	10	12	62	114
3		10	14	4	2	10	1	10		1	3	15	21	25
1		24	27	10	1	17		7		3	4	8	24	13
1		14	22	12		7	3	10		5	2	8	15	14
1		2	23	4		3	1	9		1	3	4	6	15
7		36	71	28	3	25	1	5		2	1		10	7
7		17	62	15		29	6	19		10	10	26	96	37
4		18	35	4	2	16	5	11		10	6	22	52	31
3		21	34	2		5	2	6		1	3	7	13	11
4		14	19	7		12		15		2	2	10	3	12
3		28	33	14	3	11		11		1	5	6	6	17
5		15	38	4	2	20		7		1	3	11	48	15
2		8	25	7		13		16		3	5	8	12	13
1		44	76	27		5	3	14		2	3	4	17	12
1		34	55	19		38	5	22		10	5	25	77	44
10		10	21	9		5	5	19		6	4	13	37	54
3		45	58	12	2	16	8	31		12	14	30	146	10
1		52	90	15	1	21	6	23		3	8	9	85	87
3		9	11	9		19	2	8		9	6	21	108	39
1		10	22	5		4	1	12			6	7	16	9
3		10	24	6	1	7	1	7		3	3	2	2	7
6		9	41	20		16	1	15		4	3	7	48	13
1		17	35	10	1	19		19		4	5	2	5	25
2		40	49	23	2	35	4	11			9	2	11	16
								15		7	9	21	76	37



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1 MISSOURI-----	42,451	11	31	5	51	24	1,276	30	6	464	50	97	5,548	26
2 Adair-----	219	-	1	-	-	-	4	-	-	1	-	1	25	-
3 Kirksville-----	146	-	1	-	-	-	2	-	-	1	-	1	18	-
4 Balance of county-----	71	-	-	-	-	-	2	-	-	-	-	-	7	-
5 Andrew-----	121	-	-	-	-	-	1	-	-	2	-	-	14	-
6 Atchison-----	115	-	-	-	-	-	2	-	-	-	-	-	13	-
7 Audrain-----	232	-	-	-	-	-	6	-	-	2	-	-	20	1
8 Barry-----	229	-	-	-	1	-	5	-	-	1	4	1	29	1
9 Barton-----	126	1	-	-	-	-	1	-	-	-	-	-	12	-
10 Bates-----	219	-	-	-	-	-	3	-	-	1	-	1	24	1
11 Benton-----	107	-	1	-	-	-	4	-	-	-	-	-	11	-
12 Bollinger-----	78	-	-	-	-	-	1	-	1	-	-	-	11	-
13 Boone-----	364	-	-	-	-	-	10	1	1	2	-	2	51	-
14 Columbia-----	229	-	-	-	-	-	6	-	-	1	-	1	28	-
15 Balance of county-----	155	-	-	-	-	-	4	1	1	1	-	1	23	-
16 Buchanan-----	1,309	-	2	-	3	-	45	2	-	36	4	-	130	-
17 St. Joseph-----	1,150	-	2	-	3	-	42	1	-	36	2	-	121	-
18 Balance of county-----	129	-	-	-	-	-	3	1	-	-	2	-	9	-
19 Butler-----	326	-	-	-	1	-	15	1	-	2	-	-	38	1
20 Poplar Bluff-----	167	-	-	-	-	-	5	-	-	2	-	-	20	1
21 Balance of county-----	159	-	-	-	1	-	10	1	-	-	-	-	18	-
22 Caldwell-----	139	-	-	-	-	-	2	-	-	1	-	1	17	-
23 Callaway-----	476	-	-	-	-	-	13	-	-	25	1	-	29	-
24 Camden-----	84	-	-	-	-	1	3	-	-	-	-	-	8	-
25 Cape Girardeau-----	389	-	-	-	2	1	6	1	-	2	1	1	39	-
26 Cape Girardeau-----	219	-	-	-	1	1	5	-	-	2	-	-	21	-
27 Balance of county-----	170	-	-	-	1	-	1	1	-	-	1	1	18	-
28 Carroll-----	191	-	-	-	2	-	6	-	-	-	-	-	22	-
29 Carter-----	46	-	-	-	-	-	2	-	-	-	-	-	2	-
30 Cass-----	227	-	-	-	-	-	1	-	-	-	-	-	22	-
31 Cedar-----	137	-	-	-	-	-	3	-	-	1	-	-	13	-
32 Chariton-----	157	-	-	-	-	1	2	-	-	-	-	-	20	-
33 Christian-----	100	-	-	-	-	-	2	-	-	-	1	-	15	-
34 Clark-----	111	-	-	-	-	-	3	-	-	-	-	-	16	-
35 Clay-----	362	-	-	-	1	-	11	-	-	-	1	6	33	1
36 Clinton-----	171	-	-	-	-	-	2	-	-	-	-	1	21	-
37 Cole-----	299	1	-	-	-	-	5	-	-	9	-	-	34	-
38 Jefferson City-----	201	1	-	-	-	-	3	-	-	9	-	-	24	-
39 Balance of county-----	98	-	-	-	-	-	2	-	-	-	-	-	10	-
40 Cooper-----	171	-	-	-	-	-	1	-	-	3	-	1	28	-
41 Crawford-----	101	-	-	-	-	-	4	-	-	1	-	-	15	-
42 Dade-----	98	-	-	-	-	-	3	-	-	-	-	-	16	-
43 Dallas-----	108	-	-	-	-	-	1	-	-	1	-	-	11	-
44 Daviess-----	168	-	-	-	-	-	3	-	-	-	-	-	24	-
45 De Kalb-----	109	-	-	-	-	1	-	-	-	-	-	1	12	-
46 Dent-----	107	-	-	-	-	-	3	-	-	-	-	-	17	1
47 Douglas-----	88	-	-	-	-	1	3	-	-	-	-	-	11	-
48 Dunklin-----	362	-	-	-	1	-	16	-	-	-	1	-	33	-
49 Franklin-----	348	-	-	-	1	-	9	-	-	-	-	2	11	-
50 Gasconade-----	113	-	-	-	-	-	-	-	-	1	-	-	23	-
51 Genney-----	135	-	-	-	-	-	1	1	-	8	3	1	130	-
52 Greene-----	967	-	-	-	3	-	19	-	-	-	-	-	96	-
53 Springfield-----	707	-	-	-	-	-	14	1	-	2	1	1	34	-
54 Balance of county-----	290	-	-	-	3	-	5	-	-	-	2	-	29	-
55 Grundy-----	196	-	-	-	-	-	3	-	-	1	-	1	18	-
56 Harrison-----	166	-	-	-	-	-	-	-	-	-	-	-	41	-
57 Henry-----	281	-	-	-	1	-	4	1	-	2	6	-	8	-
58 Hickory-----	54	-	-	-	-	-	1	-	-	-	-	1	13	-
59 Holt-----	111	-	-	-	-	-	1	-	-	5	-	1	13	-
60 Howard-----	150	-	-	-	-	-	5	1	-	3	1	-	15	-
61 Howell-----	218	1	-	-	-	-	7	-	-	1	-	-	15	-
62 Iron-----	111	-	-	-	-	-	1	-	1	-	-	-	15	-
63 Jackson-----	6,100	1	5	-	3	7	179	1	-	72	4	27	844	3
64 Independence-----	276	-	-	-	-	-	2	-	-	4	-	2	39	-
65 Kansas City-----	5,248	1	5	-	3	7	171	1	-	61	4	22	727	3
66 Balance of county-----	578	-	-	-	-	-	6	-	-	7	-	3	76	-
67 Jasper-----	1,048	-	-	-	-	2	59	-	-	9	3	2	127	-
68 Carthage-----	165	-	-	-	-	-	7	-	-	-	-	-	31	-
69 Joplin (part)-----	539	-	-	-	-	-	22	-	-	5	1	2	71	-
70 Joplin (total)-----	541	-	-	-	-	-	22	-	-	5	1	2	71	-
71 Balance of county-----	542	-	-	-	-	2	30	-	-	3	2	-	58	-
72 Jefferson-----	524	-	-	-	-	-	11	-	-	1	-	1	50	-
73 Johnson-----	232	-	-	-	-	-	2	-	-	2	-	-	27	-
74 Knox-----	86	-	-	-	-	-	1	-	-	-	-	-	13	-
75 Laclede-----	197	-	-	-	-	-	3	-	-	-	1	1	23	-
76 Lafayette-----	298	-	-	-	2	-	5	-	-	-	-	1	39	1
77 Lawrence-----	517	1	-	-	-	-	51	-	-	-	-	1	34	-
78 Lewis-----	163	-	-	-	-	-	4	-	-	-	-	-	19	-
79 Lincoln-----	146	-	-	-	-	-	7	-	-	-	-	1	16	-
80 Line-----	287	-	-	-	-	-	6	-	-	-	-	1	33	-
81 Livingston-----	207	-	-	-	1	-	-	-	-	-	2	-	21	-
82 McDonald-----	133	-	-	-	-	-	2	-	1	-	1	1	15	-
83 Macon-----	236	-	-	-	-	-	7	-	-	1	-	-	32	1
84 Madison-----	83	-	-	-	-	-	5	1	1	-	-	-	10	-
85 Maries-----	45	-	-	-	-	-	-	-	-	-	-	-	3	-
86 Marion-----	394	-	-	-	-	-	8	-	-	-	-	-	52	-
87 Hannibal-----	294	-	-	-	-	1	8	-	-	-	-	-	45	-
88 Balance of county-----	100	-	-	-	-	1	-	-	-	-	-	-	9	-
89 Mercer-----	94	-	-	-	1	-	2	-	-	2	-	-	16	-
90 Miller-----	120	-	-	-	-	1	1	-	-	-	-	-	15	-
91 Mississippi-----	192	-	-	-	-	-	12	-	-	1	-	2	22	-
92 Moniteau-----	115	-	-	-	-	-	2	-	-	2	-	-	12	-
93 Monroe-----	182	-	-	-	-	-	2	-	-	-	-	1	18	-
94 Montgomery-----	138	-	1	-	-	-	3	-	-	-	-	-	22	-
95 Morgan-----	112	-	-	-	-	-	2	-	-	-	-	1	16	-
96 New Madrid-----	279	-	1	-	-	1	11	3	-	2	1	-	29	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

571

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
61	69	83	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	152, 199,200		
907	4	4,158	13,144	2,243	227	3,177	131	1,907	516	284	830	1,982	490	4,850	1
5	-	20	48	10	-	26	1	14	3	1	4	13	3	37	2
4	-	15	29	5	-	19	1	11	3	1	3	9	1	24	3
1	-	5	19	5	-	9	-	3	-	-	1	4	2	13	4
3	-	20	35	4	-	7	-	6	3	-	5	4	1	14	5
2	-	9	35	5	-	5	1	9	6	-	1	12	-	21	6
6	-	20	78	8	2	24	1	9	5	2	7	17	6	22	7
1	-	25	63	9	3	17	1	18	1	-	5	10	2	34	8
3	-	14	46	9	-	5	-	6	-	-	1	13	3	12	9
3	-	31	62	13	1	25	1	4	3	-	5	15	2	19	10
4	-	19	23	2	-	8	-	3	5	-	4	8	-	15	11
1	-	6	28	4	-	4	1	-	-	2	4	6	2	7	12
7	-	52	108	8	2	38	1	28	9	3	12	14	5	32	13
3	-	54	64	5	2	17	1	18	5	3	10	9	5	17	14
4	-	18	44	3	-	21	-	8	4	-	2	5	-	15	15
28	-	140	454	83	2	60	2	58	10	3	30	64	4	149	16
27	-	123	409	77	1	55	1	49	9	3	24	55	4	138	17
1	-	17	45	6	1	5	1	9	1	3	6	9	-	13	18
9	-	20	95	28	2	31	2	30	1	4	8	19	6	24	19
4	-	13	45	13	1	19	1	13	-	3	4	9	2	12	20
4	-	7	40	15	1	12	1	17	1	1	4	10	4	12	21
1	-	18	48	9	-	10	-	4	1	-	3	4	1	19	22
1	-	39	191	71	-	23	-	12	4	1	6	19	6	36	23
11	-	13	20	5	-	8	-	4	-	1	5	3	3	10	24
4	-	42	110	17	6	30	3	30	3	2	5	24	5	48	25
7	-	20	61	9	4	20	2	20	1	2	3	14	4	25	26
22	-	49	8	8	2	10	1	10	2	-	2	10	1	23	27
19	-	55	15	9	-	12	-	7	1	-	8	11	2	31	28
2	-	3	6	9	-	2	-	2	-	-	-	3	2	13	29
8	-	26	64	10	-	21	1	11	3	2	5	14	3	37	30
2	-	12	44	16	-	13	-	2	4	1	2	6	2	16	31
3	-	18	61	3	-	12	1	7	-	1	4	4	3	17	32
3	-	9	32	8	1	7	-	6	2	-	4	3	-	10	33
4	-	18	56	5	-	6	1	5	2	-	1	4	2	12	34
4	-	45	117	16	-	23	3	10	8	1	14	22	4	44	35
3	-	19	62	6	-	8	1	9	3	1	2	4	1	29	36
8	-	30	82	12	2	30	1	26	9	3	8	13	3	25	37
5	-	19	56	10	1	18	-	17	4	3	6	8	-	17	38
3	-	11	24	2	1	12	1	9	4	-	2	5	2	8	39
2	-	28	40	13	1	9	-	9	3	1	2	11	-	15	40
6	-	10	30	8	-	5	1	3	1	-	5	6	1	11	41
6	-	11	22	6	2	7	-	-	-	-	1	1	6	16	42
1	-	11	27	7	-	17	1	6	3	-	2	9	1	10	43
5	-	22	39	4	2	25	-	5	2	1	8	4	8	15	44
2	-	15	34	4	-	5	2	4	1	-	-	10	5	13	45
1	-	16	26	5	-	11	-	4	2	-	-	3	2	16	46
9	-	11	33	6	-	9	1	8	-	1	4	2	3	5	47
10	-	44	86	16	-	31	2	32	4	4	9	24	7	40	48
3	-	35	101	18	1	29	-	16	6	-	8	15	3	52	49
6	-	20	38	6	1	11	-	6	-	-	5	1	-	9	50
26	-	10	44	5	-	17	-	3	4	1	1	5	-	14	51
19	-	111	269	44	6	79	2	48	13	3	23	58	11	129	52
7	-	79	200	32	6	57	1	37	6	3	14	40	6	89	53
3	-	32	69	12	-	22	1	11	7	-	9	16	5	40	54
8	-	10	59	14	1	8	-	12	1	-	5	10	1	39	55
3	-	17	64	14	1	14	1	5	2	-	7	4	-	12	56
2	-	28	83	11	-	23	-	6	3	-	5	12	2	30	57
2	-	6	17	2	-	8	-	1	-	-	1	2	-	9	58
2	-	26	31	3	-	8	-	1	3	-	4	4	3	11	59
2	-	12	54	6	-	17	-	5	4	1	-	9	1	15	60
3	-	27	59	19	-	16	-	14	2	1	7	11	5	27	61
5	-	13	26	16	2	4	1	8	1	-	3	3	3	10	62
131	2	513	1,919	381	23	358	17	320	81	65	118	299	47	680	63
7	-	29	77	17	1	16	-	11	3	1	8	20	2	37	64
111	1	413	1,662	333	21	308	15	279	65	61	99	255	51	589	65
13	1	71	190	31	1	34	2	30	13	3	11	24	14	54	66
23	-	89	316	48	2	92	5	45	15	6	30	44	14	115	67
1	-	12	59	5	-	24	1	4	1	-	6	11	3	9	68
16	-	41	162	26	-	45	3	28	8	6	12	18	3	68	69
16	-	41	163	26	-	45	3	28	8	6	12	19	3	70	70
6	-	36	95	17	2	23	1	13	6	-	12	14	8	37	71
6	-	22	113	17	2	9	1	13	6	-	9	26	7	30	72
1	-	27	89	6	3	13	-	12	5	1	3	13	1	29	73
3	-	9	33	1	-	6	-	-	-	-	1	4	-	13	74
1	-	24	61	13	1	19	-	9	6	1	4	12	2	16	75
7	-	39	98	15	1	27	-	9	3	-	4	10	3	34	76
5	-	40	90	15	1	20	-	3	4	-	1	5	2	37	77
7	-	13	54	6	-	21	-	7	2	-	4	7	1	18	78
4	-	19	54	5	-	11	-	4	2	-	-	7	-	16	79
4	-	41	94	12	3	27	1	4	2	-	-	13	5	35	80
5	-	27	75	14	1	10	-	7	5	-	5	11	-	23	81
3	-	17	43	10	-	7	-	3	3	-	4	9	-	12	82
10	-	32	73	9	1	15	1	8	4	-	6	8	2	24	83
2	-	9	17	8	-	9	-	4	2	-	1	3	3	8	84
2	-	5	12	5	-	-	-	1	-	-	1	4	-	7	85
13	-	40	137	17	2	31	-	22	6	1	3	20	5	37	86
9	-	27	108	9	1	23	-	16	2	1	2	14	4	31	87
4	-	13	29	8	1	8	-	2	4	-	1	6	-	6	88
1	-	10	31	3	-	8	1	2	-	2	3	2	-	10	89
2	-	13	28	11	-	23	-	6	1	-	1	6	1	13	90
4	-	27	40	11	1	17	-	19	2	3	8	12	1	12	91
3	-	16	34	4	1	3	-	7	-	-	1	10	1	16	92
4	-	23	58	6	-	8	1	6	1	-	1	7	1	16	93
8	-	13	42	5	2	25	-	3	1	-	3	4	1	10	94
1	-	18	23	8	-	9	-	6	1	1	5	8	1	12	95
1	-	27	70	28	2	13	4	24	2	4	16	12	12	18	96



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephalo- phitis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
MISSOURI--Continued															
1	Newton	252	-	3	-	-	-	5	-	-	1	1	-	31	-
2	Joplin (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Balance of county	250	-	3	-	-	-	5	-	-	1	1	-	31	-
4	Modaway	237	-	1	-	-	-	-	-	-	2	2	-	24	-
5	Oregon	96	-	-	-	-	-	3	2	-	-	-	-	13	-
6	Osage	84	-	-	-	-	-	-	-	-	-	-	-	11	-
7	Ozark	65	-	-	-	-	-	2	-	-	-	-	-	6	-
8	Pemiscot	348	-	-	-	2	-	18	1	-	4	-	-	28	-
9	Perry	124	-	-	-	-	-	2	-	-	-	-	-	11	-
10	Pettis	386	2	-	-	-	-	6	-	-	4	-	3	44	-
11	Sedalia	284	1	-	-	-	-	4	-	-	4	-	2	29	-
12	Balance of county	102	1	-	-	-	-	2	-	-	-	-	1	15	-
13	Phelps	189	-	-	-	-	-	3	-	-	-	-	-	18	-
14	Pike	238	-	-	-	-	-	3	-	-	1	-	1	31	-
15	Platte	135	-	-	-	-	-	1	-	-	2	1	-	18	-
16	Polk	188	-	-	-	-	-	5	1	-	1	1	-	16	-
17	Pulaski	180	-	-	-	-	-	3	-	-	-	-	2	14	-
18	Putnam	115	-	-	-	1	-	2	-	-	-	-	-	16	-
19	Ralls	81	-	-	1	-	-	2	-	-	-	-	-	11	1
20	Randolph	292	-	-	-	-	-	6	-	-	-	1	-	51	-
21	Moberly	160	-	-	-	-	-	7	-	-	-	1	-	30	-
22	Balance of county	112	-	-	-	-	-	1	-	-	-	-	-	21	-
23	Ray	225	-	-	-	-	-	2	-	-	1	-	-	24	-
24	Reynolds	51	-	-	-	-	-	1	-	1	-	-	-	6	-
25	Ripley	102	-	-	-	-	-	4	-	-	-	-	1	13	-
26	St. Charles	282	-	1	-	-	-	5	1	-	2	2	-	27	-
27	St. Charles	135	-	1	-	-	-	2	1	-	1	1	-	12	-
28	Balance of county	147	-	-	-	-	-	3	-	-	1	1	-	15	-
29	St. Clair	97	-	-	-	-	-	1	-	-	-	-	-	14	-
30	St. Francois	436	1	-	-	-	-	17	-	-	14	-	-	51	-
31	St. Louis	3,059	1	3	-	-	-	162	3	-	28	1	10	449	-
32	Clayton	327	-	-	-	-	-	4	-	-	7	-	-	38	-
33	Kirkwood	160	-	-	-	-	-	1	-	-	-	-	1	24	-
34	Maplewood	123	1	-	-	-	-	1	-	-	1	-	-	23	-
35	Richmond Heights	112	-	-	-	-	-	2	-	-	-	-	-	23	-
36	University City	282	-	1	-	-	-	2	-	-	1	-	-	42	-
37	Webster Groves	154	-	-	-	-	-	3	1	-	-	-	-	15	-
38	Balance of county	1,451	-	2	-	-	-	149	2	-	19	1	9	284	-
39	St. Louis (city)	10,344	-	10	1	1	4	306	7	-	165	-	11	1,557	12
40	Ste. Genevieve	90	-	-	-	-	-	2	-	-	-	-	-	12	-
41	Saline	340	-	-	-	1	-	19	-	-	2	-	1	56	-
42	Schuyler	69	-	-	-	-	-	2	-	-	1	-	-	12	-
43	Scotland	64	-	-	-	-	-	3	-	-	1	-	1	12	-
44	Scott	250	-	-	-	1	-	8	-	-	-	-	-	29	1
45	Shannon	65	-	-	-	-	-	2	-	-	-	-	-	3	-
46	Shelby	162	-	-	-	-	-	1	-	-	-	-	-	27	1
47	Stoddard	246	1	-	-	2	-	8	-	-	1	1	1	19	-
48	Stone	74	-	-	-	-	-	5	-	-	-	1	-	6	2
49	Sullivan	149	-	-	-	-	-	1	-	-	1	-	-	22	-
50	Taney	96	-	1	-	-	-	4	-	-	-	-	-	16	-
51	Texas	200	-	-	2	-	-	7	1	-	1	-	-	20	-
52	Vernon	435	-	1	-	-	-	12	-	-	20	1	1	46	-
53	Warren	95	-	-	-	-	-	1	-	-	1	1	1	13	-
54	Washington	107	-	-	-	-	2	4	1	-	-	-	-	13	-
55	Wayne	69	-	-	-	-	-	3	-	-	-	-	-	11	-
56	Webster	137	1	-	-	-	-	4	-	-	1	-	-	18	-
57	Worth	58	-	-	-	-	-	-	-	-	-	-	1	10	-
58	Wright	143	-	-	-	-	1	4	-	-	-	1	-	16	-
59	MONTANA	5,595	2	3	-	2	5	184	1	1	47	3	5	662	3
60	Beaverhead	77	-	-	-	-	-	3	-	-	-	-	-	12	-
61	Big Horn	87	-	-	-	-	-	10	-	-	2	-	-	3	-
62	Blaine	85	-	-	-	1	-	3	1	-	-	-	-	8	-
63	Broadwater	19	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Carbon	135	-	-	-	-	-	3	-	-	-	-	-	21	-
65	Carter	23	-	-	-	-	-	-	-	-	-	-	-	4	-
66	Cascade	504	-	1	-	-	-	10	-	-	7	-	-	69	-
67	Grant Falls	451	-	-	-	-	-	8	-	-	7	-	-	65	-
68	Balance of county	55	-	1	-	-	-	2	-	-	-	-	-	4	-
69	Chouteau	45	-	-	-	-	-	-	-	-	-	-	1	3	-
70	Custer	68	-	-	-	-	-	1	-	-	-	-	-	11	-
71	Daniels	28	-	-	-	-	-	-	-	-	-	-	-	4	-
72	Dawson	75	-	-	-	-	-	-	-	-	-	-	-	13	-
73	Deer Lodge	328	-	-	-	-	1	16	-	-	13	-	-	29	-
74	Anaconda	139	-	-	-	-	1	2	-	-	1	-	-	22	-
75	Balance of county	189	-	-	-	-	-	14	-	-	12	-	-	7	-
76	Fallon	24	-	-	-	-	-	-	-	-	-	-	-	6	-
77	Fergus	152	-	-	-	-	-	-	-	-	1	-	-	17	-
78	Fleethood	280	-	-	-	-	-	2	-	-	3	-	1	26	-
79	Gallatin	171	1	-	-	-	-	1	-	-	-	-	-	15	-
80	Garfield	27	-	-	-	-	-	-	-	-	-	-	-	3	-
81	Glacier	110	-	1	-	-	1	20	-	-	4	1	-	2	-
82	Golden Valley	12	-	-	-	-	-	-	-	-	-	-	-	5	-
83	Granite	27	-	-	-	-	-	1	-	-	-	-	-	4	-
84	Hill	112	-	-	-	-	1	6	-	-	-	-	-	14	-
85	Jefferson	46	-	-	-	-	-	3	-	-	-	-	-	6	-
86	Judith Basin	18	1	-	-	-	-	-	-	-	-	-	-	3	-
87	Lake	120	-	-	-	-	-	4	-	-	2	-	1	15	-
88	Levis and Clark	326	-	-	-	-	-	11	-	-	-	-	-	41	-
89	Helena	242	-	-	-	-	-	8	-	-	1	-	1	32	-
90	Balance of county	84	-	-	-	-	-	3	-	-	1	-	-	9	-
91	Liberty	17	-	-	-	-	-	-	-	-	-	-	-	-	-
92	Lincoln	86	-	-	-	-	-	1	-	-	-	-	-	10	-
93	McCone	17	-	-	-	-	-	-	-	-	-	-	-	2	-
94	Madison	36	-	-	-	-	-	-	-	1	-	-	-	5	-
95	Meagher	18	-	-	-	-	-	-	-	-	-	-	-	1	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

573

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1933 revision)

Diabetes mellitus	Fellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Semility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	182, 199, 200	
4	-	23	69	5	2	21	2	17	5	2	11	15	7	28
4	-	23	1	5	2	21	2	17	5	2	11	15	7	1
3	-	35	75	12	1	16	2	8	4	1	6	10	9	27
5	-	7	25	6	-	9	-	7	1	-	2	5	-	13
5	-	4	16	5	-	4	2	4	1	-	1	5	3	9
4	-	59	58	17	1	25	3	20	3	10	17	55	23	39
2	-	19	28	6	1	24	-	7	1	-	1	6	3	13
4	-	40	137	12	2	52	2	17	3	1	11	15	2	49
3	-	28	105	10	2	25	2	12	2	-	7	12	1	35
1	-	12	52	2	-	7	-	5	1	1	4	3	1	14
5	-	14	55	16	3	18	-	7	3	2	8	8	1	30
5	-	23	76	12	1	28	-	6	4	1	4	7	1	34
3	-	8	48	7	-	9	-	1	-	-	8	7	8	15
2	1	24	75	10	-	11	-	4	1	-	3	4	5	24
5	-	11	22	14	-	10	2	6	-	3	3	0	4	15
1	-	10	34	4	-	30	-	4	1	-	4	4	-	4
5	-	7	25	3	1	9	-	2	-	-	1	5	1	7
4	-	31	88	23	-	15	-	11	3	1	2	14	10	30
4	-	23	45	13	-	10	-	8	3	1	1	11	6	17
6	-	8	43	10	-	5	-	3	-	-	1	3	4	13
1	-	33	74	19	1	19	-	5	3	-	3	10	2	21
2	-	3	14	3	-	3	1	4	1	-	2	2	-	9
13	-	15	13	14	2	5	-	8	1	1	1	6	2	16
8	-	25	104	7	3	26	-	10	4	-	2	11	-	39
5	-	11	45	4	1	12	-	9	1	-	2	6	-	18
7	-	14	59	3	2	14	-	1	3	-	-	5	-	21
62	1	34	141	28	2	24	1	15	4	1	2	13	1	11
7	-	289	1,017	99	9	225	12	124	36	13	60	122	39	324
1	-	30	110	12	1	20	1	4	4	2	16	21	6	43
4	-	13	47	2	-	9	-	7	2	1	6	12	2	26
3	-	7	39	4	1	4	-	4	5	-	-	3	2	18
7	-	26	102	10	2	12	-	1	2	1	2	4	3	10
2	1	12	61	6	-	12	1	10	2	-	10	9	2	27
38	-	159	622	60	5	156	8	86	20	9	33	65	22	185
243	-	859	3,321	440	97	783	50	440	112	116	141	449	41	1,195
6	-	9	25	2	-	10	1	4	2	-	3	3	-	11
4	-	44	89	21	2	20	1	17	3	-	3	11	5	41
3	-	10	21	3	-	4	-	2	-	-	-	4	1	8
4	-	6	19	3	-	7	-	-	1	-	-	-	-	4
3	-	22	72	17	3	20	1	19	-	1	5	12	6	29
6	-	9	14	10	1	3	1	5	2	-	-	1	4	9
2	-	28	41	10	-	13	-	2	2	-	4	2	1	24
3	-	22	89	15	4	14	3	21	1	4	6	13	11	28
5	-	15	16	3	2	8	-	2	-	1	-	2	2	11
3	-	18	48	9	-	15	-	8	1	-	1	3	8	11
5	-	5	29	12	-	5	1	6	1	-	4	5	-	8
7	-	20	53	12	2	21	-	7	4	-	6	5	9	25
5	-	45	140	17	1	23	1	8	8	-	3	28	12	59
5	-	9	28	4	-	15	-	-	1	-	1	7	-	8
2	-	12	34	8	-	2	1	6	1	-	2	6	-	14
2	-	15	13	11	-	3	-	7	3	-	3	8	1	8
1	-	17	32	18	-	14	-	3	1	-	2	7	2	15
3	-	22	32	14	-	9	-	5	2	-	2	5	-	21
137	-	490	1,629	260	34	276	18	323	98	22	166	351	168	725
2	-	8	15	3	-	4	-	3	3	-	1	8	3	12
1	-	2	18	8	2	1	-	9	1	1	3	5	14	9
5	-	6	21	5	-	1	-	8	3	-	2	5	2	13
5	-	7	42	2	2	10	1	1	7	-	1	1	3	63
9	-	2	7	-	-	1	-	2	-	-	6	3	2	19
8	-	35	168	28	2	32	2	23	11	1	8	33	1	2
1	-	3	151	27	2	31	2	22	8	1	5	26	1	90
4	-	2	17	2	-	1	-	1	3	-	3	9	1	55
1	-	2	11	3	-	9	-	1	-	-	2	3	1	5
4	-	7	30	2	-	1	-	1	-	-	5	2	3	5
5	-	1	11	-	-	1	-	2	1	-	1	2	-	21
1	-	3	30	1	-	2	-	8	1	1	3	7	1	6
4	-	42	57	27	1	12	-	10	2	-	3	30	16	74
1	-	20	36	4	-	4	-	9	1	-	2	6	6	24
4	-	22	21	23	1	8	-	1	1	-	1	14	10	50
3	-	1	5	1	-	-	-	3	1	-	1	1	1	3
6	-	13	53	5	1	7	1	11	3	-	8	10	2	17
5	-	29	72	17	1	9	1	18	8	3	7	17	3	37
1	-	13	58	7	1	8	1	4	4	-	6	9	12	26
1	-	4	15	10	5	3	-	8	1	1	2	1	-	2
3	-	1	3	1	-	-	-	2	-	-	-	1	-	1
3	-	3	6	-	-	2	-	2	-	2	-	1	-	5
2	-	5	32	9	2	4	-	11	2	-	4	10	1	8
1	-	3	19	2	-	1	-	2	-	-	1	2	2	5
7	-	2	2	2	-	-	-	2	1	-	1	-	-	3
1	-	10	29	10	2	6	1	9	1	-	2	12	4	13
7	-	21	116	6	1	31	1	17	4	2	13	10	8	34
2	-	13	81	4	1	21	1	12	3	1	9	8	6	23
2	-	8	25	2	-	10	-	5	1	1	4	2	2	11
2	-	8	5	-	1	4	-	7	-	-	2	9	1	3
2	-	5	5	3	-	-	-	-	-	-	8	1	1	12
4	-	5	7	2	1	1	-	1	-	-	2	1	7	6
4	-	-	7	-	-	1	-	-	-	-	1	2	1	95



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
MONTANA--Continued															
1	Mineral	18	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Missoula	319	-	-	-	-	-	2	-	-	1	1	1	41	-
3	Missoula	279	-	-	-	-	-	2	-	-	1	-	1	35	-
4	Balance of county	40	-	-	-	-	-	-	-	-	-	1	-	6	-
5	Musselshell	49	-	-	-	-	-	-	-	-	-	-	-	7	-
6	Park	132	-	-	-	-	-	1	-	-	1	-	-	16	-
7	Petroleum	9	-	-	-	-	-	-	-	-	-	-	-	2	-
8	Phillips	46	-	-	-	-	1	-	-	-	2	-	-	6	-
9	Pondera	56	-	-	-	-	-	2	-	-	-	-	-	6	-
10	Powder River	13	-	-	-	-	-	-	-	-	-	-	-	2	-
11	Powell	72	-	-	-	-	-	-	-	-	1	1	-	12	-
12	Prairie	16	-	-	-	-	-	-	-	-	-	-	-	2	-
13	Ravalli	122	-	-	-	1	-	1	-	-	-	-	-	17	-
14	Richland	62	-	-	-	-	-	1	-	-	-	-	-	4	-
15	Roosevelt	86	-	-	-	-	-	9	-	-	1	-	-	5	-
16	Rosebud	84	-	-	-	-	-	11	-	-	-	-	-	5	2
17	Sanders	65	-	-	-	-	1	-	-	-	1	-	-	9	-
18	Sheridan	58	-	-	-	-	-	-	-	-	-	-	-	3	-
19	Silver Bow	613	-	1	-	-	-	33	-	-	3	-	-	90	-
20	Butte	534	-	-	-	-	-	27	-	-	3	-	-	84	-
21	Balance of county	79	-	1	-	-	-	6	-	-	-	-	-	6	-
22	Stillwater	43	-	-	-	-	-	-	-	-	1	-	-	8	-
23	Sweet Grass	41	-	-	-	-	-	-	-	-	-	-	-	9	1
24	Teton	48	-	-	-	-	-	-	-	-	-	-	-	3	-
25	Toole	51	-	-	-	-	-	-	-	-	1	-	-	8	-
26	Treasure	7	-	-	-	-	-	-	-	-	-	-	-	1	-
27	Valley	83	-	-	-	-	-	1	-	-	-	-	1	9	-
28	Wheatland	31	-	-	-	-	-	-	-	-	-	-	-	2	-
29	Wibaux	14	-	-	-	-	-	1	-	-	-	-	-	-	-
30	Yellowstone	386	-	-	-	-	-	7	-	-	1	-	-	40	-
31	Billings	314	-	-	-	-	-	6	-	-	1	-	-	31	-
32	Balance of county	72	-	-	-	-	-	1	-	-	-	-	-	9	-
33	Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	NEBRASKA	12,440	3	17	3	4	8	177	5	2	83	9	55	1,754	6
35	Adams	359	-	-	-	-	-	6	-	-	7	-	5	41	-
36	Hastings	170	-	-	-	-	-	-	-	-	2	-	3	23	-
37	Balance of county	189	-	-	-	-	-	6	-	-	5	-	2	18	-
38	Antelope	108	-	-	-	-	-	-	-	-	-	-	-	11	-
39	Arthur	5	-	-	-	-	-	-	-	-	-	-	-	-	1
40	Banner	11	-	-	-	-	-	1	-	-	-	-	-	1	-
41	Blaine	8	-	-	-	-	-	-	-	-	-	-	-	1	-
42	Boone	111	-	-	-	-	1	1	-	1	-	-	-	16	-
43	Box Butte	110	-	1	-	-	-	2	-	-	1	1	-	14	-
44	Boyd	49	-	-	-	-	-	-	-	-	-	-	-	6	-
45	Brown	56	-	-	-	-	-	1	-	-	-	-	-	8	-
46	Buffalo	270	1	2	-	1	1	12	-	-	1	-	-	33	-
47	Burt	114	-	1	-	-	-	-	-	-	-	-	4	8	-
48	Butler	109	-	-	-	-	-	1	-	-	-	-	-	18	-
49	Cass	181	-	-	-	-	-	1	-	-	-	-	-	19	-
50	Cedar	111	-	1	-	-	1	-	-	-	1	-	-	21	-
51	Chase	36	-	-	-	-	-	-	-	-	-	-	-	5	-
52	Cherry	71	-	-	-	-	-	1	-	-	1	-	-	8	-
53	Cheyenne	79	-	-	-	-	-	-	-	-	1	-	-	14	-
54	Clay	124	-	-	-	-	-	-	-	-	-	-	1	14	-
55	Colfax	89	-	-	-	-	-	-	-	-	-	-	-	15	-
56	Cuming	99	-	-	-	-	-	-	-	-	-	-	1	13	-
57	Custer	151	-	-	-	-	-	1	-	-	-	-	-	18	-
58	Dakota	68	-	-	-	-	-	-	-	-	-	1	-	7	-
59	Dawes	117	-	-	-	-	-	2	-	-	-	-	3	14	-
60	Dawson	175	-	-	-	-	1	1	1	-	-	-	-	30	-
61	Deuel	27	-	-	-	-	-	-	-	-	-	-	-	4	-
62	Dixon	73	-	-	-	-	-	-	-	-	-	-	-	10	-
63	Dodge	217	-	-	-	-	-	-	-	-	2	1	-	42	-
64	Fremont	122	-	-	-	-	-	-	-	-	1	1	-	21	-
65	Balance of county	95	-	-	-	-	-	-	-	-	1	-	-	21	-
66	Douglas	2,728	1	5	1	1	2	63	1	-	20	1	11	379	2
67	Omaha	2,594	1	5	1	1	2	63	1	-	20	1	11	358	2
68	Balance of county	144	-	-	-	-	-	-	-	-	-	-	-	21	-
69	Dundy	36	-	-	-	-	-	-	-	-	-	-	-	3	-
70	Fillmore	105	-	-	-	-	-	1	-	-	1	-	-	11	-
71	Franklin	79	-	-	-	-	-	1	-	-	2	-	3	12	-
72	Frontier	44	-	-	-	-	-	1	-	-	-	-	-	7	-
73	Furnas	102	-	-	-	-	-	-	-	-	-	-	-	15	-
74	Gage	313	-	1	-	-	-	7	-	-	-	-	1	44	1
75	Beatrice	128	-	1	-	-	-	1	-	-	-	-	1	21	-
76	Balance of county	185	-	-	-	-	-	6	-	-	-	-	-	23	1
77	Garden	33	-	-	-	-	-	-	-	-	-	-	-	2	-
78	Garfield	32	-	-	-	-	-	-	-	-	-	-	-	4	-
79	Gosper	21	-	-	-	-	-	-	-	-	1	-	-	3	-
80	Grant	8	-	-	-	-	-	-	-	-	-	-	-	2	-
81	Greeley	39	-	-	-	-	-	-	-	-	-	-	-	8	-
82	Hall	316	-	-	-	2	-	2	-	-	-	-	-	50	-
83	Grand Island	242	-	-	-	2	-	2	-	-	-	-	-	39	-
84	Balance of county	74	-	-	-	-	-	-	-	-	-	-	-	11	-
85	Hamilton	102	-	-	-	-	-	1	1	-	-	-	-	18	-
86	Harlan	55	-	-	-	-	-	1	-	-	-	-	-	8	-
87	Hayes	15	-	-	-	-	-	-	-	-	-	-	-	1	-
88	Hitchcock	43	-	-	-	-	-	-	-	-	1	-	1	6	-
89	Holt	130	-	-	1	-	-	2	-	-	-	2	-	21	-
90	Hooker	11	-	-	-	-	1	-	-	-	-	-	-	1	-
91	Howard	58	-	-	-	-	-	-	-	-	-	-	-	7	-
92	Jefferson	139	-	-	-	-	-	-	-	-	-	-	1	15	-
93	Johnson	75	-	-	-	-	-	-	-	-	-	-	-	16	-
94	Kearney	69	1	-	-	-	-	3	-	-	-	-	-	14	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

575

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vas-cular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 133	119, 120	130-132	140-150	157-161	163, 164	185-188	170	169, 171-195	162, 199, 200	
1	-	4	6	1	-	-	-	-	1	-	-	4	-	-
10	-	36	80	16	-	16	2	18	4	2	12	23	18	36
9	-	34	78	16	-	14	2	14	4	2	8	13	14	32
1	-	2	2	-	-	2	-	4	-	-	4	10	4	4
4	-	4	18	4	-	-	-	1	-	-	3	4	-	4
2	-	11	53	6	1	-	-	2	-	-	2	5	-	22
2	-	2	1	-	-	1	-	1	-	-	-	2	1	-
3	-	7	13	1	3	1	-	8	-	-	3	4	-	3
1	-	6	9	3	-	5	-	6	3	1	2	1	-	2
1	-	1	7	-	-	1	-	2	-	-	-	3	-	8
1	-	6	52	2	-	4	-	10	-	-	3	6	-	9
1	-	5	18	3	-	6	-	8	-	-	1	9	-	10
1	-	5	25	3	-	4	-	5	-	-	4	9	-	11
1	-	8	24	5	1	3	-	6	1	1	5	3	4	3
6	-	10	15	2	-	5	-	1	-	-	2	5	-	7
1	-	12	14	1	-	4	-	2	-	-	1	7	-	10
15	-	49	199	11	4	40	-	32	7	-	11	33	10	70
12	-	45	159	11	4	35	-	32	6	4	10	27	10	64
3	-	4	40	-	-	5	-	-	1	-	1	6	-	21
1	-	6	13	1	-	-	-	1	-	-	2	2	-	8
1	-	8	5	3	-	3	-	3	-	-	1	1	-	5
1	-	6	12	3	-	-	-	3	1	1	5	2	4	6
4	-	1	3	3	-	6	-	5	1	1	3	4	2	4
1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
1	-	9	21	3	-	4	-	4	2	-	2	8	1	10
8	-	3	10	1	-	1	-	1	-	-	4	2	-	7
1	-	2	3	1	-	1	-	1	-	-	1	-	-	2
13	-	40	116	23	2	11	-	35	3	1	3	20	15	53
12	-	33	96	20	2	9	-	26	2	1	2	11	11	48
1	-	7	20	3	-	2	-	9	1	-	1	9	4	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
356	3	1,392	3,536	523	56	753	29	600	163	27	289	613	284	1,610
6	-	48	121	11	1	21	-	18	1	-	4	16	6	47
5	-	27	51	5	1	9	-	16	-	-	3	8	3	14
1	-	21	70	6	-	12	-	2	1	-	1	8	3	33
3	-	11	44	7	-	8	-	3	1	-	2	3	1	12
-	-	1	3	-	-	-	-	-	-	-	-	-	-	38
-	-	1	3	-	1	1	-	-	1	-	-	-	-	2
-	-	1	3	1	-	1	-	-	-	-	1	-	-	1
1	-	15	25	6	-	5	-	3	-	-	7	5	6	19
3	-	15	26	13	6	3	1	7	-	-	6	6	1	4
4	-	4	14	4	1	1	-	2	-	-	1	3	-	5
1	-	9	17	3	-	1	-	3	-	-	-	5	1	7
7	-	21	76	18	2	23	-	11	3	1	12	6	12	27
5	-	14	25	3	-	10	-	6	2	-	4	8	4	20
2	-	18	28	3	-	7	-	3	1	-	3	12	5	13
5	-	30	60	5	1	7	-	7	3	-	3	8	8	20
4	-	10	31	4	1	11	-	9	-	-	1	5	2	8
1	-	2	13	1	-	3	-	2	-	-	1	5	1	3
-	-	5	25	4	-	4	-	5	-	-	7	3	-	12
3	-	17	39	4	1	12	-	5	2	-	3	9	4	11
3	-	8	21	2	1	10	-	4	-	-	5	7	2	14
5	-	17	29	4	1	11	-	5	2	-	3	7	7	16
2	-	22	46	6	1	5	-	7	-	-	1	3	-	9
1	-	6	27	6	1	2	-	3	1	-	3	7	7	21
4	-	14	28	2	-	6	-	8	-	-	9	5	5	10
6	-	9	44	4	1	15	-	15	1	-	7	5	3	19
1	-	4	5	-	-	2	-	2	-	-	1	2	2	3
5	-	7	31	1	-	3	-	4	-	-	4	10	6	22
4	-	24	52	9	3	26	-	7	-	-	5	7	5	12
1	-	13	29	6	-	17	-	3	1	-	3	3	1	10
90	-	11	23	3	3	9	-	4	2	-	3	3	45	369
75	-	290	813	123	10	127	5	152	33	16	31	145	39	344
5	-	278	761	115	10	114	5	147	30	18	28	136	6	25
1	-	12	32	8	-	15	-	5	3	-	5	9	-	5
3	-	5	7	2	-	3	-	3	2	1	2	4	1	17
3	1	27	22	3	-	6	-	2	4	-	2	2	2	11
1	-	4	24	3	-	5	-	4	-	-	4	3	1	7
1	1	7	15	1	2	2	-	2	-	-	3	4	1	20
2	-	13	29	-	-	9	-	6	-	-	-	-	-	51
12	-	39	91	15	-	10	-	11	6	-	2	18	4	20
4	-	16	36	6	-	5	-	4	2	-	6	6	1	31
8	-	23	53	9	-	5	-	7	4	-	2	10	2	4
-	-	5	13	2	-	3	-	1	-	-	-	-	1	2
2	-	2	13	1	-	1	-	3	-	-	-	-	1	2
-	-	2	5	1	-	3	-	-	1	-	-	-	-	2
1	-	3	9	-	-	-	-	1	-	-	-	-	4	3
-	-	6	2	2	-	4	-	3	-	-	-	13	2	36
14	-	35	79	18	-	16	-	21	7	-	11	7	1	30
12	-	28	55	13	2	15	-	19	4	-	-	6	1	8
2	-	7	24	5	-	3	-	2	3	-	4	3	1	6
3	-	18	26	5	-	12	-	6	-	-	5	2	1	4
1	-	11	13	1	-	4	-	4	2	-	1	-	3	1
-	-	3	5	1	-	-	-	2	-	-	-	-	-	7
4	-	3	12	2	-	3	-	2	1	-	6	-	1	16
3	-	12	35	9	1	4	-	8	-	-	-	3	2	1
-	-	-	6	-	-	-	-	2	-	-	-	-	-	8
4	-	2	23	3	-	3	-	7	-	-	1	3	2	1
1	-	27	41	7	3	15	-	9	1	-	3	3	5	11
2	-	13	18	3	-	2	-	4	-	-	1	2	2	10
1	-	3	18	1	-	11	-	3	-	-	2	2	2	8



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	29	30	35	36	45-55	58
NEBRASKA--Continued															
1	Keith	65	-	-	-	-	-	-	-	-	-	-	2	5	-
2	Keya Paha	14	-	-	-	-	-	-	-	-	-	-	-	3	-
3	Kimball	30	-	-	-	-	-	1	-	-	-	-	2	5	-
4	Knox	139	-	-	-	-	-	28	-	-	1	-	-	26	1
5	Lancaster	1,109	-	-	-	-	-	9	-	1	19	1	3	166	-
6	Lincoln	867	-	-	-	-	-	19	-	-	8	1	3	140	-
7	Balance of county	222	-	-	-	-	-	2	1	-	11	-	-	26	-
8	Lincoln	191	-	1	-	-	1	2	1	-	-	-	-	22	-
9	North Platte	115	-	1	-	-	1	2	1	-	-	-	-	16	-
10	Balance of county	76	-	-	-	-	-	-	-	-	-	-	-	6	-
11	Logan	9	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Loup	9	-	-	-	-	-	-	-	-	-	-	-	-	-
13	McPherson	5	-	-	-	-	-	-	-	-	-	-	-	2	-
14	Madison	300	-	-	-	-	-	8	-	-	6	-	-	54	-
15	Norfolk	109	-	-	-	-	-	2	-	-	-	-	-	20	-
16	Balance of county	191	-	-	-	-	-	6	-	-	6	-	-	34	-
17	Morrick	84	-	1	-	-	-	2	-	-	-	-	2	15	-
18	Morrill	47	-	-	-	-	-	1	1	-	-	-	-	3	-
19	Nance	61	-	-	-	-	-	-	-	-	-	-	-	9	-
20	Nemaha	86	-	-	-	-	-	1	-	-	3	1	-	10	-
21	Nuckolls	93	-	-	-	-	-	-	-	-	-	-	1	12	1
22	Otoe	167	-	-	-	-	-	2	-	-	-	1	-	32	-
23	Pawnee	86	-	-	-	-	-	-	-	-	-	-	1	8	-
24	Perkins	36	-	-	-	-	-	-	-	-	-	-	-	2	-
25	Phelps	88	-	2	-	-	-	1	-	-	-	-	-	10	-
26	Pierce	80	-	-	-	-	-	-	-	-	-	-	-	16	-
27	Platte	172	-	-	-	-	-	1	-	-	2	-	2	26	-
28	Polk	100	-	-	-	-	-	2	-	-	-	-	-	21	-
29	Red Willow	109	-	-	-	-	-	-	-	-	-	-	-	19	-
30	Richardson	170	-	-	-	-	-	1	-	-	-	-	2	23	-
31	Rock	20	-	-	-	-	-	-	-	-	-	-	-	1	-
32	Saline	140	-	-	-	-	-	5	-	-	-	-	-	18	-
33	Sarpy	79	-	-	-	-	-	-	-	-	1	-	-	10	-
34	Saunders	184	-	-	-	-	-	-	-	-	-	-	1	23	-
35	Scotts Bluff	260	-	2	1	-	-	3	-	-	4	-	3	31	-
36	Scottsbluff	118	-	1	-	-	-	1	-	-	2	-	2	17	-
37	Balance of county	142	-	1	1	-	-	2	-	-	2	-	1	14	-
38	Seward	112	-	-	-	-	-	-	-	-	-	-	-	24	-
39	Sheridan	67	-	-	-	-	-	-	-	-	2	-	2	9	-
40	Sherman	51	-	-	-	-	-	-	-	-	-	-	1	11	-
41	Sioux	28	-	-	-	-	-	-	-	-	-	-	-	5	-
42	Stanton	45	-	-	-	-	-	-	-	-	1	-	-	6	-
43	Thayer	92	-	-	-	-	-	-	-	-	-	-	-	14	-
44	Thomas	12	-	-	-	-	-	-	-	-	-	-	-	1	-
45	Thurston	87	-	-	-	-	-	5	-	-	5	-	-	14	-
46	Valley	86	-	-	-	-	-	-	-	-	-	-	1	10	-
47	Washington	126	-	-	-	-	-	1	-	-	-	-	1	16	-
48	Wayne	84	-	-	-	-	-	1	-	-	-	-	-	8	-
49	Webster	74	-	-	-	-	-	-	-	-	-	-	-	9	-
50	Wheeler	10	-	-	-	-	-	-	-	-	-	-	-	3	-
51	York	157	-	-	-	-	-	-	-	-	-	-	-	16	-
NEVADA															
52		1,502	-	-	-	2	1	73	-	1	22	4	3	149	1
53	Churchill	64	-	-	-	-	-	2	-	-	1	-	-	2	-
54	Clark	301	-	-	-	-	-	22	-	-	5	1	3	24	-
55	Douglas	28	-	-	-	-	-	-	-	-	-	-	-	5	-
56	Elko	116	-	-	-	-	-	5	-	-	-	-	-	14	-
57	Esmeralda	14	-	-	-	-	-	2	-	-	-	-	-	2	-
58	Eureka	13	-	-	-	-	-	1	-	-	-	-	-	2	-
59	Humboldt	63	-	-	-	-	-	1	-	-	-	-	-	5	-
60	Lander	22	-	-	-	1	-	-	-	-	1	-	-	-	-
61	Lincoln	30	-	-	-	-	-	3	-	-	1	-	-	2	-
62	Lyon	47	-	-	-	-	-	-	-	-	1	-	-	7	-
63	Mineral	59	-	-	-	-	-	1	-	-	-	-	-	4	1
64	Nye	50	-	-	-	1	-	12	-	-	-	-	-	4	-
65	Ormsby	40	-	-	-	-	-	1	-	-	-	-	-	2	-
66	Pershing	36	-	-	-	-	-	1	-	-	-	-	-	3	-
67	Storey	14	-	-	-	-	-	-	-	-	1	-	-	-	-
68	Washoe	520	-	-	-	-	-	20	-	1	12	3	-	62	-
69	Reno	398	-	-	-	-	-	17	-	-	9	1	-	50	-
70	Balance of county	122	-	-	-	-	-	3	-	-	3	2	-	12	-
71	White Pine	85	-	-	-	-	1	1	-	-	-	-	-	11	-
NEW HAMPSHIRE															
72		6,049	2	3	1	9	2	116	1	2	37	7	15	833	3
73	Belknap	284	-	-	1	-	-	2	-	-	1	-	1	37	-
74	Laconia	176	-	-	-	-	-	1	-	-	1	-	-	25	-
75	Balance of county	118	-	-	1	-	-	1	-	-	-	-	1	12	-
76	Carroll	199	-	-	-	2	-	1	-	-	-	-	-	33	-
77	Cheshire	401	-	-	-	1	1	3	-	-	1	-	1	51	1
78	Keene	157	-	-	-	-	-	-	-	-	-	-	-	21	1
79	Balance of county	244	-	-	-	1	1	3	-	-	1	-	1	30	-
80	Coos	391	1	-	-	3	-	2	-	-	1	2	-	54	-
81	Berlin	166	1	-	-	1	-	2	-	-	1	-	-	20	-
82	Balance of county	225	-	-	-	2	-	-	-	-	-	1	-	34	-
83	Grafton	512	-	1	-	-	-	18	-	-	4	-	-	61	-
84	Hillsborough	1,723	1	-	-	1	-	35	-	1	4	2	10	264	1
85	Manchester	685	1	-	-	1	-	22	-	-	3	-	8	133	1
86	Nashua	352	-	-	-	-	-	2	-	-	1	2	2	64	-
87	Balance of county	486	-	-	-	-	-	11	-	-	-	-	-	67	-
88	Merrimack	1,000	-	1	-	2	-	25	-	-	22	1	3	119	-
89	Concord	633	-	-	-	-	-	16	-	-	22	-	3	65	-
90	Balance of county	367	-	1	-	2	-	9	-	-	-	1	-	54	-
91	Rockingham	735	-	-	-	-	-	13	1	1	3	1	-	96	-
92	Portsmouth	201	-	-	-	-	-	2	1	-	2	1	-	35	-
93	Balance of county	534	-	-	-	-	-	11	-	1	1	-	-	61	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

577

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 113	119, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	162, 199, 200	
4	-	5	13	3	1	4	-	8	-	2	4	7	-	7
-	-	-	4	2	-	1	-	-	1	-	-	1	-	1
-	-	1	8	1	-	3	-	-	1	-	1	-	-	2
4	-	20	34	5	1	10	-	4	2	-	3	5	-	3
19	1	121	312	52	2	54	3	53	13	-	18	44	31	158
17	1	89	264	36	2	49	3	49	10	-	16	37	20	122
2	-	22	48	16	-	5	-	4	3	-	2	7	11	46
6	-	22	39	11	1	13	-	13	4	-	7	10	5	33
10	-	10	23	7	1	7	-	8	1	-	4	4	4	23
4	-	12	16	4	-	6	-	5	3	-	3	6	1	10
-	-	-	-	-	-	-	-	2	-	-	-	-	-	11
-	-	1	2	1	-	-	-	-	-	-	1	-	-	2
-	-	1	1	-	-	-	-	1	-	1	-	-	-	1
11	-	29	84	11	-	16	-	13	3	-	10	8	13	34
4	-	6	26	3	-	10	-	9	2	-	6	5	3	13
7	-	23	58	8	-	6	-	4	1	-	4	3	10	21
2	-	11	18	1	-	4	-	4	-	-	4	5	1	14
-	-	2	14	2	-	2	-	8	-	-	4	2	-	8
2	-	7	14	3	1	7	1	4	2	-	1	2	3	6
3	-	4	30	6	1	6	-	6	1	-	1	2	-	11
4	-	8	30	5	-	6	-	4	3	-	4	3	-	12
6	-	18	50	7	-	4	1	8	5	-	7	5	1	20
1	-	11	18	6	-	11	-	5	1	-	1	8	3	12
-	-	3	6	1	-	2	-	9	-	-	3	3	1	6
5	-	11	29	6	-	7	-	1	1	-	1	7	2	5
2	-	3	13	4	-	8	-	6	3	-	1	3	2	19
4	-	25	41	5	-	16	2	11	1	-	4	10	4	18
2	-	8	27	1	-	2	1	4	3	-	2	4	4	19
3	-	19	28	3	1	4	-	7	1	-	5	5	3	14
8	-	22	52	4	-	16	-	8	3	1	5	12	3	12
-	-	12	12	2	-	-	1	-	-	-	1	1	-	2
10	-	15	40	2	1	15	-	5	2	-	1	5	7	16
4	-	21	24	3	-	1	-	6	1	-	3	8	2	12
8	-	40	40	7	1	19	1	15	1	-	3	12	2	30
10	-	50	62	16	3	8	-	19	3	1	11	23	2	28
4	-	17	29	6	-	5	-	8	2	-	4	7	-	13
6	-	13	33	10	3	3	-	11	1	1	7	16	2	15
17	-	25	33	3	1	8	-	6	2	-	-	8	1	12
1	-	6	20	3	1	3	-	4	2	-	-	3	1	11
1	-	2	19	1	-	3	1	5	-	-	-	1	1	5
-	-	1	12	1	-	2	-	1	-	-	2	1	-	4
-	-	5	16	1	-	1	-	5	2	1	1	2	-	3
-	-	10	27	4	1	9	1	4	3	-	4	3	4	9
1	-	-	-	-	-	1	-	-	-	-	-	1	-	5
3	-	11	22	6	1	5	-	2	-	-	-	7	1	5
2	-	7	25	4	-	6	2	9	1	-	-	5	2	12
4	-	16	35	1	-	8	-	6	4	1	4	2	7	20
1	-	13	23	1	-	6	-	5	3	-	2	4	6	11
4	-	6	22	1	-	13	-	1	-	-	3	2	3	10
-	-	-	1	1	-	-	-	1	-	-	1	-	-	2
7	-	12	63	4	-	14	-	7	1	-	4	9	-	20
24	-	125	407	84	6	54	6	88	41	9	64	122	46	170
-	-	7	23	2	-	4	-	3	1	-	1	6	2	10
1	-	27	63	14	-	9	-	31	11	2	22	23	9	32
1	-	2	9	-	-	2	-	3	1	-	2	-	-	3
6	-	5	22	4	2	2	-	8	5	1	3	18	11	12
-	-	1	5	-	-	1	-	-	-	-	-	1	-	1
-	-	-	-	2	-	-	-	-	-	-	1	3	1	2
1	-	5	20	6	-	3	-	5	1	-	-	5	4	7
-	-	2	11	-	-	2	-	-	-	-	-	2	-	3
-	-	2	7	2	-	2	-	-	-	-	1	5	2	3
-	-	3	11	1	1	1	1	-	1	1	4	1	4	10
2	-	5	11	6	1	-	1	5	-	-	5	4	4	9
1	-	5	14	3	-	2	-	-	-	-	1	3	1	3
-	-	3	12	3	-	-	-	2	-	-	4	3	-	10
-	-	1	11	5	1	-	-	-	4	-	1	8	-	3
-	-	1	6	2	-	1	-	-	-	-	-	-	2	-
9	-	51	159	28	1	21	4	27	14	3	17	34	6	48
6	-	41	117	22	1	20	2	21	9	3	16	24	2	56
3	-	10	42	6	-	1	2	6	5	-	1	10	4	12
5	-	5	21	6	-	3	-	6	2	2	2	8	-	14
170	-	614	2,090	282	32	293	14	258	65	4	100	250	73	773
5	-	31	114	7	3	15	-	15	2	-	5	14	3	38
-	-	13	70	5	-	10	-	10	1	-	3	9	3	22
5	-	18	44	2	-	5	-	5	1	-	2	5	-	16
6	-	23	69	8	1	6	-	5	5	-	7	1	-	28
12	-	60	135	10	1	20	1	22	-	1	8	25	1	46
7	-	21	57	2	-	8	1	10	-	-	1	9	2	18
5	-	39	78	8	1	12	-	12	-	-	8	14	2	28
8	-	33	116	19	2	40	-	20	5	-	9	24	8	44
2	-	16	53	6	1	12	-	13	4	-	4	9	4	16
6	-	17	63	13	1	28	-	7	1	-	5	15	4	28
17	-	58	169	31	2	19	-	23	7	-	8	20	25	49
47	-	158	573	77	16	76	8	90	21	1	26	46	17	248
25	-	74	319	42	16	40	4	48	12	-	11	18	5	101
11	-	32	103	14	-	19	2	24	3	-	7	14	-	47
11	-	52	151	21	-	17	2	18	6	1	8	14	7	100
33	-	88	363	58	1	41	1	23	11	-	9	48	4	147
22	-	47	232	44	-	27	1	10	8	-	4	31	1	113
11	-	41	131	14	1	37	-	15	3	-	5	17	3	54
20	-	76	268	43	-	37	-	31	7	-	14	56	3	85
6	-	18	68	12	-	8	-	8	1	-	2	10	1	25
14	-	58	200	31	-	29	-	22	6	-	12	26	2	60



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
NEW HAMPSHIRE--Con.															
1	Strafford-----	515	-	1	-	-	1	14	-	-	-	1	-	89	-
2	Dover-----	173	-	-	-	-	-	5	-	-	-	1	-	27	-
3	Rochester-----	134	-	1	-	-	-	4	-	-	-	-	-	20	-
4	Balance of county-----	206	-	-	-	-	1	5	-	-	-	-	-	42	-
5	Sullivan-----	279	-	-	-	-	-	3	-	-	1	-	-	29	1
6	Claremont (town)-----	124	-	-	-	-	-	1	-	-	1	-	-	14	-
7	Balance of county-----	155	-	-	-	-	-	2	-	-	-	-	-	15	1
8	NEW JERSEY-----	46,392	6	38	5	26	12	1,647	16	2	299	26	26	7,246	34
9	Atlantic-----	1,725	-	1	-	-	3	52	-	-	10	-	-	231	1
10	Atlantic City-----	913	-	-	-	-	-	30	-	-	3	-	-	127	-
11	Pleasantville-----	125	-	-	-	-	-	3	-	-	1	-	-	17	1
12	Balance of county-----	687	-	1	-	-	3	19	-	-	6	-	-	67	-
13	Bergen-----	5,945	2	2	-	2	-	89	-	1	22	1	5	694	-
14	Bergenfield-----	109	-	-	-	-	-	1	-	-	-	-	1	17	-
15	Cliffside Park-----	111	-	-	-	-	-	1	-	-	1	-	-	22	-
16	Englewood-----	186	1	-	-	1	-	4	-	-	1	-	-	32	-
17	Garfield-----	184	-	-	-	-	-	9	-	-	-	-	-	32	-
18	Hackensack-----	354	-	-	-	-	-	6	-	-	3	-	-	52	-
19	Lodi-----	78	-	-	-	-	-	3	-	-	1	-	-	14	-
20	Lyndhurst (twp.) <sup>2</sup> -----	152	-	-	-	-	-	1	-	-	-	-	-	30	-
21	Ridgefield Park-----	85	-	-	-	-	-	1	-	-	-	-	-	13	-
22	Ridgewood-----	155	-	1	-	-	-	3	-	-	2	-	1	26	-
23	Rutherford-----	164	-	-	-	-	-	5	-	-	2	-	-	31	-
24	Teaneck (twp.) <sup>2</sup> -----	227	-	-	-	-	-	3	-	-	3	-	-	45	-
25	Balance of county-----	2,143	1	1	-	1	-	52	-	1	9	1	3	360	-
26	Burlington-----	1,206	-	1	-	3	-	33	-	-	11	1	1	161	-
27	Burlington-----	121	-	-	-	-	-	1	-	-	2	-	-	19	-
28	Balance of county-----	1,085	-	-	-	3	-	32	-	-	9	1	1	162	-
29	Camden-----	2,850	-	5	1	2	1	62	-	-	16	3	1	452	1
30	Camden-----	1,203	-	3	-	2	1	35	-	-	6	2	1	198	1
31	Collingswood-----	172	-	-	-	-	-	2	-	-	-	-	-	39	-
32	Gloucester City-----	152	-	-	-	-	-	3	-	-	-	-	-	23	-
33	Pennsauken (twp.) <sup>2</sup> -----	155	-	1	-	-	-	8	-	-	-	-	-	28	-
34	Balance of county-----	1,169	-	1	1	-	-	34	-	-	10	1	-	164	-
35	Cape May-----	487	-	-	-	2	1	17	1	-	2	2	-	74	-
36	Cumberland-----	957	-	-	1	2	-	27	1	-	5	-	-	125	-
37	Bridgeton-----	244	-	-	-	1	-	6	-	-	1	-	-	32	-
38	Millville-----	186	-	-	1	-	-	5	-	-	1	-	-	30	-
39	Balance of county-----	585	-	-	-	1	-	16	1	-	3	2	-	63	-
40	Essex-----	9,011	1	10	-	2	-	377	1	-	43	3	6	1,465	7
41	Belleville-----	823	-	-	-	-	-	2	1	-	-	-	-	47	-
42	Bloomfield-----	396	-	-	-	-	-	7	-	-	2	1	-	63	-
43	East Orange-----	763	-	-	-	-	-	21	-	-	2	-	1	125	2
44	Irvington-----	522	-	-	-	-	-	10	-	-	1	1	-	102	-
45	Maplewood (twp.) <sup>2</sup> -----	197	-	-	-	-	-	3	-	-	-	-	-	33	-
46	Millburn (twp.) <sup>2</sup> -----	82	-	-	-	-	-	1	-	-	-	-	-	12	-
47	Montclair-----	449	-	1	-	-	-	8	-	-	1	-	-	88	-
48	Newark-----	4,734	1	7	-	1	-	246	-	-	22	-	6	735	5
49	Nutley-----	185	-	-	-	-	-	2	-	-	1	-	-	33	-
50	Orange-----	414	-	1	-	-	-	14	-	-	3	-	1	73	-
51	South Orange-----	148	-	-	-	-	-	1	-	-	-	1	-	31	-
52	West Orange-----	221	-	-	-	1	-	9	-	-	-	-	-	37	-
53	Balance of county-----	687	-	1	-	-	-	51	-	-	11	-	-	86	-
54	Gloucester-----	779	1	2	-	-	1	16	-	1	1	-	-	107	-
55	Hudson-----	6,913	-	4	-	3	2	296	2	-	52	3	1	1,144	10
56	Bayonne-----	639	-	-	-	-	-	19	-	-	1	1	-	116	2
57	Harrison-----	107	-	-	-	-	-	3	-	-	-	-	-	17	-
58	Hoboken-----	606	-	-	-	-	-	18	-	-	6	-	-	60	1
59	Jersey City-----	3,304	-	1	-	3	1	163	2	-	15	1	1	554	3
60	Kearny-----	363	-	-	-	-	-	3	-	-	2	-	-	62	-
61	North Bergen (twp.) <sup>2</sup> -----	360	-	1	-	-	-	4	-	-	-	1	-	51	1
62	Union City-----	552	-	2	-	-	1	22	-	-	2	-	-	113	1
63	Weehawken (twp.) <sup>2</sup> -----	184	-	-	-	-	-	5	-	-	-	-	-	33	-
64	West New York-----	313	-	-	-	-	-	14	-	-	-	-	-	48	1
65	Balance of county-----	475	-	-	-	-	-	45	-	-	6	-	-	60	-
66	Hunterdon-----	404	-	-	-	-	-	11	-	-	1	-	-	59	-
67	Mercer-----	2,442	-	2	1	1	-	127	-	-	20	1	-	365	2
68	Trenton-----	1,547	-	1	1	1	-	60	-	-	17	-	-	214	1
69	Balance of county-----	895	-	1	-	-	-	67	-	-	3	1	-	151	1
70	Middlesex-----	2,051	1	5	1	-	4	66	-	-	7	2	2	316	3
71	Carteret-----	86	-	-	-	-	-	3	-	-	-	-	-	10	-
72	New Brunswick-----	379	-	-	-	-	2	17	-	-	3	-	1	50	-
73	Perth Amboy-----	356	-	2	1	-	-	13	-	-	1	1	1	58	1
74	South River-----	78	-	-	-	-	-	2	-	-	-	-	-	15	-
75	Woodbridge (twp.) <sup>2</sup> -----	252	-	3	-	-	-	8	-	-	1	-	-	28	-
76	Balance of county-----	921	1	-	-	-	2	23	-	-	2	1	-	155	2
77	Monmouth-----	2,572	-	2	-	1	-	89	7	-	29	4	3	350	2
78	Asbury Park-----	205	-	-	-	-	-	15	-	-	-	-	-	31	-
79	Long Branch-----	214	-	-	-	-	-	5	-	-	2	1	-	38	-
80	Neptune (twp.) <sup>2</sup> -----	215	-	1	-	-	-	3	-	-	-	-	-	30	1
81	Red Bank-----	148	-	-	-	-	-	1	-	-	-	1	-	29	-
82	Balance of county-----	1,790	-	1	-	1	-	65	7	-	25	2	2	224	1
83	Morris-----	1,916	-	-	-	3	-	114	3	-	51	1	2	234	1
84	Dover-----	113	-	-	-	-	-	3	1	-	-	-	-	16	-
85	Morristown-----	219	-	-	-	-	-	6	-	-	1	-	1	44	-
86	Balance of county-----	1,584	-	-	-	3	-	105	2	-	50	1	1	174	1
87	Ocean-----	549	-	-	-	1	-	11	-	-	1	-	-	89	-
88	Passaic-----	3,134	-	-	-	2	-	95	-	-	9	-	1	510	4
89	Clifton-----	419	-	-	-	-	-	10	-	-	2	-	-	65	-
90	Hawthorne-----	106	-	-	-	-	-	1	-	-	-	-	-	17	-
91	Passaic-----	613	-	-	-	-	-	14	-	-	2	-	1	100	3
92	Paterson-----	1,465	-	-	-	1	-	37	-	-	4	-	-	239	3
93	Balance of county-----	551	-	-	-	1	-	33	-	-	1	-	-	89	1

<sup>2</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

579

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 35	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
10	-	85	167	14	4	31	3	18	4	1	11	22	8	53
4	-	27	58	-	1	8	-	7	2	1	5	7	-	22
2	-	12	48	8	1	8	-	5	1	-	3	9	2	12
4	-	24	65	6	2	15	3	6	1	-	3	6	6	19
12	-	24	116	15	2	8	1	11	3	1	5	10	2	35
4	-	11	47	9	1	3	1	5	2	1	-	5	-	19
8	-	15	69	6	1	5	-	6	1	-	5	5	2	16
1,405	2	3,942	16,248	1,550	161	2,687	124	2,157	576	107	757	1,738	248	5,507
53	-	167	544	55	4	219	8	74	23	2	26	61	15	176
30	-	89	302	35	3	94	4	58	10	-	12	35	11	90
5	-	9	35	4	-	21	-	10	3	-	2	4	-	10
18	-	69	207	16	1	104	4	28	10	2	12	22	4	76
141	-	337	1,373	96	9	206	4	192	51	5	60	144	25	497
6	-	8	38	2	1	5	-	9	5	-	2	2	1	12
5	-	12	41	2	-	1	-	6	2	-	1	3	-	15
4	-	17	74	6	1	11	-	10	1	-	1	5	-	16
10	-	14	55	7	-	6	1	10	5	-	5	8	-	27
19	-	31	127	6	-	23	-	17	4	1	7	1	6	44
2	-	7	22	2	-	4	-	10	-	-	-	5	-	11
7	-	9	49	8	1	10	1	10	-	-	-	1	1	19
2	-	11	30	1	-	4	-	2	1	-	-	2	-	20
4	-	18	60	1	-	10	-	4	2	-	-	2	-	14
2	-	11	66	5	1	10	-	4	3	-	-	2	-	26
7	-	14	78	8	-	10	-	10	-	-	-	12	-	24
75	-	185	733	48	5	112	-	100	31	4	34	88	13	268
40	-	112	406	48	9	91	6	52	9	3	26	39	8	126
3	-	13	49	3	1	5	-	6	-	-	2	1	2	15
37	-	99	357	45	8	86	6	46	9	3	24	39	6	113
79	-	235	988	97	10	242	10	127	37	9	54	109	7	302
39	-	101	387	47	4	76	5	56	17	4	25	57	4	133
2	-	20	63	2	1	12	2	4	2	-	3	8	-	12
6	-	9	49	6	1	21	-	7	2	1	2	3	1	18
4	-	9	49	3	-	22	-	7	1	1	3	6	-	16
28	-	99	420	39	4	112	3	53	15	3	21	35	2	123
10	-	44	166	12	5	21	-	17	11	1	10	25	3	65
22	-	152	308	39	6	62	4	54	10	2	18	33	6	98
4	-	30	68	9	3	19	2	18	5	-	4	16	1	25
7	-	23	67	3	-	17	-	11	1	-	1	3	1	17
11	-	79	173	27	3	26	2	25	4	2	13	14	4	56
292	-	688	3,489	257	21	506	22	429	102	33	119	331	42	993
9	-	17	75	2	1	15	-	15	7	-	6	9	3	16
14	-	39	129	15	-	42	-	15	7	-	9	2	2	46
25	-	70	300	23	1	41	-	33	5	-	4	20	2	88
20	-	40	187	14	3	29	-	20	10	-	2	12	3	68
6	-	19	81	5	1	6	-	7	4	-	2	3	2	25
3	-	10	39	-	1	3	-	2	3	-	-	1	-	7
7	-	41	164	20	2	28	1	19	9	-	3	18	-	39
157	-	327	1,651	152	9	249	18	259	42	30	80	214	25	508
4	-	17	66	8	-	14	-	19	4	1	2	4	-	27
15	-	35	158	7	1	13	1	12	3	1	5	14	4	46
4	-	11	58	2	-	11	-	4	3	-	3	1	1	16
5	-	12	87	4	-	14	-	11	3	1	2	6	-	32
14	-	50	274	25	-	41	2	13	8	-	5	20	2	65
26	-	80	246	24	3	82	-	39	7	3	24	36	3	78
214	-	524	2,638	252	21	287	19	351	72	12	75	257	18	696
25	-	43	223	23	3	35	3	49	2	2	14	23	1	56
3	-	6	42	-	1	8	-	5	-	1	-	1	1	19
24	-	29	246	26	5	17	-	36	7	-	2	24	6	75
92	-	282	1,224	113	10	131	6	154	37	6	31	141	6	325
8	-	29	154	2	-	21	-	20	4	1	8	11	1	57
16	-	24	140	8	-	7	2	22	2	1	9	18	-	45
18	-	46	202	20	1	22	1	26	10	-	4	7	2	52
7	-	13	79	13	-	9	-	2	2	-	1	12	-	17
9	-	25	110	15	-	14	-	11	5	-	2	8	1	35
14	-	27	216	12	1	23	1	14	3	1	4	12	-	37
3	-	31	155	15	-	23	-	11	5	-	2	10	-	44
60	-	207	753	117	25	130	10	131	34	6	46	93	10	301
45	-	133	476	89	21	75	8	81	23	5	27	61	7	201
15	-	74	277	28	4	55	2	50	11	1	19	32	3	100
51	-	202	680	82	3	100	5	101	31	2	42	92	12	240
2	1	9	31	4	-	2	-	8	1	-	1	6	-	11
11	-	48	115	24	-	20	-	15	3	-	11	20	-	38
5	-	31	129	10	1	24	1	12	4	-	4	16	1	41
1	-	11	29	2	-	1	-	3	1	-	2	3	-	8
9	-	24	77	9	1	12	1	15	5	1	5	12	-	21
23	1	79	300	33	1	41	3	50	17	1	19	35	11	121
67	-	194	962	89	7	192	8	87	27	7	49	104	34	258
8	-	13	78	3	-	15	-	6	2	-	5	4	1	23
9	-	18	81	16	-	9	-	10	2	-	2	5	1	17
5	-	33	68	7	-	14	-	6	3	-	5	11	-	24
5	-	9	52	5	-	6	1	10	1	1	2	8	-	16
40	-	121	693	58	7	147	5	55	19	6	35	76	32	178
47	1	147	648	52	12	88	2	48	21	4	25	57	9	346
3	-	5	49	4	-	7	1	1	1	-	2	6	-	14
6	-	16	73	8	-	11	-	8	2	2	7	7	3	24
38	1	126	526	40	12	70	1	39	18	2	16	44	6	308
21	-	53	187	22	1	50	-	20	9	1	19	22	3	59
117	-	284	1,096	84	7	153	14	139	42	8	60	105	8	408
12	-	39	162	8	-	21	3	30	5	-	5	8	2	44
7	-	7	34	3	-	9	-	5	3	-	1	5	1	15
25	-	59	206	17	2	28	4	32	9	3	11	21	1	78
57	-	141	522	41	5	70	7	49	17	3	28	50	2	190
16	-	38	172	15	-	25	-	24	7	-	5	19	2	83



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Polio- mye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	6	8	9	10	13-22	27	29	30	35	36	45-55	59
NEW JERSEY—Continued														
1 Salem	464	1	-	-	1	-	10	-	-	3	-	-	65	-
2 Somerset	868	-	1	1	1	-	27	-	-	17	1	-	118	-
3 North Plainfield	98	-	-	-	-	-	-	-	-	-	-	-	16	-
4 Balance of county	770	-	1	1	1	-	27	-	-	17	1	-	99	-
5 Sussex	569	-	-	-	-	-	1	1	-	1	-	-	62	-
6 Union	5,170	-	2	-	1	-	95	-	-	14	3	2	540	1
7 Cranford (twp.) <sup>2</sup>	123	-	-	-	-	-	2	-	-	-	-	-	22	-
8 Elizabeth	1,121	-	1	-	1	-	29	-	-	4	2	1	198	1
9 Hillside (twp.) <sup>2</sup>	142	-	-	-	-	-	4	-	-	1	-	-	27	-
10 Linden	164	-	-	-	-	-	4	-	-	2	-	-	22	-
11 Plainfield	467	-	-	-	-	-	15	-	-	2	-	-	79	-
12 Rahway	210	-	1	-	-	-	2	-	-	-	-	-	35	-
13 Roselle	106	-	-	-	-	-	3	-	-	3	-	-	17	-
14 Summit	180	-	-	-	-	-	4	-	-	-	-	1	25	-
15 Union (twp.) <sup>2</sup>	171	-	-	-	-	-	6	-	-	2	-	-	35	-
16 Westfield	160	-	-	-	-	-	2	-	-	-	-	-	25	-
17 Balance of county	526	-	-	-	-	-	24	-	-	-	1	-	55	-
18 Warren	580	-	1	-	1	-	12	-	-	4	1	-	68	2
19 Phillipsburg	214	-	1	-	-	-	5	-	-	2	-	-	25	1
20 Balance of county	368	-	-	-	1	-	7	-	-	-	1	-	43	1
21 NEW MEXICO	5,436	1	5	1	22	12	388	67	1	76	13	10	400	7
22 Bernalillo	954	-	-	1	6	1	99	12	-	8	2	2	65	1
23 Albuquerque	447	-	-	-	2	-	59	3	-	3	1	2	32	-
24 Balance of county	507	-	-	1	6	1	40	9	-	5	1	-	33	1
25 Catron	28	-	-	-	-	-	-	-	-	-	-	-	-	-
26 Chaves	242	-	1	-	-	-	14	1	-	2	2	-	20	-
27 Roswell	169	-	1	-	-	-	12	-	-	2	1	-	17	-
28 Balance of county	73	-	-	-	-	-	2	1	-	-	1	-	3	-
29 Colfax	161	-	1	-	-	-	7	1	-	2	-	1	14	-
30 Curry	160	-	-	-	1	-	2	1	-	1	-	1	14	-
31 Clovis	109	-	-	-	1	-	2	1	-	1	-	1	8	-
32 Balance of county	51	-	-	-	-	-	-	-	-	-	-	-	6	-
33 De Baca	26	-	-	-	-	-	1	-	-	-	-	-	1	-
34 Dona Ana	294	-	-	-	-	-	19	2	-	2	-	1	21	1
35 Eddy	227	-	1	-	-	-	9	-	-	3	1	-	23	1
36 Grant	179	-	-	-	4	-	25	-	-	2	-	-	14	-
37 Guadalupe	60	-	-	-	-	-	1	1	-	1	-	1	6	-
38 Harding	29	-	-	-	-	-	3	-	-	-	-	-	3	-
39 Hidalgo	52	-	-	-	-	-	4	-	-	1	1	-	4	-
40 Lea	119	-	-	-	-	-	3	-	-	2	-	-	16	-
41 Hobbs	56	-	-	-	-	-	-	-	-	1	-	-	6	-
42 Balance of county	63	-	-	-	-	-	3	-	-	1	-	-	10	-
43 Lincoln	76	-	-	-	-	-	19	-	-	-	-	-	3	-
44 Luna	65	-	-	-	-	-	5	-	-	-	-	-	9	-
45 McKinley	292	-	-	-	-	3	46	2	-	3	1	-	7	-
46 Mora	103	-	-	-	-	-	3	3	1	-	-	1	1	-
47 Otero	99	-	1	-	-	-	3	-	-	2	-	-	2	-
48 Quay	111	-	-	-	-	1	3	1	-	-	-	-	13	-
49 Rio Arriba	246	-	-	-	3	-	6	6	-	-	-	-	12	-
50 Roosevelt	92	-	-	-	1	-	3	1	-	1	-	-	17	-
51 Sandoval	163	-	-	-	-	-	8	3	-	2	1	-	5	-
52 San Juan	163	-	-	-	-	2	20	-	-	3	4	-	11	-
53 San Miguel	407	-	1	-	-	1	22	11	-	33	-	-	23	2
54 Santa Fe	323	1	-	3	-	-	28	12	-	5	-	2	34	-
55 Santa Fe	242	1	-	3	-	-	26	9	-	2	-	2	30	-
56 Balance of county	81	-	-	-	-	-	2	3	-	3	-	-	4	-
57 Sierra	70	-	-	-	-	-	3	1	-	2	-	-	11	-
58 Socorro	105	-	-	-	-	-	9	4	-	-	-	-	6	-
59 Taos	166	-	-	-	1	-	7	2	-	-	1	-	10	-
60 Torrance	96	-	-	-	-	1	4	1	-	-	-	-	12	1
61 Union	72	-	-	-	-	-	4	-	-	-	-	-	9	1
62 Valencia	254	-	-	-	1	3	8	2	-	1	-	1	12	-
63 NEW YORK	152,666	12	121	11	63	50	5,601	35	3	1,309	64	64	23,989	96
64 Albany	2,625	-	2	-	-	-	94	-	-	11	1	-	377	1
65 Albany	1,749	-	1	-	-	-	67	-	-	5	1	-	231	-
66 Cohoes	235	-	-	-	-	-	9	-	-	3	-	-	34	-
67 Watervliet	165	-	-	-	-	-	2	-	-	-	-	-	27	1
68 Balance of county	676	-	1	-	-	-	16	-	-	3	-	-	85	-
69 Allegany	447	-	-	-	2	1	4	-	-	3	-	-	58	1
70 Broome	2,011	-	3	-	2	-	45	-	-	24	3	-	296	3
71 Binghamton	1,157	-	2	-	1	-	30	-	-	22	-	-	169	1
72 Endicott	197	-	-	-	-	-	1	-	-	1	-	-	25	-
73 Johnson City	211	-	1	-	-	-	2	-	-	1	-	-	38	-
74 Balance of county	446	-	-	-	1	-	12	-	-	-	3	-	66	2
75 Cattaraugus	863	-	-	-	-	1	27	1	-	2	-	1	112	-
76 Olean	276	-	-	-	-	-	3	-	-	1	-	1	43	-
77 Balance of county	587	-	-	-	-	1	24	1	-	1	-	-	69	-
78 Cayuga	906	-	2	-	-	-	9	-	-	1	-	-	112	-
79 Auburn	428	-	2	-	-	-	4	-	-	1	-	-	67	-
80 Balance of county	378	-	-	-	-	-	5	-	-	-	-	-	45	-
81 Chautauque	1,458	-	1	1	1	-	22	-	-	4	1	-	181	2
82 Dunkirk	182	-	-	-	-	-	4	-	-	-	-	-	22	-
83 Jamestown	496	-	-	-	1	-	5	-	-	1	-	-	54	-
84 Balance of county	780	-	1	1	-	-	13	-	-	3	1	-	105	2
85 Chemung	944	-	1	1	2	-	17	-	-	4	1	-	128	-
86 Elmira	654	-	1	-	2	-	11	-	-	4	-	-	94	-
87 Balance of county	290	-	-	1	-	-	6	-	-	-	1	-	34	-
88 Chemango	510	-	-	1	-	-	3	-	-	3	1	-	65	-
89 Clinton	545	-	1	-	2	-	11	-	-	4	-	1	69	-
90 Plattsburgh	196	-	1	-	-	-	-	-	-	-	-	-	21	-
91 Balance of county	349	-	-	-	2	-	11	-	-	4	-	1	46	-

<sup>2</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

581

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 113	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
6	-	52	137	25	4	21	1	36	9	2	19	25	2	45
27	-	90	272	40	4	56	3	46	7	-	9	38	5	109
5	-	16	34	4	-	6	-	4	-	-	-	2	-	11
22	-	74	438	36	4	50	2	42	7	-	9	36	5	98
15	-	34	124	15	-	18	2	18	4	-	10	15	3	48
92	-	271	1,102	128	6	128	7	184	58	5	57	113	29	352
5	-	4	50	6	1	6	-	6	5	-	3	5	1	11
29	-	97	403	50	2	35	2	49	16	3	15	42	7	134
1	-	10	52	5	-	9	-	7	5	1	1	5	1	14
19	-	10	52	5	-	9	-	7	5	-	4	5	1	22
13	-	45	156	18	-	18	1	13	5	-	4	5	1	65
4	-	22	78	9	-	9	1	16	2	-	12	15	9	11
2	-	6	37	4	-	4	-	15	4	1	5	7	4	18
11	-	21	62	10	-	9	-	12	3	-	2	5	-	8
4	-	12	50	6	-	10	1	6	4	-	2	5	-	23
5	-	16	65	5	1	8	-	14	5	-	10	6	1	15
11	-	28	96	11	2	13	-	19	8	-	9	12	2	34
20	-	58	214	21	4	32	-	19	5	-	9	19	3	86
6	-	23	78	6	-	15	-	7	1	-	1	6	2	35
14	-	35	136	15	4	17	1	12	4	-	8	13	1	51
61	3	250	800	390	233	194	57	488	36	37	186	290	653	575
13	-	40	151	48	49	47	8	100	7	7	39	60	80	106
8	-	20	90	16	12	20	2	48	4	5	18	22	18	60
5	-	20	61	30	37	27	6	52	3	2	21	38	62	46
-	-	2	4	1	-	1	1	3	-	-	-	2	9	5
2	-	20	46	22	11	12	2	32	-	-	5	15	6	28
2	-	15	33	12	7	8	2	19	-	-	4	9	3	22
2	-	5	13	10	4	4	-	13	-	1	4	6	3	6
2	-	7	28	10	10	7	-	22	-	-	1	7	3	28
6	-	8	39	11	5	12	-	15	-	-	10	11	13	29
4	-	3	22	10	3	9	1	12	-	-	7	7	1	22
2	-	5	17	1	-	3	-	3	-	-	3	4	1	6
-	-	1	5	-	-	-	-	2	-	-	1	1	4	9
5	-	24	45	27	17	7	1	36	2	3	11	18	23	29
3	1	10	28	16	10	11	1	27	1	3	10	17	21	30
3	-	6	32	19	7	10	-	9	6	1	-	12	13	17
-	-	1	6	5	1	6	-	2	1	1	-	5	11	11
-	-	-	3	2	1	-	-	1	-	-	3	3	9	1
-	-	4	7	2	3	1	-	3	2	-	1	2	7	10
3	-	5	26	3	2	3	1	12	1	2	8	14	3	15
1	-	2	13	1	1	1	1	7	-	2	5	4	3	7
2	-	3	13	1	1	2	-	5	1	-	3	10	-	8
-	-	4	12	3	1	4	-	6	1	-	3	6	4	10
1	1	4	20	1	1	1	-	6	-	-	3	2	4	7
1	-	5	16	35	28	4	4	21	2	3	19	15	53	23
1	-	4	12	10	5	4	1	3	-	-	1	5	42	6
3	-	5	19	13	2	2	-	10	2	1	5	12	12	5
1	-	7	28	10	1	3	-	9	-	-	6	5	7	16
1	-	1	21	25	22	3	4	23	1	2	7	4	91	16
-	-	10	15	4	1	1	1	8	1	-	2	4	5	17
3	-	8	9	7	6	2	-	8	1	-	4	13	76	8
-	-	10	23	21	8	7	-	14	-	3	4	6	17	10
2	-	18	42	41	12	16	1	23	1	3	6	13	97	59
6	-	13	42	14	10	7	1	34	2	3	15	14	33	44
6	-	11	34	12	9	4	-	29	1	3	8	12	11	29
-	-	2	8	2	1	3	1	5	1	-	7	2	22	15
1	-	4	20	4	-	-	-	4	-	-	1	3	6	10
2	1	7	20	6	3	5	-	3	1	-	2	4	20	10
1	-	8	15	4	2	6	3	14	1	1	5	7	61	17
-	-	4	10	5	4	2	-	13	1	1	2	-	19	18
-	-	5	22	3	2	2	-	3	-	2	2	2	9	6
1	-	5	34	17	11	8	4	22	3	-	4	8	96	15
5,314	9	10,313	58,174	5,430	502	6,297	343	8,820	1,676	479	2,096	6,218	726	17,049
75	-	224	1,184	118	10	154	4	134	20	4	29	83	8	314
41	-	127	709	73	5	108	2	96	13	4	16	51	6	195
9	-	20	98	8	-	7	-	9	1	-	12	23	-	23
3	-	13	70	8	2	7	1	5	-	-	2	2	-	22
22	-	64	287	27	3	34	-	24	6	-	10	18	2	74
16	-	53	140	10	1	26	2	22	5	-	11	24	9	59
74	-	160	695	75	12	81	6	118	19	1	36	64	4	258
41	-	94	391	53	5	51	3	56	6	-	16	51	4	161
14	-	28	54	5	3	6	-	19	2	-	5	7	-	27
6	-	21	77	6	-	5	1	18	3	-	2	8	-	22
13	-	37	163	11	4	19	2	25	8	1	13	18	-	48
24	-	93	285	30	1	37	5	45	12	3	14	44	1	125
7	-	28	79	10	1	15	3	14	3	1	7	16	-	45
17	-	65	207	20	-	22	2	31	9	2	7	28	1	80
19	-	99	288	30	4	50	-	28	4	-	10	30	3	119
10	-	49	143	17	3	31	-	14	1	-	5	12	1	68
9	-	50	145	13	1	19	-	12	3	-	5	18	2	51
48	2	175	521	45	5	62	3	70	20	1	31	61	4	197
7	-	22	66	5	-	5	1	12	2	-	5	6	-	25
17	-	62	182	20	2	25	1	22	9	-	2	21	-	72
24	2	91	273	20	3	32	1	36	9	1	24	34	4	100
27	-	102	339	18	5	39	4	47	10	1	25	56	1	116
23	-	62	227	13	5	25	4	28	7	1	18	35	-	94
4	-	40	112	5	-	14	-	19	3	-	7	21	1	22
16	-	38	162	17	1	73	1	22	4	-	18	32	1	52
19	-	47	198	17	4	22	1	42	5	1	11	28	4	68
9	-	66	8	8	2	5	-	20	-	-	6	9	2	28
10	-	28	122	9	2	17	1	22	5	1	5	19	2	40



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (mening- ococcus) menin- gitis	Scarlet fever	Whooping cough	Diph- theria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephalo- litis (acute)	Cancer and other malignant tumors	Acute rheuma- tic fever
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
NEW YORK--Continued														
1 Columbia	558	-	1	-	-	-	15	-	-	5	-	-	91	1
2 Hudson	174	-	-	-	-	-	2	-	-	1	-	-	30	-
3 Balance of county	384	-	1	-	-	-	13	-	-	4	-	-	61	1
4 Cortland	409	-	-	-	1	-	4	-	-	-	1	-	47	-
5 Cortland	217	-	-	-	-	-	1	-	-	-	-	-	28	-
6 Balance of county	192	-	-	-	1	-	3	-	-	-	1	-	19	-
7 Delaware	491	-	1	1	-	-	5	-	-	1	2	-	66	1
8 Dutchess	2,187	-	-	-	-	2	128	14	-	50	-	-	215	-
9 Beacon	185	-	-	-	-	-	8	-	-	2	-	-	24	-
10 Poughkeepsie	556	-	-	-	-	1	6	-	-	4	-	-	70	-
11 Balance of county	1,448	-	-	-	-	1	112	14	-	44	-	-	121	-
12 Erie	9,204	-	9	-	7	16	423	-	1	78	6	2	1,549	9
13 Buffalo	6,484	-	5	-	3	15	324	-	1	48	5	1	999	7
14 Kenmore	196	-	-	-	-	-	1	-	-	-	-	-	33	-
15 Lackawanna	250	-	1	-	-	-	16	-	-	1	-	-	51	-
16 Tonawanda	215	-	-	-	-	-	7	-	-	2	1	-	38	1
17 Balance of county	2,059	-	3	-	4	1	75	-	-	27	-	1	248	1
18 Essex	431	-	-	-	1	-	32	-	-	-	-	-	51	1
19 Franklin	568	-	-	-	-	1	77	-	-	-	-	-	51	-
20 Fulton	639	-	1	-	4	3	9	-	-	2	-	1	86	-
21 Gloversville	328	-	1	-	1	3	3	-	-	-	-	-	48	-
22 Johnstown	154	-	-	-	2	-	3	-	-	1	-	1	22	-
23 Balance of county	157	-	-	-	1	-	3	-	-	1	-	-	16	-
24 Genesee	472	-	1	-	1	-	15	-	-	3	-	1	58	-
25 Batavia	204	-	-	-	1	-	7	-	-	1	-	1	30	-
26 Balance of county	268	-	1	-	-	-	8	-	-	2	-	-	28	-
27 Greene	391	-	-	-	-	-	4	-	1	1	-	-	65	-
28 Hamilton	42	-	-	1	-	-	1	-	-	2	-	-	5	-
29 Herkimer	745	-	-	-	1	-	15	-	-	3	-	-	106	1
30 Little Falls	140	-	-	-	-	-	2	-	-	1	-	-	21	-
31 Balance of county	603	-	-	-	1	-	13	-	-	2	-	-	85	1
32 Jefferson	1,040	-	1	-	-	-	18	-	-	7	-	-	140	1
33 Watertown	427	-	-	-	-	-	12	-	-	5	-	-	56	-
34 Balance of county	615	-	1	-	-	-	6	-	-	2	-	-	84	1
35 Lewis	274	-	-	-	-	-	4	-	-	-	-	-	35	-
36 Livingston	512	-	2	-	1	-	17	-	-	5	-	-	54	-
37 Madison	524	-	-	-	-	-	7	1	-	1	1	1	55	-
38 Oneida	130	-	-	-	-	-	-	-	-	-	-	-	15	-
39 Balance of county	594	-	-	-	-	-	7	-	-	1	1	1	40	-
40 Monroe	5,068	1	5	-	-	1	159	1	-	41	4	-	799	2
41 Irondequoit (town)	164	-	1	-	-	-	2	-	-	-	-	-	31	-
42 Rochester	3,785	1	3	-	-	1	119	1	-	28	2	-	594	2
43 Balance of county	1,109	-	1	-	-	-	58	-	-	13	2	-	174	-
44 Montgomery	710	-	-	-	5	-	16	-	-	1	-	-	101	-
45 Amsterdam	379	-	-	-	3	-	8	-	-	-	-	-	58	-
46 Balance of county	531	-	-	-	2	-	8	-	-	1	-	-	43	-
47 Nassau	4,130	-	4	-	-	2	81	-	-	15	1	2	726	3
48 Floral Park	121	-	-	-	-	-	2	-	-	-	-	-	26	-
49 Freeport	180	-	-	-	-	-	3	-	-	-	-	-	30	-
50 Garden City	120	-	-	-	-	-	-	-	-	1	-	-	26	-
51 Glen Cove	139	-	-	-	-	1	1	-	-	-	-	-	19	-
52 Hempstead	526	-	-	-	-	-	4	-	-	5	-	1	84	-
53 Lynbrook	140	-	-	-	-	-	1	-	-	-	-	-	24	-
54 Mineola	128	-	-	-	-	-	2	-	-	-	-	-	21	-
55 Rockville Centre	218	-	-	-	-	-	1	-	-	1	-	-	48	-
56 Valley Stream	158	-	-	-	-	-	1	-	-	-	-	-	29	-
57 Balance of county	2,392	-	4	-	-	1	68	-	-	8	1	1	419	3
58 New York City <sup>a</sup>	78,353	8	58	3	10	19	3,254	6	1	652	23	34	13,596	58
59 Niagara	1,704	-	4	1	-	-	47	1	-	6	-	2	236	1
60 Lookport	329	-	1	-	-	-	6	-	-	1	-	-	37	1
61 Niagara Falls	754	-	2	-	-	-	19	1	-	3	-	1	110	-
62 North Tonawanda	195	-	1	-	-	-	5	-	-	-	-	-	31	-
63 Balance of county	426	-	1	-	-	-	17	-	-	2	-	1	58	-
64 Oneida	3,140	1	2	-	2	-	98	2	-	39	5	-	373	2
65 Rome	487	-	-	-	1	-	16	2	-	3	-	-	45	1
66 Utica	1,551	1	1	-	-	-	25	-	-	16	-	-	185	1
67 Balance of county	1,122	-	1	-	1	-	57	-	-	20	5	-	153	-
68 Onondaga	3,325	-	2	-	1	-	88	1	-	22	1	3	470	1
69 Syracuse	2,256	-	-	-	-	-	47	1	-	15	-	1	335	1
70 Balance of county	1,059	-	2	-	1	-	41	-	-	7	1	2	135	-
71 Ontario	732	-	-	-	-	-	24	-	-	15	-	-	108	-
72 Geneva	191	-	-	-	-	-	5	-	-	1	-	-	28	-
73 Balance of county	541	-	-	-	-	-	19	-	-	14	-	-	80	1
74 Orange	1,675	-	1	1	1	1	57	1	-	24	-	-	243	-
75 Middletown	481	-	-	-	-	-	23	1	-	15	-	-	43	-
76 Newburgh	472	-	-	-	-	1	16	-	-	1	-	-	78	-
77 Balance of county	922	-	1	1	1	-	18	-	-	8	-	-	122	-
78 Orleans	371	-	-	-	-	-	5	-	-	1	-	-	60	-
79 Oswego	922	-	-	-	-	2	11	-	-	1	-	-	112	-
80 Fulton	157	-	-	-	-	-	1	-	-	1	-	-	18	-
81 Oswego	287	-	-	-	-	-	2	-	-	-	-	-	41	-
82 Balance of county	478	-	-	-	-	2	8	-	-	-	-	-	53	-
83 Otsego	641	-	-	-	-	-	15	-	-	4	-	2	67	1
84 Oneonta	184	-	-	-	-	-	2	-	-	2	-	-	25	1
85 Balance of county	477	-	-	-	-	-	13	-	-	2	-	2	64	-
86 Putnam	213	-	-	-	-	-	4	-	-	-	1	-	37	-
87 Rensselaer	1,651	-	3	-	1	-	46	-	-	9	1	-	206	-
88 Rensselaer	131	-	-	-	-	-	2	-	-	1	-	-	16	-
89 Troy	1,060	-	2	-	-	-	32	-	-	6	-	-	125	-
90 Balance of county	440	-	1	-	1	-	12	-	-	2	1	-	65	-
91 Rockland	1,225	-	2	-	-	-	36	4	-	37	-	-	123	-
92 St. Lawrence	1,274	1	1	-	7	-	19	-	-	18	-	-	143	-
93 Macona	117	-	-	-	1	-	2	-	-	1	-	-	11	-
94 Ogdensburg	382	-	1	-	-	-	9	-	-	15	-	-	36	-
95 Balance of county	775	1	-	-	6	-	8	-	-	2	-	-	96	-

<sup>a</sup>Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

583

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 53	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	182, 199, 200	
21	-	46	210	12	1	33	1	18	3	2	17	34	1	48
8	-	17	58	5	-	6	-	8	1	1	5	16	1	14
13	-	29	152	7	1	27	1	10	2	1	11	18	-	32
10	-	51	133	17	-	38	2	22	8	-	7	20	2	46
4	-	27	64	11	-	22	2	16	2	-	5	11	-	24
4	-	24	69	6	-	16	-	6	6	-	2	9	-	22
9	-	92	169	14	2	21	2	33	5	-	12	28	5	55
55	1	176	772	99	6	106	4	50	14	3	25	85	6	378
5	-	21	59	7	-	14	-	6	3	-	4	5	1	25
16	1	58	197	14	2	41	-	19	6	2	6	32	2	69
34	-	77	516	78	3	51	2	25	5	1	15	49	3	111
303	-	745	3,289	297	59	391	26	465	72	24	152	319	16	1,168
224	-	520	2,311	208	25	286	19	302	52	16	82	211	12	806
10	-	17	76	6	-	8	-	11	1	-	2	5	1	25
4	-	15	74	12	3	5	3	21	1	2	12	8	-	42
4	-	22	67	8	-	4	-	20	1	-	3	7	1	27
61	-	171	759	63	2	68	4	111	18	4	55	89	4	267
17	-	98	153	9	8	24	-	27	8	-	4	16	1	45
16	-	89	201	19	3	34	-	33	4	1	11	21	3	59
34	-	56	256	24	1	27	1	25	8	-	7	22	1	71
22	-	31	119	21	1	11	1	13	5	-	1	9	-	38
7	-	9	65	-	-	10	-	3	2	-	2	6	-	15
5	-	16	72	3	-	6	-	4	1	-	1	4	-	16
10	-	50	153	19	-	21	-	36	6	1	18	20	5	60
3	-	20	51	6	-	11	-	16	3	-	10	11	2	31
7	-	30	102	13	-	10	-	14	3	1	9	9	3	25
11	-	44	158	8	-	13	2	7	5	1	9	17	2	43
-	-	8	11	5	-	1	-	2	-	-	1	2	1	28
22	-	60	283	21	5	36	1	39	6	-	7	41	9	88
6	-	10	46	3	1	2	-	11	2	-	2	13	-	30
16	-	50	237	18	4	34	1	27	4	-	5	28	7	70
36	-	122	371	21	3	50	3	60	21	-	13	48	5	117
15	-	39	149	11	4	24	-	26	7	-	3	18	2	56
21	-	83	222	10	2	26	3	34	14	-	10	30	3	61
7	-	24	105	7	1	11	-	17	3	2	9	12	1	32
18	-	47	145	30	-	22	3	19	6	2	11	25	4	102
12	-	57	212	17	2	25	2	31	10	1	10	28	3	51
3	-	14	44	2	-	10	-	14	4	-	3	11	-	10
9	-	43	168	15	2	15	2	17	6	1	7	15	3	41
147	-	432	1,915	163	12	191	6	237	80	9	86	184	6	587
6	-	14	58	3	-	9	-	13	6	-	2	9	-	10
105	-	302	1,548	115	10	135	4	160	62	8	60	137	3	385
36	-	116	309	45	2	47	1	54	12	1	24	38	5	122
36	-	65	251	24	1	27	-	35	6	-	20	35	5	90
21	-	40	133	14	1	9	1	20	3	1	1	19	1	46
15	-	25	118	10	-	18	-	15	3	-	9	16	4	44
131	-	303	1,521	130	9	179	13	191	71	10	85	174	21	458
3	-	9	45	3	1	5	-	4	4	-	2	1	-	16
4	-	14	75	2	-	3	2	16	2	2	2	8	-	27
3	-	11	45	5	-	2	1	6	5	-	1	5	-	11
9	-	9	55	5	-	4	1	3	1	-	3	13	1	14
14	-	36	172	16	2	24	2	45	8	2	13	33	4	61
3	-	11	44	2	2	5	1	7	1	-	11	5	1	22
5	-	11	41	6	-	7	-	3	-	-	1	6	1	54
11	-	10	95	9	-	6	1	8	-	-	1	7	1	18
2	-	9	68	6	-	11	-	5	5	-	1	6	-	16
77	-	183	887	76	4	112	4	96	44	3	51	90	11	251
3,079	3	3,783	30,652	2,953	256	2,688	167	3,418	852	366	791	3,216	457	8,002
57	-	132	582	58	8	101	4	130	21	5	47	67	5	193
16	-	30	114	14	1	15	-	20	1	-	11	14	2	45
29	-	62	242	29	3	43	2	66	9	2	21	34	1	75
2	-	9	71	4	2	13	1	19	2	-	1	6	1	21
10	-	31	155	11	2	30	1	25	9	2	9	15	1	48
92	-	190	1,254	155	18	164	14	138	24	4	48	180	11	356
8	-	22	176	57	6	18	3	33	5	-	5	27	4	55
53	-	102	594	60	8	94	8	79	13	5	28	55	3	184
31	-	66	484	38	4	52	3	24	6	1	20	55	4	117
90	-	316	1,203	100	14	158	10	187	35	8	73	132	10	400
65	-	209	837	63	12	107	6	126	25	4	45	82	7	268
25	-	107	366	37	2	51	4	61	10	4	28	50	3	132
24	-	86	280	29	1	24	1	18	4	-	13	30	5	89
6	-	27	68	7	-	7	-	7	-	-	2	9	-	23
18	-	59	192	22	1	17	1	11	4	-	11	21	4	66
36	-	186	724	44	7	114	6	73	21	2	27	65	12	231
7	-	36	200	10	2	39	1	15	1	-	5	10	2	71
7	-	50	160	12	1	22	1	24	5	1	17	19	1	68
22	-	100	364	22	4	53	4	34	15	1	17	34	9	92
8	-	47	137	6	2	9	-	12	5	-	20	36	1	47
20	-	113	335	28	9	52	1	41	10	-	29	36	2	113
2	-	19	58	5	2	19	-	6	2	-	4	3	1	23
10	-	26	105	9	3	19	1	8	2	-	5	13	1	37
8	-	68	172	14	4	28	-	27	6	-	20	14	1	53
21	-	77	223	24	1	24	3	32	8	-	16	30	5	70
9	-	19	51	7	-	6	1	7	3	-	3	12	1	30
12	-	58	172	17	1	18	2	25	5	-	13	18	2	53
7	-	15	76	9	-	22	2	7	2	1	5	10	-	25
55	-	148	648	60	3	122	3	55	12	1	18	57	3	180
7	-	13	38	2	-	23	-	9	1	-	4	7	-	14
35	-	98	451	43	2	62	3	29	7	1	8	31	2	123
13	-	37	159	15	1	37	-	17	4	-	10	22	-	43
41	-	82	517	68	3	47	2	41	9	2	19	45	1	146
20	-	151	483	29	5	46	1	73	15	-	27	59	10	186
1	-	7	41	9	1	10	-	18	1	-	1	5	-	9
5	-	40	165	2	1	9	1	11	3	-	1	4	1	45
14	-	96	257	18	3	27	-	44	11	-	21	50	9	112



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	3	4	5	6	7-12	13	14	15	16	17	18-22	23
NEW YORK--Continued														
Saratoga-----	860	-	-	-	2	-	10	-	-	5	-	-	132	2
Saratoga Springs-----	182	-	-	-	-	-	1	-	-	2	-	-	28	2
Balance of county-----	678	-	-	-	2	-	9	-	-	3	-	-	104	-
Schenectady-----	1,399	-	1	-	-	-	40	2	-	6	1	-	218	-
Schenectady-----	995	-	1	-	-	-	22	2	-	3	-	-	146	-
Balance of county-----	403	-	-	-	-	-	18	-	-	3	1	-	72	-
Schoharie-----	297	-	-	-	1	-	6	-	-	1	-	-	40	-
Schuyler-----	173	-	1	-	-	-	1	-	-	-	-	-	16	-
Seneca-----	602	-	-	-	-	-	66	-	-	12	1	1	64	-
Steuben-----	1,118	-	1	-	1	-	19	-	-	5	4	1	145	1
Corning-----	185	-	-	-	-	-	6	-	-	1	-	-	22	-
Hornell-----	196	-	-	-	1	-	1	-	-	-	-	-	26	-
Balance of county-----	727	-	1	-	-	-	12	-	-	4	4	1	97	1
Suffolk-----	3,720	-	1	-	2	-	271	-	-	140	-	3	400	1
Sullivan-----	520	-	-	-	-	-	17	-	-	3	-	-	64	-
Tioga-----	419	-	-	-	2	-	5	-	-	2	-	-	41	-
Tompkins-----	517	-	-	-	-	-	13	-	-	-	-	-	77	-
Ithaca-----	269	-	-	-	-	-	3	-	-	-	-	-	51	-
Balance of county-----	248	-	-	-	-	-	10	-	-	-	-	-	26	-
Ulster-----	1,172	1	-	-	-	-	28	-	-	3	-	1	193	1
Kingston-----	410	-	-	-	-	-	9	-	-	1	-	-	82	1
Balance of county-----	762	1	-	-	-	-	19	-	-	2	-	1	111	-
Warren-----	523	-	-	-	1	-	15	-	-	4	-	1	66	-
Glens Falls-----	313	-	-	-	1	-	8	-	-	3	-	-	40	-
Balance of county-----	210	-	-	-	-	-	7	-	-	1	-	1	28	-
Washington-----	541	-	-	-	-	-	10	-	-	-	1	-	71	-
Wayne-----	652	-	-	-	-	-	5	-	-	2	3	1	100	-
Westchester-----	5,578	-	9	-	1	1	130	2	-	23	1	4	986	2
Westerham-----	120	-	1	-	-	-	4	-	-	-	-	-	16	-
Mount Vernon-----	633	-	1	-	-	-	11	-	-	3	-	1	105	-
New Rochelle-----	805	-	-	-	-	-	10	-	-	7	-	-	120	-
Ossining-----	154	-	-	-	-	-	5	-	-	1	-	-	19	-
Peekskill-----	181	-	-	-	-	-	4	-	-	2	-	-	24	-
Port Chester-----	247	-	-	-	-	-	2	-	-	3	-	-	36	-
Scarsdale-----	106	-	-	-	-	-	1	-	-	-	-	-	17	-
White Plains-----	450	-	2	-	-	-	12	-	-	2	-	1	81	1
Yonkers-----	1,320	-	5	-	1	-	35	1	-	1	1	1	166	-
Balance of county-----	1,782	-	-	-	-	1	46	1	-	4	-	1	362	1
Wyoming-----	349	-	-	-	-	-	4	-	-	3	-	-	50	1
Yates-----	229	-	-	1	-	-	1	-	-	1	-	2	32	-
NORTH CAROLINA-----														
Alamance-----	400	1	-	-	1	-	13	-	-	1	-	-	37	-
Burlington-----	134	-	-	-	-	-	4	-	-	1	-	-	14	-
Balance of county-----	266	1	-	-	1	-	9	-	-	-	-	-	23	-
Alexander-----	111	-	-	-	-	1	2	-	-	2	-	-	12	-
Alleghany-----	60	-	-	-	-	-	2	-	-	-	1	-	5	-
Anson-----	226	-	1	-	-	1	7	-	-	-	1	2	22	-
Ashe-----	116	-	-	-	-	-	3	-	-	-	2	-	10	1
Avery-----	96	-	-	-	1	-	2	-	-	-	-	-	4	-
Beaufort-----	341	-	-	-	1	2	11	-	1	1	-	-	27	-
Bertie-----	208	-	-	-	-	-	10	1	1	-	-	-	12	-
Bladen-----	221	-	-	-	-	-	4	-	1	-	-	-	14	-
Brunswick-----	130	-	1	-	-	-	3	-	-	-	1	-	10	1
Buncombe-----	1,005	-	1	-	1	2	129	-	-	8	2	2	107	1
Asheville-----	535	-	1	-	-	-	29	-	-	5	2	-	73	-
Balance of county-----	470	-	-	-	1	2	100	-	-	3	-	2	34	1
Burke-----	345	2	1	-	-	2	14	-	-	4	-	-	22	-
Cabarrus-----	371	-	-	-	-	1	7	-	-	1	-	-	35	-
Concord-----	105	-	-	-	-	-	-	-	-	1	-	-	13	-
Balance of county-----	266	-	-	-	-	1	7	-	-	-	-	-	22	-
Caldwell-----	286	-	1	-	-	3	8	-	-	2	1	-	26	1
Camden-----	54	-	-	-	1	-	1	-	-	-	-	-	2	-
Carteret-----	185	-	-	-	-	-	3	-	-	1	-	-	26	2
Caswell-----	113	-	-	-	-	-	2	-	-	1	-	-	9	-
Catawba-----	389	1	1	-	3	1	3	-	-	-	-	1	39	-
Hickory-----	109	-	-	-	-	1	3	-	-	-	-	-	11	-
Balance of county-----	280	1	1	-	3	-	-	-	-	-	-	1	27	-
Chatham-----	183	-	-	-	3	-	3	-	-	1	-	-	14	-
Cherokee-----	140	-	1	-	2	-	2	-	-	-	-	-	11	-
Chowan-----	94	-	-	-	-	-	8	1	-	-	1	-	7	-
Clay-----	34	-	-	-	1	-	1	-	-	-	-	-	4	-
Cleveland-----	361	1	-	-	1	-	10	1	-	2	2	-	40	-
Shelby-----	108	1	-	-	-	-	4	1	-	-	1	-	13	-
Balance of county-----	253	-	-	-	1	-	6	-	-	2	1	-	27	-
Columbus-----	386	-	-	-	-	-	7	-	-	6	1	-	30	-
Craven-----	315	-	-	-	-	-	17	-	-	1	-	1	16	1
New Bern-----	133	-	-	-	-	-	8	-	-	1	-	1	9	1
Balance of county-----	182	-	-	-	-	-	9	-	-	-	-	-	7	-
Cumberland-----	571	-	-	-	2	1	27	-	-	4	-	-	36	-
Fayetteville-----	306	-	-	-	1	1	12	-	-	3	-	-	19	-
Balance of county-----	265	-	-	-	1	-	15	-	-	1	-	-	17	-
Currituck-----	44	-	-	-	-	-	3	-	-	-	-	-	4	1
Dare-----	57	-	-	-	-	-	1	-	-	-	-	-	3	-
Davidson-----	365	-	2	-	1	-	6	-	-	6	-	-	40	1
Lexington-----	93	-	1	-	-	-	-	-	-	1	-	-	11	-
Thomasville-----	75	-	-	-	-	-	1	-	-	2	-	-	5	-
Balance of county-----	197	-	1	-	1	-	5	-	-	3	-	-	24	1
Davis-----	95	-	-	-	-	-	4	-	-	-	-	-	16	-
Duplin-----	279	-	-	-	-	1	11	-	1	-	-	-	24	-
Durham-----	685	-	-	-	-	-	33	-	-	10	-	-	80	-
Durham-----	612	-	-	-	-	-	15	-	-	9	-	-	45	-
Balance of county-----	173	-	-	-	-	-	18	-	-	1	-	-	15	-
Edgecombe-----	369	-	-	-	2	1	26	-	-	4	-	-	27	1
Rocky Mount (part)-----	104	-	-	-	1	-	3	-	-	2	-	-	9	-
Balance of county-----	285	-	-	-	1	1	23	-	-	2	-	-	18	1



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

585

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homicide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
17	1	82	324	21	1	57	3	34	11	2	23	50	4	79
5	-	16	76	5	-	8	-	4	8	1	8	10	2	11
12	1	66	249	16	1	49	3	80	8	1	15	40	2	69
66	-	129	514	36	3	62	2	60	17	-	11	46	2	162
51	-	83	374	29	1	46	2	51	11	-	8	29	1	135
15	-	46	140	7	2	16	-	9	6	-	3	17	1	47
10	-	29	115	6	-	12	1	12	5	-	6	14	-	39
2	-	9	93	4	-	15	1	5	2	-	3	6	-	15
12	-	39	220	17	-	18	-	11	1	-	9	32	11	89
30	-	107	364	42	4	84	2	59	15	1	28	58	10	138
6	-	20	57	10	1	14	-	13	4	-	8	8	-	27
6	-	22	66	4	1	22	-	11	-	1	3	11	2	19
18	-	65	241	28	2	48	2	34	11	-	17	41	8	92
94	1	264	1,523	111	8	116	4	94	45	7	67	127	9	433
17	-	58	190	12	-	41	1	16	8	-	9	20	1	63
14	-	45	152	13	-	23	1	24	4	-	10	22	1	16
14	-	45	185	12	3	32	1	26	8	-	28	28	3	61
10	-	22	84	6	1	20	-	18	4	-	11	11	-	36
4	-	23	101	7	2	12	1	8	4	-	5	17	3	25
38	-	140	402	25	1	81	1	34	11	-	20	42	10	140
11	-	45	133	8	-	20	1	10	1	-	10	17	2	59
27	-	95	269	17	1	61	-	24	10	-	10	25	8	81
13	-	43	199	11	1	33	1	37	5	-	11	26	1	55
5	-	22	127	7	1	16	-	27	4	-	6	15	-	31
8	-	21	72	4	-	17	1	10	1	-	5	11	1	24
9	-	51	199	27	1	35	-	12	11	-	7	24	5	77
20	-	69	225	25	1	29	-	26	14	1	12	19	1	100
175	1	418	2,116	191	19	246	15	270	58	10	62	191	12	635
5	-	7	55	3	-	7	-	5	1	-	3	2	-	11
24	-	45	235	25	3	29	3	39	2	4	6	15	1	81
22	1	48	231	25	3	23	2	22	2	2	10	18	-	59
5	-	15	52	6	-	15	-	5	2	-	2	9	-	17
2	-	14	67	7	1	13	2	11	1	-	3	7	-	23
20	-	17	90	7	-	14	-	19	1	-	3	6	1	28
2	-	8	45	3	3	3	-	5	2	-	2	4	-	11
11	-	35	165	21	1	18	1	15	9	3	2	15	2	35
46	-	91	529	55	1	42	2	60	14	1	11	55	3	160
38	-	138	648	39	6	82	5	89	24	-	20	60	5	192
14	-	44	108	13	-	14	1	16	5	-	3	19	3	51
7	-	31	71	7	-	24	-	7	3	1	5	8	-	30
498	73	3,052	5,682	1,581	247	2,734	203	2,451	290	362	1,062	1,313	861	3,114
9	-	49	106	20	4	33	5	33	4	3	13	18	10	40
2	-	12	32	2	2	17	1	11	3	1	8	4	4	18
7	-	37	74	18	4	16	4	22	1	2	5	14	6	22
1	-	11	8	15	-	14	1	11	1	-	6	3	12	8
1	-	12	11	5	1	6	-	-	-	1	2	3	2	46
7	-	19	58	16	-	15	-	12	1	1	8	6	24	28
1	-	15	26	11	1	3	-	11	1	2	3	5	12	11
4	-	10	17	4	-	3	1	16	-	-	7	3	1	13
3	3	40	85	32	1	36	7	24	6	3	4	13	9	29
3	3	27	50	9	6	18	2	18	-	-	4	12	7	17
4	1	22	42	7	1	29	4	25	3	3	15	7	14	17
-	-	17	33	6	1	13	3	14	1	1	2	22	7	17
21	7	92	244	37	4	62	3	78	11	10	33	45	3	13
18	2	55	136	22	2	33	2	38	8	8	33	45	20	87
6	5	37	108	15	2	29	1	40	6	2	13	31	15	51
2	2	34	92	19	-	27	2	25	1	9	20	12	7	36
7	1	33	100	16	2	32	4	38	6	5	10	25	8	45
1	-	14	25	4	2	8	-	10	6	5	14	13	25	29
6	1	19	75	14	-	24	4	28	3	1	6	5	3	9
2	-	32	43	27	3	18	-	28	3	4	8	8	22	20
1	-	12	17	5	-	3	-	3	2	-	12	11	1	37
1	-	34	33	17	-	14	-	15	-	1	1	7	-	7
-	-	17	24	3	1	12	-	10	2	2	4	14	3	15
5	1	32	114	11	1	34	2	34	-	2	4	4	6	18
1	1	12	30	4	-	7	2	7	8	3	17	28	17	36
4	-	20	84	7	1	27	-	27	1	2	3	5	7	13
6	-	15	40	11	2	26	1	16	2	3	14	23	10	23
4	-	8	29	10	5	1	-	17	1	3	4	4	9	23
-	1	12	17	8	2	6	-	6	1	3	5	12	17	10
-	-	5	6	2	-	2	-	2	-	-	5	4	2	13
5	2	45	84	15	3	25	4	31	4	4	-	2	3	7
-	-	14	23	1	1	5	-	8	-	3	22	20	11	30
5	1	51	61	14	2	20	3	23	4	2	10	6	3	9
6	1	57	51	26	6	42	6	31	1	1	12	14	8	21
5	1	35	43	16	4	66	3	26	3	6	17	24	39	27
2	-	11	20	6	1	32	-	9	5	3	16	27	2	76
3	1	24	23	10	3	34	3	17	2	3	2	9	1	15
7	-	56	128	36	3	47	-	51	7	-	14	18	1	12
4	-	30	60	20	3	31	7	28	4	11	38	36	11	56
3	-	26	68	16	-	16	4	25	3	-	15	15	8	38
-	-	2	12	2	-	5	-	2	-	7	23	21	3	18
-	-	20	6	6	-	6	-	2	-	-	3	2	2	6
5	2	46	72	18	2	48	3	6	1	-	4	7	8	1
-	1	19	13	2	2	9	-	37	3	2	13	15	5	36
2	-	7	14	6	-	17	1	12	1	1	3	3	3	10
3	1	20	45	10	-	22	1	6	1	-	3	2	-	8
-	1	7	18	3	1	17	-	19	1	1	7	10	2	20
6	-	46	64	17	2	19	5	4	-	-	6	5	1	12
20	2	58	206	18	4	64	2	25	6	2	12	12	6	23
16	-	43	153	15	4	50	3	58	7	10	33	25	3	71
4	2	15	53	3	-	14	3	45	7	10	22	21	2	52
8	-	34	84	19	3	41	3	15	-	-	11	4	1	19
2	-	6	26	2	-	14	1	41	6	5	7	26	11	40
6	-	28	58	17	3	27	2	10	2	2	2	11	-	11
								51	4	3	5	15	11	29



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephal- itis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	3	4	5	6	7-22	23	24	25	26	27-55	56	
NORTH CAROLINA--Con.														
1 Forsyth	1,041	-	-	-	-	1	47	-	-	11	1	1	105	1
2 Winston-Salem	698	-	-	-	-	1	32	-	-	6	1	1	63	1
3 Balance of county	343	-	-	-	-	-	15	-	-	5	-	-	42	-
4 Franklin	202	-	-	-	-	-	5	-	-	1	1	-	19	-
5 Gaston	590	-	-	-	-	-	11	-	-	3	-	-	65	3
6 Gastonia	185	-	-	-	-	-	1	-	-	3	-	-	19	1
7 Balance of county	395	-	-	-	-	-	10	-	-	-	-	-	46	2
8 Gates	96	-	-	-	-	-	2	-	-	-	1	-	4	-
9 Graham	39	-	-	-	-	-	3	-	-	-	-	-	6	-
10 Greenville	221	-	-	-	-	1	12	-	-	-	-	-	22	-
11 Greene	96	-	-	-	-	-	7	-	-	-	-	-	5	-
12 Guilford	1,305	-	3	-	-	-	44	-	-	10	1	-	131	-
13 Greensboro	607	-	1	-	-	-	17	-	-	5	-	-	58	-
14 High Point	287	-	2	-	-	-	5	-	-	-	-	-	35	-
15 Balance of county	411	-	-	-	-	-	22	-	-	5	1	-	38	-
16 Halifax	447	-	1	-	2	-	21	-	-	1	2	-	35	1
17 Harnett	349	-	-	-	1	1	10	1	-	2	1	1	35	1
18 Haywood	250	-	1	-	2	-	4	-	-	2	1	-	22	-
19 Henderson	262	-	-	-	1	1	7	-	-	1	-	-	30	-
20 Hertford	167	-	-	-	-	-	11	-	-	-	-	-	13	-
21 Hoke	170	-	-	-	1	-	49	-	-	-	-	-	9	-
22 Hyde	55	-	-	-	-	-	2	-	1	-	-	-	6	-
23 Iredell	412	-	-	-	-	1	5	-	-	3	-	-	37	1
24 Statesville	141	-	-	-	-	-	2	-	-	1	-	-	11	-
25 Balance of county	271	-	-	-	-	1	3	-	-	2	-	-	26	1
26 Jackson	132	-	-	-	-	-	2	-	-	-	1	-	14	-
27 Johnston	432	-	1	-	-	-	15	-	-	6	-	-	37	-
28 Jones	80	-	2	-	-	2	1	-	-	3	-	-	4	-
29 Lee	151	-	-	-	-	-	6	-	-	1	1	-	16	-
30 Lenoir	360	-	-	-	1	1	11	1	-	1	1	-	33	-
31 Kinston	185	-	-	-	-	-	3	1	-	1	-	-	20	-
32 Balance of county	195	-	-	-	1	1	8	-	-	-	1	-	13	-
33 Lincoln	141	-	-	-	-	1	2	-	-	1	-	-	13	-
34 McDowell	120	-	-	-	-	-	2	-	-	-	-	-	12	-
35 Macon	112	-	-	-	1	-	1	-	-	-	-	-	12	-
36 Madison	150	-	1	-	-	-	1	-	-	1	1	-	18	-
37 Martin	182	-	-	-	-	-	14	-	-	2	1	-	11	-
38 Mecklenburg	1,344	-	1	-	3	-	46	-	1	17	-	-	107	1
39 Charlotte	949	-	1	-	3	-	29	-	1	13	-	-	75	-
40 Balance of county	395	-	-	-	-	-	17	-	-	4	-	-	32	1
41 Mitchell	102	-	-	-	-	1	4	-	-	-	-	-	14	1
42 Montgomery	135	-	-	-	-	1	2	-	-	-	-	2	14	1
43 Moore	224	-	1	-	3	1	2	-	-	-	-	-	24	-
44 Nash	485	-	1	-	3	-	22	-	-	2	3	-	43	2
45 Rocky Mount (part)	141	-	-	-	-	-	5	-	-	1	1	-	10	-
46 Rocky Mount (total)	245	-	-	-	1	-	8	-	-	3	1	-	19	-
47 Balance of county	344	-	1	-	3	-	17	-	-	1	2	-	33	2
48 New River	611	-	-	-	1	-	28	-	-	2	1	1	44	1
49 Wilmington	476	-	-	-	1	-	23	-	-	2	1	1	30	1
50 Balance of county	135	-	-	-	-	-	5	-	-	-	-	-	14	-
51 Northampton	186	-	-	-	1	-	12	-	-	1	-	-	17	-
52 Onslow	188	-	-	-	1	-	2	-	-	-	-	-	12	-
53 Orange	209	-	-	-	-	-	7	-	-	1	-	1	25	1
54 Pamlico	91	-	1	-	-	-	4	-	-	-	-	-	6	-
55 Pasquotank	201	-	-	-	-	-	9	-	2	3	-	-	15	-
56 Elizabeth City	134	-	-	-	-	-	7	-	1	3	-	-	12	-
57 Balance of county	67	-	-	-	-	-	2	-	1	-	-	-	3	-
58 Pender	151	-	-	-	-	-	5	-	-	3	-	-	9	-
59 Perquimans	87	-	-	-	-	-	2	-	-	-	-	-	10	-
60 Person	157	-	-	-	-	1	9	-	-	-	-	-	13	-
61 Pitt	476	-	-	-	2	-	36	2	-	10	-	-	28	-
62 Greenville	114	-	-	-	-	-	11	-	-	2	-	-	8	-
63 Balance of county	562	-	-	-	2	-	25	2	-	8	-	-	20	-
64 Polk	92	-	-	-	-	-	-	-	-	-	-	-	15	-
65 Randolph	324	-	2	-	1	-	4	-	-	3	-	-	28	-
66 Richmond	320	-	1	-	1	-	10	-	-	1	-	-	19	3
67 Robeson	625	-	-	1	4	1	21	-	-	5	2	1	52	2
68 Rockingham	403	-	-	-	-	1	13	-	-	1	1	-	47	-
69 Reidsville	110	-	-	-	-	-	6	-	-	-	-	-	17	-
70 Balance of county	293	-	-	-	-	1	7	-	-	1	1	-	30	-
71 Rowan	485	1	2	-	-	-	8	-	1	7	-	1	39	-
72 Salisbury	164	-	-	-	-	-	2	-	-	7	-	1	15	-
73 Balance of county	331	1	2	-	-	-	6	-	1	-	-	-	24	-
74 Rutherford	293	-	-	-	1	-	9	-	-	1	-	-	40	-
75 Sampson	360	-	-	-	-	-	9	-	-	3	1	-	21	-
76 Scotland	244	1	-	-	2	-	7	-	-	1	4	-	19	-
77 Stanly	259	-	-	-	-	1	9	-	-	2	-	-	32	-
78 Stokes	135	-	-	-	-	1	5	1	-	1	-	-	18	-
79 Surry	312	-	-	-	-	1	7	-	-	1	-	-	35	2
80 Swain	62	-	-	-	-	-	6	-	-	-	-	-	9	-
81 Transylvania	104	-	-	-	-	-	3	1	-	-	1	-	11	-
82 Tyrrell	57	-	1	-	-	-	1	-	-	-	-	-	5	-
83 Union	297	1	-	-	2	3	6	1	-	1	1	-	29	1
84 Vance	290	-	-	-	-	1	17	1	-	4	-	-	20	-
85 Wake	1,109	-	1	1	2	-	51	-	-	13	1	2	95	1
86 Raleigh	684	-	1	1	2	-	39	-	-	11	-	2	59	-
87 Balance of county	425	-	-	-	-	-	12	-	-	2	1	-	36	1
88 Warren	179	-	-	-	-	2	3	-	-	-	1	-	15	-
89 Washington	108	-	-	-	1	-	1	-	-	1	-	-	7	-
90 Watauga	103	-	-	-	-	-	-	-	-	-	-	-	15	-
91 Wayne	793	-	-	-	1	2	79	1	-	49	-	-	38	-
92 Goldsboro	171	-	-	-	1	2	11	-	-	-	-	-	18	-
93 Balance of county	622	-	-	-	-	-	68	1	-	49	-	-	20	-
94 Wilkes	284	-	-	-	-	2	5	-	-	1	-	-	25	1
95 Wilson	440	-	1	-	-	1	35	1	-	6	1	-	27	1
96 Wilson	214	-	-	-	-	-	23	1	-	5	1	-	11	-
97 Balance of county	226	-	1	-	-	1	12	-	-	1	-	-	16	1



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

587

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Follagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109,55	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
21	4	108	279	55	5	89		89	10	5	29	27	9	141
15	3	79	190	35	5	57	5	62	6	5	16	20	5	91
6	1	27	89	20	-	32	4	27	4	-	13	7	4	50
1	1	21	41	11	-	30	4	12	4	3	13	4	5	23
7	4	69	144	26	4	34	1	50	5	6	25	45	24	54
2	3	16	45	9	1	10	-	16	3	3	11	20	3	17
5	1	51	99	17	3	24	1	34	2	3	14	25	21	37
-	1	19	27	5	1	5	-	11	3	1	2	2	3	9
1	-	4	5	21	-	3	-	5	-	-	-	4	3	2
2	-	23	51	3	3	38	1	15	3	3	4	5	2	15
1	-	7	20	-	-	17	2	16	-	1	6	5	2	9
31	1	108	345	58	9	141	9	110	14	21	48	60	10	153
19	-	44	156	30	4	60	7	49	3	17	16	32	3	86
7	-	27	85	8	3	41	1	22	5	1	9	11	3	24
5	1	37	104	20	2	40	1	39	6	3	23	17	4	43
7	2	88	24	24	9	70	6	35	-	3	11	20	15	49
6	2	32	71	15	3	55	1	26	2	6	14	19	12	32
4	2	14	64	21	-	22	1	25	1	-	12	9	11	30
1	1	28	69	13	1	29	-	15	5	1	10	9	7	30
3	-	21	39	7	1	20	-	14	-	-	2	6	8	24
-	-	10	27	10	5	13	3	16	-	1	3	8	4	8
9	-	6	13	3	-	6	-	1	-	-	-	4	5	3
5	1	56	137	16	1	45	3	20	2	1	5	16	6	47
3	-	17	49	8	-	14	1	6	1	-	2	6	1	16
3	1	39	88	9	1	31	2	14	1	1	3	10	5	31
-	-	6	20	8	-	21	2	16	1	2	8	5	10	13
1	2	66	95	17	5	41	3	55	3	9	11	13	20	33
4	-	10	12	5	-	10	-	6	-	-	1	4	8	11
9	1	39	45	10	2	11	2	16	1	2	5	12	-	10
3	1	20	34	24	2	39	7	41	7	6	11	26	4	27
4	-	19	32	7	1	14	4	18	3	2	5	14	1	10
3	-	15	32	17	1	25	3	23	4	4	6	14	3	17
1	-	16	35	8	-	16	1	14	1	1	3	7	5	13
1	-	10	24	10	-	13	-	15	-	2	6	6	4	10
3	-	31	6	6	4	13	-	9	-	-	6	9	7	6
5	-	21	39	5	1	12	3	11	1	-	4	12	9	18
32	1	51	15	15	1	9	2	17	-	2	2	12	6	21
28	-	135	367	84	5	111	5	133	12	30	38	59	11	155
9	1	92	269	50	1	74	5	96	7	28	28	43	7	104
4	-	45	88	34	4	37	-	37	5	2	10	16	4	51
2	-	6	23	5	-	5	2	3	-	-	3	5	15	9
-	-	17	25	9	1	6	1	7	3	1	8	3	11	41
11	-	26	61	14	1	25	-	9	2	3	10	12	5	21
5	-	63	97	34	5	50	1	38	11	6	21	15	11	25
7	-	18	31	7	-	16	-	10	5	-	15	9	1	45
6	-	24	57	9	-	30	-	20	7	-	6	20	1	16
15	-	45	66	27	5	34	1	29	6	2	15	6	10	27
13	-	53	157	28	3	51	2	76	6	8	13	26	16	29
2	-	43	119	22	3	44	2	60	5	5	8	21	12	80
6	-	23	41	10	-	26	2	11	-	5	5	5	4	60
5	-	24	30	9	1	23	2	19	4	3	5	6	3	20
2	1	16	59	10	3	22	-	18	1	3	11	15	1	25
4	1	16	13	3	1	6	-	8	4	4	9	11	3	51
2	-	26	48	11	2	24	3	15	3	-	3	2	5	16
2	-	16	28	4	-	17	-	12	2	1	1	15	4	16
4	-	10	19	7	2	7	3	3	2	1	-	10	4	56
2	-	23	31	16	4	8	-	6	1	1	1	5	-	2
4	-	12	31	4	-	6	2	4	1	2	5	11	9	57
11	-	7	44	10	-	16	1	17	-	3	2	2	1	14
3	-	49	105	32	10	37	4	48	2	2	22	7	2	58
8	-	10	35	8	2	4	-	8	-	6	20	18	2	21
1	4	39	72	24	8	33	4	40	2	3	4	4	4	61
1	1	12	23	2	-	3	-	3	-	3	18	16	14	10
5	3	47	70	17	2	40	-	39	4	1	3	5	1	24
9	-	32	77	23	7	37	1	20	1	1	14	11	11	19
10	2	71	118	52	5	53	7	60	4	5	14	21	6	64
1	-	42	107	11	-	31	3	42	15	30	28	27	27	29
9	2	13	28	2	-	11	1	10	6	7	17	14	6	68
9	1	29	79	9	-	20	2	32	4	2	3	3	1	42
2	1	56	124	22	5	51	5	33	3	3	15	11	5	89
8	-	16	47	6	1	22	-	9	4	3	20	31	10	34
5	1	40	77	15	4	29	5	24	1	-	5	8	2	70
4	-	34	72	14	2	32	1	22	3	3	15	23	8	63
1	-	49	78	21	3	36	3	19	5	-	9	12	8	28
1	-	28	59	16	3	16	3	36	5	5	21	10	8	45
10	-	24	67	14	2	11	4	19	2	6	14	15	14	16
1	-	17	17	9	1	12	1	32	2	7	7	6	7	24
10	1	26	83	10	1	25	1	11	5	-	6	7	2	20
-	-	4	8	4	1	4	-	35	2	15	10	10	10	32
1	-	24	24	6	1	6	2	5	1	2	1	3	4	7
5	-	-	2	3	3	24	-	7	-	-	2	7	2	81
3	-	24	60	18	2	52	1	2	1	-	3	1	2	8
17	-	29	74	21	10	23	1	23	3	5	12	11	7	29
10	-	78	289	60	10	80	10	27	18	5	6	10	7	28
7	-	191	39	43	2	43	-	82	19	32	31	4	4	151
3	2	97	21	8	8	37	7	34	14	6	15	17	-	113
3	-	20	29	21	1	21	3	48	4	13	14	4	4	39
1	-	26	7	7	1	10	-	19	1	3	5	1	6	26
5	3	9	19	7	1	6	-	5	-	-	3	2	14	7
2	-	64	143	35	12	38	1	9	2	1	2	9	8	15
3	-	21	47	12	1	8	4	33	2	10	19	18	26	211
3	3	43	96	23	11	30	2	6	-	4	5	5	2	24
3	1	37	61	13	1	31	2	27	2	6	14	13	24	167
7	-	28	67	27	15	64	4	29	2	6	19	8	11	26
4	-	16	33	15	5	32	2	38	6	11	19	21	19	41
3	-	12	34	12	10	32	2	16	3	6	8	8	8	17
								22	3	5	11	13	11	24



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
NORTH CAROLINA--Con.															
1	Yadkin	108	-	-	-	-	-	2	-	-	-	-	-	13	-
2	Yancey	84	-	1	-	-	-	3	-	-	-	1	-	6	-
3	NORTH DAKOTA	5,080	1	4	-	1	7	96	6	-	29	-	25	675	8
4	Adams	39	-	-	-	-	-	-	-	-	-	-	-	-	1
5	Barnes	152	-	-	-	-	-	-	-	-	-	-	-	26	-
6	Benson	94	-	-	-	-	-	9	-	-	-	-	-	7	1
7	Billings	5	-	-	-	-	-	-	-	-	-	-	-	1	-
8	Bottineau	134	-	1	-	-	-	-	-	-	-	-	-	15	-
9	Bowman	23	-	-	-	1	-	-	-	-	-	-	4	2	-
10	Burke	52	-	-	-	-	-	-	-	-	-	-	-	13	-
11	Burleigh	210	-	1	-	-	1	1	-	-	3	-	-	36	-
12	Bismarck	163	-	1	-	-	1	1	-	-	2	-	-	31	-
13	Balance of county	47	-	-	-	-	-	1	-	-	1	-	-	4	-
14	Cass	467	-	1	-	-	1	8	-	-	4	-	4	75	-
15	Fargo	324	-	-	-	-	1	6	-	-	4	-	-	52	-
16	Balance of county	143	-	1	-	-	-	2	-	-	-	-	4	23	-
17	Cavalier	103	-	-	-	-	1	-	-	-	-	-	-	12	-
18	Dickey	71	-	-	-	-	-	-	-	-	1	-	-	5	-
19	Divide	57	-	-	-	-	-	1	-	-	-	-	-	8	-
20	Dunn	67	-	-	-	-	-	2	-	-	1	-	-	7	-
21	Eddy	45	-	-	-	-	-	-	-	-	-	-	-	5	-
22	Emmons	58	-	-	-	-	-	-	-	-	-	-	-	5	-
23	Foster	45	-	-	-	-	-	-	-	-	-	-	-	12	-
24	Golden Valley	22	-	-	-	-	-	2	-	-	-	-	-	5	-
25	Grand Forks	354	-	-	-	-	-	5	-	-	-	-	-	34	1
26	Grand Forks	208	-	-	-	-	-	3	-	-	-	-	-	13	1
27	Balance of county	126	-	-	-	-	-	2	-	-	-	-	-	21	-
28	Grant	48	-	-	-	-	-	-	-	-	-	-	-	4	-
29	Griggs	39	-	-	-	-	-	-	-	-	-	-	-	2	-
30	Hettinger	50	-	-	-	-	-	-	-	-	-	-	-	8	-
31	Kidder	47	-	-	-	-	-	-	-	-	-	-	-	9	-
32	La Moure	65	-	-	-	-	-	-	-	-	-	-	1	4	-
33	Logan	34	-	-	-	-	-	1	-	-	-	-	-	5	-
34	McHenry	98	-	-	-	-	-	1	-	-	-	-	-	23	-
35	McIntosh	65	-	-	-	-	-	-	-	-	-	-	-	6	-
36	McKenzie	47	-	-	-	-	-	-	-	-	-	-	2	14	-
37	McLean	99	-	-	-	-	-	4	-	-	2	-	-	6	-
38	Mercer	60	-	-	-	-	-	-	-	-	1	-	-	4	-
39	Morton	135	-	-	-	-	-	1	-	-	-	-	-	20	-
40	Mountrail	55	-	-	-	-	-	1	-	-	-	-	1	7	-
41	Nelson	90	-	-	-	-	-	1	-	-	-	-	-	11	-
42	Oliver	12	-	-	-	-	-	-	-	-	-	-	-	1	-
43	Pembina	116	-	-	-	-	1	1	-	-	1	-	1	8	-
44	Pierce	83	-	-	-	-	-	2	-	-	-	-	1	13	-
45	Ramsey	131	-	-	-	-	-	2	-	-	-	-	-	16	-
46	Ransom	65	-	-	-	-	-	1	-	-	1	-	-	9	-
47	Renville	42	-	-	-	-	-	-	-	-	-	-	-	7	-
48	Richland	153	-	-	-	-	-	1	-	-	1	-	3	22	-
49	Rolette	126	-	-	-	-	-	19	5	-	2	-	-	10	1
50	Sargent	63	1	-	-	-	-	1	-	-	-	-	-	7	-
51	Sheridan	39	-	-	-	-	-	-	-	-	-	-	-	7	-
52	Sioux	33	-	-	-	-	-	7	-	-	-	-	1	4	-
53	Slope	11	-	-	-	-	-	-	-	-	-	-	-	1	-
54	Stark	118	-	-	-	-	-	-	-	-	-	-	-	19	1
55	Steele	51	-	-	-	-	-	-	-	-	-	-	2	4	-
56	Stutsman	319	-	-	-	-	1	10	-	-	7	-	1	42	-
57	Towner	46	-	-	-	-	-	1	-	-	-	-	1	5	-
58	Travill	78	-	1	-	-	1	3	-	-	-	-	-	12	-
59	Walsh	198	-	-	-	-	1	5	-	-	2	-	1	25	1
60	Ward	277	-	-	-	-	-	-	1	-	3	-	-	33	-
61	Minot	162	-	-	-	-	-	-	-	-	-	-	-	19	-
62	Balance of county	115	-	-	-	-	-	-	1	-	5	-	-	14	-
63	Wells	83	-	-	-	-	-	4	-	-	-	-	-	16	-
64	Williams	152	-	-	-	-	-	1	-	-	-	-	-	27	1
65	OHIO	78,464	16	57	22	80	51	2,593	15	3	785	27	59	10,628	57
66	Adams	198	-	-	-	-	-	5	-	-	-	-	-	24	-
67	Allen	917	-	1	-	-	1	31	-	-	20	1	-	100	1
68	Lima	574	-	1	-	-	1	15	-	-	13	1	-	67	-
69	Balance of county	343	-	-	-	-	-	16	-	-	7	-	-	33	1
70	Ashland	354	1	-	-	-	-	3	-	-	3	-	-	41	-
71	Ashland	155	-	-	-	-	-	2	-	-	-	-	-	24	-
72	Balance of county	199	1	-	-	-	-	1	-	-	3	-	-	17	-
73	Ashtabula	806	-	1	2	-	-	15	-	-	6	-	-	114	1
74	Ashtabula	246	-	1	-	-	-	7	-	-	2	-	-	35	-
75	Balance of county	560	-	-	2	-	-	8	-	-	4	-	-	79	1
76	Athens	576	-	-	-	-	-	19	-	-	20	-	-	55	-
77	Auglaize	324	-	1	-	-	-	4	-	-	1	-	-	49	-
78	Belmont	980	-	1	2	-	-	13	-	-	5	-	1	114	1
79	Bellaire	158	-	-	-	-	-	2	-	-	-	-	-	18	-
80	Martins Ferry	163	-	-	-	-	-	3	-	-	2	-	1	16	1
81	Balance of county	659	-	1	2	-	-	8	-	-	3	-	-	80	-
82	Brown	244	-	-	-	-	-	8	-	-	1	1	-	32	-
83	Butler	1,293	1	1	-	2	2	72	-	1	11	1	1	144	2
84	Hamilton	650	-	1	-	1	-	47	-	1	7	-	1	69	-
85	Middletown	333	1	-	-	1	-	15	-	-	3	1	-	35	1
86	Balance of county	310	-	-	-	-	2	10	-	-	1	-	-	40	1
87	Carroll	180	-	-	-	1	1	3	-	-	-	-	-	32	-
88	Champaign	301	-	-	-	-	1	5	-	-	-	-	-	25	-
89	Clark	1,229	-	1	-	2	2	44	-	-	16	-	-	159	-
90	Springfield	918	-	1	-	2	2	32	-	-	16	-	-	114	-
91	Balance of county	311	-	-	-	-	-	12	-	-	-	-	-	45	-
92	Clermont	374	-	1	-	1	-	9	-	-	2	-	-	41	-
93	Clinton	331	-	-	-	-	-	7	-	-	1	-	-	35	-



## 589

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

[illegible]



TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccal) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
OHIO—Continued															
1	Columbiana-----	1,059	-	2	-	2	1	43	-	1	4	-	-	131	2
2	East Liverpool-----	292	-	1	-	-	-	20	-	-	1	-	-	31	1
3	Salem-----	147	-	-	-	1	-	5	-	-	1	-	-	28	-
4	Balance of county-----	620	-	1	-	1	1	18	-	1	2	-	-	72	1
5	Coshocton-----	366	-	-	-	-	-	-	-	-	3	1	-	50	-
6	Coshocton-----	170	-	-	-	-	-	-	-	-	2	-	-	19	-
7	Balance of county-----	196	-	-	-	-	-	-	-	-	1	1	-	31	-
8	Crawford-----	431	-	-	1	1	1	6	-	-	2	-	-	53	1
9	Cuyahoga-----	12,845	1	13	1	3	1	527	-	-	124	3	31	2,067	5
10	Cleveland-----	10,077	1	13	1	3	1	474	-	-	104	3	22	1,587	2
11	Cleveland Heights-----	371	-	-	-	-	-	2	-	-	3	-	1	60	1
12	East Cleveland-----	327	-	-	-	-	-	3	-	-	1	-	-	49	1
13	Euclid-----	203	-	-	-	-	-	1	-	-	-	-	1	42	-
14	Garfield Heights-----	131	-	-	-	-	-	2	-	-	2	-	1	13	-
15	Lakewood-----	575	-	-	-	-	-	10	-	-	3	-	-	111	-
16	Parma-----	132	-	-	-	-	-	-	-	-	1	-	-	22	1
17	Shaker Heights-----	155	-	-	-	-	-	-	-	-	-	-	1	38	-
18	Balance of county-----	974	-	-	-	-	-	35	-	-	10	-	5	147	-
19	Darke-----	395	1	-	-	-	1	9	-	-	-	-	-	50	-
20	Defiance-----	245	-	-	-	-	-	3	-	-	-	-	-	31	1
21	Delaware-----	330	-	-	-	-	-	2	-	-	3	-	1	44	-
22	Erie-----	575	-	1	-	1	-	8	-	-	6	-	-	90	-
23	Sandusky-----	312	-	-	-	1	-	4	-	-	2	-	-	56	-
24	Balance of county-----	263	-	1	-	-	-	4	-	-	4	-	-	34	-
25	Fairfield-----	533	2	-	-	-	-	11	-	-	1	-	-	68	1
26	Lancaster-----	268	1	-	-	-	-	7	-	-	1	-	-	35	-
27	Balance of county-----	265	1	-	-	-	-	4	-	-	-	-	-	33	1
28	Fayette-----	264	-	-	1	-	-	3	-	-	-	-	-	39	-
29	Franklin-----	4,864	-	4	1	1	5	182	-	-	69	-	2	664	5
30	Columbus-----	4,038	-	3	1	-	5	148	-	-	82	-	2	551	4
31	Balance of county-----	826	-	1	-	1	-	34	-	-	7	-	-	113	1
32	Fulton-----	257	-	-	-	-	-	4	-	-	1	-	-	21	-
33	Gallia-----	402	-	-	-	2	-	34	-	-	5	-	-	35	-
34	Geauga-----	221	-	-	-	-	-	5	-	-	-	1	-	31	2
35	Greene-----	454	-	-	-	1	-	6	1	-	4	1	-	52	1
36	Xenia-----	182	-	-	-	-	-	3	-	-	1	-	-	25	-
37	Balance of county-----	272	-	-	-	1	-	3	1	-	3	1	-	27	1
38	Guernsey-----	574	-	-	-	-	1	5	-	-	14	-	-	62	-
39	Cambridge-----	216	-	-	-	-	1	1	-	-	1	-	-	27	-
40	Balance of county-----	358	-	-	-	-	-	4	-	-	13	-	-	35	-
41	Hamilton-----	7,880	-	7	-	4	1	335	1	-	101	3	7	1,115	8
42	Cincinnati-----	6,228	-	4	-	2	-	292	-	-	89	3	3	860	6
43	Morwood-----	269	-	-	-	-	-	6	-	-	1	-	1	44	-
44	Balance of county-----	1,383	-	3	-	2	1	37	1	-	12	-	3	211	2
45	Hancock-----	498	-	-	1	2	-	4	-	-	2	-	-	54	-
46	Findlay-----	271	-	-	1	2	-	3	-	-	1	-	-	25	-
47	Fostoria (part)-----	24	-	-	-	-	-	-	-	-	-	-	-	2	-
48	Balance of county-----	203	-	-	-	-	-	1	-	-	1	-	-	27	-
49	Hardin-----	423	-	-	-	-	-	6	-	-	3	-	-	43	1
50	Harrison-----	171	-	-	-	-	-	2	-	-	-	-	-	27	-
51	Henry-----	277	-	-	-	-	-	4	-	-	-	-	-	26	-
52	Highland-----	324	-	-	-	-	-	6	-	-	1	-	-	25	1
53	Hocking-----	228	-	-	-	2	-	5	-	-	1	1	-	39	-
54	Holmes-----	170	-	-	1	-	-	1	-	-	-	-	-	10	-
55	Huron-----	468	-	-	-	2	-	3	-	-	3	-	-	78	-
56	Jackson-----	295	-	-	1	2	1	5	-	-	3	-	1	36	1
57	Jefferson-----	866	1	1	1	3	2	15	-	-	2	-	1	114	4
58	Steubenville-----	393	1	1	-	1	-	6	-	-	-	-	1	51	4
59	Balance of county-----	473	-	-	1	2	2	9	-	-	2	-	-	63	-
60	Knox-----	372	-	-	-	-	-	11	-	-	1	1	-	41	-
61	Mount Vernon-----	178	-	-	-	-	-	2	-	-	-	-	-	24	-
62	Balance of county-----	196	-	-	-	-	-	9	-	-	1	1	-	17	-
63	Lake-----	546	-	-	-	-	1	11	-	-	1	-	2	73	-
64	Painesville-----	169	-	-	-	-	-	5	-	-	-	-	-	15	-
65	Balance of county-----	378	-	-	-	-	1	6	-	-	1	-	2	58	-
66	Lawrence-----	451	-	2	1	6	-	14	2	-	6	-	-	59	-
67	Ironton-----	203	-	-	-	-	-	3	1	-	2	-	-	31	-
68	Balance of county-----	268	-	2	1	6	-	11	1	-	4	-	-	28	-
69	Licking-----	806	-	-	-	-	2	15	-	-	3	1	-	104	-
70	Newark-----	414	-	-	-	-	2	11	-	-	2	-	-	49	-
71	Balance of county-----	392	-	-	-	-	-	4	-	-	1	1	-	55	-
72	Logan-----	380	-	-	-	-	-	5	1	-	2	-	-	45	-
73	Lorain-----	1,300	-	1	-	1	1	27	-	-	10	-	-	195	2
74	Elyria-----	308	-	1	-	-	-	6	-	-	3	-	-	50	-
75	Lorain-----	465	-	-	-	-	-	5	-	-	5	-	-	68	2
76	Balance of county-----	526	-	-	-	1	1	16	-	-	2	-	-	75	-
77	Lucas-----	4,168	-	1	-	2	2	186	1	-	52	1	3	561	3
78	Toledo-----	5,775	-	1	-	1	2	176	-	-	51	-	2	518	3
79	Balance of county-----	394	-	-	-	-	-	10	1	-	1	1	1	43	-
80	Madison-----	269	-	-	-	1	1	12	-	-	-	-	-	29	-
81	Mahoning-----	2,323	1	1	-	1	3	90	-	-	12	1	-	325	2
82	Campbell-----	71	-	-	-	-	-	4	-	-	-	-	-	11	-
83	Struthers-----	57	-	-	-	-	-	2	-	-	-	-	-	7	-
84	Youngstown (part)-----	1,799	1	1	-	1	2	51	-	-	11	1	-	254	2
85	Youngstown (total)-----	1,801	1	1	-	1	2	51	-	-	11	1	-	254	2
86	Balance of county-----	396	-	-	-	-	1	33	-	-	1	-	-	53	-
87	Marion-----	550	-	2	-	-	-	16	-	-	4	-	-	59	-
88	Marion-----	387	-	1	-	-	-	12	-	-	-	-	-	40	-
89	Balance of county-----	163	-	1	-	-	-	4	-	-	2	-	-	19	-
90	Medina-----	389	-	-	-	2	1	3	-	-	3	-	-	43	-
91	Meigs-----	255	-	-	-	-	-	7	-	-	1	-	-	26	-
92	Mercer-----	295	-	-	-	-	-	5	-	-	-	-	-	34	-
93	Miami-----	653	-	-	-	-	-	8	-	-	3	-	-	91	-
94	Piqua-----	214	-	-	-	-	-	4	-	-	2	-	-	35	-
95	Balance of county-----	441	-	-	-	-	-	4	-	-	-	-	-	56	-
96	Monroe-----	196	-	-	1	-	-	1	-	-	1	-	-	21	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

591

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109, 113	118, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	182, 198, 200	
30	-	106	383	42	5	61	3	49	8	5	32	32	16	132
10	-	27	90	13	2	16	1	12	3	1	5	13	8	37
5	-	15	47	6	-	7	1	6	2	-	4	4	1	14
15	-	63	215	23	3	38	1	31	3	4	23	15	7	31
12	-	36	123	15	1	18	-	22	6	2	7	22	3	45
7	-	17	66	7	-	7	-	8	1	1	3	11	2	19
5	-	19	57	8	1	11	-	14	5	1	4	11	1	26
13	1	58	130	11	3	24	2	22	9	1	16	24	4	48
378	2	1,115	4,158	537	49	558	35	684	155	86	233	491	249	1,439
288	1	804	3,140	450	45	446	31	562	107	84	166	365	218	1,149
13	-	58	152	7	1	13	-	9	3	-	8	7	4	29
8	1	41	127	10	-	10	1	13	5	-	7	10	4	36
7	-	16	66	7	1	2	-	10	5	1	4	9	6	25
4	-	10	40	4	-	7	-	8	3	-	1	23	1	12
15	-	63	202	19	-	28	1	22	7	-	10	22	7	55
6	-	19	35	5	-	5	-	6	2	-	7	7	-	16
5	-	11	72	3	-	3	-	3	3	-	3	8	-	7
22	-	93	324	32	2	44	2	51	20	1	27	40	9	110
6	-	56	139	14	-	33	1	9	7	1	10	14	3	41
2	-	16	81	10	2	40	2	12	4	-	8	5	2	26
8	-	48	113	10	2	19	1	9	-	2	9	17	3	39
7	-	72	183	18	2	39	2	26	4	2	19	28	14	53
4	-	36	99	13	1	19	1	15	3	2	5	19	4	28
3	-	36	94	5	1	20	1	11	1	-	14	9	10	25
14	-	76	173	20	2	31	1	28	4	1	12	22	6	60
5	-	39	85	10	1	17	1	17	2	-	7	11	2	27
9	-	37	88	10	1	14	-	11	2	1	5	11	4	33
5	-	34	77	11	-	13	1	15	-	-	13	10	5	37
125	-	578	1,352	186	19	265	7	286	52	29	117	186	72	657
103	-	405	1,133	159	17	204	6	235	43	20	96	151	66	544
22	-	93	219	27	2	61	1	51	9	1	19	35	16	113
6	-	25	90	9	4	20	-	13	4	-	16	16	3	25
8	-	33	93	21	-	25	-	10	7	-	3	16	3	107
5	-	18	78	8	-	15	1	16	2	-	10	14	-	15
16	-	69	139	13	2	17	3	25	4	4	23	19	2	52
9	-	27	61	3	-	10	-	8	2	2	6	6	-	19
7	-	42	78	10	2	7	3	17	2	2	17	13	2	33
22	-	54	175	35	10	30	1	27	6	-	8	27	5	90
6	-	24	75	12	2	13	1	16	4	-	1	8	1	23
16	-	30	100	23	6	17	-	11	4	-	7	19	4	67
202	2	744	2,606	329	27	443	21	344	111	63	125	326	102	848
160	1	600	2,036	278	26	367	14	256	61	54	97	266	78	656
7	-	24	101	5	-	18	-	14	4	2	3	8	5	26
35	1	120	469	46	1	63	7	74	26	7	25	52	19	166
15	-	60	159	10	3	26	4	35	8	1	14	20	23	57
6	-	31	98	7	2	10	-	19	2	-	7	12	17	28
2	-	1	6	1	-	1	-	4	-	-	3	-	-	4
7	-	28	55	2	1	15	4	12	6	1	4	8	6	25
13	-	55	132	20	2	21	6	17	7	1	20	12	4	80
4	-	14	50	11	-	17	-	7	2	1	1	14	5	16
6	-	37	97	9	1	19	1	19	3	-	7	10	2	36
5	-	59	101	22	1	13	-	18	5	2	6	23	4	32
1	-	23	70	10	-	13	-	18	3	1	7	15	1	18
1	-	22	63	8	1	7	1	8	2	-	2	17	1	25
15	-	49	154	10	1	42	-	17	4	1	19	27	13	50
6	-	35	73	12	1	40	-	15	2	-	7	19	9	27
30	-	100	261	26	11	72	4	46	14	5	15	50	8	80
13	-	45	120	14	4	31	2	20	6	3	7	23	3	37
17	-	55	141	12	7	41	2	26	8	2	8	27	5	45
11	-	44	97	17	1	26	1	24	7	-	11	19	8	52
3	-	21	48	8	-	8	-	16	2	-	3	9	7	25
8	-	23	49	9	1	18	1	8	5	-	8	10	1	27
20	-	62	161	20	3	34	-	28	15	-	17	20	8	70
10	-	22	47	1	1	12	-	4	2	-	10	6	1	32
10	-	40	114	19	2	22	-	24	13	-	7	14	7	36
9	-	39	120	19	5	28	2	28	6	7	19	29	4	56
5	-	23	41	13	1	16	-	9	1	1	9	17	1	29
4	-	16	79	6	4	12	2	19	5	6	10	12	3	27
28	-	99	259	33	4	60	4	29	7	3	12	46	3	94
15	-	54	135	17	2	26	3	15	2	2	6	21	-	52
13	-	45	124	16	2	34	1	14	5	1	6	25	3	42
6	-	45	112	23	2	40	-	14	3	-	8	17	7	50
31	-	120	431	49	9	81	4	62	6	3	30	59	15	145
8	-	26	104	11	4	18	-	19	2	-	5	9	3	39
13	-	41	153	17	3	36	1	30	1	2	11	22	8	47
10	-	51	174	21	2	27	3	34	3	1	14	28	4	59
108	-	390	1,307	142	12	224	11	237	47	18	100	185	67	513
98	-	346	1,164	125	11	199	11	220	43	15	79	168	61	463
10	-	44	123	17	1	25	-	17	4	1	21	17	6	50
11	-	58	65	11	2	17	-	15	3	-	16	16	13	22
88	-	260	758	105	6	109	6	109	19	18	50	93	25	281
-	-	8	21	4	-	1	-	4	2	-	4	3	-	9
-	-	4	21	2	-	4	-	1	-	-	3	1	-	5
53	-	190	591	88	4	92	5	90	15	16	31	75	22	215
53	-	190	591	88	4	93	5	90	15	16	31	76	22	215
11	-	55	115	11	2	12	1	14	2	2	12	14	3	54
11	-	51	187	26	3	42	-	41	5	-	17	25	8	87
6	-	39	140	16	2	27	-	31	2	-	13	15	6	35
5	-	12	47	10	1	15	-	10	3	-	4	10	2	18
7	-	50	102	18	3	28	-	24	7	1	16	17	4	60
8	-	27	88	15	-	19	1	8	3	1	4	14	5	31
13	-	18	90	12	-	23	-	26	4	-	9	14	7	40
24	-	76	198	21	4	47	2	37	10	1	19	28	3	83
4	-	27	65	8	2	12	-	15	2	1	1	9	2	25
20	-	49	133	13	2	35	2	22	8	-	18	19	1	58
4	-	38	41	7	-	26	-	7	6	-	2	10	1	29



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
OHIO--Continued														
1 Montgomery	3,499	2	2	2	2	4	169	1	-	68	2	4	461	1
2 Dayton	2,731	2	2	1	2	3	133	-	-	55	2	3	361	1
3 Balance of county	766	-	-	1	-	1	36	1	-	11	-	1	100	-
4 Morgan	165	-	-	-	-	-	11	-	-	1	-	-	22	-
5 Morrow	192	1	-	-	-	-	1	-	-	-	-	-	25	-
6 Muskingum	798	-	-	1	-	-	16	-	-	7	-	-	102	-
7 Zanesville	514	-	-	-	-	-	11	-	-	5	-	-	69	-
8 Balance of county	284	-	-	1	-	-	5	-	-	2	-	-	33	-
9 Noble	131	-	-	-	-	-	-	-	-	2	-	-	20	-
10 Ottawa	245	-	-	-	-	-	5	-	-	-	-	-	33	-
11 Paulding	165	-	-	1	-	-	2	-	-	1	-	-	16	-
12 Perry	326	-	-	-	-	-	3	-	-	-	-	-	51	-
13 Pickaway	376	-	-	-	-	-	25	3	-	6	-	-	41	-
14 Pike	143	-	-	-	1	2	5	-	-	2	-	-	14	-
15 Portage	499	-	2	1	-	2	4	-	-	3	-	-	71	-
16 Preble	275	-	-	-	-	-	1	-	-	1	-	-	29	-
17 Putnam	260	-	-	-	-	-	4	-	-	1	1	-	31	-
18 Richland	657	1	1	1	1	-	20	-	-	6	-	-	113	1
19 Mansfield	473	1	1	-	1	-	15	-	-	2	-	-	65	1
20 Balance of county	364	-	-	1	-	-	5	-	-	4	-	-	48	-
21 Ross	580	-	-	-	-	2	24	2	1	23	-	-	58	1
22 Chillicothe	246	-	-	-	-	2	10	-	-	1	-	-	25	-
23 Balance of county	334	-	-	-	-	-	14	2	1	22	-	-	31	1
24 Sandusky	446	1	-	2	-	-	9	-	-	3	1	-	51	-
25 Fremont	147	-	-	1	-	-	4	-	-	-	-	-	22	-
26 Balance of county	301	1	-	1	-	-	5	-	-	3	1	-	29	-
27 Scioto	763	1	-	-	4	5	23	-	-	7	2	-	91	1
28 Portsmouth	420	-	-	-	1	1	12	-	-	5	1	-	56	-
29 Balance of county	363	1	-	-	3	4	11	-	-	2	1	-	35	1
30 Seneca	585	-	1	-	2	-	6	-	-	1	-	-	76	1
31 Fostoria (part)	145	-	-	-	2	-	2	-	-	-	-	-	28	-
32 Fostoria (total)	189	-	-	-	2	-	2	-	-	-	-	-	30	-
33 Tiffin	217	-	1	-	-	-	4	-	-	1	-	-	25	1
34 Balance of county	223	-	-	-	-	-	-	-	-	-	-	-	23	-
35 Shelby	236	-	-	-	-	-	4	-	-	2	-	2	29	-
36 Stark	2,636	-	2	-	-	2	153	1	-	47	-	-	360	-
37 Alliance	268	-	-	-	-	-	12	-	-	1	-	-	34	-
38 Canton	1,227	-	1	-	-	1	30	-	-	7	-	-	184	-
39 Massillon	346	-	1	-	-	-	8	-	-	1	-	-	43	-
40 Balance of county	996	-	-	-	-	1	103	1	-	38	-	-	99	-
41 Summit	3,425	1	2	-	-	1	110	-	-	36	1	2	491	4
42 Akron	2,393	1	-	-	-	-	67	-	-	17	1	2	346	4
43 Barberton	269	-	-	-	-	-	11	-	-	3	-	-	36	-
44 Cuyahoga Falls	194	-	-	-	-	-	5	-	-	3	-	-	27	-
45 Balance of county	589	-	2	-	-	1	27	-	-	13	-	-	76	-
46 Trumbull	1,235	-	1	-	1	1	32	-	-	9	2	-	194	1
47 Miles	132	-	-	-	-	-	1	-	-	-	1	-	16	-
48 Warren	495	-	1	-	-	-	14	-	-	4	1	-	70	-
49 Youngstown (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Balance of county	606	-	-	-	1	1	17	-	-	5	-	-	98	1
51 Tuscarawas	792	1	2	-	-	-	12	-	-	4	-	1	105	1
52 New Philadelphia	166	-	-	-	-	-	1	-	-	-	-	1	29	-
53 Balance of county	626	1	2	-	1	-	11	-	-	4	-	-	76	1
54 Union	227	-	-	-	-	-	2	-	-	2	-	-	30	-
55 Van Wert	267	-	-	-	-	-	4	-	-	2	-	1	40	-
56 Vinton	124	-	-	-	-	-	5	-	-	1	-	-	19	-
57 Warren	333	-	-	-	-	-	9	-	-	1	1	-	38	-
58 Washington	513	-	2	-	1	-	9	-	-	2	-	-	71	-
59 Marietta	225	-	-	-	-	-	3	-	-	1	-	-	34	-
60 Balance of county	266	-	2	-	1	-	6	-	-	4	-	-	37	-
61 Wayne	532	-	-	-	-	-	16	-	-	1	-	-	63	1
62 Wooster	140	-	-	-	-	-	3	-	-	-	-	-	23	-
63 Balance of county	392	-	-	-	-	-	13	-	-	4	-	-	60	1
64 Williams	279	-	-	-	-	-	3	-	-	5	-	-	46	-
65 Wood	480	-	-	-	1	-	7	-	-	2	-	-	64	-
66 Wyandot	220	-	-	-	-	-	6	-	-	1	-	-	41	-
67 OKLAHOMA	16,620	7	13	6	25	26	708	10	12	197	30	34	2,263	13
68 Adair	118	-	-	-	-	-	12	-	-	1	-	-	12	-
69 Alfalfa	114	-	-	-	1	-	1	-	-	1	-	-	12	-
70 Atoka	109	-	-	-	-	-	4	-	-	1	-	-	16	-
71 Beaver	56	-	-	-	-	-	2	-	-	-	-	-	4	-
72 Beckham	163	1	-	-	-	-	7	-	-	-	1	-	15	-
73 Blaine	157	-	-	-	-	-	9	-	-	5	-	-	12	-
74 Bryan	261	-	-	-	-	-	5	-	1	2	2	-	32	-
75 Durant	113	-	-	-	-	-	2	-	-	-	-	-	10	-
76 Balance of county	148	-	-	-	-	-	3	-	1	2	2	-	22	-
77 Caddo	323	-	1	-	-	-	20	-	-	1	2	3	45	-
78 Canadian	251	-	-	-	-	1	2	-	-	3	-	-	30	-
79 El Reno	135	-	-	-	-	1	1	-	-	1	-	-	21	-
80 Balance of county	96	-	-	-	-	-	1	-	-	2	-	-	9	-
81 Carter	362	-	-	2	1	-	9	-	-	3	-	-	60	-
82 Ardmore	220	-	-	-	-	-	5	-	-	1	-	-	37	-
83 Balance of county	142	-	-	2	1	-	4	-	-	2	-	-	23	-
84 Cherokee	165	1	-	-	-	1	12	-	-	3	-	-	16	-
85 Choctaw	160	-	1	-	-	1	6	1	-	1	-	-	14	-
86 Cimarron	20	-	-	-	-	-	1	-	-	-	-	-	-	-
87 Cleveland	412	-	-	-	-	-	24	-	-	36	-	-	29	-
88 Norman	345	-	-	-	-	-	23	-	-	36	-	-	22	-
89 Balance of county	67	-	-	-	-	-	1	-	-	-	-	-	7	-
90 Coal	61	-	-	-	-	-	4	-	-	-	-	-	9	-
91 Comanche	316	-	-	-	2	-	10	-	-	2	2	-	37	-
92 Lawton	213	-	-	-	-	-	5	-	-	2	1	-	26	-
93 Balance of county	103	-	-	-	2	-	5	-	-	-	1	-	11	-
94 Cotton	95	-	-	-	-	-	-	-	-	-	-	-	14	-
95 Craig	315	-	1	-	-	-	12	-	-	30	-	-	22	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

593

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	85	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
101	1	311	1,029	114	11	195	5	243	44	39	118	146	29	398
81	-	232	765	92	8	170	5	204	30	33	91	111	22	322
20	1	79	264	22	3	25	-	39	14	5	27	35	7	76
5	-	15	51	2	-	22	-	1	2	-	2	7	6	18
5	-	33	51	9	2	17	-	7	-	1	3	5	2	29
26	-	108	244	51	8	46	2	41	7	1	12	44	16	86
13	-	69	159	21	7	30	2	29	6	1	4	25	13	55
13	-	39	88	10	1	16	-	12	1	-	8	21	3	51
5	-	25	36	5	-	7	-	4	2	1	3	4	2	17
9	-	28	100	8	-	3	-	9	1	2	6	6	5	30
7	-	13	49	8	-	22	-	7	4	-	11	10	4	19
10	-	48	103	14	2	21	1	20	4	1	4	19	1	27
2	-	42	79	29	6	34	2	17	4	-	4	24	12	38
12	-	19	36	7	1	5	-	8	-	2	6	3	7	23
9	-	65	172	17	1	23	-	20	1	-	14	30	2	59
9	-	35	107	10	1	14	-	9	6	1	9	12	-	31
9	-	23	93	17	4	19	1	9	1	-	8	13	5	21
24	-	98	252	27	5	63	1	51	8	5	18	47	6	108
10	-	50	139	17	4	31	-	26	3	4	12	29	1	61
14	-	48	113	10	1	32	1	25	5	1	6	18	5	47
7	-	60	146	20	5	35	2	43	11	2	15	24	28	75
3	-	27	67	9	2	7	2	27	4	-	6	7	15	32
4	-	33	79	11	3	28	-	16	7	2	9	17	11	43
12	-	49	154	12	1	27	-	20	5	2	19	26	3	52
2	-	16	50	3	-	10	-	6	2	1	5	11	-	14
10	-	33	104	9	1	17	-	14	3	1	14	14	3	38
23	-	67	237	56	14	46	5	47	7	5	29	33	6	74
14	-	39	143	27	6	15	3	16	5	4	10	15	4	43
9	-	28	94	29	8	31	2	31	2	1	19	18	2	31
16	-	59	214	22	4	25	1	37	8	2	14	21	11	66
8	-	12	45	2	-	10	-	9	2	2	2	6	1	16
8	-	13	51	3	-	11	-	13	2	2	5	6	1	20
6	-	24	82	8	1	9	-	20	-	-	5	4	3	23
4	-	23	87	12	3	6	1	8	4	-	7	11	7	27
7	-	27	81	13	-	6	-	15	3	-	12	11	2	35
84	1	294	887	120	6	114	9	152	38	10	61	129	30	356
8	-	27	75	9	-	18	-	17	6	-	5	17	2	37
43	1	125	369	55	1	39	4	77	17	5	30	55	19	144
8	-	40	96	17	1	21	4	18	3	4	8	15	1	57
25	-	102	327	39	4	36	1	40	12	1	18	42	8	98
111	-	297	1,056	139	9	209	14	231	65	15	81	146	17	378
83	-	183	730	100	8	151	9	164	44	12	60	103	10	276
6	-	26	80	7	1	10	1	24	5	1	3	15	3	25
10	-	17	69	6	-	11	1	13	3	1	2	7	1	18
12	-	61	187	25	-	37	3	30	13	1	16	21	3	59
29	-	118	368	55	2	70	5	105	13	7	35	62	13	122
3	-	17	39	6	-	7	1	11	1	-	4	11	-	14
8	-	44	155	17	1	25	1	44	8	5	8	24	4	61
18	-	57	174	32	1	37	3	50	4	2	23	26	9	47
15	-	100	251	28	5	44	3	45	10	2	13	44	9	98
2	-	22	53	1	-	11	-	6	5	-	2	7	2	24
13	-	78	198	27	5	33	3	37	5	2	11	37	7	74
5	-	37	60	13	-	13	1	4	5	1	7	16	8	23
7	-	38	90	10	1	29	1	14	1	1	9	8	2	29
9	-	20	24	7	-	16	-	7	3	-	1	5	5	10
12	-	48	111	8	3	22	1	18	7	-	9	22	3	22
10	-	80	161	22	2	29	-	19	7	1	10	27	11	47
2	-	40	70	9	1	7	-	8	3	-	2	11	6	20
11	-	40	91	13	1	22	-	11	4	1	8	16	5	27
2	-	61	154	25	2	29	2	29	7	2	16	24	2	64
2	-	17	46	1	-	5	-	12	2	-	2	9	-	18
9	-	44	108	24	2	24	2	17	5	2	14	15	2	46
5	-	44	74	12	2	13	1	11	3	-	8	11	9	34
11	-	47	153	15	2	26	-	19	8	2	28	24	4	76
4	-	22	72	4	-	11	1	9	3	-	7	8	7	24
351	27	1,984	4,575	967	100	1,037	83	1,167	166	128	539	1,001	760	2,391
1	-	14	20	9	1	3	-	11	1	1	4	6	9	13
5	-	13	27	6	2	7	1	4	2	-	8	9	5	12
-	-	10	21	5	-	7	1	13	-	3	2	6	5	13
-	-	6	20	3	-	6	-	2	-	-	2	2	2	7
4	-	17	47	8	-	10	-	13	-	-	2	6	7	25
2	-	12	48	13	1	6	1	6	2	1	3	6	9	23
3	-	26	61	12	2	15	1	16	3	-	14	17	18	31
1	-	10	35	3	-	7	-	9	-	-	6	10	7	13
2	-	16	26	9	2	8	1	7	3	-	8	7	11	18
8	2	41	52	14	1	14	3	27	3	2	8	19	10	47
3	-	28	70	10	1	3	-	8	4	2	12	18	7	29
2	-	19	37	7	1	2	-	7	2	1	4	8	6	15
1	-	9	33	3	-	1	-	1	2	1	8	10	1	14
8	1	40	108	26	-	21	-	19	2	1	7	8	12	32
4	1	24	68	16	-	15	2	9	-	-	4	6	8	21
4	-	18	42	10	-	6	-	10	2	1	3	2	4	11
4	-	25	35	14	-	6	1	7	2	1	6	10	8	13
4	-	19	46	9	1	20	-	5	1	1	5	8	3	14
1	-	2	6	1	-	1	-	2	-	-	-	2	2	86
6	2	61	82	14	-	10	4	8	3	-	2	9	21	115
4	-	47	46	9	-	9	3	7	2	-	8	9	16	108
2	-	14	16	5	-	1	1	1	1	-	6	-	5	7
3	-	8	22	3	-	6	-	2	-	1	2	3	8	10
5	-	32	77	17	5	13	-	38	2	3	8	19	13	31
3	-	19	57	10	4	10	-	22	2	2	5	14	7	24
2	-	13	20	7	1	3	-	16	-	1	3	5	6	7
-	-	12	19	5	-	9	2	5	2	1	4	4	5	13
2	-	37	62	11	3	12	1	12	1	-	5	7	37	60



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- cocci) men- ingitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheum- atic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
OKLAHOMA--Continued															
1	Creek	433	-	-	-	2	1	16	1	-	2	-	2	55	-
2	Sapulpa	157	-	-	-	2	-	4	1	-	2	-	1	14	-
3	Balance of county	276	-	-	-	-	1	12	-	-	-	-	1	41	-
4	Custer	181	-	-	-	-	-	13	-	-	-	-	-	17	1
5	Delaware	104	1	-	1	1	-	4	-	-	1	-	1	11	-
6	Devey	71	-	-	-	1	-	1	-	-	-	-	-	15	-
7	Ellis	73	-	-	-	-	-	-	-	-	1	-	-	7	-
8	Garfield	489	1	-	-	-	2	19	-	-	3	-	-	58	-
9	Enid	347	1	-	-	-	2	19	-	-	3	-	-	40	-
10	Balance of county	142	-	-	-	-	-	-	-	-	-	-	-	16	-
11	Garvin	215	-	-	-	-	-	10	-	-	3	-	-	21	-
12	Grady	293	-	-	-	1	-	8	-	-	2	-	-	39	-
13	Chickasha	157	-	-	-	-	-	4	-	-	2	-	-	21	-
14	Balance of county	136	-	-	-	1	-	4	-	-	-	-	-	18	-
15	Grant	110	-	-	-	-	-	2	-	-	-	-	-	22	-
16	Greer	119	-	-	-	1	-	2	-	-	-	1	1	14	-
17	Harmon	60	-	-	-	-	-	2	-	-	-	-	-	7	-
18	Harper	47	-	-	-	-	-	-	-	-	1	-	-	8	-
19	Haskell	83	-	-	-	-	-	6	1	-	1	1	-	11	-
20	Hughes	204	-	-	-	-	-	8	-	-	-	-	-	30	-
21	Jackson	142	-	-	-	-	2	4	-	-	-	-	-	21	1
22	Jefferson	90	-	-	-	-	-	3	-	-	-	-	-	12	-
23	Johnston	71	-	-	-	-	-	6	-	-	1	-	-	7	-
24	Kay	421	-	-	-	1	-	8	-	-	6	-	-	49	-
25	Ponca City	145	-	-	-	-	-	2	-	-	1	-	-	18	-
26	Balance of county	276	-	-	-	1	-	8	-	-	5	-	-	31	-
27	Kingfisher	92	-	-	-	-	-	4	-	-	-	-	-	5	-
28	Kiowa	162	1	-	-	-	2	5	-	-	3	-	-	20	-
29	Latimer	91	-	-	-	-	-	13	-	-	1	-	-	12	-
30	Le Flore	281	-	-	-	-	-	9	-	-	-	-	-	33	-
31	Lincoln	232	-	-	-	-	-	4	-	-	-	1	-	21	-
32	Logan	250	-	-	-	-	-	7	-	-	-	-	1	39	-
33	Guthrie	159	-	-	-	-	-	6	-	-	-	-	1	23	-
34	Balance of county	91	-	-	-	-	-	1	-	-	-	-	-	16	-
35	Love	52	-	-	-	-	-	1	-	-	-	-	-	7	-
36	McClain	73	-	-	-	-	-	2	-	-	-	-	-	16	-
37	McCurtain	247	-	-	-	2	1	15	-	1	2	1	-	21	2
38	McIntosh	181	1	-	-	-	1	11	-	1	1	2	-	17	-
39	Major	72	-	-	-	-	-	1	-	-	-	-	-	9	-
40	Marshall	78	-	-	-	-	-	2	-	-	-	-	1	14	-
41	Mayes	153	-	-	-	-	-	7	-	-	-	-	-	24	1
42	Murray	134	-	-	-	-	-	4	1	-	1	-	1	22	-
43	Muskogee	680	-	1	-	-	2	47	-	1	15	1	-	64	-
44	Muskogee	381	-	1	-	-	2	16	-	1	2	1	-	44	-
45	Balance of county	289	-	-	-	-	-	31	-	-	13	-	-	20	-
46	Noble	116	-	-	-	-	-	4	-	-	2	-	2	18	-
47	Nowata	136	-	-	-	-	-	2	-	1	-	-	1	19	-
48	Okfuskee	168	-	-	-	-	-	12	1	-	-	1	-	19	1
49	Oklahoma	2,207	-	1	1	2	5	82	1	-	14	3	6	279	-
50	Oklahoma City	1,875	-	-	1	2	4	57	1	-	13	2	5	238	1
51	Balance of county	332	-	1	-	-	1	5	-	-	1	1	1	41	-
52	Okmulgee	413	1	3	-	1	-	17	-	-	1	1	1	56	-
53	Okmulgee	197	-	-	-	1	-	7	-	-	1	-	1	26	-
54	Balance of county	216	1	3	-	-	-	10	-	-	-	1	-	30	-
55	Osage	205	-	1	-	-	1	8	-	-	1	-	1	36	-
56	Ottawa	327	-	1	-	-	-	39	-	-	1	-	2	33	1
57	Pawnee	144	-	-	1	2	-	3	-	-	-	-	-	19	1
58	Payne	286	-	-	-	-	-	7	2	-	2	1	1	41	-
59	Stillwater	122	-	-	-	-	-	4	1	-	-	1	1	13	-
60	Balance of county	164	-	-	-	-	-	3	1	-	2	-	-	28	-
61	Pittsburg	423	-	-	-	1	2	16	1	1	3	-	-	46	1
62	McAlester	183	-	-	-	-	1	7	-	1	2	-	-	15	1
63	Balance of county	240	-	-	-	1	1	9	1	-	1	-	-	31	-
64	Pontotoc	285	-	-	-	-	-	10	-	-	2	1	1	29	-
65	Ada	169	-	-	-	-	-	3	-	-	-	-	1	13	-
66	Balance of county	116	-	-	-	-	-	7	-	-	2	-	-	16	-
67	Pottawatomie	403	-	-	-	-	-	14	-	-	-	1	-	51	-
68	Shawnee	216	-	-	-	-	-	7	-	-	-	-	-	31	-
69	Balance of county	187	-	-	-	-	-	7	-	-	-	-	-	20	-
70	Pushmataha	103	-	-	-	-	-	2	-	-	-	-	-	13	-
71	Roger Mills	59	-	-	-	-	1	3	-	-	-	-	-	8	-
72	Rogers	180	-	-	-	1	2	4	-	-	-	-	2	21	-
73	Seminole	322	-	-	-	-	-	6	-	-	1	-	1	47	-
74	Seminole	89	-	-	-	-	-	1	-	-	-	-	-	15	-
75	Wewoka	74	-	-	-	-	-	2	-	-	-	-	-	6	-
76	Balance of county	149	-	-	-	-	-	3	-	-	1	-	-	26	-
77	Sequoyah	171	-	-	-	-	-	-	-	-	-	-	-	17	-
78	Stephens	216	-	2	-	1	-	12	-	-	3	1	-	17	1
79	Texas	74	-	-	-	-	1	7	-	-	2	-	-	26	-
80	Tillman	129	-	-	-	-	-	-	-	-	-	-	-	9	-
81	Tulsa	1,638	-	1	-	-	-	4	-	-	2	-	-	22	-
82	Tulsa	1,516	-	-	-	2	1	55	1	5	17	5	3	260	2
83	Balance of county	322	-	1	-	-	2	40	1	5	15	4	2	214	1
84	Wagoner	128	-	-	-	-	-	15	-	-	2	1	1	46	1
85	Washington	245	-	-	-	1	-	7	-	-	-	1	-	17	-
86	Bartlesville	158	-	-	-	-	-	4	-	1	4	-	2	19	-
87	Balance of county	87	-	-	-	-	-	4	-	1	3	-	1	11	-
88	Washita	135	-	-	-	1	-	-	-	-	1	-	1	8	-
89	Woods	124	-	-	-	-	-	5	-	-	1	-	-	19	-
90	Woodward	263	-	-	-	-	-	1	-	-	3	-	-	17	-
								20	-	-	5	2	1	17	-
91	OREGON	13,318	6	14	1	7	10	311	3	-	120	7	9	1,923	10
92	Baker	200	-	-	-	-	1	7	-	-	1	1	-	27	-
93	Benton	176	-	-	-	-	-	4	-	-	2	-	-	23	1
94	Clackamas	653	-	-	-	-	2	14	-	-	3	1	2	103	1



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

595

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
6	2	50	117	23	1	15	3	25	7	1	7	31	13	53
5	-	19	47	7	-	8	1	10	2	1	5	6	7	17
3	2	31	70	16	1	7	2	15	5	-	2	25	6	36
7	-	13	43	10	-	7	-	9	5	-	6	7	7	39
-	-	13	23	8	1	7	-	4	2	-	4	6	2	11
1	-	7	19	3	-	1	-	4	5	-	3	7	1	7
12	1	11	26	3	1	2	-	4	1	-	-	6	2	9
9	1	44	147	27	-	31	-	34	2	1	8	28	13	60
3	-	22	107	21	-	18	-	27	1	-	4	19	8	43
2	-	22	40	6	-	13	-	7	1	1	4	9	5	17
4	1	29	50	12	-	11	-	18	-	-	11	14	10	24
1	1	30	67	16	1	16	2	19	1	2	8	17	14	45
1	1	13	35	12	-	8	1	15	1	-	3	17	5	27
5	-	17	32	4	1	9	1	4	1	-	5	8	9	18
1	-	10	39	-	-	9	-	2	-	2	5	9	4	15
3	3	10	26	3	-	6	-	12	3	2	5	6	9	16
2	-	8	19	4	-	1	-	4	-	-	2	6	1	3
1	-	5	19	-	1	1	1	-	1	-	1	7	-	17
2	-	10	15	4	-	7	-	-	-	-	1	1	-	8
2	-	15	59	18	1	17	-	17	2	2	2	4	5	19
4	-	12	27	12	2	10	-	8	2	3	1	6	9	16
1	1	9	17	5	1	6	-	9	-	1	9	4	2	19
1	1	10	16	4	-	3	-	4	-	-	5	4	3	22
11	-	42	128	12	1	31	-	23	1	3	15	3	3	11
2	-	9	49	3	-	14	-	8	-	2	24	10	10	58
9	-	33	79	9	1	17	-	15	1	1	6	6	2	21
4	-	11	32	5	-	6	-	4	-	1	3	18	8	57
1	1	20	48	5	1	7	1	12	1	-	3	3	3	15
2	1	17	7	9	-	7	-	7	-	1	7	9	5	17
3	-	31	57	16	-	14	2	28	4	1	2	25	5	29
4	1	29	73	10	-	10	-	20	1	1	7	25	11	40
6	-	27	68	11	1	9	2	11	2	-	14	11	8	23
3	-	17	43	8	1	5	1	8	1	1	9	14	3	41
3	-	10	23	3	-	4	1	3	1	1	6	7	2	26
-	-	6	7	2	-	1	1	2	-	-	3	7	1	15
1	1	6	11	5	-	3	-	6	-	-	1	10	2	12
3	1	39	43	19	3	9	1	18	1	4	2	5	4	11
4	-	11	28	19	2	11	2	18	3	2	4	14	18	23
2	1	9	16	7	-	6	-	4	-	2	7	8	11	37
2	-	6	20	3	-	7	-	3	-	-	-	7	1	8
2	-	22	31	8	1	14	-	9	1	2	1	6	1	10
8	-	15	38	9	-	9	1	6	-	3	4	5	3	15
2	1	74	158	27	7	44	5	36	9	3	3	3	3	11
8	1	45	97	17	4	22	1	26	5	2	14	41	43	79
2	-	29	61	10	3	22	4	10	4	1	12	25	13	48
2	-	17	24	5	-	7	1	5	-	-	2	18	30	51
3	-	17	31	5	-	10	-	6	-	-	2	8	8	12
47	1	14	37	14	3	11	1	6	2	-	16	8	6	11
34	2	230	597	90	23	11	8	163	25	21	2	10	6	24
15	1	185	522	76	18	79	7	136	21	17	82	114	50	297
8	-	35	75	14	5	13	1	27	4	4	65	94	41	245
1	-	36	93	34	-	22	3	19	5	5	16	20	9	44
1	-	16	44	17	-	10	-	13	3	1	14	22	13	58
7	-	20	49	17	-	12	3	6	2	4	10	9	9	27
4	-	35	63	14	1	11	1	25	4	4	4	12	4	31
4	-	26	63	50	1	28	-	20	2	-	10	15	10	37
5	-	17	45	10	-	14	1	3	-	-	19	14	33	56
2	-	28	57	11	3	30	2	24	3	-	2	2	5	12
2	-	12	34	9	1	10	1	11	-	2	4	12	16	39
3	-	16	23	2	2	20	1	13	-	1	-	9	4	8
4	1	32	102	25	2	24	6	27	4	9	4	3	12	30
2	-	15	55	4	1	7	1	12	3	7	10	26	24	57
2	1	17	47	4	1	17	4	15	1	7	6	7	7	29
10	1	24	66	18	2	14	1	23	3	2	4	19	17	28
8	1	15	44	9	2	5	-	14	3	3	10	14	11	44
2	-	9	22	7	-	9	1	9	3	3	6	6	4	30
5	-	59	120	24	2	9	-	24	-	-	4	8	7	14
4	-	32	64	13	2	2	-	11	-	1	5	23	15	51
1	-	27	56	11	-	7	-	13	-	1	2	12	5	30
1	1	18	17	5	-	7	1	9	-	-	3	11	10	21
1	-	7	12	3	2	1	-	4	-	-	2	6	9	12
5	-	15	57	10	1	5	-	7	1	3	3	-	3	9
4	-	23	64	19	2	19	1	24	1	1	19	13	8	19
1	-	8	15	7	-	6	-	7	1	1	9	20	27	43
1	-	4	18	4	1	7	-	6	-	-	4	6	9	12
2	1	11	31	8	1	6	1	11	-	-	3	3	6	12
4	-	17	32	5	-	12	-	6	-	-	6	11	12	19
3	-	23	59	10	-	16	2	17	-	2	8	9	21	16
3	-	7	17	3	-	6	-	3	1	1	3	9	4	33
2	-	6	24	5	3	17	1	5	1	1	6	4	-	13
37	1	185	478	81	7	118	-	118	21	2	5	11	4	17
31	1	152	408	61	7	94	6	95	20	21	48	111	48	204
6	-	33	70	20	-	24	1	23	1	17	42	86	40	172
1	-	15	28	7	-	4	2	11	1	4	6	25	8	32
12	-	32	55	13	3	22	1	11	1	2	4	6	3	18
10	-	21	37	8	1	14	2	16	1	2	2	14	9	31
2	-	11	18	5	2	8	-	11	-	2	1	6	7	19
1	-	22	41	6	1	9	1	5	1	-	1	8	2	12
4	-	14	38	5	-	16	-	3	-	-	4	7	6	11
2	-	24	51	18	-	8	1	5	2	-	2	7	1	8
305	1	1,249	3,784	623	37	949	31	658	204	53	493	776	283	1,553
7	-	18	60	6	1	23	-	5	5	1	7	6	7	19
5	-	25	50	4	-	22	-	13	5	-	5	5	1	13
17	-	83	149	21	1	78	1	34	7	2	25	37	21	72



TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
OREGON—Continued															
1	Clatsop	281	-	-	-	-	-	5	-	-	1	-	-	37	-
2	Astoria	168	-	-	-	-	-	2	-	-	-	-	-	24	-
3	Balance of county	113	-	-	-	-	-	3	-	-	1	-	-	13	-
4	Columbia	174	-	-	-	-	-	5	-	-	-	1	-	20	-
5	Coos	342	-	2	-	-	1	8	-	-	-	-	-	41	-
6	Crook	54	-	-	-	-	-	-	-	-	-	-	-	9	-
7	Curry	60	-	-	-	-	1	-	-	-	-	-	-	5	-
8	Deschutes	156	-	-	-	-	-	2	1	-	1	-	-	19	-
9	Bend	95	-	-	-	-	-	-	-	-	-	-	-	15	-
10	Balance of county	61	-	-	-	-	-	2	1	-	1	-	-	4	-
11	Douglas	340	-	-	-	-	-	4	-	-	7	1	-	44	2
12	Gilliam	30	-	-	-	-	-	-	-	-	-	-	-	5	-
13	Grant	57	-	-	-	-	-	1	-	-	-	-	-	6	-
14	Harney	43	-	-	-	-	-	-	-	-	-	-	-	4	-
15	Hood River	102	-	-	-	-	-	-	-	-	-	-	1	9	-
16	Jackson	489	-	-	-	-	1	6	-	-	3	1	1	61	1
17	Medford	219	-	-	-	-	-	4	-	-	1	-	-	27	-
18	Balance of county	270	-	-	-	-	1	2	-	-	2	1	1	34	1
19	Jefferson	25	-	-	-	-	-	2	-	-	-	-	-	3	-
20	Josephine	222	-	-	-	-	-	3	-	-	2	-	-	35	-
21	Klamath	330	3	-	-	-	-	15	-	-	4	-	-	37	-
22	Klamath Falls	221	2	-	-	-	-	7	-	-	2	-	-	26	-
23	Balance of county	109	1	-	-	-	-	6	-	-	2	-	-	11	-
24	Lake	37	-	-	-	-	-	-	-	-	-	-	-	3	-
25	Lane	791	-	4	1	1	-	13	-	-	6	-	4	113	2
26	Eugene	450	-	2	1	-	-	5	-	-	3	-	3	66	2
27	Balance of county	341	-	2	-	1	-	8	-	-	3	-	1	47	-
28	Lincoln	154	-	-	-	-	-	-	-	-	-	-	-	25	-
29	Linn	375	-	1	-	2	-	3	-	-	-	-	-	37	-
30	Malheur	150	-	-	-	1	-	2	-	-	-	-	-	12	-
31	Marion	1,294	1	1	-	1	-	53	-	-	21	1	-	141	-
32	Salem	888	-	-	-	-	-	32	-	-	17	-	-	71	-
33	Balance of county	426	1	1	-	1	-	21	-	-	4	1	-	70	-
34	Morrow	46	-	-	-	-	-	-	-	-	-	-	-	5	-
35	Multnomah	4,915	2	6	-	1	3	134	2	-	53	-	1	755	2
36	Portland	4,182	2	2	-	1	3	117	1	-	44	-	1	680	2
37	Balance of county	733	-	4	-	-	-	17	1	-	9	-	-	95	-
38	Polk	172	-	-	-	-	-	4	-	-	-	-	-	30	-
39	Sherman	12	-	-	-	-	-	-	-	-	-	-	-	2	-
40	Tillamook	120	-	-	-	-	-	-	-	-	1	-	-	22	-
41	Umatilla	400	-	-	-	-	-	8	-	-	11	1	-	39	1
42	Union	177	-	-	-	-	-	2	-	-	-	-	-	18	-
43	Wallowa	52	-	-	-	-	-	2	-	-	-	-	-	6	-
44	Wasco	187	-	-	-	-	-	9	-	-	2	-	-	23	-
45	Washington	392	-	-	-	-	1	4	-	-	1	-	-	59	-
46	Wheeler	24	-	-	-	-	-	-	-	-	-	-	-	2	-
47	Yamhill	306	-	-	-	1	-	4	-	-	1	-	-	44	-
48	PENNSYLVANIA	107,683	22	80	12	94	58	3,697	24	11	913	116	29	14,787	123
49	Adams	533	-	2	-	1	-	2	-	-	3	1	-	52	1
50	Allegheny	14,932	2	14	-	4	4	556	-	2	166	4	2	2,144	11
51	Bellevue	124	-	-	-	-	-	3	-	-	-	-	-	20	-
52	Braddock	173	-	-	-	1	-	10	-	-	1	-	-	20	-
53	Carnegie	128	-	-	-	-	1	5	-	-	-	-	-	19	1
54	Clairton	152	-	-	-	-	-	7	-	-	-	1	-	21	1
55	Coraopolis	92	-	-	-	-	-	3	-	-	-	-	-	14	-
56	Dormont	99	-	-	-	-	-	1	-	-	-	-	-	15	1
57	Duquesne	179	-	-	-	-	-	4	-	-	1	-	-	29	-
58	Harrison (tw.) <sup>2</sup>	65	-	-	-	-	-	6	-	-	-	-	-	13	-
59	Homestead	123	-	-	-	-	-	4	-	1	3	-	-	17	-
60	McKees Rocks	217	-	-	-	-	-	10	-	-	3	-	-	26	-
61	McKeesport	604	-	3	-	-	-	15	-	-	1	-	-	73	1
62	Mount Lebanon (tw.) <sup>2</sup>	147	-	-	-	-	-	2	-	-	-	-	1	18	-
63	Muncie	126	-	-	-	-	-	3	-	-	1	-	-	24	-
64	North Braddock	133	-	-	-	1	-	2	-	-	1	-	-	21	-
65	Pittsburgh	7,608	1	6	-	-	2	321	-	1	63	3	-	1,112	4
66	Shaler (tw.) <sup>2</sup>	59	-	-	-	-	-	1	-	-	-	-	-	5	-
67	Stowe (tw.) <sup>2</sup>	9	-	-	-	-	-	1	-	-	-	-	-	1	-
68	Swissvale	150	-	-	-	-	-	2	-	-	1	-	-	23	-
69	Wilkinsburg	346	-	-	-	-	-	6	-	-	-	-	-	47	-
70	Balance of county	4,476	1	5	-	2	1	150	-	-	91	-	1	324	2
71	Armstrong	729	-	1	-	1	-	16	-	-	3	1	-	83	2
72	Beaver	1,443	1	1	-	4	-	43	-	1	12	-	-	207	3
73	Alliquippa	202	-	-	-	-	-	10	-	-	3	-	-	42	-
74	Ambridge	151	-	-	-	-	-	6	-	-	3	-	-	19	1
75	Beaver Falls	189	-	-	-	1	-	4	-	-	2	-	-	28	-
76	Ellwood City (part)	9	-	-	-	-	-	1	-	-	-	-	-	-	-
77	Balance of county	692	1	1	-	3	-	22	-	1	4	-	-	118	2
78	Bedford	400	-	-	-	2	-	5	-	-	-	2	-	54	-
79	Berks	2,854	-	2	1	-	2	115	1	-	16	4	1	405	4
80	Reading	1,342	-	2	-	-	-	35	-	-	9	2	-	213	4
81	Balance of county	1,512	-	-	1	-	2	80	1	-	7	2	1	192	-
82	Blair	1,540	-	1	-	1	1	22	-	-	12	3	-	210	1
83	Altoona	899	-	-	-	1	-	11	-	-	3	2	-	126	1
84	Balance of county	642	-	1	-	-	1	11	-	-	9	1	-	84	-
85	Bradford	626	-	1	1	3	1	9	-	-	-	2	-	80	-
86	Bucks	1,197	-	1	-	1	-	27	-	-	5	1	1	164	1
87	Bristol	125	-	-	-	-	-	6	-	-	-	-	-	17	-
88	Balance of county	1,062	-	1	-	1	-	21	-	-	5	1	1	147	1
89	Butler	925	1	2	-	-	-	6	-	-	3	1	-	111	-
90	Butler	269	-	1	-	-	-	4	-	-	2	-	-	37	-
91	Balance of county	656	1	1	-	-	-	2	-	-	1	1	-	74	-

<sup>2</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

597

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	89	83	90-95	107-109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	182, 199,200	
5	-	28	92	1	3	16	-	15	4	1	11	19	5	38
2	-	20	55	-	3	13	-	7	3	1	5	9	1	23
3	-	8	37	1	-	3	-	8	1	-	6	10	4	15
5	-	21	51	6	1	3	1	14	2	1	10	13	3	13
7	-	28	124	10	2	26	-	9	4	2	14	51	7	26
2	-	4	8	2	-	4	-	6	1	-	7	7	2	7
4	-	5	27	2	-	2	-	1	1	-	3	2	2	8
3	-	12	51	3	-	5	1	15	3	1	7	9	3	17
1	-	8	35	1	-	5	-	7	3	1	2	2	1	12
5	-	4	16	1	-	3	1	8	-	-	5	7	2	5
37	-	104	7	7	2	13	-	13	8	1	16	33	5	38
1	-	7	2	1	1	3	1	2	1	2	-	-	2	4
10	-	19	1	1	-	5	1	1	-	-	1	6	5	13
2	-	13	3	3	-	1	1	2	-	-	-	5	2	5
8	-	9	34	3	2	8	1	9	-	-	7	7	3	15
4	-	41	171	15	46	3	3	20	7	1	23	25	7	48
4	-	27	70	10	18	1	1	12	3	-	7	7	2	24
4	-	14	101	3	28	2	2	8	4	1	15	18	5	24
7	1	2	5	7	1	1	-	1	-	-	4	-	-	1
10	-	17	70	10	20	11	1	8	5	-	7	6	4	28
8	-	27	50	10	11	1	1	27	6	5	18	29	2	47
2	-	20	56	3	2	9	1	16	3	4	8	16	2	34
1	-	7	24	3	7	7	-	11	3	1	10	13	-	13
12	-	4	230	37	2	72	3	4	2	-	3	2	-	3
7	-	44	121	22	7	7	-	43	16	5	46	58	17	54
5	-	18	99	15	2	48	1	25	7	1	18	28	13	33
2	-	9	53	2	2	5	2	18	9	4	28	30	4	21
7	-	36	112	14	1	55	2	13	2	-	8	10	4	19
3	-	14	54	5	1	17	-	27	5	3	22	26	9	35
36	-	104	292	194	5	85	3	13	5	-	8	12	7	16
24	-	59	187	178	1	50	3	33	12	1	36	51	42	202
12	-	45	104	16	4	15	3	14	7	-	13	30	37	145
-	-	7	9	4	-	6	-	19	5	1	23	21	5	57
120	-	473	1,442	188	8	301	12	244	76	21	133	257	95	584
109	-	375	1,269	153	6	248	11	202	68	16	114	216	51	511
11	-	98	173	35	2	53	1	42	10	5	19	41	44	75
2	-	19	49	6	-	20	-	8	4	-	13	9	1	7
-	-	-	3	-	-	2	-	2	-	-	-	-	-	2
2	-	18	33	5	-	6	-	7	-	-	6	-	-	3
6	-	30	96	14	3	22	-	14	6	2	13	29	12	85
5	-	19	45	7	-	20	-	12	3	-	5	16	1	25
1	-	4	20	-	-	1	-	1	-	-	6	6	1	6
8	-	52	6	26	1	26	-	3	-	-	3	7	2	18
10	-	43	117	19	-	23	1	21	8	-	11	17	8	49
-	-	1	2	1	-	3	-	1	-	-	1	3	2	8
5	-	46	84	17	1	22	1	14	3	2	17	19	2	23
5,325	7	9,248	36,169	4,473	503	6,938	332	5,494	1,145	299	1,900	4,461	946	12,472
8	-	44	107	11	1	44	-	22	2	-	11	17	2	32
401	-	1,326	4,892	704	48	897	60	725	158	53	222	583	284	1,680
2	-	7	41	3	1	9	-	9	-	-	1	5	1	20
3	-	8	53	3	3	10	-	16	2	3	1	8	1	30
1	-	13	39	5	-	3	1	10	1	-	2	6	2	19
1	-	11	43	13	-	11	3	10	1	1	5	5	2	13
4	-	8	24	7	-	9	-	7	-	-	2	4	1	13
7	-	13	36	2	-	11	-	5	1	-	-	5	-	8
5	-	14	59	10	-	8	1	5	3	1	1	9	5	22
7	-	5	24	-	-	5	1	5	1	-	2	3	1	16
8	-	10	34	6	-	9	1	11	-	1	-	6	3	8
10	-	23	66	10	-	11	1	11	2	-	1	11	6	26
2	-	52	165	25	1	31	3	34	5	7	8	13	3	54
4	-	6	71	4	-	15	-	5	1	-	-	6	3	13
6	-	8	49	6	1	8	1	7	-	-	-	2	2	10
201	-	18	37	5	-	2	-	3	2	-	3	7	2	23
2	-	707	2,495	368	25	415	31	349	77	33	108	288	194	797
2	-	8	18	2	-	2	-	8	-	-	1	2	1	9
3	-	1	2	-	-	-	-	-	-	-	-	-	-	3
3	-	21	54	4	-	29	-	8	-	-	3	8	3	15
132	-	38	110	20	-	9	1	15	7	-	6	11	3	52
24	-	355	1,472	184	17	294	16	207	54	7	78	204	50	529
36	-	59	243	40	3	37	3	52	6	1	13	39	7	85
4	-	141	394	57	8	84	7	101	10	4	47	72	9	201
5	-	11	53	12	3	6	1	10	1	-	9	13	2	22
9	-	14	49	2	-	4	-	11	3	1	6	5	-	22
1	-	18	44	6	-	13	3	13	3	1	5	6	2	31
17	-	-	4	-	-	-	-	-	-	-	1	-	-	2
10	-	98	244	37	5	61	3	67	3	2	26	48	5	124
119	-	34	118	17	2	44	2	26	5	-	18	15	6	40
61	-	257	1,048	108	10	148	3	100	26	-	43	89	33	321
58	-	119	492	57	2	56	2	46	18	-	11	45	12	156
53	-	139	554	51	8	92	1	54	8	-	32	44	21	165
36	-	134	512	51	4	134	10	77	18	7	37	59	4	189
17	-	78	320	27	1	74	7	41	9	5	18	28	3	107
16	-	56	192	24	3	60	3	36	9	2	19	31	1	82
44	-	51	258	25	4	36	2	28	9	-	16	22	2	59
4	-	111	402	39	7	75	4	61	15	6	20	38	11	153
40	-	12	31	2	1	6	-	9	3	-	1	5	2	26
19	-	99	371	37	6	69	4	52	12	6	19	33	9	127
8	-	123	294	39	3	61	2	59	12	-	30	49	4	106
11	-	27	86	14	2	20	1	15	2	-	5	14	1	30
-	-	96	209	25	1	41	1	44	10	-	25	35	3	76



TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1, 2	3	4	5	6	7-12	13	14	15	16	17	18-22	23
PENNSYLVANIA—Con.														
1 Cambria	1,913	1	-	-	6	1	97	-	1	15	1	1	221	5
2 Johnstown	798	1	-	-	1	1	25	-	1	9	1	-	92	2
3 Balance of county	1,115	-	-	-	5	-	72	-	-	6	-	1	129	3
4 Cameron	52	-	-	-	-	-	1	-	-	-	-	-	6	-
5 Carbon	678	-	-	-	1	-	20	-	-	5	2	-	88	1
6 Centre	492	-	2	-	4	1	5	-	-	2	2	-	72	-
7 Chester	1,662	1	1	-	2	2	84	2	-	15	8	1	212	2
8 Coatesville	157	-	-	-	-	-	4	-	-	4	-	-	22	-
9 Phoenixville	135	-	-	-	-	1	7	-	-	-	-	-	15	-
10 West Chester	207	-	-	-	1	-	7	-	-	1	-	-	31	-
11 Balance of county	1,163	-	1	-	1	1	66	2	-	10	8	1	144	2
12 Clarion	396	-	-	-	-	-	3	1	-	-	-	-	44	-
13 Clearfield	816	-	1	-	-	1	12	-	-	4	1	-	90	1
14 Du Bois	152	-	1	-	-	-	5	-	-	2	-	-	19	-
15 Balance of county	664	-	-	-	-	1	7	-	-	2	1	-	72	1
16 Clinton	373	-	-	-	-	-	8	-	-	1	1	1	47	1
17 Lock Haven	128	-	-	-	-	-	2	-	-	-	1	1	19	1
18 Balance of county	245	-	-	-	-	-	6	-	-	1	-	-	23	-
19 Columbia	570	-	-	-	-	-	14	-	-	1	1	1	76	1
20 Berwick	153	-	-	-	-	-	8	-	-	1	-	-	22	-
21 Balance of county	417	-	-	-	-	-	6	-	-	-	1	1	54	1
22 Crawford	876	-	1	-	-	3	12	-	-	3	3	-	117	-
23 Meadville	216	-	-	-	-	1	7	-	-	1	-	-	25	-
24 Balance of county	660	-	1	-	-	2	5	-	-	2	3	-	92	-
25 Cumberland	858	1	-	-	-	2	15	-	-	8	1	-	115	1
26 Carlisle	182	-	-	-	-	-	5	-	-	2	-	-	18	-
27 Balance of county	676	1	-	-	-	2	10	-	-	6	1	-	97	1
28 Dauphin	2,335	1	1	-	4	4	90	1	-	28	1	1	320	3
29 Harrisburg	1,126	-	1	-	2	2	36	-	-	5	-	-	165	-
30 Steelton	158	-	-	-	-	-	12	-	-	-	-	-	22	-
31 Balance of county	1,071	1	-	-	2	2	42	1	-	23	1	1	133	3
32 Delaware	3,316	1	4	-	-	3	105	-	-	12	1	2	509	4
33 Chester	706	-	-	-	-	1	42	-	-	5	1	-	102	1
34 Darby	127	-	-	-	-	-	7	-	-	-	-	-	12	-
35 Haverford (twp.) <sup>2</sup>	183	-	-	-	-	-	3	-	-	-	-	-	42	-
36 Lansdowne	140	-	-	-	-	-	5	-	-	-	-	-	28	-
37 Upper Darby (twp.) <sup>2</sup>	606	-	2	-	-	-	12	-	-	1	-	-	93	-
38 Balance of county	1,554	1	2	-	-	2	36	-	-	6	-	2	231	3
39 Elk	278	-	-	-	-	-	4	-	-	1	1	-	33	-
40 Erie	2,182	-	-	1	3	-	70	6	-	9	1	-	283	1
41 Erie	1,397	-	-	-	2	-	45	6	-	5	1	-	192	-
42 Balance of county	785	-	1	1	1	-	24	-	-	4	-	-	101	1
43 Fayette	1,741	-	2	1	2	2	52	-	-	10	-	-	214	1
44 Connelville	161	-	-	-	-	-	6	-	-	2	-	-	28	-
45 Uniontown	269	-	-	-	-	-	5	-	-	3	-	-	34	-
46 Balance of county	1,311	-	2	1	2	2	41	-	-	5	-	-	152	1
47 Forest	61	-	-	1	-	-	1	-	-	-	-	-	9	-
48 Franklin	758	-	-	-	1	1	62	-	-	8	1	-	102	-
49 Chambersburg	171	-	-	-	-	-	6	-	-	-	1	-	29	-
50 Waynesboro	112	-	-	-	-	-	2	-	-	2	-	-	16	-
51 Balance of county	475	-	-	-	1	1	54	-	-	6	-	-	57	-
52 Fulton	79	-	-	-	-	-	-	-	-	-	-	-	10	-
53 Greene	436	-	-	-	1	1	12	-	-	1	-	-	56	-
54 Huntingdon	430	-	1	-	2	-	13	-	-	2	-	-	52	2
55 Indiana	659	-	-	-	-	-	15	1	-	3	-	-	84	1
56 Indiana	107	-	1	-	-	-	3	-	-	-	-	-	15	-
57 Balance of county	551	-	-	-	-	-	12	1	-	3	-	-	69	1
58 Jefferson	504	-	-	-	-	-	3	-	-	-	-	-	51	-
59 Juniata	161	-	2	-	-	-	6	-	-	1	-	-	16	-
60 Leckawanna	3,205	1	2	-	1	1	112	-	-	7	1	-	445	-
61 Carlisle	236	-	-	-	-	-	3	-	-	-	-	-	35	-
62 Dickinson City	98	-	-	-	-	-	9	-	-	1	-	-	11	-
63 Dummore	235	-	-	-	-	-	7	-	-	-	-	-	30	-
64 Old Forge	78	-	-	-	-	-	6	-	-	-	-	-	13	-
65 Scranton	1,560	1	2	-	-	-	42	-	-	5	1	-	226	-
66 Balance of county	1,000	-	-	-	1	1	45	-	-	1	-	-	130	-
67 Lancaster	2,378	1	1	1	4	1	54	1	-	16	2	-	298	6
68 Columbia	148	-	-	-	2	1	5	-	-	2	-	-	16	-
69 Lancaster	768	-	-	1	2	-	22	-	-	10	-	-	110	-
70 Balance of county	1,440	1	1	-	-	-	27	1	-	4	2	-	172	6
71 Lawrence	909	-	-	-	1	-	11	-	-	1	-	-	135	-
72 Ellwood City (part)	83	-	-	-	-	-	2	-	-	-	-	-	11	-
73 Ellwood City (total)	99	-	-	-	-	-	3	-	-	-	-	-	11	-
74 New Castle	516	-	-	-	-	-	8	-	-	-	-	-	79	-
75 Balance of county	304	-	-	-	1	-	1	-	-	1	-	-	45	-
76 Lebanon	779	-	1	-	4	1	9	-	1	5	5	-	86	1
77 Lebanon	380	-	-	2	-	-	2	-	-	4	2	-	54	1
78 Balance of county	599	-	1	-	2	1	7	-	1	1	3	-	34	-
79 Lehigh	2,102	1	2	-	-	-	47	-	1	44	2	-	300	2
80 Allentown	1,234	1	1	-	-	-	28	-	-	40	2	-	179	-
81 Bethlehem (part)	144	-	-	-	-	-	1	-	-	-	-	-	26	-
82 Balance of county	724	-	1	-	-	-	18	-	1	4	-	-	95	2
83 Luzerne	4,055	-	2	-	4	2	146	-	1	16	9	2	521	9
84 Hemmer (twp.) <sup>2</sup>	29	-	-	-	-	-	-	-	-	1	-	-	2	-
85 Hazleton	403	-	-	-	1	-	8	-	-	1	1	1	63	-
86 Kingston	213	-	-	-	-	-	5	-	1	-	2	-	40	1
87 Nanticoke	226	-	-	-	-	1	10	-	-	-	-	-	20	1
88 Pittston	184	-	-	-	-	-	8	-	-	-	-	-	25	1
89 Plains (twp.) <sup>2</sup>	103	-	1	-	-	-	9	-	-	-	-	-	13	1
90 Plymouth	159	-	-	-	-	-	7	-	-	-	-	-	17	1
91 Wilkes-Barre	948	-	-	-	-	1	30	-	-	3	2	1	114	2
92 Balance of county	1,790	-	1	-	3	-	69	-	-	11	3	-	227	2

<sup>2</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



# GENERAL TABLES-DEATHS FROM SELECTED CAUSES

599

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 55	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
64	-	156	607	78	7	94	8	166	15	4	31	97	17	220
23	-	67	259	31	3	52	3	75	6	1	8	37	8	92
41	-	89	348	47	4	42	5	91	9	5	25	60	9	126
1	-	4	24	-	-	1	1	3	-	-	-	1	2	8
26	-	45	245	26	2	52	1	30	3	1	19	26	4	81
9	-	51	174	20	-	20	1	28	7	-	10	22	-	60
38	-	151	506	75	6	124	3	86	20	5	35	76	9	205
2	-	20	48	8	1	8	-	11	4	1	4	7	1	15
7	-	37	4	4	2	12	-	9	3	-	2	7	1	15
7	-	15	67	46	1	14	2	23	2	1	2	6	6	20
22	-	101	357	57	2	90	1	43	11	1	25	56	1	155
10	-	47	103	23	1	45	2	19	3	1	19	24	1	90
32	-	87	248	33	7	71	2	52	9	-	20	31	9	105
7	-	19	35	7	-	9	2	15	3	-	4	3	6	18
25	-	68	215	26	7	62	-	39	6	-	16	28	3	67
12	-	51	104	18	-	15	1	21	4	-	11	18	2	53
4	-	16	35	3	-	1	-	10	1	1	5	1	-	28
8	-	35	71	15	-	12	-	11	3	-	14	27	7	30
22	-	48	181	29	2	46	1	23	13	-	6	8	3	59
8	-	9	51	11	-	5	4	7	2	-	8	19	4	11
14	-	39	130	18	2	41	1	16	11	-	19	37	8	46
21	-	99	317	32	1	35	5	36	15	2	5	5	3	111
6	-	25	76	9	1	3	3	15	4	-	5	5	5	25
15	-	73	241	23	1	32	2	20	11	-	14	32	5	86
25	-	65	285	35	4	60	3	45	14	-	20	33	3	97
1	-	23	64	8	2	17	1	15	3	-	4	5	1	15
24	-	62	231	25	2	45	2	30	11	-	16	28	2	82
82	1	187	772	96	8	230	10	90	22	9	37	78	15	244
43	1	78	389	40	4	111	5	51	10	8	22	31	8	105
33	1	13	34	10	2	15	-	6	1	1	2	5	-	11
94	-	98	539	46	2	106	5	33	11	-	13	42	7	128
10	-	244	1,158	117	16	220	12	188	46	10	55	136	19	363
5	-	48	196	31	6	43	4	76	14	7	16	29	4	72
2	-	10	47	6	-	8	-	10	-	-	1	5	-	16
2	-	12	65	6	-	21	2	4	6	-	1	7	2	12
3	-	12	53	2	-	10	-	4	2	-	9	30	5	13
23	-	43	229	10	3	37	2	35	10	-	26	60	9	36
51	-	121	560	62	7	101	2	61	14	3	10	13	1	86
9	-	29	89	5	1	24	4	17	3	-	51	77	24	36
55	-	230	721	79	49	105	4	135	19	2	26	48	10	249
42	-	127	462	56	41	71	2	100	15	2	51	26	14	145
13	-	105	259	23	8	32	2	35	6	-	25	29	14	104
52	-	194	518	93	8	120	7	107	27	6	38	113	13	161
-	-	15	57	10	-	9	1	8	2	-	2	8	-	13
7	-	50	83	11	-	19	1	22	3	2	2	17	2	25
45	-	149	378	72	8	92	5	77	22	4	31	88	11	123
-	-	8	19	3	-	5	-	1	-	-	2	5	-	7
27	-	80	224	35	-	73	4	29	6	-	16	21	2	47
4	-	23	59	5	-	14	2	6	2	-	1	21	-	66
6	-	13	38	5	-	5	-	3	1	-	15	4	-	17
17	-	44	127	25	-	54	2	20	3	-	1	14	3	35
4	-	7	23	4	-	10	-	4	1	-	1	23	1	51
13	-	43	108	22	1	38	-	39	11	3	14	25	7	49
10	-	51	133	17	4	30	3	23	4	2	6	40	7	54
11	-	63	215	28	5	28	2	38	10	-	19	21	1	87
2	-	14	32	4	1	3	-	3	1	-	2	11	1	14
3	-	49	183	24	4	25	2	35	9	-	17	29	6	73
19	-	47	163	24	1	48	-	33	5	-	8	24	2	59
5	-	20	38	7	-	24	1	4	1	-	5	5	-	24
99	-	233	1,116	131	17	192	8	145	21	4	58	139	25	449
3	-	14	83	7	5	19	2	16	-	-	5	5	1	38
2	-	9	21	4	1	7	-	1	2	-	1	7	5	61
5	-	16	80	12	-	27	-	5	1	1	5	8	-	35
1	-	7	19	2	-	5	-	4	1	-	1	5	1	62
60	-	124	559	63	7	83	5	79	11	2	25	65	8	13
28	-	63	374	43	4	51	1	40	6	1	19	49	10	212
84	-	256	852	85	3	128	2	122	29	1	47	72	10	133
5	-	19	53	5	1	6	-	10	3	-	1	6	-	290
33	-	83	269	25	1	35	1	48	9	1	8	23	4	13
56	-	154	530	55	1	87	1	64	17	-	37	43	6	102
34	-	83	292	39	4	30	4	55	12	-	21	52	12	175
1	-	8	25	5	-	4	-	7	1	-	4	1	-	125
2	-	8	29	5	-	4	-	7	1	-	5	1	1	19
28	-	51	155	18	-	19	3	32	6	-	11	33	5	21
5	-	24	112	16	4	7	1	14	5	-	6	18	6	67
24	-	65	258	35	6	86	1	38	8	2	21	22	4	39
15	-	29	125	15	2	39	1	22	5	1	6	7	3	55
9	-	58	136	20	4	48	-	15	3	1	15	76	1	48
77	1	184	748	63	9	111	8	89	28	1	33	49	10	265
41	1	92	450	41	3	56	2	48	15	1	16	6	5	183
9	-	16	45	3	1	13	1	9	1	-	1	6	12	80
27	-	78	253	19	5	42	5	32	12	-	16	21	5	90
133	-	288	1,311	174	29	264	12	226	35	5	51	221	58	531
2	-	7	2	2	-	1	-	1	1	-	-	4	3	84
16	-	30	126	23	3	17	1	40	3	1	-	17	2	49
3	-	9	65	9	3	20	-	9	3	-	7	8	3	27
8	-	15	57	10	3	14	1	20	1	-	2	17	9	41
3	-	14	69	10	2	10	1	10	1	1	3	10	4	14
5	-	6	31	8	1	6	-	6	1	-	2	3	-	10
8	-	9	46	11	2	15	-	11	-	-	2	9	1	80
30	-	73	338	26	3	70	4	58	2	-	4	50	15	115
63	-	153	573	75	15	111	5	71	19	1	31	105	21	251



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- tha- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomy- elitis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
PENNSYLVANIA—Con.														
1 Lycoming-----	1,102	-	-	-	1	-	13	-	-	1	-	-	135	2
2 Williamsport-----	547	-	-	-	1	-	10	-	-	1	-	-	74	-
3 Balance of county-----	555	-	-	-	-	-	3	-	-	-	-	-	61	2
4 McKean-----	551	-	-	-	-	-	11	-	-	2	2	-	74	-
5 Bradford-----	207	-	-	-	-	-	3	-	-	2	1	-	20	-
6 Balance of county-----	344	-	-	-	-	-	8	-	-	-	1	-	54	-
7 Mercer-----	1,070	1	-	-	2	-	25	-	-	5	-	-	163	1
8 Farrell-----	105	-	-	-	1	-	5	-	-	-	-	-	25	1
9 Sharon-----	271	-	-	-	-	-	9	-	-	-	-	-	40	-
10 Balance of county-----	696	1	-	-	1	-	11	-	-	3	-	-	98	-
11 Mifflin-----	434	-	-	-	1	1	9	-	-	2	1	-	37	2
12 Lewistown-----	199	-	-	-	-	-	3	-	-	1	-	-	18	-
13 Balance of county-----	235	-	-	-	1	1	6	-	-	1	1	-	19	2
14 Monroe-----	567	-	-	-	-	-	4	-	-	2	2	-	52	-
15 Montgomery-----	5,221	-	1	-	-	-	151	-	1	39	7	2	435	1
16 Abington (twp.) <sup>2</sup> -----	140	-	-	-	-	-	6	-	-	-	-	-	24	-
17 Cheltenham (twp.) <sup>2</sup> -----	185	-	-	-	-	-	2	-	-	1	-	-	28	-
18 Conshohocken-----	85	-	1	-	-	-	4	-	-	1	1	-	10	-
19 Lower Merion (twp.) <sup>2</sup> -----	353	-	-	-	-	-	8	-	-	-	1	1	66	-
20 Norristown-----	743	-	-	-	-	-	64	-	-	27	1	-	78	1
21 Pottstown-----	232	-	-	-	-	-	7	-	-	2	1	-	32	-
22 Balance of county-----	1,475	-	-	-	-	-	40	-	1	7	3	1	197	-
23 Montour-----	290	-	-	-	2	-	19	-	-	14	-	1	23	-
24 Northampton-----	1,718	-	1	-	1	1	49	-	-	14	2	-	250	-
25 Bethlehem (part)-----	418	-	-	-	-	-	13	-	-	1	-	-	69	-
26 Bethlehem (total)-----	562	-	-	-	-	-	14	-	-	1	-	-	95	-
27 Easton-----	522	-	1	-	-	-	8	-	-	4	-	-	74	-
28 Balance of county-----	778	-	-	-	1	1	28	-	-	9	2	-	107	-
29 Northumberland-----	1,298	1	-	1	1	1	35	-	-	5	4	1	161	2
30 Mount Carmel-----	178	-	-	-	-	-	6	-	-	1	1	-	24	1
31 Shamokin-----	264	-	-	-	-	1	14	-	-	1	1	1	35	-
32 Sunbury-----	201	-	-	-	-	-	4	-	-	1	1	-	19	1
33 Balance of county-----	655	1	-	1	1	-	12	-	-	2	1	-	83	-
34 Perry-----	239	-	-	-	-	-	1	-	-	-	-	-	35	-
35 Philadelphia, coextensive with Philadelphia (city)-----	23,820	6	19	2	9	6	1,127	7	-	312	16	4	5,523	51
36 Pike-----	105	-	-	-	-	-	-	-	-	-	-	-	20	-
37 Potter-----	240	-	-	-	-	-	2	-	-	2	-	-	31	-
38 Schuylkill-----	2,456	-	5	-	2	4	85	-	1	9	6	2	283	5
39 Mahanoy City-----	168	-	-	-	1	-	7	-	-	-	-	-	24	-
40 Pottsville-----	314	-	1	-	-	-	7	-	-	3	-	-	29	-
41 Shenzendoah-----	227	-	-	-	-	-	11	-	1	2	-	-	26	-
42 Tazewell-----	148	-	-	-	1	-	6	-	-	1	1	-	24	-
43 Balance of county-----	1,699	-	4	-	-	4	54	-	-	3	5	2	180	5
44 Snyder-----	274	-	-	-	-	-	10	1	-	1	1	-	26	-
45 Somerset-----	770	1	3	1	3	2	14	-	1	7	1	1	87	-
46 Sullivan-----	77	-	-	-	-	-	-	-	-	-	-	-	10	-
47 Susquehanna-----	358	-	-	-	-	-	11	-	-	-	2	-	57	-
48 Tioga-----	436	-	-	-	2	-	4	-	-	-	2	1	57	1
49 Union-----	238	-	1	-	-	-	7	-	-	-	-	1	20	-
50 Venango-----	707	-	-	-	1	2	30	-	-	3	1	-	87	1
51 Oil City-----	223	-	-	-	-	1	3	-	-	2	-	-	32	-
52 Balance of county-----	484	-	-	-	1	1	27	-	-	1	1	-	55	1
53 Warren-----	877	-	-	-	-	-	18	-	-	17	-	-	74	-
54 Warren-----	162	-	-	-	-	-	3	-	-	-	-	-	34	-
55 Balance of county-----	485	-	-	-	-	-	15	-	-	17	-	-	40	-
56 Washington-----	1,886	-	-	-	3	3	40	-	-	5	-	-	284	2
57 Canonsburg-----	104	-	-	-	1	-	4	-	-	-	-	-	14	-
58 Charleroi-----	111	-	-	-	-	-	1	-	-	-	-	-	17	-
59 Donora-----	93	-	-	-	-	-	1	-	-	-	-	-	15	-
60 Washington-----	364	-	-	-	2	2	4	-	-	-	-	-	44	-
61 Balance of county-----	1,214	-	-	-	-	1	30	-	-	5	-	-	194	2
62 Wayne-----	351	1	-	-	-	-	27	-	-	5	-	-	43	-
63 Westmoreland-----	2,897	1	1	-	8	3	98	2	-	30	-	3	363	5
64 Arnold-----	60	-	-	-	-	-	2	-	-	-	-	-	10	-
65 Greensburg-----	181	-	-	-	-	-	5	-	-	1	-	-	26	1
66 Joannette-----	153	-	-	-	1	1	1	-	-	-	-	-	16	-
67 Latrobe-----	110	-	-	-	-	-	-	-	-	1	-	-	15	-
68 Monesson-----	158	-	-	-	1	1	2	-	-	1	-	-	27	-
69 New Kensington-----	222	-	-	-	1	-	11	-	-	2	-	2	34	1
70 Vandergrift-----	83	-	-	-	-	-	-	-	-	-	-	-	6	-
71 Balance of county-----	1,820	1	1	-	5	1	77	2	-	25	-	1	249	3
72 Wyoming-----	187	-	-	-	-	-	5	-	-	-	-	-	28	-
73 York-----	1,674	-	-	2	1	1	38	1	1	5	6	-	256	5
74 Hanover-----	178	-	-	-	-	-	5	-	1	7	-	-	14	-
75 York-----	757	-	-	1	-	1	19	-	-	4	1	-	115	2
76 Balance of county-----	939	-	-	1	1	-	14	1	-	1	5	-	139	1
77 RHODE ISLAND-----	8,073	-	9	-	4	2	232	-	-	43	-	7	1,162	7
78 Bristol-----	259	-	-	-	-	-	9	-	-	-	-	-	40	-
79 Bristol (town)-----	123	-	-	-	-	-	7	-	-	-	-	-	18	-
80 Balance of county-----	136	-	-	-	-	-	2	-	-	-	-	-	22	-
81 Kent-----	636	-	3	-	1	1	12	-	-	1	-	-	107	1
82 Warwick-----	314	-	2	-	-	-	7	-	-	1	-	-	53	1
83 West Warwick (town)-----	170	-	1	-	1	1	3	-	-	-	-	-	25	-
84 Balance of county-----	152	-	-	-	-	-	2	-	-	-	-	-	29	-
85 Newport-----	546	-	-	-	-	1	16	-	-	4	-	-	80	-
86 Newport-----	348	-	-	-	-	1	10	-	-	2	-	-	51	-
87 Balance of county-----	198	-	-	-	-	-	6	-	-	2	-	-	29	-
88 Providence-----	6,277	-	6	-	3	-	189	-	-	37	-	7	884	6
89 Central Falls-----	210	-	-	-	-	-	3	-	-	1	-	1	28	-
90 Cranston-----	695	-	1	-	-	-	31	-	-	16	-	-	106	-

<sup>2</sup>Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

601

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Sanitary, ill- defined and unknown causes	All other causes	
61	69	83	90-95	107- 109,35	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200		
46	-	131	412	27	5	50	3	47	15	2	23	47	4	140	1
17	-	59	169	13	3	22	2	30	7	2	14	25	3	76	2
29	-	73	223	14	2	28	1	17	6	-	9	22	1	64	3
16	1	61	177	22	-	32	1	40	7	1	14	21	4	65	4
11	-	24	67	6	-	9	1	16	2	1	1	11	2	30	5
5	1	37	110	16	-	23	-	24	5	-	13	10	2	35	6
28	-	124	301	49	1	92	2	57	13	-	23	50	4	129	7
7	-	3	25	3	-	7	-	6	1	-	2	6	-	11	8
6	-	37	81	10	-	13	2	24	4	-	4	8	-	31	9
15	-	84	195	36	1	72	-	27	8	-	17	36	4	87	10
15	-	35	149	25	4	38	-	36	3	-	13	14	8	41	11
5	-	17	77	10	1	14	-	15	2	-	7	9	1	21	12
10	-	18	72	15	3	24	-	23	1	-	6	5	7	20	13
8	-	40	131	6	3	27	2	15	5	-	6	17	9	36	14
106	-	265	1,135	103	12	250	9	144	41	7	59	152	24	317	15
6	-	5	59	1	-	5	-	11	1	-	3	6	1	13	16
10	-	9	92	4	-	9	-	4	1	-	1	12	1	11	17
2	-	4	31	2	-	2	-	6	1	-	3	-	1	16	18
10	-	37	124	7	-	22	2	15	5	1	3	17	2	41	19
23	-	61	256	32	2	40	-	24	5	3	14	37	8	67	20
9	-	17	71	3	1	25	2	22	4	1	5	9	1	20	21
46	-	132	502	54	9	147	5	62	26	2	30	51	10	149	22
7	-	21	115	18	-	7	-	9	1	-	2	13	-	28	23
73	-	161	561	59	11	83	7	91	33	1	23	69	11	217	24
17	-	33	140	12	5	17	3	29	10	-	6	18	2	43	25
26	-	49	185	15	6	30	4	38	11	-	7	24	2	35	26
21	-	54	163	19	2	29	1	28	8	1	2	22	2	83	27
35	-	74	258	28	4	37	3	34	15	-	15	29	7	91	28
44	-	100	458	55	12	102	4	63	10	1	32	83	4	118	29
7	-	12	58	8	1	15	1	8	-	-	2	13	1	20	30
8	-	20	102	8	1	18	-	10	2	-	4	13	2	23	31
10	-	17	63	5	7	23	1	14	3	-	3	15	-	14	32
19	-	51	235	34	3	46	2	31	5	1	23	42	1	61	33
10	-	31	78	8	-	21	1	17	3	1	4	6	-	23	34
728	2	1,572	8,511	981	112	1,545	54	1,124	219	137	271	850	126	2,526	35
8	-	7	32	4	-	13	-	3	1	-	2	6	-	10	36
6	1	25	82	13	5	10	-	17	3	-	3	13	7	19	37
99	-	187	610	89	8	191	12	107	21	1	40	124	24	341	38
11	-	10	54	7	2	13	-	9	1	-	7	2	-	20	39
12	-	23	101	9	1	26	3	28	3	-	2	13	3	50	40
9	-	16	79	12	-	16	2	16	1	-	2	9	-	23	41
6	-	8	59	4	-	9	1	4	-	-	1	9	1	13	42
61	-	128	517	57	5	127	6	50	16	1	33	86	20	235	43
14	-	24	84	16	2	22	-	13	4	1	6	7	4	38	44
21	-	87	255	28	3	45	-	44	6	1	13	37	3	100	45
4	-	12	25	2	1	2	-	2	1	-	1	4	1	12	46
10	-	34	102	19	2	17	-	11	2	3	9	21	10	46	47
3	-	40	160	19	1	24	-	18	9	-	11	28	4	52	48
12	-	17	92	9	2	14	-	15	2	-	7	14	1	24	49
14	-	64	228	32	1	28	-	49	9	-	19	50	7	101	50
5	-	25	81	1	-	5	-	15	4	-	14	9	6	28	51
9	-	39	147	31	1	23	-	34	5	-	15	21	1	73	52
17	1	67	228	35	2	33	1	20	9	-	7	56	6	105	53
5	1	20	58	3	1	8	-	8	2	-	2	5	2	30	54
12	-	47	170	32	1	25	1	12	7	1	5	31	4	75	55
54	-	207	532	95	5	111	3	124	24	2	39	105	15	235	56
7	-	13	32	6	-	3	-	10	-	-	2	3	-	9	57
8	-	7	27	4	-	9	-	11	1	-	4	3	1	16	58
4	-	10	22	7	-	8	-	6	3	-	1	4	2	9	59
9	-	56	97	19	1	22	-	23	6	2	6	25	4	42	60
26	-	121	354	59	4	69	-	74	14	-	26	70	8	157	61
6	-	29	114	13	1	34	-	18	5	-	5	11	-	39	62
77	-	277	884	155	16	159	13	163	32	5	78	125	22	359	63
2	-	7	26	1	-	2	-	5	-	-	1	1	-	2	64
7	-	22	62	8	1	8	-	8	-	-	6	5	1	20	65
5	-	19	53	8	2	8	1	4	1	-	8	6	3	16	66
1	-	15	36	5	-	6	-	7	2	-	2	7	-	13	67
4	-	18	44	6	-	12	1	14	2	-	2	5	2	16	68
3	-	21	63	8	1	10	3	20	1	2	3	6	1	29	69
5	-	13	23	4	-	4	-	10	1	-	5	2	3	17	70
50	-	162	578	115	12	109	6	95	25	3	49	93	12	246	71
10	-	12	36	13	3	7	2	7	-	-	7	6	4	27	72
52	-	203	628	63	11	108	6	103	15	5	41	75	6	234	73
5	-	27	57	6	-	9	1	16	1	-	4	5	-	27	74
23	-	74	244	23	4	44	3	42	5	3	16	29	3	103	75
24	-	102	327	34	7	55	2	45	9	2	21	41	3	104	76
285	-	699	3,025	270	20	556	24	429	57	11	96	284	24	827	77
11	-	29	75	10	1	30	-	15	1	-	4	8	-	26	78
7	-	14	37	3	1	17	-	6	1	-	1	3	-	8	79
4	-	15	38	7	-	13	-	9	-	-	3	5	-	18	80
18	-	59	226	30	-	38	3	29	6	1	13	23	1	63	81
9	-	23	123	18	-	15	2	12	3	-	8	11	-	26	82
8	-	16	56	7	-	14	-	11	-	1	1	4	-	21	83
1	-	20	47	5	-	9	1	6	3	-	4	8	1	16	84
18	-	51	197	17	-	33	3	26	6	1	6	23	3	61	85
13	-	31	129	8	-	19	3	18	3	-	4	17	3	36	86
5	-	20	68	9	-	14	-	0	3	1	2	6	-	25	87
230	-	531	2,408	199	18	431	18	334	41	8	64	222	16	625	88
4	-	15	89	7	1	14	1	13	4	1	-	8	1	19	89
32	-	59	280	40	5	44	-	29	5	1	2	45	-	98	90







## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

603

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homicide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
6	-	13	33	4	1	8	1	5	-	-	1	3	-	13
10	-	22	109	10	-	28	1	19	4	-	1	12	-	28
3	-	7	38	4	-	4	1	4	-	-	-	4	-	5
2	-	25	33	4	-	12	1	6	-	-	-	2	-	8
3	-	10	40	1	-	7	2	5	-	-	1	3	-	9
28	-	51	362	25	3	66	2	49	1	1	9	22	1	97
115	-	270	1,020	79	6	179	5	150	18	3	36	104	10	275
13	-	35	176	17	1	37	3	41	4	2	7	13	1	37
14	-	26	128	8	1	32	1	13	3	-	7	6	3	38
8	-	29	119	14	1	24	-	25	1	1	9	8	1	52
4	-	7	39	3	-	7	-	7	1	-	2	1	1	22
4	-	22	80	11	1	17	-	18	2	1	7	7	3	30
259	41	1,808	3,538	1,042	118	1,478	148	1,261	124	246	627	795	851	1,661
3	-	19	49	16	-	8	1	17	4	1	4	3	8	13
7	-	62	95	34	6	44	3	21	6	11	23	21	20	44
2	-	12	26	6	-	13	1	4	1	4	5	2	9	10
18	5	67	159	48	2	78	5	67	6	6	3	28	16	55
7	1	34	68	17	-	37	3	25	1	3	3	12	4	29
11	4	33	91	31	2	41	2	42	5	1	8	16	8	26
3	-	21	28	8	-	10	2	7	1	2	3	8	5	19
3	1	16	27	7	4	17	1	6	-	2	6	10	31	21
-	-	22	42	11	1	17	1	7	-	2	6	20	30	23
4	3	28	32	10	3	21	4	11	1	6	3	5	15	8
2	-	7	19	8	2	19	-	8	-	3	3	3	24	24
22	1	125	292	67	10	80	6	142	27	9	65	90	181	115
15	1	72	177	49	6	52	3	79	7	15	28	43	67	60
7	-	53	115	13	4	28	3	63	2	12	39	47	114	55
5	1	32	62	16	-	10	1	8	2	4	12	5	9	27
12	-	45	59	15	-	28	2	23	3	5	5	12	11	22
4	-	25	46	23	3	17	3	32	2	2	9	11	8	22
4	-	24	58	17	1	14	2	16	-	2	11	25	19	31
5	-	28	43	7	1	15	2	7	-	2	10	9	39	29
1	2	40	91	33	2	44	6	44	3	5	16	20	13	32
5	2	25	50	6	6	19	1	19	2	4	8	15	10	18
2	-	25	24	17	-	35	2	12	1	3	10	12	13	16
5	-	25	23	8	2	15	-	7	-	-	5	14	17	38
2	-	11	28	14	3	27	2	3	1	1	5	5	11	8
5	2	73	133	37	4	33	6	60	2	5	22	28	32	68
3	-	27	46	11	1	12	5	18	3	2	5	8	7	30
2	2	46	87	26	3	21	1	42	2	7	17	20	25	39
3	2	33	44	16	1	13	1	13	3	3	5	12	15	40
18	4	110	298	76	6	71	9	122	17	18	40	65	13	127
7	-	42	123	31	2	27	4	54	4	10	20	20	5	61
11	4	68	175	45	4	44	5	68	13	8	20	45	8	66
11	1	42	86	21	1	42	3	20	5	3	19	17	2	22
6	1	14	40	8	-	14	1	11	-	2	4	10	2	6
5	-	28	46	13	1	28	2	9	5	1	15	7	-	14
1	1	6	41	7	-	24	1	10	-	2	5	11	5	48
2	-	54	56	23	1	22	6	53	1	6	13	27	16	34
2	-	8	23	2	1	12	1	2	1	3	3	7	21	11
3	-	26	62	18	-	24	3	13	2	4	5	15	13	26
4	-	14	54	17	3	41	3	25	4	1	5	12	7	52
2	-	43	80	23	1	33	3	20	3	7	5	20	10	35
3	-	27	40	11	1	10	2	10	-	4	8	14	23	11
11	-	42	92	20	-	33	2	26	2	-	18	10	7	32
1	-	8	7	8	1	19	2	8	1	-	2	6	8	13
2	-	42	53	18	2	21	2	19	-	12	13	11	9	21
5	-	34	63	28	6	28	6	42	3	6	14	12	6	22
5	-	32	49	16	1	21	3	18	2	3	19	5	8	21
3	3	40	46	23	1	24	5	13	1	5	13	13	4	21
3	-	64	116	44	1	65	2	52	2	8	29	23	50	49
-	-	16	32	14	-	17	-	17	1	1	7	5	3	62
7	-	48	84	30	1	43	2	35	1	7	22	18	47	36
7	4	30	44	21	1	12	5	15	4	3	9	11	3	20
19	5	128	263	81	13	132	10	96	10	18	45	60	25	267
12	-	92	197	59	9	86	4	68	6	12	28	39	21	153
3	5	36	71	23	4	48	6	18	4	6	17	22	4	114
3	-	16	31	7	-	12	1	2	3	-	10	6	4	3
10	2	111	298	55	6	110	4	81	7	18	44	44	10	117
3	-	30	79	6	3	62	1	32	-	11	4	15	2	37
7	2	81	179	49	3	48	3	49	7	7	40	29	8	80
9	-	53	103	31	8	46	7	30	2	8	16	23	23	44
2	-	16	39	8	-	19	3	13	1	3	9	9	5	18
7	-	37	64	25	6	27	4	17	1	5	7	14	18	25
7	-	28	64	12	5	25	3	15	-	3	12	7	6	19
4	-	28	58	29	1	34	9	17	2	4	11	11	46	43
9	-	59	117	29	5	40	5	28	3	11	18	27	9	55
3	-	14	32	11	2	15	1	7	1	3	7	7	1	19
6	-	45	85	18	3	25	4	21	2	8	11	20	8	36
120	-	543	1,469	254	30	260	15	315	69	6	161	298	227	762
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	3	16	1	-	4	-	2	-	-	-	5	1	3
4	-	17	42	4	-	8	1	7	5	-	4	4	2	19
2	-	10	27	2	-	5	-	7	3	-	4	2	1	13
2	-	7	15	2	-	3	1	-	2	-	-	2	1	6
-	-	1	6	1	-	-	-	-	-	-	1	-	14	3
3	-	12	20	5	-	2	-	4	2	-	2	5	7	8
5	-	10	28	8	1	7	-	9	2	-	4	6	4	20
5	-	36	74	12	1	10	-	23	4	-	6	21	5	40
3	-	23	50	8	1	8	-	17	2	-	3	16	3	19
2	-	13	24	4	-	2	-	6	2	-	3	5	2	21



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephe- litis (acute)	Cancer and other malignant tumors	Acute rheum- atic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
SOUTH DAKOTA—Con.														
1 Brule.....	64	-	-	-	-	-	1	-	-	-	-	-	8	-
2 Buffalo.....	12	-	-	-	-	-	5	-	-	-	-	-	2	-
3 Butte.....	83	-	-	-	-	-	3	-	-	-	1	-	10	-
4 Campbell.....	27	-	-	-	-	-	-	-	-	-	-	-	3	-
5 Charles Mix.....	104	-	-	-	-	-	4	-	-	-	-	-	15	-
6 Clark.....	81	-	-	-	-	-	-	-	-	-	-	-	10	-
7 Clay.....	84	-	-	-	-	-	1	-	-	1	-	-	8	-
8 Codington.....	145	-	-	-	-	-	1	-	-	1	-	1	27	1
9 Watertown.....	111	-	-	-	-	-	1	-	-	1	-	1	19	-
10 Balance of county.....	34	-	-	-	-	-	-	-	-	-	-	-	8	1
11 Corson.....	48	-	-	-	-	-	2	-	-	1	-	-	4	-
12 Custer.....	53	-	-	-	-	-	4	-	-	-	1	-	8	-
13 Davison.....	148	-	-	-	-	-	2	-	-	1	-	-	16	-
14 Mitchell.....	118	-	-	-	-	-	2	-	-	-	-	-	12	-
15 Balance of county.....	30	-	-	-	-	-	-	-	-	1	-	-	4	-
16 Day.....	108	-	-	-	-	-	-	-	-	-	-	-	15	-
17 Deuel.....	60	-	-	-	-	-	1	-	-	-	-	-	15	-
18 Dewey.....	31	-	-	-	-	-	5	-	-	1	-	-	2	-
19 Douglas.....	35	-	-	-	-	-	1	-	-	-	-	-	4	-
20 Edmunds.....	48	-	-	-	-	-	-	-	-	-	-	-	5	-
21 Fall River.....	139	-	-	-	-	-	11	-	-	1	1	-	19	-
22 Faulk.....	42	-	-	-	-	-	1	-	-	-	-	-	6	-
23 Grant.....	75	-	-	-	-	-	-	1	-	-	-	5	12	-
24 Gregory.....	87	-	-	-	-	-	1	-	-	-	-	2	12	-
25 Haakon.....	32	-	-	-	-	-	1	-	-	-	-	-	6	-
26 Hamlin.....	72	-	1	-	-	-	-	-	-	-	-	-	9	-
27 Hand.....	62	-	-	-	-	-	-	-	-	-	-	-	3	-
28 Hanson.....	44	-	-	-	-	-	1	-	-	-	-	-	2	-
29 Harding.....	16	-	-	-	-	-	-	-	-	-	-	1	1	-
30 Hughes.....	78	-	-	-	-	-	5	-	-	-	-	1	8	1
31 Hutchinson.....	85	-	-	-	-	-	-	-	-	-	-	-	14	1
32 Hyde.....	30	-	-	-	-	-	2	-	-	-	-	-	4	-
33 Jackson.....	15	-	-	-	-	-	-	-	-	-	-	-	3	-
34 Jerauld.....	26	-	-	-	-	-	-	-	-	-	-	-	3	-
35 Jones.....	21	-	-	-	-	-	1	-	-	-	-	-	2	-
36 Kingsbury.....	90	-	-	-	-	-	2	-	-	-	-	-	15	-
37 Lake.....	100	-	-	-	1	1	-	-	-	1	-	1	19	-
38 Lawrence.....	151	-	-	-	-	-	8	-	-	2	1	1	14	-
39 Lincoln.....	115	-	-	-	-	-	1	-	-	-	-	1	16	-
40 Lyman.....	40	-	-	-	-	-	1	-	-	-	-	-	5	1
41 McCook.....	66	-	-	-	-	-	-	-	-	-	-	-	12	-
42 McPherson.....	47	-	-	-	-	-	-	-	-	-	-	2	11	-
43 Marshall.....	66	-	-	-	-	-	2	-	-	-	-	-	8	-
44 Meade.....	93	-	-	-	-	-	1	-	-	3	-	2	11	-
45 Mallette.....	35	-	-	-	-	-	6	-	-	-	-	1	3	-
46 Miner.....	46	-	-	-	-	-	-	-	-	-	-	-	12	-
47 Minnehaha.....	530	-	1	-	-	2	7	-	-	3	-	1	70	-
48 Sioux Falls.....	405	-	1	-	-	2	6	-	-	3	-	1	56	-
49 Balance of county.....	125	-	-	-	-	-	1	-	-	-	-	-	14	-
50 Moody.....	96	-	-	-	1	-	-	-	1	-	-	-	19	-
51 Pennington.....	224	-	-	-	-	-	17	-	-	-	1	1	23	-
52 Rapid City.....	178	-	-	-	-	-	16	-	-	-	-	1	15	-
53 Balance of county.....	46	-	-	-	-	-	1	-	-	-	1	-	8	-
54 Perkins.....	67	-	-	-	-	-	-	-	-	-	-	2	10	-
55 Potter.....	34	-	-	-	-	-	-	-	-	1	-	-	6	-
56 Roberts.....	115	-	-	-	-	-	8	-	-	1	-	1	11	-
57 Sanborn.....	29	-	-	-	-	-	1	-	-	-	-	-	3	-
58 Shannon.....	69	-	-	-	-	-	15	-	-	-	-	-	2	-
59 Spink.....	137	-	-	-	-	-	10	-	-	-	-	-	13	-
60 Stanley.....	21	-	-	-	-	-	-	-	-	-	-	-	6	-
61 Sully.....	9	-	-	-	-	-	-	-	-	-	-	-	2	-
62 Todd.....	56	-	-	-	-	-	13	-	-	-	-	-	1	-
63 Tripp.....	65	-	-	-	-	1	1	-	-	-	-	2	8	-
64 Turner.....	111	-	1	-	-	-	2	-	-	1	-	-	17	-
65 Union.....	71	-	-	-	-	-	-	-	-	-	-	-	9	1
66 Walworth.....	55	-	-	-	-	-	-	-	-	-	-	1	12	-
67 Washburn.....	13	-	-	-	-	-	2	-	-	-	-	1	-	-
68 Washington.....	3	-	-	-	-	-	1	-	-	-	-	-	-	-
69 Yankton.....	276	-	-	-	-	1	9	-	-	7	-	-	30	-
70 Ziebach.....	27	-	-	-	-	-	4	-	-	-	1	1	2	-
71 TENNESSEE.....	27,650	20	53	3	51	25	1,631	28	17	266	42	18	2,892	32
72 Anderson.....	296	-	-	-	-	-	9	-	-	2	-	-	39	-
73 Bedford.....	224	1	-	-	1	-	8	-	-	-	1	1	20	-
74 Benton.....	90	-	-	-	-	2	5	-	-	-	-	-	9	2
75 Blount.....	74	-	-	-	-	-	2	-	-	-	-	-	8	-
76 Blount.....	378	-	2	-	-	2	24	-	-	-	-	-	44	1
77 Bradley.....	252	-	-	-	1	1	18	2	1	1	-	-	26	1
78 Cleveland.....	130	-	-	-	1	-	9	1	1	-	-	-	19	-
79 Balance of county.....	122	-	-	-	-	1	9	1	-	1	-	-	7	1
80 Campbell.....	233	-	-	-	-	1	21	-	-	-	-	1	23	-
81 Cannon.....	80	-	1	-	1	-	4	-	-	-	-	-	3	1
82 Carroll.....	240	-	-	-	-	-	13	-	-	-	1	-	27	-
83 Carter.....	298	-	2	-	-	-	11	-	-	-	-	1	25	1
84 Cheatham.....	94	-	-	-	-	-	6	-	-	-	-	-	6	-
85 Chester.....	86	-	-	-	-	-	4	-	-	-	-	-	9	1
86 Claiborne.....	164	-	-	-	-	1	14	-	-	-	-	-	16	-
87 Clay.....	52	-	-	-	-	-	3	-	-	-	-	-	7	-
88 Cooke.....	222	-	-	-	-	1	18	1	-	-	-	-	17	-
89 Coffee.....	188	-	-	-	2	-	17	-	-	-	1	-	12	-
90 Crockett.....	138	-	-	-	-	-	6	-	-	-	2	-	17	-
91 Cumberland.....	103	-	-	-	1	1	3	-	-	1	-	-	11	-
92 Davidson.....	3,024	2	7	-	1	-	176	2	1	41	2	1	316	4
93 Nashville.....	2,149	2	7	-	1	-	98	1	1	12	1	-	236	4
94 Balance of county.....	875	-	-	-	-	-	78	1	-	29	1	1	60	-



## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
2	-	8	20	2	-	5	-	-	-	-	3	4	2	9
-	-	1	1	-	-	1	-	-	-	-	-	1	-	1
1	-	3	24	5	1	2	1	10	3	1	-	5	4	9
-	-	3	8	1	-	1	-	7	-	-	-	3	-	3
1	-	13	19	7	-	4	-	2	1	-	-	3	-	5
2	-	6	20	4	1	5	-	7	1	-	2	7	9	15
2	-	8	27	7	2	10	-	3	1	-	2	12	5	6
1	-	22	35	6	-	15	-	7	5	-	5	2	2	6
1	-	14	29	5	-	12	-	6	3	-	5	5	-	15
-	-	6	6	1	-	3	-	1	2	-	4	5	-	11
1	-	1	6	2	1	2	-	2	1	-	1	-	-	4
1	-	11	7	3	-	5	-	2	1	-	4	5	15	10
2	-	12	42	4	1	1	-	1	5	-	4	3	1	3
2	-	10	35	2	1	1	-	10	4	-	9	13	4	26
-	-	2	7	2	-	-	-	8	4	-	6	10	3	22
1	-	15	30	4	1	3	1	2	1	-	3	3	1	14
4	-	3	11	4	1	4	-	14	3	-	2	4	1	12
2	-	4	13	2	-	1	-	2	1	-	1	2	1	3
1	-	4	17	3	-	2	-	4	2	-	2	4	2	4
3	-	12	34	6	1	7	-	4	1	-	6	4	6	20
1	-	3	17	3	-	1	-	1	1	-	4	4	6	23
2	-	5	22	2	1	7	-	3	-	-	1	2	1	8
3	-	9	17	6	-	2	1	13	1	-	1	5	1	12
-	-	1	10	2	-	4	-	-	-	-	-	3	5	12
1	-	15	19	7	-	2	-	3	-	-	1	3	1	4
2	-	3	16	-	1	7	-	6	2	-	7	3	2	9
1	-	2	17	4	1	2	-	-	2	-	-	4	3	8
1	-	1	4	-	1	3	-	-	-	-	-	1	1	10
1	-	7	22	1	-	5	-	8	-	-	-	1	2	1
1	-	8	17	4	-	2	-	9	4	-	1	4	1	14
1	-	4	8	3	-	-	-	1	1	-	-	5	4	16
1	-	1	7	-	-	1	-	2	-	-	-	1	-	6
1	-	3	9	2	-	2	1	-	-	-	-	-	1	35
4	-	1	7	-	1	2	-	3	-	-	-	-	4	-
1	-	8	25	5	-	3	-	3	-	-	4	6	-	23
3	-	15	45	5	-	5	1	4	2	1	6	2	2	19
4	-	21	24	3	-	8	-	6	1	-	4	7	4	34
1	-	3	15	-	-	3	1	2	-	-	2	2	2	14
2	-	8	14	1	1	2	-	5	-	-	3	4	3	20
1	-	1	13	1	1	1	-	4	-	-	-	1	2	7
1	-	5	26	7	-	3	1	4	2	1	2	2	-	6
1	-	31	31	1	-	7	-	4	1	1	-	3	8	10
-	-	6	6	4	-	2	-	1	-	-	1	1	5	3
1	-	5	14	-	-	5	2	-	3	-	1	2	1	3
13	-	61	152	26	2	24	-	33	8	-	23	34	12	99
8	-	45	119	20	1	13	-	23	7	-	18	19	8	47
5	-	16	35	6	1	11	-	10	1	-	4	5	4	14
5	-	8	20	4	-	9	-	4	2	-	1	2	3	17
9	-	30	52	7	-	9	1	6	2	-	10	16	9	51
6	-	24	47	6	-	6	1	6	1	-	6	12	8	32
2	-	6	5	1	-	2	-	-	1	-	4	6	1	7
1	-	7	19	2	-	3	1	2	-	-	4	2	2	13
1	-	4	8	3	-	7	-	2	-	-	2	1	-	7
1	-	9	36	9	-	9	-	8	2	-	4	3	3	12
-	-	1	10	3	-	1	-	2	-	-	1	2	-	5
1	-	2	3	9	4	1	1	10	-	1	1	4	13	1
1	-	10	40	5	1	2	-	13	-	-	5	6	-	23
1	-	1	6	-	-	1	-	1	-	-	-	2	-	3
1	-	2	1	-	1	1	-	-	1	-	-	1	-	61
1	-	2	3	2	1	-	-	2	-	-	-	3	22	6
3	-	6	17	3	-	6	1	4	2	-	2	4	1	6
2	-	11	37	1	1	2	-	4	-	-	4	7	3	14
1	-	9	17	6	-	-	-	3	-	-	2	10	2	12
1	-	1	16	1	-	2	-	4	-	-	1	5	1	10
-	-	-	4	1	-	-	-	-	-	-	-	-	3	2
-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
7	-	18	82	10	-	14	-	11	2	-	4	17	13	51
-	-	1	9	2	-	-	-	-	-	-	1	1	2	3
394	60	2,782	6,521	1,751	233	1,655	142	1,823	250	389	676	1,243	1,762	2,931
9	1	14	46	25	2	12	6	48	3	6	9	11	17	37
5	-	25	47	13	2	36	3	11	1	1	6	9	15	19
-	-	6	26	9	-	1	-	2	-	-	4	2	15	7
-	-	6	13	7	-	3	-	11	1	1	1	3	10	8
9	1	40	92	27	2	17	1	37	1	3	4	20	14	37
3	1	26	50	16	1	12	-	29	6	8	9	17	8	22
2	1	10	31	5	-	7	-	12	-	6	6	6	3	11
1	1	16	19	13	1	5	-	17	-	-	2	11	5	11
1	1	20	42	18	2	17	-	24	1	8	9	13	7	24
-	-	9	24	5	-	-	-	5	2	2	-	5	11	6
5	3	24	59	9	2	34	2	17	2	3	3	7	15	16
3	1	24	71	24	-	14	2	43	2	4	8	11	14	25
1	-	7	22	6	1	4	-	7	6	-	4	5	8	12
1	-	10	15	6	-	9	1	7	2	2	1	4	4	11
1	1	13	55	12	6	2	3	3	2	-	4	6	10	17
3	1	4	15	-	-	1	-	2	-	3	3	2	7	6
4	2	21	40	14	-	21	2	20	1	3	10	14	19	23
-	-	20	30	4	1	16	1	6	1	1	6	9	2	16
-	-	7	14	6	-	6	-	6	1	1	4	4	15	21
58	3	285	723	171	22	173	6	163	35	67	86	121	188	370
43	2	204	522	124	13	132	3	136	20	51	70	103	115	248
15	1	81	201	47	9	41	3	27	15	16	16	18	73	122



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	38	45-55	58
TENNESSEE--Continued														
1 Decatur	84	-	-	-	-	-	6	-	-	-	-	-	7	-
2 De Kalb	109	-	-	-	-	-	14	-	-	1	-	-	17	-
3 Dickson	181	-	-	-	1	-	23	1	-	1	-	-	25	-
4 Dyer	299	-	-	-	1	-	10	1	1	3	-	1	22	-
5 Dyersburg	105	-	-	-	-	-	3	-	1	1	-	1	7	-
6 Balance of county	194	-	-	-	1	-	7	1	1	2	-	-	15	-
7 Fayette	251	2	-	-	-	1	5	1	-	1	1	-	19	-
8 Fontenelle	77	-	-	-	1	-	5	-	-	1	-	1	8	-
9 Franklin	207	-	-	-	5	-	12	1	-	-	1	-	28	1
10 Gibson	426	-	1	-	1	1	19	1	2	-	-	-	51	-
11 Giles	266	-	-	-	-	-	15	1	1	-	-	-	29	-
12 Grainger	125	-	1	-	-	-	17	-	-	-	-	-	16	-
13 Greene	349	-	1	-	-	1	22	-	-	2	1	-	21	-
14 Grundy	101	-	-	-	1	-	4	-	-	-	-	-	10	-
15 Hamblen	210	-	1	-	-	-	17	-	-	2	-	-	13	-
16 Hamilton	1,965	-	7	-	-	2	133	-	-	19	2	1	215	3
17 Chattanooga	1,527	-	6	-	-	-	99	-	-	17	2	-	164	3
18 Balance of county	438	-	1	-	-	2	34	-	-	2	-	1	51	-
19 Hancock	86	1	1	-	-	-	10	-	-	-	-	-	5	-
20 Hardeman	427	-	-	-	-	-	27	-	-	34	-	-	26	-
21 Hardin	103	-	-	-	-	-	9	-	1	-	1	-	16	-
22 Hawkins	225	1	-	-	-	-	14	-	-	-	-	1	23	-
23 Haywood	250	-	1	-	-	-	26	-	-	5	1	1	13	-
24 Henderson	129	-	-	-	-	-	6	-	-	1	-	1	12	-
25 Henry	288	-	-	-	1	-	14	-	1	2	-	-	28	-
26 Hickman	114	-	1	-	-	-	7	-	-	-	-	-	17	-
27 Houston	45	-	-	-	-	-	6	-	-	-	-	-	8	-
28 Humphreys	71	-	-	-	-	-	6	-	-	-	1	-	4	-
29 Jackson	118	-	-	-	1	-	12	-	-	1	1	-	20	-
30 Jefferson	160	-	-	-	-	1	14	-	-	1	-	-	18	-
31 Johnson	90	-	-	-	-	-	2	-	-	1	-	-	7	1
32 Knox	2,027	1	5	-	2	3	98	2	1	40	-	1	212	4
33 Knoxville	1,222	1	5	-	1	1	39	-	-	13	-	1	139	3
34 Balance of county	805	-	-	-	1	2	59	2	1	27	-	-	73	1
35 Lake	86	-	1	-	-	-	3	-	-	1	-	-	5	-
36 Lauderdale	204	-	1	-	2	-	13	-	-	1	-	-	29	-
37 Lawrence	192	1	-	1	-	-	13	-	-	-	1	-	27	-
38 Lewis	42	-	-	-	2	-	3	-	-	-	-	-	6	-
39 Lincoln	280	-	3	-	1	-	15	-	1	-	1	-	28	1
40 Loudon	183	-	-	1	-	-	12	-	-	2	-	-	15	-
41 McMinn	270	-	-	-	1	1	13	1	-	3	-	-	22	1
42 McNairy	156	-	-	-	-	-	7	1	-	-	-	-	26	-
43 Macon	122	1	-	-	1	-	13	-	-	-	-	-	14	-
44 Madison	550	-	1	-	1	1	33	1	-	5	2	-	64	-
45 Jackson	340	-	1	-	1	-	24	-	-	3	1	-	42	-
46 Balance of county	210	-	-	-	-	1	9	1	-	2	1	-	22	-
47 Marion	144	-	-	-	-	1	5	-	-	-	-	1	17	-
48 Marshall	193	-	-	-	-	-	14	-	-	1	-	2	15	-
49 Maury	405	-	-	-	-	-	14	1	-	2	3	-	44	1
50 Columbia	126	-	-	-	-	-	9	-	-	2	1	-	9	-
51 Balance of county	279	-	-	-	-	-	5	1	-	-	2	-	35	1
52 Meigs	44	1	-	-	-	-	2	-	-	-	-	-	3	1
53 Monroe	210	-	-	-	-	-	19	-	-	1	-	-	20	1
54 Montgomery	332	1	-	-	1	-	18	-	-	1	-	-	22	-
55 Clarksville	156	-	-	-	-	-	7	-	-	1	-	-	9	-
56 Balance of county	176	1	-	-	1	-	11	-	-	-	-	-	13	-
57 Moore	41	-	-	-	-	-	-	-	-	-	-	-	8	-
58 Morgan	89	-	-	-	-	-	4	-	1	-	-	-	4	-
59 Obion	280	-	-	-	-	-	9	-	-	-	-	-	28	-
60 Overton	87	-	-	-	-	-	8	-	-	-	-	-	8	-
61 Perry	52	-	-	-	1	-	4	-	-	-	1	-	6	-
62 Pickett	23	-	-	-	1	-	2	-	-	-	-	-	1	-
63 Polk	114	-	1	-	2	-	7	-	-	-	-	-	9	-
64 Putnam	166	-	-	1	1	-	17	-	-	-	2	-	11	-
65 Rhea	124	-	-	-	3	-	9	-	-	1	-	-	14	-
66 Rhea	231	-	1	-	3	-	15	-	-	-	-	-	20	-
67 Robertson	267	-	1	-	1	-	17	-	1	1	3	-	24	1
68 Rutherford	397	-	-	-	-	-	12	1	-	16	1	-	39	-
69 Scott	116	2	-	-	1	1	6	1	-	-	1	-	11	-
70 Sequatchie	23	-	-	-	-	-	2	-	-	-	-	-	2	-
71 Sevier	194	1	1	-	-	-	9	-	-	1	1	-	15	1
72 Shelby	4,003	-	6	-	3	1	227	4	4	51	2	4	415	1
73 Memphis	3,181	-	5	-	2	1	176	3	2	39	1	3	336	1
74 Balance of county	822	-	1	-	1	-	51	1	2	12	1	1	79	-
75 Smith	109	-	-	-	-	-	10	-	-	-	-	-	7	-
76 Stewart	86	-	-	-	-	-	5	-	-	-	1	-	9	-
77 Sullivan	536	2	2	-	-	1	25	1	1	2	1	-	53	1
78 Bristol	123	-	1	-	-	-	3	-	-	-	-	-	10	-
79 Kingsport	139	1	-	-	-	-	6	-	-	1	-	-	17	-
80 Balance of county	274	1	1	-	-	1	14	1	1	1	1	-	26	1
81 Sumner	273	-	-	-	-	-	10	2	-	1	1	-	33	-
82 Tipton	205	-	-	-	-	-	2	1	-	4	-	-	24	-
83 Trousdale	56	-	-	-	-	-	4	-	-	1	-	-	7	-
84 Union	116	-	1	-	-	-	4	-	-	-	-	-	12	-
85 Union	62	1	-	-	-	-	2	1	-	-	-	-	7	-
86 Van Buren	31	-	-	-	1	-	-	-	-	-	-	-	3	-
87 Warren	183	1	-	-	-	-	13	-	-	-	-	-	22	-
88 Washington	479	-	-	-	2	-	24	-	-	8	-	-	58	-
89 Johnson City	244	-	-	-	1	-	12	-	-	8	-	-	27	-
90 Balance of county	235	-	-	-	1	-	12	-	-	-	-	-	31	-
91 Wayne	101	-	-	-	-	-	11	-	-	-	1	-	13	1
92 Weakley	289	-	-	-	-	-	17	-	-	-	-	-	37	1
93 White	137	1	-	-	1	1	14	-	-	-	-	-	10	-
94 Williamson	232	-	1	-	-	-	9	-	-	2	3	-	28	1
95 Wilson	236	-	1	-	1	-	12	-	-	1	-	-	32	-

\*Includes data for Bristol, Tenn., only.



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

607

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enter- itis, and ulcer- ation of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes
61	69	83	90-95	107- 109,33	119,120	130-132	140-150	157-161	163,164	165-168	170	169, 171-195	162, 199,200	
1	-	12	15	7	-	2	1	5	-	1	2	6	11	8
-	-	5	44	7	-	4	1	2	-	-	-	3	2	9
2	1	15	39	11	1	15	2	6	-	1	3	6	15	11
3	1	24	76	17	1	34	3	24	-	4	10	14	18	31
-	-	7	26	3	-	11	1	12	-	2	8	5	5	12
3	1	17	50	14	1	23	2	12	-	2	2	9	13	19
2	-	13	42	29	3	20	4	14	-	3	8	10	35	20
1	-	12	20	4	-	5	-	4	-	-	4	4	5	3
3	1	26	39	21	2	9	-	15	2	-	1	12	8	20
5	-	45	105	27	2	45	1	33	1	5	12	21	15	35
4	-	30	56	19	1	22	1	14	7	4	8	12	15	27
2	-	12	28	5	-	7	-	-	1	1	2	4	16	13
5	1	37	108	21	4	13	4	27	-	2	12	16	22	29
2	1	8	22	4	1	10	-	9	2	-	3	9	8	7
-	-	26	38	19	-	11	2	17	2	3	14	11	12	22
25	3	187	447	153	22	109	4	141	17	42	52	98	87	196
21	1	142	354	116	17	90	3	98	13	40	39	78	70	154
4	2	45	93	37	5	19	1	43	4	2	13	20	17	42
-	-	6	12	5	-	4	-	-	1	1	-	6	9	19
3	-	28	62	32	1	23	3	10	1	2	7	14	52	102
-	-	13	31	5	1	10	-	1	1	1	3	3	10	6
8	2	23	43	20	-	8	3	14	-	1	11	14	23	18
1	-	20	38	15	2	29	5	11	1	2	6	9	45	20
3	-	19	35	4	-	7	-	11	1	1	3	5	9	8
3	-	38	92	13	-	14	2	11	1	1	5	10	9	23
-	-	7	18	13	1	10	-	8	-	2	2	5	4	19
1	-	5	6	5	-	2	-	1	1	1	-	2	7	1
1	-	10	15	4	2	2	-	4	2	1	1	6	7	5
1	-	6	22	18	2	4	-	3	3	-	5	9	4	6
1	-	18	24	7	-	6	-	13	1	1	6	10	15	24
2	-	8	19	13	-	10	1	5	-	-	4	3	10	4
30	4	156	588	109	25	119	8	132	18	38	31	87	76	257
22	1	87	339	82	15	74	5	103	11	33	16	59	43	149
8	3	69	249	47	10	45	3	29	7	5	15	28	33	68
1	-	6	14	3	-	3	1	10	-	4	3	8	7	14
2	-	17	27	14	1	18	-	12	4	4	5	11	17	26
4	-	10	52	2	1	15	3	12	3	1	7	8	13	19
-	-	5	6	1	1	4	-	3	-	2	1	1	2	5
1	1	33	61	14	3	13	3	9	5	2	1	15	26	23
2	3	18	49	13	-	11	2	8	-	1	5	10	13	18
3	-	28	71	21	3	19	4	21	3	2	6	9	11	27
4	1	24	27	9	2	4	1	8	1	1	3	10	13	14
1	1	13	23	8	-	9	1	5	1	-	1	2	20	8
11	-	72	123	27	6	33	1	35	4	6	10	23	37	54
10	-	43	77	16	1	17	1	19	2	4	4	15	20	39
1	-	29	46	11	5	16	-	16	2	2	6	8	17	15
1	-	17	24	9	3	10	-	13	1	1	7	8	15	11
5	-	30	47	9	2	10	1	13	3	3	3	16	6	13
6	-	69	107	25	1	28	1	22	4	7	4	10	13	43
1	-	18	34	7	1	6	-	10	1	4	-	4	6	13
5	-	51	73	18	-	22	1	12	3	3	4	6	7	30
-	1	3	8	2	1	-	1	4	-	1	3	5	3	5
6	-	23	37	24	2	7	-	20	1	4	5	7	13	20
8	2	39	90	23	2	18	-	22	1	2	13	21	15	53
3	1	24	50	15	-	9	-	11	1	2	-	8	3	12
5	1	15	40	8	2	9	-	11	-	-	13	13	12	21
-	-	5	14	3	-	1	1	1	-	-	-	3	1	4
-	-	12	18	10	-	11	-	3	-	1	3	3	11	8
-	-	45	81	20	1	15	2	11	3	2	9	20	15	29
1	-	6	18	5	-	6	-	4	-	3	2	3	7	6
1	-	6	5	5	-	6	-	-	-	-	4	1	5	7
-	-	2	2	2	-	2	1	1	-	-	-	2	2	5
-	-	11	22	9	1	5	1	7	5	2	6	6	11	9
1	-	29	33	12	-	8	2	11	3	-	6	9	6	16
-	-	10	21	7	4	12	1	5	-	6	6	5	5	15
3	1	24	41	20	8	30	-	24	1	4	6	8	5	17
5	2	36	81	9	1	28	-	12	3	-	1	9	-	27
7	-	43	99	23	2	14	3	21	7	6	7	21	17	48
-	-	6	20	11	2	4	-	12	-	3	4	6	16	9
-	-	5	6	1	-	2	-	-	-	-	2	1	-	2
2	2	16	25	17	6	16	5	18	2	2	6	10	14	14
67	5	405	990	205	50	197	18	276	35	55	77	152	257	485
58	4	295	821	164	39	154	12	214	27	49	64	113	188	412
9	1	112	169	42	11	43	6	62	8	6	13	39	69	83
2	1	14	19	2	1	11	-	10	-	1	5	2	14	10
2	1	5	21	3	-	4	-	3	1	-	1	5	10	15
11	-	45	123	39	5	28	4	52	5	9	15	29	55	77
2	-	14	34	2	1	4	1	9	1	3	5	6	6	21
4	-	15	21	9	-	6	1	20	1	2	6	7	8	12
5	-	16	68	28	2	18	2	23	3	4	4	16	15	22
3	-	43	72	20	1	12	-	12	5	2	5	12	9	23
1	-	18	50	12	-	6	-	18	2	5	2	8	25	27
1	1	2	14	2	-	11	-	3	-	-	1	1	2	6
3	-	8	31	8	1	7	1	6	2	1	4	5	8	14
1	-	5	20	6	-	2	1	3	1	-	1	2	6	3
-	-	1	8	-	1	-	-	1	-	-	-	3	11	2
1	-	19	47	7	2	3	1	16	1	1	4	8	25	12
7	1	40	138	37	1	21	4	32	4	2	7	19	20	46
3	-	25	78	20	1	9	1	12	-	-	5	10	7	25
4	1	23	60	17	-	12	3	20	4	2	2	9	13	21
1	2	8	15	6	-	7	-	8	-	2	5	8	7	6
-	1	41	71	15	1	24	4	13	6	4	3	11	15	25
1	-	14	43	8	1	4	1	8	-	2	6	6	13	3
3	1	26	59	17	2	9	1	16	2	5	7	14	7	19
-	2	30	59	11	2	18	1	8	6	1	6	10	15	20



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
1 TEXAS-----	59,706	48	58	7	92	108	2,923	252	63	640	86	102	6,424	54
2 Anderson-----	337	-	-	-	-	2	14	-	-	4	-	2	26	-
33 Palestine-----	176	-	-	-	-	-	8	-	-	4	-	1	17	-
4 Balance of county-----	161	-	-	-	-	2	6	-	-	-	-	1	9	-
5 Andrews-----	14	-	-	-	-	-	1	-	-	-	-	-	1	-
6 Angelina-----	269	1	-	-	-	-	9	1	2	-	-	1	27	-
7 Aransas-----	29	-	-	-	-	-	2	-	-	-	-	-	1	-
8 Archer-----	46	-	-	-	-	-	1	-	-	-	-	-	1	-
9 Armstrong-----	11	-	-	-	-	-	1	-	-	-	-	1	1	-
10 Atascosa-----	162	-	-	-	1	2	14	3	-	-	-	-	11	-
11 Austin-----	156	1	1	-	-	-	3	-	-	1	-	-	17	-
12 Bailey-----	36	-	-	-	-	-	-	1	-	2	-	-	3	-
13 Bandera-----	35	-	-	-	-	-	3	-	-	-	-	-	3	-
14 Bastrop-----	220	-	-	-	1	-	6	-	1	5	-	-	28	1
15 Baylor-----	52	-	-	-	-	-	12	1	-	2	-	-	7	-
16 Bee-----	191	-	-	-	4	1	17	1	-	1	2	3	56	-
17 Bell-----	467	-	1	-	1	2	8	1	-	-	-	1	20	-
18 Temple-----	169	-	-	-	-	-	9	-	-	-	-	2	36	-
19 Balance of county-----	278	-	1	-	1	2	7	-	-	1	2	2	428	3
20 Bexar-----	4,086	1	7	-	10	7	352	9	1	59	9	14	397	2
21 San Antonio-----	5,494	1	8	-	10	6	300	7	1	24	7	13	41	1
22 Balance of county-----	592	-	1	-	-	1	52	2	-	35	2	-	2	-
23 Blanco-----	51	-	-	-	1	-	-	-	-	-	-	-	1	-
24 Borden-----	5	-	-	-	-	-	5	-	-	-	-	-	14	-
25 Bosque-----	159	-	-	-	-	1	15	-	1	3	2	1	54	-
26 Bowie-----	472	4	-	-	-	1	10	-	-	1	1	-	30	-
27 Comanche-----	235	2	-	-	-	-	5	-	1	2	1	1	24	-
28 Balance of county-----	259	-	-	-	-	1	11	1	-	2	-	-	24	-
29 Comstock-----	264	-	1	1	-	2	10	2	-	-	-	1	21	-
30 Comstock-----	249	-	-	-	1	2	5	2	-	-	-	-	7	-
31 Bryan-----	141	-	-	-	1	2	5	2	-	-	-	1	14	-
32 Balance of county-----	108	-	-	-	-	2	6	1	-	1	-	-	7	-
33 Brewster-----	70	-	-	-	-	-	1	-	-	-	-	1	2	-
34 Briscoe-----	25	-	-	-	-	-	5	-	-	-	-	-	7	-
35 Brooks-----	63	1	-	-	1	-	4	-	-	1	-	1	31	-
36 Brown-----	252	-	-	-	-	-	3	-	-	1	-	-	20	-
37 Brownwood-----	171	-	-	-	-	-	1	-	-	1	-	-	11	-
38 Balance of county-----	81	-	-	-	-	-	7	1	-	-	-	-	18	1
39 Burleson-----	128	-	-	-	-	-	4	-	-	1	-	-	11	-
40 Burnet-----	79	-	-	-	-	-	23	2	-	1	-	-	26	-
41 Caldwell-----	254	-	-	-	1	-	5	1	-	1	-	-	8	-
42 Calhoun-----	56	-	-	-	-	-	4	-	-	-	-	-	8	-
43 Callahan-----	90	-	-	-	-	-	74	33	2	9	7	-	35	-
44 Cameron-----	1,094	2	4	-	4	3	32	4	-	2	1	-	32	-
45 Brownsville-----	347	1	1	-	1	2	16	7	-	-	-	-	18	-
46 Harlingen-----	210	-	-	-	-	1	26	22	2	7	6	-	35	-
47 Balance of county-----	527	1	3	-	1	1	5	-	-	1	-	-	7	-
48 Camp-----	81	-	-	-	-	-	1	-	-	-	-	-	4	-
49 Carson-----	45	-	-	-	-	-	10	-	-	-	-	-	22	-
50 Cass-----	213	-	-	-	-	-	-	-	-	-	-	-	1	-
51 Castro-----	10	-	-	-	-	-	-	1	-	1	-	-	4	-
52 Chambers-----	46	-	-	-	-	-	50	3	3	39	1	-	47	-
53 Cherokee-----	508	1	1	-	-	-	2	-	-	1	-	-	7	-
54 Childress-----	98	-	-	-	-	-	2	-	-	1	-	-	12	-
55 Clay-----	73	-	-	-	-	-	2	-	-	1	-	-	7	-
56 Cochran-----	25	-	-	-	-	-	1	-	-	-	-	-	22	-
57 Coke-----	17	-	-	-	-	-	2	-	-	-	-	-	33	-
58 Coleman-----	140	1	-	-	-	-	3	-	-	1	-	-	7	-
59 Collin-----	349	-	-	-	-	1	15	-	-	-	-	-	21	-
60 Collingsworth-----	69	-	-	-	-	-	3	1	-	2	1	-	14	-
61 Colorado-----	165	-	-	-	-	-	11	-	-	-	-	-	28	1
62 Comal-----	157	-	-	-	3	-	3	-	-	-	-	-	7	-
63 Comanche-----	154	-	-	-	-	-	3	-	-	-	-	-	27	-
64 Concho-----	50	1	-	-	-	-	4	-	-	-	-	-	14	-
65 Cooke-----	180	-	-	-	-	-	1	-	-	-	-	-	5	-
66 Coryell-----	135	-	-	-	-	-	-	-	-	-	-	-	1	-
67 Cottle-----	49	-	-	-	1	-	-	-	-	2	3	1	5	-
68 Crane-----	14	-	-	-	-	-	-	-	-	-	-	-	1	-
69 Crockett-----	14	-	-	-	-	-	-	-	-	-	-	-	2	-
70 Crosby-----	48	-	-	-	-	1	-	-	-	-	-	-	2	-
71 Culberson-----	11	-	-	-	-	-	1	-	-	-	-	-	5	-
72 Dallam-----	59	-	-	-	-	-	1	-	-	-	-	2	5	-
73 Dallas-----	4,236	2	5	1	1	1	172	2	1	31	-	9	486	5
74 Dallas-----	5,262	2	5	-	1	-	132	2	1	28	-	7	575	3
75 Highland Park-----	99	-	-	-	-	-	2	-	-	-	-	-	11	-
76 University Park-----	113	-	-	-	-	-	-	-	-	-	-	-	22	-
77 Balance of county-----	762	-	-	1	-	1	37	-	-	3	-	1	77	2
78 Dawson-----	121	-	1	-	-	1	3	-	-	-	-	-	11	-
79 Deaf Smith-----	57	-	-	-	-	-	-	-	-	-	-	-	6	-
80 Delta-----	59	-	-	-	-	-	-	-	-	1	-	-	7	-
81 Denton-----	298	1	1	-	-	-	6	2	-	-	-	-	32	-
82 Denton-----	135	1	-	-	-	-	1	-	-	-	-	-	14	-
83 Balance of county-----	163	-	1	-	-	-	5	2	-	-	-	-	18	-
84 De Witt-----	248	1	-	-	-	1	10	-	-	1	2	-	25	-
85 Dickinson-----	49	-	-	-	-	-	10	-	-	-	-	-	7	1
86 Dimmit-----	92	-	-	-	1	-	1	3	-	-	3	-	7	-
87 Donley-----	55	-	-	-	-	-	2	-	-	-	-	-	7	-
88 Duval-----	112	-	-	-	1	1	15	2	-	1	-	-	10	-
89 Eastland-----	259	-	-	-	-	-	9	-	-	1	-	-	40	-
90 Ector-----	145	-	1	-	-	-	7	-	-	1	-	-	15	-
91 Edwards-----	20	1	-	-	-	-	-	-	-	1	1	-	3	-
92 Ellis-----	461	-	1	-	-	-	17	1	-	3	-	1	65	-
93 El Paso-----	1,527	1	4	-	4	2	120	3	-	12	9	3	142	3
94 El Paso-----	1,209	-	2	-	3	2	102	1	-	11	7	-	120	3
95 Balance of county-----	318	1	2	-	1	-	18	2	-	1	2	3	22	-

<sup>a</sup>Includes data for Texarkana, Tex., only.



## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-169	170	169, 171-195	182, 189, 200		
904	147	5,032	14,039	3,155	1,007	3,133	295	4,485	632	805	1,921	3,348	2,720	7,328	1
6	3	25	114	9	1	11	1	12	2	6	6	27	21	45	2
-	-	7	75	3	-	8	-	9	-	4	3	20	6	24	3
6	3	18	39	6	1	3	1	3	2	2	3	7	15	21	4
-	-	-	2	-	-	1	-	2	-	1	2	2	-	2	5
2	3	18	74	9	2	17	-	20	3	7	6	26	6	34	6
2	-	2	7	3	2	4	-	-	1	-	1	1	1	2	7
3	-	5	16	3	-	3	-	3	-	-	-	2	5	4	8
-	-	-	5	-	-	-	-	-	-	-	-	2	-	1	9
5	-	16	35	20	4	4	1	15	2	2	3	7	6	11	10
2	-	17	52	8	-	8	-	9	3	2	-	-	4	21	11
-	-	2	13	2	-	-	-	2	1	-	4	1	-	5	12
1	-	7	8	4	-	2	-	2	-	1	2	-	1	1	13
3	-	20	56	-	-	13	1	18	-	1	8	15	7	30	14
-	-	8	12	4	-	5	-	2	2	-	-	5	1	6	15
2	1	19	34	7	3	9	2	13	2	3	4	8	10	29	16
9	-	39	123	15	4	22	3	35	5	4	15	34	24	53	17
3	-	21	47	7	-	10	1	20	1	1	1	12	12	23	18
6	-	18	76	6	4	12	2	15	4	3	14	22	12	30	19
67	5	281	874	242	119	204	21	335	39	53	118	179	164	485	20
50	2	232	731	215	109	161	21	313	32	50	99	143	140	422	21
7	3	49	143	27	10	43	-	22	7	3	19	36	34	63	22
1	-	5	11	-	-	14	-	1	1	-	2	3	4	7	23
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
1	5	10	35	6	1	11	1	9	2	-	6	9	4	25	25
5	5	40	98	19	3	32	4	21	3	11	22	41	27	63	26
-	1	20	52	8	1	14	2	11	2	7	11	16	10	28	27
3	-	20	46	11	2	18	2	10	1	4	11	25	17	35	28
3	-	24	58	16	4	15	4	24	5	5	13	17	21	36	29
2	-	30	55	22	6	26	3	18	-	1	6	9	7	26	30
2	-	18	33	9	3	19	2	11	-	1	4	5	4	13	31
1	-	12	22	13	3	7	1	7	-	-	2	4	3	13	32
-	-	2	11	2	5	1	1	8	-	3	-	10	-	10	33
1	2	4	4	4	1	2	-	1	-	-	3	4	-	2	34
1	6	11	11	4	1	2	2	4	-	-	3	2	3	11	35
6	1	29	76	10	1	8	2	13	3	1	10	10	6	39	36
3	3	15	57	5	1	5	2	6	2	1	7	8	4	30	37
2	1	14	19	5	-	3	-	7	1	-	3	2	2	9	38
3	-	8	57	2	2	6	-	5	2	3	5	7	14	8	39
5	-	8	22	1	-	3	-	1	1	2	3	5	4	9	40
2	1	19	58	14	9	16	2	18	1	1	8	14	4	32	41
-	-	3	18	3	-	1	-	2	-	-	1	6	2	4	42
9	-	5	36	3	1	4	4	2	-	-	1	5	3	14	43
3	-	13	138	98	87	22	8	86	7	12	38	52	128	119	44
3	-	18	50	34	38	10	3	19	2	7	4	11	31	43	45
3	1	12	26	15	15	7	2	17	1	1	6	9	21	25	46
3	1	13	62	51	34	5	3	50	4	4	28	32	76	51	47
3	-	7	28	4	-	-	-	8	-	1	-	8	1	7	48
5	-	2	12	1	-	3	-	4	1	1	3	3	1	7	49
-	-	26	62	6	-	11	1	12	3	3	6	12	10	24	50
-	-	2	1	-	1	-	-	-	-	-	2	1	-	2	51
5	5	4	16	4	-	2	-	2	1	1	-	5	1	4	52
1	1	66	101	22	4	31	1	17	1	4	11	19	17	62	53
2	-	7	19	4	1	4	-	11	1	3	2	10	6	17	54
-	-	21	5	5	-	5	1	7	1	1	1	1	-	7	55
1	1	6	9	1	-	1	-	1	-	-	-	2	-	-	56
1	1	18	34	7	-	11	1	-	-	-	2	1	-	1	57
5	-	42	115	13	-	19	1	7	-	1	7	6	4	18	58
1	1	8	17	3	2	12	-	6	1	5	7	14	15	39	59
3	1	23	47	6	1	2	-	3	1	1	-	3	4	11	60
3	-	18	29	9	10	12	3	3	3	1	1	9	9	18	61
1	-	13	49	6	-	6	-	14	3	7	-	8	5	21	62
1	-	2	11	3	1	8	1	3	2	-	9	8	3	19	63
3	1	20	39	10	-	11	-	7	-	1	3	2	3	6	64
-	-	17	40	4	-	9	-	4	2	2	6	11	14	26	65
-	-	5	15	1	-	2	-	8	3	1	8	3	11	18	66
1	-	3	1	-	-	-	1	4	-	-	2	5	1	1	67
-	-	1	3	-	-	-	-	2	-	-	2	-	-	3	68
-	-	1	22	3	-	4	-	2	1	1	2	-	-	3	69
-	-	1	-	-	-	-	-	2	-	-	3	-	-	5	70
-	-	2	8	1	2	7	-	8	3	1	3	3	-	-	71
77	6	379	1,160	166	65	188	14	335	55	104	103	218	74	557	72
58	4	298	894	154	52	152	12	270	40	83	65	163	52	429	73
-	-	13	40	2	-	3	-	6	2	4	2	2	-	11	74
1	-	10	38	3	1	3	-	7	2	2	2	2	-	15	75
18	1	58	188	27	12	30	2	7	2	2	4	4	1	15	76
-	-	12	28	1	2	3	1	72	11	15	34	49	21	102	77
-	-	-	12	1	2	3	-	18	3	1	4	13	3	17	78
2	-	7	15	2	2	3	1	3	2	-	7	4	2	10	79
11	2	37	83	10	-	9	-	7	-	-	1	6	3	8	80
6	-	17	38	4	-	3	1	15	5	1	13	21	11	37	81
5	2	45	45	6	-	8	-	8	-	1	9	9	7	17	82
3	-	24	69	14	4	14	1	7	5	-	4	12	4	20	83
2	-	4	11	2	1	3	1	16	2	1	9	7	15	29	84
1	-	2	12	20	2	1	1	3	-	-	3	3	1	7	85
2	-	9	16	1	3	3	-	11	-	-	3	1	4	20	86
-	-	8	18	6	4	9	-	2	1	-	1	3	2	6	87
2	-	25	79	14	1	9	-	6	2	-	3	5	7	14	88
-	-	6	15	4	2	3	1	9	3	-	12	14	12	27	89
-	-	1	5	-	-	1	-	31	3	3	12	24	7	10	90
7	1	50	121	34	2	21	4	-	-	-	1	2	2	1	91
18	-	77	266	131	48	64	10	29	-	5	13	27	17	42	92
17	-	67	244	99	36	59	9	130	26	8	50	76	94	206	93
1	-	10	42	32	12	6	1	96	22	5	28	44	62	171	94
								34	4	3	22	32	32	35	95



TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
TEXAS—Continued														
1. Erath	185	-	-	-	-	-	7	-	-	1	-	-	20	-
2. Falls	269	-	-	-	2	1	13	2	-	3	-	-	38	1
3. Fannin	313	-	-	-	-	1	2	-	3	1	-	-	41	-
4. Fayette	246	-	1	-	-	-	2	1	-	5	-	-	32	1
5. Fisher	66	-	-	-	-	-	3	-	-	-	-	-	5	-
6. Floyd	49	-	-	-	-	-	-	-	-	-	-	-	9	1
7. Foard	42	-	-	-	-	-	1	-	-	-	-	-	5	-
8. Fort Bend	246	-	-	-	-	1	20	4	-	-	1	-	21	-
9. Franklin	45	-	-	-	-	-	1	-	-	-	-	-	6	-
10. Freestone	158	-	-	-	-	-	10	-	2	1	-	-	24	-
11. Frio	94	-	-	-	3	-	9	1	-	1	1	-	2	-
12. Gaines	34	-	-	-	-	-	1	-	-	-	-	-	5	-
13. Galveston	928	2	2	1	2	1	40	2	3	12	1	2	107	-
14. Galveston	731	2	1	1	2	-	29	2	2	10	1	1	81	-
15. Balance of county	197	-	1	-	-	1	11	-	1	2	-	1	16	-
16. Garza	47	-	-	-	-	-	2	-	-	-	-	-	4	-
17. Gillespie	107	-	-	-	-	-	2	-	-	-	-	-	12	-
18. Glasscock	7	-	-	-	-	-	-	-	-	-	-	-	2	-
19. Goliad	60	-	-	-	-	1	6	-	-	-	-	-	1	-
20. Gonzales	232	-	-	-	-	-	17	-	-	-	1	-	21	-
21. Gray	167	-	-	-	-	-	1	-	-	1	-	1	22	-
22. Pampa	121	-	-	-	-	-	-	-	-	1	-	1	20	-
23. Balance of county	46	-	-	-	-	-	1	-	-	-	-	-	2	-
24. Grayson	629	-	1	-	-	1	8	-	-	6	-	-	85	-
25. DeWitt	197	-	1	-	-	-	1	-	-	2	-	-	27	-
26. Sherman	204	-	-	-	-	-	3	-	-	2	-	-	30	-
27. Balance of county	228	-	-	-	-	1	4	-	-	2	-	-	28	-
28. Gregg	490	-	-	-	-	1	17	1	-	5	-	1	52	1
29. Longview	180	-	-	-	-	-	9	-	-	1	-	1	18	-
30. Balance of county	280	-	-	-	-	1	8	1	-	4	-	-	34	1
31. Grimes	148	-	-	-	-	-	3	1	-	-	-	-	12	-
32. Guadalupe	227	-	-	-	-	1	10	-	-	1	-	1	24	-
33. Hale	139	-	-	-	1	2	3	1	-	1	-	1	10	-
34. Hall	89	-	-	-	-	1	-	-	-	-	-	-	8	-
35. Hamilton	92	-	-	-	-	-	1	-	-	-	-	-	20	-
36. Hansford	26	-	-	-	-	-	-	-	-	1	-	-	3	-
37. Hardeman	99	1	-	-	-	-	1	-	-	-	-	-	12	-
38. Hardin	130	-	-	-	-	1	4	-	-	3	-	1	14	-
39. Harris	5,368	2	5	1	2	5	283	5	3	52	2	7	662	1
40. Houston	4,625	2	5	1	1	4	283	4	2	46	1	5	587	1
41. Balance of county	743	-	-	-	1	1	20	1	1	6	1	2	75	-
42. Harrison	418	5	1	-	-	-	16	-	2	9	-	1	44	-
43. Marshall	227	5	1	-	-	-	12	-	1	3	-	1	28	-
44. Balance of county	191	2	-	-	-	-	4	-	1	6	-	-	16	-
45. Hartley	21	-	-	-	-	-	2	-	-	-	-	-	2	-
46. Haskell	91	-	-	-	-	-	1	-	-	-	-	-	15	1
47. Hays	173	-	-	-	2	1	11	-	-	-	-	1	13	-
48. Hemphill	29	-	-	-	-	-	1	1	-	-	-	-	6	-
49. Henderson	201	2	-	-	2	-	8	-	-	-	-	-	26	1
50. Hidalgo	1,460	2	1	-	11	7	122	62	15	18	4	2	79	-
51. McAllen	212	-	-	-	-	1	14	5	1	1	-	-	11	-
52. Balance of county	1,248	2	1	-	11	6	108	57	14	17	4	2	68	-
53. Hill	283	-	-	-	-	1	6	2	1	2	-	-	30	-
54. Hockley	70	-	-	-	1	1	1	-	-	-	-	-	8	-
55. Hood	47	-	-	-	1	-	1	-	-	-	-	-	8	-
56. Hopkins	218	-	-	-	-	2	3	-	-	-	1	-	27	-
57. Houston	191	-	1	-	-	-	8	-	1	1	-	1	13	-
58. Howard	194	-	-	-	-	2	9	2	-	4	-	-	25	-
59. Big Spring	147	-	-	-	-	2	5	1	-	-	-	-	22	-
60. Balance of county	47	-	-	-	-	-	4	1	-	4	-	-	5	-
61. Indageth	33	-	-	-	-	-	-	1	-	-	2	-	2	-
62. Hunt	418	-	-	-	-	-	3	-	-	3	-	-	50	1
63. Greenville	182	-	-	-	-	-	-	-	-	2	-	-	23	-
64. Balance of county	234	-	-	-	-	-	3	-	-	1	-	-	27	1
65. Hutchinson	119	-	-	-	1	-	3	1	-	-	-	-	11	-
66. Iborra	90	-	-	-	1	-	1	1	-	-	-	-	9	-
67. Balance of county	29	-	-	-	-	-	2	-	-	-	-	-	2	-
68. Irion	13	-	-	-	-	-	-	-	-	-	-	-	1	-
69. Jack	65	-	-	-	-	-	1	-	-	-	-	-	6	-
70. Jackson	90	-	1	-	-	-	4	-	-	1	-	-	8	-
71. Jasper	145	-	-	-	-	-	4	1	-	-	-	-	16	-
72. Jeff Davis	10	-	-	-	-	-	1	-	-	-	-	-	-	-
73. Jefferson	1,539	-	1	-	1	2	68	3	1	11	-	2	169	1
74. Beaumont	736	-	-	-	1	1	34	2	-	9	-	1	85	1
75. Fort Arthur	397	-	-	-	-	1	13	1	-	1	-	1	55	-
76. Balance of county	236	-	1	-	-	-	21	-	1	1	-	-	33	-
77. Jim Hogg	39	-	-	-	-	-	4	-	-	-	-	-	4	-
78. Jim Wells	144	-	-	-	-	-	11	4	-	2	-	-	7	-
79. Johnson	310	-	-	-	-	1	7	1	-	-	-	-	45	-
80. Cleburne	157	-	-	-	-	1	3	-	-	-	-	-	22	-
81. Balance of county	153	-	-	-	-	-	4	1	-	-	-	-	25	-
82. Jones	186	-	-	-	-	-	4	-	-	-	-	-	22	-
83. Karnes	135	-	-	-	1	-	13	-	-	-	-	-	15	-
84. Kaufman	580	-	-	-	2	-	32	2	-	27	1	1	38	-
85. Kerr	340	-	-	-	1	-	27	2	-	25	1	-	15	-
86. Balance of county	210	-	-	-	1	-	5	-	-	2	-	1	25	-
87. Kendall	61	-	-	-	-	-	4	-	-	-	-	-	5	-
88. Kennedy	8	-	-	-	-	-	3	-	-	-	-	-	-	-
89. Kent	12	-	-	-	-	-	1	-	-	-	-	-	-	-
90. Kerr	167	-	-	-	-	-	50	-	-	2	-	-	21	-
91. Kimble	31	-	-	-	-	-	1	-	-	-	-	-	1	-
92. King	2	-	-	-	-	-	-	-	-	-	-	-	-	-
93. Kinney	19	-	-	-	-	-	-	-	-	-	-	-	1	-
94. Kleberg	140	-	-	-	-	-	8	1	-	3	-	1	10	-
95. Knox	57	-	-	-	-	-	1	-	-	-	-	-	4	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

611

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Causes of death are those of the detailed international list of causes of death, 1959 revision															
Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Semility, ill-defined and unknown causes	All other causes	
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200		
5	-	16	50	9	1	7	-	16	4	2	6	11	10	22	1
2	-	27	57	16	2	38	1	13	-	4	5	7	13	24	2
6	4	46	99	18	-	27	1	14	1	-	4	18	12	25	3
5	-	16	55	8	2	27	-	19	2	1	3	8	20	38	4
3	-	3	15	2	2	6	-	9	-	-	-	4	3	10	5
-	1	13	11	1	1	-	-	1	1	-	2	3	-	5	6
2	-	7	10	-	2	3	-	3	-	-	-	4	4	1	7
7	1	14	46	20	3	12	2	18	1	7	6	14	8	40	8
1	-	3	13	-	3	2	-	4	1	-	2	1	5	3	9
5	1	19	37	7	1	6	-	7	-	1	2	12	9	14	10
1	-	1	12	11	13	4	2	5	-	-	3	11	4	10	11
-	-	2	9	2	-	2	-	4	-	-	1	4	1	3	12
25	-	88	280	23	5	31	4	67	13	10	27	57	35	90	13
16	-	76	234	20	4	24	-	43	11	9	11	46	20	75	14
7	-	12	46	3	1	7	4	24	2	1	16	11	15	15	15
-	-	3	9	3	1	4	-	4	-	-	-	6	2	8	16
-	1	12	33	1	-	11	-	3	2	2	4	11	3	10	17
-	-	1	2	-	-	-	-	-	-	1	1	-	-	-	18
-	1	12	15	2	1	4	-	2	1	1	1	10	15	27	20
1	-	20	59	21	2	18	2	12	2	-	3	18	8	22	21
3	-	14	34	8	1	8	-	15	1	-	-	14	6	14	22
2	-	10	18	5	1	7	-	15	1	-	-	2	2	8	23
1	-	4	16	3	-	1	3	1	1	8	18	42	18	68	24
12	1	65	162	30	4	49	3	38	10	-	6	11	3	20	25
3	1	18	47	13	2	25	-	8	3	6	4	17	6	22	26
5	-	18	58	7	-	12	1	14	4	1	8	14	9	26	27
4	-	29	57	10	2	12	2	16	3	1	8	14	16	55	28
4	1	42	96	33	2	28	1	27	6	12	32	27	6	28	29
2	-	20	40	8	1	13	-	6	5	7	21	17	10	27	30
2	1	22	56	25	1	15	1	21	5	3	1	10	8	15	31
3	-	16	40	11	1	10	2	8	2	2	1	11	14	29	32
1	-	21	41	8	12	27	-	16	3	2	4	12	6	26	33
3	-	12	32	10	2	3	-	9	1	-	2	10	5	12	34
1	1	10	22	4	-	2	-	7	-	3	2	6	3	15	35
3	1	6	20	2	-	6	-	4	-	-	6	3	1	6	36
1	-	1	6	1	-	-	-	3	-	-	1	1	8	16	37
-	1	18	16	8	1	1	1	7	1	1	4	5	4	14	38
1	-	15	30	5	-	5	3	15	1	1	6	7	185	650	39
85	6	455	1,518	231	46	231	25	474	78	135	155	269	185	575	40
76	6	406	1,159	193	37	194	22	391	65	123	106	215	145	75	41
9	-	49	159	38	9	37	3	93	13	12	47	53	39	42	42
11	2	38	84	27	1	28	4	24	4	7	14	21	29	46	43
6	2	19	47	15	1	16	-	11	2	3	8	10	13	25	43
5	-	19	37	12	-	12	4	13	2	4	8	11	16	21	44
-	-	1	5	-	-	3	-	1	-	1	1	1	2	2	45
1	-	6	17	4	5	-	-	4	2	2	5	6	5	17	46
4	-	17	29	17	4	6	-	17	3	2	5	11	7	21	47
1	-	4	9	-	-	1	-	2	-	-	1	-	2	1	48
1	2	14	50	9	1	26	-	14	1	1	5	7	8	23	49
11	5	61	155	146	95	30	9	174	10	18	48	105	109	161	50
2	1	15	34	20	9	5	1	25	1	1	8	16	15	26	51
9	4	46	121	126	86	25	8	149	9	17	40	89	94	135	52
7	1	40	74	14	4	19	1	8	-	3	9	11	15	35	53
1	-	5	21	2	-	2	-	5	-	1	4	6	2	9	54
2	-	5	12	2	-	4	-	2	1	-	2	1	-	6	55
3	-	20	56	16	2	11	2	9	1	1	6	8	15	35	56
1	2	18	55	8	6	12	-	6	3	1	6	12	9	28	57
1	-	8	46	7	2	4	-	23	3	2	7	15	11	22	58
1	1	5	36	6	2	-	-	20	3	2	5	10	7	15	59
-	-	3	10	1	-	4	-	3	-	-	2	5	4	7	60
-	-	2	6	2	2	1	-	7	-	1	4	1	2	2	61
5	1	34	118	23	2	36	3	25	2	4	10	21	15	60	62
2	1	14	52	7	1	13	2	17	1	3	6	7	8	23	63
3	-	20	66	16	1	23	1	8	1	1	4	14	7	37	64
3	-	13	25	1	2	9	-	21	1	3	5	7	-	13	65
3	-	10	18	1	1	7	-	17	1	2	4	4	-	10	66
-	-	3	7	-	1	2	-	4	-	1	1	3	-	3	67
-	-	1	4	-	-	-	-	4	-	1	1	-	-	-	68
2	-	4	16	4	-	3	1	3	1	1	5	5	1	12	69
2	-	6	23	3	3	6	-	5	1	-	2	5	7	13	70
1	-	14	33	10	-	15	-	10	2	-	7	8	2	22	71
-	-	-	3	-	1	1	-	2	-	1	-	-	-	1	72
25	2	106	328	82	6	86	7	130	23	17	45	57	17	169	73
17	1	60	176	50	3	49	3	66	11	9	24	25	8	104	74
5	1	34	85	18	3	24	4	42	7	6	15	21	4	48	75
3	-	12	67	14	-	13	-	22	5	2	6	13	5	17	76
-	-	1	6	3	3	-	2	4	-	1	2	1	6	3	77
1	-	13	20	4	15	7	2	13	-	-	4	9	14	18	78
6	3	48	82	15	1	9	1	12	2	3	9	22	10	54	79
2	-	27	44	6	1	6	-	8	-	2	3	13	4	15	80
4	3	21	39	9	-	3	1	4	2	1	5	9	6	19	81
1	2	23	51	7	1	9	2	15	3	-	5	6	9	26	82
1	7	11	23	15	2	5	-	6	-	1	1	8	19	14	83
2	2	47	136	18	6	35	2	18	-	4	12	27	13	120	84
2	2	28	73	8	3	26	1	9	1	1	6	12	5	95	85
5	1	19	62	10	3	9	1	9	-	3	6	15	8	25	86
-	-	5	16	-	1	4	-	1	3	-	4	3	4	11	87
-	-	-	2	-	-	-	-	-	-	-	1	1	-	1	88
-	-	2	4	1	-	-	-	-	-	-	1	-	-	2	89
2	-	5	31	5	1	5	1	3	1	1	2	3	13	21	90
1	-	2	7	1	2	1	-	3	2	-	1	1	2	6	91
-	-	1	7	-	-	-	-	-	-	-	-	-	-	-	92
-	1	4	3	1	-	-	2	3	-	-	-	-	-	3	93
4	1	25	12	8	8	8	-	16	1	-	3	3	9	20	94
-	-	10	12	2	2	4	1	4	2	-	2	9	-	5	95



TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
TEXAS--Continued															
1	Lamar	402	-	-	-	1	-	11	-	-	4	-	-	47	2
2	Paris	235	-	-	-	1	-	6	-	-	2	-	-	27	2
3	Balance of county	167	-	-	-	-	-	5	-	-	2	-	-	20	-
4	Lamb	111	-	-	-	-	-	1	-	-	-	-	1	12	-
5	Lampasas	108	-	-	-	-	-	5	-	-	-	-	-	12	-
6	La Salle	76	-	-	-	-	1	5	10	-	1	-	-	4	-
7	Lavaca	205	-	-	-	-	-	7	-	-	-	1	-	30	-
8	Lea	92	-	-	-	-	-	2	-	-	-	-	-	7	-
9	Leon	123	-	-	-	-	1	3	-	-	1	1	-	30	-
10	Liberty	223	-	-	-	-	-	7	-	1	3	-	-	35	-
11	Limestone	219	-	-	-	-	-	8	-	1	2	-	-	20	-
12	Lipscomb	42	-	-	-	-	-	1	-	-	-	1	-	5	-
13	Live Oak	73	-	-	-	-	1	3	-	-	-	-	-	5	-
14	Llano	48	-	-	-	-	-	2	-	-	-	-	-	5	-
15	Loving	1	-	-	-	-	-	-	-	-	-	-	-	-	-
16	Lubbock	442	-	-	-	-	2	12	1	-	4	-	1	53	3
17	Lubbock	354	-	-	-	-	1	5	1	-	4	-	1	46	2
18	Balance of county	88	-	-	-	-	1	7	-	-	-	-	-	7	1
19	Lynn	69	-	-	-	-	-	1	1	-	-	-	-	5	-
20	McCulloch	93	1	-	-	-	-	5	-	-	-	-	-	14	-
21	McLennan	1,110	-	-	-	-	2	43	1	1	30	-	2	123	-
22	Waco	709	-	-	-	-	2	22	-	-	5	-	-	89	-
23	Balance of county	401	-	-	-	-	-	21	1	1	25	-	2	54	-
24	McMullen	5	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Madison	76	-	-	-	-	-	4	-	-	-	-	1	5	-
26	Marion	106	-	-	-	-	-	4	-	-	1	-	-	11	-
27	Martin	20	-	-	-	-	-	1	-	-	-	-	-	3	-
28	Mason	44	-	-	-	-	-	3	2	-	-	-	-	3	-
29	Matagorda	162	-	-	-	-	1	5	-	-	2	-	-	16	-
30	Maverick	101	-	-	-	1	-	10	-	-	1	1	-	8	-
31	Medina	184	-	-	-	2	-	15	1	-	-	-	-	19	1
32	Menard	32	-	-	-	-	-	1	-	-	-	-	-	3	2
33	Midland	115	-	-	-	-	-	2	-	-	4	-	1	15	-
34	Milam	259	-	-	-	1	-	17	1	-	1	-	-	37	1
35	Mills	42	1	-	-	-	-	-	-	-	-	-	-	4	-
36	Mitchell	90	-	-	-	-	-	5	-	-	-	-	-	6	-
37	Montague	156	-	-	-	-	-	2	-	-	1	-	1	24	-
38	Montgomery	226	-	-	-	-	2	6	3	4	-	1	-	16	2
39	Moore	46	-	-	-	-	-	-	-	-	-	-	-	3	-
40	Morris	70	-	-	-	-	-	3	1	-	1	-	-	9	-
41	Motley	29	-	-	-	-	-	-	-	-	-	-	-	5	-
42	Nacogdoches	233	-	-	-	-	-	9	-	-	-	-	-	25	-
43	Navarro	399	1	-	-	2	-	6	2	-	2	-	1	37	1
44	Corsicana	200	-	-	-	1	-	5	1	-	1	-	-	10	1
45	Balance of county	199	1	-	-	1	-	1	1	-	1	-	1	27	-
46	Newton	72	1	-	-	1	-	1	-	-	1	-	-	12	1
47	Nolan	157	-	-	-	-	-	5	-	-	-	-	-	17	-
48	Sweetwater	116	-	-	-	-	-	4	-	-	1	-	-	14	-
49	Balance of county	41	-	-	-	-	-	1	-	-	-	-	-	3	-
50	Nueces	1,033	1	-	-	2	2	77	9	-	12	1	6	91	-
51	Corpus Christi	699	1	-	-	1	1	45	3	-	11	1	5	72	-
52	Balance of county	334	-	-	-	1	1	32	6	-	1	-	1	19	-
53	Ochiltree	24	-	-	-	-	-	-	-	-	-	-	-	3	-
54	Oldham	14	-	-	-	-	-	-	-	-	-	-	-	4	-
55	Orange	250	1	-	-	-	1	4	-	-	-	-	-	22	2
56	Palo Pinto	174	-	-	-	-	1	4	1	-	2	-	-	24	-
57	Panola	134	-	-	1	-	-	5	-	-	-	1	-	15	-
58	Parker	166	-	-	-	-	-	4	-	1	-	-	-	13	-
59	Parmer	24	-	-	-	-	-	1	-	-	-	-	-	5	-
60	Pecos	58	-	-	-	-	-	5	-	-	-	-	-	15	-
61	Polk	164	-	-	-	-	2	4	-	1	-	-	-	15	-
62	Potter	507	-	-	1	1	5	12	-	-	9	-	2	57	1
63	Amarillo (part)	487	-	-	-	1	5	12	-	-	8	-	2	56	1
64	Amarillo (total)	487	-	-	-	1	5	12	-	-	8	-	2	56	1
65	Balance of county	20	-	-	1	-	-	-	-	-	-	-	-	1	-
66	Presidio	67	-	-	-	-	-	3	1	-	-	-	-	3	-
67	Rains	21	1	-	-	-	-	-	-	-	-	-	-	1	-
68	Randall	28	-	-	-	-	-	-	-	-	1	-	-	3	-
69	Amarillo (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	Balance of county	28	-	-	-	-	-	-	-	-	1	-	-	3	-
71	Reagan	19	-	-	-	-	-	1	-	-	-	-	-	5	-
72	Real	12	-	-	-	-	-	-	-	-	-	-	-	1	-
73	Red River	205	-	-	1	-	-	8	-	2	1	-	-	19	-
74	Reeves	86	-	-	1	-	-	1	-	-	-	-	-	11	-
75	Refugio	67	-	-	-	-	-	2	-	-	2	-	-	3	-
76	Roberts	9	-	-	-	-	-	-	-	-	-	-	-	2	-
77	Robertson	197	-	-	-	-	-	8	-	-	4	1	-	20	-
78	Rockwall	62	-	-	-	-	-	1	-	-	1	-	-	5	-
79	Runnels	144	-	-	-	1	-	2	1	-	1	-	-	18	-
80	Rusk	302	-	-	-	-	-	10	-	-	-	-	1	30	1
81	Sabine	59	-	-	-	-	-	-	-	1	-	-	-	7	-
82	San Augustine	76	-	-	-	-	-	-	-	1	-	-	-	4	-
83	San Jacinto	47	-	-	-	-	-	1	-	-	1	-	-	1	-
84	San Patricio	300	-	-	-	2	3	29	4	-	4	-	-	20	-
85	San Saba	65	-	-	-	-	-	2	-	-	-	-	1	8	-
86	Schleicher	25	-	-	-	-	1	-	-	-	-	-	-	4	-
87	Scurry	77	-	-	-	-	-	1	1	-	-	-	-	9	-
88	Shackelford	35	-	-	-	-	-	1	-	-	-	-	-	8	-
89	Shelby	196	-	-	-	-	-	6	-	-	1	-	-	30	1
90	Sherman	18	-	-	-	-	-	-	-	-	-	-	-	2	-
91	Smith	574	-	-	-	-	1	19	-	-	5	2	1	57	2
92	Tyler	327	-	-	-	-	-	8	-	-	-	-	1	40	1
93	Balance of county	247	-	-	-	-	1	11	-	-	2	2	-	17	1
94	Somervell	26	-	-	-	-	-	2	-	-	-	-	-	5	-
95	Starr	103	1	-	-	1	-	7	1	-	4	1	-	3	-
96	Stephens	85	-	-	-	-	-	3	-	-	-	-	-	15	-



# GENERAL TABLES-DEATHS FROM SELECTED CAUSES

613

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	182, 199, 200	
5	1	51	87	30	2	47	1	28	5	-	7	19	17	42
1	1	51	55	17	2	51	1	8	2	-	1	11	10	28
4	-	20	34	13	-	16	-	15	5	-	6	8	7	14
1	-	11	29	7	-	8	-	5	1	-	7	6	5	14
1	-	12	39	4	-	7	-	5	2	-	2	8	2	7
7	-	8	9	2	-	6	-	3	1	-	1	5	4	12
3	-	13	44	7	-	41	-	11	4	-	1	6	9	23
1	-	5	32	-	-	6	-	8	-	-	1	8	5	10
6	-	10	25	9	-	14	-	7	2	-	1	10	6	15
4	-	11	44	-	-	11	-	12	1	-	1	17	18	23
1	1	25	55	15	-	10	-	8	-	-	3	17	15	20
1	-	5	12	3	-	1	-	2	1	-	2	3	2	4
1	-	6	16	4	-	3	-	14	2	-	3	1	5	13
1	-	3	21	-	-	2	-	2	1	-	1	4	2	4
6	1	36	97	24	-	1	-	-	-	-	-	-	-	15
4	1	29	69	19	-	15	-	55	4	-	5	30	12	60
2	1	7	18	5	-	14	-	37	4	-	3	20	10	52
1	-	2	9	10	-	1	-	16	-	-	2	10	2	8
17	2	18	17	8	-	5	-	3	-	-	3	5	5	15
14	1	100	322	42	-	64	-	5	5	-	4	3	3	8
3	1	58	212	19	-	58	-	75	13	-	30	50	49	123
3	1	42	110	23	-	28	-	58	6	-	19	38	36	76
1	-	1	2	-	-	1	-	17	7	-	11	12	11	47
1	-	6	18	-	-	10	-	-	-	-	-	-	1	24
2	-	12	25	7	-	9	-	-	3	-	-	3	6	15
1	-	1	6	2	-	5	-	6	2	-	1	5	4	12
1	-	3	16	2	-	7	-	3	-	-	1	-	-	2
1	-	13	52	5	-	4	-	12	1	-	1	2	2	4
4	-	5	15	8	-	9	-	5	-	-	2	15	22	18
1	1	14	21	16	-	18	-	7	-	-	2	3	-	14
1	1	2	11	1	-	7	-	7	1	-	2	7	22	18
2	1	1	18	6	-	1	-	-	-	-	-	-	3	7
2	2	24	54	11	-	5	-	17	-	-	2	6	6	15
2	-	3	15	1	-	24	-	5	3	-	2	20	19	32
2	-	6	25	3	-	2	-	2	-	-	-	-	-	4
3	1	16	39	10	-	12	-	7	1	-	-	5	4	13
2	1	18	51	14	-	15	-	8	2	-	3	10	5	18
1	1	3	14	1	-	5	-	6	5	-	11	41	19	23
1	1	8	15	4	-	4	-	3	1	-	7	1	2	5
3	-	1	5	3	-	4	-	5	-	-	1	6	1	10
4	2	22	60	10	-	10	-	-	-	-	3	1	2	41
1	1	75	86	20	-	19	-	9	2	-	2	29	18	28
1	1	45	42	13	-	7	-	24	1	-	2	20	23	57
3	1	30	44	7	-	12	-	14	1	-	1	10	9	27
2	-	12	8	10	-	4	-	10	-	-	1	10	14	30
2	-	12	37	6	-	4	-	2	1	-	1	4	6	4
2	-	7	31	4	-	4	-	22	1	-	1	7	12	18
6	1	5	6	2	-	2	-	20	1	-	1	8	3	13
5	1	52	219	47	-	36	-	2	-	-	2	2	9	5
1	1	35	164	26	-	17	-	121	17	-	32	91	47	107
1	-	17	55	21	-	29	-	90	13	-	15	50	20	79
-	-	1	8	-	-	9	-	31	4	-	17	41	27	28
3	-	16	30	21	-	1	-	3	-	-	2	1	-	5
2	2	23	54	5	-	10	-	-	2	-	6	1	-	1
4	-	14	15	11	-	8	-	32	1	-	4	29	13	29
2	1	13	46	7	-	9	-	5	-	-	6	7	11	15
1	-	-	4	1	-	13	-	7	1	-	2	14	10	22
1	-	1	12	5	-	3	-	1	1	-	1	12	19	24
3	1	15	49	5	-	2	-	10	1	-	3	3	2	5
6	2	41	125	25	-	13	-	59	2	-	2	9	8	6
6	2	40	125	25	-	23	-	57	8	-	4	28	15	65
6	2	40	125	25	-	21	-	57	8	-	21	25	14	59
-	-	1	-	-	-	21	-	2	6	-	18	25	14	59
-	-	3	8	3	-	2	-	2	-	-	3	3	1	6
2	1	2	4	5	-	1	-	10	2	-	3	7	8	10
-	-	3	15	-	-	-	-	2	-	-	1	2	-	87
-	-	3	-	-	-	1	-	1	1	-	-	-	1	2
-	-	4	-	1	-	-	-	-	-	-	-	-	-	68
-	-	4	-	1	-	-	-	-	-	-	-	-	-	69
-	-	19	51	10	-	1	-	-	1	-	1	3	1	70
-	2	6	12	11	-	21	-	7	2	-	1	1	1	71
-	1	2	20	2	-	3	-	8	-	-	4	11	12	72
-	1	1	1	1	-	5	-	6	2	-	6	3	5	74
2	-	26	40	13	-	1	-	2	-	-	4	5	2	75
1	-	4	11	6	-	15	-	6	2	-	1	-	1	76
3	1	21	25	8	-	5	-	1	2	-	5	10	13	27
5	-	15	79	32	-	7	-	16	1	-	-	3	4	7
-	-	4	19	2	-	11	-	17	4	-	21	20	8	78
1	1	5	9	7	-	4	-	3	3	-	1	5	4	80
3	-	15	65	11	-	6	-	4	-	-	5	8	4	81
1	1	3	21	9	-	12	-	35	2	-	2	1	4	9
2	-	3	5	-	-	1	-	4	1	-	8	16	20	33
2	-	5	27	6	-	1	-	3	-	-	1	9	9	65
2	-	13	-	-	-	1	-	4	1	-	1	1	-	5
2	-	10	39	12	-	16	-	1	-	-	2	6	4	87
2	-	2	3	1	-	1	-	14	2	-	1	2	1	88
6	2	45	148	28	-	52	-	2	-	-	3	10	16	24
3	2	28	91	12	-	1	-	40	2	-	14	4	-	80
3	-	17	57	16	-	26	-	22	1	-	11	18	12	81
-	-	1	7	3	-	2	-	18	1	-	3	15	6	82
1	-	6	10	9	-	2	-	1	-	-	2	-	-	94
2	-	3	19	2	-	6	-	4	2	-	5	5	19	95
-	-	3	19	2	-	6	-	8	-	-	3	4	1	96



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephala- litis (acute)	Cancer and other malignant tumors	Acute rheum- atic fever
		1,2	3	4	5	6	7-12	13	14	15	16	17	18-22	23
TEXAS—Continued														
1 Sterling.....	13	-	-	-	-	-	1	1	-	-	-	-	4	-
2 Stonewall.....	16	-	-	-	-	-	2	-	-	-	-	-	3	-
3 Sutton.....	26	-	-	-	-	-	1	-	-	-	-	-	5	-
4 Swisher.....	46	-	-	-	-	-	1	-	-	-	-	-	3	-
5 Tarrant.....	2,554	2	4	-	-	1	93	2	1	19	-	5	310	1
6 Fort Worth.....	2,188	2	4	-	-	-	73	2	1	16	-	4	272	1
7 Balance of county.....	366	-	-	-	-	1	20	-	-	3	-	1	36	-
8 Taylor.....	470	1	2	-	-	1	29	1	-	3	-	-	47	-
9 Abilene.....	320	1	1	-	-	1	16	1	-	1	-	-	38	-
10 Balance of county.....	150	-	1	-	-	-	13	-	-	2	-	-	9	-
11 Terrell.....	20	-	-	-	-	-	-	-	-	-	1	-	2	-
12 Terry.....	78	-	1	-	1	1	1	-	-	1	-	-	8	1
13 Throckmorton.....	17	-	-	-	-	-	3	1	-	3	-	-	4	-
14 Titus.....	141	-	-	-	-	-	1	5	-	4	-	-	19	1
15 Tom Green.....	393	1	1	-	2	1	33	5	-	4	-	-	48	2
16 San Angelo.....	333	-	1	-	2	1	27	5	-	4	-	-	42	2
17 Balance of county.....	60	1	-	-	-	-	6	-	-	-	-	-	7	-
18 Travis.....	1,421	2	-	-	2	1	78	3	-	77	2	1	120	-
19 Austin.....	1,274	2	-	-	1	1	70	3	-	76	1	1	103	-
20 Balance of county.....	147	-	-	-	2	-	8	-	-	1	1	-	17	-
21 Trinity.....	112	-	-	-	-	-	3	-	1	1	-	-	16	-
22 Tyler.....	77	-	-	-	-	-	4	1	-	-	1	-	6	-
23 Upshur.....	167	-	-	-	-	-	10	1	1	-	1	-	17	-
24 Upton.....	37	-	-	-	-	-	1	-	-	-	-	-	3	-
25 Uvalde.....	129	-	-	-	-	-	14	-	-	-	1	1	16	-
26 Val Verde.....	202	-	1	-	-	-	14	2	-	2	-	-	16	-
27 Del Rio.....	193	-	1	-	-	-	14	2	-	2	-	-	16	-
28 Balance of county.....	9	-	-	-	-	-	-	-	-	-	-	-	-	-
29 Van Zandt.....	177	-	-	-	-	-	8	-	2	-	-	-	25	-
30 Victoria.....	231	-	-	-	1	1	10	1	-	2	-	-	24	-
31 Victoria.....	160	-	-	-	1	1	8	-	-	2	-	-	16	-
32 Balance of county.....	71	-	-	-	-	-	2	1	-	-	-	-	8	-
33 Walker.....	152	1	-	-	-	-	6	-	1	-	-	1	16	-
34 Waller.....	104	-	-	-	-	-	5	-	-	1	1	-	11	-
35 Ward.....	76	-	-	-	-	1	2	-	-	1	-	-	8	-
36 Washington.....	234	-	2	-	-	1	9	-	1	2	-	-	29	-
37 Webb.....	559	-	1	-	-	2	42	10	-	10	8	-	47	-
38 Laredo.....	534	-	1	-	-	2	40	10	-	10	8	-	45	-
39 Balance of county.....	24	-	-	-	-	-	2	-	-	-	-	-	2	-
40 Wharton.....	285	-	-	-	-	1	11	-	-	5	1	-	31	1
41 Wheeler.....	86	-	-	-	-	1	1	-	-	1	-	-	14	-
42 Wichita.....	815	-	1	-	1	1	37	-	-	22	-	2	87	-
43 Wichita Falls.....	435	-	-	-	1	1	18	-	-	-	-	1	62	-
44 Balance of county.....	360	-	1	-	-	-	19	-	-	22	-	1	25	-
45 Wilbarger.....	122	-	-	-	-	-	6	-	-	2	-	-	18	-
46 Willacy.....	194	-	-	-	1	-	18	7	-	1	-	1	7	-
47 Williamson.....	363	-	-	-	1	1	22	1	-	2	2	1	51	1
48 Wilson.....	144	-	-	-	-	2	18	-	-	-	-	3	14	-
49 Winkler.....	35	-	-	-	-	-	2	-	-	1	-	-	1	-
50 Wise.....	166	-	-	-	-	-	3	-	-	-	-	1	11	-
51 Wood.....	185	-	1	-	-	-	8	-	1	2	1	-	11	-
52 Yoakum.....	8	-	-	-	-	-	-	-	-	-	-	-	1	-
53 Young.....	127	-	-	-	-	-	8	-	-	-	-	1	16	-
54 Zapata.....	39	-	-	-	-	-	1	-	-	-	-	1	-	1
55 Zavala.....	107	-	-	-	1	1	10	-	-	1	2	-	7	-
56 UTAH.....	4,785	1	5	1	6	4	85	4	-	30	5	9	529	4
57 Beaver.....	41	-	-	-	-	-	-	-	-	-	-	-	4	-
58 Box Elder.....	138	-	-	-	-	-	-	-	-	-	-	-	10	-
59 Cache.....	209	-	-	-	-	-	2	-	-	-	-	1	25	-
60 Logan.....	111	-	-	-	-	-	2	-	-	-	-	-	16	-
61 Balance of county.....	98	-	-	-	-	-	-	-	-	-	-	-	9	-
62 Carbon.....	147	-	-	-	-	2	2	-	-	2	-	-	14	-
63 Daguerre.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Davis.....	181	-	1	-	-	-	2	-	-	-	1	-	18	-
65 Duchesne.....	51	-	-	-	-	-	1	-	-	1	-	-	3	1
66 Emery.....	29	-	-	-	-	-	-	-	-	-	-	-	1	-
67 Garfield.....	34	-	-	-	-	-	-	-	-	-	-	-	-	-
68 Grand.....	15	-	-	-	-	-	-	-	-	-	-	-	-	-
69 Iron.....	72	-	-	-	2	-	-	-	-	1	-	-	2	-
70 Juab.....	64	-	-	-	-	1	-	-	-	-	-	-	4	-
71 Kane.....	22	-	-	-	-	-	-	-	-	-	-	-	8	-
72 Millard.....	77	-	-	-	-	-	-	2	2	-	-	-	3	-
73 Morgan.....	19	-	-	-	-	-	-	-	-	-	-	-	7	-
74 Piute.....	14	-	-	-	-	-	-	-	-	-	-	-	1	-
75 Rich.....	10	-	1	-	-	-	-	-	-	-	-	-	-	-
76 Salt Lake.....	1,949	1	3	1	2	1	39	2	-	10	-	5	261	3
77 Salt Lake City.....	1,522	1	1	1	2	1	27	2	-	9	-	4	210	1
78 Balance of county.....	427	-	2	-	-	-	12	-	-	1	-	1	51	2
79 San Juan.....	25	-	-	-	-	-	3	-	-	-	-	-	1	-
80 Sanpete.....	156	-	-	-	-	-	1	-	-	1	-	1	11	-
81 Sevier.....	78	-	-	-	-	-	-	-	-	-	-	-	8	-
82 Summit.....	68	-	-	-	-	-	3	-	-	1	-	-	9	-
83 Tooele.....	84	-	-	-	-	-	1	-	-	-	-	-	7	-
84 Uintah.....	72	-	-	-	1	-	1	-	-	-	-	1	55	-
85 Utah.....	601	-	1	-	1	-	8	-	-	10	2	-	18	-
86 Provo.....	239	-	-	-	1	-	8	-	-	9	-	-	37	-
87 Balance of county.....	362	-	1	-	-	-	-	-	-	1	2	-	3	-
88 Wasatch.....	45	-	-	-	-	-	-	-	-	-	-	1	13	-
89 Washington.....	86	-	-	-	-	-	-	-	-	-	-	-	1	-
90 Wayne.....	13	-	-	-	-	-	-	-	-	-	-	-	52	-
91 Weber.....	534	-	-	-	-	-	18	-	-	4	2	-	42	-
92 Ogden.....	419	-	-	-	-	-	17	-	-	4	-	-	10	-
93 Balance of county.....	115	-	-	-	-	-	1	-	-	-	2	-	-	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

615

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61.	69	83	90-95	107-109, 53	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
1	-	-	2	-	-	-	-	1	-	-	1	1	-	1
-	-	2	2	-	-	2	-	1	1	-	1	2	1	1
-	-	4	7	-	-	-	-	1	-	-	1	1	1	2
2	-	256	20	1	-	3	-	3	1	1	3	2	-	3
44	6	221	117	12	122	98	3	194	37	51	70	121	76	287
40	6	35	612	105	8	24	3	177	31	50	55	97	58	252
4	-	35	109	12	4	24	-	17	6	1	15	24	18	35
7	1	35	99	22	3	25	-	43	4	2	10	30	9	96
6	-	20	75	16	2	14	-	39	3	2	7	21	6	50
1	1	15	24	6	1	11	-	4	4	-	3	9	3	46
1	-	1	4	3	-	-	-	4	-	1	-	-	2	1
3	1	1	16	4	-	2	1	8	1	-	12	4	-	11
-	-	3	4	-	-	-	-	1	1	-	1	-	2	13
-	-	14	32	7	1	8	1	8	1	1	3	9	14	14
4	-	26	90	12	7	16	2	44	6	9	7	24	20	28
3	-	19	61	10	7	12	2	41	4	9	6	17	14	24
1	-	7	9	2	-	4	-	3	2	-	1	7	6	17
18	8	99	322	76	23	80	2	104	8	25	31	54	94	193
17	8	91	300	62	20	69	1	87	6	22	27	45	85	177
1	-	8	22	14	3	11	1	17	2	1	4	9	9	16
2	-	11	26	3	1	9	1	2	1	1	3	10	4	17
3	-	6	19	3	-	7	-	6	3	1	3	3	1	11
2	1	18	54	3	-	13	1	10	-	3	4	11	2	15
1	-	-	13	2	-	2	1	-	1	1	1	5	3	3
-	1	3	25	10	3	2	-	14	1	2	8	6	6	11
1	1	10	43	21	13	6	2	24	2	2	5	8	9	20
1	1	10	43	21	13	6	2	24	2	1	3	4	7	27
-	-	-	-	-	-	-	-	-	-	1	2	4	2	28
3	-	19	43	6	-	18	2	7	-	-	10	10	5	19
1	-	16	48	13	2	24	1	25	2	1	1	13	10	35
-	-	12	31	10	2	16	1	19	1	1	1	9	4	25
1	-	4	17	3	-	8	-	6	1	-	-	4	6	10
2	-	12	38	3	3	5	3	6	4	6	5	10	13	17
1	-	14	34	6	2	4	1	2	-	-	-	6	7	9
4	-	8	18	2	1	3	-	9	1	1	3	11	1	7
7	-	17	62	7	-	22	1	7	5	-	2	10	18	34
8	-	36	87	54	30	11	4	57	1	3	8	30	47	82
8	-	34	63	54	29	11	4	56	-	3	7	24	44	81
-	-	2	4	-	1	-	-	1	1	-	1	6	3	1
5	1	40	61	13	1	16	1	20	5	2	9	17	16	28
2	1	5	27	-	-	2	1	4	1	1	5	4	6	10
16	2	86	202	44	8	36	1	41	10	11	13	37	25	132
10	-	40	102	20	6	21	1	35	7	9	6	23	12	60
6	2	48	100	24	2	15	-	6	3	2	7	14	13	72
-	1	10	41	4	1	4	-	6	-	-	9	6	4	10
3	-	7	15	21	11	6	2	32	2	2	8	17	11	22
8	-	20	97	14	3	24	-	22	4	5	11	20	18	35
1	1	16	23	3	-	4	2	7	2	2	2	7	19	48
-	-	2	8	2	-	2	1	6	-	2	6	-	4	-
8	-	14	36	8	-	7	-	8	1	-	7	11	9	23
1	3	19	34	10	1	19	1	13	2	1	11	14	6	28
1	-	-	-	-	-	-	-	-	-	-	-	3	1	52
4	-	10	51	2	-	5	-	5	1	-	7	6	3	12
-	1	1	7	2	6	-	-	2	-	-	-	4	6	7
3	-	2	16	13	15	2	-	12	1	2	-	3	5	11
119	2	339	1,371	223	26	218	25	403	41	14	185	326	199	613
3	-	2	9	3	-	5	-	4	-	-	1	4	1	5
2	-	10	49	8	2	3	-	12	-	-	7	12	3	20
2	-	22	59	3	1	8	-	23	-	-	7	15	12	29
1	-	9	33	3	1	4	-	15	-	-	1	5	8	12
1	-	13	26	-	-	4	-	8	-	-	6	10	4	17
-	-	5	50	5	4	3	-	13	2	-	6	18	6	15
-	-	-	1	-	-	-	-	1	-	-	-	-	-	63
3	-	10	43	3	-	6	1	15	1	-	13	16	4	14
3	-	4	17	2	-	4	-	7	-	-	3	1	1	3
2	-	3	9	1	-	3	-	-	-	-	1	3	2	4
-	-	1	4	-	-	1	-	4	-	-	-	1	-	2
-	-	2	24	3	1	4	1	9	-	-	4	5	4	8
2	-	3	12	4	-	1	-	7	-	-	1	3	6	16
1	-	2	4	-	-	1	1	3	-	1	2	3	-	1
1	-	4	11	2	-	4	-	10	2	-	6	2	15	9
-	-	2	8	-	-	-	1	2	1	-	-	2	-	2
-	-	1	7	-	-	-	-	1	-	-	-	1	-	3
-	-	-	4	-	-	1	-	-	-	-	-	1	2	1
49	1	137	553	101	7	94	6	157	11	11	89	96	84	245
36	1	113	442	74	5	70	4	114	8	8	54	77	60	177
13	-	24	111	27	2	24	2	43	3	3	15	19	24	49
1	-	1	2	3	1	3	1	1	-	-	-	1	6	2
7	-	20	45	6	-	5	3	6	3	-	4	6	2	13
2	-	4	25	1	-	7	-	7	1	-	3	4	2	14
2	-	4	14	4	-	4	-	5	-	-	1	3	3	15
5	-	2	25	3	1	6	-	14	-	1	3	7	1	8
3	1	1	19	3	1	1	-	12	2	-	2	8	1	9
14	1	48	172	36	2	23	3	42	6	-	23	53	19	82
7	1	19	79	16	3	3	1	17	1	-	8	13	8	30
-	-	29	93	20	2	20	2	25	5	-	15	40	11	52
-	-	5	12	4	-	3	4	2	-	-	-	6	-	5
3	-	2	22	4	-	6	-	5	-	-	-	4	3	12
1	-	-	3	1	-	-	1	1	-	-	-	1	1	-
13	-	39	160	21	7	20	2	36	12	1	20	40	16	71
11	-	31	126	18	5	16	1	35	10	1	13	30	10	49
2	-	6	34	3	2	4	1	1	2	-	7	10	6	22



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1 VERMONT-----	4,140	1	3	2	3	2	129	-	-	15	4	5	585	1
2 Addison-----	190	-	-	-	-	-	1	-	-	-	-	-	23	-
3 Bennington-----	259	-	-	-	-	-	8	-	-	-	1	-	44	-
4 Caledonia-----	272	-	-	-	1	1	6	-	-	-	-	1	43	-
5 Chittenden-----	514	-	-	-	-	-	12	-	-	2	-	1	59	-
6 Burlington-----	303	-	-	-	-	-	7	-	-	1	-	-	33	-
7 Balance of county-----	211	-	-	-	-	-	5	-	-	1	-	1	26	-
8 Essex-----	81	-	-	-	-	-	1	-	-	-	-	-	11	-
9 Franklin-----	298	1	-	-	-	-	5	-	-	2	-	-	51	-
10 Grand Isle-----	37	-	-	-	-	-	-	-	-	-	-	-	1	-
11 Lamoille-----	125	-	-	1	-	-	2	-	-	-	-	-	16	-
12 Orange-----	170	-	-	-	1	-	2	-	-	-	-	1	22	-
13 Orleans-----	262	-	-	1	1	-	2	-	-	-	-	1	42	1
14 Rutland-----	553	-	2	-	-	-	25	-	-	1	-	-	70	-
15 Rutland-----	228	-	2	-	-	-	8	-	-	1	-	-	33	-
16 Balance of county-----	325	-	-	-	-	-	17	-	-	-	-	-	37	-
17 Washington-----	589	-	-	-	-	-	52	-	-	9	1	-	64	-
18 Warrington-----	115	-	-	-	-	-	10	-	-	1	1	-	16	-
19 Balance of county-----	474	-	-	-	-	-	42	-	-	8	-	-	48	-
20 Windham-----	402	-	-	-	-	-	6	-	-	-	1	-	49	-
21 Windsor-----	407	-	1	-	-	1	7	-	-	1	1	1	70	-
22 VIRGINIA <sup>7</sup> -----	28,154	6	41	13	57	43	1,300	29	3	337	39	14	2,788	32
23 Accomack-----	403	-	-	-	2	1	19	-	-	3	-	-	42	-
24 Albemarle-----	235	-	-	-	-	-	14	-	-	-	-	-	26	-
25 Alleghany-----	183	-	-	-	1	-	8	-	-	-	-	-	20	-
26 Amelia-----	87	-	-	-	-	-	4	-	-	1	-	-	10	-
27 Amherst-----	207	-	-	2	2	-	10	-	-	1	-	-	20	-
28 Appomattox-----	77	-	-	-	-	-	-	-	-	-	-	-	5	-
29 Arlington <sup>6</sup> -----	586	1	-	-	-	-	18	-	-	2	1	4	78	-
30 Augusta-----	471	-	-	-	1	1	16	1	-	4	-	-	48	-
31 Bath-----	61	-	-	-	-	-	1	-	-	-	-	-	8	-
32 Bedford-----	269	-	-	-	1	-	4	-	-	2	-	-	30	-
33 Bland-----	39	-	2	-	-	-	2	-	-	-	-	-	4	-
34 Botetourt-----	125	-	1	-	-	1	3	-	-	-	1	-	16	-
35 Brunswick-----	177	-	-	-	1	-	7	-	-	2	-	-	10	-
36 Buchanan-----	184	-	1	1	1	1	8	1	-	2	1	1	12	-
37 Buckingham-----	128	-	-	-	-	-	3	-	-	2	-	-	9	1
38 Campbell-----	216	-	-	-	1	-	5	-	-	2	-	-	26	-
39 Caroline-----	128	-	1	1	1	-	5	-	-	-	-	-	9	-
40 Carroll-----	146	-	-	-	1	-	4	-	-	-	-	-	20	-
41 Charles City-----	37	-	-	-	-	-	4	-	-	-	-	-	2	-
42 Charlotte-----	131	-	-	-	-	-	7	-	-	2	-	-	16	-
43 Chesterfield-----	259	-	1	-	-	-	19	-	-	2	1	-	37	-
44 Clarke-----	67	-	-	-	2	-	3	-	-	2	-	-	2	-
45 Craig-----	34	-	-	-	-	-	2	-	-	1	-	-	7	-
46 Culpeper-----	155	-	-	-	2	-	2	-	-	5	-	-	18	-
47 Cumberland-----	74	-	-	-	2	-	2	-	-	-	-	-	5	-
48 Dickenson-----	130	-	3	-	-	-	4	-	-	1	-	-	6	-
49 Dinwiddie-----	520	-	-	-	-	-	59	3	-	75	-	-	14	3
50 Elizabeth City-----	260	-	-	-	1	1	13	-	-	6	-	-	27	1
51 Essex-----	79	-	-	-	-	-	-	-	-	-	-	-	4	-
52 Fairfax-----	418	-	-	-	-	-	9	-	-	2	-	1	53	-
53 Fauquier-----	201	-	-	-	-	1	9	-	-	1	1	-	23	-
54 Floyd-----	112	-	-	-	-	1	5	-	-	-	-	-	18	-
55 Fluvanna-----	53	-	-	-	-	-	-	-	-	1	-	-	9	-
56 Franklin-----	182	-	-	-	-	7	8	-	-	1	-	-	20	-
57 Frederick-----	134	-	-	-	-	-	5	-	-	-	3	-	15	-
58 Giles-----	146	-	-	1	2	-	3	1	-	-	-	-	8	-
59 Gloucester-----	108	-	1	-	-	-	5	-	-	-	-	-	12	-
60 Goochland-----	83	-	-	-	-	-	12	-	-	1	-	-	5	-
61 Grayson-----	170	-	1	-	1	-	6	-	-	1	-	-	17	-
62 Greene-----	52	-	1	-	-	-	2	-	-	-	-	-	4	-
63 Greensville-----	120	-	-	-	-	-	6	2	-	2	2	-	7	1
64 Halifax-----	373	-	1	-	1	1	14	2	-	3	1	-	27	-
65 Hanover-----	178	-	-	-	1	-	9	-	-	2	1	-	13	-
66 Henrico-----	244	-	-	-	-	-	9	-	-	-	-	-	35	-
67 Henry-----	207	-	-	-	1	1	9	-	-	-	-	-	19	1
68 Highland-----	43	-	-	-	-	-	1	-	-	-	-	-	4	-
69 Isle of Wight-----	145	1	-	-	-	-	9	-	-	1	-	-	14	1
70 James City-----	41	-	-	-	-	-	3	-	-	-	-	-	7	-
71 King and Queen-----	82	-	-	-	-	-	7	-	-	-	-	-	9	-
72 King George-----	55	-	-	-	-	-	2	1	-	-	-	-	3	-
73 King William-----	68	-	-	-	1	-	5	-	-	2	-	-	6	-
74 Lancaster-----	120	-	-	-	2	-	4	-	-	-	-	1	14	-
75 Lee-----	268	-	-	1	-	-	19	2	-	-	-	-	27	1
76 Loudoun-----	242	-	-	-	1	-	6	-	-	1	-	-	18	-
77 Louisa-----	144	-	-	-	1	-	6	-	-	3	1	-	12	-
78 Lunenburg-----	159	-	-	-	1	-	5	1	-	-	-	-	13	-
79 Madison-----	57	-	-	-	-	-	1	-	-	1	-	-	8	-
80 Mathews-----	92	-	1	-	-	-	2	-	-	-	-	-	11	-
81 Mecklenburg-----	268	-	-	1	4	-	11	1	-	1	1	-	22	2
82 Middlesex-----	68	-	-	-	-	-	-	-	-	-	-	-	6	-
83 Montgomery-----	204	-	-	-	1	-	11	-	-	-	-	-	16	-
84 Nansemond-----	236	-	-	-	-	-	21	-	-	1	1	-	15	1
85 Nelson-----	127	-	-	-	1	-	2	-	-	3	-	-	12	-
86 New Kent-----	32	-	-	-	-	-	1	-	-	-	-	-	2	-
87 Norfolk-----	532	-	1	-	-	1	20	-	-	5	2	1	41	-
88 Northampton-----	224	-	-	-	1	-	10	2	-	-	-	-	18	2
89 Northumberland-----	107	-	-	-	-	-	2	-	-	-	-	-	10	-
90 Nottingham-----	188	-	2	-	-	-	26	-	-	4	-	-	7	-
91 Orange-----	112	-	1	-	-	-	5	-	-	-	-	-	12	-
92 Page-----	143	-	-	-	-	-	4	-	-	-	-	-	14	-
93 Patrick-----	131	-	1	-	-	-	1	-	-	1	-	-	9	-
94 Pittsylvania-----	511	-	-	-	1	1	22	1	-	2	-	-	52	1
95 Powhatan-----	38	-	-	-	-	-	-	-	-	-	-	-	2	-

<sup>7</sup>Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of this State.



# GENERAL TABLES-DEATHS FROM SELECTED CAUSES

617

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	63	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
109	-	411	1,390	200	12	183	12	217	45	6	88	183	53	501
5	-	22	67	8	-	7	1	15	4	-	3	9	1	28
13	-	23	86	14	1	4	-	7	1	-	5	14	1	37
2	-	36	92	17	2	13	1	16	4	-	7	9	2	19
17	-	43	182	20	-	13	1	45	3	-	10	21	3	85
12	-	21	105	10	-	7	1	34	1	1	4	12	2	52
5	-	22	77	10	-	6	-	9	2	-	6	9	1	31
2	-	1	29	5	-	3	-	-	1	-	1	-	1	6
5	-	32	99	10	1	13	1	19	3	-	5	16	8	28
-	-	3	15	1	-	6	-	1	-	-	-	1	-	9
5	-	15	42	8	-	4	-	7	1	-	-	13	-	11
6	-	19	58	7	1	11	1	14	2	1	3	5	-	16
2	-	25	72	11	1	23	3	11	8	1	9	11	4	33
13	-	50	193	23	2	21	1	21	4	1	13	24	11	79
7	-	17	81	7	1	12	-	13	1	-	4	12	1	28
6	-	33	112	16	1	9	1	8	3	1	9	12	10	50
12	-	51	199	31	3	23	-	27	3	1	9	24	6	74
6	-	8	37	6	-	6	-	8	-	-	2	4	1	9
16	-	43	162	25	3	3	-	19	3	1	7	20	5	65
12	-	47	136	21	1	22	1	16	5	-	13	20	9	42
15	-	44	120	24	-	20	2	22	6	1	10	16	7	39
541	25	2,869	7,437	1,454	229	2,070	124	1,982	537	336	809	1,416	675	3,140
9	-	50	122	17	2	20	2	23	5	6	13	19	8	40
7	-	34	60	5	2	10	-	16	4	-	7	14	9	23
3	-	19	54	10	-	6	2	15	3	-	9	12	-	24
3	-	7	22	4	1	10	-	7	-	-	3	-	2	25
3	-	17	58	27	1	7	1	12	1	-	4	4	1	12
3	-	9	19	7	2	4	-	4	-	-	3	6	5	26
9	1	41	153	19	2	41	3	58	20	6	18	26	4	27
8	-	40	139	39	7	25	1	26	6	5	18	20	8	11
2	1	2	14	3	-	9	-	2	-	-	4	1	-	28
4	1	41	79	18	2	20	1	15	3	-	3	13	6	30
1	-	3	8	2	-	3	-	1	-	-	3	1	1	32
2	-	17	35	4	1	4	1	14	1	3	7	3	1	2
2	-	27	52	11	-	3	1	11	1	-	8	7	11	34
9	1	11	20	15	3	7	-	31	1	1	6	22	18	16
4	-	29	34	7	-	5	-	9	2	3	3	3	2	36
3	2	22	46	9	3	19	-	24	5	1	6	12	9	37
3	-	20	43	5	-	5	-	12	1	-	4	3	5	38
6	1	16	28	7	3	8	2	11	4	1	5	9	5	40
1	-	16	30	10	1	12	-	7	-	1	7	5	5	41
8	-	25	63	12	1	10	1	12	4	1	9	12	5	42
1	-	7	14	1	-	4	-	2	1	-	3	4	4	43
1	-	2	14	1	7	7	-	4	1	-	4	1	1	44
4	-	20	60	7	1	7	-	6	2	2	4	3	1	45
1	-	10	16	6	2	7	1	4	1	1	1	7	1	46
2	-	4	24	13	-	6	1	20	1	1	5	13	8	47
4	-	29	185	16	4	14	-	9	3	1	1	10	1	48
4	-	33	56	10	1	30	1	22	3	4	6	16	3	49
3	-	19	18	5	1	9	-	6	1	-	5	3	2	50
10	-	38	130	18	2	21	3	27	8	3	16	30	4	51
5	-	28	58	4	-	12	-	10	3	2	11	7	8	52
1	-	19	23	1	1	9	-	7	4	-	2	4	3	53
1	-	6	18	1	-	3	-	3	1	-	1	2	1	54
20	-	39	13	2	2	8	2	13	2	4	9	7	10	55
3	-	14	40	8	2	8	-	10	1	-	6	1	3	56
2	-	14	36	12	2	6	1	14	1	1	9	8	5	57
1	-	18	18	2	-	24	1	2	1	-	3	8	1	58
1	-	6	24	5	1	7	1	4	1	3	3	5	3	59
2	-	19	49	7	1	11	4	13	1	1	4	10	7	60
1	-	10	14	3	1	2	-	2	1	1	-	3	2	61
2	-	11	37	13	-	7	2	7	1	1	6	5	-	62
4	-	31	85	24	5	23	3	16	2	6	16	14	26	63
5	-	23	56	16	2	7	-	9	1	1	9	7	1	64
4	-	20	83	13	2	17	-	17	1	1	12	20	5	65
2	1	14	47	20	3	13	2	16	2	4	9	8	12	66
2	-	8	10	5	-	2	-	4	1	1	1	3	1	67
19	-	27	7	1	-	11	1	9	3	2	6	11	3	68
6	-	5	1	1	-	4	-	1	-	-	2	4	1	69
14	-	16	5	5	1	7	-	1	-	-	2	5	2	70
1	-	14	14	3	1	7	1	5	1	1	1	3	1	71
2	-	6	19	2	-	7	-	9	-	1	-	3	1	72
1	-	7	42	8	1	9	1	3	1	1	3	2	4	73
11	-	27	59	17	1	13	2	28	2	4	6	6	2	74
1	2	26	65	11	-	22	-	17	7	1	6	20	19	75
4	-	21	41	9	-	11	-	8	-	-	3	9	4	76
4	-	19	36	10	1	5	1	8	1	4	6	5	5	77
4	-	5	21	4	1	3	-	3	1	-	3	4	4	78
1	-	9	30	5	-	10	1	3	1	-	1	3	-	79
2	-	33	62	9	3	27	-	17	4	5	10	7	17	80
2	-	23	4	4	-	16	-	2	1	4	3	6	4	81
3	-	17	37	8	5	23	-	22	4	2	10	23	5	82
1	-	23	47	19	1	22	2	18	2	5	9	16	1	83
3	-	13	33	4	1	6	1	11	1	1	12	2	5	84
1	-	5	8	1	1	5	-	-	1	-	-	2	1	85
15	-	68	137	18	4	30	9	60	4	-	19	42	2	86
6	-	22	82	10	-	12	4	11	1	9	5	16	11	87
1	-	16	34	3	1	5	-	2	1	-	6	6	8	88
2	-	16	45	4	1	14	-	14	4	3	14	7	6	89
1	-	13	45	2	-	4	-	10	-	-	-	4	3	90
3	-	18	32	6	6	29	1	7	1	1	3	6	3	91
2	-	13	31	8	3	11	-	12	2	1	6	9	9	92
8	-	51	100	35	8	47	5	48	8	12	21	18	13	93
-	-	4	16	1	-	3	1	1	-	-	4	2	-	94

Classified as urban under a special rule in the 1940 census.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
VIRGINIA <sup>7</sup> —Continued														
1 Prince Edward	137	-	-	-	-	-	2	-	-	3	-	-	5	-
2 Prince George	141	-	2	1	1	-	7	-	-	2	-	-	12	1
3 Prince William	151	-	-	-	-	-	2	-	-	1	-	-	18	-
4 Princess Anne	324	-	3	-	-	-	48	-	-	4	-	1	25	-
5 Pulaski	218	-	-	-	2	-	13	-	-	-	1	-	16	-
6 Rappahannock	69	-	-	-	-	-	2	1	-	-	-	-	6	-
7 Richmond	77	1	-	-	1	-	6	-	-	-	3	-	5	-
8 Roanoke	429	-	-	-	-	-	23	-	-	22	1	1	59	-
9 Rockbridge	203	-	-	-	-	-	11	-	-	1	-	-	15	-
10 Rockingham	291	-	-	-	-	3	10	-	-	-	-	-	32	-
11 Russell	166	-	-	-	-	1	4	-	-	1	-	-	11	-
12 Scott	217	-	1	-	2	2	16	-	-	1	2	-	19	-
13 Shenandoah	222	-	2	-	-	-	9	1	-	1	1	-	22	-
14 Smyth	353	-	-	-	-	-	18	-	-	6	-	-	23	-
15 Southampton	253	-	-	-	1	-	18	-	-	3	2	-	15	1
16 Spotsylvania	101	-	-	-	1	-	4	-	-	-	-	-	5	-
17 Stafford	97	-	-	-	1	-	5	-	-	1	-	-	8	-
18 Surry	71	-	-	-	-	-	9	-	-	-	-	-	13	-
19 Sussex	117	-	-	-	-	-	9	-	-	-	-	-	42	-
20 Tazewell	374	-	-	-	-	1	15	-	-	3	1	-	9	-
21 Warren	95	-	-	-	-	-	2	-	-	-	1	-	11	-
22 Warwick	148	-	-	-	-	1	3	-	-	-	-	-	25	-
23 Washington	229	-	-	-	1	2	10	1	-	-	-	-	24	-
24 Westmoreland	116	-	-	-	-	-	8	-	-	-	-	-	40	2
25 Wise	420	-	3	1	1	2	23	-	1	6	-	-	17	-
26 Wythe	168	-	-	-	-	-	4	-	-	-	-	-	12	-
27 York	103	-	-	-	-	3	2	-	-	1	-	-	-	-
Independent Cities <sup>8</sup>														
28 Alexandria	896	-	-	-	-	-	13	-	-	7	1	-	52	-
29 Bristol <sup>10</sup>	123	-	-	-	-	-	8	-	-	1	-	-	15	1
30 Buena Vista	51	-	-	-	-	-	3	-	-	-	-	-	6	-
31 Charlottesville	228	-	-	-	-	-	15	-	-	2	-	-	22	-
32 Clifton Forge	71	-	-	-	-	-	2	-	-	-	-	-	11	-
33 Danville	364	-	1	-	-	5	9	-	-	-	-	-	34	-
34 Fredericksburg	106	-	-	-	-	-	4	-	-	1	-	-	16	-
35 Hampton	117	-	-	-	1	-	5	-	-	-	-	-	12	-
36 Harrisonburg	126	-	-	-	-	-	6	-	-	1	-	-	13	-
37 Hopewell	77	-	-	-	-	-	4	-	-	1	-	-	5	-
38 Lynchburg	480	1	-	1	1	-	15	-	-	4	-	-	57	-
39 Martinsville	94	-	1	-	-	-	4	-	-	-	-	-	7	-
40 Newport News	559	-	3	-	-	-	26	-	-	4	-	-	51	-
41 Norfolk	1,958	1	3	2	2	1	64	6	1	28	1	4	189	4
42 Petersburg	406	-	2	-	-	-	25	-	-	1	2	-	54	-
43 Portsmouth	854	-	-	-	1	1	31	-	-	11	1	-	65	1
44 Radford	69	-	-	-	-	-	1	-	-	2	-	-	3	1
45 Richmond	2,462	1	1	-	2	-	122	1	-	27	-	-	323	5
46 Roanoke	755	1	-	1	-	1	30	-	-	9	1	-	92	1
47 South Norfolk	77	-	-	-	-	1	4	-	-	-	-	-	10	-
48 Staunton	372	-	-	-	-	-	29	-	-	16	-	-	28	-
49 Suffolk	159	-	-	-	-	-	12	-	-	1	-	-	9	-
50 Williamsburg	263	-	-	-	-	-	29	-	-	11	-	-	16	-
51 Winchester	159	-	-	-	-	-	2	-	1	2	1	-	26	-
52 WASHINGTON	22,011	4	19	1	15	25	738	5	-	186	21	34	2,805	16
53 Adams	41	-	-	-	-	-	1	-	-	-	-	-	5	-
54 Asotin	101	-	-	-	-	-	1	-	-	1	-	-	17	-
55 Benton	155	-	-	-	-	-	3	-	-	-	-	2	14	1
56 Chelan	354	-	2	-	-	1	9	-	-	2	-	2	41	-
57 Wenatchee	173	-	-	-	-	-	6	-	-	2	-	1	21	-
58 Balance of county	181	-	2	-	-	1	3	-	-	-	-	1	20	-
59 Chelan	237	-	-	-	-	-	9	-	-	-	-	-	28	1
60 Clark	701	-	1	-	-	-	27	-	-	5	-	1	90	2
61 Vancouver	410	-	-	-	-	-	15	-	-	1	-	1	58	1
62 Balance of county	291	-	1	-	-	-	12	-	-	4	-	-	31	1
63 Columbia	51	-	-	-	-	-	-	-	-	-	-	-	4	-
64 Cowlitz	327	-	1	-	-	1	11	-	-	1	1	1	39	1
65 Longview	144	-	-	-	-	1	1	-	-	1	-	1	21	-
66 Balance of county	163	-	1	-	-	-	10	-	-	-	1	-	18	1
67 Douglas	44	-	-	-	-	-	1	-	-	-	-	-	6	-
68 Ferry	27	-	-	-	-	-	-	-	-	1	1	1	5	-
69 Franklin	91	-	-	-	-	-	1	-	-	-	-	-	6	-
70 Garfield	30	-	-	-	-	-	2	-	-	-	-	-	4	-
71 Grant	67	-	-	-	-	-	2	-	-	-	-	1	10	-
72 Grays Harbor	602	-	-	-	-	-	22	-	-	10	1	-	86	-
73 Aberdeen	324	-	-	-	-	-	4	-	-	6	-	-	60	-
74 Hoquiam	83	-	-	-	-	-	2	-	-	2	-	-	10	-
75 Balance of county	195	-	-	-	-	-	16	-	-	-	1	-	16	-
76 Island	86	-	-	-	-	-	3	-	-	-	-	-	11	-
77 Jefferson	93	1	-	-	-	-	2	1	-	1	-	-	10	-
78 King	5,966	-	6	-	2	10	250	2	-	44	2	14	969	3
79 Seattle	5,451	-	4	-	-	8	204	2	-	38	-	12	761	5
80 Balance of county	1,515	-	2	-	3	2	46	-	-	6	2	-	187	-
81 Kitsap	678	-	-	-	2	-	25	1	-	7	-	2	78	2
82 Bremerton	344	-	-	-	-	-	7	1	-	3	-	1	49	1
83 Balance of county	354	-	-	-	2	-	10	-	-	4	-	1	30	1
84 Kittitas	218	-	-	-	1	-	1	-	-	-	-	1	25	-
85 Klickitat	80	-	-	-	-	-	1	-	-	-	-	-	13	-
86 Lewis	471	-	-	-	-	4	8	-	-	4	-	1	62	1
87 Lincoln	102	-	-	-	-	-	-	-	-	-	1	-	10	-
88 Mason	118	-	-	-	-	-	5	-	-	-	-	-	12	-
89 Okanogan	225	-	1	-	-	1	4	-	-	-	1	-	35	-
90 Pacific	146	-	-	-	1	-	5	-	-	2	1	-	25	-

Footnote on p. 616.

<sup>8</sup>Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

619

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	119, 120	130-132	140-150	157-161	163, 164	185-188	170	169, 171-195	162, 199, 200	
2	-	20	40	9	1	18	1	7	-	2	5	4	6	12
3	-	7	29	4	1	21	5	11	5	2	4	12	2	11
3	-	12	35	7	2	13	1	4	3	1	4	10	4	25
2	-	40	113	13	1	19	-	6	4	2	8	16	1	17
7	-	13	50	10	3	31	-	19	3	5	8	14	7	19
3	-	12	17	4	1	5	2	3	2	-	3	2	3	5
2	-	10	24	3	1	7	-	3	1	-	1	2	2	3
4	-	42	136	25	3	26	-	32	2	-	11	11	9	39
7	1	14	58	8	2	19	-	15	2	3	5	8	6	26
6	1	22	74	22	3	22	1	19	5	1	8	16	8	39
2	1	19	46	17	4	10	-	14	2	2	3	10	14	24
2	1	20	45	22	3	12	-	16	1	6	3	8	16	19
7	-	21	52	9	2	33	1	13	1	1	2	17	6	21
10	1	28	98	40	3	20	1	15	3	4	11	15	4	38
5	-	26	52	15	1	24	1	27	4	1	4	14	9	23
2	-	12	40	5	-	7	1	3	-	-	4	7	-	10
2	-	5	32	7	-	7	1	2	-	2	-	4	2	10
1	1	9	17	4	-	8	-	3	-	-	1	3	3	7
1	-	9	24	6	3	18	2	5	2	1	4	5	6	10
8	1	35	68	18	2	27	-	46	3	4	11	29	17	45
2	-	9	23	10	1	5	-	7	-	1	5	5	2	18
2	-	19	34	7	3	12	2	14	3	3	9	11	2	18
6	4	31	81	25	4	23	-	25	2	4	6	4	12	12
3	-	15	29	1	2	14	-	12	-	2	-	11	5	35
8	-	21	60	19	5	36	4	49	7	5	14	31	27	55
5	-	15	43	8	1	13	1	15	-	1	5	14	2	22
4	-	11	25	5	1	12	-	4	2	-	4	3	4	26
4	1	20	117	13	2	21	3	35	8	7	13	23	8	48
2	1	11	32	7	-	5	2	11	1	1	2	5	2	14
-	-	-	14	5	-	3	1	6	-	-	-	6	3	4
4	-	20	70	5	-	5	-	25	6	1	4	9	9	31
3	-	7	26	1	1	2	-	1	3	1	-	2	1	10
8	1	47	67	24	5	49	4	35	3	3	6	14	10	39
1	-	9	32	2	2	6	-	12	1	-	2	7	-	35
3	-	10	35	3	2	6	1	8	2	-	4	11	-	13
4	-	7	33	6	-	24	-	12	1	-	2	5	1	15
2	-	5	17	5	-	9	1	6	1	2	6	5	1	9
17	-	55	131	13	1	29	-	42	2	8	9	21	4	50
2	-	5	27	5	3	8	-	11	2	-	3	5	3	8
8	-	52	128	27	3	60	2	63	9	3	7	28	12	68
29	-	200	574	101	12	108	7	123	23	43	45	126	32	261
8	-	49	83	37	3	43	1	26	3	1	11	18	9	50
11	-	98	148	34	8	64	2	49	5	12	15	30	2	65
1	-	5	17	3	2	8	-	11	-	-	3	3	-	9
61	1	263	689	98	13	186	7	127	32	47	43	77	35	302
26	-	63	188	33	2	57	1	54	10	5	24	25	12	118
2	1	6	20	6	-	6	-	5	1	-	2	2	-	11
5	1	26	149	31	1	8	1	12	5	2	3	23	-	34
3	-	15	31	6	1	6	-	12	1	10	3	7	-	22
4	-	11	87	16	3	6	1	2	2	1	1	30	1	42
3	-	15	43	7	1	17	-	19	-	-	2	5	2	13
482	2	1,958	7,104	876	76	972	62	1,314	353	81	633	1,289	392	2,545
1	-	6	11	7	-	5	-	2	1	-	1	6	-	1
2	-	10	25	7	-	7	-	3	1	-	4	6	5	12
3	-	6	46	8	1	3	-	28	2	-	8	19	-	10
5	-	30	104	17	5	13	1	24	4	-	14	23	10	47
3	-	11	53	7	4	8	-	9	1	-	6	10	5	26
2	-	19	51	10	1	5	1	15	3	-	8	13	5	21
3	-	20	86	4	-	18	-	12	4	-	8	18	3	21
14	-	59	195	23	-	41	1	68	16	3	25	43	12	75
10	-	42	106	13	-	25	-	45	9	3	12	21	2	47
4	-	17	89	10	-	16	1	23	7	-	13	22	10	28
2	-	9	17	3	-	3	-	2	-	1	3	1	2	4
6	-	25	108	9	2	9	2	25	3	-	14	25	8	37
3	-	13	44	5	2	5	-	10	1	-	8	5	-	21
3	-	12	62	4	-	4	2	15	2	-	6	20	8	16
1	-	6	10	2	-	2	-	4	4	1	-	3	2	2
-	-	-	11	1	1	1	-	-	-	-	-	-	-	1
2	-	10	22	2	-	7	-	-	1	-	-	3	-	1
-	-	3	8	1	-	3	1	16	2	1	5	10	1	8
2	-	7	21	5	1	3	-	2	-	-	2	1	-	3
15	-	57	169	20	2	23	3	41	9	-	5	8	7	9
11	-	35	94	10	2	15	-	16	3	2	18	40	15	68
-	-	7	20	5	-	4	2	8	1	1	6	17	6	47
4	-	15	65	5	-	4	-	17	3	3	3	6	4	8
2	-	13	23	3	-	2	1	3	3	1	10	17	5	13
5	-	9	28	5	-	2	-	4	5	-	2	5	1	12
135	1	541	2,571	210	10	241	20	389	141	31	167	350	32	826
106	-	388	2,018	153	9	182	19	301	112	28	119	278	24	652
29	1	143	553	57	1	59	1	88	29	3	46	72	8	174
13	-	72	187	19	4	22	4	71	8	1	19	53	10	78
7	-	31	88	10	1	11	3	42	4	1	6	22	2	55
6	-	41	99	9	3	11	1	29	4	-	13	31	8	23
5	-	19	60	10	-	11	1	20	2	1	9	29	2	21
3	-	10	18	3	-	5	-	3	1	1	7	7	4	10
11	-	53	153	15	1	22	1	26	6	1	17	27	12	46
2	-	8	32	5	1	13	-	5	1	-	7	6	1	10
2	-	10	38	7	-	5	-	2	-	-	6	14	3	14
1	-	18	56	10	2	13	-	20	2	-	12	19	10	20
3	-	18	46	6	-	1	1	4	-	-	4	16	3	12

New, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

Includes data for Bristol, Va., only.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA		Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- coccus) menin- gitis	Scarlet fever	Whooping cough	Diph- ther- ia	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encephala- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
WASHINGTON--Con.															
1	Pend Oreille-----	49	-	-	-	1	-	-	-	-	-	1	-	7	-
2	Pierce-----	2,636	2	1	-	-	3	118	-	-	56	3	-	309	-
3	Tacoma-----	1,608	1	1	-	-	-	46	-	-	19	2	-	227	-
4	Balance of county-----	1,028	1	-	-	-	3	72	-	-	37	1	-	82	-
5	San Juan-----	35	-	-	-	-	-	-	-	-	-	-	-	5	-
6	Skagit-----	702	-	-	-	-	-	48	1	-	12	1	1	62	-
7	Skamania-----	28	-	-	-	-	-	-	-	-	-	-	-	3	-
8	Spokane-----	1,058	-	1	-	2	-	27	-	-	4	-	2	145	1
9	Everett-----	467	-	1	-	-	-	9	-	-	2	-	1	81	-
10	Balance of county-----	591	-	-	-	2	-	16	-	-	2	-	1	64	1
11	Spokane-----	2,387	-	5	-	2	-	66	-	-	19	1	3	295	3
12	Spokane-----	1,717	-	4	-	2	-	26	-	-	7	1	3	229	2
13	Balance of county-----	670	-	1	-	-	-	40	-	-	12	-	-	66	1
14	Stevens-----	174	-	-	-	-	-	1	-	-	1	-	-	21	-
15	Thurston-----	390	1	1	-	1	-	6	-	-	4	-	-	59	-
16	Olympia-----	228	1	-	-	-	-	5	-	-	3	-	-	32	-
17	Balance of county-----	162	-	1	-	1	-	1	-	-	1	-	-	27	-
18	Wahkiakum-----	32	-	-	-	-	-	-	-	-	-	-	-	3	-
19	Walla Walla-----	425	-	-	-	-	-	27	-	-	2	2	-	55	-
20	Walla Walla-----	320	-	-	-	-	-	26	-	-	2	2	-	37	-
21	Balance of county-----	105	-	-	-	-	-	1	-	-	-	-	-	18	-
22	Whatcom-----	732	-	-	-	1	2	16	-	-	3	1	1	89	-
23	Bellingham-----	398	-	-	-	-	2	7	-	-	1	1	-	52	-
24	Balance of county-----	334	-	-	-	1	-	9	-	-	2	-	1	37	-
25	Whitman-----	240	-	-	-	1	-	3	-	-	-	1	-	28	1
26	Yakima-----	1,092	-	-	-	2	3	35	-	-	7	3	1	125	-
27	Yakima-----	494	-	-	-	-	3	7	-	-	4	1	1	75	-
28	Balance of county-----	598	-	-	-	2	-	26	-	-	3	2	-	50	-
29	WEST VIRGINIA-----	16,238	10	21	9	33	21	718	29	-	195	11	7	1,701	19
30	Barbour-----	154	1	-	-	-	-	8	1	-	1	-	-	15	-
31	Berkeley-----	293	-	-	-	-	-	9	-	-	-	-	-	39	-
32	Martinsburg-----	208	-	-	-	-	-	6	-	-	-	-	-	30	-
33	Balance of county-----	65	-	-	-	-	-	3	-	-	-	-	-	9	-
34	Boone-----	198	-	-	-	-	-	9	-	-	-	-	-	12	-
35	Braxton-----	122	-	-	-	-	-	4	1	-	-	-	1	14	-
36	Brooke-----	205	-	-	-	-	-	6	-	-	1	-	-	38	-
37	Cabell-----	1,073	-	2	-	-	-	69	2	-	22	-	3	120	1
38	Huntington (part)-----	894	-	2	-	-	-	61	2	-	21	-	3	104	1
39	Huntington (total)-----	940	-	2	-	-	-	66	2	-	21	-	3	110	1
40	Balance of county-----	179	-	-	-	-	1	7	-	-	1	-	-	16	-
41	Calhoun-----	63	-	-	-	-	-	2	-	-	1	-	1	7	1
42	Clay-----	106	-	-	-	-	1	1	1	-	-	-	-	6	-
43	Doddridge-----	79	-	-	-	-	-	-	-	-	1	-	-	7	-
44	Fayette-----	607	1	-	1	1	1	40	3	-	8	1	-	50	1
45	Gilmer-----	82	-	-	-	-	-	3	1	-	1	-	-	7	-
46	Grant-----	73	1	-	-	-	-	1	-	-	-	-	-	5	1
47	Greenbrier-----	530	-	-	-	3	-	16	-	-	1	-	-	32	-
48	Hampshire-----	112	-	-	-	-	-	4	-	-	1	-	-	17	-
49	Hampshire-----	237	-	1	-	1	-	12	-	-	2	-	-	34	-
50	Hancock-----	74	-	-	-	-	1	3	-	-	-	-	-	7	-
51	Hardy-----	691	-	-	-	2	-	22	1	-	4	1	-	89	-
52	Clarkeburg-----	327	-	-	-	-	-	13	-	-	1	-	-	46	-
53	Balance of county-----	364	-	-	-	2	-	9	1	-	3	1	-	43	-
54	Jackson-----	128	-	-	-	-	-	3	-	-	1	-	-	17	-
55	Jefferson-----	189	-	-	-	1	-	7	-	-	-	-	-	19	1
56	Kanawha-----	1,640	-	2	-	2	-	76	7	-	13	-	-	170	4
57	Charleston-----	708	-	1	-	1	-	31	1	-	8	-	-	77	2
58	South Charleston-----	74	-	-	-	-	-	4	-	-	-	-	-	10	-
59	Balance of county-----	958	-	1	-	1	-	41	6	-	5	-	-	83	2
60	Lewis-----	393	-	-	-	-	-	41	-	-	25	1	-	33	-
61	Lincoln-----	159	-	1	1	-	1	4	-	-	1	-	-	17	-
62	Logan-----	493	-	1	-	-	1	45	-	-	3	-	-	31	-
63	McDowell-----	733	-	-	-	1	1	30	-	-	20	-	-	55	-
64	Marion-----	613	-	-	-	-	-	16	1	-	3	-	-	75	-
65	Fairmont-----	271	-	-	-	-	-	6	1	-	1	-	-	35	-
66	Balance of county-----	342	-	-	-	-	-	12	-	-	2	-	-	40	-
67	Marshall-----	318	-	1	-	1	-	6	-	-	2	-	-	44	-
68	Moundsville-----	127	-	-	-	-	-	2	-	-	1	-	-	20	-
69	Balance of county-----	191	-	1	-	1	-	4	-	-	1	-	-	24	-
70	Mason-----	174	-	1	-	-	-	8	-	-	10	-	-	17	-
71	Mercer-----	553	1	1	-	2	-	26	4	-	8	-	-	59	1
72	Bluefield <sup>11</sup> -----	205	1	1	-	-	-	10	-	-	4	-	-	29	-
73	Balance of county-----	548	-	-	-	2	-	16	4	-	4	-	-	30	-
74	Mineral-----	216	1	-	-	2	-	9	-	-	1	1	-	15	-
75	Mingo-----	327	-	-	-	2	3	13	2	-	5	-	-	32	-
76	Monongalia-----	477	1	-	-	-	-	7	-	-	5	-	-	65	-
77	Morgantown-----	230	1	-	-	-	-	3	-	-	4	-	-	25	-
78	Balance of county-----	247	-	-	-	-	-	4	-	-	1	-	-	40	-
79	Monroe-----	112	-	-	-	-	-	5	1	-	1	-	-	8	-
80	Morgan-----	84	-	-	-	-	-	6	-	-	-	-	-	5	-
81	Nicholas-----	156	-	-	-	-	-	2	1	-	-	-	1	11	-
82	Ohio-----	802	1	2	-	3	2	20	-	-	6	-	-	101	-
83	Wheeling-----	701	1	2	-	1	1	18	-	-	7	-	-	95	-
84	Balance of county-----	101	-	-	-	2	1	2	-	-	1	-	-	6	-
85	Pendleton-----	111	1	-	-	-	-	6	-	-	-	-	-	10	-
86	Pleasants-----	62	-	-	-	-	-	1	-	-	1	-	-	8	-
87	Pocahontas-----	122	-	-	-	-	-	7	-	-	3	-	-	15	-
88	Preston-----	219	1	1	-	-	-	16	-	-	5	-	-	21	-
89	Putnam-----	135	-	1	-	-	-	4	-	-	-	1	-	6	-
90	Raleigh-----	605	-	1	3	2	3	38	2	-	2	-	1	61	-
91	Beckley-----	160	-	1	1	-	-	9	-	-	-	-	-	23	-
92	Balance of county-----	445	-	-	2	2	3	29	2	-	2	-	1	38	-

<sup>11</sup>Includes data for Bluefield, W. Va., only.



# GENERAL TABLES-DEATHS FROM SELECTED CAUSES

621

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 33	118, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
1	-	8	11	2	-	4	-	1	-	1	2	6	1	4
52	1	219	650	101	8	149	4	151	46	13	62	132	1	4
36	-	155	496	37	3	111	4	91	37	11	25	92	66	310
18	1	64	354	64	5	38	-	60	9	2	37	50	35	169
2	-	5	13	1	-	-	-	-	-	-	-	-	31	121
15	-	56	203	52	2	19	-	28	7	-	-	1	-	7
-	-	3	14	-	-	1	-	2	1	-	-	39	33	111
26	-	159	555	37	4	38	1	53	10	-	14	2	-	2
9	-	69	157	16	-	17	-	24	-	2	18	48	16	102
17	-	70	218	21	4	22	1	29	10	3	23	18	9	64
61	-	221	780	127	15	139	6	119	40	12	43	50	7	48
46	-	188	568	84	14	108	3	89	33	10	34	127	17	286
15	-	55	212	43	1	31	3	31	7	2	9	82	11	196
2	-	18	47	17	2	8	1	8	1	-	11	45	6	90
10	-	34	120	15	-	16	1	20	7	-	14	18	3	15
6	-	20	78	9	-	9	1	18	3	-	7	20	16	45
4	-	14	48	6	-	7	-	2	4	-	-	4	7	28
-	-	1	9	2	2	2	-	4	-	-	1	16	9	17
15	-	42	101	10	1	26	3	23	3	-	11	4	-	6
12	-	35	74	7	1	22	2	17	2	-	10	17	28	59
3	-	9	27	3	-	4	1	6	1	-	1	12	15	46
24	-	87	200	35	2	35	3	59	6	-	16	5	13	13
7	-	53	107	12	1	17	2	24	3	-	9	51	32	80
17	-	34	93	25	1	18	1	14	3	-	7	29	20	51
6	-	22	73	9	1	12	1	18	5	-	12	22	12	39
30	-	84	303	72	9	49	6	70	12	7	52	10	10	27
14	-	40	147	22	5	23	3	25	6	3	17	72	27	123
16	-	44	196	50	4	26	3	45	6	4	55	25	8	82
306	1	1,484	4,013	925	121	922	73	1,330	177	134	408	1,144	622	1,808
1	-	15	37	7	-	10	-	12	4	-	3	14	8	17
5	-	23	90	14	3	27	-	27	-	-	7	15	2	32
4	-	18	59	10	1	19	-	21	-	-	4	9	2	25
1	-	5	31	4	2	8	-	6	-	-	-	6	-	7
-	-	12	41	15	4	9	1	30	2	-	8	17	16	23
2	-	15	26	10	1	7	-	11	3	1	4	9	3	10
4	-	11	56	8	-	10	-	16	2	-	11	16	4	21
16	-	73	302	61	15	37	6	95	10	6	19	64	15	135
15	-	65	239	50	12	31	5	78	9	6	15	43	14	118
15	-	89	246	54	12	34	5	80	9	6	17	45	14	129
1	-	8	63	11	3	6	1	17	1	-	4	21	1	17
1	-	8	14	2	-	1	-	8	2	-	1	3	7	5
-	-	4	15	10	1	7	1	14	1	2	8	11	16	6
10	1	47	123	24	-	2	1	2	1	-	2	3	3	9
-	-	7	17	3	4	35	2	52	9	-	19	65	19	63
1	-	13	14	2	1	6	3	8	2	1	-	9	6	7
11	-	32	67	17	-	8	-	8	-	-	2	4	9	4
6	-	16	31	10	1	25	5	26	3	8	10	27	16	30
7	-	17	83	6	-	8	-	6	3	-	1	3	2	4
2	-	14	16	3	-	14	1	16	2	-	5	11	3	20
13	-	91	194	35	-	4	-	4	-	-	2	4	8	6
8	-	41	97	11	5	35	1	47	100	4	10	42	15	70
5	-	50	97	24	2	27	-	29	3	2	4	17	4	41
3	-	12	25	11	2	12	1	18	7	2	6	25	11	29
7	-	16	60	8	-	21	2	9	-	-	8	3	4	16
23	-	134	366	109	31	94	-	10	3	1	5	8	3	18
11	-	69	181	44	13	31	7	135	16	22	54	111	79	185
3	-	5	16	3	4	5	-	55	9	10	18	32	28	86
9	-	60	169	62	14	58	7	5	-	1	2	4	2	10
1	-	32	88	23	2	13	2	75	7	11	34	75	49	89
2	-	8	45	7	7	7	2	16	8	2	5	10	27	64
6	-	33	72	27	9	15	4	15	2	2	-	10	18	18
12	-	53	145	53	7	28	4	77	3	10	21	57	17	63
15	-	61	150	28	5	44	3	79	4	23	16	90	26	94
7	-	20	79	10	-	16	1	45	11	1	9	45	15	86
8	-	41	71	16	3	28	2	21	7	-	3	23	8	33
6	-	33	83	16	1	19	-	24	4	1	6	22	7	53
2	-	14	34	6	-	4	-	18	6	1	9	29	9	32
6	-	19	49	8	-	15	-	4	1	-	4	9	5	15
2	-	19	43	15	2	12	-	14	5	1	5	20	4	17
12	-	49	152	25	5	12	-	7	1	-	2	12	6	16
5	-	18	50	4	1	24	4	56	4	5	9	34	16	58
7	-	51	102	21	3	10	-	18	1	4	2	16	6	25
7	-	15	59	16	2	14	4	38	3	1	7	18	10	33
9	-	21	55	18	3	24	4	18	-	1	7	13	-	24
14	-	57	124	43	5	17	2	42	3	5	12	51	15	57
8	-	18	66	19	3	14	3	37	6	4	11	33	17	70
6	-	19	58	24	5	5	3	17	2	1	6	12	8	31
1	-	15	34	7	-	9	-	20	4	3	5	21	9	19
1	-	8	21	8	-	14	-	9	-	-	4	6	1	6
2	-	17	25	3	-	8	-	7	1	-	2	8	-	9
28	-	70	243	22	3	70	1	16	2	1	10	19	14	27
24	-	63	212	20	3	59	-	39	9	1	22	57	8	31
4	-	7	31	2	3	11	1	35	6	1	19	50	7	76
4	-	3	35	4	1	8	2	4	3	-	3	7	1	15
1	-	6	16	3	-	3	-	10	2	1	2	12	5	9
1	-	13	28	5	1	8	1	5	2	-	2	7	2	36
6	-	24	82	12	1	8	1	9	1	-	1	4	6	19
3	-	18	44	13	3	5	1	8	3	-	4	21	0	31
7	-	43	151	34	3	6	1	5	1	-	1	6	6	19
4	-	9	46	5	-	32	2	77	5	7	16	45	15	54
3	-	34	105	29	3	11	-	21	2	1	4	7	6	9
						21	2	56	3	6	12	38	9	45



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

	AREA	Total deaths	Typhoid and paraty- phoid fever	Cerebro- spinal (meningo- cocci) menin- gitis	Scarlet fever	Whooping cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Poliomye- litis, polio- encepha- litis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
WEST VIRGINIA--Con.															
1	Randolph-----	249	-	1	-	-	2	14	-	-	3	3	-	24	-
2	Ritchie-----	111	-	-	-	1	-	1	-	-	-	-	-	10	1
3	Roane-----	261	-	-	1	-	-	19	-	-	19	-	-	21	-
4	Summers-----	195	-	1	-	-	-	8	-	-	2	-	-	19	-
5	Taylor-----	199	-	-	-	-	-	5	1	-	3	-	-	19	1
6	Tucker-----	119	-	-	-	-	-	2	-	-	2	-	-	15	-
7	Tyler-----	124	-	-	-	-	-	3	-	-	-	1	-	13	-
8	Upshur-----	197	-	-	-	-	-	3	-	-	-	-	-	18	2
9	Wayne-----	242	1	-	-	2	4	11	-	-	1	-	-	23	-
10	Huntington (part)-----	46	-	-	-	-	-	5	-	-	-	-	-	6	-
11	Balance of county-----	196	1	-	-	2	4	6	-	-	1	-	-	17	-
12	Webster-----	138	-	-	-	2	-	2	-	-	-	2	-	4	-
13	Wetzel-----	165	-	1	1	-	-	3	-	-	1	-	-	20	-
14	Wirt-----	73	-	-	-	-	-	3	-	-	1	-	-	12	-
15	Wood-----	629	-	-	-	1	-	21	-	-	3	-	-	96	-
16	Parkersburg-----	365	-	-	-	1	-	12	-	-	1	-	-	50	-
17	Balance of county-----	244	-	-	-	-	-	9	-	-	2	-	-	46	-
18	Wyoming-----	196	-	1	2	4	-	16	-	-	2	-	-	13	1
19	WISCONSIN-----	32,345	3	23	6	25	20	646	6	1	172	21	89	4,836	24
20	Adams-----	79	-	-	-	-	-	-	-	-	-	-	1	3	-
21	Ashland-----	243	-	-	-	-	1	11	-	-	2	-	3	38	-
22	Ashland-----	148	-	-	-	-	-	9	-	-	-	-	1	29	-
23	Balance of county-----	95	-	-	-	-	1	2	-	-	2	-	2	9	-
24	Barron-----	319	-	-	-	-	-	8	-	-	1	-	6	52	-
25	Bayfield-----	135	-	-	-	-	-	2	-	-	1	-	1	17	-
26	Brown-----	824	-	1	-	-	-	13	1	-	3	-	4	115	-
27	Green Bay-----	497	-	-	-	-	-	5	-	-	2	-	2	78	-
28	Balance of county-----	327	-	1	-	-	-	8	1	-	1	-	2	37	-
29	Buffalo-----	147	-	-	-	1	-	1	-	-	2	1	-	26	-
30	Burnett-----	114	-	-	-	-	-	2	-	-	-	-	3	17	-
31	Calumet-----	175	-	-	-	-	1	1	-	-	1	-	-	25	-
32	Chippewa-----	421	-	-	1	-	-	12	-	-	3	2	1	54	-
33	Chippewa Falls-----	140	-	-	1	-	-	3	-	-	1	1	-	19	-
34	Balance of county-----	281	-	-	-	-	-	9	-	-	2	-	1	35	-
35	Clark-----	299	-	1	-	-	-	6	-	-	-	1	2	44	-
36	Columbia-----	378	-	-	-	-	1	8	-	-	1	-	-	60	-
37	Crawford-----	171	-	-	-	-	-	2	-	-	1	-	-	17	-
38	Dane-----	1,435	-	-	-	-	1	23	-	-	17	-	4	204	-
39	Madison-----	706	-	-	-	-	1	9	-	-	5	-	3	119	-
40	Balance of county-----	729	-	-	-	-	-	14	-	-	12	-	1	65	-
41	Dodge-----	553	-	1	-	1	-	7	-	-	2	-	1	74	1
42	Beaver Dam-----	143	-	-	-	-	-	1	-	-	1	-	-	18	-
43	Watertown (part)-----	25	-	-	-	-	-	-	-	-	-	-	-	4	1
44	Balance of county-----	395	-	1	-	1	-	6	-	-	1	-	1	52	-
45	Door-----	173	-	-	-	-	-	4	-	-	3	-	-	35	-
46	Douglas-----	564	-	3	-	2	2	25	-	-	5	-	3	83	-
47	Superior-----	437	-	1	-	1	2	9	-	-	3	-	2	64	-
48	Balance of county-----	127	-	2	-	1	-	16	-	-	2	-	1	19	-
49	Dunn-----	258	-	-	-	-	-	2	-	-	-	-	-	50	-
50	Eau Claire-----	462	-	-	-	-	-	5	-	-	6	2	2	67	-
51	Eau Claire-----	312	-	-	-	-	-	4	-	-	4	2	2	37	-
52	Balance of county-----	150	-	-	-	-	-	1	-	-	2	-	-	30	-
53	Florence-----	34	-	-	-	-	-	1	-	-	1	-	-	4	-
54	Fond du Lac-----	708	-	-	-	1	-	8	1	-	4	-	1	105	-
55	Fond du Lac-----	351	-	-	-	-	-	4	-	-	2	-	-	47	-
56	Balance of county-----	357	-	-	-	1	-	4	1	-	2	-	1	58	-
57	Forest-----	98	-	-	-	-	-	-	-	-	1	-	-	13	-
58	Grant-----	454	1	1	-	-	-	3	-	-	-	-	-	55	-
59	Green-----	253	-	-	-	1	-	2	-	-	2	-	1	49	1
60	Green Lake-----	173	-	-	-	-	-	-	-	-	-	-	-	29	-
61	Iowa-----	239	-	-	-	-	-	6	-	-	1	-	2	31	-
62	Iron-----	96	-	-	-	-	-	5	-	-	-	-	-	2	-
63	Jackson-----	163	-	-	-	-	-	3	-	-	-	-	-	26	-
64	Jefferson-----	494	-	-	1	-	2	9	-	-	2	-	-	73	-
65	Watertown (part)-----	123	-	-	-	-	-	1	-	-	-	-	-	17	-
66	Watertown (total)-----	148	-	-	-	-	-	1	-	-	-	-	-	21	1
67	Balance of county-----	371	-	-	1	-	2	8	-	-	2	-	-	56	-
68	Juneau-----	191	-	-	-	-	1	1	-	-	-	-	2	32	-
69	Kenosha-----	564	-	-	-	-	-	9	-	-	1	-	2	100	1
70	Kenosha-----	424	-	-	-	-	-	7	-	-	1	-	1	77	1
71	Balance of county-----	140	-	-	-	-	-	2	-	-	-	-	1	23	-
72	Kewaunee-----	139	-	-	-	-	-	4	-	-	-	-	-	23	-
73	La Crosse-----	613	-	-	-	2	-	10	-	-	4	1	2	90	-
74	La Crosse-----	427	-	-	-	1	-	7	-	-	2	1	2	61	-
75	Balance of county-----	186	-	-	-	1	-	3	-	-	2	-	-	29	-
76	Lafayette-----	179	-	-	-	-	-	1	-	-	1	-	-	28	-
77	Langlade-----	203	-	-	-	1	-	2	-	-	-	-	-	31	1
78	Lincoln-----	259	-	-	-	-	-	2	-	-	-	-	-	34	-
79	Manitowoc-----	606	-	-	-	-	-	18	-	-	1	-	4	103	1
80	Manitowoc-----	279	-	-	-	-	-	6	-	-	1	-	2	49	-
81	Two Rivers-----	64	-	-	-	-	-	5	-	-	-	-	-	15	-
82	Balance of county-----	243	-	-	-	-	-	7	-	-	-	-	2	39	1
83	Marathon-----	666	-	-	-	-	-	3	2	-	1	-	2	97	3
84	Wausau-----	311	-	-	-	-	-	-	-	-	1	-	-	50	1
85	Balance of county-----	355	-	-	-	-	-	3	2	-	-	-	2	47	2
86	Marinette-----	370	-	-	-	-	-	7	-	-	2	1	1	47	1
87	Marinette-----	168	-	-	-	-	-	2	-	-	-	-	-	25	-
88	Balance of county-----	202	-	-	-	-	-	5	-	-	2	1	1	22	1
89	Marquette-----	95	-	-	-	-	-	-	-	-	-	-	-	14	-
90	Milwaukee-----	8,023	-	8	3	8	4	248	-	1	67	9	10	1,328	5
91	Cudahy-----	86	-	-	-	-	-	2	-	-	-	-	1	15	-
92	Milwaukee-----	6,268	-	6	3	7	3	207	-	1	44	6	7	1,051	4
93	Shorewood-----	124	-	-	-	-	-	1	-	-	-	-	-	24	-
94	South Milwaukee-----	98	-	-	-	1	1	4	-	-	-	-	-	17	1
95	Wauwatosa-----	273	-	-	-	-	-	5	-	-	2	1	1	38	-
96	West Allis-----	336	-	1	-	-	-	5	-	-	-	-	1	59	-
97	Balance of county-----	639	-	1	-	-	-	24	-	-	21	2	-	124	-



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES

623

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1938 revision)

Diabetes mellitus	Fellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	68	85	90-95	107-109, 35	119, 120	130-132	140-150	157-161	163, 164	165-168	170	168, 171-195	162, 199, 200	
7	-	23	65	9	1	11	5	17	-	1	4	18	16	27
4	-	11	30	9	-	15	-	5	-	1	1	3	8	13
7	-	22	48	25	2	21	-	15	-	-	5	8	14	33
3	-	24	48	15	-	10	-	20	-	1	-	8	7	24
2	-	26	56	15	-	11	-	12	-	1	4	10	11	20
2	-	12	30	5	-	10	-	5	-	3	1	4	9	17
2	-	13	35	14	-	5	-	9	-	1	-	6	1	19
4	-	26	54	15	1	7	2	11	-	1	5	4	17	27
7	-	18	59	12	1	15	-	14	-	2	3	12	25	36
4	-	4	7	4	-	5	-	2	-	-	2	2	-	11
2	-	14	52	8	1	10	-	12	-	2	1	10	25	25
1	-	4	20	15	1	11	2	19	-	-	10	13	18	12
3	-	25	42	12	1	19	-	15	-	-	5	15	10	12
1	-	6	19	10	-	3	-	2	-	-	1	4	3	8
10	-	99	186	18	-	32	-	38	-	2	9	34	10	64
7	-	65	128	12	-	22	-	21	-	2	8	15	6	38
5	-	36	60	6	-	10	-	17	-	-	1	19	4	28
5	-	24	39	12	-	12	-	19	-	5	8	17	3	10
1,021	1	3,208	10,495	1,265	115	1,643	108	1,747	413	30	740	1,514	406	3,750
6	-	11	25	10	-	-	1	6	1	-	3	3	2	9
6	-	36	65	9	2	15	2	12	8	-	1	5	6	21
1	-	24	39	5	-	10	1	7	4	-	1	3	4	10
5	-	12	24	4	2	5	1	5	4	2	-	2	2	11
6	-	52	78	20	-	11	1	21	4	-	8	13	11	47
6	-	9	52	3	-	7	1	5	2	-	4	7	4	14
16	-	85	240	52	5	30	3	65	11	-	21	49	24	106
14	-	59	144	17	2	17	2	37	6	-	13	27	14	59
2	-	27	96	15	3	13	1	28	5	-	8	22	10	47
2	-	19	36	10	-	13	-	7	1	-	3	10	1	14
5	-	20	51	6	-	3	-	5	3	1	2	5	-	15
6	-	19	52	4	1	13	-	11	2	-	5	6	1	25
11	-	45	107	23	5	19	-	28	10	-	9	15	17	59
2	-	19	43	2	-	6	-	12	1	-	1	7	5	17
9	-	26	64	21	5	13	-	16	9	-	8	8	12	42
10	-	35	84	21	-	19	-	7	4	-	15	11	8	31
15	-	40	109	11	2	24	-	15	3	-	13	26	7	41
3	-	15	58	6	-	14	3	18	1	-	4	10	-	19
39	-	142	468	87	5	85	3	72	29	3	43	75	9	149
21	-	75	191	33	4	28	2	48	19	3	20	37	5	63
17	-	67	277	54	1	37	1	24	9	-	23	39	4	65
10	-	58	187	18	-	38	1	32	8	-	14	20	8	72
3	-	17	47	4	-	9	1	11	-	-	4	7	5	15
7	-	40	132	12	-	25	-	20	8	-	10	12	3	54
3	-	11	44	3	2	10	1	6	-	-	10	9	2	30
11	-	47	182	29	1	24	3	25	4	2	14	38	1	60
9	-	37	149	25	-	18	3	22	3	2	14	31	1	41
2	-	10	33	4	1	6	-	3	1	-	-	7	-	19
11	-	32	55	9	-	22	1	14	3	-	8	18	3	30
13	-	48	149	11	3	26	3	42	5	-	5	20	8	47
13	-	41	98	8	2	14	2	32	4	-	3	12	4	30
-	-	7	51	3	1	12	1	10	1	-	2	8	4	17
2	-	4	9	1	-	1	-	4	1	-	-	2	1	3
17	-	78	216	16	2	54	3	34	5	-	17	29	11	106
10	-	40	114	10	2	30	1	17	2	-	7	13	1	51
7	-	36	102	6	-	24	2	17	3	-	10	16	10	55
20	-	52	140	25	-	22	-	23	4	-	10	21	17	60
10	-	35	77	6	-	9	-	12	3	-	3	14	5	24
4	-	20	49	7	1	12	-	9	-	-	2	12	1	27
7	-	28	69	11	-	17	-	6	1	-	9	14	2	37
1	-	13	40	3	-	4	-	3	6	-	1	7	2	9
3	-	19	60	5	-	10	-	8	2	-	5	11	8	12
22	-	45	155	17	3	39	1	15	5	-	8	21	4	72
7	-	12	45	5	-	12	1	5	3	-	1	4	-	15
15	-	13	53	7	-	8	-	4	3	-	1	5	-	18
2	-	33	110	12	3	31	-	11	2	-	7	17	4	57
21	-	39	73	9	-	8	-	10	4	1	6	7	2	20
19	-	38	191	18	1	32	1	30	8	-	25	38	3	44
2	-	11	144	14	-	23	-	22	6	-	18	27	2	54
1	-	14	47	4	1	9	1	8	2	-	7	11	1	10
33	-	33	33	9	-	6	1	7	3	-	7	2	6	22
24	-	59	196	27	-	35	3	23	7	1	11	29	7	71
9	-	40	138	19	-	24	3	14	6	-	10	20	6	49
5	-	19	60	8	-	11	-	9	1	1	1	9	1	22
7	-	17	61	7	-	10	-	12	4	-	2	8	2	20
7	-	22	49	13	-	18	-	18	4	-	5	11	-	21
34	-	37	85	9	1	9	1	24	1	-	5	12	-	34
19	-	60	185	11	1	25	3	28	8	1	12	33	12	70
4	-	24	90	5	-	13	2	10	2	1	2	12	7	34
11	-	3	25	-	-	-	-	6	2	-	4	6	2	12
28	-	35	88	6	1	12	1	10	4	-	6	15	3	24
17	-	75	189	31	3	35	-	44	5	-	23	31	11	85
11	-	36	87	15	-	23	-	19	1	-	4	13	7	37
14	-	37	102	16	3	12	-	25	4	-	19	18	4	48
6	-	42	114	23	-	14	-	19	5	-	11	17	4	48
8	-	15	54	14	-	7	-	6	2	-	6	7	3	21
-	-	27	60	9	-	7	-	13	3	-	5	10	1	27
268	1	7	30	3	-	9	1	7	4	-	3	5	1	11
2	-	6	23	5	-	5	1	9	2	-	1	1	1	12
209	1	486	2,226	225	16	284	24	340	78	5	94	247	18	678
6	-	11	42	3	1	3	-	5	-	-	1	5	1	21
4	-	6	35	1	1	4	-	8	1	-	2	-	-	12
8	-	32	98	6	3	19	-	19	1	-	2	12	-	26
10	-	31	117	11	-	12	1	23	5	1	3	13	2	41
29	-	92	320	34	1	34	4	32	10	1	17	24	-	68



## VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers under

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
WISCONSIN—Continued														
1 Monroe	303	-	-	-	-	1	9	-	-	-	-	-	42	2
2 Oconto	224	-	-	-	-	1	4	-	-	-	-	1	33	-
3 Oneida	194	-	-	-	-	-	1	-	-	2	-	3	29	-
4 Outagamie	650	-	-	-	-	-	10	-	-	2	-	-	98	1
5 Appleton	309	-	-	-	-	-	8	-	-	2	-	-	47	-
6 Balance of county	341	-	-	-	-	-	4	-	-	-	-	-	51	1
7 Ozaukee	179	-	-	-	-	-	2	-	-	-	-	1	33	-
8 Pepin	75	-	-	-	-	-	1	-	-	-	-	-	11	-
9 Pierce	224	-	-	-	-	-	1	-	-	1	-	1	26	-
10 Polk	236	-	2	1	-	-	3	-	-	-	-	-	24	1
11 Portage	308	-	-	-	1	-	6	1	-	-	-	-	52	1
12 Stevens Point	140	-	-	-	-	-	4	-	-	-	-	-	21	1
13 Balance of county	168	-	-	-	1	-	2	1	-	-	-	-	31	-
14 Price	163	-	-	-	-	-	5	-	-	-	-	-	25	-
15 Racine	981	-	2	-	-	1	19	-	-	4	-	7	135	1
16 Balance of county	684	-	1	-	-	1	10	-	-	4	-	5	103	-
17 Richland	297	-	1	-	-	-	9	-	-	-	-	2	32	1
18 Rock	176	-	-	-	-	-	1	-	-	-	-	-	20	1
19 Beloit	862	-	-	-	-	1	13	-	-	2	-	1	140	-
20 Janesville	287	-	-	-	-	1	6	-	-	-	-	-	47	-
21 Balance of county	270	-	-	-	-	-	3	-	-	1	-	1	44	-
22 Rusk	305	-	-	-	-	-	4	-	-	1	-	-	49	-
23 St. Croix	150	-	-	-	-	-	1	-	-	-	-	1	19	-
24 Sauk	263	1	1	-	-	-	6	-	-	1	-	3	44	-
25 Sawyer	366	-	-	-	5	-	4	-	-	1	-	-	41	-
26 Shawano	145	-	-	-	-	-	5	-	-	1	-	1	23	-
27 Sheboygan	354	-	-	-	-	-	6	-	-	1	1	2	45	-
28 Balance of county	766	-	-	-	-	-	25	1	-	1	-	2	98	-
29 Taylor	410	-	-	-	-	-	18	-	-	1	-	2	53	-
30 Trempealeau	356	-	-	-	-	-	7	1	-	-	-	-	45	-
31 Vernon	163	1	-	-	-	1	1	-	-	-	-	1	13	-
32 Vilas	243	-	-	-	-	1	4	-	-	-	1	-	28	-
33 Washburn	302	-	-	-	1	1	1	-	-	1	-	1	49	-
34 Washington	73	-	-	-	-	-	2	-	-	-	-	-	11	-
35 Waushara	453	-	1	-	-	-	8	-	-	3	-	-	67	-
36 Waupaca	108	-	-	-	-	-	1	-	-	-	-	-	19	-
37 Waubesa	298	-	-	-	-	-	2	-	-	1	-	-	39	1
38 Waubesa	704	-	-	-	-	-	15	-	-	3	-	2	120	-
39 Waubesa	195	-	-	-	-	-	5	-	-	2	-	-	35	-
40 Waupaca	509	-	-	-	-	-	10	-	-	1	-	2	85	-
41 Waubesa	408	-	-	-	-	-	6	-	-	-	-	1	54	-
42 Waubesa	196	-	-	1	-	-	4	-	-	1	-	-	23	-
43 Waubesa	1,021	-	-	-	-	-	4	-	-	10	1	2	127	1
44 Waubesa	97	-	-	-	-	-	1	-	-	1	1	1	12	-
45 Waubesa	94	-	-	-	-	-	-	-	-	-	-	-	11	1
46 Waubesa	494	-	-	-	-	-	2	-	-	-	-	-	70	-
47 Waubesa	336	-	-	-	-	-	1	-	-	9	-	1	34	-
48 Wood	391	-	1	-	-	-	4	-	-	1	1	-	55	1
49 Marshfield	120	-	1	-	-	-	1	-	-	-	1	-	15	-
50 Wisconsin Rapids	102	-	-	-	-	-	1	-	-	1	-	-	17	-
51 Balance of county	169	-	-	-	-	-	2	-	-	-	-	-	23	1
52 WYOMING	2,135	-	3	-	2	3	28	2	1	25	-	7	229	3
53 Albany	104	-	1	-	-	-	1	-	-	-	-	-	10	-
54 Laramie	85	-	1	-	-	-	1	-	-	-	-	-	9	-
55 Balance of county	19	-	-	-	-	-	-	-	-	-	-	-	1	-
56 Big Horn	89	-	-	-	-	-	4	-	-	-	-	1	11	-
57 Campbell	54	-	-	-	-	-	-	-	-	-	-	-	4	-
58 Carbon	136	-	1	-	1	-	1	1	-	1	-	1	12	1
59 Converse	62	-	-	-	-	-	-	-	-	1	-	-	6	-
60 Crook	32	-	-	-	-	-	-	-	-	-	-	-	3	-
61 Fremont	134	-	-	-	-	-	5	-	-	1	-	-	14	-
62 Goshute	79	-	-	-	-	-	-	-	-	-	-	-	7	-
63 Hot Springs	61	-	-	-	-	1	-	-	-	-	-	-	10	-
64 Johnson	35	-	-	-	-	-	-	-	-	-	-	-	5	1
65 Laramie	287	-	-	-	-	-	7	-	-	6	-	1	36	-
66 Cheyenne	241	-	-	-	-	-	6	-	-	4	-	1	35	-
67 Balance of county	46	-	-	-	-	-	1	-	-	2	-	-	3	-
68 Lincoln	67	-	-	-	-	-	1	-	-	-	-	-	5	-
69 Natrona	251	-	-	-	-	2	1	-	-	1	-	-	25	-
70 Casper	221	-	-	-	-	2	1	-	-	1	-	-	20	-
71 Balance of county	30	-	-	-	-	-	-	-	-	-	-	-	3	-
72 Niobrara	32	-	-	-	-	-	-	-	-	-	-	-	3	-
73 Park	78	-	-	-	-	-	-	-	-	1	-	-	8	-
74 Platte	68	-	-	-	-	-	-	-	-	-	-	-	3	-
75 Sheridan	214	-	-	-	-	-	2	-	-	7	-	1	21	1
76 Sheridan	153	-	-	-	-	-	1	-	-	-	-	-	12	1
77 Balance of county	55	-	-	-	-	-	1	-	-	7	-	1	9	-
78 Sublette	18	-	-	-	-	-	-	-	-	-	-	-	3	-
79 Sweetwater	162	-	1	-	-	-	4	1	1	1	-	1	24	-
80 Teton	18	-	-	-	-	-	-	-	-	-	-	1	-	-
81 Uinta	97	-	-	-	-	-	1	-	-	4	-	-	5	-
82 Washakie	36	-	-	-	-	-	1	-	-	-	-	-	4	-
83 Weston	40	-	-	-	1	-	-	-	-	-	-	-	8	-
84 Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	1	-
85 Yellowstone National Park (total)	1	-	-	-	-	1	-	-	-	-	-	-	1	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city, are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise,



## GENERAL TABLES-DEATHS FROM SELECTED CAUSES.

625

## EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1946-Continued

causes of death are those of the detailed International List of Causes of Death, 1939 revision)

Diabetes mellitus	Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
61	69	83	90-95	107-109, 113	119, 120	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162, 199, 200	
15	-	39	87	10	1	15	1	17	3	-	7	8	6	40
9	-	14	77	10	-	8	1	6	2	-	5	15	6	2
5	-	21	52	7	-	16	1	16	2	-	4	7	4	3
11	-	62	168	26	-	51	2	43	11	-	20	23	8	4
24	-	96	9	8	-	34	2	13	7	-	12	10	4	5
6	-	38	92	18	-	17	-	30	4	-	8	13	4	6
5	-	15	58	4	-	16	-	12	3	-	1	9	-	7
3	-	10	22	5	-	5	-	4	2	-	-	1	-	8
8	-	24	76	7	1	8	1	8	3	1	3	19	3	9
9	-	24	80	10	1	15	2	9	4	-	8	15	1	10
2	-	26	91	16	1	14	1	24	1	-	11	19	6	11
7	-	4	45	8	1	6	1	14	-	-	6	10	1	12
4	-	22	46	8	-	8	-	10	1	-	5	9	5	13
30	-	90	57	4	1	10	6	6	3	-	7	4	1	14
27	-	65	342	38	4	41	6	73	18	-	26	35	4	15
5	-	25	229	22	3	34	4	41	14	-	18	22	4	16
5	-	22	113	17	1	7	2	32	4	-	8	13	-	17
29	-	85	82	10	4	8	-	9	1	-	2	12	3	18
14	-	27	285	33	-	48	3	42	12	4	16	44	9	19
8	-	32	91	10	-	13	2	13	4	1	4	15	2	20
7	-	27	73	10	1	13	1	14	5	2	6	13	4	21
6	-	26	101	13	3	22	-	15	3	1	6	18	3	22
7	-	14	39	6	-	11	1	12	4	-	4	9	5	23
14	-	36	75	3	-	11	-	8	1	-	12	20	4	24
1	-	38	116	11	4	20	-	10	5	-	9	21	15	25
11	-	12	53	4	2	4	2	9	3	1	6	4	1	26
22	-	29	113	12	1	19	1	28	4	-	17	24	6	27
11	-	101	274	22	6	27	4	27	11	-	14	37	6	28
11	-	50	138	17	4	8	1	17	6	-	10	20	6	29
4	-	51	136	5	2	19	3	10	5	-	4	17	-	30
7	-	18	53	10	2	8	1	10	5	3	2	11	2	31
7	-	23	84	12	2	6	2	16	2	-	3	14	5	32
11	-	27	111	10	2	15	-	14	4	-	6	12	8	33
-	-	5	21	1	-	3	-	7	1	1	4	6	1	34
-	-	49	164	14	-	24	1	22	6	-	13	17	4	35
-	-	12	37	5	-	6	-	2	-	2	6	10	1	36
10	-	49	90	18	2	7	-	13	1	-	5	17	2	37
24	-	72	208	26	3	32	2	37	10	-	18	28	13	38
12	-	21	46	7	1	5	-	14	3	-	3	5	5	39
12	-	51	162	19	2	27	2	23	7	-	15	23	8	40
20	-	48	118	14	2	19	2	22	2	-	11	18	23	41
8	-	31	58	12	2	6	-	4	-	-	3	17	2	42
35	-	86	373	48	8	83	1	46	12	-	18	45	13	43
5	-	5	35	2	-	7	-	5	1	-	-	8	1	44
3	-	9	31	5	1	10	1	5	3	-	4	1	1	45
17	-	42	194	19	4	31	-	23	5	-	7	19	11	46
10	-	30	113	22	3	35	-	12	3	-	7	17	-	47
14	-	40	111	19	4	13	4	31	7	-	8	21	12	48
6	-	19	39	3	-	1	1	8	1	-	2	7	1	49
2	-	7	30	5	1	2	2	6	4	-	-	4	4	50
6	-	14	42	11	3	10	1	17	2	-	6	10	7	51
32	-	180	597	101	15	130	10	143	44	10	105	149	52	287
1	-	5	27	3	1	6	1	10	4	-	10	10	3	53
1	-	4	22	3	1	6	1	10	2	-	6	4	5	54
1	-	1	5	-	-	-	-	-	2	-	4	6	-	55
2	-	5	24	1	-	3	1	7	1	-	8	8	4	56
1	-	4	12	1	1	1	-	1	-	-	2	-	2	57
1	-	5	49	4	1	11	-	12	5	1	6	8	2	58
3	-	3	21	2	-	5	-	1	-	-	3	4	-	59
2	-	6	7	-	1	2	-	2	-	-	1	5	-	60
1	-	7	26	9	3	9	-	5	3	-	6	9	15	61
1	-	9	19	0	2	9	1	9	1	-	2	4	4	62
1	-	7	17	2	-	1	1	8	1	1	4	-	1	63
1	-	4	11	1	-	2	-	1	2	-	1	2	1	64
6	-	26	62	10	2	17	-	20	6	2	19	13	4	65
6	-	17	53	9	2	14	-	17	5	2	14	10	4	66
-	-	9	9	1	-	3	-	3	1	-	5	3	-	67
4	-	19	1	1	1	3	1	3	3	-	3	10	2	68
3	-	18	79	7	-	18	1	13	5	-	12	24	1	69
1	-	18	74	7	-	16	-	12	5	2	7	17	1	70
1	-	-	5	-	-	2	1	1	-	-	5	7	-	71
1	-	1	9	-	-	7	-	3	-	-	2	2	1	72
1	-	17	4	-	-	5	-	6	-	1	9	10	1	73
2	-	3	32	2	2	12	-	5	-	-	2	1	-	74
1	-	21	72	12	-	11	1	4	8	2	4	13	1	75
1	-	14	56	9	-	10	1	3	7	2	3	10	1	76
-	-	7	16	3	-	1	-	1	1	-	1	3	-	77
-	-	-	4	-	-	-	1	-	1	1	4	1	-	78
1	-	15	56	17	1	2	1	20	1	-	5	14	7	79
2	-	6	2	2	-	2	-	2	-	-	-	1	-	80
1	-	19	28	11	-	1	-	3	4	-	-	6	2	81
1	-	1	7	4	-	-	-	5	1	-	2	3	1	82
-	-	3	13	1	-	3	1	3	-	-	-	3	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	85

city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky total figures for Yellowstone National Park are shown under Wyoming.



## VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>UNITED STATES</b>													
Under 1 year-----	111,063	8,987	8,186	8,402	8,196	8,944	8,612	8,986	9,463	9,405	10,229	10,257	11,486
White-----	92,510	7,169	6,609	6,903	6,941	7,427	7,246	7,525	7,894	7,917	8,637	8,833	9,709
Nonwhite--	18,553	1,818	1,577	1,499	1,355	1,517	1,366	1,461	1,569	1,488	1,592	1,624	1,777
Under 1 day-----	37,603	2,535	2,344	2,636	2,347	3,218	3,286	3,440	3,535	3,515	3,555	3,351	3,341
White-----	32,564	2,133	2,006	2,275	2,489	2,792	2,866	2,986	3,045	3,043	3,088	2,914	2,937
Nonwhite--	5,039	402	339	361	378	426	420	454	490	472	467	437	404
1 day-----	11,406	770	708	810	779	922	928	1,010	1,137	1,054	1,112	1,061	1,115
White-----	9,805	644	604	698	687	811	818	873	966	923	981	919	961
Nonwhite--	1,501	126	104	112	92	111	110	137	151	131	131	142	154
2 days-----	7,095	494	464	479	456	559	547	606	696	657	725	687	725
White-----	6,185	409	404	418	402	480	479	523	612	568	630	601	659
Nonwhite--	930	85	60	61	54	79	68	83	84	89	95	86	86
3 to 6 days-----	9,944	769	669	684	718	730	729	839	952	874	979	954	1,048
White-----	8,264	634	539	552	601	620	603	700	810	742	806	791	867
Nonwhite--	1,680	135	130	132	117	110	126	139	142	132	173	163	181
7 to 13 days-----	6,227	517	428	415	375	435	481	490	594	608	599	616	671
White-----	4,917	393	337	329	310	341	381	383	436	481	501	485	540
Nonwhite--	1,310	124	91	86	65	92	100	107	158	127	98	131	131
14 to 20 days-----	3,719	318	289	262	231	254	228	294	316	337	367	408	435
White-----	2,971	237	225	200	184	207	190	225	248	263	298	335	359
Nonwhite--	748	81	64	62	47	47	38	69	68	74	69	73	76
21 to 29 days-----	3,085	290	215	196	207	195	225	235	258	263	292	337	372
White-----	2,461	230	167	147	171	153	182	186	204	213	238	265	305
Nonwhite--	624	60	48	49	36	42	43	49	54	50	54	72	67
Under 1 month-----	79,079	5,693	5,096	5,482	5,613	6,311	6,424	6,914	7,488	7,308	7,629	7,413	7,708
White-----	67,247	4,680	4,281	4,619	4,824	5,404	5,519	5,866	6,341	6,233	6,542	6,308	6,608
Nonwhite--	11,832	1,013	815	863	789	907	905	1,028	1,147	1,075	1,087	1,104	1,098
1 month-----	7,258	647	607	566	500	544	457	465	467	551	729	756	951
White-----	5,781	496	449	450	401	454	365	380	374	458	599	605	770
Nonwhite--	1,477	151	158	116	99	110	92	103	93	95	130	151	181
2 months-----	5,258	528	463	448	432	367	355	299	377	492	517	685	685
White-----	4,150	394	350	347	329	284	284	246	242	289	385	423	567
Nonwhite--	1,108	134	113	101	103	83	71	49	57	88	97	94	118
3 months-----	4,453	447	395	354	333	332	229	237	241	255	348	394	568
White-----	3,287	333	289	266	258	280	171	181	196	196	278	340	469
Nonwhite--	866	114	106	88	75	52	58	46	45	59	70	54	99
4 months-----	3,166	354	329	286	247	245	222	192	221	175	222	289	404
White-----	2,469	264	242	230	189	204	180	143	164	146	176	223	328
Nonwhite--	697	90	87	56	58	41	42	49	57	29	46	66	76
5 months-----	2,578	306	283	240	207	199	167	156	160	170	193	201	291
White-----	2,033	231	220	190	162	155	126	122	125	150	145	167	240
Nonwhite--	540	75	63	50	45	44	41	34	35	20	48	34	51
6 months-----	2,238	221	248	239	196	206	176	168	105	115	155	183	226
White-----	1,761	170	180	177	162	154	149	130	76	95	126	150	192
Nonwhite--	477	51	68	62	34	52	27	38	29	20	29	33	34
7 months-----	1,939	217	184	202	181	163	156	141	134	114	119	147	180
White-----	1,551	175	149	157	140	130	117	117	105	90	97	119	155
Nonwhite--	387	42	35	45	41	33	39	24	29	24	22	28	25
8 months-----	1,675	182	185	199	141	148	141	110	96	112	103	106	150
White-----	1,305	131	144	157	104	118	113	84	78	76	84	83	131
Nonwhite--	372	51	41	42	37	30	28	26	20	36	19	23	19
9 months-----	1,423	150	143	139	152	152	116	115	84	95	99	86	112
White-----	1,113	118	111	112	116	104	88	90	63	78	81	74	90
Nonwhite--	310	32	32	27	36	28	28	25	21	19	18	12	32
10 months-----	1,198	119	131	138	109	122	84	92	81	65	68	92	87
White-----	945	86	102	109	92	101	66	71	64	54	55	78	67
Nonwhite--	243	33	29	29	17	21	18	21	17	11	13	14	20
11 months-----	1,094	123	122	109	85	75	85	93	85	68	72	73	104
White-----	850	91	92	69	64	59	68	65	68	54	59	62	81
Nonwhite--	244	32	30	20	21	16	17	28	19	14	13	11	23
<b>ALABAMA</b>													
Under 1 year-----	3,025	309	272	243	215	217	209	228	284	258	235	256	299
White-----	1,883	148	144	123	129	129	118	118	174	141	125	144	173
Nonwhite--	1,362	163	128	120	87	88	91	110	110	117	110	112	126
Under 1 month-----	2,140	196	161	141	150	163	174	174	220	197	172	187	205
White-----	1,256	95	96	81	96	107	99	97	141	113	92	115	124
Nonwhite--	684	101	65	60	54	56	75	77	79	84	80	72	81
<b>ARIZONA</b>													
Under 1 year-----	679	60	51	62	55	35	28	32	26	31	88	98	123
White-----	492	48	39	41	37	23	16	19	15	20	65	75	94
Nonwhite--	187	12	12	21	18	12	12	13	11	11	23	13	29
Under 1 month-----	332	35	28	36	30	6	8	10	14	12	49	49	55
White-----	273	30	23	30	19	5	6	7	10	11	42	45	45
Nonwhite--	59	5	5	6	11	1	2	3	4	1	7	4	10
<b>ARKANSAS</b>													
Under 1 year-----	1,285	130	113	108	89	95	99	119	101	94	100	121	114
White-----	971	98	84	79	61	72	75	100	70	72	75	96	89
Nonwhite--	312	32	29	29	28	23	24	19	31	22	25	25	25
Under 1 month-----	845	73	63	59	48	69	69	94	76	76	73	76	67
White-----	677	58	53	43	38	53	56	94	54	61	59	60	58
Nonwhite--	160	15	10	16	10	16	13	10	24	15	14	16	9
<b>CALIFORNIA</b>													
Under 1 year-----	6,705	436	482	432	456	528	535	540	616	611	631	677	711
White-----	6,177	439	450	394	424	475	485	506	566	558	591	628	651
Nonwhite--	528	47	32	38	32	53	40	34	50	53	40	49	60
Under 1 month-----	4,810	321	345	287	329	406	408	419	488	477	468	478	484
White-----	4,532	284	325	264	306	362	379	389	448	437	439	447	440
Nonwhite--	378	27	20	23	21	44	29	30	40	40	29	31	44
<b>COLORADO</b>													
Under 1 year-----	1,180	95	75	85	87	107	90	85	84	135	122	105	100
White-----	1,150	83	74	81	86	104	84	82	84	131	120	104	97
Nonwhite--	30	2	1	4	1	3	6	3	-	4	2	1	3
Under 1 month-----	802	61	44	70	61	75	70	69	61	76	75	72	69
White-----	782	59	44	66	60	73	66	67	61	74	74	71	67
Nonwhite--	20	2	-	4	1	2	4	1	-	2	1	1	2



## GENERAL TABLES—INFANT DEATHS

627

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>CONNECTICUT</b>													
Under 1 year-----	1,154	87	88	76	84	88	102	85	89	107	96	109	143
White-----	1,113	82	85	75	82	86	97	84	84	105	89	105	139
Nonwhite-----	41	5	3	1	2	2	5	1	5	2	7	4	4
Under 1 month-----	879	62	66	60	62	65	77	73	69	88	81	72	104
White-----	849	57	65	60	61	64	73	73	65	86	75	69	101
Nonwhite-----	30	5	1	-	1	1	4	-	4	2	6	3	3
<b>DELAWARE</b>													
Under 1 year-----	202	20	16	17	14	13	23	17	19	12	18	13	20
White-----	149	16	8	12	12	9	17	11	14	10	12	12	16
Nonwhite-----	53	4	8	5	2	4	6	6	5	2	6	1	4
Under 1 month-----	138	9	8	9	9	7	18	14	17	9	14	8	16
White-----	106	9	4	7	8	5	13	8	14	8	10	7	13
Nonwhite-----	32	-	4	2	1	2	5	6	3	1	4	1	3
<b>DISTRICT OF COLUMBIA</b>													
Under 1 year-----	767	52	53	61	54	72	60	77	85	64	68	66	55
White-----	440	33	33	42	25	39	37	39	49	30	37	43	33
Nonwhite-----	327	19	20	19	29	33	23	38	36	34	31	23	22
Under 1 month-----	602	43	45	48	40	53	49	60	62	53	56	54	39
White-----	353	27	30	31	23	29	30	35	35	22	32	35	24
Nonwhite-----	249	16	15	17	17	24	19	25	27	31	24	19	15
<b>FLORIDA</b>													
Under 1 year-----	2,116	181	154	169	122	179	170	170	186	159	191	208	228
White-----	1,397	115	82	110	79	116	108	109	123	107	141	147	180
Nonwhite-----	729	66	72	59	43	63	62	61	63	52	50	61	78
Under 1 month-----	1,537	120	95	106	84	124	127	132	148	125	151	162	163
White-----	1,089	77	54	76	60	85	85	88	105	85	119	119	118
Nonwhite-----	448	43	41	30	24	39	42	44	43	40	32	43	45
<b>GEORGIA</b>													
Under 1 year-----	3,075	281	240	233	217	240	228	222	257	272	250	319	316
White-----	1,707	143	119	127	113	143	125	143	140	154	146	179	175
Nonwhite-----	1,368	138	121	106	104	97	103	79	117	118	104	140	141
Under 1 month-----	2,154	168	135	157	144	174	152	172	205	216	195	217	221
White-----	1,272	91	76	88	81	109	99	115	118	127	121	124	124
Nonwhite-----	882	77	59	69	63	65	54	57	85	89	74	93	97
<b>IDaho</b>													
Under 1 year-----	453	34	26	36	34	31	40	37	28	44	46	46	50
White-----	446	33	25	34	34	31	39	37	29	43	45	46	50
Nonwhite-----	7	1	1	2	-	-	1	-	-	1	1	-	-
Under 1 month-----	338	25	13	27	29	24	28	28	26	34	33	31	39
White-----	337	25	13	26	29	24	28	28	26	34	33	31	39
Nonwhite-----	1	-	-	1	-	-	-	-	-	-	-	-	-
<b>ILLINOIS</b>													
Under 1 year-----	5,316	375	374	449	397	433	427	429	432	439	536	472	553
White-----	4,742	328	346	402	354	364	382	384	386	394	475	411	496
Nonwhite-----	574	47	28	47	43	49	45	45	46	45	61	61	57
Under 1 month-----	4,015	252	249	315	280	333	344	352	383	349	414	362	406
White-----	3,609	220	227	291	255	298	307	316	326	312	370	319	369
Nonwhite-----	406	32	21	24	25	35	37	36	37	37	44	44	34
<b>INDIANA</b>													
Under 1 year-----	2,697	194	195	167	204	211	206	226	241	229	236	254	314
White-----	2,512	173	185	177	192	197	198	206	228	212	223	235	298
Nonwhite-----	185	21	12	10	12	14	18	20	13	17	13	19	16
Under 1 month-----	1,947	129	115	123	132	154	158	163	196	166	190	189	212
White-----	1,916	115	109	115	124	145	144	150	186	174	180	174	200
Nonwhite-----	131	14	6	8	8	9	14	13	10	12	10	15	12
<b>IOWA</b>													
Under 1 year-----	1,681	116	104	121	117	137	125	129	170	137	139	175	211
White-----	1,658	113	104	119	115	134	122	129	168	137	138	172	207
Nonwhite-----	23	3	-	2	2	3	3	-	2	2	1	3	4
Under 1 month-----	1,279	76	64	79	95	111	104	110	138	117	107	126	152
White-----	1,266	75	64	77	94	111	101	110	136	117	107	123	151
Nonwhite-----	13	1	-	2	1	-	3	-	2	-	-	3	1
<b>KANSAS</b>													
Under 1 year-----	1,217	107	94	78	76	97	102	117	100	119	104	109	114
White-----	1,165	100	91	77	69	95	99	110	97	115	98	105	109
Nonwhite-----	52	7	3	1	7	2	3	7	3	4	6	4	5
Under 1 month-----	898	72	68	50	54	71	61	96	74	94	84	76	80
White-----	870	69	65	49	51	70	79	90	72	92	80	74	79
Nonwhite-----	28	3	1	1	3	1	2	6	2	2	4	2	1
<b>KENTUCKY</b>													
Under 1 year-----	2,900	230	211	225	204	191	229	218	257	254	267	270	344
White-----	2,644	206	185	209	183	181	207	205	227	228	237	250	310
Nonwhite-----	256	24	26	16	21	10	22	13	30	26	30	20	34
Under 1 month-----	1,904	139	124	132	137	134	148	144	174	177	174	188	233
White-----	1,742	127	111	122	123	127	136	138	152	155	168	173	210
Nonwhite-----	162	12	13	10	14	7	12	6	22	22	6	15	23
<b>LOUISIANA</b>													
Under 1 year-----	2,553	250	191	190	170	180	204	219	251	214	221	245	218
White-----	1,272	111	76	84	77	85	104	109	126	119	128	133	120
Nonwhite-----	1,281	139	115	106	93	95	100	110	125	95	93	112	98
Under 1 month-----	1,802	164	121	108	111	128	147	167	195	169	168	172	157
White-----	949	73	52	50	52	66	81	86	104	95	102	101	87
Nonwhite-----	853	91	69	58	59	60	66	81	91	74	66	71	70



## VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MAINE</b>													
Under 1 year-----	833	75	58	55	66	70	59	70	63	84	70	91	92
White-----	829	75	58	55	65	70	59	70	63	83	69	90	92
Nonwhite--	4	-	-	-	1	-	-	-	-	1	1	1	-
Under 1 month-----	578	47	33	28	44	51	42	53	51	54	56	68	51
White-----	576	47	33	28	44	51	42	53	51	53	56	67	51
Nonwhite--	2	-	-	-	-	-	-	-	-	1	-	1	-
<b>MARYLAND</b>													
Under 1 year-----	1,713	147	136	120	147	133	139	128	150	145	175	134	159
White-----	1,207	105	93	69	105	97	95	87	111	107	120	98	107
Nonwhite--	506	42	43	32	44	36	46	41	39	38	55	39	52
Under 1 month-----	1,214	91	85	73	94	87	107	101	117	117	131	105	108
White-----	873	69	64	61	69	61	77	72	84	86	98	72	71
Nonwhite--	341	22	21	12	26	26	30	29	33	31	43	31	37
<b>MASSACHUSETTS</b>													
Under 1 year-----	2,994	204	207	232	224	263	256	242	270	258	280	260	288
White-----	2,914	198	199	224	221	257	250	238	264	253	275	255	280
Nonwhite--	70	6	8	8	3	6	6	4	6	5	5	5	8
Under 1 month-----	2,206	131	128	163	159	194	203	192	224	222	210	192	188
White-----	2,164	127	124	159	157	189	198	189	220	219	208	190	184
Nonwhite--	42	4	4	4	2	5	5	3	4	3	2	2	4
<b>MICHIGAN</b>													
Under 1 year-----	4,532	333	321	334	325	391	393	375	399	373	431	409	478
White-----	4,189	306	289	307	280	361	369	343	358	347	403	369	449
Nonwhite--	363	28	32	27	35	30	24	32	31	26	28	41	29
Under 1 month-----	3,331	209	213	230	217	269	300	312	319	307	314	305	336
White-----	3,069	189	190	209	195	254	281	283	297	288	293	275	315
Nonwhite--	262	20	23	21	22	15	19	29	22	19	21	30	21
<b>MINNESOTA</b>													
Under 1 year-----	1,925	125	136	159	154	149	163	157	172	166	162	182	201
White-----	1,869	119	126	155	149	147	158	153	171	163	159	179	191
Nonwhite--	56	6	10	4	5	1	5	4	1	3	4	3	10
Under 1 month-----	1,492	88	100	116	118	116	141	131	140	131	129	142	130
White-----	1,454	85	95	115	116	115	137	128	139	131	127	140	125
Nonwhite--	38	3	5	1	2	1	4	2	1	-	2	2	5
<b>MISSISSIPPI</b>													
Under 1 year-----	2,311	243	187	202	153	189	152	198	189	160	196	194	248
White-----	1,036	89	75	85	67	92	71	89	83	79	101	94	111
Nonwhite--	1,275	154	112	117	86	97	81	109	106	81	95	100	137
Under 1 month-----	1,566	134	99	121	93	133	109	150	142	124	151	144	166
White-----	813	61	55	58	53	75	56	76	69	65	86	77	83
Nonwhite--	753	73	44	63	40	58	53	74	74	59	65	67	83
<b>MISSOURI</b>													
Under 1 year-----	2,665	216	211	204	177	200	196	207	258	224	234	239	319
White-----	2,332	195	194	186	159	176	169	180	201	192	204	207	289
Nonwhite--	333	21	17	18	18	24	27	27	57	32	30	32	30
Under 1 month-----	1,869	132	107	119	133	148	133	152	182	174	181	185	223
White-----	1,654	123	98	91	125	134	119	133	157	151	159	161	203
Nonwhite--	215	9	9	28	8	14	14	19	25	23	22	24	20
<b>MONTANA</b>													
Under 1 year-----	446	34	30	31	22	39	28	48	34	41	50	40	51
White-----	363	26	29	29	18	29	26	40	28	32	42	39	43
Nonwhite--	65	6	1	2	4	10	2	8	6	9	8	1	8
Under 1 month-----	321	21	20	26	17	25	22	36	26	28	40	27	33
White-----	296	19	20	25	15	22	21	35	22	26	36	27	30
Nonwhite--	23	2	-	1	2	3	1	1	4	2	4	-	3
<b>NEBRASKA</b>													
Under 1 year-----	846	62	45	55	75	57	67	80	91	48	61	82	93
White-----	814	62	43	53	73	57	65	75	87	47	75	81	86
Nonwhite--	32	-	2	2	2	-	2	5	4	1	6	1	7
Under 1 month-----	641	42	34	39	59	47	49	65	77	43	60	67	61
White-----	624	42	32	37	56	47	48	63	74	42	57	67	59
Nonwhite--	17	-	2	1	2	-	1	2	3	1	3	-	2
<b>NEVADA</b>													
Under 1 year-----	130	4	5	15	8	6	6	9	18	10	14	17	18
White-----	116	4	5	15	8	5	4	7	16	10	12	16	14
Nonwhite--	14	-	-	-	-	1	2	2	2	-	2	1	4
Under 1 month-----	88	4	3	9	6	5	4	5	14	5	12	9	12
White-----	81	4	3	9	6	5	4	4	12	5	10	9	10
Nonwhite--	7	-	-	-	-	-	-	1	2	-	2	-	2
<b>NEW HAMPSHIRE</b>													
Under 1 year-----	348	25	22	19	23	23	32	32	26	38	26	34	48
White-----	348	25	22	19	23	23	32	32	26	37	25	34	48
Nonwhite--	2	-	-	-	-	-	-	-	-	1	1	-	-
Under 1 month-----	234	16	10	7	11	21	22	21	22	30	20	25	29
White-----	233	16	10	7	11	21	22	21	22	30	19	25	29
Nonwhite--	1	-	-	-	-	-	-	-	-	-	1	-	-
<b>NEW JERSEY</b>													
Under 1 year-----	2,715	208	183	201	194	219	222	213	229	268	274	232	272
White-----	2,398	178	155	175	167	199	202	189	201	250	246	197	240
Nonwhite--	317	30	28	26	27	20	20	24	28	18	28	35	32
Under 1 month-----	2,031	141	114	135	137	165	179	167	183	220	213	189	189
White-----	1,826	123	99	118	124	152	168	152	162	206	192	159	172
Nonwhite--	205	18	15	17	13	13	11	15	21	14	21	30	17



## GENERAL TABLES—INFANT DEATHS

629

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW MEXICO</b>													
Under 1 year	1,415	86	80	92	83	89	89	125	147	175	159	125	185
White	1,201	69	67	80	66	71	78	109	123	145	134	112	147
Nonwhite	214	17	13	12	17	18	11	16	24	30	25	13	38
Under 1 month	650	30	44	50	46	48	50	80	58	61	50	67	66
White	566	41	41	41	40	36	45	55	51	53	44	58	61
Nonwhite	84	9	3	9	6	12	5	5	7	8	6	9	5
<b>NEW YORK</b>													
Under 1 year	8,345	700	589	630	686	648	645	699	737	662	799	783	806
White	7,505	638	505	554	610	579	577	636	681	539	719	707	731
Nonwhite	839	62	64	76	56	70	68	63	76	73	80	76	75
Under 1 month	8,391	506	409	457	485	489	500	564	624	551	634	614	548
White	5,769	467	370	402	452	444	445	516	582	487	571	555	498
Nonwhite	612	39	39	55	33	45	55	48	62	64	63	59	50
<b>NORTH CAROLINA</b>													
Under 1 year	3,742	370	318	277	254	272	288	262	280	273	372	349	417
White	2,324	217	182	173	153	166	174	165	189	175	233	225	273
Nonwhite	1,418	153	136	104	101	106	114	97	102	98	139	124	144
Under 1 month	2,509	190	197	182	164	185	201	204	231	201	256	237	271
White	1,686	118	114	119	105	128	143	135	160	138	176	161	189
Nonwhite	823	72	73	63	59	57	58	69	71	63	80	76	82
<b>NORTH DAKOTA</b>													
Under 1 year	519	35	38	35	44	45	35	36	45	40	58	57	51
White	495	35	35	33	40	43	35	36	42	37	57	54	50
Nonwhite	24	-	3	2	4	2	2	-	3	3	1	3	1
Under 1 month	368	23	27	25	30	33	25	30	37	25	45	36	26
White	355	23	25	24	29	31	24	30	37	25	45	36	26
Nonwhite	13	-	2	1	1	2	1	-	2	1	1	2	-
<b>OHIO</b>													
Under 1 year	5,312	386	367	407	418	453	407	450	450	495	487	490	522
White	4,693	340	335	372	376	426	378	402	424	455	450	449	486
Nonwhite	419	46	32	35	42	27	29	26	26	40	37	41	36
Under 1 month	3,980	298	254	276	309	341	321	349	369	404	385	376	368
White	3,670	220	210	255	279	321	294	327	348	372	358	347	339
Nonwhite	310	28	24	21	30	20	27	22	21	32	27	29	29
<b>OKLAHOMA</b>													
Under 1 year	1,639	156	142	120	117	101	119	122	139	132	152	152	188
White	1,386	124	125	96	103	91	110	103	121	108	124	126	153
Nonwhite	253	32	17	24	14	10	9	19	17	24	28	24	35
Under 1 month	1,123	88	77	74	85	75	89	91	106	100	116	102	120
White	966	74	69	66	77	67	82	73	96	89	97	92	104
Nonwhite	137	14	8	8	8	8	7	18	12	11	19	10	16
<b>OREGON</b>													
Under 1 year	933	55	68	67	61	79	63	78	61	60	81	66	94
White	802	54	64	64	58	76	62	75	61	56	78	63	81
Nonwhite	31	1	4	3	3	3	1	3	-	4	3	3	13
Under 1 month	614	39	47	47	42	59	51	65	53	48	60	49	56
White	603	39	47	47	42	59	51	62	53	45	58	46	55
Nonwhite	11	-	-	-	-	1	-	3	-	1	2	3	1
<b>PENNSYLVANIA</b>													
Under 1 year	7,196	523	481	533	598	628	587	610	572	632	649	689	714
White	6,528	475	436	479	548	554	543	532	516	569	597	609	650
Nonwhite	668	48	45	54	50	74	44	58	56	63	52	60	64
Under 1 month	5,259	349	297	351	391	444	464	490	486	503	517	499	488
White	4,780	324	271	294	361	392	428	446	440	455	472	457	450
Nonwhite	469	25	26	57	30	52	36	44	46	48	45	42	38
<b>RHODE ISLAND</b>													
Under 1 year	494	32	24	39	36	41	41	51	34	46	52	43	55
White	476	31	25	37	33	40	41	48	33	46	50	40	54
Nonwhite	18	1	1	2	3	1	-	3	1	-	2	3	1
Under 1 month	383	26	17	29	29	30	33	42	28	35	42	34	39
White	371	26	16	29	27	29	33	39	27	35	40	32	39
Nonwhite	12	-	1	-	1	1	-	3	1	-	2	2	1
<b>SOUTH CAROLINA</b>													
Under 1 year	2,235	210	218	170	180	170	157	151	197	186	213	186	197
White	1,053	83	85	83	91	82	77	75	106	91	106	84	90
Nonwhite	1,182	127	133	87	89	88	80	76	91	95	107	102	107
Under 1 month	1,496	114	125	108	124	108	104	110	155	136	156	124	132
White	765	48	57	58	66	56	56	63	84	75	78	57	69
Nonwhite	731	66	68	50	58	52	48	47	71	63	78	67	63
<b>SOUTH DAKOTA</b>													
Under 1 year	432	45	29	35	40	29	28	32	31	36	43	46	40
White	362	35	23	32	31	26	25	28	27	28	36	40	33
Nonwhite	70	8	6	3	9	3	3	4	4	8	7	6	7
Under 1 month	307	28	15	20	29	22	23	23	24	29	36	33	28
White	272	26	12	19	24	19	20	23	22	23	31	30	23
Nonwhite	35	2	3	1	5	3	3	-	2	5	5	3	5
<b>TENNESSEE</b>													
Under 1 year	2,974	258	243	238	285	215	254	235	232	247	275	255	299
White	2,329	200	192	187	173	169	201	161	163	199	222	204	258
Nonwhite	645	58	51	51	52	46	53	73	69	48	53	51	41
Under 1 month	2,036	157	134	152	150	148	181	182	172	193	189	193	185
White	1,629	126	114	126	119	122	149	129	124	153	155	153	161
Nonwhite	407	31	20	26	31	26	33	54	48	40	34	40	24



## VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths. Detailed age shown for the United States only)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>TEXAS</b>													
Under 1 year-----	7,564	836	538	588	562	679	589	697	644	602	631	678	721
White-----	6,567	523	435	479	469	593	505	596	544	498	528	574	622
Nonwhite-----	1,177	113	101	109	73	86	84	101	100	103	103	105	99
Under 1 month-----	4,785	358	283	341	310	382	352	467	484	459	445	442	472
White-----	4,010	297	234	282	261	318	294	400	404	380	365	371	404
Nonwhite-----	785	61	49	59	49	64	58	67	80	79	80	71	68
<b>UTAH</b>													
Under 1 year-----	486	41	39	51	47	32	38	35	45	39	44	40	44
White-----	488	40	39	49	47	31	38	35	45	39	44	39	43
Nonwhite-----	8	1	-	3	-	1	-	-	1	-	-	1	1
Under 1 month-----	388	28	25	38	33	29	32	30	41	35	33	30	34
White-----	381	27	25	36	33	28	32	30	40	35	33	29	33
Nonwhite-----	7	1	-	2	-	1	-	-	1	-	-	1	1
<b>VERMONT</b>													
Under 1 year-----	284	25	14	23	19	24	17	23	20	31	23	27	38
White-----	284	25	14	23	19	24	17	23	20	31	23	27	38
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 month-----	209	11	12	16	16	16	11	18	16	26	20	19	28
White-----	209	11	12	16	16	16	11	18	16	26	20	19	28
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VIRGINIA</b>													
Under 1 year-----	2,935	285	217	234	197	238	218	237	223	252	267	258	309
White-----	1,976	179	138	160	124	154	151	148	153	187	187	185	210
Nonwhite-----	959	106	79	74	73	84	67	89	70	65	80	73	99
Under 1 month-----	2,021	177	127	158	125	178	169	166	167	195	182	175	202
White-----	1,451	120	92	115	88	122	126	107	122	152	137	128	142
Nonwhite-----	570	57	35	43	37	56	43	59	45	43	45	47	60
<b>WASHINGTON</b>													
Under 1 year-----	1,734	138	156	123	144	140	132	143	146	125	172	145	170
White-----	1,634	129	146	117	135	133	127	124	140	120	164	135	164
Nonwhite-----	100	9	10	6	9	7	5	19	6	5	8	10	6
Under 1 month-----	1,315	101	109	84	113	101	103	112	125	102	142	107	116
White-----	1,283	95	108	80	108	97	102	96	122	97	140	101	115
Nonwhite-----	52	6	1	4	5	4	1	14	3	5	2	6	1
<b>WEST VIRGINIA</b>													
Under 1 year-----	1,990	160	175	148	184	168	148	147	162	170	169	193	186
White-----	1,868	152	160	140	157	156	139	139	150	162	157	183	173
Nonwhite-----	122	8	15	8	7	12	9	8	12	8	12	10	13
Under 1 month-----	1,375	96	102	102	112	128	112	110	125	119	118	133	120
White-----	1,295	91	93	96	108	121	106	105	115	115	110	124	109
Nonwhite-----	80	5	9	4	4	7	6	5	8	4	8	9	11
<b>WISCONSIN</b>													
Under 1 year-----	2,246	147	182	177	162	186	151	153	175	206	219	221	266
White-----	2,205	144	179	173	158	187	146	153	173	203	215	211	263
Nonwhite-----	41	3	3	4	4	1	5	-	2	3	3	10	3
Under 1 month-----	1,644	92	130	120	127	137	117	120	149	164	162	155	171
White-----	1,613	90	129	116	125	136	113	120	147	161	159	148	169
Nonwhite-----	31	2	1	4	2	1	4	-	2	3	3	7	2
<b>WYOMING</b>													
Under 1 year-----	205	18	10	7	16	12	16	23	17	22	24	16	24
White-----	192	16	10	6	16	11	15	23	15	22	22	13	23
Nonwhite-----	13	2	-	1	-	1	1	-	2	-	2	3	1
Under 1 month-----	143	10	8	3	12	4	13	20	13	14	19	12	15
White-----	140	10	8	3	12	4	12	20	12	14	19	11	15
Nonwhite-----	3	-	-	-	-	-	1	-	1	-	-	1	-



## GENERAL TABLES—INFANT DEATHS

631

TABLE 24. DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	WHITE			NONWHITE			AREA AND AGE	Total	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female			Total	Male	Female	Total	Male	Female
UNITED STATES															
Under 1 year	111,063	92,510	53,704	38,806	18,553	10,244	8,309	Montana	448	363	237	146	65	40	25
Under 1 month	79,079	67,247	39,427	27,820	11,832	6,638	5,194	Under 1 year	321	298	188	110	23	14	9
Alabama															
Under 1 year	3,025	1,663	982	671	1,362	744	618	Under 1 year	846	814	487	327	32	16	16
Under 1 month	2,140	1,258	758	488	884	501	383	Under 1 month	641	624	373	251	17	9	8
Arizona															
Under 1 year	679	492	268	224	187	98	89	Under 1 year	130	116	69	47	14	7	7
Under 1 month	332	273	150	123	59	26	33	Under 1 month	88	81	51	30	7	3	4
Arkansas															
Under 1 year	1,283	971	554	417	312	158	154	Under 1 year	348	346	204	142	2	2	-
Under 1 month	845	677	400	277	168	86	80	Under 1 month	234	233	139	94	1	1	-
California															
Under 1 year	6,705	6,177	3,578	2,601	528	304	224	Under 1 year	2,715	2,398	1,405	993	317	180	137
Under 1 month	4,910	4,532	2,625	1,907	378	224	154	Under 1 month	2,031	1,826	1,091	735	205	119	86
Colorado															
Under 1 year	1,180	1,150	703	447	30	12	18	Under 1 year	1,415	1,201	863	538	214	109	105
Under 1 month	802	792	466	316	20	7	13	Under 1 month	650	566	304	262	84	45	39
Connecticut															
Under 1 year	1,154	1,113	644	469	41	27	14	Under 1 year	8,345	7,506	4,318	3,198	839	480	359
Under 1 month	879	849	493	356	30	20	10	Under 1 month	6,381	5,769	3,318	2,451	612	346	266
Delaware															
Under 1 year	202	149	83	66	53	30	23	Under 1 year	3,742	2,324	1,329	895	1,418	770	648
Under 1 month	138	106	63	43	32	19	13	Under 1 month	2,509	1,686	974	712	823	456	367
District of Columbia															
Under 1 year	767	440	258	182	327	178	149	Under 1 year	519	495	280	215	24	14	10
Under 1 month	602	353	208	145	249	136	113	Under 1 month	368	355	208	147	13	9	4
Florida															
Under 1 year	2,116	1,387	811	576	729	386	341	Under 1 year	5,312	4,893	2,888	2,006	419	232	187
Under 1 month	1,537	1,069	646	423	468	255	213	Under 1 month	3,980	3,670	2,194	1,476	310	175	135
Georgia															
Under 1 year	3,075	1,707	986	721	1,368	746	622	Under 1 year	1,639	1,386	818	568	253	157	116
Under 1 month	2,154	1,272	740	532	882	476	406	Under 1 month	1,123	986	579	407	137	78	59
Idaho															
Under 1 year	453	446	243	203	7	3	4	Under 1 year	833	802	473	329	31	14	17
Under 1 month	338	337	185	152	1	-	1	Under 1 month	614	603	359	244	11	4	7
Illinois															
Under 1 year	5,316	4,742	2,703	2,042	574	330	244	Under 1 year	7,196	6,528	3,856	2,692	668	355	313
Under 1 month	4,015	3,609	2,078	1,531	406	235	171	Under 1 month	5,259	4,790	2,839	1,951	468	254	215
Indiana															
Under 1 year	2,697	2,512	1,447	1,065	185	93	92	Under 1 year	494	476	280	196	16	9	9
Under 1 month	1,947	1,816	1,077	739	131	65	68	Under 1 month	383	371	217	154	12	7	5
Iowa															
Under 1 year	1,681	1,658	947	711	23	8	15	Under 1 year	2,235	1,053	601	452	1,182	657	525
Under 1 month	1,278	1,266	720	546	13	4	9	Under 1 month	1,498	785	424	341	731	418	315
Kansas															
Under 1 year	1,217	1,165	681	484	52	33	19	Under 1 year	432	362	205	157	70	38	32
Under 1 month	898	870	505	365	28	23	5	Under 1 month	307	272	161	111	35	19	16
Kentucky															
Under 1 year	2,800	2,644	1,481	1,153	256	146	110	Under 1 year	2,974	2,329	1,398	941	845	344	301
Under 1 month	1,904	1,742	994	748	162	90	72	Under 1 month	2,036	1,629	978	651	407	223	184
Louisiana															
Under 1 year	2,853	1,272	744	528	1,281	731	580	Under 1 year	7,564	6,387	3,700	2,687	1,177	682	495
Under 1 month	1,802	949	571	378	853	493	360	Under 1 month	4,795	4,010	2,369	1,641	785	468	317
Maine															
Under 1 year	833	829	475	354	4	1	3	Under 1 year	496	488	277	211	8	6	2
Under 1 month	578	576	328	248	2	-	2	Under 1 month	388	381	216	185	7	5	2
Maryland															
Under 1 year	1,713	1,207	724	483	506	276	230	Under 1 year	284	284	154	130	-	-	-
Under 1 month	1,214	873	524	349	341	191	150	Under 1 month	209	209	114	95	-	-	-
Massachusetts															
Under 1 year	2,984	2,914	1,708	1,208	70	40	30	Under 1 year	2,935	1,976	1,167	809	959	545	414
Under 1 month	2,206	2,164	1,273	891	42	25	17	Under 1 month	2,021	1,451	877	574	570	341	229
Michigan															
Under 1 year	4,552	4,189	2,415	1,774	363	191	172	Under 1 year	1,734	1,634	967	667	100	58	42
Under 1 month	3,331	3,069	1,786	1,283	262	131	131	Under 1 month	1,315	1,263	758	505	52	29	23
Minnesota															
Under 1 year	1,925	1,869	1,071	798	56	41	15	Under 1 year	1,990	1,868	1,105	763	122	67	55
Under 1 month	1,482	1,454	838	616	28	21	7	Under 1 month	1,375	1,295	776	519	80	39	41
Mississippi															
Under 1 year	2,311	1,036	580	456	1,275	699	576	Under 1 year	2,246	2,205	1,263	942	41	19	22
Under 1 month	1,566	813	404	349	753	429	334	Under 1 month	1,644	1,613	943	670	31	12	19
Missouri															
Under 1 year	2,665	2,332	1,367	965	333	181	152	Under 1 year	206	192	124	66	13	5	8
Under 1 month	1,869	1,654	987	687	215	116	99	Under 1 month	143	140	98	42	3	1	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 25.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES-----	111,063	37,603	11,406	7,095	9,944	6,227	3,719	3,085	79,079	7,258	5,259	4,153	3,186	2,575	2,239	1,938	1,675	1,423	1,169	1,094
White-----	92,510	32,564	9,805	6,165	8,264	4,917	2,871	2,481	67,247	5,761	4,150	3,287	2,489	2,033	1,761	1,551	1,303	1,113	945	650
Nonwhite-----	18,553	5,039	1,501	930	1,680	1,310	748	624	11,832	1,477	1,108	866	697	540	477	387	372	310	243	244
Alabama-----	3,025	1,028	248	163	295	210	106	89	2,140	199	151	103	89	81	49	45	59	50	36	44
White-----	1,683	666	155	95	159	95	47	39	1,256	93	61	46	39	30	27	22	23	23	17	26
Nonwhite-----	1,362	362	93	68	137	115	59	50	884	106	90	57	50	31	21	23	36	27	19	18
Arizona-----	679	135	42	30	46	33	26	20	332	48	43	49	61	31	35	23	14	18	13	12
White-----	492	119	36	25	33	26	12	12	273	34	27	31	42	18	22	14	12	4	7	8
Nonwhite-----	187	16	6	5	13	7	4	8	59	14	16	18	19	13	13	9	2	14	6	4
Arkansas-----	1,283	330	178	63	111	75	46	42	845	84	69	64	44	42	30	28	25	21	18	13
White-----	971	280	145	53	78	55	29	37	677	60	49	48	27	26	20	17	15	11	13	8
Nonwhite-----	312	50	33	10	33	20	17	5	168	24	20	16	17	16	10	11	10	10	5	5
California-----	6,705	2,652	599	476	515	316	186	169	4,910	387	294	239	179	148	139	130	89	56	79	55
White-----	1,177	2,443	564	446	474	284	173	148	4,532	357	270	217	166	132	123	119	84	51	74	52
Nonwhite-----	528	209	34	30	39	32	13	21	378	30	24	22	13	16	16	11	5	5	5	3
Colorado-----	1,180	431	94	70	87	64	33	23	802	85	60	47	34	38	32	20	19	17	12	14
White-----	1,150	420	92	66	83	63	33	23	782	84	60	45	34	37	30	20	19	14	11	14
Nonwhite-----	30	11	2	2	4	1	-	-	20	1	-	2	-	1	2	-	-	3	1	-
Connecticut-----	1,154	453	129	66	98	54	27	22	679	61	47	44	29	16	13	21	12	13	7	12
White-----	1,113	447	124	65	92	53	26	22	649	57	46	41	28	16	13	20	11	13	7	12
Nonwhite-----	41	16	5	1	6	1	1	-	30	4	1	3	1	-	-	1	1	-	-	-
Delaware-----	202	66	25	6	20	11	5	5	130	20	5	9	4	6	4	6	3	5	1	1
White-----	149	52	19	5	16	7	4	3	106	13	4	5	4	4	2	4	2	4	1	-
Nonwhite-----	53	14	6	1	4	4	1	2	32	7	1	4	-	2	2	2	1	1	-	1
District of Columbia-----	767	291	91	50	65	47	31	27	602	45	20	15	22	14	6	5	11	13	10	4
White-----	440	187	52	29	45	18	15	7	353	21	15	8	10	6	4	3	5	6	5	2
Nonwhite-----	327	104	39	21	20	29	16	20	249	24	5	7	12	8	2	2	6	5	5	2
Florida-----	2,116	720	205	125	206	150	77	53	1,537	124	93	70	66	53	41	39	33	24	22	14
White-----	1,387	529	156	89	130	82	45	39	1,066	70	52	39	34	31	27	21	19	11	10	6
Nonwhite-----	729	191	49	37	76	68	32	15	466	54	41	32	32	22	14	18	15	13	12	8
Georgia-----	3,075	975	290	173	321	197	107	101	2,154	204	141	112	98	77	66	46	54	50	37	36
White-----	1,707	605	189	116	174	79	53	56	1,272	100	61	44	52	32	26	25	27	25	22	21
Nonwhite-----	1,368	370	91	57	147	118	54	45	882	104	80	68	46	45	40	21	27	25	15	15
Idaho-----	453	153	57	35	47	22	16	8	339	21	19	17	16	12	5	6	4	2	5	8
White-----	446	153	57	35	49	22	16	8	337	21	19	16	16	11	4	6	2	1	5	8
Nonwhite-----	7	-	-	-	1	-	-	-	2	-	-	1	-	1	1	-	2	1	-	-
Illinois-----	5,316	1,981	623	358	515	241	141	156	4,015	339	217	139	109	104	83	79	57	70	53	51
White-----	4,742	1,791	569	328	454	214	121	132	3,609	301	182	122	95	85	75	69	51	63	47	43
Nonwhite-----	574	190	64	30	61	27	20	24	406	38	35	17	14	19	8	10	6	7	6	8
Indiana-----	2,697	866	297	204	245	154	83	77	1,947	170	108	102	74	64	58	42	64	30	23	25
White-----	2,512	846	275	190	225	141	73	65	1,816	158	100	96	68	59	50	42	51	29	21	23
Nonwhite-----	185	40	21	14	21	13	10	12	131	12	8	6	6	5	8	-	3	2	2	2
Iowa-----	1,681	599	178	123	142	103	60	54	1,279	112	64	46	42	25	25	19	16	11	16	16
White-----	1,659	593	176	121	140	103	60	53	1,266	109	61	43	42	25	24	19	16	11	16	16
Nonwhite-----	23	6	2	2	2	-	-	1	13	3	3	3	-	-	1	-	-	-	-	-
Kansas-----	1,217	446	136	80	107	60	39	30	899	57	59	43	22	30	25	12	23	16	19	13
White-----	1,185	431	131	78	105	59	36	30	870	52	55	40	21	28	23	10	21	15	19	11
Nonwhite-----	32	15	5	2	2	1	3	-	29	5	4	3	1	2	2	2	2	1	-	2
Kentucky-----	2,900	825	277	148	236	197	131	90	1,904	233	162	129	89	83	57	68	68	35	34	39
White-----	2,644	750	253	136	219	173	127	79	1,742	211	152	118	80	73	52	65	59	32	31	31
Nonwhite-----	256	75	19	12	17	24	4	11	162	22	10	13	6	10	5	3	9	3	3	8
Louisiana-----	2,553	909	188	126	249	175	96	59	1,902	161	118	100	66	58	47	40	34	44	34	27
White-----	1,272	542	102	70	133	58	27	17	949	71	50	31	32	27	22	14	24	19	11	11
Nonwhite-----	1,281	367	86	56	116	117	69	42	953	110	68	69	36	31	25	18	20	20	15	16
Maine-----	633	280	78	42	62	53	36	27	578	54	52	30	32	20	19	11	8	8	11	10
White-----	629	280	77	42	61	53	36	27	578	54	51	30	32	20	19	10	8	8	11	10
Nonwhite-----	4	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Maryland-----	1,713	546	157	112	172	93	71	61	1,214	135	80	66	42	29	28	35	30	23	18	15
White-----	1,207	419	123	85	107	48	47	44	873	83	55	45	31	22	17	26	19	14	10	11
Nonwhite-----	506	129	34	27	65	45	24	17	341	52	25	20	11	7	9	9	11	9	8	4
Massachusetts-----	2,984	1,096	298	213	277	144	99	89	2,206	187	149	105	80	47	52	36	42	36	39	26
White-----	2,914	1,064	296	208	275	140	96	85	2,184	178	146	101	59	47	54	40	35	37	26	26
Nonwhite-----	70	22	2	5	2	4	3	4	42	9	3	4	1	-	5	2	1	1	-	-
Michigan-----	4,552	1,560	509	321	431	243	159	109	3,331	272	212	164	132	80	86	60	57	62	50	46
White-----	4,189	1,435	468	303	395	222	143	103	3,069	255	197	153	121	74	76	50	49	60	48	39
Nonwhite-----	363	125	41	18	36	21	15	6	262	17	15	11	11	6	10	8	2	2	4	7
Minnesota-----	1,925	789	223	120	164	85	58	41	1,482	117	67	61	39	38	24	29	19	18	20	14
White-----	1,669	775	220	118	162	83	57	41	1,454	113	65	57	36	33	21	27	17	15	18	13
Nonwhite-----	56	14	5	4	2	2	1	-	28	4	2	4	3	5	3	2	2	-	2	1
Mississippi-----	2,311	759	203	119	195	144	78	68	1,566	137	123	84	83	61	61	59	36	35	27	19
White-----	1,056	450	109	64	84	59	28	20	813	55	35	26	25	15	17	16	7	12	7	8
Nonwhite-----	1,275	309	95	55	111	85	50	48	753	102	88	58	58	46	44	43	29	23	20	11
Missouri-----	2,665	886	238	165	212	171	110	87	1,869	200	112	88	78	68	58	47	46	37	29	33
White-----	2,332	775	222	151	187	148	95	76	1,654	178	93	71	68	57	48	40	32	25	28	28
Nonwhite-----	333	111	16	14	25	23	15	11	215	22	19	17	12	11	10	7	6	5	4	5



## GENERAL TABLES—INFANT DEATHS

633

TABLE 25.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 5 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Montana	448	160	39	30	38	26	17	11	321	24	20	12	14	16	8	10	8	6	2	7
White	393	152	38	27	34	21	16	10	298	19	15	8	6	7	7	4	4	1	5	
Nonwhite	55	8	1	3	4	5	1	1	23	5	5	4	8	9	1	3	4	2	1	2
Nebraska	846	351	81	52	66	39	23	19	641	42	33	33	17	21	10	12	17	4	6	10
White	814	339	90	51	65	37	23	19	624	40	32	31	15	20	10	12	14	4	5	7
Nonwhite	32	12	1	1	1	2	-	-	17	2	1	2	2	1	-	-	3	-	1	3
Nevada	130	45	15	5	12	7	1	3	86	0	9	6	4	2	5	1	2	3	1	1
White	118	43	12	5	10	7	1	3	81	7	9	5	3	2	4	1	2	2	-	-
Nonwhite	14	2	3	-	2	-	-	-	7	1	-	1	1	-	1	-	-	1	1	1
New Hampshire	348	117	20	23	43	13	4	14	234	27	17	16	14	9	6	6	8	3	6	2
White	346	116	20	23	43	13	4	14	233	27	17	15	14	9	6	6	8	3	6	2
Nonwhite	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
New Jersey	2,715	992	338	185	246	129	85	76	2,031	155	129	86	58	54	46	41	27	29	30	19
White	2,598	891	300	169	229	119	50	68	1,828	133	108	88	55	42	38	37	23	25	26	17
Nonwhite	317	101	38	16	17	10	15	8	205	22	21	18	13	12	8	4	4	4	4	2
New Mexico	1,415	273	85	51	82	81	52	46	850	146	100	120	104	85	58	48	46	39	20	23
White	1,201	260	50	38	85	75	43	39	565	129	84	98	82	49	48	43	34	35	17	16
Nonwhite	214	13	15	15	17	8	9	7	84	17	16	22	22	14	8	5	12	4	3	7
New York	8,345	3,080	1,035	582	770	432	262	220	6,361	476	358	247	185	154	133	113	86	86	68	58
White	7,506	2,781	950	535	705	396	239	193	5,769	413	324	219	158	134	118	101	77	78	63	52
Nonwhite	839	299	105	47	65	46	23	27	612	63	34	28	27	20	15	12	9	8	5	6
North Carolina	3,742	1,147	385	217	300	197	136	127	2,509	304	227	174	129	84	68	63	61	45	36	42
White	2,524	855	264	156	188	107	75	61	1,686	166	115	99	66	42	45	29	27	19	13	17
Nonwhite	1,418	312	121	61	112	90	61	66	823	138	112	75	63	42	23	34	34	26	23	25
North Dakota	519	180	45	30	38	32	24	9	368	39	20	22	17	20	6	4	5	5	6	7
White	495	167	44	29	37	28	21	9	355	38	17	20	17	18	6	3	5	4	5	7
Nonwhite	24	3	1	1	1	4	3	-	13	1	3	2	-	2	-	1	-	1	1	-
Ohio	5,312	1,956	587	402	467	276	154	136	3,980	306	204	164	113	110	96	106	68	75	45	45
White	4,893	1,783	545	378	434	249	145	126	3,670	288	187	151	105	104	88	94	58	67	42	39
Nonwhite	419	163	42	24	33	29	9	10	310	18	17	13	8	6	8	12	10	8	3	6
Oklahoma	1,839	535	198	89	136	87	41	38	1,123	116	89	66	45	39	47	39	22	20	19	15
White	1,386	477	182	70	113	73	35	36	986	88	72	56	32	34	34	28	13	13	17	12
Nonwhite	253	58	16	18	23	14	6	2	137	28	17	10	13	5	13	9	8	7	2	3
Oregon	833	322	98	61	82	38	19	24	614	53	38	35	23	13	23	13	7	5	5	4
White	802	320	86	59	60	37	19	22	603	51	37	31	21	9	21	12	6	4	3	4
Nonwhite	31	2	2	2	2	1	2	2	11	2	1	4	2	4	2	1	1	1	2	-
Pennsylvania	7,195	2,445	782	489	687	400	263	213	5,259	447	304	259	180	134	147	117	105	96	73	65
White	6,528	2,210	724	451	612	359	238	196	4,790	397	276	233	165	124	132	105	98	86	65	55
Nonwhite	869	235	58	38	55	41	25	17	469	50	28	26	15	10	15	12	6	10	8	10
Rhode Island	494	174	73	51	43	19	15	8	363	25	15	15	11	13	8	8	5	1	7	3
White	476	170	69	49	42	19	15	7	371	24	14	14	11	13	7	8	4	1	7	2
Nonwhite	18	4	4	2	1	-	-	1	12	1	1	1	-	-	1	-	1	-	-	1
South Carolina	2,235	695	203	121	227	124	70	56	1,496	174	125	100	82	56	49	46	30	30	22	25
White	1,053	332	122	59	99	55	26	22	765	68	39	35	30	20	21	21	15	15	7	17
Nonwhite	1,182	313	81	62	128	69	44	34	731	106	86	65	52	36	28	25	15	15	15	8
South Dakota	432	149	50	26	33	27	13	9	307	27	17	12	10	14	9	5	9	9	6	7
White	362	135	44	22	29	22	11	9	272	21	11	12	7	9	8	3	8	7	2	2
Nonwhite	70	14	6	4	4	5	2	-	35	6	6	-	3	5	1	2	1	2	4	5
Tennessee	2,974	938	247	170	268	209	117	87	2,036	245	160	124	75	68	70	49	46	41	30	30
White	2,329	770	203	129	221	158	82	66	1,629	190	120	86	60	53	40	35	36	32	24	24
Nonwhite	645	168	44	41	47	51	35	21	407	55	40	38	15	15	30	14	10	9	6	6
Texas	7,564	1,890	807	419	728	495	247	209	4,795	504	443	361	294	259	227	183	179	111	108	100
White	6,387	1,617	692	360	613	380	188	160	4,010	420	390	317	254	228	194	161	151	97	96	79
Nonwhite	1,177	273	115	59	115	115	59	49	785	84	53	44	40	31	33	22	28	14	12	21
Utah	486	187	61	47	55	19	10	9	388	22	21	16	11	8	5	5	4	3	8	5
White	486	187	61	47	55	19	10	9	388	22	21	16	11	8	5	5	4	3	7	5
Nonwhite	8	5	-	-	1	1	-	1	7	-	-	-	-	-	-	-	-	-	1	-
Vermont	284	100	27	11	28	27	7	9	209	15	20	4	5	10	6	2	5	2	2	4
White	284	100	27	11	28	27	7	9	209	15	20	4	5	10	6	2	5	2	2	4
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,935	961	262	175	262	170	108	83	2,021	204	157	120	107	77	69	52	36	33	29	30
White	1,976	730	175	125	168	124	74	54	1,451	117	84	78	67	52	37	27	16	17	14	16
Nonwhite	959	231	86	50	94	46	34	29	570	87	73	42	40	25	32	25	20	16	15	14
Washington	1,734	646	182	137	155	89	59	47	1,515	99	71	53	47	29	27	29	21	15	14	14
White	1,634	617	178	132	151	86	54	45	1,263	87	58	45	42	27	25	28	20	14	13	12
Nonwhite	100	29	4	5	4	3	5	2	52	12	13	8	5	2	2	1	1	1	1	2
West Virginia	1,990	562	209	139	181	127	86	71	1,375	162	97	91	48	56	46	34	22	25	20	14
White	1,866	529	195	133	172	118	81	67	1,296	149	90	87	45	53	42	34	22	22	18	13
Nonwhite	122	33	14	6	9	9	5	4	80	13	7	4	5	3	4	-	-	3	2	1
Wisconsin	2,246	817	227	161	200	113	75	51	1,644	134	111	83	58	50	27	37	35	36	17	16
White	2,205	804	223	157	196	110	74	49	1,613	133	108	82	54	48	27	37	34	36	17	16
Nonwhite	41	13	4	4	4	3	1	2	31	1	3	1	2	2	-	-	1	-	-	-
Wyoming	205	73	16	14	19	7	11	3	143	12	8	8	6	9	4	3	5	5	1	1
White	192	72	15	14	19	6	11	3	140	11	6	6	5	8	3	3	5	4	1	-
Nonwhite	13	1	1	-	-	1	-	-	3	1	2	2	1	1	1	-	-	1	-	1



## VITAL STATISTICS OF THE UNITED STATES

TABLE 26.-DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year-----	111,063	92,510	18,553	22,042	9,782	64,737	8,161	1,897	134	2,073	274	1,761	202
Under 1 day-----	37,603	32,564	5,039	4,756	2,025	26,027	2,828	1,010	89	144	40	627	57
1 to 6 days-----	28,445	24,334	4,111	3,067	1,918	19,869	2,087	649	32	342	35	407	39
7 to 13 days-----	6,227	4,517	1,310	1,189	669	3,444	600	76	4	139	24	69	13
14 to 29 days-----	6,804	5,432	1,372	1,637	748	3,394	578	79	5	248	30	74	11
1 to 11 months-----	31,984	25,263	6,721	11,393	4,422	12,003	2,068	63	4	1,200	145	584	82
ALABAMA													
Under 1 year-----	3,026	1,663	1,362	888	1,008	876	337	18	9	44	5	37	3
Under 1 day-----	1,028	666	362	223	244	411	112	9	4	2	2	21	-
1 to 6 days-----	707	409	298	142	210	244	85	7	3	5	2	11	-
7 to 13 days-----	210	95	115	52	84	40	29	-	1	3	1	-	-
14 to 29 days-----	195	86	109	46	82	30	26	1	1	8	-	1	-
1 to 11 months-----	885	407	478	225	388	151	87	1	-	26	-	4	3
ARIZONA													
Under 1 year-----	679	492	187	164	75	294	101	9	-	-	-	25	11
Under 1 day-----	135	119	16	24	2	84	13	3	-	-	-	8	1
1 to 6 days-----	118	94	24	14	10	66	13	5	-	-	-	9	1
7 to 13 days-----	33	26	7	4	4	20	3	1	-	-	-	1	-
14 to 29 days-----	46	34	12	10	8	22	4	-	-	-	-	2	-
1 to 11 months-----	347	219	128	112	51	102	68	-	-	-	-	5	9
ARKANSAS													
Under 1 year-----	1,283	971	312	414	244	510	63	1	-	20	-	36	5
Under 1 day-----	330	280	50	107	35	164	14	-	-	-	-	9	1
1 to 6 days-----	352	276	76	86	51	174	24	-	-	4	-	12	1
7 to 13 days-----	75	55	20	32	18	21	2	-	-	-	-	2	-
14 to 29 days-----	88	68	22	34	19	29	3	-	-	3	-	-	-
1 to 11 months-----	488	294	144	155	121	122	20	1	-	13	-	3	3
CALIFORNIA													
Under 1 year-----	6,705	6,177	528	865	101	4,920	409	139	3	118	10	135	5
Under 1 day-----	2,652	2,443	209	94	19	2,189	185	92	1	6	-	62	4
1 to 6 days-----	1,587	1,484	103	47	10	1,350	90	40	2	23	1	24	-
7 to 13 days-----	316	284	32	33	4	228	27	5	-	10	1	8	-
14 to 29 days-----	355	321	34	62	9	239	24	2	-	13	2	5	-
1 to 11 months-----	1,795	1,645	150	629	60	914	83	-	-	66	6	36	1
COLORADO													
Under 1 year-----	1,180	1,150	30	347	9	736	21	-	-	56	-	11	-
Under 1 day-----	431	420	11	66	1	347	10	-	-	5	-	2	-
1 to 6 days-----	251	243	8	31	1	205	7	-	-	5	-	2	-
7 to 13 days-----	64	63	1	24	-	32	1	-	-	7	-	-	-
14 to 29 days-----	56	56	-	21	-	25	-	-	-	9	-	1	-
1 to 11 months-----	378	368	10	205	7	127	3	-	-	30	-	6	-
CONNECTICUT													
Under 1 year-----	1,154	1,113	41	100	5	968	34	3	1	5	-	37	1
Under 1 day-----	463	447	16	11	2	433	14	2	-	-	-	1	-
1 to 6 days-----	313	301	12	2	1	297	10	1	-	1	-	-	1
7 to 13 days-----	54	53	1	3	-	49	1	-	-	1	-	-	-
14 to 29 days-----	49	48	1	2	-	44	1	-	-	1	-	1	-
1 to 11 months-----	275	264	11	82	2	145	8	-	1	2	-	35	-
DELAWARE													
Under 1 year-----	202	149	53	22	16	125	34	-	-	1	-	1	1
Under 1 day-----	66	52	14	3	2	49	12	-	-	-	-	1	-
1 to 6 days-----	51	40	11	2	3	38	7	-	-	-	-	-	1
7 to 13 days-----	11	7	4	2	2	4	2	-	-	1	-	-	-
14 to 29 days-----	10	7	3	2	1	5	2	-	-	-	-	-	-
1 to 11 months-----	64	43	21	13	10	30	11	-	-	-	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year-----	767	440	327	24	33	266	247	55	15	67	32	8	-
Under 1 day-----	291	187	104	7	7	148	84	31	11	-	2	1	-
1 to 6 days-----	206	126	80	1	3	95	71	22	4	7	2	1	-
7 to 13 days-----	47	18	29	2	1	12	25	1	-	3	3	-	-
14 to 29 days-----	58	22	36	3	2	11	33	-	-	8	1	-	-
1 to 11 months-----	165	87	78	11	20	20	34	1	-	49	24	6	-
FLORIDA													
Under 1 year-----	2,116	1,367	729	229	453	1,066	254	17	3	1	-	52	19
Under 1 day-----	720	529	191	63	101	433	83	8	-	-	-	25	7
1 to 6 days-----	537	375	162	35	94	319	62	4	3	1	-	16	3
7 to 13 days-----	180	62	60	14	43	66	21	1	-	-	-	1	4
14 to 29 days-----	130	63	47	11	30	66	17	2	-	-	-	2	-
1 to 11 months-----	579	318	261	106	185	202	71	2	-	-	-	8	5



## GENERAL TABLES—INFANT DEATHS

635

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
GEORGIA													
Under 1 year	3,075	1,707	1,368	534	998	1,047	356	21	1	55	3	50	10
Under 1 day	975	605	370	129	220	429	145	12	1	2	-	33	4
1 to 6 days	774	479	295	96	213	357	78	7	-	8	-	11	4
7 to 13 days	197	79	118	27	95	50	23	-	-	2	-	-	-
14 to 29 days	208	109	99	55	75	44	24	1	-	9	-	-	-
1 to 11 months	921	435	486	227	395	167	86	1	-	34	3	6	2
IDAHO													
Under 1 year	453	446	7	85	4	335	3	2	-	-	-	24	-
Under 1 day	153	153	-	12	-	125	-	2	-	-	-	14	-
1 to 6 days	139	138	1	6	1	126	-	-	-	-	-	6	-
7 to 13 days	22	22	-	1	-	19	-	-	-	-	-	2	-
14 to 29 days	24	24	-	5	-	18	-	-	-	-	-	1	-
1 to 11 months	115	109	6	61	3	47	3	-	-	-	-	1	-
ILLINOIS													
Under 1 year	5,316	4,742	574	686	110	3,788	454	109	2	93	-	68	8
Under 1 day	1,961	1,791	190	130	28	1,582	157	70	2	-	-	9	3
1 to 6 days	1,496	1,351	145	62	14	1,233	131	34	-	13	-	9	-
7 to 13 days	241	214	27	34	3	169	24	4	-	5	-	2	-
14 to 29 days	297	253	44	46	8	194	35	-	-	13	-	-	1
1 to 11 months	1,301	1,133	168	414	57	608	107	1	-	62	-	48	4
INDIANA													
Under 1 year	2,697	2,512	185	570	59	1,771	119	44	-	113	1	14	6
Under 1 day	986	846	40	135	16	685	23	19	-	1	-	6	1
1 to 6 days	747	691	56	64	5	592	50	21	-	19	-	5	1
7 to 13 days	154	141	13	27	2	105	9	1	-	8	-	-	2
14 to 29 days	160	138	22	39	8	86	13	2	1	11	-	-	1
1 to 11 months	750	696	54	305	29	313	24	1	-	74	1	3	1
IOWA													
Under 1 year	1,681	1,658	23	254	9	1,326	14	11	-	21	-	46	-
Under 1 day	599	593	6	59	1	509	5	6	-	-	-	20	-
1 to 6 days	443	437	6	22	-	401	6	2	-	2	-	10	-
7 to 13 days	103	103	-	8	-	86	-	2	-	4	-	3	-
14 to 29 days	134	133	1	30	1	99	-	-	-	3	-	1	-
1 to 11 months	402	392	10	136	7	251	3	1	-	12	-	12	-
KANSAS													
Under 1 year	1,217	1,165	52	201	27	927	24	4	-	5	-	29	1
Under 1 day	446	431	15	55	4	358	10	-	-	-	-	18	1
1 to 6 days	323	314	9	20	2	286	7	4	-	-	-	4	-
7 to 13 days	60	59	1	6	1	52	-	-	-	1	-	-	-
14 to 29 days	69	66	3	10	2	55	1	-	-	1	-	-	-
1 to 11 months	319	295	24	110	18	176	6	-	-	3	-	6	-
KENTUCKY													
Under 1 year	2,900	2,644	256	1,376	162	1,159	92	11	-	93	-	15	2
Under 1 day	925	750	75	334	45	401	29	7	-	2	-	6	-
1 to 6 days	661	613	48	255	31	345	16	3	-	5	-	5	1
7 to 13 days	197	173	24	101	9	62	14	-	-	9	-	1	1
14 to 29 days	221	206	15	112	6	80	9	-	-	14	-	-	-
1 to 11 months	996	902	94	574	70	271	24	1	-	53	-	3	-
LOUISIANA													
Under 1 year	2,553	1,272	1,281	277	636	954	637	-	-	-	-	41	8
Under 1 day	909	542	367	67	142	452	223	-	-	-	-	23	2
1 to 6 days	563	305	258	45	115	249	141	-	-	-	-	12	2
7 to 13 days	175	58	117	15	52	42	65	-	-	-	-	1	-
14 to 29 days	155	44	111	17	55	27	56	-	-	-	-	-	-
1 to 11 months	751	323	428	133	272	185	152	-	-	-	-	5	4
MAINE													
Under 1 year	633	629	4	264	3	538	1	6	-	8	-	13	-
Under 1 day	280	280	-	53	-	221	-	2	-	-	-	4	-
1 to 6 days	182	180	2	21	1	153	1	2	-	-	-	4	-
7 to 13 days	53	53	-	12	-	38	-	1	-	1	-	1	-
14 to 29 days	63	63	-	24	-	36	-	1	-	1	-	1	-
1 to 11 months	255	253	2	154	2	90	-	-	-	6	-	3	-
MARYLAND													
Under 1 year	1,713	1,207	506	244	197	926	300	9	-	22	7	6	2
Under 1 day	548	419	129	53	57	356	72	8	-	1	-	1	-
1 to 6 days	441	315	126	29	29	282	97	1	-	3	-	-	-
7 to 13 days	93	48	45	4	8	43	36	-	-	1	1	-	-
14 to 29 days	132	91	41	20	7	63	34	-	-	6	-	2	-
1 to 11 months	499	334	165	138	96	182	61	-	-	11	6	3	2



## VITAL STATISTICS OF THE UNITED STATES

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MASSACHUSETTS													
Under 1 year-----	2,984	2,914	70	575	9	2,130	51	129	6	260	4	22	-
Under 1 day-----	1,086	1,064	22	63	1	903	14	65	5	31	2	2	-
1 to 6 days-----	788	779	9	25	2	648	8	45	1	55	-	6	-
7 to 13 days-----	144	140	4	10	1	105	3	6	-	19	-	-	-
14 to 29 days-----	188	181	7	32	1	102	6	4	-	41	-	2	-
1 to 11 months-----	778	750	28	243	4	372	22	9	-	114	2	12	-
MICHIGAN													
Under 1 year-----	4,552	4,189	363	701	55	3,123	196	105	5	139	96	121	11
Under 1 day-----	1,560	1,435	125	109	10	1,219	89	53	2	21	22	33	2
1 to 6 days-----	1,261	1,166	95	55	8	1,011	61	40	2	31	24	29	2
7 to 13 days-----	243	222	21	21	1	190	12	4	-	5	8	2	-
14 to 29 days-----	267	246	21	48	3	180	8	4	-	8	9	6	1
1 to 11 months-----	1,221	1,120	101	468	35	523	26	4	1	74	33	51	6
MINNESOTA													
Under 1 year-----	1,925	1,869	56	241	11	1,526	44	31	-	22	1	49	-
Under 1 day-----	789	775	14	49	1	683	13	22	-	2	-	19	-
1 to 6 days-----	509	498	11	16	1	462	10	6	-	2	-	12	-
7 to 13 days-----	85	83	2	9	-	70	2	2	-	-	-	2	-
14 to 29 days-----	99	98	1	21	-	71	1	1	-	5	-	-	-
1 to 11 months-----	443	415	28	146	9	240	18	-	-	13	1	16	-
MISSISSIPPI													
Under 1 year-----	2,311	1,036	1,275	357	1,065	651	187	10	-	-	-	18	23
Under 1 day-----	759	450	309	141	242	293	58	7	-	-	-	9	9
1 to 6 days-----	517	256	261	65	212	184	43	2	-	-	-	5	6
7 to 13 days-----	144	59	85	18	71	40	13	-	-	-	-	1	1
14 to 29 days-----	146	48	98	25	91	22	7	1	-	-	-	-	-
1 to 11 months-----	745	223	522	108	449	112	66	-	-	-	-	3	7
MISSOURI													
Under 1 year-----	2,665	2,332	333	681	104	1,482	216	67	9	80	3	22	1
Under 1 day-----	886	775	111	189	19	548	84	30	7	2	-	6	1
1 to 6 days-----	615	560	55	114	18	412	35	18	2	10	-	6	-
7 to 13 days-----	171	148	23	38	8	97	15	7	-	5	-	1	-
14 to 29 days-----	197	171	26	53	7	99	18	10	-	9	1	-	-
1 to 11 months-----	796	678	118	287	52	326	64	2	-	54	2	9	-
MONTANA													
Under 1 year-----	448	383	65	47	24	324	40	1	-	1	-	10	1
Under 1 day-----	180	152	28	12	1	136	7	-	-	-	-	4	-
1 to 6 days-----	107	99	8	5	2	82	6	1	-	-	-	1	-
7 to 13 days-----	26	21	5	3	2	17	2	-	-	-	-	1	1
14 to 29 days-----	28	26	2	1	1	23	1	-	-	-	-	2	-
1 to 11 months-----	127	85	42	26	18	56	24	-	-	1	-	2	-
NEBRASKA													
Under 1 year-----	846	814	32	126	13	653	19	5	-	2	-	28	-
Under 1 day-----	351	339	12	31	1	295	11	3	-	-	-	10	-
1 to 6 days-----	209	206	3	20	1	173	2	2	-	1	-	10	-
7 to 13 days-----	39	37	2	8	-	27	2	-	-	1	-	1	-
14 to 29 days-----	42	42	-	4	-	37	-	-	-	-	-	1	-
1 to 11 months-----	205	190	15	63	11	121	4	-	-	-	-	6	-
NEVADA													
Under 1 year-----	130	116	14	18	7	96	7	-	-	-	-	2	-
Under 1 day-----	45	43	2	3	1	40	1	-	-	-	-	-	-
1 to 6 days-----	32	27	5	1	3	25	2	-	-	-	-	1	-
7 to 13 days-----	7	7	-	-	-	7	-	-	-	-	-	-	-
14 to 29 days-----	4	4	-	-	-	4	-	-	-	-	-	-	-
1 to 11 months-----	42	35	7	14	3	20	4	-	-	-	-	1	-
NEW HAMPSHIRE													
Under 1 year-----	348	346	2	60	-	263	2	15	-	8	-	10	-
Under 1 day-----	117	116	1	7	-	97	1	9	-	-	-	3	-
1 to 6 days-----	86	86	-	1	-	74	-	4	-	3	-	4	-
7 to 13 days-----	13	13	-	3	-	9	-	-	-	1	-	-	-
14 to 29 days-----	18	18	-	1	-	15	-	1	-	1	-	-	-
1 to 11 months-----	114	113	1	48	-	58	1	1	-	3	-	3	-
NEW JERSEY													
Under 1 year-----	2,715	2,398	317	241	65	1,894	215	176	25	45	4	42	8
Under 1 day-----	992	891	101	50	3	734	79	97	19	1	-	9	-
1 to 6 days-----	769	698	71	18	8	607	61	57	1	7	-	9	1
7 to 13 days-----	129	119	10	7	1	99	8	8	1	1	-	4	-
14 to 29 days-----	141	118	23	10	5	93	12	8	3	4	3	3	-
1 to 11 months-----	684	572	112	156	48	361	55	6	1	32	1	17	7



## GENERAL TABLES—INFANT DEATHS

637

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NEW MEXICO													
Under 1 year-----	1,415	1,201	214	690	106	455	104	-	-	2	-	54	4
Under 1 day-----	273	260	13	106	7	144	6	-	-	-	-	10	-
1 to 6 days-----	198	151	47	58	27	79	18	-	-	1	-	13	2
7 to 13 days-----	81	73	8	36	3	34	5	-	-	1	-	2	-
14 to 29 days-----	98	82	16	53	12	24	4	-	-	-	-	5	-
1 to 11 months-----	765	635	130	437	57	174	71	-	-	-	-	24	2
NEW YORK													
Under 1 year-----	8,345	7,506	839	800	114	6,076	686	335	20	144	14	151	5
Under 1 day-----	3,080	2,781	299	145	19	2,410	264	164	15	24	1	38	-
1 to 6 days-----	2,587	2,170	217	54	5	1,939	206	119	4	36	1	22	1
7 to 13 days-----	432	386	46	20	2	336	41	15	-	8	2	7	1
14 to 29 days-----	482	432	50	73	8	320	39	16	1	14	1	9	1
1 to 11 months-----	1,864	1,737	227	508	80	1,071	136	21	-	62	9	75	2
NORTH CAROLINA													
Under 1 year-----	3,742	2,324	1,418	841	1,001	1,419	405	2	-	21	-	41	12
Under 1 day-----	1,147	835	312	225	192	586	118	-	-	1	-	23	2
1 to 6 days-----	902	608	294	132	183	459	110	1	-	4	-	12	1
7 to 13 days-----	197	107	90	38	67	68	21	-	-	-	-	1	2
14 to 29 days-----	263	156	127	77	101	54	24	-	-	3	-	2	2
1 to 11 months-----	1,233	638	595	369	458	252	132	1	-	13	-	3	5
NORTH DAKOTA													
Under 1 year-----	519	495	24	118	7	371	17	2	-	-	-	4	-
Under 1 day-----	180	187	3	23	-	162	3	2	-	-	-	-	-
1 to 6 days-----	113	110	3	14	-	95	3	-	-	-	-	1	-
7 to 13 days-----	32	28	4	7	1	18	3	-	-	-	-	3	-
14 to 29 days-----	33	30	3	14	1	16	2	-	-	-	-	-	-
1 to 11 months-----	151	140	11	60	5	80	6	-	-	-	-	-	-
OHIO													
Under 1 year-----	5,312	4,893	419	1,080	111	3,395	267	150	11	211	27	57	3
Under 1 day-----	1,956	1,793	163	257	18	1,427	127	72	9	18	6	19	3
1 to 6 days-----	1,456	1,357	99	146	22	1,111	72	49	2	57	3	15	-
7 to 13 days-----	278	249	29	44	8	179	17	7	-	18	4	1	-
14 to 29 days-----	290	271	19	83	10	148	7	8	-	25	2	7	-
1 to 11 months-----	1,332	1,223	109	550	53	530	44	15	-	113	12	15	-
OKLAHOMA													
Under 1 year-----	1,639	1,386	253	417	165	923	84	2	-	-	-	44	4
Under 1 day-----	535	477	58	116	28	338	28	2	-	-	-	23	2
1 to 6 days-----	422	365	57	75	35	276	21	-	-	-	-	14	1
7 to 13 days-----	87	73	14	24	11	48	3	-	-	-	-	1	-
14 to 29 days-----	79	71	8	24	6	45	1	-	-	-	-	2	1
1 to 11 months-----	516	400	116	178	85	218	31	-	-	-	-	4	-
OREGON													
Under 1 year-----	833	802	31	112	7	595	17	16	1	48	3	51	3
Under 1 day-----	322	320	2	12	-	262	1	11	1	1	-	14	-
1 to 6 days-----	211	205	6	2	-	188	6	5	-	4	-	6	-
7 to 13 days-----	38	37	1	3	-	28	1	-	-	4	-	2	-
14 to 29 days-----	43	41	2	12	1	25	1	-	-	4	-	-	-
1 to 11 months-----	219	199	20	83	6	72	8	-	-	33	3	9	3
PENNSYLVANIA													
Under 1 year-----	7,196	6,528	668	1,182	115	5,066	507	79	11	123	30	78	5
Under 1 day-----	2,445	2,210	235	292	25	1,841	200	38	7	8	3	31	-
1 to 6 days-----	1,938	1,787	151	148	15	1,580	133	28	3	14	-	17	-
7 to 13 days-----	400	359	41	59	5	292	33	1	1	2	2	5	-
14 to 29 days-----	476	434	42	91	7	328	31	5	-	8	4	4	-
1 to 11 months-----	1,937	1,738	199	582	63	1,027	110	7	-	91	21	21	5
RHODE ISLAND													
Under 1 year-----	494	476	18	66	8	251	4	130	6	7	-	22	-
Under 1 day-----	174	170	4	20	2	87	-	60	2	-	-	3	-
1 to 6 days-----	167	160	7	2	2	93	1	61	4	3	-	1	-
7 to 13 days-----	19	19	-	2	-	11	-	3	-	2	-	1	-
14 to 29 days-----	23	22	1	6	-	10	1	6	-	-	-	-	-
1 to 11 months-----	111	105	6	36	4	50	2	-	-	2	-	17	-
SOUTH CAROLINA													
Under 1 year-----	2,235	1,053	1,182	353	886	688	283	-	-	4	-	8	3
Under 1 day-----	685	382	313	90	199	280	112	-	-	-	-	2	2
1 to 6 days-----	551	280	271	71	202	205	69	-	-	1	-	3	-
7 to 13 days-----	124	55	69	18	49	36	19	-	-	-	-	-	1
14 to 29 days-----	126	48	78	23	60	24	18	-	-	-	-	1	-
1 to 11 months-----	739	288	451	151	386	133	65	-	-	2	-	2	-



## VITAL STATISTICS OF THE UNITED STATES

TABLE 26.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1946—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
SOUTH DAKOTA													
Under 1 year-----	432	362	70	96	29	252	40	-	-	-	-	14	1
Under 1 day-----	149	135	14	26	4	103	10	-	-	-	-	6	-
1 to 6 days-----	109	95	14	6	7	87	6	-	-	-	-	2	1
7 to 13 days-----	27	22	5	7	2	15	3	-	-	-	-	-	-
14 to 29 days-----	22	20	2	7	-	13	2	-	-	-	-	-	-
1 to 11 months-----	125	80	35	50	16	34	19	-	-	-	-	6	-
TENNESSEE													
Under 1 year-----	2,974	2,329	645	1,008	307	1,187	321	21	-	53	15	60	2
Under 1 day-----	938	770	168	250	57	478	109	13	-	2	1	27	1
1 to 6 days-----	685	573	132	174	54	345	68	7	-	8	-	19	-
7 to 13 days-----	209	158	51	94	18	82	32	-	-	1	1	1	-
14 to 29 days-----	204	148	56	80	20	58	34	-	-	9	2	1	-
1 to 11 months-----	938	700	238	410	148	244	78	1	-	33	11	12	1
TEXAS													
Under 1 year-----	7,564	6,387	1,177	2,793	630	3,330	516	90	-	91	12	83	19
Under 1 day-----	1,890	1,617	273	414	115	1,118	152	47	-	11	-	27	6
1 to 6 days-----	1,954	1,665	289	520	137	1,072	143	34	-	14	2	25	7
7 to 13 days-----	485	380	115	194	58	173	56	4	-	6	1	3	-
14 to 29 days-----	456	348	108	162	44	171	59	4	-	9	3	2	2
1 to 11 months-----	2,769	2,377	392	1,503	276	796	106	1	-	51	6	26	4
UTAH													
Under 1 year-----	486	486	8	72	2	382	5	9	1	-	-	25	-
Under 1 day-----	167	182	5	16	1	148	3	6	1	-	-	12	-
1 to 6 days-----	163	162	1	5	-	146	1	2	-	-	-	9	-
7 to 13 days-----	19	18	1	2	-	15	1	1	-	-	-	-	-
14 to 29 days-----	19	19	-	4	-	14	-	-	-	-	-	1	-
1 to 11 months-----	109	107	1	45	1	59	-	-	-	-	-	3	-
VERMONT													
Under 1 year-----	284	284	-	56	-	225	-	1	-	1	-	1	-
Under 1 day-----	100	100	-	9	-	90	-	-	-	-	-	1	-
1 to 6 days-----	66	66	-	5	-	60	-	-	-	1	-	-	-
7 to 13 days-----	27	27	-	-	-	27	-	-	-	-	-	-	-
14 to 29 days-----	16	16	-	7	-	8	-	1	-	-	-	-	-
1 to 11 months-----	75	75	-	35	-	40	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year-----	2,935	1,976	959	667	660	1,227	280	23	5	28	6	31	8
Under 1 day-----	961	730	231	191	129	513	96	12	2	3	1	11	3
1 to 6 days-----	699	469	230	111	151	345	76	6	1	2	-	5	2
7 to 13 days-----	170	124	46	43	29	72	16	1	1	3	-	5	-
14 to 29 days-----	191	128	63	55	48	68	13	-	3	3	1	2	1
1 to 11 months-----	914	525	389	267	305	229	79	4	1	17	4	8	2
WASHINGTON													
Under 1 year-----	1,734	1,634	100	213	28	1,356	66	8	-	3	-	54	6
Under 1 day-----	646	617	29	19	2	581	25	6	-	-	-	11	2
1 to 6 days-----	474	461	13	7	1	440	12	-	-	1	-	13	-
7 to 13 days-----	99	86	3	8	1	76	2	-	-	1	-	1	-
14 to 29 days-----	106	99	7	17	3	75	3	1	-	-	-	6	1
1 to 11 months-----	419	371	48	162	21	184	24	1	-	1	-	23	3
WEST VIRGINIA													
Under 1 year-----	1,990	1,668	122	907	75	943	47	-	-	4	-	14	-
Under 1 day-----	562	529	33	212	19	312	14	-	-	-	-	5	-
1 to 6 days-----	529	500	29	208	19	285	10	-	-	2	-	5	-
7 to 13 days-----	127	118	9	62	4	55	5	-	-	-	-	1	-
14 to 29 days-----	157	143	9	81	7	66	2	-	-	-	-	1	-
1 to 11 months-----	615	573	42	344	26	225	16	-	-	2	-	2	-
WISCONSIN													
Under 1 year-----	2,246	2,205	41	338	6	1,747	33	31	-	64	1	25	1
Under 1 day-----	817	804	13	46	2	735	11	20	-	-	-	3	-
1 to 6 days-----	588	576	12	23	1	533	11	10	-	9	-	1	-
7 to 13 days-----	113	110	3	10	-	95	3	1	-	4	-	-	-
14 to 29 days-----	126	123	3	19	-	99	2	-	-	5	1	-	-
1 to 11 months-----	602	592	10	240	3	285	6	-	-	46	-	21	1
WYOMING													
Under 1 year-----	205	192	13	44	11	145	2	-	-	-	-	3	-
Under 1 day-----	73	72	1	9	-	61	1	-	-	-	-	2	-
1 to 6 days-----	49	48	1	6	-	42	1	-	-	-	-	-	-
7 to 13 days-----	7	6	1	-	1	5	-	-	-	-	-	1	-
14 to 29 days-----	14	14	-	5	-	9	-	-	-	-	-	-	-
1 to 11 months-----	62	52	10	24	10	28	-	-	-	-	-	-	-



## GENERAL TABLES—INFANT DEATHS

639

TABLE 27.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1946

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>ALL CAUSES</b> -----	<b>111,053</b>	<b>8,987</b>	<b>8,186</b>	<b>8,402</b>	<b>8,196</b>	<b>8,844</b>	<b>8,612</b>	<b>8,996</b>	<b>9,465</b>	<b>8,405</b>	<b>10,228</b>	<b>10,257</b>	<b>11,436</b>
Cerebrospinal (meningococcus) meningitis-----6	270	38	30	28	26	19	15	8	12	17	22	22	32
Scarlet fever-----8	6	-	2	-	-	-	1	-	-	-	-	2	1
Whooping cough-----9	869	81	71	61	71	70	86	70	93	67	67	57	75
Diphtheria (infection by <i>C. diphtheriae</i> )-----10	84	10	8	8	2	4	4	8	6	7	11	9	9
Tuberculosis (all forms)-----13-22	406	34	36	37	49	38	46	38	34	23	20	19	32
Tuberculosis of the respiratory system, etc.*-----13	182	18	17	19	17	19	26	16	14	10	9	7	10
Tuberculosis of the meninges, etc.*-----14	128	9	11	8	16	9	11	13	11	8	10	7	13
Tuberculosis (other forms)-----15-22	98	7	8	10	16	10	9	9	9	5	1	5	9
Dysentery-----27	480	19	25	22	41	59	57	55	57	47	46	27	25
Malaria-----28	12	1	1	-	3	1	1	1	2	2	-	-	-
Syphilis-----30	538	52	49	38	45	33	41	46	51	34	47	48	51
Measles-----35	297	15	31	65	58	56	35	12	2	4	3	6	10
Diseases of the thymus gland-----64	934	79	62	63	66	64	62	54	80	70	91	87	116
Meningitis (not due to meningococcus)-----81	506	47	52	56	37	41	37	35	24	23	45	44	65
Intracranial lesions of vascular origin-----83	140	8	10	4	18	12	17	9	12	10	13	12	15
Convulsions-----86	255	35	17	19	18	22	20	23	28	16	22	21	17
Diseases of the ear and mastoid process-----89	169	22	16	13	16	14	14	4	8	10	14	11	27
Diseases of the heart-----90-95	156	11	9	19	14	15	15	9	12	13	10	14	15
Pneumonia (all forms) and influenza-----107-109,33	12,657	1,598	1,505	1,229	953	818	638	581	577	665	963	1,263	1,866
Bronchopneumonia, etc.*-----107	7,502	815	787	688	600	501	400	381	360	416	603	784	1,147
Lobar pneumonia-----108	2,187	254	276	222	160	153	114	104	110	116	174	217	287
Pneumonia (unspecified)-----109	1,725	231	196	145	113	107	81	64	83	104	131	180	280
Influenza-----33	1,243	299	246	164	80	57	43	22	24	29	55	62	142
Other diseases of respiratory system-----104-106,110-114	901	97	82	95	73	68	47	47	59	45	68	62	138
Ulcer of stomach or duodenum-----117	26	3	1	6	2	-	-	3	4	-	6	1	-
Diarrhea, enteritis, etc.*-----119	5,498	418	353	375	394	502	522	532	527	505	493	474	403
Intestinal obstruction-----122b	441	34	22	31	30	54	46	38	34	30	34	42	46
Other diseases of digestive system-----115,116,119,121,123-129	483	44	51	36	47	44	46	28	30	46	30	38	43
Nephritis-----130,131	106	14	10	12	8	9	2	1	6	13	9	11	11
Congenital malformations-----157	14,912	1,100	1,043	1,080	1,107	1,189	1,070	1,160	1,255	1,343	1,457	1,813	1,595
Diseases peculiar to first year of life-----158-161	61,738	4,241	3,906	4,306	4,464	5,069	5,216	5,567	5,859	5,734	5,929	5,607	5,820
Congenital debility-----158	1,797	155	135	138	131	136	118	165	150	164	162	166	177
Premature birth-----159	39,824	2,712	2,472	2,765	2,903	3,422	3,477	3,639	3,757	3,688	3,709	3,563	3,717
Injury at birth-----160	11,738	759	739	601	636	909	993	1,054	1,108	1,114	1,223	1,081	1,121
Other diseases peculiar to first year of life-----161	8,379	616	561	602	592	622	628	709	844	768	835	797	805
Asphyxia (cause not specified), atelectasis-----161a	4,825	341	298	338	312	378	356	408	507	462	482	475	468
Infection of the umbilicus, etc.*-----161b,c	3,554	275	263	264	280	244	272	301	337	306	353	322	337
Homicide-----165-166	134	11	8	17	17	12	6	12	10	15	8	9	7
Accidental deaths-----169-195	2,915	304	251	239	202	170	184	194	190	205	292	300	384
Accidental mechanical suffocation-----182	1,344	149	126	113	102	75	70	66	73	99	123	143	205
Other accidental deaths-----169-181,183-195	1,571	155	125	126	100	95	114	128	117	106	169	157	179
Ill-defined and unknown causes-----199,200	4,129	494	375	360	293	274	250	293	317	290	345	366	472
All other causes-----	2,000	175	140	163	146	162	132	170	174	171	184	172	211

\*Refer to International List for complete title, table V, Part I.

793002



## VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES, BOTH SEXES—All causes	111,063	37,603	11,406	7,095	9,944	6,227	3,719	3,065	78,079	7,258	5,258	4,153	3,186	2,573	2,239	1,939	1,675	1,423	1,186	1,094
Cerebrospinal (meningococcus) meningitis—6	270	1	-	-	3	4	5	7	20	20	28	24	30	30	20	29	16	23	18	12
Scarlet fever—8	6	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	869	-	1	-	-	1	11	36	45	172	142	117	85	49	65	47	45	30	39	29
Diphtheria (infection by C. diphtheriae)—10	84	1	-	-	-	-	2	4	8	7	5	10	2	3	10	10	6	5	10	8
Tuberculosis (all forms)—13-22	406	2	-	1	2	4	-	1	10	9	13	27	24	43	33	57	46	54	51	40
Tuberculosis of the resp. sys. etc.—13	182	1	-	-	1	2	-	1	5	4	6	12	10	18	14	25	19	30	22	17
Tuberculosis of the meninges, etc.—14	126	1	-	-	1	2	-	-	2	-	3	7	16	10	15	16	16	18	16	16
Tuberculosis (other forms)—15-22	96	-	-	1	-	2	-	-	3	5	4	8	7	9	9	17	10	8	11	7
Dysentery—27	480	2	-	1	4	13	23	19	62	48	45	57	62	54	45	27	33	18	13	16
Malaria—28	12	-	-	1	-	-	-	-	2	-	3	2	1	-	3	-	-	-	1	-
Syphilis—30	536	144	40	29	34	29	21	18	315	89	54	24	12	10	9	4	11	6	1	4
Measles—35	297	2	1	1	1	3	3	8	19	22	19	14	11	29	29	20	36	41	38	19
Diseases of the thymus gland—44	934	77	64	58	63	43	29	37	371	142	135	95	71	54	30	14	13	9	9	11
Meningitis (not due to meningococcus)—61	506	-	-	-	16	30	16	15	77	46	47	37	58	42	37	32	36	32	32	30
Intracranial lesions of vascular origin—63	140	1	3	2	1	2	2	1	12	39	24	12	12	9	5	8	7	5	4	3
Convulsions—66	256	8	10	16	37	26	10	6	113	29	26	16	14	18	4	13	9	4	6	4
Diseases of the ear and mastoid process—69	169	1	-	-	-	3	3	3	10	15	18	16	13	18	13	17	10	11	12	16
Diseases of the heart—90-95	156	8	9	5	6	13	5	6	52	21	18	11	10	11	6	8	5	6	3	5
Pneumonia (all forms) and influenza—107-109, 33	12,657	120	188	239	594	378	690	591	2,087	1,795	1,570	1,360	1,070	980	769	612	517	480	363	344
Bronchopneumonia, etc.—107	7,502	81	120	155	382	360	391	392	1,081	1,104	921	818	624	490	410	336	280	248	210	182
Lobar pneumonia—108	2,187	13	18	36	82	101	77	81	408	302	252	251	179	184	147	126	108	88	71	81
Pneumonia (unspecified)—109	1,725	21	25	45	106	87	93	81	458	253	234	180	145	108	98	73	65	43	40	38
Influenza—33	1,243	5	2	3	24	30	39	37	140	136	163	131	122	128	114	77	74	73	42	43
Other diseases of respiratory system—104-106, 110-114	901	35	19	26	27	38	55	52	230	121	106	103	65	66	47	51	30	24	29	27
Ulcer of stomach or duodenum—117	26	-	-	2	4	3	3	2	14	6	-	1	1	-	-	-	-	1	1	1
Diarrhea, enteritis, etc.—119	5,498	6	11	15	52	311	518	443	1,356	989	648	515	431	349	319	263	248	163	118	99
Intestinal obstruction—122b	441	-	-	-	-	-	-	-	-	72	43	49	48	43	44	41	31	37	15	18
Other diseases of digestive system—115, 116, 118, 121, 123-129	463	5	6	11	34	31	28	27	142	64	44	36	42	31	32	26	17	19	15	15
Nephritis—130, 131	106	5	2	5	7	5	7	4	35	18	12	5	4	6	5	4	3	5	3	3
Congenital malformations—157	14,912	5,325	1,143	1,007	1,835	1,286	750	578	9,994	1,340	877	612	459	345	299	268	224	190	167	137
Diseases peculiar to first year—158-161	61,738	32,725	9,512	5,541	6,529	3,232	1,509	783	59,431	10,966	458	229	145	80	67	49	52	32	32	32
Congenital debility—158	1,797	364	122	87	149	124	103	84	1,053	250	179	96	61	31	28	32	21	21	13	12
Premature birth—159	39,824	22,707	6,053	3,003	3,548	2,243	893	492	36,939	601	142	68	28	14	5	9	6	6	4	2
Injury at birth—160	11,738	6,407	1,965	1,229	1,505	596	120	66	11,508	79	34	17	16	13	16	16	11	15	9	4
Other diseases peculiar to first year—161	9,379	3,227	1,372	1,022	1,527	469	193	121	7,931	166	103	48	40	22	18	10	11	10	6	14
Asphyxia (cause not specified), atelectasis—161a	4,925	2,421	995	574	457	122	60	39	4,668	57	39	17	15	11	7	2	2	2	2	3
Infection of the umbilicus, etc.—161b, c	3,554	806	377	448	1,070	347	133	82	3,263	109	64	31	25	11	11	8	9	8	4	11
Homicide—165-166	134	63	7	3	2	5	2	2	104	6	5	5	2	-	4	3	3	1	1	-
Accidental deaths—169-195	2,915	97	49	46	102	94	72	120	580	461	429	353	228	173	148	119	107	102	98	122
Accidental mechanical suffocation—182	1,344	23	21	11	28	43	38	63	227	299	273	218	120	77	47	29	19	12	12	11
Other accidental deaths—169-181, 183-195	1,571	74	28	35	74	51	34	57	353	182	156	135	100	96	101	90	90	81	71	111
Ill-defined and unknown causes—199, 200	4,129	853	308	227	427	179	161	2	2,482	437	317	252	175	129	86	79	66	49	47	30
All other causes—	2,000	102	56	59	163	197	86	60	723	195	170	151	110	111	108	114	106	78	65	69
ALL RACES, MALE—All causes	63,948	21,835	6,749	4,335	5,812	3,483	2,073	1,778	46,065	4,279	3,012	2,289	1,741	1,404	1,206	1,066	892	756	644	594
Cerebrospinal (meningococcus) meningitis—6	150	-	-	-	1	2	4	4	11	13	21	13	13	16	9	15	7	15	7	10
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	405	-	1	-	-	-	6	19	26	75	76	48	46	25	32	16	18	15	19	10
Diphtheria (infection by C. diphtheriae)—10	42	-	-	-	-	-	-	2	2	4	2	7	1	1	6	5	2	3	4	5
Tuberculosis (all forms)—13-22	209	2	-	1	2	3	-	1	9	3	8	14	12	19	19	24	23	27	25	26
Tuberculosis of the resp. sys. etc.—13	89	1	-	-	1	1	-	1	4	2	3	6	6	8	10	8	15	10	11	11
Tuberculosis of the meninges, etc.—14	68	1	-	-	1	-	-	-	2	-	2	3	4	7	6	7	10	7	10	10
Tuberculosis (other forms)—15-22	52	-	-	1	-	2	-	-	3	1	3	5	2	6	5	7	5	5	5	5
Dysentery—27	298	1	-	-	2	8	13	14	38	37	24	27	38	29	24	19	19	13	9	11
Malaria—28	7	-	-	1	-	1	-	-	2	-	1	2	-	-	2	-	-	-	-	1
Syphilis—30	308	81	22	15	21	24	15	10	188	45	33	17	5	7	2	4	4	3	-	-
Measles—35	181	2	1	1	-	3	2	6	15	13	9	9	6	20	14	14	19	26	24	12
Diseases of the thymus gland—44	573	39	43	40	34	22	13	25	216	101	89	50	46	23	12	10	11	5	5	5
Meningitis (not due to meningococcus)—61	294	-	-	-	14	15	9	6	49	27	29	21	26	25	21	22	22	13	16	16
Intracranial lesions of vascular origin—63	89	1	1	1	1	1	-	-	6	27	10	11	7	9	3	5	3	2	4	2
Convulsions—66	144	6	5	11	22	13	5	4	66	19	15	10	8	10	1	4	5	4	2	1
Diseases of the ear and mastoid process—69	105	1	-	-	-	1	2	1	5	8	9	8	9	12	9	12	7	5	9	12
Diseases of the heart—90-95	94	4	7	2	4	8	3	5	33	10	15	4	6	9	3	3	3	4	1	3
Pneumonia (all forms) and influenza—107-109, 33	7,008	62	94	142	326	317	333	343	1,617	1,065	897	756	579	460	426	347	272	239	187	164
Bronchopneumonia, etc.—107	4,190	50	70	94	220	198	210	232	1,084	658	527	455	335	246	236	183	154	134	113	85
Lobar pneumonia—108	1,204	6	10	21	44	59	45	49	234	179	147	129	100	81	74	55	49	35	45	45
Pneumonia (unspecified)—109	936	5	12	26	53	54	52	39	241	148	127	97	80	63	46	44	32	21	20	17
Influenza—33	679	1	2	1	9	16	26	23	78	62	96	75	64	70	70	44	31	35	17	17
Other diseases of respiratory system—104-106, 110-114	533	18	12	17	16	23	24	31	141	69	68	59	39	36	27	23	20	15	20	16
Ulcer of stomach or duodenum—117	14	-	-	2	2	3	1	2	10	2	-	-	-	-	-	-	-	1	1	1
Diarrhea, enteritis, etc.—119	3,164	3	5	10	29	176	289	249	761	600	363	336	244	201	182	145	137	87	61	57
Intestinal obstruction—122b	264	-	-	-	-	-	-	-	-	44	27	31	23	24	26	26	16	19	11	15
Other diseases of digestive system—115, 116, 118, 121, 123-129	268	3	2	8	20	18	17	18	86	24	31	14	24	20	17	20	8	9	9	6
Nephritis—130, 131	69	3	1	4	3	4	5	3	23	13	5	2	2	4	4	5	4	2	3	2
Congenital malformations—157	8,167	1,722	671	620	1,046	687	424	37												



## GENERAL TABLES—INFANT DEATHS

641

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALL RACES. FEMALE.—All causes	47,115	15,768	4,657	2,760	4,132	2,744	1,645	1,307	33,014	2,978	2,246	1,864	1,445	1,169	1,032	872	783	667	544	500
Cerebrospinal (meningococcus) meningitis—6	120	1	-	-	2	2	1	3	9	7	7	11	17	14	11	14	9	8	11	2
Scarlet fever—8	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	-
Whooping cough—9	464	-	-	-	-	1	5	17	23	97	66	69	39	24	33	31	27	15	21	19
Diphtheria (infection by C. diphtheriae)—10	42	1	-	-	1	-	2	2	6	3	3	3	1	2	4	5	4	2	6	3
Tuberculosis (all forms)—13-22	197	-	-	-	-	1	-	-	1	6	5	13	12	24	14	33	22	27	26	14
Tuberculosis of the resp. sys. etc.*—13	93	-	-	-	-	1	-	-	1	2	3	6	4	12	6	15	11	15	12	6
Tuberculosis of the meninges, etc.*—14	58	-	-	-	-	-	-	-	-	-	1	4	5	9	4	8	6	9	8	6
Tuberculosis (other forms)—15-22	46	-	-	-	-	-	-	-	-	4	1	3	5	3	4	10	5	3	6	2
Dysentery—27	192	1	-	1	2	5	10	5	24	11	21	30	24	25	21	8	14	5	4	5
Malaria—28	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Syphilis—30	229	63	18	14	13	5	6	8	127	43	21	7	7	3	7	-	7	3	1	3
Measles—35	116	-	-	-	1	-	-	1	2	9	10	5	5	9	15	6	17	15	14	7
Diseases of the thymus gland—64	361	38	21	18	29	21	16	12	155	41	46	45	25	11	18	4	2	4	4	6
Meningitis (not due to meningococcus)—81	212	-	-	-	2	12	7	7	29	19	18	16	32	17	16	11	14	10	19	12
Intracranial lesions of vascular origin—83	51	-	2	1	-	1	1	1	6	12	14	1	5	-	2	3	4	3	-	1
Convulsions—86	112	2	5	5	15	13	5	2	47	11	11	6	6	8	3	9	4	-	4	3
Diseases of the ear and mastoid process—89	64	-	-	-	-	2	1	2	5	7	9	8	4	6	4	5	3	6	3	4
Diseases of the heart—90-95	62	4	2	3	2	5	2	1	19	11	3	7	4	2	3	5	2	2	2	2
Pneumonia (all forms) and																				
Influenza—107-109,33	5,649	56	71	37	268	261	267	248	1,270	730	673	624	491	430	343	265	245	221	176	180
Bronchopneumonia, etc.*—107	3,512	31	50	61	162	172	181	160	817	448	394	353	289	244	174	153	126	112	95	97
Lobar pneumonia—108	983	7	8	15	38	42	32	32	174	123	105	122	79	83	73	50	53	49	36	36
Pneumonia (unspecified)—109	789	16	13	19	53	33	41	42	217	105	107	83	65	45	52	29	23	22	20	21
Influenza—33	564	4	-	2	15	14	13	14	62	54	67	56	58	58	44	33	43	38	25	26
Other diseases of respiratory system—104-106,110-114	368	17	7	9	12	13	11	21	89	52	40	44	26	30	20	28	10	9	9	11
Ulcer of stomach or duodenum—117	12	-	-	-	2	-	-	-	4	4	-	1	1	-	-	1	-	-	-	1
Diarrhea, enteritis, etc.*—119	2,334	3	6	5	23	135	229	194	595	389	285	209	187	148	137	118	111	76	57	42
Intestinal obstruction—122b	177	-	-	-	-	-	-	-	-	28	16	18	25	19	18	15	13	18	4	3
Other diseases of digestive system—115,116,118,121,123-129	215	2	4	3	14	13	11	9	56	40	13	22	18	11	15	6	9	10	6	9
Nephritis—130,131	37	2	1	1	4	1	2	1	12	5	7	5	2	2	2	-	-	1	2	1
Congenital malformations—157	6,745	1,603	472	387	789	589	326	302	4,468	553	394	285	227	157	158	143	111	104	80	65
Diseases peculiar to first year—158-161	25,364	13,462	3,890	2,090	2,654	1,412	592	315	24,415	449	186	101	63	36	25	27	19	22	12	9
Congenital debility—158	724	140	55	37	57	50	49	32	420	98	73	42	22	17	14	16	7	8	4	3
Premature birth—159	16,867	9,379	2,586	1,268	1,580	1,025	429	216	16,483	257	66	28	14	6	2	4	1	4	2	-
Injury at birth—160	4,493	2,585	727	417	463	151	35	29	4,407	27	12	8	7	4	4	4	7	3	2	2
Other diseases peculiar to first year—161	3,280	1,358	522	368	554	186	79	38	3,105	67	35	23	19	6	5	3	7	3	3	4
Asphyxia (cause not specified),																				
atelectasis—161a	1,908	999	385	223	185	35	25	14	1,844	20	15	9	8	5	2	-	1	1	2	2
Infection of the umbilicus, etc.*—161b,c	1,371	359	139	145	389	151	54	24	1,261	47	20	14	11	1	3	3	6	2	1	2
Homicide—165-168	62	43	2	-	-	2	2	1	50	2	2	3	1	-	2	1	-	1	-	-
Accidental deaths—169-195	1,268	40	21	13	43	32	39	59	247	185	204	169	100	71	65	52	54	40	32	49
Accidental mechanical suffocation—182	592	14	10	1	13	19	18	34	109	128	131	101	47	32	20	8	8	3	4	1
Other accidental deaths—169-181,183-195	676	26	11	12	30	13	21	25	138	57	73	68	53	39	45	44	46	37	28	48
Ill-defined and unknown causes—199,200	1,803	372	116	96	194	137	81	72	1,068	188	134	105	77	83	42	33	32	25	21	15
All other causes—	851	56	19	17	83	81	27	22	285	77	76	59	45	57	53	47	49	40	29	34
WHITE, BOTH SEXES.—All causes	32,510	12,564	9,905	8,185	8,264	4,917	2,971	2,461	67,247	5,781	4,150	3,287	2,489	2,033	1,761	1,551	1,303	1,113	945	850
Cerebrospinal (meningococcus) meningitis—6	258	1	-	-	3	3	5	7	19	19	22	23	27	27	17	29	12	16	17	11
Scarlet fever—8	6	-	-	-	-	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-
Whooping cough—9	667	-	-	-	-	-	8	27	33	146	115	91	59	37	47	37	30	21	28	21
Diphtheria (infection by C. diphtheriae)—10	68	1	-	-	-	-	1	2	4	5	4	9	1	2	7	9	4	8	8	8
Tuberculosis (all forms)—13-22	271	1	-	1	2	3	-	-	2	6	7	18	17	22	25	38	29	36	39	27
Tuberculosis of the resp. sys. etc.*—13	113	-	-	-	1	1	-	-	2	3	2	9	5	7	9	16	15	19	19	12
Tuberculosis of the meninges, etc.*—14	85	1	-	-	1	-	-	-	2	-	2	3	6	9	9	10	8	10	14	12
Tuberculosis (other forms)—15-22	68	-	-	-	1	2	-	-	3	3	3	6	6	8	7	12	6	7	6	3
Dysentery—27	592	2	-	-	2	12	16	14	46	39	34	47	53	47	35	22	30	14	11	14
Malaria—28	7	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-
Syphilis—30	193	39	14	11	10	6	13	8	101	38	17	8	8	5	4	2	4	3	-	3
Measles—35	227	2	-	1	-	2	1	8	14	11	15	9	8	21	23	15	31	32	33	15
Diseases of the thymus gland—64	835	73	61	50	55	36	24	31	530	130	121	86	66	30	23	13	13	5	8	10
Meningitis (not due to meningococcus)—81	390	-	-	-	9	23	13	12	57	41	39	29	43	31	28	24	26	23	26	24
Intracranial lesions of vascular origin—83	124	1	2	2	1	2	2	1	11	35	23	10	9	7	5	7	3	4	3	3
Convulsions—86	176	5	8	12	22	15	8	6	76	20	20	13	8	12	3	9	5	4	5	1
Diseases of the ear and mastoid process—89	147	1	-	-	3	3	3	3	10	12	17	15	12	16	13	14	9	11	9	9
Diseases of the heart—90-95	135	7	7	5	4	11	5	6	45	19	17	9	8	10	5	7	4	5	2	4
Pneumonia (all forms) and																				
Influenza—107-109,33	9,497	97	137	190	459	422	458	441	2,204	1,348	1,165	1,046	792	668	562	467	375	355	263	232
Bronchopneumonia, etc.*—107	5,730	61	101	126	294	269	297	293	1,441	844	689	636	474	374	314	259	212	193	158	136
Lobar pneumonia—108	1,634	13	12	27	68	77	64	65	326	224	194	181	133	117	104	97	75	80	47	56
Pneumonia (unspecified)—109	1,506	19	22	36	83	58	74	63	355	191	166	141	110	89	71	56	39	28	29	31
Influenza—33	827	4	2	1	14	18	23	20	82	89	116	88	75	88	73	55	49	54	29	29
Other diseases of respiratory system—104-106,110-114	718	20	13	23	16	28	27	41	169	96	87	98	54	52	39	47	26	20	21	20
Ulcer of stomach or duodenum—117	19	-	-	-	2	2	2	2	9	5	-	1	1	-	-	1	-	1	-	-
Diarrhea, enteritis, etc.*—119	4,473	6	7	9	41	242	428	357	1,069	828	533	411	340	287	254	218	197	136	97	83
Intestinal obstruction—122b	373	-	-	-	-	-	-	-	-	58	35	40	45	37	35	36	29	30	14	14
Other diseases of digestive system—115,116,118,121,123-129	384	3	6	10	25	22	21	19	106	54	33	28	38	25	27	24	14	15	10	10
Nephritis—130,131	66	4	1	4	6	5	6	3	29	16	8	4	2	5	6	2	4	3	4	3
Congenital malformations—157																				



## VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
WHITE, MALE—All causes	53,704	16,974	5,908	3,800	4,654	2,759	1,678	1,454	39,427	3,442	2,408	1,841	1,365	1,112	952	862	701	599	524	471
Cerebrospinal (meningococcus) meningitis—6	133	-	-	-	1	2	4	4	11	12	18	13	12	14	7	15	5	10	7	9
Scarlet fever—8	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Whooping cough—9	316	-	-	-	-	-	4	15	19	65	37	32	20	22	11	12	11	16	7	5
Diphtheria (infection by C. diphtheriae)—10	34	-	-	-	-	-	-	1	1	3	2	7	1	-	4	2	2	3	5	16
Tuberculosis (all forms)—13-22	142	1	-	1	2	2	-	-	6	1	5	7	8	11	16	17	14	21	20	16
Tuberculosis of the resp. sys. etc.—13	61	-	-	-	1	-	-	-	1	1	1	3	4	4	6	6	6	12	10	7
Tuberculosis of the meninges, etc.—14	47	1	-	-	-	-	-	-	2	-	2	1	3	3	6	5	5	7	7	2
Tuberculosis (other forms)—15-22	34	-	-	1	-	2	-	-	3	-	2	5	1	4	4	5	3	4	3	10
Dysentery—27	229	1	-	-	1	7	9	11	29	30	16	22	31	25	17	16	17	9	7	-
Malaria—28	3	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis—30	102	20	6	6	7	5	10	3	57	17	9	6	3	4	1	2	1	1	1	-
Measles—35	136	2	-	1	-	2	1	6	12	7	7	7	3	14	11	11	15	20	20	9
Diseases of the thymus gland—64	520	37	42	33	32	19	10	22	185	94	82	47	41	20	9	10	11	2	5	4
Meningitis (not due to meningococcus)—61	231	-	-	-	8	14	7	7	36	25	25	15	19	18	15	17	16	18	12	15
Intracranial lesions of vascular origin—63	79	1	1	1	1	1	1	-	6	24	10	9	5	7	3	5	3	1	4	1
Convulsions—66	103	4	4	8	15	8	4	4	47	13	10	9	5	5	1	3	3	4	2	2
Diseases of the ear and mastoid process—69	90	1	-	-	-	1	2	1	5	7	8	8	9	10	9	10	6	4	6	8
Diseases of the heart—90-95	80	3	5	2	3	7	3	5	28	9	14	4	5	8	2	2	2	3	1	2
Pneumonia (all forms) and influenza—107-109, 33	5,334	49	60	114	254	238	269	286	1,260	802	675	594	430	358	317	267	200	187	138	128
Bronchopneumonia, etc.—107	3,238	37	60	79	170	142	164	179	831	501	408	363	255	191	163	142	114	107	85	70
Lobar pneumonia—108	921	6	7	14	38	46	39	42	192	139	113	98	72	54	54	60	42	39	28	33
Pneumonia (unspecified)—109	708	5	11	21	41	39	38	33	189	113	89	76	58	51	37	34	22	15	14	11
Influenza—33	467	1	2	-	5	11	17	12	48	50	66	57	45	52	43	31	22	26	13	14
Other diseases of respiratory system—104-106, 110-114	432	11	7	14	11	13	17	26	105	58	56	52	34	28	22	20	17	13	11	-
Ulcer of stomach or duodenum—117	11	-	-	1	-	2	1	2	7	2	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.—119	2,583	3	3	6	23	132	237	200	604	502	318	249	190	167	144	123	113	75	49	49
Intestinal obstruction—122b	228	-	-	-	-	-	-	-	-	36	23	26	22	21	22	23	17	15	11	12
Other diseases of digestive system—115, 116, 118, 121, 123-129	215	2	2	7	15	13	13	12	64	19	25	11	24	16	16	18	6	6	4	4
Nephritis—130, 131	56	2	-	3	3	4	4	2	18	12	4	1	-	4	2	4	2	2	3	2
Congenital malformations—137	7,801	1,822	628	580	970	616	399	352	5,168	758	443	288	212	175	133	113	101	79	78	66
Diseases peculiar to first year—158-161	31,534	18,884	4,983	2,900	3,296	1,457	572	378	30,470	491	220	105	61	37	36	35	23	24	18	17
Congenital debility—158	776	178	50	37	58	48	40	41	451	104	85	48	25	11	10	12	11	9	6	1
Premature birth—159	19,806	11,626	3,087	1,535	1,647	961	371	218	19,425	261	61	28	11	8	2	4	3	1	1	2
Injury at birth—160	6,518	3,436	1,121	740	755	215	87	54	6,398	43	18	9	7	5	12	12	7	7	6	8
Other diseases peculiar to first year—161	4,436	1,643	745	588	838	233	94	65	4,206	63	58	20	18	13	12	7	2	7	2	8
Asphyxia (cause not specified), atelectasis—161a	2,531	1,259	544	329	261	75	32	19	2,499	35	23	6	5	4	2	2	1	-	-	-
Infection of the umbilicus, etc.—161b, c	1,855	404	201	259	577	158	82	46	1,707	48	35	14	12	8	4	5	2	8	2	8
Homicide—165-168	58	35	4	3	1	3	-	-	46	3	3	2	-	-	-	-	-	-	-	-
Accidental deaths—169-195	1,350	39	22	24	44	47	30	56	252	229	191	158	101	82	67	50	43	51	57	58
Accidental mechanical suffocation—182	618	2	8	6	12	18	17	25	88	139	121	99	57	39	22	20	9	7	10	10
Other accidental deaths—169-181, 183-195	732	37	14	18	32	29	13	31	174	91	70	59	44	43	30	34	44	49	49	49
Ill-defined and unknown causes—199, 200	1,155	213	90	60	94	86	44	45	632	144	105	74	61	38	22	28	18	10	15	7
All other causes—	947	44	33	35	72	74	47	36	341	99	75	55	50	50	58	48	31	30	30	30
WHITE, FEMALE—All causes	38,806	13,590	3,997	2,365	3,410	2,158	1,293	1,007	27,820	2,339	1,742	1,446	1,124	921	809	689	602	514	421	379
Cerebrospinal (meningococcus) meningitis—6	105	1	-	-	2	1	1	3	8	7	4	10	15	13	10	13	7	6	10	2
Scarlet fever—8	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	-
Whooping cough—9	351	-	-	-	-	-	4	12	16	81	51	54	27	17	25	26	18	10	12	14
Diphtheria (infection by C. diphtheriae)—10	31	1	-	-	-	-	1	1	3	2	2	2	-	2	3	5	2	2	5	3
Tuberculosis (all forms)—13-22	129	-	-	-	-	1	-	-	1	5	2	11	9	11	9	21	15	15	19	11
Tuberculosis of the resp. sys. etc.—13	57	-	-	-	-	1	-	-	1	2	1	6	1	3	3	10	9	7	9	5
Tuberculosis of the meninges, etc.—14	38	-	-	-	-	-	-	-	-	-	-	2	3	6	3	4	3	5	7	5
Tuberculosis (other forms)—15-22	34	-	-	-	-	-	-	-	-	3	1	3	5	2	3	7	3	3	3	1
Dysentery—27	163	1	-	-	1	5	7	3	17	9	18	25	22	22	18	6	13	5	4	4
Malaria—28	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Syphilis—30	91	19	8	5	3	1	3	5	44	21	8	2	5	1	3	-	2	2	-	3
Measles—35	91	-	-	-	-	-	2	2	2	4	8	2	5	7	12	4	16	12	13	6
Diseases of the thymus gland—64	313	36	18	17	23	17	14	9	135	36	39	39	25	10	14	3	2	3	3	6
Meningitis (not due to meningococcus)—61	159	-	-	-	1	9	6	5	21	16	14	13	24	13	13	7	10	5	14	9
Intracranial lesions of vascular origin—63	45	-	1	1	-	1	1	1	5	11	13	1	4	-	2	2	4	2	-	1
Convulsions—66	73	1	4	4	7	7	4	2	29	7	10	4	3	7	2	6	2	-	3	3
Diseases of the ear and mastoid process—69	57	-	-	-	-	2	1	2	5	5	9	7	3	6	4	4	3	5	3	3
Diseases of the heart—90-95	55	4	2	3	1	4	2	1	17	10	3	5	3	2	3	5	2	2	1	2
Pneumonia (all forms) and influenza—107-109, 33	4,163	48	57	76	205	184	199	175	944	546	490	452	362	330	245	200	175	168	127	124
Bronchopneumonia, etc.—107	2,492	24	41	47	124	127	133	114	610	343	281	273	219	193	131	117	98	86	75	66
Lobar pneumonia—108	713	7	5	13	50	31	25	23	134	86	81	83	61	63	50	37	33	41	21	23
Pneumonia (unspecified)—109	598	14	11	15	42	19	35	30	166	78	78	65	52	38	34	22	17	13	15	20
Influenza—33	360	3	-	1	9	7	6	8	34	39	50	31	30	36	30	24	27	28	16	15
Other diseases of respiratory system—104-106, 110-114	286	9	6	9	5	9	10	15	63	38	31	36	20	24	17	27	9	8	4	9
Ulcer of stomach or duodenum—117	8	-	-	-	1	-	1	-	2	3	-	1	1	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.—119	1,890	3	4	3	16	109	191	157	485	326	215	162	150	120	110	95	84	61	48	54
Intestinal obstruction—122b	145	-	-	-	-	-	-	-	-	22	12	14	23	18	13	13	12	15	3	2
Other diseases of digestive system—115, 116, 118, 121, 123-129	189	1	4	3	10	9	8	7	42	35	8	17	14	9	11	6	8	9	4	6
Nephritis—130, 131	30	2	1	1	3	1	2	1	11	4	4	3	2	1	2	-	-	1	1	1
Congenital malformations—137	6,273	1,522	441	380	739	544	296	279	4,181	511	362	259	210	143	150	131	103	95	73	55
Diseases peculiar to first year—158-161	21,562	11,647	3,376	1,812	2,231	1,103	455	284	20,848	336	141	74	47	30	20	18	15	16	11	6
Congenital debility—158	525	109	40	28	42	35	34	19	307	70	56	30	15	12	10	5	5	4	1	1
Premature birth—159	14,251	9,075</																		



## GENERAL TABLES—INFANT DEATHS

643

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1939 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NEGRO, BOTH SEXES—All causes	17,480	4,658	1,448	870	1,609	1,262	720	598	11,365	1,383	1,020	782	619	481	432	352	341	272	216	217
Cerebrospinal (meningococcus) meningitis—6	31	-	-	-	-	1	-	-	1	1	6	1	3	3	3	1	3	7	1	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	189	-	1	-	-	1	3	8	13	26	26	23	12	15	9	14	7	11	7	-
Diphtheria (infection by <i>C. diphtheriae</i> )—10	19	-	-	-	1	-	1	2	4	2	1	1	1	3	1	2	1	2	1	-
Tuberculosis (all forms)—13-22	108	1	-	-	-	1	-	1	3	2	4	8	6	18	6	13	15	13	6	10
Tuberculosis of the resp. sys. etc.—13	50	1	-	-	-	1	-	1	3	1	3	3	4	11	5	5	4	7	1	3
Tuberculosis of the meninges, etc.—14	32	-	-	-	-	-	-	-	-	-	1	4	1	5	-	3	8	5	3	3
Tuberculosis (other forms)—15-22	24	-	-	-	-	-	-	-	-	1	-	1	1	2	1	5	3	1	5	4
Dysentery—27	71	-	-	1	2	1	6	5	15	9	8	6	7	6	9	4	2	3	2	-
Malaria—28	5	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-
Syphilis—30	322	98	25	15	21	22	8	10	197	47	36	16	4	5	4	2	6	3	1	1
Measles—35	59	-	1	-	1	2	-	-	5	10	3	4	3	7	6	2	4	8	5	2
Diseases of the thymus gland—64	93	4	3	7	7	7	5	5	38	11	13	9	5	4	6	1	-	4	1	1
Meningitis (not due to meningococcus)—81	110	-	-	-	7	5	3	3	18	5	8	8	14	11	9	8	9	9	6	6
Intracranial lesions of vascular origin—83	15	-	1	-	-	-	-	-	1	4	1	2	2	2	-	1	-	2	-	-
Convulsions—86	74	3	2	4	14	11	2	-	36	8	6	3	4	4	1	4	-	-	1	3
Diseases of the ear and mastoid process—89	18	-	-	-	-	-	-	-	-	3	1	1	1	2	-	2	-	-	1	5
Diseases of the heart—90-95	20	1	2	-	2	2	-	-	7	2	1	2	2	1	-	1	1	1	1	1
Pneumonia (all forms) and influenza—107-109, 35	3,920	22	26	42	132	150	134	141	647	435	372	305	259	199	193	135	156	95	91	85
Bronchopneumonia, etc.—107	1,640	19	18	25	86	97	88	95	418	242	211	164	139	100	89	72	84	49	48	44
Lobar pneumonia—108	509	-	6	8	13	23	13	14	77	74	54	64	43	43	39	27	32	13	22	21
Pneumonia (unspecified)—109	381	2	2	8	23	29	18	16	98	55	60	35	31	18	26	15	15	14	8	6
Influenza—35	400	1	-	1	10	11	15	16	54	44	47	40	46	38	39	21	25	19	13	14
Other diseases of respiratory system—104-106, 110-114	170	15	6	2	10	8	8	10	69	24	21	13	10	11	7	4	4	4	6	7
Ulcer of stomach or duodenum—117	7	-	-	-	1	2	1	-	5	1	-	-	-	-	-	-	-	-	-	1
Diarrhea, enteritis, etc.—119	924	-	4	6	11	66	87	84	258	151	109	85	70	55	55	41	45	21	19	15
Intestinal obstruction—122b	66	-	-	-	-	-	-	-	-	14	8	8	3	6	9	4	2	7	1	4
Other diseases of digestive system—115, 116, 118, 121, 123-129	89	2	-	1	9	8	7	8	35	9	9	6	3	6	4	2	5	2	5	5
Nephritis—130, 131	18	1	1	1	-	-	1	1	5	1	4	1	2	1	-	3	-	1	1	-
Congenital malformations—157	968	169	72	61	117	90	54	45	605	81	69	54	34	24	14	23	17	16	15	16
Diseases peculiar to first year—158-161	8,337	4,046	1,121	602	964	855	275	177	7,838	253	199	146	31	12	11	14	9	11	6	7
Congenital debility—158	462	95	30	20	48	39	29	24	285	72	33	15	16	7	8	10	3	6	3	4
Premature birth—159	5,609	2,915	742	365	575	482	190	118	5,386	153	34	19	5	-	2	3	3	2	1	1
Injury at birth—160	1,191	654	189	113	131	87	22	6	1,172	10	4	-	1	1	-	-	-	2	1	-
Other diseases peculiar to first year—161	1,075	392	161	104	210	77	32	29	995	28	18	12	9	4	1	1	3	1	1	2
Asphyxia (cause not specified), atelectasis—161a	576	316	104	48	51	20	6	9	552	5	4	5	4	2	1	-	1	1	-	1
Infection of the umbilicus, etc.—161b, c	499	66	57	58	159	57	26	20	443	23	14	7	5	2	-	1	2	-	-	-
Homicide—165-168	27	14	1	-	1	1	-	1	18	2	-	-	1	-	2	2	1	1	-	-
Accidental deaths—169-195	546	27	13	10	26	22	9	15	122	88	67	54	48	35	28	28	22	21	9	23
Accidental mechanical suffocation—182	251	10	6	4	9	10	5	8	52	65	44	40	20	14	9	1	3	2	1	-
Other accidental deaths—183-181, 183-195	295	17	7	6	17	12	4	7	70	23	23	14	28	22	19	27	19	13	8	23
Ill-defined and unknown causes—199, 200	1,937	450	161	112	232	180	100	78	1,283	171	129	101	63	41	35	35	28	23	15	13
All other causes—	331	6	8	7	50	58	16	6	151	33	27	23	20	14	11	12	15	13	8	4
NEGRO, MALE—All causes	9,660	2,762	813	497	926	694	363	309	6,384	783	560	405	334	258	229	185	172	134	107	109
Cerebrospinal (meningococcus) meningitis—6	16	-	-	-	-	-	-	-	-	1	3	-	1	2	2	-	1	5	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	84	-	1	-	-	-	2	3	6	10	12	11	13	5	9	4	6	3	2	3
Diphtheria (infection by <i>C. diphtheriae</i> )—10	8	-	-	-	-	-	1	1	1	1	-	-	-	1	2	1	-	1	1	-
Tuberculosis (all forms)—13-22	51	1	-	-	-	1	-	1	5	1	2	6	3	7	2	4	8	5	3	7
Tuberculosis of the resp. sys. etc.—13	21	1	-	-	-	1	-	1	3	1	2	3	1	2	2	1	2	2	-	2
Tuberculosis of the meninges, etc.—14	18	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	5	2	1	2
Tuberculosis (other forms)—15-22	12	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	2	3
Dysentery—27	49	-	-	-	1	1	4	3	9	7	6	3	5	3	8	3	1	3	2	-
Malaria—28	4	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
Syphilis—30	193	59	16	5	11	18	5	7	120	26	24	11	2	3	1	2	1	2	-	1
Measles—35	36	-	1	-	-	1	1	-	3	5	1	1	3	5	3	-	4	5	4	2
Diseases of the thymus gland—64	48	2	1	6	2	3	3	2	19	6	6	3	5	3	2	-	3	-	-	1
Meningitis (not due to meningococcus)—81	58	-	-	-	6	2	2	1	11	2	4	5	6	7	6	4	5	4	1	3
Intracranial lesions of vascular origin—83	10	-	-	-	-	-	-	-	-	3	-	2	2	2	-	-	-	-	-	-
Convulsions—86	36	2	1	3	8	5	1	-	18	4	5	1	2	3	-	1	2	-	-	-
Diseases of the ear and mastoid process—89	10	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	-	-	-	4
Diseases of the heart—90-95	13	1	2	-	1	1	-	-	5	1	1	-	1	1	-	1	1	1	-	1
Pneumonia (all forms) and influenza—107-109, 35	1,552	13	14	23	70	76	70	71	337	243	204	147	141	110	101	75	68	44	48	34
Bronchopneumonia, etc.—107	805	13	10	12	49	44	43	50	221	145	109	85	76	55	50	39	37	24	31	15
Lobar pneumonia—108	256	-	3	6	5	12	6	6	39	38	30	27	27	26	17	15	12	6	9	11
Pneumonia (unspecified)—109	205	-	1	4	12	15	12	4	48	31	35	19	20	11	8	9	10	5	4	5
Influenza—35	206	-	-	1	4	5	9	11	30	29	30	18	18	18	26	12	9	9	4	3
Other diseases of respiratory system—104-106, 110-114	96	7	5	2	4	4	7	5	34	11	12	7	4	7	4	3	5	3	3	5
Ulcer of stomach or duodenum—117	3	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.—119	520	-	2	4	6	42	50	49	152	92	62	43	45	27	33	19	20	9	10	8
Intestinal obstruction—122b	35	-	-	-	-	-	-	-	-	8	4	5	1	3	4	2	1	4	-	3
Other diseases of digestive system—115, 116, 118, 121, 123-129	50	1	-	1	5	5	4	6	22	5	5	2	-	4	1	2	2	2	3	2
Nephritis—130, 131	13	1	1	1	-	-	1	1	6	1	1	1	2	-	-	3	-	-	-	-
Congenital malformations—157	529	92	41	35	73	46	25	22	334	46	39	29	19	11	7	12	10	7	6	6
Diseases peculiar to first year—158-161	4,677	2,298	622	337	559	351	141	89	4,397	154	49	22	17	6	6	5	6	5	5	5
Congenital debility—158	278	64	16	13	34	24	14	11	176	46	21	5	10	2	4	4	2	3	3	2
Premature birth—159	3,064	1,650	392	196	310	249	90	57	2,944	83	15	12	3	-	1	1	2	1	1	1
Injury at birth—160	700	369	113	67	87	29	17	3	685	9	3	-	1	1	-	-	-	-	-	-
Other diseases peculiar to first year—161	635	215	101	61	128	49	20	18	592	16	10	5	3	3	1	-	2	-		



(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision)

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—INFANT DEATHS

645

TABLE 28.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1946—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1958 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
OTHER RACES, MALE—All causes	584	99	29	38	32	30	12	15	254	54	44	43	42	34	25	19	19	23	13	14
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	5	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	-
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	16	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	1	1	2	5
Tuberculosis of the resp. sys. etc.*—13	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the meninges, etc.*—14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (other forms)—15-22	6	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1
Dysentery—27	11	-	-	-	-	-	-	-	-	-	2	2	2	2	1	1	1	1	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	14	3	-	4	3	1	-	-	11	2	-	-	-	-	-	-	1	-	-	-
Measles—35	8	-	-	-	-	-	-	-	-	1	1	1	1	1	1	3	-	1	-	1
Diseases of the thymus gland—64	5	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	5	-	-	-	-	2	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Intracranial lesions of vascular origin—83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions—86	5	-	-	-	1	-	-	-	1	1	-	-	1	2	-	-	-	-	-	2
Diseases of the ear and mastoid process—89	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Diseases of the heart—90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) and	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Influenza—107-109,33	123	-	-	-	5	2	3	4	20	20	18	15	8	12	8	5	4	8	3	2
Bronchopneumonia, etc.*—107	67	-	-	-	3	1	2	3	12	10	10	9	4	10	3	2	3	3	1	-
Lobar pneumonia—108	27	-	-	-	1	1	-	-	4	3	4	4	2	1	3	1	1	4	-	-
Pneumonia (unspecified)—109	23	-	-	-	1	-	-	1	4	4	4	2	1	1	1	1	-	1	2	1
Influenza—109	6	-	-	-	-	-	-	-	-	3	-	-	1	1	1	1	-	-	-	-
Other diseases of respiratory system—104-106,110-114	5	-	-	1	1	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-
Ulcer of stomach or duodenum—117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	61	-	-	-	-	2	2	1	5	6	3	14	9	7	5	3	4	3	2	-
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other diseases of digestive system—115,116,118,121,123-129	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Nephritis—130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	38	8	4	5	3	5	-	2	27	3	1	-	1	2	1	-	2	-	1	-
Diseases peculiar to first year—158-161	163	81	17	14	20	12	4	1	149	2	3	1	4	1	-	-	1	1	-	-
Congenital debility—158	19	1	1	-	2	2	-	-	6	2	2	1	4	1	-	-	1	1	-	-
Premature birth—159	87	52	8	4	11	8	3	1	87	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	29	17	4	5	-	1	1	-	28	-	1	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	28	11	4	5	7	1	-	-	28	-	-	-	-	-	-	-	-	-	-	-
Asphyxia (cause not specified),	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelactasia—161a	15	8	4	-	3	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-
Infection of the umbilicus, etc.*—161b,c	13	3	-	5	4	1	-	-	13	-	-	-	-	-	-	-	-	-	-	-
Homicide—165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths—169-195	21	1	-	-	-	2	-	-	3	7	3	2	2	-	1	-	-	1	1	1
Accidental mechanical suffocation—182	6	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-
Other accidental deaths—169-181,183-195	15	1	-	-	-	2	-	-	3	3	2	1	2	-	1	-	-	1	1	1
Ill-defined and unknown causes—199,200	86	6	7	8	2	3	1	3	30	10	9	5	9	6	4	2	2	4	4	1
All other causes—	6	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	2
OTHER RACES, FEMALE—All causes	489	82	25	22	39	18	16	11	213	40	44	41	36	25	20	16	12	15	14	13
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	8	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	1	-	1
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	13	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	-	4	2	-
Tuberculosis of the resp. sys. etc.*—13	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of the meninges, etc.*—14	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	1	-	-
Tuberculosis (other forms)—15-22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery—27	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	9	4	1	1	-	-	-	-	6	1	1	-	-	-	-	-	-	-	-	-
Measles—35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diseases of the thymus gland—64	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus)—81	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin—83	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Convulsions—86	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of the ear and mastoid process—89	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the heart—90-95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) and	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza—107-109,33	107	1	2	2	1	3	4	3	16	12	15	16	11	11	6	5	2	2	6	5
Bronchopneumonia, etc.*—107	65	1	1	1	1	2	3	1	10	8	11	9	7	6	4	3	1	1	3	2
Lobar pneumonia—108	17	-	-	-	-	-	-	-	1	1	-	2	2	3	1	1	-	1	2	3
Pneumonia (unspecified)—109	15	-	1	-	-	-	-	-	1	3	4	2	2	-	-	1	1	-	-	-
Influenza—109	10	-	-	1	-	1	1	1	4	-	-	3	-	-	2	1	-	-	-	-
Other diseases of respiratory system—104-106,110-114	8	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	2	-
Ulcer of stomach or duodenum—117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*—119	40	-	-	-	-	2	1	1	4	4	3	5	12	-	5	1	2	3	-	1
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Other diseases of digestive system—115,116,118,121,123-129	7	-	-	-	-	1	-	-	1	1	1	1	1	-	1	-	-	1	-	-
Nephritis—130,131	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	32	5	-	1	6	1	1	2	16	1	2	1	2	1	1	1	1	-	-	-
Diseases peculiar to first year—158-161	142	67	15	13	18	5	5	3	126	4	5	3	2	1	-	-	-	-	-	1
Congenital debility—158	15	-	1	2	1	-	-	-	4	2	5	3	2	1	-	-	-	-	-	-
Premature birth—159	71	39	9	5	6	4	3	1	67	-	-	-	-	-	-	-	-	-	-	-
Injury at birth—160	25	13	2	2	6	1	1	-	25	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year—161	31	15	3	4	5	-	1	2	30	-	-	-	-	-	-	-	-	-	-	-
Asphyxia (cause not specified),	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelactasia—161a	16	11	1	2	1	-	-	-	15	-	-	-	-	-	-	-	-	-	-	1
Infection of the umbilicus, etc.*—161b,c	15	4	2	2	4	-	-	1	15	-	-	-	-	-	-	-	-	-	-	-
Homicide—165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths—169-195	14	1	-	-	-	1	1	-	4	1	1	2	-	2	-	1	1	2	-	-
Accidental mechanical suffocation—182	5	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Other accidental deaths—169-181,183-195	9	1	-	-	-	1	1	-	2	1	1	2	-	1	-	1	1	3	-	3
Ill-defined and unknown causes—199,200	61	3	6	4	10	5	3	-	31	8	11	7	4	7	-	2	1	2	3	3
All other causes—	12	1	1	1	1	-	-	1	5	-	2	1	-							



## VITAL STATISTICS OF THE UNITED STATES

TABLE 29.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES, 1946

(By place of residence. Exclusive of stillbirths)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
ALL RACES-----All causes	111,063	66,585	29,467	13,891	10,005	13,222	44,478
Cerebrospinal (meningococcus) meningitis-----6	270	159	80	36	16	25	111
Scarlet fever-----8	6	3	1	-	1	1	3
Whooping cough-----9	669	356	110	75	75	96	513
Diphtheria (infection by C. diphtheriae)-----10	84	85	12	10	5	8	49
Tuberculosis (all forms)-----13-22	406	230	132	44	32	42	158
Tuberculosis of the respiratory system, etc.*-----13	182	117	64	21	13	19	65
Tuberculosis of the meninges, etc.*-----14	126	72	30	14	12	16	54
Tuberculosis (other forms)-----15-22	98	61	36	9	7	7	37
Dysentery-----27	480	198	55	34	41	69	282
Malaria-----28	12	6	-	-	1	5	6
Syphilis-----30	539	326	131	65	55	75	212
Measles-----35	297	108	51	30	16	31	189
Diseases of the thymus gland-----64	934	563	219	130	96	113	371
Meningitis (not due to meningococcus)-----81	506	287	118	61	50	58	219
Intracranial lesions of vascular origin-----83	140	71	37	11	5	13	69
Convulsions-----86	256	82	15	12	13	42	174
Diseases of the ear and mastoid process-----89	169	89	42	16	14	17	60
Diseases of the heart-----90-95	156	75	30	17	10	18	61
Pneumonia (all forms) and influenza-----107-109,33	12,657	6,417	2,880	1,356	968	1,403	6,240
Bronchopneumonia, etc.*-----107	7,502	4,184	1,989	935	560	780	3,339
Lobar pneumonia-----108	2,187	1,087	387	241	187	272	1,100
Pneumonia (unspecified)-----109	1,725	714	206	161	145	202	1,011
Influenza-----33	1,243	452	108	99	96	148	791
Other diseases of respiratory system-----104-106,110-114	901	498	238	98	69	94	403
Ulcer of stomach or duodenum-----117	26	20	13	5	2	-	6
Diarrhea, enteritis, etc.*-----119	5,498	3,258	1,467	682	439	670	2,240
Intestinal obstruction-----122b	441	244	100	57	39	48	197
Other diseases of digestive system-----115,116,118,121,123-129	483	260	113	51	36	60	223
Nephritis-----130,131	106	62	19	10	17	16	44
Congenital malformations-----157	14,912	9,531	4,401	2,002	1,409	1,719	5,381
Diseases peculiar to first year of life-----158-161	61,738	40,054	18,074	8,332	5,869	7,679	21,684
Congenital debility-----158	1,797	760	234	178	130	256	1,017
Premature birth-----159	39,824	26,188	11,974	5,503	3,818	4,890	13,639
Injury at birth-----160	11,738	7,602	3,355	1,486	1,234	1,587	4,136
Other diseases peculiar to first year of life-----161	8,379	5,487	2,511	1,165	787	1,084	2,892
Amphyxia (cause not specified), atelectasis-----161a	4,825	3,352	1,625	692	464	581	1,473
Infection of the umbilicus, etc.*-----161b,c	3,554	2,135	886	473	333	443	1,419
Homicide-----165-168	134	87	47	14	14	12	47
Accidental deaths-----169-195	2,915	1,516	651	326	225	314	1,399
Accidental mechanical suffocation-----162	1,544	692	319	126	103	145	682
Other accidental deaths-----169-181,183-195	1,571	824	332	201	122	169	717
Ill-defined and unknown causes-----189,200	4,129	941	222	177	197	345	3,188
All other causes-----	2,000	1,069	439	260	170	220	911
WHITE-----All causes	92,510	56,535	23,965	11,949	8,853	11,746	35,976
Cerebrospinal (meningococcus) meningitis-----6	236	148	76	34	17	21	90
Scarlet fever-----8	6	3	1	-	1	1	3
Whooping cough-----9	667	273	73	58	59	83	394
Diphtheria (infection by C. diphtheriae)-----10	65	27	8	9	3	7	38
Tuberculosis (all forms)-----13-22	271	168	81	30	25	32	103
Tuberculosis of the respiratory system, etc.*-----13	113	76	39	14	9	14	42
Tuberculosis of the meninges, etc.*-----14	85	50	17	10	10	13	35
Tuberculosis (other forms)-----15-22	68	42	25	6	6	5	26
Dysentery-----27	392	166	25	30	36	75	226
Malaria-----28	7	4	-	-	1	5	3
Syphilis-----30	193	120	38	18	27	37	73
Measles-----35	227	90	26	28	11	27	137
Diseases of the thymus gland-----64	835	496	190	112	86	106	339
Meningitis (not due to meningococcus)-----81	390	219	85	45	41	48	171
Intracranial lesions of vascular origin-----83	124	64	31	10	5	18	60
Convulsions-----86	176	83	10	8	11	34	113
Diseases of the ear and mastoid process-----89	147	78	36	15	11	16	69
Diseases of the heart-----90-95	135	62	23	13	9	17	73
Pneumonia (all forms) and influenza-----107-109,33	9,487	4,902	1,993	1,004	786	1,139	4,595
Bronchopneumonia, etc.*-----107	5,730	3,195	1,458	635	450	652	2,535
Lobar pneumonia-----108	1,634	819	295	179	129	216	815
Pneumonia (unspecified)-----109	1,506	569	158	126	118	166	738
Influenza-----33	827	320	82	64	69	105	507
Other diseases of respiratory system-----104-106,110-114	718	408	168	81	56	88	310
Ulcer of stomach or duodenum-----117	19	14	7	5	2	-	5
Diarrhea, enteritis, etc.*-----119	4,473	2,716	1,173	589	371	583	1,767
Intestinal obstruction-----122b	373	201	76	47	33	45	172
Other diseases of digestive system-----115,116,118,121,123-129	384	220	88	47	33	52	164
Nephritis-----130,131	86	51	15	9	14	13	35
Congenital malformations-----157	13,874	8,864	3,989	1,695	1,242	1,636	5,010
Diseases peculiar to first year of life-----158-161	55,096	34,414	14,718	7,253	5,433	7,010	18,682
Congenital debility-----158	1,501	579	170	120	105	184	722
Premature birth-----159	34,057	22,275	9,594	4,756	3,465	4,460	11,782
Injury at birth-----160	10,493	6,787	2,859	1,349	1,153	1,426	3,706
Other diseases peculiar to first year of life-----161	7,245	4,773	2,095	1,028	710	940	2,472
Amphyxia (cause not specified), atelectasis-----161a	4,218	2,513	1,338	607	420	548	1,305
Infection of the umbilicus, etc.*-----161b,c	3,027	1,660	757	421	290	392	1,167
Homicide-----165-168	107	88	34	12	11	11	39
Accidental deaths-----169-195	2,334	1,217	496	274	189	258	1,117
Accidental mechanical suffocation-----162	1,082	555	240	105	93	117	527
Other accidental deaths-----169-181,183-195	1,252	662	256	169	96	141	590
Ill-defined and unknown causes-----189,200	2,025	576	141	109	112	214	1,449
All other causes-----	1,651	903	364	216	146	177	748

\*Refer to International List for complete title, table V, Part I.



## GENERAL TABLES—INFANT DEATHS

647

TABLE 29.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, IN URBAN AND RURAL AREAS: UNITED STATES, 1946—Continued  
(By place of residence. Exclusive of stillbirths)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
<b>NONWHITE</b> -----All causes	18,553	10,050	5,482	1,942	1,152	1,474	9,503
Cerebrospinal (meningococcus) meningitis-----6	32	11	4	2	1	4	21
Scarlet fever-----8	-	-	-	-	-	-	-
Whooping cough-----9	202	85	37	17	16	35	119
Diphtheria (infection by <i>C. diphtheriae</i> )-----10	19	8	4	1	2	1	11
Tuberculosis (all forms)-----13-22	135	82	51	14	7	10	58
Tuberculosis of the respiratory system, etc.*-----13	64	41	25	7	4	5	28
Tuberculosis of the meninges, etc.*-----14	41	22	13	4	2	3	19
Tuberculosis (other forms)-----15-22	30	19	13	3	1	2	11
Dysentery-----27	88	32	10	4	5	13	56
Malaria-----28	5	2	-	-	-	2	3
Syphilis-----30	345	206	95	47	28	39	139
Musculos-----35	70	18	5	4	5	4	52
Diseases of the thymus gland-----64	99	67	29	18	8	12	32
Meningitis (not due to meningococcus)-----81	118	68	33	16	9	10	49
Intracranial lesions of vascular origin-----83	16	7	6	1	-	-	9
Convulsions-----86	80	12	6	4	2	8	61
Diseases of the ear and mastoid process-----89	22	11	6	1	3	1	11
Diseases of the heart-----90-95	21	13	7	4	1	1	8
Pneumonia (all forms) and influenza-----107-109,33	3,180	1,515	697	332	222	264	1,645
Bronchopneumonia, etc.*-----107	1,772	969	551	200	110	128	803
Lobar pneumonia-----108	553	288	92	62	59	56	285
Pneumonia (unspecified)-----109	419	145	48	35	27	36	273
Influenza-----33	416	132	28	35	27	44	284
Other diseases of respiratory system-----104-106,110-114	183	90	50	17	12	11	93
Ulcer of stomach or duodenum-----117	7	6	6	-	-	-	1
Diarrhea, enteritis, etc.*-----119	1,025	542	294	83	68	87	493
Intestinal obstruction-----122b	68	43	24	10	6	5	25
Other diseases of digestive system-----115,116,118,121,123-129	99	40	25	4	3	8	59
Nephritis-----130,131	20	11	4	1	3	3	9
Congenital malformations-----157	1,038	667	412	107	67	81	371
Diseases peculiar to first year of life-----158-161	8,642	5,640	3,356	1,079	536	669	3,002
Congenital debility-----158	496	201	64	58	25	54	296
Premature birth-----159	5,767	3,910	2,390	747	353	430	1,857
Injury at birth-----160	1,245	615	496	137	81	101	430
Other diseases peculiar to first year of life-----161	1,134	714	416	137	77	84	420
Asphyxia (cause not specified), atelectasis-----161a	607	439	287	85	34	33	168
Infection of the umbilicus, etc.*-----161b,c	527	275	129	52	43	51	252
Homicide-----165-166	27	19	13	2	3	1	8
Accidental deaths-----169-195	581	299	155	52	36	56	282
Accidental mechanical suffocation-----182	262	137	79	20	10	28	125
Other accidental deaths-----169-181,183-195	319	162	76	32	26	28	157
Ill-defined and unknown causes-----199,200	2,104	365	81	68	85	131	1,739
All other causes-----	349	186	75	44	24	43	163

\*Refer to International List for complete title, table V, Part I.