

VITAL STATISTICS OF THE UNITED STATES

1973

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

HEALTH RESOURCES ADMINISTRATION
NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1977
(HRA) 77-1101

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*

JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*

GAIL F. FISHER, *Associate Director for the Cooperative Health Statistics System*

ELIJAH L. WHITE, *Associate Director for Data Systems*

JAMES T. BAIRD, JR., Ph.D., *Acting Associate Director for International Statistics*

ROBERT C. HUBER, *Associate Director for Management*

MONROE G. SIRKEN, Ph.D., *Associate Director for Mathematical Statistics*

PETER L. HURLEY, *Associate Director for Operations*

JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*

PAUL E. LEAVERTON, Ph.D., *Associate Director for Research*

ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*

ALICE M. HETZEL, *Deputy Director*

T. N. E. GREVILLE, Ph.D., *Actuarial Adviser*

ROBERT J. ARMSTRONG, M.S., *Chief, Mortality Statistics Branch*

ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*

ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*

LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*

WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*

MARVIN C. TEMPLETON, *Chief, Data Control Branch*

MICHAEL J. ZUGZDA, *Chief, Statistical Resources Branch*

RITA U. HOFFMAN, *Chief, Programming Branch*

VITAL STATISTICS OF THE UNITED STATES, 1973

VOLUME II — MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, date of death, and report of autopsy.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by color, age of mother, legitimacy status, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accidents and by person injured. Data shown by cause of death, age, color, and sex for the United States and by color and sex for each State. Deaths from accidental poisoning by age, color, and sex.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and e_x^0 by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 8. Guam, Puerto Rico, and Virgin Islands (U.S.)

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents. Data for 1972 are based on a 50-percent sample of death certificates]

TABLE:	1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27	-28	-29	-30
PAGE:	1	-2	-3	-4	-6	-6	-7	-8	-26	-45	-46	-47	-48	-60	-72	-73	-73	-74	-75	-78	-79	-87	-88	-168	-176	-184	-250	-354	-355	-356	
Geographic area:																															
Divisions-----											10 ¹	11	12	13	14			17													
50 largest standard metropolitan statistical areas, 1973-----																			18												
States-----												11	12	13	14			17		19 ²	20 ¹	21	22					27			
United States-----	1 ³	2 ³	3	4	5	6	7	8	9	10 ³	11	12	13	14	15	16 ⁴	17		19	20	21	22	23	24	25	26	27	28	29	30	
Years:																															
1900-1973-----	1	2								10 ⁵																					
1915-73-----																16 ⁶															
1964-73-----			3								11																				
1968-73-----							7																								
1971-73-----																		17 ⁷													
1973 only-----				4	5	6		8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	27	28	29	30	
Type of entry:																															
Age-adjusted rates--		2				6																									
Number of deaths---	1			4								12	13		15			18	19	20	21	22	23	24	25	26	27		29	30	
Percent distribution of deaths by cause-----																															
Death rates-----	1		3		5		7	8	9	10	11	12		14	15	16	17	18					23					28 ⁸	29 ⁸		
Characteristics:																															
Age-----			3	4				8	9			12			15											26		28			
10-year age groups-----			3					9																				28			
5-year age groups-----							8							15												26					
Single years of age after 84----				4																											
Cause of death:																															
Each cause-----																							23								
Selected causes--						6																								30	
281 selected causes-----																									24	25	26	27			
69 selected causes-----							7	8	9				13	14															29		
15 leading causes-----					5																										
Maternal causes only-----															15	16	17														
Color-----	1 ⁹	2 ⁹	3	4		6		8	9						15	16 ⁹	17				21		23					27	28		
Race-----																						22			25	26					
Sex-----	1 ¹⁰	2	3	4		6		8	9												21	22	23		25	26	27	28			
Month-----																				20	21			24						30	
Day of month-----																														30	
Day of week-----																														30	
Autopsy-----																												28	29		
Autopsy findings used-----																													29		

¹Deaths by place of occurrence.

²Deaths by place of occurrence and place of residence.

³Entire United States for 1933-73; death-registration States for 1900-1932.

⁴Entire United States for 1933-73; birth-registration States for 1915-32.

⁵Data by 5-year averages for 1900-1959 and by single years for 1960-73.

⁶Data by 5-year averages for 1915-39 and by single years for 1940-73.

⁷Data by 3-year average.

⁸Number of autopsies per 100 deaths.

⁹New Jersey did not require the reporting of color or race in 1962 and 1963.

¹⁰For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence. Data for 1972 are based on a 50-percent sample of death certificates]

TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15
PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-10	-28	-37	-38	-44	-50	-68
Geographic area:															
Divisions-----						6	7								
50 largest standard metropolitan statistical areas, 1973-----								8							
Metropolitan and nonmetropolitan counties-----													13		
Population-size groups-----													13		
States-----						6	7		9	10					15
United States-----	1 ¹	2	3	4	5	6	7		9	10	11	12	13	14	15
Years:															
1915-73-----	1														
1964-73-----				4											
1969-73-----						6	7								
1968-73-----											11				
1973 only-----		2	3		5			8	9	10		12	13	14	15
Type of entry:															
Number of infant deaths-----			3					8	9	10		12	13	14	15
Infant mortality rates (per 1,000 live births)---	1		3			6	7	8							
Infant mortality rates (per 100,000 live births)---		2		4	5						11				
Characteristics:															
Age:															
Under 1 year-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15
Under 28 days-----	1	2	3	4			7	8	9	10		12	13	14	15
28 days to 11 months-----			3									12		14	15
Detailed age groups (under 1 day-11 months)----		2		4					9	10 ²				14	
Cause of death (65 selected causes)-----					5						11	12	13	14	15
Color-----	1 ³	2		4	5	6	7			10			13	14	15
Month-----										10		12			
Race-----			3						9						
Sex-----		2	3						9	10 ²				14	

¹Entire United States for 1933-73; birth-registration States for 1915-32.

²For the United States only.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17
PAGE: 3	-3	-4	-4	-5	-5	-6	-8	-9	-12	-16	-18	-22	-26	-29	-30	-31	-34
Geographic area:																	
Divisions-----						6	7										
Metropolitan and non-metropolitan counties-----						6											
Population-size groups-----						6 ¹											
Selected areas-----			3 ²	4 ³													
States-----	1 ⁴						7	8 ⁵	9		11	12	13			16	17
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16	17
Years:																	
1942-73-----		2															
1969-73-----							7										
1973 only-----	1		3	4	5	6		8	9	10	11	12	13	14	15	16	17
Type of entry:																	
Number of fetal deaths-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	16	17
Percent distribution-----			3														
Rates (per 1,000 live births and fetal deaths)-----					5												
Ratios (per 1,000 live births)-----		2		4		6	7										
Minimum period required for reporting-----	1																
Characteristics:																	
Age of mother-----			3	4						10	11						
Attendant-----												13					
Color-----		2 ⁶		4	5	6	7		9	10	11	12	13	14	15	16	17
Legitimacy status-----			4														
Month-----								9									
Period of gestation-----	1		3			6							13		15		17
Plural births-----					5									14	15		
Sex-----					5					10				14	15	16 ¹	17 ¹
Total-birth order-----										10		12					
Weight at birth-----														14		16	

¹For the United States only.

²Combined totals for 6 States which report all periods of gestation.

³Combined totals for 40 areas which report legitimacy status.

⁴Fetal deaths by place of occurrence.

⁵Fetal deaths by place of occurrence and place of residence.

⁶New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for accidental deaths occurring in the United States during 1973.
Data for geographic areas within the United States are by place of residence]

TABLE: 4		-1	-2	-3	-4	-5	-6	-7
PAGE: 4		-2	-4	-12	-17	-21	-32	-36
Geographic area:								
States-----				3				7
United States-----		1	2	3	4	5	6	7
Subject matter:								
Accidental poisoning-----					4			
Motor vehicle accidents by person injured-----		1	2	3				
Nontransport accidents by place of accident-----						5	6	7
Characteristics:								
Age (5-year age groups)-----			2		4		6	
Color-----		1		3	4	5		7
Motor vehicle accidents by exact cause of death--		1						
Nontransport accidents by exact cause of death---						5		
Race-----			2				6	
Sex-----		1	2	3	4	5	6	7

Guide to tables in Section 5

[Life tables. Data for 1972 are based on a 50-percent sample of death certificates]

TABLE: 5	-1	-2	-3	-4	-5
PAGE: 5	-4	-7	-8	-9	-11
Years:					
1900-1973-----					5 ¹
1973 only-----	1	2	3		
Specified years and 1973-----				4 ²	
Type of entry:					
Proportion dying (${}_nq_x$)-----	1				
Number surviving (${}_nL_x$)-----	1	2		4	
Number dying (${}_nd_x$)-----	1				
Stationary population (${}_nL_x$) and (T_x)-----	1				
Average remaining lifetime (${}_ex$)-----	1		3	4	
Estimated average length of life (${}_e0$)-----					5
Characteristics:					
Age by:					
Single years-----		2	3		
5-year intervals-----	1			4	
Sex-color specific-----	1	2	3	4	5 ³
Sex specific-----	1	2	3		5
Color specific-----	1	2	3		5 ³
Total population-----	1	2	3		5

¹Entire United States for 1929-73; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1973; death-registration States for specified years from 1900 to 1921.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

TABLE: 6		-1	-2	-3
PAGE: 6		-22	-23	-24
Geographic area:				
Divisions -----				3
States -----		1 ¹		3
United States -----		1 ^{1,2}	2	3
Guam -----				3
Puerto Rico -----				3
Virgin Island -----				3
Years:				
1900-1973 ³ -----		1		
1973 -----			2	3
Characteristics:				
Age -----			2	3 ⁴
Race -----			2	
Sex -----			2	

¹Entire United States for 1900-1973; birth- and death-registration States for 1900-1932.

²Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

³Population enumerated as of April 1, 1940, 1950, 1960, and 1970, and estimated as of July 1 for all other years.

⁴For United States only.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1973. Exclude fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE: 7	-2	-75	-93	-111	-150	-168	-474	-484	-520
Geographic area:									
Counties -----	1 ¹								9
Metropolitan and nonmetropolitan counties-----		2	3						9
Specified urban places-----	1								9
Standard metropolitan statistical areas-----				4				8	
States-----	1 ¹	2	3			6	7 ²		9
United States-----	1	2	3		5		7		9
Population-size groups-----		2							9
Type of entry:									
Number of deaths-----	1	2	3	4	5	6	7	8	9
Number of fetal deaths-----	1	2							
Number of infant deaths-----	1	2	3	4	5	6			
Number of neonatal deaths-----	1	2							
Fetal-death ratios (per 1,000 live births)-----		2							
Infant mortality rates (per 1,000 live births)---		2							
Neonatal mortality rates (per 1,000 live births)-		2							
Characteristics:									
Age:									
5-year age groups-----					5	6			
10-year age groups-----			3	4					
Cause of death:									
34 selected causes-----									9
69 selected causes-----					5	6	7	8	
Color-----		2	3	4	5	6			
Race-----	1								
Sex-----			3	4	5	6			

¹Deaths by place of occurrence and place of residence.

²Deaths by place of occurrence.

Guide to tables in Section 8

[All data are for deaths occurring in Guam, Puerto Rico, or the Virgin Islands. Data are by place of residence unless otherwise noted]

TABLE:	8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE:	8	-3	-3	-4	-8	-12	-17	-17	-18	-18	-19	-19	-20
Geographic area:													
Guam-----		1	2	3			6	7		9	10	11	12
Puerto Rico-----		1	2		4		6	7	8		10	11	12
Municipios-----									8				
Virgin Islands-----		1	2			5	6	7		9	10	11	12
Islands-----										9			
Specified urban place-----										9			
Years:													
1940-73-----		1											
1973 only-----			2	3	4	5	6	7	8	9	10	11	12
Type of entry:													
Number of deaths-----		1	2	3	4	5	6	7	8 ¹	9 ¹			
Death rates-----		1											
Number of infant deaths-----				3	4	5			8	9	10	11	12
Number of neonatal deaths-----									8	9	10	11	12
Number of postneonatal deaths-----												11	12
Characteristics:													
Age of decedent-----				3	4	5						11	
Cause of death:													
65 selected causes of infant mortality-----													12
69 selected causes-----				3	4	5							
Motor vehicle accidents-----							6						
Nontransport accidents-----								7					
Person injured-----							6						
Color (for Virgin Islands only)-----			2			5	6	7		9	10	11	12
Month-----			2								10		
Place of accident-----								7					
Sex-----			2	3	4	5	6	7				11	

¹Deaths by place of occurrence and place of residence.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05----	0.0
Figure does not meet standards of reliability or precision-----	*

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-73 -----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-73 -----	1-3
1-3. Death rates by age, color, and sex: United States, 1964-73 -----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1973 -----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1973 -----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1973 -----	1-6
1-7. Death rates for 69 selected causes: United States, 1968-73 -----	1-7
1-8. Death rates for 69 selected causes, by 5-year age groups, color, and sex: United States, 1973 -----	1-8
1-9. Death rates for 69 selected causes, by 10-year age groups, color, and sex: United States, 1973 -----	1-26
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1973 -----	1-45
1-11. Death rates: United States, each division and State, 1964-73 -----	1-46
1-12. Deaths and death rates by age: United States, each division and States, 1973 -----	1-47
1-13. Deaths from 69 selected causes: United States, each division and State, 1973 -----	1-48
1-14. Death rates for 69 selected causes: United States, each division and State, 1973 -----	1-60
1-15. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1973 -----	1-72
1-16. Maternal mortality rates by color: Birth-registration States or United States, 1915-73 -----	1-73
1-17. Maternal mortality rates by color: United States, each division and State, 1971-73 (3-year average) ----	1-73
1-18. Deaths and death rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1973 -----	1-74
1-19. Deaths by State of occurrence, distributed according to State of residence: United States and each State, 1973 -----	1-75
1-20. Deaths by month and State of occurrence: United States and each State, 1973 -----	1-78
1-21. Deaths by month, color, and sex: United States and each State, 1973 -----	1-79
1-22. Deaths by specified race or national origin and sex: United States and each State, 1973 -----	1-87
1-23. Deaths and death rates for each cause, by color and sex: United States, 1973 -----	1-88
1-24. Deaths from 281 selected causes, by month: United States, 1973 -----	1-168
1-25. Deaths from 281 selected causes, by specified race or national origin and sex: United States, 1973 ----	1-176
1-26. Deaths from 281 selected causes, by age, race, and sex: United States, 1973 -----	1-184
1-27. Deaths from 281 selected causes, by color and sex: United States and each State, 1973 -----	1-250
1-28. Percent of deaths for which autopsies were reported, by age, color, and sex: United States, 1973 -----	1-354
1-29. Deaths from 69 selected causes, by number and percent for which autopsies were reported and item "findings used" was on certificate, by number and percent for which autopsy findings were used: United States, 1973 -----	1-355
1-30. Deaths occurring in the United States from selected causes, by date of death: 1973 -----	1-356

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-73

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES									
1973 ¹	6.9	9.1	5.1	6.6	8.7	4.8	9.5	12.1	7.4
1972 ^{1,2}	7.0	9.2	5.2	6.7	8.8	4.9	9.7	12.3	7.5
1971 ¹	7.0	9.2	5.2	6.7	8.8	4.9	9.6	12.1	7.5
1970 ¹	7.1	9.3	5.3	6.8	8.9	5.0	9.8	12.3	7.7
1969	7.3	9.5	5.5	6.9	9.0	5.2	10.5	13.0	8.3
1968	7.5	9.6	5.6	7.1	9.2	5.3	10.8	13.3	8.6
1967	7.3	9.4	5.5	6.9	9.0	5.2	10.2	12.4	8.2
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963 ³	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	9.0
1962 ³	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.3	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.6	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	13.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	13.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.6	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.2	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES⁴									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.8	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.6	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.⁴Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1964-73-Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL OTHER, FEMALE												
1973 ²	7.6	27.0	1.1	0.4	1.0	1.9	4.4	9.3	18.2	36.6	62.9	111.2
1972 ^{2,3}	7.6	26.2	1.1	0.4	1.0	2.1	4.6	9.3	18.3	36.8	61.8	109.4
1971 ²	7.6	29.0	1.1	0.4	1.1	2.2	4.8	9.5	18.3	36.3	62.0	112.7
1970 ²	7.8	31.7	1.2	0.4	1.1	2.2	4.9	9.8	18.9	36.8	63.9	102.9
1969	8.0	29.6	1.2	0.4	1.1	2.4	5.2	10.0	20.6	46.1	58.5	98.1
1968	8.3	30.2	1.2	0.4	1.1	2.5	5.5	10.3	21.5	47.6	60.9	109.9
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.6	44.1	57.4	104.1
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3

¹Figures for age not stated included in "Total" but not distributed among age groups.²Excludes deaths of nonresidents of the United States.³Deaths based on a 50-percent sample.

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1973

Age	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over--	284,100	107,981	176,139	100,750	166,357	7,211	9,782
85 years--	43,056	18,425	24,611	17,279	23,571	1,146	1,240
86 years--	37,960	15,700	22,260	14,774	21,213	926	1,067
87 years--	35,297	14,281	21,016	13,435	19,952	846	1,064
88 years--	31,914	12,330	19,584	11,576	18,609	754	975
89 years--	27,919	10,593	17,326	9,950	16,439	643	887
90 years--	23,843	8,665	15,178	8,106	14,405	559	775
91 years--	19,059	6,959	12,100	6,475	11,416	484	684
92 years--	16,203	5,584	10,619	5,198	10,048	386	571
93 years--	13,223	4,569	8,654	4,233	8,162	336	492
94 years--	9,529	2,957	6,571	2,751	6,217	206	354
95 years--	7,493	2,366	5,127	2,208	4,828	179	279
96 years--	5,671	1,777	3,894	1,626	3,639	151	255
97 years--	4,313	1,262	3,051	1,116	2,813	146	239
98 years--	2,911	833	2,078	733	1,885	100	193
99 years--	1,873	587	1,286	512	1,148	75	139
100 years--	1,317	371	946	309	813	62	133
101 years--	890	235	655	194	562	41	93
102 years--	542	144	398	106	330	38	68
103 years--	412	115	297	72	219	43	78
104 years--	221	63	158	38	116	25	42
105 years--	150	46	104	23	64	23	40
106 years--	104	24	80	19	49	5	31
107 years--	63	16	47	5	26	11	21
108 years--	38	10	28	5	9	5	19
109 years--	27	7	20	3	9	4	11
110 years--	19	4	15	1	7	3	8
111 years--	8	2	6	-	1	2	5
112 years--	7	3	4	1	-	2	4
113 years--	7	3	4	2	-	1	4
114 years--	6	2	4	-	-	2	4
115 years--	4	2	2	-	1	2	1
116 years--	7	2	5	-	2	2	3
117 years--	3	1	2	-	2	1	-
118 years--	4	-	4	-	-	-	4
119 years--	1	-	1	-	-	-	1
120 years--	2	-	2	-	1	-	1
121 years--	-	-	-	-	-	-	-
122 years--	-	-	-	-	-	-	-
123 years--	2	1	1	-	1	1	-
124 years--	-	-	-	-	-	-	-
125 years--	3	2	1	-	-	2	1

Table 1-5. Mortality From 15 Leading Causes of Death: United States, 1973

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. For method of ranking, see Technical Appendix.]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes-----	940.2	100.0
1	Diseases of heart-----390-398,402,404,410-429	360.9	38.4
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	167.3	17.8
3	Cerebrovascular diseases-----430-438	102.1	10.9
4	Accidents-----E800-E949	55.2	5.9
...	Motor vehicle accidents-----E810-E823	26.5	2.8
...	All other accidents-----E800-E807, E825-E949	28.7	3.1
5	Influenza and pneumonia-----470-474,480-486	29.9	3.2
6	Diabetes mellitus-----250	18.2	1.9
7	Cirrhosis of liver-----571	15.9	1.7
8	Arteriosclerosis-----140	15.5	1.7
9	Certain causes of mortality in early infancy-----760-769,2,769,4-772,774-776	14.5	1.5
10	Bronchitis, emphysema, and asthma-----490-495	14.2	1.5
11	Suicide-----E950-E969	12.0	1.3
12	Homicide-----E960-E978	9.8	1.0
13	Congenital anomalies-----740-759	6.7	0.7
14	Nephritis and nephrosis-----580-584	4.0	0.4
15	Peptic ulcer-----531-535	3.7	0.4
...	All other causes-----Residual	110.6	11.8

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1973

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965.]

Cause of death	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes-----	692.9	911.7	513.1	659.3	874.1	483.7	953.1	1,206.7	739.9
Major cardiovascular diseases-----390-448	326.9	434.2	240.6	317.8	428.7	228.8	402.0	477.0	339.5
Diseases of the heart-----390-398,402,404,410-429	244.4	339.3	167.4	239.9	338.1	160.3	279.8	344.7	225.8
Hypertension-----400,401,403	2.4	2.9	2.0	1.9	2.4	1.5	6.4	7.1	5.9
Cerebrovascular diseases-----430-438	63.7	70.4	58.5	59.6	66.3	54.5	99.7	106.7	93.8
Arteriosclerosis-----440	8.0	8.9	7.5	8.0	9.0	7.2	7.8	8.5	7.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	130.7	160.1	108.7	127.7	156.2	106.8	156.4	195.9	124.3
Accidents-----E800-E949	51.7	77.4	27.4	49.5	73.6	26.4	67.5	106.8	33.2
Motor vehicle accidents-----E810-E823	26.4	39.3	14.0	26.0	38.4	14.0	30.0	47.8	14.4
All other accidents-----E800-E807, E825-E949	25.3	38.0	13.3	23.5	35.2	12.4	37.6	59.0	18.8
Influenza and pneumonia-----470-474,480-486	20.1	26.6	15.2	19.5	24.6	14.0	31.4	42.3	22.5
Cirrhosis of liver-----571	15.0	20.9	9.9	13.7	19.3	8.7	25.3	33.9	18.0
Diabetes mellitus-----250	13.2	12.9	13.3	11.8	12.0	11.6	25.3	21.1	28.6
Suicide-----E950-E969	12.0	18.0	6.6	12.6	19.7	7.1	7.2	11.6	3.3
Homicide-----E960-E978	10.5	16.7	4.5	5.7	8.7	2.8	44.4	77.1	16.0
Bronchitis, emphysema, and asthma-----490-495	10.4	18.2	4.5	10.6	18.6	4.6	7.5	12.0	3.8
Tuberculosis, all forms-----010-019	1.5	2.4	0.8	1.1	1.7	0.6	5.2	8.1	2.7

SECTION 1 - GENERAL MORTALITY

1-7

Table 1-7. Death Rates for 69 Selected Causes: United States, 1968-73

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968
All causes	940.2	943.2	934.7	945.3	951.9	965.7
Bacillary dysentery and amebiasis	0.0	0.0	0.0	0.0	0.0	0.1
Enteritis and other diarrheal diseases	1.1	1.1	1.2	1.3	1.3	1.5
Tuberculosis, all forms	1.8	2.1	2.2	2.6	2.8	3.1
Tuberculosis of respiratory system	1.4	1.7	1.7	2.0	2.2	2.5
Tuberculosis, other forms	0.4	0.4	0.4	0.5	0.5	0.6
Whooping cough	0.0	0.0	0.0	0.0	0.0	0.0
Streptococcal sore throat and scarlet fever	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infections	0.2	0.2	0.2	0.3	0.4	0.4
Septicemia	2.2	2.0	1.9	1.7	1.5	1.5
Acute poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0
Measles	0.0	0.0	0.0	0.0	0.0	0.0
Syphilis and its sequelae	0.2	0.2	0.2	0.2	0.3	0.3
Other infective and parasitic diseases	1.9	1.9	2.0	2.0	2.0	2.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	167.3	168.0	163.6	162.8	160.0	159.4
Malignant neoplasms of buccal cavity and pharynx	3.7	3.6	3.7	3.7	3.7	3.6
Malignant neoplasms of digestive organs and peritoneum	46.0	46.0	46.0	46.6	46.5	46.8
Malignant neoplasms of respiratory system	37.8	37.0	35.4	34.2	32.7	31.8
Malignant neoplasm of breast	15.3	15.1	14.7	14.7	14.4	14.6
Malignant neoplasms of genital organs	20.3	20.3	20.4	20.3	20.3	20.5
Malignant neoplasms of urinary organs	7.6	7.6	7.4	7.6	7.4	7.4
Malignant neoplasms of all other and unspecified sites	20.3	20.0	19.7	19.2	18.7	18.6
Leukemia	6.9	6.9	7.0	7.1	7.2	7.2
Other neoplasms of lymphatic and hematopoietic tissues	9.3	9.4	9.3	9.2	9.0	8.9
Benign neoplasms and neoplasms of unspecified nature	2.4	2.4	2.4	2.4	2.3	2.5
Diabetes mellitus	18.2	18.6	18.6	18.9	19.1	19.2
Avitaminoses and other nutritional deficiencies	1.2	1.2	1.2	1.2	1.3	1.3
Anemias	1.6	1.6	1.7	1.7	1.6	1.7
Meningitis	0.7	0.7	0.8	0.8	0.9	0.9
Major cardiovascular diseases	494.4	497.1	493.3	496.0	501.7	512.1
Diseases of heart	360.8	365.0	360.5	362.0	366.1	372.6
Active rheumatic fever and chronic rheumatic heart disease	6.5	6.8	7.1	7.3	7.6	8.2
Hypertensive heart disease	3.5	3.7	3.8	4.1	4.4	4.9
Hypertensive heart and renal disease	2.6	2.8	3.0	3.2	3.6	3.9
Ischemic heart disease	326.0	328.7	327.0	328.1	331.7	337.6
Acute myocardial infarction	167.6	171.9	175.5	175.8	179.1	184.9
Other acute and subacute forms of ischemic heart disease	2.1	2.2	2.0	2.1	2.5	2.5
Chronic ischemic heart disease	156.2	154.6	151.5	150.1	150.2	150.2
Angina pectoris	0.1	0.1	0.1	0.1	0.1	0.1
Chronic disease of endocardium and other myocardial insufficiency	2.4	2.7	3.0	3.3	3.7	3.9
All other forms of heart disease	19.7	18.3	16.6	15.9	15.0	14.0
Hypertension	3.5	3.7	3.8	4.1	4.2	4.5
Cerebrovascular diseases	102.1	102.5	101.4	101.9	102.6	105.8
Cerebral hemorrhage	16.2	17.6	18.7	20.1	22.4	23.5
Cerebral thrombosis	27.0	27.6	27.8	28.5	29.1	30.2
Cerebral embolism	0.5	0.5	0.5	0.4	0.5	0.6
All other cerebrovascular diseases	58.5	56.7	54.5	52.7	51.6	51.5
Arteriosclerosis	15.5	15.6	15.3	15.6	16.4	16.8
Other diseases of arteries, arterioles, and capillaries	12.4	12.3	12.3	12.5	12.4	12.4
Acute bronchitis and bronchiolitis	0.4	0.6	0.6	0.6	0.6	0.7
Influenza and pneumonia	29.8	30.1	27.7	30.9	33.9	36.8
Influenza	2.4	2.4	0.7	1.8	3.0	3.5
Pneumonia	27.4	27.7	27.0	29.0	30.9	33.2
Bronchitis, emphysema, and asthma	14.2	14.8	14.7	15.2	15.4	16.6
Chronic and unqualified bronchitis	2.6	2.8	2.7	2.9	2.9	3.1
Emphysema	10.6	10.8	10.9	12.2	12.4	12.1
Asthma	0.9	1.1	1.0	1.1	1.2	1.3
Peptic ulcer	3.7	3.8	3.9	4.2	4.6	4.7
Appendicitis	0.5	0.6	0.6	0.7	0.7	0.7
Hernia and intestinal obstruction	3.2	3.3	3.4	3.6	3.7	3.9
Cirrhosis of liver	15.9	15.6	15.4	15.5	14.8	14.6
Cholelithiasis, cholecystitis and cholangitis	1.6	1.8	1.8	2.0	2.1	2.2
Nephritis and nephrosis	4.0	4.1	4.1	4.4	4.7	4.7
Acute nephritis and nephrotic syndrome	0.7	0.7	0.7	0.7	0.7	0.6
Chronic and unqualified nephritis and renal sclerosis	3.2	3.4	3.4	3.7	4.0	4.0
Infections of kidney	2.9	3.3	3.7	4.0	4.3	4.7
Hyperplasia of prostate	0.8	0.9	0.9	1.1	1.2	1.3
Complications of pregnancy, childbirth, and the puerperium	0.2	0.3	0.3	0.4	0.4	0.4
Abortions	0.0	0.0	0.0	0.1	0.1	0.1
Other complications of pregnancy, childbirth, and the puerperium	0.2	0.3	0.3	0.3	0.3	0.4
Congenital anomalies	6.7	7.1	7.7	8.3	8.4	8.4
Certain causes of mortality in early infancy	14.5	16.2	16.7	21.3	21.4	21.9
Birth injury, difficult labor, and other anoxic and hypoxic conditions	8.1	9.0	10.2	11.2	10.9	11.1
Other causes of mortality in early infancy	6.5	7.2	6.5	10.0	10.5	10.9
Symptoms and ill-defined conditions	14.5	15.2	12.9	12.7	13.0	11.8
All other diseases	54.7	53.2	50.8	49.8	48.5	48.7
Accidents	55.2	55.4	55.0	56.4	57.6	57.5
Motor vehicle accidents	26.5	27.0	26.4	26.9	27.6	27.5
All other accidents	28.7	28.4	28.6	29.5	30.0	30.0
Suicide	12.0	12.0	11.7	11.6	11.1	10.7
Homicide	9.8	9.4	9.1	8.3	7.7	7.3
Other external causes	2.4	2.4	2.5	2.7	2.5	2.2

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

SECTION I - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year
 [Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	ALL CAUSES-----	940.2	1,805.2	79.5	41.5	40.6	111.9	146.8	143.5
2	MALE-----	1,072.9	2,032.1	88.8	48.4	51.5	161.4	222.6	207.3
3	FEMALE-----	814.2	1,568.8	69.9	34.4	29.2	61.1	72.3	81.0
4	WHITE-----	944.2	1,565.1	71.4	39.0	38.5	108.0	130.4	121.1
5	MALE-----	1,071.2	1,776.5	79.8	45.2	48.6	156.6	198.6	173.3
6	FEMALE-----	823.0	1,342.8	62.5	32.6	28.1	57.9	62.4	69.1
7	ALL OTHER-----	912.6	3,020.1	121.1	54.5	51.7	134.7	251.9	306.0
8	MALE-----	1,084.6	3,335.4	135.6	65.5	67.9	190.2	384.6	474.7
9	FEMALE-----	755.4	2,697.2	106.4	43.5	35.3	79.6	132.4	161.6
10	BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	0.3	0.0	0.0	0.0	-	0.0	0.0
11	MALE-----	0.0	0.1	0.0	0.0	-	-	0.0	0.0
12	FEMALE-----	0.0	0.5	0.1	0.1	0.0	-	0.0	0.0
13	WHITE-----	0.0	0.2	0.0	0.0	0.0	-	0.0	0.0
14	MALE-----	0.0	0.1	0.0	0.0	-	-	0.0	0.0
15	FEMALE-----	0.0	0.2	0.1	0.0	0.0	-	-	0.0
16	ALL OTHER-----	0.1	0.8	0.1	0.1	0.0	-	0.0	-
17	MALE-----	0.0	-	0.1	-	-	-	-	-
18	FEMALE-----	0.1	1.6	0.1	0.2	0.1	-	0.1	-
19	ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	22.4	1.0	0.2	0.1	0.1	0.1	0.1
20	MALE-----	1.0	25.0	1.2	0.1	0.1	0.1	0.1	0.1
21	FEMALE-----	1.2	19.7	0.8	0.2	0.0	0.1	0.2	0.1
22	WHITE-----	1.0	15.1	0.9	0.2	0.1	0.1	0.1	0.1
23	MALE-----	0.9	17.1	1.0	0.1	0.1	0.1	0.1	0.1
24	FEMALE-----	1.1	12.8	0.7	0.2	0.1	0.1	0.1	0.1
25	ALL OTHER-----	1.9	59.6	1.7	0.2	0.0	0.1	0.2	0.1
26	MALE-----	2.1	65.0	2.1	0.1	0.1	0.1	0.1	0.2
27	FEMALE-----	1.8	54.2	1.3	0.2	-	0.1	0.2	-
28	TUBERCULOSIS, ALL FORMS-----010-019	1.8	0.4	0.1	0.0	0.0	0.0	0.1	0.2
29	MALE-----	2.6	0.6	0.1	0.0	0.0	0.1	0.1	0.3
30	FEMALE-----	1.1	0.2	0.1	0.1	0.0	0.0	0.1	0.2
31	WHITE-----	1.5	0.2	0.1	0.0	0.0	0.0	0.1	0.1
32	MALE-----	2.1	0.4	0.1	0.0	0.0	0.1	0.1	0.1
33	FEMALE-----	0.9	0.1	0.1	0.0	0.0	0.0	0.1	0.1
34	ALL OTHER-----	4.5	1.2	0.3	0.1	-	0.0	0.5	1.2
35	MALE-----	6.7	1.6	0.2	-	-	0.1	0.4	1.9
36	FEMALE-----	2.5	0.8	0.4	0.2	-	-	0.6	0.7
37	TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.4	0.2	0.0	0.0	0.0	0.0	0.1	0.1
38	MALE-----	2.1	0.3	0.0	-	-	0.0	0.1	0.1
39	FEMALE-----	0.8	0.1	0.0	0.0	0.0	0.0	0.1	0.1
40	WHITE-----	1.1	0.1	0.0	-	0.0	0.0	0.1	0.0
41	MALE-----	1.6	0.2	0.0	-	-	0.0	0.1	0.0
42	FEMALE-----	0.6	-	0.0	-	0.0	0.0	0.0	0.0
43	ALL OTHER-----	3.6	0.6	0.1	0.0	-	0.0	0.4	0.7
44	MALE-----	5.6	0.8	0.1	-	-	0.1	0.3	0.9
45	FEMALE-----	1.8	0.4	0.1	0.1	-	-	0.4	0.5
46	TUBERCULOSIS, OTHER FORMS-----013-019	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.1
47	MALE-----	0.5	0.3	0.1	0.0	0.0	0.0	0.0	0.1
48	FEMALE-----	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.1
49	WHITE-----	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0
50	MALE-----	0.4	0.2	0.1	0.0	0.0	0.0	-	0.0
51	FEMALE-----	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
52	ALL OTHER-----	0.9	0.6	0.2	0.1	-	-	0.2	0.5
53	MALE-----	1.1	0.8	0.1	-	-	-	0.1	0.9
54	FEMALE-----	0.7	0.4	0.3	0.1	-	-	0.2	0.2
55	WHOOPING COUGH-----033	0.0	0.2	-	-	-	-	-	-
56	MALE-----	0.0	0.1	-	-	-	-	-	-
57	FEMALE-----	0.0	0.2	-	-	-	-	-	-
58	WHITE-----	0.0	0.2	-	-	-	-	-	-
59	MALE-----	0.0	0.2	-	-	-	-	-	-
60	FEMALE-----	0.0	0.2	-	-	-	-	-	-
61	ALL OTHER-----	-	-	-	-	-	-	-	-
62	MALE-----	-	-	-	-	-	-	-	-
63	FEMALE-----	-	-	-	-	-	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	0.1	-	0.0	-	0.0	0.0	-
65	MALE-----	0.0	0.1	-	-	-	0.0	0.0	-
66	FEMALE-----	0.0	0.1	-	0.0	-	-	-	-
67	WHITE-----	0.0	0.1	-	0.0	-	0.0	-	-
68	MALE-----	0.0	0.1	-	-	-	0.0	-	-
69	FEMALE-----	0.0	0.1	-	0.0	-	-	-	-
70	ALL OTHER-----	0.0	-	-	-	-	-	0.0	-
71	MALE-----	0.0	-	-	-	-	-	0.1	-
72	FEMALE-----	0.0	-	-	-	-	-	-	-
73	MENINGOCOCCAL INFECTIONS-----036	0.2	2.9	0.5	0.2	0.1	0.1	0.1	0.0
74	MALE-----	0.2	3.5	0.5	0.2	0.1	0.2	0.1	0.0
75	FEMALE-----	0.1	2.3	0.5	0.2	0.1	0.1	0.0	0.0
76	WHITE-----	0.1	2.8	0.6	0.1	0.1	0.1	0.1	0.0
77	MALE-----	0.2	3.3	0.6	0.2	0.1	0.1	0.1	0.0
78	FEMALE-----	0.1	2.3	0.5	0.1	0.1	0.1	0.0	0.0
79	ALL OTHER-----	0.2	3.5	0.1	0.4	0.2	0.2	0.2	-
80	MALE-----	0.3	4.7	0.2	0.1	0.2	0.3	0.4	-
81	FEMALE-----	0.2	2.4	0.1	0.8	0.1	0.1	-	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-9

Age Groups, Color, and Sex: United States, 1973

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
165.7	235.1	355.2	563.3	832.8	1,314.5	1,943.9	2,804.7	4,302.7	6,722.4	9,777.4	17,429.4	1
223.1	304.5	454.2	732.8	1,103.0	1,779.0	2,695.5	3,933.5	5,871.9	8,813.5	12,239.5	19,809.4	2
110.2	169.3	260.9	404.4	582.1	889.8	1,287.3	1,901.7	3,155.6	5,339.4	8,343.2	16,234.0	3
136.8	195.5	306.8	503.9	763.6	1,237.5	1,857.5	2,723.6	4,153.1	6,692.5	9,936.0	17,926.6	4
182.7	252.1	394.3	660.4	1,020.7	1,692.0	2,609.4	3,870.5	5,763.8	8,829.7	12,500.0	20,436.1	5
91.5	140.7	221.8	355.9	523.6	819.9	1,199.3	1,806.0	2,988.3	5,292.7	8,460.6	16,685.8	6
366.4	512.8	707.7	1,048.8	1,434.3	2,073.5	2,743.6	3,549.5	5,930.4	7,101.7	7,896.5	12,137.9	7
526.1	705.4	925.6	1,354.1	1,842.6	2,663.0	3,500.7	4,509.0	6,922.2	8,636.6	9,491.5	13,605.7	8
230.9	354.7	525.7	785.7	1,076.2	1,561.7	2,094.1	2,781.1	5,080.3	5,932.6	6,806.7	11,115.9	9
-	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.1	0.1	10
-	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.3	0.2	0.2	11
-	-	0.0	0.0	-	-	0.0	0.0	0.0	0.1	0.1	0.1	12
-	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	13
-	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.2	0.2	14
-	-	-	0.0	-	-	0.0	0.0	0.0	0.0	0.1	0.1	15
-	-	0.1	0.1	-	-	-	0.3	-	0.7	-	-	16
-	-	0.2	0.2	-	-	-	0.6	-	0.8	-	-	17
-	-	0.1	-	-	-	-	-	-	0.6	-	-	18
0.1	0.2	0.2	0.3	0.5	0.7	1.1	1.6	2.7	6.2	9.1	19.4	19
0.1	0.1	0.2	0.3	0.5	0.6	1.0	1.7	2.7	5.8	9.4	18.7	20
0.1	0.2	0.2	0.4	0.5	0.8	1.2	1.6	2.8	6.4	8.9	19.8	21
0.1	0.1	0.2	0.2	0.5	0.7	1.1	1.5	2.6	6.1	9.1	19.6	22
0.1	0.1	0.1	0.2	0.5	0.6	1.0	1.6	2.7	5.5	9.2	19.5	23
0.1	0.2	0.2	0.3	0.4	0.8	1.1	1.5	2.6	6.5	9.0	19.7	24
0.1	0.3	0.7	1.0	0.8	0.7	1.5	2.5	4.0	6.9	8.9	17.9	25
-	0.3	0.9	1.3	0.9	0.9	0.7	2.1	2.8	9.9	11.0	11.3	26
0.2	0.3	0.5	0.7	0.8	0.6	2.1	2.9	5.0	4.7	7.5	21.6	27
0.5	0.9	1.5	2.1	3.0	4.0	5.0	6.4	8.6	10.7	12.8	15.2	28
0.5	1.2	2.1	2.9	4.6	6.2	8.2	10.6	14.4	18.6	22.1	26.6	29
0.4	0.6	1.0	1.2	1.5	2.0	2.2	3.0	4.3	5.5	7.4	9.5	30
0.2	0.4	0.7	1.2	1.8	3.1	3.9	5.3	7.0	9.4	12.0	14.0	31
0.2	0.5	0.8	1.5	2.8	4.8	6.5	8.8	11.8	16.2	20.9	24.9	32
0.1	0.2	0.6	0.9	1.0	1.6	2.5	3.6	4.9	6.9	9.9	8.5	33
2.7	4.9	7.8	9.1	13.3	12.5	15.0	16.2	25.3	26.4	22.3	28.6	34
3.2	6.7	12.2	14.9	21.5	20.2	24.1	27.5	40.3	44.3	34.1	41.5	35
2.4	3.4	4.1	4.2	6.0	5.8	7.1	7.2	12.7	12.8	14.2	20.5	36
0.3	0.7	1.3	1.6	2.4	3.2	3.9	4.8	6.7	8.3	10.1	12.3	37
0.5	1.0	1.8	2.4	3.8	5.3	6.6	8.6	11.4	14.2	17.4	22.0	38
0.2	0.4	0.8	0.9	1.0	1.3	1.5	1.8	3.2	4.4	5.7	7.4	39
0.1	0.3	0.5	0.9	1.4	2.4	3.0	4.1	5.4	7.1	9.6	11.0	40
0.2	0.4	0.6	1.2	2.2	4.0	5.1	7.2	9.2	12.2	16.9	20.1	41
0.1	0.2	0.4	0.6	0.6	0.9	1.1	1.5	2.7	3.8	5.5	6.5	42
1.8	3.6	7.0	7.7	11.0	11.0	12.2	12.1	20.3	21.8	14.9	25.7	43
2.8	5.5	11.2	12.7	18.4	18.2	20.0	21.3	32.9	35.9	23.2	39.6	44
1.0	2.1	3.4	3.3	4.6	4.8	5.4	4.8	9.7	11.0	9.2	17.0	45
0.1	0.2	0.2	0.4	0.6	0.8	1.1	1.5	1.9	2.5	2.8	2.9	46
0.1	0.2	0.3	0.5	0.8	0.9	1.6	2.0	3.1	4.4	4.6	4.6	47
0.2	0.2	0.2	0.3	0.5	0.7	0.7	1.1	1.1	1.7	1.7	2.1	48
0.0	0.1	0.2	0.3	0.5	0.7	0.9	1.2	1.6	2.3	2.4	3.0	49
0.0	0.1	0.2	0.3	0.5	0.8	1.4	1.5	2.6	4.1	4.0	4.9	50
0.0	0.0	0.1	0.3	0.4	0.7	0.5	1.0	0.9	1.1	1.4	2.0	51
0.9	1.2	0.8	1.5	2.2	1.5	2.8	4.1	5.1	4.6	7.4	2.9	52
0.4	1.1	0.9	2.2	3.2	2.1	4.1	6.3	7.4	8.4	11.0	1.9	53
1.4	1.3	0.7	0.9	1.4	1.0	1.7	2.4	3.1	1.7	5.0	3.4	54
-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	63
0.0	-	0.0	-	0.0	0.0	-	0.1	-	0.0	0.0	0.1	64
0.0	-	0.0	-	0.0	-	-	-	-	-	0.1	-	65
0.0	-	0.0	-	0.0	0.0	-	0.0	-	0.0	-	0.2	66
0.0	-	0.0	-	0.0	0.0	-	0.1	-	0.0	0.0	0.1	67
0.0	-	0.0	-	0.0	-	-	0.1	-	-	0.1	-	68
-	-	-	-	0.0	0.0	-	0.1	-	0.0	-	0.2	69
-	-	0.1	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	0.1	-	-	-	-	-	-	-	-	-	72
0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.3	0.1	73
0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.4	0.2	74
-	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	-	0.2	0.1	75
0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.3	0.1	76
0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.0	-	0.1	0.3	0.2	77
-	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	-	0.2	-	78
0.1	-	0.1	-	0.2	-	-	0.1	0.4	-	0.5	0.7	79
0.1	-	0.2	-	0.2	-	-	-	0.5	-	1.2	-	80
-	-	-	-	0.2	-	-	0.2	0.4	-	-	1.1	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	SEPTICEMIA-----038	2.2	26.1	0.6	0.1	0.1	0.2	0.2	0.2
2	MALE-----	2.4	29.8	0.6	0.1	0.1	0.2	0.2	0.2
3	FEMALE-----	2.0	22.3	0.5	0.1	0.1	0.2	0.2	0.3
4	WHITE-----	1.9	21.7	0.5	0.1	0.1	0.2	0.2	0.2
5	MALE-----	2.1	24.7	0.5	0.1	0.1	0.2	0.2	0.1
6	FEMALE-----	1.8	18.5	0.4	0.1	0.1	0.2	0.2	0.2
7	ALL OTHER-----	3.8	48.8	1.0	0.2	0.2	0.3	0.6	0.7
8	MALE-----	4.3	56.0	1.2	0.1	0.1	0.3	0.4	0.8
9	FEMALE-----	3.3	41.4	0.8	0.2	0.3	0.3	0.7	0.7
10	ACUTE POLIOMYELITIS-----040-043	0.0	-	-	-	-	-	-	-
11	MALE-----	0.0	-	-	-	-	-	-	-
12	FEMALE-----	0.0	-	-	-	-	-	-	-
13	WHITE-----	0.0	-	-	-	-	-	-	-
14	MALE-----	0.0	-	-	-	-	-	-	-
15	FEMALE-----	0.0	-	-	-	-	-	-	-
16	ALL OTHER-----	-	-	-	-	-	-	-	-
17	MALE-----	-	-	-	-	-	-	-	-
18	FEMALE-----	-	-	-	-	-	-	-	-
19	MEASLES-----055	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-
20	MALE-----	0.0	0.3	0.1	0.0	0.0	0.0	0.0	-
21	FEMALE-----	0.0	-	0.0	0.0	-	0.0	0.0	-
22	WHITE-----	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-
23	MALE-----	0.0	0.2	0.1	0.0	0.0	0.0	0.0	-
24	FEMALE-----	0.0	-	0.0	-	-	0.0	0.0	-
25	ALL OTHER-----	0.0	0.2	0.1	-	-	-	-	-
26	MALE-----	0.0	0.4	0.2	-	-	-	-	-
27	FEMALE-----	0.0	-	0.1	-	-	-	-	-
28	SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.3	-	-	0.0	-	0.0	-
29	MALE-----	0.3	0.3	-	-	0.0	-	-	-
30	FEMALE-----	0.1	0.3	-	-	-	-	0.0	-
31	WHITE-----	0.1	0.2	-	-	0.0	-	0.0	-
32	MALE-----	0.2	0.2	-	-	0.0	-	-	-
33	FEMALE-----	0.1	0.1	-	-	-	-	0.0	-
34	ALL OTHER-----	0.7	1.0	-	-	-	-	-	-
35	MALE-----	0.9	0.4	-	-	-	-	-	-
36	FEMALE-----	0.4	1.6	-	-	-	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF DDD-136	1.9	10.1	1.4	0.9	0.6	0.7	0.7	0.9
38	MALE-----	2.0	11.5	1.6	1.0	0.6	0.7	0.7	1.0
39	FEMALE-----	1.8	8.6	1.1	0.8	0.5	0.7	0.7	0.9
40	WHITE-----	1.8	8.8	1.3	1.0	0.6	0.6	0.6	0.7
41	MALE-----	1.9	10.4	1.5	1.0	0.6	0.7	0.6	0.7
42	FEMALE-----	1.7	7.1	1.0	1.0	0.5	0.6	0.5	0.6
43	ALL OTHER-----	3.1	16.7	1.7	0.6	0.7	0.8	1.7	2.8
44	MALE-----	3.1	17.1	1.7	0.9	0.8	0.7	1.5	2.8
45	FEMALE-----	3.0	16.3	1.6	0.3	0.7	1.0	1.9	2.9
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	167.3	4.4	6.4	6.0	4.8	6.7	8.4	11.9
47	MALE-----	187.1	4.3	7.4	6.7	5.4	8.0	10.4	13.1
48	FEMALE-----	148.4	4.4	5.3	5.3	4.2	5.5	6.4	10.8
49	WHITE-----	170.9	4.5	6.6	6.2	4.8	6.8	8.5	11.9
50	MALE-----	189.6	4.5	7.6	6.9	5.5	8.1	10.6	13.4
51	FEMALE-----	153.0	4.5	5.5	5.4	4.0	5.4	6.4	10.5
52	ALL OTHER-----	142.8	3.5	5.4	5.3	4.9	6.4	7.8	11.9
53	MALE-----	170.1	3.5	6.2	5.4	4.9	7.0	9.3	11.0
54	FEMALE-----	117.9	3.6	4.7	5.1	5.0	5.8	6.4	12.7
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.7	-	0.0	0.0	0.0	0.1	0.1	0.1
56	MALE-----	5.4	-	0.0	0.0	0.0	0.1	0.2	0.1
57	FEMALE-----	2.1	-	0.0	0.0	0.1	0.1	0.0	0.1
58	WHITE-----	3.7	-	0.0	0.0	0.0	0.1	0.1	0.1
59	MALE-----	5.4	-	0.0	0.0	0.0	0.1	0.2	0.1
60	FEMALE-----	2.2	-	0.0	0.0	0.0	0.0	0.1	0.0
61	ALL OTHER-----	3.7	-	-	0.0	0.1	0.2	0.2	0.3
62	MALE-----	5.8	-	-	0.1	0.1	0.1	0.3	0.3
63	FEMALE-----	1.8	-	-	-	0.1	0.3	-	0.3
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.0	0.5	0.1	0.1	0.1	0.2	0.6	1.1
65	MALE-----	50.0	0.6	0.2	0.1	0.1	0.2	0.8	1.0
66	FEMALE-----	42.3	0.3	0.1	0.1	0.1	0.1	0.5	1.3
67	WHITE-----	46.8	0.5	0.2	0.1	0.1	0.2	0.5	1.1
68	MALE-----	50.2	0.7	0.2	0.0	0.1	0.2	0.6	0.9
69	FEMALE-----	43.5	0.3	0.1	0.1	0.0	0.1	0.4	1.2
70	ALL OTHER-----	40.8	0.4	0.1	0.1	0.1	0.3	1.2	1.6
71	MALE-----	48.4	0.4	0.2	0.3	0.1	0.3	1.6	1.2
72	FEMALE-----	33.8	0.4	-	-	0.1	0.3	0.8	2.0
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	37.8	0.1	0.0	0.0	0.1	0.1	0.2	0.5
74	MALE-----	61.3	0.1	0.1	0.0	0.1	0.1	0.2	0.6
75	FEMALE-----	15.4	0.2	0.0	0.0	0.1	0.1	0.2	0.4
76	WHITE-----	38.7	0.2	0.0	0.0	0.1	0.1	0.2	0.5
77	MALE-----	62.4	0.1	0.1	0.0	0.1	0.1	0.2	0.5
78	FEMALE-----	16.0	0.2	-	0.0	0.0	0.1	0.1	0.5
79	ALL OTHER-----	31.9	-	0.0	0.0	0.1	0.1	0.3	0.5
80	MALE-----	54.2	-	-	-	0.1	0.3	0.3	0.9
81	FEMALE-----	11.5	-	0.1	0.1	0.1	-	0.3	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-11

Age Groups, Color, and Sex: United States, 1973-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.4	0.5	0.7	1.2	1.8	2.3	3.8	5.7	8.6	14.1	18.0	27.7	1
0.4	0.6	0.8	1.3	2.2	2.6	4.8	7.5	11.1	17.9	24.8	32.8	2
0.3	0.5	0.6	1.1	1.5	2.1	3.0	4.3	6.8	11.5	14.0	25.2	3
0.2	0.4	0.5	0.9	1.4	2.0	3.3	5.1	7.6	13.0	17.1	26.4	4
0.2	0.3	0.6	1.1	1.8	2.3	4.2	6.8	9.8	16.2	23.6	30.8	5
0.2	0.4	0.4	0.8	1.1	1.7	2.5	3.7	6.0	10.8	13.4	24.2	6
1.2	1.8	2.2	3.5	5.3	5.8	8.6	11.7	19.6	27.4	37.8	42.1	7
1.6	2.9	2.5	3.6	6.0	5.7	10.0	14.7	24.1	35.9	37.8	50.9	8
6.9	0.9	2.0	3.3	4.8	5.8	7.3	9.4	15.8	20.9	20.8	36.4	9
0.0	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	10
0.0	-	0.0	0.0	0.1	-	0.0	0.0	-	-	-	-	11
-	-	-	0.0	-	-	-	-	-	-	-	-	12
0.0	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	13
0.0	-	0.0	-	0.1	-	0.0	0.0	-	-	-	-	14
-	-	-	0.0	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	27
0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.9	1.3	1.6	1.1	1.4	28
-	0.0	0.0	0.0	0.2	0.5	1.0	1.6	2.2	2.5	1.9	2.0	29
0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.4	0.7	0.9	0.6	1.1	30
-	-	0.0	-	0.1	0.1	0.5	0.6	0.9	1.1	0.7	0.8	31
-	-	0.0	-	0.1	0.1	0.7	1.0	1.4	1.8	1.5	1.4	32
-	-	-	-	0.1	0.1	0.3	0.2	0.5	0.7	0.2	0.5	33
0.1	0.2	0.1	0.2	1.0	2.6	2.5	4.4	6.5	6.9	5.9	7.9	34
-	0.2	-	0.3	1.8	4.4	3.9	7.2	10.6	10.7	6.1	7.5	35
0.1	0.3	0.3	0.1	0.3	1.0	1.3	2.2	3.1	4.1	5.8	8.0	36
6.9	1.0	1.5	1.7	2.1	2.9	3.3	4.1	5.2	7.7	9.4	16.7	37
1.0	1.0	1.4	1.6	2.1	3.4	3.9	4.8	6.5	9.9	13.2	17.2	38
0.8	1.0	1.5	1.8	2.2	2.4	2.7	3.6	4.3	6.3	7.2	16.4	39
0.6	0.8	1.2	1.4	1.8	2.4	2.9	3.8	5.0	7.6	9.4	17.1	40
0.7	0.8	1.1	1.4	1.9	2.9	3.7	4.3	6.1	9.7	13.3	18.1	41
0.5	0.8	1.2	1.5	1.8	2.0	2.2	3.5	4.1	6.2	7.1	16.6	42
3.1	2.2	3.7	4.5	4.8	7.4	7.0	6.5	8.2	9.6	9.4	12.1	43
3.2	2.4	3.8	4.1	4.0	8.5	6.6	9.3	10.6	12.2	12.2	9.4	44
3.0	2.1	3.6	4.7	5.5	6.4	7.3	4.3	6.2	7.6	7.5	13.6	45
20.0	39.7	72.0	139.9	222.4	359.7	508.4	679.5	888.5	1,133.4	1,271.1	1,435.3	46
18.4	35.5	65.7	135.5	232.1	408.7	633.0	901.1	1,223.2	1,579.7	1,807.3	2,018.0	47
21.5	43.7	78.0	143.9	213.3	314.9	399.6	502.3	643.8	838.1	958.2	1,142.7	48
19.4	38.2	68.0	131.8	211.0	345.9	497.1	671.8	869.9	1,130.5	1,289.1	1,468.0	49
18.1	34.5	62.1	125.6	216.1	388.6	614.3	888.0	1,201.2	1,573.5	1,834.2	2,062.5	50
20.7	41.8	73.7	137.7	206.2	306.7	394.5	498.8	630.2	840.5	974.8	1,174.0	51
23.6	50.6	100.9	205.5	321.4	495.2	613.4	751.0	1,092.0	1,171.3	1,059.4	1,087.9	52
19.9	43.6	94.0	220.7	376.0	612.9	807.8	1,020.7	1,436.6	1,648.1	1,523.2	1,566.0	53
26.7	56.3	106.7	192.7	273.6	393.0	446.7	535.0	800.4	808.1	742.5	787.5	54
0.2	0.5	1.6	3.9	6.9	11.0	13.7	16.1	17.1	17.2	20.9	27.1	55
0.3	0.7	2.3	5.8	10.3	16.3	21.6	26.5	30.7	30.1	37.8	45.0	56
0.2	0.3	0.9	2.0	3.7	6.1	6.9	7.9	7.2	8.7	11.1	18.2	57
0.2	0.4	1.2	3.1	6.2	10.3	13.6	16.1	16.9	17.6	21.4	28.9	58
0.2	0.6	1.7	4.7	9.1	15.3	21.0	26.1	30.4	30.7	39.3	48.5	59
0.2	0.3	0.7	1.7	3.4	5.8	7.1	8.0	7.1	9.0	11.0	19.2	60
0.7	1.1	4.5	9.8	13.1	17.1	14.9	16.8	19.8	13.2	15.8	8.6	61
1.1	1.7	7.1	16.1	21.0	26.2	26.8	29.6	33.8	23.7	22.0	11.3	62
0.5	0.5	2.4	4.4	6.1	9.2	4.6	6.5	8.1	5.2	11.7	6.8	63
2.7	6.1	12.0	26.6	47.9	85.6	132.2	188.9	269.8	373.5	449.3	520.8	64
3.1	6.6	13.9	31.6	56.9	103.6	165.9	240.3	342.2	465.9	562.5	651.2	65
2.2	5.5	10.3	21.9	39.4	69.2	102.8	147.7	217.0	312.4	383.3	455.3	66
2.4	5.6	10.9	24.1	44.0	80.2	126.7	184.1	262.5	371.5	457.5	536.6	67
2.8	6.0	12.4	28.2	52.2	97.0	157.7	232.5	332.4	464.6	575.1	670.4	68
2.0	5.2	9.3	20.2	36.4	64.8	99.5	145.3	211.9	310.4	389.6	470.5	69
4.3	9.6	20.4	47.2	81.1	138.9	183.0	233.0	350.0	399.3	353.5	352.1	70
5.2	11.4	25.0	60.9	99.3	171.3	242.2	310.8	438.4	480.2	429.3	460.4	71
3.5	8.1	16.6	35.4	65.1	110.8	132.2	170.7	274.9	337.8	301.7	283.0	72
1.5	6.5	15.8	37.1	62.2	105.1	148.4	182.8	206.9	209.8	174.1	136.6	73
2.0	9.3	22.3	54.6	97.2	170.1	257.2	340.7	498.7	427.8	365.8	279.3	74
1.2	3.8	9.6	20.7	29.6	45.7	53.4	56.5	59.3	65.6	62.1	65.0	75
1.5	6.1	14.7	34.6	58.0	101.0	147.2	184.6	206.2	211.2	177.2	138.7	76
1.8	8.7	20.4	50.3	89.0	161.7	253.1	343.5	410.6	433.1	374.8	285.2	77
1.2	3.7	9.1	19.7	29.1	45.2	54.5	57.4	58.5	66.0	63.3	66.2	78
2.0	8.9	23.6	57.9	98.2	145.7	159.9	166.7	213.9	194.4	137.6	115.0	79
3.1	13.8	36.7	91.9	171.5	255.9	296.1	315.3	387.5	270.2	270.7	218.9	80
1.0	4.9	12.7	28.6	33.9	50.1	43.1	47.7	68.3	60.5	46.7	51.1	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—CON.									
1	MALIGNANT NEOPLASM OF BREAST—174	15.3	—	—	0.0	0.0	0.0	0.2	0.7
2	MALE—	0.3	—	—	—	—	—	—	—
3	FEMALE—	29.6	—	—	0.0	0.0	0.0	0.3	1.5
4	WHITE—	16.0	—	—	—	0.0	0.0	0.2	0.7
5	MALE—	0.3	—	—	—	—	—	—	—
6	FEMALE—	31.0	—	—	—	0.0	0.0	0.3	1.4
7	ALL OTHER—	10.7	—	—	0.0	—	—	0.2	1.3
8	MALE—	0.3	—	—	—	—	—	—	—
9	FEMALE—	20.3	—	—	0.1	—	—	0.4	2.4
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS—180-187	20.3	—	0.1	0.0	0.1	0.5	1.2	1.7
11	MALE—	19.4	—	0.1	0.1	0.0	0.6	1.6	1.8
12	FEMALE—	21.1	—	0.0	0.0	0.1	0.4	0.7	1.6
13	WHITE—	19.9	—	0.1	0.0	0.1	0.5	1.2	1.7
14	MALE—	18.9	—	0.1	0.1	0.0	0.7	1.8	2.0
15	FEMALE—	20.9	—	0.0	0.0	0.1	0.4	0.6	1.4
16	ALL OTHER—	22.9	—	0.1	0.1	0.1	0.4	0.9	1.9
17	MALE—	23.1	—	0.1	—	0.1	0.1	0.7	0.3
18	FEMALE—	22.8	—	0.1	0.1	0.1	0.7	1.2	3.3
19	MALIGNANT NEOPLASMS OF URINARY ORGANS—188, 189	7.6	0.2	0.4	0.3	0.1	0.0	0.1	0.1
20	MALE—	10.4	0.3	0.4	0.3	0.1	0.1	0.1	0.2
21	FEMALE—	4.9	0.1	0.3	0.3	0.1	0.0	0.1	0.1
22	WHITE—	8.0	0.2	0.4	0.3	0.1	0.0	0.1	0.2
23	MALE—	11.0	0.2	0.4	0.3	0.1	0.0	0.1	0.2
24	FEMALE—	5.1	0.1	0.3	0.3	0.1	0.0	0.1	0.1
25	ALL OTHER—	4.7	0.6	0.5	0.3	0.2	0.1	0.1	0.1
26	MALE—	6.0	0.8	0.5	0.2	0.1	—	0.2	0.1
27	FEMALE—	3.6	0.4	0.5	0.5	0.3	—	0.1	—
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES—170-173, 190-199	20.3	2.0	2.8	1.9	1.9	2.5	2.7	3.3
29	MALE—	21.9	1.8	2.9	1.9	1.9	2.9	3.3	4.1
30	FEMALE—	18.9	2.1	2.6	2.0	1.8	2.1	2.1	2.5
31	WHITE—	20.9	2.2	2.9	1.9	1.8	2.5	2.8	3.4
32	MALE—	22.3	2.1	3.0	1.9	1.9	3.0	3.6	4.2
33	FEMALE—	19.5	2.7	1.8	1.7	2.0	2.1	2.1	2.6
34	ALL OTHER—	16.9	1.0	2.4	2.3	2.1	2.5	1.9	2.8
35	MALE—	18.8	0.4	2.8	1.8	1.8	2.1	1.9	3.4
36	FEMALE—	15.1	1.6	2.1	2.8	2.4	2.9	1.9	2.3
37	LEUKEMIA—204-207	6.9	1.3	2.4	3.1	1.9	2.2	1.6	1.9
38	MALE—	8.1	1.3	2.9	3.6	2.3	2.8	2.0	2.2
39	FEMALE—	5.8	1.3	1.9	2.6	1.5	1.7	1.2	1.7
40	WHITE—	7.2	1.2	2.5	3.4	1.9	2.3	1.6	1.9
41	MALE—	8.4	1.1	3.0	3.8	2.3	2.8	1.9	2.1
42	FEMALE—	6.1	1.4	2.0	2.9	1.5	1.8	1.3	1.8
43	ALL OTHER—	4.6	1.6	2.0	1.8	1.7	1.8	1.5	1.9
44	MALE—	5.6	1.9	2.3	2.5	1.9	2.7	2.1	2.6
45	FEMALE—	3.7	1.2	1.6	1.0	1.6	0.9	0.9	1.2
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—200-203, 208, 209	9.3	0.2	0.5	0.5	0.6	1.1	1.8	2.3
47	MALE—	10.4	0.2	0.6	0.7	0.9	1.2	2.3	3.1
48	FEMALE—	8.3	0.3	0.3	0.3	0.3	0.9	1.3	1.5
49	WHITE—	9.7	0.3	0.5	0.5	0.7	1.1	1.8	2.4
50	MALE—	10.7	0.2	0.7	0.8	1.0	1.2	2.3	3.2
51	FEMALE—	8.8	0.3	0.3	0.2	0.4	0.9	1.4	1.6
52	ALL OTHER—	6.5	—	0.3	0.6	0.5	1.0	1.5	1.5
53	MALE—	7.8	—	0.3	0.6	0.7	1.3	2.2	2.0
54	FEMALE—	5.3	—	0.3	0.5	0.3	0.7	0.9	1.1
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	2.4	1.6	0.5	0.4	0.4	0.3	0.3	0.5
56	MALE—	2.4	1.1	0.5	0.4	0.4	0.4	0.4	0.4
57	FEMALE—	2.4	2.0	0.4	0.4	0.3	0.3	0.3	0.5
58	WHITE—	2.4	1.6	0.4	0.4	0.4	0.3	0.3	0.4
59	MALE—	2.4	1.3	0.5	0.4	0.4	0.4	0.4	0.4
60	FEMALE—	2.4	1.9	0.4	0.4	0.3	0.3	0.3	0.5
61	ALL OTHER—	2.5	1.4	0.5	0.2	0.3	0.2	0.4	0.6
62	MALE—	2.3	0.4	0.4	0.2	0.5	0.3	0.4	0.2
63	FEMALE—	2.6	2.4	0.5	0.3	0.1	0.1	0.5	0.9
64	DIABETES MELLITUS—250	18.2	0.5	0.1	0.1	0.2	0.3	0.7	1.6
65	MALE—	15.3	0.7	0.1	0.1	0.2	0.3	0.7	1.9
66	FEMALE—	20.9	0.3	0.1	0.2	0.3	0.3	0.7	1.3
67	WHITE—	17.4	0.4	0.1	0.1	0.3	0.3	0.6	1.4
68	MALE—	14.9	0.5	0.2	0.1	0.2	0.3	0.7	1.6
69	FEMALE—	19.9	0.3	0.1	0.2	0.3	0.3	0.6	1.2
70	ALL OTHER—	23.4	1.0	0.0	0.1	0.2	0.5	1.1	3.0
71	MALE—	18.2	1.6	—	0.1	0.1	0.5	1.0	4.2
72	FEMALE—	28.2	0.4	0.1	0.1	0.3	0.5	1.2	2.1
73	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES—260-269	1.2	3.4	0.1	0.0	0.0	0.0	0.0	0.1
74	MALE—	1.1	3.7	0.1	0.0	0.0	0.0	0.0	0.1
75	FEMALE—	1.4	3.1	0.1	0.0	0.0	0.0	0.1	0.1
76	WHITE—	1.2	2.4	0.1	0.0	0.0	0.0	0.1	0.1
77	MALE—	1.0	2.8	0.1	0.0	0.0	0.0	0.1	0.1
78	FEMALE—	1.4	1.9	0.1	0.0	0.0	0.0	0.1	0.1
79	ALL OTHER—	1.5	8.5	0.4	0.1	0.1	0.0	—	0.2
80	MALE—	1.6	8.2	0.4	0.1	0.1	0.1	—	0.3
81	FEMALE—	1.5	8.8	0.4	0.1	0.2	—	—	0.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-13

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
2.9	7.3	12.4	22.9	31.2	40.6	45.7	53.3	63.8	75.5	85.7	113.8	1
0.1	0.0	0.2	0.3	0.4	0.8	0.9	1.1	1.9	2.6	3.1	3.1	2
5.7	14.1	24.1	44.1	59.8	77.1	84.8	95.0	109.0	123.7	134.4	169.4	3
2.8	6.9	11.9	22.6	31.1	40.6	46.7	53.9	64.2	77.6	88.8	117.5	4
0.1	0.0	0.2	0.3	0.3	0.7	0.8	1.1	1.9	2.6	2.8	2.6	5
5.5	13.6	23.3	43.6	59.8	77.3	86.8	96.2	109.2	126.6	138.5	174.3	6
3.8	9.8	15.9	26.0	32.0	40.9	36.7	47.3	59.1	50.5	49.0	74.3	7
0.1	—	0.2	0.3	0.9	1.6	1.5	1.5	1.4	3.1	—	7.5	8
6.9	17.3	29.0	48.2	59.3	75.0	66.9	83.9	106.9	86.6	82.5	113.6	9
2.9	5.0	8.3	14.5	22.2	32.6	50.2	75.2	111.9	165.9	208.8	244.1	10
1.3	1.4	1.3	1.9	5.4	14.4	35.8	76.4	147.1	261.1	388.6	514.3	11
4.4	8.4	15.0	26.3	37.7	49.2	62.7	74.2	86.2	102.9	103.8	108.4	12
2.6	4.5	7.5	13.3	20.6	30.7	45.7	70.1	103.3	156.8	205.1	240.9	13
1.5	1.6	1.3	1.7	4.7	12.5	31.0	68.9	133.3	243.8	382.7	508.3	14
3.8	7.3	13.6	24.3	35.4	47.4	58.6	71.1	81.6	100.0	102.7	108.7	15
4.7	8.6	13.9	24.7	35.9	51.5	61.4	71.1	81.6	100.0	102.7	108.7	16
0.5	0.3	1.3	4.1	11.2	34.0	81.2	121.2	205.7	274.3	252.5	277.9	17
8.2	15.5	24.5	42.6	57.6	66.7	100.2	102.2	139.8	140.1	116.7	104.5	18
0.3	0.8	1.6	3.9	6.9	13.3	21.0	31.3	44.5	63.8	75.4	93.1	19
0.4	1.1	2.3	5.5	10.0	19.9	31.5	49.5	73.6	105.3	125.8	153.2	20
0.2	0.5	0.9	2.4	4.0	7.3	11.8	16.7	23.2	36.4	46.0	62.9	21
0.3	0.8	1.6	3.9	6.7	12.9	21.3	31.4	44.8	65.3	78.1	97.4	22
0.5	1.1	2.4	5.6	9.9	19.6	32.2	50.2	75.5	108.5	131.8	163.5	23
0.2	0.5	0.9	2.2	3.7	6.9	11.7	16.3	22.6	37.0	47.1	64.7	24
0.3	0.6	1.3	4.5	8.7	16.8	18.0	30.4	41.4	46.5	44.6	47.9	25
0.3	0.8	1.9	5.5	11.6	23.4	25.1	42.8	53.7	71.0	62.2	54.7	26
0.3	0.4	0.8	3.6	6.1	11.0	11.9	20.4	30.9	27.9	32.5	43.2	27
4.7	7.5	12.1	19.3	28.1	43.7	58.2	74.4	93.1	118.0	135.7	171.5	28
5.5	8.9	13.3	21.9	31.5	50.2	70.8	92.3	117.1	141.9	160.6	200.9	29
3.9	6.2	11.0	16.8	24.8	37.7	47.2	60.1	75.6	102.1	121.2	156.8	30
4.8	7.6	11.9	18.8	27.5	42.7	57.0	73.6	90.5	118.3	136.2	174.6	31
5.6	8.9	13.3	21.2	30.7	48.9	69.5	90.8	114.7	141.7	160.6	205.1	32
3.9	6.3	10.5	16.5	24.5	37.1	46.0	59.8	73.0	102.9	122.2	159.5	33
4.0	6.7	13.7	23.0	33.1	53.1	69.3	82.0	121.3	114.2	129.7	139.3	34
4.5	8.9	13.6	27.2	39.2	63.7	82.4	106.0	140.7	143.5	161.0	158.5	35
3.5	4.9	13.9	19.4	27.5	43.9	57.9	62.8	104.6	91.9	108.3	126.1	36
2.1	2.7	3.2	4.4	5.9	9.6	13.7	20.6	31.3	46.4	56.4	69.6	37
2.4	3.0	3.9	5.3	6.8	11.9	17.6	27.8	42.3	65.9	82.0	99.3	38
1.8	2.5	2.4	3.5	5.1	7.5	10.3	14.8	23.3	33.5	41.4	54.7	39
2.1	2.8	3.2	4.4	5.9	9.5	13.7	20.7	31.5	47.6	58.2	72.8	40
2.3	3.1	4.0	5.4	6.8	11.9	17.5	28.1	43.0	68.1	84.0	104.3	41
1.8	2.4	2.4	3.5	5.2	7.3	10.4	14.8	23.1	34.1	43.3	57.3	42
2.4	2.4	2.7	4.1	5.6	10.7	13.9	18.9	29.7	32.7	35.6	35.0	43
2.7	2.2	2.8	4.3	7.0	12.2	18.3	24.6	35.2	42.7	61.0	50.9	44
2.1	2.6	2.5	3.9	4.3	9.4	10.0	14.4	25.1	25.0	18.3	25.0	45
2.6	3.4	5.0	7.3	11.3	18.1	25.3	37.1	50.1	63.3	64.7	58.7	46
3.3	4.4	6.2	8.6	13.5	21.5	31.6	46.6	59.7	79.0	81.6	71.7	47
2.0	2.4	3.8	6.0	9.1	15.1	19.8	29.5	43.1	52.9	54.8	52.1	48
2.6	3.4	5.0	7.1	11.0	17.9	25.2	37.4	50.0	64.8	66.7	60.6	49
3.4	4.4	6.3	8.3	13.5	21.2	31.4	46.8	59.4	80.5	83.1	74.6	50
2.2	2.5	3.7	6.0	8.6	14.9	19.9	29.8	43.2	54.5	57.2	53.7	51
1.5	2.9	4.9	8.4	13.9	20.5	26.4	34.8	51.1	46.2	41.1	37.9	52
2.5	4.4	5.5	10.4	14.4	24.6	34.1	45.2	62.0	63.4	65.9	43.4	53
0.7	1.6	4.4	6.6	13.5	17.0	19.7	26.4	41.7	33.1	24.2	34.1	54
0.8	1.3	1.6	2.7	3.0	4.6	6.2	7.9	10.2	13.2	15.4	19.6	55
0.7	1.2	1.4	2.5	3.1	5.0	7.2	9.5	12.9	15.3	17.8	21.8	56
1.0	1.4	1.8	2.8	2.9	4.2	5.4	6.6	8.2	11.9	14.0	18.4	57
0.8	1.2	1.5	2.5	2.8	4.4	6.0	7.7	9.4	13.0	15.6	19.9	58
0.7	1.2	1.3	2.4	3.1	4.7	7.0	9.3	11.9	15.0	18.4	22.7	59
0.9	1.2	1.6	2.5	2.5	4.0	5.1	6.5	7.6	11.8	14.1	18.5	60
1.1	1.9	3.0	4.1	5.0	6.6	8.2	9.7	18.4	15.5	12.9	16.4	61
0.9	1.1	2.7	2.8	3.7	7.8	8.5	11.4	22.7	18.3	12.2	13.2	62
1.2	2.6	3.3	5.2	6.1	5.6	7.9	8.4	14.7	13.4	13.3	18.2	63
2.5	3.8	5.3	8.7	14.8	26.7	42.3	67.5	109.7	162.1	206.6	245.9	64
2.7	4.5	5.9	9.2	15.6	27.1	41.2	66.7	102.3	150.2	194.6	234.9	65
2.3	3.1	4.8	8.3	14.0	26.3	43.2	68.2	115.0	169.9	213.7	251.4	66
2.0	3.2	4.2	6.9	11.8	22.3	36.1	60.8	99.2	157.4	206.3	248.3	67
2.1	3.9	4.9	7.8	13.4	23.8	37.5	62.7	96.1	147.9	196.0	242.8	68
2.0	2.5	3.5	6.0	10.3	20.9	34.8	59.3	101.4	163.5	212.3	251.1	69
5.4	8.1	13.8	23.9	40.7	70.1	99.7	128.9	223.0	218.5	209.9	220.0	70
7.3	9.2	13.9	21.0	35.7	60.5	75.6	103.0	163.9	175.6	180.5	156.6	71
3.7	7.3	13.7	26.4	45.0	78.4	120.3	149.6	271.4	251.2	230.0	255.7	72
0.1	0.2	0.3	0.3	0.5	0.9	1.4	2.7	4.3	8.7	17.7	47.9	73
0.1	0.2	0.2	0.4	0.5	0.9	1.5	3.3	4.7	10.0	19.4	44.2	74
0.1	0.2	0.3	0.2	0.6	0.8	1.4	2.2	4.0	7.8	16.7	49.7	75
0.1	0.1	0.2	0.3	0.5	0.7	1.3	2.4	3.9	8.1	17.1	47.5	76
0.1	0.1	0.2	0.3	0.4	0.8	1.3	2.9	4.1	9.7	18.3	43.6	77
0.1	0.2	0.3	0.2	0.6	0.6	1.2	2.0	3.7	7.1	16.4	49.4	78
0.1	0.6	0.7	0.6	1.1	2.8	2.9	5.3	9.1	15.5	24.8	51.4	79
0.3	0.5	0.8	1.3	1.8	2.8	2.7	6.9	10.6	13.0	31.7	49.1	80
—	0.8	0.7	—	0.5	2.8	3.1	4.1	7.7	17.4	20.0	52.3	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX			TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
1	ANEMIAS-----	280-285	1.6	1.8	0.6	0.3	0.3	0.3	0.6	0.5
2		MALE-----	1.5	2.2	0.7	0.4	0.4	0.3	0.6	0.5
3		FEMALE-----	1.6	1.4	0.6	0.3	0.2	0.4	0.5	0.5
4	WHITE-----		1.4	0.9	0.3	0.2	0.2	0.2	0.3	0.2
5		MALE-----	1.4	1.0	0.3	0.2	0.3	0.2	0.3	0.2
6		FEMALE-----	1.5	0.7	0.3	0.2	0.2	0.2	0.3	0.2
7	ALL OTHER-----		2.6	6.7	2.4	1.2	0.7	1.1	2.1	2.6
8		MALE-----	2.8	8.6	2.7	1.4	0.7	0.9	2.7	2.7
9		FEMALE-----	2.5	4.8	2.1	1.0	0.6	1.3	1.6	2.5
10	MENINGITIS-----	320	0.7	16.0	1.6	0.4	0.1	0.1	0.1	0.1
11		MALE-----	0.8	17.6	1.8	0.4	0.2	0.2	0.1	0.2
12		FEMALE-----	0.6	14.3	1.5	0.3	0.1	0.1	0.2	0.1
13	WHITE-----		0.6	12.4	1.4	0.4	0.1	0.1	0.1	0.1
14		MALE-----	0.6	13.9	1.5	0.5	0.1	0.1	0.1	0.1
15		FEMALE-----	0.5	10.8	1.2	0.3	0.1	0.1	0.1	0.1
16	ALL OTHER-----		1.8	34.3	3.0	0.3	0.2	0.4	0.4	0.3
17		MALE-----	2.0	36.6	3.4	0.3	0.2	0.3	0.5	0.5
18		FEMALE-----	1.6	31.9	2.5	0.3	0.3	0.4	0.3	0.1
19	MAJOR CARDIOVASCULAR DISEASES-----	390-448	494.4	28.4	3.2	1.5	1.9	3.6	5.8	10.2
20		MALE-----	539.4	31.3	3.5	1.5	2.0	4.1	6.8	11.8
21		FEMALE-----	451.7	26.3	3.0	1.4	1.9	3.2	4.8	8.7
22	WHITE-----		509.4	21.3	2.7	1.3	1.7	3.2	4.7	8.1
23		MALE-----	555.7	23.1	2.9	1.3	1.7	3.5	5.7	9.4
24		FEMALE-----	465.1	19.4	2.5	1.3	1.7	2.8	3.7	6.8
25	ALL OTHER-----		392.2	64.2	5.8	2.3	3.0	6.3	12.7	25.2
26		MALE-----	425.4	73.2	6.5	2.6	3.3	7.2	14.0	30.0
27		FEMALE-----	361.7	55.0	5.1	2.0	2.8	5.4	11.6	21.1
28	DISEASES OF HEART-----	390-398, 402, 404, 410-429	360.8	23.0	2.1	0.9	1.1	2.2	3.6	6.5
29		MALE-----	415.2	25.8	2.3	1.0	1.2	2.6	4.5	8.3
30		FEMALE-----	309.1	20.1	1.8	0.8	1.0	1.8	2.8	4.7
31	WHITE-----		373.9	16.7	1.7	0.8	1.0	1.8	2.8	5.0
32		MALE-----	430.9	18.4	1.9	0.8	1.0	2.2	3.7	6.6
33		FEMALE-----	319.4	14.9	1.5	0.7	1.0	1.5	2.0	3.5
34	ALL OTHER-----		271.3	54.7	4.2	1.7	1.7	4.1	8.7	17.1
35		MALE-----	305.9	63.4	4.7	2.0	2.1	4.9	9.7	21.9
36		FEMALE-----	239.7	45.8	3.6	1.4	1.4	3.4	7.8	13.0
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----	390-398	6.5	0.1	0.1	0.1	0.2	0.4	0.7	1.0
38		MALE-----	6.0	0.1	0.2	0.2	0.2	0.4	0.9	1.1
39		FEMALE-----	7.0	0.1	0.1	0.1	0.2	0.3	0.5	0.9
40	WHITE-----		6.8	0.1	0.1	0.1	0.2	0.3	0.5	0.8
41		MALE-----	6.2	0.1	0.2	0.1	0.2	0.3	0.7	0.9
42		FEMALE-----	7.5	0.2	0.0	0.1	0.2	0.2	0.3	0.7
43	ALL OTHER-----		4.5	-	0.2	0.4	0.5	1.1	1.9	2.6
44		MALE-----	4.9	-	0.2	0.3	0.5	1.1	1.9	3.0
45		FEMALE-----	4.2	-	0.3	0.5	0.5	1.0	1.9	2.3
46	HYPERTENSIVE HEART DISEASE-----	402	3.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1
47		MALE-----	2.9	0.1	-	-	-	0.0	0.1	0.1
48		FEMALE-----	4.0	-	0.0	0.0	0.0	-	0.0	0.1
49	WHITE-----		3.1	0.0	0.0	-	-	-	0.0	0.0
50		MALE-----	2.4	0.1	-	-	-	-	0.0	0.0
51		FEMALE-----	3.7	-	0.0	-	-	-	0.0	0.0
52	ALL OTHER-----		6.0	0.2	-	0.0	0.0	0.1	0.2	0.8
53		MALE-----	5.7	0.4	-	-	-	0.1	0.3	0.7
54		FEMALE-----	6.3	-	-	0.1	0.1	-	0.1	0.9
55	HYPERTENSIVE HEART AND RENAL DISEASE-----	404	2.6	-	-	-	0.0	0.0	0.0	0.0
56		MALE-----	2.5	-	-	-	0.0	0.0	0.1	0.0
57		FEMALE-----	2.7	-	-	-	0.0	-	-	0.0
58	WHITE-----		2.5	-	-	-	0.0	0.0	0.0	0.0
59		MALE-----	2.4	-	-	-	0.0	0.0	0.0	0.0
60		FEMALE-----	2.7	-	-	-	-	-	-	0.0
61	ALL OTHER-----		3.2	-	-	-	0.0	-	0.2	0.1
62		MALE-----	3.4	-	-	-	-	-	0.3	-
63		FEMALE-----	3.0	-	-	-	0.1	-	-	0.1
64	ISCHEMIC HEART DISEASE-----	410-413	326.0	0.9	0.1	0.1	0.1	0.3	0.8	2.4
65		MALE-----	378.5	1.1	0.0	0.1	0.1	0.4	1.1	3.5
66		FEMALE-----	276.0	0.7	0.1	0.1	0.1	0.2	0.4	1.4
67	WHITE-----		340.5	0.8	0.1	0.1	0.1	0.3	0.6	2.0
68		MALE-----	396.1	0.9	0.1	0.1	0.1	0.4	0.9	3.0
69		FEMALE-----	287.3	0.7	0.1	0.1	0.1	0.2	0.3	1.1
70	ALL OTHER-----		227.0	1.6	0.0	0.2	0.1	0.4	1.9	5.3
71		MALE-----	255.8	2.3	-	0.3	0.2	0.5	2.3	7.6
72		FEMALE-----	200.7	0.8	0.1	0.2	0.1	0.3	1.6	3.3
73	ACUTE MYOCARDIAL INFARCTION-----	410	167.6	0.6	0.0	0.0	0.0	0.2	0.5	1.6
74		MALE-----	215.7	0.8	-	0.0	0.1	0.3	0.8	2.3
75		FEMALE-----	121.8	0.5	0.0	0.1	0.0	0.1	0.3	0.9
76	WHITE-----		177.8	0.5	0.0	0.0	0.1	0.2	0.4	1.4
77		MALE-----	229.9	0.7	-	0.0	0.1	0.2	0.6	2.0
78		FEMALE-----	128.1	0.4	0.0	0.0	0.0	0.1	0.2	0.8
79	ALL OTHER-----		97.5	1.0	-	0.1	0.0	0.3	1.3	3.0
80		MALE-----	116.6	1.2	-	0.1	0.1	0.3	1.7	4.5
81		FEMALE-----	80.1	0.8	-	0.2	-	0.3	0.9	1.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-15

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.5	0.5	0.6	0.8	0.8	1.3	2.4	3.7	6.0	11.7	17.5	33.6	1
0.6	0.5	0.6	0.7	0.8	1.3	3.0	3.9	6.7	13.7	19.5	40.4	2
0.5	0.5	0.6	0.9	0.9	1.4	1.8	3.4	5.5	10.4	16.4	30.2	3
0.2	0.2	0.3	0.6	0.6	1.2	2.1	3.4	5.7	11.9	17.8	34.9	4
0.2	0.2	0.3	0.5	0.6	1.1	2.6	3.8	6.5	14.0	20.1	41.8	5
0.2	0.2	0.3	0.7	0.6	1.3	1.6	3.0	5.2	10.5	16.5	31.5	6
2.7	2.6	2.8	2.7	2.9	2.7	4.8	6.1	9.1	9.6	14.4	20.0	7
3.2	2.9	3.3	2.8	2.1	3.4	6.3	5.1	8.8	10.7	13.4	26.4	8
2.3	2.3	2.4	2.6	3.5	2.0	3.6	7.0	9.3	8.7	15.0	15.9	9
0.1	0.3	0.3	0.6	0.5	0.7	0.7	1.1	1.4	1.4	1.6	1.7	10
0.2	0.3	0.3	0.9	0.7	0.8	0.9	1.2	1.8	1.3	1.9	2.2	11
0.1	0.3	0.3	0.4	0.4	0.6	0.5	1.0	1.1	1.5	1.4	1.5	12
0.1	0.2	0.2	0.4	0.4	0.5	0.6	0.9	1.0	1.2	1.3	1.5	13
0.1	0.2	0.2	0.6	0.6	0.6	0.8	1.0	1.5	1.0	1.6	2.4	14
0.1	0.2	0.2	0.3	0.2	0.5	0.4	0.9	0.7	1.4	1.1	1.1	15
0.5	0.9	0.9	2.1	1.9	2.5	2.1	2.9	5.1	4.0	5.0	3.6	16
0.8	1.1	0.8	3.1	1.9	3.2	2.7	3.3	5.1	5.3	4.9	—	17
0.2	0.7	1.1	1.1	1.8	1.8	1.7	2.6	5.0	2.9	5.0	5.7	18
21.4	49.6	105.6	202.9	342.9	593.8	954.8	1,488.1	2,505.2	4,241.7	6,648.8	12,812.1	19
26.4	67.3	153.0	304.9	516.0	889.0	1,396.3	2,132.7	3,371.3	5,334.8	7,898.8	13,750.3	20
16.6	32.9	60.4	107.4	182.4	323.9	569.2	972.4	1,872.1	3,518.8	5,921.7	12,340.8	21
16.9	40.4	92.8	182.8	316.3	560.2	911.1	1,443.6	2,418.1	4,238.6	6,780.1	13,227.9	22
21.4	57.7	140.6	285.3	491.7	860.7	1,367.6	2,115.5	3,324.0	5,377.9	8,107.1	14,257.6	23
12.4	23.7	46.3	85.9	152.5	284.0	511.4	906.1	1,763.0	3,492.0	6,014.9	12,718.8	24
52.9	114.3	198.8	367.5	574.5	925.2	1,359.8	1,896.0	3,453.0	4,293.1	5,111.9	8,386.4	25
63.3	141.2	250.2	473.7	734.5	1,177.0	1,664.6	2,289.8	3,827.3	4,864.1	5,702.4	8,771.7	26
44.1	92.2	155.8	276.0	434.3	706.6	1,098.3	1,580.6	3,127.4	3,858.1	4,708.3	8,059.1	27
14.3	36.8	83.6	165.7	283.8	493.2	774.3	1,161.2	1,869.4	3,010.2	4,523.1	8,382.1	28
19.6	54.6	130.5	265.4	449.3	766.7	1,169.4	1,709.3	2,581.1	3,897.0	5,544.4	9,308.6	29
9.1	19.9	39.0	72.2	130.3	243.1	429.2	722.6	1,349.5	2,423.4	3,928.5	7,914.8	30
11.6	31.5	76.0	153.7	268.1	474.5	751.5	1,142.2	1,824.5	3,023.6	4,621.3	8,655.0	31
16.5	48.8	123.5	254.1	436.9	754.8	1,161.3	1,714.4	2,569.4	3,946.9	5,703.1	9,664.1	32
6.7	14.8	30.0	58.6	110.5	217.0	392.7	684.5	1,285.8	2,418.9	3,997.4	8,156.1	33
33.0	73.5	138.8	263.8	420.6	677.2	985.8	1,335.4	2,361.6	2,859.4	3,373.3	5,477.9	34
42.8	98.6	185.6	361.9	561.9	888.5	1,244.4	1,662.9	2,686.1	3,352.7	3,669.5	5,826.4	35
24.6	52.9	99.7	179.2	297.4	493.8	764.0	1,073.1	2,081.9	2,483.7	3,034.2	5,205.7	36
1.7	2.6	4.6	6.9	9.8	15.3	21.7	26.2	30.9	34.8	36.7	41.8	37
1.9	2.8	4.9	7.3	9.9	15.5	22.4	26.3	29.4	34.3	36.4	37.1	38
1.5	2.5	4.4	6.5	9.7	15.2	21.1	26.1	31.9	35.2	36.9	44.2	39
1.4	2.4	4.4	6.8	9.9	15.5	22.2	27.2	32.0	36.4	37.8	42.2	40
1.7	2.5	4.5	7.3	10.0	15.7	22.3	27.0	30.1	35.7	37.2	37.5	41
1.1	2.3	4.2	6.4	9.9	15.3	22.0	27.4	33.5	36.8	38.1	45.9	42
3.8	4.4	6.8	7.5	8.8	13.6	17.3	16.5	19.0	16.5	24.3	27.9	43
3.6	5.2	7.7	7.9	9.6	13.3	22.9	20.1	24.5	19.1	28.0	32.1	44
4.1	3.8	5.9	7.2	8.1	13.8	12.6	13.7	14.3	14.5	21.7	25.0	45
0.2	0.5	0.9	1.8	3.0	4.8	7.0	10.9	17.8	29.3	43.2	77.2	46
0.2	0.6	0.9	2.0	3.6	5.6	7.7	11.9	17.7	28.8	34.1	52.5	47
0.2	0.4	0.9	1.6	2.4	4.1	6.5	10.1	17.9	29.6	34.5	59.7	48
0.1	0.3	0.5	1.2	2.1	3.4	5.5	8.5	14.7	27.0	42.2	76.7	49
0.1	0.4	0.5	1.5	2.6	4.2	6.2	9.4	14.4	26.1	33.1	49.9	50
0.1	0.2	0.5	1.0	1.5	2.7	4.9	7.7	14.9	27.6	47.5	90.0	51
1.2	2.2	3.7	6.8	11.1	19.0	21.6	33.2	51.1	56.4	54.5	82.9	52
1.2	2.7	3.6	7.0	12.8	20.0	21.7	34.7	50.5	58.8	45.1	75.5	53
1.1	1.8	3.7	6.6	9.7	18.2	21.5	31.9	51.4	54.7	60.8	86.4	54
0.1	0.1	0.2	0.6	1.0	1.7	3.4	5.9	11.3	23.4	42.6	103.1	55
0.1	0.1	0.2	0.7	1.3	2.2	4.3	7.2	13.8	27.4	53.6	114.3	56
0.0	0.1	0.3	0.5	0.8	1.4	2.4	4.8	9.5	20.8	36.1	97.4	57
0.0	0.1	0.1	0.2	0.7	1.3	2.3	4.9	9.7	22.1	42.7	106.7	58
0.1	0.1	0.1	0.2	0.8	1.7	2.8	6.1	11.9	26.7	53.9	118.5	59
0.0	0.1	0.1	0.2	0.5	1.0	1.8	3.8	8.2	19.1	36.3	100.9	60
0.3	0.5	1.2	4.0	4.3	6.1	13.7	15.3	28.1	38.9	40.6	64.3	61
0.4	0.5	0.6	4.8	5.3	7.1	18.3	17.1	31.9	35.1	51.2	73.6	62
0.2	0.5	1.6	3.3	3.4	5.2	9.8	13.9	24.7	41.9	33.3	58.0	63
8.3	27.6	68.4	141.6	248.7	438.2	694.8	1,053.3	1,713.7	2,768.7	4,168.4	7,692.6	64
13.0	43.9	112.4	235.2	404.6	697.5	1,067.9	1,569.8	2,387.3	3,604.3	5,130.3	8,564.6	65
3.8	12.2	24.5	53.9	104.1	201.3	368.9	640.2	1,221.3	2,216.0	3,608.3	7,254.6	66
7.3	24.7	63.8	133.8	237.4	425.9	679.5	1,043.5	1,681.7	2,791.8	4,272.5	7,960.7	67
11.7	40.9	108.9	229.0	397.6	692.3	1,068.3	1,586.0	2,390.5	3,666.9	5,297.0	8,920.7	68
3.0	8.9	20.1	43.7	87.8	181.0	339.1	609.4	1,169.2	2,218.6	3,681.7	7,486.0	69
15.5	48.4	101.8	205.5	347.1	560.3	836.8	1,144.9	2,063.3	2,502.3	2,949.5	4,839.3	70
22.7	66.9	140.1	288.2	468.0	749.7	1,063.7	1,422.2	2,344.0	2,922.1	3,372.0	5,090.6	71
9.4	33.2	69.8	134.1	241.2	395.8	642.3	922.8	1,821.2	2,182.6	2,660.8	4,633.0	72
5.8	19.1	48.1	98.5	170.8	295.8	450.5	643.8	953.0	1,368.3	1,723.1	2,418.4	73
9.3	31.3	81.6	168.1	285.2	483.8	712.4	991.8	1,386.4	1,881.3	2,273.9	3,004.4	74
2.4	7.6	16.2	33.3	64.7	123.9	221.4	365.4	636.2	1,028.9	1,502.0	2,124.1	75
5.4	18.2	47.7	97.2	170.3	297.5	455.1	658.6	962.4	1,402.7	1,781.7	2,503.2	76
8.8	30.5	82.7	169.3	289.7	493.6	731.8	1,027.9	1,423.4	1,946.6	2,373.4	3,138.7	77
2.0	6.2	13.8	28.9	58.8	117.3	212.9	363.2	629.1	1,046.6	1,440.5	2,189.0	78
8.9	26.0	50.6	109.5	175.5	279.1	407.2	599.3	853.4	962.7	1,037.6	1,515.7	79
13.6	37.2	72.5	137.5	243.5	383.3	532.9	662.3	1,011.6	1,170.2	1,224.4	1,698.1	80
5.0	16.8	32.3	68.1	114.0	186.8	299.4	386.8	718.1	804.7	910.0	1,388.6	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MAJOR CARDIOVASCULAR DISEASES—CON. DISEASES OF HEART—CON.									
1	OTHER ACUTE AND SUBACUTE FORMS OF					*			
2	ISCHEMIC HEART DISEASE—411	2.1	0.0	—	—	0.0	0.0	0.0	0.1
3	MALE—	2.8	0.1	—	—	—	0.0	0.1	0.1
4	FEMALE—	1.5	—	—	—	—	0.0	0.0	0.0
5	WHITE—	2.1	—	—	—	0.0	0.0	0.0	0.0
6	MALE—	2.8	—	—	—	0.0	0.0	0.0	0.1
7	FEMALE—	1.5	—	—	—	0.0	0.0	0.1	0.0
8	ALL OTHER—	2.2	0.2	—	—	—	—	—	0.1
9	MALE—	3.0	0.4	—	—	—	—	—	0.1
	FEMALE—	1.5	—	—	—	—	—	—	—
10	CHRONIC ISCHEMIC HEART DISEASE—412	156.2	0.3	0.1	0.0	0.1	0.1	0.2	0.7
11	MALE—	159.9	0.3	0.0	0.1	0.1	0.1	0.3	1.1
12	FEMALE—	152.6	0.3	0.1	0.0	0.0	0.1	0.2	0.4
13	WHITE—	160.4	0.3	0.1	0.0	0.0	0.1	0.2	0.5
14	MALE—	163.3	0.2	0.0	0.1	0.0	0.1	0.2	0.8
15	FEMALE—	157.7	0.3	0.1	0.0	0.0	0.1	0.1	0.2
16	ALL OTHER—	127.2	0.4	0.0	0.1	0.1	0.1	0.6	2.2
17	MALE—	136.2	0.8	—	0.2	0.1	0.2	0.6	3.0
18	FEMALE—	119.0	—	0.1	—	0.1	0.1	0.6	1.5
19	ANGINA PECTORIS—413	0.1	—	—	—	—	—	—	0.0
20	MALE—	0.1	—	—	—	—	—	—	0.0
21	FEMALE—	0.1	—	—	—	—	—	—	—
22	WHITE—	0.1	—	—	—	—	—	—	0.0
23	MALE—	0.1	—	—	—	—	—	—	0.0
24	FEMALE—	0.1	—	—	—	—	—	—	—
25	ALL OTHER—	0.0	—	—	—	—	—	—	—
26	MALE—	0.0	—	—	—	—	—	—	—
27	FEMALE—	0.1	—	—	—	—	—	—	—
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY—424, 428	2.4	1.1	0.3	0.1	0.1	0.2	0.3	0.3
29	MALE—	2.4	1.2	0.3	0.1	0.2	0.3	0.2	0.3
30	FEMALE—	2.5	1.1	0.2	0.1	0.1	0.2	0.3	0.2
31	WHITE—	2.4	0.7	0.2	0.1	0.1	0.2	0.2	0.2
32	MALE—	2.4	0.7	0.3	0.1	0.1	0.2	0.2	0.2
33	FEMALE—	2.5	0.6	0.1	0.1	0.1	0.2	0.2	0.1
34	ALL OTHER—	2.5	3.5	0.7	0.2	0.2	0.3	0.6	1.0
35	MALE—	2.8	3.9	0.6	0.3	0.2	0.5	0.5	1.2
36	FEMALE—	2.3	3.2	0.7	0.1	0.1	0.2	0.6	0.8
37	ALL OTHER FORMS OF HEART DISEASE—420-423, 425-427, 429	19.7	20.8	1.6	0.6	0.7	1.3	1.8	2.6
38	MALE—	22.9	23.3	1.8	0.6	0.6	1.5	2.1	3.2
39	FEMALE—	16.7	18.2	1.5	0.5	0.7	1.0	1.5	2.1
40	WHITE—	18.5	15.1	1.3	0.5	0.6	1.1	1.5	2.0
41	MALE—	21.4	16.7	1.4	0.5	0.6	1.3	1.8	2.4
42	FEMALE—	15.7	13.4	1.3	0.5	0.7	0.9	1.1	1.6
43	ALL OTHER—	28.0	49.4	3.2	0.9	0.9	2.3	4.0	7.4
44	MALE—	33.3	56.8	3.9	1.2	1.2	2.7	4.3	9.4
45	FEMALE—	23.2	41.8	2.5	0.6	0.6	1.9	3.7	5.7
46	HYPERTENSION—400, 401, 403	3.5	0.0	0.0	—	0.0	0.0	0.1	0.2
47	MALE—	3.6	—	—	—	0.0	0.0	0.1	0.2
48	FEMALE—	3.4	0.1	0.0	—	0.0	0.0	0.1	0.3
49	WHITE—	3.2	0.0	0.0	—	0.0	0.0	0.1	0.1
50	MALE—	3.3	—	—	—	0.0	0.0	0.1	0.1
51	FEMALE—	3.1	0.1	0.0	—	0.0	0.0	0.0	0.1
52	ALL OTHER—	5.9	—	0.0	—	—	0.0	0.3	1.0
53	MALE—	6.1	—	—	—	—	—	0.3	0.8
54	FEMALE—	5.8	—	0.1	—	—	0.1	0.2	1.2
55	CEREBROVASCULAR DISEASES—430-438	102.1	4.3	1.0	0.5	0.7	1.2	1.7	2.9
56	MALE—	91.8	4.4	1.0	0.5	0.7	1.1	1.7	2.6
57	FEMALE—	111.9	4.3	1.0	0.5	0.7	1.2	1.6	3.1
58	WHITE—	102.7	3.6	1.0	0.5	0.6	1.0	1.4	2.4
59	MALE—	91.2	3.6	0.9	0.4	0.7	1.0	1.5	2.1
60	FEMALE—	113.7	3.6	1.0	0.5	0.6	1.1	1.4	2.7
61	ALL OTHER—	98.1	7.9	1.5	0.6	1.1	1.9	3.1	6.4
62	MALE—	96.1	8.2	1.7	0.6	0.9	2.2	3.2	6.6
63	FEMALE—	99.9	7.6	1.3	0.5	1.2	1.7	3.1	6.3
64	CEREBRAL HEMORRHAGE—431	16.2	1.9	0.3	0.2	0.2	0.4	0.4	0.7
65	MALE—	15.2	1.8	0.3	0.1	0.2	0.4	0.4	0.8
66	FEMALE—	17.0	2.0	0.2	0.2	0.2	0.4	0.4	0.7
67	WHITE—	15.8	1.5	0.2	0.1	0.2	0.3	0.3	0.5
68	MALE—	14.7	1.2	0.3	0.1	0.2	0.3	0.3	0.5
69	FEMALE—	16.8	1.8	0.2	0.2	0.2	0.3	0.4	0.6
70	ALL OTHER—	18.9	3.9	0.4	0.2	0.3	0.7	0.9	2.0
71	MALE—	19.2	4.7	0.6	0.2	0.3	0.9	1.0	3.0
72	FEMALE—	18.7	3.2	0.3	0.3	0.4	0.5	0.9	1.2
73	CEREBRAL THROMBOSIS—433	27.0	0.2	0.1	0.0	0.0	0.1	0.1	0.1
74	MALE—	23.8	0.2	0.1	0.0	0.0	0.0	0.1	0.1
75	FEMALE—	30.0	0.2	0.0	0.0	0.0	0.1	0.1	0.1
76	WHITE—	27.8	0.2	0.1	0.0	0.0	0.1	0.1	0.1
77	MALE—	24.2	0.2	0.1	0.0	0.0	0.0	0.1	0.1
78	FEMALE—	31.2	0.1	0.0	0.1	0.0	0.1	0.1	0.1
79	ALL OTHER—	21.8	0.4	0.0	—	—	0.1	0.2	0.2
80	MALE—	21.5	—	—	—	—	0.1	0.2	0.5
81	FEMALE—	22.0	0.8	0.1	—	—	—	0.2	—

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-17

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.1	0.4	1.0	1.8	2.9	4.2	6.0	7.4	10.7	13.4	19.8	35.3	1
0.2	0.6	1.5	3.1	4.8	6.8	9.0	12.1	16.0	19.9	27.3	40.4	2
0.1	0.2	0.5	0.7	1.2	1.8	3.3	3.6	6.9	9.1	15.4	32.7	3
0.1	0.3	0.8	1.7	2.6	3.8	5.6	7.1	9.8	13.2	20.0	35.9	4
0.2	0.5	1.3	2.9	4.4	6.3	8.6	12.0	14.5	19.7	27.2	40.0	5
0.1	0.1	0.3	0.5	0.9	1.6	3.0	3.3	6.3	8.8	15.9	33.9	6
0.3	0.9	2.3	2.9	5.6	7.8	9.1	9.3	20.7	16.5	16.8	28.6	7
0.1	1.1	3.3	4.3	7.7	12.4	12.2	12.9	30.1	21.4	29.3	43.4	8
0.5	0.7	1.5	1.7	3.7	3.8	6.5	6.5	12.7	12.8	8.3	19.3	9
2.4	8.1	19.3	41.2	74.9	138.1	238.2	401.9	749.6	1,386.4	2,424.4	5,237.0	10
3.5	12.0	29.2	64.0	114.5	206.7	346.1	565.5	984.2	1,702.3	2,827.0	5,517.1	11
1.3	4.3	9.8	19.9	38.1	75.5	144.0	271.0	578.1	1,177.4	2,190.4	5,096.3	12
1.8	6.1	15.2	34.9	64.4	124.4	218.6	377.4	709.1	1,375.3	2,469.6	5,419.7	13
2.8	9.9	24.8	56.7	103.4	192.4	327.7	545.6	951.8	1,699.7	2,894.2	5,739.1	14
0.9	2.5	5.9	14.3	28.1	61.9	123.1	242.8	533.6	1,162.7	2,224.8	5,261.7	15
6.3	21.5	48.9	93.0	166.0	273.3	420.2	625.8	1,189.0	1,523.1	1,893.0	3,292.9	16
9.0	28.5	64.3	126.3	214.7	351.7	518.3	747.0	1,302.3	1,730.5	2,118.3	3,347.2	17
4.0	15.7	36.0	64.3	123.3	205.2	336.0	526.8	1,090.0	1,365.1	1,742.5	3,222.7	18
0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.1	1.9	19
0.0	—	0.0	0.1	0.1	0.1	0.3	0.5	0.7	0.8	2.0	2.8	20
—	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.5	0.5	1.5	21
0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.1	1.9	22
0.0	—	0.0	0.1	0.1	0.1	0.3	0.5	0.7	0.8	2.2	2.8	23
—	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.5	0.5	1.4	24
—	—	—	0.1	0.1	0.1	0.3	0.4	0.2	—	—	2.1	25
—	—	—	0.2	—	0.2	0.2	—	—	—	—	1.9	26
—	—	—	—	0.2	—	0.4	0.7	0.4	—	—	2.3	27
0.5	0.6	0.9	1.3	1.9	2.8	4.2	5.8	8.7	17.3	30.2	75.3	28
0.5	0.6	1.1	1.5	2.3	3.5	5.2	7.3	11.4	20.3	33.5	74.9	29
0.5	0.6	0.7	1.2	1.6	2.1	2.8	4.6	6.7	15.3	28.2	75.0	30
0.4	0.5	0.8	1.1	1.7	2.6	4.0	5.5	8.2	16.7	29.8	77.2	31
0.4	0.5	0.9	1.2	2.1	3.3	5.7	6.8	10.7	19.9	33.1	75.7	32
0.4	0.5	0.6	1.1	1.3	1.9	2.5	4.4	6.4	14.7	27.9	77.9	33
1.2	1.1	1.9	3.0	3.9	4.8	5.6	8.9	14.1	23.8	34.7	55.0	34
0.9	1.1	2.5	3.8	4.0	5.5	6.6	12.3	18.1	25.2	37.8	66.0	35
1.4	1.0	1.5	2.3	3.8	4.2	4.8	6.2	10.8	22.7	32.5	47.7	36
3.5	5.3	8.6	13.4	19.3	30.3	43.2	59.1	87.2	136.7	202.0	392.1	37
3.9	6.5	11.0	18.6	27.5	42.5	61.3	86.8	121.4	181.8	256.4	465.3	38
3.0	4.2	6.2	8.5	11.7	19.1	27.3	36.9	62.2	106.8	170.4	355.4	39
2.4	3.7	4.5	10.5	16.3	25.9	38.0	52.8	78.1	129.6	196.2	390.6	40
2.6	4.5	8.5	14.9	23.8	37.5	56.0	79.2	111.7	171.7	248.9	461.9	41
2.1	2.8	4.5	6.3	9.4	15.2	22.3	31.6	53.7	102.1	165.9	355.4	42
11.0	16.9	23.5	37.0	45.3	73.5	90.7	116.6	186.1	221.5	269.8	408.6	43
14.0	22.2	31.0	50.2	61.5	92.9	111.2	156.6	217.1	292.4	335.4	488.7	44
8.5	12.6	17.3	25.7	31.2	56.7	73.0	84.7	159.5	167.4	225.0	355.7	45
0.5	0.9	1.4	1.8	2.5	3.8	6.0	9.3	15.9	28.8	50.3	97.4	46
0.5	1.0	1.5	2.0	2.9	4.2	7.1	11.5	20.6	37.8	65.6	120.6	47
0.5	0.7	1.3	1.6	2.1	3.4	5.0	7.6	12.5	22.8	41.4	85.8	48
0.1	0.4	0.7	1.0	1.5	2.5	4.3	7.6	13.7	27.1	49.0	98.9	49
0.1	0.4	0.8	1.2	2.0	2.6	5.3	10.2	18.4	36.1	63.5	121.9	50
0.2	0.3	0.7	0.8	1.0	2.3	3.4	5.6	10.2	21.1	40.7	87.6	51
2.9	4.4	6.3	8.4	11.1	16.7	21.3	24.9	40.3	49.2	65.3	81.4	52
3.3	5.5	7.3	8.9	10.5	20.5	23.4	23.4	41.7	55.7	87.8	109.7	53
2.5	3.5	5.5	8.0	11.7	13.4	19.5	26.1	39.0	44.2	50.0	65.9	54
5.8	10.2	17.7	30.2	47.4	78.5	138.7	251.3	496.1	966.0	1,641.6	3,197.9	55
5.4	9.8	17.8	30.1	51.8	90.6	166.4	309.9	589.6	1,080.8	1,762.7	3,133.8	56
6.2	10.5	17.6	30.3	43.3	67.5	114.5	204.4	427.8	890.0	1,571.7	3,230.1	57
4.3	7.0	13.3	23.4	38.2	65.7	120.0	227.7	459.3	949.7	1,663.5	3,292.7	58
4.0	6.7	13.4	23.3	41.6	76.5	146.8	286.6	555.7	1,070.0	1,793.5	3,228.6	59
4.7	7.2	13.3	23.6	35.0	55.7	96.6	180.6	389.5	870.7	1,588.5	3,324.4	60
15.8	32.8	49.2	85.6	127.2	205.1	311.3	467.4	895.8	1,163.0	1,384.7	2,189.3	61
15.8	33.1	52.0	88.6	143.3	233.6	349.0	522.8	924.5	1,199.2	1,437.8	2,192.5	62
15.8	32.5	46.8	83.1	113.1	180.4	278.9	423.0	868.3	1,135.5	1,348.3	2,162.5	63
1.6	3.2	5.9	9.9	15.2	22.9	34.0	50.0	83.2	135.5	189.6	316.9	64
1.7	3.5	6.1	10.9	16.2	26.9	39.9	60.0	95.4	151.7	195.4	297.8	65
1.4	2.9	5.7	8.9	14.2	19.3	28.9	42.0	74.3	124.8	186.3	326.5	66
1.0	1.7	3.9	7.2	12.2	19.5	30.3	46.4	78.5	135.2	192.7	325.8	67
1.1	1.9	4.3	8.3	13.1	23.4	35.7	56.3	91.4	151.8	200.1	306.5	68
0.9	1.6	3.6	6.2	11.3	16.1	25.7	38.4	69.1	124.2	188.5	335.4	69
5.7	13.6	20.3	32.0	41.5	56.4	68.2	83.5	134.6	139.9	153.0	222.1	70
6.6	16.0	20.9	33.9	44.3	63.4	79.8	93.4	135.2	150.4	145.1	211.3	71
5.0	11.7	19.9	30.4	39.0	50.3	58.4	75.5	133.6	132.0	158.3	226.1	72
0.2	0.4	1.1	2.7	6.2	13.3	29.0	61.7	134.4	277.9	486.2	964.4	73
0.2	0.4	1.3	3.0	7.6	16.4	36.7	77.7	160.2	307.7	520.5	940.0	74
0.3	0.5	1.0	2.4	4.8	10.5	22.2	48.9	115.4	258.2	466.5	976.7	75
0.2	0.3	0.8	2.1	4.7	11.0	25.1	55.9	125.8	274.9	495.9	997.9	76
0.1	0.3	0.9	2.3	5.8	13.4	32.7	72.1	151.6	307.6	534.2	973.0	77
0.2	0.4	0.8	2.0	3.7	8.8	18.5	42.9	107.1	253.3	473.7	1,010.2	78
0.6	1.3	3.3	7.3	19.1	36.1	64.6	115.0	227.6	314.9	373.8	607.9	79
0.5	1.0	4.4	9.1	24.0	47.4	75.7	129.0	245.8	308.4	375.6	615.1	80
0.7	1.6	2.4	5.7	14.9	26.3	56.9	103.8	211.6	319.8	372.5	596.6	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON. CEREBROVASCULAR DISEASES--CON.									
1	CEREBRAL EMBOLISM-----434	0.5	0.0	-	-	0.0	-	0.0	0.0
2	MALE-----	0.4	-	-	-	-	-	0.0	0.1
3	FEMALE-----	0.5	0.1	-	-	0.0	-	0.0	0.0
4	WHITE-----	0.5	0.0	-	-	0.0	-	-	0.0
5	MALE-----	0.4	-	-	-	-	-	-	0.1
6	FEMALE-----	0.5	0.1	-	-	0.0	-	-	-
7	ALL OTHER-----	0.3	-	-	-	-	-	0.1	0.1
8	MALE-----	0.3	-	-	-	-	-	0.1	-
9	FEMALE-----	0.3	-	-	-	-	-	0.2	0.1
10	ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	58.5	2.2	0.7	0.3	0.4	0.7	1.2	2.0
11	MALE-----	52.3	2.4	0.6	0.3	0.4	0.7	1.3	1.7
12	FEMALE-----	64.4	2.0	0.8	0.3	0.4	0.7	1.1	2.4
13	WHITE-----	58.7	1.9	0.6	0.3	0.4	0.6	1.0	1.7
14	MALE-----	51.9	2.2	0.5	0.3	0.4	0.6	1.2	1.5
15	FEMALE-----	65.2	1.7	0.8	0.3	0.4	0.7	0.9	2.0
16	ALL OTHER-----	57.1	3.5	1.0	0.3	0.7	1.1	1.9	4.1
17	MALE-----	55.1	3.5	1.1	0.4	0.6	1.1	1.9	3.1
18	FEMALE-----	58.9	3.6	1.0	0.2	0.8	1.1	1.9	5.0
19	ARTERIOSCLEROSIS-----440	15.5	-	-	-	-	0.0	0.0	0.0
20	MALE-----	13.1	-	-	-	-	-	-	-
21	FEMALE-----	17.9	-	-	-	-	0.0	0.0	0.0
22	WHITE-----	16.5	-	-	-	-	0.0	-	-
23	MALE-----	13.8	-	-	-	-	-	-	-
24	FEMALE-----	19.1	-	-	-	-	0.0	-	-
25	ALL OTHER-----	8.9	-	-	-	-	-	0.0	0.1
26	MALE-----	8.5	-	-	-	-	-	-	-
27	FEMALE-----	9.2	-	-	-	-	-	0.1	0.1
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.4	1.0	0.1	0.1	0.1	0.3	0.4	0.6
29	MALE-----	15.6	1.1	0.1	0.1	0.1	0.3	0.5	0.6
30	FEMALE-----	9.4	0.9	0.0	0.1	0.1	0.2	0.3	0.5
31	WHITE-----	13.1	0.9	0.1	0.1	0.1	0.3	0.4	0.6
32	MALE-----	16.6	1.0	0.1	0.1	0.1	0.4	0.4	0.6
33	FEMALE-----	9.7	0.8	0.0	0.1	0.1	0.2	0.3	0.5
34	ALL OTHER-----	8.0	1.6	0.1	0.1	0.2	0.2	0.5	0.6
35	MALE-----	8.8	1.6	0.1	-	0.2	0.1	0.7	0.7
36	FEMALE-----	7.2	1.6	0.1	0.1	0.2	0.3	0.4	0.5
37	ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.4	5.5	0.5	0.1	0.0	0.0	0.0	0.1
38	MALE-----	0.5	6.2	0.6	0.1	0.1	0.0	0.0	0.1
39	FEMALE-----	0.4	4.9	0.5	0.0	0.0	0.0	0.1	0.1
40	WHITE-----	0.4	4.8	0.5	0.1	0.1	0.0	0.0	0.1
41	MALE-----	0.5	5.3	0.5	0.1	0.1	0.0	0.0	0.1
42	FEMALE-----	0.4	4.2	0.4	0.0	0.0	0.0	0.0	0.1
43	ALL OTHER-----	0.5	9.3	0.9	0.1	-	0.1	0.1	0.2
44	MALE-----	0.6	10.5	0.9	0.1	-	0.1	0.1	0.2
45	FEMALE-----	0.4	8.0	0.8	0.1	-	0.1	0.2	0.1
46	INFLUENZA AND PNEUMONIA-----470-474,480-486	29.8	115.7	5.9	1.4	1.4	1.8	2.2	2.7
47	MALE-----	33.5	128.3	6.2	1.5	1.3	2.1	2.7	3.2
48	FEMALE-----	26.3	102.6	5.5	1.4	1.4	1.5	1.7	2.3
49	WHITE-----	29.6	87.5	4.9	1.4	1.3	1.7	1.9	2.2
50	MALE-----	32.6	99.1	5.0	1.5	1.3	2.1	2.4	2.5
51	FEMALE-----	26.7	75.3	4.8	1.3	1.4	1.3	1.4	1.9
52	ALL OTHER-----	31.5	258.5	10.7	1.7	1.7	2.8	4.2	6.8
53	MALE-----	39.7	277.4	12.5	1.8	1.7	2.5	4.7	8.9
54	FEMALE-----	24.1	239.0	9.0	1.6	1.6	3.0	3.8	5.0
55	INFLUENZA-----470-474	2.4	1.7	0.2	0.1	0.1	0.1	0.2	0.2
56	MALE-----	2.4	1.8	0.2	0.1	0.2	0.1	0.2	0.2
57	FEMALE-----	2.5	1.5	0.1	0.1	0.1	0.1	0.1	0.2
58	WHITE-----	2.6	1.2	0.2	0.1	0.1	0.1	0.2	0.2
59	MALE-----	2.5	1.5	0.2	0.1	0.2	0.1	0.2	0.2
60	FEMALE-----	2.7	0.8	0.2	0.1	0.1	0.1	0.1	0.2
61	ALL OTHER-----	1.6	4.3	0.2	0.1	0.2	0.1	0.2	0.2
62	MALE-----	1.6	3.5	0.3	0.1	0.2	0.1	0.2	0.2
63	FEMALE-----	1.5	5.2	0.1	0.1	0.1	0.1	0.2	0.2
64	PNEUMONIA-----480-486	27.4	114.0	5.7	1.3	1.2	1.7	2.0	2.6
65	MALE-----	31.1	126.4	6.0	1.4	1.2	2.0	2.5	3.0
66	FEMALE-----	23.8	101.1	5.4	1.3	1.3	1.4	1.6	2.1
67	WHITE-----	27.0	86.3	4.7	1.3	1.2	1.6	1.7	2.0
68	MALE-----	30.1	97.6	4.7	1.4	1.1	1.9	2.2	2.3
69	FEMALE-----	24.0	74.5	4.7	1.2	1.3	1.2	1.2	1.7
70	ALL OTHER-----	30.0	254.1	10.6	1.6	1.5	2.7	4.1	6.6
71	MALE-----	38.1	273.9	12.2	1.7	1.5	2.5	4.6	8.7
72	FEMALE-----	22.5	233.9	8.9	1.5	1.5	2.9	3.6	4.8
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	14.2	3.1	0.5	0.2	0.3	0.3	0.5	0.5
74	MALE-----	22.2	4.3	0.6	0.2	0.3	0.3	0.4	0.6
75	FEMALE-----	6.5	1.9	0.4	0.2	0.2	0.2	0.5	0.4
76	WHITE-----	15.2	2.5	0.4	0.1	0.2	0.2	0.3	0.4
77	MALE-----	23.9	3.3	0.5	0.1	0.3	0.3	0.2	0.5
78	FEMALE-----	6.9	1.8	0.3	0.2	0.1	0.2	0.4	0.3
79	ALL OTHER-----	7.0	6.1	1.0	0.4	0.5	0.6	1.3	1.4
80	MALE-----	10.7	9.7	1.3	0.5	0.5	0.7	1.6	1.4
81	FEMALE-----	3.6	2.4	0.6	0.3	0.5	0.5	1.0	1.5

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-19

Age Groups, Color, and Sex: United States, 1973-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.0	0.1	0.1	0.2	0.2	0.5	0.9	1.3	2.3	4.4	7.0	11.1	1
-	0.1	0.1	0.2	0.2	0.4	0.9	1.4	3.0	5.1	8.0	10.5	2
0.0	0.1	0.1	0.2	0.2	0.5	0.8	1.3	1.8	3.9	6.4	11.4	3
0.0	0.1	0.1	0.2	0.2	0.5	0.9	1.3	2.2	4.5	7.2	11.8	4
-	0.1	0.1	0.2	0.2	0.4	0.9	1.3	2.9	5.1	8.1	11.0	5
0.0	0.1	0.1	0.2	0.2	0.5	0.8	1.3	1.6	4.1	6.7	12.2	6
-	0.1	0.2	0.2	0.6	0.5	0.9	1.5	3.4	3.6	4.5	3.6	7
-	0.2	0.3	0.3	0.7	0.5	0.7	1.5	3.7	5.3	7.3	5.7	8
-	-	0.1	-	0.5	0.6	1.0	1.4	3.1	2.3	2.5	2.3	9
3.9	6.5	10.5	17.5	25.8	41.8	74.8	138.3	276.3	548.2	958.7	1,905.5	10
3.5	5.8	10.2	16.0	27.8	46.7	88.9	170.8	331.0	616.3	1,038.9	1,885.5	11
4.4	7.1	10.8	18.8	24.0	37.2	62.5	112.2	236.3	503.1	912.4	1,915.5	12
3.1	4.8	8.5	14.0	21.2	34.6	63.7	124.1	252.9	535.2	967.7	1,957.1	13
2.8	4.5	8.2	12.6	22.6	39.3	77.5	156.8	309.9	605.4	1,051.1	1,938.1	14
3.5	5.2	8.8	15.3	19.9	30.4	51.6	98.0	211.7	489.1	919.6	1,966.5	15
9.5	17.8	25.3	46.1	66.0	112.1	177.5	267.4	530.2	704.6	853.5	1,355.7	16
8.6	15.4	26.4	45.2	74.3	122.3	194.9	298.8	539.8	735.1	909.8	1,360.4	17
10.2	19.8	24.4	46.9	58.7	103.2	162.6	242.2	520.1	681.4	815.0	1,337.5	18
0.0	0.1	0.2	0.7	1.5	3.7	8.5	19.5	49.8	125.6	289.8	890.2	19
0.0	0.1	0.2	1.0	2.0	5.0	11.5	25.9	60.3	145.7	322.3	890.1	20
0.0	0.1	0.2	0.5	1.1	2.6	6.0	14.4	42.1	112.3	271.0	890.3	21
0.0	0.1	0.2	0.7	1.3	3.4	7.9	18.3	46.8	124.2	298.2	928.6	22
0.0	0.2	0.2	0.9	1.7	4.6	11.2	24.8	57.5	144.5	333.8	930.6	23
0.0	0.1	0.2	0.4	1.0	2.3	5.0	13.1	39.0	110.9	277.7	927.6	24
0.1	0.1	0.4	1.0	2.9	7.4	14.5	30.9	82.7	142.6	191.6	482.1	25
0.1	-	0.2	1.5	4.6	9.4	14.6	36.2	88.4	159.5	201.2	496.2	26
-	0.3	0.5	0.6	1.5	5.6	14.4	26.6	77.6	129.7	185.0	468.2	27
0.9	1.7	2.7	4.5	7.7	14.5	27.3	46.7	73.7	111.2	144.1	244.4	28
0.8	1.8	3.1	6.4	10.1	22.5	42.0	76.1	119.7	173.4	203.9	297.2	29
0.9	1.6	2.3	2.8	5.6	7.3	14.5	23.2	40.1	70.0	109.1	217.8	30
0.8	1.4	2.5	4.0	7.2	14.1	27.3	47.8	73.9	114.0	148.1	252.7	31
0.8	1.5	2.8	5.7	9.5	22.2	42.9	79.5	123.0	180.5	213.2	312.4	32
0.9	1.3	2.2	2.5	5.0	6.7	13.7	22.3	38.4	70.4	110.5	223.2	33
1.2	3.4	4.1	8.7	12.7	18.8	26.9	37.4	72.6	78.9	97.0	155.7	34
1.2	4.0	5.2	12.7	15.1	25.1	33.2	44.6	86.6	96.9	106.1	150.9	35
1.2	3.0	3.2	5.2	10.6	13.4	21.5	31.7	60.6	65.1	90.8	156.8	36
0.1	0.1	0.1	0.2	0.3	0.6	0.5	0.8	1.5	2.0	3.5	5.9	37
0.1	0.1	0.1	0.2	0.4	0.5	0.7	1.2	2.2	3.1	4.9	6.1	38
0.0	0.1	0.1	0.2	0.2	0.6	0.3	0.6	1.0	1.2	2.7	5.8	39
0.1	0.1	0.1	0.2	0.3	0.5	0.5	0.8	1.5	2.1	3.6	6.1	40
0.1	0.1	0.2	0.2	0.4	0.4	0.7	1.1	2.3	3.4	5.2	6.5	41
0.0	0.1	0.1	0.2	0.2	0.6	0.3	0.6	0.9	1.3	2.6	5.9	42
0.1	0.3	0.1	0.3	0.4	0.7	0.6	0.8	1.5	0.3	2.5	3.6	43
0.1	0.3	-	0.5	0.5	1.4	1.0	1.2	1.9	0.8	1.2	1.9	44
-	0.3	0.3	0.1	0.3	0.2	0.2	0.5	1.5	-	3.3	4.5	45
3.6	5.7	8.2	12.3	16.8	24.8	39.3	60.6	111.2	227.6	399.3	910.4	46
4.3	6.8	9.7	16.0	21.8	32.9	56.6	89.2	163.1	330.9	555.2	1,124.0	47
2.9	4.7	6.7	8.7	12.2	17.4	24.1	37.8	73.3	159.3	308.3	803.0	48
2.6	4.2	6.0	9.5	14.1	21.7	36.1	56.4	105.7	225.2	408.2	945.3	49
3.0	4.8	7.1	12.2	17.8	28.8	51.2	83.0	154.5	327.4	567.2	1,167.7	50
2.1	3.7	5.0	6.9	10.6	15.3	22.8	35.2	68.9	158.3	316.6	835.3	51
10.4	16.0	23.5	34.7	40.8	54.7	68.9	99.1	171.7	257.4	294.6	538.6	52
13.6	22.0	30.0	48.7	57.6	74.7	107.6	145.8	228.2	369.5	429.3	696.2	53
7.7	11.1	18.1	22.7	26.1	37.3	55.8	61.6	123.9	172.1	202.5	437.5	54
0.2	0.6	0.5	0.7	1.4	1.9	3.1	5.2	10.3	20.8	35.1	83.9	55
0.2	0.5	0.5	0.7	1.4	2.1	4.0	7.4	13.1	26.2	40.0	91.4	56
0.3	0.6	0.5	0.6	1.4	1.8	2.4	3.5	8.2	17.1	32.2	80.2	57
0.2	0.5	0.4	0.6	1.3	1.9	3.1	5.2	10.0	21.4	36.6	87.7	58
0.1	0.5	0.4	0.7	1.2	2.1	2.9	7.3	12.9	27.2	42.1	96.1	59
0.3	0.6	0.5	0.6	1.3	1.6	2.3	3.5	8.0	17.6	33.4	83.6	60
0.4	0.9	1.1	1.0	2.1	2.6	3.8	5.9	12.7	13.2	17.8	43.6	61
0.3	0.6	1.6	0.7	2.6	1.6	4.6	8.4	14.8	16.0	18.3	45.3	62
0.6	1.2	0.7	1.3	1.7	3.4	3.1	3.8	10.8	11.0	17.5	42.0	63
3.3	5.1	7.6	11.6	15.5	22.8	36.1	55.4	101.0	206.8	364.2	826.4	64
4.1	6.3	9.2	15.4	20.5	30.8	52.7	81.8	150.0	304.7	515.2	1,032.7	65
2.6	4.0	6.2	8.1	10.9	15.6	21.7	34.2	65.1	142.1	276.1	722.9	66
2.4	3.7	5.6	8.9	12.8	19.9	33.0	51.3	95.6	203.8	371.7	857.6	67
2.9	4.3	6.7	11.6	16.6	26.7	47.3	75.7	143.6	300.2	525.1	1,071.6	68
1.9	3.1	4.5	6.4	9.3	13.6	20.5	31.7	60.9	140.6	283.2	751.8	69
10.0	15.1	22.4	33.7	38.7	52.1	65.1	93.2	159.1	244.2	276.7	495.0	70
13.3	21.4	28.4	48.0	55.0	73.1	102.9	137.4	213.4	353.4	411.0	650.9	71
7.1	9.9	17.4	21.4	24.4	33.9	32.6	57.8	113.1	161.0	185.0	395.5	72
0.6	1.2	2.8	5.1	10.2	22.9	40.9	66.6	96.7	122.8	131.3	133.2	73
0.5	1.2	2.7	6.1	14.5	33.9	67.7	119.8	185.5	251.8	277.4	277.8	74
0.6	1.2	2.9	4.2	6.2	12.7	17.4	24.1	31.7	37.5	46.0	60.6	75
0.4	1.0	2.4	4.7	10.0	23.1	42.1	70.3	101.3	127.7	137.8	139.9	76
0.3	1.1	2.4	5.6	14.0	34.0	69.6	126.2	195.7	264.0	292.8	293.5	77
0.5	0.9	2.4	3.9	6.2	13.0	18.1	25.7	33.1	38.6	48.5	63.9	78
1.8	2.7	5.5	8.4	12.4	20.8	29.1	32.9	46.6	64.7	55.0	62.1	79
1.9	2.1	4.9	10.4	19.4	32.6	49.8	61.4	82.9	118.3	114.6	126.4	80
1.8	3.3	5.9	6.7	6.3	10.6	11.3	10.1	16.2	23.8	14.2	22.7	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
BRONCHITIS, EMPHYSEMA, AND ASTHMA--CON.									
1	CHRONIC AND UNQUALIFIED BRONCHITIS-----490-491-	2.6	2.2	0.3	0.1	0.1	0.1	0.0	0.1
2	MALE-----	3.8	3.1	0.4	0.1	0.1	0.1	0.0	0.1
3	FEMALE-----	1.5	1.2	0.3	0.1	0.0	0.0	0.1	0.0
4	WHITE-----	2.8	1.8	0.3	0.1	0.1	0.1	0.0	0.1
5	MALE-----	4.1	2.4	0.3	0.1	0.1	0.1	0.0	0.1
6	FEMALE-----	1.7	1.1	0.3	0.1	0.0	0.0	0.1	0.0
7	ALL OTHER-----	1.3	4.1	0.6	0.1	0.1	0.1	0.1	0.2
8	MALE-----	2.0	6.6	0.8	0.2	0.1	0.1	0.1	0.3
9	FEMALE-----	0.7	1.6	0.4	-	0.1	0.1	0.1	-
10	EMPHYSEMA-----492	10.6	0.6	0.0	0.0	0.0	0.0	0.1	0.1
11	MALE-----	17.6	0.7	0.0	0.0	-	0.0	0.1	0.1
12	FEMALE-----	3.9	0.4	-	-	0.0	0.0	0.1	0.1
13	WHITE-----	11.6	0.5	0.0	0.0	0.0	0.0	0.1	0.1
14	MALE-----	19.1	0.5	0.0	0.0	-	0.0	0.0	0.1
15	FEMALE-----	4.3	0.4	-	-	0.0	0.0	0.1	0.0
16	ALL OTHER-----	4.0	1.0	0.0	-	-	-	0.2	0.2
17	MALE-----	7.1	1.6	0.1	-	-	-	0.3	0.3
18	FEMALE-----	1.2	0.4	-	-	-	-	-	0.1
19	ASTHMA-----493	0.9	0.4	0.1	0.1	0.2	0.2	0.4	0.3
20	MALE-----	0.8	0.5	0.2	0.1	0.2	0.2	0.3	0.3
21	FEMALE-----	1.0	0.3	0.1	0.2	0.2	0.2	0.4	0.3
22	WHITE-----	0.8	0.3	0.1	0.1	0.1	0.1	0.2	0.2
23	MALE-----	0.7	0.3	0.2	0.0	0.2	0.1	0.2	0.3
24	FEMALE-----	0.9	0.2	0.1	0.1	0.1	0.1	0.3	0.2
25	ALL OTHER-----	1.7	1.0	0.3	0.3	0.4	0.5	1.1	1.1
26	MALE-----	1.7	1.6	0.4	0.3	0.4	0.7	1.2	0.7
27	FEMALE-----	1.7	0.4	0.2	0.3	0.4	0.4	0.9	1.4
28	PEPTIC ULCER-----531-533	3.7	1.2	0.0	0.0	0.0	0.1	0.2	0.2
29	MALE-----	4.9	1.6	0.1	0.0	0.0	0.1	0.2	0.2
30	FEMALE-----	2.5	0.7	0.0	0.0	0.0	0.0	0.1	0.2
31	WHITE-----	3.8	0.7	0.1	0.0	0.0	0.1	0.1	0.1
32	MALE-----	5.0	0.9	0.1	0.0	0.0	0.1	0.1	0.1
33	FEMALE-----	2.7	0.5	0.0	0.0	0.0	0.0	0.1	0.1
34	ALL OTHER-----	2.8	3.5	-	-	-	0.1	0.4	0.5
35	MALE-----	4.2	5.1	-	-	-	0.1	0.7	0.7
36	FEMALE-----	1.5	2.0	-	-	-	-	0.2	0.3
37	APPENDICITIS-----540-543	0.5	0.4	0.1	0.1	0.1	0.1	0.1	0.1
38	MALE-----	0.6	0.4	0.1	0.1	0.1	0.2	0.2	0.1
39	FEMALE-----	0.4	0.4	0.0	0.1	0.1	0.1	0.1	0.1
40	WHITE-----	0.5	0.3	0.1	0.1	0.1	0.1	0.1	0.1
41	MALE-----	0.6	0.3	0.1	0.1	0.1	0.2	0.1	0.1
42	FEMALE-----	0.3	0.3	0.0	0.1	0.1	0.1	0.0	0.0
43	ALL OTHER-----	0.8	0.8	0.1	0.2	0.3	0.2	0.3	0.2
44	MALE-----	1.1	0.8	0.2	0.3	0.3	0.1	0.4	0.2
45	FEMALE-----	0.6	0.8	0.1	0.2	0.3	0.3	0.2	0.2
46	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.2	15.5	0.3	0.1	0.1	0.1	0.2	0.3
47	MALE-----	2.9	18.2	0.4	0.2	0.1	0.2	0.2	0.3
48	FEMALE-----	3.5	12.7	0.2	0.1	0.1	0.1	0.2	0.3
49	WHITE-----	3.2	14.8	0.2	0.1	0.1	0.1	0.2	0.2
50	MALE-----	2.9	17.1	0.3	0.2	0.1	0.2	0.2	0.3
51	FEMALE-----	3.5	12.4	0.1	0.1	0.1	0.1	0.1	0.2
52	ALL OTHER-----	3.3	18.9	0.6	0.2	0.1	0.1	0.5	0.6
53	MALE-----	3.5	23.3	0.8	0.1	0.1	0.1	0.5	0.6
54	FEMALE-----	3.1	14.3	0.4	0.3	0.1	0.1	0.5	0.7
55	CIRRHOSIS OF LIVER-----571	15.9	1.2	0.1	0.1	0.1	0.2	0.6	2.2
56	MALE-----	21.3	1.1	0.1	0.1	0.0	0.2	0.7	2.9
57	FEMALE-----	10.7	1.4	0.1	0.0	0.1	0.2	0.4	1.5
58	WHITE-----	15.2	1.1	0.1	0.1	0.1	0.1	0.3	1.2
59	MALE-----	20.5	0.8	0.1	0.1	0.0	0.1	0.4	1.7
60	FEMALE-----	10.1	1.4	0.1	0.0	0.1	0.1	0.2	0.7
61	ALL OTHER-----	20.6	2.2	0.2	0.1	-	0.4	2.4	9.3
62	MALE-----	26.6	2.7	0.2	0.1	-	0.4	3.0	12.3
63	FEMALE-----	15.2	1.6	0.2	0.1	-	0.3	1.8	6.8
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.6	0.0	0.0	0.0	-	0.0	0.1	0.1
65	MALE-----	1.5	-	0.0	-	-	-	0.0	0.0
66	FEMALE-----	1.8	0.1	-	0.0	-	0.0	0.1	0.1
67	WHITE-----	1.7	0.0	0.0	0.0	-	0.0	0.1	0.1
68	MALE-----	1.6	-	0.0	-	-	-	0.0	0.0
69	FEMALE-----	1.8	0.1	-	0.0	-	0.0	0.1	0.1
70	ALL OTHER-----	1.0	-	-	-	-	0.1	0.0	0.1
71	MALE-----	0.9	-	-	-	-	-	0.1	0.1
72	FEMALE-----	1.2	-	-	-	-	0.1	-	0.1
73	NEPHRITIS AND NEPHROSIS-----580-584	4.0	0.6	0.2	0.2	0.2	0.4	0.6	0.8
74	MALE-----	4.4	0.7	0.2	0.2	0.1	0.4	0.8	1.0
75	FEMALE-----	3.6	0.6	0.1	0.2	0.2	0.3	0.4	0.5
76	WHITE-----	3.3	0.6	0.1	0.2	0.1	0.3	0.5	0.6
77	MALE-----	3.7	0.7	0.2	0.2	0.1	0.3	0.7	0.7
78	FEMALE-----	2.9	0.6	0.1	0.2	0.1	0.2	0.3	0.4
79	ALL OTHER-----	8.5	0.8	0.2	0.3	0.5	0.9	1.0	2.1
80	MALE-----	8.8	0.8	0.3	0.4	0.4	1.4	1.1	3.2
81	FEMALE-----	8.2	0.8	0.1	0.2	0.5	0.5	0.9	1.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-21

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.1	0.2	0.5	0.9	1.7	3.7	7.0	11.0	16.0	22.7	27.9	37.6	1
0.2	0.3	0.5	0.8	2.2	5.3	10.8	18.9	27.5	43.4	53.3	67.5	2
0.1	0.2	0.5	0.9	1.2	2.3	3.6	4.6	7.6	9.0	13.0	22.6	3
0.1	0.2	0.4	0.8	1.6	3.8	7.1	11.8	16.9	23.3	29.5	39.5	4
0.1	0.3	0.4	0.8	2.1	5.5	10.8	20.2	29.2	44.9	56.6	71.0	5
0.1	0.1	0.5	0.8	1.2	2.3	3.7	5.0	8.0	9.2	13.8	23.9	6
0.3	0.5	1.0	1.5	1.9	2.5	6.1	3.9	6.8	15.2	8.9	17.9	7
0.5	0.5	1.6	1.5	3.0	3.4	10.2	7.5	10.6	27.5	18.3	34.0	8
0.1	0.5	0.5	1.6	0.9	1.6	2.5	1.0	3.5	5.8	2.5	8.0	9
0.1	0.4	1.3	3.2	7.1	17.1	31.8	52.8	77.2	96.1	98.9	90.5	10
0.1	0.5	1.6	4.5	11.0	26.7	55.2	97.9	153.8	203.6	219.4	205.3	11
0.1	0.3	0.9	2.0	3.6	8.3	11.4	16.7	21.2	25.0	28.4	32.8	12
0.1	0.4	1.3	3.2	7.2	17.5	33.2	56.0	81.2	100.5	103.6	95.3	13
0.1	0.5	1.6	4.3	10.9	27.1	57.3	103.5	162.7	214.6	231.2	217.4	14
0.1	0.3	1.0	2.1	3.8	8.8	12.1	18.0	22.3	25.9	30.1	34.9	15
0.3	0.7	1.2	3.2	6.7	12.9	19.6	23.8	34.2	43.6	43.1	39.3	16
0.3	1.1	1.9	5.5	11.9	22.8	35.9	47.0	64.4	83.2	95.1	88.7	17
0.3	0.4	0.7	1.3	2.2	4.4	5.6	5.3	8.9	13.4	7.5	9.1	18
0.3	0.5	1.0	1.1	1.4	2.0	2.1	2.8	3.5	4.0	4.6	5.1	19
0.2	0.3	0.5	0.8	1.4	2.0	1.7	2.9	4.1	4.7	4.6	5.0	20
0.5	0.7	1.5	1.3	1.4	2.1	2.3	2.7	3.0	3.6	4.6	5.2	21
0.2	0.4	0.7	0.7	1.1	1.7	1.9	2.6	3.3	3.9	4.7	5.1	22
0.1	0.3	0.4	0.5	1.0	1.5	1.5	2.5	3.8	4.5	5.0	5.1	23
0.3	0.5	1.0	0.9	1.2	1.9	2.3	2.6	2.9	3.5	4.6	5.1	24
1.2	1.5	3.2	3.7	3.8	5.4	3.4	5.2	5.7	5.9	3.0	5.0	25
1.1	0.5	1.4	3.5	4.6	6.4	3.7	6.9	7.9	7.6	1.2	3.8	26
1.4	2.3	4.7	3.9	3.2	4.6	3.1	3.8	3.9	4.7	4.2	7	27
0.6	1.0	1.5	2.5	4.0	6.4	9.1	13.4	18.9	26.9	36.6	54.2	28
0.7	1.3	2.1	3.5	5.9	9.4	14.4	22.3	29.9	42.3	56.1	74.3	29
0.5	0.6	1.0	1.6	2.3	3.6	4.3	6.3	10.9	16.8	25.3	44.1	30
0.5	0.8	1.3	2.3	3.9	6.4	8.9	13.5	18.9	27.2	37.7	56.4	31
0.5	0.9	1.8	3.2	5.7	9.3	14.2	22.2	30.2	42.7	57.6	78.3	32
0.5	0.6	0.9	1.5	2.1	3.7	4.4	6.6	10.8	17.1	26.3	45.6	33
1.3	2.2	2.9	3.8	5.4	6.4	10.0	12.4	19.2	23.4	23.8	30.7	34
2.1	4.1	4.6	6.1	7.9	9.9	16.8	23.7	26.9	37.4	40.2	35.8	35
0.7	0.7	1.5	1.9	3.2	3.4	4.2	3.4	12.7	12.8	12.5	27.3	36
0.1	0.2	0.2	0.3	0.5	0.9	1.1	1.7	2.3	2.9	4.3	6.0	37
0.1	0.3	0.2	0.4	0.7	1.2	1.6	2.5	3.7	4.5	6.4	7.3	38
0.0	0.1	0.2	0.3	0.3	0.6	0.6	1.0	1.3	1.9	3.1	5.3	39
0.1	0.2	0.1	0.2	0.5	0.8	0.9	1.6	1.9	2.8	4.2	6.1	40
0.1	0.2	0.1	0.3	0.7	1.1	1.2	2.4	3.2	4.3	6.1	7.5	41
0.0	0.1	0.2	0.1	0.2	0.5	0.6	1.0	1.0	1.8	3.1	5.4	42
0.2	0.6	0.9	1.3	1.0	2.2	2.8	2.5	6.3	4.3	5.9	5.0	43
0.4	1.3	1.3	1.7	1.1	2.5	4.9	3.9	8.8	6.9	9.8	5.7	44
-	-	0.5	1.0	0.9	2.0	1.0	1.4	4.2	2.3	3.3	4.5	45
0.4	0.6	0.9	1.4	2.0	3.5	5.1	8.3	14.1	24.6	40.5	75.4	46
0.5	0.5	0.7	1.4	2.1	3.5	5.7	9.1	15.0	26.5	40.8	81.7	47
0.3	0.7	1.0	1.4	1.9	3.5	4.6	7.6	13.4	23.3	40.3	72.3	48
0.3	0.5	0.7	1.2	1.7	3.0	4.5	7.6	13.5	24.4	41.5	77.4	49
0.4	0.4	0.6	1.1	1.7	3.1	5.0	8.4	14.3	26.1	40.9	83.8	50
0.3	0.6	0.9	1.2	1.7	2.9	4.2	7.0	12.9	23.3	41.9	74.3	51
0.8	1.3	1.9	3.1	4.3	8.5	10.4	14.2	20.7	26.4	28.2	53.6	52
1.1	1.6	1.9	3.3	5.4	8.3	12.2	15.6	21.8	30.5	39.0	60.4	53
0.6	1.0	1.8	3.0	3.2	8.8	8.8	13.2	19.7	23.3	20.8	48.9	54
6.6	14.0	24.7	36.0	42.2	50.5	54.7	48.9	38.9	31.9	24.0	19.9	55
8.8	18.3	32.5	48.0	56.3	69.6	80.4	76.4	58.7	49.2	36.7	33.2	56
4.5	9.9	17.2	24.8	29.1	33.0	32.3	26.8	24.4	20.4	16.6	13.3	57
4.2	10.1	19.7	31.9	39.3	48.9	54.4	49.7	39.5	32.4	24.9	20.5	58
5.9	13.4	26.4	43.3	52.6	67.4	80.3	77.9	60.5	50.3	38.3	32.9	59
2.5	6.8	13.3	21.1	26.9	31.8	31.7	27.1	24.3	20.6	17.1	14.3	60
23.4	41.5	60.7	69.5	67.5	66.5	57.7	41.5	32.7	26.1	14.4	14.3	61
30.6	55.8	80.9	87.9	89.7	91.5	81.0	62.6	40.7	37.4	20.7	35.8	62
17.3	29.8	43.9	53.7	48.1	44.7	37.7	24.7	25.9	17.4	10.0	1.1	63
0.1	0.2	0.3	0.6	0.9	1.6	2.5	4.5	8.6	15.3	23.8	44.1	64
0.1	0.2	0.2	0.5	0.9	1.7	2.9	5.1	10.0	19.3	25.9	45.7	65
0.2	0.3	0.3	0.6	0.9	1.5	2.1	4.0	7.7	12.7	22.7	43.3	66
0.1	0.2	0.2	0.6	0.9	1.5	2.4	4.6	8.6	15.4	24.5	46.3	67
0.1	0.2	0.1	0.6	0.9	1.8	3.0	5.3	9.9	19.7	27.1	47.7	68
0.2	0.2	0.2	0.5	0.8	1.3	1.9	4.0	7.7	12.7	23.0	45.6	69
0.2	0.4	0.9	0.5	1.4	2.1	2.9	3.9	9.3	14.2	16.3	20.7	70
0.3	-	0.9	-	1.2	0.7	2.2	3.3	11.1	15.3	13.4	26.4	71
0.2	0.8	0.8	1.0	1.5	3.4	3.6	4.3	7.7	13.4	18.3	17.0	72
1.2	1.5	2.2	3.0	4.2	6.5	8.7	12.8	18.6	27.1	36.8	62.1	73
1.2	1.7	2.4	3.5	4.7	7.2	9.7	16.2	24.6	37.7	49.9	88.6	74
1.1	1.3	2.1	2.6	3.8	6.0	7.8	10.1	14.3	20.2	29.1	48.8	75
0.8	0.9	1.4	1.9	2.9	4.9	6.4	9.8	14.9	24.1	34.3	57.9	76
0.9	1.0	1.6	2.4	3.4	5.7	7.5	12.8	20.9	34.5	48.0	81.5	77
0.7	0.8	1.2	1.4	2.4	4.1	5.4	7.4	10.5	17.3	26.5	46.2	78
3.7	5.3	8.4	12.1	16.3	23.2	30.6	40.1	59.5	63.4	65.3	106.4	79
3.6	6.8	8.7	12.7	17.0	22.3	31.0	47.0	62.0	72.5	70.7	152.8	80
3.7	4.0	8.2	11.6	15.7	24.0	30.3	34.5	57.1	56.4	61.7	77.3	81

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year
[Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
NEPHRITIS AND NEPHROSIS—CON.									
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580-581	0.7	0.6	0.1	0.1	0.0	0.1	0.1	0.1
2	MALE—	0.8	0.7	0.1	0.1	0.0	0.1	0.1	0.1
3	FEMALE—	0.6	0.6	0.0	0.1	0.0	0.0	0.1	0.1
4	WHITE—	0.7	0.6	0.1	0.1	0.0	0.1	0.1	0.1
5	MALE—	0.8	0.7	0.1	0.1	0.0	0.1	0.1	0.1
6	FEMALE—	0.6	0.6	0.1	0.1	0.0	0.0	0.1	0.1
7	ALL OTHER—	1.2	0.8	0.1	0.1	0.2	0.2	0.1	0.3
8	MALE—	1.3	0.8	0.2	0.2	0.2	0.3	—	0.5
9	FEMALE—	1.1	0.8	—	0.1	0.1	0.1	0.2	0.2
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	3.2	—	0.1	0.1	0.1	0.3	0.5	0.7
11	MALE—	3.5	—	0.1	0.1	0.1	0.3	0.7	0.8
12	FEMALE—	3.0	—	0.1	0.1	0.1	0.2	0.4	0.5
13	WHITE—	2.6	—	0.1	0.1	0.1	0.2	0.5	0.5
14	MALE—	2.9	—	0.1	0.1	0.1	0.2	0.6	0.6
15	FEMALE—	2.4	—	0.1	0.1	0.1	0.2	0.3	0.4
16	ALL OTHER—	7.3	—	0.1	0.2	0.3	0.8	0.9	1.8
17	MALE—	7.5	—	0.1	0.2	0.2	1.1	1.1	2.8
18	FEMALE—	7.1	—	0.1	0.1	0.4	0.4	0.7	1.0
19	INFECTIONS OF KIDNEY—590	2.9	0.2	0.0	0.0	0.1	0.1	0.1	0.1
20	MALE—	2.5	0.1	0.0	0.0	0.1	0.1	0.1	0.1
21	FEMALE—	3.3	0.3	0.0	0.0	0.1	0.1	0.1	0.1
22	WHITE—	2.8	0.2	0.0	0.0	0.0	0.1	0.1	0.1
23	MALE—	2.4	0.1	0.0	0.0	0.0	0.1	0.1	0.1
24	FEMALE—	3.2	0.3	—	0.1	0.0	0.1	0.1	0.1
25	ALL OTHER—	3.5	0.2	0.0	—	0.1	0.1	0.3	0.1
26	MALE—	3.4	0.4	—	—	0.1	0.1	0.3	0.1
27	FEMALE—	3.7	—	0.1	—	0.1	0.1	0.3	0.1
28	HYPERPLASIA OF PROSTATE—600	0.8	—	—	—	—	—	—	—
29	MALE—	1.6	—	—	—	—	—	—	—
30	WHITE—	0.8	—	—	—	—	—	—	—
31	MALE—	1.6	—	—	—	—	—	—	—
32	ALL OTHER—	0.7	—	—	—	—	—	—	—
33	MALE—	1.4	—	—	—	—	—	—	—
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	0.2	—	—	—	0.0	0.4	0.6	0.7
35	FEMALE—	0.4	—	—	—	0.1	0.7	1.1	1.5
36	WHITE—	0.1	—	—	—	0.0	0.2	0.4	0.6
37	FEMALE—	0.3	—	—	—	0.0	0.3	0.8	1.2
38	ALL OTHER—	0.8	—	—	—	0.2	1.5	1.5	1.8
39	FEMALE—	1.5	—	—	—	0.3	3.0	2.8	3.4
40	ABORTIONS—640-645	0.0	—	—	—	—	0.0	0.0	0.1
41	FEMALE—	0.0	—	—	—	—	0.1	0.1	0.1
42	WHITE—	0.0	—	—	—	—	0.0	0.0	0.0
43	FEMALE—	0.0	—	—	—	—	0.0	0.1	0.1
44	ALL OTHER—	0.1	—	—	—	—	0.2	0.2	0.3
45	FEMALE—	0.2	—	—	—	—	0.4	0.3	0.5
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639, 650-678	0.2	—	—	—	0.0	0.3	0.5	0.7
47	FEMALE—	0.4	—	—	—	0.1	0.6	1.0	1.4
48	WHITE—	0.1	—	—	—	0.0	0.1	0.4	0.6
49	FEMALE—	0.3	—	—	—	0.0	0.3	0.8	1.1
50	ALL OTHER—	0.7	—	—	—	0.2	1.3	1.3	1.6
51	FEMALE—	1.3	—	—	—	0.3	2.6	2.5	2.9
52	CONGENITAL ANOMALIES—740-759	6.7	290.8	9.6	2.7	1.7	1.8	1.5	1.5
53	MALE—	7.4	309.4	9.7	2.7	1.8	2.0	1.8	1.8
54	FEMALE—	6.0	271.5	9.4	2.8	1.6	1.6	1.3	1.3
55	WHITE—	6.5	290.1	9.5	2.8	1.6	1.8	1.5	1.5
56	MALE—	7.2	310.3	9.7	2.7	1.7	2.1	1.7	1.6
57	FEMALE—	5.8	268.8	9.3	2.8	1.5	1.6	1.3	1.3
58	ALL OTHER—	8.3	294.3	10.0	2.5	2.2	1.6	1.8	1.9
59	MALE—	9.0	303.5	9.9	2.3	2.4	1.5	2.1	3.0
60	FEMALE—	7.6	284.9	10.1	2.6	2.1	1.7	1.5	1.0
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769, 772, 774-778	14.5	987.0	0.1	0.0	0.0	0.0	0.0	0.0
62	MALE—	17.4	1,126.8	0.2	0.0	0.0	0.0	—	0.0
63	FEMALE—	11.8	841.4	0.0	0.0	0.0	—	0.0	—
64	WHITE—	12.1	859.7	0.1	0.0	—	—	0.0	0.0
65	MALE—	14.6	989.5	0.2	0.0	—	—	—	0.0
66	FEMALE—	9.7	723.3	0.0	—	—	—	0.0	—
67	ALL OTHER—	31.0	1,631.3	0.1	0.0	0.1	0.0	0.0	—
68	MALE—	36.8	1,826.8	0.2	—	0.1	0.1	—	—
69	FEMALE—	25.7	1,431.1	—	0.1	0.1	—	0.1	—
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANXIC AND HYPOXIC CONDITIONS—764-768, 772, 776	8.1	548.3	0.1	0.0	—	—	0.0	—
71	MALE—	10.0	649.5	0.1	0.0	—	—	—	—
72	FEMALE—	6.2	442.8	0.0	0.0	—	—	0.0	—
73	WHITE—	6.9	487.3	0.1	0.0	—	—	0.0	—
74	MALE—	8.6	582.1	0.1	0.0	—	—	—	—
75	FEMALE—	5.2	387.5	0.0	—	—	—	0.0	—
76	ALL OTHER—	16.3	857.1	0.0	0.0	—	—	0.0	—
77	MALE—	20.0	992.6	0.1	—	—	—	—	—
78	FEMALE—	12.9	718.3	—	0.1	—	—	0.1	—

¹Figures for age not stated included in "Total" but not distributed among age groups.

1-23

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
0.2	0.2	0.4	0.4	0.6	1.1	1.7	2.6	3.4	5.6	7.2	10.0	1
0.1	0.2	0.4	0.4	0.8	1.2	1.9	3.4	5.0	8.5	10.7	15.8	2
0.2	0.2	0.4	0.4	0.5	1.0	1.5	1.9	2.3	3.7	5.3	7.1	3
0.1	0.1	0.3	0.3	0.5	1.0	1.4	2.2	2.9	5.3	6.8	9.7	4
0.1	0.1	0.3	0.3	0.7	1.1	1.6	3.1	4.4	8.2	10.5	15.0	5
0.1	0.1	0.2	0.2	0.4	0.9	1.3	1.5	1.9	3.5	4.7	7.1	6
0.4	0.8	1.4	1.5	1.6	2.8	3.9	5.7	9.1	8.9	11.9	12.9	7
0.5	1.1	1.6	1.5	1.8	3.0	4.6	6.0	11.1	11.5	12.2	22.6	8
0.3	0.5	1.3	1.6	1.4	2.6	3.3	5.5	7.3	7.0	11.7	6.8	9
1.0	1.3	1.8	2.6	3.6	5.4	7.0	10.2	15.2	21.5	29.5	52.1	10
1.1	1.5	2.0	3.1	3.9	5.9	7.8	12.8	19.6	29.2	39.3	72.8	11
0.9	1.1	1.7	2.2	3.3	4.9	6.3	8.2	12.0	16.4	23.8	41.7	12
0.7	0.8	1.1	1.6	2.3	3.9	4.9	7.6	11.9	18.8	27.5	48.2	13
0.8	0.9	1.3	2.1	2.7	4.6	5.8	9.7	16.5	26.3	37.5	66.5	14
0.5	0.7	1.0	1.2	2.0	3.2	4.1	5.9	8.7	13.8	21.7	39.1	15
3.2	4.5	7.0	10.6	14.7	20.4	26.7	34.4	50.4	54.5	53.5	93.6	16
3.1	5.7	7.1	11.3	15.2	19.3	26.3	41.0	50.9	61.1	58.5	130.2	17
3.4	3.5	6.9	10.0	14.3	21.4	27.0	29.0	49.8	49.4	50.0	70.5	18
0.2	0.3	0.9	0.9	1.4	2.7	4.9	8.3	15.0	25.1	43.0	81.6	19
0.2	0.3	0.6	0.7	1.1	2.2	4.6	8.2	16.3	28.8	49.6	93.0	20
0.3	0.4	1.2	1.1	1.7	3.1	5.2	8.4	14.0	22.7	39.2	75.9	21
0.2	0.3	0.7	0.7	1.0	2.2	3.9	7.4	13.5	23.9	43.0	82.1	22
0.2	0.2	0.4	0.6	0.8	1.9	3.6	7.0	14.9	26.7	48.7	93.9	23
0.2	0.3	0.9	0.8	1.2	2.5	4.2	7.8	12.4	22.1	39.8	76.3	24
0.6	0.8	2.4	2.5	5.1	6.8	14.0	16.9	31.2	39.6	42.6	75.7	25
0.7	0.8	1.7	1.5	4.2	4.4	13.7	19.8	30.1	51.9	59.8	83.0	26
0.6	0.8	3.0	3.4	5.8	9.0	14.2	14.6	32.0	30.2	30.8	70.5	27
-	-	-	-	0.1	0.1	0.6	1.6	3.8	8.4	14.1	29.8	28
-	-	-	-	0.1	0.3	1.3	3.5	9.1	21.1	38.2	89.2	29
-	-	-	-	0.1	0.1	0.5	1.3	3.5	8.2	13.8	30.3	30
-	-	-	-	0.1	0.2	1.1	3.0	8.5	20.7	37.8	91.5	31
-	-	-	-	0.2	0.4	1.4	3.6	7.0	11.2	17.3	25.0	32
-	-	-	-	0.4	0.9	2.9	8.1	15.3	26.0	42.7	66.0	33
0.7	0.5	0.2	0.0	-	-	-	-	-	-	0.0	-	34
1.5	1.0	0.4	0.0	-	-	-	-	-	-	0.1	-	35
0.5	0.3	0.1	0.0	-	-	-	-	-	-	-	-	36
1.0	0.6	0.3	0.0	-	-	-	-	-	-	-	-	37
2.6	2.0	0.8	0.1	-	-	-	-	-	-	0.5	-	38
4.7	3.6	1.5	0.1	-	-	-	-	-	-	0.8	-	39
0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	40
0.1	0.1	0.1	-	-	-	-	-	-	-	-	-	41
0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	42
0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	43
0.1	0.2	0.1	-	-	-	-	-	-	-	-	-	44
0.2	0.4	0.1	-	-	-	-	-	-	-	-	-	45
0.7	0.5	0.2	0.0	-	-	-	-	-	-	0.0	-	46
1.4	0.9	0.4	0.0	-	-	-	-	-	-	0.1	-	47
0.5	0.3	0.1	0.0	-	-	-	-	-	-	-	-	48
0.9	0.5	0.2	0.0	-	-	-	-	-	-	-	-	49
2.4	1.8	0.7	0.1	-	-	-	-	-	-	0.5	-	50
4.5	3.3	1.3	0.1	-	-	-	-	-	-	0.8	-	51
1.4	1.5	1.7	1.9	2.0	2.4	2.3	2.6	2.8	2.9	2.9	3.6	52
1.6	1.9	1.9	2.0	2.1	2.5	2.6	3.1	3.2	3.5	3.6	4.2	53
1.3	1.1	1.5	1.8	2.0	2.3	2.0	2.2	2.5	2.5	2.5	3.3	54
1.4	1.5	1.7	1.8	2.0	2.4	2.3	2.6	2.7	2.9	3.0	3.8	55
1.6	2.0	1.8	1.9	2.0	2.5	2.6	2.9	3.0	3.6	3.8	4.5	56
1.3	1.1	1.5	1.8	1.9	2.3	2.1	2.3	2.5	2.4	2.6	3.4	57
1.3	1.6	1.6	2.2	2.5	2.6	2.0	2.9	4.0	3.0	1.5	2.1	58
1.5	1.6	1.9	2.5	2.8	3.2	2.4	4.5	5.1	1.5	1.2	1.9	59
1.1	1.6	1.3	2.0	2.3	2.0	1.7	1.7	3.1	4.1	1.7	2.3	60
0.0	0.0	0.0	0.0	-	-	-	0.0	0.1	0.1	-	0.3	61
0.0	0.0	0.0	0.0	-	-	-	0.0	0.1	0.1	-	0.4	62
-	0.0	-	-	-	-	-	0.0	0.1	0.1	-	0.3	63
0.0	0.0	0.0	0.0	-	-	-	0.0	0.1	0.1	-	0.3	64
0.0	0.0	0.0	0.0	-	-	-	0.0	0.1	0.1	-	0.4	65
-	0.0	-	-	-	-	-	0.1	-	0.1	-	0.3	66
-	-	0.1	-	-	-	-	-	-	-	-	-	67
-	-	0.2	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	69
0.0	0.0	0.0	0.0	-	-	-	0.0	-	0.1	-	0.1	70
0.0	0.0	0.0	0.0	-	-	-	0.0	-	-	-	0.2	71
-	0.0	-	-	-	-	-	0.0	-	0.1	-	0.1	72
0.0	0.0	-	0.0	-	-	-	0.0	-	-	-	0.1	73
0.0	0.0	-	0.0	-	-	-	0.0	-	-	-	0.2	74
-	-	-	-	-	-	-	0.0	-	0.1	-	0.1	75
-	-	0.1	-	-	-	-	-	-	-	-	-	76
-	-	0.2	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	78

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year
 [Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.									
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	6.5	438.7	0.0	0.0	0.0	0.0	—	0.0
2	MALE	7.4	477.3	0.1	0.0	0.0	0.0	—	0.0
3	FEMALE	5.6	398.7	—	—	0.0	—	—	—
4	WHITE	5.3	372.5	0.0	0.0	—	—	—	3.0
5	MALE	6.0	407.4	0.1	0.0	—	—	—	0.0
6	FEMALE	4.5	335.8	—	—	—	—	—	—
7	ALL OTHER	14.7	774.2	0.0	—	0.1	0.0	—	—
8	MALE	16.8	834.2	0.1	—	0.1	0.1	—	—
9	FEMALE	12.8	712.7	—	—	0.1	—	—	—
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796									
10	MALE	14.5	136.7	2.7	0.6	0.6	2.9	5.1	4.8
11	FEMALE	17.8	158.8	3.0	0.7	0.8	3.9	7.1	6.5
12	WHITE	11.3	113.6	2.4	0.6	0.5	1.9	3.1	3.1
13	MALE	11.6	102.8	1.8	0.5	0.5	2.3	3.8	3.4
14	FEMALE	14.3	122.2	2.1	0.5	0.6	3.1	5.3	4.7
15	ALL OTHER	9.0	82.5	1.5	0.5	0.4	1.4	2.4	2.2
16	MALE	34.4	307.9	7.2	1.4	1.4	6.5	13.0	14.4
17	FEMALE	42.5	346.3	7.3	1.4	1.7	8.4	19.2	20.2
18	ALL OTHER	27.0	268.5	7.1	1.3	1.1	4.5	7.5	9.5
ALL OTHER DISEASES—RESIDUAL									
19	MALE	54.7	65.3	7.9	4.0	3.6	6.7	9.9	11.3
20	FEMALE	62.8	73.8	8.1	4.0	3.8	8.3	12.1	13.0
21	WHITE	47.0	56.4	7.7	4.0	3.5	5.0	7.8	9.6
22	MALE	53.6	56.4	7.5	4.0	3.5	6.0	8.1	8.6
23	FEMALE	61.2	64.6	7.6	3.9	3.7	7.7	10.0	9.7
24	ALL OTHER	46.4	47.6	7.5	4.2	3.4	4.1	6.2	7.6
25	MALE	61.9	110.4	9.9	4.0	4.3	10.9	21.2	30.5
26	FEMALE	73.8	120.6	11.1	4.6	4.6	11.6	26.1	38.8
27	ALL OTHER	51.0	100.0	8.7	3.5	3.9	10.2	16.8	23.4
ACCIDENTS—E800-E949									
28	MALE	55.2	54.9	31.9	20.5	21.0	66.6	71.4	54.3
29	FEMALE	78.7	61.9	37.5	26.3	29.8	102.4	117.7	88.9
30	WHITE	32.8	47.7	26.0	14.5	11.9	29.9	25.9	20.4
31	MALE	53.8	44.8	28.6	18.8	20.4	69.0	70.2	51.2
32	FEMALE	75.9	52.1	34.1	24.0	28.4	105.8	115.6	83.3
33	ALL OTHER	32.7	37.0	22.9	13.4	11.9	31.2	24.9	19.3
34	MALE	64.6	106.3	48.4	29.5	24.6	52.3	79.4	76.4
35	FEMALE	98.5	111.7	55.1	38.5	37.5	82.5	131.8	132.9
36	ALL OTHER	33.6	100.8	41.5	20.3	11.7	22.3	32.1	27.9
MOTOR VEHICLE ACCIDENTS—E910-E923									
37	MALE	26.5	10.6	12.3	11.1	10.1	45.5	48.2	33.0
38	FEMALE	39.1	10.9	14.2	13.4	13.5	66.8	77.9	52.5
39	WHITE	14.5	10.3	10.3	8.7	6.7	23.6	19.0	13.9
40	MALE	26.2	10.5	11.2	10.4	10.5	48.8	48.6	31.9
41	FEMALE	38.4	11.4	12.6	12.5	13.8	71.6	78.3	50.3
42	ALL OTHER	14.5	9.5	9.6	8.2	7.1	25.3	19.0	13.6
43	MALE	28.1	11.2	17.9	14.6	8.3	26.0	45.8	41.1
44	FEMALE	43.5	8.2	22.2	17.8	11.8	38.3	75.3	70.0
45	ALL OTHER	14.0	14.3	13.5	11.4	4.8	13.7	19.1	16.3
ALL OTHER ACCIDENTS—E800-E807, E825-E949									
46	MALE	28.7	44.3	19.6	9.4	10.9	21.1	23.2	21.2
47	FEMALE	51.0	39.6	23.3	12.9	16.3	35.6	39.8	36.3
48	WHITE	18.4	37.4	15.7	5.8	5.2	6.3	6.9	6.4
49	MALE	27.6	34.3	17.5	8.4	9.9	20.2	21.5	19.3
50	FEMALE	37.4	40.7	21.5	11.5	14.7	34.2	37.3	33.0
51	ALL OTHER	18.2	27.5	13.3	5.2	4.9	5.9	5.9	5.7
52	MALE	36.5	95.1	30.5	14.8	16.3	26.3	33.6	35.3
53	FEMALE	55.0	103.5	32.9	20.7	25.7	44.2	56.5	62.9
54	ALL OTHER	19.6	86.5	28.0	8.9	6.9	8.6	13.0	11.6
SUICIDE—E950-E959									
55	MALE	12.0	—	—	0.0	0.7	7.0	14.0	15.0
56	FEMALE	17.7	—	—	0.0	1.1	10.7	24.1	22.5
57	WHITE	6.5	—	—	—	0.4	3.1	5.6	7.7
58	MALE	12.8	—	—	—	0.8	7.4	14.9	15.0
59	FEMALE	18.8	—	—	—	1.2	11.4	24.3	22.1
60	ALL OTHER	7.0	—	—	—	0.4	3.2	5.5	8.0
61	MALE	6.4	—	—	0.0	0.3	4.7	14.1	15.2
62	FEMALE	10.0	—	—	0.1	0.5	6.8	23.3	25.8
63	ALL OTHER	3.0	—	—	—	0.2	2.7	5.8	6.2
HOMICIDE—E960-E978									
64	MALE	9.8	5.2	2.5	0.8	1.4	9.1	18.4	19.5
65	FEMALE	15.5	5.1	2.7	0.9	1.7	13.5	29.1	32.2
66	WHITE	4.3	5.3	2.3	0.6	1.0	4.6	7.8	7.1
67	MALE	5.5	3.9	1.7	0.6	0.9	5.1	9.4	10.0
68	FEMALE	8.3	4.0	1.8	0.6	1.0	7.1	14.4	16.0
69	ALL OTHER	2.8	3.7	1.6	0.5	0.8	3.1	4.5	4.0
70	MALE	39.1	12.2	6.7	1.8	3.7	32.2	75.4	88.4
71	FEMALE	65.8	10.9	7.3	2.3	5.4	51.5	128.2	159.4
72	ALL OTHER	14.6	13.5	6.1	1.3	2.1	13.1	27.8	27.9
OTHER EXTERNAL CAUSES—E980-E999									
73	MALE	2.4	2.9	1.1	0.3	0.5	1.8	3.4	2.9
74	FEMALE	3.4	3.4	1.3	0.4	0.8	2.6	5.0	4.5
75	WHITE	1.5	2.4	0.9	0.2	0.2	0.9	1.8	1.3
76	MALE	2.0	2.3	0.8	0.2	0.4	1.5	2.8	2.3
77	FEMALE	2.8	2.6	0.9	0.2	0.7	2.3	4.2	3.6
78	ALL OTHER	1.3	2.0	0.7	0.1	0.2	0.7	1.4	1.1
79	MALE	4.8	6.1	2.6	1.2	1.0	3.2	7.1	7.1
80	FEMALE	7.3	7.8	3.3	1.6	1.6	4.3	10.3	12.2
81	ALL OTHER	2.6	4.4	2.0	0.8	0.4	2.2	4.1	2.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-25

Age Groups, Color, and Sex: United States, 1973-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	
-	0.0	0.0	-	-	-	-	0.0	0.1	-	-	0.2	1
-	0.0	0.0	-	-	-	-	0.0	0.1	-	-	0.2	2
-	-	-	-	-	-	-	0.0	0.1	-	-	0.2	3
-	0.0	0.0	-	-	-	-	0.0	0.1	-	-	0.2	4
-	0.0	0.0	-	-	-	-	0.0	0.1	-	-	0.2	5
-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	9
5.1	6.8	9.7	11.8	14.8	20.4	26.8	33.2	46.2	61.9	87.1	199.9	10
6.4	8.7	12.3	15.8	20.3	29.0	40.4	48.5	67.1	86.3	116.6	244.6	11
3.9	5.0	7.2	8.1	9.8	12.6	15.0	20.9	30.9	45.7	69.9	177.4	12
3.6	4.4	6.8	8.9	11.4	16.2	21.4	26.2	35.5	50.0	73.8	170.9	13
4.2	5.5	8.5	11.9	15.7	23.4	33.5	39.5	53.8	70.5	97.9	205.9	14
2.9	3.4	5.1	6.0	7.3	9.6	10.9	15.5	22.3	36.6	59.9	153.7	15
16.0	23.6	30.9	35.8	45.1	61.6	76.7	97.1	161.4	204.0	242.1	507.9	16
22.7	33.6	42.3	49.2	61.3	86.0	105.4	130.5	199.1	258.8	313.4	600.0	17
10.3	15.3	21.4	24.2	30.9	40.5	52.1	70.3	129.3	162.2	193.3	446.6	18
15.2	21.6	31.6	43.2	57.8	84.3	124.5	175.3	253.2	365.7	471.3	694.9	19
17.4	24.9	36.7	50.8	69.8	104.3	165.2	238.4	347.8	511.8	639.3	892.5	20
13.0	18.5	26.8	36.0	46.8	66.0	88.9	124.9	184.1	269.1	373.3	595.7	21
11.1	16.3	25.4	36.5	51.1	78.2	118.8	170.8	246.9	363.8	478.0	709.5	22
12.2	18.1	29.0	42.5	61.3	96.9	158.1	233.8	343.7	511.6	650.8	913.8	23
10.0	14.5	21.9	30.8	41.7	60.9	84.5	120.3	176.8	267.0	378.3	608.5	24
43.7	59.1	76.6	98.1	116.2	144.6	176.8	217.0	322.6	389.8	393.1	539.3	25
56.6	76.5	97.0	122.2	146.1	179.3	231.7	279.9	387.0	514.5	518.3	677.4	26
32.7	44.7	59.6	77.3	90.0	114.4	129.7	166.7	267.6	294.8	307.5	450.0	27
46.4	45.6	45.3	47.8	49.9	56.0	63.2	68.3	90.0	133.9	201.2	404.2	28
75.0	72.7	69.8	72.8	75.3	84.5	92.6	97.9	125.3	179.3	252.5	474.7	29
18.7	19.9	22.0	24.3	26.3	29.9	37.5	44.7	64.1	103.9	171.3	368.8	30
43.6	41.8	41.4	44.2	45.9	53.3	59.9	66.0	86.5	133.6	205.1	419.9	31
70.3	65.8	62.9	66.5	68.6	79.0	86.0	93.2	119.9	177.9	256.4	492.9	32
17.4	18.5	20.5	23.2	24.7	29.6	37.1	44.1	62.3	104.6	175.3	383.9	33
65.5	72.4	73.8	76.6	84.4	82.7	93.5	90.0	127.6	138.0	155.9	237.1	34
110.2	125.2	123.7	126.7	135.6	140.5	154.1	140.1	177.8	193.9	208.5	296.2	35
27.5	29.1	32.1	33.3	39.5	32.5	41.4	49.9	85.3	95.3	120.0	198.9	36
27.0	24.4	23.0	22.9	22.8	23.9	25.7	26.8	33.1	40.6	41.0	34.7	37
42.2	37.7	34.2	34.0	33.4	35.1	36.2	37.9	47.2	62.2	67.9	68.4	38
12.4	11.8	12.4	12.5	13.0	13.8	16.5	17.9	22.7	26.3	25.3	17.8	39
25.9	22.7	21.6	21.7	21.0	22.9	24.7	25.8	32.5	41.0	42.2	36.0	40
40.3	34.7	31.3	31.9	30.3	33.1	33.6	35.5	45.7	62.3	69.6	71.4	41
11.7	11.2	12.2	12.0	12.4	13.6	16.9	18.1	23.0	27.1	26.4	18.5	42
34.7	36.3	33.6	32.9	38.2	33.8	35.1	35.3	39.2	39.0	27.2	21.4	43
56.3	61.2	56.9	51.7	61.5	55.2	60.7	59.3	62.5	60.3	50.0	39.6	44
16.4	15.9	14.2	16.6	17.8	15.2	13.2	16.1	19.7	15.7	11.7	10.2	45
19.4	21.2	22.2	24.8	27.0	32.0	37.5	41.6	56.9	93.4	160.2	369.5	46
32.8	35.0	35.6	38.7	41.9	49.4	56.4	60.0	78.0	117.1	184.6	406.2	47
6.4	8.1	9.5	11.8	13.3	16.1	21.0	26.8	41.4	77.6	146.0	351.1	48
17.7	19.0	19.8	22.5	24.8	30.3	35.2	40.1	54.0	92.6	162.9	384.0	49
30.0	31.2	31.6	34.5	38.3	45.9	52.4	57.7	74.3	115.6	187.1	421.5	50
5.6	7.3	8.3	11.2	12.3	16.0	20.2	26.0	39.3	77.5	148.9	365.4	51
30.8	36.1	40.1	43.7	46.2	48.9	58.3	54.7	88.4	103.0	128.7	215.7	52
54.0	64.0	66.8	75.0	74.1	85.3	93.4	80.8	115.3	133.6	158.5	256.6	53
11.2	13.3	17.8	16.6	21.7	17.4	28.2	33.8	65.6	79.7	108.3	188.6	54
14.7	15.7	17.1	19.4	19.6	21.0	19.6	19.5	20.2	22.2	20.1	19.9	55
21.1	21.2	22.4	26.2	27.5	30.4	30.7	33.1	36.6	43.7	43.2	50.3	56
8.5	10.5	12.1	12.9	12.2	12.4	9.9	8.6	8.2	8.0	6.6	4.6	57
15.2	16.3	18.5	20.7	22.3	20.9	22.3	21.0	21.4	23.4	21.2	21.0	58
21.4	21.7	23.9	27.6	29.2	32.1	32.8	35.5	39.0	46.4	46.1	54.6	59
9.1	11.2	13.2	14.2	13.2	13.2	10.6	9.3	8.7	8.3	6.9	4.4	60
11.1	11.6	7.3	8.1	7.7	8.7	7.3	6.0	7.4	8.3	6.9	7.9	61
18.9	18.1	10.6	14.2	12.4	12.6	11.7	11.1	12.5	13.7	12.2	9.4	62
4.4	6.4	4.5	2.9	3.5	5.2	3.6	1.9	3.1	4.1	3.3	6.8	63
18.4	17.1	14.7	12.3	9.8	8.8	6.9	6.0	5.5	5.4	4.6	3.4	64
30.1	27.2	23.6	20.2	16.3	15.0	11.7	11.7	9.1	8.0	6.3	5.5	65
7.1	7.5	6.3	4.9	3.8	3.1	2.7	2.8	2.9	3.6	3.6	2.3	66
9.1	9.1	7.6	6.6	5.8	5.6	4.6	4.1	3.9	4.4	4.1	3.1	67
14.5	13.9	11.5	10.4	9.3	9.2	7.6	6.5	6.1	5.9	5.4	5.1	68
3.8	4.4	3.9	3.0	2.6	2.2	2.0	2.3	2.3	3.4	3.3	2.1	69
82.8	73.5	66.7	58.9	44.7	40.3	27.8	22.6	23.0	17.2	10.9	6.4	70
146.5	129.0	119.0	104.3	79.7	73.6	49.3	41.6	38.4	31.3	15.9	9.4	71
26.7	28.0	23.1	19.7	14.0	11.4	9.4	7.4	10.0	6.4	7.5	4.5	72
3.0	3.3	3.3	3.4	3.2	3.3	3.1	2.8	3.1	3.0	3.4	3.7	73
4.0	4.6	4.5	4.3	4.2	4.7	4.6	4.1	4.7	5.6	5.3	6.8	74
2.0	2.1	2.2	2.5	2.4	2.0	1.8	1.7	1.9	1.4	2.3	2.1	75
2.4	2.4	2.8	2.8	2.9	3.0	2.8	2.6	2.9	2.9	3.1	3.4	76
3.1	3.3	3.7	3.4	3.5	4.0	4.0	3.8	4.3	5.4	4.9	5.7	77
1.7	1.6	2.0	2.3	2.3	1.9	1.7	1.7	2.0	1.2	2.1	2.3	78
7.4	9.6	7.0	7.8	6.1	6.6	5.7	4.1	5.1	5.3	6.9	6.4	79
11.4	10.6	12.3	10.3	11.3	11.3	9.5	7.5	9.3	7.6	9.8	17.0	80
4.0	5.3	4.0	3.9	2.5	2.6	2.5	1.4	1.5	3.5	5.0	-	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	ALL CAUSES-----	940.2	1,805.2	79.5	41.0	128.3
2	MALE-----	1,072.9	2,032.1	88.8	50.0	189.8
3	FEMALE-----	814.2	1,568.8	69.9	31.4	46.4
4	WHITE-----	944.2	1,565.1	71.4	38.8	118.5
5	MALE-----	1,071.2	1,776.5	79.8	47.0	176.2
6	FEMALE-----	823.0	1,342.8	62.5	30.2	60.0
7	ALL OTHER-----	912.6	3,020.1	121.1	53.0	187.4
8	MALE-----	1,084.6	3,335.4	135.6	66.8	275.2
9	FEMALE-----	755.4	2,697.2	106.5	39.2	103.9
10	BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	0.3	0.0	0.0	0.0
11	MALE-----	0.0	0.1	0.0	0.0	0.0
12	FEMALE-----	0.0	0.5	0.1	0.0	0.0
13	WHITE-----	0.0	0.2	0.0	0.0	0.0
14	MALE-----	0.0	0.1	0.0	0.0	0.0
15	FEMALE-----	0.0	0.2	0.1	0.0	-
16	ALL OTHER-----	0.1	0.8	0.1	0.1	0.0
17	MALE-----	0.0	-	0.1	-	-
18	FEMALE-----	0.1	1.6	0.1	0.1	0.0
19	ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	22.4	1.0	0.1	0.1
20	MALE-----	1.0	25.0	1.2	0.1	0.1
21	FEMALE-----	1.2	19.7	0.8	0.1	0.1
22	WHITE-----	1.0	15.1	0.9	0.1	0.1
23	MALE-----	0.9	17.1	1.0	0.1	0.1
24	FEMALE-----	1.1	12.8	0.7	0.1	0.1
25	ALL OTHER-----	1.9	59.6	1.7	0.1	0.1
26	MALE-----	2.1	65.0	2.1	0.1	0.1
27	FEMALE-----	1.8	54.2	1.3	0.1	0.2
28	TUBERCULOSIS, ALL FORMS-----010-019	1.8	0.4	0.1	0.0	0.1
29	MALE-----	2.6	0.6	0.1	0.0	0.1
30	FEMALE-----	1.1	0.2	0.1	0.0	0.1
31	WHITE-----	1.5	0.2	0.1	0.0	0.0
32	MALE-----	2.1	0.4	0.1	0.0	0.1
33	FEMALE-----	0.9	0.1	0.1	0.0	0.0
34	ALL OTHER-----	4.5	1.2	0.3	0.0	0.3
35	MALE-----	6.7	1.6	0.2	-	0.2
36	FEMALE-----	2.5	0.8	0.4	0.1	0.3
37	TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.4	0.2	0.0	0.0	0.0
38	MALE-----	2.1	0.3	0.0	-	0.1
39	FEMALE-----	0.8	0.1	0.0	0.0	0.0
40	WHITE-----	1.1	0.1	0.0	0.0	0.0
41	MALE-----	1.6	0.2	0.0	-	0.0
42	FEMALE-----	0.6	-	0.0	0.0	0.0
43	ALL OTHER-----	3.6	0.6	0.1	0.0	0.2
44	MALE-----	5.6	0.8	0.1	-	0.2
45	FEMALE-----	1.8	0.4	0.1	0.0	0.2
46	TUBERCULOSIS, OTHER FORMS-----013-019	0.4	0.2	0.1	0.0	0.0
47	MALE-----	0.5	0.3	0.1	0.0	0.0
48	FEMALE-----	0.3	0.1	0.1	0.0	0.0
49	WHITE-----	0.3	0.1	0.1	0.0	0.0
50	MALE-----	0.4	0.2	0.1	0.0	0.0
51	FEMALE-----	0.3	0.1	0.0	0.0	0.0
52	ALL OTHER-----	0.9	0.6	0.2	0.0	0.1
53	MALE-----	1.1	0.8	0.1	-	0.0
54	FEMALE-----	0.7	0.4	0.3	0.1	0.1
55	WHOOPING COUGH-----033	0.0	0.2	-	-	-
56	MALE-----	0.0	0.1	-	-	-
57	FEMALE-----	0.0	0.2	-	-	-
58	WHITE-----	0.0	0.2	-	-	-
59	MALE-----	0.0	0.2	-	-	-
60	FEMALE-----	0.0	0.2	-	-	-
61	ALL OTHER-----	-	-	-	-	-
62	MALE-----	-	-	-	-	-
63	FEMALE-----	-	-	-	-	-
64	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	0.1	-	0.0	0.0
65	MALE-----	0.0	0.1	-	-	0.0
66	FEMALE-----	0.0	0.1	-	0.0	-
67	WHITE-----	0.0	0.1	-	0.0	0.0
68	MALE-----	0.0	0.1	-	-	0.0
69	FEMALE-----	0.0	0.1	-	0.0	-
70	ALL OTHER-----	0.0	-	-	-	0.0
71	MALE-----	0.0	-	-	-	0.0
72	FEMALE-----	0.0	-	-	-	-
73	MENINGOCOCCAL INFECTIONS-----036	0.2	2.9	0.5	0.1	0.1
74	MALE-----	0.2	3.5	0.5	0.2	0.1
75	FEMALE-----	0.1	2.3	0.5	0.1	0.1
76	WHITE-----	0.1	2.8	0.6	0.1	0.1
77	MALE-----	0.2	3.3	0.6	0.1	0.1
78	FEMALE-----	0.1	2.3	0.5	0.1	0.1
79	ALL OTHER-----	0.2	3.5	0.1	0.3	0.2
80	MALE-----	0.3	4.7	0.2	0.2	0.4
81	FEMALE-----	0.2	2.4	0.1	0.4	0.0

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-27

Age Groups, Color, and Sex: United States, 1973

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
153.6	295.9	697.4	1,611.9	3,440.0	7,932.1	17,429.4	1
214.5	380.4	916.6	2,206.6	4,731.5	10,108.1	19,809.4	2
94.4	215.6	493.1	1,079.8	2,445.5	6,562.5	16,234.0	3
128.2	252.0	633.6	1,529.5	3,335.2	7,976.7	17,926.6	4
177.6	324.4	839.7	2,118.2	4,653.9	10,214.3	20,426.1	5
79.3	181.8	439.9	1,000.7	2,324.7	6,582.2	16,685.8	6
334.2	609.9	1,235.4	2,399.7	4,470.8	7,419.6	12,137.9	7
498.6	815.7	1,591.5	3,069.5	5,456.7	8,965.7	13,605.7	8
194.1	439.6	926.0	1,821.7	3,662.0	6,291.8	11,115.9	9
0.0	0.0	0.0	0.0	0.1	0.1	0.1	10
0.0	0.0	0.1	0.0	0.1	0.2	0.2	11
0.0	0.0	0.0	0.0	0.0	0.1	0.1	12
0.0	0.0	0.0	0.0	0.1	0.1	0.1	13
0.0	0.0	0.0	0.0	0.1	0.2	0.2	14
0.0	0.0	0.0	0.0	0.0	0.1	0.1	15
-	0.1	0.0	-	0.2	0.4	-	16
-	0.1	0.1	-	0.4	0.5	-	17
-	0.1	-	-	-	0.3	-	18
0.1	0.2	0.4	0.9	2.1	7.3	19.4	19
0.1	0.2	0.4	0.8	2.1	7.2	18.7	20
0.1	0.2	0.4	1.0	2.1	7.4	19.8	21
0.1	0.2	0.4	0.9	2.0	7.3	19.6	22
0.1	0.1	0.3	0.8	2.1	6.9	19.5	23
0.1	0.2	0.4	0.9	2.0	7.5	19.7	24
0.1	0.5	0.9	1.1	3.1	7.7	17.9	25
0.1	0.6	1.1	0.8	2.4	10.3	11.3	26
0.1	0.4	0.7	1.3	3.7	5.8	21.6	27
0.3	1.2	2.5	4.5	7.3	11.6	15.2	28
0.4	1.7	3.8	7.2	12.2	19.9	26.6	29
0.3	0.8	1.4	2.1	3.5	6.3	9.5	30
0.1	0.5	1.5	3.5	6.0	10.4	14.0	31
0.1	0.7	2.1	5.6	10.0	18.0	24.9	32
0.1	0.4	0.9	1.6	3.0	5.7	8.5	33
1.9	6.3	11.1	13.7	19.8	24.8	28.6	34
2.5	9.4	18.1	22.1	32.5	40.4	41.5	35
1.5	3.7	5.0	6.4	9.3	13.4	20.5	36
0.2	1.0	2.0	3.5	5.6	9.0	12.3	37
0.3	1.4	3.1	5.9	9.8	15.4	22.0	38
0.2	0.6	1.0	1.4	2.4	4.9	7.4	39
0.1	0.4	1.1	2.7	4.6	8.1	11.0	40
0.1	0.5	1.7	4.5	8.1	14.0	20.1	41
0.1	0.3	0.6	1.0	2.0	4.5	6.5	42
1.2	5.3	9.3	11.6	15.3	19.0	25.7	43
1.8	8.4	15.5	19.1	25.8	31.0	39.6	44
0.7	2.8	3.9	5.1	6.7	10.3	17.0	45
0.1	0.2	0.5	1.0	1.7	2.6	2.9	46
0.1	0.2	0.6	1.3	2.4	4.5	4.6	47
0.1	0.2	0.4	0.7	1.1	1.4	2.1	48
0.0	0.1	0.4	0.8	1.4	2.3	3.0	49
0.0	0.1	0.4	1.1	2.0	4.1	4.9	50
0.0	0.1	0.3	0.6	1.0	1.2	2.0	51
0.7	1.0	1.8	2.1	4.5	5.7	2.9	52
0.7	1.0	2.6	3.1	6.7	9.4	1.9	53
0.7	1.0	1.1	1.3	2.7	3.1	3.4	54
-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	63
0.0	0.0	0.0	0.0	0.0	0.0	0.1	64
0.0	0.0	-	-	0.0	0.0	-	65
-	0.0	0.0	0.0	0.0	0.0	0.2	66
0.0	0.0	0.0	0.0	0.0	0.0	0.1	67
0.0	0.0	-	-	0.0	0.0	-	68
-	-	0.0	0.0	0.0	0.0	0.2	69
-	0.0	-	-	-	-	-	70
-	0.1	-	-	-	-	-	71
-	-	-	-	-	-	-	72
0.0	0.1	0.1	0.1	0.1	0.1	0.1	73
0.0	0.1	0.1	0.1	0.0	0.2	0.2	74
0.0	0.1	0.1	0.1	0.1	0.1	0.1	75
0.0	0.1	0.1	0.1	0.1	0.1	0.1	76
0.0	0.1	0.1	0.1	0.0	0.2	0.2	77
0.0	0.1	0.1	0.1	0.1	0.1	-	78
0.0	0.0	0.1	-	0.2	0.2	0.7	79
0.1	0.1	0.1	-	0.2	0.5	-	80
-	-	0.1	-	0.3	-	1.1	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX			TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	SEPTICEMIA-----	038	2.2	26.1	0.6	0.1	0.2
2		MALE-----	2.4	29.8	0.6	0.1	0.2
3		FEMALE-----	2.0	22.3	0.5	0.1	0.2
4	WHITE-----		1.9	21.7	0.5	0.1	0.2
5		MALE-----	2.1	24.7	0.5	0.1	0.2
6		FEMALE-----	1.8	18.5	0.4	0.1	0.2
7	ALL OTHER-----		3.8	48.8	1.0	0.2	0.4
8		MALE-----	4.3	56.0	1.2	0.1	0.3
9		FEMALE-----	3.3	41.4	0.8	0.2	0.5
10	ACUTE POLIOMYELITIS-----	040-043	0.0	-	-	-	-
11		MALE-----	0.0	-	-	-	-
12		FEMALE-----	0.0	-	-	-	-
13	WHITE-----		0.0	-	-	-	-
14		MALE-----	0.0	-	-	-	-
15		FEMALE-----	0.0	-	-	-	-
16	ALL OTHER-----		-	-	-	-	-
17		MALE-----	-	-	-	-	-
18		FEMALE-----	-	-	-	-	-
19	MEASLES-----	055	0.0	0.1	0.1	0.0	0.0
20		MALE-----	0.0	0.3	0.1	0.0	0.0
21		FEMALE-----	0.0	-	0.0	0.0	0.0
22	WHITE-----		0.0	0.1	0.0	0.0	0.0
23		MALE-----	0.0	0.2	0.1	0.0	0.0
24		FEMALE-----	0.0	-	0.0	0.0	0.0
25	ALL OTHER-----		0.0	0.2	0.1	-	-
26		MALE-----	0.0	0.4	0.2	-	-
27		FEMALE-----	0.0	-	0.1	-	-
28	SYPHILIS AND ITS SEQUELAE-----	090-097	0.2	0.3	-	0.0	0.0
29		MALE-----	0.3	0.3	-	0.0	-
30		FEMALE-----	0.1	0.3	-	-	0.0
31	WHITE-----		0.1	0.2	-	0.0	0.0
32		MALE-----	0.2	0.2	-	0.0	-
33		FEMALE-----	0.1	0.1	-	-	0.0
34	ALL OTHER-----		0.7	1.0	-	-	-
35		MALE-----	0.9	0.4	-	-	-
36		FEMALE-----	0.4	1.6	-	-	-
37	OTHER INFECTIVE AND PARASITIC DISEASES-----	REMAINDER OF 000-136	1.9	10.1	1.4	0.7	0.7
38		MALE-----	2.0	11.5	1.6	0.8	0.7
39		FEMALE-----	1.8	8.6	1.1	0.7	0.7
40	WHITE-----		1.8	8.8	1.3	0.8	0.6
41		MALE-----	1.9	10.4	1.5	0.8	0.6
42		FEMALE-----	1.7	7.1	0.7	0.7	0.6
43	ALL OTHER-----		3.1	16.7	1.7	0.7	1.2
44		MALE-----	3.1	17.1	1.7	0.8	1.0
45		FEMALE-----	3.0	16.3	1.6	0.5	1.4
46	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----	140-209	167.3	4.4	6.4	5.4	7.5
47		MALE-----	187.1	4.3	7.4	6.0	9.1
48		FEMALE-----	148.4	4.4	5.3	4.7	5.9
49	WHITE-----		170.9	4.5	6.6	5.4	7.6
50		MALE-----	189.6	4.5	7.6	6.2	9.3
51		FEMALE-----	153.0	4.5	5.5	4.6	5.9
52	ALL OTHER-----		142.8	3.5	5.4	5.1	7.0
53		MALE-----	170.1	3.5	6.2	5.1	8.0
54		FEMALE-----	117.9	3.6	4.7	5.1	6.1
55	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----	140-149	3.7	-	0.0	0.0	0.1
56		MALE-----	5.4	-	0.0	0.0	0.1
57		FEMALE-----	2.1	-	0.0	0.0	0.1
58	WHITE-----		3.7	-	0.0	0.0	0.1
59		MALE-----	5.4	-	0.0	0.0	0.1
60		FEMALE-----	2.2	-	0.0	0.0	0.0
61	ALL OTHER-----		3.7	-	-	0.1	0.2
62		MALE-----	5.8	-	-	0.1	0.2
63		FEMALE-----	1.8	-	-	0.1	0.1
64	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----	150-159	46.0	0.5	0.1	0.1	0.4
65		MALE-----	50.0	0.6	0.2	0.1	0.5
66		FEMALE-----	42.3	0.3	0.1	0.1	0.3
67	WHITE-----		46.8	0.5	0.2	0.1	0.3
68		MALE-----	50.2	0.7	0.2	0.1	0.4
69		FEMALE-----	43.5	0.3	0.1	0.1	0.3
70	ALL OTHER-----		40.8	0.4	0.1	0.1	0.7
71		MALE-----	46.4	0.4	0.2	0.2	0.9
72		FEMALE-----	33.8	0.4	-	0.1	0.5
73	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----	160-163	37.8	0.1	0.0	0.1	0.1
74		MALE-----	61.3	0.1	0.1	0.1	0.2
75		FEMALE-----	15.4	0.2	0.0	0.0	0.1
76	WHITE-----		38.7	0.2	0.0	0.1	0.1
77		MALE-----	62.4	0.1	0.1	0.1	0.1
78		FEMALE-----	16.0	0.2	-	0.0	0.1
79	ALL OTHER-----		31.9	-	0.0	0.1	0.2
80		MALE-----	54.2	-	-	0.1	0.3
81		FEMALE-----	11.5	-	0.1	0.1	0.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-29

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.3	0.6	1.5	3.0	6.9	15.6	27.7	1
0.3	0.7	1.8	3.6	9.0	20.5	32.8	2
0.3	0.5	1.3	2.5	5.4	12.5	25.2	3
0.2	0.4	1.2	2.6	6.1	14.6	26.4	4
0.2	0.4	1.4	3.2	8.0	19.0	30.8	5
0.2	0.4	0.9	2.1	4.7	11.9	24.2	6
1.0	2.0	4.4	7.1	14.8	27.5	42.1	7
1.2	2.7	4.8	7.8	18.4	36.6	50.9	8
0.8	1.4	4.0	6.5	11.8	20.9	36.4	9
0.0	0.0	0.0	0.0	0.0	-	-	10
0.0	0.0	0.0	0.0	0.0	-	-	11
-	-	0.0	-	-	-	-	12
0.0	0.0	0.0	0.0	0.0	-	-	13
0.0	0.0	0.0	0.0	0.0	-	-	14
-	-	0.0	-	-	-	-	15
-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	27
0.0	0.0	0.1	0.5	1.1	1.4	1.4	28
-	0.0	0.1	0.7	1.9	2.3	2.0	29
0.0	0.0	0.1	0.3	0.5	0.8	1.1	30
-	0.0	0.0	0.3	0.7	0.9	0.8	31
-	0.0	0.0	0.4	1.2	1.7	1.4	32
-	-	0.0	0.2	0.3	0.5	0.5	33
0.0	0.2	0.6	2.5	5.2	6.5	7.9	34
-	0.1	1.0	4.1	8.5	8.9	7.5	35
0.1	0.3	0.2	1.1	2.5	4.8	8.0	36
0.9	1.2	1.9	3.1	4.6	8.4	16.7	37
1.0	1.2	1.9	3.6	5.5	11.1	17.2	38
0.9	1.2	2.0	2.5	3.9	6.7	16.4	39
0.6	1.0	1.6	2.6	4.3	8.3	17.1	40
0.7	1.0	1.6	3.2	5.1	11.0	18.1	41
0.6	1.0	1.6	2.1	3.8	6.6	16.6	42
3.0	2.9	4.6	7.2	7.2	9.5	12.1	43
3.0	3.1	4.1	7.6	9.8	12.2	9.4	44
3.0	2.8	5.1	6.8	5.0	7.5	13.6	45
15.6	56.1	180.9	430.0	768.1	1,187.9	1,435.3	46
15.5	50.8	183.5	513.3	1,033.7	1,665.7	2,018.0	47
15.7	61.0	178.6	355.4	563.7	887.0	1,142.7	48
15.3	53.3	171.4	417.1	756.5	1,193.3	1,468.0	49
15.5	48.5	170.6	493.4	1,017.6	1,671.8	2,062.5	50
15.2	58.0	172.0	348.6	556.5	895.2	1,174.0	51
17.4	75.7	261.6	552.7	882.9	1,126.9	1,087.9	52
15.2	68.8	296.2	707.5	1,184.0	1,600.0	1,566.0	53
19.3	81.3	231.8	419.2	636.7	781.2	787.5	54
0.2	1.1	5.4	12.3	16.5	18.7	27.1	55
0.2	1.5	8.0	18.7	28.2	33.0	45.0	56
0.1	0.6	2.9	6.5	7.6	9.7	18.2	57
0.1	0.8	4.6	11.9	16.4	19.1	28.9	58
0.1	1.2	6.8	17.9	27.9	33.9	48.5	59
0.1	0.5	2.6	6.4	7.6	9.8	19.2	60
0.5	2.8	11.4	16.0	18.0	14.3	8.6	61
0.7	4.4	18.5	26.5	31.3	23.0	11.3	62
0.4	1.4	5.3	6.9	7.1	7.9	6.8	63
1.8	9.1	37.2	107.6	223.2	403.5	520.8	64
1.9	10.3	44.2	132.7	282.2	502.4	651.2	65
1.7	7.9	30.7	85.2	177.8	341.3	455.3	66
1.7	8.3	34.0	102.1	217.6	405.5	536.6	67
1.8	9.3	40.1	125.2	273.9	506.3	670.4	68
1.6	7.3	28.3	81.4	174.5	342.7	470.5	69
2.9	15.3	63.6	160.4	278.3	381.0	352.1	70
3.0	18.2	79.6	205.7	360.9	460.6	460.4	71
2.7	12.3	49.8	121.2	210.7	322.9	283.0	72
1.0	11.2	49.6	125.6	193.0	195.7	136.6	73
1.2	15.9	75.8	210.8	368.7	404.4	279.3	74
0.8	6.7	25.2	49.4	57.7	64.2	65.0	75
1.0	10.5	46.3	122.8	193.8	197.7	138.7	76
1.1	14.7	69.5	204.1	371.3	411.1	285.2	77
0.8	6.4	24.4	49.7	57.9	64.9	66.2	78
1.2	16.2	77.4	152.6	185.0	171.7	115.0	79
1.9	25.2	130.6	275.4	343.6	331.9	218.9	80
0.6	8.8	31.2	46.7	55.6	54.8	51.1	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category]

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—CON.						
1	MALIGNANT NEOPLASM OF BREAST-----174	15.3	-	-	0.0	0.1
2	MALE-----	0.3	-	-	-	-
3	FEMALE-----	29.6	-	-	0.0	0.2
4	WHITE-----	16.0	-	-	0.0	0.1
5	MALE-----	0.3	-	-	-	-
6	FEMALE-----	31.0	-	-	0.0	0.2
7	ALL OTHER-----	10.7	-	-	0.0	0.1
8	MALE-----	0.3	-	-	-	-
9	FEMALE-----	20.3	-	-	0.0	0.2
10	MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	20.3	-	0.1	0.1	0.8
11	MALE-----	19.4	-	0.1	0.0	1.1
12	FEMALE-----	21.1	-	0.0	0.1	0.5
13	WHITE-----	19.9	-	0.1	0.1	0.8
14	MALE-----	18.9	-	0.1	0.0	1.2
15	FEMALE-----	20.9	-	0.0	0.1	0.5
16	ALL OTHER-----	22.9	-	0.1	0.1	0.6
17	MALE-----	23.1	-	0.1	0.0	0.3
18	FEMALE-----	22.8	-	0.1	0.1	0.9
19	MALIGNANT NEOPLASMS OF URINARY ORGANS-----188, 189	7.6	0.2	0.4	0.2	0.1
20	MALE-----	10.4	0.3	0.4	0.2	0.1
21	FEMALE-----	4.9	0.1	0.3	0.2	0.1
22	WHITE-----	8.0	0.2	0.4	0.2	0.1
23	MALE-----	11.0	0.2	0.4	0.2	0.1
24	FEMALE-----	5.1	0.1	0.3	0.2	0.1
25	ALL OTHER-----	4.7	0.6	0.5	0.3	0.1
26	MALE-----	6.0	0.8	0.5	0.1	0.2
27	FEMALE-----	3.6	0.4	0.5	0.4	0.0
28	MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	20.3	2.0	2.8	1.9	2.6
29	MALE-----	21.9	1.8	2.9	1.9	3.1
30	FEMALE-----	18.9	2.1	2.6	1.9	2.1
31	WHITE-----	20.9	2.2	2.9	1.8	2.7
32	MALE-----	22.3	2.1	3.0	1.9	3.3
33	FEMALE-----	19.5	2.2	2.7	1.7	2.1
34	ALL OTHER-----	16.9	1.0	2.4	2.2	2.2
35	MALE-----	18.8	0.4	2.8	1.8	2.0
36	FEMALE-----	15.1	1.6	2.1	2.6	2.4
37	LEUKEMIA-----204-207	6.9	1.3	2.4	2.5	1.9
38	MALE-----	8.1	1.3	2.9	2.9	2.4
39	FEMALE-----	5.8	1.3	1.9	2.0	1.5
40	WHITE-----	7.2	1.2	2.5	2.6	2.0
41	MALE-----	8.4	1.1	3.0	3.0	2.4
42	FEMALE-----	6.1	1.4	2.0	2.2	1.6
43	ALL OTHER-----	4.6	1.6	2.0	1.8	1.7
44	MALE-----	5.6	1.9	2.3	2.2	2.4
45	FEMALE-----	3.7	1.2	1.6	1.3	0.9
46	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	9.3	0.2	0.5	0.6	1.4
47	MALE-----	10.4	0.2	0.6	0.8	1.7
48	FEMALE-----	8.3	0.3	0.3	0.3	1.1
49	WHITE-----	9.7	0.3	0.5	0.6	1.4
50	MALE-----	10.7	0.3	0.7	0.9	1.7
51	FEMALE-----	8.8	0.3	0.3	0.3	1.1
52	ALL OTHER-----	6.5	-	0.3	0.5	1.2
53	MALE-----	7.8	-	0.3	0.7	1.7
54	FEMALE-----	5.3	-	0.3	0.4	0.8
55	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.4	1.6	0.5	0.4	0.3
56	MALE-----	2.4	1.1	0.5	0.4	0.4
57	FEMALE-----	2.4	2.0	0.4	0.4	0.3
58	WHITE-----	2.4	1.6	0.4	0.4	0.3
59	MALE-----	2.4	1.3	0.5	0.4	0.4
60	FEMALE-----	2.4	1.9	0.4	0.4	0.3
61	ALL OTHER-----	2.5	1.4	0.5	0.3	0.3
62	MALE-----	2.3	0.4	0.4	0.4	0.4
63	FEMALE-----	2.6	2.4	0.5	0.2	0.3
64	DIABETES MELLITUS-----250	18.2	0.5	0.1	0.2	0.5
65	MALE-----	15.3	0.7	0.1	0.1	0.5
66	FEMALE-----	20.9	0.3	0.1	0.2	0.5
67	WHITE-----	17.4	0.4	0.1	0.2	0.5
68	MALE-----	14.9	0.5	0.2	0.1	0.5
69	FEMALE-----	19.9	0.3	0.1	0.3	0.4
70	ALL OTHER-----	23.4	1.0	0.0	0.1	0.8
71	MALE-----	18.2	1.6	-	0.1	0.7
72	FEMALE-----	28.2	0.4	0.1	0.2	0.8
73	AMINOACIDS AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	3.4	0.1	0.0	0.0
74	MALE-----	1.1	3.7	0.1	0.0	0.0
75	FEMALE-----	1.4	3.1	0.1	0.0	0.0
76	WHITE-----	1.2	2.4	0.1	0.0	0.0
77	MALE-----	1.0	2.8	0.1	0.0	0.0
78	FEMALE-----	1.4	1.9	0.1	0.0	0.1
79	ALL OTHER-----	1.5	8.5	0.4	0.1	0.0
80	MALE-----	1.6	8.2	0.4	0.1	0.0
81	FEMALE-----	1.5	8.8	0.4	0.1	-

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-31

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
1.7	9.9	27.0	43.0	57.7	79.5	113.8	1
0.0	0.1	0.3	0.8	1.4	2.6	3.1	2
3.4	19.2	51.9	80.8	101.1	128.0	169.4	3
1.6	9.5	26.8	43.5	58.3	82.0	117.5	4
0.0	0.1	0.3	0.8	1.4	2.7	2.6	5
3.2	18.5	51.8	81.8	101.9	131.4	174.3	6
2.5	12.8	28.9	38.9	51.8	49.9	74.3	7
0.1	0.1	0.6	1.5	1.5	1.9	7.5	8
4.5	23.4	53.6	71.1	92.8	84.9	113.6	9
2.3	6.7	18.3	40.9	90.7	182.9	244.1	10
1.6	1.4	3.6	24.4	105.5	309.3	514.3	11
2.9	11.7	32.0	55.6	79.4	103.3	108.4	12
2.1	6.0	16.9	37.7	84.3	175.9	240.9	13
1.8	1.4	3.2	21.1	95.5	296.2	508.3	14
2.5	10.5	29.8	52.7	75.7	101.1	108.7	15
3.2	11.3	30.2	70.9	153.9	265.5	277.9	16
0.4	0.8	7.6	56.9	199.5	450.7	560.4	17
5.6	20.0	49.9	83.0	116.6	130.5	104.5	18
0.2	1.2	5.4	16.9	36.9	68.4	93.1	19
0.3	1.7	7.8	25.3	59.4	113.0	153.2	20
0.2	0.7	3.2	9.4	19.5	40.3	62.9	21
0.2	1.2	5.3	16.9	37.1	70.3	97.4	22
0.3	1.8	7.7	25.4	60.7	117.3	163.5	23
0.2	0.7	3.0	9.2	19.0	41.1	64.7	24
0.2	0.9	6.5	17.4	34.6	45.7	47.9	25
0.2	1.3	8.4	24.3	47.1	67.6	54.7	26
0.2	0.6	4.8	11.4	24.4	29.8	43.2	27
3.9	9.8	23.6	50.5	82.3	125.0	171.5	28
4.8	11.2	26.7	55.8	102.5	149.0	200.9	29
3.1	8.6	20.8	42.2	66.8	109.9	156.8	30
4.0	9.8	23.1	49.4	80.8	125.4	174.6	31
4.9	11.2	25.9	58.5	100.7	148.8	205.1	32
3.2	8.5	20.5	41.3	65.6	110.8	159.5	33
3.3	10.2	27.8	61.0	97.2	120.4	139.3	34
3.9	11.2	33.0	72.8	119.6	150.2	158.5	35
2.9	9.4	23.3	50.8	78.8	98.6	126.1	36
2.0	2.9	5.1	11.6	25.1	50.4	69.6	37
2.3	3.5	6.0	14.6	33.8	72.0	99.3	38
1.8	2.4	4.3	8.9	18.5	36.7	54.7	39
2.0	3.0	5.2	11.5	25.3	51.8	72.8	40
2.2	3.6	6.1	14.5	34.3	74.1	104.3	41
1.8	2.4	4.3	8.8	18.5	37.9	57.3	42
2.1	2.5	4.8	12.2	23.1	33.9	35.0	43
2.7	2.5	5.6	15.1	28.7	49.8	50.9	44
1.6	2.6	4.1	9.7	18.5	22.3	25.0	45
2.4	4.2	9.3	21.5	42.6	63.8	58.7	46
3.2	5.3	11.0	26.2	52.0	80.0	71.7	47
1.7	3.1	7.6	17.4	35.4	53.7	52.1	48
2.6	4.2	9.0	21.4	42.8	65.5	60.6	49
3.3	5.4	10.9	25.9	52.0	81.5	74.6	50
1.9	3.1	7.3	17.3	35.7	55.6	53.7	51
1.5	3.9	11.1	23.4	41.1	44.2	37.9	52
2.2	5.0	12.3	29.2	51.8	64.3	43.4	53
0.9	2.9	9.9	18.3	32.2	29.5	34.1	54
0.6	1.5	2.8	5.3	8.9	14.1	19.6	55
0.5	1.3	2.8	6.0	10.9	16.2	21.8	56
0.7	1.6	2.9	4.7	7.3	12.8	18.4	57
0.6	1.3	2.6	5.1	8.5	14.1	19.9	58
0.5	1.2	2.7	5.8	10.4	16.3	22.7	59
0.7	1.4	2.5	4.5	7.0	12.7	18.5	60
0.8	2.5	4.5	7.4	13.1	14.5	16.4	61
0.6	1.9	3.2	8.2	15.8	16.0	13.2	62
1.1	2.9	5.6	6.7	10.8	13.4	18.2	63
2.0	4.6	11.8	34.1	85.4	179.7	245.9	64
2.2	5.2	12.4	33.7	81.4	167.0	234.9	65
1.7	4.0	11.1	34.4	83.5	187.8	251.4	66
1.7	3.7	9.4	28.8	77.2	176.7	248.3	67
1.8	4.4	10.6	30.2	76.5	166.0	242.8	68
1.6	3.0	8.2	27.5	77.8	183.4	251.1	69
4.1	11.0	32.0	84.5	165.3	215.0	220.0	70
5.6	11.6	28.2	67.8	126.9	177.5	156.6	71
2.9	10.5	35.4	98.9	196.3	242.5	255.7	72
0.1	0.2	0.4	1.1	3.4	12.3	47.9	73
0.1	0.2	0.5	1.2	3.9	13.6	44.2	74
0.1	0.3	0.4	1.1	3.0	11.4	49.7	75
0.1	0.2	0.4	1.0	3.0	11.7	47.5	76
0.1	0.2	0.3	1.0	3.4	13.0	43.6	77
0.1	0.2	0.4	0.9	2.8	10.9	49.4	78
0.2	0.7	0.8	2.9	6.8	19.2	51.4	79
0.3	0.6	1.5	2.7	8.4	20.2	49.1	80
0.1	0.7	0.2	3.0	5.5	18.5	52.3	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
1	ANEMIAS-----280-285	1.6	1.8	0.6	0.3	0.4
2	MALE-----	1.5	2.2	0.7	0.4	0.5
3	FEMALE-----	1.6	1.4	0.6	0.3	0.4
4	WHITE-----	1.4	0.9	0.3	0.2	0.3
5	MALE-----	1.4	1.0	0.3	0.2	0.3
6	FEMALE-----	1.5	0.7	0.3	0.2	0.2
7	ALL OTHER-----	2.6	6.7	2.4	0.9	1.6
8	MALE-----	2.8	8.6	2.7	1.0	1.7
9	FEMALE-----	2.5	4.8	2.1	0.8	1.4
10	MENINGITIS-----320	0.7	16.0	1.6	0.2	0.1
11	MALE-----	0.8	17.6	1.8	0.3	0.1
12	FEMALE-----	0.6	14.3	1.5	0.2	0.1
13	WHITE-----	0.6	12.4	1.4	0.2	0.1
14	MALE-----	0.6	13.9	1.5	0.3	0.1
15	FEMALE-----	0.5	10.8	1.2	0.2	0.1
16	ALL OTHER-----	1.8	34.3	3.0	0.3	0.4
17	MALE-----	2.0	36.6	3.4	0.3	0.4
18	FEMALE-----	1.6	31.9	2.5	0.3	0.4
19	MAJOR CARDIOVASCULAR DISEASES-----390-448	494.4	28.4	3.2	1.7	4.6
20	MALE-----	539.4	31.3	3.5	1.8	5.3
21	FEMALE-----	451.7	25.3	3.0	1.7	4.0
22	WHITE-----	509.4	21.3	2.7	1.5	3.9
23	MALE-----	555.7	23.1	2.9	1.5	4.6
24	FEMALE-----	465.1	19.4	2.5	1.5	3.2
25	ALL OTHER-----	392.2	64.2	5.8	2.7	9.2
26	MALE-----	425.4	73.2	6.5	3.0	10.2
27	FEMALE-----	361.7	55.0	5.1	2.4	8.3
28	DISEASES OF HEART-----390-398,402,404,410-429	360.8	23.0	2.1	1.0	2.9
29	MALE-----	415.2	25.8	2.3	1.1	3.5
30	FEMALE-----	309.1	20.1	1.8	0.9	2.3
31	WHITE-----	373.9	16.7	1.7	0.9	2.3
32	MALE-----	430.9	18.4	1.9	0.9	2.9
33	FEMALE-----	319.4	14.9	1.5	0.9	1.7
34	ALL OTHER-----	271.3	54.7	4.2	1.7	6.2
35	MALE-----	305.9	63.4	4.7	2.1	7.0
36	FEMALE-----	239.7	45.8	3.6	1.4	5.4
37	ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.5	0.1	0.1	0.2	0.5
38	MALE-----	6.0	0.1	0.2	0.2	0.6
39	FEMALE-----	7.0	0.1	0.1	0.2	0.4
40	WHITE-----	6.8	0.1	0.1	0.1	0.4
41	MALE-----	6.2	0.1	0.2	0.2	0.5
42	FEMALE-----	7.5	0.2	0.0	0.1	0.3
43	ALL OTHER-----	4.5	-	0.2	0.4	1.4
44	MALE-----	4.9	-	0.2	0.4	1.5
45	FEMALE-----	4.2	-	0.3	0.5	1.4
46	HYPERTENSIVE HEART DISEASE-----402	3.5	0.1	0.0	0.0	0.0
47	MALE-----	2.9	0.1	-	-	0.0
48	FEMALE-----	4.0	-	0.0	0.0	0.0
49	WHITE-----	3.1	0.0	0.0	-	0.0
50	MALE-----	2.4	0.1	-	-	0.0
51	FEMALE-----	3.7	-	0.0	-	0.0
52	ALL OTHER-----	6.0	0.2	-	0.0	0.1
53	MALE-----	5.7	-	-	-	0.2
54	FEMALE-----	6.3	-	-	0.1	0.0
55	HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.6	-	-	0.0	0.0
56	MALE-----	2.5	-	-	0.0	0.0
57	FEMALE-----	2.7	-	-	0.0	-
58	WHITE-----	2.5	-	-	0.0	0.0
59	MALE-----	2.4	-	-	0.0	0.0
60	FEMALE-----	2.7	-	-	-	-
61	ALL OTHER-----	3.2	-	-	0.0	0.1
62	MALE-----	3.4	-	-	-	0.2
63	FEMALE-----	3.0	-	-	0.0	-
64	ISCHEMIC HEART DISEASE-----410-413	326.0	0.9	0.1	0.1	0.5
65	MALE-----	378.5	1.1	0.0	0.1	0.7
66	FEMALE-----	276.0	0.7	0.1	0.1	0.3
67	WHITE-----	340.5	0.8	0.1	0.1	0.4
68	MALE-----	396.1	0.9	0.0	0.1	0.6
69	FEMALE-----	287.3	0.7	0.1	0.1	0.2
70	ALL OTHER-----	227.0	1.6	0.0	0.2	1.1
71	MALE-----	255.8	2.3	-	0.2	1.3
72	FEMALE-----	200.7	0.8	0.1	0.1	0.9
73	ACUTE MYOCARDIAL INFARCTION-----410	167.6	0.6	0.0	0.0	0.3
74	MALE-----	215.7	0.8	-	0.0	0.5
75	FEMALE-----	121.8	0.5	0.0	0.0	0.2
76	WHITE-----	177.8	0.5	0.0	0.0	0.3
77	MALE-----	229.9	0.7	-	0.0	0.4
78	FEMALE-----	128.1	0.4	0.0	0.0	0.1
79	ALL OTHER-----	97.5	1.0	-	0.1	0.7
80	MALE-----	116.6	1.2	-	0.1	0.9
81	FEMALE-----	80.1	0.8	-	0.1	0.6

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-33

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.5	0.5	0.8	1.8	4.7	14.0	33.6	1
0.5	0.6	0.8	2.1	5.1	15.9	40.4	2
0.5	0.5	0.9	1.6	4.3	12.8	30.2	3
0.2	0.2	0.6	1.6	4.4	14.2	34.9	4
0.2	0.2	0.6	1.8	4.9	16.3	41.8	5
0.2	0.2	0.6	1.4	4.0	12.9	31.5	6
2.6	2.7	2.8	3.7	7.3	11.5	20.0	7
2.9	3.1	2.5	4.9	6.5	11.7	26.4	8
2.4	2.4	3.0	2.8	7.8	11.3	15.9	9
0.1	0.3	0.6	0.7	1.2	1.5	1.7	10
0.2	0.3	0.8	0.9	1.5	1.6	2.2	11
0.1	0.3	0.4	0.6	1.0	1.4	1.5	12
0.1	0.2	0.4	0.5	1.0	1.2	1.5	13
0.1	0.2	0.6	0.7	1.2	1.2	1.4	14
0.1	0.2	0.2	0.4	0.8	1.2	1.1	15
8.4	8.9	2.0	2.3	3.8	4.4	3.6	16
0.6	0.9	2.6	3.0	4.0	5.2	5.7	17
0.2	0.9	1.5	1.7	3.6	3.8	5.7	18
15.3	78.0	272.6	764.4	1,919.4	5,194.8	12,812.1	19
18.4	110.8	409.7	1,125.7	2,642.6	6,303.7	13,750.3	20
12.3	46.8	144.8	441.1	1,362.5	4,497.2	12,549.8	21
12.1	67.0	249.5	725.4	1,860.6	5,244.2	13,227.9	22
14.9	99.8	388.0	1,096.2	2,615.5	6,407.5	14,257.6	23
9.4	35.2	119.3	392.4	1,282.0	4,519.0	12,718.8	24
38.1	156.4	467.7	1,136.8	2,498.4	6,620.6	8,386.4	25
45.5	195.8	600.4	1,413.6	2,893.6	7,186.9	8,771.7	26
31.9	123.8	352.4	897.9	2,173.2	4,207.3	8,059.1	27
10.0	60.5	224.5	626.0	1,461.6	3,609.2	8,392.1	28
13.5	93.1	356.7	954.6	2,068.2	4,519.5	9,308.6	29
6.7	29.5	101.2	332.0	994.5	3,036.6	7,916.8	30
8.0	54.1	210.8	605.0	1,434.2	3,655.8	8,655.0	31
11.1	86.7	345.1	943.7	2,068.2	4,609.4	9,664.1	32
5.0	22.5	84.6	300.8	948.3	3,061.4	8,156.1	33
24.5	106.1	339.7	827.5	1,732.5	3,065.0	5,477.9	34
31.6	142.2	458.7	1,061.2	2,064.7	3,551.6	5,826.4	35
18.4	76.2	236.3	625.7	1,459.6	2,709.9	5,203.7	36
1.3	3.7	8.3	18.3	28.2	35.6	41.8	37
1.5	3.9	8.6	18.7	27.6	35.1	37.1	38
1.2	3.5	8.1	18.0	28.6	35.9	44.2	39
1.1	3.4	8.4	18.6	29.3	36.9	43.2	40
1.2	3.5	8.6	18.8	28.2	36.3	37.5	41
0.9	3.2	8.1	18.5	30.1	37.3	45.9	42
3.2	5.6	8.2	15.4	17.5	19.6	27.9	43
3.3	6.5	8.8	18.0	21.8	22.5	32.1	44
3.1	4.8	7.6	13.2	13.9	17.5	25.0	45
0.2	0.7	2.4	5.9	13.8	34.8	77.2	46
0.2	0.8	2.8	6.6	14.3	30.8	52.5	47
0.2	0.7	2.0	5.3	13.4	37.3	89.7	48
0.1	0.4	1.6	4.4	11.1	33.0	76.7	49
0.1	0.5	2.0	5.1	11.5	28.7	49.9	50
0.0	0.3	1.3	3.7	10.9	35.7	90.0	51
1.0	2.9	8.9	20.3	40.1	55.6	82.9	52
0.9	3.2	9.8	20.8	40.9	53.5	75.5	53
1.0	2.8	8.1	19.8	39.3	57.2	86.4	54
0.0	0.2	0.8	2.5	8.2	31.0	103.1	55
0.1	0.1	1.0	3.2	9.9	37.3	114.3	56
0.0	0.2	0.7	2.0	6.8	27.0	97.4	57
0.0	0.1	0.4	1.8	6.9	30.3	106.7	58
0.0	0.1	0.5	2.2	8.5	36.9	118.5	59
0.0	0.1	0.3	1.4	5.7	26.1	100.9	60
0.2	0.8	4.1	9.8	20.2	39.6	64.3	61
0.2	0.6	5.0	12.5	22.9	41.3	73.6	62
0.2	1.0	3.3	7.5	18.0	38.4	58.0	63
5.1	48.3	194.9	559.5	1,333.4	3,322.9	7,692.6	64
7.8	78.6	319.3	870.3	1,906.3	4,181.0	8,564.6	65
2.5	19.4	78.9	281.4	892.2	2,782.9	7,254.6	66
4.4	44.5	185.5	545.3	1,316.6	3,377.7	7,960.7	67
6.9	75.4	312.9	867.0	1,518.9	4,281.8	8,920.7	68
1.9	14.6	65.8	256.4	855.0	2,814.2	7,486.0	69
10.1	75.0	274.1	694.9	1,500.2	2,681.2	4,839.3	70
14.7	103.6	375.6	902.0	1,784.2	3,095.3	5,090.6	71
6.1	51.3	185.8	516.1	1,267.0	2,379.1	4,633.0	72
3.5	33.8	134.5	368.9	774.9	1,508.8	2,418.4	73
5.5	56.8	226.2	590.6	1,154.2	2,029.7	3,004.4	74
1.6	12.0	49.0	170.5	482.8	1,180.9	2,124.1	75
3.2	33.2	133.7	371.7	788.6	1,552.7	2,503.2	76
5.1	57.0	229.2	604.3	1,191.5	2,107.6	3,138.7	77
1.3	10.1	43.9	162.9	479.8	1,206.9	2,189.0	78
5.8	38.3	141.4	341.4	642.4	992.7	1,515.7	79
8.7	54.9	200.3	456.9	799.5	1,191.1	1,698.1	80
2.3	24.5	90.3	241.8	513.8	847.9	1,288.6	81

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON. DISEASES OF HEART--CON.						
1	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.1	0.0	-	0.0	0.0
2	MALE-----	2.8	0.1	-	-	0.0
3	FEMALE-----	1.5	-	-	0.0	0.0
4	WHITE-----	2.1	-	-	0.0	0.0
5	MALE-----	2.8	-	-	-	0.0
6	FEMALE-----	1.5	-	-	0.0	0.0
7	ALL OTHER-----	2.2	0.2	-	-	-
8	MALE-----	3.0	0.4	-	-	-
9	FEMALE-----	1.5	-	-	-	-
10	CHRONIC ISCHEMIC HEART DISEASE-----412	156.2	0.3	0.1	0.1	0.2
11	MALE-----	159.9	0.3	0.0	0.1	0.2
12	FEMALE-----	152.6	0.3	0.1	0.0	0.1
13	WHITE-----	160.4	0.3	0.1	0.0	0.1
14	MALE-----	163.3	0.2	0.0	0.0	0.2
15	FEMALE-----	157.7	0.3	0.1	0.1	0.1
16	ALL OTHER-----	127.2	0.4	0.0	0.1	0.3
17	MALE-----	136.2	0.8	-	0.2	0.4
18	FEMALE-----	119.0	-	0.1	0.0	0.3
19	ANGINA PECTORIS-----413	0.1	-	-	-	-
20	MALE-----	0.1	-	-	-	-
21	FEMALE-----	0.1	-	-	-	-
22	WHITE-----	0.1	-	-	-	-
23	MALE-----	0.1	-	-	-	-
24	FEMALE-----	0.1	-	-	-	-
25	ALL OTHER-----	0.0	-	-	-	-
26	MALE-----	0.0	-	-	-	-
27	FEMALE-----	0.1	-	-	-	-
28	CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	2.4	1.1	0.3	0.1	0.2
29	MALE-----	2.4	1.2	0.3	0.1	0.3
30	FEMALE-----	2.5	1.1	0.2	0.1	0.2
31	WHITE-----	2.4	0.7	0.2	0.1	0.2
32	MALE-----	2.4	0.7	0.3	0.1	0.2
33	FEMALE-----	2.5	0.6	0.1	0.1	0.2
34	ALL OTHER-----	2.5	3.5	0.7	0.2	0.4
35	MALE-----	2.8	3.9	0.6	0.3	0.5
36	FEMALE-----	2.3	3.2	0.7	0.1	0.4
37	ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	19.7	20.8	1.6	0.6	1.5
38	MALE-----	22.9	23.3	1.8	0.6	1.8
39	FEMALE-----	16.7	18.2	1.5	0.6	1.3
40	WHITE-----	18.5	15.1	1.3	0.6	1.3
41	MALE-----	21.4	16.7	1.4	0.5	1.5
42	FEMALE-----	15.7	13.4	1.3	0.6	1.0
43	ALL OTHER-----	20.0	49.4	3.2	0.9	3.0
44	MALE-----	33.3	56.8	3.9	1.2	3.4
45	FEMALE-----	23.2	41.8	2.5	0.6	2.7
46	HYPERTENSION-----400,401,403	3.5	0.0	0.0	0.0	0.1
47	MALE-----	3.6	-	-	0.0	0.1
48	FEMALE-----	3.4	0.1	0.0	0.0	0.0
49	WHITE-----	3.2	0.0	0.0	0.0	0.0
50	MALE-----	3.3	-	-	0.0	0.0
51	FEMALE-----	3.1	0.1	0.0	0.0	0.0
52	ALL OTHER-----	5.9	-	0.0	-	0.1
53	MALE-----	6.1	-	-	-	0.2
54	FEMALE-----	5.8	-	0.1	-	0.1
55	CEREBROVASCULAR DISEASES-----430-438	102.1	4.3	1.0	0.6	1.4
56	MALE-----	91.8	4.4	1.0	0.6	1.4
57	FEMALE-----	111.9	4.3	1.0	0.6	1.4
58	WHITE-----	102.7	3.6	1.0	0.6	1.2
59	MALE-----	91.2	3.6	0.9	0.5	1.2
60	FEMALE-----	113.7	3.6	1.0	0.6	1.2
61	ALL OTHER-----	98.1	7.9	1.5	0.8	2.5
62	MALE-----	96.1	8.2	1.7	0.8	2.6
63	FEMALE-----	99.9	7.6	1.3	0.9	2.3
64	CEREBRAL HEMORRHAGE-----431	16.2	1.9	0.3	0.2	0.4
65	MALE-----	15.2	1.8	0.3	0.2	0.4
66	FEMALE-----	17.0	2.0	0.2	0.2	0.4
67	WHITE-----	15.8	1.5	0.2	0.2	0.3
68	MALE-----	14.7	1.2	0.3	0.2	0.3
69	FEMALE-----	16.8	1.8	0.2	0.2	0.3
70	ALL OTHER-----	18.9	3.9	0.4	0.3	0.8
71	MALE-----	19.2	4.7	0.6	0.3	1.0
72	FEMALE-----	18.7	3.2	0.3	0.3	0.7
73	CEREBRAL THROMBOSIS-----433	27.0	0.2	0.1	0.0	0.1
74	MALE-----	23.8	0.2	0.1	0.0	0.1
75	FEMALE-----	30.0	0.2	0.0	0.0	0.1
76	WHITE-----	27.8	0.2	0.1	0.0	0.1
77	MALE-----	24.2	0.2	0.1	0.0	0.0
78	FEMALE-----	31.2	0.1	0.0	0.0	0.1
79	ALL OTHER-----	21.8	0.4	0.0	-	0.1
80	MALE-----	21.5	-	-	-	0.2
81	FEMALE-----	22.0	0.8	0.1	-	0.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1	0.7	2.4	5.0	8.8	15.9	35.3	1
0.1	1.1	3.9	7.8	13.7	22.7	40.4	2
0.1	0.3	0.9	2.5	5.0	11.7	32.7	3
0.1	0.6	2.2	4.7	8.3	15.9	35.9	4
0.1	0.9	3.7	7.4	13.0	22.5	40.0	5
0.0	0.2	0.7	2.3	4.6	11.7	33.9	6
0.2	1.6	4.2	8.4	13.7	16.6	28.6	7
0.1	2.2	6.0	12.3	19.6	24.4	43.4	8
0.2	1.0	2.7	5.1	8.9	11.0	19.3	9
1.5	13.7	58.0	185.4	549.3	1,797.4	5,237.0	10
2.2	20.8	89.1	271.7	737.9	2,127.3	5,517.1	11
0.8	7.1	29.0	108.2	404.1	1,589.9	5,096.3	12
1.1	10.8	49.6	168.8	519.3	1,808.3	5,419.7	13
1.7	17.4	79.9	255.3	713.7	2,150.3	5,739.1	14
0.6	4.3	21.2	91.1	370.4	1,595.0	5,261.7	15
4.1	35.1	128.4	344.8	843.8	1,671.9	3,292.9	16
5.8	46.4	169.3	432.5	965.1	1,879.8	3,347.2	17
2.6	25.8	92.8	269.1	743.8	1,520.2	3,222.7	18
0.0	0.0	0.1	0.1	0.4	0.8	1.9	19
0.0	0.0	0.1	0.2	0.6	1.2	2.8	20
—	0.0	0.0	0.1	0.2	0.5	1.5	21
0.0	0.0	0.1	0.1	0.4	0.8	1.9	22
0.0	0.0	0.1	0.2	0.6	1.4	2.8	23
—	0.0	0.0	0.1	0.2	0.5	1.4	24
—	—	0.1	0.2	0.3	—	2.1	25
—	—	0.1	0.2	0.2	—	1.9	26
—	—	0.1	0.2	0.6	—	2.3	27
0.4	0.7	1.6	3.4	7.0	22.4	75.3	28
0.4	0.9	1.9	4.6	9.0	25.3	74.9	29
0.3	0.6	1.4	2.4	5.5	20.5	75.5	30
0.3	0.6	1.4	3.3	6.6	21.9	77.2	31
0.3	0.7	1.7	4.4	8.4	24.9	75.7	32
0.2	0.5	1.2	2.2	5.3	20.1	77.9	33
1.1	1.5	3.4	5.2	10.9	28.1	55.0	34
1.1	1.8	3.9	6.0	14.5	30.0	66.0	35
1.1	1.2	3.0	4.5	8.0	26.7	47.7	36
3.0	7.0	16.3	36.4	71.0	162.6	392.1	37
3.5	8.8	23.0	51.3	101.0	210.0	465.3	38
2.5	5.2	10.1	23.0	47.9	132.7	355.4	39
2.2	5.1	13.4	31.6	63.6	156.0	390.6	40
2.5	6.5	19.3	46.1	92.6	200.8	461.9	41
1.8	3.7	7.9	18.6	41.3	128.0	355.4	42
9.1	20.2	41.0	81.9	145.5	249.8	408.6	43
11.5	26.6	55.7	101.8	180.4	308.9	488.7	44
7.0	14.9	28.3	64.7	113.3	191.1	355.7	45
0.3	1.1	2.1	4.8	12.1	37.3	97.4	46
0.3	1.3	2.4	5.6	15.2	48.3	120.6	47
0.4	1.0	1.9	4.1	9.7	30.4	85.8	48
0.1	0.5	1.2	3.3	10.2	35.8	98.9	49
0.1	0.6	1.6	3.9	13.6	46.4	121.9	50
0.1	0.5	0.9	2.8	7.6	29.1	87.6	51
1.9	5.4	9.7	18.9	30.9	55.6	81.4	52
2.0	6.4	9.7	21.9	30.5	68.1	105.7	53
1.8	4.5	9.8	16.3	31.1	46.6	65.9	54
4.2	14.0	38.8	106.9	355.1	1,233.5	3,197.9	55
3.9	13.8	40.9	125.9	425.0	1,338.5	3,133.8	56
4.5	14.1	36.8	90.0	301.3	1,167.6	3,230.1	57
3.3	10.2	30.8	91.3	326.8	1,232.2	3,292.7	58
3.0	10.1	32.4	109.2	397.9	1,342.9	3,228.6	59
3.6	10.3	29.3	75.2	272.2	1,162.9	3,324.4	60
10.8	41.0	105.7	256.8	633.1	1,251.7	2,189.3	61
10.9	42.6	115.1	289.6	680.5	1,291.1	2,192.5	62
10.7	39.6	97.6	228.5	593.6	1,222.9	2,162.5	63
1.1	4.6	12.5	28.2	64.1	156.9	316.9	64
1.2	4.9	13.6	33.0	74.6	168.2	297.8	65
1.0	4.3	11.6	23.9	56.0	149.8	326.5	66
0.7	2.9	9.7	24.6	60.1	157.9	325.8	67
0.7	3.1	10.7	29.1	70.8	170.0	306.5	68
0.7	2.6	8.7	20.6	51.9	150.4	335.4	69
3.8	17.0	36.6	62.2	103.3	148.1	222.1	70
4.7	18.4	39.0	71.4	109.8	148.4	211.3	71
3.0	15.8	34.6	54.2	97.8	142.8	226.1	72
0.2	0.8	4.4	20.7	92.5	360.4	964.4	73
0.2	0.9	5.3	25.9	111.7	386.1	940.0	74
0.2	0.7	3.6	16.1	77.8	343.0	976.7	75
0.1	0.6	3.4	17.7	85.8	362.3	997.9	76
0.1	0.6	4.0	22.4	105.0	393.1	973.0	77
0.2	0.6	2.8	13.4	71.1	343.0	1,010.2	78
0.4	2.3	13.0	50.0	158.6	338.4	607.9	79
0.5	3.0	16.3	60.1	174.9	334.3	615.1	80
0.3	1.7	10.2	41.3	145.1	341.4	596.6	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
MAJOR CARDIOVASCULAR DISEASES--CON. CEREBROVASCULAR DISEASES--CON.						
1	CEREBRAL EMBOLISM-----434	0.5	0.0	-	0.0	0.0
2	MALE-----	0.4	-	-	-	0.0
3	FEMALE-----	0.5	0.1	-	0.0	0.0
4	WHITE-----	0.5	0.0	-	0.0	-
5	MALE-----	0.4	-	-	-	-
6	FEMALE-----	0.5	0.1	-	0.0	-
7	ALL OTHER-----	0.3	-	-	-	0.1
8	MALE-----	0.3	-	-	-	0.0
9	FEMALE-----	0.3	-	-	-	0.1
10	ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	58.5	2.2	0.7	0.4	0.9
11	MALE-----	52.3	2.4	0.6	0.4	1.0
12	FEMALE-----	64.4	2.0	0.8	0.4	0.9
13	WHITE-----	58.7	1.9	0.6	0.3	0.8
14	MALE-----	51.9	2.2	0.5	0.3	0.9
15	FEMALE-----	65.2	1.7	0.8	0.3	0.8
16	ALL OTHER-----	57.1	3.5	1.0	0.5	1.5
17	MALE-----	55.1	3.5	1.1	0.5	1.5
18	FEMALE-----	58.9	3.6	1.0	0.5	1.5
19	ARTERIOSCLEROSIS-----440	15.5	-	-	-	0.0
20	MALE-----	13.1	-	-	-	-
21	FEMALE-----	17.9	-	-	-	0.0
22	WHITE-----	16.5	-	-	-	0.0
23	MALE-----	13.8	-	-	-	-
24	FEMALE-----	19.1	-	-	-	0.0
25	ALL OTHER-----	8.9	-	-	-	0.0
26	MALE-----	8.5	-	-	-	-
27	FEMALE-----	9.2	-	-	-	0.0
28	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.4	1.0	0.1	0.1	0.3
29	MALE-----	15.6	1.1	0.1	0.1	0.4
30	FEMALE-----	9.4	0.9	0.0	0.1	0.3
31	WHITE-----	13.1	0.9	0.1	0.1	0.3
32	MALE-----	16.6	1.0	0.1	0.1	0.4
33	FEMALE-----	9.7	0.8	0.0	0.1	0.2
34	ALL OTHER-----	8.0	1.6	0.1	0.1	0.4
35	MALE-----	8.8	1.6	0.1	0.1	0.4
36	FEMALE-----	7.2	1.6	0.1	0.2	0.4
37	ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.4	5.5	0.5	0.0	0.0
38	MALE-----	0.5	6.2	0.6	0.1	0.0
39	FEMALE-----	0.4	4.9	0.5	0.0	0.0
40	WHITE-----	0.4	4.8	0.5	0.1	0.0
41	MALE-----	0.5	5.3	0.5	0.1	0.0
42	FEMALE-----	0.4	4.2	0.4	0.0	0.0
43	ALL OTHER-----	0.5	9.3	0.9	0.0	0.1
44	MALE-----	0.6	10.5	0.9	0.0	0.1
45	FEMALE-----	0.4	8.0	0.8	0.0	0.1
46	INFLUENZA AND PNEUMONIA-----470-474,480-486	29.8	115.7	5.9	1.4	2.0
47	MALE-----	33.5	128.3	6.2	1.4	2.4
48	FEMALE-----	26.3	102.6	5.5	1.4	1.6
49	WHITE-----	29.6	87.5	4.9	1.4	1.8
50	MALE-----	32.6	99.1	5.0	1.4	2.2
51	FEMALE-----	26.7	75.3	4.8	1.3	1.3
52	ALL OTHER-----	31.5	258.5	10.7	1.7	3.4
53	MALE-----	39.7	277.4	12.5	1.7	3.5
54	FEMALE-----	24.1	239.0	9.0	1.6	3.4
55	INFLUENZA-----470-474	2.4	1.7	0.2	0.1	0.1
56	MALE-----	2.4	1.8	0.2	0.1	0.2
57	FEMALE-----	2.5	1.5	0.1	0.1	0.1
58	WHITE-----	2.6	1.2	0.2	0.1	0.1
59	MALE-----	2.5	1.5	0.2	0.1	0.2
60	FEMALE-----	2.7	0.8	0.2	0.1	0.1
61	ALL OTHER-----	1.6	4.3	0.2	0.1	0.1
62	MALE-----	1.6	3.5	0.3	0.2	0.1
63	FEMALE-----	1.5	5.2	0.1	0.1	0.1
64	PNEUMONIA-----480-486	27.4	114.0	5.7	1.3	1.9
65	MALE-----	31.1	126.4	6.0	1.3	2.2
66	FEMALE-----	23.8	101.1	5.4	1.3	1.5
67	WHITE-----	27.0	86.3	4.7	1.2	1.6
68	MALE-----	30.1	97.6	4.7	1.2	2.0
69	FEMALE-----	24.0	74.5	4.7	1.3	1.2
70	ALL OTHER-----	30.0	254.1	10.6	1.5	3.3
71	MALE-----	38.1	273.9	12.2	1.6	3.4
72	FEMALE-----	22.5	233.9	8.9	1.5	3.2
73	BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	14.2	3.1	0.5	0.2	0.4
74	MALE-----	22.2	4.3	0.6	0.2	0.4
75	FEMALE-----	6.5	1.9	0.4	0.2	0.4
76	WHITE-----	15.2	2.5	0.4	0.2	0.3
77	MALE-----	23.9	3.3	0.5	0.2	0.3
78	FEMALE-----	6.9	1.8	0.3	0.1	0.3
79	ALL OTHER-----	7.0	6.1	1.0	0.5	0.9
80	MALE-----	10.7	9.7	1.3	0.5	1.1
81	FEMALE-----	3.6	2.4	0.6	0.4	0.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-37

Age Groups, Color, and Sex: United States, 1973-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, [1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.0	0.1	0.2	0.7	1.7	5.4	11.1	1
0.0	0.1	0.2	0.7	2.0	6.2	10.5	2
0.0	0.1	0.2	0.7	1.5	5.0	11.4	3
0.0	0.1	0.2	0.7	1.7	5.6	11.8	4
0.0	0.1	0.2	0.7	2.0	6.2	11.0	5
0.0	0.1	0.2	0.7	1.4	5.2	12.2	6
0.0	0.1	0.4	0.7	2.2	4.0	3.6	7
0.0	0.2	0.5	0.6	2.4	6.1	5.7	8
0.1	0.1	0.2	0.8	2.1	2.4	2.3	9
2.9	8.5	21.6	57.4	196.8	710.7	1,905.5	10
2.5	8.0	21.8	66.4	236.7	776.0	1,885.5	11
3.3	9.0	21.4	49.3	166.0	669.8	1,915.5	12
2.4	6.7	17.6	48.3	179.2	706.3	1,957.1	13
2.1	6.4	17.6	57.1	220.1	773.5	1,938.1	14
2.7	7.0	17.6	40.5	147.9	664.3	1,966.5	15
6.6	21.5	55.7	143.9	369.1	764.2	1,355.7	16
5.7	20.9	59.3	157.5	393.5	802.3	1,360.4	17
7.4	22.1	52.6	132.2	348.7	736.3	1,337.5	18
0.0	0.2	1.1	6.0	32.4	190.6	890.2	19
0.0	0.2	1.5	8.0	40.1	212.5	890.1	20
0.0	0.2	0.8	4.2	26.4	176.9	890.3	21
0.0	0.2	1.0	5.5	30.5	193.0	928.6	22
0.0	0.2	1.3	7.6	38.3	215.9	930.6	23
0.0	0.1	0.7	3.6	24.5	178.8	927.6	24
0.1	0.3	1.9	10.9	50.9	162.2	482.1	25
0.1	0.1	3.0	12.0	56.7	175.6	496.2	26
0.1	0.4	1.0	9.9	46.2	152.4	468.2	27
0.7	2.2	6.1	20.6	58.2	124.2	244.4	28
0.7	2.4	8.2	31.6	94.0	185.0	297.2	29
0.7	1.9	4.2	10.7	30.6	86.0	217.8	30
0.7	2.0	5.6	20.3	58.9	127.5	252.7	31
0.7	2.2	7.6	31.8	97.5	192.8	312.4	32
0.7	1.8	3.7	10.0	29.4	86.8	223.2	33
0.9	3.8	10.6	22.8	51.0	86.1	155.7	34
0.9	4.6	13.9	29.0	61.1	100.5	150.9	35
0.8	3.1	7.8	17.4	42.8	75.7	156.8	36
0.1	0.1	0.3	0.5	1.1	2.6	5.9	37
0.1	0.1	0.3	0.6	1.6	3.8	6.1	38
0.1	0.1	0.2	0.5	0.7	1.8	5.8	39
0.1	0.1	0.3	0.5	1.1	2.7	6.1	40
0.1	0.1	0.3	0.6	1.6	4.1	6.5	41
0.1	0.1	0.2	0.5	0.7	1.8	5.9	42
0.1	0.2	0.4	0.7	1.1	1.2	3.6	43
0.2	0.2	0.5	1.2	1.3	0.9	1.9	44
0.1	0.3	0.2	0.2	0.9	1.4	4.5	45
3.1	6.9	14.5	31.6	82.1	295.6	910.4	46
3.7	8.2	18.9	43.9	119.6	415.7	1,124.0	47
2.6	5.7	10.5	20.6	53.2	220.0	803.0	48
2.4	5.1	11.8	28.5	77.5	297.6	945.3	49
2.7	6.0	15.0	39.2	113.4	417.8	1,167.7	50
2.0	4.4	8.8	18.9	50.0	222.7	835.3	51
8.5	19.7	37.7	61.6	127.2	272.3	538.6	52
11.1	26.0	53.0	90.7	178.2	392.5	696.2	53
6.2	14.5	24.3	36.6	85.5	184.6	437.5	54
0.2	0.5	1.0	2.5	7.4	26.4	83.9	55
0.2	0.5	1.0	2.9	9.7	31.4	91.4	56
0.2	0.6	1.0	2.1	5.6	23.3	80.2	57
0.2	0.5	0.9	2.4	7.3	27.4	87.7	58
0.2	0.4	0.9	2.9	9.6	32.8	96.1	59
0.2	0.5	0.9	2.0	5.5	24.0	83.6	60
0.3	1.0	1.5	3.2	8.5	15.0	43.6	61
0.2	1.1	1.6	3.1	10.9	16.9	45.3	62
0.4	0.9	1.5	3.3	6.5	13.7	42.0	63
2.9	6.4	13.5	29.1	74.7	269.2	826.4	64
3.5	7.8	17.9	41.0	109.9	304.2	1,032.7	65
2.3	5.1	9.5	18.5	47.6	196.7	722.9	66
2.2	4.7	10.9	26.1	70.2	270.2	857.6	67
2.6	5.5	14.1	36.2	103.8	385.0	1,071.6	68
1.8	3.8	7.8	16.9	44.5	198.7	751.8	69
8.2	18.7	36.1	58.4	118.7	257.2	495.0	70
10.8	24.9	51.4	87.6	167.3	375.6	650.9	71
5.9	13.6	22.8	33.3	79.0	170.9	395.5	72
0.5	2.0	7.7	31.4	79.4	126.2	133.2	73
0.5	1.9	10.3	49.7	146.9	261.5	277.8	74
0.5	2.0	5.2	15.0	27.4	40.9	60.6	75
0.4	1.7	7.3	32.0	83.6	131.7	139.9	76
0.4	1.7	9.8	50.6	155.0	274.9	293.5	77
0.4	1.7	5.0	15.4	28.9	42.6	63.9	78
1.6	4.1	10.4	24.8	38.2	60.8	62.1	79
1.6	3.5	14.8	40.9	69.8	116.9	126.4	80
1.6	4.6	6.5	10.9	12.4	19.9	22.7	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
BRONCHITIS, EMPHYSEMA, AND ASTHMA—CON.						
1	CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	2.6	2.2	0.3	0.1	0.1
2	MALE—	3.8	3.1	0.4	0.1	0.1
3	FEMALE—	1.5	1.2	0.3	0.1	0.0
4	WHITE—	2.8	1.8	0.3	0.1	0.1
5	MALE—	4.1	2.4	0.3	0.1	0.1
6	FEMALE—	1.7	1.1	0.3	0.1	0.0
7	ALL OTHER—	1.3	4.1	0.6	0.1	0.1
8	MALE—	2.0	6.6	0.8	0.2	0.1
9	FEMALE—	0.7	1.6	0.4	0.0	0.1
10	EMPHYSEMA—492	10.6	0.6	0.0	0.0	0.0
11	MALE—	17.6	0.7	0.0	0.0	0.0
12	FEMALE—	3.9	0.4	—	0.0	0.0
13	WHITE—	11.6	0.5	0.0	0.0	0.0
14	MALE—	19.1	0.5	0.0	0.0	0.0
15	FEMALE—	4.3	0.4	—	0.0	0.0
16	ALL OTHER—	4.0	1.0	0.0	—	0.1
17	MALE—	7.1	1.6	0.1	—	0.2
18	FEMALE—	1.2	0.4	—	—	—
19	ASTHMA—493	0.9	0.4	0.1	0.1	0.3
20	MALE—	0.8	0.5	0.2	0.1	0.3
21	FEMALE—	1.0	0.3	0.1	0.1	0.3
22	WHITE—	0.8	0.3	0.1	0.1	0.2
23	MALE—	0.7	0.3	0.2	0.1	0.2
24	FEMALE—	0.9	0.2	0.1	0.1	0.2
25	ALL OTHER—	1.7	1.0	0.3	0.4	0.8
26	MALE—	1.7	1.6	0.4	0.3	0.9
27	FEMALE—	1.7	0.4	0.2	0.4	0.6
28	PEPTIC ULCER—531-533	3.7	1.2	0.0	0.0	0.1
29	MALE—	4.9	1.6	0.1	0.0	0.1
30	FEMALE—	2.5	0.7	0.0	0.0	0.1
31	WHITE—	3.8	0.7	0.1	0.0	0.1
32	MALE—	5.0	0.9	0.1	0.0	0.1
33	FEMALE—	2.7	0.5	0.0	0.0	0.1
34	ALL OTHER—	2.8	3.5	—	—	0.2
35	MALE—	4.2	5.1	—	—	0.4
36	FEMALE—	1.5	2.0	—	—	0.1
37	APPENDICITIS—540-543	0.5	0.4	0.1	0.1	0.1
38	MALE—	0.6	0.4	0.1	0.1	0.2
39	FEMALE—	0.4	0.4	0.0	0.1	0.1
40	WHITE—	0.5	0.3	0.1	0.1	0.1
41	MALE—	0.6	0.3	0.1	0.1	0.1
42	FEMALE—	0.3	0.3	0.0	0.1	0.1
43	ALL OTHER—	0.8	0.8	0.1	0.3	0.2
44	MALE—	1.1	0.8	0.2	0.3	0.2
45	FEMALE—	0.6	0.8	0.1	0.2	0.3
46	HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	3.2	15.5	0.3	0.1	0.2
47	MALE—	2.9	18.2	0.4	0.1	0.2
48	FEMALE—	3.5	12.7	0.2	0.1	0.1
49	WHITE—	3.2	14.8	0.2	0.1	0.1
50	MALE—	2.9	17.1	0.3	0.1	0.2
51	FEMALE—	3.5	12.4	0.1	0.1	0.1
52	ALL OTHER—	3.3	18.9	0.6	0.1	0.3
53	MALE—	3.5	23.3	0.8	0.1	0.3
54	FEMALE—	3.1	14.3	0.4	0.2	0.3
55	CIRRHOSIS OF LIVER—571	15.9	1.2	0.1	0.1	0.4
56	MALE—	21.3	1.1	0.1	0.1	0.4
57	FEMALE—	10.7	1.4	0.1	0.1	0.3
58	WHITE—	15.2	1.1	0.1	0.1	0.2
59	MALE—	20.5	0.8	0.1	0.1	0.3
60	FEMALE—	10.1	1.4	0.1	0.1	0.2
61	ALL OTHER—	20.6	2.2	0.2	0.0	1.3
62	MALE—	26.6	2.7	0.2	0.0	1.5
63	FEMALE—	15.2	1.6	0.2	0.0	1.0
64	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	1.6	0.0	0.0	0.0	0.0
65	MALE—	1.5	—	0.0	—	0.0
66	FEMALE—	1.8	0.1	—	0.0	0.1
67	WHITE—	1.7	0.0	0.0	0.0	0.0
68	MALE—	1.6	—	0.0	—	0.0
69	FEMALE—	1.8	0.1	—	0.0	0.1
70	ALL OTHER—	1.0	—	—	—	0.1
71	MALE—	0.9	—	—	—	0.0
72	FEMALE—	1.2	—	—	—	0.1
73	NEPHRITIS AND NEPHROSIS—580-584	4.0	0.6	0.2	0.2	0.5
74	MALE—	4.4	0.7	0.2	0.2	0.6
75	FEMALE—	3.6	0.6	0.1	0.2	0.3
76	WHITE—	3.3	0.6	0.1	0.1	0.4
77	MALE—	3.7	0.7	0.2	0.1	0.5
78	FEMALE—	2.9	0.6	0.1	0.1	0.3
79	ALL OTHER—	8.5	0.8	0.2	0.4	1.0
80	MALE—	8.8	0.8	0.3	0.4	1.3
81	FEMALE—	8.2	0.8	0.1	0.4	0.6

¹Figures for age not stated included in "Total" but not distributed among age groups.

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1	0.4	1.3	5.2	13.1	24.7	37.6	1
0.1	0.4	1.5	7.8	22.5	47.2	67.5	2
0.1	0.3	1.0	2.9	5.9	10.6	22.6	3
0.1	0.3	1.2	5.4	14.0	25.7	39.5	4
0.1	0.3	1.4	8.0	23.9	49.3	71.0	5
0.1	0.3	1.0	3.0	6.3	11.1	23.9	6
0.2	0.8	1.7	4.2	5.0	12.7	17.9	7
0.4	1.0	2.2	6.7	8.7	23.9	34.0	8
0.1	0.5	1.3	2.0	1.9	4.5	8.0	9
0.1	0.8	5.2	24.1	63.2	97.2	90.5	10
0.1	1.1	7.7	40.0	120.9	209.6	205.3	11
0.1	0.6	2.8	9.8	18.7	26.4	32.8	12
0.1	0.8	5.2	24.9	66.8	101.8	95.3	13
0.1	1.0	7.6	41.1	128.0	220.9	217.4	14
0.0	0.6	2.9	10.3	19.9	27.6	34.9	15
0.3	1.0	4.9	16.2	27.8	43.4	39.3	16
0.3	1.5	8.6	29.1	53.8	87.8	88.7	17
0.2	0.5	1.7	5.0	6.7	11.0	9.1	18
0.3	0.8	1.2	2.1	3.1	4.3	5.1	19
0.3	0.4	1.1	1.8	3.4	4.7	5.0	20
0.4	1.1	1.3	2.2	2.8	4.0	5.2	21
0.2	0.5	0.9	1.8	2.9	4.2	5.1	22
0.2	0.4	0.8	1.5	3.0	4.7	5.1	23
0.2	0.7	1.1	2.1	2.7	3.9	5.1	24
1.1	2.4	3.8	4.4	5.4	4.8	5.0	25
0.9	0.9	4.0	5.1	7.3	5.2	3.8	26
1.4	3.5	3.6	3.9	3.8	4.5	5.7	27
0.4	1.2	3.3	7.6	15.8	30.8	54.2	28
0.4	1.7	4.7	11.7	25.5	47.5	74.3	29
0.3	0.8	1.9	4.0	8.3	20.2	44.1	30
0.3	1.1	3.1	7.6	15.8	31.4	56.4	31
0.3	1.4	4.4	11.6	25.5	48.3	78.3	32
0.3	0.8	1.8	4.0	8.4	20.8	45.6	33
0.9	2.5	4.6	8.2	15.0	23.6	30.7	34
1.4	4.4	7.0	13.3	24.9	38.5	35.8	35
0.5	1.0	2.5	3.8	7.0	12.7	27.3	36
0.1	0.2	0.4	1.0	2.0	3.5	6.0	37
0.1	0.3	0.6	1.4	3.0	5.2	7.3	38
0.0	0.2	0.2	0.6	1.2	2.4	5.3	39
0.1	0.2	0.3	0.8	1.8	3.3	6.1	40
0.1	0.2	0.5	1.2	2.7	5.0	7.5	41
0.0	0.2	0.2	0.5	1.0	2.3	5.4	42
0.2	0.7	1.1	2.5	4.0	5.0	5.0	43
0.3	1.3	1.4	3.7	5.8	8.0	5.7	44
0.1	0.3	1.0	1.5	2.5	2.7	4.5	45
0.3	0.7	1.7	4.3	10.7	30.9	75.4	46
0.4	0.6	1.7	4.5	11.5	31.9	81.7	47
0.3	0.8	1.7	4.0	10.1	30.2	72.3	48
0.3	0.6	1.5	3.7	10.1	31.2	77.4	49
0.3	0.5	1.4	3.9	10.8	31.7	83.8	50
0.2	0.7	1.5	3.5	9.6	30.9	74.3	51
0.7	1.6	3.7	9.4	16.7	27.1	53.6	52
0.8	1.7	4.3	10.2	18.0	33.8	60.4	53
0.6	1.4	3.1	8.8	15.7	22.3	48.9	54
4.2	19.4	39.1	52.5	44.6	28.8	19.9	55
5.6	25.9	52.1	74.6	69.1	44.5	33.2	56
2.9	13.6	26.9	32.7	25.8	18.9	13.3	57
2.6	15.0	35.6	51.5	45.3	29.4	20.5	58
3.6	20.0	47.9	73.4	70.7	45.7	32.9	59
1.6	10.1	24.0	31.8	25.8	19.2	14.3	60
15.9	51.1	68.5	62.2	38.1	21.4	14.3	61
20.8	68.4	88.8	86.4	54.0	31.0	35.8	62
11.7	36.8	51.0	41.3	25.1	14.4	1.1	63
0.1	0.3	0.7	2.0	6.3	18.7	44.1	64
0.1	0.2	0.7	2.3	7.1	21.8	45.7	65
0.1	0.3	0.7	1.8	5.6	16.8	43.3	66
0.1	0.2	0.7	1.9	6.3	19.0	46.3	67
0.1	0.2	0.7	2.3	7.2	22.5	47.7	68
0.1	0.2	0.7	1.6	5.6	16.9	45.6	69
0.2	0.6	1.0	2.5	6.0	15.0	20.7	70
0.2	0.5	0.6	1.4	6.4	14.6	26.4	71
0.2	0.8	1.3	3.5	5.6	15.4	17.0	72
0.9	1.9	3.6	7.6	15.3	31.0	62.1	73
1.1	2.0	4.1	8.4	19.7	42.3	88.6	74
0.8	1.7	3.2	4.9	11.9	23.8	48.8	75
0.7	1.2	2.4	5.6	12.0	28.2	57.9	76
0.8	1.3	2.9	6.5	16.2	39.6	81.5	77
0.5	1.0	1.9	4.7	8.8	21.0	46.2	78
2.9	6.8	14.1	26.8	47.6	64.2	106.4	79
3.4	7.8	14.8	26.5	52.9	71.8	152.8	80
2.4	6.1	13.6	27.1	43.2	58.6	77.3	81

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
NEPHRITIS AND NEPHROSIS--CON.						
1	ACUTE NEPHRITIS AND NEPHROTIC SYNDROME--580,581	0.7	0.6	0.1	0.1	0.1
2	MALE----	0.8	0.7	0.1	0.1	0.1
3	FEMALE----	0.6	0.6	0.0	0.1	0.1
4	WHITE-----	0.7	0.6	0.1	0.0	0.1
5	MALE-----	0.8	0.7	0.1	0.0	0.1
6	FEMALE-----	0.6	0.6	0.1	0.0	0.0
7	ALL OTHER-----	1.2	0.8	0.1	0.1	0.1
8	MALE-----	1.3	0.8	0.2	0.2	0.2
9	FEMALE-----	1.1	0.8	-	0.1	0.1
10	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.2	-	0.1	0.1	0.4
11	MALE-----	3.5	-	0.1	0.1	0.5
12	FEMALE-----	3.0	-	0.1	0.1	0.3
13	WHITE-----	2.6	-	0.1	0.1	0.3
14	MALE-----	2.9	-	0.1	0.1	0.4
15	FEMALE-----	2.4	-	0.1	0.1	0.2
16	ALL OTHER-----	7.3	-	0.1	0.2	0.8
17	MALE-----	7.5	-	0.1	0.2	1.1
18	FEMALE-----	7.1	-	0.1	0.3	0.5
19	INFECTIONS OF KIDNEY-----590	2.9	0.2	0.0	0.0	0.1
20	MALE-----	2.5	0.1	0.0	0.0	0.1
21	FEMALE-----	3.3	0.3	0.0	0.1	0.1
22	WHITE-----	2.8	0.2	0.0	0.0	0.1
23	MALE-----	2.4	0.1	0.0	0.0	0.1
24	FEMALE-----	3.2	0.3	-	0.0	0.1
25	ALL OTHER-----	3.5	0.2	0.0	0.1	0.2
26	MALE-----	3.4	0.4	-	0.1	0.2
27	FEMALE-----	3.7	-	0.1	0.1	0.2
28	HYPERPLASIA OF PROSTATE-----600	0.8	-	-	-	-
29	MALE-----	1.6	-	-	-	-
30	WHITE-----	0.8	-	-	-	-
31	MALE-----	1.6	-	-	-	-
32	ALL OTHER-----	0.7	-	-	-	-
33	MALE-----	1.4	-	-	-	-
34	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.2	-	-	0.0	0.5
35	FEMALE-----	0.4	-	-	0.0	0.9
36	WHITE-----	0.1	-	-	0.0	0.3
37	FEMALE-----	0.3	-	-	0.0	0.6
38	ALL OTHER-----	0.8	-	-	0.1	1.5
39	FEMALE-----	1.5	-	-	0.2	2.9
40	ABORTIONS-----640-645	0.0	-	-	-	0.0
41	FEMALE-----	0.0	-	-	-	0.1
42	WHITE-----	0.0	-	-	-	0.0
43	FEMALE-----	0.0	-	-	-	0.0
44	ALL OTHER-----	0.1	-	-	-	0.2
45	FEMALE-----	0.2	-	-	-	0.4
46	OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639, 650-678	0.2	-	-	0.0	0.4
47	FEMALE-----	0.4	-	-	0.0	0.8
48	WHITE-----	0.1	-	-	0.0	0.3
49	FEMALE-----	0.3	-	-	0.0	0.5
50	ALL OTHER-----	0.7	-	-	0.1	1.3
51	FEMALE-----	1.3	-	-	0.2	2.5
52	CONGENITAL ANOMALIES-----740-759	6.7	290.8	9.6	2.2	1.7
53	MALE-----	7.4	309.4	9.7	2.2	1.9
54	FEMALE-----	6.0	271.5	9.4	2.1	1.5
55	WHITE-----	6.5	290.1	9.5	2.1	1.7
56	MALE-----	7.2	310.3	9.7	2.2	1.9
57	FEMALE-----	5.8	268.8	9.3	2.1	1.4
58	ALL OTHER-----	8.3	294.3	10.0	2.3	1.7
59	MALE-----	9.0	303.5	9.9	2.4	1.8
60	FEMALE-----	7.6	284.9	10.1	2.3	1.6
61	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769, 772, 774-778	14.5	987.0	0.1	0.0	0.0
62	MALE-----	17.4	1,126.8	0.2	0.0	0.0
63	FEMALE-----	11.8	841.4	0.0	0.0	0.0
64	WHITE-----	12.1	859.7	0.1	0.0	0.0
65	MALE-----	14.6	989.5	0.2	0.0	-
66	FEMALE-----	9.7	723.3	0.0	-	0.0
67	ALL OTHER-----	31.0	1,631.3	0.1	0.1	0.0
68	MALE-----	36.8	1,826.8	0.2	0.1	0.0
69	FEMALE-----	25.7	1,431.1	-	0.1	0.0
70	BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768, 772, 776	8.1	548.3	0.1	0.0	0.0
71	MALE-----	10.0	649.5	0.1	0.0	-
72	FEMALE-----	6.2	442.8	0.0	0.0	0.0
73	WHITE-----	6.9	487.3	0.1	0.0	0.0
74	MALE-----	8.6	582.1	0.1	0.0	-
75	FEMALE-----	5.2	387.5	0.0	-	0.0
76	ALL OTHER-----	16.3	857.1	0.0	0.0	0.0
77	MALE-----	20.0	992.6	0.1	-	-
78	FEMALE-----	12.9	718.3	-	0.0	0.0

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-41

Age Groups, Color, and Sex: United States, 1973—Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.1	0.3	0.5	1.4	2.9	6.3	10.0	1
0.1	0.3	0.6	1.5	4.0	9.3	15.8	2
0.1	0.3	0.4	1.3	2.1	4.4	7.1	3
0.1	0.2	0.4	1.2	2.5	5.9	9.7	4
0.1	0.2	0.5	1.3	3.6	9.1	15.0	5
0.1	0.2	0.3	1.1	1.7	4.0	7.1	6
0.4	1.1	1.5	3.3	7.0	10.1	12.9	7
0.5	1.3	1.6	3.8	8.0	11.7	22.6	8
0.3	0.9	1.5	3.0	6.2	8.9	6.8	9
0.8	1.6	3.1	6.2	12.3	24.7	52.1	10
1.0	1.7	3.5	6.8	15.6	33.0	72.8	11
0.7	1.4	2.8	5.6	9.8	19.4	41.7	12
0.6	1.0	2.0	4.4	9.5	22.2	48.2	13
0.7	1.1	2.4	5.2	12.5	30.5	66.5	14
0.4	0.8	1.6	3.6	7.1	17.0	39.1	15
2.5	5.7	12.6	23.5	40.6	54.1	93.6	16
2.9	6.4	13.2	22.7	44.9	60.1	130.2	17
2.1	5.2	12.1	24.1	37.0	49.7	70.5	18
0.2	0.6	1.1	3.7	11.1	32.2	81.6	19
0.1	0.4	0.9	3.3	11.5	36.7	93.0	20
0.2	0.8	1.4	4.1	10.8	29.4	75.9	21
0.1	0.5	0.8	3.0	10.0	31.5	82.1	22
0.1	0.3	0.7	2.7	10.2	35.0	93.9	23
0.2	0.6	1.0	3.3	9.8	29.3	76.3	24
0.3	1.6	3.8	10.3	22.4	40.8	75.7	25
0.4	1.3	2.8	8.9	23.8	54.9	83.0	26
0.3	1.9	4.6	11.5	21.3	30.5	70.5	27
-	-	0.0	0.4	2.5	10.7	29.8	28
-	-	0.1	0.8	5.8	27.6	89.2	29
-	-	0.0	0.3	2.3	10.4	30.3	30
-	-	0.1	0.7	5.3	27.1	91.5	31
-	-	0.1	0.9	4.9	13.7	25.0	32
-	-	0.2	1.9	10.9	32.4	66.0	33
0.7	0.4	0.0	-	-	0.0	-	34
1.5	0.7	0.0	-	-	0.0	-	35
0.5	0.2	0.0	-	-	-	-	36
1.1	0.4	0.0	-	-	-	-	37
2.2	1.4	0.0	-	-	0.2	-	38
4.0	2.6	0.1	-	-	0.3	-	39
0.0	0.0	-	-	-	-	-	40
0.1	0.1	-	-	-	-	-	41
0.0	0.0	-	-	-	-	-	42
0.0	0.0	-	-	-	-	-	43
0.2	0.1	-	-	-	-	-	44
0.4	0.3	-	-	-	-	-	45
0.7	0.3	0.0	-	-	0.0	-	46
1.4	0.6	0.0	-	-	0.0	-	47
0.3	0.2	0.0	-	-	-	-	48
1.0	0.4	0.0	-	-	-	-	49
2.0	1.3	0.0	-	-	0.2	-	50
3.6	2.3	0.1	-	-	0.3	-	51
1.5	1.6	1.9	2.4	2.7	2.9	3.6	52
1.7	1.9	2.0	2.6	3.1	3.5	4.2	53
1.3	1.3	1.9	2.2	2.3	2.5	3.3	54
1.4	1.6	1.9	2.4	2.6	3.0	3.8	55
1.6	1.9	1.9	2.5	3.0	3.7	4.5	56
1.3	1.3	1.9	2.2	2.4	2.5	3.4	57
1.6	1.6	2.4	2.3	3.3	2.4	2.1	58
2.3	1.7	2.6	2.8	4.7	1.4	1.9	59
1.1	1.4	2.2	1.8	2.2	3.1	2.3	60
0.0	0.0	0.0	-	0.1	0.0	0.3	61
0.0	0.0	0.0	-	0.1	-	0.4	62
-	0.0	-	-	0.1	0.1	0.3	63
0.0	0.0	0.0	-	0.1	0.0	0.3	64
0.0	0.0	0.0	-	0.1	-	0.4	65
-	0.0	-	-	0.1	0.1	0.3	66
-	0.0	-	-	-	-	-	67
-	0.1	-	-	-	-	-	68
-	-	-	-	-	-	-	69
0.0	0.0	0.0	-	0.0	0.0	0.1	70
0.0	0.0	0.0	-	0.0	-	0.2	71
-	0.0	-	-	0.0	0.1	0.1	72
0.0	0.0	0.0	-	0.0	0.0	0.1	73
0.0	0.0	0.0	-	0.0	-	0.2	74
-	0.0	-	-	0.0	0.1	0.1	75
-	0.0	-	-	-	-	-	76
-	0.1	-	-	-	-	-	77
-	-	-	-	-	-	-	78

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are category

CAUSE OF DEATH, COLOR, AND SEX		TOTAL ¹	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.						
1	OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	6.5	438.7	0.0	0.0	0.0
2	MALE	7.4	477.3	0.1	0.0	0.0
3	FEMALE	5.6	398.7	—	0.0	—
4	WHITE	5.3	372.5	0.0	0.0	—
5	MALE	6.0	407.4	0.1	0.0	—
6	FEMALE	4.5	335.8	—	—	—
7	ALL OTHER	14.7	774.2	0.0	0.0	0.0
8	MALE	16.8	834.2	0.1	0.1	0.0
9	FEMALE	12.8	712.7	—	0.0	—
10	SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	14.5	136.7	2.7	0.6	3.9
11	MALE	17.8	158.8	3.0	0.7	5.4
12	FEMALE	11.3	113.6	2.4	0.6	2.5
13	WHITE	11.6	102.8	1.8	0.5	3.0
14	MALE	14.3	122.2	2.1	0.6	4.1
15	FEMALE	9.0	82.5	1.5	0.4	1.9
16	ALL OTHER	34.4	307.9	7.2	1.4	9.4
17	MALE	42.5	346.3	7.3	1.6	13.2
18	FEMALE	27.0	268.5	7.1	1.2	5.9
19	ALL OTHER DISEASES—RESIDUAL	54.7	65.3	7.9	3.8	8.2
20	MALE	62.8	73.8	8.1	3.9	10.1
21	FEMALE	47.0	56.4	7.7	3.7	6.3
22	WHITE	53.6	56.4	7.5	3.7	7.0
23	MALE	61.2	64.6	7.6	3.8	8.8
24	FEMALE	46.4	47.6	7.5	3.7	5.1
25	ALL OTHER	61.9	110.4	9.9	4.2	15.5
26	MALE	73.8	120.6	11.1	4.6	17.9
27	FEMALE	51.0	100.0	8.7	3.7	13.2
28	ACCIDENTS—E800-E949	55.2	54.9	31.9	20.8	68.9
29	MALE	78.7	61.9	37.5	28.2	109.5
30	FEMALE	32.8	47.7	26.0	13.1	28.0
31	WHITE	53.8	44.8	28.6	19.6	69.6
32	MALE	75.9	52.1	34.1	26.4	110.4
33	FEMALE	32.7	37.0	22.9	12.6	20.2
34	ALL OTHER	64.6	106.3	48.4	26.9	64.5
35	MALE	98.5	111.7	55.1	38.0	104.1
36	FEMALE	33.6	100.8	41.5	15.8	26.8
37	MOTOR VEHICLE ACCIDENTS—E810-E823	26.5	10.6	12.3	10.6	46.8
38	MALE	39.1	10.9	14.2	13.4	72.0
39	FEMALE	14.5	10.3	10.3	7.6	21.4
40	WHITE	26.2	10.5	11.2	10.4	48.7
41	MALE	38.4	11.4	12.6	13.2	74.8
42	FEMALE	14.5	9.5	9.6	7.6	22.3
43	ALL OTHER	28.1	11.2	17.9	11.3	34.9
44	MALE	43.5	8.2	22.2	14.7	54.5
45	FEMALE	14.0	14.3	13.5	7.9	16.2
46	ALL OTHER ACCIDENTS—E800-E807, E825-E949	28.7	44.3	19.6	10.2	22.1
47	MALE	39.6	51.0	23.3	14.8	37.5
48	FEMALE	18.4	37.4	15.7	5.5	6.6
49	WHITE	27.6	34.3	17.5	9.2	20.9
50	MALE	37.4	40.7	21.5	13.2	35.6
51	FEMALE	18.2	27.5	13.3	5.0	5.9
52	ALL OTHER	36.5	95.1	30.5	15.6	29.6
53	MALE	55.0	103.5	32.9	23.3	49.5
54	FEMALE	19.6	86.5	28.1	7.8	10.6
55	SUICIDE—E950-E959	12.0	0.4	10.6
56	MALE	17.7	0.6	17.0
57	FEMALE	6.5	0.2	4.3
58	WHITE	12.8	0.4	10.9
59	MALE	18.8	0.7	17.4
60	FEMALE	7.0	0.2	4.3
61	ALL OTHER	6.4	0.2	8.9
62	MALE	10.0	0.3	14.0
63	FEMALE	3.0	0.1	4.1
64	HOMICIDE—E960-E978	9.8	5.2	2.5	1.1	13.4
65	MALE	15.5	5.1	2.7	1.3	20.7
66	FEMALE	4.3	5.3	2.3	0.9	6.1
67	WHITE	5.5	3.9	1.7	0.8	7.2
68	MALE	8.3	4.0	1.8	0.8	10.5
69	FEMALE	2.8	3.7	1.6	0.7	3.8
70	ALL OTHER	39.1	12.2	6.7	2.8	51.6
71	MALE	65.8	10.9	7.3	3.9	85.1
72	FEMALE	14.6	13.5	6.1	1.7	19.9
73	OTHER EXTERNAL CAUSES—E980-E999	2.4	2.9	1.1	0.4	2.5
74	MALE	3.4	3.4	1.3	0.6	3.7
75	FEMALE	1.5	2.4	0.9	0.2	1.3
76	WHITE	2.0	2.3	0.8	0.3	2.1
77	MALE	2.8	2.6	0.9	0.5	3.1
78	FEMALE	1.3	2.0	0.7	0.1	1.0
79	ALL OTHER	4.8	6.1	2.6	1.1	5.0
80	MALE	7.3	7.8	3.3	1.6	6.9
81	FEMALE	2.6	4.4	2.0	0.6	3.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

143

Age Groups, Color, and Sex: United States, 1973-Con.

numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	
0.0	0.0	-	-	0.0	-	0.2	1
0.0	0.0	-	-	0.0	-	0.2	2
0.0	0.0	-	-	0.1	-	0.2	3
0.0	0.0	-	-	0.1	-	0.2	4
-	-	-	-	0.0	-	0.2	5
-	-	-	-	0.1	-	0.2	6
-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	9
4.9	8.3	13.3	23.5	38.7	71.9	199.9	10
6.4	10.5	18.0	34.3	56.2	97.8	244.6	11
3.5	6.1	8.9	13.7	25.2	55.6	177.4	12
3.5	5.6	10.1	18.7	30.2	59.4	170.9	13
4.5	7.0	13.8	28.1	45.4	80.9	205.9	14
2.5	4.3	6.7	10.3	18.5	46.1	153.7	15
15.2	27.2	40.3	69.0	122.0	219.2	507.9	16
21.4	38.0	55.1	95.4	157.5	279.8	600.0	17
9.9	18.3	27.4	46.2	92.9	175.0	446.6	18
13.1	26.7	50.5	103.3	208.4	407.5	694.9	19
15.0	30.8	60.2	132.7	283.4	560.0	892.5	20
11.2	22.7	41.4	76.9	150.5	311.5	595.7	21
9.8	20.9	43.8	97.3	203.3	409.0	709.5	22
10.8	23.6	51.8	125.3	279.3	564.1	913.8	23
8.7	18.3	36.2	72.2	145.1	312.3	608.5	24
36.7	67.8	106.9	160.3	257.9	391.1	539.3	25
47.1	86.8	133.8	204.7	322.0	516.0	677.4	26
27.7	52.1	83.5	121.9	205.3	300.0	450.0	27
50.7	45.4	48.8	59.4	77.5	160.6	404.2	28
82.6	71.2	74.0	88.3	109.1	206.9	474.7	29
19.6	20.9	25.3	33.5	53.1	131.4	368.8	30
47.8	41.6	45.1	56.4	74.7	161.9	419.9	31
77.4	64.3	67.5	82.3	104.3	207.6	492.9	32
18.4	19.5	24.0	33.2	52.1	133.4	383.9	33
71.3	73.1	80.3	87.9	104.6	145.1	237.1	34
122.4	124.4	131.0	147.1	154.9	199.5	296.2	35
27.7	30.6	36.3	36.9	63.5	105.5	198.9	36
30.3	23.7	22.9	24.8	29.4	40.7	34.7	37
47.8	35.9	33.7	35.6	41.7	64.3	68.4	38
13.2	12.1	12.8	15.1	20.0	25.9	17.8	39
29.2	22.1	21.4	23.8	28.7	41.5	36.0	40
45.8	33.0	31.1	33.3	39.7	65.1	71.4	41
12.7	11.7	12.2	15.2	20.3	26.8	18.5	42
38.1	35.0	35.5	34.4	36.8	31.9	21.4	43
63.6	59.0	56.4	57.9	60.5	56.3	39.6	44
16.3	15.1	17.2	14.2	17.5	14.0	10.2	45
20.4	21.7	25.9	34.6	48.1	119.8	369.5	46
34.7	35.3	40.3	52.7	67.4	142.6	406.2	47
6.4	8.8	12.5	18.4	33.1	105.5	351.1	48
18.6	19.4	23.7	32.6	46.0	120.4	384.0	49
31.6	31.4	36.4	48.9	64.6	142.6	421.5	50
5.7	7.8	11.7	18.0	31.9	106.6	365.4	51
33.2	38.1	44.9	53.5	67.8	113.3	215.7	52
58.8	65.4	74.6	89.2	94.4	143.2	256.6	53
11.4	15.5	19.1	22.7	46.0	91.4	188.6	54
14.9	16.4	19.5	20.3	19.8	21.4	19.9	55
21.9	21.8	26.9	30.5	34.5	43.5	50.3	56
8.1	11.3	12.6	11.2	8.5	7.4	4.6	57
15.1	17.4	20.8	21.6	21.2	22.5	21.0	58
21.8	22.8	28.4	32.4	37.0	46.3	54.6	59
8.5	12.2	13.7	12.0	9.1	7.7	4.4	60
13.3	9.5	7.9	8.0	6.5	7.7	7.9	61
22.6	14.3	13.4	12.2	11.6	13.1	9.4	62
5.3	5.4	3.2	4.4	2.4	3.8	6.8	63
19.0	15.9	11.1	7.9	5.8	5.1	3.4	64
31.2	25.4	18.3	13.4	9.6	7.4	5.5	65
7.1	6.9	4.3	2.9	2.8	3.6	2.3	66
9.6	8.3	6.2	5.1	4.0	4.3	3.1	67
15.3	12.7	9.8	8.5	6.3	5.7	5.1	68
3.9	4.1	2.8	2.1	2.3	3.4	2.1	69
85.9	70.1	52.0	34.2	22.8	14.7	6.4	70
153.4	124.0	92.3	61.8	40.4	25.4	9.4	71
28.3	25.5	16.9	10.4	8.4	6.8	4.5	72
3.0	3.3	3.3	3.2	2.9	3.2	3.7	73
4.3	4.5	4.3	4.6	4.4	5.5	6.8	74
1.6	2.2	2.4	1.9	1.8	1.8	2.1	75
2.4	2.6	2.9	2.9	2.8	3.0	3.4	76
3.3	3.5	3.5	4.1	4.0	5.2	5.7	77
1.4	1.8	2.3	1.8	1.8	1.6	2.3	78
7.2	8.3	7.0	6.2	4.5	5.9	6.4	79
11.8	12.7	11.3	10.4	8.2	8.5	17.0	80
3.3	4.6	3.2	2.6	1.5	4.1	-	81

SECTION 1 - GENERAL MORTALITY

1-45

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1973

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area. Data by place of occurrence include deaths of nonresidents]

Year	United States	Geographic division								
		New England ¹	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1975	9.4	9.6	10.0	9.2	10.0	9.7	10.2	9.2	8.0	8.4
1972 ²	9.4	9.6	10.1	9.3	10.1	9.7	10.1	9.2	7.9	8.3
1971	9.4	9.6	10.2	9.2	10.0	9.4	10.0	8.9	8.2	8.4
1970	9.5	9.8	10.2	9.3	10.1	9.6	10.1	9.1	8.2	8.4
1969	9.5	10.1	10.2	9.4	10.3	9.5	9.9	9.0	8.2	8.6
1968	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9.1	8.2	8.4
1967	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966	9.5	10.3	10.3	9.6	10.4	9.3	9.7	8.7	8.0	8.5
1965	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962	9.5	10.5	10.4	9.5	10.2	9.1	8.6	8.7	7.9	8.4
1961	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.9	8.4
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54	9.5	10.5	10.3	9.8	10.2	8.8	9.1	8.3	8.7	9.2
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

²Deaths based on a 50-percent sample.

SECTION 1 - GENERAL MORTALITY

Table 1-11. Death Rates: United States, Each Division and State, 1964-73

[Rates per 1,000 population in each area]

Division and State	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968	1967	1966	1965	1964
United States	9.4	9.4	9.5	9.5	9.5	9.7	9.4	9.5	9.4	9.4
Geographic divisions: ⁴										
New England	9.6	9.6	9.6	9.8	10.1	10.4	10.3	10.3	10.5	9.8
Middle Atlantic	10.0	10.2	10.2	10.3	10.3	10.7	10.2	10.4	10.3	10.4
East North Central	9.3	9.4	9.2	9.4	9.5	9.7	9.5	9.7	9.6	9.6
West North Central	9.9	10.1	9.9	10.1	10.3	10.3	10.1	10.3	10.2	10.2
South Atlantic	9.6	9.6	9.3	9.5	9.4	9.5	9.1	9.2	9.1	9.0
East South Central	10.1	10.0	9.9	10.0	9.8	9.8	9.4	9.6	9.5	9.5
West South Central	9.2	9.1	8.9	9.1	9.0	9.1	8.6	8.7	8.6	8.6
Mountain	7.9	7.8	8.0	8.0	8.1	8.2	7.9	7.9	7.8	7.9
Pacific	8.4	8.3	8.4	8.3	8.5	8.4	8.3	8.5	8.4	8.5
New England:										
Maine	10.6	10.9	10.7	11.1	11.2	11.4	11.4	11.1	11.0	11.0
New Hampshire	9.6	9.7	9.8	10.0	10.5	10.6	10.6	10.5	10.3	10.8
Vermont	9.7	9.4	9.6	10.0	10.1	10.7	10.3	11.1	11.4	11.4
Massachusetts ³	9.9	9.9	9.9	10.1	10.6	10.3	10.7	10.7	11.0	9.6
Rhode Island	9.8	9.8	9.7	10.0	10.2	10.6	10.4	10.5	10.3	10.5
Connecticut	8.7	8.6	8.5	8.6	8.7	9.0	8.9	9.1	9.1	9.1
Middle Atlantic:										
New York	9.9	10.1	10.1	10.3	10.3	10.7	10.2	10.3	10.2	10.3
New Jersey	9.3	9.4	9.4	9.5	9.5	9.7	9.4	9.6	9.6	9.6
Pennsylvania	10.6	10.7	10.7	10.8	10.8	11.2	10.8	11.0	10.9	10.8
East North Central:										
Ohio	9.5	9.5	9.3	9.4	9.4	9.7	9.4	9.6	9.6	9.5
Indiana	9.3	9.3	9.3	9.3	9.7	9.8	9.6	9.9	9.8	9.7
Illinois	9.8	9.9	9.8	10.0	10.1	10.3	10.1	10.4	10.2	10.1
Michigan	8.7	8.7	8.6	8.6	8.8	8.9	8.8	8.9	8.9	8.8
Wisconsin	9.0	9.3	9.0	9.2	9.7	9.8	9.5	9.7	9.7	9.5
West North Central:										
Minnesota	8.7	8.8	8.7	8.9	9.1	9.3	9.2	9.3	9.1	9.4
Iowa	10.1	10.4	10.4	10.4	10.6	10.8	10.5	10.8	10.7	10.6
Missouri	10.9	11.1	11.1	11.1	11.3	11.3	11.0	11.5	11.2	11.1
North Dakota	9.0	8.9	9.0	9.1	9.1	8.9	8.5	8.9	8.5	8.6
South Dakota	9.7	10.3	10.0	9.9	10.3	10.0	9.5	9.7	9.5	9.4
Nebraska	9.7	10.2	10.0	10.1	10.3	10.4	10.1	10.2	10.2	10.1
Kansas	10.0	9.9	9.8	9.7	9.8	9.8	9.6	9.8	9.7	9.8
South Atlantic:										
Delaware	8.5	8.7	8.6	9.0	8.8	9.2	8.8	9.3	9.0	8.7
Maryland	8.0	8.3	8.1	8.4	8.6	8.7	8.4	8.8	8.7	8.5
District of Columbia	10.8	11.3	11.6	11.7	11.0	10.9	10.9	11.4	11.2	11.5
Virginia	8.6	8.6	8.4	8.4	8.4	8.7	8.2	8.3	8.4	8.4
West Virginia	11.1	11.5	11.2	11.5	10.9	11.0	10.7	10.8	10.6	10.3
North Carolina	9.1	9.1	8.7	8.8	8.6	8.7	8.4	8.5	8.4	8.3
South Carolina	9.1	8.9	8.8	8.8	8.5	8.8	8.4	8.6	8.5	8.5
Georgia	9.2	9.1	8.9	9.1	8.9	9.1	8.5	8.6	8.7	9.0
Florida	11.5	11.3	10.9	11.0	11.4	11.3	10.6	10.5	10.3	10.1
East South Central:										
Kentucky	10.3	10.3	10.2	10.3	10.2	10.3	10.0	9.9	9.8	9.7
Tennessee	9.6	9.7	9.5	9.7	9.5	9.4	9.2	9.3	9.1	9.2
Alabama	10.0	9.8	9.7	9.8	9.6	9.4	9.0	9.4	9.3	9.3
Mississippi	10.5	10.5	10.5	10.5	10.1	10.2	9.6	10.0	9.8	9.8
West South Central:										
Arkansas	10.9	10.9	10.7	10.7	10.4	10.5	9.9	9.9	9.9	10.3
Louisiana	9.3	9.2	9.0	9.2	9.0	9.2	8.7	9.0	9.0	9.0
Oklahoma	10.3	10.2	9.9	10.5	10.1	10.2	10.0	10.1	9.7	9.8
Texas	8.6	8.6	8.3	8.4	8.4	8.5	8.0	8.1	7.9	8.0
Mountain:										
Montana	9.5	9.6	9.7	9.5	9.7	9.5	9.4	9.8	9.4	9.8
Idaho	8.4	8.4	8.6	8.6	8.6	8.6	8.4	8.6	8.6	8.5
Wyoming	8.7	8.9	9.0	8.9	9.2	9.4	8.8	8.1	8.5	8.5
Colorado	7.7	7.5	7.8	7.9	8.2	8.7	8.3	8.3	8.3	8.5
New Mexico	7.3	7.4	7.4	7.3	7.3	7.1	6.9	6.8	6.7	6.8
Arizona	8.2	8.1	8.5	8.4	8.3	8.3	7.9	7.9	7.6	7.8
Utah	6.6	6.5	6.6	6.7	6.5	6.7	6.4	6.8	6.7	6.6
Nevada	7.8	7.7	7.9	7.9	8.1	7.9	7.5	7.2	7.4	7.5
Pacific:										
Washington	9.0	8.7	8.8	8.8	9.0	9.3	8.5	9.8	9.2	9.5
Oregon	9.4	9.2	9.3	9.3	9.6	9.5	9.5	9.7	9.4	9.6
California	8.4	8.3	8.4	8.3	8.5	8.3	8.2	8.3	8.3	8.4
Alaska	4.4	4.4	4.7	4.8	4.6	4.9	4.7	4.8	5.0	5.8
Hawaii	5.3	5.3	5.3	5.2	5.1	5.3	5.2	5.2	5.1	5.1

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

1-47

Table 1-12. Deaths and Death Rates by Age: United States, Each Division and State, 1973

[Rates per 100,000 population in each area]

Division and State	Number							Rate					
	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over	Not stated	Total ¹	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States-----	1,973,003	66,424	38,690	137,553	476,593	1,252,997	546	940.2	397.4	65.4	196.6	1,106.5	5,874.6
Geographic divisions:													
New England-----	116,498	2,860	1,798	6,017	26,394	79,408	21	988.8	319.8	52.9	152.1	1,022.2	6,006.7
Middle Atlantic-----	376,606	9,864	5,717	23,082	32,619	245,172	142	1,003.5	358.8	56.4	190.7	1,082.1	6,052.6
East North Central-----	381,345	13,264	7,512	25,553	91,094	243,694	28	932.5	398.2	63.1	190.6	1,097.9	6,163.6
West North Central-----	165,279	4,653	3,133	8,586	32,519	116,527	59	969.5	362.9	63.3	182.1	974.2	5,865.3
South Atlantic-----	311,286	11,633	6,715	25,788	94,144	182,861	125	959.0	444.5	73.7	237.4	1,263.1	5,531.2
East South Central-----	133,658	5,509	3,027	10,040	32,953	82,067	42	1,005.1	498.0	78.7	232.6	1,253.0	6,000.5
West South Central-----	186,191	8,064	4,263	14,379	44,742	114,705	40	919.1	456.1	72.3	214.6	1,168.4	5,759.2
Mountain-----	71,903	3,345	2,060	6,610	16,938	42,904	28	785.9	410.9	74.7	214.6	985.4	5,514.7
Pacific-----	230,255	7,232	4,663	17,488	55,170	145,641	61	839.8	340.3	61.4	183.2	990.5	5,651.6
New England:													
Maine-----	10,870	305	197	512	2,309	7,545	2	1,057.4	372.0	66.6	160.5	1,099.5	6,235.5
New Hampshire-----	7,583	220	115	395	1,696	5,157	-	958.7	349.2	61.1	150.8	1,087.2	6,139.3
Vermont-----	4,504	124	90	244	956	3,084	2	970.7	317.3	65.7	163.2	1,088.9	6,168.0
Massachusetts-----	57,318	1,325	848	2,933	12,771	39,433	8	985.2	317.0	52.5	154.2	1,056.6	6,048.0
Rhode Island-----	9,509	246	124	485	2,251	6,422	1	977.3	346.5	47.1	154.0	1,032.9	5,891.7
Connecticut-----	26,714	640	424	1,444	6,431	17,767	8	868.5	288.3	49.2	143.5	944.3	5,806.2
Middle Atlantic:													
New York-----	181,287	4,820	2,757	12,187	45,374	118,039	110	992.5	357.0	56.6	202.6	1,074.4	5,940.6
New Jersey-----	68,687	1,922	1,042	4,189	17,420	44,094	20	933.1	354.6	51.2	176.5	1,040.0	6,007.4
Pennsylvania-----	126,632	3,122	1,918	6,716	31,825	83,039	12	1,064.0	364.3	59.3	180.6	1,149.3	6,276.6
East North Central:													
Ohio-----	101,510	3,291	1,840	6,286	24,639	65,467	7	946.0	376.5	59.4	178.1	1,117.4	6,313.1
Indiana-----	49,671	1,826	1,026	3,205	11,492	32,129	4	934.4	411.3	66.2	182.4	1,091.4	6,262.8
Illinois-----	110,510	3,988	2,042	7,616	26,923	69,781	10	983.5	442.6	64.3	212.1	1,145.2	6,198.3
Michigan-----	76,359	3,069	1,753	6,134	19,742	47,656	5	966.4	402.8	64.5	205.0	1,106.6	6,055.4
Wisconsin-----	41,295	1,080	651	2,132	8,308	29,912	2	908.8	311.4	62.3	146.5	918.0	5,940.8
West North Central:													
Minnesota-----	33,851	985	685	1,727	6,602	23,855	17	868.6	323.0	58.5	137.1	897.0	5,608.2
Iowa-----	29,255	728	501	1,331	5,460	21,225	2	1,007.4	332.4	60.0	148.1	920.5	5,945.4
Missouri-----	51,976	1,468	969	2,919	11,127	35,462	31	1,092.6	403.3	73.4	193.1	1,138.9	6,082.7
North Dakota-----	5,767	183	139	309	1,145	3,990	1	901.1	366.0	71.3	156.1	901.6	5,700.0
South Dakota-----	6,643	237	153	374	1,232	4,647	-	969.8	439.9	74.3	184.2	892.8	5,598.8
Nebraska-----	14,998	461	249	777	2,661	10,846	4	972.6	384.2	56.5	159.9	875.3	5,738.6
Kansas-----	22,789	591	439	1,149	4,294	16,322	4	1,000.0	347.6	69.2	156.1	927.3	5,992.4
South Atlantic:													
Delaware-----	4,920	159	114	377	1,327	2,941	2	854.2	345.7	66.7	191.4	1,164.0	6,257.4
Maryland-----	32,712	1,007	706	2,639	9,219	19,127	14	903.7	320.7	59.2	186.8	1,118.8	5,867.2
District of Columbia-----	8,069	306	119	947	2,531	4,164	1	1,081.5	527.6	63.3	338.2	1,710.1	5,864.8
Virginia-----	41,151	1,537	814	3,458	11,706	25,624	12	955.4	399.2	59.0	204.3	1,224.5	5,935.7
West Virginia-----	19,955	620	340	1,150	4,935	12,063	9	1,112.3	433.6	69.7	213.6	1,227.1	6,505.4
North Carolina-----	47,755	2,192	1,216	4,385	13,533	26,435	24	905.7	493.7	80.8	239.9	1,285.0	5,797.1
South Carolina-----	24,896	1,311	679	2,659	7,730	12,511	6	913.3	539.5	82.4	284.7	1,509.8	5,901.4
Georgia-----	43,671	1,972	1,118	4,478	12,718	23,556	29	916.7	457.5	79.6	271.1	1,419.4	5,859.7
Florida-----	87,938	2,529	1,609	5,685	20,447	57,640	28	1,145.3	457.3	82.1	245.8	1,231.0	4,843.7
East South Central:													
Kentucky-----	34,434	1,075	716	2,346	8,162	22,129	6	1,030.3	389.1	74.7	216.0	1,225.5	6,233.5
Tennessee-----	39,794	1,525	860	2,914	10,043	24,439	13	964.5	459.0	74.8	209.6	1,194.2	5,903.1
Alabama-----	35,408	1,513	828	2,927	9,114	21,011	15	1,000.8	489.3	79.8	256.8	1,294.6	5,885.4
Mississippi-----	24,022	1,396	623	1,853	5,634	14,508	8	1,053.1	646.3	88.6	264.3	1,344.6	5,995.0
West South Central:													
Arkansas-----	22,156	782	429	1,311	4,854	14,779	1	1,087.7	468.3	75.4	209.8	1,158.5	5,788.3
Louisiana-----	35,039	1,636	916	3,015	9,257	20,210	5	930.9	481.2	77.8	247.1	1,326.2	6,142.9
Oklahoma-----	27,349	942	494	1,653	5,889	18,455	16	1,027.0	402.9	68.2	192.2	1,074.6	5,749.2
Texas-----	101,647	4,604	2,424	8,400	24,742	61,259	18	861.9	456.7	70.7	210.2	1,109.0	5,651.2
Mountain:													
Montana-----	6,867	270	179	515	1,552	4,346	5	852.4	473.7	82.5	225.9	1,055.8	6,121.1
Idaho-----	6,479	300	186	452	1,369	4,168	4	841.4	434.8	80.2	186.8	900.7	5,632.4
Wyoming-----	3,070	133	76	259	739	1,862	2	869.7	443.3	73.1	222.4	1,026.4	5,818.8
Colorado-----	18,674	765	441	1,650	4,075	11,743	-	766.3	384.4	62.0	187.9	907.6	5,871.5
New Mexico-----	8,119	512	328	1,044	1,961	4,272	2	734.1	497.1	91.4	286.0	990.4	5,209.8
Arizona-----	16,847	740	492	1,650	4,243	9,728	9	818.6	402.2	61.1	242.2	1,067.3	4,963.3
Utah-----	7,585	437	234	620	1,649	4,642	3	655.6	344.1	63.4	161.5	863.4	5,461.2
Nevada-----	4,264	188	124	441	1,365	2,143	3	778.1	417.8	79.0	227.3	1,197.4	5,639.5
Pacific:													
Washington-----	30,812	942	590	1,651	7,211	20,209	9	898.6	356.8	60.9	159.3	1,046.6	5,874.7
Oregon-----	20,906	569	402	1,255	4,717	15,953	10	939.6	340.7	65.7	171.7	1,003.6	5,695.1
California-----	172,710	5,384	3,476	13,620	41,595	108,654	41	856.4	335.9	61.4	168.7	988.5	5,632.7
Alaska-----	1,459	157	93	347	441	420	1	442.1	448.6	84.5	264.9	958.7	5,250.0
Hawaii-----	4,368	240	102	415	1,206	2,405	-	525.0	324.3	41.6	136.5	768.2	4,715.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
ALL CAUSES-----	1,973,003	116,498	376,606	381,345	165,279	311,266	133,658	186,191	71,905	230,255
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	64	1	9	3	3	5	8	13	8	14
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	2,322	126	334	363	213	403	212	335	115	221
TUBERCULOSIS, ALL FORMS-----010-019	3,875	163	860	641	203	756	335	418	150	349
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	3,009	126	711	485	140	602	260	329	102	246
TUBERCULOSIS, OTHER FORMS-----013-019	866	37	149	156	63	154	67	89	48	103
WHOOPING COUGH-----023	5	-	-	1	-	2	-	1	-	1
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	20	1	2	2	1	2	4	1	2	5
MENINGOCOCCAL INFECTIONS-----036	330	13	50	53	25	58	29	54	13	35
SEPTICEMIA-----038	4,560	281	994	741	301	834	339	555	187	328
ACUTE POLIOMYELITIS-----040-043	10	-	3	1	1	2	-	-	-	3
MEASLES-----055	23	1	2	6	2	5	4	1	-	2
SYPHILIS AND ITS SEQUELAE-----090-097	393	6	53	61	32	96	32	43	14	56
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	4,067	221	701	655	337	705	307	465	198	478
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	351,055	22,629	72,140	68,095	28,807	53,580	20,848	31,350	11,246	42,360
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	7,822	568	1,562	1,381	558	1,342	483	707	193	1,028
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	96,549	6,771	21,739	18,900	7,892	13,699	5,347	7,843	3,016	11,342
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	79,335	4,895	15,414	14,965	5,924	13,165	5,049	7,814	2,293	9,816
MALIGNANT NEOPLASM OF BREAST-----174	32,143	2,220	7,248	6,468	2,551	4,555	1,701	2,471	976	3,953
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	42,591	2,559	8,125	8,336	3,879	6,713	2,713	3,837	1,449	4,980
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	15,877	1,091	3,287	3,242	1,380	2,269	821	1,264	571	1,952
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	42,693	2,545	8,302	7,932	3,369	7,010	2,662	4,244	1,582	5,047
LEUKEMIA-----204-207	14,478	815	2,629	3,002	1,357	2,063	945	1,388	504	1,775
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	19,567	1,165	3,834	3,869	1,897	2,764	1,127	1,782	662	2,467
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	5,013	354	1,165	800	345	785	296	449	203	616
DIABETES MELLITUS-----250	38,208	2,305	7,722	8,250	3,138	5,906	2,493	3,668	1,232	3,494
AVITAMINOSIS AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	2,576	107	369	470	295	431	134	262	116	392
ANEMIAS-----280-285	3,318	213	593	627	252	604	220	363	124	322
MENINGITIS-----320	1,523	52	270	252	99	293	106	226	66	159
MAJOR CARDIOVASCULAR DISEASES-----390-448	1,037,492	62,365	202,634	207,582	90,315	158,370	69,996	94,895	33,132	118,203
DISEASES OF HEART-----390-398, 402, 404, 410-429	757,075	46,363	156,068	153,510	64,059	113,362	48,200	67,103	23,746	84,664
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	13,739	963	3,066	2,666	1,125	1,863	554	729	719	2,054
HYPERTENSIVE HEART DISEASE-----402	7,268	519	1,251	1,772	578	999	427	724	202	796
HYPERTENSIVE HEART AND RENAL DISEASE-----404	5,515	207	767	1,637	594	893	352	439	151	475
ISCHEMIC HEART DISEASE-----410-413	684,066	42,144	144,348	138,206	57,781	102,203	42,784	58,374	20,724	77,502
ACUTE MYOCARDIAL INFARCTION-----410	351,662	21,467	69,907	71,397	31,928	52,731	25,988	32,527	11,095	34,622
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	4,503	325	795	599	235	1,212	128	554	220	435
CHRONIC ISCHEMIC HEART DISEASE-----412	327,722	20,339	73,627	66,174	25,576	48,242	16,653	25,273	9,406	42,432
ANGINA PECTORIS-----413	179	13	19	36	42	18	15	20	3	13
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	5,137	269	672	985	579	819	434	594	191	594
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	41,350	2,261	5,964	8,244	3,402	6,585	3,649	6,243	1,759	3,243

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION-----400-401,403	7,428	389	1,222	1,650	675	1,282	613	696	215	686
CEREBROVASCULAR DISEASES-----430-438	214,313	11,898	35,054	40,504	19,969	35,029	17,571	21,708	6,892	25,688
CEREBRAL HEMORRHAGE-----431	33,909	2,410	6,016	7,086	2,993	5,536	2,540	3,117	975	3,236
CEREBRAL THROMBOSIS-----433	56,648	3,857	10,252	11,240	4,774	9,411	4,406	4,158	1,363	7,187
CEREBRAL EMBOLISM-----434	967	68	203	186	125	117	41	96	35	96
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	122,789	5,563	18,583	21,992	12,077	19,965	10,584	14,337	4,519	15,169
ARTERIOSCLEROSIS-----440	32,617	2,014	5,397	6,959	3,345	4,578	2,095	3,154	1,286	3,789
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	26,059	1,701	4,893	4,959	2,267	4,119	1,517	2,234	993	3,376
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	905	55	151	168	54	127	60	82	38	170
INFLUENZA AND PNEUMONIA-----470-474,480-486	62,559	4,342	11,955	10,893	5,614	9,601	3,998	5,736	2,721	7,699
INFLUENZA-----470-474	5,131	229	435	766	626	629	377	429	328	1,312
PNEUMONIA-----480-486	57,428	4,113	11,520	10,127	4,988	8,972	3,621	5,307	2,393	6,387
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	29,708	1,595	4,468	6,023	2,524	4,494	1,940	2,792	1,623	4,249
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	5,547	384	881	1,103	476	817	355	464	278	789
EMPHYSEMA-----492	22,249	1,104	3,273	4,551	1,910	3,375	1,441	2,149	1,245	3,201
ASTHMA-----493	1,912	107	314	369	138	302	144	179	100	259
PEPTIC ULCER-----531-533	7,688	459	1,611	1,507	607	1,124	450	577	319	1,034
APPENDICITIS-----540-543	1,066	65	207	216	81	156	91	99	38	113
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	6,746	388	1,270	1,322	627	1,027	428	661	300	723
CIRRHOSIS OF LIVER-----571	33,350	2,214	7,422	6,158	1,711	5,544	1,355	2,262	1,265	5,419
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	3,422	205	623	668	348	474	257	324	185	338
NEPHRITIS AND NEPHROSIS-----580-584	8,336	409	1,571	1,596	648	1,552	629	967	282	682
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	1,536	86	314	284	139	275	92	179	48	119
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	6,800	323	1,257	1,312	509	1,277	537	788	234	563
INFECTIONS OF KIDNEY-----590	6,134	289	975	1,106	468	1,113	611	761	187	624
HYPERPLASIA OF PROSTATE-----600	1,589	72	285	313	179	234	141	134	49	182
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	477	9	82	75	28	91	50	78	18	46
ABORTIONS-----640-645	36	-	11	8	1	6	1	7	1	1
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	441	9	71	67	27	85	49	71	17	45
CONGENITAL ANOMALIES-----740-759	14,962	714	2,252	2,799	1,045	2,294	937	1,514	699	1,808
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	30,503	1,367	4,801	6,372	2,130	5,373	2,478	3,629	1,387	2,966
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	16,933	695	2,692	3,587	1,179	2,788	1,327	2,105	833	1,727
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	13,570	672	2,109	2,785	951	2,585	1,151	1,524	554	1,239
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	30,399	1,052	5,794	4,177	2,511	5,424	4,470	4,080	1,602	1,289
ALL OTHER DISEASES-----RESIDUAL	114,751	7,024	21,636	20,555	9,320	19,265	7,407	11,192	5,428	12,924
ACCIDENTS-----E800-E949	115,821	5,549	15,193	19,993	9,994	20,545	9,546	12,945	6,558	15,498
MOTOR VEHICLE ACCIDENTS-----E810-E823	55,511	2,250	6,953	9,815	4,914	10,021	4,893	6,245	3,493	6,927
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	60,310	3,299	8,240	10,178	5,080	10,524	4,653	6,700	3,065	8,571
SUICIDE-----E950-E959	25,118	1,178	3,317	4,527	1,815	4,373	1,463	2,329	1,454	4,662
HOMICIDE-----E960-E978	20,465	477	3,362	3,534	828	4,897	1,734	2,685	702	2,246
OTHER EXTERNAL CAUSES-----E980-E999	5,050	197	1,730	740	378	721	250	245	244	545

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION		
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
ALL CAUSES-----	10,070	7,583	4,504	57,318	9,509	26,714	181,287	68,687	126,632
BACILLARY DYSENTERY AND AMEBIASIS-----004-006	-	-	-	-	-	1	5	4	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008-009	20	8	3	56	6	33	151	74	109
TUBERCULOSIS, ALL FORMS-----010-019	14	5	6	93	13	32	424	171	265
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	12	5	5	71	11	22	352	136	223
TUBERCULOSIS, OTHER FORMS-----013-019	2	-	1	22	2	10	72	35	42
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	1	-	-	-	-	2
MENINGOCOCCAL INFECTIONS-----036	1	-	1	8	1	2	25	9	16
SEPTICEMIA-----038	17	9	14	155	21	65	509	164	321
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	3	-	-
MEASLES-----055	-	-	-	-	-	1	-	1	1
SYPHILIS AND ITS SEQUELAE-----090-097	1	-	-	3	-	2	26	3	24
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	22	7	5	112	27	48	335	137	229
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1,949	1,393	816	11,075	1,939	5,457	35,485	14,004	22,651
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	37	37	18	289	61	126	754	353	455
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	572	406	239	3,329	630	1,595	11,002	4,224	6,513
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	453	315	161	2,385	420	1,161	7,526	3,091	4,797
MALIGNANT NEOPLASM OF BREAST-----174	174	140	96	1,100	176	534	3,655	1,480	2,113
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	230	172	97	1,234	211	615	3,913	1,616	2,596
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	101	70	48	521	86	265	1,596	650	1,041
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	214	134	88	1,296	182	631	3,809	1,429	3,064
LEUKEMIA-----204-207	73	55	23	360	76	228	1,293	491	845
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	95	64	46	561	97	302	1,937	670	1,227
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	32	15	15	173	33	86	617	173	375
DIABETES MELLITUS-----250	182	170	90	1,083	261	519	3,631	1,532	2,559
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	8	9	2	55	8	25	150	69	150
ANEMIAS-----280-285	18	25	14	97	20	39	299	99	195
MENINGITIS-----320	5	2	-	29	4	12	145	51	74
MAJOR CARDIOVASCULAR DISEASES-----390-448	6,037	4,004	2,324	30,539	5,137	14,324	95,415	37,514	69,705
DISEASES OF HEART-----390-398, 402, 404, 410-429	4,393	2,833	1,713	22,924	4,032	10,468	74,280	29,094	52,694
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	73	59	35	497	68	231	1,474	607	985
HYPERTENSIVE HEART DISEASE-----402	55	25	13	315	28	83	619	220	412
HYPERTENSIVE HEART AND RENAL DISEASE-----404	40	28	14	80	13	32	248	114	408
ISCHEMIC HEART DISEASE-----410-413	3,967	2,577	1,559	20,910	3,776	9,355	69,252	27,141	47,955
ACUTE MYOCARDIAL INFARCTION-----410	2,421	1,425	675	10,362	1,879	4,705	31,030	12,906	25,971
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	7	6	4	52	236	20	441	142	212
CHRONIC ISCHEMIC HEART DISEASE-----412	1,536	1,145	876	10,491	1,661	4,630	37,771	14,090	21,766
ANGINA PECTORIS-----413	3	1	4	5	-	-	10	3	6
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	44	24	11	141	10	39	233	81	358
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	214	120	81	981	137	728	2,457	931	2,576

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION		
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
MAJOR CARDIOVASCULAR DISEASES--CON.									
HYPERTENSION-----400-401,403	49	29	24	179	30	78	607	220	395
CEREBROVASCULAR DISEASES-----430-438	1,196	811	427	5,744	838	2,882	15,977	6,519	12,558
CEREBRAL HEMORRHAGE-----431	257	127	53	1,339	163	471	2,928	1,053	2,035
CEREBRAL THROMBOSIS-----433	316	255	136	1,091	258	1,001	4,220	2,226	3,806
CEREBRAL EMBOLISM-----434	5	2	-	42	6	13	90	34	79
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	618	427	238	2,472	411	1,397	8,739	3,206	6,638
ARTERIOSCLEROSIS-----440	222	203	87	885	121	496	2,368	808	2,221
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	177	128	73	807	116	400	2,183	873	1,837
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	8	5	2	28	-	12	69	32	50
INFLUENZA AND PNEUMONIA-----470-474,480-486	339	175	152	2,537	306	833	6,489	1,905	3,561
INFLUENZA-----470-474	35	17	9	99	17	52	154	61	220
PNEUMONIA-----480-486	304	158	143	2,438	289	781	6,335	1,844	3,341
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	165	163	80	782	95	310	2,185	841	1,442
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	43	36	18	171	22	94	459	187	235
EMPHYSEMA-----492	110	122	57	548	65	202	1,547	610	1,116
ASTHMA-----493	12	5	5	63	8	14	179	44	91
PEPTIC ULCER-----531-533	40	32	18	232	35	102	861	278	472
APPENDICITIS-----540-543	9	2	-	40	1	13	106	30	71
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	34	23	19	176	30	106	650	221	399
CIRRHOSIS OF LIVER-----571	162	150	66	1,162	144	530	4,102	1,370	1,950
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	20	13	14	102	21	35	291	133	199
NEPHRITIS AND NEPHROSIS-----580-584	36	25	11	203	35	99	808	263	500
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	7	2	3	51	8	15	158	58	98
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	29	23	8	152	27	84	650	205	402
INFECTIONS OF KIDNEY-----590	31	24	9	151	15	59	485	161	329
HYPERPLASIA OF PROSTATE-----600	12	11	4	29	3	13	168	51	66
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	-	-	3	1	5	47	13	22
ABORTIONS-----640-645	-	-	-	-	-	-	7	1	3
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	-	-	-	3	1	5	40	12	19
CONGENITAL ANOMALIES-----740-759	69	54	33	328	66	164	1,111	414	727
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	144	109	49	650	116	299	2,342	924	1,535
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	76	62	25	336	50	146	1,312	520	860
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	68	47	24	314	66	153	1,030	404	675
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	69	255	48	420	49	211	2,463	598	2,733
ALL OTHER DISEASES-----RESIDUAL	668	384	327	3,454	550	1,641	10,234	3,346	8,056
ACCIDENTS-----E800-E949	567	392	308	2,702	430	1,150	6,846	2,887	5,460
MOTOR VEHICLE ACCIDENTS-----E810-E823	236	144	123	1,043	154	550	3,083	1,321	2,549
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	331	248	185	1,659	276	600	3,763	1,566	2,911
SUICIDE-----E950-E959	150	95	57	512	80	284	1,417	576	1,324
HOMICIDE-----E960-E978	27	10	7	283	37	113	2,021	515	826
OTHER EXTERNAL CAUSES-----E980-E999	14	14	10	45	25	89	1,372	124	234

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
ALL CAUSES	101,510	49,671	110,510	78,359	41,295	33,851	29,255	51,976	5,767	6,643	14,998	22,789
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	3	-	-	-	1	1	1	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	102	37	110	72	42	43	40	57	10	11	16	36
TUBERCULOSIS, ALL FORMS-----010-019	132	92	235	143	39	26	19	86	8	9	22	33
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	103	70	176	112	24	16	12	62	5	7	16	22
TUBERCULOSIS, OTHER FORMS-----013-019	29	22	59	31	15	10	7	24	3	2	6	11
WHOOPING COUGH-----033	-	-	-	1	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	1	-	1	-	-	1	-	-	-	-	-
MENINGOCOCCAL INFECTIONS-----036	15	3	13	16	6	3	4	7	3	3	3	2
SEPTICEMIA-----038	214	106	176	166	79	63	32	139	14	8	11	34
ACUTE POLIOMYELITIS-----040-043	-	-	-	1	-	-	-	-	-	-	-	1
MEASLES-----055	1	1	2	2	-	-	-	1	-	1	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	19	11	14	12	5	5	3	15	1	1	1	6
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	174	93	177	152	59	65	62	99	17	17	29	48
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	18,463	8,463	19,646	14,129	7,394	6,172	5,212	8,856	940	1,141	2,628	3,858
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	402	153	387	292	147	119	90	199	12	18	47	73
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	5,110	2,185	5,537	3,859	2,209	1,800	1,417	2,274	274	332	783	1,012
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	4,110	1,979	4,345	3,175	1,356	1,084	1,082	2,055	169	189	495	850
MALIGNANT NEOPLASM OF BREAST-----174	1,691	738	1,932	1,320	787	599	447	762	73	114	240	316
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	2,331	1,025	2,392	1,674	914	839	731	1,130	132	172	338	537
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	884	394	916	685	363	291	262	415	50	53	111	196
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	2,067	1,124	2,259	1,616	866	703	607	1,117	112	113	285	432
LEUKEMIA-----204-207	811	403	832	644	312	288	247	363	44	60	148	207
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	1,057	462	1,046	864	440	449	329	541	74	88	181	235
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	223	105	219	202	51	72	75	91	11	22	32	42
DIABETES MELLITUS-----250	2,273	1,048	2,015	2,062	852	542	540	1,080	96	120	291	469
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	124	64	97	114	71	47	58	106	14	9	32	29
ANEMIAS-----280-285	159	95	158	150	65	44	49	77	5	10	25	42
MENINGITIS-----320	57	41	77	58	19	16	17	39	2	3	7	15
MAJOR CARDIOVASCULAR DISEASES-----390-448	55,194	27,226	61,684	40,237	23,221	18,429	16,389	27,871	3,196	3,570	8,223	12,637
DISEASES OF HEART-----390-398,402,404,410-429	40,531	18,946	47,276	29,861	16,896	12,964	11,926	20,115	2,261	2,577	5,689	8,927
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	787	332	700	542	305	259	166	364	50	37	108	141
HYPERTENSIVE HEART DISEASE-----402	406	181	671	336	178	99	97	216	19	8	62	77
HYPERTENSIVE HEART AND RENAL DISEASE-----404	700	407	295	135	100	64	123	221	9	15	88	74
ISCHEMIC HEART DISEASE-----410-413	36,780	16,932	41,792	27,405	15,297	11,854	10,411	17,882	2,023	2,376	5,106	8,129
ACUTE MYOCARDIAL INFARCTION-----410	17,640	9,469	21,926	14,748	7,614	6,054	6,179	9,420	1,277	1,474	2,936	4,588
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	209	59	147	91	93	85	35	46	8	9	24	28
CHRONIC ISCHEMIC HEART DISEASE-----412	18,923	7,400	19,711	12,554	7,586	5,711	4,193	8,386	737	893	2,145	3,511
ANGINA PECTORIS-----413	8	4	8	12	4	4	4	30	1	-	1	2
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	196	165	322	171	131	86	150	149	19	17	62	96
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	1,662	929	3,496	1,272	885	602	579	1,283	141	124	263	410

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION-----400,401,403	418	203	580	266	183	113	121	238	21	29	70	83
CEREBROVASCULAR DISEASES-----430-439	10,908	6,124	10,844	7,933	4,695	4,225	3,598	5,946	697	730	1,944	2,829
CEREBRAL HEMORRHAGE-----431	1,833	1,095	2,209	1,216	733	653	510	834	114	118	311	453
CEREBRAL THROMBOSIS-----433	3,013	1,453	3,241	2,422	1,111	870	897	1,626	119	139	468	655
CEREBRAL EMBOLISM-----434	53	16	51	44	22	15	15	63	2	4	10	16
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	6,009	3,560	5,343	4,251	2,829	2,687	2,176	3,423	462	449	1,155	1,705
ARTERIOSCLEROSIS-----440	1,907	1,255	1,752	1,172	873	639	719	935	133	115	311	493
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	1,430	698	1,232	1,025	574	488	425	637	84	119	209	305
ACUTE BRONCHITIS AND BRONCHIOITIS-----466	56	22	51	27	12	7	6	18	4	1	8	10
INFLUENZA AND PNEUMONIA-----470-474,480-486	2,846	1,432	3,368	2,084	1,163	1,284	1,035	1,554	251	246	491	753
INFLUENZA-----470-474	229	132	159	134	112	170	102	128	31	33	65	97
PNEUMONIA-----480-486	2,617	1,300	3,209	1,950	1,051	1,114	933	1,426	220	213	426	656
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	1,606	848	1,582	1,411	576	466	523	737	85	95	259	359
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	326	142	281	230	124	100	103	115	18	9	64	67
EMPHYSEMA-----492	1,194	659	1,192	1,093	413	326	396	595	63	81	179	270
ASTHMA-----493	86	47	109	88	39	40	24	27	4	5	16	22
PEPTIC ULCER-----531-533	348	191	507	296	165	129	93	182	23	26	68	86
APPENDICITIS-----540-543	80	27	57	33	19	12	18	23	4	4	10	10
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	339	190	351	270	172	143	118	174	20	25	52	95
CYRROSIS OF LIVER-----571	1,498	612	1,852	1,689	507	401	277	530	49	71	161	222
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	181	70	201	126	90	82	54	97	17	13	44	41
NEPHRITIS AND NEPHROSIS-----580-584	445	211	497	300	143	86	109	248	18	24	58	105
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	65	50	88	60	21	16	20	51	5	7	16	24
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	380	161	409	240	122	70	89	197	13	17	42	81
INFECTIONS OF KIDNEY-----590	341	147	336	180	102	71	82	173	13	12	35	82
HYPERPLASIA OF PROSTATE-----600	88	32	109	37	47	42	30	54	6	2	21	24
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	17	9	24	22	3	4	1	13	3	2	1	4
ABORTIONS-----640-645	1	1	3	2	1	-	-	-	1	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	16	8	21	20	2	4	1	13	2	2	1	4
CONGENITAL ANOMALIES-----740-759	752	384	756	623	284	252	157	331	33	49	96	127
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	1,595	861	1,978	1,463	475	447	348	642	88	104	218	283
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	807	491	1,277	788	224	240	172	376	48	61	112	170
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	788	370	701	675	251	207	176	266	40	43	106	113
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,246	411	1,563	667	290	264	158	1,661	50	67	108	203
ALL OTHER DISEASES-----RESIDUAL	5,563	2,816	5,299	4,552	2,325	1,907	1,606	2,895	321	365	885	1,341
ACCIDENTS-----E800-E949	4,982	2,962	5,109	4,637	2,303	2,120	1,731	2,941	399	514	920	1,369
MOTOR VEHICLE ACCIDENTS-----E810-E823	2,340	1,569	2,469	2,282	1,155	1,048	853	1,459	219	268	425	648
ALL OTHER ACCIDENTS-----E800-E807, E825-E949	2,642	1,393	2,640	2,355	1,148	1,072	878	1,488	180	246	495	721
SUICIDE-----E950-E959	1,311	594	1,028	1,073	521	410	314	561	53	51	159	267
HOMICIDE-----E960-E978	905	374	929	1,180	146	98	55	454	9	36	67	109
OTHER EXTERNAL CAUSES-----E980-E999	161	92	287	151	49	99	38	163	3	11	17	47

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
ALL CAUSES-----	4,920	32,712	8,068	41,151	19,955	47,755	24,896	43,871	87,938
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	-	-	1	1	1	2
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	2	32	9	53	23	72	53	71	88
TUBERCULOSIS, ALL FORMS-----010-019	8	90	37	93	51	109	70	96	202
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	4	84	32	71	42	85	58	72	154
TUBERCULOSIS, OTHER FORMS-----013-019	4	6	5	22	9	24	12	24	48
WHOOPING COUGH-----033	-	-	-	-	-	1	1	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS-----036	1	1	1	7	4	11	6	10	17
SEPTICEMIA-----038	9	120	26	120	50	123	64	135	187
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-	2
MEASLES-----055	-	1	-	1	-	-	-	1	2
SYPHILIS AND ITS SEQUELAE-----090-097	1	8	1	13	7	16	9	16	25
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	9	79	26	79	49	125	66	127	145
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	928	6,567	1,534	7,245	3,254	7,400	3,662	6,498	16,492
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	20	166	64	149	56	178	76	180	453
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	245	1,773	449	1,838	829	1,746	894	1,597	4,328
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	224	1,591	334	1,844	815	1,672	881	1,563	4,241
MALIGNANT NEOPLASM OF BREAST-----174	97	595	135	645	263	613	299	515	1,393
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	105	752	198	879	412	1,018	542	855	1,952
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	32	300	56	272	133	283	140	259	794
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	134	850	176	961	470	1,115	461	923	1,920
LEUKEMIA-----204-207	31	220	47	276	128	352	148	283	578
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	40	320	75	381	148	423	221	323	833
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	14	131	29	119	45	120	50	93	184
DIABETES MELLITUS-----250	144	779	176	722	342	890	545	779	1,529
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	8	51	13	46	34	62	21	75	121
ANEMIAS-----280-285	7	56	23	84	42	74	43	79	196
MENINGITIS-----320	4	40	15	39	8	53	31	48	55
MAJOR CARDIOVASCULAR DISEASES-----390-448	2,585	16,439	3,460	20,833	10,704	24,670	12,562	22,131	44,986
DISEASES OF HEART-----390-398,402,404,410-429	2,031	12,857	2,440	14,970	7,991	17,319	8,788	14,921	32,045
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	41	218	43	209	126	230	120	216	660
HYPERTENSIVE HEART DISEASE-----402	16	86	43	130	71	127	103	208	215
HYPERTENSIVE HEART AND RENAL DISEASE-----404	11	97	23	142	52	164	106	138	160
ISCHEMIC HEART DISEASE-----410-413	1,885	11,750	2,169	13,458	7,129	15,711	7,719	12,817	29,565
ACUTE MYOCARDIAL INFARCTION-----410	930	5,256	582	6,669	3,999	9,109	4,438	7,662	14,086
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	3	64	7	775	20	96	33	51	163
CHRONIC ISCHEMIC HEART DISEASE-----412	952	6,429	1,580	6,012	3,106	6,504	3,246	5,100	15,313
ANGINA PECTORIS-----413	-	1	-	2	4	2	2	4	3
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	11	120	14	211	48	99	68	95	153
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	67	586	148	820	565	988	672	1,447	1,292

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
MAJOR CARDIOVASCULAR DISEASES--CON.									
HYPERTENSION-----400,401,403	16	94	46	175	84	231	102	199	335
CEREBROVASCULAR DISEASES-----430-438	400	2,633	650	4,407	2,017	5,868	3,096	5,867	10,091
CEREBRAL HEMORRHAGE-----431	62	429	122	690	396	862	542	1,097	1,336
CEREBRAL THROMBOSIS-----433	196	559	182	1,104	561	1,555	851	1,477	3,016
CEREBRAL EMBOLISM-----434	3	11	6	11	4	19	5	17	41
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	229	1,634	340	2,602	1,056	3,432	1,698	3,276	5,698
ARTERIOSCLEROSIS-----440	70	419	235	712	322	701	285	613	1,221
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	68	436	89	569	290	551	291	531	1,294
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	2	11	1	20	6	24	12	20	31
INFLUENZA AND PNEUMONIA-----470-474,480-486	116	744	309	1,504	737	1,508	693	1,640	2,350
INFLUENZA-----470-474	3	34	9	102	54	149	57	137	84
PNEUMONIA-----480-486	113	710	300	1,402	683	1,359	636	1,503	2,266
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	65	325	88	564	371	578	330	566	1,607
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	11	57	17	125	58	139	51	106	253
EMPHYSEMA-----492	52	245	56	380	294	397	256	412	1,283
ASTHMA-----493	2	23	15	59	19	42	23	48	71
PEPTIC ULCER-----531-533	16	117	32	149	75	140	93	153	349
APPENDICITIS-----540-543	1	17	7	16	4	16	14	31	50
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	9	128	35	142	57	172	86	120	278
CIRRHOSIS OF LIVER-----571	82	798	416	687	249	735	277	636	1,664
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	4	42	7	52	30	72	39	61	167
NEPHRITIS AND NEPHROSIS-----580-584	33	166	61	166	81	242	156	289	358
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	6	32	10	21	23	43	23	42	75
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	27	134	51	145	58	199	133	247	283
INFECTIONS OF KIDNEY-----590	8	63	30	138	54	211	110	216	283
HYPERPLASIA OF PROSTATE-----600	3	25	7	23	16	41	19	27	73
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	6	2	10	5	13	18	17	20
ABORTIONS-----640-645	-	-	-	1	1	1	1	1	1
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	-	6	2	9	4	12	17	16	19
CONGENITAL ANOMALIES-----T40-T59	33	220	50	303	134	426	215	352	561
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	93	474	176	751	307	1,049	588	828	1,107
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	54	233	60	387	157	544	292	468	593
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	39	241	116	364	150	505	296	360	514
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	24	295	109	502	503	573	789	707	1,922
ALL OTHER DISEASES-----RESIDUAL	294	2,116	617	2,642	1,246	3,015	1,433	2,861	5,041
ACCIDENTS-----E800-E949	289	1,747	363	2,792	1,110	3,622	2,030	3,509	5,083
MOTOR VEHICLE ACCIDENTS-----E810-E823	125	854	99	1,238	469	1,879	968	1,810	2,579
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	164	893	264	1,554	641	1,743	1,062	1,699	2,504
SUICIDE-----E950-E959	79	421	87	663	212	685	305	631	1,290
HOMICIDE-----E960-E978	41	471	260	538	97	793	446	1,001	1,258
OTHER EXTERNAL CAUSES-----E980-E999	8	132	61	35	47	113	58	46	221

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
ALL CAUSES-----	34,434	39,794	35,408	24,022	22,156	35,039	27,349	101,647
BACILLARY DYSENTERY AND AMEBIASIS-----004.006	-	2	-	6	-	1	1	11
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008.009	39	49	63	61	34	49	36	216
TUBERCULOSIS, ALL FORMS-----010-019	80	118	101	36	56	89	52	221
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	63	97	75	33	44	73	39	173
TUBERCULOSIS, OTHER FORMS-----013-019	17	21	26	3	12	16	13	48
WHOOPING COUGH-----033	-	-	-	-	-	-	-	1
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	2	2	-	-	-	-	1
MENINGOCOCCAL INFECTIONS-----036	8	8	7	6	4	7	6	37
SEPTICEMIA-----038	94	85	90	70	63	135	69	288
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-
MEASLES-----055	1	1	1	1	-	-	-	1
SYPHILIS AND ITS SEQUELAE-----090-097	7	15	4	6	2	11	6	24
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	68	94	82	63	42	87	64	272
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	5,546	6,490	5,430	3,382	3,647	5,822	4,730	17,151
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	144	176	110	53	61	161	108	377
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	1,502	1,609	1,361	875	900	1,462	1,174	4,307
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	1,382	1,560	1,302	805	881	1,472	1,153	4,308
MALIGNANT NEOPLASM OF BREAST-----174	482	523	442	254	235	466	335	1,435
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	655	858	730	470	464	661	602	2,110
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	234	263	206	118	147	263	179	675
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	630	845	744	443	588	836	681	2,139
LEUKEMIA-----204-207	233	297	250	165	152	242	209	785
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	284	359	285	199	219	259	289	1,015
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	73	77	104	42	58	115	57	219
DIABETES MELLITUS-----250	650	600	792	451	419	900	460	1,889
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	37	35	31	31	29	40	43	150
ANEMIAS-----280-285	66	44	57	53	36	84	40	203
MENINGITIS-----320	19	30	34	23	26	46	23	131
MAJOR CARDIOVASCULAR DISEASES-----390-448	19,080	21,508	17,623	11,785	11,869	18,031	14,656	50,339
DISEASES OF HEART-----390-398, 402, 404, 410-429	13,621	14,912	11,646	8,021	8,082	13,150	10,413	35,458
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	153	189	113	99	87	120	127	395
HYPERTENSIVE HEART DISEASE-----402	109	83	130	105	92	146	108	378
HYPERTENSIVE HEART AND RENAL DISEASE-----404	88	93	106	65	69	88	82	200
ISCHEMIC HEART DISEASE-----410-413	12,214	13,790	9,873	6,907	6,973	11,745	9,330	30,326
ACUTE MYOCARDIAL INFARCTION-----410	7,580	8,438	5,913	4,057	4,236	5,985	5,534	16,772
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	43	27	28	30	16	22	385	131
CHRONIC ISCHEMIC HEART DISEASE-----412	4,584	5,323	3,930	2,816	2,718	5,736	3,408	13,411
ANGINA PECTORIS-----413	7	2	2	4	3	2	3	12
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	107	135	122	70	49	137	72	336
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	950	622	1,302	775	812	914	694	3,823

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
MAJOR CARDIOVASCULAR DISEASES--CON.								
HYPERTENSION-----400,401,403	146	172	170	125	86	117	112	381
CEREBROVASCULAR DISEASES-----430-438	4,283	5,305	4,898	3,085	3,077	3,830	3,301	11,500
CEREBRAL HEMORRHAGE-----431	669	636	771	464	419	541	479	1,678
CEREBRAL THROMBOSIS-----433	1,043	1,394	1,285	684	567	807	683	2,101
CEREBRAL EMBOLISM-----434	7	15	11	8	7	11	35	43
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	2,564	3,260	2,831	1,929	2,084	2,471	2,104	7,678
ARTERIOSCLEROSIS-----440	638	630	533	294	327	555	450	1,822
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	392	489	376	260	297	379	380	1,178
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	13	23	15	9	10	15	8	49
INFLUENZA AND PNEUMONIA-----470-474,480-486	1,079	1,204	1,025	690	627	947	793	3,369
INFLUENZA-----470-474	91	128	93	65	43	91	61	234
PNEUMONIA-----480-486	988	1,076	932	625	584	856	732	3,135
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	550	658	474	258	302	469	394	1,627
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	107	135	73	40	53	72	50	289
EMPHYSEMA-----492	402	475	372	192	231	355	323	1,240
ASTHMA-----493	41	48	29	26	18	42	21	98
PEPTIC ULCER-----531-533	128	136	113	73	60	104	110	303
APPENDICITIS-----540-543	28	20	19	24	14	25	13	47
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	104	119	100	105	65	120	92	384
CIRRHOSIS OF LIVER-----571	355	440	377	183	192	398	309	1,363
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	76	78	60	43	37	54	59	174
NEPHRITIS AND NEPHROSIS-----580-584	143	162	182	142	135	215	131	486
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	25	15	26	26	29	31	22	97
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	118	147	156	116	106	184	109	389
INFECTIONS OF KIDNEY-----590	148	193	155	115	85	133	144	399
HYPERPLASIA OF PROSTATE-----600	26	58	40	17	22	15	27	70
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	10	17	12	11	8	12	7	51
ABORTIONS-----640-645	1	-	-	-	1	1	-	5
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	9	17	12	11	7	11	7	46
CONGENITAL ANOMALIES-----740-759	235	297	230	175	139	314	184	877
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	479	728	663	608	367	773	359	2,130
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	247	397	364	319	201	431	212	1,261
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	232	331	299	289	166	342	147	869
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	187	567	1,979	1,737	773	291	363	2,653
ALL OTHER DISEASES-----RESIDUAL	2,005	2,105	2,016	1,281	1,130	2,146	1,792	6,124
ACCIDENTS-----E800-E949	2,281	2,699	2,654	1,912	1,448	2,543	1,707	7,247
MOTOR VEHICLE ACCIDENTS-----E810-E823	1,128	1,433	1,399	933	676	1,132	787	3,650
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	1,153	1,266	1,255	979	772	1,411	920	3,597
SUICIDE-----E950-E959	424	494	341	204	212	391	354	1,372
HOMICIDE-----E960-E978	326	550	508	350	188	624	220	1,653
OTHER EXTERNAL CAUSES-----E980-E999	69	88	24	69	57	33	40	115

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION								PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
ALL CAUSES-----	6,867	6,479	3,070	18,674	8,119	16,847	7,585	4,264	30,812	20,906	172,710	1,459	4,368
BACILLARY DYSENTERY AND AMEBIASIS-----004-006	2	-	-	-	4	1	1	-	1	1	12	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008-009	4	7	3	24	28	30	15	4	31	13	170	2	5
TUBERCULOSIS, ALL FORMS-----010-019	11	7	2	27	29	59	9	6	40	27	267	4	11
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	10	6	2	19	19	35	8	3	26	19	191	3	7
TUBERCULOSIS, OTHER FORMS-----013-019	1	1	-	8	10	24	1	3	14	8	76	1	4
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-	-	1	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	1	-	-	-	-	-	-	1	-	-	5	-	-
MENINGOCOCCAL INFECTIONS-----036	2	2	1	4	1	3	-	-	4	3	26	2	-
SEPTICEMIA-----038	14	2	7	56	23	59	20	6	45	28	243	4	8
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-	-	-	3	-	-
MEASLES-----055	-	-	-	-	-	-	-	-	-	-	2	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	-	1	-	4	3	3	1	2	5	1	47	-	3
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	18	17	3	40	24	58	22	16	72	32	364	3	7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1,054	1,009	448	2,849	1,192	2,831	1,058	805	5,652	3,657	31,948	202	901
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	17	20	3	47	17	52	17	20	123	72	798	7	28
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	297	277	107	777	343	719	292	204	1,505	919	8,563	48	307
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	220	189	103	520	247	645	167	202	1,317	882	7,373	51	193
MALIGNANT NEOPLASM OF BREAST-----174	83	87	41	275	84	233	110	63	496	306	3,083	18	50
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	138	127	58	400	155	339	147	85	726	446	3,699	20	89
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	55	63	28	144	53	139	53	36	283	163	1,453	8	45
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	122	129	62	389	190	420	150	120	651	434	3,821	38	103
LEUKEMIA-----204-207	61	58	19	128	47	116	46	29	256	180	1,294	4	41
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	61	59	27	169	56	168	76	46	295	255	1,864	8	45
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	11	24	9	50	34	45	20	10	72	50	474	8	12
DIABETES MELLITUS-----250	124	116	60	289	144	269	155	75	541	328	2,498	12	115
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	5	7	5	28	21	30	16	4	60	50	259	5	18
ANEMIAS-----280-285	13	14	6	35	12	18	21	5	47	30	239	1	5
MENINGITIS-----320	7	1	1	12	14	13	13	5	13	21	119	2	4
MAJOR CARDIOVASCULAR DISEASES-----390-448	3,310	3,244	1,456	9,246	3,094	7,434	3,496	1,852	16,015	10,990	88,836	403	1,959
DISEASES OF HEART-----390-398,402,404,410-429	2,301	2,290	1,083	6,693	2,146	5,457	2,478	1,298	11,461	7,536	63,984	277	1,406
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	77	49	24	190	73	140	125	41	263	162	1,583	8	38
HYPERTENSIVE HEART DISEASE-----402	22	17	5	40	16	59	33	10	109	36	634	4	13
HYPERTENSIVE HEART AND RENAL DISEASE-----404	13	31	7	53	9	13	20	5	128	89	254	-	4
ISCHEMIC HEART DISEASE-----410-413	1,932	2,019	960	5,922	1,838	4,849	2,062	1,142	10,170	6,895	58,947	214	1,276
ACUTE MYOCARDIAL INFARCTION-----410	1,162	1,195	581	3,165	1,059	2,177	1,125	631	4,979	2,837	26,020	148	638
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	14	6	1	27	7	147	9	9	127	20	281	-	7
CHRONIC ISCHEMIC HEART DISEASE-----412	756	817	378	2,730	772	2,524	927	502	5,061	4,038	32,637	65	631
ANGINA PECTORIS-----413	-	1	-	-	-	1	1	-	3	-	9	1	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	35	24	4	44	18	32	25	9	89	49	445	4	7
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	222	150	83	444	192	364	213	91	702	305	2,121	47	68

Table 1-13. Deaths From 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION								PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION-----400,401,403	24	9	8	67	23	52	20	12	93	49	535	2	7
CEREBROVASCULAR DISEASES-----430-438	708	740	292	1,778	698	1,451	784	441	3,413	2,579	19,147	94	455
CEREBRAL HEMORRHAGE-----431	87	88	45	236	141	224	91	63	417	305	2,393	29	101
CEREBRAL THROMBOSIS-----433	155	145	38	388	123	273	175	66	792	732	5,555	8	100
CEREBRAL EMBOLISM-----434	2	1	2	7	3	10	6	4	11	13	70	-	2
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	464	506	207	1,147	431	944	512	308	2,193	1,529	11,129	66	252
ARTERIOSCLEROSIS-----440	167	109	39	427	132	253	119	40	600	510	2,642	14	23
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	110	96	34	281	95	221	95	61	448	316	2,528	16	68
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	7	-	1	9	4	12	4	1	23	11	128	2	6
INFLUENZA AND PNEUMONIA-----470-474,480-486	279	258	111	746	393	621	220	93	1,156	781	5,535	65	162
INFLUENZA-----470-474	42	58	26	71	45	53	18	15	251	143	897	9	12
PNEUMONIA-----480-486	237	200	85	675	348	568	202	78	905	638	4,638	56	150
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	171	144	76	416	136	448	135	97	590	411	3,169	16	63
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	32	23	8	65	26	82	29	13	97	86	590	-	14
EMPHYSEMA-----492	137	116	65	327	104	331	91	74	463	301	2,390	10	37
ASTHMA-----493	2	5	3	24	6	35	15	10	30	24	189	6	10
PEPTIC ULCER-----531-533	28	28	19	84	45	70	32	13	125	88	890	9	12
APPENDICITIS-----540-543	2	5	3	9	7	9	3	-	11	9	89	-	4
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	32	25	17	74	34	51	47	20	100	69	535	9	10
CIRRHOSIS OF LIVER-----571	96	79	45	267	193	341	116	128	567	353	4,405	27	67
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	13	23	5	59	19	36	18	12	54	27	250	1	6
NEPHRITIS AND NEPHROSIS-----580-584	27	26	8	63	41	73	32	12	68	53	529	5	27
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	3	3	1	17	5	12	4	3	7	6	100	1	5
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	24	23	7	46	36	61	28	9	61	47	429	4	22
INFECTIONS OF KIDNEY-----590	15	9	5	41	19	67	20	11	71	49	484	-	20
HYPERPLASIA OF PROSTATE-----600	1	6	2	14	5	12	8	1	20	11	145	3	3
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	-	2	3	3	4	4	2	3	-	41	-	2
ABORTIONS-----640-645	-	-	1	-	-	-	-	-	-	-	1	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	-	-	1	3	3	4	4	2	3	-	40	-	2
CONGENITAL ANOMALIES-----740-759	57	65	26	166	100	153	106	26	229	148	1,350	20	61
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	112	136	73	347	183	270	174	92	391	232	2,150	70	123
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	54	77	44	224	123	164	94	53	243	125	1,268	40	51
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	58	59	29	123	60	106	80	39	148	107	882	30	72
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	212	86	26	268	347	314	287	62	202	312	698	36	41
ALL OTHER DISEASES-----RESIDUAL	445	420	240	1,440	637	1,308	630	308	1,928	1,224	9,412	116	244
ACCIDENTS-----E800-E949	622	583	321	1,367	1,000	1,583	695	387	1,948	1,364	11,544	340	302
MOTOR VEHICLE ACCIDENTS-----E810-E823	320	320	157	663	571	892	358	212	870	661	5,189	72	135
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	302	263	164	704	429	691	337	175	1,078	703	6,355	268	167
SUICIDE-----E950-E959	106	97	62	424	178	329	136	122	506	358	3,654	56	88
HOMICIDE-----E960-E978	44	27	12	168	134	207	40	70	172	106	1,903	27	38
OTHER EXTERNAL CAUSES-----E980-E999	22	11	15	45	18	86	31	16	50	69	376	9	41

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
ALL CAUSES-----	940.2	958.8	1,003.5	932.5	989.5	959.0	1,005.1	919.1	785.9	839.8
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.1	1.0	0.9	0.9	1.3	1.2	1.6	1.7	1.3	0.8
TUBERCULOSIS, ALL FORMS-----010-019	1.8	1.3	2.3	1.6	1.2	2.3	2.3	2.1	1.6	1.3
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.4	1.0	1.9	1.2	0.8	1.9	2.0	1.6	1.1	0.9
TUBERCULOSIS, OTHER FORMS-----013-019	0.4	0.3	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.4
WHOOPING COUGH-----033	0.0	-	-	0.0	-	0.0	-	0.0	-	0.0
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MENINGOCOCCAL INFECTIONS-----036	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.1	0.1
SEPTICEMIA-----038	2.2	2.3	2.6	1.8	1.8	2.6	2.5	2.7	2.0	1.2
ACUTE POLIOMYELITIS-----040-043	0.0	-	0.0	0.0	0.0	0.0	-	-	-	0.0
MEASLES-----055	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0
SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.0	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.9	1.8	1.9	1.6	2.0	2.2	2.3	2.3	2.2	1.7
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	167.3	186.2	192.2	166.5	172.5	165.1	156.8	154.8	122.9	154.5
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.7	4.7	4.2	3.4	3.3	4.1	3.6	3.5	2.1	3.7
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	46.0	55.7	57.9	46.2	47.2	42.2	40.2	38.7	33.0	41.4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	37.8	40.3	41.1	36.6	35.5	40.6	38.0	38.6	25.1	35.8
MALIGNANT NEOPLASM OF BREAST-----174	15.3	18.3	19.3	15.8	15.3	14.0	12.8	12.2	10.7	14.4
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	20.3	21.1	21.7	20.4	23.2	20.7	20.4	18.9	15.8	18.2
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	7.6	9.0	8.8	7.9	8.3	7.0	6.2	6.2	6.2	7.1
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	20.3	20.9	22.1	19.4	20.2	21.6	20.0	21.0	17.3	18.4
LEUKEMIA-----204-207	6.9	6.7	7.0	7.3	8.1	6.4	7.1	6.9	5.5	6.5
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	9.3	9.6	10.2	9.5	11.4	8.5	8.5	8.8	7.2	9.0
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.4	2.9	3.1	2.0	2.1	2.4	2.2	2.2	2.2	2.2
DIABETES MELLITUS-----250	18.2	19.0	20.6	20.2	18.8	18.2	18.7	18.1	13.5	12.7
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	0.9	1.0	1.1	1.8	1.3	1.0	1.3	1.3	1.4
ANEMIAS-----280-285	1.6	1.8	1.6	1.5	1.5	1.9	1.7	1.8	1.4	1.2
MENINGITIS-----320	0.7	0.4	0.7	0.6	0.6	0.9	0.8	1.1	0.7	0.6
MAJOR CARDIOVASCULAR DISEASES-----390-448	494.4	513.2	540.0	507.6	540.7	487.9	526.4	468.5	362.1	431.1
DISEASES OF HEART-----390-398,402,404,410-429	360.8	381.6	415.9	375.4	383.5	349.2	362.5	331.3	259.5	308.8
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	6.5	7.9	8.2	6.5	6.7	5.7	4.2	3.6	7.9	7.5
HYPERTENSIVE HEART DISEASE-----402	3.5	4.3	3.3	4.3	3.5	3.1	3.2	3.6	2.2	2.9
HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.6	1.7	2.0	4.0	3.6	2.8	2.6	2.2	1.7	1.7
ISCHEMIC HEART DISEASE-----410-413	326.0	346.8	384.6	337.9	345.9	314.9	321.7	288.2	226.5	282.7
ACUTE MYOCARDIAL INFARCTION-----410	167.6	176.7	186.3	174.6	191.1	162.5	195.4	160.6	121.3	126.3
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	2.1	2.7	2.1	1.5	1.4	3.7	1.0	2.7	2.4	1.6
CHRONIC ISCHEMIC HEART DISEASE-----412	156.2	167.4	196.2	161.8	153.1	148.6	125.2	124.8	102.8	154.8
ANGINA PECTORIS-----413	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.0	0.0
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	2.4	2.2	1.8	2.4	3.5	2.5	3.3	2.9	2.1	2.2
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	19.7	18.6	15.9	20.2	20.4	20.3	27.4	30.8	19.2	11.8

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	UNITED STATES	GEOGRAPHIC DIVISIONS								
		NEW ENGLAND	MIDDLE ATLANTIC	EAST NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH ATLANTIC	EAST SOUTH CENTRAL	WEST SOUTH CENTRAL	MOUNTAIN	PACIFIC
MAJOR CARDIOVASCULAR DISEASES--CON.										
HYPERTENSION-----400,401,403	3.5	3.2	3.3	4.0	4.0	3.9	4.6	3.4	2.3	2.5
CEREBROVASCULAR DISEASES-----430-438	102.1	97.9	93.4	99.0	119.5	107.9	132.1	107.2	75.3	93.7
CEREBRAL HEMORRHAGE-----431	16.2	19.8	16.0	17.3	17.9	17.1	19.1	15.4	10.7	11.8
CEREBRAL THROMBOSIS-----433	27.0	31.7	27.3	27.5	28.6	29.0	33.1	20.5	14.9	26.2
CEREBRAL EMBOLISM-----434	0.5	0.6	0.5	0.5	0.7	0.4	0.3	0.5	0.4	0.4
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	58.5	45.8	49.5	53.8	72.3	61.5	79.6	70.8	49.4	55.3
ARTERIOSCLEROSIS-----440	15.5	16.6	14.4	17.0	20.0	14.1	15.8	15.6	14.1	13.8
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	12.4	14.0	13.0	12.1	13.6	12.7	11.4	11.0	10.9	12.3
ACUTE BRONCHITIS AND BRONCHIOLOSIS-----466	0.4	0.5	0.4	0.4	0.3	0.4	0.5	0.4	0.4	0.6
INFLUENZA AND PNEUMONIA-----470-474,480-486	29.8	35.7	31.9	26.6	32.6	29.6	30.1	28.3	29.7	28.1
INFLUENZA-----470-474	2.4	1.9	1.2	1.9	3.7	1.9	2.8	2.1	3.6	4.8
PNEUMONIA-----480-486	27.4	33.8	30.7	24.8	29.9	27.6	27.2	26.2	26.2	23.3
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	14.2	13.1	11.9	14.7	15.1	13.8	14.6	13.8	17.7	15.5
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	2.6	3.2	2.3	2.7	2.8	2.5	2.7	2.3	3.0	2.9
EMPHYSEMA-----492	10.6	9.1	8.7	11.1	11.4	10.4	10.8	10.6	13.6	11.7
ASTHMA-----493	0.9	0.9	0.8	0.9	0.8	0.9	1.1	0.9	1.1	0.9
PEPTIC ULCER-----531-533	3.7	3.8	4.3	3.7	3.6	3.5	3.4	2.8	3.5	3.8
APPENDICITIS-----540-543	0.5	0.5	0.6	0.5	0.5	0.5	0.7	0.5	0.4	0.4
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.2	3.2	3.4	3.2	3.8	3.2	3.2	3.3	3.3	2.6
CIRRHOSIS OF LIVER-----571	15.9	18.2	19.8	15.1	10.2	17.1	10.2	11.2	13.8	19.8
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.6	1.7	1.7	1.6	2.1	1.5	1.9	1.6	2.0	1.2
NEPHRITIS AND NEPHROSIS-----580-584	4.0	3.4	4.2	3.9	3.9	4.8	4.7	4.8	3.1	2.5
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.7	0.7	0.8	0.7	0.8	0.8	0.7	0.9	0.5	0.4
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.2	2.7	3.3	3.2	3.0	3.9	4.0	3.9	2.6	2.1
INFECTIONS OF KIDNEY-----590	2.9	2.4	2.6	2.7	2.8	3.4	4.6	3.8	2.0	2.3
HYPERPLASIA OF PROSTATE-----600	0.8	0.6	0.8	0.8	1.1	0.7	1.1	0.7	0.5	0.7
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.2	0.2
ABORTIONS-----640-645	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.2	0.2
CONGENITAL ANOMALIES-----740-759	6.7	5.9	6.0	6.8	6.3	7.1	7.0	7.5	7.6	6.6
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	14.5	11.3	12.8	15.6	12.8	16.6	18.6	17.9	15.2	10.8
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	8.1	5.7	7.2	8.8	7.1	8.6	10.0	10.4	9.1	6.3
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	6.5	5.5	5.6	6.8	5.7	8.0	8.7	7.5	6.1	4.5
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	14.5	8.7	15.4	10.2	15.0	16.7	33.6	20.1	17.5	4.7
ALL OTHER DISEASES-----RESIDUAL	54.7	57.8	57.7	50.3	55.8	59.4	55.7	55.3	59.3	47.1
ACCIDENTS-----E800-E949	55.2	45.7	40.5	48.9	59.8	63.3	71.8	63.9	71.7	56.5
MOTOR VEHICLE ACCIDENTS-----E810-E823	26.5	18.5	18.5	24.0	29.4	30.9	36.8	30.8	38.2	25.3
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	28.7	27.2	22.0	24.9	30.4	32.4	35.0	33.1	33.5	31.3
SUICIDE-----E950-E959	12.0	9.1	8.8	11.1	10.9	13.5	11.0	11.5	15.9	17.0
HOMICIDE-----E960-E978	9.8	3.9	9.0	8.6	5.0	15.1	13.0	13.3	7.7	8.2
OTHER EXTERNAL CAUSES-----E980-E999	2.4	1.6	4.6	1.8	2.3	2.2	1.9	1.2	2.7	2.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1968]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION		
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
ALL CAUSES-----	1,057.4	950.7	970.7	985.2	977.3	868.5	992.5	933.1	1,064.0
BACILLARY DYSENTERY AND AMEBIASIS-----004.006	-	-	-	-	-	0.0	0.0	0.1	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008.009	1.9	1.0	0.6	1.0	0.6	1.1	0.8	1.0	0.9
TUBERCULOSIS, ALL FORMS-----010-019	1.4	0.6	1.3	1.6	1.3	1.0	2.3	2.3	2.2
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.2	0.6	1.1	1.2	1.1	0.7	1.9	1.8	1.9
TUBERCULOSIS, OTHER FORMS-----013-019	0.2	-	0.2	0.4	0.2	0.3	0.4	0.5	0.4
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	0.0	-	-	-	-	0.0
NEUTROPHILIC INFECTIONS-----036	0.1	-	0.2	0.1	0.1	0.1	0.1	0.1	0.1
SEPTICEMIA-----038	1.7	1.1	3.0	2.7	2.2	2.1	2.8	2.2	2.7
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	0.0	-	-
MEASLES-----055	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	0.1	-	-	0.1	-	0.0	-	0.0	0.0
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2.1	0.9	1.1	1.9	2.8	1.6	1.8	1.9	1.9
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	189.6	176.1	175.9	190.4	199.3	177.4	194.3	190.2	190.3
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.6	4.7	3.9	5.0	6.3	4.1	4.1	4.8	3.8
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	55.6	51.3	51.5	57.2	64.7	51.9	60.2	57.4	54.7
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	44.1	39.8	34.7	41.0	43.2	37.7	41.2	42.0	40.3
MALIGNANT NEOPLASM OF BREAST-----174	16.9	17.7	20.7	18.9	18.1	17.4	20.0	20.1	17.8
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	22.4	21.7	20.9	21.2	21.7	20.0	21.4	22.0	21.8
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	9.8	8.8	10.3	9.0	8.8	8.6	8.7	8.8	8.7
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	20.8	16.9	19.0	22.3	18.7	20.5	20.9	19.4	25.7
LEUKEMIA-----204-207	7.1	7.0	5.0	6.2	7.8	7.4	7.1	6.7	7.1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	9.2	8.1	9.9	9.6	10.0	9.8	10.6	9.1	10.3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	3.1	1.9	3.2	3.0	3.4	2.8	3.4	2.4	3.2
DIABETES MELLITUS-----250	17.7	21.5	19.4	18.6	26.8	16.9	19.9	20.8	21.5
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	0.8	1.1	0.4	0.9	0.8	0.8	0.8	0.9	1.3
ANEMIAS-----280-285	1.8	3.2	3.0	1.7	2.1	1.3	1.6	1.3	1.6
MENINGITIS-----320	0.5	0.3	-	0.5	0.4	0.4	0.8	0.7	0.6
MAJOR CARDIOVASCULAR DISEASES-----390-448	587.3	506.2	500.9	524.9	528.0	465.7	522.4	509.6	585.7
DISEASES OF HEART-----390-398,402,404,410-429	427.3	358.2	369.2	394.0	414.4	340.3	406.7	395.2	442.7
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	7.1	7.5	7.5	8.5	7.0	7.5	8.1	8.2	8.3
HYPERTENSIVE HEART DISEASE-----402	5.4	3.2	2.8	5.4	2.9	2.7	3.4	3.0	3.5
HYPERTENSIVE HEART AND RENAL DISEASE-----404	3.9	3.5	3.0	1.4	1.3	1.0	1.3	1.5	3.4
ISCHEMIC HEART DISEASE-----410-413	385.9	325.8	336.0	359.4	388.1	304.1	379.2	368.7	402.9
ACUTE MYOCARDIAL INFARCTION-----410	235.5	180.2	145.5	178.1	193.1	153.0	169.9	175.3	218.2
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	0.7	0.8	0.9	0.9	24.3	0.7	2.4	1.9	1.8
CHRONIC ISCHEMIC HEART DISEASE-----412	149.4	144.8	188.8	180.3	170.7	150.5	206.8	191.4	182.9
ANGINA PECTORIS-----413	0.3	0.1	0.9	0.1	-	-	0.1	0.0	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	4.3	3.0	2.4	2.4	1.0	1.3	1.3	1.1	3.0
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	20.8	15.2	17.5	16.9	14.1	23.7	13.5	12.6	21.6

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	NEW ENGLAND DIVISION						MIDDLE ATLANTIC DIVISION		
	MAINE	NEW HAMPSHIRE	VERMONT	MASSACHUSETTS	RHODE ISLAND	CONNECTICUT	NEW YORK	NEW JERSEY	PENNSYLVANIA
MAJOR CARDIOVASCULAR DISEASES--CON.									
HYPERTENSION-----400,401,403	4.8	3.7	5.2	3.1	3.1	2.5	3.3	3.0	3.3
CEREBROVASCULAR DISEASES-----430-438	116.3	102.5	92.0	98.7	86.1	93.7	87.5	88.6	105.5
CEREBRAL HEMORRHAGE-----431	25.0	16.1	11.4	23.0	16.8	15.3	16.0	14.3	17.1
CEREBRAL THROMBOSIS-----433	30.7	32.2	29.3	32.5	26.5	32.5	23.1	30.2	32.0
CEREBRAL EMBOLISM-----434	0.5	0.3	-	0.7	0.6	0.4	0.5	0.5	0.7
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	60.1	54.0	51.3	42.5	42.2	45.4	47.8	43.6	55.8
ARTERIOSCLEROSIS-----440	21.6	25.7	18.8	15.2	12.4	16.1	13.0	11.0	18.7
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	17.2	16.2	15.7	13.9	11.9	13.0	12.9	11.9	15.4
ACUTE BRONCHITIS AND BRONCHIODITIS-----466	0.8	0.6	0.4	0.5	-	0.4	0.4	0.4	0.4
INFLUENZA AND PNEUMONIA-----470-474,480-486	33.0	22.1	32.8	43.6	31.4	27.1	35.5	25.9	29.9
INFLUENZA-----470-474	3.4	2.1	1.9	1.7	1.7	1.7	0.8	0.8	1.8
PNEUMONIA-----480-486	29.6	20.0	30.8	41.9	29.7	25.4	34.7	25.1	28.1
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	16.1	20.6	17.2	13.4	9.8	10.1	12.0	11.4	12.1
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	4.2	4.6	3.9	2.9	2.3	3.1	2.5	2.5	2.0
EMPHYSEMA-----492	10.7	15.4	12.3	9.4	6.7	6.6	8.5	8.3	9.4
ASTHMA-----493	1.2	0.6	1.1	1.1	0.8	0.5	1.0	0.6	0.8
PEPTIC ULCER-----531-533	3.9	4.0	3.9	3.6	3.6	3.3	4.7	3.8	4.0
APPENDICITIS-----540-543	0.9	0.3	-	0.7	0.1	0.4	0.6	0.4	0.6
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.3	2.9	4.1	3.0	3.1	3.4	3.6	3.0	3.4
CIRRHOSIS OF LIVER-----571	15.8	19.0	14.2	20.0	14.8	17.2	22.5	18.6	16.4
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.9	1.6	3.0	1.8	2.2	1.1	1.6	1.8	1.7
NEPHRITIS AND NEPHROSIS-----580-584	3.5	3.2	2.4	3.5	3.6	3.2	4.4	3.6	4.2
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.7	0.3	0.6	0.9	0.8	0.5	0.9	0.8	0.8
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	2.8	2.9	1.7	2.6	2.8	2.7	3.6	2.8	3.4
INFECTIONS OF KIDNEY-----590	3.0	3.0	1.9	2.6	1.5	1.9	2.7	2.2	2.8
HYPERPLASIA OF PROSTATE-----600	1.2	1.4	0.9	0.5	0.3	0.4	0.9	0.7	0.6
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	-	-	0.1	0.1	0.2	0.3	0.2	0.2
ABORTIONS-----640-645	-	-	-	-	-	-	0.0	0.0	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	-	-	-	0.1	0.1	0.2	0.2	0.2	0.2
CONGENITAL ANOMALIES-----740-759	6.7	6.8	7.1	5.6	6.8	5.3	6.1	5.6	6.1
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	14.0	13.8	10.6	11.2	11.9	9.7	12.8	12.6	12.9
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	7.4	7.8	5.4	5.8	5.1	4.7	7.2	7.1	7.2
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	6.6	5.9	5.2	5.4	6.8	5.0	5.6	5.5	5.7
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	6.7	32.2	10.3	7.2	5.0	6.9	13.5	8.1	23.0
ALL OTHER DISEASES-----RESIDUAL	65.0	48.5	70.5	59.4	56.5	53.3	56.0	45.5	67.7
ACCIDENTS-----E800-E949	55.2	49.6	66.4	46.4	44.2	37.4	37.5	39.2	45.9
MOTOR VEHICLE ACCIDENTS-----E810-E823	23.0	18.2	26.5	17.9	15.8	17.9	16.9	17.9	21.4
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	32.2	31.4	39.9	28.5	28.4	19.5	20.6	21.3	24.5
SUICIDE-----E950-E959	14.6	12.0	12.3	8.8	8.2	9.2	7.8	7.8	11.1
HOMICIDE-----E960-E978	2.6	1.3	1.5	4.9	3.8	3.7	11.1	7.0	6.9
OTHER EXTERNAL CAUSES-----E980-E999	1.4	1.8	2.2	0.8	2.6	2.0	7.5	1.7	2.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1966]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
ALL CAUSES-----	946.0	924.4	983.5	866.4	903.8	868.6	1,007.4	1,092.6	901.1	969.8	972.6	1,000.0
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	0.0	-	-	-	0.0	0.0	0.2	-	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.0	0.7	1.0	0.8	0.9	1.1	1.4	1.2	1.6	1.6	1.0	1.6
TUBERCULOSIS, ALL FORMS-----010-019	1.2	1.7	2.1	1.6	0.9	0.7	0.7	1.8	1.3	1.3	1.4	1.4
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.0	1.3	1.6	1.2	0.5	0.4	0.4	1.3	0.8	1.0	1.0	1.0
TUBERCULOSIS, OTHER FORMS-----013-019	0.3	0.4	0.5	0.3	0.3	0.3	0.2	0.5	0.5	0.3	0.4	0.5
WHOOPING COUGH-----033	-	-	-	0.0	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	0.0	-	0.0	-	-	0.0	-	-	-	-	-
MENINGOCOCCAL INFECTIONS-----036	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.5	0.4	0.2	0.1
SEPTICEMIA-----038	2.0	2.0	1.6	1.8	1.7	1.6	1.1	2.9	2.2	1.2	0.7	1.5
ACUTE POLIOMYELITIS-----040-043	-	-	-	0.0	-	-	-	-	-	-	-	0.0
MEASLES-----055	0.0	0.0	0.0	0.0	-	-	-	0.0	-	0.1	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.3
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.6	1.7	1.6	1.7	1.3	1.7	2.1	2.1	2.7	2.5	1.9	2.1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	172.1	159.2	174.8	156.2	161.8	158.4	179.5	186.2	146.9	166.6	170.4	169.3
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.7	2.9	3.4	3.2	3.2	3.1	3.1	4.2	1.9	2.6	3.0	3.2
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	47.6	41.1	49.3	42.7	48.3	46.2	48.8	47.8	42.8	48.5	50.8	44.4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	38.3	37.2	38.7	35.1	29.7	27.8	37.3	43.2	26.4	27.6	32.1	37.3
MALIGNANT NEOPLASM OF BREAST-----174	15.8	13.9	17.2	14.6	17.2	15.4	15.4	16.0	11.4	16.6	15.6	13.9
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	21.7	19.3	21.3	18.5	20.0	21.5	25.2	23.8	20.6	25.1	21.9	23.6
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	8.2	7.4	8.2	7.6	7.9	7.5	9.0	8.7	7.8	8.0	7.2	8.6
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	19.3	21.1	20.1	17.9	19.0	18.0	20.9	23.5	17.5	16.5	18.5	19.0
LEUKEMIA-----204-207	7.6	7.6	7.4	7.1	6.8	7.4	8.5	7.6	6.9	8.8	9.6	9.1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	9.8	8.7	9.3	9.6	9.6	11.5	11.3	11.4	11.6	12.8	11.7	10.3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.1	2.0	1.9	2.2	1.1	1.8	2.6	1.9	1.7	3.2	2.1	1.8
DIABETES MELLITUS-----250	21.2	19.7	17.9	22.8	18.6	13.9	18.6	22.7	15.0	17.5	18.0	20.6
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.2	1.2	0.9	1.3	1.6	1.2	2.0	2.2	2.2	1.3	2.1	1.3
ANEMIAS-----280-285	1.5	1.8	1.4	1.7	1.4	1.1	1.7	1.6	0.8	1.5	1.6	1.8
MENINGITIS-----320	0.5	0.8	0.7	0.6	0.4	0.4	0.6	0.8	0.3	0.4	0.5	0.7
MAJOR CARDIOVASCULAR DISEASES-----390-448	514.3	512.2	549.0	445.1	508.2	472.9	564.4	585.9	499.4	521.2	533.3	554.5
DISEASES OF HEART-----390-398,402,404,410-429	377.7	356.4	420.8	330.2	369.8	332.7	396.9	422.9	353.3	376.2	368.9	391.7
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	7.3	6.2	6.2	6.0	6.7	6.6	5.7	7.7	7.8	5.4	7.0	6.2
HYPERTENSIVE HEART DISEASE-----402	3.8	3.4	6.0	3.7	3.9	2.5	3.3	4.5	3.0	1.2	4.0	3.4
HYPERTENSIVE HEART AND RENAL DISEASE-----404	6.5	7.7	2.6	1.5	2.2	1.6	4.2	4.6	1.4	2.2	5.7	3.2
ISCHEMIC HEART DISEASE-----410-413	342.7	318.5	371.9	303.0	334.8	304.2	358.5	375.9	316.1	346.9	331.1	356.7
ACUTE MYOCARDIAL INFARCTION-----410	164.4	178.1	195.1	163.1	166.6	155.4	212.8	198.0	199.5	215.2	190.4	201.3
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	1.9	1.1	1.3	1.0	2.0	2.2	1.2	1.0	1.3	1.3	1.6	1.2
CHRONIC ISCHEMIC HEART DISEASE-----412	176.3	139.2	175.4	138.8	166.0	146.5	144.4	176.3	115.2	130.4	139.1	154.1
ANGINA PECTORIS-----413	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	0.2	-	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	1.8	3.1	2.9	1.9	2.9	2.2	5.2	3.1	3.0	2.5	4.0	4.2
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	15.5	17.5	31.1	14.1	19.4	15.4	19.9	27.0	22.0	18.1	17.1	18.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973--Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985]

CAUSE OF DEATH	EAST NORTH CENTRAL DIVISION					WEST NORTH CENTRAL DIVISION						
	OHIO	INDIANA	ILLINOIS	MICHIGAN	WISCONSIN	MINNESOTA	IOWA	MISSOURI	NORTH DAKOTA	SOUTH DAKOTA	NEBRASKA	KANSAS
MAJOR CARDIOVASCULAR DISEASES--CON.												
HYPERTENSION-----400,401,403	3.9	3.8	5.2	2.9	4.0	2.9	4.2	5.0	3.3	4.2	4.5	3.6
CEREBROVASCULAR DISEASES-----430-438	101.6	115.2	96.5	87.7	102.8	108.4	123.9	125.0	108.9	106.6	126.1	124.1
CEREBRAL HEMORRHAGE-----431	17.1	20.6	19.7	13.4	16.0	16.8	17.6	17.5	17.8	17.2	20.2	19.9
CEREBRAL THROMBOSIS-----433	28.1	27.3	28.8	26.8	24.3	22.3	30.9	34.2	18.6	20.3	30.4	28.7
CEREBRAL EMBOLISM-----434	0.5	0.3	0.5	0.5	0.5	0.4	0.5	1.3	0.3	0.6	0.6	0.7
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	56.0	67.0	47.6	47.0	61.9	69.0	74.9	72.0	72.2	68.5	74.9	74.8
ARTERIOSCLEROSIS-----440	17.8	23.6	15.6	13.0	19.1	16.4	24.8	19.7	20.8	16.8	20.2	21.6
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	13.3	13.1	11.0	11.3	12.6	12.5	14.6	13.4	13.1	17.4	13.6	13.4
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.5	0.4	0.5	0.3	0.3	0.2	0.2	0.4	0.6	0.1	0.5	0.4
INFLUENZA AND PNEUMONIA-----470-474,480-486	26.5	26.9	30.0	23.0	25.5	32.9	35.6	32.7	39.2	35.9	31.8	33.0
INFLUENZA-----470-474	2.1	2.5	1.4	1.5	2.5	4.4	3.5	2.7	4.8	4.8	4.2	4.3
PNEUMONIA-----480-486	24.4	24.5	28.6	21.6	23.0	28.6	32.1	30.0	34.4	31.1	27.6	28.8
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	15.0	16.0	14.1	15.6	12.6	12.0	18.0	15.5	13.3	13.9	16.8	15.8
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	3.0	2.7	2.5	2.5	2.7	2.6	3.5	2.4	2.8	1.3	4.2	2.9
EMPHYSEMA-----492	11.1	12.4	10.6	12.1	9.0	8.4	13.6	12.5	9.8	11.8	11.6	11.8
ASTHMA-----493	0.8	0.9	1.0	1.0	0.9	1.0	0.8	0.6	0.6	0.7	1.0	1.0
PEPTIC ULCER-----531-533	3.2	3.6	4.5	3.3	3.6	3.3	3.2	3.8	3.6	3.8	4.4	3.8
APPENDICITIS-----540-543	0.7	0.5	0.5	0.4	0.4	0.3	0.6	0.5	0.6	0.6	0.6	0.4
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.2	3.6	3.1	3.0	3.8	3.7	4.1	3.7	3.1	3.6	3.4	4.2
CIRRHOSIS OF LIVER-----571	14.0	11.5	16.5	18.7	11.1	10.3	9.5	11.1	7.7	10.4	10.4	9.7
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.7	1.3	1.8	1.4	2.0	2.1	1.9	2.0	2.7	1.9	2.9	1.8
NEPHRITIS AND NEPHROSIS-----580-584	4.1	4.0	4.4	3.3	3.1	2.2	3.8	5.2	2.8	3.5	3.8	4.6
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.6	0.9	0.8	0.7	0.5	0.4	0.7	1.1	0.8	1.0	1.0	1.1
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.5	3.0	3.6	2.7	2.7	1.8	3.1	4.1	2.0	2.5	2.7	3.6
INFECTIONS OF KIDNEY-----590	3.2	2.8	3.0	2.0	2.2	1.8	2.8	3.6	2.0	1.8	2.3	3.6
HYPERPLASIA OF PROSTATE-----600	0.8	0.6	1.0	0.4	1.0	1.1	1.0	1.1	0.9	0.3	1.4	1.1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.5	0.3	0.1	0.2
ABORTIONS-----640-645	0.0	0.0	0.0	0.0	0.0	-	-	-	0.2	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	0.1	0.2	0.2	0.2	0.0	0.1	0.0	0.3	0.3	0.3	0.1	0.2
CONGENITAL ANOMALIES-----740-759	7.0	7.2	6.7	6.9	6.2	6.5	5.4	7.0	5.2	7.2	6.2	5.6
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	14.9	16.2	17.6	16.2	10.4	11.5	12.0	13.5	13.8	15.2	14.1	12.4
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	7.5	9.2	11.4	8.7	4.9	6.2	5.9	7.9	7.5	8.9	7.3	7.5
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	7.3	7.0	6.2	7.5	5.5	5.3	6.1	5.6	6.3	6.3	6.9	5.0
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	11.6	7.7	13.9	7.4	6.3	6.8	5.4	34.9	7.8	9.8	7.0	8.9
ALL OTHER DISEASES-----RESIDUAL	51.8	53.0	47.2	50.3	50.9	48.9	55.3	60.9	50.2	53.3	57.4	58.8
ACCIDENTS-----E800-E949	46.4	55.7	45.5	51.3	50.4	54.4	59.6	61.8	62.3	75.0	59.7	60.1
MOTOR VEHICLE ACCIDENTS-----E810-E823	21.8	29.5	22.0	25.2	25.3	26.9	29.4	30.5	34.2	39.1	27.6	28.4
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	24.6	26.2	23.5	26.0	25.1	27.5	30.2	31.3	28.1	35.9	32.1	31.6
SUICIDE-----E950-E959	12.2	11.2	9.1	11.9	11.4	10.5	10.8	11.8	8.3	7.4	10.3	11.7
HOMICIDE-----E960-E978	8.4	7.0	8.3	13.0	3.2	2.5	1.9	9.5	1.4	5.3	4.3	4.8
OTHER EXTERNAL CAUSES-----E980-E999	1.5	1.7	2.6	1.7	2.1	2.5	1.3	3.4	0.5	1.6	1.1	2.1

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
ALL CAUSES-----	854.2	803.7	1,081.5	855.4	1,112.3	905.7	913.3	916.7	1,145.3
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	-	-	-	-	0.0	0.0	0.0	0.0
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	0.3	0.8	1.2	1.1	1.3	1.4	1.9	1.5	1.1
TUBERCULOSIS, ALL FORMS-----010-019	1.4	2.2	5.0	1.9	2.8	2.1	2.6	2.0	2.6
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	0.7	2.1	4.3	1.5	2.3	1.6	2.1	1.5	2.0
TUBERCULOSIS, OTHER FORMS-----013-019	0.7	0.1	0.7	0.5	0.5	0.5	0.4	0.5	0.6
WHOOPING COUGH-----033	-	-	-	-	-	0.0	0.0	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	-	-	-	0.1	-	0.0	-	-
MENINGOCOCCAL INFECTIONS-----036	0.2	0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.2
SEPTICEMIA-----038	1.6	2.9	3.5	2.5	2.8	2.3	2.3	2.8	2.4
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-	0.0
MEASLES-----055	-	0.0	-	0.0	-	-	-	0.0	0.0
SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.2	0.1	0.3	0.4	0.3	0.3	0.3	0.3
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1.6	1.9	3.5	1.6	2.7	2.4	2.4	2.7	1.9
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	161.1	161.4	205.6	150.6	181.4	140.3	134.3	135.8	214.8
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	3.5	4.1	8.6	3.1	3.1	3.4	2.8	3.8	5.9
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	42.5	43.6	60.2	38.2	46.2	33.1	32.8	33.4	56.4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	38.9	39.1	44.8	38.3	45.4	31.7	32.3	32.7	55.2
MALIGNANT NEOPLASM OF BREAST-----174	16.8	14.6	18.1	13.4	14.7	11.6	11.0	10.8	18.1
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	18.2	18.5	26.5	18.3	23.0	19.3	19.9	17.9	25.4
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	5.6	7.4	7.5	5.7	7.4	5.4	5.1	5.4	10.3
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	23.3	20.9	23.6	20.0	26.2	21.1	16.9	19.3	25.0
LEUKEMIA-----204-207	5.4	5.4	6.3	5.7	7.1	6.7	5.4	5.9	7.5
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	6.9	7.9	10.1	7.9	8.2	8.0	8.1	6.7	10.8
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.4	3.2	3.9	2.5	2.5	2.3	1.8	1.9	2.4
DIABETES MELLITUS-----250	25.0	19.1	23.6	15.0	19.1	16.9	20.0	16.3	19.9
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.4	1.3	1.7	1.0	1.9	1.2	0.8	1.6	1.6
ANEMIAS-----280-285	1.2	1.4	3.1	1.7	2.3	1.4	1.6	1.7	2.6
MENINGITIS-----320	0.7	1.0	2.0	0.8	0.4	1.0	1.1	1.0	0.7
MAJOR CARDIOVASCULAR DISEASES-----390-448	448.8	403.9	463.8	433.0	596.7	467.9	460.8	462.4	585.9
DISEASES OF HEART-----390-398,402,404,410-429	352.6	315.9	327.1	311.2	445.4	328.4	322.4	311.8	417.4
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	7.1	5.4	5.8	4.3	7.0	4.4	4.4	4.5	8.6
HYPERTENSIVE HEART DISEASE-----402	2.8	2.1	5.8	2.7	4.0	2.4	3.8	4.3	2.8
HYPERTENSIVE HEART AND RENAL DISEASE-----404	1.9	2.4	3.1	3.0	2.9	3.1	3.9	2.9	2.1
ISCHEMIC HEART DISEASE-----410-413	327.3	298.7	290.6	279.7	397.4	298.0	283.2	267.8	385.1
ACUTE MYOCARDIAL INFARCTION-----410	161.5	129.1	78.0	138.6	222.9	172.7	162.8	160.1	183.5
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	0.5	1.6	0.9	16.1	1.1	1.8	1.2	1.1	2.1
CHRONIC ISCHEMIC HEART DISEASE-----412	165.3	158.0	211.8	125.0	173.1	123.3	119.1	106.6	199.4
ANGINA PECTORIS-----413	-	0.0	-	0.0	0.2	0.0	0.1	0.1	0.0
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	1.9	2.9	1.9	4.4	2.7	1.9	2.5	2.0	2.0
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	11.6	14.4	19.8	17.0	31.5	18.7	24.7	30.2	16.8

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

(Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965)

CAUSE OF DEATH	SOUTH ATLANTIC DIVISION								
	DELAWARE	MARYLAND	DISTRICT OF COLUMBIA	VIRGINIA	WEST VIRGINIA	NORTH CAROLINA	SOUTH CAROLINA	GEORGIA	FLORIDA
MAJOR CARDIOVASCULAR DISEASES—CON.									
HYPERTENSION—400,401,403	2.8	2.3	6.2	3.6	4.7	4.4	3.7	4.2	4.4
CEREBROVASCULAR DISEASES—430-438	69.4	64.7	87.1	91.6	112.4	111.3	113.6	122.6	131.4
CEREBRAL HEMORRHAGE—431	10.8	10.5	16.4	14.3	22.1	16.3	19.9	22.9	17.4
CEREBRAL THROMBOSIS—433	18.4	13.7	24.4	22.9	31.3	29.5	31.2	30.9	39.3
CEREBRAL EMBOLISM—434	0.5	0.3	0.8	0.2	0.2	0.4	0.2	0.4	0.5
ALL OTHER CEREBROVASCULAR DISEASES—430,432,435-438	39.8	40.1	45.6	54.1	58.9	65.1	62.3	68.4	74.2
ARTERIOSCLEROSIS—440	12.2	10.3	31.5	14.8	17.9	13.3	10.5	12.8	15.9
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—441-448	11.8	10.7	11.9	11.8	16.2	10.4	10.7	11.1	16.9
ACUTE BRONCHITIS AND BRONCHIOLITIS—466	0.3	0.3	0.1	0.4	0.3	0.5	0.4	0.4	0.4
INFLUENZA AND PNEUMONIA—470-474,480-486	20.1	18.3	41.4	31.3	41.1	28.6	25.4	34.3	30.6
INFLUENZA—470-474	0.5	0.8	1.2	2.1	3.0	2.8	2.1	2.9	1.1
PNEUMONIA—480-486	19.6	17.4	40.2	29.1	38.1	25.8	23.3	31.4	29.5
BRONCHITIS, EMPHYSEMA, AND ASTHMA—490-493	11.3	8.0	11.8	11.7	20.7	11.0	12.1	11.8	20.9
CHRONIC AND UNQUALIFIED BRONCHITIS—490,491	1.9	1.4	2.3	2.6	3.2	2.6	1.9	2.2	3.3
EMPHYSEMA—492	9.0	6.0	7.5	7.9	16.4	7.5	9.4	8.6	16.7
ASTHMA—493	0.3	0.6	2.0	1.2	1.1	0.8	0.8	1.0	0.9
PEPTIC ULCER—531-533	2.8	2.9	4.3	3.1	4.2	2.7	3.4	3.2	4.5
APPENDICITIS—540-543	0.2	0.4	0.9	0.3	0.2	0.3	0.5	0.6	0.7
HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	1.6	3.1	4.7	3.0	3.2	3.3	3.2	2.5	3.6
CIRRHOSIS OF LIVER—571	14.2	19.6	55.8	14.3	13.9	13.9	10.2	13.3	21.7
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS—574,575	0.7	1.0	0.9	1.1	1.7	1.4	1.4	1.3	2.2
NEPHRITIS AND NEPHROSIS—580-584	5.7	4.1	8.2	3.5	4.5	4.6	5.7	6.0	4.7
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME—580,581	1.0	0.8	1.3	0.4	1.3	0.8	0.8	0.9	1.0
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS—582-584	4.7	3.3	6.8	3.0	3.2	3.8	4.9	5.2	3.7
INFECTIONS OF KIDNEY—590	1.4	1.5	4.0	2.9	3.0	4.0	4.0	4.5	3.7
HYPERPLASIA OF PROSTATE—600	0.5	0.6	0.9	0.5	0.9	0.8	0.7	0.6	1.0
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-678	-	0.1	0.3	0.2	0.3	0.2	0.7	0.4	0.3
ABORTIONS—640-645	-	-	-	0.0	0.1	0.0	0.0	0.0	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM—630-639,650-678	-	0.1	0.3	0.2	0.2	0.2	0.6	0.3	0.2
CONGENITAL ANOMALIES—740-759	5.7	5.4	6.7	6.3	7.5	8.1	7.9	7.4	7.3
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769,772,774-778	16.1	11.6	23.6	15.6	17.1	19.9	21.6	17.3	14.4
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS—764-768,772,776	9.4	5.7	8.0	8.0	8.8	10.3	10.7	9.8	7.7
OTHER CAUSES OF MORTALITY IN EARLY INFANCY—REMAINDER OF 760-778	6.8	5.9	15.5	7.6	8.4	9.6	10.9	7.5	6.7
SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	4.2	7.2	14.6	10.4	28.0	10.9	28.9	14.8	25.0
ALL OTHER DISEASES—RESIDUAL	51.0	52.0	82.7	54.9	69.5	57.2	52.6	59.8	65.7
ACCIDENTS—E800-E949	50.2	42.9	48.7	58.0	61.9	68.7	74.5	73.3	66.2
MOTOR VEHICLE ACCIDENTS—E810-E823	21.7	21.0	13.3	25.7	26.1	35.6	35.5	37.8	33.6
ALL OTHER ACCIDENTS—E800-E807, E825-E949	28.5	21.9	35.4	32.3	35.8	33.1	39.0	35.5	32.6
SUICIDE—E950-E959	13.7	10.3	11.7	13.8	11.8	13.0	11.2	13.2	16.8
HOMICIDE—E960-E978	7.1	11.6	34.9	11.2	5.4	15.0	16.4	20.9	16.3
OTHER EXTERNAL CAUSES—E980-E999	1.4	3.2	8.2	0.7	2.6	2.1	2.1	1.0	2.9

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1966]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
ALL CAUSES-----	1,030.3	964.5	1,000.5	1,053.1	1,087.7	930.9	1,027.0	861.9
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	-	0.0	-	0.3	-	0.0	0.0	0.1
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	1.2	1.2	1.8	2.7	1.7	1.3	1.4	1.8
TUBERCULOSIS, ALL FORMS-----010-019	2.4	2.9	2.9	1.6	2.7	2.0	2.0	1.9
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.9	2.4	2.1	1.4	2.2	1.9	1.5	1.5
TUBERCULOSIS, OTHER FORMS-----013-019	0.5	0.5	0.7	0.1	0.6	0.4	0.5	0.4
WHOOPING COUGH-----033	-	-	-	-	-	-	-	0.0
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	-	0.0	0.1	-	-	-	-	0.0
MENINGOCOCCAL INFECTIONS-----036	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3
SEPTICEMIA-----038	2.8	2.1	2.5	3.1	3.1	3.6	2.6	2.4
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-
MEASLES-----055	0.0	0.0	0.0	0.0	-	-	-	0.0
SYPHILIS AND ITS SEQUELAE-----090-097	0.2	0.4	0.1	0.3	0.1	0.3	0.2	0.2
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2.0	2.3	2.3	2.8	2.1	2.3	2.4	2.3
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	165.9	157.3	153.4	148.3	179.0	154.7	177.6	145.4
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	4.3	4.3	3.1	2.3	3.0	4.3	4.1	3.2
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	44.9	39.0	38.5	38.4	44.2	38.8	44.1	36.5
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	41.4	37.8	36.8	35.3	43.2	39.1	43.3	36.5
MALIGNANT NEOPLASM OF BREAST-----174	14.4	12.7	12.5	11.1	11.5	12.4	12.6	12.2
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	19.6	20.8	20.6	20.6	22.8	17.6	22.6	17.9
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	7.0	6.4	5.8	5.2	7.2	7.0	6.7	5.7
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173,190-199	18.9	20.5	21.0	19.4	28.9	22.2	25.6	18.1
LEUKEMIA-----204-207	7.0	7.2	7.1	7.2	7.5	6.4	7.8	6.7
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203,208,209	8.5	8.7	8.1	8.7	10.8	6.9	10.9	8.6
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	2.2	1.9	2.9	1.8	2.8	3.1	2.1	1.9
DIABETES MELLITUS-----250	19.4	14.5	22.4	19.8	20.6	23.9	17.3	16.0
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	1.1	0.0	0.9	1.4	1.4	1.1	1.6	1.3
ANEMIAS-----280-285	2.0	1.1	1.6	2.3	1.8	2.2	1.5	1.7
MENINGITIS-----320	0.6	0.7	1.0	1.0	1.3	1.2	0.9	1.1
MAJOR CARDIOVASCULAR DISEASES-----390-448	570.9	521.3	498.0	516.7	582.7	479.0	550.4	426.8
DISEASES OF HEART-----390-398,402,404,410-429	407.6	361.4	329.1	351.6	396.8	349.4	391.0	300.6
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	4.6	4.6	3.2	4.3	4.3	3.2	4.8	3.3
HYPERTENSIVE HEART DISEASE-----402	3.3	2.0	3.7	4.6	4.5	3.9	4.1	3.2
HYPERTENSIVE HEART AND RENAL DISEASE-----404	2.6	2.3	3.0	2.8	3.4	2.3	3.1	1.7
ISCHEMIC HEART DISEASE-----410-413	365.5	334.2	279.0	302.8	342.3	312.0	350.4	257.1
ACUTE MYOCARDIAL INFARCTION-----410	226.8	204.5	167.1	177.9	208.0	159.0	207.8	142.2
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	1.3	0.7	0.8	1.3	0.8	0.6	14.5	1.1
CHRONIC ISCHEMIC HEART DISEASE-----412	137.2	129.0	111.0	123.5	133.4	152.4	128.0	113.7
ANGINA PECTORIS-----413	0.2	0.0	0.1	0.2	0.1	0.1	0.1	0.1
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424,428	3.2	3.3	3.4	3.1	2.4	3.6	2.7	2.8
ALL OTHER FORMS OF HEART DISEASE-----420-423,425-427,429	28.4	15.1	36.8	34.0	39.9	24.3	26.1	32.4

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1986]

CAUSE OF DEATH	EAST SOUTH CENTRAL DIVISION				WEST SOUTH CENTRAL DIVISION			
	KENTUCKY	TENNESSEE	ALABAMA	MISSISSIPPI	ARKANSAS	LOUISIANA	OKLAHOMA	TEXAS
MAJOR CARDIOVASCULAR DISEASES--CON.								
HYPERTENSION-----400,401,403	4.4	4.2	4.8	5.5	4.2	3.1	4.2	3.2
CEREBROVASCULAR DISEASES-----430-438	128.2	128.6	138.4	135.2	151.1	101.8	124.0	97.5
CEREBRAL HEMORRHAGE-----431	20.0	15.4	21.8	20.3	20.6	14.4	18.0	14.2
CEREBRAL THROMBOSIS-----433	31.2	33.8	36.3	30.0	27.8	21.4	29.6	17.8
CEREBRAL EMBOLISM-----434	0.2	0.4	0.3	0.4	0.3	0.3	1.3	0.4
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	76.7	79.0	80.0	84.6	102.3	65.6	79.0	65.1
ARTERIOSCLEROSIS-----440	19.1	15.3	15.1	12.9	16.1	14.7	16.9	15.4
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	11.7	11.9	10.6	11.4	14.6	10.1	14.3	10.0
ACUTE BRONCHITIS AND BRONCHIOLITIS-----466	0.4	0.6	0.4	0.4	0.5	0.4	0.3	0.4
INFLUENZA AND PNEUMONIA-----470-474,480-486	32.3	29.2	29.0	30.2	30.8	25.2	29.8	28.6
INFLUENZA-----470-474	2.7	3.1	2.6	2.8	2.1	2.4	2.3	2.0
PNEUMONIA-----480-486	29.6	26.1	26.3	27.4	28.7	22.7	27.5	26.6
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	16.5	15.9	13.4	11.3	14.8	12.5	14.8	13.8
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	3.2	3.3	2.1	1.8	2.6	1.9	1.9	2.5
EMPHYSEMA-----492	12.0	11.5	10.5	8.4	11.3	9.4	12.1	10.3
ASTHMA-----493	1.2	1.2	0.8	1.1	0.9	1.1	0.6	0.8
PEPTIC ULCER-----531-533	3.8	3.3	3.2	3.2	2.9	2.8	4.1	2.6
APPENDICITIS-----540-543	0.8	0.5	0.5	1.1	0.7	0.7	0.5	0.4
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	3.1	2.9	2.8	4.6	3.2	3.2	3.3	3.3
CIRRHOSIS OF LIVER-----571	10.6	10.7	10.7	8.0	9.4	10.6	11.6	11.6
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	2.3	1.9	1.7	1.9	1.8	1.4	2.2	1.5
NEPHRITIS AND NEPHROSIS-----580-584	4.3	3.9	5.1	6.2	6.6	5.7	4.9	4.1
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.7	0.4	0.7	1.1	1.4	0.8	0.8	0.8
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.5	3.6	4.4	5.1	5.2	4.9	4.1	3.3
INFECTIONS OF KIDNEY-----590	4.4	4.7	4.4	5.0	4.2	3.5	5.4	3.4
HYPERPLASIA OF PROSTATE-----600	0.8	1.4	1.1	0.7	1.1	0.4	1.0	0.6
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	0.3	0.4	0.3	0.5	0.4	0.3	0.3	0.4
ABORTIONS-----640-645	0.0	-	-	-	0.0	0.0	-	0.0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-639,650-678	0.3	0.4	0.3	0.5	0.3	0.3	0.3	0.4
CONGENITAL ANOMALIES-----740-759	7.0	7.2	6.5	7.7	6.8	8.3	6.9	7.4
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,2,769,4-772,774-778	14.3	17.6	18.7	26.7	18.0	20.5	13.5	18.1
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	7.4	9.6	10.3	14.0	9.9	11.5	8.0	10.7
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----760-778	6.9	8.0	8.4	12.7	8.1	9.1	5.5	7.4
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	8.6	13.7	55.9	76.2	37.9	7.7	13.6	22.3
ALL OTHER DISEASES-----RESIDUAL	60.0	51.0	57.0	56.2	55.5	57.0	67.3	51.9
ACCIDENTS-----E800-E949	68.3	65.4	75.0	83.8	71.1	67.6	64.1	61.4
MOTOR VEHICLE ACCIDENTS-----E810-E823	33.8	34.7	39.5	40.9	33.2	30.1	29.6	30.9
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	34.5	30.7	35.5	42.9	37.9	37.5	34.5	30.5
SUICIDE-----E950-E969	12.7	12.0	9.6	8.9	10.4	10.4	13.3	11.6
HOMICIDE-----E970-E978	9.6	13.3	14.4	15.3	9.2	16.6	8.3	14.0
OTHER EXTERNAL CAUSES-----E980-E999	2.1	2.1	0.7	3.0	2.8	0.9	1.5	1.0

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION								PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
ALL CAUSES-----	952.4	841.4	869.7	766.3	734.1	818.6	655.6	778.1	898.6	939.6	838.4	442.1	525.0
BACILLARY DYSENTERY AND AMEBIASIS-----004,006	0.3	-	-	-	0.4	0.0	0.1	-	0.0	0.0	0.1	-	-
ENTERITIS AND OTHER DIARRHEAL DISEASES-----008,009	0.6	0.9	0.8	1.0	2.5	1.5	1.3	0.7	0.9	0.6	0.8	0.6	0.6
TUBERCULOSIS, ALL FORMS-----010-019	1.5	0.9	0.6	1.1	2.6	2.9	0.8	1.1	1.2	1.2	1.3	1.2	1.3
TUBERCULOSIS OF RESPIRATORY SYSTEM-----010-012	1.4	0.8	0.6	0.8	1.7	1.7	0.7	0.5	0.8	0.9	0.9	0.9	0.8
TUBERCULOSIS, OTHER FORMS-----013-019	0.1	0.1	-	0.3	0.9	1.2	0.1	0.5	0.4	0.4	0.4	0.3	0.5
WHOOPING COUGH-----033	-	-	-	-	-	-	-	-	-	-	0.0	-	-
STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	0.1	-	-	-	-	-	-	0.2	-	-	0.0	-	-
MENINGOCOCCAL INFECTIONS-----036	0.3	0.3	0.3	0.2	0.1	0.1	-	-	0.1	0.1	0.1	0.6	-
SEPTICEMIA-----038	1.9	0.3	2.0	2.3	2.1	2.9	1.7	1.1	1.3	1.3	1.2	1.2	1.0
ACUTE POLIOMYELITIS-----040-043	-	-	-	-	-	-	-	-	-	-	0.0	-	-
MEASLES-----055	-	-	-	-	-	-	-	-	-	-	0.0	-	-
SYPHILIS AND ITS SEQUELAE-----090-097	-	0.1	-	0.2	0.3	0.1	0.1	0.4	0.1	0.0	0.2	-	0.4
OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2.5	2.2	0.8	1.6	2.2	2.8	1.9	2.9	2.1	1.4	1.8	0.9	0.8
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	146.2	131.0	126.9	116.9	107.8	137.6	91.4	146.9	164.8	164.4	155.1	61.2	108.3
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	2.4	2.6	0.8	1.9	1.5	2.5	1.5	3.6	3.6	3.2	3.9	2.1	3.4
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159	41.2	36.0	30.3	31.9	31.0	34.9	25.2	37.2	43.9	41.3	41.6	14.5	36.9
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163	30.5	24.5	29.2	21.3	22.3	31.3	14.4	36.9	38.4	39.6	35.8	15.5	23.2
MALIGNANT NEOPLASM OF BREAST-----174	11.5	11.3	11.6	11.3	7.6	11.3	9.5	11.5	14.5	13.8	15.0	5.5	6.0
MALIGNANT NEOPLASMS OF GENITAL ORGANS-----180-187	19.1	16.5	16.4	16.4	14.0	16.5	12.7	15.5	21.2	20.0	18.0	6.1	10.7
MALIGNANT NEOPLASMS OF URINARY ORGANS-----188,189	7.6	8.2	7.9	5.9	4.8	6.8	4.6	6.6	8.3	7.3	7.1	2.4	5.4
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-----170-173, 190-199	16.9	16.8	17.6	16.0	17.2	20.4	13.0	21.9	19.0	19.5	18.5	11.5	12.4
LEUKEMIA-----204-207	8.5	7.5	5.4	5.3	4.2	5.6	4.0	5.3	7.5	8.1	6.3	1.2	4.9
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-203, 208, 209	8.5	7.7	7.6	6.9	5.1	8.2	6.6	8.4	8.6	11.5	9.0	2.4	5.4
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1.5	3.1	2.5	2.1	3.1	2.2	1.7	1.8	2.1	2.2	2.3	2.4	1.4
DIABETES MELLITUS-----250	17.2	15.1	17.0	11.9	13.0	13.1	13.4	13.7	15.8	14.7	12.1	3.6	13.8
AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	0.7	0.9	1.4	1.1	1.9	1.5	1.4	0.7	1.7	2.2	1.3	1.5	2.2
ANEMIAS-----280-285	1.8	1.8	1.7	1.4	1.1	0.9	1.8	0.9	1.4	1.3	1.2	0.3	0.6
MENINGITIS-----320	1.0	0.1	0.3	0.5	1.3	0.6	1.1	0.9	0.4	0.9	0.6	0.6	0.5
MAJOR CARDIOVASCULAR DISEASES-----390-448	459.1	421.3	412.5	379.4	279.7	361.2	302.2	338.0	467.0	493.9	431.2	122.1	235.5
DISEASES OF HEART-----390-398, 402, 404, 410-429	319.1	297.4	306.8	274.6	194.0	265.2	214.2	236.9	334.2	338.7	310.6	83.9	169.0
ACTIVE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE-----390-398	10.7	6.4	6.8	7.8	6.6	6.8	10.8	7.5	7.7	7.3	7.7	2.4	4.6
HYPERTENSIVE HEART DISEASE-----402	3.1	2.2	1.4	1.6	1.4	2.9	2.9	1.8	3.2	1.6	3.1	1.2	1.6
HYPERTENSIVE HEART AND RENAL DISEASE-----404	1.8	4.0	2.0	2.2	0.8	0.6	1.7	0.9	3.7	4.0	1.2	-	0.5
ISCHEMIC HEART DISEASE-----410-413	268.0	262.2	272.0	243.0	166.2	235.6	178.2	208.4	296.6	309.9	286.1	64.8	153.4
ACUTE MYOCARDIAL INFARCTION-----410	161.2	155.2	164.6	129.9	95.8	105.8	97.2	115.1	145.2	127.5	126.3	44.8	76.7
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	1.9	0.8	0.3	1.1	0.6	7.1	0.8	1.6	3.7	0.9	1.4	-	0.8
CHRONIC ISCHEMIC HEART DISEASE-----412	104.9	106.1	107.1	112.0	69.8	122.6	80.1	91.6	147.6	181.5	158.4	19.7	75.8
ANGINA PECTORIS-----413	-	0.1	-	-	-	0.0	0.1	-	0.1	-	0.0	0.3	-
CHRONIC DISEASE OF ENDOCARDIUM AND OTHER MYOCARDIAL INSUFFICIENCY-----424, 428	4.9	3.1	1.1	1.8	1.6	1.6	2.2	1.6	2.6	2.2	2.2	1.2	0.8
ALL OTHER FORMS OF HEART DISEASE-----420-423, 425-427, 429	30.8	19.5	23.5	18.2	17.4	17.7	18.4	16.6	20.5	13.7	10.3	14.2	8.2

Table 1-14. Death Rates for 69 Selected Causes: United States, Each Division and State, 1973-Con.

[Rates per 100,000 population in each area. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

CAUSE OF DEATH	MOUNTAIN DIVISION								PACIFIC DIVISION				
	MONTANA	IDAHO	WYOMING	COLORADO	NEW MEXICO	ARIZONA	UTAH	NEVADA	WASHINGTON	OREGON	CALIFORNIA	ALASKA	HAWAII
MAJOR CARDIOVASCULAR DISEASES--CON.													
HYPERTENSION-----400,401,403	3.3	1.2	2.3	2.7	2.1	2.5	1.7	2.2	2.7	2.2	2.6	0.6	0.8
CEREBROVASCULAR DISEASES-----430-438	98.2	96.1	82.7	73.0	63.1	70.5	67.8	80.5	99.5	115.9	92.9	28.5	54.7
CEREBRAL HEMORRHAGE-----431	12.1	11.4	12.7	9.7	12.7	10.9	7.9	11.5	12.2	13.7	11.6	6.1	12.1
CEREBRAL THROMBOSIS-----433	21.5	18.8	10.8	15.9	11.1	13.3	15.1	12.0	23.1	32.9	27.0	2.4	12.0
CEREBRAL EMBOLISM-----434	0.3	0.1	0.6	0.3	0.3	0.5	0.5	0.7	0.3	0.6	0.3	-	0.2
ALL OTHER CEREBROVASCULAR DISEASES-----430,432,435-438	64.4	65.7	58.6	47.1	39.0	45.9	44.3	56.2	64.0	68.7	54.0	20.0	30.3
ARTERIOSCLEROSIS-----440	23.2	14.2	11.0	17.5	11.9	12.3	10.3	7.3	17.5	22.9	12.8	4.2	2.8
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----441-448	15.3	12.5	9.6	11.5	8.6	10.7	8.2	11.1	13.1	14.2	12.3	4.8	8.2
ACUTE BRONCHITIS AND BRONCHIOITIS-----466	1.0	-	0.3	0.4	0.4	0.6	0.3	0.2	0.7	0.5	0.6	0.6	0.7
INFLUENZA AND PNEUMONIA-----470-474,480-486	38.7	33.5	31.4	30.6	35.5	30.2	19.0	17.0	33.7	35.1	26.9	19.7	19.5
INFLUENZA-----470-474	5.8	7.5	7.4	2.9	4.1	2.6	1.6	2.7	7.3	6.4	4.4	2.7	1.4
PNEUMONIA-----480-486	32.9	26.0	24.1	27.7	31.5	27.6	17.5	14.2	26.4	28.7	22.5	17.0	18.0
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493	23.7	18.7	21.5	17.1	12.3	21.8	11.7	17.7	17.2	18.5	15.4	4.8	7.6
CHRONIC AND UNQUALIFIED BRONCHITIS-----490,491	4.4	3.0	2.3	2.7	2.4	4.0	2.5	2.4	2.8	3.9	2.9	-	1.9
EMPHYSEMA-----492	19.0	15.1	18.4	13.4	9.4	16.1	7.9	13.5	13.5	13.5	11.6	3.0	4.4
ASTHMA-----493	0.3	0.6	0.8	1.0	0.5	1.7	1.3	1.8	0.9	1.1	0.9	1.8	1.2
PEPTIC ULCER-----531-533	3.9	3.6	5.4	3.4	4.1	3.4	2.8	2.4	3.6	4.0	3.9	2.7	1.4
APPENDICITIS-----540-543	0.3	0.6	0.8	0.4	0.6	0.4	0.3	-	0.3	0.4	0.4	-	0.5
HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	4.4	3.2	4.8	3.0	3.1	2.5	4.1	3.6	2.9	3.1	2.6	2.7	1.2
CIRRHOSIS OF LIVER-----571	13.3	10.3	12.7	11.0	17.5	16.6	10.0	23.4	16.5	15.9	21.4	8.2	8.1
CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS-----574,575	1.8	3.0	1.4	2.4	1.7	1.7	1.6	2.2	1.6	1.2	1.2	0.3	0.7
NEPHRITIS AND NEPHROSIS-----580-584	3.7	3.4	2.3	2.6	3.7	3.5	2.8	2.2	2.0	2.4	2.6	1.5	3.2
ACUTE NEPHRITIS AND NEPHROTIC SYNDROME-----580,581	0.4	0.4	0.3	0.7	0.5	0.6	0.3	0.5	0.2	0.3	0.5	0.3	0.6
CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS-----582-584	3.3	3.0	2.0	1.9	3.3	3.0	2.4	1.6	1.8	2.1	2.1	1.2	2.6
INFECTIONS OF KIDNEY-----590	2.1	1.2	1.4	1.7	1.7	3.3	1.7	2.0	2.1	2.2	2.3	-	2.4
HYPERPLASIA OF PROSTATE-----600	0.1	0.8	0.6	0.6	0.5	0.6	0.7	0.2	0.6	0.5	0.7	0.9	0.4
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630-678	-	-	0.6	0.1	0.3	0.2	0.3	0.4	0.1	-	0.2	-	0.2
ABORTIONS-----640-645	-	-	0.3	-	-	-	-	-	-	-	0.0	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM-----630,639,650-678	-	-	0.3	0.1	0.3	0.2	0.3	0.4	0.1	-	0.2	-	0.2
CONGENITAL ANOMALIES-----740-759	7.9	8.4	7.4	6.8	9.0	7.4	9.2	4.7	6.7	6.7	6.6	6.1	7.3
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769,772,774-778	15.5	17.7	20.7	14.2	16.5	13.1	13.0	16.8	11.4	10.4	10.4	21.2	14.8
BIRTH INJURY, DIFFICULT LABOR, AND OTHER ANOXIC AND HYPOXIC CONDITIONS-----764-768,772,776	7.5	10.0	12.5	9.2	11.1	8.0	8.1	9.7	7.1	5.6	6.2	12.1	6.1
OTHER CAUSES OF MORTALITY IN EARLY INFANCY-----REMAINDER OF 760-778	8.0	7.7	8.2	5.0	5.4	5.2	6.9	7.1	4.3	4.8	4.3	9.1	8.7
SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	29.4	11.2	7.4	11.0	31.4	15.3	24.8	11.3	5.9	14.0	3.4	10.9	4.9
ALL OTHER DISEASES-----RESIDUAL	61.7	54.5	68.0	59.1	57.6	63.6	54.5	56.2	56.2	55.0	45.7	35.2	29.3
ACCIDENTS-----E800-E949	86.3	75.7	90.9	56.1	90.4	76.9	60.1	70.6	56.8	61.3	56.0	103.0	36.3
MOTOR VEHICLE ACCIDENTS-----E810-E823	44.4	41.6	44.5	27.2	51.6	43.3	30.9	38.7	29.7	29.7	25.2	21.8	16.2
ALL OTHER ACCIDENTS-----E800-E807,E825-E949	41.9	34.2	46.5	28.9	38.8	33.6	29.1	31.9	31.4	31.6	30.8	81.2	20.1
SUICIDE-----E950-E959	14.7	12.6	17.6	17.4	16.1	16.0	11.8	22.3	14.8	16.1	17.7	17.0	10.6
HOMICIDE-----E960-E978	6.1	3.5	3.4	6.9	12.1	10.1	3.5	12.8	5.0	4.8	9.2	8.2	4.6
OTHER EXTERNAL CAUSES-----E980-E999	3.1	1.4	4.2	1.8	1.6	4.2	2.7	2.9	1.5	3.1	1.8	2.7	4.9

SECTION I - GENERAL MORTALITY

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1973

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over ¹
NUMBER OF DEATHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	477	78	102	116	97	56	25	3
White-----	274	28	65	82	55	28	14	1
All other-----	203	50	36	34	42	28	11	2
Ectopic pregnancy (631)-----	46	4	12	15	6	7	1	1
White-----	25	1	7	11	2	3	1	-
All other-----	21	3	5	4	4	4	-	1
Toxemias of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	111	28	28	21	18	13	2	1
White-----	57	11	16	14	10	5	1	-
All other-----	54	17	12	7	8	8	1	1
Hemorrhage of pregnancy and childbirth (632,651-653)-----	60	6	8	15	12	10	9	-
White-----	40	2	6	12	10	7	3	-
All other-----	20	4	2	3	2	3	6	-
Abortions (640-645)-----	36	7	9	9	4	4	3	-
White-----	15	1	5	4	2	1	2	-
All other-----	21	6	4	5	2	3	1	-
Abortion induced for legal indications (640,641)-----	8	2	2	-	1	2	1	-
White-----	5	1	2	-	1	-	1	-
All other-----	3	1	-	-	-	2	-	-
Abortion induced for other reasons (642)-----	11	3	2	4	1	1	-	-
White-----	2	-	1	1	-	-	-	-
All other-----	9	3	1	3	1	1	-	-
Spontaneous abortion (643)-----	3	-	1	1	-	-	1	-
White-----	1	-	-	1	-	-	-	-
All other-----	2	-	1	-	-	-	1	-
Other and unspecified abortions (644,645)-----	14	2	4	4	2	1	1	-
White-----	7	-	2	2	1	1	1	-
All other-----	7	2	2	2	1	-	-	-
Sepsis of childbirth and puerperium (670,671,673)-----	98	15	20	26	27	6	4	-
White-----	64	7	15	21	15	4	2	-
All other-----	34	8	5	5	12	2	2	-
All other complications of pregnancy, childbirth, and the puerperium (630,633-635,654-662,672,674-678)-----	124	18	24	29	30	16	6	1
White-----	72	6	17	19	16	8	5	1
All other-----	52	12	7	10	14	8	1	-
Delivery without mention of complications (650)-----	2	-	1	1	-	-	-	-
White-----	1	-	-	1	-	-	-	-
All other-----	1	-	1	-	-	-	-	-
RATE PER 100,000 LIVE BIRTHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	15.2	12.6	9.3	13.1	26.2	44.2	78.5	154.5
White-----	10.7	6.5	7.3	10.6	17.5	27.2	55.3	88.9
All other-----	34.6	26.7	18.2	29.8	74.2	117.5	187.6	447.4
Ectopic pregnancy (631)-----	1.5	0.6	1.1	1.7	1.6	5.5	3.1	51.5
White-----	1.0	0.2	0.8	1.4	0.6	2.9	4.0	4
All other-----	3.6	1.6	2.5	3.5	7.1	16.8	-	223.7
Toxemias of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	3.5	4.5	2.5	2.4	4.9	10.3	6.3	51.5
White-----	2.2	2.6	1.8	1.8	3.2	4.9	4.0	-
All other-----	9.2	9.1	6.1	6.1	14.1	33.6	15.2	223.7
Hemorrhage of pregnancy and childbirth (632,651-653)-----	1.9	1.0	0.7	1.7	3.2	7.9	28.2	-
White-----	1.6	0.5	0.7	1.5	3.2	6.8	11.9	-
All other-----	3.4	2.1	1.0	2.6	3.5	12.6	91.4	-
Abortions (640-645)-----	1.1	1.1	0.8	1.0	1.1	3.2	9.4	-
White-----	0.6	0.2	0.6	0.5	0.6	1.0	7.9	-
All other-----	3.6	3.2	2.0	4.4	3.5	12.6	15.2	-
Abortion induced for legal indications (640,641)-----	0.3	0.3	0.2	-	0.3	1.8	3.1	-
White-----	0.2	0.2	0.2	-	0.3	-	4.0	-
All other-----	0.5	0.5	-	-	-	8.4	-	-
Abortion induced for other reasons (642)-----	0.4	0.5	0.2	0.5	0.3	0.8	-	-
White-----	0.1	-	0.1	0.1	-	-	-	-
All other-----	1.5	1.6	0.5	2.6	1.8	4.2	-	-
Spontaneous abortion (643)-----	0.1	-	0.1	0.1	-	-	3.1	-
White-----	0.0	-	-	0.1	-	-	-	-
All other-----	0.3	-	0.5	-	-	-	15.2	-
Other and unspecified abortions (644,645)-----	0.4	0.3	0.4	0.5	0.5	0.8	3.1	-
White-----	0.3	-	0.2	0.3	0.3	1.0	4.0	-
All other-----	1.2	1.1	1.0	1.8	1.8	-	-	-
Sepsis of childbirth and puerperium (670,671,673)-----	3.1	2.4	1.8	2.9	7.3	4.7	12.8	-
White-----	2.5	1.6	1.7	2.7	4.8	3.9	7.9	-
All other-----	5.8	4.3	2.5	4.4	21.2	8.4	30.5	-
All other complications of pregnancy, childbirth, and the puerperium (630,633-635,654-662,672,674-678)-----	4.0	2.9	2.2	3.3	8.1	12.6	18.8	51.5
White-----	2.8	1.4	1.9	2.5	5.1	7.8	19.8	66.9
All other-----	8.9	6.4	3.5	8.8	24.7	33.6	15.2	-
Delivery without mention of complications (650)-----	0.1	-	0.1	0.1	-	-	-	-
White-----	0.0	-	-	0.1	-	-	-	-
All other-----	0.2	-	0.5	-	-	-	-	-

¹Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-73

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

Year	Total	White	All other	Year	Total	White	All other
1973 ¹	15.2	10.7	34.6	1953	61.1	44.1	166.1
1972 ^{1,2}	16.8	14.3	38.5	1952	67.8	48.9	188.1
1971 ¹	18.8	13.0	45.3	1951	75.0	54.9	201.3
1970 ¹	21.5	14.4	55.9	1950	83.3	61.1	221.6
1969	22.2	15.5	56.7	1949	90.3	68.1	234.8
1968	24.5	16.6	63.6	1948	116.6	89.4	301.0
1967	28.0	19.5	69.5	1947	134.5	108.6	354.6
1966	29.1	20.2	72.4	1946	156.7	130.7	359.9
1965	31.6	21.0	83.7	1945	207.2	172.1	454.8
1964	33.3	22.3	89.9	1944	227.9	189.4	506.0
1963 ³	35.8	24.0	96.9	1943	245.2	210.5	509.9
1962 ³	35.2	23.8	95.9	1942	258.7	221.8	544.0
1961	36.9	24.9	101.3	1941	316.5	266.0	678.1
1960	37.1	26.0	97.9	1940	376.0	319.8	773.5
1959	37.4	25.9	102.1	1935-39	493.9	439.9	875.5
1958	37.6	26.3	101.8	1930-34 ⁴	636.0	575.4	1,080.7
1957	41.0	27.5	118.3	1925-29	668.6	615.0	1,133.7
1956	40.9	28.7	110.7	1920-24	689.5	648.2	1,134.5
1955	47.0	32.8	130.3	1915-19	727.9	700.3	1,253.5
1954	52.4	37.2	145.8				

¹Excludes deaths of nonresidents of the United States.

²Deaths based on a 50-percent sample.

³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

⁴For 1932-34, Mexicans are included with "All other."

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1971-73 (3-Year Average)

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group, 1971-73. Deaths for 1972 are based on a 50-percent sample. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	All other	Division and State	Total	White	All other
United States	17.7	12.7	39.6	South Atlantic:			
Geographic divisions:				Delaware	*18.5	*25.6	-
New England:				Maryland	15.2	*7.6	*37.4
Middle Atlantic:				District of Columbia	*27.0	-	*31.0
East North Central:				Virginia	13.5	*6.8	*35.7
West North Central:				West Virginia	*12.5	*10.7	*52.3
South Atlantic:				North Carolina	19.6	11.7	37.7
East South Central:				South Carolina	35.5	*13.9	70.2
West South Central:				Georgia	23.6	11.3	47.9
Mountain:				Florida	20.3	12.1	43.6
Pacific:				East South Central:			
New England:				Kentucky	20.0	15.6	*64.3
Maine	*12.1	*12.2	-	Tennessee	22.8	*12.0	61.7
New Hampshire	*13.5	*13.6	-	Alabama	37.2	19.5	71.1
Vermont	-	-	-	Mississippi	38.1	*20.8	56.7
Massachusetts	8.9	*9.6	*12.4	West South Central:			
Rhode Island	*4.9	*5.3	-	Arkansas	27.1	*15.6	*61.5
Connecticut	*12.2	*11.1	*21.0	Louisiana	17.8	*7.1	34.8
Middle Atlantic:				Oklahoma	20.2	*18.0	*40.0
New York	19.2	14.1	39.7	Texas	26.6	24.4	38.1
New Jersey	17.1	10.1	45.9	Mountain:			
Pennsylvania	16.3	11.8	45.8	Montana	*6.7	*6.3	-
East North Central:				Idaho	*6.9	*7.1	-
Ohio	13.6	12.0	*24.3	Wyoming	*11.0	*11.5	-
Indiana	17.6	13.8	*50.2	Colorado	*9.4	*10.0	-
Illinois	17.9	13.2	33.4	New Mexico	*18.8	*11.1	*60.5
Michigan	17.1	10.1	48.2	Arizona	17.6	*11.5	*50.3
Wisconsin	*7.0	*6.5	*13.9	Utah	*15.8	*15.0	*39.8
West North Central:				Nevada	*22.0	*21.7	*23.8
Minnesota	15.9	12.0	*64.1	Pacific:			
Iowa	*6.4	*6.6	-	Washington	*9.9	*8.6	*24.6
Missouri	16.4	14.2	*27.2	Oregon	*8.4	*8.8	-
North Dakota	*13.3	*10.7	*45.0	California	14.8	13.3	23.2
South Dakota	*12.1	*10.4	*23.3	Alaska	-	-	-
Nebraska	*9.7	*10.4	-	Hawaii	*10.7	*37.5	-
Kansas	*10.8	*10.8	*11.3				

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1973

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1973 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1973. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
50 largest U.S. SMSA's-----	891,893	9.0						
Albany-Schenectady-Troy, N.Y.-----	8,528	10.7	Detroit, Mich.-----	38,881	8.7	Newark, N.J.-----	19,139	9.2
Albany-----	3,242	11.2	Wayne-----	26,178	10.0	Essex-----	9,929	10.6
Rensselaer-----	1,734	11.1	Lapeer-----	462	8.0	Morris-----	2,655	6.7
Schenectady-----	1,706	10.7	Livingston-----	504	7.3	Somerset-----	1,461	7.3
Montgomery-----	807	14.1	Macomb-----	3,952	6.1	Union-----	5,094	9.3
Saratoga-----	1,059	7.5	Oakland-----	6,591	7.0	Philadelphia, Pa.-N.J.-----	48,252	10.0
Anaheim-Santa Ana-Garden Grove, Calif.-----	9,851	6.2	St. Clair-----	1,194	9.4	Philadelphia, Pa.-----	23,395	12.4
Orange-----	9,851	6.2				Rocks, Pa.-----	3,056	6.9
Atlanta, Ga.-----	13,315	7.7	Greensboro-Winston-Salem-High Point, N.C.-----	6,566	8.4	Chester, Pa.-----	2,248	7.8
De Kalb-----	2,794	6.0	Forsyth-----	1,946	8.7	Delaware, Pa.-----	5,762	9.6
Fulton-----	6,012	10.1	Guilford-----	2,463	8.2	Montgomery, Pa.-----	5,769	9.2
Butts-----	110	9.9	Davidson-----	805	8.1	Hurlington, N.J.-----	2,226	6.9
Cherokee-----	276	7.9	Randolph-----	668	8.4	Camden, N.J.-----	4,365	9.2
Chayton-----	576	4.8	Stokes-----	228	8.7	Gloucester, N.J.-----	1,451	8.0
Cobb-----	1,314	6.1	Yadkin-----	256	9.8	Phoenix, Ariz.-----	8,932	8.0
Douglas-----	248	6.7	Hartford, Conn.-----	7,062	8.6	Maricopa-----	8,932	8.0
Payette-----	97	7.1	Hartford-----	7,062	8.6	Pittsburgh, Pa.-----	25,574	10.8
Forsyth-----	180	9.1	Houston, Tex.-----	15,429	7.2	Allegheny-----	17,520	11.2
Gwinnett-----	518	5.8	Harris-----	15,176	7.2	Beaver-----	1,978	9.3
Henry-----	248	9.7	Brasoria-----	757	6.6	Washington-----	2,365	11.0
Newton-----	836	11.1	Fort Bend-----	445	6.9	Westmoreland-----	3,711	9.8
Paulding-----	180	9.5	Liberty-----	360	10.2	Portland, Oreg.-Wash.-----	10,106	9.5
Rockdale-----	155	6.8	Montgomery-----	532	7.5	Multnomah, Oreg.-----	6,311	11.4
Walton-----	271	9.9	Waller-----	141	9.2	Clackamas, Oreg.-----	1,489	8.0
Baltimore, Md.-----	19,136	9.0	Indianapolis, Ind.-----	9,827	8.6	Washington, Oreg.-----	1,168	8.4
Baltimore (city)-----	10,782	12.4	Marion-----	6,982	8.8	Clark, Wash.-----	1,139	8.0
Anne Arundel-----	1,825	6.0	Boone-----	363	11.3	Providence-Warwick-Pawtucket, R.I.-----	8,168	10.5
Baltimore-----	4,658	7.3	Hemilton-----	468	7.6	Kent-----	1,321	8.9
Carroll-----	622	8.2	Hancock-----	306	7.9	Providence-----	6,446	11.0
Hartford-----	739	5.7	Hendricks-----	445	7.6	Bristol-----	399	8.7
Howard-----	412	5.1	Johnson-----	490	7.3	Riverside-San Bernardino-Ontario, Calif.-----	11,102	9.3
Birmingham, Ala.-----	8,337	10.6	Morgan-----	393	8.4	Riverside-----	5,157	10.2
Jefferson-----	6,900	10.7	Shelby-----	380	9.7	San Bernardino-----	5,945	8.7
St. Clair-----	315	9.8	Kansas City, Mo.-Kans.-----	11,280	6.7	Rochester, N.Y.-----	8,445	8.8
Shelby-----	408	9.6	Clay, Mo.-----	810	6.2	Monroe-----	6,113	8.7
Walker-----	714	11.5	Jackson, Mo.-----	6,610	10.2	Livingston-----	432	7.6
Boston, Mass.-----	33,024	9.7	Cass, Mo.-----	376	8.2	Ontario-----	782	9.4
Suffolk-----	8,499	11.6	Platte, Mo.-----	224	6.4	Orleans-----	377	9.9
Essex-----	6,782	10.5	Ray, Mo.-----	220	11.3	Wayne-----	741	9.2
Middlesex-----	12,225	8.6	Johnson, Kans.-----	1,270	5.5	Sacramento, Calif.-----	6,672	7.7
Norfolk-----	5,518	9.0	Wyandotte, Kans.-----	1,770	9.6	Sacramento-----	5,148	7.6
Bridgeport, Conn.-----	6,765	8.6	Los Angeles-Long Beach, Calif.-----	61,471	8.9	Placer-----	787	9.2
Fairfield-----	6,765	8.6	Los Angeles-----	61,471	8.9	Yolo-----	737	7.1
Buffalo, N.Y.-----	13,319	9.8	Louisville, Ky.-Ind.-----	8,372	9.5	St. Louis, Mo.-Ill.-----	25,512	9.8
Erie-----	11,140	10.0	Jefferson, Ky.-----	6,780	9.7	St. Louis (city), Mo.-----	8,568	15.1
Niagara-----	2,179	9.2	Bullitt, Ky.-----	198	6.3	Franklin, Mo.-----	639	10.5
Chicago, Ill.-----	66,720	9.5	Oldham, Ky.-----	122	7.9	Jefferson, Mo.-----	760	6.6
Cook-----	55,788	10.2	Clark, Ind.-----	678	8.3	St. Charles, Mo.-----	612	5.9
Du Page-----	5,041	5.8	Floyd, Ind.-----	596	10.4	St. Louis, Mo.-----	7,239	7.6
Kane-----	2,116	8.0	Memphis, Tenn.-Ark.-Miss.-----	7,709	8.9	Clinton, Ill.-----	280	8.9
Lake-----	2,736	7.0	Shelby, Tenn.-----	6,726	9.1	Madison, Ill.-----	2,363	9.3
McHenry-----	1,006	8.4	Tipton, Tenn.-----	276	9.5	Monroe, Ill.-----	201	11.0
Will-----	2,083	7.4	Crittenden, Ark.-----	411	8.3	St. Clair, Ill.-----	2,070	10.0
Cincinnati, Ohio-Ky.-Ind.-----	13,751	9.9	De Soto, Miss.-----	296	7.0	Salt Lake City-Ogden, Utah-----	4,872	6.4
Hamilton, Ohio-----	9,327	10.3	Miami, Fla.-----	15,071	11.0	Salt Lake-----	3,562	6.8
Clermont, Ohio-----	769	7.5	Dade-----	15,071	11.0	Weber-----	958	7.2
Warren, Ohio-----	569	6.6	Milwaukee, Wis.-----	12,530	8.8	Davis-----	397	5.7
Boone, Ky.-----	289	7.6	Milwaukee-----	10,082	9.5	Tooele-----	155	7.1
Campbell, Ky.-----	978	11.1	Ozaukee-----	383	6.3	San Antonio, Tex.-----	7,472	7.8
Kenton, Ky.-----	1,509	11.3	Washington-----	547	7.8	Bexar-----	6,894	7.7
Dearborn, Ind.-----	330	10.8	Waukesha-----	1,518	6.2	Cosal-----	259	9.2
Cleveland, Ohio-----	19,784	9.9	Minneapolis-St. Paul, Minn.-Wis.-----	14,972	7.5	Guadalupe-----	319	8.6
Cuyahoga-----	17,306	10.5	Hennepin, Minn.-----	7,823	8.4	San Diego, Calif.-----	11,244	7.7
Geauga-----	467	7.2	Ramsey, Minn.-----	4,049	8.7	San Diego-----	11,244	7.7
Lake-----	1,366	6.9	Anoka, Minn.-----	594	3.4	San Francisco-Oakland, Calif.-----	27,772	8.9
Medina-----	625	7.0	Cerver, Minn.-----	217	6.9	Alameda-----	9,440	8.7
Columbus, Ohio-----	8,600	8.1	Chisago, Minn.-----	211	10.2	San Francisco-----	8,679	12.6
Franklin-----	6,897	8.0	Dakota, Minn.-----	688	4.4	Contra Costa-----	4,004	7.0
Delaware-----	383	8.1	Scott, Minn.-----	221	6.1	Martin-----	1,483	7.1
Fairfield-----	743	9.4	Washington, Minn.-----	471	5.0	San Mateo-----	4,166	7.4
Madison-----	280	8.6	Wright, Minn.-----	384	8.7	San Jose, Calif.-----	6,790	5.9
Pickaway-----	317	7.3	St. Croix, Wis.-----	314	8.4	Santa Clara-----	6,790	5.9
Dallas-Fort Worth, Tex.-----	19,433	8.0	Nassau-Suffolk, N.Y.-----	20,299	7.8	Seattle-Everett, Wash.-----	11,749	8.5
Dallas-----	10,056	7.4	Nassau-----	11,867	8.4	King-----	9,742	8.6
Tarrant-----	5,852	8.2	Suffolk-----	8,392	7.0	Snodgrass-----	2,007	7.8
Collin-----	672	8.5	New Haven-West Haven, Conn.-----	7,068	9.3	Tampa-St. Petersburg, Fla.-----	17,908	14.1
Denton-----	566	6.2	New Haven-----	7,068	9.3	Hillsborough-----	5,398	9.9
Ellis-----	619	12.6	New Orleans, La.-----	10,535	9.6	Pasco-----	1,817	16.1
Hood-----	116	13.5	Orleans-----	7,073	12.0	Pinellas-----	10,693	17.4
Johnson-----	554	10.2	Jefferson-----	2,429	6.4	Toledo, Ohio-Mich.-----	7,623	9.8
Kaufman-----	378	10.6	St. Bernard-----	406	7.2	Lucas, Ohio-----	5,128	10.6
Parker-----	319	10.0	St. Tammany-----	628	9.2	Fulton, Ohio-----	307	8.5
Rockwall-----	65	8.1	New York, N.Y.-N.J.-----	102,715	10.5	Ottawa, Ohio-----	435	11.0
Wise-----	258	12.8	New York (city), N.Y.-----	84,759	11.0	Wood, Ohio-----	744	7.7
Dayton, Ohio-----	6,782	8.0	Brooklyn-----	14,676	10.1	Monroe, Mich.-----	1,009	8.1
Montgomery-----	4,978	8.5	Manhattan-----	26,272	10.5	Washington, D.C.-Md.-Va.-----	20,020	8.6
Greene-----	724	5.7	Queens-----	20,201	13.8	District of Columbia-----	8,068	10.8
Miami-----	761	8.7	Richmond-----	2,748	10.5	Charles, Md.-----	285	5.2
Preble-----	319	8.8	Rutgers, N.Y.-----	2,840	9.1	Montgomery, Md.-----	3,355	8.0
Denver-Boulder, Colo.-----	9,671	7.1	Rockland, N.Y.-----	493	7.8	Prince Georges, Md.-----	3,301	4.7
Boulder-----	864	5.6	Westchester, N.Y.-----	1,564	6.5	Alexandria (city), Va.-----	987	9.4
Denver-----	5,269	10.4	Bergen, N.J.-----	8,334	9.4	Arlington, Va.-----	1,173	7.2
Adams-----	1,039	5.0		7,585	8.4	Fairfax, Va.-----	2,036	5.7
Arapahoe-----	986	4.9				Loudoun, Va.-----	322	7.7
Gilpin-----	11	6.1				Prince William, Va.-----	493	3.8
Jefferson-----	1,503	5.3						

¹Figures are included for cities of Fairfax and Falls Church.

SECTION 1 - GENERAL MORTALITY

1-75

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1973

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents of county	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence														
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho	
United States--	1,975,126	1,595,250	379,876	304,726	73,027	1,286	104	762	1,410	2,328	521	1,011	324	835	3,108	1,514	47	559	
Alabama-----	35,257	28,719	6,539	5,404	1,129	...	-	2	11	16	-	4	1	2	280	276	-	1	
Alaska-----	1,442	1,100	342	255	81	-	...	-	-	19	1	-	-	-	2	1	-	-	
Arizona-----	17,245	14,044	2,401	1,241	1,044	2	2	...	12	251	37	4	1	1	14	1	-	12	
Arkansas-----	21,961	16,471	5,490	4,275	1,214	6	1	4	...	24	5	5	-	-	9	5	-	-	
California-----	173,075	154,357	18,718	16,025	2,356	7	18	221	30	...	72	18	4	4	56	18	29	32	
Colorado-----	19,244	14,091	5,153	4,062	1,079	5	1	33	8	78	...	4	2	1	21	4	-	7	
Connecticut-----	26,504	23,300	3,504	2,403	1,090	1	2	2	-	14	1	...	2	2	60	2	-	-	
Delaware-----	5,139	4,159	980	437	541	-	1	1	-	4	-	4	...	2	9	2	-	-	
District of Columbia-----	9,843	7,333	2,710	-	2,695	3	-	1	4	13	2	4	3	...	25	18	-	1	
Florida-----	90,045	75,903	14,142	8,927	4,902	175	-	9	9	36	5	140	16	16	...	369	3	2	
Georgia-----	44,460	31,497	12,963	10,860	2,079	429	-	3	7	6	1	7	6	4	399	...	-	-	
Hawaii-----	4,891	4,182	409	139	211	-	1	3	-	65	3	1	-	1	3	2	...	-	
Idaho-----	6,293	4,931	1,362	989	369	-	-	6	1	34	8	-	-	-	2	-	-	-	
Illinois-----	107,686	94,046	13,820	11,732	2,061	5	1	19	20	67	12	7	2	1	148	8	-	-	
Indiana-----	49,737	39,350	10,387	8,167	2,189	16	-	8	12	30	6	2	1	1	66	6	-	4	
Iowa-----	29,091	22,276	6,815	5,532	1,280	3	-	11	3	39	10	2	-	1	8	1	-	1	
Kansas-----	22,143	16,910	5,233	4,100	1,125	2	-	14	15	38	43	1	-	1	4	2	-	1	
Kentucky-----	34,309	25,944	8,365	6,757	1,601	11	-	4	6	18	3	2	-	4	42	12	-	-	
Louisiana-----	35,307	26,618	8,689	7,632	1,032	40	-	-	119	37	7	2	-	2	57	14	1	-	
Maine-----	10,891	8,799	2,092	1,670	380	-	-	-	1	4	1	41	1	-	26	-	-	-	
Maryland-----	31,816	23,161	8,655	6,605	2,027	2	-	5	1	18	1	10	102	694	70	13	-	1	
Massachusetts-----	57,699	46,917	10,781	8,864	1,850	2	-	2	-	26	6	249	4	5	136	6	-	1	
Michigan-----	77,398	62,356	15,042	13,806	1,170	11	-	9	8	43	3	7	-	-	131	11	-	3	
Minnesota-----	34,367	26,189	8,178	6,359	1,776	1	3	13	3	35	13	1	-	1	37	4	-	3	
Mississippi-----	23,577	17,642	5,935	5,031	896	272	1	1	47	17	1	2	-	1	44	22	-	-	
Missouri-----	53,047	36,762	16,285	13,273	2,995	8	2	11	172	52	12	5	-	4	33	4	-	1	
Montana-----	8,759	5,331	1,428	1,167	252	-	2	2	1	31	3	-	-	2	5	2	-	14	
Nebraska-----	19,051	11,479	3,572	2,799	771	2	1	9	-	21	30	2	-	-	2	1	-	4	
Nevada-----	4,556	3,609	947	804	625	1	-	39	3	334	12	4	-	-	11	-	3	9	
New Hampshire-----	7,611	5,966	1,645	855	782	-	-	1	-	6	-	22	1	1	28	1	-	-	
New Jersey-----	67,410	52,676	13,734	11,089	2,609	7	-	3	-	20	1	35	21	9	139	8	-	1	
New Mexico-----	8,129	6,283	1,846	1,240	582	1	-	155	2	66	61	2	1	-	9	2	-	2	
New York-----	180,103	157,550	22,553	18,770	3,583	13	-	11	3	54	5	232	7	14	366	14	1	-	
North Carolina-----	47,950	35,521	12,429	10,847	1,568	17	-	1	3	12	2	7	3	14	128	59	1	-	
North Dakota-----	5,396	3,581	2,105	1,494	596	-	-	1	-	11	1	-	-	-	-	-	-	-	
Ohio-----	101,214	84,257	16,957	14,183	2,741	10	-	11	7	42	4	9	4	5	165	10	-	1	
Oklahoma-----	26,589	21,432	5,156	4,480	673	3	1	9	70	41	8	-	-	-	5	3	-	-	
Oregon-----	20,866	16,830	4,036	3,251	760	1	6	7	-	209	6	-	1	1	3	-	3	94	
Pennsylvania-----	126,079	106,664	20,415	17,186	3,200	3	1	7	2	27	3	18	123	16	142	9	1	-	
Rhode Island-----	9,507	7,711	1,796	1,300	491	-	-	1	-	1	-	97	-	-	14	-	-	-	
South Carolina-----	24,472	19,173	5,299	4,491	800	14	1	-	1	11	-	6	4	7	45	159	-	-	
South Dakota-----	6,602	4,513	2,089	1,620	466	-	-	1	2	15	5	-	1	-	3	-	-	1	
Tennessee-----	42,239	31,917	10,322	6,696	3,618	165	-	3	589	27	2	2	1	7	66	419	-	-	
Texas-----	103,118	82,369	20,729	17,694	2,690	30	8	45	252	160	38	6	5	4	132	31	2	3	
Utah-----	7,834	6,193	1,641	1,151	485	1	1	39	-	74	31	-	-	-	6	1	-	134	
Vermont-----	4,524	3,437	1,087	642	428	-	-	1	-	2	-	27	1	-	10	-	-	-	
Virginia-----	40,396	23,669	16,727	14,994	1,712	9	-	5	2	11	1	14	4	111	73	7	3	-	
Washington-----	30,311	26,771	4,140	3,133	970	3	49	17	1	106	7	1	-	1	4	1	-	214	
West Virginia-----	20,110	14,142	5,968	4,223	1,744	2	-	-	-	6	1	2	2	24	22	3	-	-	
Wisconsin-----	41,410	33,800	7,610	6,182	1,421	2	2	8	2	28	2	2	-	1	40	3	-	1	
Wyoming-----	3,043	2,388	655	547	299	-	-	4	1	29	45	1	-	-	6	-	-	11	

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1973-Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence--Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States-----	4,730	2,134	1,447	1,779	1,733	789	401	2,946	1,517	2,194	1,305	1,349	1,941	369	720	351	762	3,922	596	
Alabama-----	26	11	-	-	12	28	-	2	4	15	-	177	2	1	-	1	1	8	2	
Alaska-----	-	-	-	-	-	1	1	2	1	-	4	-	1	-	1	-	-	1	-	
Arizona-----	66	21	41	20	5	3	-	3	6	47	40	2	20	11	23	35	2	6	59	
Arkansas-----	36	20	8	23	5	47	1	4	-	15	3	47	262	-	-	2	1	-	-	
California-----	134	33	50	32	11	16	7	15	55	77	62	2	45	37	27	191	6	47	40	
Colorado-----	30	11	20	133	-	3	-	3	10	11	12	-	36	22	128	4	1	8	90	
Connecticut-----	4	1	-	1	1	1	20	2	170	2	1	-	3	1	-	-	12	58	-	
Delaware-----	1	2	-	1	1	-	-	169	3	-	-	-	1	-	-	-	-	133	-	
District of Columbia-----	10	8	1	2	9	7	-	1,792	4	10	-	2	8	-	2	2	1	26	2	
Florida-----	278	178	42	12	54	28	50	73	215	454	49	19	30	5	4	-	44	296	2	
Georgia-----	38	23	5	6	22	8	3	13	10	29	8	10	13	-	3	-	-	21	2	
Hawaii-----	21	1	1	-	2	1	1	2	3	7	3	1	4	1	-	2	3	8	1	
Idaho-----	4	2	1	3	-	-	-	-	2	2	3	-	1	29	4	16	-	2	2	
Illinois-----	...	601	117	13	65	9	1	5	8	120	30	11	319	2	11	2	1	15	4	
Indiana-----	911	...	11	-	219	5	-	4	2	360	11	2	23	1	2	-	1	6	3	
Iowa-----	572	7	...	10	-	2	2	-	2	8	85	-	141	-	213	-	-	2	1	
Kansas-----	27	6	19	...	1	3	-	1	1	2	3	1	598	2	60	-	-	6	-	
Kentucky-----	123	448	3	-	...	6	-	4	5	39	2	2	10	1	4	-	1	5	1	
Louisiana-----	16	7	4	6	...	-	-	2	4	10	5	215	5	-	-	1	-	6	-	
Maine-----	1	1	1	1	-	1	...	5	116	2	-	-	1	-	-	-	79	26	1	
Maryland-----	14	13	1	3	7	6	2	...	11	5	3	2	7	1	1	3	1	56	1	
Massachusetts-----	12	6	3	1	2	5	99	17	...	12	5	-	5	3	-	3	415	62	-	
Michigan-----	131	155	6	4	15	2	4	5	6	...	7	5	18	4	2	2	1	10	2	
Minnesota-----	131	31	332	8	3	-	1	3	2	57	...	-	22	27	36	3	-	5	-	
Mississippi-----	32	5	4	1	14	248	1	3	1	12	6	...	10	-	3	1	-	4	-	
Missouri-----	1,117	40	90	1,086	34	8	-	6	3	22	14	10	...	2	18	1	-	8	3	
Montana-----	3	3	1	2	-	-	-	1	-	2	16	1	4	...	4	1	1	1	3	
Nebraska-----	15	5	386	126	-	2	-	1	2	5	9	-	21	5	...	2	-	-	-	
Nevada-----	11	1	4	3	-	3	-	3	6	8	6	1	11	8	2	...	1	8	8	
New Hampshire-----	2	1	-	-	2	-	152	1	246	-	1	-	-	-	-	-	...	12	-	
New Jersey-----	18	3	3	1	2	4	11	42	45	15	-	1	6	-	-	1	8	...	2	
New Mexico-----	10	4	12	18	1	4	-	1	1	9	7	3	9	-	4	2	1	7	...	
New York-----	37	17	2	1	7	6	13	44	124	33	3	1	12	-	5	2	16	1,586	5	
North Carolina-----	9	12	2	2	9	6	5	37	9	8	2	3	5	-	1	-	6	54	-	
North Dakota-----	2	1	4	1	-	-	-	-	-	3	401	-	1	31	2	1	-	-	-	
Ohio-----	74	297	2	6	514	3	5	22	11	392	9	2	10	1	4	1	2	24	2	
Oklahoma-----	13	5	6	145	2	6	-	1	1	11	8	4	56	1	5	3	1	1	5	
Oregon-----	2	1	2	2	-	-	-	1	2	4	9	-	3	16	3	10	-	2	-	
Pennsylvania-----	18	17	4	3	5	4	2	280	20	24	7	1	6	-	1	-	3	1,262	-	
Rhode Island-----	-	-	1	-	-	1	2	5	322	-	1	-	1	-	-	-	3	9	-	
South Carolina-----	9	2	1	1	3	2	-	9	4	13	1	1	2	-	-	-	3	19	-	
South Dakota-----	6	3	91	1	-	-	-	1	-	3	138	-	2	11	74	-	-	-	2	
Tennessee-----	53	40	7	3	470	18	-	3	3	58	2	785	126	1	4	1	-	10	1	
Texas-----	68	37	25	84	23	280	2	10	15	54	42	49	58	9	15	15	3	28	331	
Utah-----	5	2	4	1	3	1	1	-	1	3	1	-	1	29	-	41	-	3	4	
Vermont-----	2	2	-	-	-	-	6	1	38	1	-	-	1	-	-	1	137	12	-	
Virginia-----	16	8	4	6	28	3	8	173	15	12	4	2	4	1	5	-	2	42	-	
Washington-----	11	7	3	2	1	2	-	3	1	4	8	-	8	68	7	1	1	3	-	
West Virginia-----	11	3	-	-	170	5	-	200	2	11	-	1	1	-	5	-	-	6	-	
Wisconsin-----	598	31	118	1	4	-	1	2	4	200	272	5	6	1	-	-	3	14	2	
Wyoming-----	2	1	5	4	-	1	-	-	1	3	4	-	3	37	37	2	-	-	9	

SECTION 1 - GENERAL MORTALITY

1-77

Table 1-19. Deaths by State of Occurrence, Distributed According to State of Residence: United States and Each State, 1973-Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Unit of residence is defined as the county or county equivalent of which decedent was a resident].

State of occurrence	Deaths of interstate nonresidents by State of residence-Con.																			Non-residents of United States
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
United States-----	4,967	1,367	582	3,070	1,437	625	5,782	498	1,232	510	1,181	1,584	241	425	2,488	908	1,590	1,513	535	2,125
Alabama-----	26	17	-	19	6	-	9	3	9	3	120	20	-	-	7	2	2	2	-	7
Alaska-----	3	-	-	-	-	6	1	-	1	1	-	2	1	-	-	50	-	1	-	6
Arizona-----	46	5	6	35	12	15	34	3	1	11	6	35	28	3	5	29	3	15	5	116
Arkansas-----	4	4	-	14	427	3	4	-	2	-	64	151	-	-	2	1	2	3	-	1
California-----	165	11	9	64	50	185	78	6	6	11	10	93	41	-	16	146	7	41	10	337
Colorado-----	26	3	7	17	31	9	11	-	1	33	9	63	30	-	5	16	1	17	115	12
Connecticut-----	626	5	1	7	1	-	26	39	1	-	-	4	-	7	7	1	1	1	-	11
Delaware-----	8	4	-	2	-	-	181	1	2	-	-	1	-	-	5	1	1	-	-	2
District of Columbia-----	46	28	-	14	3	-	46	1	15	1	12	9	-	-	526	1	31	-	-	15
Florida-----	997	71	4	408	11	5	353	30	36	2	62	50	2	16	86	11	56	65	2	313
Georgia-----	40	129	2	65	2	1	33	2	516	-	163	17	2	-	22	3	4	5	-	24
Hawaii-----	12	1	-	8	2	8	7	-	3	1	1	6	-	-	2	13	1	6	1	59
Idaho-----	2	1	3	1	1	89	2	-	-	1	-	5	27	1	1	96	-	3	14	4
Illinois-----	45	4	4	66	6	4	26	-	2	6	19	29	1	1	5	7	5	203	4	27
Indiana-----	12	9	-	331	5	2	28	2	3	1	24	15	-	-	5	5	15	16	2	11
Iowa-----	6	2	3	9	4	-	3	-	2	46	1	8	-	1	5	4	2	61	1	3
Kansas-----	9	1	2	3	174	7	9	-	-	4	5	38	-	-	2	9	-	7	4	8
Kentucky-----	13	5	-	276	5	-	16	-	6	-	241	5	-	-	64	3	206	4	1	7
Louisiana-----	12	7	1	8	7	2	11	2	2	-	15	381	-	-	8	3	2	4	-	25
Maine-----	33	1	-	6	1	-	8	6	-	-	2	1	-	8	1	1	-	2	1	42
Maryland-----	76	38	2	22	2	2	320	-	13	1	7	14	-	2	317	3	181	3	-	25
Massachusetts-----	245	6	-	19	1	2	39	343	4	-	4	8	1	75	9	1	1	4	1	47
Michigan-----	25	7	-	242	4	4	30	-	3	1	16	17	-	2	8	7	8	191	-	63
Minnesota-----	11	4	239	10	5	9	7	-	1	173	1	12	1	-	5	12	4	505	2	43
Mississippi-----	7	2	-	6	6	1	3	1	8	-	74	24	1	1	4	2	2	-	1	8
Missouri-----	15	3	1	28	77	5	5	1	-	3	28	40	-	-	3	10	2	8	1	17
Montana-----	5	-	23	4	6	10	-	-	1	4	-	8	6	-	2	38	-	3	57	9
Nebraska-----	3	1	1	3	2	1	4	-	-	64	1	6	1	-	1	2	-	2	28	2
Nevada-----	11	2	1	4	5	20	8	-	1	1	14	33	-	-	3	12	1	7	1	18
New Hampshire-----	34	-	1	1	-	-	11	7	-	-	-	-	-	251	-	-	-	-	-	8
New Jersey-----	1,179	19	-	18	-	-	920	7	6	-	5	8	-	1	24	1	12	3	-	36
New Mexico-----	8	3	-	12	21	2	3	2	1	5	1	103	10	3	-	3	2	7	2	24
New York-----	...	31	1	83	3	4	650	17	12	1	9	27	-	45	36	8	10	10	-	200
North Carolina-----	75	...	1	24	7	3	35	1	488	1	98	15	1	1	376	3	19	3	-	14
North Dakota-----	2	18	...	-	1	3	1	-	1	91	-	4	-	-	1	9	-	4	1	15
Ohio-----	66	17	2	...	10	2	407	-	5	-	28	17	-	2	22	3	496	15	-	33
Oklahoma-----	10	3	2	5	...	8	15	1	1	1	4	198	-	-	4	4	-	3	-	3
Oregon-----	5	2	1	3	3	...	9	-	-	2	-	7	11	-	1	323	-	4	1	25
Pennsylvania-----	594	14	-	390	3	4	...	8	8	-	8	11	1	2	49	1	122	6	-	29
Rhode Island-----	20	-	-	2	-	-	2	...	2	-	1	1	-	1	2	1	-	1	-	5
South Carolina-----	59	361	-	10	2	1	25	-	...	1	11	6	-	-	21	-	5	2	-	8
South Dakota-----	-	2	42	5	1	1	1	-	-	...	2	1	1	-	2	11	-	2	35	3
Tennessee-----	18	93	-	56	16	-	13	2	23	1	...	30	-	-	517	3	15	4	1	8
Texas-----	69	20	5	54	497	11	28	2	12	14	26	...	4	1	19	18	4	29	5	395
Utah-----	3	-	1	2	1	5	4	-	-	2	-	10	...	-	1	9	-	6	54	5
Vermont-----	166	-	-	2	-	-	5	4	-	-	1	1	-	...	6	1	-	-	-	17
Virginia-----	96	418	-	23	6	1	70	6	25	-	95	20	2	1	...	5	365	4	2	21
Washington-----	8	3	5	4	6	370	5	1	2	8	5	8	3	-	3	...	-	6	2	37
West Virginia-----	14	10	-	663	-	-	271	-	6	-	5	2	-	-	275	18	...	4	1	1
Wisconsin-----	10	1	7	18	1	8	3	-	-	4	-	9	-	-	2	6	1	...	-	7
Wyoming-----	2	1	5	3	3	6	2	-	1	11	1	10	33	-	1	12	1	1	...	9

SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1973

[Deaths by place of occurrence include deaths to nonresidents]

AREA	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES-----	1,975,126	191,752	163,815	166,064	159,998	163,042	157,586	161,032	159,073	155,216	162,718	161,765	173,065
ALABAMA-----	35,257	3,470	3,117	3,011	2,823	2,964	2,821	2,835	2,778	2,651	2,834	2,853	3,100
ALASKA-----	1,442	116	101	115	96	123	115	154	145	122	109	120	126
ARIZONA-----	17,245	1,697	1,461	1,493	1,414	1,429	1,389	1,349	1,324	1,249	1,416	1,421	1,603
ARKANSAS-----	21,961	2,013	1,872	1,831	1,819	1,875	1,755	1,776	1,800	1,659	1,880	1,770	1,911
CALIFORNIA-----	173,075	18,781	13,856	14,181	13,923	14,068	13,716	13,786	13,730	13,583	14,217	13,992	15,242
COLORADO-----	19,244	1,837	1,678	1,612	1,627	1,564	1,510	1,598	1,618	1,483	1,583	1,491	1,643
CONNECTICUT-----	26,804	2,625	2,137	2,239	2,089	2,260	2,135	2,195	2,196	2,124	2,187	2,240	2,377
DELAWARE-----	5,139	460	357	392	409	452	421	427	411	460	466	435	449
DISTRICT OF COLUMBIA-----	9,843	923	790	845	815	838	780	791	757	782	803	843	876
FLORIDA-----	90,045	8,876	8,422	8,250	7,291	7,341	6,752	7,075	6,727	6,795	7,117	7,185	8,214
GEORGIA-----	44,460	4,291	3,937	3,844	3,498	3,662	3,530	3,572	3,613	3,327	3,525	3,668	3,993
HAWAII-----	4,591	463	426	393	370	357	345	353	388	337	382	374	370
IDAHO-----	6,293	601	496	517	536	540	542	522	523	489	498	519	510
ILLINOIS-----	107,868	10,611	8,737	8,928	8,799	8,870	8,603	8,929	8,621	8,436	8,820	8,869	9,645
INDIANA-----	49,737	4,612	4,143	4,222	4,103	4,287	3,941	4,054	3,998	3,788	4,140	3,998	4,451
IOWA-----	29,091	2,774	2,295	2,388	2,407	2,418	2,313	2,338	2,336	2,248	2,435	2,492	2,647
KANSAS-----	22,143	2,049	1,808	1,790	1,937	1,851	1,772	1,833	1,719	1,681	1,854	1,869	1,980
KENTUCKY-----	34,309	3,208	2,862	2,918	2,784	2,878	2,877	2,781	2,728	2,692	2,790	2,859	2,932
LOUISIANA-----	35,307	3,645	3,073	3,017	2,896	2,908	2,765	2,852	2,679	2,684	2,842	2,751	3,195
MAINE-----	10,891	963	898	839	836	888	897	933	948	868	974	881	966
MARYLAND-----	31,816	3,078	2,447	2,620	2,271	2,646	2,618	2,613	2,665	2,639	2,713	2,700	2,806
MASSACHUSETTS-----	57,698	5,781	4,689	4,605	4,578	4,777	4,617	4,730	4,790	4,592	4,879	4,882	4,978
MICHIGAN-----	77,398	7,182	6,234	6,365	6,091	6,429	6,296	6,483	6,598	6,329	6,514	6,263	6,614
MINNESOTA-----	34,367	3,192	2,986	2,892	2,789	2,892	2,731	2,787	2,762	2,609	2,798	2,867	3,062
MISSISSIPPI-----	23,577	2,306	2,020	2,011	1,901	1,982	1,811	1,856	1,867	1,796	1,878	1,964	2,185
MISSOURI-----	53,047	5,214	4,479	4,498	4,340	4,397	4,153	4,418	4,194	4,054	4,229	4,386	4,685
MONTANA-----	6,759	610	593	574	551	554	507	565	536	547	593	590	539
NEBRASKA-----	15,051	1,478	1,217	1,254	1,223	1,294	1,218	1,183	1,216	1,182	1,233	1,219	1,334
NEVADA-----	4,556	449	339	379	369	413	380	407	393	334	358	345	390
NEW HAMPSHIRE-----	7,611	708	631	628	590	718	611	657	612	627	636	588	605
NEW JERSEY-----	67,410	6,563	5,207	5,663	5,449	5,475	5,529	5,631	5,406	5,423	5,610	5,497	5,957
NEW MEXICO-----	8,129	824	680	697	618	652	686	613	689	626	708	642	694
NEW YORK-----	180,103	16,974	14,313	14,921	14,436	14,908	14,684	14,979	14,841	14,701	14,934	14,694	15,718
NORTH CAROLINA-----	47,950	4,529	4,114	3,975	3,923	3,972	3,764	3,824	3,843	3,702	4,024	4,035	4,245
NORTH DAKOTA-----	5,996	459	507	488	519	523	498	525	493	494	495	496	499
OHIO-----	101,214	9,409	8,238	8,461	8,359	8,188	8,207	8,335	8,344	8,100	8,399	8,441	8,733
OKLAHOMA-----	26,588	2,419	2,286	2,316	2,149	2,214	2,084	2,215	2,020	2,125	2,171	2,287	2,302
OREGON-----	20,866	2,071	1,766	1,713	1,683	1,747	1,661	1,740	1,634	1,635	1,786	1,714	1,716
PENNSYLVANIA-----	126,079	12,290	10,135	10,754	10,233	10,242	10,309	10,168	10,138	9,992	10,519	10,501	10,798
RHODE ISLAND-----	9,507	976	795	720	770	746	776	812	768	751	788	798	807
SOUTH CAROLINA-----	24,472	2,340	2,125	2,064	2,022	1,990	1,879	1,978	1,938	1,930	1,994	2,023	2,189
SOUTH DAKOTA-----	6,602	598	516	577	528	547	503	552	560	512	579	548	582
TENNESSEE-----	42,239	3,796	3,682	3,704	3,505	3,518	3,286	3,478	3,346	3,404	3,438	3,457	3,625
TEXAS-----	103,118	10,436	8,766	8,889	8,529	8,382	8,072	8,346	8,374	7,886	8,240	8,223	8,975
UTAH-----	7,834	757	620	735	626	595	611	673	649	617	657	653	641
VERMONT-----	4,524	410	382	346	373	347	360	354	385	379	396	363	429
VIRGINIA-----	40,396	3,832	3,377	3,367	3,301	3,328	3,256	3,289	3,141	3,213	3,393	3,386	3,513
WASHINGTON-----	30,911	2,949	2,864	2,578	2,525	2,576	2,416	2,434	2,517	2,371	2,520	2,479	2,682
WEST VIRGINIA-----	20,110	1,937	1,785	1,775	1,675	1,613	1,579	1,515	1,651	1,576	1,685	1,652	1,667
WISCONSIN-----	41,410	3,898	3,284	3,414	3,329	3,558	3,276	3,419	3,423	3,383	3,411	3,394	3,621
WYOMING-----	3,043	272	272	256	271	246	229	267	241	229	268	248	244

SECTION 1 - GENERAL MORTALITY

1-79

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES-----	1,973,003	191,543	163,628	165,855	159,831	162,897	157,424	160,851	158,864	155,056	162,550	161,617	172,887
MALE-----	1,096,795	105,612	90,301	92,204	89,430	90,997	88,029	89,737	88,914	85,848	90,354	89,519	95,850
FEMALE-----	876,208	85,931	73,327	73,651	70,401	71,900	69,395	71,114	69,950	69,208	72,196	72,098	77,037
WHITE-----	1,728,405	167,130	143,172	145,614	140,248	142,790	138,154	140,593	139,072	135,708	142,605	142,051	151,268
MALE-----	957,918	91,846	78,791	80,654	78,279	79,565	77,106	78,160	77,598	74,806	78,968	78,493	83,652
FEMALE-----	770,487	75,284	64,381	64,960	61,969	63,225	61,048	62,433	61,474	60,902	63,637	63,558	67,616
ALL OTHER-----	244,598	24,413	20,456	20,241	19,583	20,107	19,270	20,258	19,792	19,348	19,945	19,566	21,619
MALE-----	138,877	13,766	11,510	11,550	11,151	11,432	10,923	11,577	11,316	11,042	11,386	11,026	12,198
FEMALE-----	105,721	10,647	8,946	8,691	8,432	8,675	8,347	8,681	8,476	8,306	8,559	8,540	9,421
ALABAMA-----	35,408	3,487	3,150	3,003	2,818	2,992	2,830	2,843	2,787	2,652	2,856	2,870	3,120
MALE-----	20,144	1,984	1,760	1,754	1,609	1,721	1,592	1,623	1,616	1,503	1,684	1,573	1,725
FEMALE-----	15,264	1,503	1,390	1,249	1,209	1,271	1,238	1,220	1,171	1,149	1,172	1,297	1,395
WHITE-----	24,611	2,370	2,187	2,105	1,989	2,107	1,968	1,957	1,958	1,820	2,004	1,981	2,165
MALE-----	14,215	1,380	1,245	1,246	1,139	1,232	1,112	1,145	1,170	1,042	1,138	1,084	1,222
FEMALE-----	10,396	990	942	859	850	875	856	812	788	778	866	897	943
ALL OTHER-----	10,797	1,117	963	898	829	885	862	886	829	832	852	889	955
MALE-----	5,929	604	515	508	470	489	480	478	446	461	486	489	503
FEMALE-----	4,868	513	448	390	359	396	382	408	383	371	366	400	452
ALASKA-----	1,459	125	107	121	97	125	117	151	141	117	113	126	119
MALE-----	973	80	66	80	64	73	77	105	101	82	78	83	84
FEMALE-----	486	45	41	41	33	52	40	46	40	35	35	43	35
WHITE-----	962	85	69	73	60	85	79	95	97	70	78	95	76
MALE-----	672	56	46	50	42	52	53	69	73	53	51	65	62
FEMALE-----	290	29	23	23	18	33	26	26	24	17	27	30	14
ALL OTHER-----	497	40	38	48	37	40	38	56	44	47	35	31	43
MALE-----	301	24	20	30	22	21	24	36	28	29	27	18	22
FEMALE-----	196	16	18	18	15	19	14	20	16	18	8	13	21
ARIZONA-----	16,847	1,647	1,348	1,393	1,370	1,409	1,368	1,382	1,345	1,236	1,401	1,385	1,563
MALE-----	10,176	1,004	808	832	830	828	826	866	824	734	884	824	916
FEMALE-----	6,671	643	540	561	540	581	542	516	521	502	517	561	647
WHITE-----	15,311	1,499	1,210	1,279	1,254	1,279	1,236	1,251	1,210	1,119	1,274	1,284	1,416
MALE-----	9,225	917	729	760	761	752	743	787	730	655	802	757	832
FEMALE-----	6,086	582	481	519	493	527	493	464	480	464	472	527	584
ALL OTHER-----	1,536	148	138	114	116	130	132	131	135	117	127	101	147
MALE-----	951	87	79	72	69	76	83	79	94	79	82	67	84
FEMALE-----	585	61	59	42	47	54	49	52	41	38	45	34	63
ARKANSAS-----	22,156	2,042	1,890	1,854	1,818	1,883	1,778	1,799	1,818	1,672	1,876	1,793	1,933
MALE-----	12,905	1,170	1,106	1,089	1,065	1,118	1,026	1,058	1,083	962	1,058	1,056	1,114
FEMALE-----	9,251	872	784	765	753	765	752	741	735	710	818	737	819
WHITE-----	17,789	1,607	1,496	1,494	1,455	1,529	1,445	1,417	1,486	1,317	1,545	1,432	1,566
MALE-----	10,436	933	893	882	854	904	831	847	890	770	872	845	915
FEMALE-----	7,353	674	603	612	601	625	614	570	596	547	673	587	651
ALL OTHER-----	4,367	435	394	360	363	354	333	382	332	355	331	361	367
MALE-----	2,469	237	213	207	211	214	195	211	193	192	186	211	199
FEMALE-----	1,898	198	181	153	152	140	138	171	139	163	145	150	168
CALIFORNIA-----	172,710	18,597	13,744	14,038	13,891	14,117	13,736	13,855	13,774	13,585	14,236	13,988	15,149
MALE-----	94,633	10,060	7,389	7,803	7,732	7,812	7,590	7,576	7,623	7,306	7,960	7,552	8,230
FEMALE-----	78,077	8,537	6,355	6,235	6,159	6,305	6,146	6,279	6,151	6,279	6,276	6,436	6,919
WHITE-----	158,490	17,096	12,637	12,905	12,767	12,901	12,567	12,693	12,651	12,448	13,027	12,840	13,958
MALE-----	86,138	9,162	6,750	7,113	7,055	7,066	6,927	6,896	6,936	6,621	7,208	6,885	7,539
FEMALE-----	72,352	7,934	5,887	5,792	5,712	5,835	5,660	5,797	5,715	5,827	5,819	5,955	6,419
ALL OTHER-----	14,220	1,501	1,107	1,133	1,124	1,216	1,169	1,162	1,123	1,137	1,209	1,148	1,191
MALE-----	8,495	898	639	690	677	746	683	680	687	685	752	667	691
FEMALE-----	5,725	603	468	443	447	470	486	482	436	452	457	481	500
COLORADO-----	18,674	1,811	1,640	1,576	1,567	1,526	1,473	1,521	1,540	1,422	1,523	1,452	1,623
MALE-----	10,441	1,014	899	882	861	852	851	840	895	804	862	781	900
FEMALE-----	8,233	797	741	694	706	674	622	681	645	618	661	671	723
WHITE-----	18,036	1,765	1,581	1,512	1,516	1,481	1,419	1,477	1,481	1,361	1,467	1,404	1,572
MALE-----	10,073	992	861	843	836	831	818	810	858	770	831	752	871
FEMALE-----	7,963	773	720	669	680	650	601	667	623	591	636	652	701
ALL OTHER-----	638	46	59	64	51	45	54	44	59	61	56	48	51
MALE-----	368	22	38	39	25	21	33	30	37	34	31	29	29
FEMALE-----	270	24	21	25	26	24	21	14	22	27	25	19	22

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
CONNECTICUT-----	26,714	2,602	2,151	2,257	2,078	2,247	2,117	2,182	2,184	2,110	2,191	2,224	2,371
MALE-----	14,491	1,432	1,197	1,221	1,136	1,226	1,160	1,197	1,185	1,128	1,168	1,144	1,297
FEMALE-----	12,223	1,170	954	1,036	942	1,021	957	985	999	982	1,023	1,080	1,074
WHITE-----	25,447	2,481	2,049	2,139	1,977	2,130	2,032	2,080	2,063	2,011	2,078	2,134	2,273
MALE-----	13,752	1,359	1,142	1,151	1,079	1,153	1,115	1,129	1,114	1,069	1,104	1,096	1,241
FEMALE-----	11,695	1,122	907	988	898	977	917	951	949	942	974	1,038	1,032
ALL OTHER-----	1,267	121	102	118	101	117	85	102	121	99	113	90	98
MALE-----	739	73	55	70	57	73	45	68	71	59	64	48	56
FEMALE-----	528	48	47	48	44	44	40	34	50	40	49	42	42
DELAWARE-----	4,920	442	339	369	404	433	394	400	401	435	457	410	436
MALE-----	2,726	248	184	206	229	256	210	219	216	247	241	231	239
FEMALE-----	2,194	194	155	163	175	177	184	181	185	188	216	179	197
WHITE-----	4,120	360	282	304	348	369	326	329	343	361	395	332	371
MALE-----	2,270	201	155	167	197	213	174	182	183	197	210	189	201
FEMALE-----	1,850	159	127	137	151	156	152	147	160	163	185	143	170
ALL OTHER-----	800	82	57	65	56	64	68	71	58	74	62	78	65
MALE-----	456	47	29	39	32	43	36	37	33	49	31	42	38
FEMALE-----	344	35	28	26	24	21	32	34	25	25	31	36	27
DISTRICT OF COLUMBIA-----	8,068	763	621	683	705	686	648	637	638	645	673	674	695
MALE-----	4,319	403	333	368	376	380	334	350	337	352	360	346	380
FEMALE-----	3,749	360	288	315	329	306	314	287	301	293	313	328	315
WHITE-----	2,891	266	207	252	265	253	230	234	223	228	254	230	249
MALE-----	1,339	122	86	113	128	132	102	110	102	107	117	95	125
FEMALE-----	1,552	144	121	139	137	121	128	124	121	121	137	135	124
ALL OTHER-----	5,177	497	414	431	440	433	418	403	415	417	419	444	446
MALE-----	2,980	281	247	255	248	248	232	240	235	245	243	251	255
FEMALE-----	2,197	216	167	176	192	185	186	163	180	172	176	193	191
FLORIDA-----	87,938	8,298	7,694	7,579	6,977	7,267	6,817	7,185	6,890	7,003	7,178	7,094	7,956
MALE-----	51,059	4,813	4,438	4,401	4,016	4,308	4,021	4,164	3,991	4,103	4,079	4,103	4,622
FEMALE-----	36,879	3,485	3,256	3,178	2,961	2,959	2,796	3,021	2,899	2,900	3,099	2,991	3,334
WHITE-----	76,282	7,125	6,642	6,592	6,069	6,338	5,917	6,220	5,994	6,109	6,227	6,227	6,822
MALE-----	44,425	4,133	3,838	3,840	3,501	3,751	3,494	3,609	3,492	3,594	3,553	3,642	3,978
FEMALE-----	31,857	2,992	2,804	2,752	2,568	2,587	2,423	2,611	2,502	2,515	2,674	2,585	2,844
ALL OTHER-----	11,656	1,173	1,052	987	908	929	900	965	896	894	951	867	1,134
MALE-----	6,634	680	600	561	515	557	527	555	499	509	526	461	644
FEMALE-----	5,022	493	452	426	393	372	373	410	397	385	425	406	490
GEORGIA-----	43,871	4,250	3,901	3,732	3,473	3,600	3,503	3,519	3,543	3,297	3,506	3,617	3,930
MALE-----	24,705	2,360	2,195	2,098	1,964	1,984	1,966	2,002	1,966	1,830	2,015	2,051	2,274
FEMALE-----	19,166	1,890	1,706	1,634	1,509	1,616	1,537	1,517	1,577	1,467	1,491	1,566	1,656
WHITE-----	30,811	2,900	2,718	2,636	2,422	2,535	2,489	2,485	2,477	2,329	2,500	2,592	2,728
MALE-----	17,686	1,619	1,567	1,511	1,431	1,421	1,434	1,427	1,382	1,326	1,463	1,504	1,601
FEMALE-----	13,125	1,281	1,151	1,125	991	1,114	1,055	1,058	1,095	1,003	1,037	1,088	1,127
ALL OTHER-----	13,060	1,350	1,183	1,096	1,051	1,065	1,014	1,034	1,066	968	1,006	1,025	1,202
MALE-----	7,019	741	628	587	532	563	532	575	584	504	552	547	673
FEMALE-----	6,041	609	555	509	518	502	482	459	482	464	454	478	529
HAWAII-----	4,368	450	399	366	351	341	328	364	379	320	367	358	345
MALE-----	2,669	270	251	228	210	212	209	209	226	186	240	214	214
FEMALE-----	1,699	180	148	138	141	129	119	155	153	134	127	144	131
WHITE-----	1,355	132	113	110	108	112	102	116	129	95	109	118	111
MALE-----	808	77	67	61	64	65	63	58	79	55	72	74	73
FEMALE-----	547	55	46	49	44	47	39	58	50	40	37	44	38
ALL OTHER-----	3,013	318	286	256	243	229	226	248	250	225	258	240	234
MALE-----	1,861	193	184	167	146	147	146	151	147	131	168	140	141
FEMALE-----	1,152	125	102	89	97	82	80	97	103	94	90	100	93
IDAHO-----	6,479	626	519	550	563	565	545	530	507	498	512	542	522
MALE-----	3,790	341	314	327	313	341	309	317	313	314	281	330	290
FEMALE-----	2,689	285	205	223	250	224	236	213	194	184	231	212	232
WHITE-----	6,352	614	504	541	548	556	534	519	499	490	502	529	516
MALE-----	3,702	331	303	319	307	333	302	310	310	307	275	321	284
FEMALE-----	2,650	283	201	222	241	223	232	209	189	183	227	208	232
ALL OTHER-----	127	12	15	9	15	9	11	11	8	8	10	13	6
MALE-----	88	10	11	8	6	8	7	7	3	7	6	9	6
FEMALE-----	39	2	4	1	9	1	4	4	5	1	4	4	-

SECTION 1 - GENERAL MORTALITY

1-81

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ILLINOIS-----	110,510	10,818	8,985	9,170	8,989	9,102	8,797	9,198	8,867	8,664	9,014	9,052	9,854
MALE-----	60,557	5,934	4,875	5,047	4,915	5,072	4,805	5,036	4,907	4,728	4,952	4,948	5,338
FEMALE-----	49,953	4,884	4,110	4,123	4,074	4,030	3,992	4,162	3,960	3,936	4,062	4,104	4,516
WHITE-----	96,166	9,407	7,855	8,033	7,801	7,909	7,658	8,020	7,705	7,445	7,856	7,916	8,561
MALE-----	52,379	5,126	4,225	4,403	4,263	4,367	4,154	4,364	4,217	4,039	4,292	4,301	4,628
FEMALE-----	43,787	4,281	3,630	3,630	3,538	3,542	3,504	3,656	3,488	3,406	3,564	3,615	3,933
ALL OTHER-----	14,344	1,411	1,130	1,137	1,188	1,193	1,139	1,178	1,162	1,219	1,158	1,136	1,293
MALE-----	8,178	808	650	644	652	705	651	672	690	689	660	647	710
FEMALE-----	6,166	603	480	493	536	488	488	506	472	530	498	489	583
INDIANA-----	49,671	4,657	4,141	4,266	4,111	4,251	3,910	4,035	3,997	3,795	4,120	3,974	4,414
MALE-----	27,194	2,517	2,237	2,370	2,285	2,296	2,195	2,241	2,180	2,108	2,224	2,130	2,411
FEMALE-----	22,477	2,140	1,904	1,896	1,826	1,955	1,715	1,794	1,817	1,687	1,896	1,844	2,003
WHITE-----	46,193	4,317	3,870	3,996	3,835	3,977	3,611	3,743	3,707	3,502	3,823	3,714	4,098
MALE-----	25,237	2,313	2,082	2,222	2,140	2,139	2,017	2,081	2,021	1,932	2,076	1,987	2,227
FEMALE-----	20,956	2,004	1,788	1,774	1,695	1,838	1,594	1,662	1,686	1,570	1,747	1,727	1,871
ALL OTHER-----	3,478	340	271	270	276	274	299	292	290	293	297	260	316
MALE-----	1,957	204	155	148	145	157	178	160	159	176	148	143	184
FEMALE-----	1,521	136	116	122	131	117	121	132	131	117	149	117	132
IOWA-----	29,255	2,805	2,310	2,407	2,407	2,444	2,320	2,365	2,342	2,274	2,453	2,476	2,652
MALE-----	15,965	1,514	1,290	1,340	1,318	1,357	1,251	1,296	1,278	1,232	1,335	1,323	1,431
FEMALE-----	13,290	1,291	1,020	1,067	1,089	1,087	1,069	1,069	1,064	1,042	1,118	1,153	1,221
WHITE-----	28,920	2,777	2,285	2,380	2,380	2,413	2,297	2,336	2,318	2,246	2,420	2,443	2,625
MALE-----	15,777	1,499	1,272	1,325	1,304	1,338	1,237	1,274	1,266	1,219	1,318	1,303	1,422
FEMALE-----	13,143	1,278	1,013	1,055	1,076	1,075	1,060	1,062	1,052	1,027	1,102	1,140	1,203
ALL OTHER-----	335	28	25	27	27	31	23	29	24	28	33	33	27
MALE-----	188	15	18	15	14	19	14	22	12	13	17	20	9
FEMALE-----	147	13	7	12	13	12	9	7	12	15	16	13	18
KANSAS-----	22,789	2,124	1,869	1,844	1,972	1,914	1,852	1,867	1,770	1,731	1,901	1,933	2,012
MALE-----	12,478	1,122	1,015	991	1,088	1,077	1,039	1,012	985	975	1,013	1,078	1,083
FEMALE-----	10,311	1,002	854	853	884	837	813	855	785	756	888	855	929
WHITE-----	21,636	2,007	1,784	1,737	1,883	1,809	1,767	1,772	1,668	1,642	1,810	1,842	1,915
MALE-----	11,844	1,067	973	932	1,027	1,018	990	963	927	929	962	1,024	1,032
FEMALE-----	9,792	940	811	805	856	791	777	809	741	713	848	818	883
ALL OTHER-----	1,153	117	85	107	89	105	85	95	102	89	91	91	97
MALE-----	634	55	42	59	61	59	49	49	58	46	51	54	51
FEMALE-----	519	62	43	48	28	46	36	46	44	43	40	37	46
KENTUCKY-----	34,434	3,220	2,898	2,929	2,801	2,909	2,884	2,794	2,726	2,661	2,766	2,899	2,956
MALE-----	19,513	1,792	1,647	1,655	1,628	1,665	1,630	1,621	1,558	1,501	1,546	1,608	1,662
FEMALE-----	14,921	1,428	1,251	1,274	1,173	1,244	1,254	1,173	1,168	1,160	1,220	1,282	1,294
WHITE-----	31,419	2,938	2,613	2,693	2,579	2,639	2,620	2,542	2,487	2,423	2,532	2,641	2,712
MALE-----	17,875	1,658	1,501	1,525	1,501	1,524	1,481	1,470	1,425	1,369	1,419	1,479	1,523
FEMALE-----	13,544	1,280	1,112	1,168	1,078	1,115	1,139	1,072	1,062	1,054	1,113	1,162	1,189
ALL OTHER-----	3,015	282	285	236	222	270	264	252	239	238	234	249	244
MALE-----	1,638	134	146	130	127	141	149	151	133	132	127	129	139
FEMALE-----	1,377	148	139	106	95	129	115	101	106	106	107	120	105
LOUISIANA-----	35,039	3,601	3,041	2,979	2,891	2,886	2,747	2,832	2,681	2,664	2,806	2,733	3,178
MALE-----	19,689	1,984	1,677	1,692	1,669	1,565	1,537	1,613	1,532	1,544	1,566	1,542	1,768
FEMALE-----	15,350	1,617	1,364	1,287	1,222	1,321	1,210	1,219	1,149	1,120	1,240	1,191	1,410
WHITE-----	23,279	2,335	2,011	1,997	1,969	1,922	1,803	1,882	1,831	1,778	1,861	1,818	2,072
MALE-----	13,214	1,328	1,102	1,139	1,147	1,051	1,018	1,070	1,064	1,020	1,067	1,052	1,156
FEMALE-----	10,065	1,007	909	858	822	871	785	812	767	758	794	766	916
ALL OTHER-----	11,760	1,266	1,030	982	922	964	944	950	886	886	945	915	1,106
MALE-----	6,475	656	575	553	522	514	519	543	468	524	499	490	612
FEMALE-----	5,285	610	455	429	400	450	425	407	382	362	446	425	494
MAINE-----	10,870	989	918	855	849	888	911	886	898	846	960	879	991
MALE-----	5,992	551	510	498	476	495	509	495	475	455	539	473	516
FEMALE-----	4,878	438	408	357	373	393	402	391	423	391	421	406	475
WHITE-----	10,829	985	913	848	847	883	907	885	897	841	958	877	988
MALE-----	5,973	550	508	492	475	493	507	495	474	452	539	473	515
FEMALE-----	4,856	435	405	356	372	390	400	390	423	389	419	404	473
ALL OTHER-----	41	4	5	7	2	5	4	1	1	5	2	2	3
MALE-----	19	1	2	6	1	2	2	1	1	3	1	1	1
FEMALE-----	22	3	3	1	1	3	2	1	1	2	2	2	2

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MARYLAND-----	32,712	3,162	2,551	2,724	2,306	2,715	2,699	2,686	2,701	2,725	2,758	2,783	2,902
MALE-----	18,114	1,730	1,422	1,484	1,289	1,533	1,500	1,509	1,500	1,504	1,501	1,551	1,591
FEMALE-----	14,598	1,432	1,129	1,240	1,017	1,182	1,199	1,177	1,201	1,221	1,257	1,232	1,311
WHITE-----	26,290	2,540	2,055	2,204	1,836	2,162	2,179	2,162	2,154	2,189	2,221	2,274	2,314
MALE-----	14,315	1,367	1,126	1,175	1,015	1,199	1,184	1,188	1,184	1,196	1,183	1,247	1,251
FEMALE-----	11,975	1,173	929	1,029	821	963	995	974	970	993	1,038	1,027	1,063
ALL OTHER-----	6,422	622	496	520	470	553	520	524	547	536	537	509	588
MALE-----	3,799	363	296	309	274	334	316	321	316	308	318	304	340
FEMALE-----	2,623	259	200	211	196	219	204	203	231	228	219	205	248
MASSACHUSETTS-----	57,318	5,772	4,691	4,593	4,577	4,761	4,568	4,632	4,744	4,552	4,825	4,639	4,964
MALE-----	30,227	3,041	2,447	2,417	2,462	2,494	2,470	2,456	2,455	2,396	2,531	2,461	2,597
FEMALE-----	27,091	2,731	2,244	2,176	2,115	2,267	2,098	2,176	2,289	2,156	2,294	2,178	2,367
WHITE-----	55,718	5,610	4,573	4,467	4,441	4,631	4,426	4,506	4,632	4,404	4,680	4,523	4,825
MALE-----	29,286	2,943	2,377	2,343	2,373	2,424	2,396	2,376	2,393	2,300	2,447	2,394	2,520
FEMALE-----	26,432	2,667	2,196	2,124	2,068	2,207	2,030	2,130	2,239	2,104	2,233	2,129	2,305
ALL OTHER-----	1,600	162	118	126	136	130	142	126	112	148	145	116	139
MALE-----	941	98	70	74	89	70	74	80	62	96	84	67	77
FEMALE-----	659	64	48	52	47	60	68	46	50	52	61	49	62
MICHIGAN-----	78,359	7,323	6,423	6,540	6,199	6,474	6,313	6,483	6,635	6,367	6,558	6,338	6,706
MALE-----	44,376	4,146	3,616	3,666	3,530	3,717	3,597	3,665	3,798	3,538	3,757	3,578	3,768
FEMALE-----	33,983	3,177	2,807	2,874	2,669	2,757	2,716	2,818	2,837	2,829	2,801	2,760	2,938
WHITE-----	68,532	6,335	5,633	5,693	5,472	5,691	5,547	5,646	5,785	5,565	5,703	5,583	5,879
MALE-----	38,524	3,552	3,153	3,178	3,100	3,260	3,140	3,188	3,264	3,061	3,217	3,127	3,284
FEMALE-----	30,008	2,783	2,480	2,515	2,372	2,431	2,407	2,458	2,521	2,504	2,486	2,456	2,595
ALL OTHER-----	9,827	988	790	847	727	783	766	837	850	802	855	755	827
MALE-----	5,852	594	463	488	430	457	457	477	534	477	540	451	484
FEMALE-----	3,975	394	327	359	297	326	309	360	316	325	315	304	343
MINNESOTA-----	33,851	3,165	2,957	2,878	2,732	2,828	2,699	2,720	2,674	2,541	2,785	2,838	3,034
MALE-----	19,080	1,786	1,594	1,611	1,559	1,599	1,536	1,577	1,512	1,410	1,568	1,613	1,715
FEMALE-----	14,771	1,379	1,363	1,267	1,173	1,229	1,163	1,143	1,162	1,131	1,217	1,225	1,319
WHITE-----	33,365	3,123	2,918	2,848	2,692	2,794	2,653	2,671	2,644	2,500	2,736	2,791	2,995
MALE-----	18,784	1,765	1,562	1,591	1,538	1,580	1,506	1,549	1,496	1,384	1,538	1,589	1,686
FEMALE-----	14,581	1,358	1,356	1,257	1,154	1,214	1,147	1,122	1,148	1,116	1,198	1,202	1,309
ALL OTHER-----	486	42	39	30	40	34	46	49	30	41	49	47	39
MALE-----	296	21	32	20	21	19	30	28	16	26	30	24	29
FEMALE-----	190	21	7	10	19	15	16	21	14	15	19	23	10
MISSISSIPPI-----	24,022	2,336	2,034	2,061	1,925	2,024	1,840	1,891	1,906	1,841	1,923	2,020	2,221
MALE-----	13,672	1,322	1,154	1,145	1,116	1,143	1,063	1,075	1,093	1,033	1,118	1,143	1,267
FEMALE-----	10,350	1,014	880	916	809	881	777	816	813	808	805	877	954
WHITE-----	14,470	1,336	1,218	1,266	1,182	1,223	1,108	1,148	1,174	1,110	1,199	1,231	1,275
MALE-----	8,445	802	695	722	707	704	645	673	693	636	719	701	748
FEMALE-----	6,025	534	523	544	475	519	463	475	481	474	480	530	527
ALL OTHER-----	9,552	1,000	816	795	743	801	732	743	732	731	724	789	946
MALE-----	5,227	520	459	423	409	439	418	402	400	397	399	442	519
FEMALE-----	4,325	480	357	372	334	362	314	341	332	334	325	347	427
MISSOURI-----	51,976	5,097	4,385	4,430	4,292	4,277	4,065	4,307	4,079	3,961	4,164	4,302	4,617
MALE-----	28,679	2,794	2,441	2,424	2,422	2,360	2,230	2,360	2,267	2,141	2,333	2,353	2,554
FEMALE-----	23,297	2,303	1,944	2,006	1,870	1,917	1,835	1,947	1,812	1,820	1,831	1,949	2,063
WHITE-----	46,644	4,574	3,973	3,978	3,872	3,830	3,660	3,829	3,616	3,570	3,713	3,868	4,161
MALE-----	25,625	2,495	2,211	2,163	2,153	2,120	1,997	2,103	1,990	1,931	2,071	2,107	2,284
FEMALE-----	21,019	2,079	1,762	1,815	1,719	1,710	1,663	1,726	1,626	1,639	1,642	1,761	1,877
ALL OTHER-----	5,332	523	412	452	420	447	405	478	463	391	451	434	456
MALE-----	3,054	299	230	261	269	240	233	257	277	210	262	246	270
FEMALE-----	2,278	224	182	191	151	207	172	221	186	181	189	188	186
MONTANA-----	6,867	654	598	606	565	560	511	570	525	535	585	606	552
MALE-----	4,064	400	363	355	348	309	308	341	312	316	334	364	314
FEMALE-----	2,803	254	235	251	217	251	203	229	213	219	251	242	238
WHITE-----	6,542	624	566	576	541	534	483	538	496	509	554	589	532
MALE-----	3,876	384	338	335	337	297	288	323	294	300	321	355	304
FEMALE-----	2,666	240	228	241	204	237	195	215	202	209	233	234	228
ALL OTHER-----	325	30	32	30	24	26	28	32	29	26	31	17	20
MALE-----	188	16	25	20	11	12	20	18	16	13	13	9	10
FEMALE-----	137	14	7	10	13	14	8	14	11	10	18	8	10

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NEBRASKA-----	14,998	1,492	1,209	1,253	1,224	1,279	1,217	1,168	1,207	1,177	1,220	1,222	1,330
MALE----	8,287	815	677	694	693	724	668	629	642	659	649	699	738
FEMALE----	6,711	677	532	559	531	555	549	539	565	518	571	523	592
WHITE-----	14,575	1,451	1,184	1,220	1,189	1,241	1,193	1,145	1,173	1,129	1,180	1,181	1,289
MALE----	8,045	797	661	673	675	705	653	613	622	632	627	678	709
FEMALE----	6,530	654	523	547	514	536	540	532	551	497	553	503	580
ALL OTHER-----	423	41	25	33	35	38	24	23	34	48	40	41	41
MALE----	242	18	16	21	18	19	15	16	20	27	22	21	29
FEMALE----	181	23	9	12	17	19	9	7	14	21	18	20	12
NEVADA-----	4,264	418	322	359	339	389	355	372	357	306	330	345	372
MALE----	2,646	254	193	233	206	231	221	242	243	183	200	222	218
FEMALE----	1,618	164	129	126	133	158	134	130	114	123	130	123	154
WHITE-----	3,962	395	309	326	316	355	323	355	329	289	305	315	345
MALE----	2,447	238	184	210	194	211	201	233	220	171	185	201	199
FEMALE----	1,515	157	125	116	122	144	122	122	109	118	120	114	146
ALL OTHER-----	302	23	13	33	23	34	32	17	28	17	25	30	27
MALE----	199	16	9	23	12	20	20	9	23	12	15	21	19
FEMALE----	103	7	4	10	11	14	12	8	5	5	10	9	8
NEW HAMPSHIRE-----	7,583	699	634	666	611	714	586	644	581	617	633	595	603
MALE----	4,128	364	349	381	341	396	326	326	321	336	352	305	331
FEMALE----	3,455	335	285	285	270	318	260	318	260	281	281	290	272
WHITE-----	7,563	697	634	664	607	712	583	641	580	615	633	594	603
MALE----	4,119	362	349	380	340	396	325	324	321	335	352	304	331
FEMALE----	3,444	335	285	284	267	316	258	317	259	280	281	290	272
ALL OTHER-----	20	2	-	2	4	2	3	3	1	2	-	1	-
MALE----	9	2	-	1	3	-	1	2	-	1	-	1	-
FEMALE----	11	-	-	1	1	2	2	1	1	1	-	-	-
NEW JERSEY-----	68,687	6,684	5,395	5,816	5,555	5,578	5,625	5,694	5,478	5,443	5,712	5,636	6,071
MALE----	37,064	3,580	2,861	3,151	3,060	3,006	3,045	3,124	2,991	2,943	3,065	2,992	3,246
FEMALE----	31,623	3,104	2,534	2,665	2,495	2,572	2,580	2,570	2,487	2,500	2,647	2,644	2,825
WHITE-----	61,668	6,029	4,848	5,260	4,998	4,992	5,057	5,105	4,890	4,857	5,106	5,067	5,459
MALE----	33,170	3,222	2,557	2,838	2,724	2,695	2,739	2,803	2,668	2,598	2,730	2,679	2,917
FEMALE----	28,498	2,807	2,291	2,422	2,274	2,297	2,318	2,302	2,222	2,259	2,376	2,388	2,542
ALL OTHER-----	7,019	655	547	556	557	586	568	589	588	586	606	569	612
MALE----	3,894	358	304	313	336	311	306	321	323	345	335	313	329
FEMALE----	3,125	297	243	243	221	275	262	268	265	241	271	256	283
NEW MEXICO-----	8,119	830	670	694	629	662	693	617	666	623	697	632	706
MALE----	4,973	508	419	425	408	409	426	382	410	363	421	374	428
FEMALE----	3,146	322	251	269	221	253	267	235	256	260	276	258	278
WHITE-----	7,217	736	617	625	571	589	609	535	589	553	613	557	623
MALE----	4,362	444	381	381	368	358	369	329	363	317	363	322	367
FEMALE----	2,855	292	236	244	203	231	240	206	226	236	250	235	256
ALL OTHER-----	902	94	53	69	58	73	84	82	77	70	84	75	83
MALE----	611	64	38	44	40	51	57	53	47	46	58	52	61
FEMALE----	291	30	15	25	18	22	27	29	30	24	26	23	22
NEW YORK-----	181,207	17,199	14,534	15,146	14,591	14,957	14,670	15,047	14,894	14,731	14,939	14,766	15,813
MALE----	97,292	9,212	7,725	8,118	7,767	8,023	7,949	8,087	8,143	7,900	7,923	7,950	8,495
FEMALE----	83,995	7,987	6,809	7,028	6,824	6,934	6,721	6,960	6,751	6,831	7,016	6,816	7,318
WHITE-----	161,783	15,347	12,997	13,555	12,995	13,300	13,195	13,363	13,265	13,110	13,378	13,226	14,052
MALE----	86,249	8,162	6,890	7,206	6,876	7,090	7,113	7,132	7,193	6,979	7,036	7,074	7,498
FEMALE----	75,534	7,185	6,107	6,349	6,119	6,210	6,082	6,231	6,072	6,131	6,342	6,152	6,554
ALL OTHER-----	19,504	1,852	1,537	1,591	1,596	1,657	1,475	1,684	1,629	1,621	1,561	1,540	1,761
MALE----	11,043	1,050	835	912	891	933	836	955	950	921	887	876	997
FEMALE----	8,461	802	702	679	705	724	639	729	679	700	674	664	764
NORTH CAROLINA-----	47,755	4,532	4,095	3,952	3,941	3,950	3,770	3,811	3,778	3,667	3,991	4,039	4,229
MALE----	27,355	2,613	2,336	2,248	2,285	2,257	2,151	2,210	2,153	2,083	2,270	2,348	2,401
FEMALE----	20,400	1,919	1,759	1,704	1,656	1,693	1,619	1,601	1,625	1,584	1,721	1,691	1,828
WHITE-----	35,209	3,317	2,983	2,929	2,918	2,919	2,776	2,773	2,761	2,709	2,982	3,022	3,120
MALE----	20,249	1,911	1,717	1,662	1,716	1,656	1,587	1,606	1,594	1,560	1,711	1,779	1,770
FEMALE----	14,960	1,406	1,266	1,267	1,202	1,263	1,189	1,167	1,167	1,149	1,271	1,243	1,350
ALL OTHER-----	12,546	1,215	1,112	1,023	1,023	1,031	994	1,038	1,017	958	1,009	1,017	1,109
MALE----	7,086	702	619	586	569	601	564	604	559	523	559	569	631
FEMALE----	5,460	513	493	437	454	430	430	434	458	435	450	448	478

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NORTH DAKOTA-----	5,767	456	501	469	511	486	471	508	466	469	461	477	492
MALE-----	3,401	265	297	254	310	290	285	310	277	285	282	263	283
FEMALE-----	2,366	191	204	215	201	196	186	198	189	184	179	214	209
WHITE-----	5,608	449	474	460	503	472	456	491	449	458	456	466	474
MALE-----	3,310	263	280	250	303	282	275	296	269	278	281	256	277
FEMALE-----	2,298	186	194	210	200	190	181	195	180	180	175	210	197
ALL OTHER-----	159	7	27	9	8	14	15	17	17	11	5	11	18
MALE-----	91	2	17	4	7	8	10	14	8	7	1	7	6
FEMALE-----	68	5	10	5	1	6	5	3	9	4	4	4	12
OHIO-----	101,510	9,480	8,312	8,549	8,426	8,182	8,248	8,331	8,343	8,078	8,397	8,422	8,742
MALE-----	55,417	5,164	4,453	4,628	4,612	4,470	4,638	4,570	4,606	4,363	4,603	4,532	4,778
FEMALE-----	46,093	4,316	3,859	3,921	3,814	3,712	3,610	3,761	3,737	3,715	3,794	3,890	3,964
WHITE-----	91,748	8,564	7,523	7,782	7,593	7,421	7,417	7,500	7,521	7,300	7,594	7,663	7,870
MALE-----	49,819	4,631	4,017	4,183	4,146	4,033	4,160	4,100	4,104	3,919	4,133	4,103	4,290
FEMALE-----	41,929	3,933	3,506	3,599	3,447	3,388	3,257	3,400	3,417	3,381	3,461	3,560	3,580
ALL OTHER-----	9,762	916	789	767	833	761	831	831	822	778	803	759	872
MALE-----	5,598	533	436	445	466	437	478	470	502	444	470	429	488
FEMALE-----	4,164	383	353	322	367	324	353	361	320	334	333	330	384
OKLAHOMA-----	27,349	2,491	2,364	2,369	2,214	2,257	2,135	2,283	2,094	2,179	2,225	2,360	2,378
MALE-----	15,482	1,410	1,338	1,362	1,219	1,353	1,228	1,267	1,157	1,228	1,264	1,340	1,316
FEMALE-----	11,867	1,081	1,026	1,007	995	904	907	1,016	937	951	961	1,020	1,062
WHITE-----	24,688	2,256	2,112	2,161	1,986	2,054	1,925	2,045	1,905	1,950	1,995	2,151	2,148
MALE-----	13,976	1,271	1,199	1,241	1,093	1,228	1,111	1,142	1,045	1,093	1,144	1,226	1,183
FEMALE-----	10,712	985	913	920	893	826	814	903	860	857	851	925	965
ALL OTHER-----	2,661	235	252	208	228	203	210	238	189	229	230	209	230
MALE-----	1,506	139	139	121	126	125	117	125	112	135	120	114	133
FEMALE-----	1,155	96	113	87	102	78	93	113	77	94	110	95	97
OREGON-----	20,906	2,076	1,784	1,739	1,700	1,758	1,675	1,716	1,635	1,620	1,771	1,713	1,719
MALE-----	11,865	1,135	997	1,000	972	1,004	924	1,000	935	927	1,012	962	995
FEMALE-----	9,041	941	787	739	728	754	749	716	700	693	759	751	724
WHITE-----	20,454	2,052	1,749	1,704	1,666	1,707	1,636	1,677	1,595	1,589	1,719	1,685	1,675
MALE-----	11,577	1,127	972	976	950	971	900	971	911	912	982	944	965
FEMALE-----	8,877	925	777	728	716	740	736	706	684	677	737	741	710
ALL OTHER-----	452	24	35	35	34	51	39	39	40	31	52	28	44
MALE-----	288	8	25	24	22	37	26	29	24	15	30	18	30
FEMALE-----	164	16	10	11	12	14	13	10	16	16	22	10	14
PENNSYLVANIA-----	126,632	12,391	10,220	10,842	10,239	10,249	10,341	10,234	10,223	10,045	10,519	10,493	10,836
MALE-----	69,326	6,727	5,546	5,858	5,662	5,615	5,696	5,624	5,583	5,456	5,786	5,799	5,974
FEMALE-----	57,306	5,664	4,674	4,984	4,577	4,634	4,645	4,610	4,640	4,589	4,733	4,694	4,862
WHITE-----	115,008	11,199	9,293	9,820	9,315	9,265	9,440	9,305	9,256	9,151	9,550	9,521	9,893
MALE-----	62,704	6,065	5,017	5,278	5,128	5,062	5,185	5,093	5,055	4,939	5,228	5,232	5,422
FEMALE-----	52,304	5,134	4,276	4,542	4,187	4,203	4,255	4,212	4,201	4,212	4,322	4,289	4,471
ALL OTHER-----	11,624	1,192	927	1,022	924	984	901	969	967	994	969	972	943
MALE-----	6,622	662	529	580	534	553	511	531	528	517	558	567	552
FEMALE-----	5,002	530	398	442	390	431	390	398	439	377	411	405	391
RHODE ISLAND-----	9,509	981	811	739	761	739	768	813	772	740	792	791	802
MALE-----	5,060	511	438	387	409	379	410	433	421	410	419	420	423
FEMALE-----	4,449	470	373	352	352	360	358	380	351	330	373	371	379
WHITE-----	9,293	958	793	717	748	725	748	794	744	724	773	777	792
MALE-----	4,927	494	423	373	402	371	398	420	407	401	411	410	417
FEMALE-----	4,366	464	370	344	346	354	350	374	337	323	362	367	375
ALL OTHER-----	216	23	18	22	13	14	20	19	28	16	19	14	10
MALE-----	133	17	15	14	7	8	12	13	14	9	8	10	6
FEMALE-----	83	6	3	8	6	6	8	6	14	7	11	4	4
SOUTH CAROLINA-----	24,896	2,338	2,161	2,122	2,053	2,052	1,918	2,003	1,950	1,965	2,040	2,064	2,230
MALE-----	14,096	1,248	1,218	1,226	1,211	1,161	1,100	1,142	1,137	1,076	1,153	1,156	1,268
FEMALE-----	10,800	1,090	943	896	842	891	818	861	813	889	887	908	962
WHITE-----	16,197	1,452	1,353	1,379	1,323	1,384	1,291	1,294	1,291	1,337	1,318	1,350	1,425
MALE-----	9,348	798	781	810	786	814	762	747	762	744	746	767	831
FEMALE-----	6,849	654	572	569	537	570	529	547	529	593	572	583	594
ALL OTHER-----	8,699	886	808	743	730	668	627	709	659	628	722	714	805
MALE-----	4,748	450	437	416	425	347	338	395	375	332	407	389	437
FEMALE-----	3,951	436	371	327	305	321	289	314	284	296	315	325	368

SECTION 1 - GENERAL MORTALITY

1-85

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
SOUTH DAKOTA-----	6,643	606	541	579	525	553	499	550	554	515	587	549	585
MALE-----	3,911	348	308	352	299	327	293	325	327	297	352	330	353
FEMALE-----	2,732	258	233	227	226	226	206	225	227	218	235	219	232
WHITE-----	6,265	573	518	556	492	524	472	516	513	485	539	526	551
MALE-----	3,684	324	298	339	282	307	276	301	303	283	317	320	334
FEMALE-----	2,581	249	220	217	210	217	196	215	210	202	222	206	217
ALL OTHER-----	378	33	23	23	33	29	27	34	41	30	48	23	34
MALE-----	227	24	10	13	17	23	17	24	24	14	35	10	19
FEMALE-----	151	9	13	10	16	9	10	10	17	16	13	13	15
TENNESSEE-----	39,794	3,573	3,477	3,510	3,298	3,303	3,103	3,263	3,128	3,217	3,250	3,241	3,431
MALE-----	22,473	2,017	1,962	1,930	1,887	1,876	1,703	1,841	1,780	1,851	1,833	1,869	1,924
FEMALE-----	17,321	1,556	1,515	1,580	1,411	1,427	1,400	1,422	1,348	1,366	1,417	1,372	1,507
WHITE-----	32,403	2,860	2,827	2,838	2,679	2,721	2,536	2,659	2,576	2,643	2,673	2,602	2,789
MALE-----	18,419	1,623	1,598	1,561	1,545	1,571	1,413	1,513	1,483	1,515	1,502	1,523	1,572
FEMALE-----	13,984	1,237	1,229	1,277	1,134	1,150	1,123	1,146	1,093	1,128	1,171	1,079	1,217
ALL OTHER-----	7,391	713	650	672	619	582	567	604	552	574	577	639	642
MALE-----	4,054	394	364	369	342	305	290	328	297	336	331	346	352
FEMALE-----	3,337	319	286	303	277	277	277	276	255	238	246	293	290
TEXAS-----	101,647	10,257	8,577	8,767	8,400	8,294	7,956	8,254	8,267	7,797	8,140	8,083	8,855
MALE-----	57,609	5,780	4,851	4,960	4,742	4,714	4,476	4,726	4,741	4,480	4,546	4,587	5,006
FEMALE-----	44,038	4,477	3,726	3,807	3,658	3,580	3,480	3,528	3,526	3,317	3,594	3,496	3,849
WHITE-----	86,995	8,715	7,351	7,571	7,232	7,107	6,783	7,035	7,041	6,635	6,972	6,906	7,647
MALE-----	49,366	4,891	4,169	4,275	4,081	4,038	3,831	4,023	4,063	3,821	3,884	3,946	4,344
FEMALE-----	37,629	3,824	3,182	3,296	3,151	3,069	2,952	3,012	2,978	2,814	3,088	2,960	3,303
ALL OTHER-----	14,652	1,542	1,226	1,196	1,168	1,187	1,173	1,219	1,226	1,162	1,168	1,177	1,208
MALE-----	8,243	807	682	685	661	676	645	703	678	659	662	641	662
FEMALE-----	6,409	653	544	511	507	511	528	516	548	503	506	536	546
UTAH-----	7,585	731	619	728	602	567	576	639	634	599	628	632	630
MALE-----	4,306	412	358	414	347	324	333	346	368	326	368	360	350
FEMALE-----	3,279	319	261	314	255	243	243	293	266	273	260	272	280
WHITE-----	7,395	713	596	708	586	590	568	620	615	597	620	622	610
MALE-----	4,179	402	341	400	335	313	327	334	356	319	362	352	338
FEMALE-----	3,216	311	255	308	251	237	241	286	259	268	258	270	272
ALL OTHER-----	190	18	23	20	16	17	8	19	19	12	8	10	20
MALE-----	127	10	17	14	12	11	6	12	12	7	6	8	12
FEMALE-----	63	8	6	6	4	6	2	7	7	5	2	2	8
VERMONT-----	4,504	423	393	343	366	351	358	363	378	364	382	359	424
MALE-----	2,461	217	219	175	188	188	186	207	208	202	214	212	245
FEMALE-----	2,043	206	174	168	178	163	172	156	170	162	168	147	179
WHITE-----	4,497	423	393	342	366	351	357	363	378	364	379	359	422
MALE-----	2,455	217	219	174	188	188	185	207	208	202	212	212	243
FEMALE-----	2,042	206	174	168	178	163	172	156	170	162	167	147	179
ALL OTHER-----	7	-	-	1	-	-	1	-	-	-	3	-	2
MALE-----	6	-	-	1	-	-	1	-	-	-	2	-	2
FEMALE-----	1	-	-	-	-	-	-	-	-	-	1	-	-
VIRGINIA-----	41,151	3,926	3,447	3,419	3,338	3,388	3,289	3,365	3,241	3,255	3,448	3,433	3,602
MALE-----	23,297	2,180	1,899	1,924	1,957	1,916	1,855	1,936	1,849	1,824	1,903	1,968	2,086
FEMALE-----	17,854	1,746	1,548	1,495	1,381	1,472	1,434	1,429	1,392	1,431	1,545	1,465	1,516
WHITE-----	31,594	2,969	2,681	2,598	2,542	2,604	2,576	2,547	2,456	2,531	2,666	2,650	2,774
MALE-----	17,854	1,637	1,459	1,482	1,484	1,474	1,467	1,439	1,403	1,414	1,475	1,510	1,610
FEMALE-----	13,740	1,332	1,222	1,116	1,058	1,130	1,109	1,108	1,053	1,117	1,191	1,140	1,164
ALL OTHER-----	9,557	957	766	821	796	784	713	818	785	724	782	783	828
MALE-----	5,443	543	440	442	473	442	388	497	446	410	428	458	476
FEMALE-----	4,114	414	326	379	323	342	325	321	339	314	354	325	352
WASHINGTON-----	30,812	2,938	2,863	2,561	2,504	2,559	2,372	2,419	2,489	2,387	2,563	2,468	2,689
MALE-----	17,318	1,610	1,593	1,453	1,369	1,444	1,370	1,323	1,453	1,357	1,458	1,371	1,517
FEMALE-----	13,494	1,328	1,270	1,108	1,135	1,115	1,002	1,096	1,036	1,030	1,105	1,097	1,172
WHITE-----	29,614	2,824	2,762	2,469	2,418	2,454	2,280	2,326	2,379	2,285	2,476	2,374	2,567
MALE-----	16,553	1,538	1,534	1,405	1,306	1,378	1,313	1,264	1,387	1,288	1,404	1,309	1,427
FEMALE-----	13,061	1,286	1,228	1,064	1,112	1,076	967	1,062	992	997	1,072	1,065	1,140
ALL OTHER-----	1,198	114	101	92	86	105	92	93	110	102	87	94	122
MALE-----	765	72	59	48	63	66	57	59	66	69	54	62	90
FEMALE-----	433	42	42	44	23	39	35	34	44	33	33	32	32

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1973-Con.

AREA, COLOR, AND SEX	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
WEST VIRGINIA-----	19,955	1,921	1,772	1,736	1,652	1,615	1,569	1,505	1,625	1,590	1,646	1,656	1,668
MALE-----	11,692	1,120	1,048	996	950	967	941	866	949	933	957	975	990
FEMALE-----	8,263	801	724	740	702	648	628	639	676	657	689	681	678
WHITE-----	18,843	1,816	1,653	1,650	1,563	1,535	1,489	1,412	1,525	1,491	1,565	1,562	1,582
MALE-----	11,049	1,049	983	947	899	920	890	824	894	866	910	917	950
FEMALE-----	7,794	767	670	703	664	615	599	588	631	625	655	645	632
ALL OTHER-----	1,112	105	119	86	89	80	80	93	100	99	81	94	86
MALE-----	643	71	65	49	51	47	51	42	55	67	47	58	40
FEMALE-----	469	34	54	37	38	33	29	51	45	32	34	36	46
WISCONSIN-----	41,295	3,954	3,343	3,429	3,344	3,533	3,224	3,366	3,377	3,307	3,399	3,394	3,625
MALE-----	22,901	2,145	1,833	1,893	1,856	1,971	1,811	1,854	1,844	1,806	1,934	1,907	2,047
FEMALE-----	18,394	1,809	1,510	1,536	1,488	1,562	1,413	1,512	1,533	1,501	1,465	1,487	1,578
WHITE-----	40,377	3,851	3,289	3,360	3,257	3,467	3,152	3,294	3,283	3,227	3,321	3,322	3,554
MALE-----	22,382	2,091	1,805	1,853	1,815	1,936	1,770	1,811	1,792	1,760	1,890	1,859	2,000
FEMALE-----	17,995	1,760	1,484	1,507	1,442	1,531	1,382	1,483	1,491	1,467	1,431	1,463	1,554
ALL OTHER-----	918	103	54	69	87	66	72	72	94	80	78	72	71
MALE-----	519	54	28	40	41	35	41	43	52	46	44	48	47
FEMALE-----	399	49	26	29	46	31	31	29	42	34	34	24	24
WYOMING-----	3,070	284	280	265	280	258	236	252	235	216	273	251	240
MALE-----	1,804	165	155	158	170	159	151	144	148	128	163	125	138
FEMALE-----	1,266	119	125	107	110	99	85	108	87	88	110	126	102
WHITE-----	2,989	276	271	262	277	249	229	245	233	207	266	245	229
MALE-----	1,760	158	150	156	169	153	148	139	148	125	158	122	134
FEMALE-----	1,229	118	121	106	108	96	81	106	85	82	108	123	95
ALL OTHER-----	81	8	9	3	3	9	7	7	2	9	7	6	11
MALE-----	44	7	5	2	1	6	3	5	2	3	5	3	4
FEMALE-----	37	1	4	1	2	3	4	2	2	6	2	3	7

Table 1-22. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1973

Area	Total			White		Negro		Indian ¹		Chinese		Japanese		Other races	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States-----	1,975,003	1,096,795	878,208	957,918	770,487	129,647	100,463	3,927	2,454	1,609	689	1,501	1,129	2,195	986
Alabama-----	35,408	20,144	15,264	14,215	10,396	5,922	4,886	2	1	-	-	1	-	4	1
Alaska-----	1,459	973	486	672	290	17	10	267	186	1	-	1	-	15	-
Arizona-----	16,647	10,176	6,471	9,225	6,086	284	177	644	389	16	10	1	7	6	2
Arkansas-----	22,156	12,905	9,251	10,436	7,353	2,466	1,886	-	-	1	-	1	1	1	1
California-----	172,710	94,633	78,077	86,158	72,352	6,362	4,737	221	117	646	299	567	389	699	183
Colorado-----	18,674	10,441	8,233	10,073	7,963	309	227	29	19	6	5	19	14	5	5
Connecticut-----	26,714	14,491	12,223	13,752	11,685	725	519	5	3	-	-	3	1	6	5
Delaware-----	4,920	2,726	2,194	2,270	1,860	453	338	-	1	-	2	-	-	3	3
District of Columbia-----	8,068	4,519	3,749	1,339	1,552	2,946	2,184	1	2	27	8	1	-	5	3
Florida-----	87,938	51,069	36,879	44,425	31,857	6,586	5,010	13	3	17	4	-	1	8	4
Georgia-----	43,871	24,705	19,166	17,686	13,125	7,014	6,036	1	2	2	-	1	2	1	1
Hawaii-----	4,568	2,669	1,699	808	547	21	7	4	1	177	107	721	551	² 938	³ 486
Idaho-----	6,479	3,790	2,689	3,702	2,650	17	3	59	34	1	-	10	1	1	1
Illinois-----	110,510	60,557	49,953	52,379	43,787	8,003	6,062	47	23	60	27	30	28	36	26
Indiana-----	49,671	27,194	22,477	25,237	20,956	1,943	1,514	7	4	2	1	-	-	5	2
Iowa-----	29,255	15,965	13,290	15,777	13,143	175	129	9	13	-	2	1	1	3	2
Kansas-----	22,789	12,478	10,311	11,844	9,792	603	490	28	24	2	1	-	-	4	1
Kentucky-----	34,454	19,513	14,921	17,875	13,544	1,630	1,376	3	-	-	-	1	-	2	1
Louisiana-----	35,039	19,689	15,350	13,214	10,065	6,456	5,277	11	3	6	4	-	-	4	1
Maine-----	10,670	5,992	4,678	5,973	4,856	6	8	12	14	-	-	-	-	1	-
Maryland-----	32,712	18,114	14,598	14,315	11,975	3,767	2,599	5	2	8	9	2	3	17	10
Massachusetts-----	57,518	30,227	27,091	29,286	26,432	860	622	10	7	55	23	-	-	16	7
Michigan-----	78,559	44,376	33,983	38,524	30,008	5,740	3,909	72	52	22	7	3	1	15	6
Minnesota-----	33,651	18,771	14,771	18,784	14,561	171	106	117	74	5	2	-	4	3	5
Mississippi-----	24,022	13,672	10,350	8,445	6,025	5,208	4,304	13	14	5	5	-	-	1	2
Missouri-----	51,976	28,679	23,297	25,625	21,019	3,023	2,251	11	11	8	-	2	4	10	12
Montana-----	6,867	4,064	2,803	3,876	2,666	12	2	169	133	10	-	3	-	3	2
Nebraska-----	14,998	8,287	6,711	8,045	6,530	197	150	40	28	-	-	2	2	3	1
Nevada-----	4,264	2,646	1,618	2,447	1,515	135	77	47	24	8	-	2	1	7	1
New Hampshire-----	7,583	4,128	3,455	4,119	3,444	7	7	-	2	1	-	-	-	1	2
New Jersey-----	68,687	37,064	31,623	33,170	28,498	3,785	3,047	12	4	25	13	7	5	65	56
New Mexico-----	8,119	4,973	3,146	4,362	2,855	110	59	498	288	2	-	1	1	-	3
New York-----	181,287	97,292	83,995	86,249	75,584	10,505	8,227	88	76	339	104	17	9	94	45
North Carolina-----	47,755	27,355	20,400	20,269	14,940	6,863	5,318	217	135	2	1	4	4	3	2
North Dakota-----	5,767	3,401	2,366	3,310	2,298	3	-	88	65	-	-	-	-	-	3
Ohio-----	101,510	55,417	46,093	49,819	41,929	5,541	4,136	12	8	29	4	3	5	13	11
Oklahoma-----	27,349	15,482	11,867	13,976	10,712	1,073	860	431	289	-	-	-	3	2	3
Oregon-----	20,906	11,865	9,041	11,577	8,877	151	84	80	44	24	14	14	15	19	7
Pennsylvania-----	126,632	69,326	57,306	62,704	52,304	6,573	4,975	3	2	20	8	2	5	24	12
Rhode Island-----	9,509	5,060	4,449	4,927	4,366	121	79	5	4	3	-	-	-	4	-
South Carolina-----	24,936	14,096	10,800	9,348	6,849	4,736	3,949	8	1	-	-	-	-	4	1
South Dakota-----	6,645	3,911	2,732	3,684	2,581	5	4	220	145	-	-	1	-	1	2
Tennessee-----	39,794	22,473	17,321	18,419	15,984	4,044	3,332	5	4	3	2	-	-	4	3
Texas-----	101,647	57,609	44,038	49,368	37,629	8,201	6,371	9	8	16	13	3	2	14	15
Utah-----	7,585	4,306	3,279	4,179	3,216	33	23	61	26	2	-	22	10	7	2
Vermont-----	4,504	2,461	2,043	2,455	2,042	5	1	-	-	-	-	-	-	1	-
Virginia-----	41,151	23,297	17,854	17,854	13,740	5,419	4,095	9	3	4	2	2	4	8	10
Washington-----	30,812	17,518	13,494	16,563	13,061	337	198	218	142	54	12	54	55	102	26
West Virginia-----	19,955	11,692	8,263	11,049	7,794	638	469	2	-	7	-	1	-	1	-
Wisconsin-----	41,295	22,901	18,394	22,362	17,995	424	328	84	65	1	-	-	-	4	6
Wyoming-----	5,070	1,804	1,266	1,760	1,229	10	14	32	23	1	-	1	-	-	-

¹Includes deaths among Aleuts and Eskimos.²Includes 396 deaths among Hawaiians and Part-Hawaiians. (In addition there were 33 deaths among Hawaiians and Part-Hawaiians residing in other States.)³Includes 314 deaths among Hawaiians and Part-Hawaiians. (In addition there were 24 deaths among Hawaiians and Part-Hawaiians residing in other States.)

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	CAUSE OF DEATH	TOTAL		
		BOTH SEXES	MALE	FEMALE
01	ALL CAUSES-----	1,973,003	1,096,795	876,208
	I. INFECTIVE AND PARASITIC DISEASES			
02	INTESTINAL INFECTIOUS DISEASES-----000-009	2,480	1,152	1,328
03	CHOLERA-----000	-	-	-
04	CLASSICAL-----000.0	-	-	-
05	EL TOR-----000.1	-	-	-
06	UNSPECIFIED-----000.9	-	-	-
07	TYPHOID FEVER-----001	7	3	4
08	PARATYPHOID FEVER-----002	1	1	-
09	PARATYPHOID FEVER A-----002.0	-	-	-
10	PARATYPHOID FEVER B-----002.1	-	-	-
11	PARATYPHOID FEVER C-----002.2	-	-	-
12	PARATYPHOID FEVER, UNSPECIFIED-----002.9	1	1	-
13	OTHER SALMONELLA INFECTIONS-----003	75	41	34
14	WITH FOOD AS VEHICLE OF INFECTION-----003.0	-	-	-
15	WITHOUT MENTION OF FOOD AS VEHICLE OF INFECTION-----003.9	75	41	34
16	BACILLARY DYSENTERY-----004	33	11	22
17	SHIGA-----004.0	-	-	-
18	FLEXNER-----004.1	-	-	-
19	BOYD-----004.2	1	-	1
20	SONNE-----004.3	4	2	2
21	SCHMITZ (STUTZER)-----004.4	-	-	-
22	OTHER SPECIFIED BACILLARY-----004.8	-	-	-
23	UNSPECIFIED-----004.9	28	9	19
24	FOOD POISONING (BACTERIAL)-----005	11	5	6
25	STAPHYLOCOCCAL-----005.0	1	-	1
26	BOTULISM-----005.1	6	3	3
27	DUE TO OTHER CLOSTRIDIA-----005.2	1	1	-
28	OTHER SPECIFIED BACTERIAL FOOD POISONING-----005.8	-	-	-
29	FOOD POISONING, UNSPECIFIED-----005.9	3	1	2
30	AMEBIASIS-----006	31	23	8
31	WITH LIVER ABSCESS-----006.0	9	8	1
32	WITHOUT MENTION OF LIVER ABSCESS-----006.9	22	15	7
33	OTHER PROTOZOAL INTESTINAL DISEASES-----007	-	-	-
34	BALANTIDIASIS-----007.0	-	-	-
35	GIARDIASIS-----007.1	-	-	-
36	COCCIDIOSIS-----007.2	-	-	-
37	OTHER AND UNSPECIFIED-----007.9	-	-	-
38	ENTERITIS DUE TO OTHER SPECIFIED ORGANISMS-----008	230	101	129
39	ESCHERICHIA COLI-----008.0	6	1	5
40	ARIZONA-----008.1	-	-	-
41	OTHER SPECIFIED BACTERIA-----008.2	15	5	10
42	BACTERIAL ENTERITIS, UNSPECIFIED-----008.3	17	7	10
43	ENTERITIS DUE TO SPECIFIED VIRUS-----008.8	1	-	1
44	OTHER ORGANISM NOT ELSEWHERE CLASSIFIABLE-----008.9	191	88	103
45	DIARRHEAL DISEASES-----009	2,092	967	1,125
46	DYSENTERY, UNSPECIFIED-----009.0	8	3	5
47	DIARRHEA-----009.1	275	141	134
48	GASTROENTERITIS AND COLITIS-----009.2	1,809	823	986
49	OTHER DIARRHEAL DISEASES-----009.9	-	-	-
50	TUBERCULOSIS-----010-019	3,875	2,707	1,168
51	SILICOTUBERCULOSIS-----010	115	113	2
52	PULMONARY TUBERCULOSIS-----011	2,526	1,885	641
53	ACTIVE, MINIMAL-----011.0	1	1	-
54	ACTIVE, MODERATELY ADVANCED-----011.1	25	21	4
55	ACTIVE, FAR ADVANCED-----011.2	478	372	106
56	ACTIVE, STAGE UNSPECIFIED-----011.3	296	212	84
57	MILIARY, LUNG, NOT OTHERWISE SPECIFIED-----011.4	35	23	12
58	RADIOLOGIC EVIDENCE ALONE-----011.5	-	-	-
59	PULMONARY TUBERCULOSIS NOT OTHERWISE SPECIFIED-----011.9	1,691	1,256	435
60	OTHER RESPIRATORY TUBERCULOSIS-----012	368	184	184
61	PRIMARY-----012.0	2	-	2
62	PLEURISY SPECIFIED AS TUBERCULOUS-----012.1	27	19	8
63	PLEURISY WITH EFFUSION WITHOUT MENTION OF CAUSE-----012.2	339	165	174
64	TUBERCULOUS LARYNGITIS-----012.3	-	-	-
65	OTHER RESPIRATORY TUBERCULOSIS-----012.9	-	-	-
66	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM-----013	90	52	38
67	TUBERCULOUS MENINGITIS-----013.0	84	50	34
68	OTHER CENTRAL NERVOUS SYSTEM-----013.9	6	2	4
69	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS-----014	26	14	12
70	TUBERCULOSIS OF BONES AND JOINTS-----015	35	21	14
71	OF VERTEBRAL COLUMN-----015.0	31	18	13
72	OF HIP-----015.1	-	-	-
73	OF KNEE-----015.2	-	-	-
74	OF OTHER SPECIFIED BONES AND JOINTS-----015.8	1	1	-
75	OF UNSPECIFIED BONES AND JOINTS-----015.9	3	2	1
76	TUBERCULOSIS OF GENITOURINARY SYSTEM-----016	33	17	16
77	KIDNEY-----016.0	29	16	13
78	OTHER URINARY ORGANS-----016.1	1	-	1
79	GENITAL ORGANS (MALE AND FEMALE)-----016.2	1	-	1
80	GENITOURINARY SYSTEM, SITE UNSPECIFIED-----016.9	2	1	1

SECTION 1 - GENERAL MORTALITY

1-89

by Color and Sex: United States, 1973

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
957,918	770,487	138,877	105,721	940.2	1,072.9	814.2	1,071.2	823.0	1,084.6	755.4	01
864	1,059	288	269	1.2	1.1	1.2	1.0	1.1	2.2	1.9	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
2	1	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	07
1	-	-	-	0.0	0.0	-	0.0	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	-	0.0	0.0	-	0.0	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	12
29	30	12	4	9.0	0.0	0.0	0.0	0.0	0.1	0.0	13
-	-	-	-	-	-	-	-	-	-	-	14
29	30	12	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	15
-	-	-	-	-	-	-	-	-	-	-	16
9	12	2	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17
-	-	-	-	-	-	-	-	-	-	-	18
-	1	-	-	0.0	-	0.0	-	0.0	-	-	19
-	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	20
-	-	-	-	-	-	-	-	-	-	-	21
7	10	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	22
-	-	-	-	-	-	-	-	-	-	-	23
5	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	24
1	1	-	-	0.0	-	0.0	-	0.0	-	-	25
3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	26
1	-	-	-	0.0	0.0	-	0.0	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	28
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	29
19	6	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
7	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0	31
12	6	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
84	109	17	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	38
1	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	39
-	-	-	-	-	-	-	-	-	-	-	40
5	8	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	41
4	4	3	6	0.0	0.0	0.0	0.0	0.0	3.3	0.0	42
1	-	-	-	0.0	-	0.0	-	0.0	-	-	43
74	93	14	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	44
-	-	-	-	-	-	-	-	-	-	-	45
715	895	252	230	1.0	0.9	1.0	0.8	1.0	2.0	1.6	46
3	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	47
94	93	47	41	0.1	0.1	0.1	0.1	0.1	0.4	0.3	48
618	799	205	187	0.9	0.8	0.9	0.7	0.9	1.6	1.3	49
-	-	-	-	-	-	-	-	-	-	-	50
1,849	814	858	354	1.8	2.6	1.1	2.1	0.9	6.7	2.5	51
95	1	18	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	52
1,222	415	663	226	1.2	1.8	0.6	1.4	0.4	5.2	1.6	53
1	-	-	-	0.0	0.0	-	0.0	-	-	-	54
16	4	5	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55
216	63	156	43	0.2	0.4	0.1	0.2	0.1	1.2	0.3	56
138	54	74	30	0.1	0.2	0.1	0.2	0.1	0.6	0.2	57
15	6	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	58
-	-	-	-	-	-	-	-	-	-	-	59
836	288	420	147	0.8	1.2	0.4	0.9	0.3	3.3	1.1	60
-	-	-	-	-	-	-	-	-	-	-	61
150	153	34	31	0.2	0.2	0.2	0.2	0.2	0.3	0.2	62
-	1	-	1	0.0	-	0.0	-	0.0	-	0.0	63
11	6	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	64
139	146	26	28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	65
-	-	-	-	-	-	-	-	-	-	-	66
32	20	20	18	0.0	0.1	0.0	0.0	0.0	0.2	0.1	67
30	17	20	17	0.0	0.0	0.0	0.0	0.0	0.2	0.1	68
2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	69
9	7	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
-	-	-	-	-	-	-	-	-	-	-	71
14	10	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	72
12	9	6	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
-	-	-	-	-	-	-	-	-	-	-	74
-	-	1	-	0.0	0.0	-	-	-	0.0	-	75
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	76
-	-	-	-	-	-	-	-	-	-	-	77
16	12	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
15	11	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	79
-	1	-	1	0.0	-	0.0	-	0.0	-	-	80
1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	81

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
TUBERCULOSIS--CON.				
01	TUBERCULOSIS OF OTHER ORGANS-----017	40	14	26
02	OF SKIN AND SUBCUTANEOUS CELLULAR TISSUE-----017.0	12	-	12
03	OF PERIPHERAL LYMPHATIC GLANDS-----017.1	4	2	2
04	OF EYE-----017.2	-	-	-
05	OF EAR-----017.3	-	-	-
06	OF OTHER ORGANS-----017.9	24	12	12
07	DISSEMINATED TUBERCULOSIS-----018	165	101	64
08	ACUTE MILIARY TUBERCULOSIS SPECIFIED AS NONPULMONARY-----018.0	-	-	-
09	ACUTE MILIARY TUBERCULOSIS, UNSPECIFIED-----018.1	2	2	-
10	OTHER FORMS OF DISSEMINATED TUBERCULOSIS-----018.9	163	99	64
11	LATE EFFECTS OF TUBERCULOSIS-----019	477	306	171
12	RESPIRATORY TUBERCULOSIS-----019.0	471	305	166
13	OF CENTRAL NERVOUS SYSTEM-----019.1	-	-	-
14	OF GENITOURINARY SYSTEM-----019.2	-	-	-
15	OF VERTEBRAL COLUMN-----019.3	4	1	3
16	OF HIP-----019.4	-	-	-
17	OF KNEE-----019.5	-	-	-
18	OF OTHER BONES AND JOINTS-----019.6	1	-	1
19	OF OTHER SPECIFIED ORGANS-----019.9	1	-	1
20	ZOOONOTIC BACTERIAL DISEASES-----020-027	44	22	22
21	PLAGUE-----020	-	-	-
22	BUBONIC-----020.0	-	-	-
23	PULMONIC-----020.1	-	-	-
24	UNSPECIFIED-----020.9	-	-	-
25	TULAREMIA-----021	4	2	2
26	ANTHRAX-----022	-	-	-
27	BRUCELLOSIS-----023	1	-	1
28	BRUCELLA MELITENSIS-----023.0	-	-	-
29	BRUCELLA ABORTUS-----023.1	-	-	-
30	BRUCELLA SUTS-----023.2	-	-	-
31	UNSPECIFIED-----023.9	1	-	1
32	GLANDERS-----024	-	-	-
33	MELIOTIDOSIS-----025	-	-	-
34	RAT-BITE FEVER-----026	-	-	-
35	SPIRILLUM MINUS-----026.0	-	-	-
36	STREPTOBACILLUS MONILIFORMIS-----026.1	-	-	-
37	UNSPECIFIED-----026.9	-	-	-
38	OTHER ZOOONOTIC BACTERIAL DISEASES-----027	39	20	19
39	LISTERIOSIS-----027.0	38	19	19
40	ERYSIPLOTHRIX INFECTION-----027.1	-	-	-
41	OTHER-----027.9	1	1	-
42	OTHER BACTERIAL DISEASES-----030-039	5,580	2,984	2,596
43	LEPROSY-----030	1	1	-
44	LEPROMATOUS-----030.0	1	1	-
45	TUBERCULOID-----030.1	-	-	-
46	INDETERMINATE-----030.2	-	-	-
47	BORDERLINE-----030.3	-	-	-
48	OTHER AND UNSPECIFIED-----030.9	-	-	-
49	OTHER DISEASES DUE TO MYCOBACTERIA-----031	37	28	9
50	PULMONARY-----031.0	33	26	7
51	OTHER AND UNSPECIFIED-----031.9	4	2	2
52	DIPHTHERIA-----032	10	8	2
53	WHOOPING COUGH-----033	5	2	3
54	BORDETELLA PERTUSSIS-----033.0	-	-	-
55	BORDETELLA PARAPERTUSSIS-----033.1	-	-	-
56	OTHER AND UNSPECIFIED-----033.9	5	2	3
57	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER-----034	20	8	12
58	STREPTOCOCCAL SORE THROAT-----034.0	14	6	8
59	SCARLET FEVER-----034.1	6	2	4
60	ERYSIPELAS-----035	11	4	7
61	MENINGOCOCCAL INFECTIONS-----036	330	185	145
62	MENINGOCOCCAL MENINGITIS-----036.0	158	85	73
63	MENINGOCOCCALIA WITHOUT MENTION OF MENINGITIS-----036.1	169	99	70
64	OTHER FORMS OF MENINGOCOCCAL INFECTION-----036.8	-	-	-
65	UNSPECIFIED-----036.9	3	1	2
66	TETANUS-----037	40	16	24
67	SEPTICEMIA-----038	4,560	2,433	2,127
68	STREPTOCOCCAL-----038.0	65	30	35
69	STAPHYLOCOCCAL-----038.1	188	111	77
70	PNEUMOCOCCAL-----038.2	43	22	21
71	OTHER BACTERIAL SEPTICEMIA-----038.8	275	156	119
72	UNSPECIFIED-----038.9	3,989	2,114	1,875
73	OTHER BACTERIAL DISEASES-----039	566	299	267
74	GAS GANGRENE-----039.0	93	50	43
75	RHINOSCLEROMA-----039.1	-	-	-
76	OTHER-----039.9	473	249	224
77	POLIOMYELITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM-----040-046	187	107	80
78	ACUTE PARALYTIC POLIOMYELITIS SPECIFIED AS BULBAR-----040	4	3	1
79	ACUTE POLIOMYELITIS WITH OTHER PARALYSIS-----041	3	3	-
80	ACUTE NONPARALYTIC POLIOMYELITIS-----042	-	-	-
81	ACUTE POLIOMYELITIS, UNSPECIFIED-----043	3	2	1
82	LATE EFFECTS OF ACUTE POLIOMYELITIS-----044	83	45	38

SECTION 1 - GENERAL MORTALITY

1-91

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
9	18	5	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	01
-	9	-	3	0.0	-	0.0	-	0.0	-	0.0	02
1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	03
-	-	-	-	-	-	-	-	-	-	-	04
8	7	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
-	-	-	-	-	-	-	-	-	-	-	06
50	24	51	40	0.1	0.1	0.1	0.1	0.0	0.4	0.3	07
-	-	-	-	-	-	-	-	-	-	-	08
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	09
49	24	50	40	0.1	0.1	0.1	0.1	0.0	0.4	0.3	10
252	154	54	17	0.2	0.3	0.2	0.3	0.2	0.4	0.1	11
252	149	53	17	0.2	0.3	0.2	0.3	0.2	0.4	0.1	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	3	1	-	0.0	0.0	0.0	-	0.0	0.0	-	15
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
-	1	-	-	0.0	-	0.0	-	0.0	-	-	18
-	1	-	-	0.0	-	0.0	-	0.0	-	-	19
18	18	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	23
-	2	2	-	0.0	0.0	0.0	-	0.0	0.0	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	1	-	-	0.0	-	0.0	-	0.0	-	-	26
-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	29
-	1	-	-	0.0	-	0.0	-	0.0	-	-	30
-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
18	15	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37
18	15	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	1	-	0.0	0.0	-	-	-	0.0	-	40
-	-	-	-	-	-	-	-	-	-	-	41
2,335	2,042	649	554	2.7	2.9	2.4	2.6	2.2	5.1	4.0	42
1	-	-	-	0.0	0.0	-	0.0	-	-	-	43
1	-	-	-	0.0	0.0	-	0.0	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
26	6	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
24	4	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
6	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	52
2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	56
7	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57
5	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	58
2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	59
3	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	60
151	120	34	25	0.2	0.2	0.1	0.2	0.1	0.3	0.2	61
66	58	19	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	62
84	60	15	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	63
-	-	-	-	-	-	-	-	-	-	-	64
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	65
11	15	5	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	66
1,882	1,665	551	462	2.2	2.4	2.0	2.1	1.8	4.3	3.3	67
22	28	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	68
100	61	11	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	69
13	12	9	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	70
123	95	33	24	0.1	0.2	0.1	0.1	0.1	0.3	0.2	71
1,624	1,469	490	406	1.9	2.1	1.7	1.8	1.6	3.8	2.9	72
246	213	53	54	0.3	0.3	0.2	0.3	0.2	0.4	0.4	73
39	34	11	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	74
-	-	-	-	-	-	-	-	-	-	-	75
207	179	42	45	0.2	0.2	0.2	0.2	0.2	0.3	0.3	76
87	68	20	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	77
3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	78
3	-	-	-	0.0	0.0	-	0.0	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	80
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	81
41	36	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
POLIOMYELITIS AND OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM--CON.				
01	ASEPTIC MENINGITIS DUE TO ENTEROVIRUS-----045	49	31	18
02	COXSACKIE VIRUS-----045.0	1	-	1
03	ECHO VIRUS-----045.1	-	-	-
04	ASEPTIC MENINGITIS, UNSPECIFIED-----045.9	48	31	17
05	OTHER ENTEROVIRUS DISEASES OF CENTRAL NERVOUS SYSTEM-----046	45	23	22
06	VIRAL DISEASES ACCOMPANIED BY EXANTHEMS-----050-057	374	191	183
07	SMALLPOX-----050	-	-	-
08	VARIOLA MAJOR-----050.0	-	-	-
09	VARIOLA MINOR-----050.1	-	-	-
10	UNSPECIFIED-----050.9	-	-	-
11	COWPOX-----051	-	-	-
12	CHICKENPOX-----052	138	77	61
13	HERPES ZOSTER-----053	95	44	51
14	OF EYE-----053.0	3	1	2
15	OF OTHER PARTS OF FACE-----053.1	-	-	-
16	OF TRUNK-----053.2	-	-	-
17	OF OTHER AND UNSPECIFIED SITES-----053.9	92	43	49
18	HERPES SIMPLEX-----054	101	46	55
19	MEASLES-----055	23	16	7
20	RUBELLA-----056	16	8	8
21	OTHER VIRAL EXANTHEMS-----057	1	-	1
22	ERYTHEMA INFECTIOSUM-----057.0	-	-	-
23	EXANTHEMA SUBITUM-----057.1	-	-	-
24	OTHER-----057.8	1	-	1
25	UNSPECIFIED-----057.9	-	-	-
26	ARTHROPOD-BORNE VIRAL DISEASES-----060-068	351	188	163
27	YELLOW FEVER-----060	-	-	-
28	SYLVATIC-----060.0	-	-	-
29	URBAN-----060.1	-	-	-
30	UNSPECIFIED-----060.9	-	-	-
31	DENGUE-----061	-	-	-
32	MOSQUITO-BORNE VIRAL ENCEPHALITIS-----062	1	-	1
33	JAPANESE ENCEPHALITIS-----062.0	-	-	-
34	WESTERN EQUINE ENCEPHALITIS-----062.1	-	-	-
35	EASTERN EQUINE ENCEPHALITIS-----062.2	1	-	1
36	ST. LOUIS ENCEPHALITIS-----062.3	-	-	-
37	MURRAY VALLEY ENCEPHALITIS-----062.4	-	-	-
38	OTHER AND UNSPECIFIED-----062.9	-	-	-
39	TICK-BORNE VIRAL ENCEPHALITIS-----063	-	-	-
40	RUSSIAN SPRING-SUMMER (TAIGA) ENCEPHALITIS-----063.0	-	-	-
41	LOUPING ILL-----063.1	-	-	-
42	CENTRAL EUROPEAN ENCEPHALITIS-----063.2	-	-	-
43	OTHER AND UNSPECIFIED-----063.9	-	-	-
44	VIRAL ENCEPHALITIS TRANSMITTED BY OTHER ARTHROPODS-----064	-	-	-
45	VIRAL ENCEPHALITIS, UNSPECIFIED-----065	320	169	151
46	LATE EFFECTS OF VIRAL ENCEPHALITIS-----066	29	18	11
47	ARTHROPOD-BORNE HEMORRHAGIC FEVER-----067	-	-	-
48	CRIMEAN HEMORRHAGIC FEVER-----067.0	-	-	-
49	OMSK HEMORRHAGIC FEVER-----067.1	-	-	-
50	KYASANUR FOREST DISEASE-----067.2	-	-	-
51	OTHER TICK-BORNE HEMORRHAGIC FEVER-----067.3	-	-	-
52	MOSQUITO-BORNE HEMORRHAGIC FEVER-----067.4	-	-	-
53	HEMORRHAGIC NEPHROSIS-NEPHRITIS-----067.5	-	-	-
54	OTHER AND UNSPECIFIED ARTHROPOD-BORNE HEMORRHAGIC FEVER-----067.9	-	-	-
55	OTHER ARTHROPOD-BORNE VIRAL DISEASES-----068	1	1	-
56	PHLEBOTOMUS FEVER-----068.0	-	-	-
57	TICK-BORNE FEVER-----068.1	1	1	-
58	MOSQUITO-BORNE FEVER-----068.2	-	-	-
59	OTHER ARTHROPOD-BORNE VIRAL DISEASES-----068.9	-	-	-
60	OTHER VIRAL DISEASES-----070-079	1,244	586	658
61	INFECTIOUS HEPATITIS-----070	656	289	367
62	RABIES-----071	1	1	-
63	MUMPS-----072	12	4	8
64	PSITTACOSIS-----073	1	-	1
65	SPECIFIC DISEASES DUE TO COXSACKIE VIRUS-----074	9	6	3
66	HERPANGINA-----074.0	-	-	-
67	EPIDEMIC PLEURODYNIA-----074.1	-	-	-
68	COXSACKIE MYOCARDITIS-----074.2	7	5	2
69	OTHER-----074.9	2	1	1
70	INFECTIOUS MONONUCLEOSIS-----075	25	15	10
71	TRACHOMA, ACTIVE-----076	-	-	-
72	LATE EFFECTS OF TRACHOMA-----077	-	-	-
73	OTHER VIRAL DISEASES OF THE CONJUNCTIVA-----078	-	-	-
74	INCLUSION CONJUNCTIVITIS-----078.0	-	-	-
75	EPIDEMIC KERATOCONJUNCTIVITIS-----078.1	-	-	-
76	ACUTE ADENOVIRAL FOLLICULAR CONJUNCTIVITIS-----078.2	-	-	-
77	OTHER-----078.8	-	-	-
78	VIRAL CONJUNCTIVITIS, UNSPECIFIED-----078.9	-	-	-

1-93

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER VIRAL DISEASES--CON.				
01 OTHER VIRAL DISEASES-----	079	540	271	269
02 MOLLUSCUM CONTAGIOSUM-----	079.0	-	-	-
03 VIRAL WARTS-----	079.1	-	-	-
04 LYMPHOCYTIC CHORIONOMENINGITIS-----	079.2	5	4	1
05 CAT-SCRATCH DISEASE-----	079.3	-	-	-
06 FOOT-AND-MOUTH DISEASE-----	079.4	-	-	-
07 CYTOMEGALIC INCLUSION DISEASE-----	079.5	25	16	9
08 OTHER-----	079.8	7	1	6
09 VIRAL INFECTION, UNSPECIFIED-----	079.9	503	250	253
RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES-----		48	30	18
10 RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES-----	080-089			
11 EPIDEMIC LOUSE-BORNE TYPHUS-----	080	-	-	-
12 OTHER TYPHUS-----	081	1	-	1
13 ENDEMIC FLEA-BORNE-----	081.0	1	-	1
14 BRILL'S DISEASE-----	081.1	-	-	-
15 MITE-BORNE-----	081.2	-	-	-
16 UNSPECIFIED-----	081.9	-	-	-
17 TICK-BORNE RICKETTSIOSES-----	082	38	23	15
18 SPOTTED FEVERS-----	082.0	38	23	15
19 BOUTONNEUSE FEVER-----	082.1	-	-	-
20 NORTH ASIAN TICK-BORNE TYPHUS FEVER-----	082.2	-	-	-
21 OTHER-----	082.9	-	-	-
22 OTHER RICKETTSIOSES-----	083	1	1	-
23 RICKETTSIAL POX-----	083.0	-	-	-
24 Q-FEVER-----	083.1	-	-	-
25 WOLHYNTIAN FEVER-----	083.2	-	-	-
26 OTHER-----	083.8	-	-	-
27 UNSPECIFIED-----	083.9	1	1	-
28 MALARIA-----	084	7	5	2
29 FALCIPARUM MALARIA (MALIGNANT TERTIAN)-----	084.0	4	2	2
30 VIVAX MALARIA (BENIGN TERTIAN)-----	084.1	-	-	-
31 MALARIAE MALARIA (QUARTAN)-----	084.2	-	-	-
32 OVALE MALARIA-----	084.3	-	-	-
33 BLACKWATER FEVER-----	084.4	-	-	-
34 RECURRENT INDUCED MALARIA-----	084.5	-	-	-
35 OTHER-----	084.8	-	-	-
36 UNSPECIFIED FORMS-----	084.9	3	3	-
37 LEISHMANIASIS-----	085	-	-	-
38 VISCERAL (KALA-AZAR)-----	085.0	-	-	-
39 CUTANEOUS (ORIENTAL SORE)-----	085.1	-	-	-
40 MUCOCUTANEOUS (AMERICAN)-----	085.2	-	-	-
41 UNSPECIFIED-----	085.9	-	-	-
42 AMERICAN TRYPANOSOMIASIS-----	086	-	-	-
43 WITH HEART INVOLVEMENT-----	086.0	-	-	-
44 WITH OTHER ORGAN INVOLVEMENT-----	086.8	-	-	-
45 WITHOUT MENTION OF ORGAN INVOLVEMENT-----	086.9	-	-	-
46 OTHER TRYPANOSOMIASIS-----	087	1	1	-
47 GAMBIAN-----	087.0	-	-	-
48 RHODESIAN-----	087.1	-	-	-
49 AFRICAN TRYPANOSOMIASIS, UNSPECIFIED-----	087.8	-	-	-
50 TRYPANOSOMIASIS, UNSPECIFIED-----	087.9	1	1	-
51 RELAPSING FEVER-----	088	-	-	-
52 LOUSE-BORNE-----	088.0	-	-	-
53 TICK-BORNE-----	088.1	-	-	-
54 UNSPECIFIED-----	088.9	-	-	-
55 OTHER ARTHROPOD-BORNE DISEASES-----	089	-	-	-
56 BARTONELLOSIS-----	089.0	-	-	-
57 OTHER-----	089.9	-	-	-
SYPHILIS AND OTHER VENERAL DISEASES-----		407	271	136
58 SYPHILIS AND OTHER VENERAL DISEASES-----	090-099			
59 CONGENITAL SYPHILIS-----	090	13	5	8
60 EARLY CONGENITAL SYPHILIS, SYMPTOMATIC-----	090.0	2	1	1
61 EARLY CONGENITAL SYPHILIS, LATENT-----	090.1	-	-	-
62 EARLY CONGENITAL SYPHILIS, UNSPECIFIED-----	090.2	3	1	2
63 INTERSTITIAL KERATITIS-----	090.3	-	-	-
64 JUVENILE NEUROSYPHILIS-----	090.4	1	-	1
65 OTHER LATE CONGENITAL SYPHILIS, SYMPTOMATIC-----	090.5	-	-	-
66 LATE CONGENITAL SYPHILIS, LATENT-----	090.6	-	-	-
67 LATE CONGENITAL SYPHILIS, UNSPECIFIED-----	090.7	-	-	-
68 CONGENITAL SYPHILIS, UNSPECIFIED-----	090.9	7	3	4
69 EARLY SYPHILIS, SYMPTOMATIC-----	091	-	-	-
70 PRIMARY SYPHILIS, EXCEPT EXTRAGENITAL CHANCERE-----	091.0	-	-	-
71 EXTRAGENITAL CHANCERE-----	091.1	-	-	-
72 SECONDARY SYPHILIS OF SKIN AND MUCOUS MEMBRANES-----	091.2	-	-	-
73 SECONDARY SYPHILIS, RELAPSE (TREATED OR UNTREATED)-----	091.3	-	-	-
74 OTHER RECENTLY ACQUIRED SYPHILIS, SYMPTOMATIC-----	091.8	-	-	-
75 EARLY SYPHILIS, UNSPECIFIED-----	091.9	-	-	-
76 CARDIOVASCULAR SYPHILIS-----	093	218	146	72
77 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC-----	093.0	29	16	13
78 OTHER CARDIOVASCULAR SYPHILIS-----	093.9	189	130	59
79 SYPHILIS OF CENTRAL NERVOUS SYSTEM-----	094	128	90	38
80 TABES DORSALIS-----	094.0	26	23	3
81 GENERAL PARESIS-----	094.1	26	13	13
82 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM-----	094.9	76	54	22
83 OTHER FORMS OF LATE SYPHILIS WITH SYMPTOMS-----	095	5	3	2

SECTION 1 - GENERAL MORTALITY

1-95

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
234	243	37	26	0.3	0.3	0.2	0.3	0.3	0.3	0.2	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
3	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0	04
-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
15	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	07
1	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	08
215	228	35	25	0.2	0.2	0.2	0.2	0.2	0.3	0.2	09
25	16	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10
-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	1	0.0	-	0.0	-	-	-	-	12
-	-	-	1	0.0	-	0.0	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
21	14	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
21	14	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	0.0	0.0	-	0.0	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	-	0.0	0.0	-	0.0	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	27
2	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	28
-	-	2	-	0.0	0.0	0.0	-	0.0	0.0	-	29
-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
1	-	-	-	0.0	0.0	-	0.0	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	48
1	-	-	-	0.0	0.0	-	0.0	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	57
151	71	120	65	0.2	0.3	0.1	0.2	0.1	0.9	0.5	58
4	2	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59
1	-	1	1	0.0	0.0	0.0	0.0	-	-	0.0	60
-	-	-	-	-	-	-	-	-	-	-	61
-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0	62
-	-	-	-	-	-	-	-	-	-	-	63
-	1	-	-	0.0	-	0.0	-	0.0	-	-	64
-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	67
3	-	-	4	0.0	0.0	0.0	0.0	-	-	0.0	68
-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	75
75	37	71	35	0.1	0.1	0.1	0.1	0.0	0.6	0.3	76
7	6	9	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	77
68	31	62	28	0.1	0.1	0.1	0.1	0.0	0.5	0.2	78
57	24	33	14	0.1	0.1	0.0	0.1	0.0	0.3	0.1	79
20	2	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80
9	10	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
28	12	26	10	0.0	0.1	0.0	0.0	0.0	0.2	0.1	82
2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	83

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SYPHILIS AND OTHER VENERAL DISEASES--CON.				
01 OTHER SYPHILIS AND NOT SPECIFIED-----	097	29	21	8
02 LATE SYPHILIS, UNSPECIFIED-----	097.0	15	12	3
03 SYPHILIS, UNSPECIFIED-----	097.9	14	9	5
04 GONOCOCCAL INFECTIONS-----	098	11	5	6
05 ACUTE, OF GENITOURINARY TRACT-----	098.0	6	2	4
06 CHRONIC, OF GENITOURINARY SYSTEM-----	098.1	2	2	-
07 OF EYE-----	098.2	-	-	-
08 OF JOINT-----	098.3	-	-	-
09 OF OTHER SITES-----	098.8	1	-	1
10 SITE UNSPECIFIED-----	098.9	2	1	1
11 OTHER VENERAL DISEASES-----	099	3	1	2
12 CHANCROID-----	099.0	-	-	-
13 LYMPHOGRANULOMA VENEREUM-----	099.1	2	1	1
14 GRANULOMA INGUINALE-----	099.2	-	-	-
15 OTHER AND UNSPECIFIED-----	099.9	1	-	1
16 OTHER SPIROCHETAL DISEASES-----	100-104	7	6	1
17 LEPTOSPIROSIS-----	100	6	5	1
18 LEPTOSPIROSIS ICTEROHEMORRHAGICA-----	100.0	1	1	-
19 OTHER-----	100.8	-	-	-
20 UNSPECIFIED-----	100.9	5	4	1
21 VINCENT'S ANGINA-----	101	1	1	-
22 YAWS-----	102	-	-	-
23 INITIAL LESIONS-----	102.0	-	-	-
24 MULTIPLE PAPULOMATA AND "WET CRAB" YAWS-----	102.1	-	-	-
25 OTHER EARLY SKIN LESIONS-----	102.2	-	-	-
26 HYPERKERATOSIS-----	102.3	-	-	-
27 GUMMATA, ULCERS-----	102.4	-	-	-
28 GANGOSA-----	102.5	-	-	-
29 BONE AND JOINT LESIONS-----	102.6	-	-	-
30 OTHER MANIFESTATIONS-----	102.7	-	-	-
31 LATENT YAWS-----	102.8	-	-	-
32 YAWS, UNSPECIFIED-----	102.9	-	-	-
33 PINTA-----	103	-	-	-
34 PRIMARY LESIONS-----	103.0	-	-	-
35 INTERMEDIATE LESIONS-----	103.1	-	-	-
36 LATE LESIONS-----	103.2	-	-	-
37 MIXED LESIONS-----	103.3	-	-	-
38 UNSPECIFIED-----	103.9	-	-	-
39 OTHER SPIROCHETAL INFECTIONS-----	104	-	-	-
40 NONVENERAL ENDEMIC SYPHILIS-----	104.0	-	-	-
41 OTHER-----	104.9	-	-	-
42 MYCOSES-----	110-117	530	332	198
43 DERMATOPHYTOSIS-----	110	-	-	-
44 OF SCALP AND BEARD-----	110.0	-	-	-
45 OF FOOT-----	110.1	-	-	-
46 OF OTHER AND UNSPECIFIED SITES-----	110.9	-	-	-
47 DERMATOMYCOSES, OTHER AND UNSPECIFIED-----	111	-	-	-
48 PITYRIASIS VERSICOLOR-----	111.0	-	-	-
49 TINEA NIGRA-----	111.1	-	-	-
50 TINEA BLANCA-----	111.2	-	-	-
51 OTHER-----	111.8	-	-	-
52 UNSPECIFIED-----	111.9	-	-	-
53 MONILIASIS-----	112	173	99	74
54 ACTINOMYCOSIS-----	113	8	6	2
55 COCCIDIOIDOMYCOSIS-----	114	37	30	7
56 HISTOPLASMOYSIS-----	115	53	43	10
57 BLASTOMYCOSIS-----	116	129	69	60
58 EUROPEAN-----	116.0	125	66	59
59 NORTH AMERICAN-----	116.1	-	-	-
60 SOUTH AMERICAN-----	116.2	-	-	-
61 OTHER AND UNSPECIFIED-----	116.9	4	3	1
62 OTHER SYSTEMIC MYCOSES-----	117	130	85	45
63 PHINOSPORIDIOSIS-----	117.0	-	-	-
64 SPOROTRICHOSIS-----	117.1	1	1	-
65 CHROMOMYCOSIS-----	117.2	-	-	-
66 ASPERGILLOSIS-----	117.3	55	39	16
67 MADUROMYCOSIS-----	117.4	-	-	-
68 OTHER-----	117.8	20	13	7
69 UNSPECIFIED-----	117.9	54	32	22
70 HELMINTHASES-----	120-129	22	12	10
71 SCHISTOSOMIASIS-----	120	3	3	-
72 SCHISTOSOMA HEMATOBIUM-----	120.0	-	-	-
73 SCHISTOSOMA MANSONI-----	120.1	1	1	-
74 SCHISTOSOMA JAPONICUM-----	120.2	-	-	-
75 CUTANEOUS-----	120.3	-	-	-
76 OTHER-----	120.8	-	-	-
77 UNSPECIFIED-----	120.9	2	2	-
78 OTHER TREMATODE INFESTATIONS-----	121	-	-	-
79 OPISTHORCHIASIS-----	121.0	-	-	-
80 CLONORCHIASIS-----	121.1	-	-	-
81 PARAGONIMIASIS-----	121.2	-	-	-
82 FASCIOLIASIS-----	121.3	-	-	-
83 FASCIOLOPSIASIS-----	121.4	-	-	-
84 OTHER AND UNSPECIFIED-----	121.9	-	-	-

1-97

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix.]

[illegible]

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
HELMINTHIASES--CON.				
01	HYDATIDOSIS-----122	4	1	3
02	OF LIVER-----122.0	-	-	-
03	OF LUNG-----122.1	-	-	-
04	OF OTHER SPECIFIED SITE-----122.8	-	-	-
05	OF UNSPECIFIED SITE-----122.9	4	1	3
06	OTHER CESTODE INFESTATIONS-----123	3	2	1
07	TAENIA SOLIUM INFESTATION, INTESTINAL FORM-----123.0	-	-	-
08	CYSTICERCOSIS-----123.1	3	2	1
09	TAENIA SAGINATA INFESTATION-----123.2	-	-	-
10	TAENIASIS, UNSPECIFIED-----123.3	-	-	-
11	DIPHYLLOBOOTHRIASIS, INTESTINAL-----123.4	-	-	-
12	SPARGANGSIS (LARVAL DIPHYLLOBOOTHRIASIS)-----123.5	-	-	-
13	HYMENOLEPIASIS-----123.6	-	-	-
14	OTHER AND UNSPECIFIED-----123.9	-	-	-
15	TRICHINIASIS-----124	1	-	1
16	FILARIAL INFESTATIONS-----125	1	1	-
17	WUCHERERIASIS-----125.0	-	-	-
18	BRUGIA FILARIASIS-----125.1	-	-	-
19	LOIASIS-----125.2	-	-	-
20	ONCHOCERCOSIS-----125.3	-	-	-
21	ACANTHOCEILOPHIASIS-----125.4	-	-	-
22	MANSONELLOSIOS-----125.5	-	-	-
23	OTHER FILARIASIS-----125.8	-	-	-
24	UNSPECIFIED-----125.9	1	1	-
25	ANCYLOSTOMIASIS-----126	-	-	-
26	ANCYLOSTOMA DUODENALE-----126.0	-	-	-
27	NECATOR AMERICANUS-----126.1	-	-	-
28	OTHER ANCYLOSTOMA-----126.8	-	-	-
29	UNSPECIFIED-----126.9	-	-	-
30	OTHER INTESTINAL HELMINTHIASES-----127	8	4	4
31	ASCARIASIS-----127.0	5	3	2
32	STRONGYLOIDIASIS-----127.1	2	1	1
33	TRICHURIASIS-----127.2	-	-	-
34	ENTEROBIASIS-----127.3	-	-	-
35	OTHER INTESTINAL NEMATODE INFESTATION-----127.4	-	-	-
36	MIXED INTESTINAL HELMINTHIASIS-----127.5	1	-	1
37	INTESTINAL HELMINTHIASIS, UNSPECIFIED-----127.9	-	-	-
38	OTHER AND UNSPECIFIED HELMINTHIASES-----128	1	-	1
39	LARVA MIGRANS, VISCERAL-----128.0	1	-	1
40	OTHER-----128.8	-	-	-
41	UNSPECIFIED-----128.9	-	-	-
42	INTESTINAL PARASITISM, UNSPECIFIED-----129	1	1	-
43	OTHER INFECTIVE AND PARASITIC DISEASES-----130-136	520	228	292
44	TOXOPLASMOSIS-----130	13	10	3
45	ACQUIRED-----130.0	-	-	-
46	CONGENITAL, ACTIVE-----130.1	9	8	1
47	LATE EFFECTS OF INTRAUTERINE INFECTION-----130.2	-	-	-
48	UNSPECIFIED-----130.9	4	2	2
49	TRICHOMONIASIS UROGENITALIS-----131	-	-	-
50	PEDICULOSIS-----132	1	1	-
51	ACARIASIS-----133	-	-	-
52	SCABIES-----133.0	-	-	-
53	OTHER-----133.9	-	-	-
54	OTHER INFESTATIONS-----134	1	1	-
55	MYIASIS-----134.0	-	-	-
56	PHTHIRUS INFESTATION-----134.1	-	-	-
57	OTHER ARTHROPOD INFESTATIONS-----134.2	-	-	-
58	HIRUDINIASIS-----134.3	-	-	-
59	OTHER AND UNSPECIFIED-----134.9	1	1	-
60	SARCROIDOSIS-----135	271	104	167
61	OTHER AND UNSPECIFIED INFECTIVE AND PARASITIC DISEASES-----136	234	112	122
II. NEOPLASMS				
62	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----140-149	7,822	5,553	2,269
63	MALIGNANT NEOPLASM OF LIP-----140	181	161	20
64	UPPER LIP-----140.0	5	3	2
65	LOWER LIP-----140.1	48	43	5
66	BOTH LIPS-----140.2	1	1	-
67	LIP UNSPECIFIED-----140.9	127	114	13
68	MALIGNANT NEOPLASM OF TONGUE-----141	1,873	1,305	568
69	BASE OF TONGUE-----141.0	199	153	46
70	DORSAL SURFACE OF TONGUE-----141.1	1	-	1
71	BORDERS AND TIP OF TONGUE-----141.2	2	1	1
72	VENTRAL SURFACE OF TONGUE-----141.3	-	-	-
73	PART UNSPECIFIED-----141.9	1,671	1,151	520
74	MALIGNANT NEOPLASM OF SALIVARY GLAND-----142	581	345	236
75	PAROTID GLAND-----142.0	451	272	179
76	OTHER SPECIFIED SALIVARY GLAND-----142.8	59	39	20
77	UNSPECIFIED SALIVARY GLAND-----142.9	71	34	37
78	MALIGNANT NEOPLASM OF GUM-----143	126	74	52
79	UPPER GUM-----143.0	8	2	6
80	LOWER GUM-----143.1	24	17	7
81	GUM UNSPECIFIED-----143.9	94	55	39

SECTION 1 - GENERAL MORTALITY

1-99

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
1	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	04
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	05
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	14
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	15
-	-	-	-	0.0	0.0	-	0.0	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	0.0	0.0	-	0.0	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	29
2	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
-	-	1	1	0.0	0.0	0.0	-	-	0.0	0.0	32
-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	1	0.0	-	0.0	-	-	-	0.0	35
-	-	-	-	-	-	-	-	-	-	-	36
-	1	-	-	0.0	-	0.0	-	0.0	-	-	37
-	1	-	-	0.0	-	0.0	-	0.0	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
1	-	-	-	0.0	0.0	-	0.0	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
146	173	82	119	0.2	0.2	0.3	0.2	0.2	0.6	0.9	43
9	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
-	-	-	-	-	-	-	-	-	-	-	45
7	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	46
-	-	-	-	-	-	-	-	-	-	-	47
2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	48
-	-	-	-	-	-	-	-	-	-	-	49
1	-	-	-	0.0	0.0	-	0.0	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
1	-	-	-	0.0	0.0	-	0.0	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	57
1	-	-	-	0.0	0.0	-	0.0	-	-	-	58
39	69	65	98	0.1	0.1	0.2	0.0	0.1	0.5	0.7	59
96	102	16	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	60
-	-	-	-	-	-	-	-	-	-	-	61
4,810	2,018	743	251	3.7	5.4	2.1	5.4	2.2	5.8	1.8	62
157	16	4	4	0.1	0.2	0.0	0.2	0.0	0.0	0.0	63
3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	64
43	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	65
-	-	1	-	0.0	0.0	-	-	-	0.0	-	66
111	10	3	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	67
1,120	506	185	62	0.9	1.3	0.5	1.3	0.5	1.4	0.4	68
127	38	26	8	0.1	0.1	0.0	0.1	0.0	0.2	0.1	69
-	-	-	1	0.0	-	0.0	-	-	-	0.0	70
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	71
-	-	-	-	-	-	-	-	-	-	-	72
992	467	159	53	0.8	1.1	0.5	1.1	0.5	1.2	0.4	73
309	218	36	18	0.3	0.3	0.2	0.3	0.2	0.3	0.1	74
248	166	24	13	0.2	0.3	0.2	0.3	0.2	0.2	0.1	75
35	17	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76
26	35	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	77
64	47	10	5	0.1	0.1	0.0	0.1	0.1	0.1	0.0	78
2	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	79
16	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80
46	36	9	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0	81

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX--CON.					
01	MALIGNANT NEOPLASM OF FLOOR OF MOUTH-----	144	516	394	122
02	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED PARTS OF MOUTH-----	145	1,081	694	387
03	BUCCAL MUCOSA-----	145.0	89	50	39
04	PALATE (HARD OR SOFT)-----	145.1	261	165	96
05	OTHER SPECIFIED PARTS-----	145.8	18	14	4
06	PART UNSPECIFIED-----	145.9	713	465	248
07	MALIGNANT NEOPLASM OF OROPHARYNX-----	146	979	725	254
08	TONSILS-----	146.0	712	519	193
09	OTHER SPECIFIED PARTS-----	146.8	34	29	5
10	PART UNSPECIFIED-----	146.9	233	177	56
11	MALIGNANT NEOPLASM OF NASOPHARYNX-----	147	599	412	187
12	MALIGNANT NEOPLASM OF HYPOPHARYNX-----	148	529	430	99
13	POSTCRICOID REGION-----	148.0	1	1	-
14	PYRIFORM FOSSA-----	148.1	174	146	28
15	OTHER SPECIFIED PARTS-----	148.8	1	-	1
16	PART UNSPECIFIED-----	148.9	353	283	70
17	MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED-----	149	1,357	1,013	344
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----150-159					
18	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-----	150-159	96,549	51,070	45,479
19	MALIGNANT NEOPLASM OF ESOPHAGUS-----	150	6,491	4,768	1,723
20	MALIGNANT NEOPLASM OF STOMACH-----	151	15,198	9,178	6,020
21	CARDIA-----	151.0	238	187	51
22	PYLORUS-----	151.1	33	22	11
23	OTHER SPECIFIED PARTS-----	151.8	88	51	37
24	PART UNSPECIFIED-----	151.9	14,839	8,918	5,921
25	MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM-----	152	635	330	305
26	DUODENUM-----	152.0	222	110	112
27	JEJUNUM-----	152.1	82	46	36
28	ILEUM-----	152.2	76	41	35
29	PART UNSPECIFIED-----	152.9	255	133	122
30	MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM-----	153	37,745	17,285	20,460
31	CECUM, APPENDIX, AND ASCENDING COLON-----	153.0	4,262	1,796	2,466
32	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES-----	153.1	1,186	526	660
33	DESCENDING COLON-----	153.2	972	463	509
34	SIGMOID COLON-----	153.3	4,442	2,094	2,348
35	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED-----	153.8	25,103	11,601	13,502
36	INTESTINAL TRACT, PART UNSPECIFIED-----	153.9	1,780	805	975
37	MALIGNANT NEOPLASMS OF RECTUM AND RECTOSIGMOID JUNCTION-----	154	9,821	5,424	4,397
38	RECTOSIGMOID JUNCTION-----	154.0	1,539	791	748
39	RECTUM-----	154.1	8,219	4,604	3,615
40	ANAL CANAL-----	154.2	63	29	34
MALIGNANT NEOPLASMS OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY-----155					
41	MALIGNANT NEOPLASMS OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY-----	155	2,270	1,465	805
42	LIVER-----	155.0	2,106	1,379	727
43	INTRAHEPATIC BILE DUCTS-----	155.1	164	86	78
44	MALIGNANT NEOPLASMS OF GALLBLADDER AND BILE DUCTS-----	156	4,273	1,545	2,728
45	GALLBLADDER-----	156.0	2,494	658	1,836
46	EXTRAHEPATIC BILE DUCTS-----	156.1	1,160	585	575
47	AMPULLA OF VATER-----	156.2	343	183	160
48	BILIARY TRACT, UNSPECIFIED-----	156.9	276	119	157
49	MALIGNANT NEOPLASM OF PANCREAS-----	157	18,653	10,380	8,273
50	HEAD-----	157.0	2,172	1,196	976
51	OTHER SPECIFIED PARTS-----	157.8	388	239	149
52	UNSPECIFIED-----	157.9	16,093	8,945	7,148
53	MALIGNANT NEOPLASMS OF PERITONEUM AND RETROPERITONEAL TISSUE-----	158	752	368	384
54	RETROPERITONEAL TISSUE-----	158.0	471	257	214
55	OTHER PARTS-----	158.9	281	111	170
56	MALIGNANT NEOPLASMS OF UNSPECIFIED DIGESTIVE ORGANS-----	159	711	327	384
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----160-163					
57	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM-----	160-163	79,335	62,717	16,618
58	MALIGNANT NEOPLASMS OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----	160	605	381	224
59	NOSE (INTERNAL) AND NASAL CAVITIES-----	160.0	112	62	50
60	EUSTACHIAN TUBE AND MIDDLE EAR-----	160.1	32	19	13
61	MAXILLARY SINUS-----	160.2	335	216	119
62	OTHER SINUS-----	160.8	77	55	22
63	UNSPECIFIED SINUS-----	160.9	49	29	20
64	MALIGNANT NEOPLASM OF LARYNX-----	161	3,044	2,656	388
65	GLOTTIS (TRUE VOCAL CORD)-----	161.0	40	35	5
66	OTHER SPECIFIED PARTS-----	161.8	148	117	31
67	PART UNSPECIFIED-----	161.9	2,856	2,504	352
68	MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG-----	162	74,933	59,187	15,746
69	TRACHEA-----	162.0	145	105	40
70	BRONCHUS AND LUNG-----	162.1	74,788	59,082	15,706
71	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED RESPIRATORY ORGANS-----	163	753	493	260
72	PLEURA-----	163.0	272	180	92
73	MEDIASTINUM-----	163.1	326	215	111
74	SITE UNSPECIFIED-----	163.9	155	98	57
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST-----170-174					
75	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST-----	170-174	40,341	4,957	35,384
76	MALIGNANT NEOPLASMS OF BONE-----	170	1,840	1,069	771
77	BONES OF SKULL AND FACE-----	170.0	272	165	107
78	LOWER JAW BONE-----	170.1	177	117	60
79	VERTEBRAL COLUMN (EXCLUDING SACRUM AND COCCYX)-----	170.2	264	154	110
80	RIBS, STERNUM, AND CLAVICLE-----	170.3	60	36	24
81	LONG BONES OF UPPER LIMB AND SCAPULA-----	170.4	80	45	35
82	UPPER LIMB, SHORT BONES-----	170.5	2	1	1
83	PELVIC BONES, SACRUM, AND COCCYX-----	170.6	139	70	69
84	LOWER LIMB, LONG BONES-----	170.7	241	141	100
85	LOWER LIMB, SHORT BONES-----	170.8	4	1	3
86	SITE UNSPECIFIED-----	170.9	601	339	262

SECTION 1 - GENERAL MORTALITY

1-101

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
337	113	57	9	0.2	0.4	0.1	0.4	0.1	0.4	0.1	01
598	355	96	32	0.5	0.7	0.4	0.7	0.4	0.7	0.2	02
42	36	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	03
133	85	32	11	0.1	0.2	0.1	0.1	0.1	0.2	0.1	04
11	4	3	—	0.0	0.0	0.0	0.0	0.0	0.0	—	05
412	230	53	18	0.3	0.5	0.2	0.5	0.2	0.4	0.1	06
619	213	106	41	0.5	0.7	0.2	0.7	0.2	0.8	0.3	07
440	162	79	31	0.3	0.5	0.2	0.5	0.2	0.6	0.2	08
27	4	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
152	47	25	9	0.1	0.2	0.1	0.2	0.1	0.2	0.1	10
348	162	64	25	0.3	0.4	0.2	0.4	0.2	0.5	0.2	11
378	83	52	16	0.3	0.4	0.1	0.4	0.1	0.4	0.1	12
—	—	1	—	0.0	0.0	—	—	—	0.0	—	13
129	24	17	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	14
—	1	—	—	0.0	—	0.0	—	0.0	—	—	15
249	58	34	12	0.2	0.3	0.1	0.3	0.1	0.3	0.1	16
880	305	133	39	0.6	1.0	0.3	1.0	0.3	1.0	0.3	17
44,875	40,748	6,195	4,731	46.0	50.0	42.3	50.2	43.5	48.4	33.8	18
3,577	1,333	1,191	390	3.1	4.7	1.6	4.0	1.4	9.3	2.8	19
7,701	5,161	1,477	859	7.2	9.0	5.6	8.6	5.5	11.5	6.1	20
173	48	14	3	0.1	0.2	0.0	0.2	0.1	0.1	0.0	21
20	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
47	30	4	7	0.0	0.0	0.0	0.1	0.0	0.0	0.1	23
7,461	5,074	1,457	847	7.1	8.7	5.5	8.3	5.4	11.4	6.1	24
302	257	28	48	0.3	0.3	0.3	0.3	0.3	0.2	0.3	25
98	96	12	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1	26
41	34	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
41	28	—	—	0.0	0.0	0.0	0.0	0.0	0.0	—	28
122	99	11	23	0.1	0.1	0.1	0.1	0.1	0.1	0.1	29
15,899	18,720	1,386	1,740	18.0	16.9	19.0	17.8	20.0	10.8	12.4	30
1,659	2,291	137	175	2.0	1.8	2.3	1.9	2.4	1.1	1.3	31
484	605	42	55	0.6	0.5	0.6	0.5	0.6	0.3	0.4	32
428	470	35	39	0.5	0.5	0.5	0.5	0.5	0.3	0.3	33
1,942	2,184	152	164	2.1	2.0	2.2	2.2	2.3	1.2	1.2	34
10,634	12,257	967	1,245	12.0	11.3	12.5	11.9	13.1	7.6	8.9	35
752	913	53	62	0.8	0.8	0.9	0.8	1.0	0.4	0.4	36
4,963	3,994	461	403	4.7	5.3	4.1	5.5	4.3	3.6	2.9	37
742	688	49	60	0.7	0.8	0.7	0.8	0.7	0.4	0.4	38
4,192	3,276	412	339	3.9	4.5	3.4	4.7	3.5	3.2	2.4	39
29	30	—	4	0.0	0.0	0.0	0.0	0.0	—	0.0	40
1,153	695	312	110	1.1	1.4	0.7	1.3	0.7	2.4	0.8	41
1,085	625	294	102	1.0	1.3	0.7	1.2	0.7	2.3	0.7	42
68	70	18	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	43
1,433	2,520	112	208	2.0	1.5	2.5	1.6	2.7	0.9	1.5	44
614	1,692	44	144	1.2	0.6	1.7	0.7	1.8	0.3	1.0	45
542	533	43	42	0.6	0.6	0.5	0.6	0.6	0.3	0.3	46
165	145	18	15	0.2	0.2	0.1	0.2	0.2	0.1	0.1	47
112	150	7	7	0.1	0.1	0.1	0.1	0.2	0.1	0.1	48
9,259	7,393	1,121	880	8.9	10.2	7.7	10.4	7.9	8.8	6.3	49
1,045	847	151	129	1.0	1.2	0.9	1.2	0.9	1.2	0.9	50
208	137	31	12	0.2	0.2	0.1	0.2	0.1	0.2	0.1	51
8,006	6,409	939	739	7.7	8.7	6.6	9.0	6.8	7.3	5.3	52
328	345	40	39	0.4	0.4	0.4	0.4	0.4	0.3	0.3	53
226	188	31	26	0.2	0.3	0.2	0.3	0.2	0.2	0.2	54
102	157	9	13	0.1	0.1	0.2	0.1	0.2	0.1	0.1	55
260	330	67	54	0.3	0.3	0.4	0.3	0.4	0.5	0.4	56
55,783	15,007	6,934	1,611	37.8	61.3	15.4	62.4	16.0	54.2	11.5	57
325	198	56	26	0.3	0.4	0.2	0.4	0.2	0.4	0.2	58
60	47	2	3	0.1	0.1	0.0	0.1	0.1	0.0	0.0	59
18	13	1	—	0.0	0.0	—	0.0	0.0	0.0	—	60
172	101	44	18	0.2	0.2	0.1	0.2	0.1	0.3	0.1	61
49	18	6	1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	62
26	19	3	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63
2,290	338	366	50	1.5	2.6	0.4	2.6	0.4	2.9	0.4	64
31	5	4	—	0.0	0.0	0.0	0.0	0.0	0.0	—	65
96	27	21	4	0.1	0.1	0.0	0.1	0.0	0.2	0.0	66
2,163	306	341	46	1.4	2.4	0.3	2.4	0.3	2.7	0.3	67
52,721	14,239	6,466	1,507	35.7	57.9	14.6	59.0	15.2	50.5	10.8	68
93	38	12	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	69
52,628	14,201	6,454	1,505	35.6	57.8	14.6	58.9	15.2	50.4	10.8	70
447	232	46	28	0.4	0.5	0.2	0.5	0.2	0.4	0.2	71
165	84	15	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1	72
200	96	15	15	0.2	0.2	0.1	0.2	0.1	0.1	0.1	73
82	52	16	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0	74
4,623	32,285	334	3,099	19.2	4.8	32.9	5.2	34.5	2.6	22.1	75
962	686	107	85	0.9	1.0	0.7	1.1	0.7	0.8	0.6	76
137	90	28	17	0.1	0.2	0.1	0.2	0.1	0.2	0.1	77
104	51	13	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	78
142	99	12	11	0.1	0.2	0.1	0.2	0.1	0.1	0.1	79
33	24	3	—	0.0	0.0	0.0	0.0	0.0	0.0	—	80
44	30	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
1	—	—	—	0.0	0.0	0.0	0.0	0.0	—	—	82
66	65	4	4	0.1	0.1	0.1	0.1	0.1	0.0	0.0	83
125	91	16	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	84
1	2	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	85
309	233	30	29	0.3	0.3	0.2	0.3	0.2	0.2	0.2	86

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST—CON.				
01 MALIGNANT NEOPLASMS OF CONNECTIVE AND OTHER SOFT TISSUE—	171	1,519	783	736
02 HEAD, FACE, AND NECK—	171.0	40	23	17
03 TRUNK—	171.1	219	123	96
04 UPPER LIMB (INCLUDING SHOULDER)—	171.2	60	37	23
05 LOWER LIMB (INCLUDING HIP)—	171.3	242	128	114
06 SITE UNSPECIFIED—	171.9	958	472	486
07 MALIGNANT MELANOMA OF SKIN—	172	3,430	1,965	1,465
08 LIPS—	172.0	1	1	—
09 EYELIDS, INCLUDING CANTHI—	172.1	3	2	1
10 EAR AND EXTERNAL AURICULAR CANAL—	172.2	21	15	6
11 OTHER AND UNSPECIFIED PARTS OF FACE—	172.3	68	42	26
12 SCALP AND NECK—	172.4	85	52	33
13 SCROTUM—	172.5	1	1	—
14 TRUNK, EXCEPT SCROTUM—	172.6	256	162	94
15 UPPER LIMB—	172.7	126	78	48
16 LOWER LIMB—	172.8	204	77	127
17 SITE UNSPECIFIED—	172.9	2,665	1,535	1,130
18 OTHER MALIGNANT NEOPLASMS OF SKIN—	173	1,409	847	562
19 LIPS—	173.0	23	18	5
20 EYELIDS, INCLUDING CANTHI—	173.1	11	8	3
21 EAR AND EXTERNAL AURICULAR CANAL—	173.2	70	45	25
22 OTHER AND UNSPECIFIED PARTS OF FACE—	173.3	544	344	200
23 SCALP AND NECK—	173.4	226	158	68
24 SCROTUM—	173.5	9	9	—
25 TRUNK, EXCEPT SCROTUM—	173.6	224	87	137
26 UPPER LIMB—	173.7	55	32	23
27 LOWER LIMB—	173.8	59	30	29
28 SITE UNSPECIFIED—	173.9	188	116	72
29 MALIGNANT NEOPLASM OF BREAST—	174	32,143	293	31,850
30 MALIGNANT NEOPLASMS OF GENITOURINARY ORGANS—	180-189	58,468	30,465	28,003
31 MALIGNANT NEOPLASM OF CERVIX UTERI—	180	6,041	—	6,041
32 CHORIOEPITHELIOMA—	181	47	—	47
33 OTHER MALIGNANT NEOPLASM OF UTERUS—	182	5,686	—	5,686
34 CORPUS UTERI—	182.0	2,231	—	2,231
35 UTERUS, UNSPECIFIED—	182.9	3,455	—	3,455
36 MALIGNANT NEOPLASMS OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT—	183	10,002	—	10,002
37 OVARY—	183.0	9,885	—	9,885
38 FALLOPIAN TUBE AND BROAD LIGAMENT—	183.1	114	—	114
39 PART UNSPECIFIED—	183.9	3	—	3
40 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS—	184	951	—	951
41 VAGINA—	184.0	336	—	336
42 VULVA—	184.1	536	—	536
43 OTHER SPECIFIED SITES—	184.8	—	—	—
44 SITE UNSPECIFIED—	184.9	79	—	79
45 MALIGNANT NEOPLASM OF PROSTATE—	185	18,830	18,830	—
46 MALIGNANT NEOPLASM OF TESTIS—	186	798	798	—
47 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS—	187	236	236	—
48 PENIS—	187.0	208	208	—
49 OTHER SPECIFIED SITES—	187.8	10	10	—
50 SITE UNSPECIFIED—	187.9	18	18	—
51 MALIGNANT NEOPLASM OF BLADDER—	188	9,179	6,410	2,769
52 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED URINARY ORGANS—	189	6,698	4,191	2,507
53 KIDNEY, EXCEPT PELVIS—	189.0	6,270	3,970	2,300
54 PELVIS OF KIDNEY—	189.1	64	34	30
55 URETER—	189.2	207	116	91
56 OTHER AND UNSPECIFIED—	189.9	157	71	86
57 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES—	190-199	34,495	17,678	16,817
58 MALIGNANT NEOPLASM OF EYE—	190	320	147	173
59 MALIGNANT NEOPLASM OF BRAIN—	191	6,297	3,509	2,788
60 MALIGNANT NEOPLASMS OF OTHER PARTS OF NERVOUS SYSTEM—	192	2,014	1,141	873
61 CRANIAL NERVES (INCLUDING OPTIC)—	192.0	15	9	6
62 CEREBRAL MENINGES—	192.1	52	29	23
63 SPINAL CORD—	192.2	137	83	54
64 SPINAL MENINGES—	192.3	1	—	1
65 PERIPHERAL NERVES—	192.4	151	81	70
66 SYMPATHETIC NERVOUS SYSTEM—	192.5	282	165	117
67 SITE UNSPECIFIED—	192.9	1,376	774	602
68 MALIGNANT NEOPLASM OF THYROID GLAND—	193	972	315	657
69 MALIGNANT NEOPLASMS OF OTHER ENDOCRINE GLANDS—	194	466	258	208
70 SUPRARENAL GLAND—	194.0	292	159	133
71 PARATHYROID GLAND—	194.1	23	14	9
72 THYMUS—	194.2	75	44	31
73 PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT—	194.3	36	15	21
74 PINEAL GLAND—	194.4	16	14	2
75 OTHER—	194.8	21	11	10
76 UNSPECIFIED ENDOCRINE GLAND—	194.9	3	1	2
77 MALIGNANT NEOPLASMS OF ILL-DEFINED SITES—	195	2,899	1,226	1,673
78 ABDOMEN AND INTRA-ABDOMINAL—	195.0	1,667	597	1,070
79 PELVIS, PELVIC VISCERA, AND RECTOVAGINAL SEPTUM—	195.1	369	60	309
80 OTHER—	195.9	863	569	294
81 SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPH NODES—	196	164	108	56
82 HEAD, FACE, AND NECK—	196.0	48	37	11
83 INTRATHORACIC—	196.1	9	5	4
84 INTRA-ABDOMINAL—	196.2	6	2	4
85 AXILLARY AND UPPER LIMB—	196.3	9	8	1
86 INGUINAL AND LOWER LIMB—	196.4	8	2	6
87 OTHER SPECIFIED SITE—	196.7	5	2	3
88 MULTIPLE SITES—	196.8	11	6	5
89 SITE UNSPECIFIED—	196.9	68	46	22

SECTION 1 - GENERAL MORTALITY

1-103

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
702	643	81	93	0.7	0.8	0.7	0.8	0.7	0.6	0.7	01
22	11	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	02
113	91	10	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0	03
33	21	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04
116	102	12	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	05
418	418	54	68	0.5	0.5	0.5	0.5	0.4	0.4	0.5	06
1,917	1,425	48	40	1.6	1.9	1.4	2.1	1.5	0.4	0.3	07
1	-	-	-	0.0	0.0	-	0.0	-	-	-	08
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	09
15	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	10
40	25	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
52	33	-	-	0.0	0.1	0.0	0.1	0.0	-	-	12
1	-	-	-	0.0	0.0	-	0.0	-	-	-	13
161	93	1	1	0.1	0.2	0.1	0.2	0.1	0.0	0.0	14
78	48	-	-	0.1	0.1	0.0	0.1	0.1	-	-	15
68	123	9	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	16
1,499	1,096	36	34	1.3	1.5	1.0	1.7	1.2	0.3	0.2	17
787	522	60	40	0.7	0.8	0.5	0.9	0.6	0.5	0.3	18
18	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	19
8	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	20
45	23	-	2	0.0	0.0	0.0	0.1	0.0	-	0.0	21
327	197	17	3	0.3	0.3	0.2	0.4	0.2	0.1	0.0	22
149	65	9	3	0.1	0.2	0.1	0.2	0.1	0.1	0.0	23
6	-	3	-	0.0	0.0	-	0.0	-	0.0	-	24
71	119	16	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	25
31	23	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	26
24	24	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
108	63	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	28
255	29,009	38	2,841	15.3	0.3	29.6	0.3	31.0	0.3	20.3	29
26,740	24,315	3,725	3,688	27.9	29.8	26.0	29.9	26.0	29.1	26.4	30
...	4,613	...	1,428	2.9	...	5.6	...	4.9	...	10.2	31
...	34	...	13	0.0	...	0.0	...	0.0	...	0.1	32
...	4,846	...	840	2.7	...	5.3	...	5.2	...	6.0	33
...	1,944	...	287	1.1	...	2.1	...	2.1	...	2.1	34
...	2,902	...	553	1.6	...	3.2	...	3.1	...	4.0	35
...	9,212	...	790	4.8	...	5.3	...	9.8	...	5.6	36
...	9,108	...	777	4.7	...	9.2	...	9.7	...	5.6	37
...	101	...	13	0.1	...	0.1	...	0.1	...	0.1	38
...	3	...	-	0.0	...	0.0	...	0.0	...	-	39
...	833	...	118	0.5	...	0.9	...	0.9	...	0.8	40
...	292	...	44	0.2	...	0.3	...	0.3	...	0.3	41
...	483	...	53	0.3	...	0.5	...	0.5	...	0.4	42
...	-	...	-	-	...	-	...	-	...	-	43
...	58	...	21	0.0	...	0.1	...	0.1	...	0.2	44
15,970	...	2,860	...	9.0	18.4	...	17.9	...	22.3	...	45
766	...	32	...	0.4	0.8	...	0.9	...	0.2	...	46
175	...	61	...	0.1	0.2	...	0.2	...	0.5	...	47
156	...	52	...	0.1	0.2	...	0.2	...	0.4	...	48
8	...	2	...	0.0	0.0	...	0.0	...	0.0	...	49
11	...	7	...	0.0	0.0	...	0.0	...	0.1	...	50
5,956	2,457	454	312	4.4	6.3	2.6	6.7	2.6	3.5	2.2	51
3,873	2,320	318	187	3.2	4.1	2.3	4.3	2.5	2.5	1.3	52
3,675	2,134	295	166	3.0	3.9	2.1	4.1	2.3	2.3	1.2	53
31	29	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54
113	85	3	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	55
54	72	17	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	56
15,561	14,961	2,117	1,856	16.4	17.3	15.6	17.4	16.0	16.5	13.3	57
134	164	13	9	0.2	0.1	0.2	0.1	0.2	0.1	0.1	58
3,289	2,603	220	185	3.0	3.4	2.6	3.7	2.8	1.7	1.3	59
1,040	800	101	73	1.0	1.1	0.8	1.2	0.9	0.8	0.5	60
7	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
24	19	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
67	50	16	4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	63
-	1	-	-	0.0	-	0.0	-	0.0	-	-	64
72	43	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	65
147	101	18	16	0.1	0.2	0.1	0.2	0.1	0.1	0.1	66
723	561	51	41	0.7	0.8	0.6	0.8	0.6	0.4	0.3	67
279	593	36	64	0.5	0.3	0.6	0.3	0.6	0.3	0.5	68
232	192	26	16	0.2	0.3	0.2	0.3	0.2	0.2	0.1	69
147	126	12	7	0.1	0.2	0.1	0.2	0.1	0.1	0.1	70
10	8	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71
38	28	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72
13	18	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
13	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	74
11	9	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75
-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0	76
1,086	1,458	140	215	1.4	1.2	1.6	1.2	1.6	1.1	1.5	77
519	926	78	144	0.8	0.6	1.0	0.6	1.0	0.6	1.0	78
57	268	3	41	0.2	0.1	0.3	0.1	0.3	0.0	0.3	79
510	264	59	30	0.4	0.6	0.3	0.6	0.3	0.5	0.2	80
93	49	15	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	81
33	11	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	82
5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	83
2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	84
5	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	-	85
1	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	86
2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	87
6	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	88
39	19	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	89

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES--CON.				
01	SECONDARY MALIGNANT NEOPLASMS OF RESPIRATORY AND DIGESTIVE SYSTEMS-----197	6,376	3,390	2,986
02	LUNG SPECIFIED AS SECONDARY-----197.0	878	471	407
03	MEDIASTINUM SPECIFIED AS SECONDARY-----197.1	28	18	10
04	PLEURA SPECIFIED AS SECONDARY-----197.2	187	75	112
05	OTHER RESPIRATORY ORGANS SPECIFIED AS SECONDARY-----197.3	31	19	12
06	SMALL INTESTINE, INCLUDING DUODENUM, SPECIFIED AS SECONDARY-----197.4	9	6	3
07	LARGE INTESTINE AND RECTUM SPECIFIED AS SECONDARY-----197.5	50	19	31
08	PERITONEUM SPECIFIED AS SECONDARY-----197.6	119	40	79
09	LIVER SPECIFIED AS SECONDARY-----197.7	2,153	1,154	999
10	LIVER, UNSPECIFIED-----197.8	2,859	1,548	1,311
11	OTHER DIGESTIVE ORGANS SPECIFIED AS SECONDARY-----197.9	62	40	22
12	OTHER SECONDARY MALIGNANT NEOPLASMS-----198	2,010	1,057	953
13	BLADDER SPECIFIED AS SECONDARY-----198.0	14	8	6
14	OTHER URINARY ORGANS SPECIFIED AS SECONDARY-----198.1	10	4	6
15	SKIN SPECIFIED AS SECONDARY-----198.2	26	20	6
16	BRAIN SPECIFIED AS SECONDARY-----198.3	713	419	294
17	OTHER PARTS OF NERVOUS SYSTEM SPECIFIED AS SECONDARY-----198.4	46	25	21
18	BONE SPECIFIED AS SECONDARY-----198.5	434	267	167
19	OTHER SITES SPECIFIED AS SECONDARY-----198.9	767	314	453
20	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE-----199	12,977	6,527	6,450
21	MULTIPLE-----199.0	11,243	5,567	5,676
22	OTHER-----199.1	1,734	960	774
23	NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----200-209	34,045	18,880	15,165
24	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA-----200	6,846	3,629	3,217
25	RETICULUM CELL SARCOMA-----200.0	2,650	1,365	1,285
26	LYMPHOSARCOMA-----200.1	4,196	2,264	1,932
27	HODGKIN'S DISEASE-----201	2,920	1,732	1,188
28	OTHER NEOPLASMS OF LYMPHOID TISSUE-----202	3,375	1,845	1,530
29	GIANT FOLLICULAR LYMPHOMA-----202.0	39	20	19
30	MYCOSIS FUNGOIDES-----202.1	95	65	30
31	OTHER PRIMARY MALIGNANT NEOPLASMS OF LYMPHOID TISSUE-----202.2	3,240	1,759	1,481
32	OTHER FORMS OF LYMPHOMA-----202.9	1	1	-
33	MULTIPLE MYELOMA-----203	4,968	2,579	2,389
34	LYMPHATIC LEUKEMIA-----204	4,653	2,817	1,836
35	ACUTE-----204.0	1,620	992	628
36	CHRONIC-----204.1	2,328	1,410	918
37	UNSPECIFIED-----204.9	705	415	290
38	MYELOID LEUKEMIA-----205	6,321	3,469	2,852
39	ACUTE-----205.0	4,052	2,216	1,836
40	CHRONIC-----205.1	1,706	961	745
41	UNSPECIFIED-----205.9	563	292	271
42	MONOCYTIC LEUKEMIA-----206	488	277	211
43	ACUTE-----206.0	343	187	156
44	CHRONIC-----206.1	21	12	9
45	UNSPECIFIED-----206.9	124	78	46
46	OTHER AND UNSPECIFIED LEUKEMIA-----207	3,016	1,699	1,317
47	LEUKEMIA, ACUTE-----207.0	1,558	873	685
48	LEUKEMIA, CHRONIC-----207.1	156	81	75
49	ERYTHREMIA, ACUTE-----207.2	164	107	57
50	LEUKEMIA, UNSPECIFIED-----207.9	1,138	638	500
51	POLYCYTHEMIA VERA-----208	502	282	220
52	MYELOFIBROSIS-----209	956	551	405
53	BENIGN NEOPLASMS-----210-228	1,723	727	996
54	BENIGN NEOPLASMS OF BUCCAL CAVITY AND PHARYNX-----210	12	4	8
55	LIP-----210.0	-	-	-
56	TONGUE-----210.1	-	-	-
57	SALIVARY GLAND-----210.2	7	3	4
58	FLOOR OF MOUTH-----210.3	-	-	-
59	OTHER AND UNSPECIFIED PARTS OF MOUTH-----210.4	4	1	3
60	TONSIL-----210.5	-	-	-
61	OTHER PARTS OF DROPHARYNX-----210.6	-	-	-
62	NASOPHARYNX-----210.7	-	-	-
63	HYPOPHARYNX-----210.8	1	-	1
64	PHARYNX, UNSPECIFIED-----210.9	-	-	-
65	BENIGN NEOPLASMS OF OTHER PARTS OF DIGESTIVE SYSTEM-----211	215	102	113
66	ESOPHAGUS-----211.0	4	2	2
67	STOMACH-----211.1	18	7	11
68	SMALL INTESTINE-----211.2	22	10	12
69	LARGE INTESTINE, EXCEPT RECTUM-----211.3	120	64	56
70	RECTUM-----211.4	24	9	15
71	LIVER AND BILIARY PASSAGES-----211.5	8	5	3
72	PANCREAS-----211.6	14	2	12
73	PERITONEUM AND RETROPERITONEAL TISSUE-----211.7	2	1	1
74	UNSPECIFIED SITE-----211.9	3	2	1
75	BENIGN NEOPLASMS OF RESPIRATORY SYSTEM-----212	87	60	27
76	NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----212.0	1	1	-
77	LARYNX-----212.1	5	2	3
78	TRACHEA-----212.2	3	1	2
79	BRONCHUS AND LUNG-----212.3	62	45	17
80	PLEURA-----212.4	-	-	-
81	MEDIASTINUM-----212.5	5	4	1
82	UNSPECIFIED SITE-----212.9	11	7	4
83	BENIGN NEOPLASMS OF BONE AND CARTILAGE-----213	6	3	3
84	EXOSTOSIS-----213.0	2	1	1
85	OSTEOMA-----213.1	-	-	-
86	CHONDROMA, ENCHONDROMA, AND MYXOCHONDROMA-----213.2	2	1	1
87	OTHER AND UNSPECIFIED-----213.9	21	1	1

SECTION 1 - GENERAL MORTALITY

1-105

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2,918	2,663	472	323	3.0	3.3	2.8	3.3	2.8	3.7	2.3	01
417	361	54	46	0.4	0.5	0.4	0.5	0.4	0.4	0.3	02
16	10	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	03
67	100	8	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	04
17	11	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
5	3	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	06
17	29	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	07
36	75	4	4	0.1	0.0	0.1	0.0	0.1	0.0	0.0	08
1,010	893	144	106	1.0	1.1	0.9	1.1	1.0	1.1	0.8	09
1,299	1,160	249	151	1.4	1.5	1.2	1.5	1.2	1.9	1.1	10
34	21	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
929	869	128	84	1.0	1.0	0.9	1.0	0.9	1.0	0.6	12
7	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
3	6	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	14
20	5	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	15
378	273	41	21	0.3	0.4	0.3	0.4	0.3	0.3	0.2	16
21	20	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
234	148	33	19	0.2	0.3	0.2	0.3	0.2	0.3	0.1	18
266	412	48	41	0.4	0.3	0.4	0.3	0.4	0.4	0.3	19
5,561	5,570	966	880	6.2	6.4	6.0	6.2	5.9	7.5	6.3	20
4,774	4,954	793	722	5.4	5.4	5.3	5.3	5.3	6.2	5.2	21
787	616	173	158	0.8	0.9	0.7	0.9	0.7	1.4	1.1	22
17,152	13,901	1,728	1,264	16.2	18.5	14.1	19.2	14.8	13.5	9.0	23
3,386	3,050	243	167	3.3	3.5	3.0	3.8	3.3	1.9	1.2	24
1,270	1,211	95	74	1.3	1.3	1.2	1.4	1.3	0.7	0.5	25
2,116	1,839	148	93	2.0	2.2	1.8	2.4	2.0	1.2	0.7	26
1,594	1,124	138	64	1.4	1.7	1.1	1.8	1.2	1.1	0.5	27
1,682	1,433	163	97	1.6	1.8	1.4	1.9	1.5	1.3	0.7	28
20	18	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	29
52	26	13	4	0.0	0.1	0.0	0.1	0.0	0.1	0.0	30
1,609	1,389	150	92	1.5	1.7	1.4	1.8	1.5	1.2	0.7	31
1	—	—	—	0.0	0.0	—	0.0	—	—	—	32
2,177	2,004	402	385	2.4	2.5	2.2	2.4	2.1	3.1	2.8	33
2,594	1,675	223	161	2.2	2.8	1.7	2.9	1.8	1.7	1.2	34
902	573	90	55	0.8	1.0	0.6	1.0	0.6	0.7	0.4	35
1,303	836	107	82	1.1	1.4	0.9	1.5	0.9	0.8	0.6	36
389	266	26	24	0.3	0.4	0.3	0.4	0.3	0.2	0.2	37
3,171	2,609	298	243	3.0	3.4	2.7	3.5	2.8	2.3	1.7	38
2,040	1,693	176	143	1.9	2.2	1.7	2.3	1.8	1.4	1.0	39
867	664	94	81	0.8	0.9	0.7	1.0	0.7	0.7	0.6	40
264	252	28	19	0.3	0.3	0.3	0.3	0.3	0.2	0.1	41
245	199	32	12	0.2	0.3	0.2	0.3	0.2	0.2	0.1	42
166	145	21	11	0.2	0.2	0.1	0.2	0.2	0.2	0.1	43
11	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
68	46	10	—	0.1	0.1	0.0	0.1	0.0	0.1	—	45
1,529	1,214	170	103	1.4	1.7	1.2	1.7	1.3	1.3	0.7	46
804	624	69	61	0.7	0.9	0.6	0.9	0.7	0.5	0.4	47
77	72	4	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0	48
96	54	11	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	49
552	464	86	36	0.5	0.6	0.5	0.6	0.5	0.7	0.3	50
265	211	17	9	0.2	0.3	0.2	0.3	0.2	0.1	0.1	51
509	382	42	23	0.5	0.5	0.4	0.6	0.4	0.3	0.2	52
625	830	102	166	0.8	0.7	0.9	0.7	0.9	0.8	1.2	53
4	6	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	54
—	—	—	—	—	—	—	—	—	—	—	55
—	—	—	—	—	—	—	—	—	—	—	56
3	3	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	57
—	—	—	—	—	—	—	—	—	—	—	58
1	2	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	59
—	—	—	—	—	—	—	—	—	—	—	60
—	—	—	—	—	—	—	—	—	—	—	61
—	—	—	—	—	—	—	—	—	—	—	62
—	1	—	—	0.0	—	0.0	—	0.0	—	—	63
—	—	—	—	—	—	—	—	—	—	—	64
88	99	14	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	65
2	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	66
4	11	3	—	0.0	0.0	0.0	0.0	0.0	—	—	67
9	10	1	2	0.0	0.0	0.0	0.0	0.0	—	—	68
55	48	9	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	69
8	13	1	2	0.0	0.0	0.0	0.0	0.0	—	—	70
5	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	71
2	10	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	72
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	73
2	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	74
56	23	4	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	75
1	—	—	—	0.0	0.0	—	0.0	—	—	—	76
1	3	1	—	0.0	0.0	0.0	0.0	0.0	—	—	77
1	1	—	1	0.0	0.0	0.0	0.0	0.0	—	—	78
42	14	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	79
—	—	—	—	—	—	—	—	—	—	—	80
4	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	81
7	4	—	—	0.0	0.0	0.0	0.0	0.0	—	—	82
3	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	83
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	84
—	—	—	—	—	—	—	—	—	—	—	85
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	86
1	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	87

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
BENIGN NEOPLASMS--CON.				
01	LIPOMA-----214	9	5	4
12	SKIN AND SUBCUTANEOUS TISSUE-----*214.0	-	-	-
03	SPERMATIC CORD-----*214.1	-	-	-
04	OTHER AND UNSPECIFIED-----*214.9	9	5	4
05	OTHER BENIGN NEOPLASMS OF MUSCULAR AND CONNECTIVE TISSUES-----215	48	20	28
06	BENIGN NEOPLASM OF SKIN-----216	6	3	3
07	EPIDERMIS-----216.0	-	-	-
08	HAIR FOLLICLES AND SEBACEOUS GLANDS-----216.1	-	-	-
09	SWEAT GLANDS AND SWEAT DUCTS-----216.2	-	-	-
10	OTHER-----216.8	5	3	2
11	UNSPECIFIED-----216.9	1	-	1
12	BENIGN NEOPLASM OF BREAST-----217	1	-	1
13	UTERINE FIBROMA-----218	91	...	91
14	OTHER BENIGN NEOPLASM OF UTERUS-----219	2	...	2
15	PAPILLOMA, POLYP-----219.0	-	...	-
16	BENIGN CYST-----219.1	1	...	1
17	OTHER AND UNSPECIFIED-----219.9	1	...	1
18	BENIGN NEOPLASM OF OVARY-----220	63	...	63
19	TERATOMA (DERMOID) NOT SPECIFIED AS MALIGNANT-----*220.0	4	...	4
20	CYSTADENOMA AND BENIGN OVARIAN CYST-----*220.1	53	...	53
21	FIBROMA-----*220.2	-	...	-
22	OTHER AND UNSPECIFIED-----*220.9	6	...	6
23	BENIGN NEOPLASMS OF OTHER FEMALE GENITAL ORGANS-----221	3	...	3
24	FALLOPIAN TUBE AND BROAD LIGAMENT-----221.0	-	...	-
25	VAGINA-----221.1	-	...	-
26	VULVA-----221.2	1	...	1
27	OTHER SPECIFIED SITES-----221.8	-	...	-
28	UNSPECIFIED SITE-----221.9	2	...	2
29	BENIGN NEOPLASMS OF MALE GENITAL ORGANS-----222	-	-	...
30	TESTIS-----222.0	-	-	...
31	PENIS-----222.1	-	-	...
32	OTHER SPECIFIED SITES-----222.8	-	-	...
33	UNSPECIFIED SITE-----222.9	-	-	...
34	BENIGN NEOPLASMS OF KIDNEY AND OTHER URINARY ORGANS-----223	11	6	5
35	KIDNEY, EXCEPT PELVIS-----223.0	5	4	1
36	PELVIS OF KIDNEY-----223.1	-	-	-
37	URETER-----223.2	1	-	1
38	BLADDER-----223.3	5	2	3
39	OTHER SPECIFIED SITES-----223.8	-	-	-
40	UNSPECIFIED SITE-----223.9	-	-	-
41	BENIGN NEOPLASM OF EYE-----224	-	-	-
42	BENIGN NEOPLASMS OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM-----225	761	305	456
43	BRAIN-----225.0	150	63	87
44	CRANIAL NERVES (INCLUDING OPTIC)-----225.1	80	29	51
45	CEREBRAL MENINGES-----225.2	291	113	178
46	SPINAL CORD-----225.3	10	4	6
47	SPINAL MENINGES-----225.4	6	1	5
48	PERIPHERAL NERVES-----225.5	19	11	8
49	SYMPATHETIC NERVOUS SYSTEM-----225.6	3	1	2
50	UNSPECIFIED SITE-----225.9	202	83	119
51	BENIGN NEOPLASMS OF ENDOCRINE GLANDS-----226	227	115	112
52	SUPRARENAL GLAND-----226.0	24	10	14
53	THYMUS-----226.1	18	12	6
54	PITUITARY GLAND AND CRANIOPHARYNGEAL DUCT (POUCH)-----226.2	155	76	79
55	PINEAL GLAND-----226.3	23	14	9
56	CAROTID BODY-----*226.4	-	-	-
57	OTHER SPECIFIED ENDOCRINE GLANDS-----*226.8	6	2	4
58	UNSPECIFIED SITE-----226.9	1	1	-
59	HEMANGIOMA AND LYMPHANGIOMA-----227	73	39	34
60	HEMANGIOMA (OF SKIN)-----*227.0	11	7	4
61	HEMANGIOMA OF OTHER SITES-----*227.1	32	16	16
62	LYMPHANGIOMA-----*227.2	30	16	14
63	BENIGN NEOPLASMS OF OTHER AND UNSPECIFIED ORGANS AND TISSUES-----228	108	65	43
64	NEOPLASMS OF UNSPECIFIED NATURE-----230-239	3,290	1,723	1,567
65	NEOPLASMS OF UNSPECIFIED NATURE OF DIGESTIVE ORGANS-----230	304	149	155
66	ESOPHAGUS-----230.0	7	3	4
67	STOMACH-----230.1	49	21	28
68	SMALL INTESTINE-----230.2	6	4	2
69	LARGE INTESTINE, EXCLUDING RECTUM-----230.3	87	35	52
70	RECTUM-----230.4	13	7	6
71	LIVER AND BILIARY PASSAGES-----230.5	58	34	24
72	PANCREAS-----230.6	40	18	22
73	PERITONEUM-----230.7	29	18	11
74	UNSPECIFIED SITE-----230.9	15	9	6
75	NEOPLASMS OF UNSPECIFIED NATURE OF RESPIRATORY ORGANS-----231	384	272	112
76	NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES-----231.0	5	4	1
77	LARYNX-----231.1	1	1	-
78	TRACHEA-----231.2	6	2	4
79	BRONCHUS AND LUNG-----231.3	295	210	85
80	PLEURA-----231.4	3	3	-
81	MEDIASTINUM-----231.5	59	42	17
82	UNSPECIFIED SITE-----231.9	15	10	5
83	NEOPLASMS OF UNSPECIFIED NATURE OF SKIN AND MUSCULOSKELETAL SYSTEM-----232	40	20	20
84	BONE AND CARTILAGE-----232.0	20	10	10
85	MUSCULAR AND CONNECTIVE TISSUE-----232.1	16	8	8
86	SKIN-----232.2	4	2	2
87	NEOPLASM OF UNSPECIFIED NATURE OF BREAST-----233	2	1	1

SECTION 1 - GENERAL MORTALITY

1-107

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	01
-	-	-	-	-	-	-	-	-	-	-	02
-	...	-	...	-	-	...	-	...	-	...	03
5	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	04
19	22	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	06
-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	09
-	1	-	-	0.0	-	0.0	-	0.0	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
-	1	-	-	0.0	-	0.0	-	0.0	-	-	12
...	44	...	47	0.0	...	0.1	...	0.0	...	0.3	13
...	2	...	-	0.0	...	0.0	...	0.0	...	-	14
...	-	...	-	-	...	-	...	-	...	-	15
...	1	...	-	0.0	...	0.0	...	0.0	...	-	16
...	1	...	-	0.0	...	0.0	...	0.0	...	-	17
...	58	...	5	0.0	...	0.1	...	0.1	...	0.0	18
...	4	...	-	0.0	...	0.0	...	0.0	...	-	19
...	50	...	3	0.0	...	0.0	...	0.1	...	0.0	20
...	-	...	-	-	...	-	...	-	...	-	21
...	4	...	2	0.0	...	0.0	...	0.0	...	0.0	22
...	3	...	-	0.0	...	0.0	...	0.0	...	-	23
...	-	...	-	-	...	-	...	-	...	-	24
...	1	...	-	0.0	...	0.0	...	0.0	...	-	25
...	-	...	-	-	...	-	...	-	...	-	26
...	2	...	-	0.0	...	0.0	...	0.0	...	-	27
...	-	...	-	-	...	-	...	-	...	-	28
-	...	-	...	-	...	-	...	-	...	-	29
-	...	-	...	-	...	-	...	-	...	-	30
-	...	-	...	-	...	-	...	-	...	-	31
-	...	-	...	-	...	-	...	-	...	-	32
-	...	-	...	-	...	-	...	-	...	-	33
6	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	34
4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	35
-	-	-	-	-	-	-	-	-	-	-	36
-	1	-	-	0.0	-	0.0	-	0.0	-	-	37
2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
250	397	55	59	0.4	0.3	0.4	0.3	0.4	0.4	0.4	42
52	76	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	43
26	48	3	3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	44
94	155	19	23	0.1	0.1	0.2	0.1	0.2	0.1	0.2	45
3	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46
1	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	47
10	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0	49
64	99	19	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	50
92	95	23	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1	51
10	13	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	52
7	5	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
60	66	16	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	54
12	8	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55
-	-	-	-	-	-	-	-	-	-	-	56
2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	57
1	-	-	-	0.0	0.0	-	0.0	-	-	-	58
36	27	3	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	59
6	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60
16	14	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	61
14	11	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
64	40	1	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	63
1,530	1,371	193	196	1.6	1.7	1.5	1.7	1.5	1.5	1.4	64
125	132	24	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2	65
2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	66
15	22	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	68
31	46	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69
5	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
29	23	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71
16	16	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72
17	9	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
6	4	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
238	98	34	14	0.2	0.3	0.1	0.3	0.1	0.3	0.1	75
3	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	76
1	-	-	-	0.0	0.0	-	0.0	-	-	-	77
1	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	78
185	73	25	12	0.1	0.2	0.1	0.2	0.1	0.2	0.1	79
3	-	-	-	0.0	0.0	-	0.0	-	-	-	80
36	16	6	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
9	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82
17	18	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83
9	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84
6	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	85
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	86
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	87

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
NEOPLASMS OF UNSPECIFIED NATURE--CON.				
01	NEOPLASM OF UNSPECIFIED NATURE OF UTERUS-----224	11	---	11
02	CARCINOMA IN SITU OF CERVIX UTERI-----224.0	3	---	3
03	CERVIX UTERI, OTHER-----224.1	---	---	---
04	OTHER AND UNSPECIFIED PART-----224.9	8	---	8
05	NEOPLASM OF UNSPECIFIED NATURE OF OVARY-----225	17	---	17
06	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER FEMALE GENITAL ORGANS-----226	1	---	1
07	FALLOPIAN TUBE AND BROAD LIGAMENTS-----226.0	---	---	---
08	VAGINA-----226.1	---	---	---
09	VULVA-----226.2	---	---	---
10	OTHER SPECIFIED SITES-----226.8	---	---	---
11	UNSPECIFIED SITE-----226.9	1	---	1
12	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER GENITOURINARY ORGANS-----227	103	55	48
13	TESTIS-----227.0	2	2	---
14	PENIS-----227.1	---	---	---
15	OTHER AND UNSPECIFIED MALE GENITAL ORGANS-----227.2	1	1	---
16	KIDNEY, EXCEPT PELVIS-----227.3	47	20	27
17	PELVIS OF KIDNEY-----227.4	---	---	---
18	URETER-----227.5	4	---	4
19	BLADDER-----227.6	45	29	16
20	OTHER AND UNSPECIFIED URINARY ORGANS-----227.9	4	3	1
21	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM-----228	2,161	1,124	1,037
22	EYE-----228.0	3	1	2
23	BRAIN-----228.1	2,102	1,095	1,007
24	CRANIAL NERVES (INCLUDING OPTIC NERVE)-----228.2	3	2	1
25	CEREBRAL MENINGES-----228.3	---	---	---
26	SPINAL CORD-----228.4	46	23	23
27	SPINAL MENINGES-----228.5	---	---	---
28	PERIPHERAL NERVES-----228.6	---	---	---
29	SYMPATHETIC NERVOUS SYSTEM-----228.7	---	---	---
30	UNSPECIFIED SITE-----228.9	7	3	4
31	NEOPLASMS OF UNSPECIFIED NATURE OF OTHER AND UNSPECIFIED ORGANS-----229	267	102	165
32	BUCCAL CAVITY AND PHARYNX-----229.0	24	14	10
33	ENDOCRINE GLANDS-----229.1	23	8	15
34	OTHER AND UNSPECIFIED SITES-----229.9	220	80	140
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES				
35	DISEASES OF THYROID GLAND-----240-246	782	159	623
36	SIMPLE GOITER-----240	35	7	28
37	ENDEMIC-----240.0	---	---	---
38	SPORADIC-----240.1	---	---	---
39	UNSPECIFIED-----240.9	35	7	28
40	NONTOXIC NODULAR GOITER-----241	8	2	6
41	ENDEMIC-----241.0	---	---	---
42	SPORADIC-----241.1	---	---	---
43	UNSPECIFIED-----241.9	8	2	6
44	THYROTOXICOSIS WITH OR WITHOUT GOITER-----242	296	59	237
45	TOXIC DIFFUSE GOITER-----242.0	27	4	23
46	TOXIC NODULAR GOITER-----242.1	14	2	12
47	THYROTOXICOSIS WITHOUT MENTION OF GOITER-----242.2	255	53	202
48	CRETINISM OF CONGENITAL ORIGIN-----243	8	1	7
49	MYXEDEMA-----244	412	83	329
50	THYROIDITIS-----245	8	4	4
51	ACUTE-----245.0	1	1	---
52	CHRONIC-----245.1	3	1	2
53	UNSPECIFIED-----245.9	4	2	2
54	OTHER DISEASES OF THYROID GLAND-----246	15	3	12
55	DISEASES OF OTHER ENDOCRINE GLANDS-----250-258	39,502	16,273	23,229
56	DIABETES MELLITUS-----250	38,208	15,669	22,539
57	WITH MENTION OF ACIDOSIS OR COMA-----250.0	4,042	1,601	2,441
58	WITHOUT MENTION OF ACIDOSIS OR COMA-----250.9	34,166	14,068	20,098
59	DISORDERS OF PANCREATIC INTERNAL SECRETION OTHER THAN DIABETES MELLITUS-----251	232	136	96
60	DISEASES OF PARATHYROID GLAND-----252	75	19	56
61	HYPERPARATHYROIDISM-----252.0	67	17	50
62	HYPOPARATHYROIDISM-----252.1	7	1	6
63	OTHER AND UNSPECIFIED-----252.9	1	1	---
64	DISEASES OF PITUITARY GLAND-----253	230	125	105
65	ANTERIOR PITUITARY HYPERFUNCTION-----253.0	21	10	11
66	ANTERIOR PITUITARY HYPOFUNCTION-----253.1	55	25	30
67	CHROMOPHORE ADENOMA, PITUITARY-----253.2	77	45	32
68	OTHER AND UNSPECIFIED-----253.9	77	45	32
69	DISEASES OF THYMUS GLAND-----254	28	15	13
70	DISEASES OF ADRENAL GLANDS-----255	400	157	243
71	ADRENAL CORTICAL HYPERFUNCTION-----255.0	12	3	9
72	ADRENAL CORTICAL HYPOFUNCTION-----255.1	137	44	93
73	PHEOCHROMOCYTOMA-----255.2	52	21	31
74	OTHER AND UNSPECIFIED-----255.9	199	89	110
75	OVARIAN DYSFUNCTION-----256	7	---	7
76	HYPERFUNCTION-----256.0	5	---	5
77	HYPOFUNCTION-----256.1	---	---	---
78	OTHER AND UNSPECIFIED-----256.9	2	---	2
79	TESTICULAR DYSFUNCTION-----257	---	---	---
80	HYPERFUNCTION-----257.0	---	---	---
81	HYPOFUNCTION-----257.1	---	---	---
82	OTHER AND UNSPECIFIED-----257.9	---	---	---

1-109

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
...	8	...	3	0.0	...	0.0	...	0.0	...	0.0	
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	
...	-	...	-	-	...	-	...	-	...	-	
...	7	...	1	0.0	...	0.0	...	0.0	...	0.0	
...	12	...	5	0.0	...	0.0	...	0.0	...	0.0	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	
...	-	...	-	-	...	-	...	-	...	-	
...	-	...	-	-	...	-	...	-	...	-	
...	-	...	-	-	...	-	...	-	...	-	
...	-	...	-	-	...	-	...	-	...	-	
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	
50	42	5	6	0.0	0.1	0.0	0.1	0.0	0.0	0.0	
2	...	-	...	0.0	0.0	...	0.0	...	-	...	
...	...	-	...	-	-	...	
1	...	-	...	0.0	0.0	...	0.0	...	-	...	
18	23	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	3	-	1	0.0	-	0.0	-	0.0	-	0.0	
26	15	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
1,016	922	108	115	1.0	1.1	1.0	1.1	1.0	0.8	0.8	
-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0	
992	901	103	106	1.0	1.1	0.9	1.1	1.0	0.8	0.8	
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
19	16	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
83	137	19	28	0.1	0.1	0.2	0.1	0.1	0.1	0.2	
12	9	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	13	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
66	115	14	25	0.1	0.1	0.1	0.1	0.1	0.1	0.2	
138	535	21	88	0.4	0.2	0.6	0.2	0.6	0.2	0.6	
6	21	1	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
6	21	1	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
1	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
47	192	12	45	0.1	0.1	0.2	0.1	0.2	0.1	0.3	
4	19	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	
2	10	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
41	163	12	39	0.1	0.1	0.2	0.0	0.2	0.1	0.3	
1	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
76	299	7	30	0.2	0.1	0.3	0.1	0.3	0.1	0.2	
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
2	2	-	-	0.0	0						

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF OTHER ENDOCRINE GLANDS--CON.				
01	POLYGLANDULAR DYSFUNCTION AND OTHER DISEASES OF ENDOCRINE GLANDS-----258	322	152	170
02	CUSHING'S SYNDROME-----258.0	39	13	26
03	POLYGLANDULAR DYSFUNCTION-----258.1	6	2	4
04	OTHER AND UNSPECIFIED DISEASES OF ENDOCRINE SYSTEM-----258.9	277	137	140
05	AVITAMINOSES AND OTHER NUTRITIONAL DEFICIENCIES-----260-269	2,576	1,083	1,493
06	VITAMIN A DEFICIENCIES-----260	-	-	-
07	NIGHT BLINDNESS-----260.0	-	-	-
08	XEROPHTHALMIA AND KERATOMALACIA-----260.1	-	-	-
09	OTHER MANIFESTATION-----260.8	-	-	-
10	UNSPECIFIED-----260.9	-	-	-
11	THIAMINE DEFICIENCY-----261	5	3	2
12	NIACIN DEFICIENCY-----262	3	1	2
13	OTHER VITAMIN B DEFICIENCIES-----263	21	12	9
14	ARIBOFLAVINOSIS-----263.0	-	-	-
15	VITAMIN B6 DEFICIENCY-----263.1	-	-	-
16	OTHER-----263.8	5	2	3
17	UNSPECIFIED-----263.9	16	10	6
18	ASCORBIC ACID DEFICIENCY-----264	-	-	-
19	VITAMIN D DEFICIENCIES-----265	4	2	2
20	RICKETS, ACTIVE-----265.0	1	1	-
21	RICKETS, LATE EFFECT-----265.1	-	-	-
22	OSTEOMALACIA-----265.2	3	1	2
23	UNSPECIFIED-----265.9	-	-	-
24	OTHER VITAMIN DEFICIENCY STATES-----266	11	6	5
25	VITAMIN K DEFICIENCY-----266.0	1	1	-
26	OTHER-----266.8	1	-	1
27	UNSPECIFIED-----266.9	9	5	4
28	PROTEIN MALNUTRITION-----267	11	6	5
29	NUTRITIONAL MARASMUS-----268	557	224	333
30	OTHER NUTRITIONAL DEFICIENCIES-----269	1,964	829	1,135
31	SPRUE AND STEATORRHEA-----269.0	14	7	7
32	MALABSORPTION SYNDROME, UNSPECIFIED-----269.1	124	52	72
33	OTHER AND UNSPECIFIED-----269.9	1,826	770	1,056
34	OTHER METABOLIC DISEASES-----270-279	3,672	1,874	1,798
35	CONGENITAL DISORDERS OF AMINO-ACID METABOLISM-----270	34	23	11
36	PHENYLKETONURIA-----270.0	4	1	3
37	CYSTINURIA-----270.1	1	-	1
38	OTHER DISORDERS OF AMINO-ACID TRANSPORT-----270.2	2	2	-
39	CYSTINOSIS-----270.3	5	3	2
40	MAPLE SYRUP DISEASE-----270.4	3	2	1
41	DISORDERS OF PURINE AND PYRIMIDINE METABOLISM-----270.5	1	1	-
42	ALKAPTONURIA-----270.6	-	-	-
43	OTHER-----270.8	17	13	4
44	UNSPECIFIED-----270.9	1	1	-
45	CONGENITAL DISORDERS OF CARBOHYDRATE METABOLISM-----271	34	16	18
46	VON GIERKE'S DISEASE-----271.0	3	-	3
47	OTHER AND UNSPECIFIED GLYCOGEN STORAGE DISEASES-----271.1	28	15	13
48	GALACTOSEMIA-----271.2	2	1	1
49	FRUCTOSURIA-----271.3	-	-	-
50	OTHER-----271.8	1	-	1
51	UNSPECIFIED-----271.9	-	-	-
52	CONGENITAL DISORDERS OF LIPID METABOLISM-----272	93	60	33
53	XANTHOMATOSIS-----272.0	55	37	18
54	FAMILIAL LIPOPROTEIN DEFICIENCY DISORDERS-----272.1	-	-	-
55	LIPID STORAGE DISORDERS-----272.2	33	19	14
56	OTHER AND UNSPECIFIED-----272.9	5	4	1
57	OTHER AND UNSPECIFIED CONGENITAL DISORDERS OF METABOLISM-----273	816	434	382
58	CYSTIC FIBROSIS-----273.0	519	246	273
59	DISORDERS OF PORPHYRIN METABOLISM-----273.1	19	4	15
60	HEMOCHROMATOSIS-----273.2	138	97	41
61	HEPATO-ENTERIC DYSFUNCTION-----273.3	13	7	6
62	OTHER DISORDERS INVOLVING METABOLISM OF MINERALS-----273.4	5	5	-
63	DEFECTIVE BILIRUBIN EXCRETION-----273.5	2	1	1
64	DISORDERS OF STEROID METABOLISM-----273.6	5	2	3
65	OTHER-----273.8	105	64	41
66	UNSPECIFIED-----273.9	10	8	2
67	GOUT-----274	297	220	77
68	PLASMA PROTEIN ABNORMALITIES-----275	318	193	165
69	AGAMMAGLOBULINEMIA-----275.0	24	15	9
70	HYPOGAMMAGLOBULINEMIA-----275.1	48	36	12
71	ANALBUMINEMIA-----275.2	-	-	-
72	BISALBUMINEMIA-----275.3	-	-	-
73	CRYOGLOBULINEMIA-----275.4	5	1	4
74	MACROGLOBULINEMIA-----275.5	83	36	47
75	OTHER AND UNSPECIFIED-----275.9	158	65	93
76	AMYLOIDOSIS-----276	284	153	131
77	OBESITY NOT SPECIFIED AS OF ENDOCRINE ORIGIN-----277	1,247	492	755
78	OTHER HYPERALIMENTATION-----278	9	6	3
79	HYPERVITAMINOSIS A-----278.0	-	-	-
80	CAROTINEMIA-----278.1	-	-	-
81	HYPERVITAMINOSIS D-----278.2	-	-	-
82	OTHER AND UNSPECIFIED-----278.9	9	6	3
83	OTHER AND UNSPECIFIED METABOLIC DISEASES-----279	540	317	223

SECTION 1 - GENERAL MORTALITY

1-111

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
135	153	17	17	0.2	0.1	0.2	0.2	0.2	0.1	0.1	01
13	23	—	3	0.0	0.0	0.0	0.0	0.0	—	0.0	02
1	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	03
121	127	16	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	04
884	1,282	199	211	1.2	1.1	1.4	1.0	1.4	1.6	1.5	05
—	—	—	—	—	—	—	—	—	—	—	06
—	—	—	—	—	—	—	—	—	—	—	07
—	—	—	—	—	—	—	—	—	—	—	08
—	—	—	—	—	—	—	—	—	—	—	09
3	1	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	10
—	1	1	1	0.0	0.0	0.0	—	0.0	0.0	0.0	11
8	6	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	—	—	—	14
2	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	15
6	3	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16
—	—	—	—	—	—	—	—	—	—	—	17
1	2	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	18
—	—	1	—	0.0	0.0	—	—	—	0.0	—	19
—	—	—	—	—	—	—	—	—	—	—	20
1	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	21
—	—	—	—	—	—	—	—	—	—	—	22
4	5	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	23
1	—	—	—	0.0	0.0	—	0.0	—	—	—	24
—	1	—	—	0.0	—	0.0	—	0.0	—	—	25
3	4	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	26
5	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
—	—	—	—	—	—	—	—	—	—	—	28
173	279	51	54	0.3	0.2	0.3	0.2	0.3	0.4	0.4	29
690	984	139	151	0.9	0.8	1.1	0.8	1.1	1.1	1.1	30
7	7	—	—	0.0	0.0	0.0	0.0	0.0	—	—	31
42	65	10	7	0.1	0.1	0.1	0.0	0.1	0.1	0.1	32
641	912	129	144	0.9	0.8	1.0	0.7	1.0	1.0	1.0	33
1,681	1,548	193	250	1.7	1.8	1.7	1.9	1.7	1.5	1.8	34
19	9	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35
1	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	36
—	—	—	1	0.0	—	0.0	—	—	—	0.0	37
2	—	—	—	0.0	0.0	—	0.0	—	—	—	38
3	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	39
1	1	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	40
1	—	—	—	0.0	0.0	—	0.0	—	—	—	41
—	—	—	—	—	—	—	—	—	—	—	42
10	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43
1	—	—	—	0.0	0.0	—	0.0	—	—	—	44
9	15	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	45
—	3	—	—	0.0	—	0.0	—	0.0	—	—	46
9	10	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47
—	1	1	—	0.0	0.0	0.0	—	0.0	0.0	—	48
—	—	—	—	—	—	—	—	—	—	—	49
—	1	—	—	0.0	—	0.0	—	0.0	—	—	50
—	—	—	—	—	—	—	—	—	—	—	51
58	32	2	1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	52
36	17	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
—	—	—	—	—	—	—	—	—	—	—	54
18	14	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	55
4	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	56
410	362	24	20	0.4	0.4	0.4	0.5	0.4	0.2	0.1	57
236	268	10	5	0.2	0.2	0.3	0.3	0.3	0.1	0.0	58
4	12	—	3	0.0	0.0	0.0	0.0	0.0	—	0.0	59
96	39	1	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	60
6	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
5	—	—	—	0.0	0.0	—	0.0	—	—	—	62
—	1	1	—	0.0	0.0	0.0	—	0.0	0.0	—	63
1	3	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	64
54	32	10	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1	65
8	2	—	—	0.0	0.0	0.0	—	0.0	—	—	66
182	55	38	22	0.1	0.2	0.1	0.2	0.1	0.3	0.2	67
141	153	12	12	0.2	0.1	0.2	0.2	0.2	0.1	0.1	68
14	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69
33	11	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
—	—	—	—	—	—	—	—	—	—	—	71
—	—	—	—	—	—	—	—	—	—	—	72
1	4	—	—	0.0	0.0	0.0	0.0	0.0	—	—	73
32	42	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
61	88	4	—	0.1	0.1	0.1	0.1	0.1	0.0	0.0	75
128	110	25	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2	76
443	616	49	139	0.6	0.5	0.7	0.5	0.7	0.4	1.0	77
5	—	1	3	0.0	0.0	0.0	0.0	—	0.0	0.0	78
—	—	—	—	—	—	—	—	—	—	—	79
—	—	—	—	—	—	—	—	—	—	—	80
—	—	—	—	—	—	—	—	—	—	—	81
5	—	1	3	0.0	0.0	0.0	0.0	—	0.0	0.0	82
286	196	31	27	0.3	0.3	0.2	0.3	0.2	0.2	0.2	83

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
01 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	5,251	2,542	2,709
02 IRON DEFICIENCY ANEMIAS	280	104	35	69
03 OTHER DEFICIENCY ANEMIAS	281	366	147	219
04 PERNICIOUS ANEMIA	281.0	250	92	158
05 OTHER VITAMIN B12 DEFICIENCY ANEMIAS	281.1	-	-	-
06 FOLIC ACID DEFICIENCY ANEMIA	281.2	32	14	18
07 VITAMIN B6 DEFICIENCY ANEMIA	281.3	-	-	-
08 PROTEIN DEFICIENCY ANEMIA	281.4	1	-	1
09 OTHER AND UNSPECIFIED DEFICIENCY ANEMIAS	281.9	83	41	42
10 HEREDITARY HEMOLYTIC ANEMIAS	282	606	295	311
11 FAMILIAL ACHOLURIC JAUNDICE	282.0	8	4	4
12 HEREDITARY ELLIPTOCYTOSIS	282.1	-	-	-
13 ANEMIAS DUE TO GLUCOSE 6-PHOSPHATE DEHYDROGENASE DEFICIENCY	282.2	-	-	-
14 OTHER HEREDITARY NONSPHEROCYTIC HEMOLYTIC ANEMIAS	282.3	-	-	-
15 MEDITERRANEAN ANEMIA	282.4	42	24	18
16 HEMOGLOBINOPATHIES	282.5	357	194	163
17 OTHER	282.9	199	73	126
18 ACQUIRED HEMOLYTIC ANEMIAS	283	97	39	58
19 ACUTE	283.0	17	4	13
20 OTHER	283.9	80	35	45
21 APLASTIC ANEMIA	284	1,090	567	523
22 OTHER AND UNSPECIFIED ANEMIAS	285	1,055	486	569
23 HYPOCHROMIC ANEMIA WITH IRON LOADING	285.0	66	35	31
24 OTHER SPECIFIED ANEMIAS	285.8	11	3	8
25 ANEMIA, UNSPECIFIED	285.9	978	448	530
26 COAGULATION DEFECTS	286	724	406	318
27 HEMOPHILIA	286.0	42	41	1
28 CHRISTMAS DISEASE	286.1	6	6	-
29 PLASMA THROMBOPLASTIN ANTECEDENT DEFICIENCY	286.2	-	-	-
30 VASCULAR HEMOPHILIA	286.3	9	3	6
31 HEMORRHAGIC FIBRINOLYSIS	286.4	2	-	2
32 CIRCULATING ANTICOAGULANTS	286.5	3	1	2
33 OTHER	286.9	662	355	307
34 PURPURA AND OTHER HEMORRHAGIC CONDITIONS	287	568	255	313
35 ALLERGIC PURPURA	287.0	43	24	19
36 THROMBOCYTOPENIA	287.1	447	190	257
37 HEMORRHAGIC THROMBOCYTHEMIA	287.2	-	-	-
38 THROMBOCYTOPATHY	287.3	4	2	2
39 OTHER AND UNSPECIFIED	287.9	74	39	35
40 AGRANULOCYTOSIS	288	316	130	186
41 OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	289	325	182	143
42 POLYCYTHEMIA, SECONDARY	289.0	20	14	6
43 CHRONIC LYMPHADENITIS	289.1	-	-	-
44 NONSPECIFIC MESENTERIC LYMPHADENITIS	289.2	18	9	9
45 LYMPHADENITIS, UNSPECIFIED, EXCEPT MESENTERIC	289.3	9	3	6
46 HYPERSPLENISM	289.4	32	18	14
47 OTHER DISEASES OF SPLEEN	289.5	105	63	42
48 OTHER AND UNSPECIFIED	289.9	141	75	66
V. MENTAL DISORDERS				
49 PSYCHOSES	290-299	1,522	893	629
50 SENILE AND PRESENILE DEMENTIAS	290	731	305	426
51 SENILE DEMENTIA	290.0	377	147	230
52 PRESENILE DEMENTIA	290.1	354	158	196
53 ALCOHOLIC PSYCHOSES	291	517	469	48
54 DELIRIUM TREMENS	291.0	469	428	41
55 KORSAKOV'S PSYCHOSIS (ALCOHOLIC)	291.1	26	23	3
56 OTHER ALCOHOLIC HALLUCINOSIS	291.2	6	4	2
57 ALCOHOLIC PARANOIA	291.3	-	-	-
58 OTHER AND UNSPECIFIED	291.9	16	14	2
59 PSYCHOSES ASSOCIATED WITH OTHER PHYSICAL CONDITIONS	294	6	2	4
60 CHILDBIRTH	294.4	-	-	-
61 UNSPECIFIED PHYSICAL CONDITION	294.9	6	2	4
62 SCHIZOPHRENIA	295	114	50	64
63 SIMPLE TYPE	295.0	-	-	-
64 HEBEPHRENIC TYPE	295.1	3	2	1
65 CATATONIC TYPE	295.2	25	8	17
66 PARANOID TYPE	295.3	11	7	4
67 ACUTE SCHIZOPHRENIA EPISODE	295.4	-	-	-
68 LATENT SCHIZOPHRENIA	295.5	-	-	-
69 RESIDUAL SCHIZOPHRENIA	295.6	-	-	-
70 SCHIZOAFFECTIVE TYPE	295.7	1	-	1
71 OTHER	295.8	22	10	12
72 UNSPECIFIED TYPE	295.9	52	23	29
73 AFFECTIVE PSYCHOSES	296	30	14	16
74 INVOLUTIONAL MELANCHOLIA	296.0	5	4	1
75 MANIC-DEPRESSIVE PSYCHOSIS, MANIC TYPE	296.1	1	1	-
76 MANIC-DEPRESSIVE PSYCHOSIS, DEPRESSED TYPE	296.2	17	8	9
77 MANIC-DEPRESSIVE PSYCHOSIS, CIRCULAR TYPE	296.3	-	-	-
78 OTHER	296.8	-	-	-
79 UNSPECIFIED	296.9	7	1	6
80 PARANOID STATES	297	5	-	5
81 PARANOIA	297.0	-	-	-
82 INVOLUTIONAL PARAPHRENIA	297.1	1	-	1
83 OTHER	297.9	4	-	4

SECTION 1 - GENERAL MORTALITY

1-113

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2,033	2,231	509	478	2.5	2.5	2.5	2.3	2.4	4.0	3.4	01
30	60	5	9	0.0	0.0	0.1	0.0	0.1	0.0	0.1	02
134	205	13	14	0.2	0.1	0.2	0.1	0.2	0.1	0.1	03
89	151	3	7	0.1	0.1	0.1	0.1	0.2	0.0	0.1	04
—	—	—	—	—	—	—	—	—	—	—	05
10	16	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06
—	—	—	—	—	—	—	—	—	—	—	07
—	1	—	—	0.0	—	0.0	—	0.0	—	—	08
35	37	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
91	130	204	181	0.3	0.3	0.3	0.1	0.1	1.6	1.3	10
3	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	13
20	14	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
3	—	191	163	0.2	0.2	0.2	0.0	—	1.5	1.2	15
65	113	8	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	16
33	49	6	9	0.0	0.0	0.1	0.0	0.1	0.0	0.1	17
4	9	—	4	0.0	0.0	0.0	0.0	0.0	—	0.0	18
29	40	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19
521	486	46	37	0.5	0.6	0.5	0.6	0.5	0.4	0.3	20
400	471	86	98	0.5	0.5	0.5	0.4	0.5	0.7	0.7	21
31	30	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
3	8	—	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
366	433	82	97	0.5	0.4	0.5	0.4	0.5	0.6	0.7	24
325	258	81	60	0.3	0.4	0.3	0.4	0.3	0.6	0.4	25
33	—	8	1	0.0	0.0	0.0	0.0	—	0.1	0.0	26
5	—	1	—	0.0	0.0	—	0.0	—	0.0	0.0	27
—	—	—	—	—	—	—	—	—	—	—	28
3	6	—	—	0.0	0.0	0.0	0.0	0.0	—	—	29
—	2	—	—	0.0	—	0.0	—	0.0	—	—	30
—	2	—	—	0.0	—	0.0	—	0.0	—	—	31
284	248	71	59	0.3	0.3	0.3	0.3	0.3	0.6	0.4	32
226	269	29	44	0.3	0.2	0.3	0.3	0.3	0.2	0.3	33
21	16	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34
172	224	18	33	0.2	0.2	0.2	0.2	0.2	0.1	0.2	35
—	—	—	—	—	—	—	—	—	—	—	36
1	2	1	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37
32	27	7	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	38
117	171	13	15	0.2	0.1	0.2	0.1	0.2	0.1	0.1	39
156	132	26	11	0.2	0.2	0.1	0.2	0.1	0.2	0.1	40
11	6	3	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41
—	—	—	—	—	—	—	—	—	—	—	42
7	8	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43
3	5	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	44
18	13	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	45
53	40	10	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	46
64	60	11	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	47
—	—	—	—	—	—	—	—	—	—	—	48
720	570	173	59	0.7	0.9	0.6	0.8	0.6	1.4	0.4	49
274	398	31	28	0.3	0.3	0.4	0.3	0.4	0.2	0.2	50
127	210	20	20	0.2	0.1	0.2	0.1	0.2	0.2	0.1	51
147	188	11	8	0.2	0.2	0.2	0.2	0.2	0.1	0.1	52
346	39	123	9	0.2	0.5	0.0	0.4	0.0	1.0	0.1	53
312	32	116	9	0.2	0.4	0.0	0.3	0.0	0.9	0.1	54
21	3	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	55
4	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	56
—	—	—	—	—	—	—	—	—	—	—	57
9	2	5	—	0.0	0.0	0.3	0.0	0.0	0.0	—	58
2	2	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	59
—	—	—	—	—	—	—	—	—	—	—	60
2	2	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	61
44	52	6	12	0.1	0.0	0.1	0.0	0.1	0.0	0.1	62
—	—	—	—	—	—	—	—	—	—	—	63
2	1	—	—	0.0	0.0	0.0	0.0	0.0	—	—	64
6	12	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65
7	3	1	1	0.0	0.0	0.0	0.0	0.0	—	0.0	66
—	—	—	—	—	—	—	—	—	—	—	67
—	—	—	—	—	—	—	—	—	—	—	68
—	—	—	—	—	—	—	—	—	—	—	69
—	1	—	—	0.0	—	0.0	—	0.0	—	—	70
9	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71
20	24	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72
12	14	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
4	1	—	—	0.0	0.0	0.0	0.0	0.0	—	0.0	74
1	—	—	—	0.0	0.0	—	0.0	—	—	—	75
6	7	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76
—	—	—	—	—	—	—	—	—	—	—	77
—	—	—	—	—	—	—	—	—	—	—	78
1	6	—	—	0.0	0.0	0.0	0.0	0.0	—	—	79
—	4	—	1	0.0	—	0.0	—	0.0	—	0.0	80
—	—	—	—	—	—	—	—	—	—	—	81
1	1	—	—	0.0	—	0.0	—	0.0	—	—	82
—	3	—	1	0.0	—	0.0	—	0.0	—	0.0	83

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
PSYCHOSES—CON.				
01	OTHER PSYCHOSES—298	11	1	10
02	REACTIVE DEPRESSIVE PSYCHOSIS—298.0	2	—	2
03	REACTIVE EXCITATION—298.1	—	—	—
04	REACTIVE CONFUSION—298.2	8	1	7
05	ACUTE PARANOID REACTION—298.3	—	—	—
06	REACTIVE PSYCHOSIS, UNSPECIFIED—298.9	1	—	1
07	UNSPECIFIED PSYCHOSIS—299	108	52	56
08	NEUROSES, PERSONALITY DISORDERS, AND OTHER NONPSYCHOTIC MENTAL DISORDERS—300-309	7,058	5,023	2,035
09	NEUROSES—300	12	2	10
10	ANXIETY NEUROSIS—300.0	3	—	3
11	HYSTERICAL NEUROSIS—300.1	1	—	1
12	PHOBIC NEUROSIS—300.2	—	—	—
13	OBSSSSIVE-COMPULSIVE NEUROSIS—300.3	—	—	—
14	DEPRESSIVE NEUROSIS—300.4	8	2	6
15	NEURASTHENIA—300.5	—	—	—
16	DEPERSONALIZATION SYNDROME—300.6	—	—	—
17	HYPOCHONDRIACAL NEUROSIS—300.7	—	—	—
18	OTHER—300.8	—	—	—
19	UNSPECIFIED NEUROSES—300.9	—	—	—
20	PERSONALITY DISORDERS—301	—	—	—
21	PARANOID—301.0	—	—	—
22	AFFECTIVE—301.1	—	—	—
23	SCHIZOID—301.2	—	—	—
24	EXPLOSIVE—301.3	—	—	—
25	ANANKASTIC—301.4	—	—	—
26	HYSTERICAL—301.5	—	—	—
27	ASTHENIC—301.6	—	—	—
28	ANTISOCIAL—301.7	—	—	—
29	OTHER—301.8	—	—	—
30	UNSPECIFIED—301.9	—	—	—
31	SEXUAL DEVIATIONS—302	—	—	—
32	HOMOSEXUALITY—302.0	—	—	—
33	FETISHISM—302.1	—	—	—
34	PEDOPHILIA—302.2	—	—	—
35	TRANSVESTITISM—302.3	—	—	—
36	EXHIBITIONISM—302.4	—	—	—
37	VOYEURISM—302.5	—	—	—
38	SADISM—302.6	—	—	—
39	MASOCHISM—302.7	—	—	—
40	OTHER—302.8	—	—	—
41	UNSPECIFIED—302.9	—	—	—
42	ALCOHOLISM—303	4,650	3,611	1,039
43	EPISODIC EXCESSIVE DRINKING—303.0	—	—	—
44	HABITUAL EXCESSIVE DRINKING—303.1	—	—	—
45	ALCOHOLIC ADDICTION—303.2	2,567	2,017	550
46	OTHER AND UNSPECIFIED ALCOHOLISM—303.9	2,083	1,594	489
47	DRUG DEPENDENCE—304	1,019	792	227
48	OPIUM, OPIUM ALKALOIDS, AND THEIR DERIVATIVES—304.0	81	58	23
49	SYNTHETIC ANALGESICS WITH MORPHINELIKE EFFECTS—304.1	8	6	2
50	BARBITURATES—304.2	5	3	2
51	OTHER HYPNOTICS AND SEDATIVES OR TRANQUILIZERS—304.3	5	4	1
52	COCAINE—304.4	—	—	—
53	CANNABIS SATIVA—304.5	—	—	—
54	OTHER PSYCHOSTIMULANTS—304.6	1	1	—
55	HALLUCINOGENICS—304.7	—	—	—
56	OTHER—304.8	11	7	4
57	UNSPECIFIED—304.9	908	713	195
58	PHYSICAL DISORDERS OF PRESUMABLY PSYCHOGENIC ORIGIN—305	17	10	7
59	SKIN—305.0	—	—	—
60	MUSCULOSKELETAL—305.1	—	—	—
61	RESPIRATORY—305.2	—	—	—
62	CARDIOVASCULAR—305.3	11	7	4
63	HEMIC AND LYMPHATIC—305.4	—	—	—
64	GASTROINTESTINAL—305.5	4	2	2
65	GENITOURINARY—305.6	1	1	—
66	ENDOCRINE—305.7	—	—	—
67	ORGANS OF SPECIAL SENSE—305.8	—	—	—
68	OTHER—305.9	1	—	1
69	SPECIAL SYMPTOMS NOT ELSEWHERE CLASSIFIABLE—306	75	22	53
70	STAMMERING AND STUTTERING—306.0	—	—	—
71	SPECIFIC LEARNING DISTURBANCES—306.1	—	—	—
72	TICS—306.2	—	—	—
73	OTHER PSYCHOMOTOR DISORDERS—306.3	—	—	—
74	SPECIFIC DISORDERS OF SLEEP—306.4	—	—	—
75	FEEDING DISTURBANCES—306.5	72	21	51
76	ENURESIS—306.6	—	—	—
77	ENCOPRESIS—306.7	—	—	—
78	CEPHALALGIA—306.8	—	—	—
79	OTHER—306.9	3	1	2
80	TRANSIENT SITUATIONAL DISTURBANCES—307	1	—	—
81	BEHAVIOR DISORDERS OF CHILDHOOD—308	—	—	—
82	MENTAL DISORDERS NOT SPECIFIED AS PSYCHOTIC ASSOCIATED WITH PHYSICAL CONDITIONS—309	1,284	585	699
83	MENTAL RETARDATION—310-315	280	140	140
84	BORDERLINE MENTAL RETARDATION—310	—	—	—
85	FOLLOWING INFECTIONS AND INTOXICATIONS—310.1	—	—	—
86	WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION—310.8	—	—	—
87	OTHER AND UNSPECIFIED—310.9	—	—	—

1-115

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

[illegible]

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
MENTAL RETARDATION--CON.				
01 MILD MENTAL RETARDATION	311	1	-	1
02 FOLLOWING INFECTIONS AND INTOXICATIONS	311.0	-	-	-
03 WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	311.8	-	-	-
04 OTHER AND UNSPECIFIED	311.9	1	-	1
05 MODERATE MENTAL RETARDATION	312	-	-	-
06 FOLLOWING INFECTIONS AND INTOXICATIONS	312.0	-	-	-
07 WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	312.8	-	-	-
08 OTHER AND UNSPECIFIED	312.9	-	-	-
09 SEVERE MENTAL RETARDATION	313	63	32	31
10 FOLLOWING INFECTIONS AND INTOXICATIONS	313.0	-	-	-
11 WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	313.8	-	-	-
12 OTHER AND UNSPECIFIED	313.9	63	32	31
13 PROFOUND MENTAL RETARDATION	314	32	17	15
14 FOLLOWING INFECTIONS AND INTOXICATIONS	314.0	-	-	-
15 WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	314.8	-	-	-
16 OTHER AND UNSPECIFIED	314.9	32	17	15
17 UNSPECIFIED MENTAL RETARDATION	315	184	91	93
18 FOLLOWING INFECTIONS AND INTOXICATIONS	315.0	-	-	-
19 WITH PSYCHOSOCIAL (ENVIRONMENTAL) DEPRIVATION	315.8	-	-	-
20 OTHER AND UNSPECIFIED	315.9	184	91	93
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS				
21 INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM	320-324	2,249	1,225	1,024
22 MENINGITIS	320	1,523	842	681
23 H. INFLUENZAE	320.0	198	103	95
24 PNEUMOCOCCUS	320.1	301	158	143
25 DUE TO OTHER SPECIFIED ORGANISMS	320.8	154	83	71
26 WITH NO ORGANISM SPECIFIED AS CAUSE	320.9	870	498	372
27 PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES	321	45	18	27
28 INTRACRANIAL AND INTRASPINAL ABSCESSSES	322	305	186	119
29 ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	323	317	146	171
30 LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION	324	59	33	26
31 HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM	330-333	1,259	820	439
32 HEREDITARY NEUROMUSCULAR DISORDERS	330	743	552	191
33 NEUROPATHIC MUSCULAR ATROPHY	330.0	15	9	6
34 FAMILIAL PROGRESSIVE SPINAL MUSCULAR ATROPHY	330.1	105	59	46
35 MYOTONIA CONGENITA	330.2	26	16	10
36 PROGRESSIVE MUSCULAR DYSTROPHY	330.3	108	87	21
37 MYOTONIA ATROPHICA	330.4	484	377	107
38 OTHER	330.9	5	4	1
39 HEREDITARY DISEASES OF THE STRIATOPALLIDAL SYSTEM	331	282	139	143
40 HEREDITARY CHOREA	331.0	269	129	140
41 DYSTONIA MUSCULORUM DEFORMANS	331.1	9	7	2
42 PROGRESSIVE FAMILIAL MYOCLONIC EPILEPSY	331.2	1	-	1
43 OTHER	331.9	3	3	-
44 HEREDITARY ATAXIA	332	44	26	18
45 HEREDITARY SPINAL ATAXIA	332.0	33	19	14
46 HEREDITARY CEREBELLAR ATAXIA	332.1	8	6	2
47 OTHER AND UNSPECIFIED	332.9	3	1	2
48 OTHER HEREDITARY AND FAMILIAL DISEASES OF NERVOUS SYSTEM	333	190	103	87
49 ANAURIC FAMILIAL IDIOCY	333.0	41	24	17
50 PROGRESSIVE CEREBRAL LEUKODYSTROPHY	333.1	60	33	27
51 OTHER AND UNSPECIFIED	333.9	89	46	43
52 OTHER DISEASES OF CENTRAL NERVOUS SYSTEM	340-349	12,858	6,846	6,012
53 MULTIPLE SCLEROSIS	340	1,574	571	1,003
54 OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM	341	75	40	35
55 PARALYSIS AGITANS	342	3,283	1,763	1,520
56 CEREBRAL SPASTIC INFANTILE PARALYSIS	343	681	393	288
57 SPASTIC HEMIPLEGIA	343.0	5	3	2
58 OTHER SPASTIC PARALYSES	343.1	141	86	55
59 ATHETOID	343.2	2	1	1
60 OTHER AND UNSPECIFIED	343.9	533	303	230
61 OTHER CEREBRAL PARALYSES	344	854	480	374
62 MONOPLEGIA	344.0	-	-	-
63 HEMIPLEGIA	344.1	266	130	136
64 PARAPLEGIA	344.2	165	110	55
65 QUADRIPLEGIA	344.3	109	76	33
66 OTHER AND UNSPECIFIED	344.9	314	164	150
67 EPILEPSY	345	1,821	1,086	735
68 GENERALIZED NONCONVULSIVE	345.0	5	4	1
69 GENERALIZED CONVULSIVE	345.1	364	218	146
70 STATUS EPILEPTICUS	345.2	585	343	242
71 PARTIAL (FOCALIZED), TEMPORAL LOBE OR PSYCHOMOTOR TYPE	345.3	2	-	2
72 PARTIAL (FOCALIZED), MOTOR TYPE	345.4	-	-	-
73 PARTIAL (FOCALIZED), OTHER AND UNSPECIFIED TYPE	345.5	6	5	1
74 OTHER AND UNSPECIFIED	345.9	859	516	343
75 MIGRAINE	346	1	-	1
76 OTHER DISEASES OF BRAIN	347	2,440	1,335	1,105
77 CATAPLEXY AND NARCOLEPSY	347.0	-	-	-
78 CEREBRAL AND CORTICAL ATROPHY	347.1	369	204	165
79 OTHER AND UNSPECIFIED	347.9	2,071	1,131	940

SECTION 1 - GENERAL MORTALITY

1-117

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
-	-	-	1	0.0	-	0.0	-	-	-	0.0	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	1	0.0	-	0.0	-	-	-	0.0	03
-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	08
25	24	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	09
-	-	-	-	-	-	-	-	-	-	-	10
25	24	7	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	11
-	-	-	-	-	-	-	-	-	-	-	12
14	12	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
-	-	-	-	-	-	-	-	-	-	-	14
14	12	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
70	81	21	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	16
-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	18
70	81	21	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1	19
-	-	-	-	-	-	-	-	-	-	-	20
887	745	338	279	1.1	1.2	1.0	1.0	0.8	2.6	2.0	21
581	462	261	219	0.7	0.8	0.6	0.6	0.5	2.0	1.6	22
84	65	19	30	0.1	0.1	0.1	0.1	0.1	0.1	0.2	23
97	91	61	52	0.1	0.2	0.1	0.1	0.1	0.5	0.4	24
62	55	21	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1	25
338	251	160	121	0.4	0.5	0.3	0.4	0.3	1.2	0.9	26
12	22	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
148	99	38	20	0.1	0.2	0.1	0.2	0.1	0.3	0.1	28
119	139	27	32	0.2	0.1	0.2	0.1	0.1	0.2	0.2	29
27	23	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
766	412	54	27	0.6	0.8	0.4	0.9	0.4	0.4	0.2	31
511	172	41	19	0.4	0.5	0.2	0.6	0.2	0.3	0.1	32
8	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33
51	39	8	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	34
14	9	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35
81	21	6	-	0.1	0.1	0.0	0.1	0.0	0.0	0.0	36
354	97	23	10	0.2	0.4	0.1	0.4	0.1	0.2	0.1	37
3	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38
135	137	4	6	0.1	0.1	0.1	0.2	0.1	0.0	0.0	39
126	134	3	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	40
7	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	41
-	1	-	-	0.0	0.0	0.0	-	0.0	-	-	42
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	43
25	18	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	44
18	14	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	45
6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	46
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	47
95	85	8	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	48
20	17	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	49
33	26	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	50
42	42	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51
5,911	5,353	935	659	6.1	6.7	5.6	6.6	5.7	7.3	4.7	52
541	912	30	91	0.8	0.6	0.9	0.6	1.0	0.2	0.7	53
34	30	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54
1,692	1,480	71	40	1.6	1.7	1.4	1.9	1.6	0.6	0.3	55
329	237	64	51	0.3	0.4	0.3	0.4	0.3	0.5	0.4	56
2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	57
74	45	12	10	0.1	0.1	0.1	0.1	0.0	0.1	0.1	58
-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-	59
253	189	50	41	0.3	0.3	0.2	0.3	0.2	0.4	0.3	60
387	321	93	53	0.4	0.5	0.3	0.4	0.3	0.7	0.4	61
-	-	-	-	-	-	-	-	-	-	-	62
108	117	22	19	0.1	0.1	0.1	0.1	0.1	0.2	0.1	63
78	40	32	15	0.1	0.1	0.1	0.1	0.0	0.2	0.1	64
52	26	24	7	0.1	0.1	0.0	0.1	0.0	0.2	0.1	65
149	138	15	12	0.1	0.2	0.1	0.2	0.1	0.1	0.1	66
717	551	369	184	0.9	1.1	0.7	0.8	0.6	2.9	1.3	67
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	68
172	118	46	28	0.2	0.2	0.1	0.2	0.1	0.4	0.2	69
207	171	136	71	0.3	0.3	0.2	0.2	0.2	1.1	0.5	70
-	-	-	2	0.0	-	0.0	-	-	-	0.0	71
-	-	-	-	-	-	-	-	-	-	-	72
4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	73
330	260	186	83	0.4	0.5	0.3	0.4	0.3	1.5	0.6	74
-	1	-	-	0.0	-	0.0	-	0.0	-	-	75
1,125	941	210	164	1.2	1.3	1.0	1.3	1.0	1.6	1.2	76
-	-	-	-	-	-	-	-	-	-	-	77
184	154	20	11	0.2	0.2	0.2	0.2	0.2	0.2	0.1	78
941	787	190	153	1.0	1.1	0.9	1.1	0.8	1.5	1.1	79

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER DISEASES OF CENTRAL NERVOUS SYSTEM—CON.				
01	MOTOR NEURONE DISEASES—	1,935	1,065	870
02	AMYOTROPHIC LATERAL SCLEROSIS—	1,736	971	765
03	PROGRESSIVE BULBAR PALSY—	82	33	49
04	OTHER PROGRESSIVE MUSCULAR ATROPHY—	57	29	28
05	OTHER AND UNSPECIFIED MANIFESTATIONS—	40	32	28
06	OTHER DISEASES OF SPINAL CORD—	194	113	81
07	SYRINGOMYELIA AND SYRINGOBULBIA—	34	20	14
08	SPINAL PARALYSIS, MONOPLEGIC—	—	—	—
09	SPINAL PARALYSIS, HEMIPLEGIC—	—	—	—
10	SPINAL PARALYSIS, PARAPLEGIC—	1	1	—
11	SPINAL PARALYSIS, QUADRIPLEGIC—	1	1	—
12	SPINAL PARALYSIS, OTHER AND UNSPECIFIED—	9	6	3
13	COMPRESSION, OLD OR NOT SPECIFIED AS TRAUMATIC—	18	12	6
14	OTHER AND UNSPECIFIED—	131	73	58
15	DISEASES OF NERVES AND PERIPHERAL GANGLIA—	317	162	155
16	FACIAL PARALYSIS—	11	7	4
17	TRIGEMINAL NEURALGIA—	13	4	9
18	BRACHIAL NEURITIS—	—	—	—
19	SCIATICA—	1	—	1
20	POLYNEURITIS AND POLYRADICULITIS—	218	123	95
21	OTHER AND UNSPECIFIED FORMS OF NEURALGIA AND NEURITIS—	9	2	7
22	CRANIAL NOT ELSEWHERE CLASSIFIABLE—	—	—	—
23	SPINAL NOT ELSEWHERE CLASSIFIABLE—	1	—	1
24	OTHER AND UNSPECIFIED—	8	2	6
25	OTHER DISEASES OF CRANIAL NERVES—	6	1	5
26	OTHER DISEASES OF PERIPHERAL NERVES EXCEPT AUTONOMIC—	53	21	32
27	CERVICAL AND BRACHIAL PLEXUS—	1	—	1
28	AXILLARY NERVE—	—	—	—
29	MEDIAN NERVE—	—	—	—
30	ULNAR NERVE—	—	—	—
31	OTHER AND UNSPECIFIED—	52	21	31
32	DISEASES OF PERIPHERAL AUTONOMIC NERVOUS SYSTEM—	6	4	2
33	HORNER'S SYNDROME—	2	1	1
34	CAROTID SINUS SYNDROME—	3	3	—
35	OTHER AND UNSPECIFIED—	1	—	1
36	INFLAMMATORY DISEASES OF EYE—	9	5	4
37	CONJUNCTIVITIS AND OPHTHALMIA—	1	1	—
38	BLEPHARITIS—	—	—	—
39	HORDEOLUM—	—	—	—
40	KERATITIS—	1	—	1
41	WITH ULCERATION—	—	—	—
42	WITHOUT MENTION OF ULCER—	1	—	1
43	IRITIS—	—	—	—
44	CHOROIODITIS—	1	—	1
45	OTHER INFLAMMATION OF UVEAL TRACT—	1	1	—
46	INFLAMMATION OF OPTIC NERVE AND RETINA—	2	2	—
47	INFLAMMATION OF LACRIMAL GLANDS AND DUCTS—	—	—	—
48	OTHER INFLAMMATORY DISEASES OF EYE—	3	1	2
49	ABSCESS AND CELLULITIS OF ORBIT—	3	1	2
50	OTHER AND UNSPECIFIED—	—	—	—
51	OTHER DISEASES AND CONDITIONS OF EYE—	67	29	38
52	REFRACTIVE ERRORS—	—	—	—
53	MYOPIA—	—	—	—
54	HYPEROPIA—	—	—	—
55	PRESBYOPIA—	—	—	—
56	ASTIGMATISM—	—	—	—
57	OTHER AND UNSPECIFIED—	—	—	—
58	CORNEAL OPACITY—	—	—	—
59	POSTOPERATIVE—	—	—	—
60	OTHER AND UNSPECIFIED—	—	—	—
61	PTERYGIUM—	—	—	—
62	STRABISMUS—	6	1	5
63	ESOTROPIA—	2	—	2
64	EXOTROPIA—	1	—	1
65	HYPERTROPIA—	—	—	—
66	OTHER AND UNSPECIFIED—	3	1	2
67	CATARACT—	40	19	21
68	TRAUMATIC—	—	—	—
69	SECONDARY—	—	—	—
70	OTHER SPECIFIED TYPE, EXCLUDING SENILE—	—	—	—
71	SENILE AND UNSPECIFIED TYPE—	40	19	21
72	GLAUCOMA—	3	1	2
73	PRIMARY, ACUTE—	1	1	—
74	CHRONIC (PRIMARY)—	—	—	—
75	SECONDARY—	—	—	—
76	UNSPECIFIED—	2	—	2
77	DETACHMENT OF RETINA—	4	2	2
78	OTHER DISEASES OF RETINA AND OPTIC NERVE—	—	—	—
79	VASCULAR LESIONS OF RETINA—	—	—	—
80	DEGENERATION OF RETINA—	—	—	—
81	AMBLYOPIA—	—	—	—
82	COLOR BLINDNESS—	—	—	—
83	OTHER DISEASES OF RETINA—	—	—	—
84	PAPILLOEDEMA—	—	—	—
85	OTHER DISEASES OF OPTIC NERVE—	—	—	—
86	UNSPECIFIED—	—	—	—

1-119

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER DISEASES AND CONDITIONS OF EYE--CON.				
01 OTHER DISEASES OF EYE-----	378	7	4	3
02 CHALAZION-----	378.0	1	1	0
03 TRICHIASIS AND ENTROPION-----	378.1	1	1	0
04 OTHER DISEASES OF EYELID-----	378.2	1	1	0
05 DISEASES OF CONJUNCTIVA AND LACRIMAL TRACT NOT ELSEWHERE CLASSIFIABLE-----	378.3	1	1	0
06 DISEASES OF CORNEA NOT ELSEWHERE CLASSIFIABLE-----	378.4	1	1	0
07 PROLAPSE OF IRIS-----	378.5	1	1	0
08 OTHER DISEASES OF IRIS, CHOROID, AND UVEAL TRACT-----	378.6	2	2	0
09 APHAKIA, ACQUIRED-----	378.7	1	1	0
10 OTHER DISEASES OF LENS-----	378.8	1	1	0
11 DISEASES OF EYEBALL, OCULAR MUSCLE, AND ORBIT NOT ELSEWHERE CLASSIFIABLE-----	378.9	2	2	0
12 BLINDNESS-----	379	7	2	5
13 BLINDNESS, BOTH EYES, SPECIFICALLY DEFINED-----	379.0	1	1	0
14 BLINDNESS, BOTH EYES, NOT SPECIFICALLY DEFINED-----	379.1	7	2	5
15 BLINDNESS, ONE EYE, SPECIFICALLY DEFINED-----	379.2	1	1	0
16 BLINDNESS, ONE EYE, NOT SPECIFICALLY DEFINED-----	379.3	1	1	0
17 DISEASES OF EAR AND MASTOID PROCESS-----	380-389	130	60	70
18 OTITIS EXTERNA-----	380	2	1	1
19 OTITIS MEDIA WITHOUT MENTION OF MASTOIDITIS-----	381	101	46	55
20 ACUTE-----	381.0	5	1	4
21 CHRONIC-----	381.1	14	8	6
22 UNSPECIFIED-----	381.9	82	37	45
23 OTITIS MEDIA WITH MASTOIDITIS-----	382	7	3	4
24 ACUTE-----	382.0	2	1	1
25 CHRONIC-----	382.1	1	1	0
26 UNSPECIFIED-----	382.9	4	2	2
27 MASTOIDITIS WITHOUT MENTION OF OTITIS MEDIA-----	383	15	9	6
28 ACUTE-----	383.0	3	2	1
29 CHRONIC-----	383.1	6	6	0
30 UNSPECIFIED-----	383.9	6	1	5
31 OTHER INFLAMMATORY DISEASES OF EAR-----	384	2	1	1
32 LABYRINTHITIS-----	384.0	2	1	1
33 OTHER AND UNSPECIFIED-----	384.9	1	1	0
34 MENIERE'S DISEASE-----	385	1	1	0
35 OTOSCLEROSIS-----	386	1	1	0
36 OTHER DISEASES OF EAR AND MASTOID PROCESS-----	387	1	1	0
37 CHOLESTEATOMA OF EAR-----	387.0	1	1	0
38 WAX IN EAR-----	387.1	1	1	0
39 PERFORATION TYMPANIC MEMBRANE, NONTRAUMATIC-----	387.2	1	1	0
40 OTHER-----	387.9	1	1	0
41 DEAF MUTISM-----	388	1	1	0
42 OTHER DEAFNESS-----	389	2	1	1
43 DEAFNESS, BOTH EARS-----	389.0	1	1	0
44 DEAFNESS IN ONE EAR AND PARTIAL DEAFNESS IN OTHER-----	389.1	1	1	0
45 DEAFNESS, ONE EAR-----	389.2	1	1	0
46 IMPAIRMENT OF HEARING, ONE OR BOTH EARS-----	389.9	2	1	1
VII. DISEASES OF THE CIRCULATORY SYSTEM				
47 ACTIVE RHEUMATIC FEVER-----	390-392	183	96	87
48 RHEUMATIC FEVER WITHOUT MENTION OF HEART INVOLVEMENT-----	390	34	16	18
49 RHEUMATIC FEVER WITH HEART INVOLVEMENT-----	391	147	80	67
50 ACTIVE RHEUMATIC PERICARDITIS-----	391.0	107	60	47
51 ACTIVE RHEUMATIC ENDOCARDITIS-----	391.1	8	5	3
52 ACTIVE RHEUMATIC MYOCARDITIS-----	391.2	4	3	1
53 OTHER ACTIVE RHEUMATIC HEART DISEASE-----	391.9	28	15	13
54 CHOREA-----	392	2	1	1
55 WITH HEART INVOLVEMENT-----	392.0	1	1	0
56 WITHOUT MENTION OF HEART INVOLVEMENT-----	392.9	2	1	1
57 CHRONIC RHEUMATIC HEART DISEASE-----	393-398	13,556	6,076	7,480
58 DISEASES OF PERICARDIUM-----	393	74	42	32
59 DISEASES OF MITRAL VALVE-----	394	3,666	1,281	2,385
60 SPECIFIED AS RHEUMATIC-----	394.0	2,155	669	1,486
61 NOT SPECIFIED AS RHEUMATIC-----	394.9	1,511	612	899
62 DISEASES OF AORTIC VALVE-----	395	3,950	2,478	1,472
63 SPECIFIED AS RHEUMATIC-----	395.0	880	518	362
64 NOT SPECIFIED AS RHEUMATIC-----	395.9	3,070	1,960	1,110
65 DISEASES OF MITRAL AND AORTIC VALVES-----	396	1,211	561	650
66 SPECIFIED AS RHEUMATIC-----	396.0	809	350	459
67 NOT SPECIFIED AS RHEUMATIC-----	396.9	402	211	191
68 DISEASES OF OTHER ENDOCARDIAL STRUCTURES-----	397	599	232	367
69 OF TRICUSPID VALVE-----	397.0	43	25	18
70 OF OTHER AND UNSPECIFIED ENDOCARDIAL STRUCTURES, SPECIFIED AS RHEUMATIC-----	397.9	556	207	349
71 OTHER HEART DISEASE SPECIFIED AS RHEUMATIC-----	398	4,056	1,482	2,574
72 HYPERTENSIVE DISEASE-----	400-404	20,211	9,204	11,007
73 MALIGNANT HYPERTENSION-----	400	1,038	567	471
74 WITHOUT MENTION OF ORGAN DAMAGE-----	400.0	74	39	35
75 WITH HEART INVOLVEMENT-----	400.1	70	35	35
76 WITH CEREBROVASCULAR INVOLVEMENT-----	400.2	434	223	211
77 WITH RENAL INVOLVEMENT-----	400.3	182	107	75
78 WITH MULTIPLE ORGAN INVOLVEMENT-----	400.9	278	163	115

SECTION 1 - GENERAL MORTALITY

1-121

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
3	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
2	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
-	-	-	-	-	-	-	-	-	-	-	
2	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
53	53	7	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
40	42	6	13	0.0	0.0	0.1	0.0	0.0	0.0	0.1	
1	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
7	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
32	35	5	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
2	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
9	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
6	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
88	72	8	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
15	16	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
73	54	7	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
56	41	4	6	0.1	0.1	0.0	0.1	0.0	0.0	0.0	
4	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	1	-	3	0.0	-	0.0	-	0.0	-	0.0	
13	11	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	
5,456	6,906	620	574	6.5	5.9	7.0	6.1	7.4	4.8	4.1	
31	28	11	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
1,162	2,229	119	156	1.7	1.3	2.2	1.3	2.4	0.9	1.1	
615	1,403	54	83	1.0	0.7	1.4	0.7	1.5	0.4	0.6	
547	826	65	73	0.7	0.6	0.8	0.6	0.9	0.5	0.5	
2,225	1,331	253	141	1.9	2.4	1.4	2.5	1.4	2.0	1.0	
480	332	38	30	0.4	0.5	0.3	0.5	0.4	0.3	0.2	
1,745	999	215	111	1.5	1.9	1.0	2.0	1.1	1.7	0.8	
500	606	61	44	0.6	0.5	0.6	0.6	0.5	0.5	0.3	
320	430	30	29	0.4	0.5	0.4	0.4	0.5	0.2	0.2	
180	176	31	15	0.2	0.2	0.2	0.2	0.2	0.2	0.1	
210	343	22	24	0.3	0.2	0.3	0.2	0.4	0.2	0.2	
17	13	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
193	330	14	19	0.3	0.2	0.3	0.2	0.4	0.1	0.1	
1,328	2,369	154	205	1.9	1.4	2.4	1.5	2.5	1.2	1.5	
7,255	8,903	1,949	2,104	9.6	9.0	10.2	8.1	9.5	15.2	15.0	
337	274	230	197	0.5	0.6	0.4	0.4	0.3	1.8	1.4	
20	17	19	18	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
22	26	13	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
146	127	77	84	0.2	0.2	0.2	0.2	0.1	0.6	0.6	
48	34	59	41	0.1	0.1	0.1	0.1	0.0	0.5	0.3	
101	70	62	45	0.1	0.2	0.1	0.1	0.1	0.5	0.3	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
HYPERTENSIVE DISEASE--CON.				
01	ESSENTIAL BENIGN HYPERTENSION-----401	1,143	457	686
02	HYPERTENSIVE HEART DISEASE-----402	7,268	2,920	4,348
03	HYPERTENSIVE RENAL DISEASE-----403	5,247	2,702	2,545
04	HYPERTENSIVE HEART AND RENAL DISEASE-----404	5,515	2,558	2,957
05	ISCHEMIC HEART DISEASE-----410-413	684,066	386,978	297,088
06	ACUTE MYOCARDIAL INFARCTION-----410	351,662	220,543	131,119
07	WITH HYPERTENSIVE DISEASE-----410.0	31,360	15,934	15,426
08	WITHOUT MENTION OF HYPERTENSIVE DISEASE-----410.9	320,302	204,609	115,693
09	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-----411	4,503	2,882	1,621
10	WITH HYPERTENSIVE DISEASE-----411.0	272	140	132
11	WITHOUT MENTION OF HYPERTENSIVE DISEASE-----411.9	4,231	2,742	1,489
12	CHRONIC ISCHEMIC HEART DISEASE-----412	327,722	163,444	164,278
13	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITH HYPERTENSIVE DISEASE-----412.1	20,859	8,921	11,938
14	CARDIOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITH HYPERTENSIVE DISEASE-----412.2	22,932	9,764	13,168
15	CHRONIC ISCHEMIC HEART DISEASE WITH OR WITHOUT CARDIOVASCULAR DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE-----412.3	229,783	118,081	111,702
16	CARDIOVASCULAR DISEASE WITHOUT MENTION OF CHRONIC ISCHEMIC HEART DISEASE WITHOUT MENTION OF HYPERTENSIVE DISEASE-----412.4	54,148	26,678	27,470
17	ANGINA PECTORIS-----413	179	109	70
18	WITH HYPERTENSIVE DISEASE-----413.0	23	8	15
19	WITHOUT MENTION OF HYPERTENSIVE DISEASE-----413.9	156	101	55
20	OTHER FORMS OF HEART DISEASE-----420-429	46,487	25,827	20,660
21	ACUTE PERICARDITIS, NONRHEUMATIC-----420	57	30	27
22	ACUTE AND SUBACUTE ENDOCARDITIS-----421	622	401	221
23	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS-----421.0	608	391	217
24	OTHER ACUTE ENDOCARDITIS-----421.9	14	10	4
25	ACUTE MYOCARDITIS-----422	413	214	199
26	CHRONIC DISEASE OF PERICARDIUM, NONRHEUMATIC-----423	503	286	217
27	CHRONIC DISEASE OF ENDOCARDIUM-----424	1,107	515	592
28	OF MITRAL VALVE, NONRHEUMATIC-----424.1	61	13	48
29	OF AORTIC VALVE, NONRHEUMATIC-----424.1	185	175	80
30	OF OTHER ENDOCARDIAL STRUCTURES-----424.9	861	397	464
31	CARDIOMYOPATHY-----425	2,378	1,622	756
32	PULMONARY HEART DISEASE-----426	1,322	709	613
33	SYMPTOMATIC HEART DISEASE-----427	27,057	14,137	12,920
34	CONGESTIVE HEART FAILURE-----427.0	14,499	7,050	7,449
35	LEFT VENTRICULAR FAILURE-----427.1	318	166	152
36	CARDIAC ARREST NOT OTHERWISE SPECIFIED-----427.2	8,627	5,016	3,611
37	OTHER HEART BLOCK-----427.3	614	320	294
38	ATRIAL FIBRILLATION OR FLUTTER-----427.4	1,180	510	670
39	PAROXYSMAL TACHYCARDIA (ATRIAL)-----427.5	47	28	19
40	VENTRICULAR FIBRILLATION OR FLUTTER-----427.6	607	344	263
41	OTHER AND UNSPECIFIED DISORDERS OF HEART RHYTHM-----427.9	1,165	703	462
42	OTHER MYOCARDIAL INSUFFICIENCY-----428	4,030	1,947	2,083
43	ILL-DEFINED HEART DISEASE-----429	8,998	5,966	3,032
44	CARDIAC ENLARGEMENT AND HYPERTROPHY-----429.0	340	237	103
45	OTHER AND UNSPECIFIED HEART DISEASE-----429.9	8,658	5,729	2,929
46	CEREBROVASCULAR DISEASES-----430-438	214,313	93,838	120,475
47	SUBARACHNOID HEMORRHAGE-----430	9,191	3,802	5,389
48	WITH HYPERTENSION (BENIGN)-----430.0	1,536	620	916
49	WITHOUT MENTION OF HYPERTENSION-----430.9	7,655	3,182	4,473
50	CEREBRAL HEMORRHAGE-----431	33,909	15,561	18,348
51	WITH HYPERTENSION (BENIGN)-----431.0	9,557	4,261	5,296
52	WITHOUT MENTION OF HYPERTENSION-----431.9	24,352	11,300	13,052
53	OCCCLUSION OF PRECEREBRAL ARTERIES-----432	3,177	1,798	1,379
54	WITH HYPERTENSION (BENIGN)-----432.0	264	140	124
55	WITHOUT MENTION OF HYPERTENSION-----432.9	2,913	1,658	1,255
56	CEREBRAL THROMBOSIS-----433	56,648	24,374	32,274
57	WITH HYPERTENSION (BENIGN)-----433.0	4,019	1,558	2,461
58	WITHOUT MENTION OF HYPERTENSION-----433.9	52,629	22,816	29,813
59	CEREBRAL EMBOLISM-----434	967	429	538
60	WITH HYPERTENSION (BENIGN)-----434.0	62	28	34
61	WITHOUT MENTION OF HYPERTENSION-----434.9	905	401	504
62	TRANSIENT CEREBRAL ISCHEMIA-----435	61	27	34
63	WITH HYPERTENSION (BENIGN)-----435.0	3	1	2
64	WITHOUT MENTION OF HYPERTENSION-----435.9	58	26	32
65	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE-----436	67,730	30,147	37,583
66	WITH HYPERTENSION (BENIGN)-----436.0	8,988	3,714	5,274
67	WITHOUT MENTION OF HYPERTENSION-----436.9	58,742	26,433	32,309
68	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE-----437	39,261	16,141	23,120
69	WITH HYPERTENSION (BENIGN)-----437.0	1,859	729	1,130
70	WITHOUT MENTION OF HYPERTENSION-----437.9	37,402	15,412	21,990
71	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASES-----438	3,369	1,559	1,810
72	WITH HYPERTENSION (BENIGN)-----438.0	387	163	224
73	WITHOUT MENTION OF HYPERTENSION-----438.9	2,982	1,396	1,586
74	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES-----440-448	58,676	29,376	29,300
75	ARTERIOSCLEROSIS-----440	32,617	13,402	19,215
76	OF AORTA-----440.0	75	52	23
77	OF RENAL ARTERY-----440.1	19	10	9
78	OF ARTERIES OF THE EXTREMITIES-----440.2	114	61	53
79	OF OTHER SPECIFIED ARTERIES-----440.3	31	15	16
80	GENERALIZED AND UNSPECIFIED-----440.9	32,378	13,264	19,114

SECTION 1 - GENERAL MORTALITY

1-123

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
366	533	91	153	0.5	0.4	0.6	0.4	0.6	0.7	1.1	01
2,188	3,472	732	876	3.5	2.9	4.0	2.4	3.7	5.7	6.3	02
2,238	2,090	464	455	2.5	2.6	2.4	2.5	2.2	3.6	3.3	03
2,126	2,534	432	423	2.6	2.5	2.7	2.4	2.7	3.4	3.0	04
354,222	268,995	32,756	28,093	326.0	378.5	276.0	396.1	287.3	255.8	200.7	05
205,614	119,903	14,929	11,216	167.6	215.7	121.8	229.9	128.1	116.6	80.1	06
14,072	13,355	1,862	2,071	14.9	15.6	14.3	15.7	14.3	14.5	14.8	07
191,542	106,548	13,047	9,145	152.6	200.1	107.5	214.2	113.8	102.0	65.3	08
2,494	1,406	388	215	2.1	2.8	1.5	2.8	1.5	3.0	1.5	09
115	109	25	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2	10
2,379	1,297	363	192	2.0	2.7	1.4	2.7	1.4	2.8	1.4	11
146,009	147,625	17,435	16,653	156.2	159.9	152.6	163.3	157.7	136.2	119.0	12
7,698	10,414	1,223	1,524	9.9	8.7	11.1	8.6	11.1	9.6	10.9	13
6,884	9,707	2,880	3,461	10.9	9.6	12.2	7.7	10.4	22.5	24.7	14
108,591	103,415	9,490	8,287	109.5	115.5	103.8	121.4	110.5	74.1	59.2	15
22,836	24,089	3,842	3,381	25.8	26.1	25.5	25.5	25.7	30.0	24.2	16
105	61	4	9	0.1	0.1	0.1	0.1	0.1	0.0	0.1	17
7	12	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
98	49	3	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	19
21,209	17,091	4,618	3,569	22.2	25.3	19.2	23.7	18.3	36.1	25.5	20
26	21	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
309	172	92	49	0.3	0.4	0.2	0.3	0.2	0.7	0.4	22
301	169	90	48	0.3	0.4	0.2	0.3	0.2	0.7	0.3	23
8	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
172	162	42	37	0.2	0.2	0.2	0.2	0.2	0.3	0.3	25
238	182	48	35	0.2	0.3	0.2	0.3	0.2	0.4	0.3	26
456	520	59	72	0.5	0.5	0.6	0.5	0.6	0.5	0.5	27
13	45	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	28
97	77	8	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	29
346	398	51	66	0.4	0.4	0.4	0.4	0.4	0.4	0.5	30
1,214	585	408	171	1.1	1.6	0.7	1.4	0.6	3.2	1.2	31
637	536	72	77	0.6	0.7	0.6	0.7	0.6	0.6	0.6	32
11,901	10,922	2,236	1,998	12.9	13.8	12.0	13.3	11.7	17.5	14.3	33
6,034	6,444	1,016	1,005	6.9	6.9	6.9	6.7	6.9	7.9	7.2	34
148	133	18	19	0.2	0.2	0.1	0.2	0.1	0.1	0.1	35
4,002	2,801	1,014	810	4.1	4.9	3.4	4.5	3.0	7.9	5.8	36
292	262	28	32	0.3	0.3	0.3	0.3	0.3	0.2	0.2	37
464	625	46	45	0.6	0.6	0.6	0.5	0.7	0.4	0.3	38
24	19	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	39
308	233	36	30	0.3	0.3	0.2	0.3	0.2	0.3	0.2	40
629	405	74	57	0.6	0.7	0.4	0.7	0.4	0.6	0.4	41
1,652	1,827	295	256	1.9	1.9	1.9	1.8	2.0	2.3	1.8	42
4,604	2,164	1,362	868	4.3	5.8	2.8	5.1	2.3	10.6	6.2	43
166	76	71	27	0.2	0.2	0.1	0.2	0.1	0.6	0.2	44
4,438	2,088	1,291	841	4.1	5.6	2.7	5.0	2.2	10.1	6.0	45
81,530	106,494	12,308	13,981	102.1	91.8	111.9	91.2	113.7	96.1	99.9	46
3,151	4,484	651	905	4.4	3.7	5.0	3.5	4.8	5.1	6.5	47
450	669	170	247	0.7	0.6	0.9	0.5	0.7	1.3	1.8	48
2,701	3,815	481	658	3.6	3.1	4.2	3.0	4.1	3.8	4.7	49
13,104	15,735	2,457	2,613	16.2	15.2	17.0	14.7	16.8	19.2	18.7	50
3,291	4,157	970	1,139	4.6	4.2	4.9	3.7	4.4	7.6	8.1	51
9,813	11,578	1,487	1,474	11.6	11.1	12.1	11.0	12.4	11.6	10.5	52
1,634	1,248	164	131	1.5	1.8	1.3	1.8	1.3	1.3	0.9	53
116	104	24	20	0.1	0.1	0.1	0.1	0.1	0.2	0.1	54
1,518	1,144	140	111	1.4	1.6	1.2	1.7	1.2	1.1	0.8	55
21,624	29,191	2,750	3,083	27.0	23.8	30.0	24.2	31.2	21.5	22.0	56
1,241	2,074	317	387	1.9	1.5	2.3	1.4	2.2	2.5	2.8	57
20,383	27,117	2,433	2,696	25.1	22.3	27.7	22.8	29.0	19.0	19.3	58
385	500	44	38	0.5	0.4	0.5	0.4	0.5	0.3	0.3	59
26	30	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60
359	470	42	34	0.4	0.4	0.5	0.4	0.5	0.3	0.2	61
23	27	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	62
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	63
22	25	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	64
25,537	32,196	4,610	5,387	32.3	29.5	34.9	28.6	34.4	36.0	38.5	65
2,734	4,056	980	1,218	4.3	3.6	4.9	3.1	4.3	7.7	8.7	66
22,803	28,140	3,630	4,169	28.0	25.9	30.0	25.5	30.1	28.3	29.8	67
14,788	21,560	1,353	1,560	18.7	15.8	21.5	16.5	23.0	10.6	11.1	68
629	983	100	147	0.9	0.7	1.0	0.7	1.0	0.8	1.1	69
14,159	20,577	1,253	1,413	17.8	15.1	20.4	15.8	22.0	9.8	10.1	70
1,284	1,553	275	257	1.6	1.5	1.7	1.4	1.7	2.1	1.8	71
125	176	38	48	0.2	0.2	0.2	0.1	0.2	0.3	0.3	72
1,159	1,377	237	209	1.4	1.4	1.5	1.3	1.5	1.9	1.5	73
27,158	27,006	2,218	2,294	28.0	28.7	27.2	30.4	28.8	17.3	16.4	74
12,315	17,927	1,087	1,288	15.5	13.1	17.9	13.8	19.1	8.5	9.2	75
46	21	6	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	76
10	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-	77
56	49	5	4	0.1	0.1	0.0	0.1	0.1	0.0	0.0	78
15	13	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	79
12,188	17,835	1,076	1,279	15.4	13.0	17.8	13.6	19.0	8.4	9.1	80

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES—CON.				
01 AORTIC ANEURYSM (NONSYPHILITIC)-----	441	14,210	10,189	4,021
02 DISSECTING ANEURYSM OF AORTA (ANY PART)-----	441.0	2,924	1,910	1,014
33 ANEURYSM OF THORACIC AORTA-----	441.1	1,154	700	454
34 ANEURYSM OF ABDOMINAL AORTA-----	441.2	6,653	5,107	1,546
05 UNSPECIFIED AORTIC ANEURYSM-----	441.9	3,479	2,472	1,007
06 OTHER ANEURYSMS-----	442	1,286	697	589
07 OTHER PERIPHERAL VASCULAR DISEASE-----	443	652	357	295
08 RAYNAUD'S SYNDROME-----	443.0	19	8	11
09 THROMBOANGIITIS OBLITERANS (BUERGER'S DISEASE)-----	443.1	36	30	6
10 CHILBLAINS-----	443.2	3	2	1
11 OTHER-----	443.8	-	-	-
12 UNSPECIFIED-----	443.9	594	317	277
13 ARTERIAL EMBOLISM AND THROMBOSIS-----	444	5,773	2,627	3,146
14 OF ABDOMINAL AORTA-----	444.0	219	125	94
15 OF OTHER AORTAS-----	444.1	232	132	100
16 OF MESENTERIC ARTERY-----	444.2	3,830	1,656	2,174
17 OF PELVIC ARTERY-----	444.3	79	46	33
18 OF ARTERIES OF THE EXTREMITIES-----	444.4	698	324	374
19 OF OTHER AND UNSPECIFIED ARTERIES-----	444.9	715	344	371
20 GANGRENE-----	445	2,867	1,422	1,445
21 ARTERIOSCLEROTIC GANGRENE-----	445.0	2,112	1,048	1,064
22 GANGRENE NOT ELSEWHERE CLASSIFIABLE-----	445.9	755	374	381
23 POLYARTERITIS NODOSA AND ALLIED CONDITIONS-----	446	626	300	326
24 POLYARTERITIS NODOSA-----	446.0	207	98	109
25 HEMORRHAGIC PULMONARY RENAL SYNDROME-----	446.1	53	27	26
26 OTHER HYPERSENSITIVITY ANGIITIS-----	446.2	53	19	34
27 WEGENER'S GRANULOMATOSIS-----	446.3	89	50	39
28 CRANIAL ARTERITIS-----	446.4	25	7	18
29 THROMBOTIC MICROANGIOPATHY-----	446.5	84	23	61
30 PULSELESS DISEASE-----	446.6	5	1	4
31 OTHER-----	446.9	110	75	35
32 OTHER DISEASES OF ARTERIES AND ARTERIOLES-----	447	603	357	246
33 DISEASES OF CAPILLARIES-----	448	42	25	17
DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM-----				
34-----	450-458	17,704	8,754	8,950
35 PULMONARY EMBOLISM AND INFARCTION-----	450	11,664	5,827	5,837
36 PHLEBITIS AND THROMBOPHLEBITIS-----	451	2,483	1,120	1,363
37 OF LOWER EXTREMITIES-----	451.0	1,308	614	694
38 OF OTHER AND UNSPECIFIED SITES-----	451.9	1,175	506	669
39 PORTAL VEIN THROMBOSIS-----	452	42	19	23
40 OTHER VENOUS EMBOLISM AND THROMBOSIS-----	453	1,611	746	865
41 VARICOSE VEINS OF LOWER EXTREMITIES-----	454	277	111	166
42 WITH ULCER-----	454.0	56	16	40
43 WITH STASIS DERMATITIS WITHOUT ULCER-----	454.1	5	3	2
44 OTHER AND UNSPECIFIED WITHOUT ULCER-----	454.9	216	92	124
45 HEMORRHOIDS-----	455	25	15	10
46 VARICOSE VEINS OF OTHER SITES-----	456	500	332	168
47 OF ESOPHAGUS-----	456.0	438	298	140
48 OF SCROTUM-----	456.1	1	1	-
49 OF OTHER SITES-----	456.9	61	33	28
50 NONINFECTIVE DISEASE OF LYMPHATIC CHANNELS-----	457	23	14	9
51 OTHER DISEASES OF CIRCULATORY SYSTEM-----	458	1,079	570	509
52 HYPOTENSION-----	458.0	148	86	62
53 OBSTRUCTION OF INFERIOR AND SUPERIOR VENA CAVA-----	458.1	18	11	7
54 OTHER AND UNSPECIFIED CIRCULATORY DISEASES-----	458.9	913	473	440
VIII. DISEASES OF THE RESPIRATORY SYSTEM				
55 ACUTE RESPIRATORY INFECTIONS, EXCEPT INFLUENZA-----	460-466	1,358	734	624
56 ACUTE NASOPHARYNGITIS (COMMON COLD)-----	460	20	15	5
57 ACUTE SINUSITIS-----	461	3	2	1
58 ACUTE MAXILLARY SINUSITIS-----	461.0	1	-	1
59 ACUTE FRONTAL SINUSITIS-----	461.1	1	1	-
60 OTHER AND UNSPECIFIED ACUTE SINUSITIS-----	461.9	1	1	-
61 ACUTE PHARYNGITIS-----	462	41	16	25
62 ACUTE TONSILLITIS-----	463	35	20	15
63 ACUTE LARYNGITIS AND TRACHEITIS-----	464	130	84	46
64 ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITES-----	465	224	104	120
65 ACUTE BRONCHITIS AND BRONCHIOLITIS-----	466	905	493	412
66 INFLUENZA-----	470-474	5,131	2,408	2,723
67 INFLUENZA, UNQUALIFIED-----	470	1,988	911	1,077
68 INFLUENZA WITH PNEUMONIA-----	471	2,931	1,390	1,541
69 INFLUENZA WITH OTHER RESPIRATORY MANIFESTATIONS-----	472	157	79	78
70 INFLUENZA WITH DIGESTIVE MANIFESTATIONS-----	473	40	16	24
71 INFLUENZA WITH NERVOUS MANIFESTATIONS-----	474	15	12	3
72 PNEUMONIA-----	480-486	57,428	31,816	25,612
73 VIRAL PNEUMONIA-----	480	1,604	799	805
74 PNEUMOCOCCAL PNEUMONIA-----	481	4,978	2,964	2,014
75 OTHER BACTERIAL PNEUMONIA-----	482	1,619	1,047	572
76 FRIEDLANDER'S BACILLUS-----	482.1	356	245	111
77 HEMOPHILUS INFLUENZAE-----	482.2	16	9	7
78 STREPTOCOCCUS-----	482.3	38	24	14
79 STAPHYLOCOCCUS-----	482.4	425	252	173
80 OTHER-----	482.9	784	517	267

SECTION 1 - GENERAL MORTALITY

1-125

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
9,633	3,635	556	386	6.8	10.0	3.7	10.8	3.9	4.3	2.8	01
1,692	888	218	126	1.4	1.9	0.9	1.9	0.9	1.7	0.9	02
622	391	78	63	0.5	0.7	0.4	0.7	0.4	0.6	0.5	03
4,965	1,439	144	107	3.2	5.0	1.4	5.5	1.5	1.1	0.8	04
2,356	917	116	90	1.7	2.4	0.9	2.6	1.0	0.9	0.6	05
623	488	74	101	0.6	0.7	0.5	0.7	0.5	0.6	0.7	06
311	256	46	39	0.3	0.3	0.3	0.3	0.3	0.4	0.3	07
8	9	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	08
30	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	09
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	10
-	-	-	-	-	-	-	-	-	-	-	11
271	241	46	36	0.3	0.3	0.3	0.3	0.3	0.4	0.3	12
2,428	2,941	199	205	2.8	2.6	2.9	2.7	3.1	1.6	1.5	13
117	89	8	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0	14
125	96	4	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	15
1,540	2,040	116	134	1.8	1.6	2.0	1.7	2.2	0.9	1.0	16
40	30	6	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
292	351	32	23	0.3	0.3	0.3	0.3	0.4	0.2	0.2	18
314	335	30	36	0.3	0.3	0.3	0.4	0.4	0.2	0.3	19
1,227	1,244	195	201	1.4	1.4	1.3	1.4	1.3	1.5	1.4	20
930	933	118	131	1.0	1.0	1.0	1.0	1.0	0.9	0.9	21
297	311	77	70	0.4	0.4	0.4	0.3	0.3	0.6	0.5	22
272	288	28	38	0.3	0.3	0.3	0.3	0.3	0.2	0.3	23
89	100	9	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	24
21	24	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
16	28	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
45	35	3	4	0.0	0.0	0.0	0.1	0.2	0.0	0.0	27
7	18	-	-	0.0	0.0	0.0	0.0	0.0	-	-	28
20	47	3	14	0.0	0.0	0.1	0.0	0.1	0.0	0.1	29
1	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	30
73	32	2	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	31
326	212	31	34	0.3	0.3	0.2	0.4	0.2	0.2	0.2	32
23	15	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33
7,413	7,599	1,341	1,351	8.4	8.6	8.3	8.3	8.1	10.5	9.7	34
4,890	4,911	937	926	5.6	5.7	5.4	5.5	5.2	7.3	6.6	35
987	1,205	133	158	1.2	1.1	1.3	1.1	1.3	1.0	1.1	36
543	628	71	66	0.6	0.6	0.6	0.6	0.7	0.6	0.5	37
444	577	62	92	0.6	0.5	0.6	0.5	0.6	0.5	0.7	38
17	23	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	39
636	743	110	122	0.8	0.7	0.8	0.7	0.8	0.9	0.9	40
88	144	23	22	0.1	0.1	0.2	0.1	0.2	0.2	0.2	41
14	32	2	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	42
2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	43
72	110	20	14	0.1	0.1	0.1	0.1	0.1	0.2	0.1	44
15	7	-	3	0.0	0.0	0.0	0.0	0.0	-	-	45
288	148	44	20	0.2	0.3	0.2	0.3	0.2	0.3	0.1	46
257	124	41	16	0.2	0.3	0.1	0.3	0.1	0.3	0.1	47
1	-	-	-	0.0	0.0	-	0.0	-	-	-	48
30	24	3	4	0.0	0.0	0.0	0.0	0.0	0.0	-	49
11	9	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	50
481	409	89	100	0.5	0.6	0.5	0.5	0.4	0.7	0.7	51
68	48	18	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	52
7	5	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
406	356	67	84	0.4	0.5	0.4	0.5	0.4	0.5	0.6	54
611	520	123	104	0.6	0.7	0.6	0.7	0.6	1.0	0.7	55
12	2	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56
1	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0	57
-	-	-	1	0.0	-	0.0	-	-	-	-	58
1	-	1	-	0.0	0.0	-	-	-	0.0	-	59
14	20	2	5	0.0	0.0	0.0	0.0	0.0	-	-	60
13	9	7	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
67	35	17	11	0.1	0.1	0.0	0.1	0.0	0.1	0.1	62
82	99	22	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2	63
422	355	71	57	0.4	0.5	0.4	0.5	0.4	0.6	0.4	64
2,205	2,508	203	215	2.4	2.4	2.5	2.5	2.7	1.6	1.5	65
836	997	75	80	0.9	0.9	1.0	0.9	1.1	0.6	0.6	66
1,274	1,416	116	125	1.4	1.4	1.4	1.4	1.5	0.9	0.9	67
71	72	8	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0	68
13	21	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69
11	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70
26,936	22,456	4,880	3,156	27.4	31.1	23.8	30.1	24.0	38.1	22.5	71
676	693	123	112	0.8	0.8	0.7	0.8	0.7	1.0	0.8	72
2,384	1,679	580	335	2.4	2.9	1.9	2.7	1.8	4.5	2.4	73
859	508	188	64	0.8	1.0	0.5	1.0	0.5	1.5	0.5	74
191	92	54	19	0.2	0.2	0.1	0.2	0.1	0.4	0.1	75
8	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76
21	12	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	77
210	151	42	22	0.2	0.2	0.2	0.2	0.2	0.3	0.2	78
429	247	88	20	0.4	0.5	0.2	0.5	0.3	0.7	0.1	79

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
PNEUMONIA--CON.				
01	PNEUMONIA DUE TO OTHER SPECIFIED ORGANISMS-----483	184	119	65
02	ACUTE INTERSTITIAL PNEUMONIA-----484	832	467	365
03	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED-----485	22,946	12,641	10,305
04	PNEUMONIA, UNSPECIFIED-----486	25,265	13,779	11,486
BRONCHITIS, EMPHYSEMA, AND ASTHMA-----490-493		29,708	22,740	6,968
06	BRONCHITIS, UNQUALIFIED-----490	768	399	369
07	CHRONIC BRONCHITIS-----491	4,779	3,512	1,267
08	EMPHYSEMA-----492	22,249	18,010	4,239
09	ASTHMA-----493	1,912	819	1,093
OTHER DISEASES OF UPPER RESPIRATORY TRACT-----500-508		492	285	207
11	HYPERTROPHY OF TONSILS AND ADENOIDOS-----500	38	18	20
12	PERITONSILLAR ABSCESS-----501	16	7	9
13	CHRONIC PHARYNGITIS AND NASOPHARYNGITIS-----502	-	-	-
14	CHRONIC PHARYNGITIS-----502.0	-	-	-
15	CHRONIC NASOPHARYNGITIS-----502.1	-	-	-
16	CHRONIC SINUSITIS-----503	53	36	17
17	MAXILLARY SINUSITIS (CHRONIC)-----503.0	2	1	1
18	FRONTAL SINUSITIS (CHRONIC)-----503.1	7	6	1
19	OTHER AND UNSPECIFIED SINUSITIS (CHRONIC)-----503.9	44	29	15
20	DEFLECTED NASAL SEPTUM-----504	2	1	1
21	NASAL POLYP-----505	2	2	-
22	CHRONIC LARYNGITIS-----506	7	3	4
23	HAY FEVER-----507	2	1	1
24	OTHER DISEASES OF UPPER RESPIRATORY TRACT-----508	372	217	155
25	PARALYSIS OF VOCAL CORDS OR LARYNX-----508.0	20	13	7
26	POLYP OF VOCAL CORDS OR LARYNX-----508.1	2	1	1
27	EDEMA OF LARYNX-----508.2	71	38	33
28	OTHER DISEASES OF VOCAL CORDS OR LARYNX NOT ELSEWHERE CLASSIFIABLE-----508.3	181	109	72
29	RETROPHARYNGEAL ABSCESS-----508.4	5	5	-
30	OTHER AND UNSPECIFIED DISEASES OF UPPER RESPIRATORY TRACT-----508.9	93	51	42
OTHER DISEASES OF RESPIRATORY SYSTEM-----510-519		23,420	16,735	6,685
32	EMPHYEMA-----510	317	221	96
33	PLEURISY-----511	340	165	175
34	WITHOUT MENTION OF EFFUSION OR TUBERCULOSIS-----511.0	84	45	39
35	WITH EFFUSION WITH MENTION OF A BACTERIAL CAUSE OTHER THAN TUBERCULOSIS-----511.1	-	-	-
36	OTHER SPECIFIED FORMS OF EFFUSION, EXCEPT TUBERCULOSIS-----511.2	256	120	136
37	SPONTANEOUS PNEUMOTHORAX-----512	263	166	97
38	ABSCESS OF LUNG-----513	807	561	246
39	PULMONARY CONGESTION AND HYPOSTASIS-----514	1,135	551	584
40	PNEUMOCONIOSIS DUE TO SILICA AND SILICATES-----515	1,745	1,705	40
41	SILICOSIS-----515.0	278	274	4
42	ANTHRACOSILICOSIS-----515.1	1,038	1,032	6
43	ASBESTOSIS-----515.2	42	42	-
44	OTHER, INCLUDING PNEUMOCONIOSIS, UNSPECIFIED-----515.9	387	357	30
45	OTHER PNEUMOCONIOSES AND RELATED DISEASES-----516	17	14	3
46	DUE TO INHALATION OF OTHER INORGANIC DUST-----516.0	5	3	2
47	DUE TO INHALATION OF OTHER DUST-----516.1	12	11	1
48	DUE TO INHALATION OF FUMES-----516.2	-	-	-
49	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	3,250	2,045	1,205
50	BRONCHIECTASIS-----518	843	443	400
51	OTHER DISEASES OF RESPIRATORY SYSTEM-----519	14,703	10,864	3,839
52	PULMONARY COLLAPSE-----519.0	391	204	187
53	ACUTE EDEMA OF LUNG-----519.1	385	212	173
54	OTHER DISEASES OF LUNG-----519.2	1,845	1,252	593
55	CHRONIC OBSTRUCTIVE LUNG DISEASE WITHOUT MENTION OF ASTHMA, BRONCHITIS, OR EMPHYSEMA-----519.3	11,334	8,805	2,529
56	OTHER-----519.9	748	391	357
IX. DISEASES OF THE DIGESTIVE SYSTEM				
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS-----520-529		143	60	83
58	DISORDERS OF TOOTH DEVELOPMENT AND ERUPTION-----520	-	-	-
59	ANODONTIA-----520.0	-	-	-
60	SUPERNUMERARY TEETH-----520.1	-	-	-
61	ABNORMALITIES OF SIZE AND FORM-----520.2	-	-	-
62	MOTTLED TEETH-----520.3	-	-	-
63	ENAMEL HYPOPLASIA-----520.4	-	-	-
64	HEREDITARY DISTURBANCES IN TOOTH STRUCTURE NOT ELSEWHERE CLASSIFIABLE-----520.5	-	-	-
65	DISTURBANCES IN TOOTH ERUPTION-----520.6	-	-	-
66	TEETHING SYNDROME-----520.7	-	-	-
67	OTHER AND UNSPECIFIED-----520.9	-	-	-
DISEASES OF HARD TISSUES OF TEETH-----521		3	3	-
68	DENTAL CARIES-----521.0	3	3	-
69	ATTRITION-----521.1	-	-	-
70	ABRASION-----521.2	-	-	-
71	EROSION-----521.3	-	-	-
72	RESORPTION-----521.4	-	-	-
73	HYPERCEMENTOSIS-----521.5	-	-	-
74	ANKYLOSIS-----521.6	-	-	-
75	POSTERUPTIVE COLOR CHANGES-----521.7	-	-	-
76	IRRADIATED ENAMEL-----521.8	-	-	-
77	OTHER AND UNSPECIFIED-----521.9	-	-	-

1-127

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
104	52	15	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
352	264	115	101	0.4	0.5	0.3	0.4	0.3	0.9	0.7	
10,903	9,245	1,738	1,060	10.9	12.4	5.6	12.2	9.9	13.6	7.6	
11,658	10,015	2,121	1,471	12.0	13.5	10.7	13.0	10.7	16.6	10.5	
21,365	6,464	1,375	504	14.2	22.2	6.5	23.9	6.9	10.7	3.6	
326	333	73	36	0.4	0.4	0.3	0.4	0.4	0.6	0.3	
3,332	1,212	180	55	2.3	3.4	1.2	3.7	1.3	1.4	0.4	
17,100	4,069	910	170	10.6	17.6	3.9	19.1	4.3	7.1	1.2	
607	850	212	243	0.9	0.8	1.0	0.7	0.9	1.7	1.7	
232	161	53	46	0.2	0.3	0.2	0.3	0.2	0.4	0.3	
16	17	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	8	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
28	14	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
1	-	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
4	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
23	13	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
3	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	
177	118	40	37	0.2	0.2	0.1	0.2	0.1	0.3	0.3	
13	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-	
31	23	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
87	52	22	20	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
4	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
42	36	9	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
15,130	6,013	1,605	672	11.2	16.4	6.2	16.9	6.4	12.5	4.8	
176	78	45	18	0.2	0.2	0.1	0.2	0.1	0.4	0.1	
141	147	24	28	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
39	31	6	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
-	-	-	-	-	-	-	-	-	-	-	
102	116	18	20	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
123	74	43	23	0.1	0.2	0.1	0.1	0.1	0.3	0.2	
399	196	162	50	0.4	0.5	0.2	0.4	0.2	1.3	0.4	
449	505	102	79	0.5	0.5	0.5	0.5	0.5	0.8	0.6	
1,625	80	1	1	0.8	1.7	0.0	1.8	0.0	0.6	0.0	
244	4	30	-	0.1	0.3	0.0	0.3	0.0	0.2	-	
1,009	6	23	-	0.5	1.0	0.0	1.1	0.0	0.2	-	
40	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
332	29	25	1	0.2	0.3	0.0	0.4	0.0	0.2	0.0	
14	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
11	1	-	-	0.0							

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS—CON.				
01 DISEASES OF PULP AND PERIAPICAL TISSUES—	522	15	6	9
02 PULPITIS—	522.0	—	—	—
03 NECROSIS OF THE PULP—	522.1	—	—	—
04 PULP DEGENERATIONS—	522.2	—	—	—
05 ABNORMAL HARD TISSUE FORMATION IN PULP—	522.3	—	—	—
06 ACUTE APICAL PERIODONTITIS—	522.4	7	3	4
07 PERIAPICAL ABSCESS—	522.5	8	3	5
08 CHRONIC APICAL PERIODONTITIS—	522.6	—	—	—
09 FISTULA FROM PERIAPICAL LESIONS—	522.7	—	—	—
10 RADICULAR CYST—	522.8	—	—	—
11 OTHER AND UNSPECIFIED—	522.9	—	—	—
12 PERIODONTAL DISEASES—	523	5	1	4
13 ACUTE GINGIVITIS—	523.0	—	—	—
14 CHRONIC GINGIVITIS—	523.1	1	—	1
15 GINGIVAL RECESSON—	523.2	—	—	—
16 ACUTE PERIODONTITIS—	523.3	1	—	1
17 CHRONIC PERIODONTITIS—	523.4	1	—	1
18 PERIODONTOSIS—	523.5	—	—	—
19 ACCRETIONS ON TEETH—	523.6	—	—	—
20 OTHER AND UNSPECIFIED—	523.9	2	1	1
21 DENTOFACIAL ANOMALIES, INCLUDING MALOCCLUSION—	524	2	1	1
22 MAJOR ANOMALIES OF JAW SIZE—	524.0	—	—	—
23 ANOMALIES OF JAW-CRANIAL BASE RELATIONSHIP—	524.1	2	1	1
24 ANOMALIES OF DENTAL ARCH RELATIONSHIP—	524.2	—	—	—
25 ANOMALIES OF TOOTH POSITION—	524.3	—	—	—
26 MALOCCLUSION, UNQUALIFIED—	524.4	—	—	—
27 DENTOFACIAL FUNCTIONAL ABNORMALITIES—	524.5	—	—	—
28 OTHER AND UNSPECIFIED—	524.9	—	—	—
29 OTHER DISEASES AND CONDITIONS OF THE TEETH AND SUPPORTING STRUCTURES—	525	18	8	10
30 ACQUIRED ABSENCE OF TEETH—	525.0	—	—	—
31 ATROPHY OF EDENTULOUS ALVEOLAR RIDGE—	525.1	—	—	—
32 OTHER AND UNSPECIFIED—	525.9	18	8	10
33 DISEASES OF THE JAWS—	526	11	6	5
34 DEVELOPMENTAL DENTAL CYSTS—	526.0	—	—	—
35 FISSURAL CYSTS—	526.1	—	—	—
36 OTHER CYSTS OF JAWS—	526.2	—	—	—
37 REPARATIVE GIANT CELL GRANULOMA—	526.3	—	—	—
38 INFLAMMATORY CONDITIONS—	526.4	2	1	1
39 ALVEOLITIS—	526.5	8	5	3
40 OTHER AND UNSPECIFIED—	526.9	1	1	—
41 DISEASES OF THE SALIVARY GLANDS—	527	60	15	45
42 ATROPHY—	527.0	—	—	—
43 HYPERTROPHY—	527.1	1	—	1
44 SALIVADENITIS—	527.2	43	11	32
45 ABSCESS—	527.3	16	4	12
46 FISTULA—	527.4	—	—	—
47 SALIVOLITHIASIS—	527.5	—	—	—
48 MUCOCELE—	527.6	—	—	—
49 DISTURBANCES OF SALIVARY SECRETION—	527.7	—	—	—
50 SALIOSIS—	527.8	—	—	—
51 OTHER AND UNSPECIFIED—	527.9	—	—	—
52 DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE—	528	27	19	8
53 STOMATITIS—	528.0	3	3	—
54 CANCRUM ORIS—	528.1	1	—	1
55 ORAL APHTHOUS ULCERATIONS—	528.2	—	—	—
56 CELLULITIS AND ABSCESS—	528.3	7	5	2
57 CYSTS—	528.4	—	—	—
58 DISEASES OF LIPS—	528.5	—	—	—
59 LEUKOPLAKIA OF ORAL MUCOSA—	528.6	—	—	—
60 OTHER DISTURBANCES OF KERATINIZATION—	528.7	—	—	—
61 ORAL SUBMUCOUS FIBROSIS—	528.8	—	—	—
62 OTHER AND UNSPECIFIED—	528.9	16	11	5
63 DISEASES OF THE TONGUE AND OTHER ORAL CONDITIONS—	529	2	1	1
64 GLOSSITIS—	529.0	2	1	1
65 GEOGRAPHIC TONGUE—	529.1	—	—	—
66 MEDIAN RHOMBOID GLOSSITIS—	529.2	—	—	—
67 HYPERTROPHY OF TONGUE PAPILLAE—	529.3	—	—	—
68 ATROPHY OF TONGUE PAPILLAE—	529.4	—	—	—
69 PLICATED TONGUE—	529.5	—	—	—
70 GLOSSODYNIA—	529.6	—	—	—
71 LEUKOPLAKIA AND OTHER DISTURBANCES OF KERATINIZATION OF THE TONGUE—	529.7	—	—	—
72 OTHER AND UNSPECIFIED—	529.9	—	—	—
73 DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM—	530-537	10,880	6,917	3,963
74 DISEASES OF ESOPHAGUS—	530	1,134	687	447
75 FUNCTIONAL DISORDERS OF ESOPHAGUS—	530.0	69	35	34
76 INFLAMMATORY DISEASES OF ESOPHAGUS—	530.1	319	209	110
77 DIVERTICULUM OF ESOPHAGUS, ACQUIRED—	530.2	28	16	12
78 OBSTRUCTION OF ESOPHAGUS—	530.3	262	127	135
79 RUPTURE OF ESOPHAGUS—	530.4	190	136	54
80 OTHER—	530.9	266	164	102
81 ULCER OF STOMACH—	531	3,289	1,949	1,340
82 WITH HEMORRHAGE ONLY—	531.0	1,949	1,187	762
83 WITH PERFORATION ONLY—	531.1	730	411	319
84 WITH HEMORRHAGE AND PERFORATION—	531.2	138	80	58
85 OTHER AND UNSPECIFIED—	531.9	472	271	201
86 ULCER OF DUODENUM—	532	3,385	2,352	1,033
87 WITH HEMORRHAGE ONLY—	532.0	1,716	1,230	486
88 WITH PERFORATION ONLY—	532.1	1,098	713	385
89 WITH HEMORRHAGE AND PERFORATION—	532.2	207	158	49
90 OTHER AND UNSPECIFIED—	532.9	364	251	113

SECTION 1 - GENERAL MORTALITY

1-129

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
5	3	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
2	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	1	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	
1	-	-	-	0.0	0.0	0.0	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
5	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
5	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
1	-	-	-	0.0	-	0.0	-	0.0	-	-	
14	45	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
11	32	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
3	12	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
10	4	9	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
3	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
3	-	2	2	0.0	0.0	0.0	0.0	-	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
4	3	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
6,178	3,638	739	325	5.2	6.8	3.7	6.9	3.9	5.8	2.3	
618	415	69	32	0.5	0.7	0.4	0.7	0.4	0.5	0.2	
30	30	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
192	104	17	6	0.2	0.2	0.1	0.2	0.1	0.1	0.0	
16	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
117	128	10	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
123	50	13	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
140	91	24	11	0.1	0.2	0.1	0.2	0.1	0.2	0.1	
1,692	1,240	257	100	1.6	1.9	1.2	1.9	1.3	2.0	0.7	
1,038	703	149	59	0.9	1.2	0.7	1.2	0.8	1.2	0.4	
348	292	63	27	0.3	0.4	0.3	0.4	0.3	0.5	0.2	
71	56	9	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
235	189	36	12	0.2	0.3	0.2	0.3	0.2	0.3	0.1	
2,151	956	201	77	1.6	2.3	1.0	2.4	1.0	1.6	0.6	
1,136	452	94	34	0.8	1.2	0.5	1.3	0.5	0.7	0.2	
639	356	74	29	0.5	0.7	0.4	0.7	0.4	0.6	0.2	
142	44	16	5	0.1	0.2	0.0	0.2	0.0	0.1	0.0	
234	104	17	9	0.2	0.2	0.1	0.3	0.1	0.1	0.1	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM--CON.				
01	PEPTIC ULCER, SITE UNSPECIFIED-----533	1,014	673	341
02	WITH PERFORATION-----533.0	462	303	159
03	WITHOUT MENTION OF PERFORATION-----533.9	552	370	182
04	GASTROJEJUNAL ULCER-----534	765	500	265
05	WITH HEMORRHAGE ONLY-----534.0	689	447	242
06	WITH PERFORATION ONLY-----534.1	36	25	11
07	WITH HEMORRHAGE AND PERFORATION-----534.2	14	8	6
08	OTHER AND UNSPECIFIED-----534.9	26	20	6
09	GASITRITIS AND DUODENITIS-----535	598	349	249
10	DISORDERS OF FUNCTION OF STOMACH-----536	107	54	53
11	DISORDERS OF GASTRIC SECRETION-----536.0	5	3	2
12	DISORDERS OF GASTRIC MOTILITY-----536.1	75	39	36
13	OTHER-----536.9	27	12	15
14	OTHER DISEASES OF STOMACH AND DUODENUM-----537	588	353	235
15	PULORIC STENOSIS, ACQUIRED-----537.0	113	67	46
16	OTHER AND UNSPECIFIED-----537.9	475	286	189
17	APPENDICITIS-----540-543	1,066	663	403
18	ACUTE APPENDICITIS-----540	985	619	366
19	WITH PERITONITIS-----540.0	932	587	345
20	WITHOUT MENTION OF PERITONITIS-----540.9	53	32	21
21	APPENDICITIS, UNQUALIFIED-----541	78	43	35
22	OTHER APPENDICITIS-----542	1	-	1
23	OTHER DISEASES OF APPENDIX-----543	2	1	1
24	HERNIA OF ABDOMINAL CAVITY-----550-553	2,533	1,250	1,283
25	INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION-----550	110	104	6
26	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION-----551	1,172	579	593
27	FEMORAL-----551.0	7	5	2
28	UMBILICAL-----551.1	103	46	57
29	VENTRAL-----551.2	130	43	87
30	DIAPHRAGMATIC-----551.3	763	374	389
31	OF OTHER SPECIFIED SITE-----551.8	16	7	9
32	OF UNSPECIFIED SITE-----551.9	153	104	49
33	INGUINAL HERNIA WITH OBSTRUCTION-----552	304	243	61
34	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION-----553	947	324	623
35	FEMORAL-----553.0	147	31	116
36	UMBILICAL-----553.1	140	37	103
37	VENTRAL-----553.2	228	48	180
38	DIAPHRAGMATIC-----553.3	96	44	52
39	OF OTHER SPECIFIED SITE-----553.8	89	38	51
40	OF UNSPECIFIED SITE-----553.9	247	126	121
41	OTHER DISEASES OF INTESTINE AND PERITONEUM-----560-569	15,812	7,234	8,578
42	INTESTINAL OBSTRUCTIONS WITHOUT MENTION OF HERNIA-----560	4,213	1,756	2,457
43	INTUSSUSCEPTION-----560.0	60	35	25
44	PARALYTIC ILEUS-----560.1	297	143	154
45	VOLVULUS-----560.2	890	438	452
46	IMPACTION OF INTESTINE-----560.3	138	41	97
47	ADHESIONS WITH OBSTRUCTION-----560.4	460	173	287
48	OTHER AND UNSPECIFIED-----560.9	2,368	926	1,442
49	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN-----561	53	20	33
50	DIVERTICULA OF INTESTINE-----562	3,314	1,267	2,047
51	SMALL INTESTINE-----562.0	46	22	24
52	COLON-----562.1	3,268	1,245	2,023
53	CHRONIC ENTERITIS AND ULCERATIVE COLITIS-----563	1,084	453	631
54	REGIONAL ENTERITIS-----563.0	356	160	196
55	ULCERATIVE COLITIS-----563.1	655	269	386
56	OTHER-----563.9	73	24	49
57	FUNCTIONAL DISORDERS OF INTESTINES-----564	109	43	66
58	CONSTIPATION-----564.0	23	10	13
59	IRRITABLE COLON-----564.1	63	23	40
60	OTHER-----564.9	23	10	13
61	ANAL FISSURE AND FISTULA-----565	5	5	-
62	ANAL FISSURE-----565.0	2	2	-
63	ANAL FISTULA-----565.1	3	3	-
64	ABSCESS OF ANAL AND RECTAL REGIONS-----566	95	55	40
65	PERITONITIS-----567	1,160	579	581
66	WITH ABSCESS-----567.0	308	169	139
67	UNSPECIFIED-----567.9	852	410	442
68	PERITONEAL ADHESIONS-----568	126	47	79
69	OTHER DISEASES OF INTESTINES AND PERITONEUM-----569	5,653	3,009	2,644
70	PROCTITIS-----569.0	9	5	4
71	PROLAPSE OF RECTUM-----569.1	17	5	12
72	OTHER RECTAL AND ANAL DISEASES-----569.2	190	81	109
73	FISTULA OF INTESTINE-----569.3	234	110	124
74	PERFORATION OR ULCERATION OF INTESTINE NOT OTHERWISE SPECIFIED-----569.4	660	315	345
75	OTHER-----569.9	4,543	2,493	2,050
76	DISEASES OF LIVER, GALLBLADDER, AND PANCREAS-----570-577	44,660	27,651	17,009
77	ACUTE AND SUBACUTE NECROSIS OF LIVER-----570	587	263	324
78	CIRRHOSIS OF LIVER-----571	33,350	21,782	11,568
79	ALCOHOLIC-----571.0	12,624	8,817	3,807
80	OTHER SPECIFIED-----571.8	5,341	3,092	2,249
81	UNSPECIFIED-----571.9	15,385	9,873	5,512
82	SUPPURATIVE HEPATITIS AND LIVER ABSCESS-----572	156	97	59

1-131

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
599	307	74	34	0.5	0.7	0.3	0.7	0.3	0.6	0.2	01
264	144	39	15	0.2	0.3	0.1	0.3	0.2	0.3	0.1	02
355	163	35	19	0.3	0.4	0.2	0.4	0.2	0.3	0.1	03
451	238	49	27	0.4	0.5	0.2	0.5	0.3	0.4	0.2	04
401	215	46	27	0.3	0.4	0.2	0.4	0.2	0.4	0.2	05
23	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	06
7	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	07
20	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	08
308	221	41	28	0.3	0.3	0.2	0.3	0.2	0.3	0.2	09
49	47	5	6	0.1	0.1	0.0	0.1	0.1	0.0	0.0	10
3	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	11
35	31	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
11	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
310	214	43	21	0.3	0.3	0.2	0.3	0.2	0.3	0.2	14
54	41	13	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	15
256	173	30	16	0.2	0.3	0.2	0.3	0.2	0.2	0.1	16
524	323	139	80	0.5	0.6	0.4	0.6	0.3	1.1	0.6	17
488	293	131	73	0.5	0.6	0.3	0.5	0.3	1.0	0.5	18
462	274	125	71	0.4	0.6	0.3	0.5	0.3	1.0	0.5	19
26	19	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
35	29	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	21
-	-	-	1	0.0	-	0.0	-	-	-	0.0	22
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	23
1,104	1,152	146	131	1.2	1.2	1.2	1.2	1.2	1.1	0.9	24
90	4	14	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	25
517	537	62	56	0.6	0.6	0.6	0.6	0.6	0.5	0.4	26
4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	27
37	42	9	15	0.0	0.0	0.1	0.0	0.0	0.1	0.1	28
38	73	5	14	0.1	0.0	0.1	0.0	0.1	0.0	0.1	29
344	364	37	25	0.4	0.4	0.4	0.4	0.4	0.2	0.2	30
5	9	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	31
89	47	15	2	0.1	0.1	0.0	0.1	0.1	0.1	0.0	32
199	58	44	3	0.1	0.2	0.1	0.2	0.1	0.3	0.0	33
298	553	26	70	0.5	0.3	0.6	0.3	0.6	0.2	0.5	34
28	112	3	4	0.1	0.0	0.1	0.0	0.1	0.0	0.0	35
34	79	3	24	0.1	0.0	0.1	0.0	0.1	0.0	0.2	36
44	159	4	21	0.1	0.0	0.2	0.0	0.2	0.0	0.2	37
43	49	1	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	38
33	46	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39
116	108	10	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	40
6,239	7,656	995	922	7.5	7.1	8.0	7.0	8.2	7.8	6.6	41
1,448											

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
DISEASES OF LIVER, GALLBLADDER, AND PANCREAS—CDN.					
01	OTHER DISEASES OF LIVER-----	573	2,662	1,482	1,180
02	HEPATITIS NOT OTHERWISE SPECIFIED-----	*573.0	514	235	279
03	OTHER AND UNSPECIFIED-----	*573.9	2,148	1,247	901
04	CHOLELITHIASIS-----	574	1,817	786	1,031
05	WITH ACUTE CHOLECYSTITIS-----	*574.0	241	92	149
06	WITH OTHER CHOLECYSTITIS-----	*574.1	723	314	409
07	OTHER AND UNSPECIFIED-----	*574.9	853	380	473
08	CHOLECYSTITIS AND CHOLANGITIS, WITHOUT MENTION OF CALCULUS-----	575	1,605	745	860
09	OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS-----	576	1,420	653	767
10	OBSTRUCTION-----	*576.0	594	272	322
11	FISTULA-----	*576.1	42	16	26
12	OTHER AND UNSPECIFIED-----	*576.9	784	365	419
13	DISEASES OF PANCREAS-----	577	3,063	1,843	1,220
14	ACUTE PANCREATITIS-----	577.0	2,594	1,541	1,053
15	CHRONIC PANCREATITIS-----	577.1	280	181	99
16	OTHER DISEASES OF PANCREAS-----	577.9	189	121	68
X. DISEASES OF THE GENITOURINARY SYSTEM					
17	NEPHRITIS AND NEPHROSIS-----	580-584	8,336	4,460	3,876
18	ACUTE NEPHRITIS-----	580	1,224	709	515
19	NEPHROTIC SYNDROME-----	581	312	157	155
20	CHRONIC NEPHRITIS-----	582	5,914	3,142	2,772
21	NEPHRITIS, UNQUALIFIED-----	583	780	398	382
22	RENAL SCLEROSIS, UNQUALIFIED-----	584	106	54	52
23	OTHER DISEASES OF URINARY SYSTEM-----	590-599	15,573	7,837	7,736
24	INFECTIONS OF KIDNEY-----	590	6,134	2,589	3,545
25	CHRONIC PYELONEPHRITIS-----	590.0	3,513	1,507	2,006
26	OTHER PYELONEPHRITIS, PYELITIS, AND PYELOCYSTITIS-----	590.1	2,415	990	1,425
27	ABSCESS OF KIDNEY AND PERITRENAL TISSUE-----	590.2	105	44	61
28	OTHER-----	590.9	101	48	53
29	HYDRONEPHROSIS-----	591	152	92	60
30	CALCULUS OF KIDNEY AND URETER-----	592	627	288	339
31	OTHER DISEASES OF KIDNEY AND URETER-----	593	4,805	2,717	2,088
32	RENAL DYSPLASIA-----	593.0	1	-	1
33	ACUTE TUBULAR NEPHROSIS-----	593.1	332	200	132
34	OTHER RENAL DISEASE-----	593.2	4,324	2,426	1,898
35	OBSTRUCTION OF URETER NOT ELSEWHERE CLASSIFIABLE-----	593.3	129	83	46
36	HYDRO-URETER-----	593.4	6	3	3
37	OTHER DISEASES OF URETER-----	593.5	13	5	8
38	CALCULUS OF OTHER PARTS OF URINARY SYSTEM-----	594	72	39	33
39	CYSTITIS-----	595	320	162	158
40	OTHER DISEASES OF BLADDER-----	596	345	237	108
41	FISTULA OF BLADDER-----	*596.0	59	30	29
42	DIVERTICULUM OF BLADDER (ACQUIRED)-----	*596.1	13	8	5
43	CONTRACTURE OF BLADDER (SPHINCTER)-----	*596.2	90	83	7
44	PARALYSIS OF BLADDER-----	*596.3	4	2	2
45	OTHER AND UNSPECIFIED DISEASES OF BLADDER-----	*596.9	179	114	65
46	URETHRITIS (NONVENEREAL)-----	597	7	6	1
47	STRICTURE OF URETHRA-----	598	126	120	6
48	OTHER DISEASES OF URINARY TRACT-----	599	2,985	1,587	1,398
49	URINARY TRACT INFECTION NOT ELSEWHERE CLASSIFIABLE-----	*599.0	2,724	1,366	1,358
50	FISTULA, URINARY, NOT ELSEWHERE CLASSIFIABLE-----	*599.1	5	5	-
51	CARCINOMA OF URETHRA-----	*599.2	-	-	-
52	OTHER AND UNSPECIFIED DISEASES OF URINARY TRACT-----	*599.9	256	216	40
53	DISEASES OF MALE GENITAL ORGANS-----	600-607	2,303	2,303	---
54	HYPERPLASIA OF PROSTATE-----	610	1,589	1,589	---
55	PROSTATITIS-----	601	142	142	---
56	OTHER DISEASES OF PROSTATE-----	602	372	372	---
57	HYDROCELE-----	603	8	8	---
58	ORCHITIS AND EPIDIDYMITIS-----	604	16	16	---
59	REDUNDANT PREPUCE AND PHIMOSIS-----	605	1	1	---
60	STERILITY, MALE-----	606	-	-	---
61	OTHER DISEASES OF MALE GENITAL ORGANS-----	607	175	175	---
62	LEUKOPLAKIA OF PENIS-----	607.0	-	-	---
63	ERYTHROPLASIA OF PENIS-----	607.1	-	-	---
64	CHRONIC ULCERATION OF PENIS-----	607.2	-	-	---
65	BALANITIS-----	607.3	1	1	---
66	SEMINAL VESICULITIS-----	607.4	-	-	---
67	OTHER INFLAMMATORY DISEASES-----	607.5	48	48	---
68	SPERMATOCELE-----	607.6	-	-	---
69	TORSION OF TESTIS-----	607.7	1	1	---
70	ATROPHY OF TESTICLE-----	607.8	-	-	---
71	OTHER-----	607.9	125	125	---
72	DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM-----	610-616	269	-	269
73	CHRONIC CYSTIC DISEASE OF BREAST-----	610	3	-	3
74	OTHER DISEASES OF BREAST-----	611	37	-	37
75	ACUTE MASTITIS NOT ASSOCIATED WITH LACTATION-----	611.0	4	-	4
76	HYPERTROPHY OF BREAST-----	611.1	1	-	1
77	FISSURE OF NIPPLE-----	611.2	-	-	-
78	OTHER-----	611.9	32	-	32

SECTION 1 - GENERAL MORTALITY

1-133

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1,223	921	259	259	1.3	1.4	1.1	1.4	1.0	2.0	1.9	01
204	223	31	56	0.2	0.2	0.3	0.2	0.2	0.2	0.4	02
1,019	698	228	203	1.0	1.2	0.8	1.1	0.7	1.8	1.5	03
744	944	42	87	0.9	0.8	1.0	0.8	1.0	0.3	0.6	04
84	138	8	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1	05
298	378	16	31	0.3	0.3	0.4	0.3	0.4	0.1	0.2	06
362	428	18	45	0.4	0.4	0.4	0.4	0.5	0.1	0.3	07
678	781	67	79	0.8	0.7	0.8	0.8	0.8	0.5	0.6	08
599	693	54	74	0.7	0.6	0.7	0.7	0.7	0.4	0.5	09
244	291	28	31	0.3	0.3	0.3	0.3	0.3	0.2	0.2	10
15	23	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
340	379	25	40	0.4	0.4	0.4	0.4	0.4	0.2	0.3	12
1,466	1,027	377	193	1.5	1.8	1.1	1.6	1.1	2.9	1.4	13
1,232	886	309	167	1.2	1.5	1.0	1.4	0.9	2.4	1.2	14
136	79	45	20	0.1	0.2	0.1	0.2	0.1	0.4	0.1	15
98	62	23	6	0.1	0.1	0.1	0.1	0.1	0.2	0.0	16
3,331	2,727	1,129	1,149	4.0	4.4	3.6	3.7	2.9	8.8	8.2	17
569	391	140	124	0.6	0.7	0.5	0.6	0.4	1.1	0.9	18
125	129	32	26	0.1	0.2	0.1	0.1	0.1	0.2	0.2	19
2,271	1,867	871	905	2.8	3.1	2.6	2.5	2.0	6.8	6.5	20
319	297	79	85	0.4	0.4	0.4	0.4	0.3	0.6	0.6	21
47	43	7	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1	22
6,471	6,497	1,366	1,239	7.4	7.7	7.2	7.2	6.9	10.7	8.9	23
2,159	3,032	430	513	2.9	2.5	3.3	2.4	3.2	3.4	3.7	24
1,249	1,684	258	322	1.7	1.5	1.9	1.4	1.8	2.0	2.3	25
832	1,253	158	172	1.2	1.0	1.3	0.9	1.3	1.2	1.2	26
38	51	6	10	0.1	0.0	0.1	0.0	0.1	0.0	0.1	27
40	44	8	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	28
79	51	13	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	29
260	300	28	39	0.3	0.3	0.3	0.3	0.3	0.2	0.3	30
2,158	1,637	559	451	2.3	2.7	1.9	2.4	1.7	4.4	3.2	31
1	1	—	—	0.0	—	0.0	—	—	—	—	32
167	118	33	14	0.2	0.2	0.1	0.2	0.1	0.3	0.1	33
1,919	1,469	507	429	2.1	2.4	1.8	2.1	1.6	4.0	3.1	34
66	39	17	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	35
1	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36
5	8	—	—	0.0	0.0	0.0	0.0	0.0	—	—	37
36	30	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38
145	147	17	11	0.2	0.2	0.1	0.2	0.2	0.1	0.1	39
198	97	39	11	0.2	0.2	0.1	0.2	0.1	0.3	0.1	40
25	23	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41
7	5	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	42
69	6	14	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	43
2	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	44
95	61	19	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	45
5	1	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	46
82	6	38	—	0.1	0.1	0.0	0.1	0.0	0.3	—	47
1,349	1,196	238	202	1.4	1.6	1.3	1.5	1.3	1.9	1.4	48
1,173	1,164	193	194	1.3	1.3	1.3	1.3	1.2	1.5	1.4	49
2	—	3	—	0.0	0.0	—	—	—	—	—	50
—	—	—	—	—	—	—	—	—	—	—	51
174	32	42	8	0.1	0.2	0.0	0.2	0.0	0.3	0.1	52
2,024	—	279	—	1.1	2.3	—	2.3	—	2.2	—	53
1,407	—	182	—	0.8	1.6	—	1.6	—	1.4	—	54
119	—	23	—	0.1	0.1	—	0.1	—	0.2	—	55
334	—	38	—	0.2	0.4	—	0.4	—	0.3	—	56
7	—	1	—	0.0	0.0	—	0.0	—	0.0	—	57
14	—	2	—	0.0	0.0	—	0.0	—	0.0	—	58
1	—	—	—	0.0	0.0	—	0.0	—	—	—	59
—	—	—	—	—	—	—	—	—	—	—	60
142	—	33	—	0.1	0.2	—	0.2	—	0.3	—	61
—	—	—	—	—	—	—	—	—	—	—	62
—	—	—	—	—	—	—	—	—	—	—	63
1	—	—	—	0.0	0.0	—	0.0	—	—	—	64
—	—	—	—	—	—	—	—	—	—	—	65
37	—	11	—	0.0	0.0	—	0.0	—	0.1	—	66
—	—	—	—	—	—	—	—	—	—	—	67
1	—	—	—	0.0	0.0	—	0.0	—	—	—	68
—	—	—	—	—	—	—	—	—	—	—	69
103	—	22	—	0.1	0.1	—	0.1	—	0.2	—	70
—	—	—	—	—	—	—	—	—	—	—	71
—	178	—	91	0.1	—	0.2	—	0.2	—	0.7	72
—	2	—	1	0.0	—	0.0	—	0.0	—	0.0	73
—	32	—	5	0.0	—	0.0	—	0.0	—	0.0	74
—	3	—	1	0.0	—	0.0	—	0.0	—	0.0	75
—	1	—	—	0.0	—	0.0	—	0.0	—	—	76
—	—	—	—	—	—	—	—	—	—	—	77
—	28	—	4	0.0	—	0.0	—	0.0	—	0.0	78

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DISEASES OF BREAST, OVARY, FALLOPIAN TUBE, AND PARAMETRIUM—CON.				
01 ACUTE SALPINGITIS AND OOPHORITIS—	612	—	...	—
02 CHRONIC SALPINGITIS AND OOPHORITIS—	613	—	...	—
03 SALPINGITIS AND OOPHORITIS, UNQUALIFIED—	614	42	...	42
04 OTHER DISEASES OF OVARY AND FALLOPIAN TUBE—	615	11	...	11
05 PROLAPSE OF OVARY—	615.0	—	...	—
06 HYDROSALPINX—	615.1	—	...	—
07 OVARIAN CYST, RETENTION—	615.2	3	...	3
08 OTHER—	615.9	8	...	8
09 DISEASES OF PARAMETRIUM AND PELVIC PERITONEUM (FEMALE)—	616	176	...	176
10 PELVIC INFLAMMATORY DISEASE—	616.0	167	...	167
11 PELVIC PERITONEAL ADHESIONS, FEMALE—	616.1	5	...	5
12 PELVIC CONGESTION, FEMALE—	616.2	3	...	3
13 OTHER—	616.9	1	...	1
14 DISEASES OF UTERUS AND OTHER FEMALE GENITAL ORGANS—	620-629	429	...	429
15 INFECTIVE DISEASES OF CERVIX UTERI—	620	2	...	2
16 CHRONIC CERVICITIS—	620.0	—	...	—
17 OTHER CERVICITIS—	620.9	2	...	2
18 OTHER DISEASES OF CERVIX—	621	6	...	6
19 LEUKOPLAKIA OF CERVIX—	621.0	—	...	—
20 ERYTHROPLASIA OF CERVIX—	621.1	—	...	—
21 HYPERPLASTIC ENDOMETRITIS OF CERVIX—	621.2	—	...	—
22 CHRONIC EROSION AND ULCERATION OF CERVIX—	621.3	—	...	—
23 OLD LACERATION OF CERVIX—	621.4	—	...	—
24 STRICTURE OF CERVIX—	621.5	1	...	1
25 ATROPHY OF CERVIX—	621.6	—	...	—
26 OTHER—	621.9	5	...	5
27 INFECTIVE DISEASES OF UTERUS (EXCEPT CERVIX), VAGINA, AND VULVA—	622	31	...	31
28 INFECTIVE DISEASES OF UTERUS, EXCEPT CERVIX—	622.0	19	...	19
29 VAGINITIS AND VULVITIS—	622.1	12	...	12
30 UTEROVAGINAL PROLAPSE—	623	50	...	50
31 CYSTOCELE—	623.0	22	...	22
32 RECTOCELE—	623.1	—	...	—
33 URETHROCELE—	623.2	—	...	—
34 VAGINAL ENTEROCELE—	623.3	2	...	2
35 UTERINE PROLAPSE—	623.4	21	...	21
36 OTHER AND UNSPECIFIED—	623.9	5	...	5
37 MALPOSITION OF UTERUS—	624	4	...	4
38 RETROVERSION AND RETROFLEXION—	624.0	2	...	2
39 OTHER—	624.1	—	...	—
40 UNSPECIFIED—	624.9	2	...	2
41 OTHER DISEASES OF UTERUS—	625	177	...	177
42 ATROPHY OF UTERUS—	625.0	—	...	—
43 SUBINVOLUTION OF UTERUS—	625.1	—	...	—
44 HYPERPLASIA OF ENDOMETRIUM—	625.2	4	...	4
45 ENDOMETRIOSIS—	625.3	14	...	14
46 OTHER—	625.9	159	...	159
47 DISORDERS OF MENSTRUATION—	626	16	...	16
48 ABSENT—	626.0	—	...	—
49 SCANTY—	626.1	—	...	—
50 EXCESSIVE—	626.2	3	...	3
51 PAINFUL—	626.3	1	...	1
52 FREQUENT—	626.4	—	...	—
53 IRREGULAR—	626.5	—	...	—
54 INTERMENSTRUAL BLEEDING—	626.6	6	...	6
55 POSTMENOPAUSAL BLEEDING—	626.7	—	...	—
56 OTHER—	626.9	6	...	6
57 MENOPAUSAL SYMPTOMS—	627	1	...	1
58 STERILITY, FEMALE—	628	—	...	—
59 OTHER DISEASES OF FEMALE GENITAL ORGANS—	629	142	...	142
60 LEUKOPLAKIA OF VAGINA—	629.0	—	...	—
61 ERYTHROPLASIA OF VAGINA AND VULVA—	629.1	—	...	—
62 KRAURIOSIS OF VULVA—	629.2	1	...	1
63 LEUKORRHEA—	629.3	—	...	—
64 UNSPECIFIED INFECTION—	629.4	92	...	92
65 VAGINAL BLEEDING—	629.5	8	...	8
66 OLD LACERATION—	629.6	—	...	—
67 STRICTURE OR ATRESIA OF VAGINA AND HYMEN—	629.7	1	...	1
68 RECTOVAGINAL FISTULA—	629.8	15	...	15
69 OTHER—	629.9	25	...	25
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM				
70 COMPLICATIONS OF PREGNANCY—	630-634	91	...	91
71 INFECTIONS OF GENITAL TRACT DURING PREGNANCY—	630	2	...	2
72 ECTOPIC PREGNANCY—	631	46	...	46
73 ABDOMINAL PREGNANCY WITH SEPSIS—	631.0	1	...	1
74 TUBAL PREGNANCY WITH SEPSIS—	631.1	—	...	—
75 OVARIAN PREGNANCY WITH SEPSIS—	631.2	—	...	—
76 OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITH SEPSIS—	631.3	2	...	2
77 ABDOMINAL PREGNANCY WITHOUT MENTION OF SEPSIS—	631.4	1	...	1
78 TUBAL PREGNANCY WITHOUT MENTION OF SEPSIS—	631.5	18	...	18
79 OVARIAN PREGNANCY WITHOUT MENTION OF SEPSIS—	631.6	—	...	—
80 OTHER OR UNSPECIFIED ECTOPIC PREGNANCY WITHOUT MENTION OF SEPSIS—	631.9	24	...	24
81 HEMORRHAGE OF PREGNANCY—	632	11	...	11
82 PLACENTA PREVIA—	632.0	—	...	—
83 PREMATURE SEPARATION OF PLACENTA—	632.1	3	...	3
84 HEMORRHAGE FROM MARGINAL SINUS—	632.2	—	...	—
85 THREATENED ABORTION—	632.3	—	...	—
86 DUE TO APLASTIC ANEMIA—	632.4	1	...	1
87 OTHER AND UNSPECIFIED—	632.9	7	...	7

SECTION 1 - GENERAL MORTALITY

1-135

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-Identified by an asterisk; see Technical Appendix]

NUMBER				RATE						
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER	
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	21	...	21	0.0	...	0.0	...	0.0	...	0.2
...	5	...	6	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	-	...	3	0.0	...	0.0	...	-	...	0.0
...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
...	118	...	58	0.1	...	0.2	...	0.1	...	0.4
...	115	...	52	0.1	...	0.2	...	0.1	...	0.4
...	1	...	4	0.0	...	0.0	...	0.0	...	0.0
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
...	1	...	-	0.0	...	0.0	...	0.0	...	-
...	344	...	85	0.2	...	0.4	...	0.4	...	0.6
...	2	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	-	-	...	-	...	-	...	-
...	2	...	-	0.0	...	0.0	...	0.0	...	-
...	6	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	1	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	-	-	...	-	...	-	...	-
...	5	...	-	0.0	...	0.0	...	0.0	...	-
...	21	...	10	0.0	...	0.0	...	0.0	...	0.1
...	12	...	7	0.0	...	0.0	...	0.0	...	0.1
...	9	...	3	0.0	...	0.0	...	0.0	...	0.0
...	44	...	6	0.0	...	0.0	...	0.0	...	0.0
...	19	...	3	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
...	19	...	2	0.0	...	0.0	...	0.0	...	0.0
...	5	...	-	0.0	...	0.0	...	0.0	...	-
...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
...	2	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	-	-	...	-	...	-	...	-
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
...	139	...	38	0.1	...	0.2	...	0.1	...	0.3
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	3	...	1	0.0	...	0.0	...	0.0	...	0.0
...	13	...	1	0.0	...	0.0	...	0.0	...	0.0
...	123	...	36	0.1	...	0.1	...	0.1	...	0.3
...	11	...	5	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
...	1	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	-	-	...	-	...	-	...	-
...	3	...	3	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	5	...	1	0.0	...	0.0	...	0.0	...	0.0
...	-	...	1	0.0	...	0.0	...	-	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	118	...	24	0.1	...	0.1	...	0.1	...	0.2
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	1	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	-	-	...	-	...	-	...	-
...	79	...	13	0.0	...	0.1	...	0.1	...	0.1
...	5	...	3	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	1	...	-	0.0	...	0.0	...	0.0	...	-
...	15	...	-	0.0	...	0.0	...	0.0	...	-
...	17	...	8	0.0	...	0.0	...	0.0	...	0.1
...	57	...	34	0.0	...	0.1	...	0.1	...	0.2
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
...	25	...	21	0.0	...	0.0	...	0.0	...	0.2
...	-	...	1	0.0	...	0.0	...	-	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	2	...	-	0.0	...	0.0	...	0.0	...	-
...	-	...	1	0.0	...	0.0	...	-	...	0.0
...	8	...	10	0.0	...	0.0	...	0.0	...	0.1
...	-	...	-	-	...	-	...	-	...	-
...	15	...	9	0.0	...	0.0	...	0.0	...	0.1
...	6	...	5	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
...	-	...	-	-	...	-	...	-	...	-
...	-	...	-	-	...	-	...	-	...	-
...	4	...	1	0.0	...	0.0	...	-	...	0.0
...	-	...	3	0.0	...	0.0	...	0.0	...	0.0

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
COMPLICATIONS OF PREGNANCY--CON.				
01 ANEMIA OF PREGNANCY	633	2	...	2
02 MACROCYTIC ANEMIA OF PREGNANCY	633.0	-	...	-
03 IRON DEFICIENCY ANEMIA OF PREGNANCY	633.1	-	...	-
04 OTHER AND UNSPECIFIED ANEMIAS OF PREGNANCY	633.9	2	...	2
05 OTHER COMPLICATIONS OF PREGNANCY	634	30	...	30
06 HYDATIDIFORM MOLE	634.0	1	...	1
07 PLACENTAL ABNORMALITIES NOT ELSEWHERE CLASSIFIABLE	634.1	1	...	1
08 MISSED ABORTION AND MISSED DELIVERY	634.2	2	...	2
09 HYDRAMNIOS	634.3	-	...	-
10 PREMATURE RUPTURE OF MEMBRANE WITHOUT DELIVERY	634.4	1	...	1
11 RH INCOMPATIBILITY	634.5	-	...	-
12 HABITUAL ABORTER, UNDELIVERED	634.6	-	...	-
13 FALSE LABOR	634.7	-	...	-
14 AIR EMBOLISM DURING PREGNANCY	634.8	3	...	3
15 OTHER	634.9	22	...	22
16 URINARY INFECTIONS AND TOXEMIAS OF PREGNANCY AND THE PUERPERIUM	635-639	111	...	111
17 URINARY INFECTIONS ARISING DURING PREGNANCY AND THE PUERPERIUM	635	-	...	-
18 PYELITIS AND PYELONEPHRITIS	635.0	-	...	-
19 CYSTITIS	635.1	-	...	-
20 OTHER AND UNSPECIFIED	635.9	-	...	-
21 RENAL DISEASES ARISING DURING PREGNANCY AND THE PUERPERIUM	636	2	...	2
22 PREECLAMPSIA, ECLAMPSIA, AND TOXEMIA, UNSPECIFIED	637	104	...	104
23 PREECLAMPSIA	637.0	15	...	15
24 ECLAMPSIA	637.1	62	...	62
25 TOXEMIA, UNSPECIFIED	637.9	27	...	27
26 HYPEREMESIS GRAVIDARUM	638	-	...	-
27 WITH NEURITIS	638.0	-	...	-
28 WITHOUT MENTION OF NEURITIS	638.9	-	...	-
29 OTHER TOXEMIAS OF PREGNANCY AND THE PUERPERIUM	639	5	...	5
30 ACUTE AND SUBACUTE NECROSIS OF LIVER	639.0	4	...	4
31 OTHER	639.9	1	...	1
32 ABORTIONS	640-645	36	...	36
33 ABORTION INDUCED FOR MEDICAL INDICATIONS	640	7	...	7
34 WITH SEPSIS	640.0	2	...	2
35 WITH TOXEMIA	640.1	-	...	-
36 WITH SEPSIS AND TOXEMIA	640.2	-	...	-
37 WITHOUT MENTION OF SEPSIS OR TOXEMIA	640.9	5	...	5
38 ABORTION INDUCED FOR OTHER LEGAL INDICATIONS	641	1	...	1
39 WITH SEPSIS	641.0	-	...	-
40 WITH TOXEMIA	641.1	-	...	-
41 WITH SEPSIS AND TOXEMIA	641.2	-	...	-
42 WITHOUT MENTION OF SEPSIS OR TOXEMIA	641.9	1	...	1
43 ABORTION INDUCED FOR OTHER REASONS	642	11	...	11
44 WITH SEPSIS	642.0	9	...	9
45 WITH HEMORRHAGE	642.1	-	...	-
46 WITH SEPSIS AND HEMORRHAGE	642.2	-	...	-
47 WITH LACERATION OF PELVIC ORGAN (WITH OR WITHOUT MENTION OF SEPSIS OR HEMORRHAGE)	642.3	-	...	-
48 WITHOUT MENTION OF SEPSIS, HEMORRHAGE, OR LACERATION	642.9	2	...	2
49 SPONTANEOUS ABORTION	643	3	...	3
50 WITH SEPSIS	643.0	2	...	2
51 WITH TOXEMIA	643.1	-	...	-
52 WITH SEPSIS AND TOXEMIA	643.2	-	...	-
53 WITHOUT MENTION OF SEPSIS OR TOXEMIA	643.9	1	...	1
54 ABORTION NOT SPECIFIED AS INDUCED OR SPONTANEOUS	644	14	...	14
55 WITH SEPSIS	644.0	10	...	10
56 WITH TOXEMIA	644.1	-	...	-
57 WITH SEPSIS AND TOXEMIA	644.2	1	...	1
58 WITHOUT MENTION OF SEPSIS OR TOXEMIA	644.9	3	...	3
59 OTHER ABORTIONS	645	-	...	-
60 WITH SEPSIS	645.0	-	...	-
61 WITH TOXEMIA	645.1	-	...	-
62 WITH SEPSIS AND TOXEMIA	645.2	-	...	-
63 WITHOUT MENTION OF SEPSIS OR TOXEMIA	645.9	-	...	-
64 DELIVERIES	650-662	116	...	116
65 DELIVERY WITHOUT MENTION OF COMPLICATION	650	2	...	2
66 DELIVERY COMPLICATED BY PLACENTA PREVIA OR ANTEPARTUM HEMORRHAGE	651	27	...	27
67 PLACENTA PREVIA	651.0	5	...	5
68 PREMATURE SEPARATION OF PLACENTA	651.1	20	...	20
69 OTHER ANTEPARTUM HEMORRHAGE	651.9	2	...	2
70 DELIVERY COMPLICATED BY RETAINED PLACENTA	652	4	...	4
71 DELIVERY COMPLICATED BY OTHER POSTPARTUM HEMORRHAGE	653	18	...	18
72 DELIVERY COMPLICATED BY ABNORMALITY OF BONY PELVIS	654	-	...	-
73 ANDROID	654.0	-	...	-
74 ANTHROPOID	654.1	-	...	-
75 FLAT	654.2	-	...	-
76 COMBINED TYPE	654.3	-	...	-
77 OTHER AND UNSPECIFIED	654.9	-	...	-
78 DELIVERY COMPLICATED BY FETOPELVIC DISPROPORTION	655	6	...	6
79 DELIVERY COMPLICATED BY MALPRESENTATION OF FETUS	656	3	...	3
80 BREECH PRESENTATION	656.0	2	...	2
81 TRANSVERSE PRESENTATION	656.1	1	...	1
82 BROW PRESENTATION	656.2	-	...	-
83 FACE PRESENTATION	656.3	-	...	-
84 COMPOUND OR SHOULDER PRESENTATION	656.4	-	...	-
85 OTHER SPECIFIED	656.8	-	...	-
86 UNSPECIFIED	656.9	-	...	-

SECTION 1 - GENERAL MORTALITY

1-137

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	01
...	-	...	-	-	...	-	...	-	...	-	02
...	-	...	-	-	...	-	...	-	...	-	03
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	04
...	24	...	6	0.0	...	0.0	...	0.0	...	0.0	05
...	1	...	-	0.0	...	0.0	...	0.0	...	-	06
...	-	...	1	0.0	...	0.0	...	0.0	...	0.0	07
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	08
...	-	...	-	-	...	-	...	-	...	-	09
...	1	...	-	0.0	...	0.0	...	0.0	...	-	10
...	-	...	-	-	...	-	...	-	...	-	11
...	-	...	-	-	...	-	...	-	...	-	12
...	-	...	-	-	...	-	...	-	...	-	13
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	14
...	19	...	3	0.0	...	0.0	...	0.0	...	0.0	15
...	57	...	54	0.1	...	0.1	...	0.1	...	0.4	16
...	-	...	-	-	...	-	...	-	...	-	17
...	-	...	-	-	...	-	...	-	...	-	18
...	-	...	-	-	...	-	...	-	...	-	19
...	-	...	2	0.0	...	0.0	...	-	...	-	20
...	52	...	52	0.0	...	0.1	...	0.1	...	0.4	21
...	7	...	8	0.0	...	0.0	...	0.0	...	0.1	22
...	31	...	31	0.0	...	0.1	...	0.0	...	0.2	23
...	14	...	13	0.0	...	0.0	...	0.0	...	0.1	24
...	-	...	-	-	...	-	...	-	...	-	25
...	-	...	-	-	...	-	...	-	...	-	26
...	-	...	-	-	...	-	...	-	...	-	27
...	5	...	-	0.0	...	0.0	...	0.0	...	-	28
...	4	...	-	0.0	...	0.0	...	0.0	...	-	29
...	1	...	-	0.0	...	0.0	...	0.0	...	-	30
...	-	...	-	-	...	-	...	-	...	-	31
...	15	...	21	0.0	...	0.0	...	0.0	...	0.2	32
...	4	...	3	0.0	...	0.0	...	0.0	...	0.0	33
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	34
...	-	...	-	-	...	-	...	-	...	-	35
...	-	...	-	-	...	-	...	-	...	-	36
...	3	...	2	0.0	...	0.0	...	0.0	...	0.0	37
...	1	...	-	0.0	...	0.0	...	0.0	...	-	38
...	-	...	-	-	...	-	...	-	...	-	39
...	-	...	-	-	...	-	...	-	...	-	40
...	-	...	-	-	...	-	...	-	...	-	41
...	1	...	-	0.0	...	0.0	...	0.0	...	-	42
...	2	...	9	0.0	...	0.0	...	0.0	...	0.1	43
...	2	...	7	0.0	...	0.0	...	0.0	...	0.1	44
...	-	...	-	-	...	-	...	-	...	-	45
...	-	...	-	-	...	-	...	-	...	-	46
...	-	...	-	-	...	-	...	-	...	-	47
...	-	...	2	0.0	...	0.0	...	-	...	0.0	48
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	49
...	-	...	2	0.0	...	0.0	...	-	...	0.0	50
...	-	...	-	-	...	-	...	-	...	-	51
...	-	...	-	-	...	-	...	-	...	-	52
...	1	...	-	0.0	...	0.0	...	0.0	...	-	53
...	7	...	7	0.0	...	0.0	...	0.0	...	0.1	54
...	5	...	5	0.0	...	0.0	...	0.0	...	0.0	55
...	-	...	-	-	...	-	...	-	...	-	56
...	1	...	-	0.0	...	0.0	...	0.0	...	-	57
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	58
...	-	...	-	-	...	-	...	-	...	-	59
...	-	...	-	-	...	-	...	-	...	-	60
...	-	...	-	-	...	-	...	-	...	-	61
...	-	...	-	-	...	-	...	-	...	-	62
...	-	...	-	-	...	-	...	-	...	-	63
...	67	...	49	0.1	...	0.1	...	0.1	...	0.4	64
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	65
...	20	...	7	0.0	...	0.0	...	0.0	...	0.1	66
...	5	...	-	0.0	...	0.0	...	0.0	...	-	67
...	13	...	7	0.0	...	0.0	...	0.0	...	0.1	68
...	2	...	-	0.0	...	0.0	...	0.0	...	-	69
...	3	...	1	0.0	...	0.0	...	0.0	...	0.0	70
...	11	...	7	0.0	...	0.0	...	0.0	...	0.1	71
...	-	...	-	-	...	-	...	-	...	-	72
...	-	...	-	-	...	-	...	-	...	-	73
...	-	...	-	-	...	-	...	-	...	-	74
...	-	...	-	-	...	-	...	-	...	-	75
...	-	...	-	-	...	-	...	-	...	-	76
...	-	...	-	-	...	-	...	-	...	-	77
...	1	...	5	0.0	...	0.0	...	0.0	...	0.0	78
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	79
...	1	...	-	0.0	...	0.0	...	0.0	...	0.0	80
...	-	...	-	-	...	-	...	-	...	-	81
...	-	...	-	-	...	-	...	-	...	-	82
...	-	...	-	-	...	-	...	-	...	-	83
...	-	...	-	-	...	-	...	-	...	-	84
...	-	...	-	-	...	-	...	-	...	-	85
...	-	...	-	-	...	-	...	-	...	-	86

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
DELIVERIES--CON.				
01 DELIVERY COMPLICATED BY PROLONGED LABOR OF OTHER ORIGIN	657	8	...	8
02 MULTIPLE PREGNANCY	*657.0	1	...	1
03 UTERINE INERTIA	*657.1	4	...	4
04 CERVICAL DYSTOCIA	*657.2	-	...	-
05 OTHER AND UNSPECIFIED	657.9	3	...	3
06 DELIVERY WITH LACERATION OF PERINEUM WITHOUT MENTION OF OTHER LACERATION	658	1	...	1
07 FIRST DEGREE	*658.0	1	...	1
08 SECOND DEGREE	*658.1	-	...	-
09 THIRD DEGREE	*658.2	-	...	-
10 UNSPECIFIED DEGREE	*658.9	-	...	-
11 DELIVERY WITH RUPTURE OF UTERUS	659	13	...	13
12 DELIVERY WITH OTHER OBSTETRICAL TRAUMA	660	5	...	5
13 LACERATION OF URETHRA	*660.0	-	...	-
14 LACERATION OF CERVIX	*660.1	3	...	3
15 OTHER AND UNSPECIFIED OBSTETRICAL TRAUMA	*660.9	2	...	2
16 DELIVERY WITH OTHER COMPLICATIONS	661	27	...	27
17 PREMATURE RUPTURE OF MEMBRANES	*661.0	2	...	2
18 PRECIPITATE LABOR	*661.1	-	...	-
19 PREVIOUS CESAREAN SECTION	*661.2	1	...	1
20 UMBILICAL CORD COMPLICATION	*661.3	-	...	-
21 OTHER SPECIFIED COMPLICATIONS	*661.8	3	...	3
22 UNSPECIFIED COMPLICATION	*661.9	21	...	21
23 ANESTHETIC DEATH IN UNCOMPLICATED DELIVERY	662	2	...	2
24 COMPLICATIONS OF THE PUERPERIUM	670-678	123	...	123
25 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM	670	9	...	9
26 PUERPERAL PHLEBITIS AND THROMBOSIS	671	10	...	10
27 LOWER EXTREMITIES	*671.0	-	...	-
28 OTHER AND UNSPECIFIED SITES	*671.9	10	...	10
29 PYREXIA OF UNKNOWN ORIGIN DURING THE PUERPERIUM	672	-	...	-
30 PUERPERAL PULMONARY EMBOLISM	673	79	...	79
31 AIR EMBOLISM	*673.0	1	...	1
32 AMNIOTIC FLUID EMBOLISM	*673.1	51	...	51
33 OTHER AND UNSPECIFIED	*673.9	27	...	27
34 CEREBRAL HEMORRHAGE IN THE PUERPERIUM	674	7	...	7
35 PUERPERAL BLOOD DYSRASIAS	675	5	...	5
36 ANEMIA OF THE PUERPERIUM	676	-	...	-
37 OTHER AND UNSPECIFIED COMPLICATIONS OF THE PUERPERIUM	677	13	...	13
38 SUDDEN DEATH FROM UNKNOWN CAUSE IN THE PUERPERIUM	*677.0	1	...	1
39 RETAINED PLACENTA, COMPLICATING PUERPERIUM	*677.1	-	...	-
40 OTHER DELAYED POSTPARTUM HEMORRHAGE	*677.2	2	...	2
41 OTHER AND UNSPECIFIED	*677.9	10	...	10
42 MASTITIS AND OTHER DISORDERS OF LACTATION	678	-	...	-
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE				
43 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	680-686	482	237	245
44 BOIL AND CARBUNCLE	680	7	3	4
45 OF FACE	680.0	-	-	-
46 OF NECK	680.1	-	-	-
47 OF TRUNK	680.2	1	-	1
48 OF UPPER ARM AND FOREARM	680.3	-	-	-
49 OF HAND	680.4	-	-	-
50 OF BUTTOCK	680.5	1	-	1
51 OF OTHER PARTS OF LOWER EXTREMITY	680.6	1	-	1
52 OF OTHER AND MULTIPLE SITES	680.8	-	-	-
53 OF UNSPECIFIED SITE	680.9	4	3	1
54 CELLULITIS OF FINGER AND TOE	681	1	-	1
55 OTHER CELLULITIS AND ABSCESES	682	339	165	174
56 OF HEAD AND NECK	682.0	22	13	9
57 OF TRUNK	682.1	106	51	55
58 OF UPPER ARM AND FOREARM	682.2	18	9	9
59 OF HAND, EXCEPT FINGERS	682.3	5	4	1
60 OF LEG	682.4	98	43	55
61 OF FOOT, EXCEPT TOES	682.5	21	10	11
62 OF OTHER, MULTIPLE, AND UNSPECIFIED SITES	682.9	69	35	34
63 ACUTE LYMPHADENITIS	683	3	2	1
64 IMPETIGO	684	1	-	1
65 PILONIDAL CYST	685	2	1	1
66 OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	686	129	66	63
67 PYODERMA	686.0	20	7	13
68 PYOGENIC GRANULOMA	686.1	26	16	10
69 DERMATITIS INFECTIOSA ECZEMATOIDES	*686.2	-	-	-
70 OTHER	*686.9	83	43	40
71 OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE	690-698	447	149	298
72 SEBORRHEIC DERMATITIS	690	-	-	-
73 INFANTILE ECZEMA AND RELATED CONDITIONS	691	1	1	-
74 OTHER ECZEMA AND DERMATITIS	692	38	24	14
75 DUE TO DETERGENTS	692.0	-	-	-
76 DUE TO OILS AND GREASES	692.1	-	-	-
77 DUE TO SOLVENTS	692.2	-	-	-
78 DUE TO DRUGS	692.3	1	-	1
79 DUE TO OTHER CHEMICALS	692.4	1	1	-
80 DUE TO FOOD	692.5	3	2	1
81 DUE TO PLANTS, EXCEPT FOOD	692.6	-	-	-
82 DUE TO RADIATION, EXCEPT SUNBURN	692.7	-	-	-
83 DUE TO SUNBURN	*692.8	1	-	1
84 DUE TO OTHER AND UNSPECIFIED CAUSES	*692.9	32	21	11

SECTION 1 - GENERAL MORTALITY

1-139

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
...	4	...	4	0.0	...	0.0	...	0.0	...	0.0	01
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	02
...	1	...	3	0.0	...	0.0	...	0.0	...	0.0	03
...	3	...	1	0.0	...	0.0	...	0.0	...	0.0	04
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	05
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	06
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	07
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	08
...	10	...	3	0.0	...	0.0	...	0.0	...	0.0	09
...	2	...	3	0.0	...	0.0	...	0.0	...	0.0	10
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	11
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	12
...	13	...	14	0.0	...	0.0	...	0.0	...	0.0	13
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	14
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	15
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	16
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	17
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	18
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	19
...	11	...	10	0.0	...	0.0	...	0.0	...	0.0	20
...	1	...	2	0.0	...	0.0	...	0.0	...	0.0	21
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	22
...	1	...	1	0.0	...	0.0	...	0.0	...	0.0	23
...	78	...	45	0.1	...	0.1	...	0.1	...	0.3	24
...	5	...	4	0.0	...	0.0	...	0.0	...	0.0	25
...	6	...	4	0.0	...	0.0	...	0.0	...	0.0	26
...	6	...	4	0.0	...	0.0	...	0.0	...	0.0	27
...	6	...	4	0.0	...	0.0	...	0.0	...	0.0	28
...	53	...	26	0.0	...	0.1	...	0.1	...	0.2	29
...	40	...	11	0.0	...	0.0	...	0.0	...	0.0	30
...	13	...	14	0.0	...	0.0	...	0.0	...	0.0	31
...	6	...	1	0.0	...	0.0	...	0.0	...	0.0	32
...	2	...	3	0.0	...	0.0	...	0.0	...	0.0	33
...	6	...	7	0.0	...	0.0	...	0.0	...	0.0	34
...	6	...	1	0.0	...	0.0	...	0.0	...	0.0	35
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	36
...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	37
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	38
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	39
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	40
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	41
...	4	...	6	0.0	...	0.0	...	0.0	...	0.0	42
191	204	46	41	0.2	0.2	0.2	0.2	0.2	0.4	0.3	43
3	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51
3	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53
138	142	27	32	0.2	0.2	0.2	0.2	0.2	0.2	0.2	54
12	5	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55
42	43	9	12	0.1	0.0	0.1	0.0	0.0	0.1	0.1	56
8	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57
2	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58
38	45	5	10	0.0	0.0	0.1	0.0	0.0	0.0	0.0	59
10	9	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60
26	31	9	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	61
1	1	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65
48	55	18	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	66
6	11	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67
12	10	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68
30	34	13	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	69
126	231	23	67	0.2	0.1	0.3	0.1	0.2	0.2	0.5	70
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71
22	11	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	77
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	79
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83
19	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE—CON.				
01	DERMATITIS HERPETIFORMIS—	693	2	1
02	PEMPHIGUS—	694	87	54
03	ERYTHEMATOUS CONDITIONS—	695	295	73
04	TOXIC ERYTHEMA—	695.0	—	—
05	ERYTHEMA MULTIFORME—	695.1	48	17
06	ERYTHEMA NODOSUM—	695.2	—	—
07	ROSACEA—	695.3	—	—
08	LUPUS ERYTHEMATOSUS—	695.4	214	39
09	OTHER AND UNSPECIFIED—	695.9	33	17
10	PSORIASIS AND SIMILAR DISORDERS—	696	22	15
11	PSORIATIC ARTHROPATHY—	696.0	1	1
12	OTHER PSORIASIS—	696.1	20	13
13	PARAPSORIASIS—	696.2	1	1
14	PITYRIASIS ROSEA—	696.3	—	—
15	PITYRIASIS RUBRA PILARIS—	696.4	—	—
16	OTHER AND UNSPECIFIED PITYRIASIS—	696.5	—	—
17	OTHER DISORDERS—	696.9	—	—
18	LICHEN—	697	—	—
19	PLANUS—	697.0	—	—
20	NITIDUS—	697.1	—	—
21	OTHER AND UNSPECIFIED—	697.9	—	—
22	PRURITUS AND RELATED CONDITIONS—	698	2	2
23	PRURITUS ANI—	698.0	—	—
24	PRURITUS OF GENITAL ORGANS—	698.1	—	—
25	PRURIGO—	698.2	—	—
26	LICHENIFICATION AND LICHEN SIMPLEX CHRONICUS—	698.3	1	1
27	DERMATITIS FACIITIA (ARTEFACTA)—	698.4	1	1
28	OTHER PRURITIC CONDITIONS—	698.9	—	—
29	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE—	700-709	1,093	404
30	CORNS AND CALLOSITIES—	700	—	—
31	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN—	701	4	3
32	CIRCUMSCRIBED SCLERODERMA—	701.0	1	1
33	KERATODERMA, ACQUIRED—	701.1	1	1
34	STRIAE ATROPHICAE—	701.2	—	—
35	KELOID SCAR—	701.3	—	—
36	OTHER HYPERTROPHIC AND ATROPHIC CONDITIONS OF SKIN—	701.9	2	2
37	OTHER DERMATOSES—	702	—	—
38	DISEASES OF NAIL—	703	—	—
39	INGROWING NAIL—	703.0	—	—
40	OTHER—	703.9	—	—
41	DISEASES OF HAIR AND HAIR FOLLICLES—	704	—	—
42	DISEASES OF SWEAT GLANDS—	705	3	3
43	ANHIDROSIS—	705.0	—	—
44	PRICKLY HEAT—	705.1	—	—
45	OTHER—	705.9	3	3
46	DISEASES OF SEBACEOUS GLANDS—	706	2	2
47	ACNE VARIOLIFORMIS—	706.0	—	—
48	OTHER ACNE—	706.1	1	1
49	SEBACEOUS CYST—	706.2	1	1
50	SEBORRHEA—	706.3	—	—
51	OTHER—	706.9	—	—
52	CHRONIC ULCER OF SKIN—	707	1,076	394
53	DECUBITUS ULCER—	707.0	912	325
54	LOWER EXTREMITY, EXCEPT DECUBITUS ULCER—	707.1	85	26
55	OTHER—	707.9	79	43
56	URTICARIA—	709	7	2
57	ANGIONEUROTIC EDEMA—	709.0	7	2
58	OTHER AND UNSPECIFIED—	709.9	—	—
59	OTHER DISEASES OF SKIN—	709	1	1
60	CICATRIX—	709.0	—	—
61	TATTOO—	709.1	—	—
62	OTHER DISEASES OF SKIN—	709.9	1	1
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE				
63	ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER—	710-718	2,274	745
64	ACUTE ARTHRITIS DUE TO PYOGENIC ORGANISMS—	710	36	21
65	OF SPINE—	710.0	—	—
66	OF UPPER EXTREMITY (INCLUDING SHOULDER)—	710.1	—	—
67	OF HIP—	710.2	6	4
68	OF OTHER PARTS OF LOWER EXTREMITY—	710.3	7	4
69	OF OTHER AND UNSPECIFIED SITES—	710.9	23	13
70	ACUTE NONPYOGENIC ARTHRITIS—	711	—	—
71	RHEUMATOID ARTHRITIS AND ALLIED CONDITIONS—	712	1,400	457
72	JUVENILE RHEUMATOID ARTHRITIS—	712.0	2	1
73	RHEUMATOID ARTHRITIS WITH SPLENOADENOMEGALY AND LEUKOPENIA—	712.1	24	10
74	PALINDROMIC RHEUMATISM—	712.2	—	—
75	OTHER RHEUMATOID ARTHRITIS—	712.3	1,343	419
76	SPONDYLITIS ANKYLOPOIETICA—	712.4	31	27
77	CHRONIC RHEUMATOID NODULAR FIBROSITIS—	712.5	—	—
78	OSTEOARTHRITIS AND ALLIED CONDITIONS—	713	358	110
79	OSTEOARTHRITIS—	713.0	316	87
80	SPONDYLITIS OSTEOARTHRITICA—	713.1	42	23
81	TRAUMATIC SPONDYLOPATHY—	713.2	—	—

1-141

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	01
31	50	2	4	0.0	0.0	0.1	0.0	0.1	0.0	0.0	02
57	163	16	59	0.1	0.1	0.2	0.1	0.2	0.1	0.4	03
-	-	-	-	-	-	-	-	-	-	-	04
12	20	5	11	0.0	0.0	0.0	0.0	0.0	0.0	0.1	05
-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	07
33	133	6	42	0.1	0.0	0.2	0.0	0.1	0.0	0.3	08
12	10	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
13	7	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	10
1	7	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	11
12	-	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	12
-	-	1	-	0.0	0.0	-	-	-	0.0	-	13
-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	20
2	-	-	-	0.0	0.0	-	0.0	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	0.0	0.0	-	0.0	-	-	-	24
1	-	-	-	0.0	0.0	-	0.0	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	26
309	524	95	165	0.5	0.4	0.6	0.3	0.6	0.7	1.2	29
-	-	-	-	-	-	-	-	-	-	-	30
3	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	31
1	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	32
-	-	-	-	-	-	-	-	-	-	-	33
2	-	-	-	0.0	0.0	-	0.0	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
1	-	2	-	0.0	0.0	-	0.0	-	0.0	-	40
-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	42
1	-	2	-	0.0	0.0	-	0.0	-	0.0	-	43
-	-	-	-	-	-	-	-	-	-	-	44
1	-	2	-	0.0	0.0	-	0.0	-	0.0	-	45
2	-	-	-	0.0	0.0	-	0.0	-	-	-	46
1	-	-	-	0.0	0.0	-	0.0	-	-	-	47
1	-	-	-	0.0	0.0	-	0.0	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
301	519	93	163	0.5	0.4	0.6	0.3	0.6	0.7	1.2	52
248	440	77	147	0.4	0.3	0.5	0.3	0.5	0.6	1.1	53
19	46	7	13	0.0	0.0	0.1	0.0	0.0			

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER—CON.				
01 OTHER SPECIFIED FORMS OF ARTHRITIS—	714	11	3	8
02 TRAUMATIC ARTHRITIS—	714.0	1	1	—
03 OTHER—	714.9	10	2	8
04 ARTHRITIS, UNSPECIFIED—	715	238	78	160
05 POLYMYOSITIS AND DERMATOMYOSITIS—	716	212	71	141
06 DERMATOMYOSITIS—	716.0	102	32	70
07 POLYMYOSITIS—	716.1	110	39	71
08 OTHER NONARTICULAR RHEUMATISM—	717	17	4	13
09 LUMBAGO—	717.9	—	—	—
10 SCAPULOHUMERAL MYOFIBROSIS—	717.1	—	—	—
11 TORTICOLLIS NOT SPECIFIED AS CONGENITAL, PSYCHOGENIC, OR TRAUMATIC—	717.2	1	—	1
12 OTHER MUSCULAR RHEUMATISM, FIBROSITIS, AND MYALGIA—	717.9	16	4	12
13 RHEUMATISM, UNSPECIFIED—	718	2	1	1
14 OSTEOMYELITIS AND OTHER DISEASES OF BONE AND JOINT—	720-729	875	361	514
15 OSTEOMYELITIS AND PERIOSTITIS—	720	168	86	82
16 ACUTE OSTEOMYELITIS—	720.0	4	2	2
17 CHRONIC OSTEOMYELITIS—	720.1	22	15	7
18 UNSPECIFIED OSTEOMYELITIS—	720.2	142	69	73
19 PERIOSTITIS WITHOUT MENTION OF OSTEOMYELITIS—	720.3	—	—	—
20 OSTEITIS DEFORMANS—	721	97	46	51
21 OSTEOCHONDROSIS—	722	1	1	—
22 JUVENILE OSTEOCHONDROSIS OF SPINE—	722.0	—	—	—
23 JUVENILE OSTEOCHONDROSIS OF HIP—	722.1	1	1	—
24 OTHER JUVENILE OSTEOCHONDROSIS—	722.2	—	—	—
25 SLIPPED UPPER FEMORAL EPIPHYSIS, NONTRAUMATIC—	722.3	—	—	—
26 APOPHYSITIS, CALCANEAL—	722.4	—	—	—
27 OSTEOCHONDROITIS DISSECANS—	722.5	—	—	—
28 OTHER AND UNSPECIFIED FORMS OF OSTEOCHONDROSIS—	722.9	—	—	—
29 OTHER DISEASES OF BONE—	723	309	83	226
30 OSTEOPOROSIS—	723.0	202	43	159
31 HYPERTROPHIC PULMONARY OSTEOARTHROPATHY—	723.1	1	1	—
32 SPONTANEOUS FRACTURE—	723.2	56	29	36
33 CYST OF BONE, EXCEPT JAW—	723.3	—	—	—
34 HYPEROSTOSIS OF SKULL—	723.4	1	—	1
35 ASEPTIC NECROSIS OF BONE—	723.5	8	3	5
36 ARREST OF GROWTH—	723.6	—	—	—
37 CALCANEAL SPUR—	723.7	—	—	—
38 OTHER DISEASES OF BONE—	723.9	41	16	25
39 INTERNAL DERANGEMENT OF JOINT—	724	2	2	—
40 RECURRENT DISLOCATION OF SHOULDER—	724.0	—	—	—
41 OTHER SHOULDER DERANGEMENTS—	724.1	—	—	—
42 RECURRENT DISLOCATION OF ELBOW—	724.2	—	—	—
43 OTHER ELBOW DERANGEMENTS—	724.3	—	—	—
44 RECURRENT DISLOCATION OF KNEE—	724.4	—	—	—
45 OTHER KNEE DERANGEMENTS—	724.5	2	2	—
46 DERANGEMENTS OF OTHER JOINTS—	724.9	—	—	—
47 DISPLACEMENT OF INTERVERTEBRAL DISC—	725	48	31	17
48 CERVICAL—	725.0	10	8	2
49 LUMBAR AND LUMBOSACRAL—	725.1	15	8	7
50 OTHER SPECIFIED SITES—	725.8	1	1	—
51 UNSPECIFIED SITE—	725.9	22	14	8
52 AFFECTION OF SACROILIAC JOINT—	726	—	—	—
53 ANKYLOSIS OF JOINT—	727	3	1	2
54 OF SPINE—	727.0	2	—	2
55 OF SHOULDER—	727.1	—	—	—
56 OF ELBOW—	727.2	—	—	—
57 OF WRIST—	727.3	—	—	—
58 OF FINGER—	727.4	—	—	—
59 OF HIP—	727.5	—	—	—
60 OF KNEE—	727.6	—	—	—
61 OF ANKLE—	727.7	—	—	—
62 OF OTHER AND MULTIPLE SITES—	727.8	—	—	—
63 OF UNSPECIFIED SITE—	727.9	1	1	—
64 VERTEBRIGENIC PAIN SYNDROME—	728	11	3	8
65 CERVICALGIA—	728.0	—	—	—
66 CERVICOCRANIAL SYNDROME—	728.1	—	—	—
67 DIFFUSE CERVICOBRACHIAL SYNDROME—	728.2	—	—	—
68 RADICULAR SYNDROME OF UPPER LIMBS—	728.3	—	—	—
69 CERVICAL MYELOPATHY—	728.4	8	1	7
70 PAIN IN THORACIC SPINE—	728.5	—	—	—
71 THORACIC MYELOPATHY—	728.6	—	—	—
72 LUMBALGIA—	728.7	—	—	—
73 RADICULAR SYNDROME OF LOWER LIMBS—	728.8	—	—	—
74 OTHER AND UNSPECIFIED—	728.9	3	2	1
75 OTHER DISEASES OF JOINT—	729	236	108	128
76 PSEUDARTHROSIS OF SPINE FOLLOWING FUSION—	729.0	—	—	—
77 OTHER DISEASES OF SPINE NOT ELSEWHERE CLASSIFIABLE—	729.1	7	6	1
78 DISEASE OF SHOULDER NOT ELSEWHERE CLASSIFIABLE—	729.2	—	—	—
79 DISEASE OF ELBOW NOT ELSEWHERE CLASSIFIABLE—	729.3	—	—	—
80 FLEXION CONTRACTURE OF FINGERS—	729.4	—	—	—
81 DISEASE OF HIP NOT ELSEWHERE CLASSIFIABLE—	729.5	196	86	110
82 LOOSE BODY IN KNEE—	729.6	—	—	—
83 CHONDROMALACIA OF KNEE—	729.7	—	—	—
84 DISEASE OF KNEE NOT ELSEWHERE CLASSIFIABLE—	729.8	26	15	11
85 DISEASE OF JOINT NOT ELSEWHERE CLASSIFIABLE—	729.9	7	1	6

1-143

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

[illegible]

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	CAUSE OF DEATH	TOTAL		
		BOTH SEXES	MALE	FEMALE
01	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM—730-738	1,931	509	1,422
02	BUNION—730	2	—	2
03	SYNOVITIS, BURSITIS, AND TENOSYNOVITIS—731	4	2	2
04	OF SPINE—*731.0	—	—	—
05	OF SHOULDER—*731.1	—	—	—
06	OF ELBOW—*731.2	—	—	—
07	OF WRIST—*731.3	1	1	—
08	OF HAND AND FINGER—*731.4	1	—	1
09	OF HIP AND BUTTOCK—*731.5	—	—	—
10	OF KNEE—*731.6	—	—	—
11	OF ANKLE—*731.7	—	—	—
12	OF FOOT AND TOE—*731.8	—	—	—
13	OF OTHER AND UNSPECIFIED SITES—*731.9	2	1	1
14	INFECTIVE MYOSITIS AND OTHER INFLAMMATORY DISEASES OF TENDON AND FASCIA—732	17	6	11
15	OTHER DISEASES OF MUSCLE, TENDON, AND FASCIA—733	275	133	142
16	MYASTHENIA GRAVIS—733.0	202	90	112
17	MUSCULAR ATROPHY (IDIOPATHIC)—733.1	13	12	1
18	MYOSITIS OSSIFICANS—*733.2	2	1	1
19	CALCIUM DEPOSIT IN TENDON—*733.3	—	—	—
20	SHORT ACHILLES TENDON—*733.4	—	—	—
21	CONTRACTURE OF PALMAR FASCIA—*733.5	—	—	—
22	RESIDUAL FOREIGN BODY IN TISSUE OR BONE—*733.6	1	1	—
23	OTHER AND UNSPECIFIED DISEASES OF MUSCLE, TENDON, AND FASCIA—*733.9	57	29	28
24	DIFFUSE DISEASES OF CONNECTIVE TISSUE—734	1,487	318	1,169
25	PROGRESSIVE SYSTEMIC SCLEROSIS—734.0	632	152	480
26	SYSTEMIC LUPUS ERYTHEMATOSUS—734.1	753	136	617
27	OTHER AND UNSPECIFIED—734.9	102	30	72
28	CURVATURE OF SPINE—735	135	45	90
29	SCOLIOSIS—*735.0	17	7	10
30	KYPHOSIS—*735.1	22	7	15
31	KYPHOSCOLIOSIS—*735.2	95	30	65
32	OTHER AND UNSPECIFIED CURVATURE OF SPINE—*735.9	1	1	—
33	FLAT FOOT—736	—	—	—
34	HALLUX VALGUS AND VARUS—737	—	—	—
35	HALLUX VALGUS AND UNSPECIFIED HALLUX—*737.0	—	—	—
36	HALLUX VARUS—*737.1	—	—	—
37	OTHER DEFORMITIES—738	11	5	6
38	OF NASAL BONE—*738.0	—	—	—
39	OF HEAD—*738.1	—	—	—
40	OF FOREARM, EXCLUDING FINGERS—*738.2	—	—	—
41	OF FINGERS—*738.3	—	—	—
42	OF HIP—*738.4	1	—	1
43	OF LEG NOT ELSEWHERE CLASSIFIABLE—*738.5	—	—	—
44	OF ANKLE AND FOOT, EXCLUDING TOES, ACQUIRED—*738.6	—	—	—
45	OF TOES NOT ELSEWHERE CLASSIFIABLE—*738.7	1	—	1
46	OF OTHER SPECIFIED SITES—*738.8	8	4	4
47	OF UNSPECIFIED SITE—*738.9	1	1	—
XIV. CONGENITAL ANOMALIES				
48	CONGENITAL ANOMALIES—740-759	14,062	7,559	6,503
49	ANENCEPHALUS—740	795	353	442
50	SPINA BIFIDA—741	592	254	338
51	WITH HYDROCEPHALUS—741.0	359	159	200
52	WITHOUT MENTION OF HYDROCEPHALUS—741.9	233	95	138
53	CONGENITAL HYDROCEPHALUS—742	706	382	324
54	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM—743	670	332	338
55	ENCEPHALOCELE—743.0	94	39	55
56	MICROCEPHALUS—743.1	182	84	98
57	OTHER SPECIFIED ANOMALIES OF BRAIN—743.2	99	55	44
58	OTHER SPECIFIED ANOMALIES OF SPINAL CORD—743.3	5	4	1
59	NEUROFIBROMATOSIS—743.4	54	28	26
60	OTHER SPECIFIED ANOMALIES OF NERVOUS SYSTEM—743.8	9	5	4
61	UNSPECIFIED ANOMALIES OF BRAIN, SPINAL CORD, AND NERVOUS SYSTEM—743.9	227	117	110
62	CONGENITAL ANOMALIES OF EYE—744	3	1	2
63	ANOPHTHALMOS—744.0	1	—	1
64	MICROPTHALMOS—744.1	—	—	—
65	BUPHTHALMOS—744.2	—	—	—
66	CONGENITAL CATARACT—744.3	1	—	1
67	COLOBOMA—744.4	—	—	—
68	ANIRIDIA—744.5	—	—	—
69	RETINITIS PIGMENTOSA—*744.6	—	—	—
70	CONGENITAL BLEPHAROPTOSIS—*744.7	—	—	—
71	OTHER SPECIFIED ANOMALIES OF EYE—*744.8	1	1	—
72	UNSPECIFIED ANOMALIES OF EYE—744.9	—	—	—
73	CONGENITAL ANOMALIES OF EAR, FACE, AND NECK—745	2	1	1
74	ANOMALIES OF EAR CAUSING IMPAIRMENT OF HEARING—745.0	—	—	—
75	ACCESSORY AURICLE—745.1	—	—	—
76	OTHER SPECIFIED ANOMALIES OF EAR—745.2	—	—	—
77	UNSPECIFIED ANOMALIES OF EAR—745.3	—	—	—
78	BRANCHIAL CLEFT, CYST, OR FISTULA AND PREAURICULAR SINUS—745.4	—	—	—
79	WEBBING OF NECK—745.5	—	—	—
80	OTHER SPECIFIED ANOMALIES OF FACE AND NECK—745.8	—	—	—
81	UNSPECIFIED ANOMALIES OF FACE AND NECK—745.9	2	1	1

SECTION 1 - GENERAL MORTALITY

1-145

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
412	1,127	97	295	0.9	0.5	1.3	0.5	1.2	0.8	2.1	01	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	02	
1	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	03	
-	-	-	-	-	-	-	-	-	-	-	04	
-	-	-	-	-	-	-	-	-	-	-	05	
-	-	1	-	0.0	0.0	-	-	-	0.0	-	06	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	08	
-	-	-	-	-	-	-	-	-	-	-	09	
-	-	-	-	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	11	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	12	
-	-	-	-	-	-	-	-	-	-	-	13	
3	5	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	
117	132	16	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	15	
81	104	9	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	16	
10	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	17	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	20	
-	-	1	-	0.0	0.0	-	-	-	0.0	-	21	
25	26	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	
-	-	-	-	-	-	-	-	-	-	-	23	
244	896	74	273	0.7	0.3	1.1	0.3	1.0	0.6	2.0	24	
113	400	39	80	0.3	0.1	0.4	0.1	0.4	0.3	0.6	25	
107	434	29	183	0.4	0.1	0.6	0.1	0.5	0.2	1.3	26	
24	62	6	10	0.0	0.0	0.1	0.0	0.1	0.0	0.1	27	
-	-	-	-	-	-	-	-	-	-	-	28	
43	84	2	6	0.1	0.0	0.1	0.0	0.1	0.0	0.0	29	
7	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-	30	
7	15	-	-	0.0	0.0	0.0	0.0	0.0	-	-	31	
28	59	2	6	0.0	0.0	0.1	0.0	0.1	0.0	0.0	32	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	36	
4	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	37	
-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	40	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	41	
-	-	-	-	-	-	-	-	-	-	-	42	
-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	-	-	-	-	-	-	44	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	45	
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	46	
-	-	1	-	0.0	0.0	-	-	-	0.0	-	47	
-	-	-	-	-	-	-	-	-	-	-	48	
6,404	5,446	1,155	1,057	6.7	7.4	6.0	7.2	5.8	9.0	7.6	48	
-	-	-	-	-	-	-	-	-	-	-	49	
318	407	35	35	0.4	0.3	0.4	0.4	0.4	0.3	0.3	50	
226	314	28	24	0.3	0.2	0.3	0.3	0.3	0.2	0.2	51	
143	186	16	14	0.2	0.2	0.2	0.2	0.2	0.1	0.1	52	
83	128	12	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	53	
313	271	69	53	0.3	0.4	0.3	0.4	0.3	0.5	0.4	54	
-	-	-	-	-	-	-	-	-	-	-	55	
283	283	49	55	0.3	0.3	0.3	0.3	0.3	0.4	0.4	56	
33	49	6	6	0.0	0.0	0.1	0.0	0.1	0.0	0.0	57	
66	81	18	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1	58	
43	37	12	7	0.0	0.1	0.0	0.0	0.0	0.1	0.1	59	
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	60	
25	23	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61	
5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	62	
107	91	10	19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	63	
-	-	-	-	-	-	-	-	-	-	-	64	
1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	65	
-	1	-	-	0.0	-	-	-	-	-	-	66	
-	-	-	-	-	-	-	-	-	-	-	67	
-	-	-	1	0.0	-	0.0	-	-	-	0.0	68	
-	-	-	-	-	-	-	-	-	-	-	69	
-	-	-	-	-	-	-	-	-	-	-	70	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	71	
-	-	-	-	-	-	-	-	-	-	-	72	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	73	
-	-	-	-	-	-	-	-	-	-	-	74	
-	-	-	-	-	-	-	-	-	-	-	75	
-	-	-	-	-	-	-	-	-	-	-	76	
-	-	-	-	-	-	-	-	-	-	-	77	
-	-	-	-	-	-	-	-	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	-	79	
-	-	-	-	-	-	-	-	-	-	-	80	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	81	

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
CONGENITAL ANOMALIES—CON.					
01	CONGENITAL ANOMALIES OF HEART-----	746	5,841	3,195	2,646
02	COMMON TRUNCUS-----	746.0	142	79	63
03	TRANSPOSITION OF GREAT VESSELS-----	746.1	380	250	130
04	TETRALOGY OF FALLOT-----	746.2	394	226	168
05	VENTRICULAR SEPTAL DEFECT-----	746.3	600	297	303
06	ATRIAL SEPTAL DEFECT-----	746.4	348	148	200
07	OSTIUM ATRIOVENTRICULARE COMMUNE-----	746.5	79	31	49
08	ANOMALIES OF HEART VALVES-----	746.6	810	509	301
09	FIBROELASTOSIS COROIS-----	746.7	171	96	75
10	OTHER SPECIFIED ANOMALIES OF HEART-----	746.8	461	262	199
11	UNSPECIFIED ANOMALIES OF HEART-----	746.9	2,456	1,297	1,159
12	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----	747	1,123	625	498
13	PATENT DUCTUS ARTERIOSUS-----	747.0	215	102	113
14	COARCTATION OF AORTA-----	747.1	186	118	68
15	OTHER ANOMALIES OF AORTA-----	747.2	77	45	32
16	STENOSIS OR ATRESIA OF PULMONARY ARTERY-----	747.3	149	82	67
17	ANOMALIES OF GREAT VEINS-----	747.4	118	74	44
18	ABSENCE OR HYPOPLASIA OF UMBILICAL ARTERY-----	747.5	1	1	-
19	OTHER ANOMALIES OF PERIPHERAL VASCULAR SYSTEM-----	747.6	184	106	78
20	OTHER SPECIFIED ANOMALIES OF CIRCULATORY SYSTEM-----	747.8	185	93	92
21	UNSPECIFIED ANOMALIES OF CIRCULATORY SYSTEM-----	747.9	8	4	4
22	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----	748	658	410	248
23	CHOANAL ATRESIA-----	748.0	8	4	4
24	OTHER ANOMALIES OF NOSE-----	748.1	3	-	3
25	WEB OF LARYNX-----	748.2	1	-	1
26	OTHER ANOMALIES OF LARYNX, TRACHEA, AND BRONCHUS-----	748.3	183	118	65
27	CONGENITAL CYSTIC LUNG-----	748.4	74	47	27
28	AGENESIS OF LUNG-----	748.5	31	18	13
29	OTHER ANOMALIES OF LUNG-----	748.6	340	219	129
30	OTHER SPECIFIED ANOMALIES OF RESPIRATORY SYSTEM-----	748.8	2	2	-
31	UNSPECIFIED ANOMALIES OF RESPIRATORY SYSTEM-----	748.9	16	6	10
32	CLEFT PALATE AND CLEFT LIP-----	749	23	13	10
33	CLEFT PALATE-----	749.0	14	9	5
34	CLEFT LIP-----	749.1	1	-	1
35	CLEFT PALATE WITH CLEFT LIP-----	749.2	8	4	4
36	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT-----	750	147	85	62
37	ANOMALIES OF TONGUE-----	750.0	-	-	-
38	PYLORIC STENOSIS-----	750.1	7	5	2
39	TRACHEO-ESOPHAGEAL FISTULA-----	750.2	49	31	18
40	ESOPHAGEAL ATRESIA AND STENOSIS-----	750.3	33	18	15
41	OTHER SPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT-----	750.8	54	30	24
42	UNSPECIFIED ANOMALIES OF UPPER ALIMENTARY TRACT-----	750.9	4	1	3
43	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----	751	523	268	255
44	MECKEL'S DIVERTICULUM-----	751.0	27	17	10
45	ANOMALIES OF INTESTINAL FIXATION-----	751.1	43	21	22
46	HIRSCHSPRUNG'S DISEASE-----	751.2	51	35	16
47	ATRESIA AND STENOSIS OF RECTUM AND ANAL CANAL-----	751.3	23	15	8
48	OTHER ANOMALIES OF INTESTINE-----	751.4	146	82	64
49	ATRESIA OF BILIARY DUCTS-----	751.5	178	73	105
50	OTHER ANOMALIES OF GALLBLADDER, BILE DUCTS, AND LIVER-----	751.6	36	15	21
51	ANOMALIES OF PANCREAS-----	751.7	5	2	3
52	OTHER SPECIFIED ANOMALIES OF DIGESTIVE SYSTEM-----	751.8	4	2	2
53	UNSPECIFIED ANOMALIES OF DIGESTIVE SYSTEM-----	751.9	10	6	4
54	CONGENITAL ANOMALIES OF GENITAL ORGANS-----	752	9	8	1
55	INDETERMINATE SEX-----	752.0	-	-	-
56	UNDESCENDED TESTICLE-----	752.1	1	1	-
57	HYPOSPADIAS-----	752.2	2	2	-
58	EPISPADIAS-----	752.3	-	-	-
59	CONGENITAL HYDROCELE-----	752.4	-	-	-
60	ANOMALIES OF OVARY, FALLOPIAN TUBE, AND UTERUS-----	752.5	1	-	1
61	ANOMALIES OF VAGINA AND EXTERNAL FEMALE GENITALIA-----	752.6	-	-	-
62	PSEUDHERMAPHRODITISM-----	752.7	-	-	-
63	OTHER SPECIFIED ANOMALIES OF GENITAL ORGANS-----	752.8	2	2	-
64	UNSPECIFIED ANOMALIES OF GENITAL ORGANS-----	752.9	3	3	-
65	CONGENITAL ANOMALIES OF URINARY SYSTEM-----	753	868	499	369
66	RENAL AGENESIS-----	753.0	151	110	41
67	CYSTIC KIDNEY DISEASE-----	753.1	581	303	278
68	OBSTRUCTIVE DEFECTS OF URINARY TRACT-----	753.2	32	24	8
69	OTHER SPECIFIED ANOMALIES OF KIDNEY-----	753.3	19	7	12
70	OTHER SPECIFIED ANOMALIES OF URETER-----	753.4	2	-	2
71	EXTROPHY OF URINARY BLADDER-----	753.5	5	3	2
72	ATRESIA AND STENOSIS OF URETHRA AND BLADDER NECK-----	753.6	12	8	4
73	OTHER SPECIFIED ANOMALIES OF BLADDER AND URETHRA-----	753.8	2	2	-
74	UNSPECIFIED ANOMALIES OF URINARY SYSTEM-----	753.9	64	42	22
75	CLUBFOOT (CONGENITAL)-----	754	4	1	3
76	TALIPES CAVUS-----	754.0	-	-	-
77	TALIPES EQUINOVARUS-----	754.1	2	-	2
78	TALIPES CALCANEVALGUS-----	754.2	-	-	-
79	TALIPES, OTHER SPECIFIED TYPES, NOT ELSEWHERE CLASSIFIABLE-----	754.8	-	-	-
80	TALIPES, UNSPECIFIED TYPE-----	754.9	2	1	1
81	OTHER CONGENITAL ANOMALIES OF LIMBS-----	755	15	8	7
82	POLYDACTYLY-----	755.0	-	-	-
83	SYNDACTYLY-----	755.1	-	-	-
84	REDUCTION DEFORMITY OF UPPER LIMB-----	755.2	-	-	-
85	REDUCTION DEFORMITY OF LOWER LIMB-----	755.3	-	-	-
86	REDUCTION DEFORMITY, UNSPECIFIED LIMB-----	755.4	1	-	1
87	OTHER ANOMALY OF UPPER LIMB (INCLUDING SHOULDER GIRDLE)-----	755.5	2	2	-
88	CONGENITAL DISLOCATION OF HIP-----	755.6	2	1	1
89	OTHER ANOMALY OF LOWER LIMB (INCLUDING PELVIC GIRDLE)-----	755.7	3	1	2
90	GENERALIZED FLEXION CONTRACTURE OF LIMB JOINTS-----	755.8	7	4	3
91	OTHER AND UNSPECIFIED ANOMALIES OF UNSPECIFIED LIMB-----	755.9	-	-	-

.1-147

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
2,730	2,185	465	461	2.8	3.1	2.5	3.1	2.3	3.6	3.3	
69	58	10	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
214	122	36	8	0.2	0.2	0.1	0.2	0.1	0.3	0.1	
195	133	31	35	0.2	0.2	0.2	0.2	0.1	0.2	0.3	
254	246	43	57	0.3	0.3	0.3	0.3	0.3	0.3	0.4	
129	172	19	28	0.2	0.1	0.2	0.1	0.2	0.1	0.2	
27	42	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
451	263	58	38	0.4	0.5	0.3	0.5	0.3	0.5	0.3	
71	56	25	19	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
220	162	42	37	0.2	0.3	0.2	0.2	0.2	0.3	0.3	
1,100	951	197	228	1.2	1.3	1.1	1.2	1.0	1.5	1.6	
516	411	109	87	0.5	0.6	0.5	0.6	0.4	0.9	0.6	
73	92	29	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2	
105	55	13	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
38	27	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
67	57	15	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
66	38	8	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	
1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
87	66	19	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
75	73	18	19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
343	195	67	53	0.3	0.4	0.2	0.4	0.2	0.5	0.4	
4	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	
-	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
100	53	18	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
39	20	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
17	12	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
175	98	40	27	0.2	0.2	0.1	0.2	0.1	0.3	0.2	
2	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
6	7	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	
11	8	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
7	3	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
73	55	12	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
-	-	-	-	-	-	-	-	-	-	-	
1	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
27	15	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
27	21	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
208	195	60	60	0.2	0.3	0.2	0.2	0.2	0.5	0.4	
14	10	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17	17	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
24	14	11	2								

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
CONGENITAL ANOMALIES--CON.				
01 OTHER CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	756	382	211	171
02 ANOMALIES OF SKULL AND FACE BONES	756.0	63	40	23
03 ANOMALIES OF LUMBOSACRAL JOINT	756.1	1	1	1
04 OTHER ANOMALIES OF SPINE	756.2	43	18	25
05 CERVICAL RIB	756.3	-	-	-
06 OTHER ANOMALIES OF RIBS AND STERNUM	756.4	29	24	5
07 CHONDRODYSPLASIA	756.5	33	14	19
08 OSTEOGENESIS IMPERFECTA	756.6	37	14	23
09 OTHER GENERALIZED ANOMALIES OF SKELETON	756.7	20	10	10
10 OTHER SPECIFIED ANOMALIES OF MUSCLE, TENDON, AND FASCIA	756.8	129	72	57
11 UNSPECIFIED ANOMALIES OF MUSCULOSKELETAL SYSTEM	756.9	27	19	8
12 CONGENITAL ANOMALIES OF SKIN, HAIR, AND NAILS	757	27	19	8
13 HEREDITARY EDEMA OF LEGS	757.0	1	1	-
14 PIGMENTED NEVUS	757.1	2	1	1
15 OTHER SPECIFIED ANOMALIES OF SKIN	757.2	18	12	6
16 SPECIFIED ANOMALIES OF HAIR	757.3	3	2	1
17 SPECIFIED ANOMALIES OF NAILS	757.4	-	-	-
18 UNSPECIFIED ANOMALIES OF SKIN, HAIR, AND NAILS	757.9	3	3	-
19 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	758	246	135	111
20 ANOMALIES OF SPLEEN	758.0	9	5	4
21 ANOMALIES OF ADRENAL GLAND	758.1	21	9	12
22 ANOMALIES OF THYROID GLAND	758.2	-	-	-
23 ANOMALIES OF OTHER ENDOCRINE GLANDS	758.3	7	3	4
24 OTHER SPECIFIED CONGENITAL ANOMALIES	758.8	96	55	41
25 UNSPECIFIED CONGENITAL ANOMALY	758.9	113	63	50
26 CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759	1,428	759	669
27 SITUS INVERSUS	759.0	13	7	6
28 CONJOINED TWINS	759.1	13	7	6
29 OTHER FORMS OF MONSTER	759.2	22	9	13
30 DOWN'S DISEASE	759.3	226	123	103
31 OTHER SYNDROMES DUE TO AUTOSOMAL ABNORMALITY	759.4	253	94	159
32 SYNDROMES DUE TO SEX CHROMOSOME ABNORMALITY	759.5	7	2	5
33 TUBEROUS SCLEROSIS	759.6	20	11	9
34 OTHER SPECIFIED SYNDROMES	759.8	107	68	39
35 MULTIPLE CONGENITAL ANOMALIES, UNSPECIFIED	759.9	767	438	329
XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY				
36 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-778	30,503	17,806	12,697
37 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	9	6	3
38 CHRONIC RHEUMATIC HEART DISEASE	760.0	-	-	-
39 CONGENITAL HEART DISEASE	760.1	-	-	-
40 CHRONIC HYPERTENSION	760.2	4	3	1
41 OTHER CHRONIC DISEASES OF CIRCULATORY SYSTEM	760.3	4	2	2
42 CHRONIC NEPHRITIS	760.4	1	1	-
43 OTHER CHRONIC DISEASES OF GENITOURINARY SYSTEM	760.5	-	-	-
44 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	290	159	131
45 SYPHILIS	761.0	1	1	-
46 DIABETES MELLITUS	761.1	143	81	62
47 INFLUENZA	761.2	7	2	5
48 RUBELLA	761.3	11	8	3
49 TOXOPLASMOSIS	761.4	1	1	-
50 INJURY	761.5	19	12	7
51 OPERATION	761.6	3	2	1
52 CHEMICAL SUBSTANCES TRANSMITTED THROUGH PLACENTA	761.7	14	9	5
53 OTHER MATERNAL CAUSES	761.9	91	43	48
54 TOXEMIA OF PREGNANCY	762	139	75	64
55 RENAL DISEASE ARISING DURING PREGNANCY	762.0	10	6	4
56 PREECLAMPSIA OF PREGNANCY	762.1	42	21	21
57 ECLAMPSIA OF PREGNANCY	762.2	27	16	11
58 TOXEMIA, UNSPECIFIED	762.3	55	29	26
59 HYPEREMESIS GRAVIDARUM	762.4	1	-	1
60 ACUTE AND SUBACUTE NECROSIS OF LIVER ARISING DURING PREGNANCY	762.5	2	2	-
61 OTHER TOXEMIA OF PREGNANCY	762.9	2	1	1
62 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	190	111	79
63 PYELITIS AND PYELONEPHRITIS OF PREGNANCY	763.0	4	1	3
64 OTHER INFECTIONS OF GENITOURINARY TRACT DURING PREGNANCY	763.1	18	11	7
65 OTHER	763.9	168	99	69
66 DIFFICULT LABOR WITH ABNORMALITY OF BONES, ORGANS, OR TISSUES OF PELVIS	764	26	16	10
67 WITH BIRTH INJURY TO BRAIN	764.0	3	1	2
68 WITH BIRTH INJURY TO SPINAL CORD	764.1	-	-	-
69 WITH BIRTH INJURY TO BONE OR NERVE	764.2	-	-	-
70 WITH OTHER OR UNSPECIFIED BIRTH INJURY	764.3	1	1	-
71 WITH ASPHYXIA, ANOXIA, OR HYPOXIA	764.4	13	8	5
72 WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	764.9	9	6	3
73 DIFFICULT LABOR WITH DISPROPORTION BUT NO MENTION OF ABNORMALITY OF PELVIS	765	27	19	8
74 WITH BIRTH INJURY TO BRAIN	765.0	3	2	1
75 WITH BIRTH INJURY TO SPINAL CORD	765.1	-	-	-
76 WITH BIRTH INJURY TO BONE OR NERVE	765.2	-	-	-
77 WITH OTHER OR UNSPECIFIED BIRTH INJURY	765.3	-	-	-
78 WITH ASPHYXIA, ANOXIA, OR HYPOXIA	765.4	20	13	7
79 WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	765.9	4	4	-
80 DIFFICULT LABOR WITH MALPOSITION OF FETUS	766	244	141	103
81 WITH BIRTH INJURY TO BRAIN	766.0	51	26	25
82 WITH BIRTH INJURY TO SPINAL CORD	766.1	1	-	1
83 WITH BIRTH INJURY TO BONE OR NERVE	766.2	-	-	-
84 WITH OTHER OR UNSPECIFIED BIRTH INJURY	766.3	8	6	2
85 WITH ASPHYXIA, ANOXIA, OR HYPOXIA	766.4	148	88	60
86 WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA	766.9	36	21	15

SECTION 1 - GENERAL MORTALITY

1-149

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
179	151	32	20	0.2	0.2	0.2	0.2	0.2	0.2	0.1	01
30	19	10	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	02
-	1	-	-	0.0	-	-	-	0.0	-	-	03
14	24	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04
-	-	-	-	-	-	-	-	-	-	-	05
20	4	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06
10	17	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	07
13	19	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	08
9	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
68	50	4	7	0.1	0.1	0.1	0.1	0.1	0.0	0.1	10
15	8	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	11
16	7	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
1	-	-	-	0.0	0.0	-	0.0	-	-	-	13
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	14
10	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	18
113	90	22	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2	19
3	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	20
8	9	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
-	-	-	-	-	-	-	-	-	-	-	22
3	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	23
42	34	13	7	0.0	0.1	0.0	0.0	0.0	0.1	0.1	24
57	41	6	9	0.1	0.1	0.0	0.1	0.0	0.0	0.1	25
633	543	126	126	0.7	0.7	0.6	0.7	0.6	1.0	0.9	26
6	3	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
7	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	28
7	10	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
106	85	17	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	30
79	136	15	23	0.1	0.1	0.1	0.1	0.1	0.1	0.2	31
2	5	-	-	0.0	0.0	-	0.0	0.0	-	-	32
10	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	33
62	36	6	3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	34
354	255	84	74	0.4	0.4	0.3	0.4	0.3	0.7	0.5	35
13,089	9,097	4,717	3,600	14.5	17.4	11.8	14.6	9.7	36.8	25.7	36
5	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	40
2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	41
1	-	-	-	0.0	0.0	-	0.0	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
127	111	32	20	0.1	0.2	0.1	0.1	0.1	0.2	0.1	44
1	-	-	-	0.0	0.0	-	0.0	-	-	-	45
72	50	9	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	46
2	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-	47
8	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	48
1	-	-	-	0.0	0.0	-	0.0	-	-	-	49
7	5	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50
-	1	2	-	0.0	0.0	0.0	-	0.0	0.0	-	51
1	4	8	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	52
35	43	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	53
54	43	21	21	0.1	0.1	0.1	0.1	0.1	0.2	0.2	54
5	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	55
17	11	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1	56
11	7	5	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57
19	19	10	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	58
-	1	-	-	0.0	-	0.0	-	-	-	-	59
1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	60
1	-	-	-	0.0	0.0	-	0.0	-	-	-	61
82	54	29	25	0.1	0.1	0.1	0.1	0.1	0.2	0.2	62
1	2	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63
8	5	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64
73	47	26	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2	65
13	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66
1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	67
-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	69
-	-	1	-	0.0	0.0	-	-	-	0.0	-	70
7	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71
5	3	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	72
16	6	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
2	-	1	1	0.0	0.0	0.0	0.0	0.0	-	0.0	74
-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	77
12	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
2	-	2	-	0.0	0.0	-	0.0	-	0.0	-	79
117	83	24	20	0.1	0.1	0.1	0.1	0.1	0.2	0.1	80
23	21	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
-	-	-	-	0.0	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	83
5	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84
72	51	16	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	85
17	10	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	86

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL			
		BOTH SEXES	MALE	FEMALE	
CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—CON.					
01	DIFFICULT LABOR WITH ABNORMALITY OF FORCES OF LABOR-----	767	43	23	20
02	WITH BIRTH INJURY TO BRAIN-----	767.0	11	4	7
03	WITH BIRTH INJURY TO SPINAL CORD-----	767.1	-	-	-
04	WITH BIRTH INJURY TO BONE OR NERVE-----	767.2	-	-	-
05	WITH OTHER OR UNSPECIFIED BIRTH INJURY-----	767.3	1	1	-
06	WITH ASPHYXIA, ANOXIA, OR HYPOXIA-----	767.4	15	10	5
07	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA-----	767.9	16	8	8
08	DIFFICULT LABOR WITH OTHER AND UNSPECIFIED COMPLICATIONS-----	768	113	66	47
09	WITH BIRTH INJURY TO BRAIN-----	768.0	43	23	20
10	WITH BIRTH INJURY TO SPINAL CORD-----	768.1	-	-	-
11	WITH BIRTH INJURY TO BONE OR NERVE-----	768.2	-	-	-
12	WITH OTHER OR UNSPECIFIED BIRTH INJURY-----	768.3	6	5	1
13	WITH ASPHYXIA, ANOXIA, OR HYPOXIA-----	768.4	58	34	24
14	WITHOUT MENTION OF BIRTH INJURY, ASPHYXIA, ANOXIA, OR HYPOXIA-----	768.9	6	4	2
15	OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----	769	3,471	1,941	1,530
16	INCOMPETENT CERVIX-----	769.0	223	125	98
17	PREMATURE RUPTURE OF MEMBRANES-----	769.1	591	329	262
18	HYDRAMNIOS-----	769.2	94	57	37
19	MULTIPLE PREGNANCY-----	769.4	2,515	1,402	1,113
20	MATERNAL DEATH, UNSPECIFIED-----	769.5	-	-	-
21	OTHER-----	769.9	48	28	20
22	CONDITIONS OF PLACENTA-----	770	1,322	753	569
23	PLACENTA PREVIA-----	770.0	201	128	73
24	PREMATURE SEPARATION OF PLACENTA-----	770.1	976	551	425
25	PLACENTAL INFARCTION-----	770.2	12	5	7
26	OTHER-----	770.8	46	25	21
27	UNSPECIFIED-----	770.9	87	44	43
28	CONDITIONS OF UMBILICAL CORD-----	771	297	161	136
29	COMPRESSION OF CORD-----	771.0	43	26	17
30	PROLAPSE OF CORD WITHOUT MENTION OF COMPRESSION-----	771.1	119	60	59
31	OTHER-----	771.9	135	75	60
32	BIRTH INJURY WITHOUT MENTION OF CAUSE-----	772	1,854	1,094	760
33	TO BRAIN-----	772.0	1,738	1,021	717
34	TO SPINAL CORD-----	772.1	2	-	2
35	TO BONE OR NERVE-----	772.2	13	10	3
36	OTHER AND UNSPECIFIED-----	772.9	101	63	38
37	HEMOLYTIC DISEASE OF NEWBORN, WITH KERNICTERUS-----	774	12	5	7
38	WITH RH INCOMPATIBILITY-----	774.0	3	-	3
39	WITH ABO INCOMPATIBILITY-----	774.1	-	-	-
40	WITH OTHER OR UNSPECIFIED BLOOD INCOMPATIBILITY-----	774.2	-	-	-
41	WITHOUT MENTION OF CAUSE-----	774.9	9	5	4
42	HEMOLYTIC DISEASE OF NEWBORN, WITHOUT MENTION OF KERNICTERUS-----	775	366	197	169
43	WITH RH INCOMPATIBILITY-----	775.0	84	43	41
44	WITH ABO INCOMPATIBILITY-----	775.1	7	2	5
45	WITH OTHER OR UNSPECIFIED BLOOD INCOMPATIBILITY-----	775.2	7	3	4
46	WITHOUT MENTION OF CAUSE-----	775.9	268	149	119
47	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----	776	14,626	8,892	5,734
48	ASPIRATION OF CONTENT OF BIRTH CANAL-----	776.0	483	265	218
49	HYALINE MEMBRANE DISEASE-----	776.1	4,481	2,781	1,700
50	RESPIRATORY DISTRESS SYNDROME-----	776.2	4,101	2,603	1,498
51	FETAL DISTRESS-----	776.3	76	46	30
52	INTRAUTERINE ANOXIA-----	776.4	88	47	41
53	ASPHYXIA OF NEWBORN, UNSPECIFIED-----	776.9	5,397	3,150	2,247
54	IMMATUREITY, UNQUALIFIED-----	777	5,396	2,995	2,401
55	OTHER CONDITIONS OF FETUS OR NEWBORN-----	778	2,078	1,152	926
56	FETAL BLOOD LOSS BEFORE BIRTH-----	778.0	1	-	1
57	POSTMATURITY-----	778.1	1	-	1
58	HEMORRHAGIC DISEASE OF NEWBORN-----	778.2	454	260	194
59	COLD INJURY SYNDROME-----	778.3	-	-	-
60	OTHER-----	778.9	1,622	892	730
XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS					
61	SYMPTOMS REFERABLE TO SYSTEMS OR ORGANS-----	780-789	3,288	1,832	1,456
62	CERTAIN SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES-----	780	172	85	87
63	COMA AND STUPOR-----	780.0	25	11	14
64	DELIRIUM-----	780.1	-	-	-
65	CONVULSIONS-----	780.2	144	73	71
66	ABNORMAL INVOLUNTARY MOVEMENT-----	780.3	1	1	-
67	DISTURBANCE OF COORDINATION-----	780.4	1	-	1
68	VERTIGO-----	780.5	1	-	1
69	DISTURBANCE OF SLEEP-----	780.6	-	-	-
70	DISTURBANCE OF MEMORY-----	780.7	-	-	-
71	MENINGISMUS-----	780.8	-	-	-
72	OTHER SYMPTOMS REFERABLE TO NERVOUS SYSTEM AND SPECIAL SENSES-----	781	58	32	26
73	DISTURBANCE OF VISION EXCEPT DEFECTIVE SIGHT-----	781.0	-	-	-
74	OCULOMOTOR DISTURBANCE-----	781.1	-	-	-
75	PHOTOPHOBIA-----	781.2	-	-	-
76	DISTURBANCE OF HEARING EXCEPT DEAFNESS-----	781.3	-	-	-
77	DISTURBANCE OF CRANIAL NERVES EXCEPT OPTIC, OCULOMOTOR, AND AUDITORY-----	781.4	-	-	-
78	DISTURBANCE OF SPEECH-----	781.5	-	-	-
79	OTHER DISTURBANCE OF SENSATION-----	781.6	-	-	-
80	ENCEPHALOPATHY-----	781.7	58	32	26
81	HALLUCINATIONS-----	781.8	-	-	-

1-151

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
17	11	6	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	01	
4	3	-	4	0.0	0.0	0.0	0.0	0.0	-	0.0	02	
-	-	-	-	-	-	-	-	-	-	-	03	
-	-	-	-	-	-	-	-	-	-	-	04	
7	5	1	-	0.0	0.0	-	-	-	0.0	-	05	
6	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06	
-	-	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	07	
54	36	12	11	0.1	0.1	0.0	0.1	0.0	0.1	0.1	08	
18	14	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09	
-	-	-	-	-	-	-	-	-	-	-	10	
-	-	-	-	-	-	-	-	-	-	-	11	
4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	
28	19	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	
4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	14	
1,436	1,117	505	413	1.7	1.9	1.4	1.6	1.2	3.9	3.0	15	
100	74	25	24	0.1	0.1	0.1	0.1	0.1	0.2	0.2	16	
240	187	89	75	0.3	0.3	0.2	0.3	0.2	0.7	0.5	17	
53	33	4	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	18	
1,020	805	382	308	1.2	1.4	1.0	1.1	0.9	3.0	2.2	19	
-	-	-	-	-	-	-	-	-	-	-	20	
23	18	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	
600	452	153	117	0.6	0.7	0.5	0.7	0.5	1.2	0.8	22	
99	55	29	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1	23	
440	336	111	89	0.5	0.5	0.4	0.5	0.4	0.9	0.6	24	
5	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	25	
22	16	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	
34	38	10	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	27	
129	109	32	27	0.1	0.2	0.1	0.1	0.1	0.2	0.2	28	
24	16	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	
51	46	9	13	0.1	0.1	0.1	0.1	0.0	0.1	0.1	30	
54	47	21	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1	31	
768	541	326	219	0.9	1.1	0.7	0.9	0.6	2.5	1.6	32	
719	511	302	206	0.8	1.0	0.7	0.8	0.5	2.4	1.5	33	
-	2	-	-	0.0	-	0.0	-	0.0	-	-	34	
5	2	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	
44	26	19	12	0.0	0.1	0.0	0.0	0.0	0.1	0.1	36	
3	5	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	
-	3	-	-	0.0	-	0.0	-	0.0	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	40	
3	2	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41	
179	143	18	26	0.2	0.2	0.2	0.2	0.2	0.1	0.2	42	
39	35	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43	
2	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	44	
2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	
136	101	13	18	0.1	0.1	0.1	0.2	0.1	0.1	0.1	46	
6,706	4,189	2,186	1,545	7.0	8.7	5.3	7.5	4.5	17.1	11.0	47	
178	154	87	64	0.2	0.3	0.2	0.2	0.2	0.7	0.5	48	
2,216	1,333	565	367	2.1	2.7	1.6	2.5	1.4	4.4	2.6	49	
2,007	1,097	596	401	2.0	2.5	1.4	2.2	1.2	4.7	2.9	50	
23	19	23	11	0.0	0.0	0.0	0.0	0.0	0.2	0.1	51	
34	33	13	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	52	
2,248	1,553	902	694	2.6	3.1	2.1	2.5	1.7	7.0	5.0	53	
2,008	1,593	987	808	2.6	2.9	2.2	2.2	1.7	7.7	5.8	54	
775	593	377	333	1.0	1.1	0.9	0.9	0.6	2.9	2.4	55	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	56	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	57	
191	134	69	60	0.2	0.3	0.2	0.2	0.1	0.5	0.4	58	
-	-	-	-	-	-	-	-	-	-	-	59	
584	457	308	273	0.8	0.9	0.7	0.7	0.5	2.4	2.0	60	
1,517	1,167	315	289	1.6	1.8	1.4	1.7	1.2	2.5	2.1	61	
58	58	27	29	0.1	0.1	0.1	0.1	0.1	0.2	0.2	62	
7	9	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63	
-	-	-	-	-	-	-	-	-	-	-	64	
50	48	23	23	0.1	0.1	0.1	0.1	0.1	0.2	0.2	65	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	66	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	67	
-	-	-	1	0.0	-	0.0	-	-	-	0.0	68	
-	-	-	-	-	-	-	-	-	-	-	69	
-	-	-	-	-	-	-	-	-	-	-	70	
-	-	-	-	-	-	-	-	-	-	-	71	
27	23	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72	
-	-	-	-	-	-	-	-	-	-	-	73	
-	-	-	-	-	-	-	-	-	-	-	74	
-	-	-	-	-	-	-	-	-	-	-	75	
-	-	-	-	-	-	-	-	-	-	-	76	
-	-	-	-	-	-	-	-	-	-	-	77	
-	-	-	-	-	-	-	-	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	-	79	
27	23	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80	
-	-	-	-	-	-	-	-	-	-	-	81	

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are]

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SYMPTOMS REFERABLE TO SYSTEMS OR ORGANS--CON.				
01	SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEMS-----782	2,523	1,427	1,096
02	PRECARDIAL PAIN-----782.0	-	-	-
03	PALPITATION-----782.1	-	-	-
04	TACHYCARDIA-----782.2	-	-	-
05	PALLOR AND CYANOSIS-----782.3	-	-	-
06	ACUTE HEART FAILURE, UNDEFINED-----782.4	2,379	1,352	1,027
07	SYNCOPE OR COLLAPSE-----782.5	20	13	7
08	EDEMA AND DROPSY-----782.6	7	3	4
09	ENLARGMENT OF LYMPH NODE-----782.7	1	-	1
10	SPLENOMEGALY-----782.8	-	-	-
11	SHOCK WITHOUT MENTION OF TRAUMA-----782.9	116	59	57
12	SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM-----783	120	77	43
13	EPISTAXIS-----783.0	6	6	-
14	HEMOPHYTOSIS-----783.1	97	61	36
15	DYSYPNEA-----783.2	13	6	7
16	COUGH-----783.3	-	-	-
17	EXCESS OF SPUTUM-----783.4	-	-	-
18	CHANGE IN VOICE-----783.5	-	-	-
19	STRIDOR-----783.6	-	-	-
20	PAIN IN CHEST-----783.7	4	4	-
21	SYMPTOMS REFERABLE TO UPPER GASTROINTESTINAL TRACT-----784	106	63	43
22	ANOREXIA-----784.0	-	-	-
23	NAUSEA AND VOMITING-----784.1	10	5	5
24	PYLOROSPASM-----784.2	-	-	-
25	HEARTBURN-----784.3	-	-	-
26	DYSYPHAGIA-----784.4	1	-	1
27	HEMATEMESIS-----784.5	95	58	37
28	HICCOUGH-----784.6	-	-	-
29	ERUCTION-----784.7	-	-	-
30	SYMPTOMS REFERABLE TO ABDOMEN AND LOWER GASTROINTESTINAL TRACT-----785	31	13	18
31	ABDOMINAL SWELLING (NOT REFERABLE TO ANY PARTICULAR ORGAN)-----785.0	-	-	-
32	HEPATOMEGALY-----785.1	4	3	1
33	JAUNDICE (NOT OF NEWBORN)-----785.2	8	4	4
34	ASCITES-----785.3	4	-	4
35	FLATULENCE-----785.4	1	-	1
36	ABDOMINAL PAIN-----785.5	14	6	8
37	INCONTINENCE OF FECES-----785.6	-	-	-
38	MELENA (NOT OF NEWBORN)-----785.7	-	-	-
39	VISIBLE PERISTALSIS-----785.8	-	-	-
40	SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM-----786	8	5	3
41	PAIN REFERABLE TO URINARY SYSTEM-----786.0	-	-	-
42	RETENTION OF URINE-----786.1	3	3	-
43	INCONTINENCE OF URINE-----786.2	-	-	-
44	FREQUENCY OF MICTURITION-----786.3	-	-	-
45	POLYURIA-----786.4	-	-	-
46	OLIGURIA AND ANURIA (NOT OF NEWBORN)-----786.5	5	2	3
47	PRIAPISM-----786.6	-	-	-
48	PAIN REFERABLE TO GENITAL ORGANS, INCLUDING DYSYPAREUNIA-----786.7	-	-	-
49	SYMPTOMS REFERABLE TO LIMBS AND JOINTS-----787	1	1	-
50	TRANSIENT PARALYSIS OF LIMB, CAUSE UNKNOWN-----787.0	-	-	-
51	PAIN IN LIMB-----787.1	1	1	-
52	SWELLING OF LIMB-----787.2	-	-	-
53	PAIN IN JOINT-----787.3	-	-	-
54	SWELLING OF JOINT-----787.4	-	-	-
55	DIFFICULTY IN WALKING-----787.5	-	-	-
56	ABNORMALITY OF GAIT-----787.6	-	-	-
57	OTHER GENERAL SYMPTOMS-----788	269	129	140
58	ELECTROLYTE DISORDERS-----788.0	207	89	118
59	EXCESSIVE SWEATING-----788.1	-	-	-
60	RASH-----788.2	-	-	-
61	SUBCUTANEOUS NODULES-----788.3	-	-	-
62	LOSS OF WEIGHT-----788.4	-	-	-
63	TETANY-----788.5	1	-	1
64	PYREXIA OF UNKNOWN ORIGIN-----788.6	48	29	19
65	OTHER SPECIFIED SYMPTOMS NOT ELSEWHERE CLASSIFIABLE-----788.9	13	11	2
66	ABNORMAL URINARY CONSTITUENTS OF UNSPECIFIED CAUSE-----789	-	-	-
67	ALBUMINURIA-----789.0	-	-	-
68	PYURIA AND BACTERIURIA-----789.1	-	-	-
69	CHYLURIA-----789.2	-	-	-
70	HEMATURIA-----789.3	-	-	-
71	HEMOGLOBINURIA-----789.4	-	-	-
72	GLYCOSURIA-----789.5	-	-	-
73	ACETONURIA-----789.6	-	-	-
74	OTHER-----789.9	-	-	-
75	SENILITY AND ILL-DEFINED DISEASES-----790-796	27,111	16,371	10,740
76	NERVOUSNESS AND DEBILITY-----790	54	19	35
77	NERVOUSNESS-----790.0	-	-	-
78	DEBILITY AND UNDOE FATIGUE-----790.1	53	19	34
79	DEPRESSION-----790.2	1	-	1
80	HEADACHE-----791	-	-	-
81	UREMIA-----792	524	277	247
82	SENILITY WITHOUT MENTION OF PSYCHOSIS-----794	1,386	519	867
83	SUDDEN DEATH (CAUSE UNKNOWN)-----795	3,706	2,230	1,476
84	SUDDEN INFANT DEATH SYNDROME, UNDER ONE YEAR OF AGE-----795.0	3,264	1,958	1,306
85	SUDDEN DEATH SYNDROME, ONE YEAR OF AGE-----795.1	75	44	31
86	ALL OTHER SUDDEN DEATH, AGE TWO YEARS AND OVER-----795.2	367	228	139
87	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORTALITY-----796	21,441	13,326	8,115
88	OTHER ILL-DEFINED CONDITIONS-----796.0	2,154	1,321	833
89	FOUND DEAD (CAUSE UNKNOWN)-----796.2	63	44	19
90	DIED WITHOUT SIGN OF DISEASE-----796.3	10,051	6,340	3,711
91	OTHER UNKNOWN AND UNSPECIFIED CAUSES-----796.9	9,173	5,621	3,552

SECTION 1 - GENERAL MORTALITY

1-153

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1,210	903	217	193	1.2	1.4	1.0	1.4	1.0	1.7	1.4	01
-	-	-	-	-	-	-	-	-	-	-	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	05
1,147	845	205	182	1.1	1.3	1.0	1.3	0.9	1.6	1.3	06
13	5	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	07
2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	08
-	-	-	-	0.0	-	0.0	-	0.0	-	-	09
-	-	-	-	0.0	-	0.0	-	-	-	-	10
48	48	11	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	11
66	33	11	10	0.1	0.1	0.0	0.1	0.0	0.1	0.1	12
6	-	-	-	0.0	0.0	-	0.0	-	-	-	13
51	28	10	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1	14
5	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	19
4	-	-	-	0.0	0.0	-	0.0	-	-	-	20
58	38	5	5	0.1	0.1	0.0	0.1	0.0	0.0	0.0	21
-	-	-	-	-	-	-	-	-	-	-	22
5	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	23
-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	25
-	1	-	-	0.0	-	0.0	-	0.0	-	-	26
53	34	5	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	27
-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	29
10	14	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
-	-	-	-	-	-	-	-	-	-	-	31
2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	32
4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	33
-	3	-	1	0.0	-	0.0	-	0.0	-	0.0	34
-	-	-	1	0.0	-	0.0	-	-	-	0.0	35
4	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36
-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	39
4	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	40
-	-	-	-	-	-	-	-	-	-	-	41
3	-	-	-	0.0	0.0	-	0.0	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	45
1	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	46
-	...	-	...	-	-	...	-	...	-	...	47
1	-	-	-	0.0	0.0	-	0.0	-	-	-	48
1	-	-	-	0.0	0.0	-	0.0	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	56
83	95	46	45	0.1	0.1	0.1	0.1	0.1	0.4	0.3	57
54	79	35	39	0.1	0.1	0.1	0.1	0.1	0.3	0.3	58
-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	1	0.0	-	0.0	-	-	-	0.0	63
22	14	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	64
7	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	65
-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	74
11,244	7,246	5,127	3,494	12.9	16.0	10.0	12.6	7.7	40.0	25.0	75
13	30	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76
-	-	-	-	-	-	-	-	-	-	-	77
13	29	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78
-	1	-	-	0.0	-	0.0	-	0.0	-	-	79
-	-	-	-	-	-	-	-	-	-	-	80
209	196	68	51	0.2	0.3	0.2	0.2	0.2	0.5	0.4	81
404	719	115	148	0.7	0.5	0.8	0.5	0.8	0.9	1.1	82
1,484	915	746	561	1.8	2.2	1.4	1.7	1.0	5.8	4.0	83
1,305	820	653	486	1.6	1.9	1.2	1.5	0.9	5.1	3.5	84
27	16	17	15	0.0	0.0	0.0	0.0	0.0	0.1	0.1	85
152	79	76	60	0.2	0.2	0.1	0.2	0.1	0.6	0.4	86
9,134	5,386	4,192	2,729	10.2	13.0	7.5	10.2	5.8	32.7	19.5	87
861	557	460	276	1.0	1.3	0.8	1.0	0.6	3.6	2.0	88
33	7	11	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1	89
4,478	2,373	1,862	1,338	4.8	6.2	3.4	5.0	2.5	14.5	9.6	90
3,762	2,449	1,859	1,103	4.4	5.5	3.3	4.2	2.6	14.5	7.9	91

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE				
01	RAILWAY ACCIDENTS-----E800-E807	789	697	92
02	RAILWAY ACCIDENT INVOLVING COLLISION WITH ROLLING STOCK-----E800	25	24	1
03	RAILWAY EMPLOYEE-----E800.0	22	22	-
04	PASSENGER ON RAILWAY-----E800.1	2	1	1
05	PEDESTRIAN-----E800.2	-	-	-
06	PEDAL CYCLIST-----E800.3	-	-	-
07	OTHER SPECIFIED PERSONS-----E800.8	-	-	-
08	UNSPECIFIED PERSON-----E800.9	1	1	-
09	RAILWAY ACCIDENT INVOLVING COLLISION WITH OTHER OBJECT-----E801	21	17	4
10	RAILWAY EMPLOYEE-----E801.0	-	-	-
11	PASSENGER ON RAILWAY-----E801.1	-	-	-
12	PEDESTRIAN-----E801.2	-	-	-
13	PEDAL CYCLIST-----E801.3	11	8	3
14	OTHER SPECIFIED PERSONS-----E801.8	6	6	-
15	UNSPECIFIED PERSON-----E801.9	4	3	1
16	RAILWAY ACCIDENT INVOLVING DERAILMENT WITHOUT ANTECEDENT COLLISION-----E802	15	15	-
17	RAILWAY EMPLOYEE-----E802.0	13	13	-
18	PASSENGER ON RAILWAY-----E802.1	-	-	-
19	PEDESTRIAN-----E802.2	-	-	-
20	PEDAL CYCLIST-----E802.3	-	-	-
21	OTHER SPECIFIED PERSONS-----E802.8	2	2	-
22	UNSPECIFIED PERSON-----E802.9	-	-	-
23	RAILWAY ACCIDENT INVOLVING EXPLOSION, FIRE, OR BURNING-----E803	4	4	-
24	RAILWAY EMPLOYEE-----E803.0	1	1	-
25	PASSENGER ON RAILWAY-----E803.1	1	1	-
26	PEDESTRIAN-----E803.2	-	-	-
27	PEDAL CYCLIST-----E803.3	-	-	-
28	OTHER SPECIFIED PERSONS-----E803.8	-	-	-
29	UNSPECIFIED PERSON-----E803.9	2	2	-
30	FALL IN, ON, OR FROM TRAIN-----E804	61	59	2
31	RAILWAY EMPLOYEE-----E804.0	12	12	-
32	PASSENGER ON RAILWAY-----E804.1	7	6	1
33	PEDESTRIAN-----E804.2	1	1	-
34	PEDAL CYCLIST-----E804.3	-	-	-
35	OTHER SPECIFIED PERSONS-----E804.8	5	5	-
36	UNSPECIFIED PERSON-----E804.9	36	35	1
37	HIT BY ROLLING STOCK-----E805	623	539	84
38	RAILWAY EMPLOYEE-----E805.0	60	60	-
39	PASSENGER ON RAILWAY-----E805.1	-	-	-
40	PEDESTRIAN-----E805.2	510	435	75
41	PEDAL CYCLIST-----E805.3	2	1	1
42	OTHER SPECIFIED PERSONS-----E805.8	2	2	-
43	UNSPECIFIED PERSON-----E805.9	49	41	8
44	OTHER SPECIFIED RAILWAY ACCIDENTS-----E806	9	9	-
45	RAILWAY EMPLOYEE-----E806.0	3	3	-
46	PASSENGER ON RAILWAY-----E806.1	2	2	-
47	PEDESTRIAN-----E806.2	-	-	-
48	PEDAL CYCLIST-----E806.3	-	-	-
49	OTHER SPECIFIED PERSONS-----E806.8	2	2	-
50	UNSPECIFIED PERSON-----E806.9	2	2	-
51	RAILWAY ACCIDENT OF UNSPECIFIED NATURE-----E807	31	30	1
52	RAILWAY EMPLOYEE-----E807.0	14	14	-
53	PASSENGER ON RAILWAY-----E807.1	1	1	-
54	PEDESTRIAN-----E807.2	1	1	-
55	PEDAL CYCLIST-----E807.3	-	-	-
56	OTHER SPECIFIED PERSONS-----E807.8	-	-	-
57	UNSPECIFIED PERSON-----E807.9	15	14	1
58	MOTOR VEHICLE TRAFFIC ACCIDENTS-----E810-E819	54,347	39,052	15,295
59	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN-----E810	1,194	843	351
60	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH STREETCAR-----E811	-	-	-
61	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE-----E812	20,521	13,824	6,697
62	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH OTHER VEHICLE-----E813	1,003	788	215
63	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN-----E814	8,991	6,274	2,717
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISIONS-----E815	5,883	4,703	1,180
65	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT DUE TO LOSS OF CONTROL-----E816	8,944	7,086	1,858
66	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING-----E817	15	9	6
67	OTHER NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS-----E818	814	607	207
68	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE-----E819	6,982	4,918	2,064
69	MOTOR VEHICLE NONTRAFFIC ACCIDENTS-----E820-E823	1,164	889	275
70	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH MOVING OBJECT-----E820	639	453	186
71	MOTOR VEHICLE NONTRAFFIC ACCIDENT INVOLVING COLLISION WITH STATIONARY OBJECT-----E821	83	71	12
72	MOTOR VEHICLE NONTRAFFIC ACCIDENT WHILE BOARDING OR ALIGHTING-----E822	9	3	6
73	MOTOR VEHICLE NONTRAFFIC ACCIDENTS OF OTHER AND UNSPECIFIED NATURE-----E823	433	362	71
74	OTHER ROAD VEHICLE ACCIDENTS-----E825-E827	293	177	116
75	STREETCAR ACCIDENT-----E825	1	1	-
76	PEDESTRIAN-----E825.0	1	1	-
77	PEDAL CYCLIST-----E825.1	-	-	-
78	OCCUPANT OF STREETCAR-----E825.2	-	-	-
79	OTHER SPECIFIED PERSONS-----E825.8	-	-	-
80	UNSPECIFIED-----E825.9	-	-	-

1-155

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
549	71	148	21	0.4	0.7	0.1	0.6	0.1	1.2	0.2	
21	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
19	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
1	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
16	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
7	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
6	-	-	-	0.0	0.0	-	0.0	-	-	-	
3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
13	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
11	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
52	1	7	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
12	-	-	-	0.0	0.0	-	0.0	-	-	-	
6	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
4	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
29	1	6	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
408	64	131	20	0.3	0.5	0.1	0.5	0.1	1.0	0.1	
52	-	8	-	0.0	0.1	-	0.1	-	0.1	-	
-	-	-	-	-	-	-	-	-	-	-	
320	57	115	18	0.2	0.4	0.1	0.4	0.1	0.9	0.1	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
33	6	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
6	-	3	-	0.0	0.0	-	0.0	-	0.0	-	
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
29	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
14	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
13	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
33,597	13,368	5,465	1,927	25.9	38.2	14.2	37.6	14.3	42.7	13.8	
762	310	81	41	0.6	0.8	0.3	0.9	0.3	0.6	0.3	
12,267	6,042										

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
OTHER ROAD VEHICLE ACCIDENTS--CON.				
01	PEDAL CYCLE ACCIDENT-----E826	122	82	40
02	PEDESTRIAN-----E826.0	9	5	4
03	PEDAL CYCLIST-----E826.1	94	65	29
04	OTHER SPECIFIED PERSONS-----E826.9	-	-	-
05	UNSPECIFIED PERSON-----E826.9	19	12	7
06	OTHER NONMOTOR ROAD VEHICLE ACCIDENTS-----E827	170	94	76
07	PEDESTRIAN-----E827.0	7	6	1
08	OTHER SPECIFIED PERSONS-----E827.8	162	88	74
09	UNSPECIFIED PERSON-----E827.9	1	-	1
10	WATER TRANSPORT ACCIDENTS-----E830-E838	1,725	1,561	164
11	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION-----E830	874	783	91
12	OCCUPANT OF SMALL BOAT-----E830.0	824	736	88
13	OCCUPANT OF OTHER WATERCRAFT, CREW-----E830.1	44	43	1
14	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E830.2	3	1	2
15	DOCKED, STEVEDORE-----E830.3	-	-	-
16	OTHER SPECIFIED PERSONS-----E830.8	1	1	-
17	UNSPECIFIED PERSON-----E830.9	2	2	-
18	ACCIDENTS TO WATERCRAFT CAUSING OTHER INJURIES-----E831	41	24	17
19	OCCUPANT OF SMALL BOAT-----E831.0	38	22	16
20	OCCUPANT OF OTHER WATERCRAFT, CREW-----E831.1	2	2	-
21	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E831.2	-	-	-
22	DOCKED, STEVEDORE-----E831.3	-	-	-
23	OTHER SPECIFIED PERSONS-----E831.8	1	-	1
24	UNSPECIFIED PERSON-----E831.9	-	-	-
25	OTHER ACCIDENTAL SUBMERSION OR DROWNING IN WATER TRANSPORT-----E832	699	660	39
26	OCCUPANT OF SMALL BOAT-----E832.0	655	617	38
27	OCCUPANT OF OTHER WATERCRAFT, CREW-----E832.1	33	33	-
28	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E832.2	1	1	-
29	DOCKED, STEVEDORE-----E832.3	1	1	-
30	OTHER SPECIFIED PERSONS-----E832.8	4	3	1
31	UNSPECIFIED PERSON-----E832.9	5	5	-
32	FALL ON STAIRS OR LADDER IN WATER TRANSPORT-----E833	1	1	-
33	OCCUPANT OF SMALL BOAT-----E833.0	-	-	-
34	OCCUPANT OF OTHER WATERCRAFT, CREW-----E833.1	1	1	-
35	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E833.2	-	-	-
36	DOCKED, STEVEDORE-----E833.3	-	-	-
37	OTHER SPECIFIED PERSONS-----E833.8	-	-	-
38	UNSPECIFIED PERSON-----E833.9	-	-	-
39	OTHER FALLS FROM ONE LEVEL TO ANOTHER IN WATER TRANSPORT-----E834	3	3	-
40	OCCUPANT OF SMALL BOAT-----E834.0	-	-	-
41	OCCUPANT OF OTHER WATERCRAFT, CREW-----E834.1	1	1	-
42	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E834.2	-	-	-
43	DOCKED, STEVEDORE-----E834.3	1	1	-
44	OTHER SPECIFIED PERSONS-----E834.8	1	1	-
45	UNSPECIFIED PERSON-----E834.9	-	-	-
46	OTHER AND UNSPECIFIED FALLS IN WATER TRANSPORT-----E835	8	7	1
47	OCCUPANT OF SMALL BOAT-----E835.0	4	4	-
48	OCCUPANT OF OTHER WATERCRAFT, CREW-----E835.1	1	1	-
49	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E835.2	1	1	-
50	DOCKED, STEVEDORE-----E835.3	1	-	1
51	OTHER SPECIFIED PERSONS-----E835.8	1	1	-
52	UNSPECIFIED PERSON-----E835.9	-	-	-
53	MACHINERY ACCIDENT IN WATER TRANSPORT-----E836	4	4	-
54	OCCUPANT OF SMALL BOAT-----E836.0	1	1	-
55	OCCUPANT OF OTHER WATERCRAFT, CREW-----E836.1	3	3	-
56	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E836.2	-	-	-
57	DOCKED, STEVEDORE-----E836.3	-	-	-
58	OTHER SPECIFIED PERSONS-----E836.8	-	-	-
59	UNSPECIFIED PERSON-----E836.9	-	-	-
60	EXPLOSION, FIRE, OR BURNING IN WATER TRANSPORT-----E837	21	17	4
61	OCCUPANT OF SMALL BOAT-----E837.0	8	4	4
62	OCCUPANT OF OTHER WATERCRAFT, CREW-----E837.1	12	12	-
63	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E837.2	1	1	-
64	DOCKED, STEVEDORE-----E837.3	-	-	-
65	OTHER SPECIFIED PERSONS-----E837.8	-	-	-
66	UNSPECIFIED PERSON-----E837.9	-	-	-
67	OTHER AND UNSPECIFIED WATER TRANSPORT ACCIDENTS-----E838	74	62	12
68	OCCUPANT OF SMALL BOAT-----E838.0	40	32	8
69	OCCUPANT OF OTHER WATERCRAFT, CREW-----E838.1	12	12	-
70	OCCUPANT OF OTHER WATERCRAFT, NOT CREW-----E838.2	1	1	-
71	DOCKED, STEVEDORE-----E838.3	3	3	-
72	OTHER SPECIFIED PERSONS-----E838.8	9	6	3
73	UNSPECIFIED PERSON-----E838.9	9	8	1
74	AIR AND SPACE TRANSPORT ACCIDENTS-----E840-E845	1,668	1,407	261
75	ACCIDENT TO POWERED AIRCRAFT AT TAKEOFF OR LANDING-----E840	147	100	47
76	OCCUPANT OF SPACECRAFT-----E840.0	-	-	-
77	OCCUPANT OF MILITARY AIRCRAFT-----E840.1	3	3	-
78	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E840.2	14	11	3
79	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E840.3	86	46	40
80	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E840.4	43	39	4
81	GROUND CREW, AIRLINE EMPLOYEE-----E840.5	1	1	-
82	OTHER SPECIFIED PERSONS-----E840.8	-	-	-
83	UNSPECIFIED PERSON-----E840.9	-	-	-

1-157

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
75	33	7	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	
5	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
58	23	7	6	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
-	-	-	-	-	-	-	-	-	-	-	
12	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
87	76	7	-	0.1	0.1	0.1	0.1	0.1	0.1	-	
6	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
81	74	7	-	0.1	0.1	0.1	0.1	0.1	0.1	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
1,290	147	271	17	0.8	1.5	0.2	1.4	0.2	2.1	0.1	
625	81	158	10	0.4	0.8	0.1	0.7	0.1	1.2	0.1	
609	78	127	10	0.4	0.7	0.1	0.7	0.1	1.0	0.1	
12	1	31	-	0.0	0.0	0.0	0.0	0.0	0.2	-	
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
22	17	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
20	16	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
561	33	99	6	0.3	0.6	0.0	0.6	0.0	0.8	0.0	
524	32	93	6	0.3	0.6	0.0	0.6	0.0	0.7	0.0	
30	-	3	-	0.0	0.0	-	0.0	-	0.0	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
4	-	1	-	0.0	0.0	-	0.0	0.0	0.0	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	
6	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	1	-	0.0	0.0	-	-	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	0.0	0.0	-	0.0	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
3	-										

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
AIR AND SPACE TRANSPORT ACCIDENTS--CON.				
01	ACCIDENT TO OTHER AND UNSPECIFIED POWERED AIRCRAFT-----E841	1,446	1,240	206
02	OCCUPANT OF SPACECRAFT-----E841.0	-	-	-
03	OCCUPANT OF MILITARY AIRCRAFT-----E841.1	109	109	-
04	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E841.2	29	27	2
05	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E841.3	49	39	10
06	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E841.4	1,239	1,048	191
07	GROUND CREW, AIRLINE EMPLOYEE-----E841.5	-	-	-
08	OTHER SPECIFIED PERSONS-----E841.8	7	4	3
09	UNSPECIFIED PERSON-----E841.9	13	13	-
10	ACCIDENT TO UNPOWERED AIRCRAFT-----E842	-	-	-
11	OCCUPANT OF SPACECRAFT-----E842.0	-	-	-
12	OCCUPANT OF MILITARY AIRCRAFT-----E842.1	-	-	-
13	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E842.2	-	-	-
14	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E842.3	-	-	-
15	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E842.4	6	6	-
16	GROUND CREW, AIRLINE EMPLOYEE-----E842.5	-	-	-
17	OTHER SPECIFIED PERSONS-----E842.8	-	-	-
18	UNSPECIFIED PERSON-----E842.9	2	2	-
19	FALL IN, ON, OR FROM AIRCRAFT-----E843	11	8	3
20	OCCUPANT OF SPACECRAFT-----E843.0	-	-	-
21	OCCUPANT OF MILITARY AIRCRAFT-----E843.1	2	2	-
22	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E843.2	-	-	-
23	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E843.3	1	-	1
24	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E843.4	5	4	1
25	GROUND CREW, AIRLINE EMPLOYEE-----E843.5	1	1	-
26	OTHER SPECIFIED PERSONS-----E843.8	2	1	1
27	UNSPECIFIED PERSON-----E843.9	-	-	-
28	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS-----E844	56	51	5
29	OCCUPANT OF SPACECRAFT-----E844.0	-	-	-
30	OCCUPANT OF MILITARY AIRCRAFT-----E844.1	5	5	-
31	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E844.2	-	-	-
32	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E844.3	-	-	-
33	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E844.4	6	6	-
34	GROUND CREW, AIRLINE EMPLOYEE-----E844.5	2	2	-
35	OTHER SPECIFIED PERSONS-----E844.8	35	32	3
36	UNSPECIFIED PERSON-----E844.9	8	6	2
37	ACCIDENT INVOLVING SPACECRAFT-----E845	-	-	-
38	OCCUPANT OF SPACECRAFT-----E845.0	-	-	-
39	OCCUPANT OF MILITARY AIRCRAFT-----E845.1	-	-	-
40	OCCUPANT OF COMMERCIAL AIRCRAFT, CREW-----E845.2	-	-	-
41	OTHER OCCUPANTS OF COMMERCIAL AIRCRAFT-----E845.3	-	-	-
42	OCCUPANT OF OTHER AND UNSPECIFIED AIRCRAFT-----E845.4	-	-	-
43	GROUND CREW, AIRLINE EMPLOYEE-----E845.5	-	-	-
44	OTHER SPECIFIED PERSONS-----E845.8	-	-	-
45	UNSPECIFIED PERSON-----E845.9	-	-	-
46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS-----E850-E859	2,444	1,526	918
47	ACCIDENTAL POISONING BY ANTIBIOTICS AND OTHER ANTI-INFECTIVES-----E850	21	13	8
48	PENICILLIN, ANY-----E850.0	1	1	-
49	ANTIFUNGAL ANTIBIOTICS-----E850.1	2	2	-
50	CHLORAMPHENICOL-----E850.2	-	-	-
51	ERYTHROMYCINS, STREPTOMYCINS, TETRACYCLINES-----E850.3	1	-	1
52	OTHER ANTIBIOTICS-----E850.4	7	5	2
53	SULFONAMIDES-----E850.5	1	-	1
54	ARSENIC ANTI-INFECTIVES-----E850.6	-	-	-
55	SILVER AND ITS COMPOUNDS-----E850.7	-	-	-
56	QUINOLINE AND HYDROXYQUINOLINE DERIVATIVES-----E850.8	3	2	1
57	OTHER ANTI-INFECTIVES-----E850.9	6	3	3
58	ACCIDENTAL POISONING BY HORMONES AND SYNTHETIC SUBSTITUTES-----E851	23	9	14
59	ADRENALS-----E851.0	-	-	-
60	ANDROGENS AND ANABOLIC CONGENERS-----E851.1	-	-	-
61	ESTROGENS-----E851.2	-	-	-
62	INSULINS AND ANTIDIABETIC AGENTS-----E851.3	21	9	12
63	ANTERIOR PITUITARY EXTRACTS-----E851.4	-	-	-
64	POSTERIOR PITUITARY EXTRACTS-----E851.5	-	-	-
65	PROGESTOGENS-----E851.6	1	-	1
66	THYROID AND THYROID DERIVATIVES-----E851.7	-	-	-
67	ANTITHYROID AGENTS-----E851.8	-	-	-
68	OTHER HORMONES AND SYNTHETIC SUBSTITUTES-----E851.9	1	-	1
69	ACCIDENTAL POISONING BY PRIMARILY SYSTEMIC AND HEMATOLOGIC AGENTS-----E852	44	24	20
70	ANTIHISTAMINIC AND ANTIEMETIC DRUGS-----E852.0	5	1	4
71	ANTINEOPLASTIC AGENTS-----E852.1	12	5	7
72	ELECTROLYTIC, CALORIC, AND WATER BALANCE AGENTS-----E852.2	5	4	1
73	VITAMINS-----E852.3	-	-	-
74	OTHER PRIMARILY SYSTEMIC AGENTS-----E852.4	-	-	-
75	IRON AND ITS COMPOUNDS-----E852.5	11	7	4
76	ANTICOAGULANTS-----E852.6	11	7	4
77	VITAMIN K PRODUCTS-----E852.7	-	-	-
78	OTHER COAGULANTS-----E852.8	-	-	-
79	OTHER PRIMARILY HEMATOLOGIC AGENTS-----E852.9	-	-	-
80	ACCIDENTAL POISONING BY ANALGESICS AND ANTIPIRETTICS-----E853	827	635	192
81	OPiates AND SYNTHETIC ANALOGUES-----E853.0	656	549	107
82	SALICYLATES AND CONGENERS-----E853.1	95	48	47
83	CINCHOPHEN AND CONGENERS-----E853.2	-	-	-
84	COLCHICINE-----E853.3	1	1	-
85	ANILINE DERIVATIVES-----E853.4	1	-	1
86	OTHER COAL TAR DERIVATIVES-----E853.5	3	1	2
87	OTHER ANALGESICS AND ANTIPIRETTICS-----E853.9	71	36	35

1-159

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE.		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
1,212	198	28	8	0.7	1.2	0.2	1.4	0.2	0.2	0.1	
102	-	7	-	0.1	0.1	-	0.1	-	0.1	-	
27	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
38	8	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1,028	185	20	6	0.6	1.0	0.2	1.1	0.2	0.2	0.0	
4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
13	-	-	-	0.0	0.0	-	0.0	-	-	-	
8	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
6	-	-	-	0.0	0.0	-	0.0	-	-	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
8	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
2	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
1	1	-	-	0.0	0.0	-	0.0	-	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
48	5	3	-	0.0	0.0	0.0	0.1	0.0	0.0	-	
4	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
6	-	-	-	0.0	0.0	-	0.0	-	-	-	
32	3	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
6	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
1,222	751	304	167	1.2	1.5	0.9	1.4	0.8	2.4	1.2	
5	5	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
1	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
-	-	-	-	0.0	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
4	1	1	1	0.0	0.0	-	0.0	0.0	0.0	0.0	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	1	2	-	0.0	0.0	0.0	-	0.0	0.0	-	
-	1	3	2	0.0	0.0	0.0	-	0.0	0.0	0.0	
6	11	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
6	9	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
17	18	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
5	7	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
5	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
4	4	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
480	133	155	59	0.4	0.6	0.2	0.5	0.1	1.2	0.4	
410	68	139	39	0.3	0.5	0.1	0.5	0.1	1.1	0.3	
40	38	8	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	0.0	0.0	-	0.0	-	-	-	
-	1	-	-	0.0	-	0.0	-	0.0	-	-	
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
28	25	8	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH	TOTAL		
	BOTH SEXES	MALE	FEMALE
ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS—CON.			
01 ACCIDENTAL POISONING BY OTHER SEDATIVES AND HYPNOTICS—E854	596	341	255
02 BARBITURATES—E854.0	362	179	183
03 CHLORAL HYDRATE—E854.1	6	4	2
04 PARALDEHYDE—E854.2	2	2	—
05 BRONIDES—E854.3	2	2	—
06 ACUTE NARCOTISM NOT OTHERWISE SPECIFIED—E854.8	73	61	12
07 OTHER SEDATIVES AND HYPNOTICS—E854.9	151	93	58
08 ACCIDENTAL POISONING BY AUTONOMIC NERVOUS SYSTEM AND PSYCHOTHERAPEUTIC DRUGS—E855	139	62	77
09 ANTIDEPRESSANTS—E855.0	36	13	23
10 TRANQUILIZERS—E855.1	87	40	47
11 OTHER PSYCHOTHERAPEUTIC AGENTS—E855.2	2	2	—
12 PARASYMPATHOMIMETICS (CHOLINERGICS)—E855.3	1	—	1
13 PARASYMPATHOLYTICS (ANTICHOLINERGICS)—E855.4	4	2	2
14 SYMPATHOMIMETICS (ADRENERGICS)—E855.5	3	2	1
15 AUTONOMIC NERVOUS SYSTEM RELAXANTS—E855.6	—	—	—
16 OTHER—E855.9	6	3	3
17 ACCIDENTAL POISONING BY OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS AND STIMULANTS—E856	36	22	14
18 ANTICONVULSANTS—E856.0	4	2	2
19 SKELETAL MUSCLE RELAXANTS—E856.1	1	1	—
20 ANESTHETIC GASES—E856.2	6	3	3
21 OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS—E856.3	—	—	—
22 AMPHETAMINE—E856.4	21	14	7
23 OTHER CENTRAL NERVOUS SYSTEM STIMULANTS—E856.8	2	2	—
24 OTHER AND UNSPECIFIED—E856.9	2	—	2
25 ACCIDENTAL POISONING BY CARDIOVASCULAR DRUGS—E857	123	46	77
26 CARDIAC DEPRESSANTS—E857.0	4	1	3
27 CARDIAC TONICS—E857.1	118	45	73
28 CHOLESTEROL LOWERING AGENTS—E857.2	—	—	—
29 BANGLOTONIC BLOCKING AGENTS—E857.3	—	—	—
30 VASODILATORS—E857.4	—	—	—
31 OTHER HYPOTENSIVE AGENTS—E857.5	1	—	1
32 SCLEROSING AGENTS—E857.6	—	—	—
33 OTHER—E857.9	—	—	—
34 ACCIDENTAL POISONING BY GASTROINTESTINAL DRUGS—E858	9	3	6
35 ANTACIDS AND ANTIDIARRHEA AGENTS—E858.0	5	3	2
36 INTESTINAL IRRITANT CATHARTICS—E858.1	1	—	1
37 EMOLLIENT CATHARTICS—E858.2	—	—	—
38 SALINE CATHARTICS—E858.3	—	—	—
39 FECAL SOFTENERS—E858.4	—	—	—
40 OTHER CATHARTICS—E858.5	1	—	1
41 FMETICS—E858.6	1	—	1
42 OTHER—E858.9	1	—	1
43 ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS—E859	626	371	255
44 LOCAL ANESTHETICS—E859.0	14	11	3
45 MERCURIAL DIURETICS—E859.1	—	—	—
46 XANTHINE DERIVATIVES—E859.2	2	2	—
47 OTHER DIURETICS—E859.3	1	—	1
48 AGENTS ACTING DIRECTLY ON MUSCULOSKELETAL SYSTEM—E859.4	2	—	2
49 LINIMENTS—E859.5	1	1	—
50 OINTMENTS—E859.6	—	—	—
51 OTHER MEDICAMENTS FOR EXTERNAL USE—E859.7	8	6	2
52 OTHER SPECIFIED DRUGS—E859.8	17	12	5
53 DRUGS, UNSPECIFIED—E859.9	581	339	242
54 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES—E860-E869	1,239	828	411
55 ACCIDENTAL POISONING BY ALCOHOL—E860	333	234	99
56 ACCIDENTAL POISONING BY CLEANSING AND POLISHING AGENTS—E861	10	5	5
57 ACCIDENTAL POISONING BY DISINFECTANTS—E862	2	2	—
58 ACCIDENTAL POISONING BY PAINTS AND VARNISHES—E863	1	1	—
59 ACCIDENTAL POISONING BY PETROLEUM PRODUCTS AND OTHER SOLVENTS—E864	41	33	8
60 ACCIDENTAL POISONING BY PESTICIDES, FERTILIZERS, OR PLANT FOODS—E865	32	25	7
61 ACCIDENTAL POISONING BY HEAVY METALS AND THEIR FUMES—E866	21	17	4
62 ACCIDENTAL POISONING BY CORROSIVES AND CAUSTICS NOT ELSEWHERE CLASSIFIABLE—E867	15	9	6
63 ACCIDENTAL POISONING BY NOXIOUS FOODSTUFFS AND POISONOUS PLANTS—E868	3	3	—
64 ACCIDENTAL POISONING BY OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES—E869	781	499	282
65 ACCIDENTAL POISONING BY GASES AND VAPORS—E870-E877	1,652	1,217	435
66 ACCIDENTAL POISONING BY GAS DISTRIBUTED BY PIPELINE—E870	108	78	30
67 ACCIDENTAL POISONING BY LIQUEFIED PETROLEUM GAS DISTRIBUTED IN MOBILE CONTAINERS—E871	25	21	4
68 ACCIDENTAL POISONING BY OTHER UTILITY GASES—E872	12	9	3
69 ACCIDENTAL POISONING BY MOTOR VEHICLE EXHAUST GAS—E873	792	580	212
70 ACCIDENTAL POISONING BY CARBON MONOXIDE FROM INCOMPLETE COMBUSTION OF DOMESTIC FUELS—E874	127	81	46
71 ACCIDENTAL POISONING BY OTHER CARBON MONOXIDE—E875	330	241	89
72 ACCIDENTAL POISONING BY OTHER GASES AND VAPORS—E876	225	180	45
73 ACCIDENTAL POISONING BY UNSPECIFIED GASES AND VAPORS—E877	33	27	6
74 ACCIDENTAL FALLS—E880-E887	16,506	8,307	8,199
75 FALL ON OR FROM STAIRS OR STEPS—E880	1,505	888	617
76 FALL ON OR FROM LADDER OR SCAFFOLDING—E881	406	384	22
77 FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE—E882	734	624	108
78 FALL INTO HOLE OR OTHER OPENING IN SURFACE—E883	183	170	13
79 OTHER FALLS FROM ONE LEVEL TO ANOTHER—E884	1,442	924	518
80 FALL ON SAME LEVEL FROM SLIPPING, STUMBLING, OR TRIPPING—E885	638	279	359
81 FALL ON SAME LEVEL FROM COLLISION WITH OR PUSHING OR SHOVING BY ANOTHER PERSON—E886	24	17	7
82 OTHER AND UNSPECIFIED FALLS—E887	11,574	5,019	6,555

SECTION 1 - GENERAL MORTALITY

1-161

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
282	210	59	45	0.3	0.3	0.2	0.3	0.2	0.5	0.3	01
163	149	16	34	0.2	0.2	0.2	0.2	0.2	0.1	0.2	02
4	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	03
2	—	—	—	0.0	0.0	—	0.0	—	—	—	04
1	—	1	—	0.0	0.0	—	0.0	—	—	—	05
44	7	17	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06
68	52	25	6	0.1	0.1	0.1	0.1	0.1	0.2	0.0	07
51	69	11	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	08
10	19	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	09
34	45	6	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10
2	—	—	—	0.0	0.0	—	0.0	—	—	—	11
1	—	—	—	0.0	0.0	—	0.0	—	—	—	12
2	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	13
—	—	2	1	0.0	0.0	0.0	—	—	0.0	0.0	14
3	2	—	1	0.0	0.0	0.0	—	—	—	—	15
—	—	—	—	0.0	0.0	—	—	—	—	0.0	16
20	12	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
2	1	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	18
1	—	—	—	0.0	0.0	—	0.0	—	—	—	19
3	3	—	—	0.0	0.0	0.0	0.0	0.0	—	—	20
—	—	—	—	0.0	0.0	—	—	—	—	—	21
12	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
2	—	—	—	0.0	0.0	—	0.0	—	—	—	23
—	2	—	—	0.0	—	0.0	—	0.0	—	—	24
38	64	8	13	0.1	0.0	0.1	0.0	0.1	0.1	0.1	25
1	2	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	26
37	61	8	12	0.1	0.0	0.1	0.0	0.1	0.1	0.1	27
—	—	—	—	—	—	—	—	—	—	—	28
—	—	—	—	—	—	—	—	—	—	—	29
—	1	—	—	0.0	—	0.0	—	0.0	—	—	30
—	—	—	—	—	—	—	—	—	—	—	31
—	—	—	—	—	—	—	—	—	—	—	32
—	—	—	—	—	—	—	—	—	—	—	33
3	5	—	1	0.0	0.0	0.0	0.0	0.0	—	0.0	34
3	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	35
—	1	—	—	0.0	—	0.0	—	0.0	—	—	36
—	—	—	—	—	—	—	—	—	—	—	37
—	—	—	—	—	—	—	—	—	—	—	38
—	—	—	—	—	—	—	—	—	—	—	39
—	1	—	—	0.0	—	0.0	—	0.0	—	—	40
—	1	—	—	0.0	—	0.0	—	0.0	—	—	41
—	—	—	1	0.0	—	0.0	—	—	—	0.0	42
320	224	51	31	0.3	0.4	0.2	0.4	0.2	0.4	0.2	43
9	3	2	—	0.0	0.0	0.0	0.0	0.0	0.0	—	44
—	—	—	—	—	—	—	—	—	—	—	45
2	—	—	—	0.0	0.0	—	—	—	—	—	46
—	1	—	—	0.0	—	0.0	—	0.0	—	—	47
—	2	—	—	0.0	—	0.0	—	0.0	—	—	48
1	—	—	—	0.0	0.0	—	0.0	—	—	—	49
—	—	—	—	—	—	—	—	—	—	—	50
6	2	—	—	0.0	0.0	0.0	0.0	0.0	—	—	51
11	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52
291	213	48	29	0.3	0.3	0.2	0.3	0.2	0.4	0.2	53
659	330	169	81	0.6	0.8	0.4	0.7	0.4	1.3	0.6	54
151	67	83	32	0.2	0.2	0.1	0.2	0.1	0.6	0.2	55
2	3	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56
2	—	—	—	0.0	0.0	—	0.0	—	—	—	57
1	—	—	—	0.0	0.0	—	0.0	—	—	—	58
23	4	10	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	59
15	6	10	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	60
13	2	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61
7	1	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
3	—	—	—	0.0	0.0	—	0.0	—	—	—	63
442	247	57	35	0.4	0.5	0.3	0.5	0.3	0.4	0.3	64
1,042	352	175	83	0.8	1.2	0.4	1.2	0.4	1.4	0.6	65
60	23	18	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	66
18	4	3	—	0.0	0.0	0.0	0.0	0.0	0.0	—	67
8	3	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	68
503	171	77	41	0.4	0.6	0.2	0.6	0.2	0.6	0.3	69
67	39	14	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	70
200	71	41	18	0.2	0.2	0.1	0.2	0.1	0.3	0.1	71
161	36	19	9	0.1	0.2	0.0	0.2	0.0	0.1	0.1	72
25	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	73
7,348	7,718	959	481	7.9	8.1	7.6	8.2	8.2	7.5	3.4	74
747	574	141	43	0.7	0.9	0.6	0.8	0.6	1.1	0.3	75
353	21	31	1	0.2	0.4	0.0	0.4	0.0	0.2	0.0	76
515	79	111	29	0.3	0.6	0.1	0.6	0.1	0.9	0.2	77
145	12	25	1	0.1	0.2	0.0	0.2	0.0	0.2	0.0	78
807	464	117	54	0.7	0.9	0.5	0.9	0.5	0.9	0.4	79
258	344	21	15	0.3	0.3	0.3	0.3	0.4	0.2	0.1	80
15	6	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81
4,508	6,218	511	337	5.5	4.9	6.1	5.0	6.6	4.0	2.4	82

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

	CAUSE OF DEATH	TOTAL		
		BOTH SEXES	MALE	FEMALE
01	ACCIDENTS CAUSED BY FIRES AND FLAMES-----E890-E899	6,503	3,895	2,608
02	ACCIDENT CAUSED BY CONFLAGRATION IN PRIVATE DWELLING-----E890	4,286	2,484	1,802
03	ACCIDENT CAUSED BY CONFLAGRATION IN OTHER BUILDING OR STRUCTURE-----E891	269	221	48
04	ACCIDENT CAUSED BY CONFLAGRATION NOT IN BUILDING OR STRUCTURE-----E892	62	54	8
05	ACCIDENT CAUSED BY IGNITION OF CLOTHING-----E893	517	224	293
06	ACCIDENT CAUSED BY IGNITION OF HIGHLY INFLAMMABLE MATERIAL-----E894	254	203	51
07	ACCIDENT CAUSED BY CONTROLLED FIRE IN PRIVATE DWELLING-----E895	76	37	39
08	ACCIDENT CAUSED BY CONTROLLED FIRE IN OTHER BUILDING OR STRUCTURE-----E896	11	9	2
09	ACCIDENT CAUSED BY CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE-----E897	25	18	7
10	ACCIDENTS CAUSED BY OTHER SPECIFIED FIRES OR FLAMES-----E898	414	290	124
11	ACCIDENT CAUSED BY UNSPECIFIED FIRE-----E899	589	355	234
12	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS-----E900-E909	1,348	1,002	346
13	EXCESSIVE HEAT-----E900	181	118	63
14	EXCESSIVE COLD-----E901	381	298	83
15	HIGH AND LOW AIR PRESSURE-----E902	13	9	4
16	EFFECTS OF TRAVEL AND MOTION-----E903	-	-	-
17	HUNGER, THIRST, EXPOSURE, AND NEGLECT-----E904	240	183	57
18	BITES AND STINGS OF VENOMOUS ANIMALS AND INSECTS-----E905	49	40	9
19	OTHER ACCIDENTS CAUSED BY ANIMALS-----E906	164	120	44
20	LIGHTNING-----E907	124	110	14
21	CATASTROPHES-----E908	193	122	71
22	ACCIDENTS DUE TO OTHER NATURAL AND ENVIRONMENTAL FACTORS-----E909	2	2	1
23	OTHER ACCIDENTS-----E910-E929	21,936	17,631	4,305
24	ACCIDENTAL DROWNING AND SUBMERSION-----E910	7,152	5,983	1,169
25	IN RECREATIONAL ACTIVITIES-----E910.0	2,210	1,994	216
26	OTHER AND UNSPECIFIED-----E910.9	4,942	3,989	953
27	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OR SUFFOCATION-----E911	2,210	1,313	897
28	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E912	803	467	336
29	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	1,109	830	279
30	IN BED OR CRADLE-----E913.0	287	152	135
31	OTHER AND UNSPECIFIED-----E913.9	822	678	144
32	FOREIGN BODY ACCIDENTALLY ENTERING EYE AND ADJACENT-----E914	-	-	-
33	FOREIGN BODIES ACCIDENTALLY ENTERING OTHER ORIFICES-----E915	61	36	25
34	STRUCK ACCIDENTALLY BY FALLING OBJECTS-----E916	1,196	1,134	62
35	STRUCK AGAINST OR STRUCK ACCIDENTALLY BY OBJECTS-----E917	882	775	107
36	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS-----E918	598	575	23
37	OVEREXERCISE AND STRENUOUS MOVEMENTS-----E919	6	5	1
38	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT-----E920	133	99	34
39	POWERED HAND TOOL-----E920.0	7	6	1
40	OTHER HAND TOOLS-----E920.1	18	12	6
41	OTHER MACHINERY-----E920.2	18	18	-
42	OTHER-----E920.8	67	48	19
43	UNSPECIFIED-----E920.9	23	15	8
44	ACCIDENT CAUSED BY EXPLOSION OF PRESSURE VESSEL-----E921	73	67	6
45	BOILER-----E921.0	19	16	3
46	GAS CYLINDER-----E921.1	14	14	-
47	OTHER-----E921.8	40	37	3
48	ACCIDENT CAUSED BY FIREARM MISSILE-----E922	2,618	2,269	349
49	ACCIDENTALLY SELF-INFLICTED-----E922.0	516	481	35
50	OTHER AND UNSPECIFIED-----E922.9	2,102	1,788	314
51	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-----E923	512	414	98
52	FIREWORKS-----E923.0	5	4	1
53	BLASTING MATERIAL-----E923.1	21	17	4
54	EXPLOSIVE GAS-----E923.2	234	181	53
55	OTHER-----E923.8	65	60	5
56	UNSPECIFIED-----E923.9	187	152	35
57	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, AND STEAM-----E924	279	168	111
58	ACCIDENT CAUSED BY ELECTRIC CURRENT-----E925	1,149	1,085	64
59	HOME WIRING AND APPLIANCE-----E925.0	232	193	39
60	INDUSTRIAL WIRING AND APPLIANCE-----E925.1	181	181	-
61	OTHER-----E925.8	564	549	15
62	UNSPECIFIED-----E925.9	172	162	10
63	ACCIDENT CAUSED BY RADIATION-----E926	-	-	-
64	NONIONIZING-----E926.0	-	-	-
65	IONIZING-----E926.1	-	-	-
66	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE-----E927	171	158	13
67	MACHINERY ACCIDENTS NOT ELSEWHERE CLASSIFIABLE-----E928	884	853	31
68	OTHER AND UNSPECIFIED ACCIDENTS-----E929	2,100	1,400	700
69	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES-----E930-E936	3,525	1,861	1,664
70	COMPLICATIONS AND MISADVENTURES IN OPERATIVE THERAPEUTIC PROCEDURES-----E930	2,612	1,398	1,214
71	IN SURGICAL TREATMENT, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E930.0	2,562	1,381	1,181
72	IN ANESTHESIA DURING OPERATIVE TREATMENT-----E930.1	49	17	32
73	IN INFUSION OR TRANSFUSION DURING OPERATIVE TREATMENT-----E930.2	-	-	-
74	IN OTHER PROCEDURES DURING OPERATIVE TREATMENT-----E930.9	1	-	1
75	COMPLICATIONS AND MISADVENTURES IN OTHER AND UNSPECIFIED THERAPEUTIC PROCEDURES-----E931	646	314	332
76	IN USE OF X-RAYS AND RADIOACTIVE SUBSTANCES-----E931.0	29	11	18
77	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E931.1	353	156	197
78	IN INFUSION AND TRANSFUSION-----E931.2	52	28	24
79	IN LOCAL APPLICATIONS-----E931.3	-	-	-
80	IN OTHER THERAPEUTIC PROCEDURES-----E931.8	89	49	40
81	IN UNSPECIFIED THERAPEUTIC PROCEDURE-----E931.9	123	70	53

SECTION 1 - GENERAL MORTALITY

1-163

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE								
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER			
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE		
2,870	1,910	1,025	698	3.1	3.8	2.4	3.2	2.0	8.0	5.0	01	
1,768	1,318	716	484	2.0	2.4	1.7	2.0	1.4	5.6	3.5	02	
183	39	38	9	0.1	0.2	0.0	0.2	0.0	0.3	0.1	03	
49	8	5	-	0.0	0.1	0.0	0.1	0.0	0.0	-	04	
162	218	62	75	0.2	0.2	0.3	0.2	0.2	0.5	0.5	05	
166	37	37	14	0.1	0.2	0.0	0.2	0.0	0.3	0.1	06	
23	27	14	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1	07	
7	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	08	
14	7	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	09	
231	109	59	15	0.2	0.3	0.1	0.3	0.1	0.5	0.1	10	
267	146	88	88	0.3	0.3	0.2	0.3	0.2	0.7	0.6	11	
741	265	261	81	0.6	1.0	0.3	0.8	0.3	2.0	0.6	12	
100	50	18	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	13	
159	53	139	30	0.2	0.3	0.1	0.2	0.1	1.1	0.2	14	
8	-	1	4	0.0	0.0	0.0	0.0	-	0.0	0.0	15	
-	-	-	-	-	-	-	-	-	-	-	16	
124	41	59	16	0.1	0.2	0.1	0.1	0.0	0.5	0.1	17	
38	6	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	
112	42	8	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	19	
93	14	17	-	0.1	0.1	0.0	0.1	0.0	0.1	-	20	
105	58	17	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	21	
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	22	
14,253	3,450	3,378	855	10.5	17.2	4.0	15.9	3.7	26.4	6.1	23	
4,471	932	1,512	237	3.4	5.9	1.1	5.0	1.0	11.8	1.7	24	
1,461	163	533	53	1.1	2.0	0.2	1.6	0.2	4.2	0.4	25	
3,010	769	979	184	2.4	3.9	0.9	3.4	0.8	7.6	1.3	26	
1,091	731	222	166	1.1	1.3	0.8	1.2	0.8	1.7	1.2	27	
369	260	98	76	0.4	0.5	0.3	0.4	0.3	0.8	0.5	28	
690	221	140	58	0.5	0.8	0.3	0.8	0.2	1.1	0.4	29	
106	97	46	38	0.1	0.1	0.1	0.1	0.1	0.4	0.3	30	
584	124	94	20	0.4	0.7	0.1	0.7	0.1	0.7	0.1	31	
-	-	-	-	-	-	-	-	-	-	-	32	
30	20	6	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	
997	53	137	9	0.6	1.1	0.1	1.1	0.1	1.1	0.1	34	
689	93	86	14	0.4	0.8	0.1	0.8	0.1	0.7	0.1	35	
500	19	75	4	0.3	0.6	0.0	0.6	0.0	0.6	0.0	36	
4	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0	37	
72	22	27	12	0.1	0.1	0.0	0.1	0.0	0.2	0.1	38	
5	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	39	
7	4	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	
13	-	5	-	0.0	0.0	-	0.0	-	0.0	-	41	
34	13	12	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	42	
11	4	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43	
54	6	13	-	0.0	0.1	0.0	0.1	0.0	0.1	-	44	
13	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	45	
11	-	3	-	0.0	0.0	-	0.0	-	0.0	-	46	
30	3	7	-	0.0	0.0	0.0	0.0	0.0	0.1	-	47	
1,754	254	515	95	1.2	2.2	0.3	2.0	0.3	4.0	0.7	48	
397	28	84	7	0.2	0.5	0.0	0.4	0.0	0.7	0.1	49	
1,357	226	431	88	1.0	1.7	0.3	1.5	0.2	3.4	0.6	50	
358	76	56	22	0.2	0.4	0.1	0.4	0.1	0.4	0.2	51	
4	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	52	
17	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	53	
155	45	26	8	0.1	0.2	0.0	0.2	0.0	0.2	0.1	54	
51	5	9	-	0.0	0.1	0.0	0.1	0.0	0.1	-	55	
131	22	21	13	0.1	0.1	0.0	0.1	0.0	0.2	0.1	56	
129	83	39	28	0.1	0.2	0.1	0.1	0.1	0.3	0.2	57	
1,018	56	67	8	0.5	1.1	0.1	1.1	0.1	0.5	0.1	58	
183	33	10	6	0.1	0.2	0.0	0.2	0.0	0.1	0.0	59	
168	-	13	-	0.1	0.2	-	0.2	-	0.1	-	60	
515	14	34	1	0.3	0.5	0.0	0.6	0.0	0.3	0.0	61	
152	9	10	1	0.1	0.2	0.0	0.2	0.0	0.1	0.0	62	
-	-	-	-	-	-	-	-	-	-	-	63	
-	-	-	-	-	-	-	-	-	-	-	64	
-	-	-	-	-	-	-	-	-	-	-	65	
142	13	16	-	0.1	0.2	0.0	0.2	0.0	0.1	-	66	
775	30	78	1	0.4	0.8	0.0	0.9	0.0	0.6	0.0	67	
1,110	581	290	119	1.0	1.4	0.7	1.2	0.6	2.3	0.9	68	
1,627	1,457	234	207	1.7	1.8	1.5	1.8	1.6	1.8	1.5	69	
1,221	1,069	177	145	1.2	1.4	1.1	1.4	1.1	1.4	1.0	70	
1,206	1,041	175	140	1.2	1.4	1.1	1.3	1.1	1.4	1.0	71	
15	28	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	72	
-	-	-	-	-	-	-	-	-	-	-	73	
-	-	-	1	0.0	-	0.0	-	-	-	0.0	74	
277	289	37	43	0.3	0.3	0.3	0.3	0.3	0.3	0.3	75	
10	17	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76	
134	170	22	27	0.2	0.2	0.2	0.1	0.2	0.2	0.2	77	
24	22	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78	
-	-	-	-	-	-	-	-	-	-	-	79	
44	33	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	80	
65	47	5	6	0.1	0.1	0.0	0.1	0.1	0.0	0.0	81	

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES--CON.				
01	COMPLICATIONS AND MISADVENTURES IN DIAGNOSTIC PROCEDURES-----E932	251	146	105
02	IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E932.0	144	94	50
03	IN ANESTHESIA-----E932.1	6	1	5
04	IN USE OF X-RAYS OR RADIOACTIVE SUBSTANCES-----E932.2	8	6	2
05	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E932.3	30	12	18
06	IN OTHER DIAGNOSTIC PROCEDURES-----E932.4	62	33	29
07	IN UNSPECIFIED DIAGNOSTIC PROCEDURE-----E932.9	1	-	1
08	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH BACTERIAL VACCINES-----E933	1	1	-
09	BCG VACCINE-----E933.0	-	-	-
10	TYPHOID AND PARATYPHOID VACCINE-----E933.1	-	-	-
11	CHOLERA VACCINE-----E933.2	-	-	-
12	PLAGUE VACCINE-----E933.3	-	-	-
13	TETANUS VACCINE-----E933.4	-	-	-
14	DIPHTHERIA VACCINE-----E933.5	-	-	-
15	PERTUSSIS VACCINE, INCLUDING COMBINATIONS WITH A PERTUSSIS COMPONENT-----E933.6	1	1	-
16	OTHER AND UNSPECIFIED BACTERIAL VACCINES-----E933.8	-	-	-
17	MIXED BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENT-----E933.9	-	-	-
18	COMPLICATIONS AND MISADVENTURES IN PROPHYLAXIS WITH OTHER VACCINES-----E934	-	-	-
19	SMALLPOX VACCINE-----E934.0	-	-	-
20	RABIES VACCINE-----E934.1	-	-	-
21	TYPHUS VACCINE-----E934.2	-	-	-
22	YELLOW FEVER VACCINE-----E934.3	-	-	-
23	MEASLES VACCINE-----E934.4	-	-	-
24	POLIO MYELITIS VACCINE-----E934.5	-	-	-
25	OTHER AND UNSPECIFIED VIRAL AND RICKETTSIAL VACCINES-----E934.6	-	-	-
26	MIXED VIRAL-RICKETTSIAL AND BACTERIAL VACCINES, EXCEPT COMBINATIONS WITH A PERTUSSIS COMPONENT-----E934.7	-	-	-
27	OTHER AND UNSPECIFIED VACCINES-----E934.9	-	-	-
28	COMPLICATIONS AND MISADVENTURES IN OTHER PROPHYLACTIC PROCEDURES-----E935	5	1	4
29	IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E935.0	4	1	3
30	IN ANESTHESIA DURING PROPHYLACTIC PROCEDURES-----E935.1	1	-	1
31	IN USE OF X-RAYS AND RADIOACTIVE SUBSTANCES-----E935.2	-	-	-
32	IN ADMINISTRATION OF DRUGS AND BIOLOGICALS-----E935.3	-	-	-
33	IN OTHER AND UNSPECIFIED PROCEDURES-----E935.9	-	-	-
34	COMPLICATIONS AND MISADVENTURES IN OTHER NONTHERAPEUTIC PROCEDURES-----E936	10	1	9
35	IN SURGICAL PROCEDURES, EXCLUDING EFFECTS OF ANESTHETIC MANAGEMENT-----E936.0	1	-	1
36	IN ANESTHESIA-----E936.1	1	-	1
37	IN OTHER AND UNSPECIFIED PROCEDURES-----E936.9	8	1	7
38	LATE EFFECTS OF ACCIDENTAL INJURIES-----E940-E949	682	419	263
39	LATE EFFECT OF MOTOR VEHICLE ACCIDENT-----E940	152	115	37
40	LATE EFFECT OF OTHER TRANSPORT ACCIDENT-----E941	8	5	3
41	LATE EFFECT OF ACCIDENTAL POISONING-----E942	9	6	3
42	LATE EFFECT OF ACCIDENTAL FALL-----E943	190	92	98
43	LATE EFFECT OF ACCIDENT CAUSED BY FIRE-----E944	4	3	1
44	LATE EFFECT OF ACCIDENT DUE TO NATURAL AND ENVIRONMENTAL FACTORS-----E945	1	1	-
45	LATE EFFECTS OF OTHER ACCIDENTS-----E946	197	154	43
46	LATE EFFECT OF SURGICAL OPERATION-----E947	94	34	60
47	LATE EFFECT OF IRRADIATION-----E948	9	-	9
48	LATE EFFECTS OF OTHER SURGICAL AND MEDICAL PROCEDURES-----E949	18	9	9
49	SUICIDE-----E950-E959	25,118	18,108	7,010
50	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE-----E950	3,783	1,459	2,324
51	BARBITURIC ACID AND DERIVATIVES-----E950.0	1,400	530	870
52	SALICYLATES AND CONGENERS-----E950.1	83	21	62
53	PSYCHOTHERAPEUTIC AGENTS-----E950.2	272	89	183
54	OTHER AND UNSPECIFIED DRUGS-----E950.3	1,361	471	890
55	CORROSIVE AROMATICS-----E950.4	15	8	7
56	STRYCHNINE-----E950.5	19	12	7
57	LYE AND POTASH (CAUSTIC ALKALI)-----E950.6	23	12	11
58	ARSENIC AND ITS COMPOUNDS-----E950.7	19	14	5
59	FLUORIDES-----E950.8	7	3	4
60	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES-----E950.9	584	299	285
61	SUICIDE FROM POISONING BY GAS IN DOMESTIC USE-----E951	45	30	15
62	SUICIDE FROM POISONING BY OTHER GASES-----E952	2,428	1,660	768
63	MOTOR VEHICLE EXHAUST GAS-----E952.0	2,003	1,372	631
64	OTHER CARBON MONOXIDE-----E952.1	405	272	133
65	OTHER AND UNSPECIFIED GASES AND VAPORS-----E952.9	20	16	4
66	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-----E953	3,548	2,671	877
67	SUICIDE BY SUBMERSION OR DROWNING-----E954	525	254	271
68	SUICIDE BY FIREARM AND EXPLOSIVE-----E955	13,317	11,057	2,260
69	SUICIDE BY CUTTING AND PIERCING INSTRUMENT-----E956	398	291	107
70	SUICIDE BY JUMPING FROM HIGH PLACE-----E957	686	411	275
71	SUICIDE BY OTHER AND UNSPECIFIED MEANS-----E958	385	273	112
72	LATE EFFECT OF SELF-INFLICTED INJURY-----E959	3	2	1
73	HOMICIDE-----E960-E969	20,089	15,471	4,618
74	FIGHT, BRAWL, OR RAPE-----E960	151	122	29
75	ASSAULT BY CORROSIVE OR CAUSTIC SUBSTANCE, EXCEPT POISONING-----E961	-	-	-
76	ASSAULT BY POISONING-----E962	31	19	12
77	ASSAULT BY HANGING AND STRANGULATION-----E963	673	249	424
78	ASSAULT BY SUBMERSION OR DROWNING-----E964	57	31	26
79	ASSAULT BY FIREARM AND EXPLOSIVE-----E965	13,752	11,168	2,584
80	ASSAULT BY CUTTING AND PIERCING INSTRUMENT-----E966	3,254	2,510	744
81	ASSAULT BY PUSHING FROM HIGH PLACE-----E967	21	14	7
82	ASSAULT BY OTHER AND UNSPECIFIED MEANS-----E968	2,131	1,346	785
83	LATE EFFECT OF INJURY PURPOSELY INFLICTED BY OTHER PERSON-----E969	19	12	7

SECTION 1 - GENERAL MORTALITY

1-165

by Color and Sex: United States, 1973—Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix.]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
128	90	18	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	01
82	43	12	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	02
1	3	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	03
5	2	1	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	04
10	17	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	05
30	24	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	06
—	1	—	—	0.0	—	0.0	—	0.0	—	—	07
1	—	—	—	0.0	0.0	—	0.0	—	—	—	08
—	—	—	—	—	—	—	—	—	—	—	09
—	—	—	—	—	—	—	—	—	—	—	10
—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	—	—	—	14
1	—	—	—	0.0	0.0	—	0.0	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	18
—	—	—	—	—	—	—	—	—	—	—	19
—	—	—	—	—	—	—	—	—	—	—	20
—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	24
—	—	—	—	—	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	—	—	26
—	2	1	2	0.0	0.0	0.0	—	0.0	0.0	0.0	28
—	2	1	1	0.0	0.0	0.0	—	0.0	0.0	0.0	29
—	—	—	1	0.0	—	0.0	—	—	—	0.0	30
—	—	—	—	—	—	—	—	—	—	—	31
—	—	—	—	—	—	—	—	—	—	—	32
—	—	—	—	—	—	—	—	—	—	—	33
—	7	1	2	0.0	0.0	0.0	—	0.0	0.0	0.0	34
—	1	—	—	0.0	—	0.0	—	0.0	—	—	35
—	1	—	—	0.0	—	0.0	—	0.0	—	—	36
—	5	1	2	0.0	0.0	0.0	—	0.0	0.0	0.0	37
343	227	76	36	0.3	0.4	0.2	0.4	0.2	0.6	0.3	38
96	31	19	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	39
4	3	1	—	0.0	0.0	0.0	0.0	0.0	0.0	—	40
3	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41
77	89	15	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	42
—	1	3	—	0.0	0.0	0.0	—	0.0	—	—	43
1	—	—	—	0.0	—	—	—	—	—	—	44
125	32	29	11	0.1	0.2	0.0	0.1	0.0	0.2	0.1	45
29	53	5	7	0.0	0.0	0.1	0.0	0.1	0.0	0.1	46
—	8	—	1	0.0	—	0.0	—	0.0	—	0.0	47
8	8	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48
16,823	6,589	1,285	421	12.0	17.7	6.5	18.8	7.0	10.0	3.0	49
1,379	2,196	80	128	1.8	1.4	2.2	1.5	2.3	0.6	0.9	50
514	834	16	36	0.7	0.5	0.8	0.6	0.9	0.1	0.3	51
21	59	—	2	0.0	0.0	0.1	0.0	0.1	—	0.0	52
83	172	6	11	0.1	0.1	0.2	0.1	0.2	0.0	0.1	53
442	839	29	51	0.6	0.5	0.8	0.5	0.9	0.2	0.4	54
8	4	—	3	0.0	0.0	0.0	0.0	0.0	—	0.0	55
7	—	—	—	0.0	0.0	0.0	0.0	0.0	—	—	56
12	10	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57
11	—	—	2	0.0	0.0	0.0	0.0	0.0	—	0.0	58
14	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59
1	3	—	—	0.0	0.0	0.0	0.0	0.0	0.2	0.1	60
273	265	26	20	0.3	0.3	0.3	0.3	0.3	0.2	0.1	61
29	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62
1,630	762	30	6	1.2	1.6	0.7	1.8	0.8	0.2	0.0	63
1,347	628	25	3	1.0	1.3	0.6	1.5	0.7	0.2	0.0	64
267	130	5	3	0.2	0.3	0.1	0.3	0.1	0.0	0.0	65
16	4	—	—	0.0	0.0	0.0	0.0	0.0	—	—	66
2,426	827	245	50	1.7	2.6	0.8	2.7	0.9	1.9	0.4	67
222	248	32	23	0.3	0.2	0.3	0.2	0.3	0.2	0.2	68
10,275	2,100	782	160	6.3	10.8	2.1	11.5	2.2	6.1	1.1	69
268	100	23	7	0.2	0.3	0.1	0.3	0.1	0.2	0.1	70
352	242	59	33	0.3	0.4	0.3	0.4	0.3	0.5	0.2	71
240	100	33	12	0.2	0.3	0.1	0.3	0.1	0.3	0.1	72
2	—	—	1	0.0	0.0	0.0	0.0	—	—	0.0	73
7,225	2,573	8,246	2,045	9.6	15.1	4.3	8.1	2.7	64.4	14.6	74
93	17	29	12	0.1	0.1	0.0	0.1	0.0	0.2	0.1	75
—	—	—	—	—	—	—	—	—	—	—	76
15	10	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	77
163	318	86	106	0.3	0.2	0.4	0.2	0.3	0.7	0.8	78
15	18	16	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	79
5,001	1,352	6,167	1,232	6.6	10.9	2.4	5.6	1.4	48.2	8.8	80
1,087	382	1,423	362	1.6	2.5	0.7	1.2	0.4	11.1	2.6	81
3	1	11	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	82
843	470	503	315	1.0	1.3	0.7	0.9	0.5	3.9	2.3	83
5	5	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	84

SECTION 1 - GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause,

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-national Classification of Diseases (ICD) are

CAUSE OF DEATH		TOTAL		
		BOTH SEXES	MALE	FEMALE
01	LEGAL INTERVENTION-----E970-E979	376	369	7
02	INJURY DUE TO LEGAL INTERVENTION BY FIREARM-----E970	372	365	7
03	INJURY DUE TO LEGAL INTERVENTION BY EXPLOSIVE-----E971	-	-	-
04	INJURY DUE TO LEGAL INTERVENTION BY GAS-----E972	-	-	-
05	INJURY DUE TO LEGAL INTERVENTION BY BLUNT OBJECT-----E973	2	2	-
06	INJURY DUE TO LEGAL INTERVENTION BY CUTTING AND PIERCING INSTRUMENT-----E974	-	-	-
07	INJURIES DUE TO LEGAL INTERVENTION BY OTHER SPECIFIED MEANS-----E975	2	2	-
08	INJURY DUE TO LEGAL INTERVENTION BY UNSPECIFIED MEANS-----E976	-	-	-
09	LATE EFFECT OF INJURY DUE TO LEGAL INTERVENTION-----E977	-	-	-
10	LEGAL EXECUTION-----E978	-	-	-
11	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E980-E989	5,030	3,423	1,607
12	POISONING BY SOLID OR LIQUID SUBSTANCE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E980	1,099	539	560
13	BARBITURIC ACID AND DERIVATIVES-----*E980.0	238	92	146
14	SALICYLATES AND CONGENERS-----*E980.1	40	13	27
15	PSYCHOTHERAPEUTIC AGENTS-----*E980.2	52	15	37
16	OTHER AND UNSPECIFIED DRUGS-----*E980.3	523	280	243
17	CORROSIVE AROMATICS-----*E980.4	1	-	1
18	STRYCHNINE-----*E980.5	3	1	2
19	LYE AND POTASH (CAUSTIC ALKALI)-----*E980.6	2	1	1
20	ARSENIC AND ITS COMPOUNDS-----*E980.7	3	2	1
21	FLUORIDES-----*E980.8	1	1	-
22	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES-----*E980.9	236	134	102
23	POISONING BY GAS IN DOMESTIC USE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E981	1	1	-
24	POISONING BY OTHER GASES, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E982	277	207	70
25	HANGING, STRANGULATION, OR SUFFOCATION, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E983	115	90	25
26	SUBMERSION OR DROWNING, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E984	505	386	119
27	INJURY BY FIREARM AND EXPLOSIVE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E985	965	770	195
28	INJURY BY CUTTING AND PIERCING INSTRUMENT, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E986	46	35	11
29	FALLING FROM HIGH PLACE, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E987	472	289	183
30	INJURIES BY OTHER AND UNSPECIFIED MEANS, UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E988	1,536	1,096	440
31	LATE EFFECT OF INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED-----E989	14	10	4
32	INJURIES RESULTING FROM OPERATIONS OF WAR-----E990-E999	20	20	-
33	INJURY DUE TO WAR OPERATIONS BY FIRE AND CONFLAGRATION-----E990	-	-	-
34	INJURY DUE TO WAR OPERATIONS BY BULLETS AND FRAGMENTS-----E991	3	3	-
35	INJURY DUE TO WAR OPERATIONS BY EXPLOSION OF MARINE WEAPONS-----E992	-	-	-
36	INJURIES DUE TO WAR OPERATIONS BY OTHER EXPLOSIONS-----E993	-	-	-
37	INJURY DUE TO WAR OPERATIONS BY DESTRUCTION OF AIRCRAFT-----E994	-	-	-
38	INJURIES DUE TO WAR OPERATIONS BY OTHER AND UNSPECIFIED FORMS OF CONVENTIONAL WARFARE-----E995	2	2	-
39	INJURY DUE TO WAR OPERATIONS BY NUCLEAR WEAPONS-----E996	-	-	-
40	INJURIES DUE TO WAR OPERATIONS BY OTHER FORMS OF UNCONVENTIONAL WARFARE-----E997	-	-	-
41	INJURY DUE TO WAR OPERATIONS BUT OCCURRING AFTER CESSATION OF HOSTILITIES-----E998	-	-	-
42	LATE EFFECT OF INJURY DUE TO WAR OPERATIONS-----E999	15	15	-

SECTION 1 - GENERAL MORTALITY

1-167

by Color and Sex: United States, 1973-Con.

digit subcategories of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the Inter-identified by an asterisk; see Technical Appendix]

NUMBER				RATE							
WHITE		ALL OTHER		TOTAL			WHITE		ALL OTHER		
MALE	FEMALE	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
186	2	183	5	0.2	0.4	0.0	0.2	0.0	1.4	0.0	01
183	2	182	5	0.2	0.4	0.0	0.2	0.0	1.4	0.0	02
-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	04
2	-	-	-	0.0	0.0	-	0.0	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	06
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	07
-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	10
2,487	1,246	936	361	2.4	3.3	1.5	2.8	1.3	7.3	2.6	11
445	479	94	81	0.5	0.5	0.5	0.5	0.5	0.7	0.6	12
86	129	6	17	0.1	0.1	0.1	0.1	0.1	0.0	0.1	13
9	23	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
15	34	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	15
217	201	63	42	0.2	0.3	0.2	0.2	0.2	0.5	0.3	16
-	1	-	-	0.0	-	0.0	-	0.0	-	-	17
1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	18
1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	19
2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	20
1	-	-	-	0.0	0.0	-	0.0	-	-	-	21
113	87	21	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1	22
1	-	-	-	0.0	0.0	-	0.0	-	-	-	23
189	69	18	1	0.1	0.2	0.1	0.2	0.1	0.1	0.0	24
76	19	14	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0	25
254	92	132	27	0.2	0.4	0.1	0.3	0.1	1.0	0.2	26
574	151	196	44	0.5	0.8	0.2	0.6	0.2	1.5	0.3	27
29	5	6	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
207	130	82	53	0.2	0.3	0.2	0.2	0.1	0.6	0.4	29
705	298	391	142	0.7	1.1	0.4	0.8	0.3	3.1	1.0	30
7	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
18	-	2	-	0.0	0.0	-	0.0	-	0.0	-	32
-	-	-	-	-	-	-	-	-	-	-	33
2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	34
-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	37
1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	38
-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	41
15	-	-	-	0.0	0.0	-	0.0	-	-	-	42

Table 1-24. Deaths From 281 Selected

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ALL CAUSES.....	1,973,003	191,543	163,628	165,855
02	I. INFECTIVE AND PARASITIC DISEASES.....	15,669	1,622	1,317	1,342
03	CHOLERA.....000	-	-	-	-
04	TYPHOID FEVER.....001	7	1	1	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	76	5	6	3
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	64	4	2	7
07	FOOD POISONING (BACTERIAL).....005	11	2	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,322	255	198	183
09	TUBERCULOSIS, ALL FORMS.....010-019	3,875	433	332	340
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	3,009	344	261	267
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	90	9	7	6
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	26	-	-	2
13	TUBERCULOSIS OF BONES AND JOINTS.....015	35	1	3	2
14	DISSEMINATED TUBERCULOSIS.....018	165	14	15	9
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	550	65	46	62
16	PLAGUE.....020	-	-	-	-
17	ANTHRAX.....022	-	-	-	-
18	BRUCELLOSIS.....023	1	-	-	-
19	LEPROSY.....030	1	-	-	-
20	DIPHTHERIA.....032	10	-	1	1
21	WHOOPING COUGH.....033	5	1	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	20	2	3	2
23	ERYSIPELAS.....035	11	3	-	1
24	MENINGOCOCCAL INFECTIONS.....036	330	35	30	51
25	TETANUS.....037	40	3	4	2
26	SEPTICEMIA.....038	4,560	405	343	368
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	646	49	51	46
28	ACUTE POLIOMYELITIS.....040-043	10	1	1	2
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	83	5	11	3
30	SMALLPOX.....050	-	-	-	-
31	MEASLES.....055	23	3	-	2
32	YELLOW FEVER.....060	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	321	36	31	33
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	29	4	3	1
35	INFECTIOUS HEPATITIS.....070	656	64	53	67
36	RABIES.....071	1	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	1,033	164	115	100
38	TYPHUS AND OTHER RICKETTSIOSSES.....080-083	40	-	-	-
39	MALARIA.....084	7	1	1	-
40	TRYPANOSOMIASIS.....086,087	1	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	393	42	42	40
43	CONGENITAL SYPHILIS.....090	13	-	1	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	29	2	4	3
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	189	19	19	25
47	TABES DORSALIS.....094.0	26	5	3	2
48	GENERAL PARESIS.....094.1	26	3	2	3
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	76	8	8	5
50	ALL OTHER SYPHILIS.....095,097.0,097.9	34	5	5	2
51	GONOCOCCAL INFECTIONS.....098	11	1	1	2
52	SCHISTOSOMIASIS.....120	3	1	-	-
53	HYDATIDIOSIS.....122	4	-	1	1
54	FILARIAL INFESTATIONS.....125	1	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	14	3	1	1
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,060	99	85	78
58	II. NEOPLASMS.....	356,068	31,320	27,427	29,318
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	351,055	30,861	27,001	28,895
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,822	717	615	655
61	OF LIP.....140	181	15	14	26
62	OF TONGUE.....141	1,873	172	168	156
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,304	212	183	196
64	OF PHARYNX.....146-149	3,464	318	250	277
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	96,549	8,443	7,452	8,048
66	OF ESOPHAGUS.....150	6,491	540	508	511
67	OF STOMACH.....151	15,198	1,303	1,146	1,296
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	635	58	54	56
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	37,745	3,342	2,879	3,108
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,262	408	336	358
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,186	106	88	102
72	DESCENDING COLON.....153.2	972	88	74	69
73	SIGMOID COLON.....153.3	4,442	415	400	373
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	25,103	2,150	1,842	2,069
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,780	175	139	137
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	9,821	887	829	814
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,270	192	198	185
78	OF GALLBLADDER AND BILE DUCTS.....156	4,273	369	314	352
79	OF PANCREAS.....157	18,653	1,619	1,421	1,608
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,463	133	103	118
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	79,335	6,972	5,910	6,439
82	OF LARYNX.....161	3,044	275	239	273
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	74,933	6,567	5,561	6,050
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,358	130	116	116
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,341	3,575	3,139	3,420
86	OF BONE.....170	1,840	152	150	150
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,519	136	101	124
88	OF SKIN.....172,173	4,839	433	366	392
89	OF BREAST.....174	32,143	2,854	2,531	2,754

SECTION 1 - GENERAL MORTALITY

1-169

Causes, by Month: United States, 1973

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
159,831	162,897	157,424	160,851	158,864	155,056	162,550	161,617	172,887	01
1,283	1,253	1,177	1,308	1,312	1,215	1,228	1,256	1,356	02
-	-	-	-	-	-	-	-	-	03
1	1	1	1	1	1	1	1	1	04
8	5	5	9	7	6	5	8	9	05
5	7	3	9	3	3	8	5	8	06
-	1	2	2	-	-	2	1	1	07
171	180	175	202	183	188	168	190	229	08
329	311	313	311	307	278	298	293	322	09
258	239	238	233	247	206	227	236	253	10
8	4	11	12	9	11	1	3	9	11
2	5	2	3	2	2	3	2	3	12
3	5	1	5	4	-	4	3	4	13
14	11	18	15	13	15	16	11	14	14
44	47	43	43	32	44	47	38	39	15
-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	17
1	-	-	-	1	-	-	-	-	18
1	-	-	-	-	-	-	-	-	19
3	2	2	1	1	1	3	2	1	20
41	28	23	14	20	14	25	20	29	24
3	5	7	2	3	5	1	1	4	25
367	355	318	391	425	396	386	407	399	26
51	46	59	65	60	54	54	46	65	27
1	1	-	1	-	1	-	1	1	28
7	9	7	6	6	6	10	6	7	29
-	-	-	-	-	-	-	-	-	30
1	7	2	2	2	1	-	1	2	31
-	-	-	-	-	-	-	-	-	32
23	26	25	31	33	20	26	20	17	33
2	1	1	2	2	1	3	4	5	34
59	48	49	63	52	43	45	45	68	35
-	-	-	-	-	-	-	-	-	36
94	74	70	65	76	66	70	72	67	37
3	9	7	10	10	-	1	-	-	38
1	-	-	1	1	2	-	-	-	39
-	-	-	-	-	-	-	1	-	40
-	-	-	-	-	-	-	-	-	41
29	31	32	31	35	36	17	27	31	42
1	3	-	2	3	1	-	1	1	43
-	-	-	-	-	-	-	-	-	44
3	4	1	2	3	1	3	1	2	45
11	16	20	16	15	16	4	12	16	46
5	2	1	1	1	1	1	1	3	47
1	2	3	1	4	3	3	1	-	48
8	1	7	5	5	8	5	10	6	49
-	3	-	4	4	6	1	1	3	50
1	2	1	-	1	1	1	-	1	51
-	-	-	-	-	-	1	1	-	52
-	1	-	-	1	-	-	-	-	53
-	-	-	-	-	-	-	-	-	54
2	-	-	1	-	-	-	-	-	55
79	102	75	88	78	85	102	103	86	56
28,667	29,997	29,032	29,988	30,349	28,984	30,433	29,749	30,804	58
28,259	29,581	28,637	29,580	29,956	28,577	30,002	29,322	30,384	59
649	660	629	664	647	603	669	646	668	60
14	16	20	11	16	9	17	9	14	61
147	165	151	180	148	138	159	141	148	62
207	190	168	188	196	179	193	192	200	63
281	289	290	285	287	277	300	304	306	64
7,806	8,187	7,877	7,974	8,288	8,035	8,139	8,064	8,236	65
535	487	522	566	557	571	576	543	575	66
1,217	1,328	1,226	1,262	1,295	1,293	1,265	1,229	1,338	67
52	56	45	46	49	53	71	48	47	68
3,027	3,176	3,155	3,063	3,266	3,104	3,205	3,220	3,200	69
320	357	351	344	355	333	348	392	360	70
101	116	112	85	91	95	92	101	97	71
71	79	95	86	90	68	75	90	87	72
373	360	370	335	378	353	374	338	373	73
2,011	2,119	2,104	2,092	2,170	2,097	2,175	2,152	2,122	74
151	145	123	121	182	158	141	147	161	75
814	828	770	796	841	777	841	817	807	76
189	191	185	182	200	191	197	178	182	77
354	382	373	360	331	405	328	351	354	78
1,506	1,627	1,478	1,570	1,622	1,511	1,532	1,544	1,615	79
112	112	123	129	127	130	124	134	118	80
6,485	6,664	6,580	6,648	6,725	6,389	6,833	6,657	7,033	81
245	258	251	227	278	231	252	247	268	82
6,129	6,288	6,222	6,309	6,329	6,076	6,459	6,304	6,639	83
111	118	107	112	118	82	122	106	126	84
3,242	3,405	3,249	3,414	3,341	3,290	3,464	3,332	3,470	85
148	179	139	153	146	166	149	155	162	86
126	117	126	140	130	126	140	125	128	87
419	427	398	410	379	400	392	379	444	88
2,549	2,682	2,586	2,711	2,686	2,598	2,783	2,673	2,736	89

Table 1-24. Deaths from 281 Selected

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
MALIGNANT NEOPLASMS, ETC.--CON.					
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,591	3,870	3,369	3,493
02	OF CERVIX UTERI.....180	6,041	549	492	461
03	OF OTHER PARTS OF UTERUS.....181,182	5,733	519	461	499
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,002	885	758	834
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	951	92	68	67
06	OF PROSTATE.....185	18,830	1,731	1,504	1,531
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1,034	94	86	101
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	15,877	1,318	1,265	1,316
09	OF BLADDER.....188	9,179	771	728	773
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,698	547	537	543
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	34,495	2,834	2,554	2,765
12	OF EYE.....190	320	29	25	23
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	8,311	691	645	650
14	OF THYROID GLAND.....193	972	68	65	78
15	OTHER.....194-199	24,892	2,046	1,819	2,014
16	LEUKEMIA.....204-207	14,478	1,336	1,131	1,206
17	LYMPHATIC LEUKEMIA.....204	4,653	482	365	408
18	MYELOID LEUKEMIA.....205	6,321	548	484	517
19	MONOCYTIC LEUKEMIA.....206	488	49	40	45
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	3,016	257	242	236
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	19,567	1,796	1,566	1,553
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,846	638	562	572
23	HODGKIN'S DISEASE.....201	2,920	259	225	231
24	MULTIPLE MYELOMA.....203	4,968	460	426	406
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4,833	439	353	344
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,013	459	426	423
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	159	15	11	16
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	761	78	67	60
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	803	68	67	60
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	29	3	-	1
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,161	185	179	192
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,100	110	102	94
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,532	4,747	3,888	3,976
34	NONTOXIC GOITER.....240,241	43	5	3	5
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	296	24	28	25
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	443	50	39	41
37	DIABETES MELLITUS.....250	38,208	3,940	3,211	3,265
38	DISEASES OF PITUITARY GLAND.....253	230	16	18	15
39	DISEASES OF THYMUS GLAND.....254	28	1	1	4
40	DISEASES OF ADRENAL GLAND.....255	403	44	36	32
41	NIACIN DEFICIENCY.....262	3	2	1	-
42	OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,573	264	205	212
43	CYSTIC FIBROSIS.....273.0	519	43	35	52
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,789	358	311	325
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,251	498	409	449
46	ANEMIAS.....280-285	3,318	322	249	303
47	DEFICIENCY ANEMIAS.....280,281	470	46	34	33
48	HEMOLYTIC ANEMIAS.....282,283	703	86	55	73
49	APLASTIC ANEMIA.....284	1,090	92	80	85
50	OTHER AND UNSPECIFIED ANEMIAS.....285	1,055	98	80	112
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	568	52	49	49
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,365	124	111	97
53	V. MENTAL DISORDERS.....	8,860	853	778	688
54	SENILE AND PRESENILE DEMENTIAS.....290	731	75	61	58
55	ALCOHOLIC PSYCHOSES.....291	517	64	51	55
56	ALL OTHER PSYCHOSES.....294-299	274	25	24	19
57	ALCOHOLISM.....303	4,650	450	402	358
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,408	214	209	178
59	MENTAL RETARDATION.....310-315	280	25	31	20
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,889	1,661	1,419	1,352
61	MENINGITIS.....320	1,523	150	139	140
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	743	79	63	59
63	MULTIPLE SCLEROSIS.....340	1,574	174	135	128
64	PARALYSIS AGITANS.....342	3,283	298	282	241
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	681	74	57	68
66	EPILEPSY.....345	1,821	181	156	151
67	INFLAMMATORY DISEASES OF EYE.....360-369	9	-	-	1
68	CATARACT.....374	40	4	3	2
69	GLAUCOMA.....375	3	-	-	1
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	123	12	8	10
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	7,089	689	576	551
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,055,196	103,813	88,228	89,572
73	ACTIVE RHEUMATIC FEVER.....390-392	183	29	19	12
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,556	1,361	1,201	1,273
75	DISEASES OF MITRAL VALVE.....394	3,666	347	353	347
76	DISEASES OF AORTIC VALVE.....395	3,950	397	333	343
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	599	57	56	44
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	5,341	560	462	489
79	HYPERTENSIVE DISEASE.....400-404	20,211	2,091	1,777	1,703
80	MALIGNANT HYPERTENSION.....400	1,038	120	78	98
81	ESSENTIAL BENIGN HYPERTENSION.....401	1,143	110	103	87
82	HYPERTENSIVE HEART DISEASE.....402	7,268	719	638	604
83	HYPERTENSIVE RENAL DISEASE.....403	5,247	574	490	451
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	5,515	577	471	463

SECTION 1 - GENERAL MORTALITY

1-171

Causes, by Month: United States, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3,444	3,572	3,366	3,644	3,660	3,377	3,590	3,535	3,671	01
477	542	496	527	486	475	542	490	504	02
469	487	470	524	531	420	456	454	473	03
786	838	800	855	860	813	839	851	883	04
61	75	80	83	85	83	86	83	88	05
1,566	1,578	1,446	1,567	1,613	1,508	1,585	1,564	1,637	06
85	82	74	88	85	78	82	93	86	07
1,275	1,297	1,232	1,362	1,375	1,295	1,353	1,390	1,399	08
720	761	719	817	804	724	755	802	805	09
555	536	513	545	571	571	598	588	594	10
2,722	2,935	2,880	2,962	2,997	2,930	3,095	2,899	2,922	11
32	33	29	30	22	31	22	26	18	12
655	698	705	693	749	719	709	717	680	13
83	91	66	78	92	92	85	87	87	14
1,952	2,113	2,080	2,161	2,134	2,088	2,279	2,069	2,137	15
1,154	1,210	1,186	1,210	1,305	1,134	1,178	1,193	1,235	16
398	351	370	366	416	337	378	384	398	17
496	544	495	535	570	515	518	557	542	18
42	45	39	38	43	36	31	36	44	19
218	270	282	271	276	246	251	216	251	20
1,482	1,651	1,638	1,702	1,618	1,524	1,681	1,606	1,750	21
544	562	591	581	589	530	566	544	567	22
218	276	260	265	233	233	232	228	260	23
345	389	365	424	396	378	458	423	498	24
375	424	422	432	400	383	425	411	425	25
408	416	395	408	393	407	431	427	420	26
11	18	14	11	13	11	16	15	8	27
59	57	62	51	63	68	62	62	72	28
68	76	73	72	65	67	55	66	66	29
1	4	1	4	4	4	2	2	3	30
185	176	174	177	157	166	197	191	182	31
84	85	71	93	91	91	99	91	89	32
3,642	3,929	3,711	3,698	3,698	3,575	3,696	3,763	4,209	33
-	3	3	4	4	4	3	4	5	34
24	28	15	28	22	20	23	31	28	35
32	33	41	45	39	28	26	23	46	36
2,987	3,234	3,027	3,028	3,063	2,944	3,010	3,066	3,433	37
23	13	23	21	16	20	18	21	26	38
3	2	3	3	3	1	3	1	3	39
33	32	30	29	28	39	34	33	30	40
-	-	-	-	-	-	-	-	-	41
198	213	193	204	202	198	201	229	254	42
34	41	46	34	34	36	59	53	52	43
308	330	330	302	287	285	319	302	332	44
388	442	400	411	449	407	472	455	471	45
231	271	265	246	286	246	303	298	298	46
35	40	35	48	42	32	45	40	40	47
45	45	55	39	58	54	57	62	74	48
79	97	92	75	99	94	102	97	98	49
72	89	83	84	87	66	99	99	86	50
39	47	39	51	48	50	49	48	47	51
118	124	96	114	115	111	120	109	126	52
694	677	726	691	720	698	744	757	834	53
55	42	67	63	57	51	72	67	63	54
38	45	54	34	58	34	24	35	30	55
25	21	23	23	18	28	17	26	25	56
379	388	368	357	374	354	386	378	456	57
173	164	191	193	201	206	224	226	229	58
24	17	23	21	17	25	21	25	31	59
1,306	1,328	1,316	1,424	1,431	1,325	1,430	1,387	1,510	60
150	112	112	107	115	96	125	133	144	61
64	50	54	59	64	61	55	61	74	62
111	119	130	145	136	110	120	132	134	63
229	275	262	274	294	270	293	270	295	64
57	48	55	50	44	67	60	45	56	65
136	142	155	141	174	148	135	142	160	66
1	1	-	1	-	1	1	1	2	67
3	3	5	3	5	3	5	1	3	68
-	-	-	-	-	-	-	-	-	69
12	14	11	6	8	8	15	12	7	70
543	564	532	638	591	561	620	590	634	71
86,879	87,672	83,361	83,839	82,400	81,530	86,090	86,998	94,814	72
12	16	12	11	16	15	20	10	11	73
1,138	1,140	1,117	1,004	1,032	1,039	1,047	1,171	1,083	74
281	312	296	272	283	269	317	296	296	75
364	334	295	301	305	341	307	328	302	76
44	55	58	46	37	46	41	62	53	77
449	439	468	385	407	383	403	464	432	78
1,720	1,680	1,597	1,597	1,550	1,514	1,633	1,606	1,743	79
96	79	78	78	80	84	94	85	90	80
95	74	89	90	92	95	97	105	105	81
602	643	598	555	575	523	585	592	643	82
463	435	384	393	382	397	423	423	432	83
464	430	447	481	435	419	434	421	473	84

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 281 Selected

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TOTAL	JANUARY	FEBRUARY	MARCH
01	ISCHEMIC HEART DISEASE.....410-413	684,066	67,804	56,996	58,241
02	WITH HYPERTENSIVE DISEASE (.0).....	75,446	7,507	6,253	6,475
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	608,620	60,297	50,743	51,766
04	ACUTE MYOCARDIAL INFARCTION.....410	351,662	34,056	28,702	30,044
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,503	446	410	395
06	CHRONIC ISCHEMIC HEART DISEASE.....412	327,722	33,289	27,871	27,790
07	ANGINA PECTORIS.....413	179	13	13	12
08	OTHER FORMS OF HEART DISEASE.....420-429	46,487	4,633	3,801	3,965
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	470	51	43	41
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	622	56	41	50
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	1,107	99	94	108
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	61	4	6	8
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	185	19	21	8
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	861	76	67	92
15	SYMPTOMATIC HEART DISEASE.....427	27,057	2,630	2,235	2,271
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	4,030	408	326	342
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	13,201	1,389	1,062	1,153
18	CEREBROVASCULAR DISEASES.....430-438	214,313	20,561	17,858	17,990
19	WITH HYPERTENSION (BENIGN) (.0).....	26,675	2,608	2,215	2,258
20	WITHOUT MENTION OF HYPERTENSION (.9).....	187,638	17,953	15,643	15,692
21	SUBARACHNOID HEMORRHAGE.....430	9,191	897	741	780
22	CEREBRAL HEMORRHAGE.....431	33,909	3,336	2,952	2,888
23	CEREBRAL THROMBOSIS.....433	56,648	5,500	4,859	4,771
24	CEREBRAL EMBOLISM.....434	567	92	87	70
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,238	274	261	257
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	67,730	6,391	5,504	5,678
27	OTHER CEREBROVASCULAR DISEASES.....437,438	42,630	4,071	3,454	3,506
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,676	5,632	5,050	4,988
29	ARTERIOSCLEROSIS.....440	32,617	3,310	2,891	2,781
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	14,210	1,282	1,178	1,194
31	GANGRENE.....445	2,867	253	237	256
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,982	787	744	757
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,704	1,702	1,526	1,490
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,800	1,504	1,364	1,322
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,904	198	162	168
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	117,537	17,118	13,447	10,353
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	453	83	57	49
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	905	178	123	98
39	INFLUENZA.....470-474	5,131	2,261	1,862	1,448
40	PNEUMONIA.....480-486	57,428	8,340	6,416	5,038
41	VIRAL PNEUMONIA.....480	1,604	384	268	150
42	BACTERIAL PNEUMONIA.....481,482	6,597	985	755	556
43	ACUTE INTERSTITIAL PNEUMONIA.....484	832	130	85	73
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	22,946	3,397	2,467	2,100
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	25,449	3,444	2,841	2,159
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	29,708	3,696	2,899	2,629
47	BRONCHITIS, UNQUALIFIED.....490	768	130	86	72
48	CHRONIC BRONCHITIS.....491	4,779	616	449	460
49	EMPHYSEMA.....492	22,249	2,712	2,172	1,925
50	ASTHMA.....493	1,512	238	192	172
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	2	4	2	2
52	EMPHYSEMA AND ABSCESS OF LUNG.....510,513	1,124	104	97	102
53	PLEURISY.....511	340	26	29	33
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,250	364	313	324
55	BRONCHIECTASIS.....518	843	95	74	80
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	18,317	1,969	1,573	1,550
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	75,094	6,760	6,024	6,318
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	43	2	6	2
59	PEPTIC ULCER.....531-533	7,688	678	662	654
60	ULCER OF STOMACH.....531	3,289	271	280	268
61	ULCER OF DUODENUM.....532	3,385	302	294	302
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	1,014	105	88	84
63	GASTRITIS AND GASTROENTERITIS.....535	598	50	51	65
64	APPENDICITIS.....540-543	1,066	103	88	90
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,746	621	542	563
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	53	4	3	4
67	DIVERTICULA OF INTESTINE.....562	3,314	317	262	310
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,084	97	90	89
69	CIRRHOSIS OF LIVER.....571	33,350	3,062	2,619	2,751
70	ALCOHOLIC.....571.0	12,624	1,141	987	981
71	OTHER SPECIFIED.....571.8	5,341	473	413	451
72	UNSPECIFIED.....571.9	15,385	1,448	1,219	1,319
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,422	277	276	305
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,730	1,549	1,425	1,495
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	26,910	2,730	2,250	2,351
76	NEPHRITIS AND NEPHROSIS.....580-584	8,336	899	704	753
77	ACUTE NEPHRITIS.....580	1,224	138	113	109
78	NEPHROTIC SYNDROME.....581	312	33	16	29
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	6,800	718	575	615
80	INFECTIONS OF KIDNEY.....590	6,134	637	518	500
81	CALCULI OF URINARY SYSTEM.....592,594	699	75	55	52
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,740	839	729	752
83	HYPERPLASIA OF PROSTATE.....600	1,589	152	130	147
84	DISEASES OF BREAST.....610,611	40	6	4	3
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,372	132	110	144
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	477	46	38	47
87	ECTOPIC PREGNANCY.....631	46	6	3	2
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	111	11	10	9
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	60	6	6	5

Causes, by Month: United States, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
56,571	56,996	54,248	54,389	53,109	52,237	55,719	56,175	61,581	01
6,360	6,376	5,910	5,830	5,851	5,686	5,943	6,309	6,946	02
50,211	50,620	48,338	48,559	47,258	46,551	49,776	49,866	54,635	03
29,532	29,713	28,154	27,921	27,270	26,857	28,938	29,052	31,423	04
371	365	349	365	360	330	363	343	406	05
26,659	26,902	25,733	26,085	25,469	25,029	26,399	26,766	29,730	06
9	16	12	18	10	21	19	14	22	07
3,776	3,776	3,646	3,712	3,743	3,577	3,790	3,855	4,213	08
39	28	46	30	46	41	41	34	30	09
52	51	55	53	51	52	56	47	58	10
92	96	93	71	82	96	82	82	112	11
4	5	3	4	3	8	5	5	6	12
20	10	19	15	16	14	9	13	21	13
68	81	71	52	63	74	68	64	85	14
2,168	2,183	2,103	2,192	2,205	2,091	2,244	2,321	2,414	15
332	345	342	326	332	298	336	297	346	16
1,093	1,073	1,007	1,040	1,027	999	1,031	1,074	1,253	17
17,534	17,859	16,698	17,054	16,931	16,928	17,546	17,840	19,554	18
2,203	2,258	2,076	2,065	2,097	1,961	2,212	2,272	2,450	19
15,331	15,601	14,622	14,989	14,834	14,967	15,334	15,568	17,104	20
798	822	695	723	691	629	772	762	881	21
2,872	2,945	2,551	2,674	2,680	2,578	2,684	2,764	2,985	22
4,547	4,803	4,481	4,424	4,437	4,422	4,627	4,696	5,081	23
96	77	92	75	94	68	85	55	76	24
289	247	254	280	248	256	290	267	315	25
5,503	5,491	5,414	5,444	5,392	5,460	5,563	5,617	6,273	26
3,429	3,474	3,211	3,434	3,389	3,515	3,525	3,679	3,943	27
4,739	4,772	4,677	4,565	4,579	4,755	4,842	4,909	5,168	28
2,591	2,561	2,604	2,587	2,521	2,602	2,624	2,743	2,802	29
1,171	1,211	1,083	1,004	1,082	1,147	1,289	1,318	1,318	30
245	232	239	237	244	220	233	228	243	31
732	768	749	737	732	786	696	689	805	32
1,309	1,433	1,366	1,507	1,440	1,465	1,493	1,432	1,461	33
1,223	1,294	1,225	1,362	1,290	1,305	1,329	1,276	1,306	34
166	139	141	145	150	160	164	156	155	35
8,871	8,313	7,921	8,181	8,043	8,073	8,864	8,715	9,638	36
26	29	23	17	24	16	25	49	55	37
49	58	53	50	37	50	68	64	77	38
108	44	29	17	26	46	83	107	100	39
4,316	3,863	3,691	3,977	3,929	4,079	4,433	4,399	4,947	40
94	74	57	87	83	77	99	99	132	41
513	447	401	470	436	448	512	482	592	42
62	65	56	52	67	50	64	61	67	43
1,703	1,521	1,488	1,563	1,596	1,716	1,737	1,743	1,915	44
1,944	1,756	1,689	1,805	1,747	1,788	2,021	2,014	2,241	45
2,463	2,386	2,351	2,282	2,138	2,080	2,238	2,165	2,381	46
53	67	40	49	42	44	57	57	75	47
386	384	378	353	358	323	370	336	366	48
1,880	1,785	1,772	1,738	1,592	1,596	1,666	1,619	1,792	49
144	150	161	142	146	117	149	153	148	50
3	3	4	3	3	3	4	5	2	51
99	92	98	79	77	130	93	93	92	52
32	29	21	35	23	25	27	27	33	53
271	275	238	233	243	211	262	235	281	54
66	69	70	55	65	67	66	75	61	55
1,438	1,465	1,343	1,433	1,469	1,419	1,558	1,496	1,604	56
6,185	6,141	5,993	6,120	6,205	6,198	6,271	6,320	6,559	57
5	2	3	4	4	7	3	3	2	58
670	643	553	620	633	628	639	628	680	59
280	264	253	266	271	254	283	296	303	60
306	289	235	283	293	287	264	254	276	61
84	90	65	71	69	87	92	78	101	62
44	48	50	40	38	57	46	56	63	63
90	84	103	85	87	94	74	83	85	64
576	534	516	512	568	586	560	596	572	65
7	10	4	2	4	5	5	3	2	66
306	266	269	259	255	260	275	276	259	67
107	78	87	91	95	85	72	86	107	68
2,659	2,745	2,701	2,652	2,706	2,694	2,815	2,866	3,980	69
1,010	1,023	1,022	1,010	1,063	1,047	1,085	1,054	1,201	70
416	467	455	455	402	431	436	456	486	71
1,233	1,255	1,224	1,187	1,241	1,216	1,294	1,356	1,393	72
255	292	292	304	300	309	262	282	283	73
1,466	1,439	1,423	1,558	1,515	1,473	1,520	1,441	1,426	74
2,134	2,180	2,079	2,208	2,140	2,152	2,205	2,188	2,293	75
674	693	637	674	620	643	649	696	704	76
76	87	89	96	95	103	110	106	102	77
30	29	24	26	23	26	17	29	30	78
568	577	524	552	502	514	522	561	572	79
507	534	461	506	503	461	497	471	539	80
54	53	55	59	49	58	65	54	70	81
665	647	694	744	710	729	736	747	748	82
119	136	125	119	134	138	135	128	126	83
2	5	6	1	3	2	6	1	1	84
113	112	101	105	121	121	117	91	105	85
31	34	39	42	38	35	53	38	36	86
3	4	3	5	4	2	8	3	3	87
6	4	10	12	5	8	19	8	9	88
5	4	2	5	5	7	3	7	5	89

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 281 Selected

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit)

	CAUSE OF DEATH	TOTAL	JANUARY	FEBRUARY	MARCH
01	ABORTIONS.....640-645	36	6	2	4
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	8	2	-	1
03	ABORTION INDUCED FOR OTHER REASONS.....642	11	3	1	2
04	SPONTANEOUS ABORTION.....643	3	1	-	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	14	-	1	1
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	98	9	7	13
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	124	8	10	14
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	2	-	-	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,022	190	149	179
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	482	42	34	49
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,540	148	115	130
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,080	460	462	426
13	ARTHRITIS AND SPONDYLITIS.....710-715	2,043	181	184	173
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	231	23	14	21
15	OSTEOMYELITIS AND PERIOSTITIS.....720	168	17	15	14
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	149	13	17	10
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,489	226	232	208
18	XIV. CONGENITAL ANOMALIES.....	14,062	1,298	1,147	1,241
19	SPINA BIFIDA.....741	592	40	57	61
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,171	200	157	202
21	CONGENITAL ANOMALIES OF HEART.....746	5,841	529	489	512
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,123	123	99	95
23	CLEFT PALATE AND CLEFT LIP.....749	23	1	-	3
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,312	405	354	368
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	33,503	2,598	2,268	2,498
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	30,399	2,739	2,474	2,446
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,386	121	107	120
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	29,013	2,618	2,367	2,326
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	166,454	13,090	11,903	13,299
30	ACCIDENTS.....E800-E949	115,821	9,007	8,106	8,928
31	RAILWAY ACCIDENTS.....E800-E807	789	46	58	48
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	55,511	3,932	3,559	4,429
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	54,347	3,864	3,505	4,348
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,194	121	94	87
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,521	1,422	1,393	1,691
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,991	788	621	803
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	6,886	495	392	569
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,773	549	540	679
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,982	489	465	519
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,164	68	54	81
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	293	10	6	14
42	WATER TRANSPORT ACCIDENTS.....E830-E838	1,725	48	52	110
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,668	105	125	117
44	ACCIDENTAL POISONING.....E850-E877	5,335	518	467	475
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,444	163	172	191
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,239	106	101	107
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,652	249	194	177
48	ACCIDENTAL FALLS.....E880-E887	16,506	1,586	1,258	1,328
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,270	339	271	310
50	FALL ON SAME LEVEL.....E885-E886	662	89	51	75
51	OTHER AND UNSPECIFIED FALLS.....E887	11,574	1,158	936	943
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,503	903	829	583
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	7,152	230	217	329
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	3,013	294	257	239
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,618	202	161	182
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,883	375	360	428
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	133	7	5	8
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	512	38	41	43
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	279	24	25	28
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,149	45	44	66
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,810	261	245	283
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,525	290	289	259
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,300	468	468	387
64	SUICIDE.....E950-E959	25,118	1,988	1,919	2,152
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,783	269	303	327
66	SUICIDE FROM POISONING BY GASES.....E951,E952	2,473	204	205	233
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,548	260	274	294
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	13,317	1,121	1,008	1,118
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,997	134	129	180
70	HOMICIDE.....E960-E978	20,465	1,650	1,509	1,768
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,752	1,062	1,024	1,177
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,254	280	230	292
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	3,083	270	234	255
74	LEGAL EXECUTION.....E978	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	376	38	21	44
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E983-E989	5,030	444	369	446
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	20	1	-	3

1-175

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
5	4	3	1	3	2	2	2	2	01
1	-	1	1	-	1	-	1	-	02
-	1	1	-	1	-	-	1	1	03
1	3	1	-	-	-	-	-	1	04
3	3	1	1	2	2	2	-	-	05
6	7	6	8	8	3	8	13	10	06
6	11	14	11	13	12	13	5	7	07
-	-	1	-	-	1	-	-	-	08
146	155	163	155	171	169	184	175	186	09
34	33	34	37	34	44	45	54	42	10
112	122	129	118	137	125	139	121	144	11
406	406	379	415	402	451	418	382	473	12
173	171	145	157	161	175	175	160	188	13
22	15	16	18	19	19	16	20	28	14
9	12	12	16	19	17	13	11	13	15
13	9	12	15	11	12	16	9	12	16
189	199	194	209	192	228	198	182	232	17
1,112	1,141	1,196	1,203	1,133	1,091	1,173	1,147	1,180	18
58	45	42	54	37	51	45	45	57	19
160	195	204	198	150	161	170	188	186	20
460	475	502	465	510	457	496	475	471	21
99	78	86	88	92	99	87	93	93	22
2	3	1	3	2	2	1	2	3	23
333	345	361	395	342	321	374	344	370	24
2,513	2,706	2,565	2,878	2,745	2,620	2,510	2,331	2,271	25
2,270	2,307	2,351	2,473	2,470	2,585	2,539	2,655	3,090	26
107	124	106	132	100	95	109	125	140	27
2,163	2,183	2,245	2,341	2,370	2,490	2,430	2,530	2,950	28
13,304	14,216	15,015	15,817	15,158	13,948	14,240	13,301	13,163	29
9,137	10,017	10,826	11,317	10,744	9,713	9,938	9,161	8,927	30
70	77	67	94	73	79	71	55	51	31
4,492	4,963	5,150	5,228	5,260	4,960	5,167	4,453	3,918	32
4,407	4,837	5,037	5,100	5,145	4,805	5,061	4,373	3,865	33
83	100	88	81	74	93	117	113	143	34
1,713	1,829	1,842	1,947	1,990	1,775	1,940	1,626	1,353	35
727	742	750	764	730	704	862	753	747	36
572	615	711	702	658	594	603	511	464	37
776	914	928	975	1,065	973	895	820	659	38
536	637	718	631	628	666	644	550	499	39
85	126	113	128	115	155	106	80	53	40
13	38	25	42	59	37	28	11	10	41
162	246	241	237	177	118	146	79	109	42
146	112	115	286	128	151	123	146	114	43
435	381	358	411	434	415	408	493	540	44
191	182	191	238	243	230	211	220	212	45
107	102	100	109	116	92	88	96	115	46
137	97	67	64	75	93	109	177	213	47
1,282	1,354	1,334	1,414	1,392	1,306	1,420	1,358	1,474	48
304	379	408	404	411	394	387	340	323	49
43	60	50	47	46	42	55	45	59	50
935	915	876	963	935	870	978	973	1,092	51
576	444	357	309	335	294	489	539	845	52
474	728	1,449	1,497	994	580	286	192	176	53
223	235	244	227	255	242	256	279	262	54
173	166	199	195	207	206	270	362	295	55
452	550	546	614	660	538	548	408	404	56
13	11	17	13	15	12	10	8	14	57
42	40	35	63	45	41	55	31	38	58
21	22	27	17	28	16	15	22	34	59
66	115	133	175	167	126	97	67	48	60
310	362	334	346	405	343	371	280	270	61
278	294	291	294	306	341	305	315	263	62
361	429	450	469	464	446	421	471	466	63
2,097	2,173	2,083	2,196	2,231	2,094	2,174	2,018	1,993	64
300	325	301	305	341	344	357	296	315	65
221	208	196	200	220	196	217	188	185	66
286	300	305	342	318	319	304	271	275	67
1,115	1,161	1,100	1,177	1,153	1,075	1,124	1,099	1,066	68
175	179	181	172	199	160	172	164	152	69
1,635	1,639	1,682	1,856	1,746	1,727	1,688	1,711	1,854	70
1,118	1,078	1,088	1,271	1,133	1,177	1,152	1,167	1,305	71
246	287	294	302	270	270	251	254	278	72
233	250	263	253	306	249	258	265	247	73
-	-	-	-	-	-	-	-	-	74
38	24	37	30	37	31	27	25	24	75
430	387	424	447	432	414	439	411	387	76
5	-	-	1	5	-	1	-	2	77

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ALL CAUSES.....	1,973,003	1,096,795	876,208	1,728,405	957,918	770,487
02 I. INFECTIVE AND PARASITIC DISEASES.....	15,669	8,816	6,853	11,844	6,574	5,270
03 CHOLERA.....000	—	—	—	—	—	—
04 TYPHOID FEVER.....001	7	3	4	3	2	1
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	76	42	34	60	30	30
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	64	34	30	46	28	18
07 FOOD POISONING (BACTERIAL).....005	11	5	6	11	5	6
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,322	1,068	1,254	1,803	799	1,004
09 TUBERCULOSIS, ALL FORMS.....010-019	3,875	2,707	1,168	2,663	1,849	814
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	3,009	2,182	827	2,036	1,467	569
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	90	52	38	52	32	20
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	26	14	12	16	9	7
13 TUBERCULOSIS OF BONES AND JOINTS.....015	35	21	14	24	14	10
14 DISSEMINATED TUBERCULOSIS.....018	165	101	64	74	50	24
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	550	337	213	461	277	184
16 PLAGUE.....020	—	—	—	—	—	—
17 ANTHRAX.....022	—	—	—	—	—	—
18 BRUCELLOSIS.....023	1	—	1	1	—	1
19 LEPROSY.....030	1	1	—	1	1	—
20 DIPHTHERIA.....032	10	8	2	8	6	2
21 WHOOPING COUGH.....033	5	2	3	5	2	3
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	20	8	12	18	7	11
23 ERYSIPELAS.....035	11	4	7	10	3	7
24 MENINGOCOCCAL INFECTIONS.....036	330	185	145	271	151	120
25 TETANUS.....037	40	16	24	26	11	15
26 SEPTICEMIA.....038	4,560	2,433	2,127	3,547	1,882	1,665
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	646	349	297	526	290	236
28 ACUTE POLIOMYELITIS.....040-043	10	8	2	10	8	2
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	83	45	38	77	41	36
30 SMALLPOX.....050	—	—	—	—	—	—
31 MEASLES.....055	23	16	7	19	13	6
32 YELLOW FEVER.....060	—	—	—	—	—	—
33 VIRAL ENCEPHALITIS.....062-065	321	169	152	274	143	131
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	29	18	11	27	16	11
35 INFECTIOUS HEPATITIS.....070	656	289	367	515	233	282
36 RABIES.....071	1	1	—	1	1	—
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	1,033	526	507	894	448	446
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	40	24	16	36	22	14
39 MALARIA.....084	7	5	2	4	2	2
40 TRYPAOSOMIASIS.....086,087	1	1	—	1	1	—
41 RELAPSING FEVER.....088	—	—	—	—	—	—
42 SYPHILIS AND ITS SEQUELAE.....090-097	393	265	128	213	146	67
43 CONGENITAL SYPHILIS.....090	13	5	8	6	4	2
44 EARLY SYPHILIS, SYMPTOMATIC.....091	—	—	—	—	—	—
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	29	16	13	13	7	6
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	189	130	59	99	68	31
47 TABES DORSALIS.....094,0	26	23	3	22	20	2
48 GENERAL PARESIS.....094,1	26	13	13	19	9	10
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	76	54	22	40	28	12
50 ALL OTHER SYPHILIS.....095,097,0,097,9	34	24	10	14	10	4
51 GONOCOCCAL INFECTIONS.....098	11	5	6	7	4	3
52 SCHISTOSOMIASIS.....120	3	3	—	3	3	—
53 HYDATIDOSIS.....122	4	1	3	2	1	1
54 FILARIAL INFESTATIONS.....125	1	1	—	1	1	—
55 ANCYLOSTOMIASIS.....126	—	—	—	—	—	—
56 OTHER HELMINTHIASIS.....121,123,124,127-129	14	7	7	10	5	5
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,060	567	493	751	420	331
58 II. NEOPLASMS.....	356,068	193,770	162,298	317,135	171,699	145,436
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	351,055	191,320	159,735	312,779	169,544	143,235
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,822	5,553	2,269	6,828	4,810	2,018
61 OF LIP.....140	181	161	20	173	157	16
62 OF TONGUE.....141	1,873	1,305	568	1,626	1,120	506
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,304	1,507	797	2,041	1,308	733
64 OF PHARYNX.....146-149	3,464	2,580	884	2,988	2,225	763
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	96,549	51,070	45,479	85,623	44,875	40,748
66 OF ESOPHAGUS.....150	6,491	4,768	1,723	4,910	3,577	1,333
67 OF STOMACH.....151	15,198	9,178	6,020	12,862	7,701	5,161
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	635	330	305	559	302	257
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	37,745	17,285	20,460	34,619	15,899	18,720
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	4,262	1,796	2,466	3,950	1,659	2,291
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	1,186	526	660	1,089	484	605
72 DESCENDING COLON.....153,2	972	463	509	898	428	470
73 SIGMOID COLON.....153,3	4,442	2,094	2,348	4,126	1,942	2,184
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	25,103	11,601	13,502	22,891	10,634	12,257
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	1,780	805	975	1,665	752	913
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	9,821	5,424	4,397	8,927	4,963	3,964
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,270	1,465	805	1,848	1,153	695
78 OF GALLBLADDER AND BILE DUCTS.....156	4,273	1,545	2,728	2,953	1,433	2,520
79 OF PANCREAS.....157	18,653	10,380	8,273	16,652	9,259	7,393
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,463	695	768	1,263	588	675
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	79,335	62,717	16,618	70,790	55,783	15,007
82 OF LARYNX.....161	3,044	2,656	388	2,628	2,290	338
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	74,933	59,187	15,746	66,960	52,721	14,239
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,358	876	484	1,202	772	430
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,341	4,957	35,384	36,908	4,623	32,285
86 OF BONE.....170	1,821	1,069	771	1,648	962	686
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	4,519	783	736	1,345	702	643
88 OF SKIN.....172,173	4,839	2,812	2,027	4,651	2,704	1,947
89 OF BREAST.....174	32,143	293	31,850	29,264	255	29,009

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,591	19,864	22,727	36,449	16,911	19,538
02 OF CERVIX UTERI.....180	6,041	...	6,041	4,613	...	4,613
03 OF OTHER PARTS OF UTERUS.....181-182	5,733	...	5,733	4,880	...	4,880
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,002	...	10,002	5,212	...	9,212
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	951	...	951	833	...	833
06 OF PROSTATE.....185	18,830	18,830	...	15,970	15,970	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186-187	1,034	1,034	...	941	941	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	15,877	10,601	5,276	14,606	9,829	4,777
09 OF BLADDER.....188	9,179	6,410	2,769	8,413	5,956	2,457
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,698	4,191	2,507	6,193	3,873	2,320
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	34,495	17,678	16,817	30,522	15,561	14,961
12 OF EYE.....190	320	147	173	298	134	164
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191-192	8,311	4,650	3,661	7,732	4,329	3,403
14 OF THYROID GLAND.....193	972	315	657	872	279	593
15 OTHER.....194-199	24,892	12,566	12,326	21,620	10,819	10,801
16 LEUKEMIA.....204-207	14,478	8,262	6,216	13,236	7,539	5,697
17 LYMPHATIC LEUKEMIA.....204	4,653	2,817	1,836	4,269	2,594	1,675
18 MYELOID LEUKEMIA.....205	6,321	3,469	2,852	5,780	3,171	2,609
19 MONOCYTIC LEUKEMIA.....206	488	277	211	444	245	199
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	3,016	1,699	1,317	2,743	1,529	1,214
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	19,567	10,618	8,949	17,817	9,613	8,204
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,846	3,629	3,217	6,436	3,386	3,050
23 HODGKIN'S DISEASE.....201	2,920	1,732	1,188	2,718	1,594	1,124
24 MULTIPLE MYELOMA.....203	4,968	2,579	2,389	4,181	2,177	2,004
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4,833	2,678	2,155	4,482	2,456	2,026
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,013	2,450	2,563	4,356	2,155	2,201
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	159	...	159	107	...	107
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	761	305	456	647	250	397
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	803	422	381	701	375	326
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	29	...	29	21	...	21
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,161	1,124	1,037	1,938	1,016	922
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,100	599	501	942	514	428
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,532	19,389	27,143	35,066	16,541	22,525
34 NONTOKIC GOITER.....240,241	43	9	34	32	7	25
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	296	59	237	239	47	192
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	443	91	352	402	84	318
37 DIABETES MELLITUS.....250	38,208	15,669	22,539	31,732	13,343	18,389
38 DISEASES OF PITUITARY GLAND.....253	230	125	105	176	100	76
39 DISEASES OF THYMUS GLAND.....254	28	15	13	18	11	7
40 DISEASES OF ADRENAL GLAND.....255	400	157	243	357	142	215
41 NIACIN DEFICIENCY.....262	3	1	2	1	-	1
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,573	1,082	1,491	2,165	884	1,281
43 CYSTIC FIBROSIS.....273,0	519	246	273	504	236	268
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-259,270-272,273,1-279	3,789	1,935	1,854	3,240	1,687	1,553
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,251	2,542	2,709	4,264	2,033	2,231
46 ANEMIAS.....280-285	3,318	1,569	1,749	2,610	1,209	1,401
47 DEFICIENCY ANEMIAS.....280,281	470	182	288	429	164	265
48 HEMOLYTIC ANEMIAS.....282,283	703	334	369	303	124	179
49 APLASTIC ANEMIA.....284	1,090	567	523	1,007	521	486
50 OTHER AND UNSPECIFIED ANEMIAS.....285	1,055	486	569	871	400	471
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	568	255	313	495	226	269
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,365	718	647	1,159	598	561
53 V. MENTAL DISORDERS.....	8,860	6,056	2,804	6,485	4,319	2,166
54 SENILE AND PRESENILE DEMENTIAS.....290	731	305	426	672	274	398
55 ALCOHOLIC PSYCHOSES.....291	517	469	48	385	346	39
56 ALL OTHER PSYCHOSES.....294-299	274	119	155	233	100	133
57 ALCOHOLISM.....303	4,650	3,611	1,039	3,237	2,535	702
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,408	1,412	996	1,732	955	777
59 MENTAL RETARDATION.....310-315	280	140	140	226	109	117
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,889	9,147	7,742	14,527	7,793	6,734
61 MENINGITIS.....320	1,523	842	681	1,043	581	462
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	743	552	191	683	511	172
63 MULTIPLE SCLEROSIS.....340	1,574	571	1,003	1,453	541	912
64 PARALYSIS AGITANS.....342	3,283	1,763	1,520	3,172	1,692	1,480
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	681	393	288	566	329	237
66 EPILEPSY.....345	1,821	1,086	735	1,268	717	551
67 INFLAMMATORY DISEASES OF EYE.....360-369	9	5	4	9	5	4
68 CATARACT.....374	40	19	21	34	16	18
69 GLAUCOMA.....375	3	1	2	2	1	1
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	123	58	65	99	51	48
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	7,089	3,857	3,232	6,198	3,349	2,849
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,055,196	560,149	495,047	947,397	504,831	443,066
73 ACTIVE RHEUMATIC FEVER.....390-392	183	96	87	160	88	72
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,556	6,076	7,480	12,362	5,456	6,906
75 DISEASES OF MITRAL VALVE.....394	3,666	1,281	2,385	3,391	1,162	2,229
76 DISEASES OF AORTIC VALVE.....395	3,950	2,478	1,472	3,556	2,225	1,331
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	599	232	367	553	210	343
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	5,341	2,085	3,256	4,862	1,859	3,003
79 HYPERTENSIVE DISEASE.....400-404	20,211	9,204	11,007	16,158	7,255	8,903
80 MALIGNANT HYPERTENSION.....400	1,038	567	471	611	337	274
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,143	457	686	899	366	533
82 HYPERTENSIVE HEART DISEASE.....402	7,268	2,920	4,348	5,660	2,188	3,472
83 HYPERTENSIVE RENAL DISEASE.....403	5,247	2,702	2,545	4,328	2,238	2,090
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	5,515	2,558	2,957	4,660	2,126	2,534

or National Origin and Sex: United States, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other		
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
5,938	2,877	3,061	78	33	45	32	12	20	42	15	27	52	16	36
1,369	...	1,369	23	...	23	9	...	9	6	...	6	21	...	21
828	...	828	10	...	10	4	...	4	6	...	6	5	...	5
746	...	746	12	...	12	7	...	7	15	...	15	10	...	10
118	...	118
2,794	2,794	...	28	28	...	10	10	...	13	13	...	15	15	...
83	83	...	5	5	...	2	2	...	2	2	...	1	1	...
1,180	708	472	25	16	9	17	13	4	30	20	10	19	15	4
723	427	296	8	3	5	11	8	3	18	11	7	6	5	1
457	281	176	17	13	4	6	5	1	12	9	3	13	10	3
3,728	1,975	1,753	87	32	55	52	43	9	47	25	22	59	42	17
19	10	9	1	1	...	1	1	...	1	1
547	305	242	12	4	8	3	2	1	5	4	1	12	6	6
90	30	60	2	1	1	2	2	...	2	...	2	4	3	1
3,072	1,630	1,442	72	26	46	46	38	8	39	20	15	43	33	10
1,140	665	475	26	12	14	26	19	7	22	9	13	28	18	10
359	206	153	7	4	3	5	4	1	4	2	2	9	7	2
492	274	218	12	4	8	12	7	5	13	6	7	12	7	5
37	28	9	1	1	...	1	1	...	3	1	2	2	1	1
252	157	95	6	3	3	8	7	1	2	...	2	5	3	2
1,636	939	697	27	18	9	20	9	11	28	13	15	39	26	13
365	217	148	6	4	2	7	3	4	11	5	6	21	14	7
193	132	61	4	3	1	2	1	1	1	1	...	2	1	1
757	387	370	12	8	4	4	...	4	7	3	4	7	4	3
321	203	118	5	3	2	7	5	2	9	4	5	9	7	2
616	272	344	15	7	8	10	5	5	3	1	2	13	10	3
52	...	52
104	50	54	2	...	2	2	...	2	1	...	1	5
90	38	52	5	3	2	1	1	...	1	1	...	5	4	1
8	...	8
215	104	111	2	1	1	5	3	2	1	...	1
147	80	67	6	3	3	2	1	1	1	...	1	2	1	1
7,014	2,617	4,397	201	95	106	58	32	26	89	45	44	104	59	45
10	2	8	1	...	1
51	11	40	1	1	...	2	...	2	1	...	1	2	...	2
37	6	31	3	1	2	1	...	1
5,919	2,135	3,784	165	81	84	46	27	19	64	34	30	82	49	33
49	22	27	3	2	1	1	1	...	1	...	1
9	4	5	1	...	1
39	15	24	2	...	2	1	...	1	1	...	1
2	1	1
363	175	188	15	4	11	7	4	3	15	9	6	8	6	2
14	10	4	1	...	1
521	236	285	11	6	5	1	1	...	6	1	5	10	4	6
951	489	462	16	11	5	4	1	3	3	1	2	13	7	6
698	354	344	6	5	1	1	1	...	1	...	1	2	...	2
40	18	22	1	...	1
396	208	188	2	2	1	...	1	1	...	1
80	44	36	1	1	...	1	1	1	...	1
182	84	98	2
66	25	41	1	1	...	1	...	1	1	1	...	4	2	2
187	110	77	9	5	4	2	...	2	1	...	1	7	5	2
2,183	1,608	575	179	121	58	3	1	2	4	1	3	6	6	...
57	29	28	2	2
125	119	6	6	3	3	1	1	...
39	19	20	1	...	1	1	...	1
1,248	961	287	161	111	50	1	1	...	3	3	...
665	452	213	7	4	3	1	...	1	2	...	2	1	1	...
49	28	21	3	1	2	1	1	1	1	...
2,223	1,266	957	58	39	19	11	6	5	38	20	18	32	23	9
464	249	215	11	8	3	1	1	...	4	3	1
54	37	17	2	1	3	2	1	1	1	...
114	29	85	5	1	4	2	...	2
93	60	33	2	2	...	2	1	1	11	6	5	3	2	1
108	60	48	3	1	2	1	2	1	1	2	2	2
537	357	180	11	9	2	1	1	4	2	2
...
6	3	3
1	...	1
21	7	14	1	...	1	1	...	1	1	...	1
825	464	361	28	18	10	7	4	3	16	9	7	15	13	2
102,519	52,451	50,068	1,642	951	691	1,108	782	326	1,223	695	528	1,307	939	368
22	7	15	1	1
1,087	563	524	41	22	19	15	5	10	13	9	4	38	21	17
249	107	142	7	3	4	4	...	4	7	5	2	8	4	4
366	232	134	12	9	3	6	5	1	3	2	1	7	5	2
45	22	23
427	202	225	22	10	12	5	...	5	3	2	1	22	12	10
3,945	1,891	2,054	37	18	19	30	17	13	18	6	12	23	17	6
420	227	193	1	1	2	...	2	4	2	2
238	89	149	3	1	2	1	...	1	2	1	1
1,567	713	854	14	8	6	12	6	6	10	2	8	5	3	2
887	444	443	13	5	8	10	6	4	4	5	5	...
833	418	415	6	3	3	8	5	3	1	...	1	7	6	1

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Female	Male	Both sexes	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	684,066	386,978	297,088	623,217	354,222	268,995
02 WITH HYPERTENSIVE DISEASE (.0).....	75,446	34,767	40,679	62,373	28,776	33,597
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	608,620	352,211	256,409	560,844	325,446	235,398
04 ACUTE MYOCARDIAL INFARCTION.....410	351,662	220,543	131,119	325,517	205,614	119,903
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,503	2,882	1,621	3,900	2,494	1,406
06 CHRONIC ISCHEMIC HEART DISEASE.....412	327,722	163,444	164,278	253,634	146,009	147,625
07 ANGINA PECTORIS.....413	179	109	70	166	105	61
08 OTHER FORMS OF HEART DISEASE.....420-429	46,487	25,827	20,660	38,300	21,209	17,091
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	470	244	226	381	198	183
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	622	401	221	481	309	172
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,107	515	592	976	456	520
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	61	13	48	58	13	45
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	185	105	80	174	97	77
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	861	397	464	744	346	398
15 SYMPTOMATIC HEART DISEASE.....427	27,057	14,137	12,920	22,837	11,901	10,922
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	4,030	1,947	2,083	3,479	1,652	1,827
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	13,201	8,583	4,618	10,160	6,693	3,467
18 CEREBROVASCULAR DISEASES.....430-438	214,313	93,838	120,475	188,024	81,530	106,494
19 WITH HYPERTENSION (BENIGN) (.0).....	26,675	11,214	15,461	20,864	8,613	12,251
20 WITHOUT MENTION OF HYPERTENSION (.9).....	187,638	82,624	105,014	167,160	72,917	94,243
21 SUBARACHNOID HEMORRHAGE.....430	9,191	3,802	5,389	7,635	3,151	4,484
22 CEREBRAL HEMORRHAGE.....431	33,909	15,561	18,348	28,839	13,104	15,735
23 CEREBRAL THROMBOSIS.....433	56,648	24,374	32,274	50,815	21,624	29,191
24 CEREBRAL EMBOLISM.....434	967	429	538	885	385	500
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,238	1,825	1,413	2,932	1,657	1,275
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	67,730	30,147	37,583	57,733	25,537	32,196
27 OTHER CEREBROVASCULAR DISEASES.....437-438	42,630	17,700	24,930	39,185	16,072	23,113
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,676	29,376	29,300	54,164	27,158	27,006
29 ARTERIOSCLEROSIS.....440	32,617	13,402	19,215	30,242	12,315	17,927
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	14,210	10,189	4,021	13,268	9,633	3,635
31 GANGRENE.....445	2,967	1,422	1,445	2,471	1,227	1,244
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,982	4,363	4,619	8,183	3,983	4,200
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,704	8,754	8,950	15,012	7,413	7,599
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,800	7,712	8,088	13,412	6,530	6,882
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,904	1,042	862	1,600	883	717
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	117,537	74,718	42,819	104,601	66,479	38,122
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	453	241	212	354	189	165
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	905	493	412	777	422	355
39 INFLUENZA.....470-474	5,131	2,408	2,723	4,713	2,205	2,508
40 PNEUMONIA.....480-486	57,428	31,816	25,612	49,392	26,936	22,456
41 VIRAL PNEUMONIA.....480	1,604	799	805	1,369	676	693
42 BACTERIAL PNEUMONIA.....481,482	6,597	4,011	2,586	5,430	3,243	2,187
43 ACUTE INTERSTITIAL PNEUMONIA.....484	832	467	365	616	326	290
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	22,946	12,641	10,305	20,148	10,903	9,245
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	25,449	13,898	11,551	21,829	11,762	10,067
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	29,708	22,740	6,968	27,829	21,365	6,464
47 BRONCHITIS, UNQUALIFIED.....490	768	399	369	659	326	333
48 CHRONIC BRONCHITIS.....491	4,779	3,512	1,267	4,544	3,332	1,212
49 EMPHYSEMA.....492	22,249	10,010	12,239	21,169	17,100	4,069
50 ASTHMA.....493	1,912	819	1,093	1,457	607	850
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	38	18	20	33	17	17
52 EMPYEMA AND ABSCESS OF LUNG.....510-513	1,124	782	342	849	575	274
53 PLEURISY.....511	340	165	175	288	141	147
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,250	2,045	1,205	2,995	1,877	1,118
55 BRONCHIECTASIS.....518	843	443	400	768	399	369
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	18,317	13,567	4,750	16,603	12,354	4,249
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	75,094	43,775	31,319	64,401	37,449	26,952
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	43	19	24	29	14	15
59 PEPTIC ULCER.....531-533	7,688	4,974	2,714	6,945	4,442	2,503
60 ULCER OF STOMACH.....531	3,289	1,949	1,340	2,932	1,692	1,240
61 ULCER OF DUODENUM.....532	3,385	2,352	1,033	3,107	2,151	956
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,014	673	341	906	509	397
63 GASTRITIS AND DUODENITIS.....535	598	349	249	529	308	221
64 APPENDICITIS.....540-543	1,066	663	403	847	524	323
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,746	3,006	3,740	5,861	2,552	3,309
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	53	20	33	35	12	23
67 DIVERTICULA OF INTESTINE.....562	3,314	1,267	2,047	3,066	1,160	1,906
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,084	453	631	1,074	429	585
69 CIRRHOSIS OF LIVER.....571	33,350	21,782	11,568	27,816	18,372	9,444
70 ALCOHOLIC.....571.0	12,624	8,817	3,807	10,177	7,234	2,943
71 OTHER SPECIFIED.....571.8	5,341	3,092	2,249	4,246	2,444	1,802
72 UNSPECIFIED.....571.9	15,385	9,873	5,512	13,393	8,694	4,699
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,422	1,531	1,891	3,147	1,422	1,725
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,730	9,711	8,019	15,112	8,214	6,898
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	26,910	14,600	12,310	21,572	11,826	9,746
76 NEPHRITIS AND NEPHROSIS.....580-584	8,336	4,460	3,876	6,058	3,331	2,727
77 ACUTE NEPHRITIS.....580	1,224	709	515	960	569	391
78 NEPHROTIC SYNDROME.....581	312	157	155	254	125	129
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	6,800	3,594	3,206	4,844	2,637	2,207
80 INFECTIONS OF KIDNEY.....590	6,134	2,589	3,545	5,191	2,159	3,032
81 CALCULI OF URINARY SYSTEM.....592,594	699	327	372	626	296	330
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,740	4,921	3,819	7,151	4,016	3,135
83 HYPERPLASIA OF PROSTATE.....600	1,589	1,589	...	1,407	1,407	...
84 DISEASES OF BREAST.....610-611	40	...	40	34	...	34
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,372	714	658	1,105	617	488
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	477	...	477	274	...	274
87 ECTOPIC PREGNANCY.....631	46	...	46	25	...	25
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	111	...	111	57	...	57
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	60	...	60	40	...	40

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ABORTIONS.....640-645	36	...	36	15	...	15
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	8	...	8	5	...	5
03 ABORTION INDUCED FOR OTHER REASONS.....642	11	...	11	2	...	2
04 SPONTANEOUS ABORTION.....643	3	...	3	1	...	1
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	14	...	14	7	...	7
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	98	...	98	64	...	64
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	124	...	124	72	...	72
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	2	...	2	1	...	1
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,022	790	1,232	1,585	626	959
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	482	237	245	395	191	204
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,540	553	987	1,190	435	755
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,080	1,615	3,465	4,392	1,402	2,990
13 ARTHRITIS AND SPONDYLITIS.....710-715	2,043	669	1,374	1,875	602	1,273
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	231	76	155	182	64	118
15 OSTEOARTHRITIS AND PERIOSTITIS.....720	168	86	82	145	73	72
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	149	51	98	140	48	92
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2,489	733	1,756	2,050	615	1,435
18 XIV. CONGENITAL ANOMALIES.....	14,062	7,559	6,503	11,850	6,404	5,446
19 SPINA BIFIDA.....741	592	254	338	540	226	314
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,171	1,067	1,104	1,875	914	961
21 CONGENITAL ANOMALIES OF HEART.....746	5,841	3,195	2,646	4,915	2,730	2,185
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,123	625	498	927	516	411
23 CLEFT PALATE AND CLEFT LIP.....749	23	13	10	19	11	8
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,312	2,405	1,907	3,574	2,007	1,567
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	30,503	17,306	12,697	22,186	13,089	9,097
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	30,399	18,203	12,196	21,174	12,761	8,413
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,386	519	867	1,123	404	719
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	29,013	17,684	11,329	20,051	12,357	7,694
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	166,454	117,860	48,594	135,652	94,592	41,060
30 ACCIDENTS.....E800-E949	115,821	80,469	35,352	98,503	67,853	30,650
31 RAILWAY ACCIDENTS.....E800-E807	789	697	92	620	549	71
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	55,511	39,941	15,570	47,981	34,270	13,611
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	54,347	39,052	15,295	46,955	33,587	13,368
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,194	843	351	1,072	762	310
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,521	13,824	6,697	18,309	12,267	6,042
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,931	6,274	2,657	7,011	4,795	2,216
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	6,886	5,491	1,395	6,105	4,865	1,240
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,773	7,702	2,071	8,408	6,656	1,752
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,982	4,918	2,064	6,050	4,242	1,808
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,164	889	275	1,026	783	243
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	293	177	116	272	163	109
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,725	1,561	164	1,437	1,290	147
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,668	1,407	261	1,628	1,376	252
44 ACCIDENTAL POISONING.....E850-E877	5,335	3,571	1,764	4,356	2,923	1,433
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,444	1,526	918	1,973	1,222	751
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,239	828	411	989	659	330
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,237	1,217	435	1,394	1,042	352
48 ACCIDENTAL FALLS.....E880-E907	16,506	8,307	8,199	15,066	7,348	7,718
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,270	2,992	1,278	3,717	2,567	1,150
50 FALL ON SAME LEVEL.....E885,E886	662	296	366	623	273	350
51 OTHER AND UNSPECIFIED FALLS.....E887	11,574	5,019	6,555	10,726	4,508	6,218
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,503	3,895	2,608	4,780	2,870	1,910
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	7,152	5,983	1,169	5,403	4,471	932
54 INITIALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	3,013	1,780	1,233	2,451	1,460	991
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,618	2,269	349	2,008	1,754	254
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,883	5,333	550	5,189	4,738	451
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	133	99	34	94	72	22
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	512	414	98	434	358	76
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	279	168	111	212	129	83
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,149	1,085	64	1,074	1,018	56
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,810	3,567	243	3,375	3,161	214
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,525	1,861	1,664	3,084	1,627	1,457
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,300	3,687	1,613	4,228	2,914	1,314
64 SUICIDE.....E950-E959	25,118	18,108	7,010	23,412	16,823	6,589
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,783	1,459	2,324	3,575	1,379	2,196
66 SUICIDE FROM POISONING BY GASES.....E951-E952	2,473	1,690	783	2,435	1,659	776
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,548	2,671	877	3,253	2,426	827
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	13,317	11,057	2,260	12,375	10,275	2,100
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,997	1,231	766	1,774	1,084	690
70 HOMICIDE.....E960-E978	20,465	15,840	4,625	9,986	7,411	2,575
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,752	11,168	2,584	6,353	5,001	1,352
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,254	2,510	744	1,469	1,087	382
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	3,083	1,793	1,290	1,976	1,137	839
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	376	369	7	188	186	2
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,030	3,423	1,607	3,733	2,487	1,246
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	20	20	-	18	18	-

1-183

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
20	...	20	1	...	1	-	...	-	-	...	-	-	...	-	01
3	...	3	-	...	-	-	...	-	-	...	-	-	...	-	02
8	...	8	1	...	1	-	...	-	-	...	-	-	...	-	03
2	...	2	-	...	-	-	...	-	-	...	-	-	...	-	04
7	...	7	-	...	-	-	...	-	-	...	-	-	...	-	05
34	...	34	-	...	-	-	...	-	-	...	-	-	...	-	06
50	...	50	1	...	1	-	...	-	-	...	-	1	...	1	07
-	...	-	-	...	-	-	...	-	-	...	-	1	...	1	08
412	149	263	14	7	7	3	1	2	2	2	-	6	5	1	09
75	38	37	8	4	4	-	-	-	-	-	-	4	4	-	10
337	111	226	6	3	3	3	1	2	2	2	-	2	1	1	11
630	192	438	29	11	18	9	2	7	10	3	7	10	5	5	12
151	57	94	11	5	6	1	1	-	3	2	1	2	2	-	13
47	12	35	1	-	1	-	-	-	1	-	1	-	-	-	14
21	12	9	1	-	1	-	-	-	-	-	-	1	1	-	15
7	3	4	2	-	2	-	-	-	-	-	-	-	-	-	16
404	108	296	14	6	8	8	1	7	6	1	5	7	2	5	17
2,000	1,055	945	86	39	47	19	9	10	32	14	18	75	38	37	18
44	24	20	3	1	2	1	1	-	2	1	1	2	1	1	19
260	133	127	12	4	8	2	2	-	6	4	2	16	10	6	20
835	426	409	34	19	15	10	4	6	14	4	10	33	12	21	21
176	100	76	9	2	7	3	2	1	2	-	2	6	5	1	22
3	1	2	-	-	-	-	-	-	-	-	-	1	1	-	23
682	371	311	28	13	15	3	-	3	8	5	3	17	9	8	24
7,907	4,476	3,431	173	104	69	17	11	6	38	27	11	182	99	83	25
8,852	5,208	3,644	282	181	101	17	11	6	27	13	14	47	29	18	26
230	100	130	26	11	15	1	-	1	5	3	2	1	1	-	27
8,622	5,108	3,514	256	170	86	16	11	5	22	10	12	46	28	18	28
28,085	21,318	6,767	1,825	1,334	491	208	151	57	249	150	99	435	315	120	29
15,332	11,162	4,170	1,405	1,031	374	114	92	22	155	100	55	312	231	81	30
144	123	21	24	24	-	-	-	-	1	1	-	-	-	-	31
8,435	4,808	1,627	816	579	237	58	45	13	68	41	27	153	98	55	32
6,319	4,716	1,603	800	570	230	54	42	12	67	40	27	152	97	55	33
104	69	35	13	9	4	2	1	1	1	1	-	2	1	1	34
1,087	1,351	536	215	140	75	16	13	3	32	18	14	62	35	27	35
1,732	1,304	428	198	142	56	14	11	3	15	9	6	21	13	8	3

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL CAUSES.....	1,973,003	55,581	3,944	2,867	2,170	1,862	66,424	7,514	8,468	22,908
02	MALE....	1,096,795	31,986	2,181	1,607	1,302	1,088	38,164	4,462	5,480	16,723
03	FEMALE....	876,208	23,595	1,763	1,260	868	774	28,260	3,052	2,988	6,185
04	WHITE.....MALE....	957,918	23,414	1,567	1,237	1,004	850	28,972	3,510	4,389	13,885
05	FEMALE....	770,487	16,825	1,278	937	670	596	20,306	2,425	2,425	4,987
06	NEGRO.....MALE....	129,647	8,043	570	341	275	227	9,456	899	1,034	2,574
07	FEMALE....	100,463	6,368	450	296	184	167	7,465	570	518	1,084
08	OTHER RACES..MALE....	9,230	529	44	29	23	11	636	53	57	264
09	FEMALE....	5,258	402	35	27	14	11	489	57	45	114
10	I. INFECTIVE AND PARASITIC DISEASES.....	15,669	1,936	236	122	74	69	2,428	277	191	235
11	MALE....	8,816	1,119	133	68	48	35	1,403	139	106	124
12	FEMALE....	6,853	817	103	54	26	35	1,025	138	85	111
13	WHITE.....MALE....	6,574	746	97	55	40	29	967	120	87	102
14	FEMALE....	5,270	520	73	46	22	19	680	111	67	86
15	NEGRO.....MALE....	2,074	336	35	13	8	6	398	19	18	20
16	FEMALE....	1,482	279	29	8	4	5	325	24	15	21
17	OTHER RACES..MALE....	168	37	1	-	-	-	38	-	1	2
18	FEMALE....	101	18	1	-	-	1	20	3	3	2
19	CHOLERA.....000	-	-	-	-	-	-	-	-	-	-
20	MALE....	-	-	-	-	-	-	-	-	-	-
21	FEMALE....	-	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
23	FEMALE....	-	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
25	FEMALE....	-	-	-	-	-	-	-	-	-	-
26	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE....	-	-	-	-	-	-	-	-	-	-
28	TYPHOID FEVER.....001	7	-	-	-	-	-	-	-	-	-
29	MALE....	3	-	-	-	-	-	-	-	-	-
30	FEMALE....	4	-	-	-	-	-	-	-	-	-
31	WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
32	FEMALE....	1	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
34	FEMALE....	3	-	-	-	-	-	-	-	-	-
35	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
36	FEMALE....	-	-	-	-	-	-	-	-	-	-
37	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	76	12	2	2	-	-	16	1	-	-
38	MALE....	42	6	1	2	-	-	9	-	-	-
39	FEMALE....	34	6	1	-	-					

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
TUBERCULOSIS, ALL FORMS--CON.											
01	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	90	4	4	3	3	1	15	6	2	4
02	MALE.....	52	3	2	2	1	1	9	4	1	2
03	FEMALE.....	38	1	2	1	2	-	6	2	1	2
04	WHITE.....MALE.....	32	2	2	1	1	1	7	2	1	2
05	FEMALE.....	20	1	-	-	1	-	3	2	1	2
06	NEGRO.....MALE.....	19	1	-	1	-	-	2	-	-	-
07	FEMALE.....	16	-	2	-	1	-	3	2	-	-
08	OTHER RACES..MALE.....	1	-	-	-	-	-	-	-	-	-
09	FEMALE.....	2	-	-	-	-	-	-	-	-	-
10	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS...014	26	-	-	-	-	-	-	-	-	1
11	MALE.....	14	-	-	-	-	-	-	-	-	1
12	FEMALE.....	12	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE.....	9	-	-	-	-	-	-	-	-	1
14	FEMALE.....	7	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE.....	5	-	-	-	-	-	-	-	-	-
16	FEMALE.....	5	-	-	-	-	-	-	-	-	-
17	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	TUBERCULOSIS OF BONES AND JOINTS.....015	35	-	-	-	-	-	-	-	-	-
20	MALE.....	21	-	-	-	-	-	-	-	-	-
21	FEMALE.....	14	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE.....	14	-	-	-	-	-	-	-	-	-
23	FEMALE.....	10	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE.....	6	-	-	-	-	-	-	-	-	-
25	FEMALE.....	4	-	-	-	-	-	-	-	-	-
26	OTHER RACES..MALE.....	1	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	DISSEMINATED TUBERCULOSIS.....018	165	2	-	-	-	-	2	-	-	-
29	MALE.....	101	1	-	-	-	-	1	-	-	-
30	FEMALE.....	64	1	-	-	-	-	1	-	-	-
31	WHITE.....MALE.....	50	-	-	-	-	-	1	-	-	-
32	FEMALE.....	24	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE.....	43	1	-	-	-	-	1	-	-	-
34	FEMALE.....	37	1	-	-	-	-	1	-	-	-
35	OTHER RACES..MALE.....	8	-	-	-	-	-	-	-	-	-
36	FEMALE.....	3	-	-	-	-	-	-	-	-	-
37	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	550	-	-	-	-	-	-	-	-	-
38	MALE.....	337	-	-	-	-	-	-	-	-	-
39	FEMALE.....	213	-	-	-	-	-	-	-	-	-
40	WHITE.....MALE.....	277	-	-	-	-	-	-	-	-	-
41	FEMALE.....	184	-	-	-	-	-	-	-	-	-
42	NEGRO.....MALE.....	50	-	-	-	-	-	-	-	-	-
43	FEMALE.....	26	-	-	-	-	-	-	-	-	-
44	OTHER RACES..MALE.....	10	-	-	-	-	-	-	-	-	-
45	FEMALE.....	3	-	-	-	-	-	-	-	-	-
46	PLAGUE.....020	-	-	-	-	-	-	-	-	-	-
47	MALE.....	-	-	-	-	-	-	-	-	-	-
48	FEMALE.....	-	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	-	-	-	-	-	-	-	-	-	-
50	FEMALE.....	-	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
52	FEMALE.....	-	-	-	-	-	-	-	-	-	-
53	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE.....	-	-	-	-	-	-	-	-	-	-
55	ANTHRAX.....022	-	-	-	-	-	-	-	-	-	-
56	MALE.....	-	-	-	-	-	-	-	-	-	-
57	FEMALE.....	-	-	-	-	-	-	-	-	-	-
58	WHITE.....MALE.....	-	-	-	-	-	-	-	-	-	-
59	FEMALE.....	-	-	-	-	-	-	-	-	-	-
60	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
61	FEMALE.....	-	-	-	-	-	-	-	-	-	-
62	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
63	FEMALE.....	-	-	-	-	-	-	-	-	-	-
64	BRUCELLOSIS.....023	1	-	-	-	-	-	-	-	-	-
65	MALE.....	-	-	-	-	-	-	-	-	-	-
66	FEMALE.....	1	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE.....	-	-	-	-	-	-	-	-	-	-
68	FEMALE.....	1	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
70	FEMALE.....	-	-	-	-	-	-	-	-	-	-
71	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
72	FEMALE.....	-	-	-	-	-	-	-	-	-	-
73	LEPROSY.....030	1	-	-	-	-	-	-	-	-	-
74	MALE.....	1	-	-	-	-	-	-	-	-	-
75	FEMALE.....	-	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE.....	1	-	-	-	-	-	-	-	-	-
77	FEMALE.....	-	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
79	FEMALE.....	-	-	-	-	-	-	-	-	-	-
80	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
81	FEMALE.....	-	-	-	-	-	-	-	-	-	-
82	DIPHTHERIA.....032	10	-	-	-	2	-	2	1	-	-
83	MALE.....	8	-	-	-	1	-	1	1	-	-
84	FEMALE.....	2	-	-	-	-	-	-	-	-	-
85	WHITE.....MALE.....	6	-	-	-	1	-	1	1	-	-
86	FEMALE.....	2	-	-	-	1	-	-	-	-	-
87	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
88	FEMALE.....	-	-	-	-	-	-	-	-	-	-
89	OTHER RACES..MALE.....	2	-	-	-	-	-	-	-	-	-
90	FEMALE.....	-	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	WHOOPING COUGH.....033	5	5	-	-	-	-	5	-	-	-
02	MALE....	2	2	-	-	-	-	2	-	-	-
03	FEMALE..	3	3	-	-	-	-	3	-	-	-
04	WHITE.....MALE....	2	2	-	-	-	-	2	-	-	-
05	FEMALE..	3	3	-	-	-	-	3	-	-	-
06	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
07	FEMALE..	-	-	-	-	-	-	-	-	-	-
08	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
09	FEMALE..	-	-	-	-	-	-	-	-	-	-
10	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	20	2	-	-	-	-	2	3	-	1
11	MALE....	1	1	-	-	-	-	1	-	-	1
12	FEMALE..	12	1	-	-	-	-	1	3	-	-
13	WHITE.....MALE....	7	1	-	-	-	-	1	-	-	1
14	FEMALE..	11	1	-	-	-	-	1	3	-	-
15	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
16	FEMALE..	1	-	-	-	-	-	-	-	-	-
17	OTHER RACES..MALE....	1	-	-	-	-	-	-	-	-	-
18	FEMALE..	-	-	-	-	-	-	-	-	-	-
19	ERYSIPELAS.....035	11	-	1	-	-	-	1	-	-	-
20	MALE....	4	-	1	-	-	-	1	-	-	-
21	FEMALE..	7	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
23	FEMALE..	7	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	1	-	1	-	-	-	1	-	-	-
25	FEMALE..	-	-	-	-	-	-	-	-	-	-
26	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
27	FEMALE..	-	-	-	-	-	-	-	-	-	-
28	MENINGOCOCCAL INFECTIONS.....036	330	90	30	20	13	4	157	35	23	28
29	MALE....	185	59	17	12	8	2	91	18	12	16
30	FEMALE..	145	35	13	8	5	2	66	17	11	12
31	WHITE.....MALE....	151	43	17	10	5	2	77	16	9	11
32	FEMALE..	120	29	13	7	8	2	59	6	9	11
33	NEGRO.....MALE....	33	11	2	-	-	-	13	2	3	5
34	FEMALE..	22	6	-	1	-	-	7	9	1	1
35	OTHER RACES..MALE....	1	1	-	-	-	-	1	-	-	-
36	FEMALE..	3	-	-	-	-	-	-	2	1	-
37	TETANUS.....037	40	3	-	-	-	-	3	-	1	1
38	MALE....	16	-	-	-	-	-	-	-	1	1
39	FEMALE..	24	3	-	-	-	-	3	-	-	-
40	WHITE.....MALE....	11	-	-	-	-	-	-	-	-	1
41	FEMALE..	15	-	-	-	-	-	-	-	-	-
42	NEGRO.....MALE....	5	-	-	-	-	-	-	-	1	-
43	FEMALE..	9	3	-	-	-	-	3	-	-	-
44	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
45	FEMALE..	-	-	-	-	-	-	-	-	-	-
46	SEPTICEMIA.....038	4,560	805	41	19	9	7	881	24	24	38
47	MALE....	2,433	469	21	10	7	4	511	12	13	18
48	FEMALE..	2,127	336	20	9	2	3	370	12	11	20
49	WHITE.....MALE....	1,882	325	15	7	5	2	354	10	11	14
50	FEMALE..	1,665	232	12	8	2	3	257	9	7	15
51	NEGRO.....MALE....	514	130	6	3	2	2	143	2	2	3
52	FEMALE..	444	98	8	1	-	-	107	3	4	4
53	OTHER RACES..MALE....	37	14	-	-	-	-	14	-	-	1
54	FEMALE..	18	6	-	-	-	-	6	-	-	1
55	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	646	40	2	1	1	-	44	3	3	3
56	MALE....	349	17	1	1	1	-	20	1	1	2
57	FEMALE..	297	23	1	-	-	-	24	2	2	1
58	WHITE.....MALE....	290	15	1	1	1	-	18	1	1	1
59	FEMALE..	236	15	1	-	-	-	16	2	1	1
60	NEGRO.....MALE....	57	-	-	-	-	-	-	-	-	-
61	FEMALE..	55	7	-	-	-	-	7	-	1	-
62	OTHER RACES..MALE....	2	2	-	-	-	-	2	-	-	-
63	FEMALE..	6	1	-	-	-	-	1	-	-	-
64	ACUTE POLIOMYELITIS.....040-043	10	-	-	-	-	-	-	-	-	-
65	MALE....	8	-	-	-	-	-	-	-	-	-
66	FEMALE..	2	-	-	-	-	-	-	-	-	-
67	WHITE.....MALE....	8	-	-	-	-	-	-	-	-	-
68	FEMALE..	2	-	-	-	-	-	-	-	-	-
69	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
70	FEMALE..	-	-	-	-	-	-	-	-	-	-
71	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
72	FEMALE..	-	-	-	-	-	-	-	-	-	-
73	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	83	-	-	-	-	-	-	-	-	2
74	MALE....	45	-	-	-	-	-	-	-	-	1
75	FEMALE..	38	-	-	-	-	-	-	-	-	1
76	WHITE.....MALE....	41	-	-	-	-	-	-	-	-	1
77	FEMALE..	36	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE....	4	-	-	-	-	-	-	-	-	-
79	FEMALE..	2	-	-	-	-	-	-	-	-	1
80	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
81	FEMALE..	-	-	-	-	-	-	-	-	-	-
82	SMALLPOX.....050	-	-	-	-	-	-	-	-	-	-
83	MALE....	-	-	-	-	-	-	-	-	-	-
84	FEMALE..	-	-	-	-	-	-	-	-	-	-
85	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
86	FEMALE..	-	-	-	-	-	-	-	-	-	-
87	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
88	FEMALE..	-	-	-	-	-	-	-	-	-	-
89	OTHER RACES..MALE....	-	-	-	-	-	-	-	-	-	-
90	FEMALE..	-	-	-	-	-	-	-	-	-	-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	MEASLES.....055	23	4	5	1	-	1	11	4	3	3
02	MALE.....	16	4	4	1	-	-	9	-	3	1
03	FEMALE.....	7	-	1	-	-	1	2	2	-	2
04	WHITE.....MALE.....	13	3	2	1	-	-	6	2	3	1
05	FEMALE.....	6	-	-	-	-	1	1	2	-	2
06	NEGRO.....MALE.....	3	1	2	-	-	-	3	-	-	-
07	FEMALE.....	1	-	1	-	-	-	1	-	-	-
08	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	YELLOW FEVER.....060	-	-	-	-	-	-	-	-	-	-
11	MALE.....	-	-	-	-	-	-	-	-	-	-
12	FEMALE.....	-	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE.....	-	-	-	-	-	-	-	-	-	-
14	FEMALE.....	-	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
16	FEMALE.....	-	-	-	-	-	-	-	-	-	-
17	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	VIRAL ENCEPHALITIS.....062-065	321	25	13	15	7	6	66	45	45	31
20	MALE.....	169	17	6	8	4	3	38	21	26	17
21	FEMALE.....	152	8	7	7	3	3	28	24	19	14
22	WHITE.....MALE.....	143	13	5	8	2	2	30	20	20	16
23	FEMALE.....	131	5	6	6	3	1	21	23	18	11
24	NEGRO.....MALE.....	26	4	1	-	2	1	8	1	6	1
25	FEMALE.....	20	3	1	1	-	2	7	1	-	3
26	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE.....	1	-	-	-	-	-	-	-	1	-
28	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	29	-	2	-	-	-	2	1	3	4
29	MALE.....	18	-	1	-	-	-	1	-	3	3
30	FEMALE.....	11	-	1	-	-	-	1	1	-	1
31	WHITE.....MALE.....	16	-	1	-	-	-	1	-	3	2
32	FEMALE.....	11	-	1	-	-	-	1	1	-	1
33	NEGRO.....MALE.....	2	-	-	-	-	-	-	-	-	1
34	FEMALE.....	-	-	-	-	-	-	-	-	-	-
35	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	INFECTIOUS HEPATITIS.....070	656	10	2	1	1	2	14	8	12	46
38	MALE.....	289	6	2	1	1	2	12	5	7	14
39	FEMALE.....	367	4	-	-	-	-	4	3	5	32
40	WHITE.....MALE.....	233	4	2	1	1	2	10	3	3	11
41	FEMALE.....	202	3	-	-	-	-	3	3	3	22
42	NEGRO.....MALE.....	51	1	-	-	-	-	1	2	4	3
43	FEMALE.....	77	1	-	-	-	-	1	-	2	9
44											

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

[illegible]

SECTION 1 - GENERAL MORTALITY

1-195

Age, Race, and Sex: United States, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	1	1	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	01
1	1	1	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	02
1	1	1	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	03
1	1	1	-	1	-	1	-	-	2	1	-	1	-	-	-	-	-	04
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	19
-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	20
-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	21
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	1	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	46
-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	47
-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	48
-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
35	38	40	43	52	75	88	104	91	97	89	95	60	32	21	6	1	-	55
16	20	21	22	28	33	40	57	54	45	51	55	35	13	11	3	-	-	56
19	18	19	21	24	42	48	47	37	52	38	40	25	19	10	3	1	-	57
10	8	8	12	16	24	28	44	39	32	43	47	30	13	11	3	-	-	58
7	7	9	9	11	23	31	33	20	46	33	34	24	15	10	2	-	-	59
6	12	12	10	11	9	12	12	14	9	7	7	5	-	-	-	-	-	60
12	11	9	12	13	19	17	14	16	6	5	6	1	4	-	1	1	-	61
-	-	1	-	1	-	-	1	1	4	1	1	-	-	-	-	-	-	62
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	63
1,582	1,916	2,700	4,598	8,481	17,041	26,704	37,021	46,851	52,329	50,370	44,901	33,024	17,179	5,402	1,000	134	37	64
970	1,033	1,218	2,003	3,775	7,983	13,410	20,079	27,173	30,807	29,258	24,866	17,284	8,377	2,310	380	50	21	65
612	883	1,482	2,595	4,706	9,058	13,294	16,942	19,678	21,522	21,112	20,035	15,740	8,802	3,092	620	84	16	66
857	936	1,061	1,721	3,163	6,633	11,242	17,379	23,826	27,360	26,106	22,683	16,028	7,794	2,123	332	31	15	67
524	746	1,234	2,142	3,872	7,679	11,473	14,945	17,505	19,296	19,001	18,622	14,833	8,347	2,910	567	65	13	68
102	92	137	267	579	1,281	2,067	2,583	3,189	3,214	2,956	2,045	1,155	527	166	41	17	6	69
80	126	230	416	780	1,315	1,739	1,886	2,099	2,169	2,022	1,319	848	426	167	51	19	3	70
11	5	20	15	33	69	101	117	158	233	196	138	104	56	21	7	2	-	71
8	41	18	37	54	64	82	111	74	97	89	94	59	29	15	2	-	-	72
1,519	1,846	2,591	4,455	8,292	16,724	26,346	36,557	46,287	51,725	49,800	44,383	32,628	16,961	5,326	977	132	34	73
936	1,003	1,172	1,940	3,694	7,840	13,232	19,837	26,869	30,484	28,953	24,628	17,115	8,291	2,283	375	49	20	74
583	843	1,419	2,515	4,598	8,884	13,114	16,720	19,418	21,241	20,847	19,755	15,513	8,670	3,043	602	83	14	75
828	908	1,022	1,665	3,099	6,507	11,085	17,171	23,557	27,075	25,850	22,469	15,866	7,713	2,097	328	30	14	76
501	715	1,182	2,082	3,789	7,541	11,333	14,751	17,283	19,010	18,774	18,365	14,622	8,227	2,864	550	64	12	77
98	90	131	260	563	1,265	2,047	2,549	3,153	3,180	2,912	2,025	1,147	522	165	40	17	6	78
74	117	213	399	756	1,280	1,702	1,859	2,062	2,134	1,986	1,298	833	415	164	50	19	2	79
10	5	19	15	32	68	100	117	157	229	191	134	102	56	21	7	2	-	80
8	11	18	34	53	63	79	110	73	97	87	92	58	28	15	2	-	-	81
20	14	30	58	186	462	814	1,114	1,249	1,228	959	674	537	301	113	25	3	-	82
16	8	17	39	132	338	585	789	916	895	727	469	358	171	61	13	-	-	83
4	6	13	19	54	124	229	325	333	333	232	205	179	130	52	12	3	-	84
12	5	9	28	87	241	465	675	806	796	654	438	340	166	60	13	-	-	85
4	3	9	15	36	93	189	279	311	306	211	196	165	125	51	12	3	-	86
3	3	4	9	44	91	116	112	108	90	62	31	17	5	1	-	-	-	87
-	3	3	3	17	31	40	45	21	25	21	8	13	4	1	-	-	-	88
1	-	4	2	1	6	4	2	2	9	11	-	1	-	-	-	-	-	89
-	-	1	1	1	-	-	1	1	2	-	1	1	1	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.											
MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX--CON.											
01	OF LIP.....	140	181	-	-	-	-	-	-	-	-
02	MALE.....	161	-	-	-	-	-	-	-	-	-
03	FEMALE.....	20	-	-	-	-	-	-	-	-	-
04	WHITE.....	157	-	-	-	-	-	-	-	-	-
05	MALE.....	16	-	-	-	-	-	-	-	-	-
06	NEGRO.....	4	-	-	-	-	-	-	-	-	-
07	MALE.....	4	-	-	-	-	-	-	-	-	-
08	FEMALE.....	-	-	-	-	-	-	-	-	-	-
09	OTHER RACES.....	MALE.....	-	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	OF TONGUE.....	141	1,873	-	-	-	-	-	-	-	1
11	MALE.....	1,305	-	-	-	-	-	-	-	-	1
12	FEMALE.....	568	-	-	-	-	-	-	-	-	-
13	WHITE.....	1,120	-	-	-	-	-	-	-	-	1
14	MALE.....	506	-	-	-	-	-	-	-	-	-
15	NEGRO.....	179	-	-	-	-	-	-	-	-	-
16	MALE.....	62	-	-	-	-	-	-	-	-	-
17	FEMALE.....	6	-	-	-	-	-	-	-	-	-
18	OTHER RACES.....	MALE.....	-	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....	142-145	2,304	-	1	-	-	1	-	4	-
20	MALE.....	1,507	-	-	-	-	-	1	-	3	-
21	FEMALE.....	797	-	-	-	-	-	-	-	1	-
22	WHITE.....	1,308	-	1	-	-	-	1	-	2	-
23	MALE.....	733	-	-	-	-	-	-	-	1	-
24	NEGRO.....	191	-	-	-	-	-	-	-	1	-
25	MALE.....	60	-	-	-	-	-	-	-	-	-
26	FEMALE.....	8	-	-	-	-	-	-	-	-	-
27	OTHER RACES.....	MALE.....	4	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	OF PHARYNX.....	146-149	3,464	-	1	1	-	1	5	6	15
29	MALE.....	2,580	-	-	1	-	-	3	3	1	9
30	FEMALE.....	884	-	1	-	-	1	2	2	5	6
31	WHITE.....	2,225	-	-	1	-	-	1	2	1	7
32	MALE.....	763	-	1	-	-	1	2	2	3	2
33	NEGRO.....	326	-	-	-	-	-	1	1	2	2
34	MALE.....	115	-	-	-	-	-	-	-	2	4
35	FEMALE.....	29	-	-	-	-	-	-	-	-	-
36	OTHER RACES.....	MALE.....	6	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....	150-159	96,549	15	12	3	3	2	35	12	14
38	MALE.....	51,070	10	9	3	3	1	26	7	8	39
39	FEMALE.....	45,479	5	3	-	-	1	9	5	6	24
40	WHITE.....	44,875	9	8	3	2	1	23	5	7	15
41	MALE.....	40,748	4	3	-	-	1	8	5	4	10
42	NEGRO.....	5,697	1	1	-	1	3	4	1	1	4
43	MALE.....	4,454	1	-	-	-	1	-	-	2	5
44	FEMALE.....	498	-	-	-	-	-	-	-	-	-
45	OTHER RACES.....	MALE.....	277	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
46	OF ESOPHAGUS.....	150	6,491	-	-	-	-	-	-	-	-
47	MALE.....	4,768	-	-	-	-	-	-	-	-	-
48	FEMALE.....	1,723	-	-	-	-	-	-	-	-	-
49	WHITE.....	3,577	-	-	-	-	-	-	-	-	-
50	MALE.....	1,333	-	-	-	-	-	-	-	-	-
51	NEGRO.....	1,148	-	-	-	-	-	-	-	-	-
52	MALE.....	386	-	-	-	-	-	-	-	-	-
53	FEMALE.....	43	-	-	-	-	-	-	-	-	-
54	OTHER RACES.....	MALE.....	4	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
55	OF STOMACH.....	151	15,198	-	-	1	-	1	-	2	3
56	MALE.....	9,178	-	-	1	-	-	1	-	1	1
57	FEMALE.....	6,020	-	-	-	-	-	-	-	1	2
58	WHITE.....	7,701	-	-	1	-	-	1	-	1	1
59	MALE.....	5,161	-	-	-	-	-	-	-	1	2
60	NEGRO.....	1,340	-	-	-	-	-	-	-	-	-
61	MALE.....	779	-	-	-	-	-	-	-	-	-
62	FEMALE.....	137	-	-	-	-	-	-	-	-	-
63	OTHER RACES.....	MALE.....	80	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
64	OF SMALL INTESTINE, INCLUDING DUODENUM.....	152	635	-	-	-	-	-	-	1	3
65	MALE.....	330	-	-	-	-	-	-	-	2	2
66	FEMALE.....	305	-	-	-	-	-	-	-	1	1
67	WHITE.....	302	-	-	-	-	-	-	-	2	2
68	MALE.....	257	-	-	-	-	-	-	-	1	1
69	NEGRO.....	25	-	-	-	-	-	-	-	-	-
70	MALE.....	45	-	-	-	-	-	-	-	-	-
71	FEMALE.....	3	-	-	-	-	-	-	-	-	-
72	OTHER RACES.....	MALE.....	3	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
73	OF LARGE INTESTINE, EXCEPT RECTUM.....	153	37,745	3	-	-	-	3	1	3	16
74	MALE.....	17,285	2	-	-	-	-	2	-	2	12
75	FEMALE.....	20,460	1	-	-	-	-	1	1	1	4
76	WHITE.....	15,899	1	-	-	-	-	1	-	2	8
77	MALE.....	18,720	1	-	-	-	-	1	1	1	2
78	NEGRO.....	1,274	1	-	-	-	-	1	-	-	4
79	MALE.....	1,668	-	-	-	-	-	-	-	-	2
80	FEMALE.....	112	-	-	-	-	-	-	-	-	-
81	OTHER RACES.....	MALE.....	72	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-
82	CECUM, APPENDIX, AND ASCENDING COLON.....	153.0	4,262	-	-	-	-	-	-	1	-
83	MALE.....	1,796	-	-	-	-	-	-	-	-	-
84	FEMALE.....	2,466	-	-	-	-	-	-	-	1	-
85	WHITE.....	1,659	-	-	-	-	-	-	-	-	-
86	MALE.....	2,291	-	-	-	-	-	-	-	1	-
87	NEGRO.....	128	-	-	-	-	-	-	-	-	-
88	MALE.....	171	-	-	-	-	-	-	-	-	-
89	FEMALE.....	9	-	-	-	-	-	-	-	-	-
90	OTHER RACES.....	MALE.....	4	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-

1-197.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk: see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	1	1	1	2	3	10	11	26	28	25	30	22	9	9	2	-	-	01
1	1	1	1	2	3	10	10	24	27	20	26	19	7	8	2	-	-	02
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	03
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	04
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	05
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	06
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	07
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	08
1	1	1	1	2	2	10	10	23	26	19	26	19	7	8	2	-	-	09
2	2	2	8	47	101	217	267	323	283	217	163	139	69	22	4	1	-	10
1	1	2	5	30	77	153	187	238	209	161	117	78	37	7	1	-	-	11
1	1	2	3	17	24	64	80	85	74	56	46	61	32	15	3	1	-	12
1	1	2	3	20	56	119	154	209	186	142	108	74	36	7	1	-	-	13
1	1	2	2	9	14	54	70	76	71	51	45	58	32	15	3	1	-	14
1	1	2	2	10	21	33	31	29	21	18	9	4	1	-	-	-	-	15
1	1	2	2	10	21	33	31	29	21	18	9	4	1	-	-	-	-	16
1	1	2	2	10	21	33	31	29	21	18	9	4	1	-	-	-	-	17
1	1	2	2	10	21	33	31	29	21	18	9	4	1	-	-	-	-	18
1	1	2	2	10	21	33	31	29	21	18	9	4	1	-	-	-	-	19
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	20
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	21
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	22
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	23
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	24
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	25
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	26
5	4	9	13	52	109	194	281	328	358	323	226	195	135	51	15	1	-	27
12	7	13	36	85	249	393	555	572	559	394	255	181	88	31	4	1	-	28
9	5	10	26	65	184	288	406	416	428	312	191	147	58	19	2	-	-	29
3	2	3																

SECTION 1 - GENERAL MORTALITY

1-199

Age, Race, and Sex: United States, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
1	3	8	8	22	30	47	110	133	160	167	183	167	106	35	4	1	-	01
-	1	7	4	10	14	22	50	69	77	70	73	74	43	10	1	-	-	02
1	2	1	4	12	16	25	60	64	83	97	110	93	63	25	3	1	-	03
-	1	7	3	8	13	19	46	65	67	67	67	70	40	10	-	-	-	04
1	1	4	4	12	12	21	53	54	76	96	101	88	59	24	2	-	-	05
-	-	-	1	1	1	3	4	4	10	2	5	3	3	-	1	1	-	06
-	1	-	-	-	4	4	6	9	7	1	8	5	1	1	1	1	-	07
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	08
-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	09
3	3	6	4	13	33	47	89	111	157	150	140	128	59	23	6	-	-	10
3	2	3	2	6	13	20	45	54	78	74	61	61	26	13	2	-	-	11
-	1	3	2	7	20	27	44	57	79	76	79	67	33	10	4	-	-	12
1	2	3	2	6	12	19	41	50	73	67	56	58	23	13	2	-	-	13
-	1	3	2	6	17	24	40	53	71	70	74	65	30	10	4	-	-	14
2	-	-	-	-	1	1	3	4	5	7	4	3	2	-	-	-	-	15
-	-	-	-	1	2	3	4	4	8	6	5	2	3	-	-	-	-	16
-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	17
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	18
4	3	14	23	46	122	225	334	503	665	722	755	580	321	102	20	1	-	19
1	1	4	9	16	47	104	162	255	319	374	387	271	136	46	9	-	-	20
2	2	10	14	30	75	121	172	248	346	348	418	309	185	56	11	1	-	21
1	1	4	8	15	41	92	150	236	295	346	317	253	128	44	9	-	-	22
2	1	9	13	27	66	100	156	229	316	320	403	295	181	54	11	1	-	23
1	-	-	1	4	9	12	17	23	26	19	16	7	2	-	-	-	-	24
-	1	1	1	3	7	20	16	19	28	27	13	14	4	2	-	-	-	25
-	-	-	-	-	2	3	3	2	1	2	1	2	1	-	-	-	-	26
-	-	-	-	-	2	1	-	2	2	1	2	-	-	-	-	-	-	27
33	60	92	190	342	790	1,391	2,137	3,046	3,675	3,938	3,931	3,189	1,654	506	100	10	3	28
22	28	55	90	167	351	639	1,017	1,571	1,779	1,936	1,788	1,300	655	159	26	3	3	29
11	32	37	100	175	439	752	1,120	1,475	1,896	2,002	2,143	1,889	999	347	74	7	-	30
15	26	44	73	144	315	578	923	1,421	1,631	1,773	1,662	1,220	620	152	25	2	3	31
8	28	30	86	142	378	641	990	1,318	1,703	1,821	1,980	1,780	939	337	67	6	-	32
7	2	10	17	21	35	58	89	130	178	150	119	71	31	6	1	-	-	33
2	4	6	13	29	59	107	124	150	186	178	155	104	57	10	7	1	-	34
-	-	1	2	4	1	3	5	13	18	13	7	9	4	1	1	-	-	35
1	-	1	1	4	2	4	6	7	7	3	8	5	3	-	-	-	-	36
1	5	9	12	23	47	76	138	186	213	264	306	281	143	56	15	2	-	37
1	2	6	6	9	19	43	75	90	115	117	116	121	56	23	5	-	-	38
-	3	3	6	14	28	33	63	96	98	147	190	160	87	33	10	2	-	39
1	2	4	4	9	17	38	71	85	102	108	113	116	56	21	4	-	-	40
-	2	2	6	11	26	29	61	87	88	139	179	153	85	33	9	2	-	41
-	-	2	2	-	2	5	4	5	11	8	3	5	-	2	-	-	-	42
-	1	1	3	1	1	4	2	9	10	8	9	7	2	-	1	-	-	43
-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	44
-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	45
12	11	36	62	135	285	523	883	1,192	1,462	1,528	1,466	1,242	694	237	44	5	2	46
6	4	20	31	79	161	297	519	710	855	850	825	619	335	94	15	2	1	47
6	16	31	56	124	226	364	607	822	978	678	641	523	359	143	29	3	1	48
3	1	17	26	68	146	259	470	657	764	772	771	590	317	87	12	1	1	49
5	5	14	26	46	111	195	313	436	540	610	590	593	342	138	26	3	1	50
3	3	3	5	10	13	35	46	47	79	72	47	26	16	4	3	1	-	51
1	2	2	5	10	12	31	51	44	65	63	46	29	17	5	3	-	-	52
-	-	-	-	1	2	3	3	6	12	6	7	3	2	3	-	-	-	53
-	-	-	-	-	1	-	-	2	2	5	5	1	-	-	-	-	-	54
13	13	14	30	40	93	153	262	324	389	347	270	179	67	19	6	-	-	55
8	5	9	17	24	59	107	184	216	266	221	159	113	27	12	3	-	-	56
5	8	5	13	16	34	46	78	108	123	126	111	66	40	7	3	-	-	57
8	5	5	9	15	37	69	128	161	214	192	138	107	24	10	3	-	-	58
5	4	5	9	16	30	39	60	92	108	105	105	59	37	6	3	-	-	59
-	-	2	7	8	18	29	46	46	40	20	18	6	3	2	-	-	-	60
-	4	-	4	-	2	6	13	16	12	20	6	5	3	1	-	-	-	61
-	-	2	1	1	4	9	10	9	12	9	3	-	-	-	-	-	-	62
-	-	-	-	-	2	1	5	-	3	1	-	2	-	-	-	-	-	63
3	2	11	8	49	85	222	308	494	590	764	797	550	299	70	17	2	-	64
2	-	5	2	23	34	59	135	198	224	269	288	168	91	14	2	1	-	65
1	2	6	6	26	51	133	173	296	366	495	509	382	208	56	15	1	-	66
1	-	5	2	19	28	80	126	185	204	255	268	159	85	14	1	1	-	67
1	2	6	5	20	43	110	156	265	341	455	475	370	203	51	15	1	-	68
1	-	-	-	4	8	7	12	15	12	18	9	9	5	-	1	-	-	69
-	-	-	-	5	7	19	30	20	35	29	11	4	2	-	-	-	-	70
-	-	-	-	-	2	1	2	1	5	2	2	-	1	-	-	-	-	71
-	-	-	-	1	4	4	4	1	5	5	1	1	1	3	-	-	-	72
10	17	42	121	266	659	1,185	1,823	2,546	2,987	3,019	2,727	1,948	951	300	42	7	1	73
8	10	33	74	157	423	734	1,087	1,517	1,763	1,661	1,385	944	426	131	21	4	1	74
2	7	9	47	109	236	451	736	1,029	1,224	1,358	1,342	1,004	525	169	21	3	-	75
6	7	30	67	130	354	637	971	1,326	1,555	1,459	1,283	890	396	122	21	3	1	76
2	7	37	82	198	380	622	890	1,099	1,213	1,225	944	504	159	159	21	2	-	77
1	3	2	7	25	64	91	112	181	191	198	95	47	25	8	-	1	-	78
-	-	-	9	24	37	68	109	133	119	141	106	51	20	7	-	1	-	79
1	-	-	-	2	5	6	4	10	17	4	7	7	5	1	-	-	-	80
-	-	-	1	3	1	3	5	6	6	4	11	9	1	3	-	-	-	81
10	7	14	16	30	46	76	128	179	212	232	177	179	94	39	11	3	-	82
9	3	7	10	15	29	38	70	94	97	114	71	85	24	12	3	1	-	83
1	4	7	13	21	34	58	82	115	118	106	94	60	27	8	2	-	-	84
9	2	6	9	13	15	31	53	69	97	103	94	90	56	23	7	2	-	85
-	1	1	2	8	8	3	8	19	13	20	10	8	2	1	-	1	-	86
-	-	-	1	1	2	7	5	16	17	15	12	3	4	3	1	-	-	87
-	-	-	-	-	-	1	-	1	1	3	2	2	-	-	-	-	-	88
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
MALIGNANT NEOPLASMS, ETC.--CON.											
01	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	79,335	4	3	1	1	1	10	5	17	21
02	MALE.....	62,717	1	3	1	1	1	6	2	11	13
03	FEMALE.....	16,618	3	-	-	1	-	4	3	6	8
04	WHITE.....MALE.....	55,783	1	3	1	-	1	6	2	9	9
05	FEMALE.....	15,007	3	-	-	-	-	3	2	4	8
06	NEGRO.....MALE.....	6,611	-	-	-	-	-	-	-	2	3
07	FEMALE.....	1,505	-	-	-	1	-	1	1	2	-
08	OTHER RACES.....MALE.....	323	-	-	-	-	-	-	-	-	1
09	FEMALE.....	106	-	-	-	-	-	-	-	-	-
10	OF LARYNX.....161	3,044	-	-	-	-	-	-	-	-	-
11	MALE.....	2,656	-	-	-	-	-	-	-	-	-
12	FEMALE.....	388	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE.....	2,290	-	-	-	-	-	-	-	-	-
14	FEMALE.....	338	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE.....	352	-	-	-	-	-	-	-	-	-
16	FEMALE.....	50	-	-	-	-	-	-	-	-	-
17	OTHER RACES.....MALE.....	14	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	OF TRACHEA, BRONCHUS, AND LUNG.....162	74,933	4	1	1	1	1	8	2	7	16
20	MALE.....	59,187	1	1	1	-	1	4	1	5	11
21	FEMALE.....	15,746	3	-	-	1	-	4	1	2	5
22	WHITE.....MALE.....	52,721	1	1	1	-	1	4	1	4	8
23	FEMALE.....	14,239	3	-	-	-	-	3	1	2	5
24	NEGRO.....MALE.....	6,164	-	-	-	-	-	-	-	1	2
25	FEMALE.....	1,404	-	-	-	1	-	1	-	-	5
26	OTHER RACES.....MALE.....	302	-	-	-	-	-	-	-	-	1
27	FEMALE.....	103	-	-	-	-	-	-	-	-	-
28	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160-163	1,358	-	2	-	-	-	2	3	10	5
29	MALE.....	874	-	2	-	-	-	2	1	6	2
30	FEMALE.....	484	-	-	-	-	-	2	2	4	3
31	WHITE.....MALE.....	772	-	2	-	-	-	2	1	5	1
32	FEMALE.....	430	-	-	-	-	-	1	1	2	3
33	NEGRO.....MALE.....	95	-	-	-	-	-	-	-	1	1
34	FEMALE.....	51	-	-	-	-	-	-	1	2	-
35	OTHER RACES.....MALE.....	7	-	-	-	-	-	-	-	-	-
36	FEMALE.....	3	-	-	-	-	-	-	-	-	-
37	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,361	12	6	10	8	12	48	56	150	259
38	MALE.....	4,957	8	1	4	3	5	21	23	75	161
39	FEMALE.....	35,384	4	5	6	5	7	27	33	75	98
40	WHITE.....MALE.....	4,623	7	1	2	3	5	18	23	71	144
41	FEMALE.....	32,285	3	4	6	5	7	25	23	58	82
42	NEGRO.....MALE.....	318	1	2	-	-	-	3	-	4	17
43	FEMALE.....	2,988	-	1	-	-	-	1	9	15	15
44	OTHER RACES.....MALE.....	16	-	-	-	-	-	-	1	-	-
45	FEMALE.....	111	1	-	-	-	-	1	1	2	1
46	OF BONE.....170	1,840	-	1	3	2	1	8	27	110	178
47	MALE.....	1,069	1	-	-	-	1	2	15	55	114
48	FEMALE.....	771	-	1	3	2	-	6	12	55	64
49	WHITE.....MALE.....	962	1	-	-	-	1	2	15	52	101
50	FEMALE.....	686	-	1	3	2	-	6	10	43	55
51	NEGRO.....MALE.....	105	-	-	-	-	-	-	-	3	13
52	FEMALE.....	81	-	-	-	-	-	-	1	10	8
53	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	2	1
54	FEMALE.....	4	-	-	-	-	-	-	1	-	-
55	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,519	8	5	6	5	11	35	27	33	56
56	MALE.....	783	5	1	4	2	4	16	8	17	32
57	FEMALE.....	736	3	4	2	3	7	19	19	16	24
58	WHITE.....MALE.....	702	5	1	2	2	4	14	8	16	28
59	FEMALE.....	643	3	3	2	3	7	18	12	11	19
60	NEGRO.....MALE.....	78	-	2	-	-	-	2	-	1	4
61	FEMALE.....	91	-	1	-	-	-	1	7	5	5
62	OTHER RACES.....MALE.....	3	-	-	-	-	-	-	-	-	-
63	FEMALE.....	2	-	-	-	-	-	-	-	-	-
64	OF SKIN.....172-173	4,839	3	-	1	1	-	5	1	5	23
65	MALE.....	2,812	2	-	-	1	-	3	-	3	15
66	FEMALE.....	2,027	1	-	1	-	-	2	1	2	8
67	WHITE.....MALE.....	2,704	1	-	-	1	-	2	-	3	15
68	FEMALE.....	1,947	-	-	1	-	-	1	1	-	6
69	NEGRO.....MALE.....	99	1	-	-	-	-	-	-	-	-
70	FEMALE.....	77	-	-	-	-	-	-	-	-	2
71	OTHER RACES.....MALE.....	9	-	-	-	-	-	-	-	-	-
72	FEMALE.....	3	1	-	-	-	-	1	-	-	-
73	OF BREAST.....174	32,143	-	-	-	-	-	-	1	2	2
74	MALE.....	293	-	-	-	-	-	-	-	-	-
75	FEMALE.....	31,850	-	-	-	-	-	-	1	2	2
76	WHITE.....MALE.....	255	-	-	-	-	-	-	-	-	-
77	FEMALE.....	29,009	-	-	-	-	-	-	-	2	2
78	NEGRO.....MALE.....	36	-	-	-	-	-	-	-	-	-
79	FEMALE.....	2,739	-	-	-	-	-	-	1	-	-
80	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
81	FEMALE.....	102	-	-	-	-	-	-	-	-	-
82	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,591	-	5	3	3	1	12	9	16	103
83	MALE.....	19,864	-	3	3	2	1	9	5	4	60
84	FEMALE.....	22,727	-	2	-	1	-	3	4	14	43
85	WHITE.....MALE.....	16,911	-	3	3	1	1	8	5	3	59
86	FEMALE.....	19,538	-	2	-	-	-	2	2	12	32
87	NEGRO.....MALE.....	2,877	-	-	-	1	-	1	-	2	10
88	FEMALE.....	3,061	-	-	-	1	-	1	-	-	-
89	OTHER RACES.....MALE.....	76	-	-	-	-	-	-	-	-	-
90	FEMALE.....	128	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

1-201

Age, Race, and Sex: United States, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
32	79	201	727	1,818	4,439	7,365	10,684	13,514	13,913	11,594	8,216	4,469	1,726	418	68	15	4	01
18	45	125	507	1,252	3,160	5,543	8,258	10,919	11,525	9,674	6,670	3,464	1,225	253	36	8	3	02
14	34	76	220	566	1,279	1,822	2,426	2,595	2,388	1,920	1,546	1,005	501	165	32	7	1	03
15	37	102	420	1,020	2,605	4,564	7,145	9,705	10,472	8,837	6,185	3,242	1,146	225	31	4	2	04
10	32	67	182	470	1,080	1,601	2,175	2,389	2,189	1,743	1,442	949	477	148	29	6	1	05
2	8	21	85	224	536	952	1,077	1,164	995	791	455	196	69	23	4	3	1	06
4	8	8	36	93	192	212	234	198	186	163	92	47	19	14	2	1	-	07
1	-	2	2	8	19	27	36	50	58	46	30	26	10	5	1	1	-	08
-	2	1	2	3	7	9	17	8	13	14	12	9	5	3	1	-	-	09
-	-	4	15	71	151	288	465	542	512	412	288	189	91	14	2	-	-	10
-	-	4	9	52	132	244	387	476	446	376	262	172	83	11	2	-	-	11
-	-	-	6	19	19	44	78	66	66	36	26	17	8	3	-	-	-	12
-	-	3	7	38	103	187	324	408	400	331	241	159	77	11	1	-	-	13
-	-	-	6	11	14	33	68	61	62	30	25	17	8	3	-	-	-	14
-	-	1	2	14	29	55	60	65	44	43	19	13	6	-	1	-	-	15
-	-	-	-	8	5	11	10	5	4	6	1	-	-	-	-	-	-	16
-	-	-	-	-	-	2	3	3	2	2	2	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
18	50	185	692	1,702	4,201	6,969	10,059	12,797	13,233	11,015	7,785	4,180	1,569	371	57	13	4	19
12	29	112	483	1,172	2,972	5,224	7,755	10,325	0,958	9,185	6,329	3,231	1,113	226	31	6	3	20
6	21	73	209	530	1,229	1,745	2,304	2,472	2,275	1,830	1,456	949	456	145	26	7	1	21
9	22	92	401	958	2,457	4,315	6,720	9,189	9,963	8,407	5,874	3,023	1,041	200	28	3	2	22
2	19	64	171	445	1,041	1,538	2,070	2,280	2,085	1,665	1,358	897	433	130	23	6	1	23
2	7	19	80	206	497	884	1,004	1,089	939	736	427	182	62	21	2	3	1	24
4	-	8	36	83	182	198	217	184	177	152	86	43	18	12	2	1	-	25
1	-	1	2	8	18	25	31	47	56	42	28	26	10	5	1	-	-	26
-	2	1	2	2	6	9	17	8	13	13	12	9	5	3	1	-	-	27
14	29	12	20	45	87	108	160	175	168	167	143	100	66	33	9	2	-	28
6	16	9	15	28	56	75	116	118	121	113	79	61	29	16	3	2	-	29
8	13	3	5	17	31	33	44	57	47	54	64	39	37	17	6	-	-	30
6	15	7	12	24	45	62	101	108	109	99	70	60	28	14	2	1	-	31
8	13	3	5	14	25	30	37	48	42	48	59	35	36	15	6	-	-	32
-	-	1	3	4	10	13	13	10	12	12	9	1	1	2	1	-	-	33
-	-	-	-	2	5	3	7	9	5	5	5	4	1	2	-	-	-	34
-	-	1	-	-	1	-	2	-	2	2	-	-	-	-	-	1	-	35
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	36
232	321	618	1,060	1,830	3,290	4,345	4,898	4,935	4,950	4,359	3,745	2,793	1,642	645	139	26	-	37
135	140	158	151	220	328	412	478	492	545	517	461	315	226	81	17	1	-	38
97	181	460	909	1,610	2,962	3,933	4,420	4,443	4,405	3,842	3,284	2,478	1,416	564	122	25	-	39
126	128	148	146	202	397	380	440	462	498	483	435	301	217	77	16	1	-	40
88	151	394	765	1,381	2,608	3,522	4,021	4,093	4,030	3,541	3,119	2,365	1,361	532	108	18	-	41
9	12	10	5	18	19	29	36	30	44	31	25	14	9	3	-	-	-	42
9	29	63	134	217	344	392	382	341	365	291	164	110	54	32	14	7	-	43
-	-	-	-	-	2	3	2	-	3	3	1	-	-	1	1	-	-	44
-	1	3	10	12	10	19	17	9	10	10	1	3	1	-	-	-	-	45
103	38	29	23	43	67	97	132	157	211	207	190	124	66	26	4	-	-	46
74	26	20	17	21	39	53	93	98	115	123	90	58	43	12	1	-	-	47
29	12	9	6	22	28	44	39	59	96	84	100	66	23	14	3	-	-	48
70	21	17	15	18	33	44	80	90	102	113	85	51	41	11	1	-	-	49
28	10	7	5	17	24	33	31	54	90	79	94	63	22	13	2	-	-	50
1	5	3	2	3	9	13	8	13	13	9	7	5	2	2	-	-	-	51
1	2	2	1	5	4	11	8	5	6	5	6	3	1	1	1	-	-	52
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
37	48	42	57	61	101	125	151	140	165	144	127	102	52	15	1	-	-	55
22	37	33	32	24	51	59	75	75	81	82	61	45	26	7	-	-	-	56
15	11	9	25	37	50	66	76	65	84	62	66	57	26	8	1	-	-	57
17	32	28	31	19	46	53	66	69	70	72	59	44	24	6	-	-	-	58
12	8	9	22	35	42	55	70	55	71	52	63	55	26	7	1	-	-	59
5	5	5	1	5	4	6	8	6	11	9	2	1	2	1	-	-	-	60
3	3	-	3	2	8	11	5	10	13	9	3	2	-	1	-	-	-	61
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	63
63	119	168	165	297	381	426	484	478	519	433	472	367	275	119	36	3	-	64
39	77	100	100	166	222	278	273	281	311	268	269	188	147	59	13	-	-	65
24	42	68	65	131	159	148	211	197	208	165	203	179	128	60	23	3	-	66
39	75	99	98	157	214	266	264	271	293	257	254	182	144	58	13	-	-	67
24	41	65	62	129	153	145	202	162	202	156	196	170	126	58	23	3	-	68
-	2	1	2	9	7	9	8	10	16	10	14	6	3	1	-	-	-	69
-	1	3	1	2	6	3	9	15	6	9	7	9	2	2	-	-	-	70
-	-	-	-	-	1	3	-	-	2	1	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
29	116	379	815	1,429	2,741	3,697	4,131	4,160	4,055	3,575	2,956	2,200	1,249	485	98	23	-	73
-	-	5	2	9	16	22	37	38	38	44	41	24	10	3	3	1	-	74
29	116	374	813	1,420	2,725	3,675	4,094	4,122	4,017	3,531	2,915	2,176	1,239	482	95	22	-	75
-	-	4	2	8	14	17	30	32	33	41	37	24	8	2	2	1	-	76
24	92	313	676	1,200	2,389	3,289	3,718	3,802	3,667	3,254	2,766	2,077	1,187	454	82	15	-	77
-	-	1	-	1	2	5	7	6	4	3	4	-	2	1	-	-	-	78
5	23	58	129	208	326	367	360	311	340	268	148	96	51	28	13	7	-	79
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	80
-	1	3	8	12	10	19	16	9	10	9	1	3	1	-	-	-	-	81
209	268	374	563	956	1,737	2,626	3,312	4,567	5,721	6,273	6,496	5,361	2,892	898	163	26	7	82
147	141	86	79	72	112	307	699	1,521	2,585	3,481	4,071	3,680	2,046	627	113	17	2	83
62	127	288	484	884	1,625	2,319	2,613	3,046	3,136	2,792	2,425	1,681	846	271	50	9	5	84
139	138	82	77	64	87	243	551	1,188	2,101	2,868	3,481	3,310	1,844	560	91	9	1	85
47	94	215	365	698	1,328	1,944	2,279	2,567	2,710	2,430	2,184	1,541	785	244	48	7	4	86
5	1	3	2	7	24	64	142	329	472	600	578	359	196	62	22	7	1	87
14	30	65	110	172	284	361	318	465										

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER DISEASES OF THYROID GLAND.....243-246	443	3	-	-	-	-	3	-	-	-
02	MALE.....	91	-	-	-	-	-	-	-	-	-
03	FEMALE.....	352	3	-	-	-	-	3	-	-	-
04	WHITE.....MALE.....	84	-	-	-	-	-	-	-	-	-
05	FEMALE.....	318	3	-	-	-	-	3	-	-	-
06	NEGRO.....MALE.....	6	-	-	-	-	-	-	-	-	-
07	FEMALE.....	31	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....MALE.....	1	-	-	-	-	-	-	-	-	-
09	FEMALE.....	3	-	-	-	-	-	-	-	-	-
10	DIABETES MELLITUS.....250	38,208	16	5	2	6	1	30	22	52	66
11	MALE.....	15,669	11	4	2	3	-	20	8	19	33
12	FEMALE.....	22,539	5	1	-	3	1	10	14	33	33
13	WHITE.....MALE.....	13,343	7	4	2	3	-	16	7	17	26
14	FEMALE.....	18,589	4	-	-	3	1	8	12	29	26
15	NEGRO.....MALE.....	2,135	4	-	-	-	-	4	1	2	6
16	FEMALE.....	3,784	1	1	-	-	-	2	2	4	7
17	OTHER RACES.....MALE.....	191	-	-	-	-	-	-	-	-	1
18	FEMALE.....	166	-	-	-	-	-	-	-	-	-
19	DISEASES OF PITUITARY GLAND.....253	230	4	1	-	1	-	6	1	-	4
20	MALE.....	125	4	-	-	-	-	4	1	-	2
21	FEMALE.....	105	-	1	-	1	-	2	-	-	2
22	WHITE.....MALE.....	100	2	-	-	-	-	2	1	-	2
23	FEMALE.....	76	-	1	-	1	-	2	-	-	1
24	NEGRO.....MALE.....	22	-	-	-	-	-	-	-	-	1
25	FEMALE.....	27	-	-	-	-	-	-	-	-	-
26	OTHER RACES.....MALE.....	3	2	-	-	-	-	2	-	-	-
27	FEMALE.....	2	-	-	-	-	-	-	-	-	-
28	DISEASES OF THYMUS GLAND.....254	28	20	-	1	1	1	23	-	-	2
29	MALE.....	15	12	-	-	1	1	14	-	-	1
30	FEMALE.....	13	8	-	1	-	-	9	-	-	1
31	WHITE.....MALE.....	11	8	-	-	1	1	10	-	-	1
32	FEMALE.....	7	6	-	-	-	-	6	-	-	-
33	NEGRO.....MALE.....	4	4	-	-	-	-	4	-	-	-
34	FEMALE.....	5	2	-	1	-	-	3	-	-	1
35	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	1	-	-	-	-	-	-	-	-	-
37	DISEASES OF ADRENAL GLAND.....255	400	16	1	3	-	1	21	3	4	5
38	MALE.....	197	10	-	1	-	1	12	-	3	2
39	FEMALE.....	243	6	1	2	-	-	9	3	1	3
40	WHITE.....MALE.....	142	7	-	-	-	1	8	-	3	1
41	FEMALE.....	215	4	1	1	-	-	6	2	1	2
42	NEGRO.....MALE.....	15	3	-	1	-	-	-	-	-	1
43	FEMALE.....	24	2	-	1	-	-	3	1	-	1
44	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
45	FEMALE.....	4	-	-	-	-	-	-	-	-	-
46	NIACIN DEFICIENCY.....262	3	-	-	-	-	-	-	-	-	-
47	MALE.....	1	-	-	-	-	-	-	-	-	-
48	FEMALE.....	2	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	-	-	-	-	-	-	-	-	-	-
50	FEMALE.....	1	-	-	-	-	-	-	-	-	-
51	NEGRO.....MALE.....	1	-	-	-	-	-	-	-	-	-
52	FEMALE.....	1	-	-	-	-	-	-	-	-	-
53	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE.....	-	-	-	-	-	-	-	-	-	-
55	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,573	104	8	6	2	1	121	4	8	8
56	MALE.....	1,082	58	2	4	1	1	66	2	3	4
57	FEMALE.....	1,491	46	6	2	1	-	55	2	5	4
58	WHITE.....MALE.....	884	37	1	1	-	-	40	1	2	3
59	FEMALE.....	1,281	24	3	1	1	-	29	1	2	4
60	NEGRO.....MALE.....	175	20	1	3	-	1	25	1	1	1
61	FEMALE.....	188	20	3	1	-	-	24	1	3	-
62	OTHER RACES.....MALE.....	23	1	-	-	-	-	1	-	-	-
63	FEMALE.....	22	2	-	-	-	-	2	-	-	-
64	CYSTIC FIBROSIS.....273.0	519	77	9	22	20	15	143	113	94	91
65	MALE.....	246	37	5	9	8	7	66	46	44	51
66	FEMALE.....	273	40	4	13	12	8	77	67	50	40
67	WHITE.....MALE.....	236	32	3	9	8	7	59	46	42	50
68	FEMALE.....	268	38	4	13	12	8	75	66	49	40
69	NEGRO.....MALE.....	10	5	2	-	-	-	7	-	2	1
70	FEMALE.....	4	2	-	-	-	-	2	1	1	-
71	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
72	FEMALE.....	1	-	-	-	-	-	-	-	-	-
73	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,789	151	35	16	12	15	229	42	49	38
74	MALE.....	1,935	102	22	9	6	7	146	27	30	21
75	FEMALE.....	1,854	49	13	7	6	8	83	15	19	17
76	WHITE.....MALE.....	1,687	82	18	9	4	6	119	25	27	18
77	FEMALE.....	1,553	38	11	6	5	7	67	15	18	12
78	NEGRO.....MALE.....	236	20	3	-	2	1	26	2	3	3
79	FEMALE.....	285	9	2	1	1	1	14	-	1	5
80	OTHER RACES.....MALE.....	12	-	1	-	-	-	1	-	-	-
81	FEMALE.....	16	2	-	-	-	-	2	-	-	-
82	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,251	236	51	29	27	11	354	80	84	101
83	MALE.....	2,542	139	30	19	15	5	208	46	49	50
84	FEMALE.....	2,709	97	21	10	12	6	146	34	35	51
85	WHITE.....MALE.....	2,033	93	10	12	8	3	126	23	34	31
86	FEMALE.....	2,231	70	8	4	9	2	93	18	23	27
87	NEGRO.....MALE.....	489	43	20	7	7	2	79	23	15	18
88	FEMALE.....	462	24	13	6	3	4	50	15	10	23
89	OTHER RACES.....MALE.....	20	3	-	-	-	-	3	-	-	1
90	FEMALE.....	16	3	-	-	-	-	3	1	2	1

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ANEMIAS.....280-285	3,318	56	39	20	18	6	139	62	62	71
02	MALE.....	1,569	35	23	11	10	2	81	34	38	35
03	FEMALE.....	1,749	21	16	9	8	4	58	28	24	36
04	WHITE.....MALE.....	1,209	13	7	5	3	1	29	14	26	21
05	FEMALE.....	1,401	9	4	3	6	1	23	13	15	14
06	NEGRO.....MALE.....	354	21	16	6	7	1	51	20	12	14
07	FEMALE.....	344	12	12	6	2	3	35	14	8	20
08	OTHER RACES.....MALE.....	6	1	-	-	-	-	1	-	-	-
09	FEMALE.....	4	-	-	-	-	-	-	1	1	-
10	DEFICIENCY ANEMIAS.....280,281	470	3	4	2	-	-	9	1	1	2
11	MALE.....	182	-	3	1	-	-	3	-	-	1
12	FEMALE.....	288	3	1	-	-	-	6	1	1	1
13	WHITE.....MALE.....	164	-	2	1	-	-	3	-	-	1
14	FEMALE.....	265	2	1	1	-	-	4	-	-	-
15	NEGRO.....MALE.....	18	-	-	-	-	-	-	-	-	-
16	FEMALE.....	22	1	1	-	-	-	2	1	1	1
17	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
18	FEMALE.....	1	-	-	-	-	-	-	-	-	-
19	HEMOLYTIC ANEMIAS.....282,283	703	27	24	13	11	4	79	33	21	37
20	MALE.....	334	17	14	6	8	1	46	22	13	15
21	FEMALE.....	369	10	10	7	3	3	33	11	8	22
22	WHITE.....MALE.....	124	2	-	-	1	-	3	3	5	5
23	FEMALE.....	179	3	-	1	1	-	5	1	3	5
24	NEGRO.....MALE.....	208	14	14	6	7	1	42	19	8	10
25	FEMALE.....	188	7	10	6	2	3	28	10	4	17
26	OTHER RACES.....MALE.....	2	1	-	-	-	-	1	-	-	-
27	FEMALE.....	2	-	-	-	-	-	-	-	1	-
28	APLASTIC ANEMIA.....284	1,090	5	6	5	5	2	23	27	38	28
29	MALE.....	567	4	4	4	1	1	14	12	24	18
30	FEMALE.....	523	1	2	1	4	1	9	15	14	10
31	WHITE.....MALE.....	521	4	4	4	1	1	14	11	20	14
32	FEMALE.....	486	1	2	1	4	1	9	12	12	9
33	NEGRO.....MALE.....	44	-	-	-	-	-	1	1	4	4
34	FEMALE.....	36	-	-	-	-	-	-	2	2	1
35	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
36	FEMALE.....	1	-	-	-	-	-	-	1	-	-
37	OTHER AND UNSPECIFIED ANEMIAS.....285	1,055	21	5	-	2	-	28	1	2	4
38	MALE.....	486	14	3	-	1	-	18	-	1	1
39	FEMALE.....	569	7	2	-	1	-	10	1	1	3
40	WHITE.....MALE.....	400	7	1	-	1	-	9	-	1	1
41	FEMALE.....	471	3	1	-	1	-	5	-	-	2
42	NEGRO.....MALE.....	84	7	2	-	-	-	9	-	-	-
43	FEMALE.....	98	4	1	-	-	-	5	1	1	1
44	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
45	FEMALE.....	-	-	-	-	-	-	-	-	-	-
46	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	568	34	3	3	3	1	44	6	9	9
47	MALE.....	255	14	1	-	2	1	20	3	4	3
48	FEMALE.....	313	20	2	-	1	-	24	3	5	6
49	WHITE.....MALE.....	226	10	1	2	1	1	15	3	5	4
50	FEMALE.....	269	18	2	-	1	-	21	3	3	4
51	NEGRO.....MALE.....	25	4	-	1	-	-	5	-	-	3
52	FEMALE.....	41	2	-	-	1	-	3	-	1	1
53	OTHER RACES.....MALE.....	4	-	-	-	-	-	-	-	-	-
54	FEMALE.....	3	-	-	-	-	-	-	-	-	1
55	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,365	146	9	6	6	4	171	12	13	21
56	MALE.....	718	90	6	5	4	2	107	9	6	12
57	FEMALE.....	647	56	3	1	2	2	64	3	7	9
58	WHITE.....MALE.....	598	70	2	5	4	1	82	6	3	10
59	FEMALE.....	561	43	2	1	2	1	49	2	5	7
60	NEGRO.....MALE.....	110	18	4	-	-	1	23	3	3	1
61	FEMALE.....	77	10	1	-	-	1	12	1	1	2
62	OTHER RACES.....MALE.....	10	2	-	-	-	-	2	-	-	1
63	FEMALE.....	9	3	-	-	-	-	3	-	1	-
64	V. MENTAL DISORDERS.....	8,860	16	7	10	10	10	53	42	45	207
65	MALE.....	6,056	10	4	2	6	6	28	16	25	162
66	FEMALE.....	2,804	6	3	8	4	4	25	26	20	45
67	WHITE.....MALE.....	4,319	8	3	2	3	5	21	10	17	103
68	FEMALE.....	2,166	4	3	7	4	4	22	20	13	25
69	NEGRO.....MALE.....	1,608	2	1	-	3	1	7	5	7	55
70	FEMALE.....	575	1	-	1	-	-	2	5	7	20
71	OTHER RACES.....MALE.....	129	-	-	-	-	-	-	1	1	4
72	FEMALE.....	63	1	-	-	-	-	1	1	-	-
73	SENILE AND PRESENILE DEMENTIAS.....290	731	-	-	-	-	-	-	-	-	-
74	MALE.....	305	-	-	-	-	-	-	-	-	-
75	FEMALE.....	426	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE.....	274	-	-	-	-	-	-	-	-	-
77	FEMALE.....	398	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	29	-	-	-	-	-	-	-	-	-
79	FEMALE.....	28	-	-	-	-	-	-	-	-	-
80	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
81	FEMALE.....	-	-	-	-	-	-	-	-	-	-
82	ALCOHOLIC PSYCHOSES.....291	517	-	-	-	-	-	-	-	-	-
83	MALE.....	469	-	-	-	-	-	-	-	-	-
84	FEMALE.....	48	-	-	-	-	-	-	-	-	-
85	WHITE.....MALE.....	346	-	-	-	-	-	-	-	-	-
86	FEMALE.....	39	-	-	-	-	-	-	-	-	-
87	NEGRO.....MALE.....	119	-	-	-	-	-	-	-	-	-
88	FEMALE.....	6	-	-	-	-	-	-	-	-	-
89	OTHER RACES.....MALE.....	4	-	-	-	-	-	-	-	-	-
90	FEMALE.....	3	-	-	-	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER PSYCHOSES.....294-299	274	-	-	-	-	-	-	-	-	2
02	MALE.....	119	-	-	-	-	-	-	-	-	2
03	FEMALE.....	155	-	-	-	-	-	-	-	-	-
04	WHITE.....MALE.....	100	-	-	-	-	-	-	-	-	2
05	FEMALE.....	133	-	-	-	-	-	-	-	-	-
06	NEGRO.....MALE.....	19	-	-	-	-	-	-	-	-	-
07	FEMALE.....	20	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	2	-	-	-	-	-	-	-	-	-
10	ALCOHOLISM.....303	4,650	-	-	-	1	-	1	-	4	45
11	MALE.....	3,611	-	-	-	1	-	1	-	3	42
12	FEMALE.....	1,039	-	-	-	-	-	-	-	1	3
13	WHITE.....MALE.....	2,535	-	-	-	-	-	-	-	1	36
14	FEMALE.....	702	-	-	-	-	-	-	-	1	1
15	NEGRO.....MALE.....	961	-	-	-	1	-	1	-	1	3
16	FEMALE.....	287	-	-	-	-	-	-	-	-	2
17	OTHER RACES.....MALE.....	115	-	-	-	-	-	-	-	1	3
18	FEMALE.....	50	-	-	-	-	-	-	-	-	-
19	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302, 304-309	2,408	2	1	1	-	2	6	4	6	131
20	MALE.....	1,412	2	1	1	-	2	6	3	3	104
21	FEMALE.....	996	-	-	-	-	-	-	1	3	27
22	WHITE.....MALE.....	955	2	1	1	-	1	5	2	3	57
23	FEMALE.....	777	-	-	-	-	-	-	1	3	11
24	NEGRO.....MALE.....	452	-	-	-	-	1	1	1	-	47
25	FEMALE.....	213	-	-	-	-	-	-	-	-	16
26	OTHER RACES.....MALE.....	5	-	-	-	-	-	-	-	-	-
27	FEMALE.....	6	-	-	-	-	-	-	-	-	-
28	MENTAL RETARDATION.....310-315	280	14	6	9	9	8	46	38	35	29
29	MALE.....	140	8	3	1	5	4	21	13	19	14
30	FEMALE.....	140	6	3	8	4	4	25	25	16	15
31	WHITE.....MALE.....	109	6	2	1	3	4	16	8	13	8
32	FEMALE.....	117	4	3	7	4	4	22	19	9	13
33	NEGRO.....MALE.....	28	2	1	-	2	-	5	4	6	5
34	FEMALE.....	21	1	-	1	-	-	2	5	7	2
35	OTHER RACES.....MALE.....	3	-	-	-	-	-	-	1	-	1
36	FEMALE.....	2	1	-	-	-	-	1	-	-	-
37	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,889	909	308	191	145	108	1,661	396	372	573
38	MALE.....	9,147	519	164	111	74	57	925	215	210	415
39	FEMALE.....	7,742	390	144	80	71	51	736	181	162	158
40	WHITE.....MALE.....	7,793	376	125	80	54	48	683	174	178	380
41	FEMALE.....	6,734	265	105	62	59	43	534	151	129	117
42	NEGRO.....MALE.....	1,266	130	33	30	19	7	219	39	33	62
43	FEMALE.....	957	118	36	17	10	8	189	27	31	37
44	OTHER RACES.....MALE.....	88	13	6	1	1	2	23	2	2	3
45	FEMALE.....	51	7	3	1	2	-	13	3	2	4
46	MENINGITIS.....320	1,523	492	104	58	38	20	712	67	30	27
47	MALE.....	842	277	58	33	21	11	400	41	16	16
48	FEMALE.....	681	215	46	25	17	9	312	26	14	11
49	WHITE.....MALE.....	581	183	37	25	14	9	268	36	13	11
50	FEMALE.....	462	135	34	17	9	9	204	22	10	5
51	NEGRO.....MALE.....	249	87	21	8	7	1	124	5	3	5
52	FEMALE.....	215	78	12	8	7	-	105	4	4	6
53	OTHER RACES.....MALE.....	12	7	-	-	-	1	8	-	-	-
54	FEMALE.....	4	2	-	-	1	-	3	-	-	-
55	HEREDITARY NEUROMUSCULAR DISORDERS.....330	743	82	12	10	1	4	109	16	50	164
56	MALE.....	552	50	6	6	-	2	64	12	40	157
57	FEMALE.....	191	32	6	4	1	2	45	4	10	7
58	WHITE.....MALE.....	511	43	4	6	-	1	54	11	35	147
59	FEMALE.....	172	27	5	3	1	2	38	3	10	7
60	NEGRO.....MALE.....	37	6	2	-	-	1	9	1	5	9
61	FEMALE.....	17	4	1	1	-	-	6	1	-	-
62	OTHER RACES.....MALE.....	4	1	-	-	-	-	1	-	-	1
63	FEMALE.....	2	1	-	-	-	-	1	-	-	-
64	MULTIPLE SCLEROSIS.....340	1,574	-	-	-	-	-	-	-	1	4
65	MALE.....	571	-	-	-	-	-	-	-	-	2
66	FEMALE.....	1,003	-	-	-	-	-	-	-	1	2
67	WHITE.....MALE.....	541	-	-	-	-	-	-	-	-	2
68	FEMALE.....	912	-	-	-	-	-	-	-	-	1
69	NEGRO.....MALE.....	29	-	-	-	-	-	-	-	-	-
70	FEMALE.....	85	-	-	-	-	-	-	-	1	1
71	OTHER RACES.....MALE.....	1	-	-	-	-	-	-	-	-	-
72	FEMALE.....	6	-	-	-	-	-	-	-	-	-
73	PARALYSIS AGITANS.....342	3,283	-	-	-	-	1	1	-	-	-
74	MALE.....	1,763	-	-	-	-	1	1	-	-	-
75	FEMALE.....	1,520	-	-	-	-	-	-	-	-	-
76	WHITE.....MALE.....	1,692	-	-	-	-	1	1	-	-	-
77	FEMALE.....	1,480	-	-	-	-	-	-	-	-	-
78	NEGRO.....MALE.....	60	-	-	-	-	-	-	-	-	-
79	FEMALE.....	33	-	-	-	-	-	-	-	-	-
80	OTHER RACES.....MALE.....	11	-	-	-	-	-	-	-	-	-
81	FEMALE.....	7	-	-	-	-	-	-	-	-	-
82	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	681	59	37	19	22	20	157	75	73	99
83	MALE.....	393	30	19	15	13	11	88	42	48	65
84	FEMALE.....	288	29	18	4	9	9	69	33	25	34
85	WHITE.....MALE.....	329	26	14	11	10	11	72	29	41	55
86	FEMALE.....	237	20	14	3	7	6	50	28	17	28
87	NEGRO.....MALE.....	60	4	3	4	3	-	14	12	7	10
88	FEMALE.....	48	9	2	1	1	3	16	5	8	6
89	OTHER RACES.....MALE.....	4	-	2	-	-	-	2	1	-	-
90	FEMALE.....	3	-	2	-	1	-	3	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	EPILEPSY.....345	1,821	15	10	11	10	13	59	35	46	118
02	MALE.....	1,086	10	5	5	7	4	31	20	22	72
03	FEMALE.....	735	5	5	6	3	9	28	15	24	46
04	WHITE.....MALE.....	717	7	5	3	4	3	22	14	14	54
05	FEMALE.....	551	4	3	5	2	6	20	11	17	34
06	NEGRO.....MALE.....	357	3	-	2	3	1	9	5	8	18
07	FEMALE.....	180	1	2	1	1	3	8	4	6	11
08	OTHER RACES.....MALE.....	12	-	-	-	-	-	-	1	-	-
09	FEMALE.....	4	-	-	-	-	-	-	-	1	1
10	INFLAMMATORY DISEASES OF EYE.....360-369	9	-	1	-	-	-	1	-	-	-
11	MALE.....	5	-	1	-	-	-	1	-	-	-
12	FEMALE.....	4	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE.....	5	-	1	-	-	-	1	-	-	-
14	FEMALE.....	4	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
16	FEMALE.....	-	-	-	-	-	-	-	-	-	-
17	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	CATARACT.....374	40	-	-	-	-	-	-	-	-	-
20	MALE.....	19	-	-	-	-	-	-	-	-	-
21	FEMALE.....	21	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE.....	16	-	-	-	-	-	-	-	-	-
23	FEMALE.....	18	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE.....	3	-	-	-	-	-	-	-	-	-
25	FEMALE.....	3	-	-	-	-	-	-	-	-	-
26	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	GLAUCOMA.....375	3	-	-	-	-	-	-	-	-	-
29	MALE.....	1	-	-	-	-	-	-	-	-	-
30	FEMALE.....	2	-	-	-	-	-	-	-	-	-
31	WHITE.....MALE.....	1	-	-	-	-	-	-	-	-	-
32	FEMALE.....	1	-	-	-	-	-	-	-	-	-
33	NEGRO.....MALE.....	-	-	-	-	-	-	-	-	-	-
34	FEMALE.....	1	-	-	-	-	-	-	-	-	-
35	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	OTITIS MEDIA AND MASTOIDITIS.....381-383	123	13	9	2	2	1	27	3	5	10
38	MALE.....	58	6	4	1	1	-	12	1	2	6
39	FEMALE.....	65	7	5	1	1	1	15	2	3	4
40	WHITE.....MALE.....	51	6	4	1	1	-	12	1	2	6
41	FEMALE.....	48	4	2	1	1	1	9	2	3	2
42	NEGRO.....MALE.....	7	-	-	-	-	-	-	-	-	-
43	FEMALE.....	14	2	2	-	-	-	4	-	-	2
44	OTHER RACES.....MALE.....	-	-	-	-						

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
CHRONIC RHEUMATIC HEART DISEASE—CON.											
DISEASES OF AORTIC VALVE.....395		3,950	2	3	1	1	1	8	3	11	20
01	MALE.....	2,478	1	3	1	1	—	6	3	10	15
02	FEMALE.....	1,472	1	—	—	—	1	2	—	1	5
03	WHITE.....MALE.....	2,225	1	2	1	1	—	5	3	8	13
04	FEMALE.....	1,331	1	—	—	—	1	2	—	1	3
05	NEGRO.....MALE.....	232	—	—	—	—	—	—	—	2	2
06	FEMALE.....	134	—	—	—	—	—	—	—	—	2
07	OTHER RACES.....MALE.....	21	—	1	—	—	—	1	—	—	—
08	FEMALE.....	7	—	—	—	—	—	—	—	—	—
09											
DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397		599	—	1	—	—	—	1	—	2	4
10	MALE.....	232	—	1	—	—	—	1	—	2	2
11	FEMALE.....	367	—	—	—	—	—	—	—	—	2
12	WHITE.....MALE.....	210	—	1	—	—	—	1	—	1	1
13	FEMALE.....	343	—	—	—	—	—	—	—	—	2
14	NEGRO.....MALE.....	22	—	—	—	—	—	—	—	—	1
15	FEMALE.....	23	—	—	—	—	—	—	—	2	—
16	OTHER RACES.....MALE.....	—	—	—	—	—	—	—	—	—	—
17	FEMALE.....	1	—	—	—	—	—	—	—	—	—
18											
OTHER RHEUMATIC HEART DISEASES.....393,396,398		5,341	—	3	—	1	—	4	12	15	30
19	MALE.....	2,085	—	3	—	—	—	3	7	7	17
20	FEMALE.....	3,256	—	—	—	1	—	1	5	8	13
21	WHITE.....MALE.....	1,859	—	3	—	—	—	3	3	3	7
22	FEMALE.....	3,003	—	—	—	—	—	—	2	6	7
23	NEGRO.....MALE.....	202	—	—	—	—	—	—	4	4	8
24	FEMALE.....	225	—	—	—	1	—	1	3	2	5
25	OTHER RACES.....MALE.....	24	—	—	—	—	—	—	—	—	2
26	FEMALE.....	28	—	—	—	—	—	—	—	—	1
27											
HYPERTENSIVE DISEASE.....400-404		20,211	3	1	2	—	1	7	1	5	7
28	MALE.....	9,204	2	—	—	—	—	2	—	2	4
29	FEMALE.....	11,007	1	1	2	—	5	1	3	3	3
30	WHITE.....MALE.....	7,255	1	—	—	—	1	—	2	2	3
31	FEMALE.....	8,903	1	—	2	—	4	—	1	2	2
32	NEGRO.....MALE.....	1,891	1	—	—	—	1	—	—	—	2
33	FEMALE.....	2,054	—	—	—	—	—	1	2	1	—
34	OTHER RACES.....MALE.....	58	—	—	—	—	—	—	—	—	—
35	FEMALE.....	50	—	1	—	—	1	—	—	—	—
36											
MALIGNANT HYPERTENSION.....400		1,038	—	—	—	—	1	1	—	2</	

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
OTHER FORMS OF HEART DISEASE--CON. CHRONIC DISEASE OF ENDOCARDIUM--CON.											
01	OF MITRAL VALVE, NONRHEUMATIC.....	424.0	61	-	-	-	-	-	-	-	-
02	MALE.....	13	-	-	-	-	-	-	-	-	-
03	FEMALE.....	48	-	-	-	-	-	-	-	-	-
04	WHITE.....	13	-	-	-	-	-	-	-	-	-
05	FEMALE.....	45	-	-	-	-	-	-	-	-	-
06	NEGRO.....	-	-	-	-	-	-	-	-	-	-
07	FEMALE.....	3	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	OF AORTIC VALVE, NONRHEUMATIC.....	424.1	185	-	-	-	-	-	1	-	2
11	MALE.....	105	-	-	-	-	-	-	1	-	1
12	FEMALE.....	80	-	-	-	-	-	-	-	-	-
13	WHITE.....	97	-	-	-	-	-	-	1	-	1
14	FEMALE.....	77	-	-	-	-	-	-	-	-	-
15	NEGRO.....	8	-	-	-	-	-	-	-	-	1
16	FEMALE.....	3	-	-	-	-	-	-	-	-	1
17	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	OF OTHER ENDOCARDIAL STRUCTURES.....	424.9	861	-	-	1	1	2	3	3	3
20	MALE.....	397	-	-	-	-	-	-	1	2	3
21	FEMALE.....	464	-	-	1	1	2	2	2	1	-
22	WHITE.....	346	-	-	-	-	-	-	1	1	3
23	FEMALE.....	398	-	-	1	1	2	1	1	1	-
24	NEGRO.....	46	-	-	-	-	-	-	-	1	-
25	FEMALE.....	64	-	-	-	-	-	-	1	-	-
26	OTHER RACES.....	5	-	-	-	-	-	-	-	-	-
27	FEMALE.....	2	-	-	-	-	-	-	-	-	-
28	SYMPTOMATIC HEART DISEASE.....	427	27,057	335	37	35	27	25	459	59	61
29	MALE.....	14,137	184	23	19	19	11	256	34	32	66
30	FEMALE.....	12,920	151	14	16	8	14	203	25	29	41
31	WHITE.....	11,901	126	16	15	11	8	176	23	24	52
32	FEMALE.....	10,922	111	11	14	7	13	156	19	26	29
33	NEGRO.....	2,134	54	7	3	7	3	74	11	6	12
34	FEMALE.....	1,905	37	3	2	1	1	44	5	3	12
35	OTHER RACES.....	102	4	-	1	1	-	6	-	2	2
36	FEMALE.....	93	3	-	-	-	-	3	1	-	-
37	OTHER MYOCARDIAL INSUFFICIENCY.....	428	4,030	35	16	9	5	3	68	13	40
38	MALE.....	1,947	19	9	7	4	3	42	8	14	25
39	FEMALE.....	2,083	16	7	2	1	-	26	5	5	15
40	WHITE.....	1,652	9	6	5	3	2	25	4	11	19
41	FEMALE.....	1,827	8	1	1	-	-	10	5	4	13
42	NEGRO.....	277	10	2	2	1	1	16	4	3	6
43	FEMALE.....	246	8	6	1	1	-	16	-	1	2
44	OTHER RACES.....	18	1	-	-	-	-	1	-	-	-
45	FEMALE.....	10	-	-	-	-	-	-	-	-	-
46	ALL OTHER FORMS OF HEART DISEASE.....	423-425, 426-429	13,201	265	37	17	13	6	338	26	55
47	MALE.....	8,583	158	23	7	9	2	199	13	26	65
48	FEMALE.....	4,618	107	14	10	4	4	139	13	29	46
49	WHITE.....	6,693	77	13	1	8	1	100	10	17	44
50	FEMALE.....	3,467	50	7	5	1	3	66	13	22	34
51	NEGRO.....	1,825	79	10	6	1	1	97	3	9	20
52	FEMALE.....	1,126	57	6	5	3	1	72	-	7	12
53	OTHER RACES.....	65	2	-	-	-	-	2	-	-	1
54	FEMALE.....	25	-	1	-	-	-	1	-	-	-
55	CEREBROVASCULAR DISEASES.....	430-438	214,313	133	52	44	23	24	276	87	145
56	MALE.....	93,838	69	32	16	13	12	142	42	74	116
57	FEMALE.....	120,475	64	20	28	10	12	134	45	71	119
58	WHITE.....	81,530	48	24	11	11	8	102	33	59	85
59	FEMALE.....	106,494	45	17	20	8	10	100	38	52	94
60	NEGRO.....	11,566	21	8	5	2	4	40	8	15	31
61	FEMALE.....	13,452	19	2	7	2	2	32	5	17	25
62	OTHER RACES.....	742	-	-	-	-	-	-	-	-	2
63	FEMALE.....	529	-	1	1	-	-	2	2	-	-
64	WITH HYPERTENSION (BENIGN) (.01).....	26,675	1	2	-	-	-	3	1	3	7
65	MALE.....	11,214	-	-	-	-	-	-	-	2	5
66	FEMALE.....	15,461	1	2	-	-	-	3	-	1	2
67	WHITE.....	8,613	-	-	-	-	-	-	1	2	3
68	FEMALE.....	12,251	1	2	-	-	-	3	-	-	2
69	NEGRO.....	2,453	-	-	-	-	-	-	-	-	2
70	FEMALE.....	3,085	-	-	-	-	-	-	-	1	-
71	OTHER RACES.....	148	-	-	-	-	-	-	-	-	-
72	FEMALE.....	125	-	-	-	-	-	-	-	-	-
73	WITHOUT MENTION OF HYPERTENSION (.9).....	187,638	132	50	44	23	24	273	86	142	230
74	MALE.....	82,626	69	32	16	13	12	142	41	72	113
75	FEMALE.....	105,014	63	18	28	10	12	131	45	70	117
76	WHITE.....	72,917	48	24	11	11	8	102	32	57	82
77	FEMALE.....	94,243	44	15	20	8	10	97	38	52	92
78	NEGRO.....	9,113	21	8	5	2	4	40	8	15	29
79	FEMALE.....	10,367	19	2	7	2	2	32	5	16	25
80	OTHER RACES.....	594	-	-	-	-	-	-	1	-	2
81	FEMALE.....	404	-	1	1	-	-	2	2	2	-
82	SUBARACHNOID HEMORRHAGE.....	430	9,191	22	4	2	1	3	32	11	85
83	MALE.....	3,802	12	3	1	1	2	19	5	26	38
84	FEMALE.....	5,389	10	1	1	-	1	13	6	29	47
85	WHITE.....	3,151	10	2	1	1	1	15	4	21	27
86	FEMALE.....	4,484	7	-	-	-	1	8	5	19	34
87	NEGRO.....	592	2	1	-	-	1	4	1	5	10
88	FEMALE.....	837	3	-	1	-	-	4	1	10	13
89	OTHER RACES.....	59	-	-	-	-	-	-	-	-	1
90	FEMALE.....	68	-	1	-	-	-	1	-	-	-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
CEREBROVASCULAR DISEASES--CON.											
01	CEREBRAL HEMORRHAGE.....431	33,909	58	13	14	5	6	96	28	48	78
02	MALE.....	15,561	28	10	6	5	3	52	12	26	42
03	FEMALE.....	18,348	30	3	8	-	3	44	16	22	36
04	WHITE.....	13,104	16	8	4	4	1	33	9	21	28
05	FEMALE.....	15,735	22	3	6	-	2	33	12	16	28
06	NEGRO.....	2,322	12	2	2	1	2	19	3	5	14
07	FEMALE.....	2,474	8	-	2	-	1	11	2	4	8
08	OTHER RACES..MALE....	135	-	-	-	-	-	-	-	-	-
09	FEMALE.....	139	-	-	-	-	-	-	2	2	-
10	CEREBRAL THROMBOSIS.....433	56,648	6	4	1	2	1	14	6	7	13
11	MALE.....	24,374	3	3	-	2	-	8	2	4	4
12	FEMALE.....	32,274	3	1	1	-	1	6	4	3	9
13	WHITE.....	21,624	3	3	-	2	-	8	2	4	2
14	FEMALE.....	29,191	1	-	1	-	1	3	4	3	9
15	NEGRO.....	2,580	-	-	-	-	-	-	-	-	2
16	FEMALE.....	3,000	2	1	-	-	-	3	-	-	-
17	OTHER RACES..MALE....	170	-	-	-	-	-	-	-	-	-
18	FEMALE.....	83	-	-	-	-	-	-	-	-	-
19	CEREBRAL EMBOLISM.....434	967	1	-	-	-	-	1	-	1	-
20	MALE.....	429	-	-	-	-	-	-	-	-	-
21	FEMALE.....	538	1	-	-	-	-	1	-	1	-
22	WHITE.....	385	-	-	-	-	-	-	-	-	-
23	FEMALE.....	500	1	-	-	-	-	1	-	1	-
24	NEGRO.....	42	-	-	-	-	-	-	-	-	-
25	FEMALE.....	36	-	-	-	-	-	-	-	-	-
26	OTHER RACES..MALE....	2	-	-	-	-	-	-	-	-	-
27	FEMALE.....	2	-	-	-	-	-	-	-	-	-
28	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,238	-	1	-	-	-	1	-	2	8
29	MALE.....	1,825	-	1	-	-	-	1	-	2	4
30	FEMALE.....	1,413	-	-	-	-	-	-	-	-	4
31	WHITE.....	1,657	-	1	-	-	-	1	-	-	4
32	FEMALE.....	1,275	-	-	-	-	-	-	-	-	4
33	NEGRO.....	146	-	-	-	-	-	-	-	2	-
34	FEMALE.....	131	-	-	-	-	-	-	-	-	-
35	OTHER RACES..MALE....	22	-	-	-	-	-	-	-	-	-
36	FEMALE.....	7	-	-	-	-	-	-	-	-	-
37	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	67,730	7	3	4	-	-	14	4	9	8
38	MALE.....	30,167	4	2	3	-	-	9	3	5	3
39	FEMALE.....	37,563	3	1	1	-	-	5	1	4	5
40	WHITE.....	25,537	3	2	2	-	-	7	3	4	2
41	FEMALE.....	32,196	1	1	1	-	-	3	1	3	3
42	NEGRO.....	4,382	1	-							

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--CON.											
01	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,982	31	1	2	1	3	38	10	19	33
02	MALE.....	4,363	17	1	2	-	2	22	4	7	19
03	FEMALE.....	4,619	14	-	-	1	1	16	6	12	14
04	WHITE.....	3,983	13	-	2	-	2	17	4	5	17
05	FEMALE.....	4,200	10	-	-	1	-	11	4	10	10
06	NEGRO.....	353	4	1	-	-	-	5	-	2	3
07	FEMALE.....	397	4	-	-	-	1	5	2	1	-
08	OTHER RACES.....	27	-	-	-	-	-	-	-	1	1
09	FEMALE.....	22	-	-	-	-	-	-	-	-	-
10	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,704	33	4	3	-	1	41	3	13	59
11	MALE.....	8,754	18	2	2	-	1	22	-	6	23
12	FEMALE.....	8,950	15	2	1	-	-	19	3	7	36
13	WHITE.....	7,413	12	1	2	-	-	15	-	5	15
14	FEMALE.....	7,599	12	1	-	-	-	15	1	6	21
15	NEGRO.....	1,295	6	-	-	-	1	7	-	1	8
16	FEMALE.....	1,308	2	1	-	-	-	3	1	-	15
17	OTHER RACES.....	46	-	-	-	-	-	-	-	-	-
18	FEMALE.....	43	1	-	-	-	-	1	1	1	-
19	VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,800	8	-	2	-	-	10	1	12	52
20	MALE.....	7,712	5	-	-	-	-	5	-	5	19
21	FEMALE.....	8,088	3	-	2	-	-	5	1	7	33
22	WHITE.....	6,530	3	-	-	-	-	3	-	4	12
23	FEMALE.....	6,882	2	-	2	-	-	4	1	6	20
24	NEGRO.....	1,151	2	-	-	-	-	2	-	1	7
25	FEMALE.....	1,173	1	-	-	-	-	1	-	-	13
26	OTHER RACES.....	31	-	-	-	-	-	-	-	-	-
27	FEMALE.....	33	-	-	-	-	-	-	-	1	-
28	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,904	25	4	1	-	1	31	2	1	7
29	MALE.....	1,042	13	2	1	-	1	17	-	1	4
30	FEMALE.....	862	12	2	-	-	-	14	2	-	3
31	WHITE.....	883	9	2	1	-	-	12	-	1	3
32	FEMALE.....	717	10	1	-	-	-	11	-	-	1
33	NEGRO.....	144	4	-	-	-	1	5	-	-	1
34	FEMALE.....	135	1	1	-	-	-	2	1	-	2
35	OTHER RACES.....	15	-	-	-	-	-	-	-	-	-
36	FEMALE.....	10	1	-	-	-	-	1	1	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	117,537	4,484	569	302	167	121	5,643	403	420	559
38	MALE.....	74,718	2,561	307	164	94	66	3,192	215	227	330
39	FEMALE.....	42,819	1,923	262	138	73	55	2,451	188	193	229
40	WHITE.....	66,479	1,693	191	122	72	55	2,133	170	179	263
41	FEMALE.....	38,122	1,192	185	105	56	40	1,578	156	156	159
42	NEGRO.....	7,560	808	111	39	22	11	991	41	47	64
43	FEMALE.....	4,359	685	70	31	16	13	815	30	36	66
44	OTHER RACES.....	679	60	5	3	-	-	68	4	1	3
45	FEMALE.....	338	46	7	2	1	2	58	2	1	4
46	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	453	121	34	17	9	5	186	18	10	13
47	MALE.....	241	74	18	10	4	2	108	11	6	9
48	FEMALE.....	212	47	16	7	5	3	78	7	4	4
49	WHITE.....	189	53	13	9	4	2	81	8	4	8
50	FEMALE.....	165	25	12	7	4	1	49	6	4	3
51	NEGRO.....	49	20	5	1	-	-	26	2	2	1
52	FEMALE.....	45	21	4	-	1	2	28	1	-	1
53	OTHER RACES.....	3	1	-	-	-	-	1	-	-	-
54	FEMALE.....	2	1	-	-	-	-	1	-	-	-
55	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	905	170	39	18	8	9	244	10	9	7
56	MALE.....	493	97	21	10	6	3	137	6	6	4
57	FEMALE.....	412	73	18	8	2	6	107	4	3	3
58	WHITE.....	422	70	13	8	6	3	100	5	6	3
59	FEMALE.....	355	53	15	5	-	5	78	3	3	2
60	NEGRO.....	63	24	7	2	-	-	33	1	-	1
61	FEMALE.....	55	19	3	3	2	-	27	1	-	1
62	OTHER RACES.....	8	3	1	-	-	-	4	-	-	-
63	FEMALE.....	2	1	-	-	-	1	2	-	-	-
64	INFLUENZA.....470-474	5,131	52	12	6	7	-	77	18	25	23
65	MALE.....	2,408	29	7	5	3	-	44	8	17	14
66	FEMALE.....	2,723	23	5	1	4	-	33	10	8	9
67	WHITE.....	2,205	20	5	4	3	-	32	6	14	13
68	FEMALE.....	2,508	10	4	1	4	-	19	9	6	7
69	NEGRO.....	170	7	2	1	-	-	10	2	3	1
70	FEMALE.....	191	12	1	-	-	-	13	1	2	2
71	OTHER RACES.....	33	2	-	-	-	-	2	-	-	-
72	FEMALE.....	24	1	-	-	-	-	1	-	-	-
73	PNEUMONIA.....480-486	57,428	3,510	382	195	109	87	4,283	244	260	351
74	MALE.....	31,816	1,990	204	100	62	48	2,404	132	125	207
75	FEMALE.....	25,612	1,520	178	95	47	39	1,879	112	135	144
76	WHITE.....	26,936	1,286	123	71	44	39	1,563	108	101	170
77	FEMALE.....	22,456	933	126	68	37	29	1,193	90	111	101
78	NEGRO.....	4,484	662	77	26	18	9	792	21	23	34
79	FEMALE.....	2,949	551	48	25	9	-	642	20	23	42
80	OTHER RACES.....	396	42	4	3	-	-	49	3	1	3
81	FEMALE.....	207	36	4	2	1	1	44	2	1	1
82	VIRAL PNEUMONIA.....480	1,604	304	24	27	17	8	380	13	14	27
83	MALE.....	799	186	10	9	11	5	221	3	7	14
84	FEMALE.....	805	118	14	18	6	3	159	10	7	13
85	WHITE.....	676	129	7	5	9	5	155	3	6	13
86	FEMALE.....	693	73	14	14	4	2	107	9	5	12
87	NEGRO.....	114	54	3	4	2	-	63	-	1	1
88	FEMALE.....	106	42	-	4	2	1	49	1	2	1
89	OTHER RACES.....	9	3	-	-	-	-	3	-	-	-
90	FEMALE.....	6	3	-	-	-	-	3	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 28I Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
PNEUMONIA--CON.											
01	BACTERIAL PNEUMONIA.....481,482	6,597	173	25	16	8	7	229	22	32	45
02	MALE.....	4,011	97	11	7	2	4	121	16	15	28
03	FEMALE.....	2,586	76	14	9	6	3	108	6	17	17
04	WHITE.....MALE.....	3,243	67	8	5	2	4	86	12	13	21
05	FEMALE.....	2,187	47	9	5	3	3	67	5	13	13
06	NEGRO.....MALE.....	709	28	3	2	-	-	33	3	2	7
07	FEMALE.....	373	28	4	3	3	-	38	1	4	4
08	OTHER RACES..MALE.....	59	1	-	-	-	-	2	1	-	-
09	FEMALE.....	26	1	1	1	-	-	3	-	-	-
10	ACUTE INTERSTITIAL PNEUMONIA.....484	832	516	38	14	2	5	575	7	5	6
11	MALE.....	467	309	19	7	1	2	338	1	2	3
12	FEMALE.....	365	207	19	7	1	3	237	6	3	3
13	WHITE.....MALE.....	352	215	13	6	-	1	235	1	1	3
14	FEMALE.....	264	135	13	3	-	3	154	4	2	1
15	NEGRO.....MALE.....	102	83	5	1	1	1	91	-	1	1
16	FEMALE.....	93	66	5	4	1	-	76	2	1	2
17	OTHER RACES..MALE.....	13	11	1	-	-	-	12	-	-	-
18	FEMALE.....	8	6	1	-	-	-	7	-	-	-
19	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	22,946	882	136	62	42	31	1,153	97	92	119
20	MALE.....	12,641	493	77	41	23	16	650	53	52	68
21	FEMALE.....	10,305	389	59	21	19	15	503	44	40	51
22	WHITE.....MALE.....	10,903	300	46	31	17	13	407	41	44	54
23	FEMALE.....	9,245	221	41	14	17	11	304	39	33	34
24	NEGRO.....MALE.....	1,612	188	31	9	6	3	237	11	7	13
25	FEMALE.....	1,005	161	18	6	1	3	189	5	7	16
26	OTHER RACES..MALE.....	126	5	-	1	-	-	6	1	1	1
27	FEMALE.....	55	7	-	1	1	1	10	-	-	1
28	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	25,449	1,635	159	76	40	36	1,946	105	117	154
29	MALE.....	13,898	905	87	36	25	21	1,074	59	49	94
30	FEMALE.....	11,551	730	72	40	15	15	872	46	68	60
31	WHITE.....MALE.....	11,762	575	49	24	16	16	680	51	37	79
32	FEMALE.....	10,067	457	49	32	13	10	561	33	58	41
33	NEGRO.....MALE.....	1,947	309	35	10	9	5	368	7	12	13
34	FEMALE.....	1,372	254	21	8	2	5	290	11	9	19
35	OTHER RACES..MALE.....	189	21	3	2	-	-	26	1	-	2
36	FEMALE.....	112	19	2	-	-	-	21	2	1	-
37	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	29,708	96	33	25	9	3	166	33	53	55
38	MALE.....	22,740	68	21	16						

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	EMPHYSEMA AND ABSCESS OF LUNG.....	510,513	1,124	7	2	1	1	11	3	7	19
02	MALE.....	782	5	1	1	1	1	8	1	4	14
03	FEMALE.....	342	2	1	1	1	1	3	2	3	5
04	WHITE.....	575	2	1	1	1	1	3	1	1	11
05	FEMALE.....	274	1	1	1	1	1	1	2	2	2
06	NEGRO.....	200	3	1	1	1	1	5	1	3	3
07	FEMALE.....	65	2	1	1	1	1	2	1	1	2
08	OTHER RACES.....	7	1	1	1	1	1	1	1	1	1
09	FEMALE.....	3	1	1	1	1	1	1	1	1	1
10	PLEURISY.....	511	340	20	1	1	1	24	1	4	5
11	MALE.....	165	10	1	1	1	1	12	1	1	3
12	FEMALE.....	175	10	1	1	1	1	12	1	4	2
13	WHITE.....	141	9	1	1	1	1	11	1	1	1
14	FEMALE.....	147	7	1	1	1	1	8	1	3	2
15	NEGRO.....	20	2	1	1	1	1	3	1	1	1
16	FEMALE.....	26	2	1	1	1	1	3	1	1	1
17	OTHER RACES.....	4	1	1	1	1	1	1	1	1	1
18	FEMALE.....	2	1	1	1	1	1	1	1	1	1
19	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....	517	3,250	38	6	1	2	48	13	6	8
20	MALE.....	2,045	27	6	1	2	1	36	9	6	5
21	FEMALE.....	1,205	11	1	1	1	1	12	4	1	3
22	WHITE.....	1,877	22	3	1	1	1	27	6	5	3
23	FEMALE.....	1,118	10	1	1	1	1	11	3	1	3
24	NEGRO.....	148	5	3	1	1	1	9	3	1	2
25	FEMALE.....	76	1	1	1	1	1	1	1	1	1
26	OTHER RACES.....	20	1	1	1	1	1	1	1	1	1
27	FEMALE.....	11	1	1	1	1	1	1	1	1	1
28	BRONCHIECTASIS.....	518	843	3	1	1	1	3	3	5	9
29	MALE.....	443	2	1	1	1	1	2	1	4	5
30	FEMALE.....	400	1	1	1	1	1	1	2	1	4
31	WHITE.....	399	2	1	1	1	1	2	1	4	4
32	FEMALE.....	369	1	1	1	1	1	1	2	1	3
33	NEGRO.....	33	1	1	1	1	1	1	1	1	1
34	FEMALE.....	24	1	1	1	1	1	1	1	1	1
35	OTHER RACES.....	11	1	1	1	1	1	1	1	1	1
36	FEMALE.....	7	1	1	1	1	1	1	1	1	1
37	OTHER DISEASES OF RESPIRATORY SYSTEM.....	501-508,512,514-516,519	18,317	467	60	35	20	13	595	43	37
38	MALE.....	13,567	259	29	19	10	9	326	23	22	33
39	FEMALE.....	4,750	208	31	16	10	4	269	20	15	32
40	WHITE.....	12,354	186	22	16	8	7	239	19	15	25
41											

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
PEPTIC ULCER--CON.											
01	PEPTIC ULCER, SITE UNSPECIFIED.....	533	1,014	4	1	-	-	-	5	1	-
02	MALE.....	673	3	1	-	-	-	4	1	-	
03	FEMALE.....	341	1	-	-	-	-	1	-	-	
04	WHITE.....	599	2	1	-	-	-	3	-	-	
05	MALE.....	307	-	-	-	-	-	-	1	-	
06	NEGRO.....	69	1	-	-	-	-	1	-	-	
07	FEMALE.....	32	1	-	-	-	-	1	-	-	
08	OTHER RACES.....	5	-	-	-	-	-	-	-	-	
09	FEMALE.....	2	-	-	-	-	-	-	-	-	
10	GASTRITIS AND DUODENITIS.....	535	598	6	-	-	-	6	-	3	
11	MALE.....	349	3	-	-	-	-	3	-	2	
12	FEMALE.....	249	3	-	-	-	-	3	-	1	
13	WHITE.....	308	-	-	-	-	-	-	-	-	
14	MALE.....	221	-	-	-	-	-	-	-	1	
15	NEGRO.....	39	3	-	-	-	-	3	-	2	
16	FEMALE.....	25	3	-	-	-	-	3	-	-	
17	OTHER RACES.....	2	-	-	-	-	-	-	-	-	
18	FEMALE.....	3	-	-	-	-	-	-	-	-	
19	APPENDICITIS.....	540-543	1,066	12	2	3	2	4	23	21	
20	MALE.....	663	6	1	3	2	3	15	12	15	
21	FEMALE.....	403	6	1	-	-	1	8	9	12	
22	WHITE.....	524	4	1	3	1	2	11	8	10	
23	MALE.....	323	4	1	-	-	-	2	6	9	
24	NEGRO.....	130	2	-	-	1	1	4	4	3	
25	FEMALE.....	77	2	-	-	-	1	3	3	3	
26	OTHER RACES.....	9	-	-	-	-	-	-	-	-	
27	FEMALE.....	3	-	-	-	-	-	-	-	1	
28	HERNIA AND INTESTINAL OBSTRUCTION.....	550-553,560	6,746	477	17	7	7	7	515	24	
29	MALE.....	3,006	286	11	5	5	5	312	16	8	
30	FEMALE.....	3,740	191	6	2	2	2	203	8	7	
31	WHITE.....	2,552	226	7	3	4	3	243	15	7	
32	MALE.....	3,309	155	5	2	1	-	163	4	5	
33	NEGRO.....	431	58	4	2	1	2	67	1	1	
34	FEMALE.....	416	36	1	-	1	2	40	4	2	
35	OTHER RACES.....	23	2	-	-	-	-	2	-	-	
36	FEMALE.....	15	-	-	-	-	-	-	-	-	
37	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....	561	53	33	-	-	-	33	-	-	
38	MALE.....	20	17	-	-	-	-	17	-	-	
39	FEMALE.....	33	16	-	-	-	-	16	-	-	
40	WHITE.....	12	10	-	-	-	-	10	-	-	
41	MALE.....	23	9	-	-	-	-	9	-	-	
42	NEGRO.....	7	6	-	-	-	-	6	-	-	
43	FEMALE.....	10	7	-	-	-	-	7	-	-	
44	OTHER RACES.....	1	1	-	-	-	-	1	-	-	
45	FEMALE.....	-	-	-	-	-	-	-	-	-	
46	DIVERTICULA OF INTESTINE.....	562	3,314	2							

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,740	88	8	5	3	1	105	17	21	26
02	MALE.....	4,921	50	3	3	1	-	57	8	6	17
03	FEMALE.....	3,819	38	5	2	2	1	48	9	15	9
04	WHITE.....	4,016	30	1	3	-	-	34	6	5	11
05	MALE.....	3,135	28	5	2	2	1	38	7	13	7
06	NEGRO.....	855	16	2	-	1	-	19	2	1	5
07	FEMALE.....	649	7	-	-	-	-	7	2	2	2
08	OTHER RACES.....	50	4	-	-	-	-	4	-	-	1
09	FEMALE.....	35	3	-	-	-	-	3	-	-	-
10	HYPERPLASIA OF PROSTATE.....600	1,589	-	-	-	-	-	-	-	-	-
11	WHITE.....	1,407	-	-	-	-	-	-	-	-	-
12	NEGRO.....	173	-	-	-	-	-	-	-	-	-
13	OTHER RACES.....	9	-	-	-	-	-	-	-	-	-
14	DISEASES OF BREAST.....610,611	40	-	-	-	-	-	-	-	-	-
15	MALE.....	-	-	-	-	-	-	-	-	-	-
16	FEMALE.....	40	-	-	-	-	-	-	-	-	-
17	WHITE.....	-	-	-	-	-	-	-	-	-	-
18	MALE.....	34	-	-	-	-	-	-	-	-	-
19	NEGRO.....	-	-	-	-	-	-	-	-	-	-
20	MALE.....	6	-	-	-	-	-	-	-	-	-
21	FEMALE.....	-	-	-	-	-	-	-	-	-	-
22	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
23	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,372	3	-	-	-	-	3	-	3	7
24	MALE.....	714	2	-	-	-	-	2	-	2	1
25	FEMALE.....	658	1	-	-	-	-	1	-	1	6
26	WHITE.....	617	2	-	-	-	-	2	-	2	1
27	MALE.....	488	1	-	-	-	-	1	-	1	2
28	NEGRO.....	95	-	-	-	-	-	-	-	-	-
29	FEMALE.....	166	-	-	-	-	-	-	-	-	4
30	OTHER RACES.....	2	-	-	-	-	-	-	-	-	-
31	FEMALE.....	4	-	-	-	-	-	-	-	-	-
32	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM..	477	-	-	-	-	-	-	-	6	72
33	WHITE.....	274	-	-	-	-	-	-	-	1	27
34	NEGRO.....	197	-	-	-	-	-	-	-	5	44
35	OTHER RACES.....	6	-	-	-	-	-	-	-	-	1
36	ECTOPIC PREGNANCY.....631	46	-	-	-	-	-	-	-	-	4
37	WHITE.....	25	-	-	-	-	-	-	-	-	1
38	NEGRO.....	21	-	-	-	-	-	-	-	-	3
39	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
40	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION	-	-	-	-	-	-	-	-	-	-
41	WITH TOXEMIA.....636-639	111	-	-	-	-	-	-	-	3	25
42	WHITE.....	57	-	-	-	-	-	-	-	1	10
43	NEGRO.....	52	-	-	-	-	-	-	-	2	15
44	OTHER RACES.....	2	-	-	-	-	-	-	-	-	-
45	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	60	-	-	-	-	-	-	-	-	6
46	WHITE.....	40	-	-	-	-	-	-	-	-	2
47	NEGRO.....	20	-	-	-	-	-	-	-	-	4
48	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
49	ABORTIONS.....640-645	36	-	-	-	-	-	-	-	-	7
50	WHITE.....	15	-	-	-	-	-	-	-	-	1
51	NEGRO.....	20	-	-	-	-	-	-	-	-	6
52	OTHER RACES.....	1	-	-	-	-	-	-	-	-	-
53	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	8	-	-	-	-	-	-	-	-	2
54	WHITE.....	5	-	-	-	-	-	-	-	-	1
55	NEGRO.....	3	-	-	-	-	-	-	-	-	1
56	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
57	ABORTION INDUCED FOR OTHER REASONS.....642	11	-	-	-	-	-	-	-	-	3
58	WHITE.....	2	-	-	-	-	-	-	-	-	-
59	NEGRO.....	8	-	-	-	-	-	-	-	-	3
60	OTHER RACES.....	1	-	-	-	-	-	-	-	-	-
61	SPONTANEOUS ABORTION.....643	3	-	-	-	-	-	-	-	-	-
62	WHITE.....	1	-	-	-	-	-	-	-	-	-
63	NEGRO.....	2	-	-	-	-	-	-	-	-	-
64	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
65	OTHER AND UNSPECIFIED ABORTIONS.....644,645	14	-	-	-	-	-	-	-	-	2
66	WHITE.....	7	-	-	-	-	-	-	-	-	-
67	NEGRO.....	7	-	-	-	-	-	-	-	-	2
68	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
69	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	98	-	-	-	-	-	-	-	2	13
70	WHITE.....	64	-	-	-	-	-	-	-	-	7
71	NEGRO.....	34	-	-	-	-	-	-	-	2	6
72	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
73	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH,	124	-	-	-	-	-	-	-	1	17
74	AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	72	-	-	-	-	-	-	-	-	6
75	WHITE.....	50	-	-	-	-	-	-	-	1	10
76	NEGRO.....	2	-	-	-	-	-	-	-	-	1
77	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
78	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	2	-	-	-	-	-	-	-	-	-
79	WHITE.....	1	-	-	-	-	-	-	-	-	-
80	NEGRO.....	-	-	-	-	-	-	-	-	-	-
81	OTHER RACES.....	1	-	-	-	-	-	-	-	-	-
82	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,022	41	3	4	-	-	48	5	6	23
83	MALE.....	790	25	1	1	-	-	27	3	3	11
84	FEMALE.....	1,232	16	2	3	-	-	21	2	3	12
85	WHITE.....	626	19	1	1	-	-	21	2	2	9
86	MALE.....	959	10	2	2	-	-	14	1	1	10
87	NEGRO.....	149	5	-	-	-	-	5	1	-	2
88	FEMALE.....	263	4	-	1	-	-	5	1	2	2
	OTHER RACES.....	15	1	-	-	-	-	1	-	1	-
	FEMALE.....	10	2	-	-	-	-	2	-	-	-

1-235

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix I

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
49	59	67	96	143	213	262	412	613	894	1,136	1,438	1,481	1,081	474	131	20	2	01
32	33	39	43	86	115	139	244	353	551	668	816	834	570	234	61	14	1	02
17	26	28	53	57	98	123	168	260	343	468	622	647	511	260	70	6	1	03
25	22	20	28	59	78	87	175	269	420	528	696	758	517	211	59	9	1	04
12	22	19	34	37	57	80	105	183	258	370	550	589	469	216	62	4	1	05
7	11	18	15	25	34	50	63	82	124	135	115	72	49	21	2	5	-	06
5	4	9	18	20	38	41	62	72	80	95	65	57	39	24	7	-	-	07
-	-	1	-	2	3	2	6	2	7	7	5	7	4	3	-	-	-	08
-	-	-	1	-	3	2	1	5	5	3	7	1	3	-	1	-	-	09
-	-	-	-	-	-	8	14	56	119	215	329	362	329	114	37	6	-	10
-	-	-	-	-	-	6	10	44	92	182	295	327	304	111	32	4	-	11
-	-	-	-	-	-	2	4	12	26	32	33	31	24	3	4	2	-	12
-	-	-	-	-	-	-	-	-	1	1	1	4	1	-	1	-	-	13
-	-	2	1	1	-	5	2	6	7	6	4	3	3	-	-	-	-	14
-	-	2	1	1	-	5	2	6	7	6	4	3	3	-	-	-	-	15
-	-	1	1	1	-	3	2	5	5	6	4	3	3	-	-	-	-	16
-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
22	30	38	58	57	57	47	63	97	126	161	208	193	138	50	12	-	2	23
3	3	1	-	3	10	11	23	49	74	109	139	138	103	33	9	-	1	24
19	27	37	58	54	47	36	40	48	52	52	69	55	35	17	3	-	1	25
2	2	-	-	3	8	8	20	37	58	90	122	129	95	29	8	-	1	26
12	16	17	37	32	28	23	29	35	40	44	64	55	32	17	3	-	-	27
1	1	1	-	-	2	3	2	12	16	19	17	9	7	4	1	-	-	28
7	11	20	20	22	18	12	11	13	12	7	5	-	3	-	-	-	1	29
-	-	-	1	-	1	1	1	-	-	1	-	-	1	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
102	116	97	56	25	2	-</												

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	482	29	1	2	-	-	32	1	3	5
02	MALE.....	237	17	1	-	-	-	18	1	3	4
03	FEMALE.....	245	12	-	2	-	-	14	-	-	1
04	WHITE.....	191	13	1	-	-	-	14	1	2	3
05	FEMALE.....	204	7	-	1	-	-	8	-	-	1
06	NEGRO.....	38	3	-	-	-	-	3	-	-	1
07	FEMALE.....	37	3	-	1	-	-	4	-	-	-
08	OTHER RACES.....	8	1	-	-	-	-	1	-	1	-
09	FEMALE.....	4	2	-	-	-	-	2	-	-	-
10	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,540	12	2	2	-	-	16	4	3	18
11	MALE.....	553	8	-	1	-	-	9	2	-	7
12	FEMALE.....	987	4	2	1	-	-	7	2	3	11
13	WHITE.....	435	6	-	1	-	-	7	1	-	6
14	FEMALE.....	755	3	2	1	-	-	6	1	1	9
15	NEGRO.....	111	2	-	-	-	-	2	1	-	1
16	FEMALE.....	226	1	-	-	-	-	1	1	2	2
17	OTHER RACES.....	7	-	-	-	-	-	-	-	-	-
18	FEMALE.....	6	-	-	-	-	-	-	-	-	-
19	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,080	7	3	1	2	1	14	14	40	75
20	MALE.....	1,615	4	1	-	-	1	6	5	9	18
21	FEMALE.....	3,465	3	2	1	2	-	8	9	31	57
22	WHITE.....	1,402	2	1	-	-	-	3	4	6	14
23	FEMALE.....	2,990	3	2	1	2	-	8	7	22	28
24	NEGRO.....	192	-	-	-	-	1	1	1	2	4
25	FEMALE.....	438	-	-	-	-	-	-	2	6	23
26	OTHER RACES.....	21	2	-	-	-	-	2	-	1	-
27	FEMALE.....	37	-	-	-	-	-	-	-	3	6
28	ARTHRITIS AND SPONDYLITIS.....710-715	2,043	1	-	1	-	-	2	2	1	2
29	MALE.....	669	1	-	-	-	-	1	2	1	1
30	FEMALE.....	1,374	-	-	1	-	-	1	-	-	1
31	WHITE.....	602	1	-	-	-	-	1	1	1	1
32	FEMALE.....	1,273	-	-	1	-	-	1	-	-	1
33	NEGRO.....	57	-	-	-	-	-	-	1	-	-
34	FEMALE.....	94	-	-	-	-	-	-	-	-	-
35	OTHER RACES.....	10	-	-	-	-	-	-	-	-	-
36	FEMALE.....	7	-	-	-	-	-	-	-	-	-
37	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	231	-	1	-	-	-	1	2	5	8
38	MALE.....	76	-	-	-	-	-	-	1	2	2
39	FEMALE.....	155	-	1	-	-	-	1	1	3	6
40	WHITE.....	64	-	-	-	-	-	-	1	2	1
41	FEMALE.....	118	-	1	-	-	-	1	1	3	3
42	NEGRO.....	12	-	-	-	-	-	-	-	-	1
43	FEMALE.....	35	-	-	-	-	-	-	-	-	2
44	OTHER RACES.....	2	-	-	-	-	-	-	-	-	1
45	FEMALE.....	2	-	-	-	-	-	-	-	-	-
46	OSTEOMYELITIS AND PERIOSTITIS.....720	168	2	-	-	-	-	2	1	1	2
47	MALE.....	86	1	-	-	-	-	1	-	1	1
48	FEMALE.....	82	1	-	-	-	-	1	1	-	1
49	WHITE.....	73	-	-	-	-	-	-	-	-	1
50	FEMALE.....	72	1	-	-	-	-	1	-	-	-
51	NEGRO.....	12	-	-	-	-	-	-	-	1	-
52	FEMALE.....	9	-	-	-	-	-	-	1	-	1
53	OTHER RACES.....	1	1	-	-	-	-	1	-	-	-
54	FEMALE.....	1	-	-	-	-	-	-	-	-	-
55	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	149	-	-	-	1	-	1	2	6	4
56	MALE.....	51	-	-	-	-	-	-	-	1	3
57	FEMALE.....	98	-	-	-	1	-	1	2	5	1
58	WHITE.....	48	-	-	-	-	-	-	-	1	3
59	FEMALE.....	92	-	-	-	1	-	1	2	4	1
60	NEGRO.....	3	-	-	-	-	-	-	-	-	-
61	FEMALE.....	4	-	-	-	-	-	-	-	-	-
62	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
63	FEMALE.....	2	-	-	-	-	-	-	-	1	-
64	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,489	4	2	-	1	1	8	7	27	59
65	MALE.....	733	2	1	-	-	1	4	2	4	11
66	FEMALE.....	1,756	2	1	-	1	-	4	5	23	48
67	WHITE.....	615	1	1	-	-	-	2	2	2	8
68	FEMALE.....	1,435	2	1	-	1	-	4	4	15	23
69	NEGRO.....	108	-	-	-	-	1	1	-	1	3
70	FEMALE.....	296	-	-	-	-	-	-	1	6	20
71	OTHER RACES.....	10	1	-	-	-	-	1	-	1	-
72	FEMALE.....	25	-	-	-	-	-	-	-	2	5
73	XIV. CONGENITAL ANOMALIES.....	14,062	8,953	596	314	196	200	10,259	493	349	360
74	MALE.....	7,359	4,870	303	168	105	102	5,548	246	188	208
75	FEMALE.....	6,503	4,083	293	146	91	98	4,711	247	161	160
76	WHITE.....	6,404	4,090	251	143	89	84	4,657	212	150	185
77	FEMALE.....	5,446	3,368	239	116	80	81	3,884	210	128	135
78	NEGRO.....	1,055	104	46	23	15	18	806	34	35	21
79	FEMALE.....	945	635	52	29	11	17	744	30	30	21
80	OTHER RACES.....	100	76	6	2	1	-	85	-	3	2
81	FEMALE.....	112	80	2	1	-	-	83	7	3	4
82	SPINA BIFIDA.....741	592	445	32	21	12	8	518	30	11	7
83	MALE.....	254	189	16	12	3	2	222	11	5	3
84	FEMALE.....	338	256	16	9	9	6	296	19	6	4
85	WHITE.....	226	168	14	11	2	2	197	10	3	3
86	FEMALE.....	314	236	15	9	9	6	275	18	4	4
87	NEGRO.....	24	17	2	1	1	-	21	1	2	-
88	FEMALE.....	20	16	1	-	-	-	17	1	2	-
89	OTHER RACES.....	4	4	-	-	-	-	4	-	-	-
90	FEMALE.....	4	4	-	-	-	-	4	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,171	1,559	83	56	38	33	1,769	100	61	60
02	MALE.....	1,067	749	45	23	19	18	854	52	35	28
03	FEMALE.....	1,104	810	38	33	19	15	915	48	26	32
04	WHITE.....MALE.....	914	644	36	19	16	18	733	43	28	25
05	FEMALE.....	961	714	32	27	16	13	802	39	24	27
06	NEGRO.....MALE.....	133	88	8	3	3	2	102	9	7	3
07	FEMALE.....	127	84	6	3	3	2	101	6	2	5
08	OTHER RACES..MALE.....	20	17	1	1	1	1	19	1	1	1
09	FEMALE.....	16	12	1	1	1	1	12	1	1	1
10	CONGENITAL ANOMALIES OF HEART.....746	5,841	3,354	329	164	117	127	4,091	287	188	203
11	MALE.....	3,195	1,881	170	94	71	64	2,280	144	98	113
12	FEMALE.....	2,646	1,473	159	70	46	63	1,811	143	90	90
13	WHITE.....MALE.....	2,730	1,574	147	82	60	52	1,915	126	79	100
14	FEMALE.....	2,185	1,175	128	56	40	49	1,448	120	70	79
15	NEGRO.....MALE.....	426	280	19	11	11	12	333	18	17	11
16	FEMALE.....	409	261	30	13	6	14	324	20	18	9
17	OTHER RACES..MALE.....	39	27	4	1	1	1	32	1	2	2
18	FEMALE.....	52	37	1	1	1	1	39	3	2	2
19	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,123	642	22	10	7	6	687	15	44	28
20	MALE.....	625	364	11	8	5	3	391	8	26	20
21	FEMALE.....	498	278	11	2	2	3	296	7	18	8
22	WHITE.....MALE.....	516	299	9	6	4	3	320	8	21	17
23	FEMALE.....	411	228	10	2	2	3	245	5	14	6
24	NEGRO.....MALE.....	100	58	2	2	1	1	63	1	4	3
25	FEMALE.....	76	44	1	1	1	1	45	1	3	2
26	OTHER RACES..MALE.....	9	7	1	1	1	1	8	1	1	1
27	FEMALE.....	11	6	1	1	1	1	6	1	1	1
28	CLEFT PALATE AND CLEFT LIP.....749	23	19	1	1	2	1	22	1	1	1
29	MALE.....	13	12	1	1	1	1	13	1	1	1
30	FEMALE.....	10	7	1	1	1	1	9	1	1	1
31	WHITE.....MALE.....	11	10	1	1	1	1	11	1	1	1
32	FEMALE.....	8	5	1	1	1	1	7	1	1	1
33	NEGRO.....MALE.....	1	1	1	1	1	1	1	1	1	1
34	FEMALE.....	2	2	1	1	1	1	2	1	1	1
35	OTHER RACES..MALE.....	1	1	1	1	1	1	1	1	1	1
36	FEMALE.....	1	1	1	1	1	1	1	1	1	1
37	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,312	2,934	130	62	20	26	3,172	61	45	70
38	MALE.....	2,405	1,675	61	31	6	11	1,788	31	24	44
39	FEMALE.....	1,907	1,259	69	31	14	15	1,384	30	21	26
40	WHITE.....MALE.....	2,007	1,395	45	25	6	10	1,481	25	19	40
41	FEMALE.....	1,567	1,010	54	21	12	10	1,107	28	16	19
42	NEGRO.....MALE.....	371	260	15	6	5	5	286	6	4	4
43	FEMALE.....	311	228	14	10	2	1	255	2	5	5
44	OTHER RACES..MALE.....	27	20	1	1	1	1	21	1	1	1
45	FEMALE.....	29	21	1	1	1	1	22	1	1	2
46	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	30,503	30,391	9	3	1	1	30,404	4	3	1
47	MALE.....	17,806	17,736	8	2	1	1	17,747	3	2	1
48	FEMALE.....	12,697	12,655	1	1	1	1	12,657	1	1	1
49	WHITE.....MALE.....	13,089	13,041	6	2	1	1	13,050	3	1	1
50	FEMALE.....	9,097	9,063	1	1	1	1	9,065	1	1	1
51	NEGRO.....MALE.....	4,476	4,455	2	1	1	1	4,457	1	1	1
52	FEMALE.....	3,431	3,426	1	1	1	1	3,426	1	1	1
53	OTHER RACES..MALE.....	261	240	1	1	1	1	240	1	1	1
54	FEMALE.....	169	166	1	1	1	1	166	1	1	1
55	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	30,399	4,208	214	88	38	30	4,578	115	135	590
56	MALE.....	18,203	2,500	116	49	23	19	2,707	62	81	401
57	FEMALE.....	12,196	1,708	98	39	15	11	1,871	53	54	189
58	WHITE.....MALE.....	12,761	1,610	68	30	15	12	1,735	41	53	275
59	FEMALE.....	8,413	1,034	53	18	10	3	1,118	34	36	121
60	NEGRO.....MALE.....	5,208	839	44	18	7	7	915	21	27	121
61	FEMALE.....	3,644	640	42	21	5	8	716	13	18	65
62	OTHER RACES..MALE.....	234	51	4	1	1	1	57	1	1	5
63	FEMALE.....	139	34	3	1	1	1	37	6	1	3
64	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,386	1,386	1	1	1	1	1,386	1	1	1
65	MALE.....	519	519	1	1	1	1	519	1	1	1
66	FEMALE.....	867	867	1	1	1	1	867	1	1	1
67	WHITE.....MALE.....	404	404	1	1	1	1	404	1	1	1
68	FEMALE.....	719	719	1	1	1	1	719	1	1	1
69	NEGRO.....MALE.....	100	100	1	1	1	1	100	1	1	1
70	FEMALE.....	130	130	1	1	1	1	130	1	1	1
71	OTHER RACES..MALE.....	15	15	1	1	1	1	15	1	1	1
72	FEMALE.....	18	18	1	1	1	1	18	1	1	1
73	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795-796	29,013	4,208	214	88	38	30	4,578	115	135	590
74	MALE.....	17,604	2,500	116	49	23	19	2,707	62	81	401
75	FEMALE.....	11,329	1,708	98	39	15	11	1,871	53	54	189
76	WHITE.....MALE.....	12,357	1,610	68	30	15	12	1,735	41	53	275
77	FEMALE.....	7,694	1,034	53	18	10	3	1,118	34	36	121
78	NEGRO.....MALE.....	5,108	839	44	18	7	7	915	21	27	121
79	FEMALE.....	3,514	640	42	21	5	8	716	13	18	65
80	OTHER RACES..MALE.....	219	51	4	1	1	1	57	1	1	5
81	FEMALE.....	121	34	3	1	1	1	37	6	1	3
82	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	166,454	1,942	1,447	1,346	1,119	924	6,778	3,913	4,938	17,287
83	MALE.....	117,860	1,109	831	790	700	563	3,993	2,550	3,554	13,385
84	FEMALE.....	48,594	833	616	556	419	361	2,785	1,363	1,384	3,902
85	WHITE.....MALE.....	94,592	774	598	610	520	419	2,921	1,932	2,831	11,219
86	FEMALE.....	41,060	535	439	391	306	264	1,935	1,039	1,155	3,297
87	NEGRO.....MALE.....	21,318	311	217	163	162	139	992	578	686	1,940
88	FEMALE.....	6,767	272	164	146	103	90	775	299	213	528
89	OTHER RACES..MALE.....	1,950	24	16	17	18	5	80	40	37	226
90	FEMALE.....	767	26	13	19	10	7	75	25	16	77

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

	Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACCIDENTS.....E800-E949	115,821	1,691	1,262	1,192	1,034	858	6,037	3,714	4,388	13,637
02	MALE.....	80,469	974	721	701	658	530	3,584	2,426	3,169	10,611
03	FEMALE.....	35,352	717	541	491	376	328	2,453	1,288	1,219	3,026
04	WHITE.....MALE.....	67,853	687	537	557	498	400	2,679	1,866	2,566	9,380
05	FEMALE.....	30,650	464	397	359	280	230	1,738	995	1,033	2,691
06	NEGRO.....MALE.....	11,162	270	170	129	142	126	837	522	567	1,058
07	FEMALE.....	4,170	230	132	117	87	84	650	268	172	281
08	OTHER RACES.....MALE.....	1,454	17	14	15	18	4	68	38	36	173
09	FEMALE.....	532	23	12	15	9	6	65	25	14	54
10	RAILWAY ACCIDENTS.....E800-E807	789	-	3	3	2	1	9	23	47	69
11	MALE.....	697	-	1	3	1	1	6	18	37	63
12	FEMALE.....	92	-	2	-	1	-	3	5	10	6
13	WHITE.....MALE.....	549	-	1	3	1	1	6	12	36	53
14	FEMALE.....	71	-	1	-	1	-	2	3	8	6
15	NEGRO.....MALE.....	123	-	-	-	-	-	2	5	1	9
16	FEMALE.....	21	-	1	-	-	-	1	2	2	-
17	OTHER RACES.....MALE.....	25	-	-	-	-	-	-	1	-	1
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	MOTOR VEHICLE ACCIDENTS.....E810-E829	55,511	326	381	449	432	410	1,998	2,006	2,118	9,309
20	MALE.....	39,941	171	211	249	273	254	1,158	1,232	1,432	6,922
21	FEMALE.....	15,570	155	170	200	159	156	840	774	686	2,387
22	WHITE.....MALE.....	34,370	150	163	200	194	181	888	973	1,242	6,350
23	FEMALE.....	13,611	119	134	156	124	121	654	609	610	2,181
24	NEGRO.....MALE.....	4,808	16	44	43	69	70	242	246	172	460
25	FEMALE.....	1,627	29	32	40	31	30	162	145	70	167
26	OTHER RACES.....MALE.....	763	5	4	6	10	3	28	13	18	112
27	FEMALE.....	332	7	4	4	4	5	24	20	6	39
28	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	54,347	318	273	383	404	378	1,756	1,947	2,063	9,175
29	MALE.....	39,052	168	159	218	254	236	1,026	1,195	1,385	6,807
30	FEMALE.....	15,295	150	123	165	150	142	730	752	678	2,368
31	WHITE.....MALE.....	33,587	148	111	177	181	163	780	946	1,202	6,240
32	FEMALE.....	13,368	116	97	124	117	110	564	589	604	2,162
33	NEGRO.....MALE.....	4,716	15	35	36	64	70	220	239	166	456
34	FEMALE.....	1,603	28	23	38	29	28	146	143	69	167
35	OTHER RACES.....MALE.....	749	5	4	5	9	3	26	10	17	111
36	FEMALE.....	324	6	3	3	4	4	20	20	5	39
37	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,194	9	8	11	8	9	45	29	30	171
38	MALE.....	843	6	5	6	4	1	22	15	14	123
39	FEMALE.....	351	3	3	5	4	8	23	14	16	48
40	WHITE.....MALE.....	762	6	5	6	3	1	21	14	13	117
41	FEMALE.....	310	3	3	4	4	6	20	13	15	44
42	NEGRO.....MALE.....	69	-	-	-	-	-	-	1	1	6
43	FEMALE.....	35	-	-	1	-	2	3	1	1	3
44	OTHER RACES.....MALE.....	12	-	-	-	1	-	1	-	-	-
45	FEMALE.....	6	-	-	-	-	-	-	-	-	1
46	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,521	169	92	95	93	83	532	359	540	3,365
47	MALE.....	13,824	84	44	49	53	40	270	189	337	2,387
48	FEMALE.....	6,697	85	48	46	40	43	262	170	203	978
49	WHITE.....MALE.....	12,267	80	33	42	43	31	229	166	298	2,227
50	FEMALE.....	6,042	68	38	40	33	40	219	145	185	915
51	NEGRO.....MALE.....	1,351	1	8	6	9	9	33	20	36	140
52	FEMALE.....	536	14	8	6	7	1	36	20	18	56
53	OTHER RACES.....MALE.....	206	3	3	1	1	-	8	3	3	20
54	FEMALE.....	119	3	2	-	-	2	7	5	-	7
55	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,991	9	92	179	216	206	702	1,089	535	694
56	MALE.....	6,274	2	58	109	157	146	472	687	347	495
57	FEMALE.....	2,717	7	34	70	59	60	230	402	188	199
58	WHITE.....MALE.....	4,795	2	42	85	107	98	334	513	280	417
59	FEMALE.....	2,216	5	26	45	44	39	159	300	159	171
60	NEGRO.....MALE.....	1,304	-	15	23	45	46	129	171	65	64
61	FEMALE.....	428	2	8	23	13	19	65	93	25	21
62	OTHER RACES.....MALE.....	175	-	1	1	5	2	9	3	2	14
63	FEMALE.....	73	-	-	2	2	2	6	9	4	7
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	6,886	32	14	21	21	27	115	239	528	1,537
65	MALE.....	5,491	18	8	17	9	19	71	178	407	1,213
66	FEMALE.....	1,395	14	6	4	12	8	44	61	121	324
67	WHITE.....MALE.....	4,865	14	5	15	6	14	54	154	365	1,142
68	FEMALE.....	1,240	10	6	2	11	7	36	57	112	295
69	NEGRO.....MALE.....	558	2	3	2	2	5	14	23	38	61
70	FEMALE.....	129	4	-	1	1	1	7	4	9	24
71	OTHER RACES.....MALE.....	68	2	-	-	1	-	3	1	4	10
72	FEMALE.....	26	-	-	1	-	-	1	-	-	5
73	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,773	56	36	56	37	26	211	132	269	2,114
74	MALE.....	7,702	34	16	25	19	15	109	74	186	1,633
75	FEMALE.....	2,071	22	20	31	18	11	102	58	83	481
76	WHITE.....MALE.....	6,656	26	10	22	12	9	79	60	198	1,482
77	FEMALE.....	1,752	16	16	25	11	8	76	40	74	437
78	NEGRO.....MALE.....	867	8	6	6	6	6	28	13	22	108
79	FEMALE.....	264	5	3	6	6	3	23	14	8	33
80	OTHER RACES.....MALE.....	179	-	-	1	1	-	2	1	6	43
81	FEMALE.....	55	1	1	-	1	-	3	4	1	11
82	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,982	43	31	21	29	27	151	99	161	1,294
83	MALE.....	4,918	24	19	12	12	15	82	52	94	956
84	FEMALE.....	2,064	19	12	9	17	12	69	47	67	338
85	WHITE.....MALE.....	4,242	20	16	7	10	10	63	39	88	855
86	FEMALE.....	1,808	14	8	8	14	10	54	34	59	300
87	NEGRO.....MALE.....	567	4	3	3	2	4	16	11	4	77
88	FEMALE.....	211	3	4	1	2	2	12	11	8	30
89	OTHER RACES.....MALE.....	109	-	-	2	-	1	3	2	2	24
90	FEMALE.....	45	2	-	-	1	-	3	2	-	8

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
MOTOR VEHICLE ACCIDENTS--CON.											
01	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,164	8	108	66	28	32	242	59	55	134
02	MALE.....	889	3	61	31	19	18	132	37	47	115
03	FEMALE.....	275	5	47	35	9	14	110	22	8	19
04	WHITE.....MALE.....	783	2	52	23	13	18	108	27	40	110
05	FEMALE.....	243	3	37	32	7	11	90	20	6	19
06	NEGRO.....MALE.....	92	1	9	7	5	-	22	7	6	4
07	FEMALE.....	24	1	9	2	2	2	16	2	1	-
08	OTHER RACES.....MALE.....	14	-	-	1	1	-	2	3	1	1
09	FEMALE.....	8	1	1	1	-	1	4	-	1	-
10	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	293	-	2	2	2	3	9	34	52	44
11	MALE.....	177	-	2	1	1	3	7	28	25	20
12	FEMALE.....	116	-	-	1	1	-	2	6	27	24
13	WHITE.....MALE.....	163	-	2	1	1	3	7	25	24	16
14	FEMALE.....	109	-	-	1	-	-	1	6	24	23
15	NEGRO.....MALE.....	9	-	-	-	-	-	-	3	-	4
16	FEMALE.....	7	-	-	-	1	-	1	-	3	1
17	OTHER RACES.....MALE.....	5	-	-	-	-	-	-	-	1	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	WATER TRANSPORT ACCIDENTS.....E830-E838	1,725	1	3	5	7	2	18	42	85	172
20	MALE.....	1,561	-	2	3	6	1	12	36	66	149
21	FEMALE.....	164	1	1	2	1	1	6	6	19	23
22	WHITE.....MALE.....	1,290	-	2	3	6	-	11	31	51	126
23	FEMALE.....	147	1	1	2	1	1	6	5	19	22
24	NEGRO.....MALE.....	216	-	-	-	-	1	1	3	14	18
25	FEMALE.....	17	-	-	-	-	-	-	1	-	1
26	OTHER RACES.....MALE.....	55	-	-	-	-	-	-	2	1	5
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,668	3	6	3	3	2	17	16	50	91
29	MALE.....	1,407	3	1	-	2	2	8	8	29	74
30	FEMALE.....	261	-	5	3	1	-	9	8	21	17
31	WHITE.....MALE.....	1,376	2	1	-	2	2	7	8	29	72
32	FEMALE.....	252	-	5	3	1	-	9	8	21	16
33	NEGRO.....MALE.....	23	1	-	-	-	-	1	-	-	1
34	FEMALE.....	5	-	-	-	-	-	-	-	-	1
35	OTHER RACES.....MALE.....	8	-	-	-	-	-	-	-	-	1
36	FEMALE.....	4	-	-	-	-	-	-	-	-	-
37	ACCIDENTAL POISONING.....E850-E877	5,335	38	80	41	20	11	190	29	88	592
38	MALE.....	3,571	19	49	24	8	7	107	19	55	409
39	FEMALE.....	1,764	19	31	17	12	4	83	10	33	183
40	WHITE.....MALE.....	2,923	14	28	15	6	6	69	14	43	362
41	FEMALE.....	1,433	8	19	16	8	2	53	9	26	133
42	NEGRO.....MALE.....	597	4	20	8	2	1	35	5	9	42
43	FEMALE.....	293	10	11	1	4	2	28	1	3	4
44	OTHER RACES.....MALE.....	51	1	1	-	-	-	3	-	3	4
45	FEMALE.....	38	1	1	-	-	-	2	-	2	8
46	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,444	12	46	23	16	5	102	6	17	264
47	MALE.....	1,526	5	26	8	7	2	48	4	9	195
48	FEMALE.....	918	7	20	15	9	3	54	2	8	69
49	WHITE.....MALE.....	1,222	2	17	5	6	2	32	3	6	168
50	FEMALE.....	751	5	14	14	7	2	42	2	4	49
51	NEGRO.....MALE.....	286	3	8	3	1	-	15	1	3	26
52	FEMALE.....	151	2	5	1	2	1	11	-	4	18
53	OTHER RACES.....MALE.....	18	-	1	-	-	-	1	-	-	1
54	FEMALE.....	16	-	1	-	-	-	1	-	-	2
55	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,239	4	28	10	3	2	47	6	17	72
56	MALE.....	828	1	18	9	1	1	30	3	15	53
57	FEMALE.....	411	3	10	1	2	1	17	3	2	19
58	WHITE.....MALE.....	659	1	7	6	-	1	15	-	11	49
59	FEMALE.....	330	-	4	1	1	-	6	2	1	15
60	NEGRO.....MALE.....	153	-	11	2	1	-	14	3	3	3
61	FEMALE.....	69	2	6	-	1	1	10	1	-	3
62	OTHER RACES.....MALE.....	16	-	1	-	-	-	1	-	1	1
63	FEMALE.....	12	1	-	-	-	-	-	-	1	1
64	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,652	22	6	8	1	4	41	17	54	256
65	MALE.....	1,217	13	5	7	-	4	29	12	31	161
66	FEMALE.....	435	9	1	1	1	-	12	5	23	95
67	WHITE.....MALE.....	1,042	11	4	4	-	3	22	11	26	145
68	FEMALE.....	352	3	1	1	-	-	5	5	21	69
69	NEGRO.....MALE.....	158	1	1	3	-	1	6	1	3	14
70	FEMALE.....	73	6	-	-	1	-	7	-	1	21
71	OTHER RACES.....MALE.....	17	1	-	-	-	-	1	-	2	2
72	FEMALE.....	10	-	-	-	-	-	-	-	1	5
73	ACCIDENTAL FALLS.....E880-E887	16,506	94	79	42	38	22	275	74	91	242
74	MALE.....	8,307	60	47	21	23	11	162	57	69	217
75	FEMALE.....	8,199	34	32	21	15	11	113	17	22	25
76	WHITE.....MALE.....	7,348	31	33	18	17	6	105	52	61	198
77	FEMALE.....	7,718	17	21	12	10	8	68	14	18	24
78	NEGRO.....MALE.....	844	26	14	3	6	5	34	5	8	16
79	FEMALE.....	448	15	10	8	5	3	41	2	4	1
80	OTHER RACES.....MALE.....	115	3	-	-	-	-	3	-	-	3
81	FEMALE.....	33	2	1	1	-	-	4	1	-	-
82	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,270	52	59	33	18	15	177	55	57	166
83	MALE.....	2,992	30	36	16	12	11	105	41	41	154
84	FEMALE.....	1,278	22	23	17	6	4	72	14	16	12
85	WHITE.....MALE.....	2,567	13	24	14	8	6	65	39	39	143
86	FEMALE.....	1,150	10	14	10	4	3	41	11	12	11
87	NEGRO.....MALE.....	372	14	12	2	4	5	37	2	2	7
88	FEMALE.....	119	12	8	6	2	1	29	2	4	1
89	OTHER RACES.....MALE.....	53	3	-	-	-	-	3	-	-	2
90	FEMALE.....	9	-	1	1	-	-	2	1	-	-

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
ACCIDENTAL FALLS--CON.											
01	FALL ON SAME LEVEL.....E885-E886	662	1	-	-	-	-	1	1	4	13
02	MALE.....	296	-	-	-	-	-	-	1	4	12
03	FEMALE.....	366	1	-	-	-	-	1	-	-	1
04	WHITE.....MALE.....	273	-	-	-	-	-	-	1	3	9
05	FEMALE.....	350	-	-	-	-	-	-	-	-	1
06	NEGRO.....MALE.....	18	-	-	-	-	-	-	-	1	2
07	FEMALE.....	11	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....MALE.....	5	1	-	-	-	-	-	-	-	1
09	FEMALE.....	5	-	-	-	-	-	1	-	-	-
10	OTHER AND UNSPECIFIED FALLS.....E887	11,574	41	20	9	20	7	97	18	30	63
11	MALE.....	5,019	30	11	5	11	-	57	15	24	51
12	FEMALE.....	6,555	11	9	4	9	7	40	3	6	12
13	WHITE.....MALE.....	4,508	18	9	4	9	-	40	12	19	44
14	FEMALE.....	6,218	7	7	2	6	5	27	3	6	12
15	NEGRO.....MALE.....	454	12	2	1	2	-	17	3	5	7
16	FEMALE.....	318	3	2	2	3	2	12	-	-	-
17	OTHER RACES.....MALE.....	57	-	-	-	-	-	6	2	-	3
18	FEMALE.....	19	1	-	-	-	-	9	-	-	1
19	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,503	154	184	190	173	145	846	328	198	207
20	MALE.....	3,895	83	101	106	99	67	456	153	94	136
21	FEMALE.....	2,608	71	83	84	74	78	390	175	104	71
22	WHITE.....MALE.....	2,870	51	55	63	59	42	270	103	67	100
23	FEMALE.....	1,910	32	50	43	46	45	216	112	80	58
24	NEGRO.....MALE.....	967	32	45	40	39	24	180	48	27	25
25	FEMALE.....	677	37	32	38	25	33	165	63	24	12
26	OTHER RACES.....MALE.....	58	-	1	3	1	1	6	2	-	3
27	FEMALE.....	21	2	1	3	3	-	9	-	-	1
28	ACCIDENTAL DROWNING AND SUBMERSION.....E910	7,152	77	237	253	212	143	922	660	806	1,437
29	MALE.....	5,983	49	138	176	163	102	628	517	661	1,318
30	FEMALE.....	1,169	28	99	77	49	41	294	143	145	119
31	WHITE.....MALE.....	4,471	34	123	165	142	89	553	362	431	1,000
32	FEMALE.....	922	24	81	65	43	35	246	113	98	93
33	NEGRO.....MALE.....	1,372	13	10	9	17	13	62	140	221	293
34	FEMALE.....	215	4	14	11	5	8	42	27	43	24
35	OTHER RACES.....MALE.....	140	2	5	2	4	-	13	15	9	25
36	FEMALE.....	22	-	4	1	1	-	6	3	4	2
37	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911-E912	3,013	485	107	59	32	16	699	58	66	107
38	MALE.....	1,780	282	61	35	15	8	401	40	37	71

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases. Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ACCIDENTS--CON.											
ACCIDENTS MAINLY OF INDUSTRIAL TYPE--CON.											
01	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,149	4	8	11	5	2	30	22	45	142
02	MALE.....	1,085	3	3	5	4	2	17	16	37	140
03	FEMALE.....	64	1	5	6	1	2	13	6	8	2
04	WHITE.....	1,018	1	3	3	4	2	13	14	35	132
05	FEMALE.....	56	1	2	6	1	2	10	6	8	2
06	NEGRO.....	62	2	2	2	1	1	4	2	2	8
07	FEMALE.....	8	1	3	2	1	1	3	1	1	1
08	OTHER RACES.....	5	1	1	1	1	1	1	1	1	1
09	FEMALE.....	5	1	1	1	1	1	1	1	1	1
10	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,810	13	25	34	36	33	141	110	144	323
11	MALE.....	3,567	11	13	21	26	26	97	79	124	311
12	FEMALE.....	243	2	12	13	10	7	44	31	20	12
13	WHITE.....	3,161	8	13	19	24	26	90	71	105	271
14	MALE.....	214	1	9	10	10	6	36	26	19	12
15	FEMALE.....	361	3	1	1	1	1	5	7	19	35
16	NEGRO.....	27	1	3	2	1	1	7	5	1	1
17	FEMALE.....	45	1	1	1	1	1	2	1	1	1
18	OTHER RACES.....	2	1	1	1	1	1	1	1	1	1
19	FEMALE.....	14	1	1	1	1	1	1	1	1	1
20	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,525	55	14	5	8	6	88	21	14	50
21	MALE.....	1,861	32	10	2	6	3	53	11	9	24
22	FEMALE.....	1,664	23	4	3	2	3	35	10	5	26
23	WHITE.....	1,627	26	9	1	2	3	43	10	9	20
24	MALE.....	1,457	18	4	3	2	2	29	8	5	18
25	FEMALE.....	216	1	1	1	2	1	10	1	1	4
26	NEGRO.....	193	5	1	1	1	1	5	2	1	7
27	FEMALE.....	18	1	1	1	1	1	1	1	1	1
28	OTHER RACES.....	14	1	1	1	1	1	1	1	1	1
29	FEMALE.....	14	1	1	1	1	1	1	1	1	1
30	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,300	418	83	51	34	33	619	143	221	301
31	MALE.....	3,687	244	49	30	15	25	363	106	180	254
32	FEMALE.....	1,613	174	34	21	19	8	256	37	41	47
33	WHITE.....	2,914	159	42	23	13	21	258	83	159	220
34	MALE.....	1,314	117	23	15	11	7	173	32	36	49
35	FEMALE.....	676	81	6	6	2	4	99	23	19	27
36	NEGRO.....	266	50	11	6	7	1	75	5	5	6
37	FEMALE.....	97	4	1	1	1	1	6	1	2	7
38	OTHER RACES.....	33	7	1	1	1	1	8	1	1	1
39	FEMALE.....	3									

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	HOMICIDE.....E960-E978	20,465	161	126	104	60	52	503	139	286	1,563
02	MALE.....	15,840	81	73	59	30	24	267	82	179	1,396
03	FEMALE.....	4,625	80	53	45	30	28	236	57	107	467
04	WHITE.....MALE.....	7,411	53	40	36	14	14	157	48	93	627
05	FEMALE.....	2,575	46	28	20	18	22	134	38	73	270
06	NEGRO.....MALE.....	8,216	25	31	21	16	9	102	33	86	747
07	FEMALE.....	1,965	33	24	23	12	5	97	19	33	190
08	OTHER RACES..MALE.....	213	3	2	2	-	1	8	1	-	22
09	FEMALE.....	85	1	1	2	-	1	5	-	1	7
10	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,752	11	7	15	10	17	60	51	181	1,283
11	MALE.....	11,168	7	4	9	3	8	31	32	132	1,033
12	FEMALE.....	2,584	4	3	6	7	9	29	19	49	250
13	WHITE.....MALE.....	5,001	5	3	6	2	3	19	20	59	430
14	FEMALE.....	1,352	3	3	3	5	7	21	15	34	124
15	NEGRO.....MALE.....	6,053	1	1	2	1	5	10	12	73	595
16	FEMALE.....	1,203	1	-	3	2	2	8	4	14	124
17	OTHER RACES..MALE.....	114	1	-	1	-	-	2	-	-	8
18	FEMALE.....	29	-	-	-	-	-	-	-	-	2
19	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,254	8	3	3	2	6	22	21	32	312
20	MALE.....	2,510	4	2	3	1	3	13	12	14	215
21	FEMALE.....	744	4	1	-	1	3	9	9	18	97
22	WHITE.....MALE.....	1,087	2	1	3	1	2	9	7	8	110
23	FEMALE.....	382	2	-	-	1	3	6	5	10	53
24	NEGRO.....MALE.....	1,379	2	1	-	-	1	4	4	6	96
25	FEMALE.....	340	2	1	-	-	-	3	4	8	41
26	OTHER RACES..MALE.....	44	-	-	-	-	-	-	1	-	9
27	FEMALE.....	22	-	-	-	-	-	-	-	-	3
28	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	3,083	141	116	86	48	29	420	67	71	216
29	MALE.....	1,793	70	67	47	26	13	223	38	31	98
30	FEMALE.....	1,290	71	49	39	22	16	197	29	40	118
31	WHITE.....MALE.....	1,137	46	36	27	14	9	127	24	67	247
32	FEMALE.....	839	41	25	17	12	12	107	18	29	93
33	NEGRO.....MALE.....	608	22	29	19	15	3	88	17	7	27
34	FEMALE.....	417	29	23	20	10	3	85	11	11	23
35	OTHER RACES..MALE.....	50	2	2	1	-	1	6	-	-	4
36	FEMALE.....	34	1	1	2	-	1	5	-	-	2
37	LEGAL EXECUTION.....E978	-	-	-	-	-	-	-	-	-	-
38	MALE.....	-	-	-	-	-	-	-	-	-	-
39	FEMALE.....	-	-	-	-	-					

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		UNITED STATES							
		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	
01	ALL CAUSES.....	1,973,003	1,096,795	876,208	957,918	770,487	138,877	105,721	
02	I. INFECTIVE AND PARASITIC DISEASES.....	15,669	8,816	6,853	6,574	5,270	2,242	1,583	
03	CHOLERA.....000	-	-	-	-	-	-	-	
04	TYPHOID FEVER.....001	7	3	4	2	1	1	3	
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	76	42	34	30	30	12	4	
06	BACTILLARY DYSENTERY AND AMEBIASIS.....004,006	64	34	30	28	18	6	12	
07	FOOD POISONING (BACTERIAL).....005	11	5	6	5	6	-	-	
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,322	1,068	1,254	799	1,004	269	250	
09	TUBERCULOSIS, ALL FORMS.....010-019	3,875	2,707	1,168	1,849	814	858	354	
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	3,009	2,182	827	1,467	569	715	258	
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	90	52	38	32	20	20	18	
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	26	14	12	9	7	5	5	
13	TUBERCULOSIS OF BONES AND JOINTS.....015	35	21	14	14	10	7	4	
14	DISSEMINATED TUBERCULOSIS.....018	165	101	64	50	24	51	40	
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	550	337	213	277	184	60	29	
16	PLAGUE.....020	-	-	-	-	-	-	-	
17	ANTHRAX.....022	-	-	-	-	-	-	-	
18	BRUCELLOSIS.....023	1	-	1	-	1	-	-	
19	LEPROSY.....030	1	1	-	1	-	-	-	
20	DIPHTHERIA.....032	10	8	2	6	2	2	-	
21	WHOOPING COUGH.....033	5	2	3	2	3	-	-	
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	20	8	12	7	11	1	1	
23	ERYSIPELAS.....035	11	4	7	3	7	1	-	
24	MENINGOCOCCAL INFECTIONS.....036	330	185	145	151	120	34	25	
25	TETANUS.....037	40	16	24	11	15	5	9	
26	SEPTICEMIA.....038	4,560	2,433	2,127	1,882	1,665	551	462	
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	646	349	297	297	236	59	61	
28	ACUTE POLIOMYELITIS.....043-043	10	8	2	8	2	-	-	
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	83	45	38	41	36	4	2	
30	SMALLPOX.....050	-	-	-	-	-	-	-	
31	MEASLES.....055	23	16	7	13	6	3	1	
32	YELLOW FEVER.....060	-	-	-	-	-	-	-	
33	VIRAL ENCEPHALITIS.....062-065	321	169	152	143	131	26	21	
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	29	18	11	16	11	2	-	
35	INFECTIOUS HEPATITIS.....070	656	289	367	233	282	56	85	
36	RABIES.....071	1	1	-	1	-	-	-	
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	1,033	526	507	448	446	78	61	
38	TYPHUS AND OTHER RICKETTSIDSES.....080-083	40	24	16	22	14	2	2	
39	MALARIA.....084	7	5	2	2	2	3	-	
40	TRYPAOSOMIASIS.....086,087	1	1	-	1	-	-	-	
41	RELAPSING FEVER.....088	-	-	-	-	-	-	-	
42	SYPHILIS AND ITS SEQUELAE.....090-097	393	265	128	146	67	119	61	
43	CONGENITAL SYPHILIS.....090	13	5	8	4	2	1	6	
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-	-	
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	29	16	13	7	6	9	7	
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	189	130	59	68	31	62	28	
47	TABES DORSALIS.....094.0	26	23	3	20	2	3	1	
48	GENERAL PARESIS.....094.1	26	13	13	9	10	4	3	
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	76	54	22	28	12	26	10	
50	ALL OTHER SYPHILIS.....095,097,0,097.9	34	24	10	10	4	14	6	
51	GONOCOCCAL INFECTIONS.....098	11	5	6	4	3	1	3	
52	SCHISTOSOMIASIS.....120	3	3	-	3	-	-	-	
53	HYDATIDOSIS.....122	4	1	3	1	1	-	2	
54	FILARIAL INFESTATIONS.....125	1	-	-	1	-	-	-	
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-	-	-	
56	OTHER HELMINTHIASIS.....121,123,124,127-129	14	7	7	5	5	2	2	
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1,060	567	493	420	331	147	162	
58	II. NEOPLASMS.....	356,068	193,770	162,298	171,699	145,436	22,071	16,862	
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	351,055	191,320	159,735	169,544	143,235	21,776	16,500	
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,822	5,553	2,269	4,813	2,018	743	251	
61	OF LIP.....140	181	161	20	157	16	4	4	
62	OF TONGUE.....141	1,873	1,305	568	1,120	506	185	62	
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,304	1,507	797	1,308	733	199	64	
64	OF PHARYNX.....146-149	3,464	2,580	884	2,225	763	355	121	
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	96,549	51,070	45,479	44,875	40,748	6,195	4,731	
66	OF ESOPHAGUS.....150	6,491	4,768	1,723	3,577	1,333	1,191	390	
67	OF STOMACH.....151	15,198	9,178	6,020	7,701	5,161	1,477	859	
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	330	305	305	302	257	28	48	
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	37,745	17,285	20,460	15,899	18,720	1,386	1,747	
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,262	1,796	2,466	1,659	2,291	137	175	
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1,186	526	660	484	605	42	55	
72	DESCENDING COLON.....153.2	972	463	509	428	470	35	39	
73	SIGMOID COLON.....153.3	4,442	2,094	2,348	1,942	2,184	152	164	
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	25,103	11,601	13,502	10,634	12,257	967	1,245	
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,780	805	975	752	913	53	62	
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	9,821	5,424	4,397	4,963	3,994	461	403	
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,270	1,465	805	1,153	695	312	110	
78	OF GALLBLADDER AND BILE DUCTS.....156	4,273	1,545	2,728	1,433	2,520	112	208	
79	OF PANCREAS.....157	18,653	10,380	8,273	9,259	7,393	1,121	880	
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,463	695	768	588	675	107	93	
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	79,335	62,717	16,618	55,783	15,007	6,934	1,611	
82	OF LARYNX.....160	3,044	2,656	388	2,290	338	366	50	
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	74,933	59,187	15,746	52,721	14,239	6,466	1,597	
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,358	876	482	772	430	102	54	
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	40,341	4,957	35,384	4,623	32,285	334	3,099	
86	OF BONE.....170	1,840	1,069	771	962	666	107	85	
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,519	783	736	702	443	81	93	
88	OF SKIN.....172,173	4,839	2,812	2,027	2,704	1,957	108	80	
89	OF BREAST.....174	32,143	293	31,850	255	29,099	38	2,841	

SECTION 1 - GENERAL MORTALITY

1-251

and Sex: United States and Each State, 1973

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
35,408	14,215	10,396	5,929	4,868	1,459	672	290	301	196	16,847	9,225	6,086	951	585
350	108	83	104	55	15	2	3	7	3	213	92	79	28	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
63	13	10	19	21	2	1	1	-	-	30	8	13	5	4
101	35	13	38	15	4	-	-	4	-	59	30	15	10	4
75	25	8	33	9	3	-	-	3	-	35	15	10	6	4
4	2	-	1	1	-	-	-	-	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	1	2	2	5	-	-	-	-	-	1	1	-	-	-
12	7	3	2	-	1	-	-	1	-	3	1	-	1	-
-	-	-	-	-	-	-	-	-	-	18	12	3	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
1	1	2	-	1	2	-	1	-	1	3	2	1	-	-
7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90	24	31	24	11	4	1	-	2	1	59	23	24	9	3
13	6	1	3	3	-	-	-	-	-	13	6	6	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	1	1	-	-	-	-	-	-	3	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	2	6	3	-	-	-	-	-	-	7	1	4	1	1
24	10	10	4	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	-	-	-	-	-	8	4	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	-	2	1	-	-	-	-	-	3	1	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	2	-	2	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
22	5	6	8	3	1	-	1	-	-	24	14	7	3	-
5,534	2,268	1,833	805	628	210	81	64	34	31	2,876	1,544	1,186	81	65
5,430	2,236	1,790	795	609	202	76	64	33	29	2,831	1,525	1,165	79	62
110	55	33	15	7	7	3	1	2	1	52	34	17	-	1
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
19	10	8	1	-	2	1	1	-	-	13	7	6	-	-
37	13	17	4	3	2	1	-	-	1	17	12	5	-	-
51	31	8	8	4	3	1	-	2	-	22	15	6	-	1
1,361	485	487	223	166	48	15	16	10	7	719	389	285	33	12
101	37	15	39	10	4	2	1	1	-	37	24	11	2	-
234	82	54	62	36	6	2	1	2	1	116	69	33	13	1
9	4	-	1	4	-	-	-	-	-	2	2	-	-	-
475	146	232	40	57	12	4	5	1	2	285	131	144	6	4
48	13	27	2	6	1	-	1	-	-	33	11	22	-	-
10	3	3	1	3	1	1	-	-	-	7	1	5	-	-
11	5	5	1	-	-	-	-	-	-	4	2	2	-	-
49	11	26	6	6	1	-	-	-	1	23	8	13	1	1
350	112	166	30	42	7	1	4	1	1	205	104	95	4	2
7	2	5	-	-	2	2	-	-	-	13	5	7	-	-
101	33	38	16	14	9	3	2	4	-	66	38	25	3	-
48	16	13	13	6	2	-	1	-	1	25	16	6	3	-
46	19	20	2	5	3	-	2	-	1	41	21	16	1	3
331	142	109	46	34	11	4	4	2	1	136	83	46	3	4
16	6	6	4	-	1	-	-	-	1	11	5	4	2	-
1,302	831	197	230	44	51	32	13	5	1	645	486	135	19	5
36	28	1	6	1	4	3	-	1	-	15	13	1	1	-
1,249	796	191	222	40	47	29	13	4	1	623	469	132	17	5
17	7	5	2	3	-	-	-	-	-	7	4	2	1	-
583	66	386	12	119	19	1	14	1	3	292	41	241	1	9
18	8	6	2	2	1	-	-	1	-	10	5	5	-	-
21	6	10	1	4	-	-	-	-	-	13	8	4	1	-
102	51	37	8	6	-	-	-	-	-	36	26	10	-	-
442	1	393	1	107	18	1	14	-	3	233	2	222	-	9

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		UNITED STATES						
		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.								
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	42,591	19,864	22,727	16,911	19,538	2,953	3,189
02	OF CERVIX UTERI.....180	6,041	...	6,041	...	4,613	...	1,428
03	OF OTHER PARTS OF UTERUS.....181,182	5,733	...	5,733	...	4,880	...	853
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	10,002	...	10,002	...	9,212	...	790
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	951	...	951	...	833	...	118
06	OF PROSTATE.....185	18,830	18,830	...	15,970	...	2,860	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1,034	1,034	...	941	...	93	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	15,877	10,601	5,276	9,829	4,777	772	499
09	OF BLADDER.....188	9,179	6,410	2,769	5,956	2,457	454	312
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,698	4,191	2,507	3,873	2,320	318	187
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	34,495	17,678	16,817	15,561	14,961	2,117	1,856
12	OF EYE.....190	320	147	173	134	164	13	9
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	8,311	4,650	3,661	4,329	3,403	321	258
14	OF THYROID GLAND.....193	972	315	657	279	593	36	64
15	OTHER.....194-199	24,892	12,566	12,326	10,819	10,801	1,747	1,525
16	LEUKEMIA.....204-207	14,478	8,262	6,216	7,539	5,697	723	519
17	LYMPHATIC LEUKEMIA.....204	4,653	2,817	1,836	2,594	1,675	223	161
18	MYELOID LEUKEMIA.....205	6,321	3,469	2,852	3,171	2,609	298	243
19	MONOCYTIC LEUKEMIA.....206	488	277	211	245	199	32	12
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	3,016	1,699	1,317	1,529	1,214	170	103
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,206,209	19,567	10,618	8,949	9,613	8,204	1,005	745
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,846	3,629	3,217	3,306	3,056	243	167
23	HODGKIN'S DISEASE.....201	2,920	1,732	1,188	1,594	1,124	138	64
24	MULTIPLE MYELOMA.....202	4,968	2,579	2,389	2,177	2,004	402	385
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4,833	2,678	2,155	2,456	2,026	222	129
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	5,013	2,450	2,563	2,155	2,201	295	362
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	159	...	159	...	107	...	52
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	761	305	456	250	397	55	59
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	803	422	381	375	326	47	55
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	29	...	29	...	21	...	8
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	2,161	1,124	1,037	1,016	922	108	115
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	1,100	599	501	514	428	85	73
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,532	19,389	27,143	16,541	22,525	2,848	4,618
34	NONTOXIC GOITER.....240,241	43	9	34	7	25	2	9
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	296	59	237	47	192	12	45
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	443	91	352	84	318	7	34
37	DIABETES MELLITUS.....250	38,208	15,669	22,539	13,343	18,589	2,326	3,950
38	DISEASES OF PITUITARY GLAND.....253	230	125	105	100	76	25	29
39	DISEASES OF THYMUS GLAND.....254	28	15	13	11	7	4	6
40	DISEASES OF ADRENAL GLAND.....255	400	157	243	142	215	15	28
41	NIACIN DEFICIENCY.....262	3	1	2	-	1	1	1
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,573	1,082	1,491	884	1,281	198	210
43	CYSTIC FIBROSIS.....273.0	519	246	273	236	268	10	5
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,789	1,935	1,854	1,687	1,553	248	301
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,251	2,542	2,709	2,033	2,231	509	478
46	ANEMIAS.....280-285	3,318	1,569	1,749	1,209	1,401	360	348
47	DEFICIENCY ANEMIAS.....280,281	470	182	288	164	265	18	23
48	HEMOLYTIC ANEMIAS.....282,283	703	334	369	124	179	210	190
49	APLASTIC ANEMIA.....284	1,090	567	523	521	486	46	37
50	OTHER AND UNSPECIFIED ANEMIAS.....285	1,055	486	569	400	471	86	96
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	568	255	313	226	269	29	44
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1,365	718	647	598	561	120	86
53	V. MENTAL DISORDERS.....	8,860	6,056	2,804	4,319	2,166	1,737	638
54	SENILE AND PRESENILE DEMENTIAS.....290	731	305	426	274	398	31	28
55	ALCOHOLIC PSYCHOSES.....291	517	469	48	346	39	123	9
56	ALL OTHER PSYCHOSES.....294-299	274	119	155	100	133	19	22
57	ALCOHOLISM.....303	4,650	3,611	1,039	2,535	702	1,076	337
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	2,408	1,412	996	955	777	457	219
59	MENTAL RETARDATION.....310-315	280	140	140	109	117	31	23
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,889	9,147	7,742	7,793	6,734	1,354	1,008
61	MENINGITIS.....320	1,523	842	681	581	462	261	219
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	743	552	191	511	172	41	19
63	MULTIPLE SCLEROSIS.....340	1,574	571	1,003	541	912	30	91
64	PARALYSIS AGITANS.....342	3,283	1,763	1,520	1,692	1,480	71	40
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	681	393	288	329	237	64	31
66	EPILEPSY.....345	1,821	1,086	735	717	551	369	184
67	INFLAMMATORY DISEASES OF EYE.....360-369	9	5	4	5	4	-	-
68	CATARACT.....374	40	19	21	16	18	3	3
69	GLAUCOMA.....375	3	1	2	1	1	-	1
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	123	58	65	51	48	7	17
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	7,089	3,857	3,232	3,349	2,849	508	383
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,055,196	560,149	495,047	504,331	443,066	55,818	51,981
73	ACTIVE RHEUMATIC FEVER.....390-392	183	96	87	88	72	8	15
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	13,956	6,076	7,480	5,456	6,906	620	574
75	DISEASES OF MITRAL VALVE.....394	3,666	1,281	2,385	1,162	2,229	119	156
76	DISEASES OF AORTIC VALVE.....395	3,950	2,478	1,472	2,225	1,331	293	141
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	599	232	367	210	343	22	24
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	5,341	2,085	3,256	1,859	3,003	226	253
79	HYPERTENSIVE DISEASE.....400-404	20,211	9,204	11,007	7,255	8,903	1,949	2,104
80	MALIGNANT HYPERTENSION.....400	1,038	567	471	337	274	230	197
81	ESSENTIAL BENIGN HYPERTENSION.....401	1,143	457	686	366	533	91	153
82	HYPERTENSIVE HEART DISEASE.....402	7,268	2,920	4,348	2,188	3,472	732	876
83	HYPERTENSIVE RENAL DISEASE.....403	5,247	2,702	2,545	2,238	2,090	444	455
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	5,515	2,558	2,957	2,126	2,534	432	423

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
730	225	230	148	127	20	5	10	2	3	339	150	163	8	18
130	...	72	...	66	3	...	2	...	1	52	...	41	...	11
77	...	50	...	27	1	1	42	...	38	...	4
133	...	103	...	30	8	...	7	...	1	80	...	77	...	3
9	...	5	...	4	1	...	1	7	...	7
362	216	...	146	...	6	5	...	1	...	147	141	...	6	...
11	9	...	2	...	1	1	...	11	9	...	2	...
206	108	58	27	13	8	5	...	3	...	139	92	40	3	...
112	57	25	21	9	5	4	...	1	...	84	63	18	3	...
94	51	33	6	4	3	1	...	2	...	55	29	22	...	4
603	244	201	72	86	37	11	7	6	13	361	181	168	5	7
5	2	2	...	1	1	1	2	...	2
129	63	51	9	6	8	3	4	...	1	73	40	33
16	4	7	1	4	11	3	8
453	175	141	62	75	28	7	3	6	12	275	138	125	5	7
250	100	97	33	20	4	1	2	1	...	116	61	46
104	50	35	12	7	2	...	1	27	18	7	1	...
84	31	34	9	10	1	...	1	51	26	22	1	2
15	5	7	3	7	1	4	2	...
47	14	21	9	3	1	1	31	16	13	1	1
285	122	101	35	27	8	3	1	3	1	168	91	70	5	2
99	44	41	6	6	41	26	14	1	...
38	22	10	3	3	2	...	1	1	...	20	12	7	1	...
89	27	29	18	15	5	2	...	2	1	64	31	28	3	2
59	27	21	8	3	1	1	43	22	21
104	32	43	10	19	8	5	...	1	2	45	19	21	2	3
4	...	1	...	3
10	1	5	...	3	2	2	6	2	2	...	2
15	5	6	...	4	2	1	1	9	5	3	...	1
...	30
55	18	26	6	5	1	1	27	11	14	2	...
20	8	5	3	4	3	1	...	1	1	3	1	2
913	240	310	115	248	21	5	6	3	7	366	166	158	18	24
1	1	2	...	2
5	2	2	4	1	3
3	...	2	...	1	6	2	3
792	201	272	102	217	12	4	5	2	1	269	110	120	18	21
8	2	3	1	2	3	2	1
1	1
7	2	3	1	1	1	...	1	3	1	1	...	1
31	11	9	4	7	5	1	4	30	20	9
12	7	4	9	4	5
53	15	17	4	17	3	1	2	40	26	14
89	26	29	18	16	3	2	1	30	10	16	2	2
57	11	20	15	11	1	1	...	16	3	12	1	2
8	...	3	3	2	5	...	4
13	1	3	4	5	1	1	...	5	1	3
19	8	7	3	1	4	...	3
17	2	7	5	3	4	2	1
8	1	5	2	2	3	...	3
24	14	4	3	3	2	1	1	9	5	3	1	...
161	73	28	47	13	43	14	3	16	10	128	65	31	19	13
10	2	2	4	2	1	...	1	7	3	3	1	...
10	6	...	4	...	3	2	...	1	...	7	4	1	1	...
3	2	1	1	1	4	3	1
92	43	8	33	8	35	10	1	14	10	69	31	14	14	10
42	19	16	5	2	36	22	11	3	...
4	1	2	1	...	3	2	...	1	...	5	2	1	...	2
278	111	85	48	34	13	5	2	2	4	156	68	71	10	7
34	7	8	14	5	2	2	13	5	6	2	...
16	8	4	3	1	6
12	1	6	1	4	16	6	10
55	29	21	2	3	2	1	1	19	9	10
17	7	5	3	2	2	7	3	4
28	9	4	...	6	1	1	18	7	6	2	3
...
2	1	1
...
1	1
113	48	36	17	12	6	3	1	2	...	77	32	35	6	4
17,957	7,124	5,821	2,502	2,510	412	236	87	55	34	7,579	4,227	3,022	191	139
1	1
112	42	36	16	18	8	5	1	...	2	140	63	68	6	3
25	11	10	2	2	49	16	29	3	1
43	18	7	10	8	3	2	1	36	22	12	1	1
8	1	3	...	4	2	9	4	5
36	12	16	2	7	21	22	2	1
406	86	89	100	131	4	4	1	...	1	124	61	49	9	5
24	2	1	...	11	1	1	6	3	1	1	1
50	5	9	13	23	1	...	1	4	1	2	...	1
130	26	34	35	35	4	3	1	59	22	29	6	2
96	19	17	26	34	42	25	14	2	1
106	34	28	16	28	13	10	3

Table 1-27 Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	UNITED STATES							
	Total			White		All other		
	Both sexes	Male	Female	Male	Female	Male	Female	
01 ISCHEMIC HEART DISEASE.....410-413	684,066	386,978	297,088	354,222	268,995	32,756	28,093	
02 WITH HYPERTENSIVE DISEASE (.01).....	75,446	34,767	40,679	28,776	33,597	5,991	7,082	
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.91).....	608,620	352,211	256,409	325,446	235,398	26,765	21,011	
04 ACUTE MYOCARDIAL INFARCTION.....410	351,662	220,543	131,119	205,614	119,903	14,929	11,216	
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,503	2,882	1,621	2,494	1,406	388	215	
06 CHRONIC ISCHEMIC HEART DISEASE.....412	327,722	163,444	164,278	146,009	147,625	17,435	16,653	
07 ANGINA PECTORIS.....413	179	109	70	105	61	4	9	
08 OTHER FORMS OF HEART DISEASE.....420-429	46,487	25,827	20,660	21,209	17,091	4,618	3,569	
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	470	244	226	198	183	46	43	
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	622	401	221	309	172	92	49	
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,107	515	592	456	520	59	72	
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	61	13	48	13	45	-	3	
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	185	105	80	97	77	8	6	
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	861	397	464	346	398	51	60	
15 SYMPTOMATIC HEART DISEASE.....427	27,057	14,137	12,920	11,901	10,922	2,236	1,998	
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	4,030	1,947	2,083	1,652	1,827	295	256	
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	13,201	8,583	4,618	6,693	3,467	1,890	1,151	
18 CEREBROVASCULAR DISEASES.....430-438	214,313	93,838	120,475	81,530	106,494	12,308	13,981	
19 WITH HYPERTENSION (BENIGN) (.01).....	26,675	11,214	15,461	8,613	12,251	2,601	3,210	
20 WITHOUT MENTION OF HYPERTENSION (.91).....	187,638	82,624	105,014	72,917	94,243	9,707	10,771	
21 SUBARACHNOID HEMORRHAGE.....430	9,191	3,802	5,389	3,151	4,484	651	905	
22 CEREBRAL HEMORRHAGE.....431	33,909	15,561	18,348	13,104	15,735	2,457	2,613	
23 CEREBRAL THROMBOSIS.....433	56,648	24,374	32,274	21,624	29,191	2,750	3,083	
24 CEREBRAL EMBOLISM.....434	967	429	538	385	500	44	38	
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,238	1,825	1,413	1,657	1,275	168	138	
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	67,730	30,147	37,583	25,537	32,194	4,610	5,387	
27 OTHER CEREBROVASCULAR DISEASES.....437,438	42,630	17,700	24,930	16,072	23,113	1,628	1,817	
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,676	29,376	29,300	27,158	27,006	2,218	2,294	
29 ARTERIOSCLEROSIS.....440	32,617	13,402	19,215	12,315	17,927	1,087	1,288	
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	14,210	10,189	4,021	9,633	3,635	556	386	
31 GANGRENE.....445	2,867	1,422	1,445	1,227	1,244	195	201	
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	8,982	4,363	4,619	3,983	4,200	380	419	
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	17,704	8,754	8,950	7,413	7,599	1,341	1,351	
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	15,800	7,712	8,088	6,530	6,882	1,182	1,206	
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,904	1,042	862	883	717	159	145	
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	117,537	74,718	42,819	66,479	38,122	8,239	4,697	
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	453	241	212	189	165	52	47	
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	905	493	412	422	355	71	57	
39 INFLUENZA.....467-474	5,131	2,408	2,723	2,205	2,508	203	215	
40 PNEUMONIA.....480-486	57,428	31,816	25,612	26,936	22,456	4,680	3,156	
41 VIRAL PNEUMONIA.....480	1,604	799	805	676	693	123	112	
42 BACTERIAL PNEUMONIA.....481-482	6,597	4,011	2,586	3,243	2,187	768	399	
43 ACUTE INTERSTITIAL PNEUMONIA.....484	832	467	365	352	264	115	101	
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	22,946	12,641	10,305	10,903	9,245	1,738	1,060	
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	25,449	13,898	11,551	11,762	10,067	2,136	1,484	
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	29,708	22,740	6,968	21,365	6,464	1,375	504	
47 BRONCHITIS, UNQUALIFIED.....490	768	399	369	326	333	73	36	
48 CHRONIC BRONCHITIS.....491	4,779	3,512	1,267	3,332	1,212	180	55	
49 EMPHYSEMA.....492	22,249	18,010	4,239	17,100	4,069	910	170	
50 ASTHMA.....493	1,912	819	1,093	607	850	212	243	
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	38	18	20	16	17	2	3	
52 EMPHYEMA AND ABSCESS OF LUNG.....510-513	1,124	782	342	575	274	207	68	
53 PLEURISY.....511	340	165	175	141	147	24	28	
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,250	2,045	1,205	1,877	1,118	168	87	
55 BRONCHIECTASIS.....518	843	443	400	398	369	44	31	
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	18,317	13,567	4,750	12,354	4,249	1,213	501	
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	75,094	43,775	31,319	37,449	26,952	6,326	4,367	
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	43	19	24	14	15	5	9	
59 PEPTIC ULCER.....531-533	7,688	4,974	2,714	4,442	2,903	532	211	
60 ULCER OF STOMACH.....531	3,289	1,949	1,340	1,692	1,240	257	100	
61 ULCER OF DUODENUM.....532	3,395	2,352	1,033	2,151	956	201	77	
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,014	673	341	599	307	74	34	
63 GASTRITIS AND DUODENITIS.....535	598	349	249	308	221	41	28	
64 APPENDICITIS.....540-543	1,066	663	403	524	323	139	80	
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	6,746	3,006	3,740	2,552	3,309	454	431	
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	53	20	33	12	23	8	10	
67 DIVERTICULA OF INTESTINE.....562	3,314	1,267	2,047	1,160	1,906	107	141	
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,084	453	631	429	585	24	46	
69 CIRRHOSIS OF LIVER.....571	33,350	21,782	11,568	18,372	9,444	3,410	2,124	
70 ALCOHOLIC.....571.0	12,624	8,817	3,807	7,234	2,943	1,583	864	
71 OTHER SPECIFIED.....571.8	5,341	3,092	2,249	2,444	1,802	648	447	
72 UNSPECIFIED.....571.9	15,385	9,873	5,512	8,694	4,699	1,179	813	
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	3,422	1,531	1,891	1,422	1,725	109	166	
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	17,730	9,711	8,019	8,214	6,898	1,497	1,121	
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	26,910	14,600	12,310	11,826	9,746	2,774	2,564	
76 NEPHRITIS AND NEPHROSIS.....580-584	8,336	4,460	3,876	3,331	2,727	1,129	1,149	
77 ACUTE NEPHRITIS.....580	1,224	709	515	569	391	140	124	
78 NEPHROTIC SYNDROME.....581	312	157	155	125	129	32	26	
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	6,800	3,594	3,206	2,637	2,207	957	999	
80 INFECTIONS OF KIDNEY.....590	6,134	2,589	3,545	2,159	3,022	430	513	
81 CALCULI OF URINARY SYSTEM.....592-594	699	327	372	296	330	31	42	
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	8,740	4,921	3,819	4,016	3,135	905	684	
83 HYPERPLASIA OF PROSTATE.....600	1,589	1,589	-	1,407	-	182	-	
84 DISEASES OF BREAST.....610,611	40	-	40	-	34	-	6	
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,372	714	658	617	488	97	170	
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	477	...	477	...	274	...	203	
87 ECTOPIC PREGNANCY.....631	46	...	46	...	25	...	21	
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	111	...	111	...	57	...	54	
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	60	...	60	...	40	...	20	

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
9,873	4,469	3,082	1,232	1,090	214	144	33	31	6	4,849	2,933	1,772	84	60
1,405	351	396	303	355	13	8	2	1	2	353	181	156	8	8
8,468	4,118	2,686	929	735	201	136	31	30	4	4,496	2,752	1,616	76	52
5,913	3,103	1,656	640	514	148	110	18	18	2	2,177	1,422	705	34	16
28	6	6	5	11	-	-	-	-	-	147	117	23	4	3
3,930	1,358	1,420	587	565	65	33	15	13	4	2,524	1,394	1,043	46	41
2	2	-	-	-	1	1	-	-	-	1	-	1	-	-
1,424	629	334	260	201	51	24	12	7	8	396	199	150	31	16
8	2	3	1	2	3	-	-	-	-	8	3	3	1	9
27	9	6	6	6	1	1	-	-	-	11	2	8	-	1
4	1	2	1	-	-	-	-	-	-	1	1	-	-	-
23	8	4	5	6	1	1	-	-	-	9	1	7	-	-
545	197	160	90	98	33	14	10	3	6	259	132	96	21	10
95	36	37	12	10	3	2	-	-	-	21	7	11	2	1
743	385	126	149	83	14	7	2	3	2	91	54	27	7	3
4,898	1,445	1,814	736	903	94	40	33	10	11	1,451	661	715	40	35
594	121	155	129	189	16	4	6	2	4	157	66	78	7	6
4,304	1,324	1,659	607	714	78	36	27	8	7	1,294	595	637	33	29
154	47	58	24	25	17	4	10	2	1	81	36	39	3	3
771	208	259	136	168	20	7	9	1	3	224	98	110	5	11
1,285	421	487	183	194	8	6	1	1	1	273	139	126	4	4
11	2	5	3	1	1	1	-	-	-	10	2	6	2	-
30	16	3	3	3	1	1	-	-	-	19	14	4	1	-
1,989	567	680	329	433	39	17	12	4	6	513	227	255	18	13
658	204	317	58	79	9	5	1	2	1	331	145	175	7	4
909	328	360	110	111	30	16	5	5	4	474	241	206	15	12
533	155	245	70	63	14	9	1	3	1	253	96	143	8	6
167	97	39	14	17	5	2	2	1	-	128	97	26	2	3
54	13	22	7	12	5	3	-	-	2	14	10	4	-	-
155	63	54	19	19	6	2	2	1	1	79	38	33	5	3
334	125	106	48	55	9	3	2	2	2	145	69	62	6	8
290	107	97	40	46	7	2	1	2	2	132	61	60	4	7
44	18	9	8	9	2	1	1	-	-	13	8	2	2	1
1,912	942	463	341	166	104	39	16	27	22	1,436	915	395	61	65
14	2	7	3	2	1	1	-	-	-	4	2	1	1	-
15	11	1	3	-	2	2	-	-	-	12	4	7	-	-
93	32	34	11	16	9	4	1	1	3	53	21	27	3	2
932	370	254	196	112	56	19	6	17	14	568	305	176	39	48
29	16	7	4	2	8	2	3	-	3	19	12	7	-	-
116	43	23	35	15	9	6	1	2	-	66	40	19	2	-
10	2	3	2	3	-	-	-	-	-	3	3	-	-	-
278	117	87	49	25	8	4	-	3	1	156	98	45	7	6
499	192	134	106	67	31	7	2	12	10	324	152	105	30	37
474	324	79	53	18	16	6	6	2	2	448	343	92	9	4
17	8	6	2	1	-	-	-	-	-	7	3	3	1	-
56	32	15	6	3	-	-	-	-	-	75	60	12	2	-
372	279	51	37	5	10	5	3	1	1	331	268	57	4	2
29	5	7	8	9	6	1	3	1	1	35	12	20	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	2	1	3	4	1	1	-	-	-	15	12	3	-	-
3	-	3	-	-	1	1	-	-	-	1	-	-	-	-
56	26	18	10	2	1	-	-	1	-	28	15	11	1	1
10	6	4	-	-	-	-	-	-	-	33	15	15	1	2
305	169	62	62	12	17	5	3	6	3	274	198	63	6	7
1,056	472	321	130	133	59	19	17	9	14	755	395	255	60	45
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
113	60	33	12	8	9	4	2	2	1	70	50	18	2	-
40	22	11	5	2	5	1	1	2	1	36	23	11	2	-
52	28	13	6	5	3	2	1	-	-	22	18	4	-	-
21	10	9	1	1	1	1	-	-	-	12	9	3	-	-
7	3	2	2	-	1	-	-	-	-	9	5	4	-	-
19	6	4	5	-	-	-	-	-	-	9	6	2	-	-
100	36	31	10	23	9	2	2	2	3	51	24	23	1	3
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
44	17	17	4	6	-	-	-	-	-	26	11	14	-	-
18	5	13	-	-	1	-	1	-	-	11	4	5	1	-
377	188	97	45	47	27	10	8	3	6	341	187	91	37	26
90	41	25	11	13	19	8	5	2	4	174	94	32	30	18
59	27	15	10	7	2	-	-	-	2	42	19	22	-	-
228	120	57	24	27	6	2	3	1	-	125	74	37	7	7
60	24	21	7	8	1	-	-	-	1	36	11	16	4	5
317	132	103	45	37	11	3	4	2	2	201	97	82	14	8
589	184	154	130	121	15	5	4	5	1	271	126	106	22	17
182	57	29	42	54	5	-	2	2	1	73	35	21	7	10
20	10	4	3	3	1	-	-	-	1	10	3	5	1	-
6	2	2	2	-	-	-	-	-	-	2	2	-	-	-
156	45	23	37	51	4	-	2	2	-	61	30	16	6	9
155	36	64	26	29	-	-	-	-	-	67	23	40	3	1
23	6	10	-	7	-	-	-	-	-	3	1	1	1	-
155	48	46	38	23	7	3	2	2	-	110	56	39	9	6
40	24	...	16	...	3	2	-	1	...	12	10	...	2	...
34	13	5	8	8	-	-	-	-	-	6	1	5	-	-
12	...	2	...	10	-	...	-	...	-	4	...	2	...	2
1	...	-	...	1	-	...	-	...	-	-	...	-
4	...	-	...	4	-	...	-	...	-	-	...	-
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1

Table 1-27. Deaths From 281 Selected Causes, by Color.

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH		UNITED STATES					
		Total		White		All other	
		Both sexes	Male	Female	Male	Female	Male
01	ABORTIONS.....640-645	36	---	36	---	15	---
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640-641	8	---	8	---	5	---
03	ABORTION INDUCED FOR OTHER REASONS.....642	11	---	11	---	2	---
04	SPONTANEOUS ABORTION.....643	3	---	3	---	1	---
05	OTHER AND UNSPECIFIED ABORTIONS.....644-645	14	---	14	---	7	---
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670-671,673	98	---	98	---	64	---
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630-633-635-654-662-672,674-678	124	---	124	---	72	---
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	2	---	2	---	1	---
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	2,022	790	1,232	626	959	164
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	482	237	245	191	204	46
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,540	553	987	435	755	118
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	5,080	1,615	3,465	1,402	2,990	213
13	ARTHRITIS AND SPONDYLITIS.....710-715	2,043	669	1,374	602	1,273	67
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	231	76	155	64	118	12
15	OSTEOHYELITIS AND PERIOSTITIS.....720-728	168	86	82	73	72	13
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	149	51	98	48	92	3
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	2,489	733	1,756	615	1,435	118
18	XIV. CONGENITAL ANOMALIES.....	14,062	7,559	6,503	6,404	5,446	1,155
19	SPINA BIFIDA.....741	592	254	338	226	314	28
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742-743	2,171	1,067	1,104	914	961	153
21	CONGENITAL ANOMALIES OF HEART.....746	5,841	3,195	2,646	2,730	2,185	465
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,123	625	498	516	411	109
23	CLEFT PALATE AND CLEFT LIP.....749	23	13	10	11	8	2
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	4,312	2,405	1,907	2,007	1,567	398
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	30,503	17,806	12,697	13,089	9,097	4,717
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	30,399	18,203	12,196	12,761	8,413	5,442
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,386	519	867	404	719	115
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	29,013	17,684	11,329	12,357	7,694	5,327
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	166,454	117,860	48,594	94,592	41,060	23,268
30	ACCIDENTS.....E800-E949	115,821	80,469	35,352	67,853	30,650	12,616
31	RAILWAY ACCIDENTS.....E800-E807	789	597	92	71	149	21
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	55,511	39,941	15,570	34,370	13,611	5,571
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	54,347	39,052	15,295	33,587	13,368	5,465
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,194	843	351	762	310	81
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	20,521	13,824	6,697	12,267	6,042	1,557
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,991	6,274	2,717	4,795	2,216	1,479
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	6,886	5,491	1,395	4,865	1,240	626
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9,773	7,702	2,071	6,656	1,752	1,046
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	6,982	4,918	2,064	4,242	1,808	676
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,164	889	275	783	243	106
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	293	177	116	163	109	14
42	WATER TRANSPORT ACCIDENTS.....E830-E838	1,725	1,561	164	1,290	147	271
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,668	1,407	261	1,376	252	31
44	ACCIDENTAL POISONING.....E850-E877	5,335	3,571	1,764	2,923	1,433	648
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2,444	1,526	918	1,222	751	304
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,239	828	411	659	330	169
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,652	1,217	435	1,042	352	175
48	ACCIDENTAL FALLS.....E880-E887	16,506	8,307	8,199	7,348	7,718	959
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,270	2,992	1,278	2,567	1,150	425
50	FALL ON SAME LEVEL.....E885-E886	662	296	366	273	350	23
51	OTHER AND UNSPECIFIED FALLS.....E887	11,574	5,019	6,555	4,508	6,218	511
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6,503	3,895	2,608	2,870	1,910	1,025
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	7,152	5,983	1,169	4,471	932	1,512
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	3,013	1,780	1,233	1,460	991	320
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,618	2,269	349	1,754	254	515
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	5,883	5,333	550	4,738	451	595
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	133	99	34	72	22	27
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	512	414	98	358	76	56
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	279	168	111	129	83	39
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,149	1,085	64	1,018	56	67
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3,810	3,567	243	3,161	214	406
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,525	1,861	1,664	1,627	1,457	234
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	5,300	3,687	1,613	2,914	1,314	773
64	SUICIDE.....E950-E959	25,118	18,108	7,010	16,823	6,589	1,285
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,783	1,459	2,324	1,379	2,196	80
66	SUICIDE FROM POISONING BY GASES.....E951,E952	2,473	1,690	783	1,659	776	31
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,548	2,671	877	2,426	827	245
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	13,317	11,057	2,260	10,275	2,100	782
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	1,997	1,231	766	1,084	690	147
70	HOMICIDE.....E960-E978	20,465	15,840	4,625	7,411	2,575	8,429
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	13,752	11,168	2,584	5,001	1,352	6,167
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3,254	2,510	744	1,087	382	1,423
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	3,083	1,793	1,290	1,137	839	656
74	LEGAL EXECUTION.....E978	-	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	376	369	7	186	2	183
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,030	3,423	1,607	2,487	1,246	936
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	20	20	-	18	-	2

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
4	...	1	...	3	-	...	-	...	-	1	...	1	...	-
3	...	1	...	2	-	...	-	...	-	2	...	1	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
55	14	23	6	12	2	-	-	1	1	18	9	5	2	2
17	5	7	2	3	-	-	-	-	-	8	5	1	1	1
38	9	16	4	9	2	-	-	1	1	10	4	4	1	1
103	24	53	11	15	4	1	1	1	1	73	16	49	3	5
37	10	19	4	4	1	-	-	1	-	33	7	24	-	2
6	-	3	1	2	-	-	-	-	-	4	1	2	1	-
3	1	1	-	1	1	1	-	-	-	1	-	1	-	-
2	-	2	-	-	1	-	-	-	-	2	1	1	-	-
55	13	28	6	8	1	-	1	-	-	33	7	21	2	3
230	87	75	37	31	20	8	7	2	3	153	68	64	12	9
8	3	5	-	-	1	-	1	-	-	3	-	3	-	-
37	17	13	3	4	1	-	1	-	-	11	6	2	2	1
110	45	34	17	14	11	5	3	1	2	69	32	26	6	5
3	2	1	-	-	-	-	-	-	-	17	11	6	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
71	19	22	17	13	7	3	2	1	1	53	19	27	4	3
663	235	145	141	142	70	32	20	13	5	270	123	99	26	22
1,979	557	330	605	487	36	9	10	8	9	314	126	80	70	38
56	11	28	4	13	9	1	2	1	5	17	7	7	1	2
1,923	546	302	601	474	27	8	8	7	4	297	119	73	69	36
3,527	1,750	641	889	247	432	216	50	116	50	2,205	1,275	468	346	116
2,654	1,339	524	610	179	340	169	37	96	38	1,583	918	329	255	81
26	15	1	10	-	-	15	-	6	-	15	9	-	6	-
1,399	781	272	279	67	72	38	16	12	6	892	485	192	154	61
1,369	762	263	277	67	72	38	16	12	6	869	471	187	151	60
36	16	15	3	2	-	-	-	-	-	9	7	1	1	-
473	267	116	70	20	5	3	2	-	-	364	214	94	35	21
194	87	25	66	16	5	1	1	3	-	156	68	28	45	15
100	63	20	16	1	6	4	-	2	-	87	58	14	12	3
307	189	44	60	14	9	4	-	1	4	187	111	39	27	10
259	140	43	62	14	47	26	13	6	2	66	13	11	31	11
30	19	9	2	-	-	-	-	-	-	23	14	5	3	1
5	4	-	1	-	-	-	-	-	-	11	7	1	3	-
40	24	3	13	-	23	14	1	8	-	2	2	-	-	-
25	23	2	-	-	44	38	3	2	1	53	46	6	1	-
80	29	18	22	11	21	9	3	2	7	61	42	12	6	1
25	5	8	7	5	9	2	2	1	4	28	21	6	-	-
27	10	6	9	2	2	1	-	-	1	24	15	6	3	-
28	14	4	6	4	10	6	1	1	2	9	6	3	-	-
252	89	110	36	17	16	7	5	3	3	104	56	35	12	1
40	26	6	7	1	5	2	-	3	-	33	20	3	9	-
6	1	2	2	1	-	-	-	-	-	2	1	-	-	-
206	62	102	27	15	11	5	1	2	3	49	35	31	3	-
182	47	32	58	45	24	4	1	14	5	49	27	11	8	3
174	80	16	68	10	48	18	3	24	3	111	70	22	18	1
41	14	11	10	6	13	4	2	3	4	42	19	15	4	4
131	70	9	44	8	20	8	1	10	1	42	33	5	3	1
127	93	3	27	4	19	9	3	7	-	84	74	6	3	1
4	1	-	3	-	-	-	-	-	-	2	2	-	-	-
8	5	-	1	2	2	-	-	2	-	21	19	1	1	-
5	2	1	1	1	-	-	-	-	-	4	2	2	-	-
28	23	1	4	-	1	1	-	-	-	17	17	-	-	-
82	62	1	18	1	16	8	3	5	-	40	34	3	2	1
37	15	17	3	2	1	-	-	1	-	35	12	18	3	2
135	55	32	39	9	39	20	3	8	8	82	36	6	34	6
341	235	71	29	6	56	30	6	14	6	329	220	70	30	9
23	5	15	2	1	3	2	-	-	1	41	15	21	1	4
8	7	1	-	-	1	1	-	-	-	15	12	3	-	-
25	18	3	1	3	4	1	1	2	3	27	17	6	4	-
270	199	47	21	3	46	25	4	12	5	227	162	38	23	4
15	6	5	3	1	2	1	1	-	-	19	14	2	2	1
508	164	42	243	59	27	14	4	4	5	207	93	42	53	19
386	127	25	185	47	18	11	3	3	1	128	65	21	32	10
75	18	7	47	5	3	2	1	1	2	35	15	6	11	3
41	16	9	7	7	3	-	-	-	-	43	12	15	10	6
6	3	1	2	-	-	-	-	-	-	1	1	-	-	-
24	12	2	7	3	9	3	3	2	1	85	44	27	7	7
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	22,156	10,436	7,353	2,469	1,898
02 I. INFECTIVE AND PARASITIC DISEASES.....	201	96	54	35	16
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	1	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	34	13	12	4	5
09 TUBERCULOSIS, ALL FORMS.....010-019	56	29	12	11	4
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	44	24	7	9	4
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	2	1	-	1	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	3	2	1	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	7	2	4	1	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	3	1	-	-
25 TETANUS.....037	2	-	2	-	-
26 SEPTICEMIA.....038	63	31	15	14	3
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	9	3	4	2	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	3	1	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	2	1	-	-	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	10	7	2	-	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	1	1	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	2	-	1	1	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	2	-	1	1	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	13	4	4	3	2
58 II. NEOPLASMS.....	3,705	1,840	1,244	355	266
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	3,647	1,813	1,222	349	263
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	61	31	20	6	4
61 OF LIP.....140	1	1	-	-	-
62 OF TONGUE.....141	10	5	2	2	1
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	22	9	9	3	1
64 OF PHARYNX.....146-149	28	16	9	1	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	900	392	346	93	79
66 OF ESOPHAGUS.....150	47	21	10	12	4
67 OF STOMACH.....151	172	72	49	31	20
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	2	3	-	1
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	328	122	160	14	32
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	32	9	20	1	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	8	4	3	-	1
72 DESCENDING COLON.....153.2	6	3	3	-	-
73 SIGMOID COLON.....153.3	27	12	12	3	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	247	91	120	10	26
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	8	3	2	-	3
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	78	38	25	11	4
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	20	13	5	-	2
78 OF GALLBLADDER AND BILE DUCTS.....156	36	10	23	2	1
79 OF PANCREAS.....157	196	100	67	18	11
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	17	4	4	5	4
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	881	661	122	88	10
82 OF LARYNX.....161	30	25	1	3	1
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	839	631	119	81	8
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	12	5	2	4	1
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	338	72	226	3	37
86 OF BONE.....170	23	16	4	1	2
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	4	2	-	1
88 OF SKIN.....172,173	73	49	19	2	3
89 OF BREAST.....174	235	3	201	-	31

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		ARKANSAS				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	464	177	160	62	65
02	OF CERVIX UTERI.....180	71	...	45	...	26
03	OF OTHER PARTS OF UTERUS.....181,182	62	...	40	...	22
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	87	...	70	...	17
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	5	...	5
06	OF PROSTATE.....185	230	169	...	61	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	9	...	8
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	147	83	43	12	9
09	OF BLADDER.....188	86	47	26	5	...
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	61	36	17	7	1
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	485	214	175	48	48
12	OF EYE.....190	3	...	3
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	86	61	36	7	2
14	OF THYROID GLAND.....193	8	5	2	1	...
15	OTHER.....194-199	388	168	134	40	46
16	LEUKEMIA.....204-207	152	88	47	13	4
17	LYMPHATIC LEUKEMIA.....204	45	24	12	5	4
18	MYELOID LEUKEMIA.....205	66	39	24	3	...
19	MONOCYTIC LEUKEMIA.....206	6	5	1
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	35	20	10	5	...
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	219	105	83	24	7
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	70	30	31	8	1
23	HODGKIN'S DISEASE.....201	32	18	10	3	...
24	MULTIPLE MYELOMA.....203	64	30	20	9	5
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	53	27	22	4	...
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	58	27	22	6	3
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	4	1	3
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	10	7	2	...	1
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	31	12	14	4	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	13	7	3	2	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	491	150	218	49	74
34	NONTOKIC GOITER.....240,241
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	2	...	1	...	1
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	2	...	2
37	DIABETES MELLITUS.....250	419	129	186	43	61
38	DISEASES OF PITUITARY GLAND.....253	2	...	2
39	DISEASES OF THYROID GLAND.....254	1
40	DISEASES OF ADRENAL GLAND.....255	1	...	1
41	NIACIN DEFICIENCY.....262
42	OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2	...	11
43	CYSTIC FIBROSIS.....273.0	3	2	1	3	7
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	33	11	14	3	5
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	53	24	14	10	5
46	ANEMIAS.....280-285	36	16	10	7	3
47	DEFICIENCY ANEMIAS.....280,281	5	1	3	...	1
48	HEMOLYTIC ANEMIAS.....282,283	8	1	...	5	2
49	APLASTIC ANEMIA.....284	9	7	1	1	...
50	OTHER AND UNSPECIFIED ANEMIAS.....285	14	7	6	1	...
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	7	3	3	...	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	10	5	1	3	1
53	V. MENTAL DISORDERS.....	56	27	14	6	9
54	SENILE AND PRESENILE DEMENTIAS.....290	2	1	1
55	ALCOHOLIC PSYCHOSES.....291	2	1	1
56	ALL OTHER PSYCHOSES.....294-299	2	1	1
57	ALCOHOLISM.....303	29	17	3	6	3
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	19	7	9	...	3
59	MENTAL RETARDATION.....310-315	2	2
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	156	74	46	21	15
61	MENINGITIS.....320	26	8	5	6	7
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	9	7	1	1	...
63	MULTIPLE SCLEROSIS.....340	10	4	5	...	1
64	PARALYSIS AGITANS.....342	22	8	12	1	1
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	13	9	1	2	1
66	EPILEPSY.....345	20	7	5	7	1
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374	1	1
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	54	31	17	4	2
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	12,098	5,546	4,382	1,169	1,031
73	ACTIVE RHEUMATIC FEVER.....390-392	1	...	1
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	86	39	33	8	6
75	DISEASES OF MITRAL VALVE.....394	17	7	6	...	4
76	DISEASES OF AORTIC VALVE.....395	25	15	7	3	...
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	...	3	1	...
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	40	17	17	4	2
79	HYPERTENSIVE DISEASE.....400-404	247	65	92	50	40
80	MALIGNANT HYPERTENSION.....400	15	1	4	5	5
81	ESSENTIAL BENIGN HYPERTENSION.....401	10	2	2	2	4
82	HYPERTENSIVE HEART DISEASE.....402	92	19	31	21	21
83	HYPERTENSIVE RENAL DISEASE.....403	61	16	26	13	6
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	69	27	29	9	4

SECTION 1 - GENERAL MORTALITY

1-261

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3,699	1,530	1,862	154	153	400	220	171	3	6	615	280	304	16	15
494	...	425	...	69	39	...	37	...	2	54	...	51	...	3
490	...	453	...	37	44	...	43	...	1	81	...	76	...	5
946	...	906	...	40	89	...	87	...	2	167	...	162	...	5
85	...	78	...	7	5	...	4	...	1	17	...	15	...	2
1,587	1,437	...	150	...	210	207	...	3	...	282	266	...	16	...
97	93	...	4	...	13	13	14	14
1,453	914	450	60	29	144	91	49	3	1	265	173	82	7	...
879	582	249	32	16	73	48	23	1	1	153	100	45	6	...
574	332	201	28	13	71	43	26	2	...	112	73	37	1	...
2,986	1,308	1,431	145	102	293	147	136	3	7	518	249	244	17	8
32	16	15	1	...	3	2	1	4	...	3	1	...
824	403	363	32	26	75	40	35	112	61	47	3	...
105	27	70	3	5	13	6	7	11	4	7
2,025	862	983	109	71	202	99	93	3	7	391	184	187	13	7
1,294	711	497	49	37	128	74	49	4	1	228	119	103	4	2
372	211	135	15	11	40	28	11	1	...	66	40	22	4	...
643	352	247	23	21	63	35	26	1	1	104	45	57	...	2
28	12	10	3	3	4	1	3	8	4	4
251	136	105	8	2	21	10	9	2	...	50	30	20
1,864	904	821	72	67	169	88	79	1	1	302	153	132	10	7
682	328	308	25	21	64	30	33	1	...	101	51	42	4	...
228	132	86	9	1	22	14	8	47	28	17	2	...
455	199	205	23	28	48	22	25	...	1	80	39	37	1	...
499	245	222	15	17	35	22	13	74	35	36	3	...
474	215	209	26	24	50	17	31	1	1	86	52	32	...	2
16	...	11	...	5
98	41	44	7	6	11	3	7	8	...	3	...	1
88	38	36	10	4	8	5	3	11	8	3
1	...	1	1	...	1
197	98	88	5	6	19	4	15	44	26	17	...	1
74	38	29	4	3	10	5	4	...	1	23	14	9
3,257	1,243	1,997	184	233	380	158	208	7	7	626	252	343	12	19
2	1	1	1	...	1
17	2	12	1	2	1	...	1	5	...	4
26	7	18	...	1	6	1	5	9	...	8
2,498	937	1,217	150	194	289	126	151	5	7	519	203	291	10	15
28	10	12	2	4	1	...	1	5	2	3
3	2	1	2	...	1
30	13	13	1	3	5	2	3	4	3	1
...
259	93	142	16	8	28	8	20	25	10	15
37	19	18	6	2	4	10	8	2
357	159	165	14	19	41	18	21	2	...	49	26	19	2	2
404	153	195	32	24	64	30	30	2	2	65	21	35	8	1
239	92	114	22	11	35	14	18	1	2	39	12	22	4	1
30	12	17	1	...	7	5	2	9	3	6
59	13	22	14	10	5	1	2	1	1	6	...	2	3	1
94	52	37	4	1	16	4	11	...	1	18	7	10	1	...
56	15	38	3	...	7	...	3	6	2	4
41	14	21	3	3	6	4	1	9	2	6	1	...
124	47	69	7	10	23	11	11	1	...	17	7	7	3	...
825	455	262	79	29	118	71	41	2	4	170	99	43	22	6
78	30	44	1	3	10	3	7	12	5	4	2	1
50	35	8	7	...	5	5	9	7	1
30	8	18	1	3	6	3	3	2	1	1
387	240	96	38	13	76	52	18	2	4	113	72	21	17	3
262	136	88	29	9	19	6	13	30	12	15	2	1
18	6	8	3	1	2	2	4	2	1	...	1
1,588	791	641	85	71	245	123	115	3	4	234	125	95	10	4
119	52	45	14	8	12	5	6	1	...	12	7	3	2	...
69	44	17	6	2	14	12	2	9	8	...	1	...
144	48	82	2	12	20	6	14	21	5	13	1	2
378	203	164	7	4	53	25	28	65	39	26
54	30	17	6	1	13	10	3	8	5	3
136	62	40	21	13	16	8	8	19	6	7	5	1
1	...	1
2	1	...	1
13	5	6	1	1	1	...	1
672	346	269	27	30	116	57	53	2	4	100	55	43	1	1
89,919	43,527	40,410	3,390	2,592	9,484	4,904	4,306	146	128	14,576	7,302	6,786	254	234
20	13	6	1	2	2
1,563	633	836	64	30	190	76	109	2	3	229	87	131	5	6
458	153	284	13	8	61	18	41	1	1	47	14	31	1	1
491	249	202	33	7	38	23	14	...	1	67	34	28	1	4
54	21	33	10	4	6	13	3	10
560	210	317	18	15	81	31	48	1	1	102	86	62	3	1
1,423	545	688	98	92	160	62	94	4	2	193	94	104	10	5
86	29	29	13	15	8	2	6	9	6	2	1	...
65	23	38	2	16	4	6	9	1	1	6	4	1	1	...
634	215	329	27	53	40	13	25	1	1	83	25	48	5	5
384	174	167	28	15	43	20	20	2	1	63	37	24	2	...
254	104	125	18	7	53	21	32	32	12	19	1	...

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		ARKANSAS				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	6,973	3,548	2,327	597	501
02	WITH HYPERTENSIVE DISEASE (.01).....	751	241	246	120	144
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	6,222	3,307	2,081	477	357
04	ACUTE MYOCARDIAL INFARCTION.....410	4,236	2,399	1,246	339	252
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	16	7	2	4	3
06	CHRONIC ISCHEMIC HEART DISEASE.....412	2,718	1,140	1,078	254	246
07	ANGINA PECTORIS.....413	3	2	1	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	861	386	256	130	89
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	3	2	1	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	3	1	-	1	1
11	CHRONIC DISEASE OF ENDOCARDIUM.....424-1	8	2	1	2	3
12	OF MITRAL VALVE, NONRHEUMATIC.....424-0	1	-	1	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424-1	1	-	-	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424-9	6	1	-	-	-
15	SYMPTOMATIC HEART DISEASE.....427	473	193	173	62	43
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	41	15	13	7	6
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	333	173	68	58	34
18	CEREBROVASCULAR DISEASES.....430-438	3,077	1,136	1,301	312	328
19	WITH HYPERTENSION (BENIGN) (.01).....	283	74	94	52	63
20	WITHOUT MENTION OF HYPERTENSION (.9).....	2,794	1,062	1,207	260	265
21	SUBARACHNOID HEMORRHAGE.....430	57	15	30	4	8
22	CEREBRAL HEMORRHAGE.....431	419	141	181	49	48
23	CEREBRAL THROMBOSIS.....433	567	204	232	57	74
24	CEREBRAL EMBOLISM.....434	7	4	1	1	1
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	37	20	14	2	1
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,481	536	611	170	164
27	OTHER CEREBROVASCULAR DISEASES.....437,438	509	216	232	29	32
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	624	276	247	49	52
29	ARTERIOSCLEROSIS.....440	327	130	145	27	25
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	145	92	32	13	8
31	GANGRENE.....445	37	10	15	6	6
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	115	44	55	3	13
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	229	96	95	23	15
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	198	81	86	18	13
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	31	15	9	5	2
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,202	711	315	119	57
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	3	1	1	1	-
38	ACUTE BRONCHITIS AND BRONCHOLITIS.....466	10	4	3	2	1
39	INFLUENZA.....470-474	43	15	17	5	6
40	PNEUMONIA.....480-486	584	282	184	76	42
41	VIRAL PNEUMONIA.....480	22	7	9	2	4
42	BACTERIAL PNEUMONIA.....481,482	58	32	19	7	-
43	ACUTE INTERSTITIAL PNEUMONIA.....484	7	3	3	1	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	139	73	43	20	3
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	358	167	110	46	35
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	302	224	54	20	4
47	BRONCHITIS, UNQUALIFIED.....490	4	2	1	1	-
48	CHRONIC BRONCHITIS.....491	49	40	8	1	-
49	EMPHYSEMA.....492	231	172	40	16	3
50	ASTHMA.....493	18	10	5	2	1
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52	EMPYEMA AND ABSCESS OF LUNG.....510-513	5	3	-	2	-
53	PLEURISY.....511	-	-	-	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	32	20	10	2	-
55	BRONCHIECTASIS.....518	8	2	6	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	215	160	40	11	4
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	584	285	194	65	40
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	60	39	16	4	1
60	ULCER OF STOMACH.....531	28	15	10	2	1
61	ULCER OF DUODENUM.....532	25	17	6	2	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	7	7	-	-	-
63	GASTRITIS AND DUODENITIS.....535	4	1	3	-	-
64	APPENDICITIS.....540-543	14	5	2	5	2
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	65	21	29	8	7
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67	DIVERTICULA OF INTESTINE.....562	26	10	13	2	1
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	11	9	2	-	-
69	CIRRHOSIS OF LIVER.....571	192	107	58	13	14
70	ALCOHOLIC.....571.0	55	37	10	5	3
71	OTHER SPECIFIED.....571.8	27	14	10	1	2
72	UNSPECIFIED.....571.9	110	56	38	7	9
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	37	15	18	3	1
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	175	78	53	30	14
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	345	124	111	61	49
76	NEPHRITIS AND NEPHROSIS.....580-584	135	46	36	23	30
77	ACUTE NEPHRITIS.....580	22	7	9	3	3
78	NEPHROTIC SYNDROME.....581	7	3	2	-	2
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	106	36	25	20	25
80	INFECTIONS OF KIDNEY.....590	85	26	39	14	6
81	CALCULI OF URINARY SYSTEM.....592,594	3	2	1	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	88	33	30	15	10
83	HYPERPLASIA OF PROSTATE.....600	22	14	-	8	-
84	DISEASES OF BREAST.....610,611	-	-	-	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	12	3	5	1	3
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	8	...	1	...	7
87	ECTOPIC PREGNANCY.....631	-	...	-	...	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	2	...	-	...	2
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	-	...	1

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	Total	ARKANSAS			
		White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	1	...	-	...	1
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	1	...	-	...	1
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	1	...	1
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	-	...	2
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	18	7	8	3	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	1	1	1	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	15	6	7	2	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	55	29	14	5	7
13 ARTHRITIS AND SPONDYLITIS.....T10-T15	25	13	7	2	3
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....T16-T18	3	-	1	1	1
15 OSTEOMYELITIS AND PERIOSTITIS.....T20	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....T27, T35-T38	2	1	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....T21-T26, T28-T34	24	14	5	2	3
18 XIV. CONGENITAL ANOMALIES.....	139	56	42	21	20
19 SPINA BIFIDA.....741	2	-	1	-	1
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	24	6	11	4	3
21 CONGENITAL ANOMALIES OF HEART.....746	53	24	14	5	10
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	6	3	1	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	54	23	15	10	6
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	367	146	98	70	53
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	773	283	200	160	130
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	92	13	23	26	30
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	681	270	177	134	100
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,925	1,038	428	320	119
30 ACCIDENTS.....E800-E949	1,448	792	346	215	95
31 RAILWAY ACCIDENTS.....E800-E807	12	7	-	5	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	676	390	156	83	47
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	668	385	153	83	47
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	17	13	4	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	147	90	34	14	9
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	76	39	10	18	9
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	30	18	7	4	1
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	69	46	7	8	8
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	329	179	91	39	20
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	8	5	3	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	6	5	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	33	26	2	2	3
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	22	19	2	1	-
44 ACCIDENTAL POISONING.....E850-E877	55	23	17	10	5
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	24	8	10	5	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	10	4	3	1	2
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	21	4	4	2	2
48 ACCIDENTAL FALLS.....E880-E887	145	56	74	10	3
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	19	10	5	4	-
50 FALL ON SAME LEVEL.....E885-E886	4	2	2	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	122	46	67	6	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	110	36	32	23	19
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	102	59	10	31	2
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	39	20	11	6	2
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	56	40	4	10	2
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	67	47	6	9	5
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	-	1	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	5	5	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	3	1	1	1	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	17	9	2	2	4
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	41	32	2	6	1
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	28	14	10	2	2
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	97	48	21	23	5
64 SUICIDE.....E950-E959	212	153	47	12	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	11	4	5	2	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	11	3	2	6	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	20	16	2	2	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	160	123	31	6	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	10	4	6	-	-
70 HOMICIDE.....E960-E978	188	68	21	77	22
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	159	58	17	65	19
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	14	4	1	7	2
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	13	5	3	4	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	1	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	56	24	14	16	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
1	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	-	...	-	-	...	-	...	-	-	...	-	...	-
8	...	7	...	1	2	...	2	...	-	-	...	-	...	-
14	...	11	...	3	-	...	-	...	-	3	...	3	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
141	46	76	10	9	13	5	7	1	-	27	10	16	1	-
44	15	23	4	2	4	2	1	1	-	7	2	5	-	-
97	31	53	6	7	9	3	6	-	-	20	8	11	1	-
476	121	303	17	35	93	25	64	1	3	60	16	41	2	1
193	50	133	4	6	43	18	24	-	1	15	4	11	-	-
15	7	6	-	2	5	-	5	-	-	2	-	1	-	1
13	7	5	1	-	2	-	2	-	-	3	-	3	-	-
14	3	11	-	-	3	-	3	-	-	3	1	2	-	-
241	54	148	12	27	40	7	30	1	2	37	11	24	2	-
1,350	670	518	84	78	166	76	84	4	2	164	79	64	13	8
38	16	19	2	1	10	6	4	-	-	9	4	4	1	-
211	93	98	13	7	17	9	8	-	-	28	9	15	2	2
564	284	211	33	36	78	27	48	2	1	67	42	15	6	4
137	61	59	6	11	16	8	7	1	-	12	6	5	1	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
398	215	130	30	23	44	26	16	1	1	48	18	25	3	2
2,150	1,031	684	272	163	347	183	135	18	11	299	128	114	31	26
698	341	245	68	44	268	142	91	22	13	211	93	94	13	11
25	7	18	-	-	12	4	8	-	-	5	2	3	-	-
673	334	227	68	44	256	138	83	22	13	206	91	91	13	11
17,477	10,461	4,896	1,533	587	2,004	1,339	580	57	28	1,636	1,027	468	115	26
11,544	7,072	3,260	850	362	1,367	920	405	25	17	1,150	735	333	67	15
52	43	4	5	-	10	-	-	-	-	-	-	-	-	-
5,189	3,408	1,288	341	152	663	444	177	13	9	550	384	129	32	5
5,044	3,300	1,259	335	150	644	446	176	13	9	549	383	129	32	5
72	52	13	5	2	24	15	8	-	1	-	-	-	-	-
2,037	1,283	581	110	63	200	131	59	6	4	160	106	48	5	1
857	524	222	79	32	85	58	25	-	2	102	63	7	-	-
904	629	177	73	25	39	24	13	1	1	132	102	16	13	1
979	685	213	56	25	114	84	26	3	1	50	35	9	4	2
195	127	53	12	3	182	134	45	1	2	105				

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,920	2,270	1,850	456	344
02 I. INFECTIVE AND PARASITIC DISEASES.....	30	10	13	5	2
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	-	1	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIAPYREAL DISEASES.....008,009	2	-	1	1	-
09 TUBERCULOSIS, ALL FORMS.....010-019	8	4	-	3	1
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	4	2	-	2	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	-	-	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	3	2	-	1	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	1	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	9	3	6	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	1	-	1	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	4	1	2	1	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	1	-	-	-	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	-	-	-	1
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	1	1	-	-
58 II. NEOPLASMS.....	942	417	375	92	58
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	928	411	368	92	57
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	20	14	3	3	-
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	3	2	1	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	11	8	1	2	-
64 OF PHARYNX.....146-149	6	4	1	1	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	245	99	98	25	23
66 OF ESOPHAGUS.....150	20	9	1	8	2
67 OF STOMACH.....151	37	19	9	6	3
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	-	-	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	101	42	43	6	10
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	14	8	4	-	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	3	1	1	-	1
72 DESCENDING COLON.....153.2	1	-	1	-	-
73 SIGMOID COLON.....153.3	17	10	5	2	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	60	21	28	4	7
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	6	2	4	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	29	12	16	-	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	4	2	2	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	9	1	8	-	-
79 OF PANCREAS.....157	41	12	18	5	6
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	4	2	1	-	1
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	224	151	33	34	6
82 OF LARYNX.....161	4	3	-	1	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	212	141	32	33	6
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	8	7	1	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	115	9	92	3	11
86 OF BONE.....170	5	3	1	1	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	1	3	2	-
88 OF SKIN.....172,173	6	4	3	-	-
89 OF BREAST.....174	97	1	85	-	11

SECTION 1 - GENERAL MORTALITY

1-267

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA						
Total	White		All other		Total	White		All other		Total	White		All other			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
8,068	1,339	1,552	2,980	2,197	87,938	44,425	31,857	6,634	5,022	43,871	17,686	13,125	7,019	6,041	01	
100	14	2	49	35	670	268	183	148	71	457	136	111	116	94	02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07	
9	1	1	3	4	88	24	37	19	8	71	15	18	22	16	08	
37	4	-	19	14	202	89	22	77	14	96	40	9	30	17	09	
32	3	-	17	12	154	62	19	60	13	72	33	6	24	9	10	
1	-	-	1	-	4	1	-	4	-	2	1	-	-	2	11	
1	-	-	-	-	3	1	-	1	-	1	1	-	-	-	12	
2	-	-	-	-	9	3	-	6	-	8	1	-	4	4	13	
1	1	-	-	-	31	22	2	6	1	12	5	3	2	2	14	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	
1	-	-	-	1	17	3	13	1	-	10	4	3	3	-	23	
-	-	-	-	-	3	-	1	1	-	4	3	-	-	1	24	
26	4	-	14	8	187	81	55	28	23	135	36	34	30	35	25	
6	2	-	3	1	23	9	11	3	-	18	5	9	2	2	26	
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	
1	1	-	-	-	2	2	-	-	-	1	-	-	1	-	29	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
-	-	-	-	-	10	4	5	-	1	11	4	4	3	-	33	
-	-	-	-	-	4	1	2	1	-	1	1	-	-	-	34	
2	-	-	-	2	31	14	9	5	3	29	6	10	8	5	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
2	1	-	1	-	30	14	10	2	4	29	6	13	5	5	37	
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	
1	-	1	-	-	25	9	2	9	5	16	3	-	6	7	42	
-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	43	
-	-	-	-	-	6	1	-	2	3	2	-	-	2	-	44	
-	-	-	-	-	14	7	1	6	-	8	1	-	3	4	45	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46	
1	-	1	-	-	-	-	-	-	-	3	-	-	-	1	47	
-	-	-	-	-	3	1	1	-	1	1	2	-	-	-	48	
-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	49	
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	50	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	56	
15	1	-	9	5	31	12	9	2	8	30	10	9	5	6	57	
1,563	255	310	588	410	16,676	8,622	6,330	989	735	6,591	2,779	2,124	907	781	58	
1,534	252	307	578	397	16,492	8,552	6,244	977	719	6,498	2,742	2,093	897	766	59	
64	15	7	34	8	453	284	119	40	10	180	95	45	27	13	60	
1	-	-	-	-	4	3	-	-	-	6	4	1	-	-	61	
12	3	1	7	1	108	70	26	8	4	40	18	11	9	2	62	
21	4	1	12	4	115	63	39	12	1	54	25	18	5	6	63	
30	8	4	15	3	226	148	54	20	4	80	48	15	13	4	64	
449	79	73	185	112	4,328	2,162	1,748	235	183	1,597	618	549	224	206	65	
79	10	2	58	9	287	156	72	46	13	150	60	25	53	12	66	
63	8	6	33	16	629	336	207	55	31	254	86	73	58	37	67	
2	-	-	-	-	29	16	9	3	1	6	2	1	1	3	68	
148	35	33	36	44	1,750	828	805	47	70	562	201	245	36	80	69	
19	2	7	5	5	192	83	91	8	10	57	19	28	1	9	70	
3	2	-	-	1	51	23	23	3	2	10	4	2	2	2	71	
3	-	-	3	-	36	24	10	-	2	15	4	7	1	3	72	
15	5	2	4	4	182	99	71	6	6	54	23	24	1	6	73	
106	26	24	24	32	1,221	564	580	29	48	406	145	173	30	58	74	
2	-	-	-	2	68	35	30	1	2	20	6	11	1	2	75	
43	7	9	14	13	440	222	180	23	15	131	56	42	18	15	76	
18	1	1	12	4	96	55	28	10	3	41	21	11	4	5	77	
8	1	5	-	2	168	65	90	2	11	49	16	24	2	7	78	
80	15	16	29	20	843	442	321	44	36	384	173	119	48	44	79	
8	-	1	3	4	86	42	36	5	3	20	5	8	4	3	80	
334	80	32	173	49	4,241	2,972	856	352	61	1,563	1,033	220	258	52	81	
24	6	3	13	2	172	119	26	23	4	79	53	7	17	2	82	
302	73	29	155	45	4,006	2,817	810	326	53	1,460	966	208	238	48	83	
8	1	-	5	2	63	36	20	3	4	24	14	5	3	2	84	
153	1	71	68	68	1,750	209	1,391	12	138	690	88	443	19	140	85	
5	1	1	3	3	85	47	30	4	4	37	18	8	5	6	86	
4	1	-	2	1	45	22	19	3	7	27	8	7	4	8	87	
9	5	2	2	-	227	132	82	6	7	111	58	41	8	4	88	
135	1	68	2	64	1,393	8	1,260	1	124	515	4	387	2	122	89	

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		DELAWARE				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	105	38	49	10	8
02	OF CERVIX UTERI.....180	19	...	14	...	5
03	OF OTHER PARTS OF UTERUS.....181,182	14	...	12	...	2
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	22	...	21	...	1
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	2	...	2
06	OF PROSTATE.....185	46	36	...	10	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	2	2
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	32	22	7	1	2
09	OF BLADDER.....188	19	13	4	1	1
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	13	9	3	...	1
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	116	41	58	12	5
12	OF EYE.....190	1	1
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	23	8	8	6	1
14	OF THYROID GLAND.....193	2	...	1	1	...
15	OTHER.....194-199	90	32	49	5	4
16	LEUKEMIA.....204-207	31	12	18	...	1
17	LYMPHATIC LEUKEMIA.....204	9	4	5
18	MYELOID LEUKEMIA.....205	13	5	7	...	1
19	MONOCYTIC LEUKEMIA.....206	2	...	2
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	7	3	4
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	43	25	10	4	1
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	5	5	3	1	...
23	HODGKIN'S DISEASE.....201	9	6	2	1	...
24	MULTIPLE MYELOMA.....203	13	10	2	...	1
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	9	4	3	2	...
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	14	6	7	...	1
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	1	...	1
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	9	4	5
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	4	2	1	...	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	163	61	70	12	20
34	NONTOTOXIC GOITER.....240,241
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	1
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	2	...	1	1	...
37	DIABETES MELLITUS.....250	144	52	63	10	19
38	DISEASES OF PITUITARY GLAND.....253
39	DISEASES OF THYMUS GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255
41	NIACIN DEFICIENCY.....262
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	8	4	3	1	...
43	CYSTIC FIBROSIS.....273.0	1	1
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	7	4	3
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	11	6	3	1	1
46	ANEMIAS.....280-285	7	3	2	1	1
47	DEFICIENCY ANEMIAS.....280,281	1	1
48	HEMOLYTIC ANEMIAS.....282,283	2	1	1
49	APLASTIC ANEMIA.....284	1	1
50	OTHER AND UNSPECIFIED ANEMIAS.....285	3	1	2
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	3	2	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	1	1
53	V. MENTAL DISORDERS.....	29	16	5	6	2
54	SENILE AND PRESENILE DEMENTIAS.....290
55	ALCOHOLIC PSYCHOSES.....291	3	1	...	2	...
56	ALL OTHER PSYCHOSES.....294-299
57	ALCOHOLISM.....303	25	14	5	4	2
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	1	1
59	MENTAL RETARDATION.....310-315
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	32	11	14	2	5
61	MENINGITIS.....320	4	1	2	1	...
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	1	1
63	MULTIPLE SCLEROSIS.....340
64	PARALYSIS AGITANS.....342	4	2	2
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	...	1
66	EPILEPSY.....345	4	1	2	...	1
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	18	6	7	1	4
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,646	1,199	1,079	193	175
73	ACTIVE RHEUMATIC FEVER.....390-392	1	1
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	40	17	20	1	2
75	DISEASES OF MITRAL VALVE.....394	11	2	9
76	DISEASES OF AORTIC VALVE.....395	9	7	...	1	1
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	2	1
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	16	6	10
79	HYPERTENSIVE DISEASE.....400-404	43	15	16	5	7
80	MALIGNANT HYPERTENSION.....400	2	1	...	1	...
81	ESSENTIAL BENIGN HYPERTENSION.....401	2	1	1
82	HYPERTENSIVE HEART DISEASE.....402	16	2	9	3	2
83	HYPERTENSIVE RENAL DISEASE.....403	12	5	5	1	1
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	11	6	2	...	3

SECTION 1 - GENERAL MORTALITY

1-269

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
198	17	43	62	76	1,952	875	759	147	171	855	243	284	148	180
32	---	8	---	24	234	---	166	---	68	182	---	94	---	88
30	---	13	---	17	240	---	193	---	47	106	---	61	---	45
52	---	21	---	31	405	---	362	---	43	157	---	119	---	38
5	---	1	---	4	51	---	38	---	13	19	---	10	---	9
79	17	---	62	---	979	840	---	139	---	368	227	---	141	---
---	---	---	---	---	43	35	---	8	---	23	16	---	7	---
56	10	20	16	10	794	515	212	43	24	259	123	78	38	20
35	8	12	7	8	483	320	118	28	17	149	68	46	26	9
21	2	8	9	2	311	195	94	15	7	110	55	32	12	11
158	26	28	62	42	1,563	779	617	91	76	748	266	268	111	103
---	---	---	---	---	21	7	14	---	---	5	3	2	---	---
21	4	3	5	9	474	244	186	22	22	172	81	60	17	14
1	1	---	---	---	35	10	23	---	2	14	4	7	2	1
136	21	25	57	33	1,033	518	394	69	52	557	178	199	92	88
47	5	11	17	14	578	316	205	30	27	283	129	90	35	29
10	1	2	4	3	187	113	61	7	6	85	43	24	8	10
25	3	3	11	8	247	129	91	16	11	128	64	40	13	11
1	---	1	---	---	11	4	2	---	---	5	1	2	---	---
11	1	5	2	3	133	70	46	7	10	65	21	24	12	8
75	12	22	23	18	833	440	337	27	29	323	147	116	37	23
18	2	7	1	8	296	161	125	5	5	91	44	34	9	4
14	1	4	8	1	109	55	48	3	3	50	31	16	2	1
23	3	6	7	7	219	106	84	13	16	99	30	38	20	11
20	6	5	7	2	209	118	80	6	5	83	42	28	6	7
29	3	3	10	13	184	70	86	12	16	93	37	31	10	15
1	---	---	---	---	14	---	7	---	7	6	---	3	---	3
4	---	1	1	2	32	8	19	2	3	14	3	6	3	2
4	1	1	1	1	37	19	13	3	2	11	4	3	1	3
---	---	---	---	---	2	---	2	---	---	---	---	---	---	---
14	2	---	7	5	62	26	31	5	---	47	22	17	3	5
6	---	1	1	4	37	17	14	2	4	15	8	2	3	2
210	17	33	59	101	1,901	683	824	149	245	986	251	334	146	255
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2	---	1	1	---	12	3	7	---	---	3	---	3	---	---
1	---	1	---	---	18	3	15	---	2	9	2	5	---	2
176	12	27	46	91	1,529	549	650	112	218	779	183	270	115	211
---	---	---	---	---	19	7	6	3	3	1	---	---	1	---
2	1	---	1	---	16	3	11	2	---	6	1	2	---	3
13	---	4	5	4	2	---	---	1	1	---	---	---	---	---
16	4	---	6	6	119	38	57	15	9	75	22	22	16	15
---	---	---	---	---	19	5	14	---	---	8	5	2	1	---
32	3	4	17	8	166	74	64	16	12	100	38	27	13	22
23	2	3	12	6	293	117	101	30	45	123	32	38	17	36
2	1	1	1	---	196	70	64	22	40	79	20	16	16	27
10	1	1	7	1	27	13	12	1	1	8	5	3	---	47
4	1	---	4	2	55	7	7	13	28	23	3	10	9	48
3	1	1	2	---	56	23	27	3	3	15	7	4	1	3
6	---	---	4	1	58	27	18	5	8	33	5	8	5	15
---	---	---	---	2	18	14	14	1	3	11	2	1	---	51
82	12	4	55	11	61	29	23	7	2	33	10	16	---	7
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
2	---	1	1	---	429	214	124	65	26	314	119	39	96	60
5	1	---	3	1	28	10	16	1	1	14	5	7	---	54
61	9	1	43	8	41	31	1	9	---	12	1	1	4	---
---	---	---	---	---	13	4	8	1	---	10	3	3	2	56
11	2	---	7	2	236	124	49	48	15	245	93	20	83	49
3	---	2	1	---	102	41	46	5	10	28	9	8	5	6
70	10	13	25	22	9	4	4	1	---	5	2	---	2	59
15	---	4	7	---	671	326	226	72	47	378	142	109	67	60
5	---	---	---	1	55	18	14	13	10	48	10	7	15	16
14	2	5	3	3	31	20	6	3	2	22	15	5	---	61
5	4	5	5	---	60	24	32	1	3	17	9	2	2	4
8	1	2	1	---	143	82	58	1	2	60	27	27	2	64
---	---	---	---	3	18	7	9	---	2	28	12	9	5	65
---	---	---	---	---	75	27	17	25	6	43	10	9	14	10
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
---	---	---	---	---	1	---	1	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
---	---	---	---	---	5	1	3	1	---	3	---	2	---	70
22	3	2	10	7	283	147	86	28	22	157	59	48	29	21
3,586	679	881	1,039	987	45,646	23,273	17,713	2,358	2,302	22,585	8,859	7,428	3,041	3,257
---	---	---	---	---	8	3	4	---	1	6	2	3	1	---
43	4	13	11	15	652	290	308	28	26	210	67	79	28	36
12	---	3	6	3	162	58	99	1	4	61	15	29	5	12
14	2	3	4	5	206	127	56	14	9	77	37	21	14	5
3	---	1	---	2	34	14	18	1	1	4	1	3	---	77
14	2	6	1	5	250	91	135	12	12	68	14	26	9	19
112	18	22	37	35	710	280	251	77	102	545	125	134	119	167
11	1	4	4	6	41	11	8	11	11	50	9	6	15	20
8	---	3	3	3	62	25	24	5	8	38	11	11	3	13
43	4	11	17	11	215	63	86	27	39	208	31	53	53	71
27	5	5	6	11	232	119	67	22	24	111	28	25	27	31
23	7	5	7	4	160	62	66	12	20	138	46	39	21	32

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH	Total	DELAWARE			
		White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,885	897	725	141	122
02 WITH HYPERTENSIVE DISEASE (.0).....	316	111	133	29	43
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,569	786	592	112	79
04 ACUTE MYOCARDIAL INFARCTION.....410	930	518	299	67	46
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	3	1	1	1	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	952	378	425	73	76
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	78	38	26	8	6
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	2	2	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	1	1	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	4	3	-	1	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	2	-	-	-
15 SYMPTOMATIC HEART DISEASE.....427	50	25	16	4	5
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	7	2	3	2	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	14	5	7	1	1
18 CEREBROVASCULAR DISEASES.....430-438	400	145	205	26	24
19 WITH HYPERTENSION (BENIGN) (.0).....	47	20	17	5	5
20 WITHOUT MENTION OF HYPERTENSION (.9).....	353	125	188	21	19
21 SUBARACHNOID HEMORRHAGE.....430	20	6	11	1	2
22 CEREBRAL HEMORRHAGE.....431	62	21	33	5	3
23 CEREBRAL THROMBOSIS.....433	106	41	57	5	3
24 CEREBRAL EMBOLISM.....434	3	1	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	12	3	7	-	2
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	114	45	50	10	9
27 OTHER CEREBROVASCULAR DISEASES.....437,438	83	28	45	5	5
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	138	66	61	4	7
29 ARTERIOSCLEROSIS.....440	70	26	39	2	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	42	26	11	2	3
31 GANGRENE.....445	6	4	2	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	20	10	9	-	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	61	20	26	8	7
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	56	18	24	7	7
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	5	2	2	1	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	248	127	67	35	19
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	1	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	2	1	-	1	-
39 INFLUENZA.....470-474	3	2	1	-	-
40 PNEUMONIA.....480-486	113	44	41	17	11
41 VIRAL PNEUMONIA.....480	-	-	-	-	-
42 BACTERIAL PNEUMONIA.....481,482	8	1	5	2	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	3	2	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	65	22	26	11	6
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	37	19	9	4	5
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	65	46	9	7	3
47 BRONCHITIS, UNQUALIFIED.....490	4	1	1	1	1
48 CHRONIC BRONCHITIS.....491	7	5	1	1	-
49 EMPHYSEMA.....492	52	40	7	4	1
50 ASTHMA.....493	2	-	-	1	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	1	1	2	2
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	4	4	-	-	-
55 BRONCHIECTASIS.....518	4	-	2	1	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	49	28	12	7	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	159	80	48	21	10
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	16	13	2	1	-
60 ULCER OF STOMACH.....531	8	5	2	1	-
61 ULCER OF DUODENUM.....532	6	4	-	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	2	2	-	-	-
63 GASTRITIS AND DUODENITIS.....535	2	2	-	-	-
64 APPENDICITIS.....540-543	1	1	-	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	9	4	4	-	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	5	1	3	1	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	3	-	3	-	-
69 CIRRHOSIS OF LIVER.....571	82	39	22	13	8
70 ALCOHOLIC.....571.0	27	15	3	6	3
71 OTHER SPECIFIED.....571.8	19	8	6	2	3
72 UNSPECIFIED.....571.9	36	16	13	5	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	4	2	2	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	37	18	12	6	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	72	32	24	5	11
76 NEPHRITIS AND NEPHROSIS.....580-584	33	11	13	3	6
77 ACUTE NEPHRITIS.....580	5	3	2	-	-
78 NEPHROTIC SYNDROME.....581	1	-	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	27	8	10	3	6
80 INFECTIONS OF KIDNEY.....590	8	3	5	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	2	1	-	-	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	22	13	5	1	3
83 HYPERPLASIA OF PROSTATE.....600	3	2	-	1	-
84 DISEASES OF BREAST.....610-611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	4	2	1	-	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	-	-	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

1-271

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,169	451	528	638	552	29,565	16,282	10,718	1,350	1,215	12,817	5,830	3,945	1,564	1,478
392	38	67	148	139	3,156	1,259	1,271	273	333	1,945	575	595	359	416
1,777	413	461	490	413	26,429	15,023	9,447	1,077	882	10,872	5,255	3,350	1,205	1,062
582	166	171	119	126	14,086	8,654	4,568	483	381	7,662	4,001	2,131	852	678
7	2	2	2	1	163	83	55	16	9	51	27	14	7	3
1,580	283	355	517	425	15,313	7,543	6,095	851	824	5,100	1,801	1,798	705	796
162	25	23	75	39	1,445	685	495	142	123	1,542	564	412	290	274
8	1	1	4	4	31	7	14	6	4	11	2	2	2	3
5	1	2	2	2	23	11	7	2	3	13	5	1	4	10
1	1	2	2	2	49	24	19	2	4	28	9	11	6	11
4	1	2	2	2	2	1	1	1	1	1	1	1	1	12
106	13	17	45	31	11	6	4	1	1	5	1	3	1	13
9	6	1	2	2	36	17	14	2	3	23	8	8	5	14
34	5	3	22	4	876	404	311	89	72	962	317	291	172	182
650	104	182	155	209	10,091	4,118	4,679	595	699	5,867	1,692	2,218	859	1,098
131	6	25	40	60	1,218	399	492	147	180	992	222	282	202	286
519	98	157	115	149	8,873	3,719	4,187	448	519	4,875	1,470	1,936	657	812
49	2	10	9	28	495	163	266	36	50	199	50	80	30	39
122	15	17	45	45	1,336	526	553	127	130	1,097	298	340	221	238
182	41	77	26	38	3,016	1,282	1,431	156	147	1,477	467	597	179	234
6	2	2	1	1	41	15	19	4	3	17	5	7	1	4
15	3	4	6	2	178	82	88	9	8	78	42	25	7	25
173	15	29	57	72	2,683	1,075	1,169	179	269	2,130	572	740	342	476
103	26	43	11	23	2,342	975	1,187	84	96	869	258	429	79	103
324	63	93	78	90	2,515	1,308	998	114	95	1,144	423	481	120	120
235	44	71	49	71	1,221	490	617	62	52	613	178	296	57	82
48	16	8	13	11	799	589	171	22	17	240	144	59	24	13
15	1	3	6	5	117	46	46	14	11	86	25	36	17	8
26	2	11	10	3	378	183	164	16	15	205	76	90	22	17
126	14	20	45	47	660	307	260	52	41	454	154	156	60	84
118	12	19	43	44	573	265	227	46	35	400	134	143	53	70
8	2	1	2	3	87	42	33	6	6	54	20	13	7	14
490	109	81	192	108	5,060	2,973	1,425	432	230	2,788	1,323	742	454	269
2	1	1	1	1	16	2	7	3	4	12	6	5	5	1
1	1	4	1	1	31	15	7	5	4	20	5	8	3	4
9	5	4	1	1	84	29	43	6	6	137	38	50	26	23
300	58	44	132	66	2,266	1,112	750	245	159	1,503	583	445	280	195
1	1	1	1	1	81	39	22	10	10	38	7	13	9	9
41	5	1	27	8	394	127	40	38	35	179	74	41	40	24
138	28	21	62	27	1,177	569	415	129	64	384	123	110	41	74
120	25	21	43	31	567	295	179	46	47	944	368	272	179	125
88	25	21	23	19	1,607	1,151	333	77	26	566	378	112	58	18
15	1	1	3	1	30	9	18	2	1	15	7	5	3	4
12	5	1	2	4	223	156	56	9	2	91	63	18	10	6
56	19	17	15	5	1,283	964	259	54	6	412	296	79	31	49
15	2	3	10	10	71	22	20	12	17	48	12	10	14	12
12	1	7	4	4	61	26	10	20	5	28	12	5	10	1
1	1	1	1	1	17	7	6	2	2	6	5	1	1	53
8	2	3	3	3	183	105	62	10	6	66	37	21	7	1
5	1	3	1	1	50	26	20	3	1	17	8	6	2	1
64	17	4	29	14	745	500	167	61	17	433	251	95	63	24
631	90	76	287	178	3,514	1,719	1,301	275	219	1,515	633	458	214	210
32	5	5	11	11	349	215	99	26	9	153	80	43	19	11
16	2	1	7	6	140	79	45	12	4	69	33	22	8	59
15	3	4	4	4	161	106	44	10	1	62	36	15	9	6
1	1	1	1	1	48	30	10	4	4	22	11	6	2	61
4	2	2	2	2	14	8	4	1	1	8	3	3	1	63
7	2	5	5	5	50	26	14	6	4	31	16	2	9	4
35	5	12	7	11	278	106	127	26	19	120	34	49	14	23
10	1	3	3	3	158	50	97	6	5	58	21	30	2	66
2	1	1	1	1	49	15	30	3	1	24	8	13	3	67
416	61	39	205	111	1,664	837	573	148	106	636	304	152	87	68
214	30	14	125	45	622	335	183	66	38	218	113	41	35	69
91	14	6	39	32	301	114	129	28	30	153	54	33	23	70
111	17	19	41	34	741	388	261	54	38	265	137	78	29	71
7	2	1	3	3	167	87	67	3	10	61	26	27	2	72
118	14	15	53	36	782	375	289	56	62	416	141	137	76	73
163	17	30	53	63	1,286	594	411	137	144	854	226	232	203	74
61	5	7	29	20	358	128	102	57	71	289	57	60	74	98
9	1	1	3	3	61	28	18	9	6	35	14	9	5	76
1	1	1	1	1	14	6	5	1	2	7	2	4	1	77
51	4	6	25	16	283	94	79	47	63	247	43	49	65	78
30	3	7	6	14	283	102	135	27	27	216	58	91	37	79
3	1	1	1	1	41	19	17	1	6	25	9	10	5	80
51	3	13	11	24	468	257	139	41	31	263	76	67	75	81
7	4	3	3	3	73	61	2	12	1	27	18	1	5	82
11	1	2	3	5	60	27	16	7	10	34	10	4	7	83
2	2	20	...	9	...	11	17	...	4	...	84
1	1	3	...	1	...	2	1	85
1	1	5	...	3	...	2	3	86
1	1	3	...	2	...	1	3	87
1	1	3	...	2	...	1	3	88
1	1	3	...	2	...	1	3	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH	Total	DELAWARE			
		White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....641,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	3	1	2	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	1	1	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1	-	1	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	18	6	10	-	2
13 ARTHRITIS AND SPONDYLOITIS.....710-715	8	2	5	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	3	1	2	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	1	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	6	2	3	-	1
18 XIV. CONGENITAL ANOMALIES.....	33	15	13	3	2
19 SPINA BIFIDA.....741	1	-	1	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	8	6	1	1	-
21 CONGENITAL ANOMALIES OF HEART.....746	8	2	6	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	5	2	1	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	11	5	4	-	2
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	93	35	23	21	14
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	24	7	8	4	5
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	3	-	3	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	21	7	5	4	5
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	417	247	96	56	18
30 ACCIDENTS.....E800-E949	289	172	68	38	11
31 RAILWAY ACCIDENTS.....E800-E807	4	3	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	125	81	25	16	3
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	122	79	24	16	3
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	24	12	8	4	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	20	14	-	6	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	8	7	1	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	12	8	2	2	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	58	38	13	4	3
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	2	1	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	3	1	-	2	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	-	-	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	15	10	5	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	4	4	-	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	2	1	1	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	9	5	4	-	-
48 ACCIDENTAL FALLS.....E880-E887	43	17	22	3	1
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	16	7	6	3	-
50 FALL ON SAME LEVEL.....E885-E886	2	1	1	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	2	1	-	-	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	25	9	15	-	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E900-E910	22	12	4	2	1
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	6	2	2	1	1
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	8	6	-	2	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	12	11	-	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	1	1	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924-E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	3	3	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	8	7	-	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	9	5	4	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	19	11	3	4	1
64 SUICIDE.....E950-E959	79	54	21	4	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	13	6	6	1	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	12	7	5	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	17	10	7	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	32	27	2	3	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	5	4	1	-	-
70 HOMICIDE.....E960-E978	41	16	5	14	6
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	22	9	2	7	4
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	10	3	1	5	1
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	7	2	2	2	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	8	5	2	-	1
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

1-273

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	-	...	-	1	...	-	...	1	1	...	-	...	1
2	...	-	...	-	2	...	-	...	2	2	...	-	...	2
3	...	-	...	-	3	...	-	...	3	3	...	-	...	3
4	...	-	...	-	4	...	-	...	4	4	...	-	...	4
5	...	-	...	-	5	...	-	...	5	5	...	-	...	5
6	...	-	...	-	6	...	-	...	6	6	...	-	...	6
7	...	-	...	-	7	...	-	...	7	7	...	-	...	7
8	...	-	...	-	8	...	-	...	8	8	...	-	...	8
9	...	-	...	-	9	...	-	...	9	9	...	-	...	9
10	...	-	...	-	10	...	-	...	10	10	...	-	...	10
11	...	-	...	-	11	...	-	...	11	11	...	-	...	11
12	...	-	...	-	12	...	-	...	12	12	...	-	...	12
13	...	-	...	-	13	...	-	...	13	13	...	-	...	13
14	...	-	...	-	14	...	-	...	14	14	...	-	...	14
15	...	-	...	-	15	...	-	...	15	15	...	-	...	15
16	...	-	...	-	16	...	-	...	16	16	...	-	...	16
17	...	-	...	-	17	...	-	...	17	17	...	-	...	17
18	...	-	...	-	18	...	-	...	18	18	...	-	...	18
19	...	-	...	-	19	...	-	...	19	19	...	-	...	19
20	...	-	...	-	20	...	-	...	20	20	...	-	...	20
21	...	-	...	-	21	...	-	...	21	21	...	-	...	21
22	...	-	...	-	22	...	-	...	22	22	...	-	...	22
23	...	-	...	-	23	...	-	...	23	23	...	-	...	23
24	...	-	...	-	24	...	-	...	24	24	...	-	...	24
25	...	-	...	-	25	...	-	...	25	25	...	-	...	25
26	...	-	...	-	26	...	-	...	26	26	...	-	...	26
27	...	-	...	-	27	...	-	...	27	27	...	-	...	27
28	...	-	...	-	28	...	-	...	28	28	...	-	...	28
29	...	-	...	-	29	...	-	...	29	29	...	-	...	29
30	...	-	...	-	30	...	-	...	30	30	...	-	...	30
31	...	-	...	-	31	...	-	...	31	31	...	-	...	31
32	...	-	...	-	32	...	-	...	32	32	...	-	...	32
33	...	-	...	-	33	...	-	...	33	33	...	-	...	33
34	...	-	...	-	34	...	-	...	34	34	...	-	...	34
35	...	-	...	-	35	...	-	...	35	35	...	-	...	35
36	...	-	...	-	36	...	-	...	36	36	...	-	...	36
37	...	-	...	-	37	...	-	...	37	37	...	-	...	37
38	...	-	...	-	38	...	-	...	38	38	...	-	...	38
39	...	-	...	-	39	...	-	...	39	39	...	-	...	39
40	...	-	...	-	40	...	-	...	40	40	...	-	...	40
41	...	-	...	-	41	...	-	...	41	41	...	-	...	41
42	...	-	...	-	42	...	-	...	42	42	...	-	...	42
43	...	-	...	-	43	...	-	...	43	43	...	-	...	43
44	...	-	...	-	44	...	-	...	44	44	...	-	...	44
45	...	-	...	-	45	...	-	...	45	45	...	-	...	45
46	...	-	...	-	46	...	-	...	46	46	...	-	...	46
47	...	-	...	-	47	...	-	...	47	47	...	-	...	47
48	...	-	...	-	48	...	-	...	48	48	...	-	...	48
49	...	-	...	-	49	...	-	...	49	49	...	-	...	49
50	...	-	...	-	50	...	-	...	50	50	...	-	...	50
51	...	-	...	-	51	...	-	...	51	51	...	-	...	51
52	...	-	...	-	52	...	-	...	52	52	...	-	...	52
53	...	-	...	-	53	...	-	...	53	53	...	-	...	53
54	...	-	...	-	54	...	-	...	54	54	...	-	...	54
55	...	-	...	-	55	...	-	...	55	55	...	-	...	55
56	...	-	...	-	56	...	-	...	56	56	...	-	...	56
57	...	-	...	-	57	...	-	...	57	57	...	-	...	57
58	...	-	...	-	58	...	-	...	58	58	...	-	...	58
59	...	-	...	-	59	...	-	...	59	59	...	-	...	59
60	...	-	...	-	60	...	-	...	60	60	...	-	...	60
61	...	-	...	-	61	...	-	...	61	61	...	-	...	61
62	...	-	...	-	62	...	-	...	62	62	...	-	...	62
63	...	-	...	-	63	...	-	...	63	63	...	-	...	63
64	...	-	...	-	64	...	-	...	64	64	...	-	...	64
65	...	-	...	-	65	...	-	...	65	65	...	-	...	65
66	...	-	...	-	66	...	-	...	66	66	...	-	...	66
67	...	-	...	-	67	...	-	...	67	67	...	-	...	67
68	...	-	...	-	68	...	-	...	68	68	...	-	...	68
69	...	-	...	-	69	...	-	...	69	69	...	-	...	69
70	...	-	...	-	70	...	-	...	70	70	...	-	...	70
71	...	-	...	-	71	...	-	...	71	71	...	-	...	71
72	...	-	...	-	72	...	-	...	72	72	...	-	...	72
73	...	-	...	-	73	...	-	...	73	73	...	-	...	73
74	...	-	...	-	74	...	-	...	74	74	...	-	...	74
75	...	-	...	-	75	...	-	...	75	75	...	-	...	75
76	...	-	...	-	76	...	-	...	76	76	...	-	...	76
77	...	-	...	-	77	...	-	...	77	77	...	-	...	77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,368	808	547	1,861	1,152
02 I. INFECTIVE AND PARASITIC DISEASES.....	34	7	1	15	11
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	5	2	-	2	1
09 TUBERCULOSIS, ALL FORMS.....010-019	11	-	-	7	4
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	7	-	-	4	3
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	-	-	2	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	-	-	1	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	-	-	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	8	-	-	4	4
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	1	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	1	-	1	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	2	1	-	1	-
38 TYPHUS AND OTHER RICKETTSIOSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	1	-	1	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	-	-	1	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	2	1	-	-	1
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	1	-	-	-	1
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	2	-	-	-
58 II. NEOPLASMS.....	913	164	116	393	240
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	901	160	115	388	238
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	28	8	3	15	2
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	8	2	1	5	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	4	-	1	3	-
64 OF PHARYNX.....146-149	16	6	1	7	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	307	42	34	150	81
66 OF ESOPHAGUS.....150	26	4	4	17	1
67 OF STOMACH.....151	87	11	5	41	30
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	1	-	2	1
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	71	10	11	27	23
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	8	3	2	2	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	1	-	-	-	1
72 DESCENDING COLON.....153.2	1	1	-	-	-
73 SIGMOID COLON.....153.3	6	2	-	-	3
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	55	4	9	24	18
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	-	-	-	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	25	3	6	10	6
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	26	3	-	19	4
78 OF GALLBLADDER AND BILE DUCTS.....156	10	-	3	4	3
79 OF PANCREAS.....157	55	9	5	28	13
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	3	1	-	2	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	193	40	13	104	36
82 OF LARYNX.....161	6	1	-	5	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	183	38	13	96	36
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	4	1	-	3	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	64	8	17	4	35
86 OF BONE.....170	3	1	-	1	1
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	2	-	-	1	1
88 OF SKIN.....172,173	9	7	-	2	-
89 OF BREAST.....174	50	-	17	-	33

SECTION 1 - GENERAL MORTALITY

1-275

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IDAHO					ILLINOIS					INDIANA						
Total	White		All other		Total	White		All other		Total	White		All other			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
6,479	3,702	2,650	88	39	110,510	52,379	43,787	8,178	6,166	49,671	25,237	20,956	1,957	1,521	01	
36	19	16	1	-	730	316	236	107	71	344	168	116	34	26	02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07	
7	4	3	-	-	110	38	51	10	11	37	14	17	3	3	08	
7	4	3	-	-	235	117	41	54	23	92	57	21	10	4	09	
6	3	3	-	-	176	94	25	43	14	70	45	15	8	2	10	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	
1	1	-	-	-	16	7	1	4	4	1	-	-	1	-	15	
-	-	-	-	-	36	15	13	5	3	17	10	6	1	-	16	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	23	
-	-	-	-	-	13	8	2	3	-	3	2	-	1	-	24	
2	1	1	-	-	3	-	2	-	1	2	-	1	-	-	25	
1	-	1	-	-	176	74	65	21	16	106	44	41	11	10	26	
-	-	-	-	-	24	10	10	1	3	15	6	7	-	2	27	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	
1	-	1	-	-	4	1	3	-	-	2	-	2	-	-	29	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
4	2	2	-	-	17	5	8	3	1	14	7	4	-	3	33	
3	2	1	-	-	22	9	8	1	4	12	5	6	-	1	34	
4	2	2	-	-	45	21	21	3	-	19	11	7	1	-	35	
-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	36	
-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41	
1	-	1	-	-	14	6	1	6	1	11	5	1	5	-	42	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	44	
-	-	-	-	-	6	2	-	3	1	2	1	-	1	-	45	
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	46	
-	-	-	-	-	1	3	-	1	-	5	3	-	2	-	47	
1	-	1	-	-	2	1	-	1	-	2	1	-	2	-	48	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56	
4	2	1	1	-	51	21	18	2	10	22	10	7	2	3	57	
1,033	575	448	6	4	19,865	9,349	8,182	1,274	1,060	8,568	4,239	3,692	352	285	58	
1,009	565	434	6	4	19,646	9,270	8,072	1,258	1,046	8,463	4,196	3,639	349	279	59	
20	9	11	-	-	387	252	84	39	12	153	102	39	9	3	60	
-	-	-	-	-	10	10	-	-	-	7	7	-	-	-	61	
8	4	4	-	-	101	61	25	13	2	29	21	6	2	-	62	
3	1	2	-	-	110	73	26	7	4	44	23	18	2	1	63	
9	4	5	-	-	166	108	33	19	6	73	51	15	5	2	64	
277	148	127	2	-	5,537	2,553	2,317	360	307	2,185	980	1,028	95	82	65	
14	9	5	-	-	362	192	67	71	32	147	93	27	15	12	66	
41	34	7	-	-	847	404	293	95	55	281	151	107	15	8	67	
1	-	1	-	-	23	11	9	1	2	10	6	3	-	-	68	
66	36	40	-	-	2,191	933	1,067	76	115	937	343	334	24	36	69	
19	11	8	-	-	264	97	147	6	14	101	47	50	1	3	70	
2	1	1	-	-	102	44	47	5	6	29	9	17	-	3	71	
-	-	-	-	-	77	30	39	4	4	25	11	13	-	1	72	
8	-	8	-	-	315	150	137	14	14	90	27	56	3	4	73	
52	23	29	-	-	1,365	577	667	46	75	642	228	373	18	23	74	
5	3	2	-	-	68	35	30	1	2	50	21	25	2	2	75	
32	15	16	1	-	627	309	267	29	22	234	133	84	10	7	76	
3	3	-	-	-	162	89	40	27	6	43	25	13	5	-	77	
16	7	9	-	-	250	84	153	4	9	110	33	68	4	5	78	
76	38	37	1	-	987	495	381	50	61	388	179	178	20	11	79	
8	4	4	-	-	88	36	40	7	5	35	17	14	2	2	80	
189	161	26	2	-	4,345	3,006	772	433	134	1,979	1,453	371	123	32	81	
6	6	-	-	-	181	136	13	24	8	78	55	12	11	-	82	
183	159	26	2	-	4,082	2,825	730	404	123	1,868	1,379	348	109	32	83	
-	-	-	-	-	82	45	29	5	3	33	19	11	3	-	84	
122	15	106	-	-	2,351	224	1,925	17	185	920	91	767	7	55	85	
-	1	1	-	-	116	59	44	6	5	28	26	26	-	-	86	
7	1	6	-	-	80	33	35	6	6	29	11	16	-	2	87	
26	13	13	-	-	223	117	96	3	7	98	48	47	3	-	88	
87	-	86	-	-	1,932	15	1,748	2	167	738	7	678	-	53	89	

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		HAWAII				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	89	15	21	19	34
02	OF CERVIX UTERI.....180	13	...	3	...	10
03	OF OTHER PARTS OF UTERUS.....181,182	17	...	6	...	11
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	25	...	12	...	13
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	-	...	-	...	-
06	OF PROSTATE.....185	31	14	...	17	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	3	1	...	2	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	45	10	4	23	8
09	OF BLADDER.....188	23	8	2	9	4
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	22	2	2	14	4
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	89	24	10	36	19
12	OF EYE.....190	1	-	-	1	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	17	6	1	6	4
14	OF THYROID GLAND.....193	6	1	-	3	2
15	OTHER.....194-199	65	17	9	26	13
16	LEUKEMIA.....204-207	41	5	9	16	11
17	LYMPHATIC LEUKEMIA.....204	12	3	2	5	2
18	MYELOID LEUKEMIA.....205	17	2	3	6	6
19	MONOCYTIC LEUKEMIA.....206	6	-	3	1	2
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	6	-	1	4	1
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	45	8	4	21	12
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	21	1	1	12	7
23	HODGKIN'S DISEASE.....201	3	-	1	-	2
24	MULTIPLE MYELOMA.....203	11	3	1	5	2
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	10	4	1	4	1
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	12	4	1	5	2
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	3	1	1	1	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	3	1	-	2	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	4	2	-	1	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	-	-	1	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	148	11	26	59	52
34	NONTOKIC GOITER.....240,241	-	-	-	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	2	-	1	-	1
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	1	-	1	-	-
37	DIABETES MELLITUS.....250	115	9	21	46	39
38	DISEASES OF PITUITARY GLAND.....253	1	-	-	1	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	-	-	-	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	18	2	-	9	7
43	CYSTIC FIBROSIS.....273.0	2	-	2	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	9	-	1	3	5
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	10	1	4	3	2
46	ANEMIAS.....280-285	5	-	4	-	1
47	DEFICIENCY ANEMIAS.....280,281	-	-	-	-	-
48	HEMOLYTIC ANEMIAS.....282,283	1	-	-	-	1
49	APLASTIC ANEMIA.....284	2	-	2	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	2	-	2	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	-	-	-	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	5	1	-	3	1
53	V. MENTAL DISORDERS.....	8	3	-	4	1
54	SENILE AND PRESENILE DEMENTIAS.....290	-	-	-	-	-
55	ALCOHOLIC PSYCHOSES.....291	1	-	-	1	-
56	ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57	ALCOHOLISM.....303	4	2	-	2	-
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	3	1	-	1	1
59	MENTAL RETARDATION.....310-315	-	-	-	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	48	9	5	21	13
61	MEINGITIS.....320	4	1	1	2	-
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	1	-	-	-	-
63	MULTIPLE SCLEROSIS.....340	5	-	1	-	4
64	PARALYSIS AGITANS.....342	8	1	1	3	3
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	-	-	1	-
66	EPILEPSY.....345	1	-	-	1	-
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	-	-	-	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	1	-	-	-	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	27	6	2	14	5
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,985	366	247	827	545
73	ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	38	5	4	19	10
75	DISEASES OF MITRAL VALVE.....394	9	2	1	4	2
76	DISEASES OF AORTIC VALVE.....395	9	2	2	4	1
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	1	-	-	-	1
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	19	1	1	11	6
79	HYPERTENSIVE DISEASE.....400-404	24	3	6	5	10
80	MALIGNANT HYPERTENSION.....400	1	-	-	-	1
81	ESSENTIAL BENIGN HYPERTENSION.....401	3	1	1	-	1
82	HYPERTENSIVE HEART DISEASE.....402	13	-	5	2	6
83	HYPERTENSIVE RENAL DISEASE.....403	3	2	-	1	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	4	-	-	2	2

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IOWA					ILLINOIS					INDIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
127	79	46	1	1	2,392	930	1,121	154	187	1,025	408	504	55	58
9	...	9	333	...	244	...	89	168	...	141	...	27
16	...	16	327	...	278	...	49	157	...	137	...	20
21	...	20	598	...	555	...	43	219	...	210	...	9
1	...	1	50	...	44	...	6	18	...	16	...	2
75	74	1,040	889	151	428	375	...	53	...
5	44	41	...	3	...	35
63	41	20	1	1	916	554	276	54	32	394	247	130	11	6
35	25	9	1	1	531	343	140	30	18	223	157	59	5	2
28	16	11	1	1	385	211	136	24	14	171	90	71	6	4
94	41	52	...	1	1,840	817	806	109	108	942	462	436	20	24
...	16	5	10	...	1	10	1	9
19	10	9	441	224	186	15	16	182	104	76	...	2
...	51	14	33	1	3	33	9	22	2	...
75	31	43	...	1	1,332	574	577	93	88	717	348	329	18	22
58	36	22	832	430	338	34	30	403	224	159	11	9
26	17	9	267	147	104	6	10	154	96	49	5	4
23	14	9	348	171	146	19	12	148	82	59	5	2
1	...	1	39	21	15	1	2	21	13	7	1	...
8	5	3	178	91	73	8	6	80	33	44	...	3
59	35	24	1,046	504	433	58	51	462	229	205	18	10
20	11	9	349	170	159	12	8	141	69	68	4	...
7	4	3	141	82	50	6	3	84	49	31
17	9	8	258	103	109	25	27	107	51	51	2	2
15	11	4	298	149	121	15	13	130	67	35	4	4
24	10	14	219	79	110	16	14	105	43	53	4	6
1	...	1	8	...	5	...	3	3
3	...	3	57	16	29	7	5	13
2	1	1	32	18	12	1	1	18	6	10	...	1
...	1	1
11	6	5	77	31	38	5	3	58	28	25	2	3
7	3	4	44	14	26	3	1	13	5	7	1	...
152	69	78	2	3	2,409	841	1,207	138	223	1,264	460	701	29	74
...	6	2	2	...	2	2	...	2
3	1	2	21	2	14	...	5	10	3	7
116	50	62	1	3	2,015	698	1,021	109	187	1,048	382	577	25	64
1	9	4	2	2	1	6	1	4	1	...
...	7	2	2	...	3	1
...	24	6	12	2	4	12	5	7
7	2	5	97	32	51	8	6	64	19	40	1	4
1	1	25	13	11	1	...	15	7	8
23	14	9	179	79	73	13	14	97	41	48	2	6
21	8	11	2	...	251	81	119	32	19	133	50	68	7	8
14	5	8	1	...	158	47	73	26	12	95	36	48	6	5
4	1	3	20	4	15	...	1	16	5	11
2	1	2	1	...	36	6	9	12	9	17	3	5	5	4
4	1	2	56	24	26	5	1	29	14	13	1	1
3	1	3	46	13	23	9	1	33	14	19
4	2	2	1	...	34	16	14	1	3	11	3	7
16	11	5	59	18	32	5	4	27	11	13	1	2
...	294	152	69	54	19	197	103	53	29	12
4	2	2	31	17	11	1	2	19	8	9	1	...
...	18	14	...	4	...	8
...	10	3	7	5	2	2
8	7	1	114	71	16	26	1	106	61	18	22	5
4	2	2	112	44	30	23	15	48	19	20	6	3
...	9	3	5	...	1	11	5	4
67	37	29	1	...	797	363	323	60	51	451	219	201	17	14
1	1	77	30	22	8	17	41	23	11	2	5
2	2	38	27	7	2	2	24	16	6	1	...
10	3	7	111	40	64	3	4	45	15	30
13	8	5	145	66	75	4	...	84	48	35	1	...
1	...	1	25	11	11	3	...	20	8	1
8	4	4	86	32	30	14	10	35	18	13	4	...
...	1	1
...	2	...	2	1
...	9	5	4	3
32	19	12	1	...	303	151	108	26	18	198	88	97	8	5
3,307	1,851	1,429	17	10	62,662	29,360	26,698	3,416	3,188	27,620	13,703	12,408	793	716
1	...	1	11	6	4	...	1	3	1	1	...	1
48	20	27	1	...	689	299	367	37	26	329	139	176	8	6
15	4	11	210	67	120	10	13	82	25	55	1	1
14	9	4	1	...	170	91	60	12	7	90	53	34	1	2
4	2	2	20	8	10	2	...	23	10	13
15	5	10	289	93	177	13	6	134	51	74	6	3
57	17	40	1,546	545	679	153	169	791	329	384	41	37
...	72	21	23	17	11	30	11	5	6	8
2	1	1	53	16	27	3	7	34	13	16	2	3
17	3	14	671	196	300	83	92	181	70	81	16	14
7	2	5	455	194	189	33	39	139	56	69	7	7
31	11	20	295	118	140	17	20	407	179	213	10	5

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total	HAWAII			
		White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,276	261	155	543	317
02 WITH HYPERTENSIVE DISEASE (.0).....	268	33	30	115	90
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,008	228	125	428	227
04 ACUTE MYOCARDIAL INFARCTION.....410	638	132	71	288	147
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	7	3	-	4	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	631	126	84	251	170
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	75	18	7	24	26
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	-	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	-	-	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	2	-	-	2	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	-	-	2	-
15 SYMPTOMATIC HEART DISEASE.....427	55	14	6	14	21
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	5	1	-	3	1
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	13	3	1	5	4
18 CEREBROVASCULAR DISEASES.....430-438	455	58	54	195	148
19 WITH HYPERTENSION (BENIGN) (.0).....	109	8	12	45	44
20 WITHOUT MENTION OF HYPERTENSION (.9).....	346	50	42	150	104
21 SUBARACHNOID HEMORRHAGE.....430	53	5	6	18	24
22 CEREBRAL HEMORRHAGE.....431	101	8	9	41	43
23 CEREBRAL THROMBOSIS.....432	100	19	18	44	19
24 CEREBRAL EMBOLISM.....433	2	-	-	1	1
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	12	2	2	5	4
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	126	13	10	59	44
27 OTHER CEREBROVASCULAR DISEASES.....437,438	61	11	9	28	13
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	91	14	16	35	26
29 ARTERIOSCLEROSIS.....440	23	-	8	7	4
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	40	6	4	19	11
31 GANGRENE.....445	10	2	1	2	5
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	18	2	3	7	6
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	26	7	5	6	8
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	20	7	4	3	6
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	6	-	1	3	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	294	50	30	138	76
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	1	-	-	1	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	6	-	2	3	1
39 INFLUENZA.....470-474	12	1	2	3	6
40 PNEUMONIA.....480-486	150	16	16	76	42
41 VIRAL PNEUMONIA.....480	4	1	1	1	1
42 BACTERIAL PNEUMONIA.....481,482	21	-	3	14	4
43 ACUTE INTERSTITIAL PNEUMONIA.....483	3	1	1	1	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	65	8	6	35	16
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	57	6	5	25	21
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	63	18	5	28	12
47 BRONCHITIS, UNQUALIFIED.....490	2	-	-	1	1
48 CHRONIC BRONCHITIS.....491	14	1	2	9	2
49 EMPHYSEMA.....492	37	17	1	16	3
50 ASTHMA.....493	10	-	2	2	6
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	2	1	1	-	-
53 PLEURISY.....511	2	-	-	1	1
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	12	2	-	8	2
55 BRONCHIECTASIS.....518	5	-	1	4	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	41	12	3	14	12
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	143	36	23	57	27
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	12	3	1	7	1
60 ULCER OF STOMACH.....531	5	2	-	3	1
61 ULCER OF DUODENUM.....532	7	1	1	4	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	-	-	-	-	-
63 GASTRITIS AND DUODENITIS.....535	1	-	1	-	-
64 APPENDICITIS.....540-543	4	1	-	2	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	10	3	-	4	3
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	3	-	-	1	2
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	-	-	-	-	-
69 CIRRHOSIS OF LIVER.....571	67	22	14	26	5
70 ALCOHOLIC.....571.0	24	12	6	5	1
71 OTHER SPECIFIED.....571.8	8	1	2	4	1
72 UNSPECIFIED.....571.9	35	9	6	17	3
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	6	-	-	4	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	40	7	7	13	13
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	73	6	10	34	23
76 NEPHRITIS AND NEPHROSIS.....580-584	27	1	4	14	8
77 ACUTE NEPHRITIS.....580	5	-	1	4	-
78 NEPHROTIC SYNDROME.....581	-	-	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	22	1	3	10	8
80 INFECTIONS OF KIDNEY.....590	20	-	1	9	10
81 CALCULI OF URINARY SYSTEM.....592,594	4	-	-	3	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	18	4	4	6	4
83 HYPERPLASIA OF PROSTATE.....600	3	1	-	2	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1	-	1	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	...	2	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA). Four-digit]

	CAUSE OF DEATH	HAWAII				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	2	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635, 654-662, 672, 674-678	-	...	-	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	5	-	-	4	1
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	2	-	-	2	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	3	-	-	2	1
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	11	-	1	4	6
13	ARTHRITIS AND SPONDYLITIS.....710-715	1	-	1	-	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	1	-	-	1	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 720-734	9	-	-	3	6
18	XIV. CONGENITAL ANOMALIES.....	61	10	6	26	19
19	SPINA BIFIDA.....741	2	1	-	-	1
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	10	2	1	5	2
21	CONGENITAL ANOMALIES OF HEART.....746	23	2	3	8	10
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	8	1	1	5	1
23	CLEFT PALATE AND CLEFT LIP.....749	1	-	-	1	-
24	ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	17	4	1	7	5
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	123	21	17	46	39
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	41	6	4	16	15
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	5	-	-	2	3
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	36	6	4	14	12
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	469	118	55	214	82
30	ACCIDENTS.....E800-E949	302	71	32	149	50
31	RAILWAY ACCIDENTS.....E800-E807	-	-	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	135	32	15	59	29
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	132	32	15	56	29
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1	1	-	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	44	8	7	16	13
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	20	5	3	5	7
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	18	6	1	7	4
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	21	7	-	12	2
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	28	5	4	16	3
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	-	-	3	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	1	-	-	1	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	17	12	3	1	1
44	ACCIDENTAL POISONING.....E850-E877	7	1	1	3	2
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	4	-	1	2	1
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1	1	-	-	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	2	-	-	1	1
48	ACCIDENTAL FALLS.....E880-E887	44	5	3	32	4
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	22	4	-	16	2
50	FALL ON SAME LEVEL.....E885, E886	3	-	1	2	-
51	OTHER AND UNSPECIFIED FALLS.....E887	19	1	2	14	2
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	13	2	3	5	3
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	27	9	-	16	2
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	10	3	1	3	3
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	1	-	1	-	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	24	3	1	19	1
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	-	-	1	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	1	-	-	1	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	3	-	-	3	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	19	3	1	14	1
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	9	2	3	3	1
63	ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	14	2	1	7	4
64	SUICIDE.....E950-E959	88	29	12	27	20
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	22	4	5	3	10
66	SUICIDE FROM POISONING BY GASES.....E951, E952	4	2	1	-	1
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	23	3	2	11	7
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	25	17	-	8	-
69	SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	14	3	4	5	2
70	HOMICIDE.....E960-E978	38	11	2	21	4
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E966	22	5	2	12	3
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	2	-	-	1	-
73	ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	12	4	-	8	-
74	LEGAL EXECUTION.....E976	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	41	7	9	17	8
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IOAHO					ILLINOIS					INDIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	3	...	-	...	3	1	...	1	...	-
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-
-	...	-	...	-	6	...	5	...	1	2	...	2	...	-
-	...	-	...	-	5	...	3	...	2	4	...	3	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	08
7	3	4	-	-	95	29	50	3	13	40	15	21	2	2
1	-	1	-	-	23	9	10	1	3	10	6	4	-	10
6	3	3	-	-	72	20	40	2	10	30	9	17	2	2
25	6	17	-	2	255	62	162	9	22	147	41	96	1	9
14	4	8	-	2	83	18	61	1	3	61	24	33	-	4
1	-	1	-	-	7	3	4	-	-	6	1	5	-	-
-	-	-	-	-	10	3	6	1	-	2	-	2	-	-
-	-	-	-	-	7	4	3	-	-	2	-	2	-	-
10	2	8	-	-	148	34	88	7	19	76	16	54	1	5
65	36	29	-	-	756	328	249	94	85	384	188	166	16	14
-	-	-	-	-	26	8	13	2	3	20	10	10	-	-
12	5	7	-	-	126	67	39	8	12	59	20	36	-	3
33	19	14	-	-	303	122	104	39	38	165	80	67	10	8
8	6	2	-	-	62	23	18	11	10	13	6	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
12	6	6	-	-	239	108	75	34	22	119	64	46	6	3
136	72	59	4	1	1,978	760	534	390	294	861	433	264	90	74
86	47	35	4	-	1,563	590	334	477	162	411	187	182	22	20
9	4	4	1	-	16	3	13	-	-	63	20	40	2	1
77	43	31	3	-	1,547	587	321	477	162	348	167	142	20	19
718	473	202	31	12	7,353	4,179	1,770	1,089	315	4,022	2,483	1,149	304	86
583	378	178	19	8	5,109	3,069	1,333	532	175	2,962	1,877	908	132	45
6	5	-	1	-	59	43	7	9	21	14	7	-	-	-
320	198	105	10	7	2,469	1,560	654	193	62	1,569	1,030	469	54	16
316	196	104	9	7	2,436	1,538	646	190	62	1,536	1,005	463	53	15
11	7	3	-	1	94	70	22	-	2	61	43	16	1	1
61	43	18	-	-	1,033	627	312	68	26	536	320	193	17	6
24	10	11	2	1	391	212	102	59	18	164	111	40	9	4
15	12	1	1	1	350	260	54	29	7	168	121	40	7	-
52	35	14	2	1	282	195	66	17	4	138	98	34	5	1
153	89</													

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit]

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	29,255	15,777	13,143	188	147
02 I. INFECTIVE AND PARASITIC DISEASES.....	162	81	76	4	1
03 CHOLERA.....070	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	1	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	-	1	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	40	17	22	1	-
09 TUBERCULOSIS, ALL FORMS.....010-019	19	7	11	1	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	12	4	7	1	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	1	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	1	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	5	2	3	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	3	1	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	32	19	12	-	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	10	6	3	1	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	2	1	1	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	3	1	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	6	3	2	1	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	28	13	15	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	2	1	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....092,0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	1	1	-	-	-
47 TABES DORSALIS.....094,0	1	1	-	-	-
48 GENERAL PARESIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,2	1	-	1	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	12	7	5	-	-
58 II. NEOPLASMS.....	5,287	2,851	2,387	25	24
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,212	2,813	2,352	25	22
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	90	59	31	-	-
61 OF LIP.....140	3	2	1	-	-
62 OF TONGUE.....141	8	3	5	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	42	24	18	-	-
64 OF PHARYNX.....146-149	37	30	7	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,417	716	692	4	5
66 OF ESOPHAGUS.....150	61	44	17	-	-
67 OF STOMACH.....151	192	121	70	1	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	7	4	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	626	279	344	1	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	83	27	56	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	18	6	12	-	-
72 DESCENDING COLON.....153,2	12	5	7	-	-
73 SIGMOID COLON.....153,3	92	48	44	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	388	179	206	1	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	33	14	19	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	135	79	55	-	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	18	9	9	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	66	20	45	1	-
79 OF PANCREAS.....157	289	149	138	-	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	23	11	11	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,082	893	179	11	3
82 OF LARYNX.....161	36	32	4	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	1,032	852	166	11	3
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	14	9	5	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	562	65	494	-	3
86 OF BONE.....170	25	16	9	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	25	13	12	-	-
88 OF SKIN.....172,173	65	34	31	-	-
89 OF BREAST.....174	447	2	442	-	3

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,789	11,844	9,792	634	519	34,434	17,875	13,544	1,638	1,377	35,039	13,214	10,065	6,475	5,285	01
160	77	69	10	4	297	136	120	21	20	379	113	92	94	80	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	1	-	-	1	-	3	1	1	1	-	05
-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	06
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	07
36	13	22	-	1	39	12	20	2	5	49	16	14	10	9	08
33	20	9	4	-	80	40	24	11	5	89	33	11	33	12	09
22	14	6	2	-	63	31	19	9	4	73	29	8	28	8	10
1	-	1	-	-	2	1	1	-	-	2	-	1	1	-	11
1	1	-	-	-	2	2	2	-	-	-	-	-	-	-	12
1	1	-	-	-	5	3	1	1	-	1	-	-	1	-	13
9	5	2	2	-	8	3	3	1	1	10	4	2	2	2	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
2	1	-	1	-	8	5	1	-	2	7	1	3	2	1	23
34	20	12	1	1	94	37	47	6	4	135	36	35	30	34	24
7	3	2	1	1	8	4	3	-	1	17	6	4	4	3	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	3	3	-	-	-	2	-	1	1	-	27
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	28
2	1	-	-	-	6	2	4	-	-	6	2	3	-	1	29
4	1	2	-	1	11	1	7	-	-	19	6	8	2	3	30
25	10	15	-	-	16	9	7	-	-	15	5	6	2	2	31
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
6	4	1	1	-	7	3	1	1	2	11	-	1	5	5	34
-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	1	-	-	1	1	1	-	-	4	-	-	3	1	37
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	38
2	2	-	-	-	4	2	-	1	1	2	-	-	2	-	39
2	1	-	1	-	-										

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH		IOWA				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	731	366	357	3	5
02	OF CERVIX UTERI.....180	67	...	66	...	1
03	OF OTHER PARTS OF UTERUS.....181,182	90	...	88	...	2
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	185	...	183	...	2
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	20	...	20
06	OF PROSTATE.....185	342	339	...	3	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	27	27
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	262	168	91	2	1
09	OF BLADDER.....188	146	103	40	2	1
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	116	65	51
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	492	236	251	3	2
12	OF EYE.....190	7	1	6
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	99	55	44
14	OF THYROID GLAND.....193	10	3	7
15	OTHER.....194-199	376	177	194	3	2
16	LEUKEMIA.....204-207	247	137	108	1	1
17	LYMPHATIC LEUKEMIA.....204	98	55	41	1	1
18	MYELOID LEUKEMIA.....205	97	53	44
19	MONOCYTIC LEUKEMIA.....206	10	6	4
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	42	23	19
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	329	173	153	1	2
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	103	59	44
23	HODGKIN'S DISEASE.....201	39	23	16
24	MULTIPLE MYELOMA.....203	98	50	47	...	1
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	89	41	46	1	1
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	75	38	35	...	2
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	...	1
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	7	2	4	...	1
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	10	2	8
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	31	18	12	...	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	26	16	10
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	679	269	401	3	6
34	NONTOKIC GOITER.....240,241	2	...	2
35	THYROIDITIS WITH OR WITHOUT GOITER.....242	2	...	2
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	10	3	6	...	1
37	DIABETES MELLITUS.....250	540	212	321	3	4
38	DISEASES OF PITUITARY GLAND.....253	1	1
39	DISEASES OF THYMUS GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255	10	5	5
41	NIACIN DEFICIENCY.....262
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	58	20	37	...	1
43	CYSTIC FIBROSIS.....273.0	5	3	2
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	51	25	26
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	81	42	39
46	ANEMIAS.....280-285	49	23	26
47	DEFICIENCY ANEMIAS.....280,281	13	6	7
48	HEMOLYTIC ANEMIAS.....282,283	5	1	4
49	APLASTIC ANEMIA.....284	19	12	7
50	OTHER AND UNSPECIFIED ANEMIAS.....285	12	4	8
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	10	7	3
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	22	12	10
53	V. MENTAL DISORDERS.....	76	42	33	...	1
54	SENILE AND PRESENILE DEMENTIAS.....290	18	7	10	...	1
55	ALCOHOLIC PSYCHOSES.....291	4	4
56	ALL OTHER PSYCHOSES.....294-299	4	2	2
57	ALCOHOLISM.....303	30	23	7
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	16	4	12
59	MENTAL RETARDATION.....310-315	4	2	2
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	272	135	136	1	...
61	MENINGITIS.....320	17	10	7
62	HEREDITARY NEUROUSCULAR DISORDERS.....330	13	9	3	1	...
63	MULTIPLE SCLEROSIS.....340	34	9	25
64	PARALYSIS AGITANS.....342	76	32	44
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	7	5	2
66	EPILEPSY.....345	21	13	8
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	3	2	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	101	55	46
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,607	8,593	7,856	87	71
73	ACTIVE RHEUMATIC FEVER.....390-392	4	3	1
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	162	70	90	1	1
75	DISEASES OF MITRAL VALVE.....394	49	17	32
76	DISEASES OF AORTIC VALVE.....395	49	29	20
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	8	2	5	...	1
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	56	22	33	1	...
79	HYPERTENSIVE DISEASE.....400-404	341	141	197	...	3
80	MALIGNANT HYPERTENSION.....400	12	5	7
81	ESSENTIAL BENIGN HYPERTENSION.....401	12	3	8	...	1
82	HYPERTENSIVE HEART DISEASE.....402	97	36	60	...	1
83	HYPERTENSIVE RENAL DISEASE.....403	97	45	52
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	123	52	70	...	1

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
537	254	248	14	21	655	234	360	25	36	661	190	180	168	123
68	...	61	...	7	148	...	130	...	18	108	...	50	...	58
81	...	74	...	7	91	...	82	...	9	77	...	45	...	32
112	...	105	...	7	138	...	130	...	8	107	...	78	...	29
8	...	8	19	...	18	...	11	7	...	4
256	242	...	14	...	240	217	...	23	...	345	181	...	164	...
12	12	19	17	13
196	134	54	4	4	234	139	86	2	7	263	134	...	35	...
109	76	28	3	2	126	76	45	1	4	149	80	35	20	14
87	58	26	1	2	108	63	41	1	3	114	54	37	15	8
332	158	150	10	14	483	244	202	20	17	692	268	207	105	112
3	2	1	11	4	6	...	1	1	...	1
100	59	39	1	1	149	80	63	3	3	104	52	32	11	9
12	5	7	16	...	10	10	...	3
217	92	103	9	13	307	154	123	17	13	577	216	171	91	99
207	106	88	8	5	233	123	86	11	13	242	103	81	35	23
90	47	36	5	2	68	40	21	1	6	73	25	28	13	7
74	37	35	98	48	41	5	4	92	36	30	14	12
5	3	2	8	5	2	1	...	14	9	3	2	...
36	19	15	3	1	59	30	22	4	3	63	33	20	6	19
235	123	104	6	2	284	150	109	18	7	259	105	100	35	19
88	47	38	1	2	101	63	33	3	2	74	31	33	6	4
25	18	6	1	...	54	29	19	5	1	29	11	12	5	1
61	26	31	4	...	76	27	40	6	3	69	22	21	14	12
61	32	29	53	31	17	4	1	87	34	34	10	2
42	14	24	3	1	73	34	31	3	5	115	36	41	19	19
2	...	2	5	...	4	...	1	1
9	4	4	1	...	9	5	4
11	4	7	20	9	10	1	...	9	3	1	1	4
1	...	1
9	4	4	...	1	17	10	5	...	2	62	24	25	5	8
10	2	6	2	...	22	10	8	2	2	34	6	12	10	6
573	222	320	10	21	792	276	417	34	65	1,022	239	323	139	321
...
2	...	2	3	1	10	2
10	1	9	9	...	3
469	179	262	9	19	650	221	352	23	54	900	197	286	127	290
1	...	1	5	...	2	1	1	4	3	...	1	38

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total	IOWA			
		White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	10,411	5,890	4,429	59	33
02 WITH HYPERTENSIVE DISEASE (.01).....410	961	410	543	5	3
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....410	9,450	5,480	3,886	54	30
04 ACUTE MYOCARDIAL INFARCTION.....410	6,179	3,864	2,259	37	19
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	35	23	12	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	4,193	2,001	2,156	22	14
07 ANGINA PECTORIS.....413	4	2	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	729	355	364	7	3
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420-422	5	1	4	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	7	5	1	1	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	28	13	15	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	1	2	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	2	2	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	23	10	13	-	-
15 SYMPTOMATIC HEART DISEASE.....427	457	224	226	4	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	122	51	70	1	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	110	61	48	1	-
18 CEREBROVASCULAR DISEASES.....430-438	3,598	1,493	2,071	11	23
19 WITH HYPERTENSION (BENIGN) (.0).....430	350	131	211	3	5
20 WITHOUT MENTION OF HYPERTENSION (.9).....430	3,248	1,362	1,860	8	18
21 SUBARACHNOID HEMORRHAGE.....430	122	47	73	-	2
22 CEREBRAL HEMORRHAGE.....431	510	203	299	4	4
23 CEREBRAL THROMBOSIS.....433	897	383	509	3	2
24 CEREBRAL EMBOLISM.....434	15	6	9	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	50	26	24	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,265	519	734	2	10
27 OTHER CEREBROVASCULAR DISEASES.....437,438	739	309	423	2	5
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,144	522	610	8	4
29 ARTERIOSCLEROSIS.....440	719	292	420	5	2
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	242	149	90	3	-
31 GANGRENE.....445	40	16	24	-	2
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444	143	65	76	-	4
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	218	119	94	1	3
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	196	110	82	1	1
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	22	9	12	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,892	1,185	686	12	9
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	6	6	-	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	6	3	3	-	-
39 INFLUENZA.....470-474	102	54	47	-	1
40 PNEUMONIA.....480-486	933	469	449	7	8
41 VIRAL PNEUMONIA.....480	23	10	11	1	1
42 BACTERIAL PNEUMONIA.....481,482	64	44	19	1	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	9	6	3	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	295	150	142	1	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	542	259	274	4	5
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	523	416	104	3	-
47 BRONCHITIS, UNQUALIFIED.....490	14	7	7	-	-
48 CHRONIC BRONCHITIS.....491	89	69	20	-	-
49 EMPHYSEMA.....492	396	330	63	3	-
50 ASTHMA.....493	24	10	14	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPHYMA AND ABSCESS OF LUNG.....510,513	8	6	1	-	-
53 PLEURISY.....511	2	1	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	62	40	22	-	-
55 BRONCHIECTASIS.....518	16	11	4	1	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	234	182	52	-	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	911	492	398	8	13
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	2	2	-	-	-
59 PEPTIC ULCER.....531-533	93	53	38	1	1
60 ULCER OF STOMACH.....531	41	25	15	1	-
61 ULCER OF DUODENUM.....532	36	18	17	-	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	16	10	6	-	-
63 GASTRITIS AND DUODENITIS.....535	8	5	3	-	-
64 APPENDICITIS.....540-543	18	12	4	1	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	118	46	69	2	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	-	1	-	-
67 DIVERTICULA OF INTESTINE.....562	60	21	39	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	16	3	12	-	1
69 CIRRHOSIS OF LIVER.....571	277	191	78	2	6
70 ALCOHOLIC.....571.0	82	59	18	2	3
71 OTHER SPECIFIED.....571.8	46	30	15	-	1
72 UNSPECIFIED.....571.9	149	102	45	-	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	54	21	33	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	264	138	121	2	3
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	374	217	152	4	1
76 NEPHRITIS AND NEPHROSIS.....580-584	109	62	45	2	-
77 ACUTE NEPHRITIS.....580	17	9	8	-	-
78 NEPHROTIC SYNDROME.....581	2	2	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	89	51	36	2	-
80 INFECTIONS OF KIDNEY.....590	82	41	40	1	-
81 CALCULI OF URINARY SYSTEM.....592,594	12	6	6	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	116	63	52	1	-
83 HYPERPLASIA OF PROSTATE.....600	30	30	-	-	-
84 DISEASES OF BREAST.....610,611	1	-	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	24	15	8	-	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	-	1	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	-	1	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		IOWA				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH,	-	...	-	...	-
08	AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	21	6	15	-	-
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	7	2	5	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	14	4	10	-	-
-12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	91	33	55	1	2
13	ARTHRITIS AND SPONDYLITIS.....710-715	37	13	23	1	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	6	3	3	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	1	-	1	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	2	2	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	43	15	26	-	2
18	XIV. CONGENITAL ANOMALIES.....	157	77	77	1	2
19	SPINA BIFIDA.....741	6	2	4	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS					
	SYSTEM.....740,742,743	20	15	5	-	-
21	CONGENITAL ANOMALIES OF HEART.....746	64	29	35	-	-
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	14	5	8	1	-
23	CLEFT PALATE AND CLEFT LIP.....749					
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	53	26	25	-	2
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	348	210	128	7	3
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	158	82	70	3	3
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	15	5	9	-	1
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	143	77	61	3	2
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,138	1,462	633	32	11
30	ACCIDENTS.....E800-E849	1,731	1,177	530	18	6
31	RAILWAY ACCIDENTS.....E800-E807	4	2	2	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	853	612	233	5	3
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	837	600	229	5	3
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	29	24	5	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER					
	MOTOR VEHICLE.....E812	457	312	139	4	2
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	63	41	22	-	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	94	71	23	-	-
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	170	139	30	1	-
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	24	13	10	-	1
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	16	12	4	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	16	14	2	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	22	21	1	-	-
44	ACCIDENTAL POISONING.....E850-E877	47	33	13	1	-
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	10	6	3	1	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	7	5	2	-	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	30	22	8	-	-
48	ACCIDENTAL FALLS.....E880-E887	281	136	144	1	-
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	58	42	15	1	-
50	FALL ON SAME LEVEL.....E885-E886	10	2	8	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	213	92	121	-	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	73	40	32	1	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	81	59	20	2	-
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION					
	OR SUFFOCATION.....E911,E912	36	20	15	1	-
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	34	27	3	2	2
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	125	120	5	-	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	4	4	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	3	1	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM,					
	OR RADIATION.....E924,E926	2	2	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	19	18	1	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927-E928	96	93	3	-	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	80	40	38	2	-
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	79	53	22	3	1
64	SUICIDE.....E950-E959	314	237	72	3	2
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	27	10	15	1	1
66	SUICIDE FROM POISONING BY GASES.....E951,E952	52	35	17	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	59	45	13	-	1
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	162	141	19	2	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	14	6	8	-	-
70	HOMICIDE.....E960-E978	55	22	19	11	3
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	39	15	12	10	2
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	5	4	1	-	-
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	11	3	6	1	1
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	37	25	12	-	-
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

(Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	10,870	5,973	4,856	19	22
02 I. INFECTIVE AND PARASITIC DISEASES.....	75	40	35	-	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	20	7	13	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	14	10	4	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	12	9	3	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	1	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	7	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	1	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	17	10	7	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	-	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	2	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	2	-	2	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	5	4	1	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	1	1	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	1	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	10	5	5	-	-
58 II. NEOPLASMS.....	1,981	1,080	897	2	2
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,949	1,062	883	2	2
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	37	32	5	-	-
61 OF LIP.....140	3	3	-	-	-
62 OF TONGUE.....141	8	6	2	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	7	5	2	-	-
64 OF PHARYNX.....146-149	19	18	1	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	572	302	268	1	1
66 OF ESOPHAGUS.....150	29	18	10	1	-
67 OF STOMACH.....151	82	45	37	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	4	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	243	102	140	-	1
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	36	15	21	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	18	6	12	-	-
72 DESCENDING COLON.....153.2	6	2	4	-	-
73 SIGMOID COLON.....153.3	42	20	22	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	114	50	63	-	1
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	27	9	18	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	76	51	25	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	10	8	2	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	17	11	6	-	-
79 OF PANCREAS.....157	102	60	42	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	9	3	6	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	453	353	100	-	-
82 OF LARYNX.....161	13	10	3	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	433	337	96	-	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	7	6	1	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	215	23	191	-	1
86 OF BONE.....170	12	6	6	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	8	2	6	-	-
88 OF SKIN.....172,173	21	14	7	-	-
89 OF BREAST.....174	174	1	172	-	1

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		MAINE				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	230	113	117	-	-
02	OF CERVIX UTERI.....180	35	...	35
03	OF OTHER PARTS OF UTERUS.....181,182	27	...	27
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	47	...	47
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	8	...	8
06	OF PROSTATE.....185	105	105
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	8	8
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	101	57	44	-	-
09	OF BLADDER.....188	50	33	17	-	-
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	51	24	27	-	-
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	173	93	79	1	-
12	OF EYE.....190	1	-	1	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	44	31	13	-	-
14	OF THYROID GLAND.....193	-	-	-	-	-
15	OTHER.....194-199	128	62	65	1	-
16	LEUKEMIA.....200-207	73	43	30	-	-
17	LYMPHATIC LEUKEMIA.....204	23	14	9	-	-
18	MYELOID LEUKEMIA.....205	35	19	16	-	-
19	MONOCYTIC LEUKEMIA.....206	1	-	1	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	14	10	4	-	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	95	46	49	-	-
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	39	19	20	-	-
23	HODGKIN'S DISEASE.....201	21	8	13	-	-
24	MULTIPLE MYELOMA.....203	14	8	6	-	-
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	21	11	10	-	-
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	32	18	14	-	-
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	7	2	5	-	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	5	3	2	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	15	11	4	-	-
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	5	2	3	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	224	96	127	1	-
34	NONTOXIC GOITER.....240,241	-	-	-	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	3	-	3	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	4	-	4	-	-
37	DIABETES MELLITUS.....250	182	80	101	1	-
38	DISEASES OF PITUITARY GLAND.....253	1	1	-	-	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	6	1	5	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	8	2	6	-	-
43	CYSTIC FIBROSIS.....273.0	4	3	1	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	16	9	7	-	-
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	27	14	13	-	-
46	ANEMIAS.....280-285	18	10	8	-	-
47	DEFICIENCY ANEMIAS.....280,281	3	1	2	-	-
48	HEMOLYTIC ANEMIAS.....282,283	1	1	-	-	-
49	APLASTIC ANEMIA.....284	6	2	4	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	8	6	2	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	1	1	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	7	3	4	-	-
53	V. MENTAL DISORDERS.....	58	37	21	-	-
54	SENILE AND PRESENILE DEMENTIAS.....290	12	7	5	-	-
55	ALCOHOLIC PSYCHOSES.....291	2	2	-	-	-
56	ALL OTHER PSYCHOSES.....294-299	4	1	3	-	-
57	ALCOHOLISM.....303	27	22	5	-	-
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	12	4	8	-	-
59	MENTAL RETARDATION.....310-315	1	1	-	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	91	58	33	-	-
61	MENINGITIS.....320	5	4	1	-	-
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	3	3	-	-	-
63	MULTIPLE SCLEROSIS.....340	4	2	2	-	-
64	PARALYSIS AGITANS.....342	25	16	9	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	3	2	1	-	-
66	EPILEPSY.....345	11	7	4	-	-
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	-	-	-	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	-	-	-	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	40	24	16	-	-
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	6,136	3,232	2,886	8	10
73	ACTIVE RHEUMATIC FEVER.....390-392	1	1	-	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	72	29	43	-	-
75	DISEASES OF MITRAL VALVE.....394	18	5	13	-	-
76	DISEASES OF AORTIC VALVE.....395	20	8	12	-	-
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	1	1	-	-
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	32	15	17	-	-
79	HYPERTENSIVE DISEASE.....400-404	144	63	81	-	-
80	MALIGNANT HYPERTENSION.....400	8	4	4	-	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	9	3	6	-	-
82	HYPERTENSIVE HEART DISEASE.....402	55	25	30	-	-
83	HYPERTENSIVE RENAL DISEASE.....403	32	17	15	-	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	40	14	26	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH	Total	RACE			
		White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	3,967	2,250	1,706	5	6
02 WITH HYPERTENSIVE DISEASE (.0).....402	402	184	218	-	-
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....3,565	3,565	2,066	1,488	5	6
04 ACUTE MYOCARDIAL INFARCTION.....410	2,421	1,506	907	4	4
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	7	4	3	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,534	738	795	1	2
07 ANGINA PECTORIS.....413	3	2	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	258	130	127	1	-
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	-	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	4	1	3	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	7	2	5	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	7	2	5	-	-
15 SYMPTOMATIC HEART DISEASE.....427	154	79	74	1	-
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	37	22	15	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	56	26	30	-	-
18 CEREBROVASCULAR DISEASES.....430-438	1,196	515	675	2	4
19 WITH HYPERTENSION (BENIGN) (.0).....143	143	63	79	1	-
20 WITHOUT MENTION OF HYPERTENSION (.9).....1,053	1,053	452	596	1	4
21 SUBARACHNOID HEMORRHAGE.....430	62	24	36	1	1
22 CEREBRAL HEMORRHAGE.....431	257	110	145	1	1
23 CEREBRAL THROMBOSIS.....432	316	147	169	-	-
24 CEREBRAL EMBOLISM.....434	5	3	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	25	10	15	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	282	121	161	-	-
27 OTHER CEREBROVASCULAR DISEASES.....437,438	249	100	147	-	2
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	399	202	197	-	-
29 ARTERIOSCLEROSIS.....440	222	91	131	-	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	97	64	33	-	-
31 GANGRENE.....445	25	15	10	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	55	32	23	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	99	42	57	-	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	90	39	51	-	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	9	3	6	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....677	677	430	244	-	3
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	1	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	6	2	-	-
39 INFLUENZA.....470-474	35	17	18	-	-
40 PNEUMONIA.....480-486	304	157	147	-	-
41 VIRAL PNEUMONIA.....480	14	5	9	-	-
42 BACTERIAL PNEUMONIA.....481,482	25	9	16	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	3	3	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	127	64	63	-	-
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	135	76	59	-	-
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	165	134	31	-	-
47 BRONCHITIS, UNQUALIFIED.....490	3	1	2	-	-
48 CHRONIC BRONCHITIS.....491	40	33	7	-	-
49 EMPHYSEMA.....492	110	94	16	-	-
50 ASTHMA.....493	12	6	6	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPHYEMA AND ABSCESS OF LUNG.....510,513	5	3	1	-	1
53 PLEURISY.....511	3	2	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	14	9	5	-	-
55 BRONCHIECTASIS.....518	8	6	2	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	133	95	36	-	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....395	395	233	159	-	3
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	40	27	13	-	-
60 ULCER OF STOMACH.....531	14	7	7	-	-
61 ULCER OF DUODENUM.....532	22	17	5	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	4	3	1	-	-
63 GASTRITIS AND DUODENITIS.....535	4	2	2	-	-
64 APPENDICITIS.....540-543	9	6	3	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	34	15	19	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	15	5	10	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	7	5	2	-	-
69 CIRRHOSIS OF LIVER.....571	162	100	59	-	3
70 ALCOHOLIC.....571.0	72	52	17	-	3
71 OTHER SPECIFIED.....571.8	17	7	10	-	-
72 UNSPECIFIED.....571.9	73	41	32	-	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	20	13	7	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	104	60	44	-	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....134	134	73	61	-	-
76 NEPHRITIS AND NEPHROSIS.....580-584	36	18	18	-	-
77 ACUTE NEPHRITIS.....580	6	6	-	-	-
78 NEPHROTIC SYNDROME.....581	1	-	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	29	12	17	-	-
80 INFECTIONS OF KIDNEY.....590	31	14	17	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	7	3	4	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	35	19	16	-	-
83 HYPERPLASIA OF PROSTATE.....600	12	12	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	13	7	6	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	-	...	-	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....692,691-693	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		MAINE				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	8	4	4	-	-
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	1	-	1	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	7	4	3	-	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	24	4	20	-	-
13	ARTHRITIS AND SPONDYLITIS.....710-715	11	1	10	-	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	1	1	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	1	-	1	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	1	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	9	1	8	-	-
18	XIV. CONGENITAL ANOMALIES.....	69	39	29	-	1
19	SPINA BIFIDA.....741	3	-	3	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	19	12	6	-	1
21	CONGENITAL ANOMALIES OF HEART.....746	24	13	11	-	-
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	3	1	2	-	-
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	20	13	7	-	-
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	144	79	64	1	-
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	69	43	26	-	-
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	7	3	4	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	62	40	22	-	-
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	758	511	237	7	3
30	ACCIDENTS.....E800-E949	567	378	182	5	2
31	RAILWAY ACCIDENTS.....E800-E807	3	3	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	236	163	68	4	1
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	233	160	68	4	1
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1	1	-	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	73	52	20	-	1
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	49	21	18	1	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813-E815	42	29	12	1	-
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	63	48	14	-	-
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	14	9	4	1	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	3	-	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	1	1	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	20	19	1	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	6	4	2	-	-
44	ACCIDENTAL POISONING.....E850-E877	22	16	6	-	-
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	7	4	3	-	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	5	3	2	-	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	10	9	1	-	-
48	ACCIDENTAL FALLS.....E880-E887	81	37	44	-	-
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	26	17	9	-	-
50	FALL ON SAME LEVEL.....E885-E886	5	3	2	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	50	17	33	-	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	52	28	23	1	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	40	34	6	-	-
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911-E912	15	10	5	-	-
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	8	8	-	-	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	30	28	2	-	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	1	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	3	2	1	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	2	-	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	3	3	-	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	21	20	1	-	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	30	15	15	-	-
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	22	12	9	-	1
64	SUICIDE.....E950-E959	150	107	43	-	-
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	9	2	7	-	-
66	SUICIDE FROM POISONING BY GASES.....E951,E952	24	17	7	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	24	15	9	-	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	78	66	12	-	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	15	7	8	-	-
70	HOMICIDE.....E960-E978	27	15	10	1	1
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	17	11	5	-	1
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3	1	1	1	-
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	6	2	4	-	-
74	LEGAL EXECUTION.....E970	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	1	1	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	14	11	2	1	-
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	1				1	1				1	1			
2	2				2	2				2	2			
3	3				3	3				3	3			
4	4				4	4				4	4			
5	5				5	5				5	5			
6	6				6	6				6	6			
7	7				7	7				7	7			
8	8				8	8				8	8			
9	9				9	9				9	9			
10	10				10	10				10	10			
11	11				11	11				11	11			
12	12				12	12				12	12			
13	13				13	13				13	13			
14	14				14	14				14	14			
15	15				15	15				15	15			
16	16				16	16				16	16			
17	17				17	17				17	17			
18	18				18	18				18	18			
19	19				19	19				19	19			
20	20				20	20				20	20			
21	21				21	21				21	21			
22	22				22	22				22	22			
23	23				23	23				23	23			
24	24				24	24				24	24			
25	25				25	25				25	25			
26	26				26	26				26	26			
27	27				27	27				27	27			
28	28				28	28				28	28			
29	29				29	29				29	29			
30	30				30	30				30	30			
31	31				31	31				31	31			
32	32				32	32				32	32			
33	33				33	33				33	33			
34	34				34	34				34	34			
35	35				35	35				35	35			
36	36				36	36				36	36			
37	37				37	37				37	37			
38	38				38	38				38	38			
39	39				39	39				39	39			
40	40				40	40				40	40			
41	41				41	41				41	41			
42	42				42	42				42	42			
43	43				43	43				43	43			
44	44				44	44				44	44			
45	45				45	45				45	45			
46	46				46	46				46	46			
47	47				47	47				47	47			

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	33,851	18,784	14,581	296	190
02 I. INFECTIVE AND PARASITIC DISEASES.....	205	108	92	3	2
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	-	1	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	43	17	24	1	1
09 TUBERCULOSIS, ALL FORMS.....010-019	26	17	9	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	16	10	6	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	1	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	1	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	1	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	7	5	2	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	1	-	1	-	-
24 MENINGOCOCCAL INFECTIONS.....036	3	1	2	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	63	39	23	1	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	5	4	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	2	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	2	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	8	3	5	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	29	15	13	-	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	5	2	2	1	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	1	1	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	2	-	1	1	-
47 TABES DORSALIS.....094.0	1	1	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	1	-	1	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	14	6	8	-	-
58 II. NEOPLASMS.....	6,744	3,342	2,841	43	18
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	6,172	3,310	2,802	43	17
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	119	72	45	2	-
61 OF LIP.....140	7	6	1	-	-
62 OF TONGUE.....141	28	14	14	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	37	24	13	-	-
64 OF PHARYNX.....146-149	47	28	17	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,800	979	803	12	6
66 OF ESOPHAGUS.....150	108	76	29	3	-
67 OF STOMACH.....151	310	195	115	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	11	9	2	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	698	342	345	6	5
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	94	49	44	-	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	26	16	10	-	-
72 DESCENDING COLON.....153.2	12	7	5	-	-
73 SIGMOID COLON.....153.3	81	41	40	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	451	216	225	6	4
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	34	13	21	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	175	96	78	1	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	40	23	15	2	-
78 OF GALLBLADDER AND BILE DUCTS.....156	109	41	67	-	1
79 OF PANCREAS.....157	326	186	140	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	23	11	12	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,084	852	217	14	1
82 OF LARYNX.....161	42	37	5	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	1,022	801	206	14	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	20	14	6	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	733	74	658	-	1
86 OF BONE.....170	26	13	13	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	31	12	19	-	-
88 OF SKIN.....172,173	77	43	34	-	-
89 OF BREAST.....174	599	6	592	-	1

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		MINNESOTA				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	839	446	386	6	1
02	OF CERVIX UTERI.....180	62	...	61	...	1
03	OF OTHER PARTS OF UTERUS.....181,182	101	...	101	...	-
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	207	...	207	...	-
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	17	...	17	...	-
06	OF PROSTATE.....185	426	421	...	5	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	26	25	...	1	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	291	199	89	1	2
09	OF BLADDER.....188	156	115	39	-	2
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	135	84	50	1	-
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	569	272	289	5	3
12	OF EYE.....190	7	4	3	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	182	97	82	2	1
14	OF THYROID GLAND.....193	15	4	10	1	-
15	OTHER.....194-199	365	167	194	2	2
16	LEUKEMIA.....204-207	288	170	115	1	2
17	LYMPHATIC LEUKEMIA.....204	95	63	30	1	1
18	MYELOID LEUKEMIA.....205	146	79	66	-	1
19	MONOCYTIC LEUKEMIA.....206	9	6	3	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	38	22	16	-	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	449	246	200	2	1
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	159	88	70	1	-
23	HODGKIN'S DISEASE.....201	68	35	32	-	1
24	MULTIPLE MYELOMA.....203	98	56	42	-	-
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	124	67	56	1	-
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	72	32	39	-	1
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	14	5	9	-	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	18	7	11	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	1	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	25	11	13	-	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	14	9	5	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	698	331	354	5	8
34	NONTOKIC GOITER.....240,241	2	-	2	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	7	2	5	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	14	3	10	-	1
37	DIABETES MELLITUS.....250	542	258	275	2	7
38	DISEASES OF PITUITARY GLAND.....253	6	4	2	-	-
39	DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	4	1	3	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	47	18	29	-	-
43	CYSTIC FIBROSIS.....273.0	9	2	7	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	67	43	21	3	-
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	76	29	46	-	1
46	ANEMIAS.....280-285	44	21	23	-	-
47	DEFICIENCY ANEMIAS.....280,281	10	4	6	-	-
48	HEMOLYTIC ANEMIAS.....282,283	7	4	3	-	-
49	APLASTIC ANEMIA.....284	13	7	6	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	14	6	8	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	10	3	6	-	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	22	5	17	-	-
53	V. MENTAL DISORDERS.....	132	73	52	3	4
54	SENILE AND PRESENILE DEMENTIAS.....290	21	8	12	1	-
55	ALCOHOLIC PSYCHOSES.....291	8	7	1	-	-
56	ALL OTHER PSYCHOSES.....294-299	7	3	4	-	-
57	ALCOHOLISM.....303	48	32	11	2	3
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	44	21	22	-	1
59	MENTAL RETARDATION.....310-315	4	2	2	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	370	208	153	6	3
61	MENINGITIS.....320	16	11	4	-	1
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	14	12	1	1	-
63	MULTIPLE SCLEROSIS.....340	34	16	18	-	-
64	PARALYSIS AGITANS.....342	101	59	42	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	9	8	1	-	-
66	EPILEPSY.....345	32	18	13	1	-
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	1	-	1	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	2	1	1	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	161	83	72	4	2
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	18,717	10,192	8,347	96	82
73	ACTIVE RHEUMATIC FEVER.....390-392	5	3	2	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	254	109	141	1	3
75	DISEASES OF MITRAL VALVE.....394	81	27	54	-	-
76	DISEASES OF AORTIC VALVE.....395	88	47	40	1	-
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	9	4	5	-	-
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	76	31	42	-	3
79	HYPERTENSIVE DISEASE.....400-404	276	124	150	1	1
80	MALIGNANT HYPERTENSION.....400	5	3	2	-	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	29	11	17	1	-
82	HYPERTENSIVE HEART DISEASE.....402	99	37	62	-	-
83	HYPERTENSIVE RENAL DISEASE.....403	79	45	33	-	1
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	64	28	36	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		MINNESOTA				
		Total	White		All other	
			Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413		11,854	6,937	4,796	71	50
02 WITH HYPERTENSIVE DISEASE (.0).....		1,267	619	641	4	3
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....		10,587	6,318	4,155	67	47
04 ACUTE MYOCARDIAL INFARCTION.....410		6,054	3,955	2,080	20	19
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411		85	49	35	1	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412		5,711	2,931	2,700	49	31
07 ANGINA PECTORIS.....413		4	2	1	1	-
08 OTHER FORMS OF HEART DISEASE.....420-429		688	384	289	6	9
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422		9	8	1	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421		12	8	4	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424		32	16	15	-	1
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0		2	-	1	-	1
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1		3	2	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9		27	14	13	-	-
15 SYMPTOMATIC HEART DISEASE.....427		458	257	192	4	5
16 OTHER MYOCARDIAL INSUFFICIENCY.....428		54	22	32	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429		123	73	45	2	3
18 CEREBROVASCULAR DISEASES.....430-438		4,225	1,954	2,248	14	9
19 WITH HYPERTENSION (BENIGN) (.0).....		541	212	323	4	2
20 WITHOUT MENTION OF HYPERTENSION (.9).....		3,684	1,742	1,925	10	7
21 SUBARACHNOID HEMORRHAGE.....430		176	70	102	2	2
22 CEREBRAL HEMORRHAGE.....431		653	299	349	4	1
23 CEREBRAL THROMBOSIS.....433		870	428	440	1	1
24 CEREBRAL EMBOLISM.....434		15	6	9	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435		74	44	30	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436		1,351	610	734	6	1
27 OTHER CEREBROVASCULAR DISEASES.....437,438		1,086	497	584	1	4
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448		1,127	551	571	2	3
29 ARTERIOSCLEROSIS.....440		639	274	364	-	1
30 AORTIC ANEURYSM (NONSYPHILITIC).....441		260	169	90	1	-
31 GANGRENE.....445		62	37	25	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448		166	71	92	1	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458		288	130	150	1	7
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453		261	117	138	1	5
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458		27	13	12	-	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....		2,114	1,276	809	19	10
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465		10	4	6	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466		7	4	3	-	-
39 INFLUENZA.....470-474		170	93	75	2	-
40 PNEUMONIA.....480-486		1,114	579	517	10	8
41 VIRAL PNEUMONIA.....480		20	9	11	-	-
42 BACTERIAL PNEUMONIA.....481,482		116	71	45	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484		10	7	3	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485		396	204	189	2	1
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486		572	288	269	8	7
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493		466	369	95	2	-
47 BRONCHITIS, UNQUALIFIED.....490		21	14	7	-	-
48 CHRONIC BRONCHITIS.....491		79	59	20	-	-
49 EMPHYSEMA.....492		326	277	47	2	-
50 ASTHMA.....493		40	19	21	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500		-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513		20	14	6	-	-
53 PLEURISY.....511		10	6	4	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517		58	34	24	-	-
55 BRONCHIECTASIS.....518		11	4	7	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519		248	169	72	5	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....		1,132	643	459	10	20
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525		-	-	-	-	-
59 PEPTIC ULCER.....531-533		129	78	50	1	-
60 ULCER OF STOMACH.....531		43	21	21	1	-
61 ULCER OF DUODENUM.....532		75	49	26	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533		11	8	3	-	-
63 GASTRITIS AND DUODENITIS.....535		7	5	2	-	-
64 APPENDICITIS.....540-543		12	5	6	-	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560		143	67	75	-	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561		-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562		57	21	34	1	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563		20	9	11	-	-
69 CIRRHOSIS OF LIVER.....571		401	258	130	3	10
70 ALCOHOLIC.....571.0		154	108	40	2	4
71 OTHER SPECIFIED.....571.8		85	52	32	-	1
72 UNSPECIFIED.....571.9		162	98	58	1	5
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575		82	47	34	-	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577		281	193	117	5	6
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....		349	213	128	4	4
76 NEPHRITIS AND NEPHROSIS.....580-584		86	46	39	1	-
77 ACUTE NEPHRITIS.....580		13	9	4	-	-
78 NEPHROTIC SYNDROME.....581		3	1	2	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584		70	36	33	1	-
80 INFECTIONS OF KIDNEY.....590		71	24	45	1	1
81 CALCULI OF URINARY SYSTEM.....592,594		6	3	3	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599		126	85	37	1	3
83 HYPERPLASIA OF PROSTATE.....600		42	41	1	-	-
84 DISEASES OF BREAST.....610,611		1	-	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629		17	14	3	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....		4	-	3	-	1
87 ECTOPIC PREGNANCY.....631		-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....632,639		-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653		-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

	CAUSE OF DEATH	MINNESOTA				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	3	...	2	...	1
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	1	...	1	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	20	5	15	-	-
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	4	1	3	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	16	4	12	-	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	100	29	70	1	-
13	ARTHRITIS AND SPONDYLITIS.....710-715	47	17	30	-	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	5	1	4	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	3	2	1	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	1	1	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	43	8	34	1	-
18	XIV. CONGENITAL ANOMALIES.....	252	124	118	6	4
19	SPINA BIFIDA.....741	9	5	4	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	48	10	35	3	-
21	CONGENITAL ANOMALIES OF HEART.....746	88	51	35	-	2
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	27	16	10	-	1
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	80	42	34	3	1
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	447	229	203	11	4
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	264	144	105	12	3
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	13	1	12	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	251	143	93	12	3
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,727	1,838	786	77	26
30	ACCIDENTS.....E800-E949	2,120	1,430	624	48	18
31	RAILWAY ACCIDENTS.....E800-E807	17	13	2	2	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	1,048	708	305	24	11
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	1,022	688	299	24	11
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	30	21	9	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	478	299	167	8	4
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	152	88	53	7	4
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	82	61	17	3	1
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	243	190	45	6	2
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	37	29	8	-	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	26	20	6	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	3	2	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	27	23	4	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	19	17	2	-	-
44	ACCIDENTAL POISONING.....E850-E877	97	62	30	4	1
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	32	14	16	2	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	10	5	4	-	1
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	55	43	10	2	-
48	ACCIDENTAL FALLS.....E880-E887	354	186	164	4	-
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	95	70	25	-	-
50	FALL ON SAME LEVEL.....E885,E886	21	11	10	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	238	105	129	4	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	90	56	29	5	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	89	78	9	1	1
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	51	37	10	1	3
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	40	37	2	1	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	129	116	12	1	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	5	4	1	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	6	4	2	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	5	5	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	14	13	1	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	99	90	8	1	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	70	35	32	1	2
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	84	59	21	4	-
64	SUICIDE.....E950-E959	410	303	93	10	4
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	49	16	30	2	1
66	SUICIDE FROM POISONING BY GASES.....E951,E952	56	40	16	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	92	70	20	7	2
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	189	166	17	4	2
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	24	11	10	2	1
70	HOMICIDE.....E960-E978	98	52	31	12	3
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	54	33	12	6	1
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	18	8	7	2	1
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	25	10	12	2	1
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	1	1	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	99	53	38	7	1
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

1-305

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

MISSISSIPPI					MISSOURI					MONTANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
3	...	1	...	2	-	...	-	...	-	-	...	-	...	-
6	...	3	...	3	2	...	2	...	-	-	...	-	...	-
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-
27	5	9	5	8	58	19	28	5	6	5	2	1	-	2
9	4	2	2	1	16	6	8	1	1	4	1	1	-	2
18	1	7	3	7	42	13	20	4	5	1	1	-	-	11
60	13	27	11	9	133	39	79	4	11	17	4	12	1	-
30	5	14	6	5	60	19	36	2	3	8	3	5	-	-
5	1	3	-	1	5	-	4	1	-	1	-	1	-	-
1	1	-	-	-	9	2	7	-	-	1	-	1	-	-
-	-	-	-	-	2	-	2	-	-	1	-	1	-	-
24	6	10	5	3	57	18	30	1	8	7	1	5	1	-
175	58	43	38	36	331	157	125	25	24	57	24	25	3	5
9	2	6	-	1	12	5	7	-	-	2	-	1	1	-
22	7	6	7	2	48	23	22	1	2	9	4	4	-	1
84	28	17	22	17	142	68	50	12	12	25	12	11	1	1
13	7	3	3	-	31	12	13	-	2	5	1	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	14	11	6	16	98	49	33	8	8	16	7	7	1	1
608	136	96	215	161	642	272	203	97	70	112	54	49	6	3
1,737	423	173	631	510	1,661	919	522	136	84	212	137	65	5	5
41	4	6	14	17	127	48	76	2	1	14	7	5	2	-
1,696	419	167	617	493	1,534	871	446	134	63	198	130	60	3	5
2,535	1,080	356	827	272	4,119	2,424	1,052	491	152	794	513	193	65	23
1,912	843	285	585	199	2,941	1,802	827	217	95	622	400	148	53	21
13	5	-	5	3	21	18	2	1	-	4	2	60	2	-
933	452	152	258	71	1,453	974	369	75	35	320	211	60	34	15
910	443	150	250	67	1,427	954	363	75	35	307	204	95	34	14
22	11	3	6	2	35	23	6	5	1	7	5	2	-	-
349	180	76	77	16	631	401	197	18	15	102	62	21	13	6
123	45	12	48	18	177	107	41	24	5	33	24	2	5	2
73	38	13	18	4	331	246	63	15	7	31	21	6	1	3
206	104	16	67	19	161	120	30	8	3	121	84	20	14	3
137	65	30	34	8	92	57	26	5	4	13	8	4	-	3
23	9	2	8	4	26	20	6	-	-	13	7	5	-	1
1	1	-	5	4	5	4	1	-	-	3	1	2	-	4
91	28	5	17	1	23	16	2	5	-	13	9	-	4	-
8	8	-	-	-	28	21	7	-	-	15	12	3	-	4
44	20	6	13	5	97	49	32	11	5	21	9	11	-	1
14	8	4	2	-	41	16	18	6	1	8	1	6	-	1
12	7	1	4	-	16	8	4	1	3	4	2	2	-	-
18	5	1	7	5	40	25	10	4	1	9	6	3	-	-
148	62	53	23	10	478	193	242	28	15	69	34	33	2	-
29	14	3	11	1	121	67	37	12	5	22	16	6	-	-
1	-	1	-	-	24	7	15	2	-	2	-	2	-	-
118	48	49	12	9	333	119	190	14	10	45	18	25	2	-
170	36	20	60	54	152	74	46	19	13	52	15	8	2	-
146	56	13	64	13	144	99	15	29	1	24	16	3	3	-
53	24	10	15	7	81	33	26	11	11	20	9	9	1	1
80	31	3	39	4	78	60	6	10	2	22	16	4	2	-
120	70	4	39	7	173	143	12	14	-	34	30	2	2	-
6	1	1	3	1	6	2	2	-	2	2	-	1	1	-
6	2	-	2	2	13	11	1	-	-	3	3	-	-	-
3	-	-	1	2	6	2	3	-	1	1	-	1	-	-
24	18	1	5	-	34	30	1	3	-	5	5	-	-	-
81	49	2	28	2	114	98	5	10	1	23	22	-	1	-
36	9	11	11	5	72	32	34	3	3	17	12	5	-	-
109	41	8	41	19	136	86	33	11	6	34	24	8	1	1
204	139	32	27	6	561	390	136	30	5	106	78	25	3	-
8	3	5	-	-	55	22	32	1	-	2	1	1	-	-
8	7	1	-	-	59	36	21	1	1	9	6	3	-	-
15	9	2	4	-	74	49	20	5	-	5	2	2	-	-
169	118	23	22	6	332	254	54	20	4	80	65	14	1	-
4	2	1	1	-	41	29	9	3	-	10	4	5	1	-
350	65	25	199	61	454	151	38	221	44	44	27	10	6	1
275	52	20	159	44	326	99	21	177	29	29	19	6	4	-
28	3	2	19	4	62	20	4	28	10	5	3	1	1	-
45	9	3	20	13	58	26	13	14	5	8	5	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	1	-	8	6	-	2	-	2	2	-	-	-
69	33	14	16	6	163	81	51	23	8	22	8	10	3	1
														76

SECTION-1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	14,998	8,045	6,530	242	181
02 I. INFECTIVE AND PARASITIC DISEASES.....	82	42	38	-	2
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	16	5	11	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	22	14	8	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	16	10	6	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14 DISSEMINATED TUBERCULOSIS.....016	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	5	4	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	3	3	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	11	5	6	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	3	1	1	-	1
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	2	1	1	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	5	1	3	-	1
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	2	1	1	-	-
35 INFECTIOUS HEPATITIS.....070	1	-	1	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	8	4	4	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	1	-	1	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	-	-	-	-	-
47 TABES DORSALIS.....094,0	-	-	-	-	-
48 GENERAL PARESIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	1	-	1	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	8	7	1	-	-
58 II. NEOPLASMS.....	2,660	1,391	1,197	37	35
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	2,628	1,374	1,185	37	32
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	47	32	11	2	2
61 OF LIP.....140	4	4	-	-	-
62 OF TONGUE.....141	7	6	-	-	1
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	17	10	5	2	-
64 OF PHARYNX.....146-149	19	12	6	-	1
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	783	363	395	11	14
66 OF ESOPHAGUS.....150	37	27	5	3	2
67 OF STOMACH.....151	111	63	44	2	2
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	5	3	2	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	330	128	196	4	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	54	17	36	1	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	14	4	9	-	1
72 DESCENDING COLON.....153,2	10	5	5	-	-
73 SIGMOID COLON.....153,3	60	23	37	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	180	75	101	3	1
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	12	4	8	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	82	39	40	1	2
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	24	11	12	1	-
78 OF GALLBLADDER AND BILE DUCTS.....156	39	15	23	-	1
79 OF PANCREAS.....157	140	70	66	-	4
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	15	7	7	-	1
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	495	405	77	11	2
82 OF LARYNX.....161	12	9	2	1	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	472	390	70	10	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	11	6	5	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	293	31	258	-	4
86 OF BONE.....170	14	8	6	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	9	7	2	-	-
88 OF SKIN.....172,173	30	15	15	-	-
89 OF BREAST.....174	240	1	235	-	4

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
4,264	2,447	1,515	199	103	7,583	4,119	3,444	9	11	68,687	33,170	28,498	3,894	3,125
35	11	16	5	3	29	13	16	-	-	563	230	201	76	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	9	3	5	-	1
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-
4	-	2	1	1	8	2	6	-	-	74	31	29	6	8
6	2	2	2	2	5	4	1	-	-	171	71	44	41	15
3	2	-	-	1	5	4	1	-	-	136	56	35	33	12
2	-	-	1	1	-	-	-	-	-	3	-	-	2	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	1	-	-	-	-	-	-	5	1	2	1	1
-	-	-	-	-	-	-	-	-	-	26	14	7	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	9	7	1	-	1
-	-	-	-	-	-	-	-	-	-	2	2	2	-	-
6	3	2	1	-	9	4	5	-	-	164	62	72	13	17
-	-	-	-	-	2	-	2	-	-	20	10	7	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	3	-	-	1	1	-	-	-	12	3	6	2	1
6	2	4	-	-	-	-	-	-	-	1	1	-	-	-
6	3	3	-	-	2	-	2	-	-	27	7	12	5	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	30	15	10	-	5
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	1	-	-	-	-	-	-	3	1	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	2	1	-	-	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	32	15	8	6	3
815	421	354	26	14	1,408	761	646	-	1	14,177	6,854	6,060	700	563
805	416	350	25	14	1,393	752	640	-	1	14,004	6,780	5,983	689	552
20	16	3	1	-	37	26	11	-	-	353	228	77	31	17
1	1	-	-	-	-	-	-	-	-	6	6	-	-	-
3	3	-	-	-	11	9	2	-	-	95	62	26	6	1
7	5	2	-	-	10	5	5	-	-	93	51	28	9	5
9	7	1	1	-	16	12	4	-	-	159	109	23	16	11
204	106	84	8	6	406	227	179	-	-	4,224	2,023	1,854	192	155
17	8	6	2	1	36	28	8	-	-	272	150	63	48	11
28	17	9	1	1	64	42	22	-	-	689	354	259	41	35
1	1	-	-	-	4	3	1	-	-	24	13	9	2	-
84	37	43	1	3	167	73	94	-	-	1,708	752	850	53	53
14	5	9	-	-	24	11	13	-	-	183	68	104	3	8
1	1	-	-	-	10	5	5	-	-	77	40	35	-	2
2	1	1	-	-	6	2	4	-	-	47	27	20	-	-
6	4	2	-	-	32	16	16	-	-	243	104	125	8	6
58	24	30	1	3	81	36	45	-	-	1,058	477	514	35	32
3	2	1	-	-	14	3	11	-	-	100	36	52	7	5
16	11	4	1	-	46	28	18	-	-	503	255	215	14	19
5	4	1	-	-	3	2	1	-	-	83	49	26	3	5
5	2	3	-	-	16	6	10	-	-	180	61	109	4	6
45	25	16	3	1	68	44	24	-	-	700	363	288	26	23
3	1	2	-	-	2	1	1	-	-	65	26	35	1	3
202	133	60	7	2	315	248	67	-	-	3,091	2,191	610	222	68
7	6	1	-	-	11	10	1	-	-	114	92	11	10	1
189	124	56	7	2	302	237	65	-	-	2,920	2,069	582	206	63
6	3	3	-	-	2	1	1	-	-	57	30	17	6	4
76	5	71	-	-	158	15	143	-	-	1,790	191	1,468	18	113
4	-	4	-	-	6	4	2	-	-	71	36	25	8	2
-	-	-	-	-	3	2	1	-	-	48	27	20	-	1
9	5	4	-	-	9	8	1	-	-	191	110	72	6	3
63	-	63	-	-	140	1	139	-	-	1,480	18	1,351	4	107

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

		NEBRASKA				
CAUSE OF DEATH		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	338	161	169	5	3
02	OF CERVIX UTERI.....180	31	...	31
03	OF OTHER PARTS OF UTERUS.....181,182	50	...	49	...	1
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	87	...	85	...	2
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	...	4
06	OF PROSTATE.....185	156	151	...	5	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	10	10
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	111	72	35	4	...
09	OF BLADDER.....188	56	44	9	3	...
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	55	28	26	1	...
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	232	125	103	2	2
12	OF EYE.....190	5	3	2
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	71	43	27	1	...
14	OF THYROID GLAND.....193	8	3	5
15	OTHER.....194-199	148	76	69	1	2
16	LEUKEMIA.....204-207	148	83	60	2	3
17	LYMPHATIC LEUKEMIA.....204	71	39	29	2	1
18	MYELOID LEUKEMIA.....205	57	29	26	...	2
19	MONOCYTIC LEUKEMIA.....206	2	1
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	18	14	4
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	181	102	77	...	2
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	54	33	21
23	HODGKIN'S DISEASE.....201	32	18	14
24	MULTIPLE MYELOMA.....203	54	31	21	...	2
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	41	20	21
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	32	17	12	...	3
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....210-221	1	1
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	12	5	6	...	1
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	7	5	2
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	10	5	4	...	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	2	2
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	379	172	194	7	6
34	NONTOXIC GOITER.....240,241
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	1
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	5	1	4
37	DIABETES MELLITUS.....250	291	130	150	6	5
38	DISEASES OF PITUITARY GLAND.....253	4	2	2
39	DISEASES OF THYMUS GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255	4	2	2
41	NIACIN DEFICIENCY.....262
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	32	16	13	1	...
43	CYSTIC FIBROSIS.....273.0	9	6	3
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	33	14	18	...	1
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	37	17	19	...	1
46	ANEMIAS.....280-285	25	8	16	...	1
47	DEFICIENCY ANEMIAS.....280,281	5	2	3
48	HEMOLYTIC ANEMIAS.....282,283	2	...	2
49	APLASTIC ANEMIA.....284	12	4	8
50	OTHER AND UNSPECIFIED ANEMIAS.....285	6	2	3	...	1
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	3	3
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	9	6	3
53	V. MENTAL DISORDERS.....	79	42	36	...	1
54	SENILE AND PRESENILE DEMENTIAS.....290	7	1	6
55	ALCOHOLIC PSYCHOSES.....291	6	6
56	ALL OTHER PSYCHOSES.....294-299	7	1	6
57	ALCOHOLISM.....303	23	20	3
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	35	14	20	...	1
59	MENTAL RETARDATION.....310-315	1	...	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	140	71	66	3	...
61	MENINGITIS.....320	7	3	3	1	...
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	8	7	1
63	MULTIPLE SCLEROSIS.....340	13	8
64	PARALYSIS AGITANS.....342	37	20	17
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	4	1	3
66	EPILEPSY.....345	20	12	7	1	...
67	INFLAMMATORY DISEASES OF EYE.....360-369	1	...	1
68	CATARACT.....374	1	1
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	1	...	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	48	22	25	1	...
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,339	4,295	3,873	89	82
73	ACTIVE RHEUMATIC FEVER.....390-392
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	108	59	46	2	1
75	DISEASES OF MITRAL VALVE.....394	25	12	13
76	DISEASES OF AORTIC VALVE.....395	37	24	12	1	...
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	4	2	2
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	42	21	19	1	1
79	HYPERTENSIVE DISEASE.....400-404	220	91	119	5	5
80	MALIGNANT HYPERTENSION.....400	6	2	3	...	1
81	ESSENTIAL BENIGN HYPERTENSION.....401	4	2	2
82	HYPERTENSIVE HEART DISEASE.....402	62	23	31	4	4
83	HYPERTENSIVE RENAL DISEASE.....403	60	28	31	1	...
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	88	36	52

SECTION 1 - GENERAL MORTALITY

1-309

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
85	35	45	4	1	172	64	107	-	1	1,616	620	808	83	105
12	...	11	...	1	29	...	29	185	...	153	...	32
11	...	11	...	-	24	...	24	244	...	217	...	27
20	...	20	...	-	49	...	48	...	1	454	...	409	...	45
3	...	3	...	-	6	...	6	...	-	30	...	29	...	1
37	33	...	4	...	61	61	673	594	...	79	...
2	2	...	-	...	3	3	...	-	...	30	26	...	4	...
36	30	5	-	1	70	47	23	-	-	650	417	192	22	...
21	19	2	-	-	44	34	10	-	-	410	287	96	15	12
15	11	3	-	1	26	13	13	-	-	240	130	96	7	7
107	54	49	3	1	116	57	59	-	-	1,119	526	503	53	37
1	1	1	-	-	1	1	-	-	-	12	4	7	1	12
27	16	10	1	-	31	14	17	-	-	327	167	148	8	4
2	1	1	-	-	1	1	-	-	-	41	14	24	-	3
77	37	37	2	1	83	41	42	-	-	739	341	324	44	30
29	15	11	1	2	55	30	25	-	-	491	252	195	31	13
10	7	5	-	-	17	10	7	-	-	168	96	55	14	3
13	7	5	1	-	23	13	10	-	-	204	98	94	10	2
6	3	3	-	-	14	7	7	-	-	14	10	2	2	19
46	22	22	1	1	64	38	26	-	-	105	48	44	5	8
14	6	8	-	-	19	14	5	-	-	670	332	276	37	25
7	4	3	-	-	9	6	3	-	-	261	126	122	8	5
10	3	6	1	-	19	10	9	-	-	109	58	43	5	3
15	9	5	-	1	17	8	9	-	-	143	67	52	13	11
10	5	4	1	-	15	9	6	-	-	157	81	59	11	6
1	...	1	...	-	2	1	1	...	-	173	74	77	11	11
2	2	-	-	-	3	2	1	-	-	9	...	8	...	1
4	2	2	-	-	5	3	2	-	-	33	15	13	3	2
3	1	1	1	-	5	3	2	-	-	30	11	14	2	3
90	35	43	4	8	207	77	129	1	-	1	...	1	...	-
1	-	-	-	-	-	-	-	-	-	61	31	23	3	4
75	29	37	3	6	170	63	106	1	-	39	17	18	3	1
1	-	-	-	-	-	-	-	-	-	1,765	656	878	90	141
4	-	-	-	-	-	-	-	-	-	1	-	1	-	-
9	6	2	-	1	19	10	9	-	-	8	2	4	1	34
9	6	3	-	-	36	19	17	-	-	17	2	11	-	1
5	4	1	-	-	25	10	15	-	-	12	5	5	2	38
1	1	-	-	-	2	1	2	-	-	2	1	-	-	1
2	1	1	-	-	15	6	9	-	-	11	2	6	1	2
4	2	-	-	-	2	2	-	-	-	-	...
47	32	13	2	-	25	14	11	-	-	69	30	31	6	2
3	1	2	-	-	10	2	8	-	-	13	5	8	-	43
36	25	9	2	-	9	7	2	-	-	100	45	38	5	12
8	6	2	-	-	2	2	-	-	-	151	74	54	15	8
45	24	14	3	2	71	39	32	-	-	99	48	33	12	6
5	3	-	1	1	2	-	2	-	-	11	6	5	-	47
4	2	2	-	-	5	2	3	-	-	26	13	5	7	1
1	1	-	-	-	10	4	6	-	-	32	17	10	4	1
2	2	-	-	-	7	4	3	-	-	30	12	13	1	4
7	2	5	-	-	4	3	1	-	-	14	6	8	-	51
7	2	-	-	-	9	7	2	-	-	38	20	13	3	2
22	12	5	4	1	35	20	15	-	-	149	79	25	36	9
1,893	1,108	680	66	39	4,062	2,117	1,941	1	3	19	10	8	1	-
1	1	-	-	-	-	-	-	-	-	15	13	-	2	-
40	21	18	-	1	59	20	39	-	-	3	1	-2	-	54
16	5	10	-	-	13	4	1	-	-	76	42	8	23	5
13	9	4	-	-	22	8	14	-	-	27	10	6	9	2
2	2	-	-	-	2	-	2	-	-	7	3	1	1	2
9	5	4	-	-	22	8	14	-	-	533	247	215	44	27
27	17	9	-	1	82	32	50	-	-	51	19	12	10	10
2	2	-	-	-	6	2	4	-	-	22	15	7	-	62
10	1	1	-	-	7	4	3	-	-	75	30	41	3	1
8	6	2	-	-	16	6	10	-	-	108	58	47	3	64
5	2	3	-	-	28	12	16	-	-	19	10	9	-	65
										58	23	15	15	5
										-	67
										1	-	-	-	68
										5	1	3	-	70
										194	91	80	13	10
										8	4	3	-	1
										599	238	319	24	18
										136	39	90	4	3
										150	92	43	10	5
										19	5	9	3	2
										294	102	177	7	8
										554	207	260	41	46
										32	11	11	7	3
										37	10	20	3	4
										220	71	114	12	23
										151	60	71	11	9
										114	55	44	8	7

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total	NEBRASKA			
		White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	5,106	2,865	2,150	50	41
02 WITH HYPERTENSIVE DISEASE (.0).....	387	219	153	8	7
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	4,719	2,712	1,931	42	34
04 ACUTE MYOCARDIAL INFARCTION.....410	2,936	1,801	1,105	17	13
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	24	10	13	1	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,145	1,054	1,031	32	28
07 ANGINA PECTORIS.....413	1	-	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	325	183	133	6	3
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420+422	3	1	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	5	4	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	20	5	15	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	1	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	4	2	2	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	15	2	13	-	-
15 SYMPTOMATIC HEART DISEASE.....427	163	91	65	4	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	42	20	22	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423, 425, 426, 429	92	62	28	2	-
18 CEREBROVASCULAR DISEASES.....430-438	1,944	789	1,111	16	28
19 WITH HYPERTENSION (BENIGN) (.0).....	190	80	100	2	8
20 WITHOUT MENTION OF HYPERTENSION (.9).....	1,754	709	1,011	14	20
21 SUBARACHNOID HEMORRHAGE.....430	56	26	28	1	1
22 CEREBRAL HEMORRHAGE.....431	140	140	164	2	5
23 CEREBRAL THROMBOSIS.....433	468	178	282	2	6
24 CEREBRAL EMBOLISM.....434	10	4	6	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432, 435	18	8	10	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	666	265	378	8	15
27 OTHER CEREBROVASCULAR DISEASES.....437, 438	415	168	243	3	1
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	520	257	254	7	2
29 ARTERIOSCLEROSIS.....440	311	133	173	3	2
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	116	74	39	3	-
31 GANGRENE.....445	24	15	9	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444, 446-448	69	35	33	1	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	118	51	60	3	2
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	96	42	49	3	2
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	20	9	11	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	973	580	364	21	8
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	1	3	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	5	3	-	-
39 INFLUENZA.....470-474	65	24	40	1	-
40 PNEUMONIA.....480-486	426	217	195	9	5
41 VIRAL PNEUMONIA.....480	15	6	8	1	-
42 BACTERIAL PNEUMONIA.....481, 482	38	27	11	-	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	5	3	1	1	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	154	85	62	5	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483, 486	214	96	113	2	3
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	259	200	54	4	1
47 BRONCHITIS, UNQUALIFIED.....490	6	2	4	-	-
48 CHRONIC BRONCHITIS.....491	98	45	11	2	-
49 EMPHYSEMA.....492	179	147	30	2	-
50 ASTHMA.....493	16	6	9	-	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	8	6	2	-	-
52 EMPHYEMA AND ABSCESS OF LUNG.....510-513	-	-	-	-	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	26	17	8	-	1
55 BRONCHIECTASIS.....518	6	-	5	1	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508, 512, 514-516, 519	170	109	54	6	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	494	268	193	21	12
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	-	1	-	-
59 PEPTIC ULCER.....531-533	68	42	24	2	-
60 ULCER OF STOMACH.....531	25	16	7	2	-
61 ULCER OF DUODENUM.....532	39	24	15	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	4	2	2	-	-
63 GASTRITIS AND DUODENITIS.....535	6	4	1	1	-
64 APPENDICITIS.....540-543	10	3	5	1	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553, 560	52	28	23	1	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	33	10	23	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	15	9	-	-	-
69 CIRRHOSIS OF LIVER.....571	161	97	45	13	6
70 ALCOHOLIC.....571.0	108	67	26	11	4
71 OTHER SPECIFIED.....571.9	43	26	14	1	2
72 UNSPECIFIED.....571.9	44	18	24	1	1
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574-575	104	61	38	2	3
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530, 534, 536, 537, 564-570, 572, 573, 576, 577	-	-	-	-	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	181	109	62	5	5
76 NEPHRITIS AND NEPHROSIS.....580-584	58	33	20	3	2
77 ACUTE NEPHRITIS.....580	14	9	5	-	-
78 NEPHROTIC SYNDROME.....581	2	1	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	42	23	14	3	2
80 INFECTIONS OF KIDNEY.....590	35	17	18	-	-
81 CALCULI OF URINARY SYSTEM.....592, 594	4	3	1	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591, 593, 595-599	48	29	15	2	2
83 HYPERPLASIA OF PROSTATE.....600	21	21	-	-	-
84 DISEASES OF BREAST.....610-611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607, 612-629	15	6	8	-	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	-	1	-	-
87 ECTOPIC PREGNANCY.....631	-	-	-	-	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	-	-	-	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632, 651-653	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit]

CAUSE OF DEATH		NEBRASKA				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	...	1	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	15	3	8	2	2
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	5	1	3	-	1
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	10	2	5	2	1
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	33	8	24	1	-
13	ARTHRITIS AND SPONDYLITIS.....710-715	16	2	14	-	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	2	-	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	15	4	10	1	-
18	XIV. CONGENITAL ANOMALIES.....	96	55	40	-	1
19	SPINA BIFIDA.....741	3	1	2	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	19	6	12	-	1
21	CONGENITAL ANOMALIES OF HEART.....746	39	27	12	-	-
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	9	5	4	-	-
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	26	16	10	-	-
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	218	131	74	8	5
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	108	66	33	8	1
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	9	5	4	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	99	61	29	8	1
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,163	795	308	40	20
30	ACCIDENTS.....E800-E949	920	625	267	18	10
31	RAILWAY ACCIDENTS.....E800-E807	8	7	1	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	425	304	109	8	4
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	416	296	108	8	4
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	34	20	12	1	1
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	194	137	55	1	1
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	52	33	17	2	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	47	39	6	1	1
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	81	63	14	3	1
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	8	4	4	-	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	9	8	1	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	6	4	2	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	15	12	3	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	22	17	5	-	-
44	ACCIDENTAL POISONING.....E850-E877	42	24	14	2	2
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	17	7	7	1	2
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	9	6	2	1	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	16	11	5	-	-
48	ACCIDENTAL FALLS.....E880-E887	172	88	81	2	1
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	38	25	11	1	1
50	FALL ON SAME LEVEL.....E885,E886	23	13	10	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	111	50	60	1	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	29	18	10	1	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	31	23	6	1	1
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	25	14	10	-	1
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	25	20	3	2	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	64	56	7	1	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	1	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	3	2	1	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	4	3	1	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	9	9	-	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	47	41	5	1	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	18	8	9	-	1
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	38	30	7	1	-
64	SUICIDE.....E950-E959	159	126	29	4	-
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	11	3	8	-	-
66	SUICIDE FROM POISONING BY GASES.....E951,E952	24	17	6	1	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	29	21	7	1	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	83	76	6	1	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	12	9	2	1	-
70	HOMICIDE.....E960-E978	67	32	8	18	9
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	45	22	5	13	5
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	12	5	-	5	2
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	7	2	3	-	2
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	3	3	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	17	12	4	-	1
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	1	-	-	-	3	-	3	-	-	80	21	44	5	10
1	1	-	-	-	2	-	2	-	-	14	4	6	1	3
-	-	-	-	-	1	-	1	-	-	66	17	38	4	7
15	5	7	1	2	20	5	15	-	-	148	36	91	5	16
7	3	1	1	2	8	4	4	-	-	50	10	39	1	-
1	1	-	-	-	1	1	1	-	-	6	3	3	-	-
-	-	-	-	-	1	1	1	-	-	9	6	3	-	-
-	-	-	-	-	1	1	1	-	-	6	2	3	-	-
7	1	6	-	-	9	-	9	-	-	77	15	43	4	15
26	16	7	1	2	54	30	24	-	-	414	182	164	39	29
1	-	-	-	1	2	1	1	-	-	19	7	11	1	-
6	4	2	-	-	12	7	5	-	-	66	30	28	5	3
9	6	2	-	1	15	7	8	-	-	184	90	61	21	12
4	2	-	-	-	1	1	-	-	-	18	10	7	-	1
-	-	-	-	-	2	-	-	-	-	2	1	1	-	-
6	4	1	1	-	24	14	10	-	-	125	44	56	12	13
92	45	33	8	6	109	61	47	-	1	924	382	234	173	135
62	40	15	6	1	255	157	95	2	1	598	263	166	99	70
-	-	-	-	-	7	2	5	-	-	21	5	13	-	3
62	40	15	6	1	248	155	90	2	1	577	258	153	99	67
595	376	160	47	12	511	341	163	4	3	4,102	2,200	1,095	592	215
387	256	100	24	7	392	247	141	2	2	2,887	1,578	829	338	142
2	2	-	-	-	1	1	16	-	-	23	16	4	2	1
212	134	57	16	5	144	104	38	-	2	1,321	790	341	136	54
211	133	57	16	5	141	101	38	-	-	1,292	772	338	129	53
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-
69	38	26	4	1	44	25	17	-	2	497	302	139	39	17
36	21	7	5	3	27	23	4	-	-	309	153	103	42	11
11	7	4	-	-	32	26	6	-	-	178	127	29	16	6
55	42	9	3	1	26	17	9	-	-	249	161	51	27	10
40	25	11	4	-	12	10	2	-	-	56	27	15	5	9
1	1	-	-	-	3	3	-	-	-	29	18	3	7	1
-	-	-	-	-	-	-	-	-	-	10	6	3	-	1
3	3													

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		NEW MEXICO				
		Total	White		All other	
			Male	Female	Male	Female
01	ALL CAUSES.....	8,119	4,362	2,855	611	291
02	I. INFECTIVE AND PARASITIC DISEASES.....	112	45	35	18	14
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	2	-	-	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	4	1	-	-	3
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	28	12	6	6	4
09	TUBERCULOSIS, ALL FORMS.....010-019	29	12	8	5	4
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	19	8	5	4	2
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	-	-	1
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	1	-	-	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14	DISSEMINATED TUBERCULOSIS.....018	2	1	-	-	1
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	6	2	3	1	-
16	PLAGUE.....020	-	-	-	-	-
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-	-
19	LEPROSY.....030	-	-	-	-	-
20	DIPHTHERIA.....032	2	-	-	2	-
21	WHOOPING COUGH.....033	-	-	-	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23	ERYSIPELAS.....035	-	-	-	-	-
24	MENINGOCOCCAL INFECTIONS.....036	1	-	1	-	-
25	TETANUS.....037	-	-	-	-	-
26	SEPTICEMIA.....038	23	9	11	2	1
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	3	1	2	-	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	-	-	-	-	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	2	1	1	-	-
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	1	-	-	-
35	INFECTIOUS HEPATITIS.....070	4	2	1	-	1
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	6	1	4	1	-
38	TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	3	2	1	-	-
43	CONGENITAL SYPHILIS.....090	-	-	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	1	1	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093,9	1	1	-	-	-
47	TABES DORSALIS.....094,0	-	-	-	-	-
48	GENERAL PARESIS.....094,1	1	-	1	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50	ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	4	1	-	2	1
58	II. NEOPLASMS.....	1,226	610	550	30	20
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,192	598	532	37	25
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	17	11	4	2	-
61	OF LIP.....140	-	-	-	-	-
62	OF TONGUE.....141	4	-	3	1	-
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2	2	-	-	-
64	OF PHARYNX.....146-149	11	9	1	1	-
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	343	166	154	11	12
66	OF ESOPHAGUS.....150	13	7	5	-	1
67	OF STOMACH.....151	78	32	36	9	1
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	2	1	-	-
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	117	53	62	-	2
70	CECUM, APPENDIX, AND ASCENDING COLON.....153,0	11	3	8	-	-
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	5	2	3	-	-
72	DESCENDING COLON.....153,2	1	1	-	-	-
73	SIGMOID COLON.....153,3	9	1	7	-	1
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	90	46	43	-	1
75	INTESTINAL TRACT, PART UNSPECIFIED.....153,9	1	-	1	-	-
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	27	16	9	1	1
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	9	7	2	-	-
78	OF GALLBLADDER AND BILE DUCTS.....156	21	6	12	1	2
79	OF PANCREAS.....157	70	40	26	-	4
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	5	3	1	-	1
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	247	184	54	7	2
82	OF LARYNX.....161	5	4	1	-	-
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	236	177	51	7	1
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	6	3	2	-	1
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	125	24	98	-	3
86	OF BONE.....170	10	4	6	-	-
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	8	4	4	-	-
88	OF SKIN.....172,173	23	16	7	-	-
89	OF BREAST.....174	84	-	81	-	3

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
181,287	86,249	75,534	11,043	8,461	47,755	20,269	14,940	7,086	5,460	5,767	3,310	2,298	91	68
1,478	607	536	208	127	458	126	136	105	91	54	31	20	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	4	4	1	1	1	-	-	-	-	-	-	-	-	-
5	2	2	1	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
151	55	79	12	5	72	15	26	15	16	10	5	5	-	-
424	190	83	105	46	109	37	17	31	24	8	6	1	1	-
352	160	65	89	38	85	31	11	27	16	5	5	-	-	-
9	5	1	3	2	2	-	1	-	1	-	-	-	-	-
4	1	1	2	-	-	-	-	1	-	-	-	-	-	-
4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
15	3	4	5	3	6	-	1	3	2	1	-	-	1	-
40	21	10	7	2	12	6	3	-	3	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	11	11	2	1	11	3	7	-	1	3	2	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
509	199	220	56	34	123	35	40	29	19	14	6	8	-	-
67	30	24	7	6	22	8	7	2	5	2	-	2	-	-
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	3	-	-	2	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	10	12	-	-	9	3	3	2	1	3	3	-	-	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
78	27	33	6	12	15	4	6	1	4	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	26	26	3	1	30	5	12	8	5	4	3	1	-	-
-	-	-	-	-	7	4	2	1	-	4	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	11	7	7	1	16	2	2	6	6	1	1	-	-	-
3	1	1	1	1	1	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
10	4	4	2	-	9	1	1	3	4	-	-	-	-	-
3	2	1	-	-	1	-	-	1	-	-	-	-	-	-
4	2	-	2	-	4	1	-	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	32	31	8	19	39	9	12	8	10	4	2	1	-	-
36,102	17,007	15,731	1,819	1,545	7,520	3,159	2,564	1,001	796	951	522	412	5	12
35,485	16,725	15,466	1,788	1,506	7,400	3,115	2,517	990	778	940	515	408	5	12
754	458	191	72	33	178	81	52	32	13	12	9	3	-	59
12	10	1	-	1	5	3	-	2	-	-	-	-	-	61
211	127	54	21	9	41	14	11	10	6	1	1	-	-	62
218	128	64	19	7	58	25	27	3	3	6	3	3	-	63
313	193	72	32	16	74	39	14	17	4	5	5	-	-	64
11,002	5,163	4,829	564	446	1,746	687	612	262	185	274	152	119	2	1
733	397	166	112	58	153	67	18	60	8	18	14	4	-	66
1,785	937	635	123	90	290	118	70	66	36	32	23	70	-	67
67	29	28	4	6	12	5	6	-	1	2	1	-	-	68
4,347	1,900	2,163	136	148	615	218	283	43	71	90	44	45	1	69
470	186	253	14	17	59	18	27	4	10	16	5	11	-	70
156	60	83	8	5	15	5	8	-	2	1	-	-	-	71
128	55	67	3	11	3	6	6	1	2	2	2	-	-	72
537	221	291	13	63	21	31	3	8	8	4	4	8	-	73
2,879	1,308	1,371	94	106	440	165	198	29	48	56	30	25	1	74
177	70	98	4	5	27	6	13	6	2	6	3	3	-	75
1,222	602	525	52	43	132	49	48	20	15	24	15	9	-	76
222	110	69	34	9	33	14	10	6	3	9	5	3	1	77
464	149	285	9	21	61	15	32	5	9	13	4	9	-	78
1,989	975	866	84	64	428	192	138	60	38	62	36	26	-	79
173	64	92	10	7	22	9	7	2	4	1	1	-	-	80
7,526	5,194	1,605	580	147	1,672	1,102	220	301	49	169	135	29	1	4
331	253	37	37	4	55	42	2	9	2	3	3	-	-	81
7,069	4,882	1,519	535	133	1,580	1,041	205	291	43	162	129	28	1	82
126	59	49	8	10	37	19	13	1	4	3	3	1	-	83
4,422	430	3,642	32	318	843	121	554	12	155	97	16	79	-	84
175	68	67	14	6	52	22	15	3	3	1	1	1	-	85
162	67	78	8	9	42	15	19	3	5	8	5	3	-	86
430	240	1178	6	6	136	73	51	5	7	13	8	5	-	87
3,655	35	3,319	4	297	613	4	469	1	139	73	2	70	-	88

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

{Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		NEW MEXICO				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	155	54	91	7	3
02	OF CERVIX UTERI.....180	28	...	26	...	2
03	OF OTHER PARTS OF UTERUS.....181,182	21	...	21
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	39	...	38	...	1
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	6	...	6
06	OF PROSTATE.....185	57	50	...	7	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	4
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	53	35	15	2	1
09	OF BLADDER.....188	28	18	9	...	1
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	25	17	6	2	...
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	149	67	77	3	2
12	OF EYE.....190	1	...	1
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	34	17	17
14	OF THYROID GLAND.....193	6	4	2
15	OTHER.....194-199	198	46	57	3	2
16	LEUKEMIA.....204-207	47	24	20	1	2
17	LYMPHATIC LEUKEMIA.....204	10	7	3
18	MYELOID LEUKEMIA.....205	15	8	5	1	1
19	MONOCYTIC LEUKEMIA.....206	2	1	1
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	20	8	11	...	1
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	56	33	19	4	...
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	13	7	6
23	HODGKIN'S DISEASE.....201	11	8	3
24	MULTIPLE MYELOMA.....203	12	6	5	1	...
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	20	12	5	3	...
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	34	12	18	1	3
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	...	2
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	6	...	5	...	1
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	6	4	1	1	...
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	15	6	8	...	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	5	2	2	...	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	194	84	97	5	8
34	NONTOKIC GOITER.....240,241
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	1
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	1	...	1
37	DIABETES MELLITUS.....250	144	62	75	2	5
38	DISEASES OF PITUITARY GLAND.....253	2	1	...	1	...
39	DISEASES OF THYROID GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255	5	3	2
41	NIACIN DEFICIENCY.....262
42	OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	21	6	14	...	1
43	CYSTIC FIBROSIS.....273.0	4	3	1
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	16	9	4	2	1
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	22	8	11	1	2
46	ANEMIAS.....280-285	12	3	7	1	1
47	DEFICIENCY ANEMIAS.....280,281	2	...	2
48	HEMOLYTIC ANEMIAS.....282,283	2	...	1	...	1
49	APLASTIC ANEMIA.....284	4	1	3
50	OTHER AND UNSPECIFIED ANEMIAS.....285	4	2	1	1	...
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	1	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	8	4	3	...	1
53	V. MENTAL DISORDERS.....	101	52	11	29	9
54	SENILE AND PRESENILE DEMENTIAS.....290	6	1	4	1	...
55	ALCOHOLIC PSYCHOSES.....291	2	2
56	ALL OTHER PSYCHOSES.....294-299	1	...	1
57	ALCOHOLISM.....303	83	41	6	28	8
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	7	7
59	MENTAL RETARDATION.....310-315	2	1	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	86	44	32	7	3
61	MENINGITIS.....320	14	5	6	2	1
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	2	1	1
63	MULTIPLE SCLEROSIS.....340	2	1	1
64	PARALYSIS AGITANS.....342	18	12	5	1	...
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	5	3	2
66	EPILEPSY.....345	9	5	2	2	...
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374	1	...	1
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	35	17	14	2	2
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	3,162	1,725	1,262	120	55
73	ACTIVE RHEUMATIC FEVER.....390-392	1	1
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	72	24	38	5	5
75	DISEASES OF MITRAL VALVE.....394	20	5	15
76	DISEASES OF AORTIC VALVE.....395	13	8	3	1	1
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	1	1
78	OTHER RHEUMATIC HEART DISEASES.....399,396,398	38	10	20	4	4
79	HYPERTENSIVE DISEASE.....400-404	48	20	26	2	...
80	MALIGNANT HYPERTENSION.....400	4	1	3
81	ESSENTIAL BENIGN HYPERTENSION.....401	2	2
82	HYPERTENSIVE HEART DISEASE.....402	16	6	9	1	...
83	HYPERTENSIVE RENAL DISEASE.....403	17	9	8
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	9	2	6	1	...

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3,913	1,486	1,968	188	271	1,018	314	356	164	184	132	69	60	-	3
533	...	410	...	123	190	...	92	...	98	10	...	9	...	1
598	...	520	...	78	109	...	67	...	42	13	...	13
1,023	...	960	...	63	218	...	180	...	38	37	...	35	...	2
85	...	78	...	7	23	...	17	...	6	3	...	3
1,580	1,401	...	179	...	453	294	...	159	...	67	67
94	85	...	9	...	25	20	...	5	...	2	2
1,596	1,035	459	55	47	283	140	94	22	27	50	30	20
943	632	247	31	33	159	81	56	10	12	26	17	9
653	403	212	24	14	124	59	38	12	15	24	13	11
3,042	1,350	1,391	164	137	885	345	334	105	101	88	42	44	1	1
22	11	10	1	...	6	2	3	1	...	1	...	1
694	343	303	27	21	196	104	75	12	5	27	9	17	1	...
105	31	67	1	6	14	23	7	...	5	7	2	5
2,221	965	1,011	135	110	689	237	249	92	91	53	31	21	...	1
1,293	677	533	48	35	352	147	134	44	27	44	27	17
391	232	145	13	11	109	46	43	13	5	21	13	8
605	294	266	28	15	150	64	50	18	18	17	11	6
26	18	8	7	1	4	1	1
271	141	114	7	9	86	36	35	12	3	6	3	3
1,937	932	848	85	72	423	178	161	47	37	74	35	37	1	1
804	386	385	21	12	117	52	49	8	8	33	15	18
297	154	127	8	8	61	31	21	5	4	10	4	4	1	...
433	192	168	35	38	136	53	40	21	22	14	7	7
403	200	168	21	14	109	42	51	13	3	17	9	8
617	282	265	31	39	120	44	47	11	18	11	7	4
13	...	8	...	5	1	1
72	13	50	6	3	14	3	5	2	4	...	1	1
66	34	25	4	3	16	4	6	2	4	4	4
5	...	3	...	2	1	...	1
294	143	126	10	15	64	29	23	5	7	4	2	2
167	92	53	11	11	25	8	12	2	3
4,234	1,546	2,085	252	351	1,100	339	386	144	231	126	47	77	...	2
4	1	2	...	1	2	2
36	4	29	2	1	5	1	2	2	...	2
35	3	32	8	1
3,631	1,322	1,770	225	314	890	273	311	119	187	96	36	59	...	1
15	6	6	2	1	1	1	1
1	1
27	9	17	...	1	8	3	4	1	...	2	...	2
...
150	63	71	7	9	62	13	26	9	14	14	3	10	...	1
46	10	33	2	1	10	3	6	1	...	1	...	1
289	127	125	14	23	114	45	30	14	25	10	7	3
474	202	203	35	34	125	41	35	14	33	15	8	6	...	1
299	118	133	25	23	74	19	20	13	22	5	4	1
36	15	20	...	1	5	1	2	1	1
66	16	19	16	15	24	4	2	9	9	1	1
88	39	45	4	...	23	8	10	2	3	2	2
109	48	49	5	7	22	6	6	1	9	2	1	1
62	26	28	4	4	16	4	4	1	7	2	...	2
113	58	42	6	7	35	18	11	2	4	8	4	3	...	1
990	387	165	329	117	397	178	86	102	31	43	23	13	5	2
50	16	26	4	4	28	11	14	2	1	6	4	2
29	19	3	7	...	27	14	3	11	...	5	4
17	4	9	1	3	11	6	4	...	1	1	1
392	164	48	142	38	260	127	29	79	25	20	11	3	4	2
497	178	73	175	71	56	31	6	6	4	9	2	7
13	6	6	...	1	15	5	6	4	...	2	1	1
1,380	604	584	112	80	426	157	136	85	48	52	34	18
145	56	51	25	13	53	15	15	13	10	2	2
42	26	10	3	3	22	3	6	2	...	3	3
136	42	84	1	9	27	6	14	1	6	5	2	3
296	163	122	6	5	49	27	15	6	1	13	9	4
47	22	20	1	4	26	7	6	1	6	3	1	2
161	56	46	42	17	66	17	14	26	9	6	3	3
1	...	1
8	4	4
...
11	6	3	1	1	2	1	...	1	...	1	1
533	229	243	33	28	181	70	66	29	16	19	13	6
97,186	46,178	43,682	3,635	3,691	25,129	10,609	8,517	3,119	2,884	3,233	1,870	1,325	26	12
19	9	9	...	1	6	2	3	...	1
1,455	549	787	52	67	224	94	78	29	23	50	25	25
376	119	228	10	19	49	17	22	5	5	10	2	8
370	207	130	19	14	79	50	10	13	6	21	12	9
48	16	29	1	2	11	4	5	...	2	2	1	1
661	207	400	22	32	85	23	41	11	10	17	10	7
1,471	554	710	87	120	522	154	148	113	107	49	19	29	1	...
96	46	17	19	14	30	6	3	11	10	1	1
71	22	37	2	10	34	6	9	11	8	3	2	1
619	189	319	40	71	127	38	35	21	33	19	7	12
440	195	210	16	19	167	53	48	35	31	17	5	12
245	102	127	10	6	164	51	53	35	25	9	4	4	1	...

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit]

	CAUSE OF DEATH	NEW MEXICO				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	1,838	1,097	660	55	26
02	WITH HYPERTENSIVE DISEASE (.0).....	149	79	62	3	5
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,689	1,018	598	52	21
04	ACUTE MYOCARDIAL INFARCTION.....410	1,059	702	312	35	10
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	7	4	3	-	-
06	CHRONIC ISCHEMIC HEART DISEASE.....412	772	391	345	20	16
07	ANGINA PECTORIS.....413	-	-	-	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	210	102	89	15	4
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	-	2	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	3	2	-	-	1
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	3	-	2	-	1
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	-	1	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	1	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	1	-	-	-	1
15	SYMPTOMATIC HEART DISEASE.....427	137	62	60	13	2
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	7	5	8	-	-
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	50	31	17	2	-
18	CEREBROVASCULAR DISEASES.....430-438	698	319	333	32	14
19	WITH HYPERTENSION (BENIGN) (.0).....	82	32	42	6	2
20	WITHOUT MENTION OF HYPERTENSION (.9).....	616	287	291	26	12
21	SUBARACHNOID HEMORRHAGE.....430	29	14	12	1	2
22	CEREBRAL HEMORRHAGE.....431	141	62	64	9	6
23	CEREBRAL THROMBOSIS.....433	123	60	63	-	-
24	CEREBRAL EMBOLISM.....434	3	1	2	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	11	6	4	1	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	255	116	119	17	3
27	OTHER CEREBROVASCULAR DISEASES.....437,438	136	60	69	4	3
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-449	227	128	91	6	2
29	ARTERIOSCLEROSIS.....440	132	66	61	4	1
30	AORTIC ANEURYSM (NONSYMPHILITIC).....441	51	39	12	-	-
31	GANGRENE.....445	11	5	5	1	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	33	18	13	1	1
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	68	34	25	5	4
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	59	30	23	3	3
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	9	4	2	2	1
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	671	386	228	36	21
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	2	2	-	-
38	ACUTE BRONCHITIS AND BRONCHOLITIS.....466	4	2	2	-	-
39	INFLUENZA.....470-474	45	23	21	1	-
40	PNEUMONIA.....480-486	348	182	128	25	13
41	VIRAL PNEUMONIA.....480	9	3	5	-	1
42	BACTERIAL PNEUMONIA.....481,482	38	16	11	7	4
43	ACUTE INTERSTITIAL PNEUMONIA.....484	8	4	4	-	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	96	62	32	2	-
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	197	97	76	16	8
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	136	100	34	2	-
47	BRONCHITIS, UNQUALIFIED.....490	3	3	-	-	-
48	CHRONIC BRONCHITIS.....491	23	17	4	2	-
49	EMPHYSEMA.....492	104	78	26	-	-
50	ASTHMA.....493	6	2	4	-	-
51	HYPERTROPHY OF TONSILS AND ADENOIDIS.....500	-	-	-	-	-
52	EMPYEMA AND ABSCESS OF LUNG.....510,513	2	2	-	-	-
53	PLEURISY.....511	4	1	1	2	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	27	15	9	-	3
55	BRONCHIECTASIS.....518	10	6	3	1	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	91	53	28	5	5
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	428	213	134	55	26
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	45	23	19	2	1
60	ULCER OF STOMACH.....531	25	12	10	2	1
61	ULCER OF DUODENUM.....532	16	10	6	-	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	4	1	3	-	-
63	GASTRITIS AND DUODENITIS.....535	3	1	-	1	1
64	APPENDICITIS.....540-543	7	2	4	1	-
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	34	16	16	1	1
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67	DIVERTICULA OF INTESTINE.....562	13	3	10	-	-
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	5	2	3	-	-
69	CIRRHOSIS OF LIVER.....571	193	108	39	31	15
70	ALCOHOLIC.....571.0	110	59	14	26	11
71	OTHER SPECIFIED.....571.8	28	19	7	1	1
72	UNSPECIFIED.....571.9	55	30	18	4	3
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	19	7	7	2	3
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	109	51	36	17	5
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	116	49	50	8	9
76	NEPHRITIS AND NEPHROSIS.....580-584	41	14	21	3	3
77	ACUTE NEPHRITIS.....580	3	3	-	-	-
78	NEPHROTIC SYNDROME.....581	2	1	-	-	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	36	10	20	3	3
80	INFECTIONS OF KIDNEY.....590	19	11	6	1	1
81	CALCULI OF URINARY SYSTEM.....592,594	5	5	-	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	44	18	18	4	4
83	HYPERPLASIA OF PROSTATE.....600	5	5	-	-	-
84	DISEASES OF BREAST.....610,611	-	-	-	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	1	-	-	1
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	-	2	-	1
87	ECTOPIC PREGNANCY.....631	-	-	-	-	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	-	-	-	1
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,631-633	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

1-319

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
69,252	34,978	29,612	2,396	2,266	15,711	7,438	4,947	1,791	1,535	2,023	1,251	750	15	7
7,235	2,837	3,543	364	485	2,353	764	713	391	465	195	94	99	1	1
62,017	32,141	26,063	2,032	1,781	13,378	6,674	4,234	1,400	1,070	1,828	1,157	651	14	6
31,030	17,469	12,064	795	702	9,109	4,920	2,540	972	677	1,277	857	404	13	3
441	259	158	13	11	96	51	12	22	11	8	5	3	-	05
37,771	17,244	17,386	1,588	1,553	6,504	2,466	2,394	797	847	737	389	342	2	4
10	6	4	-	-	2	1	1	-	-	1	-	1	-	07
2,690	1,215	1,097	205	173	1,087	448	317	189	133	160	94	64	1	1
26	10	11	4	1	15	5	2	4	4	1	-	1	-	09
73	36	22	11	4	13	4	2	3	3	-	-	-	-	10
64	22	33	2	7	23	7	10	2	4	8	4	4	-	11
2	-	2	-	-	2	-	2	-	-	1	1	-	-	12
11	4	5	-	2	4	1	2	1	-	3	1	2	-	13
51	18	26	2	5	17	6	6	1	4	4	2	2	-	14
1,808	802	792	101	113	626	240	200	104	82	111	59	50	1	1
169	79	77	6	7	76	29	22	13	12	11	6	5	-	16
550	266	162	81	41	334	163	77	63	31	29	25	4	-	17
15,977	6,079	8,451	650	797	5,868	1,804	2,403	781	880	697	333	352	8	4
2,623	836	1,294	200	293	799	180	242	169	208	70	32	36	1	1
13,354	5,243	7,157	450	504	5,069	1,624	2,161	612	672	627	301	316	7	3
945	306	446	84	109	237	65	90	42	40	22	7	13	1	1
2,928	1,083	1,499	161	185	862	261	303	143	155	114	65	48	1	22
4,220	1,626	2,384	92	118	1,555	481	670	185	219	119	57	61	1	23
90	32	53	1	4	19	4	12	1	2	2	-	-	-	24
249	128	96	10	15	104	48	36	11	9	15	8	7	-	25
4,430	1,714	2,228	207	281	2,020	589	813	287	331	288	135	147	4	2
3,115	1,190	1,745	95	85	1,071	356	479	112	124	137	59	76	1	1
4,551	2,101	2,163	147	140	1,252	506	483	128	135	217	131	85	1	-
2,368	889	1,361	51	67	701	320	320	68	82	133	71	61	1	-
1,174	792	307	50	25	257	161	52	19	25	49	40	3	-	-
242	103	112	17	10	63	19	23	11	10	8	5	3	-	31
767	317	383	29	38	231	127	88	27	68	15	12	-	-	32
1,771	693	853	98	127	459	163	138	88	70	37	17	20	-	33
1,599	616	784	87	112	410	136	124	85	65	29	13	16	-	34
172	77	69	11	15	49	27	14	3	5	8	4	4	-	35
10,532	5,686	3,711	699	436	2,689	1,350	749	369	221	390	234	148	5	3
38	19	13	3	3	13	3	3	5	2	2	-	2	-	37
69	34	27	3	5	24	10	2	6	4	6	2	-	-	38
154	69	80	3	2	149	64	53	15	17	31	16	15	-	39
6,335	2,902	2,635	479	319	1,359	571	431	218	139	220	103	112	2	3
93	39	42	7	5	30	14	8	3	5	8	6	2	-	41
1,057	533	363	112	49	158	67	39	31	21	23	15	8	-	42
40	17	15	2	6	12	4	4	2	2	4	2	1	-	43
4,041	1,790	1,755	286	210	375	158	124	54	39	130	56	72	-	44
1,104	523	460	72	49	784	328	256	128	72	55	24	29	2	45
2,185	1,546	504	89	46	578	396	111	51	20	85	73	12	-	46
56	26	26	3	3	18	5	8	1	4	3	2	1	-	47
401	286	100	8	7	121	88	19	12	2	15	14	1	-	48
1,547	1,173	300	62	12	397	290	69	32	6	63	56	7	-	49
179	61	78	16	24	42	13	15	6	8	4	1	3	-	50
4	2	-	1	-	-	-	-	-	-	-	-	-	-	51
126	61	32	26	7	29	13	2	13	1	2	-	1	1	52
43	19	17	2	5	7	-	5	2	-	-	-	-	-	53
239	137	88	6	8	97	47	33	10	7	5	4	-	1	54
57	32	19	5	1	10	1	9	-	1	1	1	-	-	55
1,282	865	296	82	39	423	245	96	53	29	40	35	4	1	56
8,091	3,966	2,635	931	559	1,664	674	501	265	224	179	105	61	6	7
3	1	1	1	-	-	-	-	-	-	-	-	-	-	57
861	491	280	59	31	140	75	27	28	10	23	16	7	-	58
374	209	118	37	15	47	19	13	11	4	11	4	-	-	59
391	223	135	22	11	67	41	11	11	6	11	8	3	-	60
96	59	27	5	5	26	15	3	6	2	1	1	-	-	61
70	35	25	9	1	8	3	3	2	-	1	-	-	-	62
106	51	34	12	9	16	7	1	6	2	4	3	1	-	63
650	257	327	31	35	172	51	60	37	24	20	14	6	-	64
3	-	2	-	1	-	-	-	-	-	-	-	-	-	65
358	118	205	15	20	62	19	26	6	11	11	4	7	-	66
106	46	56	2	2	21	7	10	3	1	5	2	3	-	67
4,102	2,155	942	653	352	735	326	178	115	116	49	28	10	4	7
1,897	1,011	314	395	177	354	158	60	69	67	33	19	4	3	7
581	249	180	94	58	84	25	31	11	17	4	2	1	1	71
1,624	895	448	164	117	297	143	87	35	32	12	7	5	-	72
291	111	161	11	8	72	25	35	5	7	17	11	5	1	73
1,541	701	602	138	100	438	161	63	53	49	27	21	1	-	74
2,548	1,152	978	225	193	798	273	262	146	117	68	39	26	1	2
808	335	267	112	94	242	83	59	51	49	18	9	7	1	76
137	64	45	11	17	29	10	7	9	3	3	2	1	-	77
21	9	9	4	4	14	4	5	3	2	1	1	-	-	78
650	263	213	97	77	199	69	47	39	44	13	6	5	1	79
485	182	250	25	28	211	56	103	29	23	13	8	-	-	80
55	20	32	1	2	23	10	10	-	3	3	2	1	-	81
904	401	379	69	55	241	80	77	51	33	24	13	10	-	82
168	154	...	14	...	41	30	...	11	...	6	83
7	-	7	-	2	2	-	1	-	1	-	-	-	-	84
121	60	43	4	14	38	14	12	4	8	4	1	3	-	85
47	...	26	...	21	13	...	8	...	5	3	...	3	...	86
6	...	4	...	2	2	...	1	...	1	-	...	-	...	87
8	...	6	...	2	2	...	1	...	-	-	...	-	...	88
5	...	3	...	2	1	...	1	...	-	1	...	1	...	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		NEW MEXICO				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	---	-	---	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	---	-	---	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	---	-	---	-
04	SPONTANEOUS ABORTION.....643	-	---	-	---	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	---	-	---	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	---	-	---	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	---	2	---	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	---	-	---	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	11	5	4	1	1
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	1	-	1	1
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	8	4	4	-	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	27	8	15	1	3
13	ARTHRITIS AND SPONDYLITIS.....710-715	7	3	4	-	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	-	2	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	2	-	1	-	1
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	2	-	2	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	14	5	6	1	2
18	XIV. CONGENITAL ANOMALIES.....	100	38	47	6	9
19	SPINA BIFIDA.....741	1	-	1	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	16	8	6	-	2
21	CONGENITAL ANOMALIES OF HEART.....746	39	12	21	4	2
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	12	5	5	1	1
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	32	13	14	1	4
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	183	99	55	16	13
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	347	193	88	44	22
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	22	3	5	8	6
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	325	190	83	36	16
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,330	803	234	226	67
30	ACCIDENTS.....E800-E949	1,000	589	182	180	49
31	RAILWAY ACCIDENTS.....E800-E807	5	1	1	3	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	571	328	98	110	35
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	557	318	96	108	35
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	4	2	-	1	1
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	183	106	44	23	10
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	108	47	13	38	10
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	37	28	6	2	1
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	197	120	32	36	9
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	28	15	1	8	4
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	14	10	2	2	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	3	1	1	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	14	9	2	3	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	17	15	2	-	-
44	ACCIDENTAL POISONING.....E850-E877	52	36	6	8	2
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	20	14	3	1	2
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	7	4	-	3	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	25	18	3	4	-
48	ACCIDENTAL FALLS.....E880-E887	73	47	19	6	1
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E887	24	20	1	2	-
50	FALL ON SAME LEVEL.....E885-E886	4	3	1	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	45	24	17	3	1
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	26	14	8	3	1
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	57	34	9	12	2
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	36	15	12	6	3
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	28	18	4	6	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	47	39	1	6	1
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	2	2	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	2	2	-	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	2	-	1	-	1
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	5	5	-	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	36	30	-	6	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	20	11	1	1	2
63	ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	49	19	13	15	2
64	SUICIDE.....E950-E959	178	118	37	17	6
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	23	4	17	1	1
66	SUICIDE FROM POISONING BY GASES.....E951, E952	12	9	2	1	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	18	11	1	5	1
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	117	91	13	9	4
69	SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	8	3	4	1	-
70	HOMICIDE.....E960-E978	134	86	13	25	10
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	85	62	8	13	2
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	25	15	1	5	4
73	ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	23	8	4	7	4
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	1	1	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	18	10	2	4	2
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
7	...	4	...	3	1	...	-	...	1	1	...	1	...	-
4	...	3	...	1	1	...	-	...	1	-	...	-
1	1	1	...	-	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-
1	...	1	...	1	-	...	-	...	-	...	1	-
8	...	2	...	6	4	...	4	...	-	-
12	...	7	...	5	3	...	1	...	2	1	...	1	...	-
1	...	-	...	1	-	...	-	...	-	-
227	60	118	16	33	47	15	16	7	9	7	4	2	1	-
47	19	22	3	3	11	4	2	3	2	2	-	1	1	-
180	41	96	13	30	36	11	14	4	7	5	4	1	-	-
418	114	233	20	51	128	35	56	12	25	11	2	8	1	-
135	37	88	4	6	50	14	27	3	6	7	2	4	1	-
26	10	10	1	5	5	2	1	-	2	-	-	-	-	-
22	8	9	3	2	2	-	1	1	-	-	-	-	-	-
18	4	13	-	1	3	2	-	-	1	2	-	2	-	-
217	55	113	12	37	68	17	27	8	16	2	-	2	-	-
1,111	516	410	87	98	426	162	155	56	53	33	14	16	-	3
36	19	14	1	2	30	10	16	1	3	-	-	-	-	-
170	67	80	8	15	66	23	25	6	12	3	3	-	-	-
457	213	159	42	43	172	75	58	20	19	16	5	10	-	1
98	45	28	13	12	28	11	7	7	3	-	-	1	-	-
3	1	1	-	1	1	-	-	-	-	-	-	-	-	-
347	171	128	23	25	129	43	49	21	16	13	6	5	-	2
2,342	957	679	420	286	1,049	357	259	233	200	88	44	34	5	5
2,463	1,051	778	387	247	573	185	143	146	99	50	24	21	1	4
17	6	11	-	-	31	6	15	5	5	12	5	6	-	1
2,446	1,045	767	387	247	542	179	128	141	94	38	19	15	1	3
11,656	6,216	2,980	1,868	592	5,213	2,609	931	1,280	393	464	309	108	34	13
6,846	3,866	2,115	604	261	3,622	1,799	693	841	289	399	267	90	29	13
78	53	6	15	4	19	8	1	8	2	5	2	2	1	30
3,083	1,867	826	292	98	1,879	919	341	453	136	219	148	49	15	7
3,043	1,847	811	288	97	1,829	919	334	446	130	214	144	48	15	33
15	6	6	2	1	57	30	19	3	5	-	4	3	-	-
963	507	282	52	22	732	370	186	129	47	99	63	29	6	1
973	463	236	128	44	329	125	46	122	36	15	6	3	4	2
520	345	102	63	10	103	61	16	21	5	25	21	4	-	37
411	287	91	22	11	536									

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	101,510	49,819	41,929	5,598	4,164
02 I. INFECTIVE AND PARASITIC DISEASES.....	657	283	240	70	64
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	1	-	-	-	1
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002-003	2	1	1	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004-006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	102	37	45	9	11
09 TUBERCULOSIS, ALL FORMS.....010-019	132	64	32	20	16
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	103	49	23	19	12
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	5	3	1	-	1
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	2	1	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	4	2	1	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	18	9	6	1	2
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	1	-	1	-	-
24 MENINGOCOCCAL INFECTIONS.....036	15	7	7	-	1
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	214	100	81	20	13
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	19	8	9	-	2
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	4	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	1	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	22	8	8	3	3
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	4	2	1	1	-
35 INFECTIOUS HEPATITIS.....070	30	15	10	-	5
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	48	22	20	4	2
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	2	1	1	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPAOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	19	6	7	4	2
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	1	-	-	-	1
46 OTHER CARDIOVASCULAR SYPHILIS.....093,0	12	3	5	3	1
47 TABES DORSALIS.....094,0	2	2	-	-	-
48 GENERAL PARESIS.....094,1	2	1	1	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	2	-	1	1	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	2	-	1	1	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	39	7	16	8	8
58 II. NEOPLASMS.....	18,686	9,068	7,862	1,022	734
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	18,463	8,968	7,758	1,014	723
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	402	252	101	39	10
61 OF LIP.....140	1	1	-	-	-
62 OF TONGUE.....141	108	65	27	11	5
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	135	83	43	9	-
64 OF PHARYNX.....146-149	158	103	31	19	5
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	5,110	2,361	2,247	274	228
66 OF ESOPHAGUS.....150	339	204	53	57	25
67 OF STOMACH.....151	698	365	257	44	32
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	37	17	17	1	2
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,067	855	1,054	73	85
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	240	90	135	8	7
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	53	20	30	2	1
72 DESCENDING COLON.....153,2	57	34	21	-	1
73 SIGMOID COLON.....153,3	280	106	160	7	7
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	1,322	559	648	51	64
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	115	46	60	4	5
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	603	306	251	20	26
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	101	48	39	12	2
78 OF GALLBLADDER AND BILE DUCTS.....156	253	79	157	7	10
79 OF PANCREAS.....157	932	457	381	53	41
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	80	30	38	7	5
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	4,110	2,913	794	336	67
82 OF LARYNX.....161	163	125	21	15	2
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,076	2,745	752	316	63
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	71	43	21	5	2
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	2,128	254	1,720	19	135
86 OF BONE.....170	96	58	31	3	4
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	91	44	35	6	4
88 OF SKIN.....172,173	250	135	104	9	2
89 OF BREAST.....174	1,691	17	1,550	1	123

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
27,349	13,976	10,712	1,506	1,155	20,906	11,577	8,877	288	164	126,632	62,704	52,304	6,622	5,002
234	106	88	26	14	105	56	42	3	4	967	451	316	114	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	1	-	-	1	-	5	4	1	-	-
1	-	1	-	-	2	-	1	-	-	-	-	-	-	-
36	7	23	3	3	13	4	9	-	-	109	43	55	6	5
52	32	10	7	3	27	18	4	2	3	265	139	53	54	19
39	26	6	5	2	19	14	2	1	2	223	120	40	50	13
1	-	-	-	-	-	-	-	-	-	4	2	1	-	1
1	-	-	-	-	-	-	-	-	-	1	1	-	-	1
4	3	1	-	-	3	1	-	-	-	2	1	-	-	1
7	3	3	-	1	5	3	2	1	1	4	1	1	2	1
-	-	-	-	-	-	-	-	-	-	31	14	11	2	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-
6	1	2	2	1	3	2	1	-	-	16	8	6	2	-
2	1	1	-	-	-	-	-	-	-	3	1	2	-	-
69	36	21	9	3	28	15	13	-	-	321	146	114	26	35
9	4	5	-	-	1	1	1	-	-	59	27	21	4	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	3	2	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
3	1	1	-	1	3	1	2	-	-	10	5	3	2	-
5	3	2	-	-	5	4	1	-	-	20	9	7	1	3
20	8	7	4	1	7	2	4	-	-	-	-	-	-	-
3	2	1	-	-	-	-	-	-	1	71	32	34	2	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	2	-	2	1	1	-	-	-	24	8	3	9	4
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	1	1	-	-	-	20	5	3	8	4
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	2	2	-	-	-
1	-	-	-	1	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	7	10	1	-	9	4	5	-	-	56	24	14	8	10
4,787	2,480	1,875	258	174	3,707	2,040	1,594	41	32	23,026	11,197	9,745	1,213	871
4,730	2,454	1,848	254	174	3,657	2,021	1,565	40	31	22,651	11,028	9,581	1,194	848
108	62	28	15	3	72	44	26	-	2	455	299	90	50	16
7	-	-	-	-	1	1	-	-	-	7	6	-	-	1
22	9	7	6	-	20	11	8	-	1	115	74	26	10	5
35	17	14	3	1	19	10	9	-	-	137	83	33	17	4
44	29	7	6	2	32	22	9	-	1	196	136	31	23	6
1,174	540	498	73	63	919	479	415	14	11	6,513	3,074	2,836	359	244
59	33	11	12	3	50	34	13	3	-	422	235	97	69	21
173	88	55	17	13	131	78	47	2	4	1,008	559	337	78	34
10	7	1	1	1	2	2	-	-	-	42	19	20	1	2
491	198	252	17	24	364	163	193	5	3	2,680	1,138	1,332	103	107
46	14	30	-	2	33	13	19	1	-	289	115	152	9	13
8	3	5	-	-	15	4	10	1	-	80	39	34	3	4
14	7	6	-	1	6	3	3	-	-	55	17	34	3	1
41	22	14	3	2	58	32	26	-	-	293	138	129	17	9
364	146	188	11	19	235	102	127	3	3	1,774	745	886	68	75
18	6	9	3	-	17	9	8	-	-	189	84	97	3	5
90	46	37	4	3	83	47	35	-	1	763	406	315	23	19
24	12	9	3	-	14	6	8	-	-	89	41	31	13	4
49	12	28	4	5	34	16	18	-	-	329	103	208	4	14
262	135	101	14	12	227	124	98	3	2	1,098	539	453	63	43
16	9	4	1	2	14	9	3	1	1	82	34	43	5	-
1,153	866	223	52	12	882	679	182	16	5	4,797	3,406	889	407	95
25	19	3	3	-	33	25	8	-	-	177	136	17	22	2
1,104	831	214	47	12	837	645	171	16	5	4,526	3,217	842	377	90
24	16	6	2	-	12	9	3	-	-	94	53	30	8	3
483	84	372	5	20	384	56	320	1	7	2,557	270	2,114	14	159
23	14	8	1	-	14	12	2	-	-	122	72	43	3	4
23	13	8	2	-	19	10	8	-	1	87	38	30	6	13
102	55	44	2	1	45	32	13	-	-	235	138	93	-	4
335	4	312	-	19	306	2	297	1	6	2,113	22	1,948	5	138

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		OHIO				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,331	893	1,191	126	121
02	OF CERVIX UTERI.....180	331	---	272	---	59
03	OF OTHER PARTS OF UTERUS.....181,182	347	---	316	---	31
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	574	---	544	---	30
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	60	---	59	---	1
06	OF PROSTATE.....185	959	837	---	122	---
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	60	56	---	4	---
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	884	571	242	47	24
09	OF BLADDER.....188	519	348	130	24	17
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	365	223	112	23	7
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,630	765	696	84	85
12	OF EYE.....190	9	3	5	---	1
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	445	247	170	13	15
14	OF THYROID GLAND.....193	59	23	31	1	4
15	OTHER.....194-199	1,117	492	490	70	65
16	LEUKEMIA.....204-207	811	415	343	39	14
17	LYMPHATIC LEUKEMIA.....204	268	145	106	13	4
18	MYELOID LEUKEMIA.....205	344	164	156	16	8
19	MONOCYTIC LEUKEMIA.....206	69	31	31	6	1
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	130	75	50	4	1
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	1,057	544	424	50	39
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	383	193	170	10	10
23	HODGKIN'S DISEASE.....201	168	98	59	7	4
24	MULTIPLE MYELOMA.....203	248	106	100	23	19
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	258	147	95	10	6
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	223	100	104	8	11
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	10	---	9	---	1
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	42	14	25	1	2
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	36	19	14	---	3
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	2	---	2	---	---
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	75	36	33	3	3
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	58	31	21	4	2
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,703	1,002	1,398	125	178
34	NONTOXIC GOITER.....240,241	2	---	2	---	---
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	13	2	8	2	1
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	24	3	16	1	4
37	DIABETES MELLITUS.....250	2,273	820	1,202	99	152
38	DISEASES OF PITUITARY GLAND.....253	10	6	1	---	3
39	DISEASES OF THYMUS GLAND.....254	---	---	---	---	---
40	DISEASES OF ADRENAL GLAND.....255	16	5	7	3	1
41	NIACIN DEFICIENCY.....262	---	---	---	---	---
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	124	52	50	8	6
43	CYSTIC FIBROSIS.....273.0	21	8	13	---	---
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	220	106	91	12	11
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	267	103	118	25	21
46	ANEMIAS.....280-285	159	64	69	13	13
47	DEFICIENCY ANEMIAS.....280,281	32	16	16	---	---
48	HEMOLYTIC ANEMIAS.....282,283	39	5	16	10	2
49	APLASTIC ANEMIA.....284	41	21	18	---	8
50	OTHER AND UNSPECIFIED ANEMIAS.....285	47	22	19	3	3
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	29	5	20	1	3
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	79	34	29	11	5
53	V. MENTAL DISORDERS.....	305	132	96	59	18
54	SENILE AND PRESENILE DEMENTIAS.....290	48	12	34	1	1
55	ALCOHOLIC PSYCHOSES.....291	21	9	1	8	3
56	ALL OTHER PSYCHOSES.....294-299	16	9	5	2	---
57	ALCOHOLISM.....303	133	67	19	37	10
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	76	31	32	10	3
59	MENTAL RETARDATION.....310-315	11	4	5	1	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	952	458	385	55	54
61	MENINGITIS.....320	57	19	21	7	10
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	39	27	11	1	---
63	MULTIPLE SCLEROSIS.....340	99	35	58	1	5
64	PARALYSIS AGITANS.....342	169	91	70	4	4
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	36	18	11	2	5
66	EPILEPSY.....345	100	43	33	14	10
67	INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68	CATARACT.....374	3	2	---	1	---
69	GLAUCOMA.....375	---	---	---	---	---
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	6	3	3	---	---
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	443	220	178	25	20
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	56,073	27,107	24,618	2,245	2,103
73	ACTIVE RHEUMATIC FEVER.....390-392	6	4	2	---	---
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	781	306	412	29	34
75	DISEASES OF MITRAL VALVE.....394	210	67	137	---	---
76	DISEASES OF AORTIC VALVE.....395	228	132	71	15	10
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	38	12	23	3	---
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	305	95	181	11	18
79	HYPERTENSIVE DISEASE.....400-404	1,524	590	660	154	120
80	MALIGNANT HYPERTENSION.....400	52	21	20	4	---
81	ESSENTIAL BENIGN HYPERTENSION.....401	64	19	37	3	5
82	HYPERTENSIVE HEART DISEASE.....402	406	129	212	38	27
83	HYPERTENSIVE RENAL DISEASE.....403	302	140	118	23	21
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	700	281	273	84	62

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
602	270	256	43	33	446	233	210	1	2	2,596	1,029	1,282	142	143
83	...	72	...	11	44	...	42	...	2	303	...	255	...	48
78	...	67	...	11	49	...	49	385	...	342	...	43
114	...	105	...	9	111	...	111	668	...	620	...	48
14	...	12	...	2	8	...	8	69	...	65	...	4
302	259	...	43	...	224	223	...	1	...	1,116	...	976	...	140
11	11	10	55	...	53
179	114	51	11	3	163	105	55	3	...	1,041	658	313	41	29
94	64	24	3	3	98	68	28	2	...	647	420	180	26	21
85	50	27	8	...	65	37	27	1	...	394	238	133	15	8
533	254	226	30	23	356	170	181	2	3	2,620	1,225	1,172	116	107
6	1	2	2	1	5	2	3	16	7	9	...	11
122	69	52	...	1	113	60	53	476	267	181	13	15
13	4	7	14	2	12	59	17	37	1	4
392	180	165	26	21	224	106	113	2	3	2,069	934	945	102	88
209	120	76	7	6	180	107	73	845	460	338	27	20
82	54	25	3	...	54	35	19	276	161	99	8	17
74	41	26	3	4	83	47	36	379	189	171	11	8
8	4	4	14	7	22	9	11	2	19
45	21	21	1	2	29	18	11	168	101	57	6	4
289	142	118	18	11	258	148	103	3	1	1,227	607	567	38	35
97	48	40	2	6	86	41	43	1	1	474	238	213	12	11
37	23	12	3	...	42	32	9	1	...	186	98	79	4	5
80	39	31	10	...	60	32	28	1	...	275	127	120	14	24
75	36	35	3	1	67	43	23	1	...	292	144	135	8	5
57	26	27	4	...	50	19	29	1	1	375	169	164	19	23
2	2	2	...	2	7	...	5	...	2
11	5	5	1	...	8	4	35	11	17	4	3
...	12	4	7	1	...	43	20	19	1	3
23	11	12	18	7	11	190	93	82	7	8
15	8	5	2	...	10	4	5	...	1	96	45	40	7	4
584	206	295	37	46	471	184	274	7	6	3,049	1,105	1,639	141	164
...	1	...	1	3	1	2	...	34
3	...	3	3	1	2	21	5	14	1	1
3	1	1	1	...	5	2	3	26	8	17	...	36
460	164	226	28	42	328	124	198	4	2	2,559	915	1,397	114	133
2	2	1	1	10	2	6	1	38
5	1	4	6	2	4	29	14	13	...	39
...	40
43	10	24	5	4	50	19	29	...	2	150	50	77	13	10
8	4	4	9	4	5	22	11	10	...	43
60	24	33	3	...	68	31	34	3	...	228	99	102	12	15
65	22	32	7	4	38	15	23	316	127	142	20	27
40	14	18	5	3	30	11	19	195	73	90	12	20
4	1	3	5	3	2	32	8	21	...	47
4	1	1	1	1	3	...	3	34	9	8	5	12
19	10	8	...	1	15	6	9	63	27	34	1	1
13	2	6	4	1	7	2	5	66	29	27	6	4
11	3	8	4	2	2	33	16	14	2	1
14	5	6	2	1	4	2	2	88	38	38	6	52
181	96	48	23	14	122	63	50	7	2	280	139	70	50	21
12	4	7	1	...	24	11	13	32	9	20	2	1
8	6	1	...	1	5	3	2	19	11	3	4	1
10	2	6	...	2	4	...	4	13	6	4	1	2
120	73	18	20	9	53	34	11	7	1	140	78	16	39	7
17	4	10	1	2	33	14	18	...	1	68	32	22	4	10
14	7	6	1	...	3	1	2	8	3	5	...	59
246	128	102	7	9	221	114	103	2	2	949	459	389	64	37
20	8	11	1	3	21	13	8	74	35	25	11	3
13	6	4	6	3	3	39	28	11	...	62
17	11	6	27	7	20	116	45	64	4	3
46	27	18	1	...	45	28	16	1	...	178	87	86	3	2
15	8	6	...	1	5	4	1	33	20	6	6	1
17	5	9	2	1	17	9	7	1	...	97	45	34	12	6
...	1	1
...	3	2	1
...	1
2	1	1	1	...	1	5	2	1	1	1
116	62	47	3	4	99	50	47	...	2	402	194	160	27	21
14,912	7,485	6,166	668	593	11,111	5,962	4,963	119	67	71,131	34,532	31,964	2,349	2,286
3	3	1	...	1	13	6	6	1	...
124	53	59	8	4	161	82	76	2	1	972	389	537	20	26
43	17	22	2	...	40	14	25	1	...	263	77	175	5	6
39	21	13	4	1	67	43	23	...	1	257	152	94	...	3
6	1	5	9	2	7	58	17	38	1	2
36	14	19	2	1	45	23	21	1	...	394	143	230	6	15
302	114	142	22	24	174	67	103	2	2	1,215	441	655	53	66
13	4	5	4	...	7	3	4	50	21	13	7	9
22	6	12	1	3	7	1	6	61	24	35	...	2
108	39	51	6	12	36	11	23	1	1	412	96	248	29	39
77	32	31	7	7	35	18	15	1	1	284	137	130	12	5
82	33	43	4	2	89	34	55	408	163	229	5	11

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	36,780	19,067	15,101	1,386	1,226
02 WITH HYPERTENSIVE DISEASE (.9).....	4,866	1,944	2,256	319	347
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	31,914	17,123	12,845	1,067	879
04 ACUTE MYOCARDIAL INFARCTION.....410	17,640	10,497	6,218	526	399
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	209	130	67	8	4
06 CHRONIC ISCHEMIC HEART DISEASE.....412	18,923	8,435	8,813	852	823
07 ANGINA PECTORIS.....413	8	5	3	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	1,858	835	817	100	106
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	19	8	7	2	2
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	25	16	4	3	2
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	35	10	23	1	1
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	-	3	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	7	5	2	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	25	5	18	1	1
15 SYMPTOMATIC HEART DISEASE.....427	1,284	556	595	65	68
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	161	77	69	5	10
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	334	168	119	24	23
18 CEREBROVASCULAR DISEASES.....430-438	10,908	4,380	5,645	434	449
19 WITH HYPERTENSION (BENIGN) (.0).....	1,397	481	733	81	102
20 WITHOUT MENTION OF HYPERTENSION (.9).....	9,511	3,899	4,912	353	347
21 SUBARACHNOID HEMORRHAGE.....430	457	220	220	26	45
22 CEREBRAL HEMORRHAGE.....431	1,833	749	898	85	101
23 CEREBRAL THROMBOSIS.....433	3,013	1,193	1,599	109	112
24 CEREBRAL EMBOLISM.....434	53	22	23	5	3
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	200	106	81	7	6
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	3,254	1,336	1,645	145	128
27 OTHER CEREBROVASCULAR DISEASES.....437,438	2,098	808	1,179	57	54
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,337	1,558	1,600	84	95
29 ARTERIOSCLEROSIS.....440	1,907	731	1,084	40	52
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	746	513	203	16	14
31 GANGRENE.....445	138	57	70	6	5
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	546	257	243	22	24
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	879	367	381	58	73
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	791	335	338	5	65
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	88	32	43	5	8
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,573	3,182	1,877	350	164
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	39	15	9	9	6
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	56	27	24	3	2
39 INFLUENZA.....470-474	229	97	125	1	6
40 PNEUMONIA.....480-486	2,617	1,254	1,076	185	102
41 VIRAL PNEUMONIA.....480	83	38	38	5	2
42 BACTERIAL PNEUMONIA.....481-482	277	151	91	24	11
43 ACUTE INTERSTITIAL PNEUMONIA.....484	54	28	11	7	8
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	1,133	526	476	83	48
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,070	511	460	66	33
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,606	1,155	349	77	25
47 BRONCHITIS, UNQUALIFIED.....490	46	22	18	4	2
48 CHRONIC BRONCHITIS.....491	280	189	80	8	3
49 EMPHYSEMA.....492	1,194	920	203	58	13
50 ASTHMA.....493	86	24	48	7	7
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	6	1	5	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	39	19	13	6	1
53 PLEURISY.....511	15	3	10	-	2
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	190	109	62	17	2
55 BRONCHIECTASIS.....518	35	18	16	-	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	741	484	188	52	17
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,585	1,806	1,347	256	176
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	4	1	1	-	2
59 PEPTIC ULCER.....531-533	348	197	113	25	13
60 ULCER OF STOMACH.....531	156	78	61	11	6
61 ULCER OF DUODENUM.....532	143	91	36	10	6
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	49	28	16	4	1
63 GASTRITIS AND DUODENITIS.....535	21	10	8	1	2
64 APPENDICITIS.....540-543	80	44	29	3	4
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	339	146	170	11	12
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	2	-	1	1	-
67 DIVERTICULA OF INTESTINE.....562	174	57	103	2	12
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	61	28	31	1	1
69 CIRRHOSIS OF LIVER.....571	1,498	824	448	144	82
70 ALCOHOLIC.....571.0	471	266	114	58	35
71 OTHER SPECIFIED.....571.8	136	136	101	35	23
72 UNSPECIFIED.....571.9	732	424	233	51	24
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	181	79	91	5	6
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	877	420	352	63	42
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,396	672	499	124	101
76 NEPHRITIS AND NEPHROSIS.....580-584	445	203	152	51	39
77 ACUTE NEPHRITIS.....580	50	22	14	9	5
78 NEPHROTIC SYNDROME.....581	15	4	8	3	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	380	177	130	39	34
80 INFECTIONS OF KIDNEY.....590	341	140	153	20	28
81 CALCULI OF URINARY SYSTEM.....592,594	32	18	8	2	4
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	412	192	155	40	23
83 HYPERPLASIA OF PROSTATE.....600	88	82	-	-	-
84 DISEASES OF BREAST.....610,611	1	-	1	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	77	37	30	5	5
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	17	...	11	...	6
87 ECTOPIC PREGNANCY.....631	1	...	1	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	4	...	2	...	2
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	3	...	2	...	1

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total	OHIO			
		White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	1	...	-	...	1
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	1	...	-	...	1
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	5	...	5	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	3	...	1	...	2
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	89	35	37	7	10
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	27	13	10	3	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	62	22	27	4	9
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	255	75	152	13	15
13 ARTHRITIS AND SPONDYLITIS.....710-715	117	37	73	4	3
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	9	2	6	-	1
15 OSTEOMYELITIS AND PERIOSTITIS.....720	7	3	2	2	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	11	5	5	-	1
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	111	28	66	7	10
18 XIV. CONGENITAL ANOMALIES.....	752	364	321	37	30
19 SPINA BIFIDA.....741	30	16	14	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	108	50	48	6	4
21 CONGENITAL ANOMALIES OF HEART.....746	310	145	127	20	18
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	52	24	24	2	-
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	251	127	107	9	8
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	1,595	740	490	211	154
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,246	624	409	134	79
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	35	11	23	-	1
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	1,211	613	386	134	78
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	7,359	4,168	2,069	865	257
30 ACCIDENTS.....E800-E949	4,982	2,967	1,509	367	139
31 RAILWAY ACCIDENTS.....E800-E807	30	22	7	1	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	2,340	1,540	405	145	50
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	2,282	1,494	597	141	50
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	63	42	14	5	2
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	830	526	252	37	15
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	348	181	108	44	15
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	382	286	71	21	4
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	259	203	37	16	3
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	400	256	115	18	11
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	58	46	8	4	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	12	7	5	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	52	42	6	4	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	44	40	2	2	-
44 ACCIDENTAL POISONING.....E850-E877	253	123	75	38	17
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	88	33	32	15	8
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	57	31	15	6	5
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	108	59	28	17	4
48 ACCIDENTAL FALLS.....E880-E887	958	391	509	37	21
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	250	141	84	18	7
50 FALL ON SAME LEVEL.....E885,E886	44	14	30	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	664	236	395	19	14
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	239	113	79	32	15
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	254	172	39	36	7
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	128	63	43	13	9
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	88	56	11	15	6
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	257	209	32	15	1
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	6	4	1	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	21	16	2	2	1
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	20	13	6	1	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	61	52	8	1	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	149	124	15	10	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	127	69	43	7	8
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	200	120	53	22	5
64 SUICIDE.....E950-E959	1,311	829	373	82	27
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	181	53	116	4	8
66 SUICIDE FROM POISONING BY GASES.....E951,E952	187	114	67	3	1
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	179	108	57	12	2
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	672	504	103	53	12
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	92	50	28	10	4
70 HOMICIDE.....E960-E978	905	291	133	397	84
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E985	666	202	73	332	59
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	69	25	12	23	9
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	147	52	48	31	16
74 LEGAL EXECUTION.....E970	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	23	12	-	11	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	158	78	54	19	7
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	3	3	-	-	-

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
9,330	5,145	3,449	415	321	6,895	4,062	2,713	79	41	47,955	24,930	20,405	1,382	1,238
811	312	377	50	72	639	279	339	13	8	5,191	2,113	2,582	228	268
8,519	4,833	3,072	365	249	6,256	3,783	2,374	66	33	42,764	22,817	17,823	1,154	970
5,534	3,347	1,798	223	166	2,837	1,813	995	18	11	25,971	15,183	9,486	726	576
385	253	97	27	8	20	12	8	-	-	212	110	91	7	4
3,408	1,543	1,554	164	147	4,038	2,237	1,710	61	30	21,766	9,634	10,825	649	658
3	2	-	1	-	-	-	-	-	-	6	3	3	-	-
766	360	315	44	47	354	192	150	6	6	2,934	1,277	1,270	202	185
3	5	-	-	-	4	2	2	-	-	21	9	9	-	3
19	13	4	1	1	22	12	10	-	-	30	15	10	3	2
1	-	-	-	-	1	1	-	-	-	86	39	43	1	3
1	1	-	-	-	2	1	1	-	-	3	-	3	-	-
17	12	3	1	1	19	10	9	-	-	15	11	4	-	-
590	276	249	35	30	221	121	92	3	5	68	28	36	1	3
53	19	23	3	8	27	13	12	1	1	272	99	155	9	16
96	47	37	5	7	73	39	32	2	-	468	235	166	36	31
3,301	1,308	1,713	132	148	2,579	1,074	1,468	21	16	12,558	5,004	6,486	512	556
361	123	185	17	36	239	84	150	2	3	1,506	534	784	96	92
2,940	1,185	1,528	115	112	2,340	990	1,318	19	13	11,052	4,470	5,702	416	464
121	47	60	6	8	102	33	67	-	2	495	182	245	32	21
479	197	239	16	27	305	141	158	5	5	2,035	844	997	102	92
683	297	381	23	29	732	300	419	5	5	3,806	1,488	2,016	141	161
35	18	14	2	1	13	7	6	-	-	70	31	45	3	-
40	18	19	1	2	60	31	29	-	-	168	104	54	5	5
1,337	545	657	68	67	717	313	397	3	4	3,628	1,428	1,846	162	192
606	233	343	16	14	650	249	392	5	4	2,347	927	1,283	67	70
830	379	385	29	37	826	428	391	6	1	4,058	1,875	1,958	98	127
450	166	240	20	24	510	231	274	4	1	2,221	802	1,326	40	53
184	123	52	3	6	164	124	39	1	-	1,005	683	253	38	31
45	23	17	1	4	39	20	19	-	-	192	86	88	5	13
151	67	76	5	3	113	53	59	1	-	640	304	291	15	30
296	123	103	18	12	121	57	61	3	-	1,426	610	647	81	88
230	110	93	17	10	108	53	53	2	-	1,301	551	602	71	77
26	13	10	1	2	13	4	8	1	-	125	59	45	10	11
1,581	955	494	77	55	1,532	957	564	8	3	7,434	4,751	2,085	378	220
5	3	2	-	-	2	2	-	-	-	16	6	8	2	-
8	5	2	1	11	6	5	-	-	-	50	22	25	3	-
61	33	23	3	143	66	76	1	-	-	220	107	103	7	39
732	381	271	48	32	638	340	289	6	3	3,341	1,681	1,305	207	148
15	5	8	2	-	16	9	7	-	-	123	57	59	6	1
63	38	18	6	1	62	33	26	1	2	367	174	144	31	18
13	9	2	2	2	3	1	-	-	-	21	13	7	-	1
175	93	67	8	7	265	142	119	4	-	1,163	645	413	60	45
466	236	176	32	22	292	155	135	1	1	1,667	792	682	110	83
394	288	90	11	5	411	313	97	1	-	1,442	1,063	302	53	24
3	1	1	-	10	10	5	5	-	-	38	10	24	2	2
47	28	15	2	2	76	53	23	-	-	197	136	56	2	3
323	252	62	7	2	301	244	56	1	-	1,116	887	179	42	8
21	7	12	1	1	24	11	13	-	-	91	30	43	7	11
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1
15	6	5	3	1	12	8	4	-	-	65	40	15	6	4
3	2	1	-	-	2	1	-	-	-	17	8	5	2	2
44	21	21	-	2	39	23	16	-	-	163	107	38	12	6
16	9	5	-	2	8	4	-	-	-	45	22	18	3	2
303	207	74	11	11	266	194	72	-	-	2,072	1,694	265	87	26
922	445	366	62	49	765	442	290	22	11	4,630	2,475	1,676	280	199
-	-	-	-	-	-	-	-	-	-	3	1	-	1	1
110	66	40	4	88	60	27	1	-	-	472	283	158	25	6
38	16	21	1	21	31	9	-	-	-	213	110	85	15	3
38	38	17	-	47	33	13	1	-	-	195	134	93	6	2
14	12	2	-	10	5	5	-	-	-	64	39	20	4	1
7	3	3	1	8	5	2	1	-	-	41	23	16	1	1
13	6	4	1	2	9	6	2	1	-	71	42	18	7	4
92	38	43	3	8	69	31	36	1	1	399	153	212	16	18
-	-	-	-	-	1	1	-	-	-	5	1	3	-	1
40	11	29	-	27	10	17	-	-	-	225	85	126	6	66
18	5	10	1	12	3	9	-	-	-	67	31	34	-	8
309	152	106	28	23	353	226	102	17	8	1,950	1,200	499	150	101
100	50	31	10	9	215	139	58	13	5	579	380	98	69	31
34	15	15	3	1	44	28	12	2	2	271	142	88	19	22
175	87	60	15	13	94	59	32	2	1	1,100	678	312	62	48
59	28	25	4	2	27	13	14	-	-	198	75	110	5	9
274	136	106	20	12	171	87	81	1	2	1,198	581	500	69	48
509	214	211	37	47	179	96	81	1	1	1,587	748	600	118	121
131	48	42	15	26	53	31	21	1	-	500	224	184	51	41
17	8	9	2	5	3	3	2	-	-	83	39	26	12	6
5	2	3	-	1	1	-	-	-	-	15	7	7	1	-
109	41	30	14	24	47	28	18	1	-	402	178	151	38	35
144	49	81	4	10	49	22	27	-	-	329	143	150	14	22
13	4	8	-	1	3	-	3	-	-	35	16	17	-	2
179	84	72	14	9	50	29	20	-	1	596	280	225	46	45
27	25	-	2	11	11	11	-	-	-	66	63	-	3	-
-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
15	4	8	2	1	11	3	8	-	-	61	22	24	4	11
7	-	6	-	1	-	-	-	-	-	22	-	14	-	8
1	-	1	-	-	-	-	-	-	-	1	-	-	-	1
2	-	-	-	-	-	-	-	-	-	4	-	2	-	2
-	-	-	-	-	-	-	-	-	-	5	-	5	-	89

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	01
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	02
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	03
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	04
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	05
-	...	-	...	-	-	...	-	...	-	5	...	4	...	1	06
4	...	3	...	1	-	...	-	...	-	4	...	2	...	2	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
20	7	6	2	5	14	7	7	-	-	139	41	78	8	12	09
3	2	1	-	-	3	1	2	-	-	29	8	19	2	-	10
17	5	5	2	5	11	6	5	-	-	110	33	59	6	12	11
74	20	49	1	4	52	21	31	-	-	263	73	167	6	17	12
30	8	21	-	1	29	7	22	-	-	92	22	65	1	4	13
4	2	2	-	-	3	4	-	-	-	12	4	-	-	2	14
2	1	1	-	-	-	-	-	-	-	14	7	-	-	-	15
-	-	-	-	-	1	1	-	-	-	6	1	5	-	-	16
38	9	25	1	3	19	10	9	-	-	139	39	84	5	11	17
184	94	71	9	10	148	77	67	2	2	727	325	321	39	42	18
9	3	5	-	1	7	5	2	-	-	27	6	16	5	-	19
28	12	12	1	3	21	8	13	-	-	115	49	57	6	3	20
84	41	38	5	3	61	34	25	1	1	308	148	127	10	23	21
17	10	5	1	1	18	9	8	-	1	49	18	25	4	2	22
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	23
46	28	14	2	2	41	21	19	1	-	227	104	95	14	14	24
359	172	119	42	26	232	125	90	9	8	1,535	721	488	175	151	25
363	166	154	29	14	312	161	138	12	1	2,733	1,001	584	728	420	26
38	12	26	-	-	22	5	17	-	-	47	10	37	-	-	27
325	154	128	29	14	290	156	121	12	1	2,686	991	547	728	420	28
2,321	1,380	630	221	90	1,897	1,257	560	55	25	7,844	4,559	2,026	939	320	29
1,707	1,024	469	147	67	1,364	918	397	35	14	5,460	3,305	1,590	394	171	30
12	6	-	6	-	14	13	1	-	-	38	25	7	6	-	31
787	468	215	80	24	661	437	200	14	10	2,549	1,708	625	149	67	32
769	457	209	79	24	645	427	195	14	9	2,517	1,684	620	146	67	33
22	14	5	2	1	10	9	1	-	-	25	22	3	-	-	34
185	105	60	14	6	221	145	66	3	7	873	558	259	43	13	35
106	59	26	17	4	92	61	26	4	1	505	309	131	44	21	36
45	28	12	5	-	68	53	12	2	1	356	255	56	35	10	37
67	45	13	6	3	100	62	37	1	-	293	225	47	12	9	38
344	206	93	35	10	154	97	53	4	-	465	315	124	12	14	39
18	11	6	1	-	16	10	5	-	1	32	24	5	3	-	40
3	2	1	-	-	6	3	3	-	-	20	13	7	-	-	41
12	11	1	-	-	29	23	5	1	-	43	36	3	4	-	42
27	24	3	-	-	27	24	2	1	-	33	27	6	-	-	43
75	39	24	5	7	48	30	15	3	-	221	116	70	26	9	44
21	8	8	2	3	17	7	9	1	-	84	53	33	14	4	45
28	16	9	1	2	21	15	4	2	-	25	13	9	-	-	46
26	15	7	2	2	10	8	2	-	-	112	70	28	9	5	47
224	100	113	4	7	183	98	84	-	1	1,012	449	485	61	17	48
41	29	9	1	2	57	40	17	-	-	363	204	116	37	6	49
9	5	3	-	1	16	10	6	-	-	19	12	6	-	1	50
174	66	101	3	4	110	48	61	-	1	630	233	363	24	10	51
103	62	30	6	5	62	31	29	2	-	352	145	111	55	41	52
87	57	13	13	4	86	67	10	8	1	248	180	36	23	9	53
32	14	7	6	5	23	14	9	-	-	147	79	52	12	4	54
55	41	6	6	2	26	20	5	1	-	85	71	7	6	1	55
108	93	7	8	-	107	98	5	3	1	289	247	21	13	8	56
2	1	-	1	-	1	1	1	-	-	4	2	1	1	-	57
6	5	-	1	-	1	1	-	-	-	15	10	4	1	-	58
7	1	4	2	-	1	1	-	-	-	15	8	4	1	2	59
18	17	1	-	-	8	8	-	-	-	52	48	2	1	1	60
75	69	2	4	-	96	88	4	3	1	203	179	10	9	5	61
59	34	19	2	4	38	21	15	1	1	187	81	91	9	6	62
123	73	30	11	9	54	39	14	1	-	236	128	69	30	9	63
354	228	112	10	4	358	249	101	6	2	1,324	919	313	70	22	64
50	15	34	-	1	58	15	42	-	1	227	91	126	4	6	65
30	15	14	-	1	49	34	15	-	-	140	102	37	1	-	66
35	22	9	4	-	27	18	7	1	1	276	194	65	15	2	67
223	164	51	6	2	205	172	28	5	-	545	457	50	34	4	68
16	12	4	-	-	19	10	9	-	-	136	75	35	16	10	69
220	107	37	59	17	106	52	39	9	6	826	226	90	413	97	70
140	71	17	41	11	59	31	16	9	3	477	132	44	253	48	71
29	15	5	10	1	20	11	7	-	1	182	47	14	100	21	72
48	21	15	7	5	25	9	15	-	2	141	41	32	40	28	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
3	2	-	1	-	2	1	1	-	-	26	6	-	20	-	75
38	19	12	5	2	69	38	23	5	3	234	109	33	62	30	76
2	3	-	-	-	7	-	-	-	-	-	-	-	-	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	9,509	4,927	4,366	133	83
02 I. INFECTIVE AND PARASITIC DISEASES.....	68	37	30	1	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	-	-	-	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	6	3	3	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	13	9	4	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	11	8	3	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	2	1	1	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	-	1	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	21	14	6	1	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	7	2	5	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	1	1	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	1	-	-	-
35 INFECTIOUS HEPATITIS.....070	2	2	-	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	8	1	7	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	-	-	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCLEROTOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	1	1	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	3	3	-	-
58 II. NEOPLASMS.....	1,972	1,036	897	21	18
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,939	1,021	880	21	17
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	61	47	13	1	-
61 OF LIP.....140	2	1	1	-	-
62 OF TONGUE.....141	16	13	3	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	15	12	3	-	-
64 OF PHARYNX.....146-149	28	21	6	1	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	630	303	312	6	9
66 OF ESOPHAGUS.....150	33	25	6	1	1
67 OF STOMACH.....151	90	47	39	3	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	1	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	270	115	153	-	2
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	40	20	20	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	4	1	3	-	-
72 DESCENDING COLON.....153.2	8	1	7	-	-
73 SIGMOID COLON.....153.3	35	13	22	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	159	71	86	-	2
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	24	9	15	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	72	39	32	1	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	12	8	3	-	1
78 OF GALLBLADDER AND BILE DUCTS.....156	29	10	17	-	2
79 OF PANCREAS.....157	108	53	52	1	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	12	5	7	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	420	334	78	8	-
82 OF LARYNX.....161	24	19	4	1	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	391	312	72	7	-
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	5	3	2	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	213	26	182	-	5
86 OF BONE.....170	8	8	3	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	8	5	3	-	-
88 OF SKIN.....172,173	21	16	5	-	-
89 OF BREAST.....174	176	-	171	-	5

SECTION 1 - GENERAL MORTALITY

1-331

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
24,896	9,348	6,849	4,748	3,951	6,643	3,684	2,581	227	151	39,794	18,419	13,984	4,054	3,337	01
271	66	49	82	74	50	27	11	9	3	374	154	108	67	45	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	04
1	1	-	1	-	-	-	-	-	-	4	2	2	1	1	05
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	06
53	12	9	14	18	11	5	4	2	-	49	18	13	9	9	07
70	18	6	33	13	9	4	-	3	2	118	58	32	21	7	08
58	14	4	29	11	7	4	-	2	1	97	49	24	20	4	09
2	-	1	-	1	-	-	-	-	-	1	-	1	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
6	1	-	4	1	2	-	-	1	1	5	1	1	1	3	12
4	3	1	-	-	-	-	-	-	-	15	8	6	1	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	20
1	1	1	-	-	-	-	-	-	-	2	-	1	-	1	21
6	2	1	1	2	3	3	-	-	-	8	4	1	2	1	22
2	-	-	1	1	1	-	-	-	-	2	-	1	1	-	23
64	18	12	16	18	8	6	1	1	-	85	26	26	18	15	24
9	4	2	1	2	3	-	1	2	-	13	10	2	-	1	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	-	1	-	1	-	-	-	-	-	2	-	2	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	30
6	1	3	-	2	3	3	-	-	-	5	4	1	-	-	31
6	2	2	-	2	2	1	-	-	-	13	3	4	-	2	32
16	2	6	3	5	4	2	2	-	-	20	5	9	4	2	33
3	-	2	-	1	-	-	-	-	-	1	-	1	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
9	2	-	4	3	1	1	-	-	-	15	4	3	6	2	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
6	1	-	2	3	-	-	-	-	-	11	2	2	5	2	40
2	1	-	1	-	1	1	-	-	-	1	1	-	1	-	41
1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	42
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	1	-	2	3	-	-	-	-	-	11	2	2	5	2	45
2	1	-	1	-	1	1	-	-	-	1	1	-	-	-	46
1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	49
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	54
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
19	3	3	7	6	5	1	3	1	-	30	16	7	5	2	56
3,712	1,444	1,128	579	561	1,163	611	524	15	13	6,567	3,013	2,362	694	498	57
3,662	1,426	1,115	571	550	1,141	597	516	15	13	6,490	2,989	2,326	685	490	58
76	37	22	11	6	10	13	5	-	-	176	101	43	24	8	59
4	3	1	-	-	2	2	-	-	-	12	10	2	-	-	60
20	7	5	5	3	4	4	-	-	-	40	25	8	6	1	61
24	13	7	2	2	7	6	1	-	-	41	16	19	3	3	62
28	14	9	4	1	5	1	4	-	-	83	50	14	15	4	63
894	307	291	149	147	332	166	155	6	5	1,609	679	593	195	142	64
79	23	7	34	15	13	9	4	-	-	102	45	19	27	11	65
134	40	24	46	24	60	33	23	4	-	265	126	67	45	27	66
2	2	-	-	-	4	3	1	-	-	19	9	7	-	-	67
309	103	131	29	46	134	56	77	-	1	576	212	276	39	49	68
27	6	14	4	3	16	7	9	-	-	72	26	35	-	4	69
4	2	-	-	-	4	2	2	-	-	15	5	9	7	1	70
3	1	1	-	1	5	2	3	-	-	24	10	11	1	2	71
25	9	8	2	6	13	9	4	-	-	63	30	24	3	6	72
243	82	105	20	36	89	32	56	-	1	388	135	191	28	34	73
7	3	3	1	7	7	4	3	-	-	14	6	6	-	-	74
74	31	23	7	13	28	21	5	1	1	126	58	43	14	11	75
19	7	10	-	2	5	2	2	-	-	53	19	12	16	6	76
26	6	11	2	7	20	7	11	-	2	63	24	30	6	3	77
234	90	79	29	36	62	32	29	1	-	378	175	132	43	28	78
17	5	6	2	4	6	3	3	-	-	27	11	7	5	4	79
881	554	115	165	47	189	154	32	1	2	1,560	1,104	214	194	48	80
22	10	3	8	1	11	11	1	-	-	45	35	5	4	1	81
846	538	110	153	45	173	139	31	1	2	1,408	1,054	201	187	46	82
13	6	2	4	1	5	4	3	-	-	27	15	8	3	1	83
386	41	226	13	106	141	16	124	-	1	720	103	517	17	83	84
24	10	4	4	6	3	3	2	-	-	33	18	8	3	4	85
50	27	16	5	2	15	6	9	-	-	38	16	16	5	1	86
299	-	202	-	97	114	2	112	-	-	126	67	49	8	2	87
-	-	-	-	-	-	-	-	-	-	523	2	444	1	76	88

Table 1-27. Deaths From 281 Selected Causes, by Color

{Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

		RHODE ISLAND				
CAUSE OF DEATH		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	211	94	114	2	1
02	OF CERVIX UTERI.....180	24	...	24
03	OF OTHER PARTS OF UTERUS.....181,182	32	...	31	...	1
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	55	...	55
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	4	...	4
06	OF PROSTATE.....185	91	89	...	2	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	5	5
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	86	58	27	...	1
09	OF BLADDER.....188	46	34	11	1	1
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	40	24	16
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	145	71	71	3	...
12	OF EYE.....190	2	...	2
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	49	24	24	1	...
14	OF THYROID GLAND.....193	6	2	4
15	OTHER.....194-199	88	45	41	2	...
16	LEUKEMIA.....204-207	76	42	34
17	LYMPHATIC LEUKEMIA.....204	24	17	7
18	MYELOID LEUKEMIA.....205	33	18	15
19	MONOCYTIC LEUKEMIA.....206	3	1	2
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	16	6	10
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	97	46	49	1	1
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	32	16	16
23	HODGKIN'S DISEASE.....201	13	6	7
24	MULTIPLE MYELOMA.....203	26	10	14	1	1
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	26	14	12
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	33	15	17	...	1
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	1	...	1
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	8	4	4
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	5	3	2
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	2	...	2
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	12	6	5	...	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	5	2	3
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	305	127	169	4	5
34	NONTXIC GOITER.....240,241	-	-	-	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	8	1	6	1	...
37	DIABETES MELLITUS.....250	261	105	148	3	5
38	DISEASES OF PITUITARY GLAND.....253	1	1
39	DISEASES OF THYMUS GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255	1	-	1
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	8	5	3
43	CYSTIC FIBROSIS.....273.0	4	2	2
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	22	13	9
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	29	15	14	-	-
46	ANEMIAS.....280-285	20	12	8	-	-
47	DEFICIENCY ANEMIAS.....280,281	2	-	2	-	-
48	HEMOLYTIC ANEMIAS.....282,283	6	3	3	-	-
49	APLASTIC ANEMIA.....284	6	5	1	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	6	4	2	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	-	-	-	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	9	3	6	-	-
53	V. MENTAL DISORDERS.....	24	12	10	1	1
54	SENILE AND PRESENILE DEMENTIAS.....290	5	2	3	-	-
55	ALCOHOLIC PSYCHOSES.....291	1	1	-	-	-
56	ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57	ALCOHOLISM.....303	14	5	7	1	1
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	4	4	-	-	-
59	MENTAL RETARDATION.....310-315	-	-	-	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	74	29	41	3	1
61	MENINGITIS.....320	4	1	3	-	-
62	HEREDITARY NEURDUSCULAR DISORDERS.....330	7	6	1	-	-
63	MULTIPLE SCLEROSIS.....340	12	5	7	-	-
64	PARALYSIS AGITANS.....342	14	7	7	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	4	-	3	1	-
66	EPILEPSY.....345	6	5	-	1	-
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	1	-	1	-	-
69	GLAUCOMA.....375	-	-	-	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	1	-	1	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	25	5	18	1	1
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	5,228	2,665	2,476	42	45
73	ACTIVE RHEUMATIC FEVER.....390-392	-	-	-	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	68	22	44	-	2
75	DISEASES OF MITRAL VALVE.....394	19	7	12	-	-
76	DISEASES OF AORTIC VALVE.....395	15	6	7	-	2
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	1	-	1	-	-
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	33	9	24	-	-
79	HYPERTENSIVE DISEASE.....400-404	71	31	36	3	1
80	MALIGNANT HYPERTENSION.....400	3	-	2	1	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	6	3	3	-	-
82	HYPERTENSIVE HEART DISEASE.....402	28	8	19	-	1
83	HYPERTENSIVE RENAL DISEASE.....403	21	13	6	2	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	13	7	6	-	-

SECTION 1 - GENERAL MORTALITY

1-333

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
542	144	172	92	134	172	93	74	3	2	858	268	386	106	98
117	...	57	...	60	15	...	14	...	1	159	...	118	...	41
70	...	30	...	40	18	...	17	...	1	117	...	90	...	27
105	...	75	...	30	40	...	40	187	...	162	...	25
14	...	10	...	4	3	...	3	21	...	16	...	5
228	140	...	88	...	91	88	...	3	...	354	252	...	102	...
8	4	...	4	...	5	5	20	16	...	4	...
140	70	34	21	15	55	30	23	2	...	263	142	84	22	15
78	34	18	16	10	28	19	9	145	71	50	16	8
62	36	16	5	5	27	11	14	2	...	118	71	34	6	7
374	125	130	67	52	86	43	41	...	2	648	265	244	80	59
4	3	1	1	1	10	4	4	...	2
105	44	43	9	9	26	16	9	...	1	175	91	69	11	8
8	1	3	3	1	3	1	2	20	3	13	1	3
257	77	83	55	42	56	25	30	...	1	439	167	158	68	46
148	64	45	18	21	60	36	23	1	...	297	160	106	18	13
37	18	8	5	6	18	12	6	96	52	34	4	6
73	29	27	8	9	28	13	14	1	...	148	79	52	10	7
5	2	3	1	1	10	5	19
33	15	7	5	6	13	10	3	43	24	15	4	...
221	84	80	35	22	88	46	39	2	1	359	167	139	29	24
76	30	34	6	6	23	14	9	137	65	61	7	4
29	16	7	5	1	14	10	3	1	...	64	34	23	6	1
68	20	20	17	11	20	10	9	1	...	91	35	28	12	16
48	18	19	7	4	31	12	18	...	1	67	33	27	4	3
50	18	13	8	11	22	14	8	77	24	36	9	8
5	...	2	...	3	8	...	5	...	3
6	2	1	...	3	3	2	1	13	2	7	2	2
11	5	...	3	3	3	1	2	18	6	7	4	1
...	1	...	1
19	8	7	3	1	11	10	1	19	9	8	2	...
9	3	3	2	1	5	1	4	18	7	8	1	2
638	141	205	105	187	150	67	72	5	6	734	251	306	64	113
...	1	1
4	...	3	4	...	2	...	2
7	...	4	1	2	2	1	1	4	2	2	...	36
545	115	171	92	167	120	55	54	5	6	600	194	255	52	99
...	6	3	...	1	2
4	1	3	2	1	1	4	2	1	...	1
...	41
21	4	6	6	5	9	2	7	35	11	13	4	7
8	3	5	9	5	4	...	43
49	18	13	5	13	17	8	9	71	34	29	7	1
64	16	13	22	13	24	9	14	1	...	84	28	38	11	7
43	6	8	19	10	10	2	8	44	14	23	4	3
4	...	1	...	2	3	...	3	7	1	1
21	14	7	9	2	5	...	2
10	4	3	...	3	3	1	2	20	8	11	1	...
10	2	4	...	1	4	1	3	8	2	4	2	...
4	1	...	1	2	4	1	3	8	3	3	1	...
17	9	5	2	1	10	6	3	1	...	32	11	12	6	3
123	38	18	55	12	29	18	4	4	3	183	97	33	41	12
6	1	5	5	3	2
10	5	...	4	1	2	2	12	8	...	4	...
2	1	1	4	...	3	1	...
91	29	7	47	8	22	14	1	4	3	135	76	17	32	10
13	3	5	3	2	4	2	2	21	7	10	2	2
1	...	1	1	...	1	6	3	1	2	...
219	71	56	52	40	60	33	25	2	...	284	119	93	39	33
31	7	4	9	11	3	1	1	1	...	30	10	5	9	6
8	3	3	2	...	5	5	16	12	4
10	6	3	1	...	6	3	3	20	8	8	1	3
28	12	13	2	1	16	7	9	37	14	22	...	1
14	4	2	5	3	3	...	2	1	...	17	9	4	4	...
51	12	8	17	14	...	5	1	41	20	8	5	8
...
...
1	1	2	2	...	2
...	6	70
76	27	23	16	10	21	12	9	117	44	40	20	13
12,772	4,790	3,831	2,106	2,045	3,614	2,048	1,481	42	43	21,792	9,707	8,227	1,933	1,925
1	...	1	1	1	...	7	2	2	1	2
119	51	28	20	20	36	14	17	3	...	182	68	86	11	17
29	10	11	3	5	12	6	6	...	1	47	17	21	...	8
36	22	5	5	4	10	5	4	1	...	61	27	23	6	5
4	...	1	3	2	1	6	1	4	1	...
49	15	11	12	11	3	2	6	2	...	68	23	38	3	4
311	62	52	108	89	52	27	21	3	1	348	116	140	44	48
26	3	1	17	5	2	...	2	24	7	5	6	8
16	3	1	4	8	3	...	3	16	6	6	2	...
103	25	13	34	31	8	4	2	2	...	83	25	35	14	9
60	16	11	22	11	24	15	8	...	1	132	44	52	12	24
106	15	26	31	34	15	6	6	1	...	93	34	42	10	7

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		RHODE ISLAND				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	3,776	2,055	1,670	29	22
02	WITH HYPERTENSIVE DISEASE (.0).....	381	161	210	5	5
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,395	1,894	1,460	24	17
04	ACUTE MYOCARDIAL INFARCTION.....410	1,879	1,105	751	15	8
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	236	168	62	4	2
06	CHRONIC ISCHEMIC HEART DISEASE.....412	1,661	782	857	10	12
07	ANGINA PECTORIS.....413	-	-	-	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	147	74	71	2	-
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	1	1	-	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	2	-	-	-	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	2	1	1	-	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	1	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	1	1	-	-	-
15	SYMPTOMATIC HEART DISEASE.....427	116	57	57	2	-
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	8	1	7	-	-
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	20	14	6	-	-
18	CEREBROVASCULAR DISEASES.....430-438	838	323	496	5	14
19	WITH HYPERTENSION (BENIGN) (.0).....	144	58	79	1	6
20	WITHOUT MENTION OF HYPERTENSION (.9).....	694	265	417	4	8
21	SUBARACHNOID HEMORRHAGE.....430	59	24	32	-	3
22	CEREBRAL HEMORRHAGE.....431	163	73	88	-	2
23	CEREBRAL THROMBOSIS.....433	258	92	162	3	1
24	CEREBRAL EMBOLISM.....434	6	2	4	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	15	8	7	-	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	219	81	131	2	5
27	OTHER CEREBROVASCULAR DISEASES.....437,438	118	43	72	-	3
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	237	122	111	1	3
29	ARTERIOSCLEROSIS.....440	121	51	69	-	1
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	58	41	17	-	-
31	GANGRENE.....445	13	6	6	-	1
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	45	24	19	1	1
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	91	38	44	2	3
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	81	32	48	2	3
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	10	6	4	-	-
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	512	314	186	10	2
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	-	-	-	-	-
39	INFLUENZA.....470-474	17	5	12	-	-
40	PNEUMONIA.....480-486	289	147	135	7	-
41	VIRAL PNEUMONIA.....480	10	5	4	1	-
42	BACTERIAL PNEUMONIA.....481,482	20	14	6	-	-
43	ACUTE INTERSTITIAL PNEUMONIA.....484	-	-	-	-	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	175	87	82	6	-
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	84	41	43	-	-
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	95	77	16	2	-
47	BRONCHITIS, UNQUALIFIED.....490	-	-	-	-	-
48	CHRONIC BRONCHITIS.....491	22	20	2	-	-
49	EMPHYSEMA.....492	65	52	12	1	-
50	ASTHMA.....493	8	5	2	1	-
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	3	2	1	-	-
53	PLEURISY.....511	1	-	1	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	10	5	5	-	-
55	BRONCHIECTASIS.....518	3	2	1	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	94	76	15	1	2
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	346	158	175	8	5
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	35	17	17	-	1
60	ULCER OF STOMACH.....531	19	11	7	-	1
61	ULCER OF DUODENUM.....532	13	6	7	-	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	3	-	3	-	-
63	GASTRITIS AND DUODENITIS.....535	2	-	2	-	-
64	APPENDICITIS.....540-543	1	-	1	-	-
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	30	10	19	1	-
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67	DIVERTICULA OF INTESTINE.....562	25	8	17	-	-
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	3	1	2	-	-
69	CIRRHOSIS OF LIVER.....571	144	70	64	6	4
70	ALCOHOLIC.....571.0	51	31	17	1	2
71	OTHER SPECIFIED.....571.8	26	10	13	2	1
72	UNSPECIFIED.....571.9	67	29	34	3	1
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	21	8	13	-	-
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	85	44	40	1	-
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	118	48	65	2	3
76	NEPHRITIS AND NEPHROSIS.....580-584	35	14	18	1	2
77	ACUTE NEPHRITIS.....580	8	3	5	-	-
78	NEPHROTIC SYNDROME.....581	-	-	-	-	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	27	11	13	1	2
80	INFECTIONS OF KIDNEY.....590	15	6	9	-	-
81	CALCULI OF URINARY SYSTEM.....592,594	3	1	2	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	55	21	33	-	1
83	HYPERPLASTA OF PROSTATE.....600	3	3	-	-	-
84	DISEASES OF BREAST.....610,611	1	-	1	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	6	3	2	1	-
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	...	1	...	-
87	ECTOPIC PREGNANCY.....631	-	...	-	...	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		RHODE ISLAND				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	5	-	5	-	-
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	1	-	1	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	4	-	4	-	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	24	7	16	1	-
13	ARTHRITIS AND SPONDYLITIS.....710-715	8	3	4	1	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	3	1	2	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	1	1	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	11	1	10	-	-
18	XIV. CONGENITAL ANOMALIES.....	66	36	29	1	-
19	SPINA BIFIDA.....741	4	1	3	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	11	4	7	-	-
21	CONGENITAL ANOMALIES OF HEART.....746	21	13	8	-	-
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	4	2	2	-	-
23	CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	25	15	9	1	-
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	116	66	40	9	1
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	49	27	19	3	-
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	-	-	-	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	49	27	19	3	-
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	572	350	193	27	2
30	ACCIDENTS.....E800-E949	430	247	162	19	2
31	RAILWAY ACCIDENTS.....E800-E807	1	1	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	154	107	34	11	2
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	151	105	34	10	2
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	37	23	7	5	2
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	30	20	9	1	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	27	19	6	2	-
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	9	8	1	-	-
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	48	35	11	2	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	2	-	1	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	-	1	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	17	16	1	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	2	2	-	-	-
44	ACCIDENTAL POISONING.....E850-E877	36	23	10	3	-
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	23	16	6	1	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	5	4	-	1	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	8	3	4	1	-
48	ACCIDENTAL FALLS.....E880-E887	119	43	75	1	-
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	16	9	7	-	-
50	FALL ON SAME LEVEL.....E885-E886	1	-	-	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	1	1	-	-	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	102	33	68	1	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	20	14	2	4	-
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	13	6	7	-	-
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	1	1	-	-	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	13	12	1	-	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	3	2	1	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	-	-	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	7	7	-	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	3	3	-	-	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	19	9	10	-	-
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	14	8	6	-	-
64	SUICIDE.....E950-E959	80	64	16	-	-
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	16	8	8	-	-
66	SUICIDE FROM POISONING BY GASES.....E951,E952	10	9	1	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	19	17	2	-	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	22	21	1	-	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	13	9	4	-	-
70	HOMICIDE.....E960-E978	37	21	9	7	-
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	20	13	4	3	-
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	5	2	2	1	-
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	11	6	3	2	-
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	1	-	-	1	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	25	18	6	1	-
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

1-337

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	01
2	...	-	...	1	-	...	-	...	-	-	...	-	...	-	02
3	...	-	...	1	-	...	-	...	-	-	...	-	...	-	03
4	...	1	...	3	1	...	1	...	-	3	...	-	...	-	04
5	...	-	...	4	-	...	-	...	-	4	...	2	...	2	05
6	...	-	...	-	-	...	-	...	-	-	...	-	...	-	06
7	...	-	...	-	-	...	-	...	-	-	...	-	...	-	07
8	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
9	...	-	...	-	-	...	-	...	-	-	...	-	...	-	09
10	...	-	...	-	-	...	-	...	-	-	...	-	...	-	10
11	...	-	...	-	-	...	-	...	-	-	...	-	...	-	11
12	...	-	...	-	-	...	-	...	-	-	...	-	...	-	12
13	...	-	...	-	-	...	-	...	-	-	...	-	...	-	13
14	...	-	...	-	-	...	-	...	-	-	...	-	...	-	14
15	...	-	...	-	-	...	-	...	-	-	...	-	...	-	15
16	...	-	...	-	-	...	-	...	-	-	...	-	...	-	16
17	...	-	...	-	-	...	-	...	-	-	...	-	...	-	17
18	...	-	...	-	-	...	-	...	-	-	...	-	...	-	18
19	...	-	...	-	-	...	-	...	-	-	...	-	...	-	19
20	...	-	...	-	-	...	-	...	-	-	...	-	...	-	20
21	...	-	...	-	-	...	-	...	-	-	...	-	...	-	21
22	...	-	...	-	-	...	-	...	-	-	...	-	...	-	22
23	...	-	...	-	-	...	-	...	-	-	...	-	...	-	23
24	...	-	...	-	-	...	-	...	-	-	...	-	...	-	24
25	...	-	...	-	-	...	-	...	-	-	...	-	...	-	25
26	...	-	...	-	-	...	-	...	-	-	...	-	...	-	26
27	...	-	...	-	-	...	-	...	-	-	...	-	...	-	27
28	...	-	...	-	-	...	-	...	-	-	...	-	...	-	28
29	...	-	...	-	-	...	-	...	-	-	...	-	...	-	29
30	...	-	...	-	-	...	-	...	-	-	...	-	...	-	30
31	...	-	...	-	-	...	-	...	-	-	...	-	...	-	31
32	...	-	...	-	-	...	-	...	-	-	...	-	...	-	32
33	...	-	...	-	-	...	-	...	-	-	...	-	...	-	33
34	...	-	...	-	-	...	-	...	-	-	...	-	...	-	34
35	...	-	...	-	-	...	-	...	-	-	...	-	...	-	35
36	...	-	...	-	-	...	-	...	-	-	...	-	...	-	36
37	...	-	...	-	-	...	-	...	-	-	...	-	...	-	37
38	...	-	...	-	-	...	-	...	-	-	...	-	...	-	38
39	...	-	...	-	-	...	-	...	-	-	...	-	...	-	39
40	...	-	...	-	-	...	-	...	-	-	...	-	...	-	40
41	...	-	...	-	-	...	-	...	-	-	...	-	...	-	41
42	...	-	...	-	-	...	-	...	-	-	...	-	...	-	42
43	...	-	...	-	-	...	-	...	-	-	...	-	...	-	43
44	...	-	...	-	-	...	-	...	-	-	...	-	...	-	44
45	...	-	...	-	-	...	-	...	-	-	...	-	...	-	45
46	...	-	...	-	-	...	-	...	-	-	...	-	...	-	46
47	...	-	...	-	-	...	-	...	-	-	...	-	...	-	47
48	...	-	...	-	-	...	-	...	-	-	...	-	...	-	48
49	...	-	...	-	-	...	-	...	-	-	...	-	...	-	49
50	...	-	...	-	-	...	-	...	-	-	...	-	...	-	50
51	...	-	...	-	-	...	-	...	-	-	...	-	...	-	51
52	...	-	...	-	-	...	-	...	-	-	...	-	...	-	52
53	...	-	...	-	-	...	-	...	-	-	...	-	...	-	53
54	...	-	...	-	-	...	-	...	-	-	...	-	...	-	54
55	...	-	...	-	-	...	-	...	-	-	...	-	...	-	55
56	...	-	...	-	-	...	-	...	-	-	...	-	...	-	56
57	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57
58	...	-	...	-	-	...	-	...	-	-	...	-	...	-	58
59	...	-	...	-	-	...	-	...	-	-	...	-	...	-	59
60	...	-	...	-	-	...	-	...	-	-	...	-	...	-	60
61	...	-	...	-	-	...	-	...	-	-	...	-	...	-	61
62	...	-	...	-	-	...	-	...	-	-	...	-	...	-	62
63	...	-	...	-	-	...	-	...	-	-	...	-	...	-	63
64	...	-	...	-	-	...	-	...	-	-	...	-	...	-	64
65	...	-	...	-	-	...	-	...	-	-	...	-	...	-	65
66	...	-	...	-	-	...	-	...	-	-	...	-	...	-	66
67	...	-	...	-	-	...	-	...	-	-	...	-	...	-	67
68	...	-	...	-	-	...	-	...	-	-	...	-	...	-	68
69	...	-	...	-	-	...	-	...	-	-	...	-	...	-	69
70	...	-	...	-	-	...	-	...	-	-	...	-	...	-	70
71	...	-	...	-	-	...	-	...	-	-	...	-	...	-	71
72	...	-	...	-	-	...	-	...	-	-	...	-	...	-	72
73	...	-	...	-	-	...	-	...	-	-	...	-	...	-	73
74	...	-	...	-	-	...	-	...	-	-	...	-	...	-	74
75	...	-	...	-	-	...	-	...	-	-	...	-	...	-	75
76	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
77	...	-	...	-	-	...	-	...	-	-	...	-	...	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		TEXAS				
		Total	White		All other	
			Male	Female	Male	Female
01	ALL CAUSES.....	101,647	49,366	37,629	8,243	6,409
02	I. INFECTIVE AND PARASITIC DISEASES.....	1,072	476	370	135	91
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	5	1	3	1	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	11	5	6	-	-
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	216	76	95	24	21
09	TUBERCULOSIS, ALL FORMS.....010-019	221	118	56	35	12
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	173	93	40	29	11
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	5	3	1	-	1
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	2	1	-	1	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14	DISSEMINATED TUBERCULOSIS.....018	2	1	-	1	-
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	38	20	14	4	-
16	PLAGUE.....020	-	-	-	-	-
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	1	-	1	-	-
19	LEPROSY.....030	1	1	-	-	-
20	DIPHTHERIA.....032	-	-	-	-	-
21	WHOOPING COUGH.....033	1	-	1	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23	ERYSIPELAS.....035	2	-	1	1	-
24	MENINGOCOCCAL INFECTIONS.....036	37	17	12	6	2
25	TETANUS.....037	5	2	-	1	2
26	SEPTICEMIA.....038	288	123	97	36	32
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	43	24	16	3	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	6	2	2	1	1
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	1	1	-	-	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	14	5	7	1	1
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35	INFECTIOUS HEPATITIS.....070	50	26	18	3	3
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	71	34	27	4	6
38	TYPHUS AND OTHER RICKETTSIOSSES.....080-083	2	1	-	-	1
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	24	11	1	9	3
43	CONGENITAL SYPHILIS.....090	2	2	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093.9	12	5	1	5	1
47	TABES DORSALIS.....094.0	4	4	-	-	-
48	GENERAL PARESIS.....094.1	-	-	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	3	-	-	3	-
50	ALL OTHER SYPHILIS.....095,097.0,097.9	3	-	-	1	2
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDIOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....125	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	2	1	1	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	70	27	26	10	7
58	II. NEOPLASMS.....	17,370	8,368	6,732	1,288	982
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	17,151	8,291	6,621	1,272	967
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	377	238	103	30	6
61	OF LIP.....140	9	9	-	-	-
62	OF TONGUE.....141	88	53	27	6	2
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	99	60	30	9	-
64	OF PHARYNX.....146-149	181	116	46	15	4
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	4,307	1,970	1,722	354	261
66	OF ESOPHAGUS.....150	280	154	56	55	15
67	OF STOMACH.....151	700	325	238	92	45
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	32	14	14	1	3
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,583	616	707	75	105
70	CECUM, APPENDIX, AND ASCENDING COLON.....153.0	156	65	76	8	7
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	42	18	19	1	4
72	DESCENDING COLON.....153.2	35	10	20	2	3
73	SIGMOID COLON.....153.3	141	65	68	5	3
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	1,176	451	583	57	85
75	INTESTINAL TRACT, PART UNSPECIFIED.....153.9	33	7	21	2	3
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	311	141	128	22	20
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	215	106	71	29	9
78	OF GALLBLADDER AND BILE DUCTS.....156	169	61	93	5	10
79	OF PANCREAS.....157	953	522	313	67	51
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	64	31	22	8	3
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	4,308	3,015	789	418	86
82	OF LARYNX.....161	159	125	16	17	1
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	4,075	2,847	748	396	84
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....163	74	43	25	5	1
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,935	285	1,455	13	182
86	OF BONE.....170	99	45	41	6	7
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	71	36	27	2	6
88	OF SKIN.....172,173	330	196	126	3	5
89	OF BREAST.....174	1,435	8	1,261	2	164

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,585	4,179	3,216	127	63	4,504	2,455	2,042	6	1	41,151	17,854	13,740	5,443	4,114	01
68	36	28	2	2	29	14	15	-	-	366	122	100	78	66	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	1	-	-	-	-	-	-	-	-	4	-	1	2	1	04
15	8	6	1	-	3	2	1	-	-	53	20	20	4	9	05
9	5	3	-	1	6	4	2	-	-	93	33	13	30	17	06
8	5	2	-	1	5	4	1	-	-	71	26	7	26	12	07
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	08
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	10
-	-	-	-	-	-	-	-	-	-	5	1	-	-	3	11
1	-	1	-	-	1	-	1	-	-	14	5	6	2	1	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	7	2	2	2	1	24
20	10	9	-	1	14	5	9	-	-	1	1	1	-	-	25
5	4	1	-	-	1	-	1	-	-	13	2	7	-	4	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	1	-	-	1	1	-	-	-	3	-	3	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	33
2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	35
8	5	3	-	-	1	-	1	-	-	-	-	1	1	3	36
-	-	-	-	-	-	-	-	-	-	17	9	6	1	1	37
-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	1	-	-	-	-	-	-	-	-	13	4	1	6	2	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	7	2	1	3	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
1	1	-	-	-	-	-	-	-	-	2	-	-	-	1	49
-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
6	2	3	1	-	-	-	-	-	-	27	10	6	6	5	56
1,078	565	496	10	7	831	449	381	1	-	7,364	3,130	2,622	945	667	57
1,058	554	489	9	6	816	441	374	1	-	7,245	3,075	2,580	937	653	58
17	14	3	-	-	18	13	5	-	-	149	81	33	25	10	59
2	-	-	-	-	1	1	-	-	-	3	3	-	-	-	60
4	3	1	-	-	5	3	2	-	-	20	13	2	3	2	61
6	5	1	-	-	5	4	1	-	-	54	26	18	8	2	62
7	6	1	-	-	7	5	2	-	-	72	39	13	14	6	63
292	144	142	3	3	239	120	119	-	-	1,838	728	658	276	176	64
9	5	4	-	-	12	10	2	-	-	160	71	19	53	17	65
58	30	26	1	1	33	22	11	-	-	278	105	69	72	27	66
2	2	-	-	-	1	-	1	-	-	10	3	5	1	1	67
107	48	58	1	-	91	38	53	-	-	705	251	309	66	79	68
5	2	3	-	-	17	6	11	-	-	65	26	25	6	8	69
2	-	2	-	-	1	1	-	-	-	16	5	9	2	-	70
3	1	2	-	-	3	2	1	-	-	16	5	10	1	1	71
10	7	3	-	-	17	9	8	-	-	66	28	31	1	6	72
76	35	40	1	-	51	20	31	-	-	520	178	225	56	61	73
11	3	8	-	-	2	-	2	-	-	22	9	9	1	3	74
16	8	8	-	-	34	17	17	-	-	174	69	76	13	16	75
8	6	2	-	-	4	4	-	-	-	33	19	10	4	-	76
13	2	10	-	1	9	3	6	-	-	78	27	36	7	8	77
76	41	33	1	1	48	25	23	-	-	370	172	121	56	21	78
3	2	1	-	-	7	1	6	-	-	35	11	13	4	7	79
167	131	34	2	-	161	136	25	-	-	1,844	1,147	328	306	63	80
8	7	1	-	-	9	8	1	-	-	77	49	7	17	4	81
155	122	31	2	-	148	126	22	-	-	1,732	1,077	313	285	57	82
4	2	2	-	-	4	2	2	-	-	35	21	8	4	2	83
142	13	126	-	3	107	10	97	-	-	802	83	590	13	116	84
5	4	1	-	-	2	2	-	-	-	28	12	13	3	-	85
7	2	5	-	-	3	2	1	-	-	32	13	11	4	4	86
20	-	13	-	-	6	3	3	-	-	97	49	41	4	3	87
110	107	-	-	3	96	3	93	-	-	645	9	525	2	109	88

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TEXAS				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,110	791	912	192	215
02	OF CERVIX UTERI.....180	362	...	266	...	96
03	OF OTHER PARTS OF UTERUS.....181,182	272	...	207	...	65
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	449	...	405	...	44
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	44	...	34	...	10
06	OF PROSTATE.....185	920	731	...	189	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	63	60	...	3	...
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	675	406	196	41	32
09	OF BLADDER.....188	356	219	97	25	15
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	319	187	99	16	17
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,639	748	687	107	97
12	OF EYE.....190	15	5	10
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	475	250	186	14	17
14	OF THYROID GLAND.....193	55	12	34	4	5
15	OTHER.....194-199	1,094	473	457	89	75
16	LEUKEMIA.....204-207	785	372	329	47	37
17	LYMPHATIC LEUKEMIA.....204	250	120	99	15	16
18	MYELOID LEUKEMIA.....205	333	160	143	16	14
19	MONOCYTIC LEUKEMIA.....206	16	9	6	1	...
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	186	83	81	15	7
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	1,915	466	428	70	51
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	328	160	148	14	6
23	HODGKIN'S DISEASE.....201	158	75	66	13	4
24	MULTIPLE MYELOMA.....203	293	118	108	31	36
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	236	113	105	12	5
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	219	77	111	16	15
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	11	...	7	...	4
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	40	...	28	1	...
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	46	20	20	2	4
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	80	29	42	6	3
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	42	19	14	7	2
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,336	811	1,134	133	258
34	NONTOXIC GOITER.....240,241	1	1
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	10	1	5	...	4
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	18	5	13
37	DIABETES MELLITUS.....250	1,889	651	916	99	223
38	DISEASES OF PITUITARY GLAND.....253	14	7	3	1	3
39	DISEASES OF THYMUS GLAND.....254	2	...	2
40	DISEASES OF ADRENAL GLAND.....255	28	8	18	...	1
41	NIACIN DEFICIENCY.....256
42	OTHER VITAMINOSIS AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	150	53	72	15	10
43	CYSTIC FIBROSIS.....273.0	31	14	16	...	1
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	193	71	89	17	16
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	301	110	121	36	34
46	ANEMIAS.....280-285	203	76	75	25	27
47	DEFICIENCY ANEMIAS.....280,281	25	11	8	4	2
48	HEMOLYTIC ANEMIAS.....282,283	41	5	8	11	17
49	APLASTIC ANEMIA.....284	62	32	25	3	2
50	OTHER AND UNSPECIFIED ANEMIAS.....285	75	28	34	7	6
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	26	10	12	1	3
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	72	24	34	10	4
53	V. MENTAL DISORDERS.....	383	203	97	60	23
54	SENILE AND PRESENILE DEMENTIAS.....290	33	15	15	1	2
55	ALCOHOLIC PSYCHOSES.....291	22	16	2	4	...
56	ALL OTHER PSYCHOSES.....294-299	10	6	1	3	...
57	ALCOHOLISM.....303	198	118	29	40	11
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	107	43	44	11	9
59	MENTAL RETARDATION.....310-315	13	5	6	1	1
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	901	387	365	81	68
61	MENINGITIS.....320	131	52	39	19	21
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	33	21	9	3	...
63	MULTIPLE SCLEROSIS.....340	47	13	27	2	5
64	PARALYSIS AGITANS.....342	138	61	71	3	3
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	60	24	25	6	5
66	EPILEPSY.....345	67	31	20	10	6
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374	2	1	1
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	6	3	2	1	...
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	417	181	171	37	28
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	51,258	24,202	20,217	3,530	3,309
73	ACTIVE RHEUMATIC FEVER.....390-392	2	...	2
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	393	174	176	20	23
75	DISEASES OF MITRAL VALVE.....394	121	43	68	2	8
76	DISEASES OF AORTIC VALVE.....395	143	82	45	11	5
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	12	7	5
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	117	42	58	7	10
79	HYPERTENSIVE DISEASE.....400-404	959	315	412	107	125
80	MALIGNANT HYPERTENSION.....400	59	20	10	16	13
81	ESSENTIAL BENIGN HYPERTENSION.....401	68	16	32	7	13
82	HYPERTENSIVE HEART DISEASE.....402	378	113	173	39	53
83	HYPERTENSIVE RENAL DISEASE.....403	254	99	105	22	28
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	200	67	92	23	18

SECTION 1 - GENERAL MORTALITY

1-341

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
147	79	67	1	-	97	48	48	1	-	879	250	365	125	139
9	...	9	...	-	11	...	11	...	-	165	...	98	...	67
20	...	20	...	-	11	...	11	...	-	125	...	77	...	48
37	...	37	...	-	26	...	26	...	-	191	...	172	...	19
1	...	1	...	-	4	...	4	...	-	23	...	18	...	5
76	75	...	1	-	46	45	...	1	-	357	237	...	120	...
4	4	-	3	3	-	18	13	...	5	...
53	38	15	-	-	48	33	15	-	-	272	151	68	31	22
25	17	8	-	-	28	24	4	-	-	148	72	38	21	17
28	21	7	-	-	20	9	11	-	-	124	79	30	10	5
118	63	53	2	-	77	39	38	-	-	804	348	280	99	77
20	13	7	-	-	2	1	1	-	-	12	9	2	-	1
5	2	3	-	-	16	10	6	-	-	172	89	61	14	8
93	48	43	2	-	58	28	30	-	-	18	3	10	-	5
46	30	16	-	-	23	14	9	-	-	402	247	207	85	63
10	9	1	-	-	4	2	2	-	-	276	127	102	28	19
29	18	11	-	-	13	8	5	-	-	87	44	31	7	3
1	1	-	-	-	1	-	-	-	-	131	60	49	9	13
6	2	4	-	-	6	4	2	-	-	5	1	-	3	1
76	42	33	1	-	46	28	18	-	-	53	20	22	9	2
30	18	11	1	-	10	8	2	-	-	381	160	156	34	31
10	7	3	-	-	4	4	-	-	-	135	64	52	9	10
16	8	8	-	-	18	11	7	-	-	63	24	31	4	4
20	9	11	-	-	14	5	9	-	-	109	41	39	15	14
20	11	7	1	-	15	8	7	-	-	74	31	34	6	3
2	...	-	...	-	-	...	-	...	-	119	55	42	8	14
2	1	1	-	-	-	...	-	...	-	3	...	2	...	1
2	2	-	-	-	1	1	-	-	-	20	4	7	3	6
...	...	-	...	-	-	...	-	...	-	20	11	6	1	2
11	5	5	1	-	10	6	4	-	-	1	1
5	3	1	-	-	4	1	3	-	-	54	25	23	3	3
199	84	108	4	3	115	48	66	1	-	21	15	4	1	1
-	-	-	-	-	-	-	-	-	-	870	259	355	99	157
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
155	60	89	4	2	90	35	54	1	-	9	-	7	1	1
2	2	-	-	-	-	-	-	-	-	10	1	8	1	-
3	2	1	-	-	-	-	-	-	-	722	218	293	74	137
16	10	6	-	-	3	-	3	-	-	6	3	-	2	1
1	1	-	-	-	2	2	-	-	-	9	2	5	-	39
21	9	11	-	-	1	1	1	-	-	-	-	-	-	41
27	10	16	1	-	17	8	9	-	-	46	10	16	11	9
21	6	14	1	-	14	7	7	-	-	5	3	2	-	43
4	-	4	-	-	1	-	1	-	-	62	22	23	10	7
12	4	8	-	-	7	4	3	-	-	125	43	35	28	19
4	2	2	-	-	6	2	2	-	-	84	25	23	22	14
4	2	2	-	-	1	1	1	-	-	7	2	2	2	1
81	53	25	3	-	26	10	8	-	-	20	7	2	11	6
3	1	2	-	-	1	1	-	-	-	11	1	2	3	2
1	1	-	-	-	2	2	-	-	-	32	11	9	6	5
2	2	-	-	-	2	-	2	-	-	15	8	3	1	3
60	44	13	3	-	15	14	1	-	-	26	10	9	5	2
10	3	7	-	-	6	1	5	-	-	241	106	47	66	22
5	2	3	-	-	-	-	-	-	-	12	3	7	1	1
115	54	60	1	-	45	21	24	-	-	19	8	2	9	-
13	7	6	-	-	-	-	-	-	-	2	1	1	-	56
6	2	4	-	-	6	5	1	-	-	158	75	14	52	17
15	5	10	-	-	2	1	1	-	-	43	17	18	4	4
27	17	10	-	-	8	3	5	-	-	7	2	5	-	59
5	1	4	-	-	2	1	1	-	-	350	135	126	47	42
9	3	6	-	-	1	-	1	-	-	39	10	14	8	7
-	-	-	-	-	-	-	-	-	-	16	12	4	-	-
-	-	-	-	-	-	-	-	-	-	22	7	12	-	3
-	-	-	-	-	-	-	-	-	-	51	24	26	1	-
-	-	-	-	-	-	-	-	-	-	11	4	4	-	3
-	-	-	-	-	-	-	-	-	-	56	14	9	22	11
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
39	18	20	1	-	25	11	14	-	-	153	63	57	15	18
3,576	1,887	1,630	38	21	2,376	1,236	1,138	2	-	21,279	9,148	7,549	2,455	2,127
-	-	-	-	-	-	-	-	-	-	5	1	-	1	3
125	48	74	2	1	35	14	21	-	-	204	82	89	18	15
40	10	29	1	-	13	4	9	-	-	49	15	27	1	6
21	16	4	1	-	7	5	2	-	-	55	34	13	4	4
5	2	3	-	-	4	1	3	-	-	7	2	3	1	1
59	20	38	-	-	11	4	7	-	-	93	31	46	12	4
73	25	45	1	2	51	25	26	-	-	447	116	150	93	88
2	1	1	-	-	-	-	-	-	-	32	9	4	15	4
9	5	4	-	-	3	-	3	-	-	36	10	12	4	10
33	7	26	-	-	13	8	5	-	-	130	29	47	27	27
9	4	4	-	-	21	9	12	-	-	107	30	33	22	22
20	8	10	1	1	14	8	6	-	-	142	38	54	25	25

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit]

CAUSE OF DEATH		TEXAS				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	30,326	15,650	11,018	1,987	1,671
02	WITH HYPERTENSIVE DISEASE (.01).....	3,209	1,229	1,245	317	418
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	27,117	14,421	9,773	1,670	1,253
04	ACUTE MYOCARDIAL INFARCTION.....410	16,772	9,639	5,542	905	686
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	131	56	56	9	10
06	CHRONIC ISCHEMIC HEART DISEASE.....412	13,411	5,947	5,417	1,073	974
07	ANGINA PECTORIS.....413	12	8	3	-	1
08	OTHER FORMS OF HEART DISEASE.....420-429	4,159	2,007	1,446	418	288
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	26	8	11	5	2
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	26	11	6	5	4
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	40	12	22	5	1
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	1	2	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	3	2	1	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	34	9	19	5	1
15	SYMPTOMATIC HEART DISEASE.....427	1,925	814	801	171	139
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	296	110	144	27	15
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	1,846	1,052	462	205	127
18	CEREBROVASCULAR DISEASES.....430-438	11,500	4,301	5,427	808	964
19	WITH HYPERTENSION (BENIGN) (.01).....	1,226	404	502	152	168
20	WITHOUT MENTION OF HYPERTENSION (.9).....	10,274	3,897	4,925	656	796
21	SUBARACHNOID HEMORRHAGE.....430	496	172	232	39	59
22	CEREBRAL HEMORRHAGE.....431	1,678	673	742	118	145
23	CEREBRAL THROMBOSIS.....433	2,101	776	1,038	130	157
24	CEREBRAL EMBOLISM.....434	43	20	18	2	3
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	149	92	43	8	8
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	4,606	1,691	2,104	381	439
27	OTHER CEREBROVASCULAR DISEASES.....437,438	2,427	877	1,250	132	168
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,000	1,359	1,364	119	158
29	ARTERIOSCLEROSIS.....440	1,822	687	982	60	93
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	595	404	141	23	27
31	GANGRENE.....445	145	60	54	16	15
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	438	208	187	20	23
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	919	396	372	71	80
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	819	345	334	69	71
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	100	51	38	2	9
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....460-465	6,329	3,463	2,096	489	281
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	28	13	10	1	4
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	49	18	21	8	2
39	INFLUENZA.....470-474	234	111	105	9	9
40	PNEUMONIA.....480-486	3,135	1,439	1,213	291	192
41	VIRAL PNEUMONIA.....480	67	30	26	3	8
42	BACTERIAL PNEUMONIA.....481,482	312	157	78	48	29
43	ACUTE INTERSTITIAL PNEUMONIA.....484	35	13	13	4	5
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	920	427	374	73	46
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,801	812	722	163	104
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,627	1,142	358	93	34
47	BRONCHITIS, UNQUALIFIED.....490	43	17	20	4	2
48	CHRONIC BRONCHITIS.....491	246	166	68	9	4
49	EMPHYSEMA.....492	1,240	941	218	68	13
50	ASTHMA.....493	98	18	52	13	15
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52	EMPYEMA AND ABSCESS OF LUNG.....510,513	62	35	14	10	3
53	PLEURISY.....511	19	9	7	2	1
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	164	86	68	7	3
55	BRONCHIECTASIS.....518	40	13	25	-	2
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	970	596	275	68	31
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....520-525	3,559	1,807	1,331	237	184
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	303	180	87	28	8
60	ULCER OF STOMACH.....531	112	55	38	15	4
61	ULCER OF DUODENUM.....532	123	85	35	9	4
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	58	40	14	4	-
63	GASTRITIS AND DUODENITIS.....535	39	17	14	3	5
64	APPENDICITIS.....540-543	47	21	19	6	1
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	384	135	177	38	34
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	4	-	2	1	1
67	DIVERTICULA OF INTESTINE.....562	145	48	90	3	4
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	53	19	32	-	2
69	CIRRHOSIS OF LIVER.....571	1,363	815	410	86	52
70	ALCOHOLIC.....571.0	396	260	89	31	16
71	OTHER SPECIFIED.....571.8	226	102	90	26	8
72	UNSPECIFIED.....571.9	741	453	231	29	28
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	174	89	95	2	8
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	1,047	503	405	70	69
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....580-584	1,646	660	620	209	157
76	NEPHRITIS AND NEPHROSIS.....580-584	486	185	150	82	69
77	ACUTE NEPHRITIS.....580	77	30	17	18	12
78	NEPHROTIC SYNDROME.....581	20	5	13	2	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	389	150	120	62	57
80	INFECTIONS OF KIDNEY.....590	399	136	204	26	33
81	CALCULI OF URINARY SYSTEM.....592,594	49	20	25	3	1
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	542	218	202	80	42
83	HYPERPLASIA OF PROSTATE.....600	70	62	-	8	-
84	DISEASES OF BREAST.....610,611	3	-	3	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	97	39	36	10	12
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....631	51	...	37	...	14
87	ECTOPIC PREGNANCY.....631	5	...	3	...	2
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	19	...	11	...	8
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	5	...	4	...	1

and Sex: United States and Each State, 1973—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

UTAH					VERMONT					VIRGINIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,062	1,202	837	16	7	1,559	858	700	1	—	13,458	6,461	4,420	1,435	1,142
257	103	153	—	1	157	69	87	1	—	1,650	538	568	236	308
1,805	1,099	684	16	6	1,402	789	613	—	—	11,808	5,923	3,852	1,199	834
1,125	761	353	8	3	675	422	253	—	—	6,669	3,679	1,881	649	460
9	7	1	—	1	4	2	2	—	—	775	346	147	193	89
927	434	482	8	3	876	432	443	1	—	6,012	2,434	2,392	593	593
1	—	1	—	—	4	2	2	—	—	2	2	—	—	—
238	119	112	4	3	92	50	41	1	—	1,031	379	313	215	124
1	—	1	—	—	1	1	—	—	—	11	8	2	—	—
3	2	1	—	—	4	1	—	—	—	12	9	3	—	—
3	1	2	—	—	4	1	3	—	—	28	9	9	6	4
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	1	—	—	7	2	3	2	—
3	1	2	—	—	3	1	2	—	—	21	7	6	4	4
120	58	60	—	2	55	29	26	—	—	658	239	217	132	70
22	8	14	—	—	7	4	3	—	—	183	61	41	47	34
89	50	34	4	1	24	14	9	1	—	139	53	41	30	15
784	355	412	12	5	427	186	241	—	—	4,407	1,415	1,877	539	576
95	35	59	—	1	50	19	31	—	—	517	124	171	103	119
689	320	353	12	4	377	167	210	—	—	3,890	1,291	1,706	436	457
27	10	16	—	1	23	9	14	—	—	244	77	114	28	25
91	41	46	4	—	53	23	30	—	—	690	196	248	118	128
175	71	103	1	—	136	59	77	—	—	1,104	374	473	127	130
6	4	2	—	—	10	—	—	—	—	91	3	5	2	1
10	2	6	2	—	10	7	—	—	—	45	29	12	5	25
301	157	139	2	3	118	59	59	—	—	1,447	471	597	189	190
174	70	100	3	1	87	33	54	—	—	820	249	411	63	97
214	99	110	3	2	160	81	79	—	—	1,281	539	534	91	117
119	40	77	2	—	87	36	51	—	—	712	220	364	49	79
52	41	10	—	1	44	32	12	—	—	311	203	76	18	14
11	5	6	—	—	7	4	3	—	—	68	29	24	5	10
32	13	17	1	1	22	9	13	—	—	190	87	70	19	14
80	39	40	—	1	52	22	30	—	—	446	155	166	63	62
72	35	37	—	—	46	19	27	—	—	410	139	155	56	60
8	4	3	—	1	6	3	3	—	—	36	16	11	7	2
490	324	148	14	4	322	199	123	—	—	2,628	1,276	812	344	196
1	—	1	—	—	2	2	—	—	—	2	—	—	2	—
4	3	1	—	—	2	2	—	—	—	20	6	9	2	3
18	11	7	—	—	9	1	8	—	—	102	30	51	9	12
202	103	87	9	3	143	72	71	—	—	1,402	577	476	211	138
7	4	1	2	—	3	1	2	—	—	21	7	10	2	2
20	16	10	2	—	12	8	4	—	—	149	63	32	39	15
2	—	1	—	—	—	—	—	—	—	18	4	6	4	4
51	22	26	1	1	44	20	24	—	—	511	246	164	64	37
114	61	49	2	2	84	43	41	—	—	703	257	264	102	80
135	108	24	3	—	80	64	16	—	—	564	343	147	52	22
4	1	2	1	—	—	—	—	—	—	20	7	7	2	4
25	19	6	—	—	18	12	6	—	—	105	69	27	7	2
91	81	9	1	—	57	51	6	—	—	380	255	91	31	3
15	7	7	1	—	5	1	4	—	—	59	12	22	12	13
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	6	1	—	—	2	—	2	—	—	31	13	8	8	2
13	—	—	—	—	1	1	—	—	—	6	1	3	1	1
2	12	1	—	—	6	5	1	—	—	74	42	22	7	3
108	80	25	2	1	3	3	—	—	—	12	6	4	2	—
328	185	128	8	7	170	90	80	—	—	415	258	92	50	15
1	—	—	—	—	—	—	—	—	—	1,570	674	514	207	175
32	19	12	1	—	18	11	7	—	—	—	—	—	—	—
15	11	4	—	—	7	2	5	—	—	149	77	41	23	8
14	7	6	1	—	9	7	2	—	—	73	32	25	9	7
3	1	2	—	—	2	2	—	—	—	52	32	12	7	1
4	3	1	—	—	2	1	—	—	—	24	13	4	7	—
3	—	3	—	—	—	—	—	—	—	6	4	2	—	—
47	23	23	—	1	19	11	8	—	—	16	3	8	4	1
—	—	—	—	—	—	—	—	—	—	142	34	58	28	22
9	2	7	—	—	6	3	3	—	—	3	1	—	—	2
5	1	4	—	—	1	1	—	—	—	48	13	23	4	8
116	74	33	7	2	66	40	26	—	—	23	9	11	—	3
67	47	13	5	2	23	13	10	—	—	687	349	189	77	72
8	5	3	—	—	12	6	6	—	—	264	138	68	32	26
41	22	17	2	—	31	21	10	—	—	110	48	30	16	16
18	8	9	—	1	14	6	8	—	—	313	163	91	29	30
93	54	36	—	3	45	17	28	—	—	52	19	26	4	3
102	57	44	1	—	45	25	20	—	—	444	165	156	67	56
32	17	14	1	—	11	6	5	—	—	607	209	185	112	101
2	1	1	—	—	3	2	1	—	—	166	46	44	35	41
2	—	—	—	—	—	—	—	—	—	19	7	7	3	2
28	14	13	1	—	8	4	4	—	—	2	1	—	—	1
20	7	13	—	—	9	4	5	—	—	145	38	37	32	38
2	1	1	—	—	3	2	1	—	—	138	38	68	15	17
34	19	15	—	—	15	8	7	—	—	15	6	6	2	1
8	—	—	—	—	4	4	—	—	—	227	89	56	45	37
6	5	1	—	—	3	1	2	—	—	23	16	—	7	—
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	38	14	11	8	5
1	—	—	—	—	—	—	—	—	—	10	—	2	—	8
1	—	—	—	—	—	—	—	—	—	2	—	—	—	2
1	—	—	—	—	—	—	—	—	—	2	—	—	—	1
1	—	—	—	—	—	—	—	—	—	1	—	—	—	1

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		TEXAS				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	5	...	4	...	1
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	3	...	2	...	1
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	2	...	2	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	9	...	9	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	8	...	6	...	2
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	101	37	48	6	10
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	30	14	13	1	2
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	71	23	35	5	8
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	293	73	171	13	36
13	ARTHRITIS AND SPONDYLITIS.....710-715	118	39	66	3	10
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	12	2	6	1	3
15	OSTEOMYELITIS AND PERIOSTITIS.....720	6	3	1	1	1
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	7	4	3	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	150	25	95	8	22
18	XIV. CONGENITAL ANOMALIES.....	877	437	320	70	50
19	SPINA BIFIDA.....741	36	14	21	-	1
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	135	58	54	12	11
21	CONGENITAL ANOMALIES OF HEART.....746	355	182	135	18	20
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	67	35	21	5	6
23	CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	283	147	89	35	12
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,130	964	702	255	209
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	2,653	1,278	822	316	237
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	145	46	77	9	13
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	2,508	1,232	745	307	224
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	10,387	6,090	2,446	1,385	466
30	ACCIDENTS.....E800-E949	7,247	4,346	1,850	744	307
31	RAILWAY ACCIDENTS.....E800-E807	42	23	3	6	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	3,650	2,250	929	346	125
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	3,580	2,203	913	343	121
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	108	57	42	8	1
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	1,694	984	496	144	70
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	536	291	128	88	29
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	480	355	77	41	7
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	619	432	124	52	11
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	143	84	46	10	3
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	70	47	16	3	4
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	14	8	5	1	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	112	91	7	12	2
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	139	117	17	5	-
44	ACCIDENTAL POISONING.....E850-E877	238	122	68	30	18
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	114	54	34	14	12
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	44	24	18	2	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	80	44	16	14	6
48	ACCIDENTAL FALLS.....E880-E887	788	338	394	30	26
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	155	100	45	7	3
50	FALL ON SAME LEVEL.....E885,E886	53	18	32	3	-
51	OTHER AND UNSPECIFIED FALLS.....E887	580	220	317	20	23
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	390	157	123	59	51
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	516	327	56	111	22
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	211	114	54	22	21
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	214	165	17	29	3
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	442	366	29	39	8
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	8	6	1	1	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	76	54	10	9	3
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	14	4	5	1	4
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	107	100	5	1	1
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	237	202	8	27	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	173	83	68	9	13
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	318	175	80	45	18
64	SUICIDE.....E950-E959	1,372	945	360	52	15
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	142	56	80	4	2
66	SUICIDE FROM POISONING BY GASES.....E951,E952	76	44	32	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	137	91	32	12	2
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	962	722	198	33	9
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	55	32	18	3	2
70	HOMICIDE.....E960-E978	1,653	741	200	575	137
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	1,228	544	115	478	91
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	207	96	22	67	22
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	193	88	63	20	22
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	25	13	-	10	2
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	115	58	36	14	7
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

UTAH					VERMONT					VIRGINIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
1	...	1	...	-	-	...	-	...	-	3	...	1	...	2
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
7	4	3	-	-	1	1	-	-	-	49	15	17	9	8
3	3	-	-	-	1	1	-	-	-	8	3	3	2	-
4	1	3	-	-	-	-	-	-	-	41	12	14	7	8
41	15	26	-	-	15	9	6	-	-	108	32	49	8	19
20	7	13	-	-	5	2	3	-	-	39	14	22	2	1
1	-	1	-	-	-	-	-	-	-	8	1	3	-	3
2	2	-	-	-	1	1	-	-	-	2	-	2	-	-
-	-	-	-	-	3	2	1	-	-	2	2	-	-	-
18	6	12	-	-	6	4	2	-	-	57	15	22	5	15
106	58	44	-	4	33	21	12	-	-	303	132	103	38	30
6	1	4	-	1	2	2	-	-	-	19	4	14	1	-
15	9	4	-	2	4	2	2	-	-	40	16	14	3	7
38	19	18	-	1	13	8	5	-	-	131	63	40	15	13
15	7	8	-	-	2	2	-	-	-	19	7	8	3	1
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
31	21	10	-	-	12	7	5	-	-	93	42	27	16	8
174	98	72	2	2	49	26	23	-	-	751	304	204	132	111
287	149	124	10	4	48	26	22	-	-	502	169	161	91	81
47	18	29	-	-	2	2	-	-	-	35	10	16	4	5
240	131	95	10	4	46	24	22	-	-	467	159	145	87	76
902	600	260	33	9	382	264	115	2	1	4,028	2,100	859	784	285
695	461	205	21	8	308	212	93	2	1	2,792	1,430	646	517	199
6	6	-	13	6	123	91	29	2	1	14	8	1	4	31
358	230	109	13	6	123	89	29	2	1	1,238	695	239	230	74
345	220	106	13	-	121	89	29	2	1	1,207	674	234	228	71
9	6	3	-	-	3	-	-	2	1	12	6	3	-	3
162	89	64	5	4	33	24	9	-	-	281	151	79	39	12
40	19	17	3	1	27	16	11	-	-	195	94	29	56	16
24	18	5	1	-	11	8	3	-	-	95	66	14	13	2
97	78	14	4	1	14	12	2	-	-	126	76	21	22	7
13	10	3	-	-	33	29	4	-	-	498	281	88	98	31
13	10	3	-	-	2	2	-	-	-	31	21	5	2	3

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	30,812	16,553	13,061	765	433
02 I. INFECTIVE AND PARASITIC DISEASES.....	198	105	75	11	7
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	1	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	31	12	17	1	1
09 TUBERCULOSIS, ALL FORMS.....010-019	40	28	6	5	1
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	26	20	3	3	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	1	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	-	-	1
13 TUBERCULOSIS OF BONES AND JOINTS.....015	3	2	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	1	-	1	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	7	5	1	1	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	1	1	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	1	3	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	45	29	21	3	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	3	2	-	-	1
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	-	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VERAL ENCEPHALITIS.....062-065	6	6	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	13	5	6	-	2
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	29	16	10	2	1
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	5	4	1	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	2	2	-	-	-
47 TABES DORSALIS.....094.0	1	1	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	2	1	1	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	1	-	1	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	17	9	8	-	-
58 II. NEOPLASMS.....	5,724	3,051	2,512	100	61
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,652	3,018	2,476	99	59
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	123	75	46	2	-
61 OF LIP.....140	3	1	2	-	-
62 OF TONGUE.....141	32	21	11	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	44	27	17	-	-
64 OF PHARYNX.....146-149	44	26	16	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,505	797	662	30	16
66 OF ESOPHAGUS.....150	80	53	20	5	2
67 OF STOMACH.....151	217	136	69	8	4
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	12	6	6	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	581	268	299	5	9
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	74	31	42	-	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	18	11	7	-	-
72 DESCENDING COLON.....153.2	13	5	7	-	1
73 SIGMOID COLON.....153.3	62	33	28	-	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	382	174	197	5	6
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	32	14	18	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	152	92	57	2	1
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	32	18	12	2	-
78 OF GALLBLADDER AND BILE DUCTS.....156	69	29	39	1	-
79 OF PANCREAS.....157	338	179	152	7	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	24	16	8	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,317	991	278	42	6
82 OF LARYNX.....161	32	26	3	3	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	1,261	951	267	37	6
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	24	14	8	2	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	630	80	538	-	12
86 OF BONE.....170	35	20	15	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	19	8	11	-	-
88 OF SKIN.....172,173	80	47	33	-	-
89 OF BREAST.....174	496	5	479	-	12

SECTION 1 - GENERAL MORTALITY

1-347

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
19,955	11,049	7,794	643	469	41,295	22,382	17,995	519	399	3,070	1,760	1,229	44	37
185	98	71	12	4	230	119	100	6	5	16	11	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	8	12	2	1	42	15	25	1	1	3	2	1	-	-
51	33	13	3	2	39	22	13	2	2	2	1	1	-	-
42	27	11	3	1	24	14	7	1	2	2	1	1	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	1	1	-	1	-	-	-	-	-	-	-
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
4	3	1	-	-	12	6	5	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	3	-	-	6	5	1	-	-	1	1	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
50	27	21	2	-	79	42	36	-	1	7	5	2	-	-
6	4	1	1	-	8	5	3	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	3	2	-	-	2	1	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	-	-	-	5	2	3	-	-	-	-	-	-	-
7	-	6	1	-	6	4	2	-	-	1	1	-	-	-
17	8	8	1	-	18	10	7	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	4	2	1	-	5	3	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	4	1	1	-	4	3	1	-	-	-	-	-	-	-
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	6	2	1	1	19	10	7	1	1	1	1	-	-	-
3,299	1,738	1,380	94	87	7,445	3,860	3,435	75	75	457	241	212	1	3
3,254	1,714	1,362	93	85	7,394	3,835	3,409	75	75	448	236	208	1	3
56	33	20	1	2	147	106	36	5	-	3	3	-	-	-
1	1	-	-	-	8	7	1	-	-	-	-	-	-	-
12	7	4	1	-	28	18	10	-	-	-	-	-	-	-
21	9	11	-	-	46	34	9	3	-	1	1	-	-	-
22	16	5	-	1	65	47	16	2	-	2	2	-	-	-
829	405	374	28	22	2,209	1,139	1,029	20	21	107	45	60	-	2
50	29	10	5	6	152	109	34	9	-	3	3	-	-	-
137	77	47	8	5	384	211	159	5	9	19	9	10	-	-
4	1	3	-	-	19	9	10	-	-	1	1	-	-	-
322	139	174	5	4	808	375	424	3	6	42	11	30	1	69
31	10	18	2	1	107	50	57	-	-	5	1	4	-	70
13	5	7	-	1	33	18	15	-	-	3	-	3	-	71
12	4	8	-	-	21	9	12	-	-	-	-	-	-	72
46	26	20	-	-	107	47	59	-	1	1	-	-	1	73
205	89	111	3	2	497	227	262	3	5	30	9	21	-	74
15	5	10	-	-	43	24	19	-	-	3	1	2	-	75
103	52	47	3	1	242	138	103	1	-	8	4	-	-	76
12	5	7	-	-	46	29	17	-	-	-	-	-	-	77
39	12	20	1	-	148	49	96	-	3	7	2	4	-	78
149	83	57	5	4	381	203	173	2	3	25	14	11	-	79
19	7	9	1	2	29	16	13	-	-	2	1	1	-	80
815	621	153	27	14	1,356	1,059	267	21	9	103	80	22	1	81
39	32	2	4	1	60	54	3	2	1	2	2	-	-	82
765	582	148	23	12	1,265	984	255	18	8	97	76	20	1	83
11	7	3	-	1	31	21	9	1	-	4	2	2	-	84
332	44	267	2	19	920	81	824	2	13	53	7	46	-	85
18	13	4	1	-	35	19	14	1	1	3	3	-	-	86
11	5	6	-	-	27	10	15	1	1	2	1	1	-	87
40	24	15	-	1	71	41	30	-	-	7	3	4	-	88
263	2	242	1	18	787	11	765	-	11	41	-	41	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit]

CAUSE OF DEATH		WASHINGTON				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	726	324	384	7	11
02	OF CERVIX UTERI.....180	83	---	78	---	5
03	OF OTHER PARTS OF UTERUS.....181,182	96	---	94	---	2
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	200	---	197	---	3
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	16	---	15	---	1
06	OF PROSTATE.....185	306	300	---	6	---
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	25	24	---	1	---
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	283	190	86	3	4
09	OF BLADDER.....188	170	126	40	2	2
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	113	64	46	1	2
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	517	267	239	5	6
12	OF EYE.....190	5	3	1	---	---
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	153	97	55	---	1
14	OF THYROID GLAND.....193	15	5	9	1	---
15	OTHER.....194-199	344	162	174	3	5
16	LEUKEMIA.....204-207	256	139	110	5	2
17	LYMPHATIC LEUKEMIA.....204	81	45	33	1	2
18	MYELOID LEUKEMIA.....205	115	63	50	2	---
19	MONOCYTIC LEUKEMIA.....206	11	3	8	---	---
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	49	28	19	2	---
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	295	155	133	5	2
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	98	48	49	1	---
23	HODGKIN'S DISEASE.....201	39	25	13	---	---
24	MULTIPLE MYELOMA.....203	90	46	43	---	1
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	68	36	28	3	1
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	72	33	36	1	2
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	2	---	2	---	---
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	20	7	12	1	---
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	8	4	3	---	1
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	---	1	---	---
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	30	16	13	---	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	11	6	5	---	---
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	723	288	398	18	19
34	NONTOKIC GOITER.....240,241	---	---	---	---	---
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	5	1	4	---	---
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	6	1	5	---	---
37	DIABETES MELLITUS.....250	541	211	300	15	15
38	DISEASES OF PITUITARY GLAND.....253	5	3	1	---	1
39	DISEASES OF THYMUS GLAND.....254	---	---	---	---	---
40	DISEASES OF ADRENAL GLAND.....255	4	2	1	---	1
41	NIACIN DEFICIENCY.....262	---	---	---	---	---
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	60	21	38	1	---
43	CYSTIC FIBROSIS.....273.0	13	6	7	---	---
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	89	43	42	2	2
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	80	36	40	2	2
46	ANEMIAS.....280-285	47	21	24	1	1
47	DEFICIENCY ANEMIAS.....280,281	8	2	6	---	---
48	HEMOLYTIC ANEMIAS.....282,283	6	---	4	1	1
49	APLASTIC ANEMIA.....284	21	12	9	---	---
50	OTHER AND UNSPECIFIED ANEMIAS.....285	12	7	5	---	---
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	13	5	6	1	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	20	10	10	---	---
53	V. MENTAL DISORDERS.....	184	109	53	16	6
54	SENILE AND PRESENILE DEMENTIAS.....290	15	7	8	---	---
55	ALCOHOLIC PSYCHOSES.....291	4	3	---	---	1
56	ALL OTHER PSYCHOSES.....294-299	4	4	---	---	---
57	ALCOHOLISM.....303	118	79	20	15	4
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	34	13	20	---	1
59	MENTAL RETARDATION.....310-315	9	3	5	1	---
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	308	146	151	7	4
61	MENINGITIS.....320	13	6	7	---	---
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	10	7	2	1	---
63	MULTIPLE SCLEROSIS.....340	38	10	28	---	---
64	PARALYSIS AGITANS.....342	61	28	33	---	---
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	6	3	2	1	---
66	EPILEPSY.....345	35	19	15	1	---
67	INFLAMMATORY DISEASES OF EYE.....360-369	---	---	---	---	---
68	CATARACT.....374	---	---	---	---	---
69	GLAUCOMA.....375	---	---	---	---	---
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	4	2	1	---	1
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	141	71	63	4	3
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,209	8,545	7,252	248	164
73	ACTIVE RHEUMATIC FEVER.....390-392	4	3	1	---	---
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	259	122	130	5	2
75	DISEASES OF MITRAL VALVE.....394	62	20	39	3	---
76	DISEASES OF AORTIC VALVE.....395	106	62	42	1	1
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	16	6	10	---	---
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	75	34	39	1	1
79	HYPERTENSIVE DISEASE.....400-404	330	140	180	3	7
80	MALIGNANT HYPERTENSION.....400	10	2	8	---	---
81	ESSENTIAL BENIGN HYPERTENSION.....401	21	10	11	---	---
82	HYPERTENSIVE HEART DISEASE.....402	109	38	65	2	4
83	HYPERTENSIVE RENAL DISEASE.....403	62	38	23	1	---
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	128	52	73	---	3

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1973-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
412	186	201	17	8	914	446	452	3	13	58	33	24	-	1
76	...	73	...	3	94	...	86	8	...	6
41	...	40	...	1	112	...	110	...	2	5	...	5
81	...	77	...	4	234	...	231	...	3	14	...	13	...	1
11	...	11	...	-	25	...	25	...	-	-
189	172	...	17	...	433	431	...	2	...	28	28
14	16	15	...	1	...	5	5
133	86	41	3	3	363	242	118	3	...	28	19	9
62	56	23	1	2	199	138	60	1	...	14	11	3
51	30	18	2	1	164	104	58	2	...	14	8	6
401	189	193	10	9	733	357	348	14	14	50	23	27
1	...	1	6	5	1	1	...	1
58	30	25	3	...	194	103	86	5	...	11	5	6
11	4	5	...	2	20	5	15	3	18	17
331	155	162	7	7	513	244	246	9	14	35	18	17
128	67	56	2	3	312	165	144	1	2	19	12	7
55	30	23	1	1	109	61	48	7	5	2
47	22	23	...	2	125	58	65	1	1	1	1	1
2	1	1	11	6	4	5	2	3
24	14	9	1	...	67	40	27
148	83	57	3	5	440	240	191	6	3	27	14	13
46	27	17	1	1	148	75	72	1	...	7	4	3
24	17	7	68	40	27	1	...	5	3	2
43	23	15	2	3	114	57	51	3	3	9	3	6
35	16	18	...	1	110	68	41	1	...	6	4	2
45	24	18	1	2	51	25	26	9	5	4
2	...	1	...	1	...	1	2	...	2
3	...	3	10	6	4	1	1
6	3	3	16	9	7	2	1	1
...
23	14	7	1	1	12	5	7	3	2	1
11	7	4	12	5	7	1	1
427	166	223	13	25	1,071	446	596	12	17	74	34	37	...	3
...
2	13	4	9
2	1	1	7	2	5	2	...	2
342	128	183	9	22	852	355	479	8	10	60	28	30	...	2
...	4	1	3
5	1	4	10	4	6
34	15	15	2	2	71	20	46	1	4	5	2	3
7	4	3	18	8	8	1	1	2	2
35	17	15	2	1	95	52	40	2	1	5	2	2	...	1
66	32	24	4	6	109	47	57	3	2	16	8	8
42	16	18	3	5	65	27	34	2	2	6	2	4
10	2	8	15	7	8	1	...	1
3	1	...	1	1	9	1	5	2	1	3	2	1
10	5	3	1	1	21	11	9	1	...	1
19	8	7	1	3	20	8	12	1	...	1
9	4	4	1	...	12	7	5	9	6	3
15	12	2	...	1	32	13	18	1
83	54	24	3	2	169	98	59	10	2	18	9	6	3	...
9	3	5	...	1	22	9	13	2	...	2
8	8	7	5	1	2	2
2	...	2	9	4	5	1	...	1
93	37	12	3	1	76	51	16	8	1	13	7	3
11	6	5	48	26	21	1
...	7	3	3
143	70	64	6	3	364	197	161	3	3	27	15	11	1	...
8	2	5	1	...	19	9	7	...	3	1	1
9	5	3	1	...	23	15	8	1	1
11	6	5	45	17	28	5	2	3
24	11	12	...	1	89	46	43	7	3	4
7	2	5	12	10	2
18	9	6	2	1	35	20	13	2	...	5	2	2	1	...
...	1	...	1
1	1	2	2
...	1	1
...	1	1
65	34	28	2	1	136	76	59	1	...	7	6	1
10,945	5,854	4,538	317	236	23,572	12,465	10,733	193	181	1,487	840	625	9	13
5	1	4	7	5	2
121	57	57	3	4	298	138	153	4	1	24	8	15
25	12	13	72	23	47	2	...	11	4	7
38	23	11	2	2	98	63	32	2	1	3	1	2
...	18	7	10	1	...	3	1	2
57	22	32	1	2	110	45	64	1	...	7	2	4
207	93	93	8	13	461	191	241	10	19	20	10	10
5	1	3	1	...	21	9	10	1	1
16	8	8	20	6	13	3	1	2
71	30	35	2	4	178	61	103	7	7	5	2	3
63	31	23	3	6	142	62	69	3	8	4	4
52	23	24	2	3	100	53	46	...	1	7	2	5

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		WASHINGTON				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	10,170	5,785	4,148	156	81
02	WITH HYPERTENSIVE DISEASE (.0).....	1,050	471	543	20	16
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,120	5,314	3,605	136	65
04	ACUTE MYOCARDIAL INFARCTION.....410	4,979	3,167	1,710	64	38
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	127	80	41	4	2
06	CHRONIC ISCHEMIC HEART DISEASE.....412	5,061	2,538	2,395	88	40
07	ANGINA PECTORIS.....413	3	-	2	-	1
08	OTHER FORMS OF HEART DISEASE.....420-429	791	425	332	23	11
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	2	4	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	13	6	4	3	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	32	14	17	1	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	1	-	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	8	6	2	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	23	7	15	1	-
15	SYMPTOMATIC HEART DISEASE.....427	516	272	227	9	8
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	57	32	24	-	1
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	167	99	56	10	2
18	CEREBROVASCULAR DISEASES.....430-438	3,413	1,446	1,877	44	46
19	WITH HYPERTENSION (BENIGN) (.0).....	373	142	215	8	8
20	WITHOUT MENTION OF HYPERTENSION (.9).....	3,040	1,304	1,662	36	38
21	SUBARACHNOID HEMORRHAGE.....430	142	56	76	4	6
22	CEREBRAL HEMORRHAGE.....431	417	176	223	10	8
23	CEREBRAL THROMBOSIS.....433	792	334	445	8	5
24	CEREBRAL EMBOLISM.....434	11	3	8	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	62	37	24	1	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,217	538	649	11	19
27	OTHER CEREBROVASCULAR DISEASES.....437,438	772	302	452	10	8
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,048	529	498	9	12
29	ARTERIOSCLEROSIS.....440	600	267	326	4	3
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	272	186	79	4	3
31	ANGIORENE.....445	37	17	19	1	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	139	59	74	-	6
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	194	95	86	7	5
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	171	84	76	7	4
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	23	11	10	1	1
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,258	1,349	836	47	26
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	3	2	1	-	-
38	ACUTE BRONCHITIS AND BRONCHOLITIS.....466	23	5	16	1	1
39	INFLUENZA.....470-474	251	108	136	3	4
40	PNEUMONIA.....480-486	905	472	397	22	14
41	VIRAL PNEUMONIA.....480	50	24	26	-	-
42	BACTERIAL PNEUMONIA.....481,482	90	44	38	5	3
43	ACUTE INTERSTITIAL PNEUMONIA.....484	19	9	6	3	1
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	269	144	117	5	3
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	477	251	210	9	7
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	590	432	141	14	3
47	BRONCHITIS, UNQUALIFIED.....490	12	4	7	-	1
48	CHRONIC BRONCHITIS.....491	85	63	19	3	-
49	EMPHYSEMA.....492	463	354	98	10	1
50	ASTHMA.....493	30	11	17	1	1
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	2	1	1	-	-
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	14	10	4	-	-
53	PLEURISY.....511	12	7	5	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	66	39	26	-	1
55	BRONCHIECTASIS.....518	11	9	2	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	381	264	107	7	3
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,230	640	497	56	37
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	3	1	2	-	-
59	PEPTIC ULCER.....531-533	125	72	47	4	2
60	ULCER OF STOMACH.....531	64	29	32	1	2
61	ULCER OF DUODENUM.....532	47	33	12	2	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	14	10	3	1	-
63	GASTRITIS AND DUODENITIS.....535	12	4	7	-	-
64	APPENDICITIS.....540-543	11	7	4	-	-
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	100	43	53	3	1
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67	DIVERTICULA OF INTESTINE.....562	58	21	33	2	2
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	19	9	10	-	-
69	CIRRHOSIS OF LIVER.....571	567	324	189	34	20
70	ALCOHOLIC.....571.0	265	156	81	20	8
71	OTHER SPECIFIED.....571.8	62	28	28	2	4
72	UNSPECIFIED.....571.9	240	140	80	12	8
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	54	19	35	-	-
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	281	140	117	12	12
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	287	146	123	11	7
76	NEPHRITIS AND NEPHROSIS.....580-584	68	28	34	5	1
77	ACUTE NEPHRITIS.....580	3	1	1	1	-
78	NEPHROTIC SYNDROME.....581	4	2	1	1	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	61	25	32	3	1
80	INFECTIONS OF KIDNEY.....590	71	27	41	1	2
81	CALCULI OF URINARY SYSTEM.....592,594	9	5	4	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	90	52	33	2	3
83	HYPERPLASIA OF PROSTATE.....600	20	18	-	2	-
84	DISEASES OF BREAST.....610,611	-	-	-	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	29	16	11	1	1
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	3	...	2	...	1
87	ECTOPIC PREGNANCY.....631	-	...	-	...	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	Total	WASHINGTON			
		White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	...	1	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	1	...	-	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	22	10	10	1	1
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	3	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	19	7	10	1	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	88	31	51	2	4
13 ARTHRITIS AND SPONDYLITIS.....710-715	45	13	30	1	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	1	-	-	1
15 OSTEOMYELITIS AND PERIOSTITIS.....720	2	1	1	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	2	1	1	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	37	15	19	1	2
18 XIV. CONGENITAL ANOMALIES.....	229	110	101	9	9
19 SPINA BIFIDA.....741	12	2	9	-	1
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	30	13	14	-	3
21 CONGENITAL ANOMALIES OF HEART.....746	100	49	43	4	4
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	13	8	4	1	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	74	38	31	4	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	391	206	135	29	21
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	202	113	71	12	6
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	13	5	8	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	189	108	63	12	6
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,676	1,668	754	196	58
30 ACCIDENTS.....E800-E949	1,948	1,219	556	134	39
31 RAILWAY ACCIDENTS.....E800-E807	19	15	1	3	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	870	545	266	42	17
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	854	534	263	41	16
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	17	11	3	3	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	331	192	116	16	7
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	116	64	43	6	3
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	92	69	19	2	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	159	108	40	8	3
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	139	90	42	6	1
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	16	11	3	1	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	4	2	2	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	71	31	7	33	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	58	51	7	-	-
44 ACCIDENTAL POISONING.....E850-E877	98	51	31	8	8
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	46	15	21	6	4
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	30	19	7	1	3
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	22	17	3	1	1
48 ACCIDENTAL FALLS.....E880-E887	286	143	122	15	6
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	94	66	18	8	2
50 FALL ON SAME LEVEL.....E885-E886	20	8	11	-	1
51 OTHER AND UNSPECIFIED FALLS.....E887	172	69	93	7	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	118	72	39	6	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	122	91	17	13	1
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	43	28	13	1	1
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	19	14	2	2	1
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	116	101	10	5	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	1	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	4	3	1	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, COMBUSTIBLE LIQUID, STEAM, OR RADIATION.....E924, E926	8	5	3	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	11	11	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	92	81	6	5	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	49	25	19	2	3
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	75	50	20	4	1
64 SUICIDE.....E950-E959	506	354	131	14	7
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	74	28	40	2	4
66 SUICIDE FROM POISONING BY GASES.....E951, E952	72	50	21	1	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	56	41	13	1	1
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	249	204	37	7	1
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	55	31	20	3	1
70 HOMICIDE.....E960-E978	172	73	46	43	10
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	110	48	26	33	3
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	20	8	7	3	2
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	38	14	13	6	5
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	4	3	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	50	22	21	5	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
17	9	8	-	-	32	15	14	-	3	3	2	1	-	-
5	3	2	-	-	11	6	4	-	1	-	-	-	-	-
12	6	6	-	-	21	9	10	-	2	3	2	1	-	-
41	15	24	2	-	120	37	82	-	1	16	2	14	-	-
16	5	9	2	-	53	19	34	-	-	8	2	6	-	-
1	-	1	-	-	8	3	5	-	-	-	-	-	-	-
4	3	1	-	-	4	3	1	-	-	-	-	-	-	-
2	-	2	-	-	5	1	4	-	-	-	-	-	-	-
18	7	11	-	-	50	11	38	-	1	8	-	8	-	-
134	69	56	4	5	284	153	116	7	8	26	11	13	-	2
5	2	3	-	-	9	5	4	-	-	-	-	-	-	-
21	12	8	1	-	50	24	23	1	2	6	3	2	-	1
57	30	22	2	3	118	63	50	3	2	7	2	5	-	21
9	2	7	-	-	22	10	11	1	-	4	2	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	23	16	1	2	85	51	28	2	4	9	4	5	-	23
307	167	118	14	8	475	256	172	32	15	73	39	32	1	1
503	294	168	23	18	290	158	112	13	7	26	15	11	-	-
12	7	5	-	-	47	17	29	-	1	3	1	2	-	-
491	287	163	23	18	243	141	83	13	6	23	14	9	-	-
1,466	1,025	340	65	36	3,019	2,013	858	106	42	410	268	111	21	10
1,110	783	265	37	25	2,303	1,552	676	50	25	321	206	91	16	8
8	5	-	2	1	13	10	2	1	-	2	2	-	-	30
469	330	118	15	6	1,155	816	299	27	13	157	99	42	12	4
462	324	117	15	6	1,134	800	295	26	13	155	98	41	12	4
7	2	2	3	-	29	24	5	-	-	4	3	1	-	34
67	41	24	1	1	482	311	159	5	7	32	18	12	2	-
70	44	23	2	1	135	88	35	7	5	22	11	6	4	1
18	15	2	1	-	180	136	41	3	-	5	4	-	1	36
59	48	7	3	1	251	198	42	10	1	56	35	17	3	37
241	174	59	5	3	57	43	13	1	-	36	27	5	2	38
7	6	1	-	-	21	16	4	1	-	2	1	-	-	39
2	1	-	-	-	5	3	2	-	-	2	-	2	-	40
9	9	-	-	-	35	29	4	2	-	10	8	2	-	41
12	10	2	-	-	20	12	8	-	-	8	7	1	-	42
70	43	23	2	2	113	70	36	2	5	16	10	5	-	43
27	13	12	1	1	24	9	13	1	1	3	2	1	-	44
8	6	2	-	-	29	20	6	-	3	4	1	2	-	45
35	24	9	1	1	60	41	17	1	1	9	7	-	-	46
131	81	46	1	3	378	188	183	7	-	43	20	21	1	47
32	27	4	1	-	114	78	34	2	-	7	3	3	1	48
2	-	-	-	-	19	9	10	-	-	-	-	-	-	49
97	52	42	-	3	265	101	139	5	-	36	17	18	-	50
80	42	25	8	5	94	49	40	2	3	12	8	4	-	51
60	46	10	3	1	131	105	20	3	3	15	11	3	1	52
19	13	6	-	-	50	31	18	1	-	5	2	2	-	53
40	32	5	3	-	34	31	3	-	-	8	8	-	-	54
111	109	2	-	-	137	122	15	-	-	13	13	-	-	55
1	1	-	-	-	2	2	-	-	-	-	-	-	-	56
4	3	1	-	-	7	5	2	-	-	2	2	-	-	57
1	1	-	-	-	1	1	-	-	-	1	1	-	-	58
18	18	-	-	-	17	16	1	-	-	7	3	-	-	59
87	86	1	-	-	110	98	12	-	-	7	3	-	-	60
35	16	17	-	-	52	27	23	1	1	9	3	5	-	61
64	46	10	3	5	86	59	23	4	-	21	15	4	2	62
212	160	43	6	3	521	369	140	10	2	62	44	13	3	63
8	4	4	-	-	62	21	38	2	1	4	3	1	-	64
10	7	3	-	-	99	61	29	-	-	7	5	2	-	65
17	13	4	-	-	80	53	25	2	-	3	2	-	1	66
169	132	28	6	3	256	214	35	6	1	47	33	10	2	67
8	4	4	-	-	33	20	13	-	-	1	1	-	-	68
97	56	22	12	7	146	65	28	41	12	12	6	4	2	69
62	37	14	8	3	97	43	13	32	9	8	4	2	2	70
8	4	1	1	2	16	6	4	4	2	2	2	-	-	71
25	14	7	2	2	30	15	11	3	1	2	-	2	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
2	1	-	1	-	3	1	-	2	-	-	-	-	-	74
47	26	-	10	1	49	27	14	-	3	15	12	3	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-28. Percent of Deaths for Which Autopsies Were Reported, by Age, Color, and Sex: United States, 1973

[Autopsies per 100 deaths in specified group]												
Color and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Total-----	18.7	45.4	47.0	39.8	49.4	52.4	41.4	30.9	22.7	15.6	9.9	4.8
Male-----	21.8	46.2	47.4	39.1	49.0	53.6	43.5	32.4	23.9	16.8	11.8	6.2
Female-----	14.9	44.4	46.6	41.1	50.7	49.7	38.1	28.3	20.6	13.8	8.1	3.9
White-----	17.9	46.0	46.7	39.7	46.6	49.6	40.7	31.2	23.3	16.0	9.9	4.8
Male-----	20.8	46.8	47.1	38.7	46.1	50.0	42.0	32.2	24.2	17.0	11.8	6.2
Female-----	14.4	45.0	46.1	41.3	48.5	48.7	38.4	29.3	21.5	14.4	8.1	3.9
All other-----	24.4	43.8	46.1	40.4	60.2	59.9	43.8	29.9	19.5	12.8	10.0	5.6
Male-----	28.3	44.5	48.0	40.5	60.7	63.2	48.1	33.6	22.0	15.0	12.6	7.0
Female-----	19.2	43.0	48.1	40.1	58.9	52.6	37.1	24.4	15.8	10.1	7.3	4.6

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-29. Deaths From 69 Selected Causes, by Number and Percent for Which Autopsies were Reported and Item "Findings Used" was on Certificate, by Number and Percent for Which Autopsy Findings were Used: United States, 1973

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Cause of death	Total deaths	Reported autopsies		Item "Findings Used" on certificate ¹		
		Number	Percent	Number	Autopsy findings used	
					Number	Percent
All causes-----	1,973,003	369,655	18.7	284,954	207,283	72.7
Bacillary dysentery and amebiasis-----004.006	64	36	56.3	27	22	81.5
Enteritis and other diarrheal diseases-----008.009	2,322	847	36.5	640	461	72.0
Tuberculosis, all forms-----010.019	3,875	1,240	32.0	886	655	73.8
Tuberculosis of respiratory system-----010-012	3,009	953	31.7	689	506	73.6
Tuberculosis, other forms-----013-019	866	287	33.1	219	149	68.0
Whooping cough-----035	5	2	40.0	1	1	100.0
Streptococcal sore throat and scarlet fever-----034	20	6	30.0	4	1	25.0
Meningococcal infections-----036	330	209	63.3	149	102	68.5
Septicemia-----038	4,560	1,430	31.4	1,016	589	58.0
Acute poliomyelitis-----040-043	10	4	40.0	4	4	100.0
Measles-----055	23	10	43.5	9	8	88.9
Syphilis and its sequelae-----090-097	393	64	16.3	51	30	58.8
Other infective and parasitic diseases-----Remainder of 000-136	4,067	1,704	41.9	1,287	841	65.3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	351,055	57,395	16.3	43,474	28,759	66.2
Malignant neoplasms of buccal cavity and pharynx-----140-149	7,822	1,112	14.2	820	579	70.6
Malignant neoplasms of digestive organs and peritoneum-----150-159	96,549	14,204	14.7	10,791	7,432	68.9
Malignant neoplasms of respiratory system-----160-163	79,335	14,087	17.7	10,717	7,449	69.5
Malignant neoplasm of breast-----174	32,143	3,819	12.2	2,929	1,760	60.1
Malignant neoplasms of genital organs-----180-187	42,591	5,014	11.8	3,794	2,525	66.6
Malignant neoplasms of urinary organs-----188,189	15,877	2,458	15.5	1,906	1,283	67.3
Malignant neoplasms of all other and unspecified sites-----170-173,190-199	42,693	7,145	16.7	5,365	3,276	61.1
Leukemia-----204-207	14,478	4,061	28.0	3,092	1,920	62.1
Other neoplasms of lymphatic and hematopoietic tissues-----200-203,208,209	19,567	5,412	27.7	4,060	2,535	62.4
Benign neoplasms and neoplasms of unspecified nature-----210-239	5,013	1,377	27.5	1,040	681	65.5
Diabetes mellitus-----250	38,208	3,988	10.4	3,048	1,884	61.9
Avitaminoses and other nutritional deficiencies-----260-269	2,576	378	14.7	289	215	71.9
Anemias-----280-285	3,318	822	24.8	623	403	64.7
Meningitis-----320	1,583	790	51.9	572	369	64.5
Major cardiovascular diseases-----390-448	1,037,492	120,528	11.6	95,246	69,607	73.1
Diseases of heart-----390-398,402,404,410-429	757,075	91,215	12.0	72,556	53,061	73.1
Active rheumatic fever and chronic rheumatic heart disease-----390-398	15,739	4,954	35.2	3,922	2,779	72.7
Hypertensive heart disease-----402	7,268	784	10.8	624	440	70.5
Hypertensive heart and renal disease-----404	5,515	415	7.5	335	251	74.9
Ischemic heart disease-----410-413	684,066	77,473	11.3	61,988	46,746	75.5
Acute myocardial infarction-----410	351,682	45,548	13.0	36,297	27,087	74.6
Other acute and subacute forms of ischemic heart disease-----411	4,503	542	12.0	389	328	84.3
Chronic ischemic heart disease-----412	327,722	31,371	9.6	25,193	19,326	76.7
Angina pectoris-----413	179	12	6.7	9	5	55.6
Chronic disease of endocardium and other myocardial insufficiency-----424,428	5,137	980	17.1	682	526	77.1
All other forms of heart disease-----420-423,425-427,429	41,350	6,829	16.5	5,205	3,139	60.3
Hypertension-----400,401,403	7,428	992	13.4	765	519	67.8
Cerebrovascular diseases-----430-438	214,513	17,471	8.2	15,431	9,079	58.8
Cerebral hemorrhage-----431	33,909	5,047	14.9	3,863	2,721	70.4
Cerebral thrombosis-----433	56,648	3,456	6.1	2,690	1,887	70.4
Cerebral embolism-----434	967	104	10.8	72	43	59.7
All other cerebrovascular diseases-----430,432,435-438	122,789	8,864	7.2	6,816	4,428	65.0
Arteriosclerosis-----440	32,617	1,660	5.1	1,303	904	69.4
Other diseases of arteries, arterioles, and capillaries-----441-448	26,059	9,190	35.3	7,191	5,224	72.6
Acute bronchitis and bronchiolitis-----466	905	447	49.4	356	290	78.7
Influenza and pneumonia-----470-474,480-486	62,559	15,195	24.3	11,027	8,408	76.2
Influenza-----470-474	5,131	442	8.6	364	289	73.9
Pneumonia-----480-486	57,428	14,753	25.7	10,663	8,139	76.3
Bronchitis, emphysema, and asthma-----490-493	29,708	5,657	19.0	4,582	3,480	75.5
Chronic and unqualified bronchitis-----490,491	5,547	1,111	20.0	901	694	75.9
Emphysema-----492	22,249	4,116	18.5	3,577	2,552	71.6
Asthma-----493	1,912	408	21.3	304	224	73.7
Peptic ulcer-----531,533	7,888	3,351	42.6	2,538	2,014	77.8
Appendicitis-----540-543	1,066	450	42.2	334	260	77.8
Hernia and intestinal obstruction-----550-553,560	6,746	2,190	32.5	1,713	1,222	71.3
Cirrhosis of liver-----571	33,350	11,938	35.8	9,309	7,080	75.8
Cholelithiasis, cholecystitis, and cholangitis-----574,575	3,422	1,174	34.3	943	678	71.9
Nephritis and nephrosis-----580-584	8,336	1,645	19.7	1,246	792	62.8
Acute nephritis and nephrotic syndrome-----580,581	1,536	391	25.5	300	163	54.3
Chronic and unqualified nephritis and renal sclerosis-----582-584	6,800	1,254	18.4	946	619	65.4
Infections of kidney-----590	6,134	1,137	18.5	878	670	76.5
Hyperplasia of prostate-----600	1,589	286	18.0	230	179	77.8
Complications of pregnancy, childbirth, and the puerperium-----650-678	477	287	60.2	202	146	72.3
Abortions-----640-645	36	27	75.0	14	9	64.3
Other complications of pregnancy, childbirth, and the puerperium-----650-659,660-678	441	260	59.0	188	137	72.9
Congenital anomalies-----740-759	14,062	7,276	51.7	5,592	3,439	61.5
Certain causes of mortality in early infancy-----760-769,772,774-778	30,503	10,546	34.6	8,061	4,396	54.5
Birth injury, difficult labor, and other anoxic and hypoxic conditions-----764-768,772,776	16,933	7,251	42.8	5,502	3,217	58.5
Other causes of mortality in early infancy-----Remainder of 760-778	13,570	3,295	24.3	2,559	1,179	46.1
Symptoms and ill-defined conditions-----760-796	30,399	8,808	29.0	6,333	3,251	51.3
All other diseases-----Residual	114,751	33,431	29.1	25,200	17,772	70.5
Accidents-----E800-E949	115,821	45,635	39.7	35,242	29,706	84.3
Motor vehicle accidents-----E810-E823	55,511	20,108	36.2	18,477	14,372	87.2
All other accidents-----E800-E807,E825-E849	60,310	25,529	42.3	16,765	15,334	91.7
Suicide-----E950-E959	25,118	10,074	40.1	8,355	7,275	87.1
Homicide-----E960-E978	20,465	17,802	87.0	12,009	9,696	80.7
Other external causes-----E980-E999	5,050	3,617	69.6	2,375	1,857	78.2

¹For several reporting areas, this item does not appear on all death certificates. For further discussion, see Technical Appendix.

From Selected Causes, by Date of Death: 1973

category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1968]

Day of month--Con.																	
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Unknown	
...	1
TS,401 FS,877 FS,221 MS,428 WS,004 SS,509 MS,115 TS,952 SS,026 TS,158 FS,358 SS,461	W6,198 SS,946 SS,472 WS,443 TS,176 SS,592 TS,092 FS,053 M4,986 WS,231 SS,490 MS,840	TS,390 SS,900 SS,383 WS,459 TS,331 MS,259 W4,994 SS,144 TS,047 TS,263 SS,437 TS,565	FS,315 MS,905 MS,395 TS,213 SS,554 TS,069 TS,049 SS,042 WS,089 FS,481 MS,314 WS,739	SS,214 TS,791 WS,776 TS,241 FS,462 MS,263 TS,223 FS,159 M4,996 TS,009 SS,544 TS,430 TS,935	SS,202 WS,776 TS,178 SS,234 TS,188 FS,092 SS,173 W4,792 FS,155 SS,265 WS,439 FS,986	MS,403 TS,733 FS,338 SS,299 TS,188 SS,163 MS,077 W4,790 SS,400 MS,476 TS,354 SS,989	TS,154 FS,705 FS,338 SS,146 TS,039 SS,106 TS,099 FS,903 MS,216 TS,201 WS,274 FS,338 MS,868	WS,988 SS,772 SS,614 SS,331 WS,084 FS,282 MS,234 TS,122 WS,075 FS,069 SS,151 MS,364 TS,394 WS,119 TS,025 SS,532 MS,316 TS,200 WS,975	TS,025 MS,430 TS,503 MS,292 FS,321 SS,549 WS,104 TS,075 FS,069 SS,151 MS,364 TS,394 WS,119 TS,025 SS,532 MS,316 TS,200 WS,975	SS,263 TS,503 WS,448 TS,226 SS,436 MS,369 TS,044 FS,920 SS,234 MS,449 TS,394 WS,119 TS,025 SS,532 MS,316 TS,200 WS,975	SS,143 WS,448 TS,266 SS,265 TS,321 MS,369 TS,044 FS,920 SS,234 MS,449 TS,394 WS,119 TS,025 SS,532 MS,316 TS,200 WS,975	M6,212 TS,960 SS,510 FS,172 MS,220 WS,098 TS,017 SS,234 M4,959 TS,497 FS,395 SS,404 MS,695	TS,960 SS,510 FS,172 MS,220 WS,098 TS,017 SS,234 M4,959 TS,497 FS,395 SS,404 MS,695	WS,918 SS,510 FS,172 MS,220 WS,098 TS,017 SS,234 M4,959 TS,497 FS,395 SS,404 MS,695	19 32 7 15 14 20 11 6 19 10 13 13		
...	14
T 130 F 135 F 185 M 117 W 129 S 250 M 131 T 162 S 194 T 130 F 171 S 112	W 111 S 159 S 185 T 139 T 132 S 216 T 145 F 194 M 147 W 148 S 221 M 89	T 104 S 141 S 155 W 118 F 171 M 143 W 156 S 214 T 136 T 156 S 205 T 96	F 134 M 126 M 107 T 152 S 255 T 133 W 136 S 197 W 114 F 213 M 123 W 95	S 202 T 100 T 99 S 210 S 256 W 145 F 170 M 166 T 147 S 249 T 129 F 176	S 164 W 87 W 104 S 210 M 148 T 141 S 234 W 126 S 198 S 213 W 143 F 176	M 116 T 107 T 112 S 184 T 143 F 196 S 239 M 144 W 126 S 198 M 148 T 185 S 192	T 93 F 126 F 145 M 134 W 130 S 239 M 144 T 135 S 198 T 130 F 152 S 121	W 89 S 189 S 222 T 114 W 110 T 111 S 199 S 205 T 116 F 188 M 124 W 149 S 210 M 138	T 110 S 163 S 195 T 136 W 110 F 199 S 263 T 144 W 147 T 131 S 231 M 129 T 133 F 194 S 270 M 95 T 101	S 190 T 117 W 99 T 138 F 157 S 169 M 155 T 145 F 178 S 200 T 131 W 152 S 260 S 199 M 122 T 99 F 141	S 155 W 99 W 100 S 168 M 126 F 178 S 200 T 131 W 152 S 260 S 199 M 122 T 99 F 141	S 155 W 99 W 100 S 168 M 126 F 178 S 200 T 131 W 152 S 260 S 199 M 122 T 99 F 141	M 91 F 152 T 103 S 168 T 126 F 178 S 200 T 131 W 152 S 260 S 199 M 122 T 99 F 141	T 95 F 152 M 119 W 125 S 244 M 131 T 149 S 195 T 150 F 124 S 92	W 95 S 191 T 125 T 125 S 244 T 160 F 177 S 195 W 158 F 124 M 107	- 2 1 1 1 1 2 - - 2 - - 1	
...	27
T 58 F 76 F 77 M 90 W 64 S 69 M 70 T 74 S 64 T 69 F 71 S 51	W 70 S 55 S 57 T 86 T 66 S 74 T 61 F 65 M 70 W 73 S 64 M 58	T 57 S 64 S 62 W 56 F 78 M 68 W 69 S 67 T 80 T 67 S 71 T 62	F 72 M 76 M 76 T 65 S 64 T 67 W 92 M 82 W 73	S 60 T 72 T 64 F 66 S 62 W 65 F 60 M 91 T 74 S 88 T 62 T 52	S 63 W 71 W 60 F 66 M 76 T 78 S 65 T 71 F 62 S 62 W 57 F 62	M 64 T 62 S 59 T 64 F 66 S 59 W 69 M 80 T 55 S 68	T 64 F 67 F 83 M 65 T 70 F 66 S 59 T 71 S 55 M 80 F 52 S 55	W 78 S 51 S 58 T 72 W 70 S 59 F 56 M 72 T 62 W 73 F 74 M 63 W 68 S 58 M 58	T 77 S 84 S 62 T 90 F 56 T 52 W 73 S 55 T 79 F 62 S 63 S 87 T 57	F 65 M 85 M 77 T 90 S 52 T 61 T 67 W 76 F 62 M 76 W 72	S 65 T 72 T 55 F 54 S 69 W 59 F 67 M 71 T 73 F 78 S 57 W 59 T 62	S 52 W 64 W 53 S 75 M 66 T 44 S 79 W 72 S 64 S 57 W 59 F 60	M 54 F 68 S 69 M 66 T 78 F 44 S 76 W 72 S 64 M 81 T 54 S 64	T 63 F 68 M 66 W 71 S 74 M 64 T 71 S 67 T 60 F 65 S 66	W 68 S 62 M 66 T 71 T 71 F 71 F 69 W 69 F 65 M 59	- - 1 - 2 1 - - 2 1 - 1	
...	40
T 51 F 51 F 39 M 52 W 37 S 85 M 45 T 55 S 74 T 39 F 55 S 62	W 48 S 79 S 67 T 37 T 46 S 70 T 44 F 56 M 47 W 41 S 91 M 42	T 38 S 60 S 76 W 36 F 58 M 48 W 36 T 50 T 42 T 56 S 69 T 32	F 48 M 42 M 39 T 33 S 68 T 35 S 74 W 37 T 42 F 58 W 45	S 78 T 27 T 32 F 66 S 54 W 34 F 53 M 59 T 48 S 97 T 42 T 55	S 64 W 41 W 33 S 75 M 53 T 42 S 72 T 47 F 55 S 71 W 41 F 66	M 57 T 52 T 41 S 72 T 46 F 47 S 74 W 37 M 39 T 69 S 90	T 38 F 58 F 66 M 49 W 45 S 77 M 60 T 43 S 60 T 28 F 73 S 78	W 32 S 84 S 108 T 45 T 40 S 55 T 51 F 47 W 53 W 31 S 57 M 78	T 55 S 57 S 67 M 52 F 63 M 66 W 46 S 64 T 47 T 47 F 65 T 68	F 63 M 58 S 62 T 44 S 70 T 50 F 46 S 83 W 45 F 56 T 43 W 49	S 79 T 55 T 45 F 55 S 69 W 50 F 46 M 41 S 93 W 44 F 55	S 50 W 32 W 43 S 93 M 51 T 54 S 91 T 32 S 70 M 38 T 41 S 74	M 30 F 56 S 65 T 49 F 46 S 85 W 49 S 70 T 48 F 43 S 67	T 37 F 56 M 41 W 36 S 90 M 48 T 50 S 66 W 54 F 43 M 52	W 48 S 89 T 56 T 56 T 50 T 50 T 53 W 54 F 43 M 52	2 1 1 - - 1 3 1 - - 1 - 1	

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-73 -----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1973 -----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race or national origin and sex: United States, 1973 -----	2-3
2-4. Infant mortality rates by age and color: United States, 1964-73 -----	2-4
2-5. Infant mortality rates for 65 selected causes by color: United States, 1973 --	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1969-73 -----	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1969-73 -----	2-7
2-8. Infant and neonatal deaths and mortality rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1973 -----	2-8
2-9. Deaths under 1 year, by age, race, and sex: United States and each State, 1973 -----	2-10
2-10. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1973 -----	2-28
2-11. Infant mortality rates for 65 selected causes: United States, 1968-73 -----	2-37
2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by month: United States, 1973 -----	2-38
2-13. Deaths under 1 year and under 28 days, from 65 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1973 -----	2-44
2-14. Deaths under 1 year from 65 selected causes, by age, color, and sex: United States, 1973 -----	2-50
2-15. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by color: United States and each State, 1973 -----	2-68

SECTION 2 - INFANT MORTALITY

2-3

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-73

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	All other	Total	White	All other		Total	White	All other	Total	White	All other
1973 ¹	17.7	15.8	26.2	13.0	11.8	17.9	1953	27.8	25.0	44.7	19.6	18.3	27.4
1972 ^{1,2}	18.5	16.4	27.7	13.6	12.4	19.2	1952	28.4	25.5	47.0	19.8	18.5	28.0
1971 ¹	19.1	17.1	28.5	14.2	13.0	19.6	1951	28.4	25.8	44.8	20.0	18.9	27.3
1970 ¹	20.0	17.8	30.9	15.1	13.9	21.4	1950	29.2	26.0	44.5	20.5	19.4	27.5
1969	20.9	18.4	32.9	15.6	14.2	22.5	1949	31.3	28.9	47.3	21.4	20.3	28.6
1968	21.8	19.2	34.5	16.1	14.7	23.0	1948	32.0	29.9	46.5	22.2	21.2	29.1
1967	22.4	19.7	35.9	16.5	15.0	23.8	1947	32.2	30.1	46.5	22.8	21.7	31.0
1966	23.7	20.6	38.8	17.2	15.8	24.8	1946	33.8	31.8	49.5	24.0	23.1	31.5
1965	24.7	21.5	40.3	17.7	16.1	25.4	1945	36.3	35.6	57.0	24.3	23.3	32.0
1964	24.8	21.6	41.1	17.9	16.2	26.5	1944	39.8	36.9	60.3	24.7	23.6	32.5
1963 ³	25.2	22.2	41.5	18.2	16.7	26.1	1943	40.4	37.5	62.5	24.7	23.7	32.9
1962 ³	25.3	22.3	41.4	18.3	16.9	26.2	1942	40.4	37.3	64.6	25.7	24.5	34.6
1961	25.5	22.4	40.7	18.4	16.9	26.2	1941	45.3	41.2	74.8	27.7	26.1	39.0
1960	26.0	22.9	43.2	18.7	17.2	26.9	1940	47.0	43.2	73.8	28.8	27.2	39.7
1959	26.4	23.2	44.0	19.0	17.5	27.7	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1958	27.1	23.8	45.7	19.5	17.8	28.0	1930-34 ⁴	60.4	55.2	98.6	34.4	32.5	46.2
1957	26.3	23.3	43.7	19.1	17.5	27.8	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1956	26.0	23.2	42.1	18.9	17.5	27.0	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1955	26.4	23.6	42.8	19.1	17.7	27.2	1915-19	95.7	92.8	149.7	43.4	42.3	58.1
1954	26.6	23.9	42.9	19.1	17.8	27.0							

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.⁴For 1932-34, Mexicans are included with "All other."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1973

[Rates per 100,000 live births in specified group]

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,771.6	1,888.8	1,543.5	1,577.4	1,765.9	1,356.9	2,618.4	2,683.5	2,545.5
Under 28 days	1,296.3	1,463.5	1,120.5	1,183.9	1,346.0	1,012.4	1,765.7	1,980.5	1,535.0
Under 1 day	721.8	817.8	620.8	652.7	741.9	558.5	1,022.8	1,152.4	889.3
Under 1 hour	161.1	176.1	145.4	150.1	163.8	135.5	209.2	230.1	187.8
1-23 hours	560.7	641.7	475.5	502.6	578.1	422.8	813.6	922.3	701.6
1 day	175.7	196.0	150.1	161.5	183.2	139.2	226.6	251.3	201.3
2 days	113.2	132.4	93.1	109.3	128.1	89.4	130.4	151.0	109.1
3 days	55.0	62.6	47.0	50.6	58.4	42.3	74.4	81.1	67.6
4 days	33.0	37.4	28.3	31.0	36.7	24.9	41.6	40.4	43.0
5 days	26.4	29.8	22.8	24.2	27.7	20.6	35.8	39.4	32.2
6 days	20.0	21.5	18.5	17.5	18.9	16.0	30.9	32.6	29.1
7-15 days	77.3	84.7	69.5	71.3	79.9	62.2	103.4	106.0	100.8
14-20 days	41.8	44.3	39.2	36.8	39.5	33.9	63.7	65.3	62.0
21-27 days	34.1	36.9	31.2	29.1	31.3	26.7	56.0	61.2	50.6
28-59 days	120.8	131.9	109.2	98.5	109.7	86.6	218.3	229.7	206.5
2 months	92.7	105.6	79.1	75.9	87.6	63.5	165.7	185.0	145.9
3 months	88.3	76.5	59.5	56.6	65.1	47.7	119.0	127.1	110.5
4 months	47.0	51.5	42.3	38.5	42.2	34.6	84.1	92.8	75.2
5 months	34.4	37.1	31.5	28.5	31.4	25.3	60.2	62.2	58.2
6 months	27.6	31.0	23.9	23.1	25.6	20.4	47.1	54.8	39.1
7 months	21.4	24.1	18.5	17.8	20.4	14.9	37.0	40.0	34.0
8 months	17.2	19.7	14.7	14.4	16.6	12.2	29.5	33.6	25.3
9 months	15.5	15.6	15.4	13.8	14.1	13.4	23.0	22.2	23.9
10 months	15.2	16.0	14.4	12.9	12.7	13.0	25.6	30.6	20.4
11 months	15.4	18.3	14.5	13.6	14.4	12.8	23.0	24.6	21.5

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race or National Origin and Sex: United States, 1973

[Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]

Age	Total			White		Negro		Indian ¹		Chinese		Japanese		Other races	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNDER 1 YEAR															
Number	55,581	31,906	23,595	23,414	16,825	8,043	6,368	279	222	25	14	45	28	180	136
Rate	17.7	19.9	15.4	17.9	13.6	30.9	25.2	21.1	16.8	6.5	3.9	11.5	7.6	11.0	8.9
UNDER 28 DAYS															
Number	40,664	23,535	17,129	17,647	12,554	5,558	4,340	137	99	17	9	35	16	141	111
Rate	13.0	14.6	11.2	13.5	10.1	21.4	17.2	10.4	7.5	4.4	2.5	8.9	4.4	8.6	7.2
28 DAYS TO 11 MONTHS															
Number	14,917	8,451	6,466	5,767	4,271	2,485	2,028	142	123	8	5	10	12	39	27
Rate	4.8	5.3	4.2	4.4	3.4	9.6	8.0	10.7	9.3	2.1	1.4	2.6	3.3	2.4	1.8

¹Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1964-73

[Rates per 100,000 live births in specified group]

Age and color	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968	1967	1966	1965	1964
TOTAL										
Under 1 year-----	1,771.8	1,847.0	1,911.7	2,001.1	2,085.2	2,178.0	2,244.5	2,371.3	2,469.6	2,477.5
Under 28 days-----	1,296.3	1,363.6	1,420.0	1,508.3	1,557.8	1,612.3	1,650.9	1,717.6	1,786.3	1,788.4
Under 1 day-----	721.8	786.8	819.7	882.0	918.1	951.1	964.6	994.7	1,016.5	1,022.6
1 day-----	173.7	181.9	200.1	212.9	221.8	232.8	239.9	254.2	258.3	263.2
2 days-----	113.2	111.6	128.5	127.6	131.9	136.8	143.7	151.3	158.9	160.2
3 days-----	55.0	57.5	59.3	58.0	58.6	61.3	62.7	67.0	66.4	72.2
4 days-----	33.0	35.9	34.8	36.1	34.7	35.7	35.2	39.3	37.4	40.0
5 days-----	26.4	22.4	24.7	26.4	24.2	27.2	28.4	27.5	28.9	28.4
6 days-----	20.0	18.5	16.6	19.1	19.0	19.3	20.7	20.7	20.7	21.4
7-13 days-----	77.3	75.7	70.9	72.9	74.8	70.2	74.4	78.4	83.2	85.5
14-20 days-----	41.8	39.8	36.4	39.2	40.1	41.5	42.8	45.4	53.2	51.3
21-27 days-----	34.1	33.6	31.1	34.2	34.5	36.3	36.4	40.3	42.9	43.5
28-59 days-----	120.8	119.4	122.9	124.9	128.9	134.8	149.9	161.7	170.1	165.4
2 months-----	92.7	90.4	93.1	95.4	98.9	108.4	113.9	119.9	130.4	128.7
3 months-----	69.3	69.9	71.0	69.3	76.4	84.5	82.4	92.2	103.5	95.9
4 months-----	47.0	49.4	49.7	50.0	54.9	58.7	59.5	68.3	74.3	69.7
5 months-----	34.4	35.2	36.1	37.0	40.6	42.0	45.9	49.9	52.1	53.4
6 months-----	27.6	30.3	29.2	28.5	31.5	34.3	37.6	39.1	41.7	43.4
7 months-----	21.4	23.9	23.9	23.4	24.7	26.8	27.5	31.6	33.8	34.9
8 months-----	17.2	20.7	19.2	18.2	21.6	20.9	25.5	27.8	28.1	29.1
9 months-----	15.5	16.5	16.9	16.0	17.8	21.6	19.5	22.5	25.6	26.1
10 months-----	15.2	14.3	16.1	16.1	16.1	16.8	17.4	21.0	21.6	21.9
11 months-----	15.4	13.3	14.6	14.9	15.0	16.8	16.4	19.7	21.8	20.6
WHITE										
Under 1 year-----	1,577.4	1,656.6	1,707.1	1,775.2	1,840.9	1,919.6	1,968.6	2,063.0	2,151.1	2,158.6
Under 28 days-----	1,183.9	1,258.8	1,302.3	1,376.9	1,416.6	1,473.2	1,501.8	1,560.8	1,608.3	1,620.4
Under 1 day-----	652.7	709.9	747.6	799.5	827.7	869.9	871.8	903.6	930.1	928.3
1 day-----	161.5	169.2	187.3	197.7	208.8	213.7	224.8	236.8	240.0	244.9
2 days-----	109.3	105.1	121.9	123.4	128.2	129.3	139.6	145.8	152.9	154.4
3 days-----	50.6	52.9	56.0	54.7	55.3	57.1	59.4	63.4	61.9	66.8
4 days-----	31.0	33.2	31.2	32.8	31.1	31.1	31.0	35.1	33.0	36.3
5 days-----	24.2	20.7	21.6	24.1	21.5	24.8	25.1	24.7	24.3	24.8
6 days-----	17.5	16.5	14.9	17.2	16.9	17.0	18.6	17.6	17.7	19.0
7-13 days-----	71.3	68.0	64.3	66.3	64.9	62.4	65.7	65.9	69.4	72.8
14-20 days-----	36.8	33.6	31.5	34.0	33.9	34.6	35.8	36.0	43.8	41.2
21-27 days-----	29.1	27.6	26.0	28.3	28.4	29.2	30.9	31.8	35.2	32.8
28-59 days-----	98.5	97.8	101.5	101.9	104.2	108.8	118.8	125.7	130.0	130.6
2 months-----	75.9	76.7	76.0	76.5	79.2	85.8	90.0	91.4	100.9	99.4
3 months-----	56.6	58.6	59.7	56.1	61.6	66.4	64.5	70.5	80.5	74.8
4 months-----	38.5	38.6	40.8	40.2	43.5	45.9	45.1	51.2	56.1	52.3
5 months-----	28.5	27.9	28.4	28.6	31.6	31.7	35.3	37.7	39.3	40.2
6 months-----	25.1	25.7	23.5	22.9	24.9	26.5	29.4	29.5	32.1	33.9
7 months-----	17.8	20.3	20.0	18.4	20.4	21.1	22.1	24.5	26.0	27.8
8 months-----	14.4	16.8	15.8	15.2	17.9	16.6	19.1	21.9	21.7	22.8
9 months-----	13.8	14.5	13.5	13.3	14.8	16.9	15.6	17.9	20.9	21.7
10 months-----	12.9	11.7	13.2	12.7	13.9	13.2	13.8	16.0	17.4	17.8
11 months-----	13.6	11.0	12.4	12.5	12.2	13.6	13.0	15.9	17.9	17.2
ALL OTHER										
Under 1 year-----	2,618.4	2,773.8	2,851.0	3,091.8	3,291.3	3,454.9	3,591.7	3,876.9	4,032.7	4,109.6
Under 28 days-----	1,765.7	1,922.2	1,960.2	2,142.7	2,254.7	2,399.5	2,379.0	2,483.3	2,541.6	2,648.1
Under 1 day-----	1,022.8	1,125.3	1,150.7	1,285.2	1,364.0	1,357.3	1,418.0	1,439.7	1,440.5	1,500.0
1 day-----	226.6	237.5	259.9	296.5	305.7	302.7	313.6	339.3	340.3	357.0
2 days-----	180.4	140.0	147.3	147.8	150.3	175.8	185.6	178.3	188.1	200.2
3 days-----	74.4	77.3	74.2	73.9	75.3	82.0	85.9	84.3	88.3	99.8
4 days-----	41.6	47.8	51.2	52.0	52.8	58.7	56.0	53.5	59.9	59.4
5 days-----	35.8	29.9	38.8	37.3	37.9	39.4	44.4	40.5	51.2	46.6
6 days-----	30.9	27.2	24.4	28.3	29.3	30.7	30.7	35.9	35.5	33.9
7-13 days-----	103.4	109.8	101.4	105.1	124.0	108.4	116.8	139.3	150.8	150.5
14-20 days-----	63.7	67.0	58.6	64.1	70.9	75.3	76.7	91.0	99.1	102.7
21-27 days-----	56.0	60.4	54.7	62.5	64.6	71.3	75.2	81.6	80.8	98.0
28-59 days-----	218.3	215.0	221.1	236.0	256.7	263.5	301.6	337.7	367.0	343.6
2 months-----	165.7	150.6	171.5	187.0	196.0	220.1	230.8	259.4	275.3	278.9
3 months-----	119.0	119.8	122.6	133.1	149.4	173.8	170.1	198.0	216.3	204.0
4 months-----	84.1	96.9	90.8	97.3	111.6	122.0	129.7	151.7	163.9	158.9
5 months-----	60.2	67.0	71.5	77.5	84.7	93.2	97.6	108.6	115.2	121.4
6 months-----	47.1	50.4	55.0	55.6	64.1	73.0	77.7	86.0	89.1	92.2
7 months-----	37.0	39.1	41.8	47.6	46.2	55.1	53.6	66.6	72.8	71.1
8 months-----	29.5	38.2	35.1	32.5	39.6	42.3	45.1	56.4	59.4	61.5
9 months-----	23.0	25.5	32.5	29.2	33.0	44.8	38.3	44.5	48.7	48.9
10 months-----	25.6	25.5	24.0	26.7	26.9	34.8	35.3	45.2	43.4	42.8
11 months-----	23.0	23.6	24.8	26.4	28.5	32.9	33.1	39.5	40.7	38.3

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

SECTION 2 - INFANT MORTALITY

2-5

Table 2-5. Infant Mortality Rates for 65 Selected Causes by Color: United States, 1973

[Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	Total	White	All other
All causes-----	1,771.8	1,577.4	2,618.4
Diarrheal diseases-----009	20.7	14.3	48.5
Whooping cough-----033	*0.2	*0.2	-
Meningococcal infections-----086	2.9	2.8	*3.1
Tetanus-----087	*0.1	-	*0.5
Septicemia-----088	25.7	21.8	42.5
Viral diseases-----040-079	6.9	6.4	9.2
Congenital syphilis-----090	*0.3	*0.2	*0.9
Other infective and parasitic diseases-----Remainder of 000-156	5.1	4.0	9.9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	4.3	4.5	*3.1
Benign neoplasms and neoplasms of unspecified nature-----210-239	1.5	1.6	*1.2
Diseases of thymus gland-----254	0.6	*0.5	*1.0
Cystic fibrosis-----273.0	2.5	2.7	*1.2
Diseases of the blood and blood-forming organs-----280-289	7.5	6.4	12.5
Meningitis-----320	15.7	12.5	29.7
Other diseases of nervous system and sense organs-----321-399	13.3	12.7	16.0
Acute upper respiratory infections-----460-485	3.9	3.1	7.3
Bronchitis and bronchiolitis-----486,490,491	7.6	6.6	11.6
Influenza and pneumonia-----470-474,480-486	113.5	88.2	224.1
Influenza-----470-474	1.7	1.2	3.8
Pneumonia-----480-486	111.9	87.0	220.3
Other chronic interstitial pneumonia-----517	1.2	1.3	*1.0
All other diseases of respiratory system-----492,493,500-516,518,519	16.8	14.0	28.8
Hernia and intestinal obstruction-----550-553,560	15.2	14.9	16.4
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	1.6	0.9	4.4
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	10.7	8.5	20.1
Congenital anomalies-----740-759	285.4	282.4	255.1
Anencephalus-----740	25.0	28.1	11.6
Spina bifida-----741	14.2	15.8	7.0
Congenital hydrocephalus-----742	14.0	13.9	14.5
Other congenital anomalies of central nervous system and eye-----743,744	10.8	11.3	8.4
Congenital anomalies of heart-----746	106.9	107.8	103.3
Other congenital anomalies of circulatory system-----747	20.5	20.7	19.6
Congenital anomalies of respiratory system-----748	16.3	18.4	17.7
Congenital anomalies of digestive system-----749-751	14.8	14.3	17.2
Congenital anomalies of genitourinary system-----752,753	10.3	11.0	7.5
Congenital anomalies of musculoskeletal system-----754-756	9.7	10.2	7.9
Down's disease-----759.5	5.0	3.1	*2.7
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	51.7	51.9	50.9
Other and unspecified congenital anomalies-----745,757,758	6.2	6.1	6.8
Certain causes of mortality in early infancy-----760-769,2,769.4-772,774-776	968.8	866.5	1,414.3
Chronic circulatory and genitourinary diseases in mother-----760	*0.3	*0.3	*0.2
Other maternal conditions unrelated to pregnancy-----761	9.1	9.3	8.7
Syphilis-----761.0	*0.0	*0.0	-
Diabetes mellitus-----761.1	4.6	4.8	3.6
Rubella-----761.3	*0.3	*0.4	-
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	4.2	4.0	5.1
Toxemia of pregnancy-----762	4.4	3.8	7.2
Maternal antepartum and intrapartum infection-----763	6.1	5.3	9.2
Difficult labor-----764-768	14.3	14.0	15.7
With mention of birth injury (.0-.3)-	4.1	3.6	5.1
Without mention of birth injury (.4-.9)-	10.2	10.1	10.6
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	110.1	99.7	155.6
Conditions of placenta-----770	42.0	41.1	45.9
Conditions of umbilical cord-----771	9.4	9.3	9.9
Birth injury without mention of cause-----772	58.0	51.3	92.6
Hemolytic disease of newborn-----774,775	11.8	12.6	9.2
Hyaline membrane disease-----776.1	142.4	138.7	158.4
Respiratory distress syndrome-----776.2	130.4	121.4	169.5
Asphyxia of newborn, unspecified-----776.9	171.5	148.5	271.7
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	20.5	17.2	35.0
Immaturity, unqualified-----777	171.2	140.3	305.3
Postmaturity-----778.1	*0.0	*0.0	-
Hemorrhagic disease of newborn-----778.2	14.4	12.7	22.0
All other conditions of newborn-----778.0,778.3,778.9	51.6	40.7	99.0
Symptoms and ill-defined conditions-----780-796	134.1	103.6	266.9
Accidents-----E800-E849	53.9	45.1	92.2
Inhalation or ingestion of food or other object causing obstruction or suffocation-----E811,E812	15.5	12.8	27.1
Accidental mechanical suffocation-----E813	10.7	9.0	18.3
Other accidental causes-----E800-E810,E814-E849	27.7	23.4	46.8
Homicide-----E850-E878	5.1	3.9	10.6
All other causes-----Residual	46.9	37.9	86.4

SECTION 2 - INFANT MORTALITY

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1969-73

[Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1973 ¹			1972 ^{1,2}			1971 ¹			1970 ¹			1969		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	17.7	15.8	26.2	18.5	16.4	27.7	19.1	17.1	28.5	20.0	17.8	30.9	20.9	18.4	32.9
Geographic divisions:															
New England-----	15.5	14.8	24.9	16.0	15.5	23.6	16.8	16.1	26.4	17.6	16.8	30.3	18.9	18.3	27.8
Middle Atlantic-----	17.0	15.1	25.3	17.6	15.3	28.3	18.4	16.2	28.8	19.7	17.3	31.7	20.9	18.2	35.0
East North Central-----	16.1	15.9	29.2	18.5	16.2	30.0	19.1	17.0	30.4	19.8	17.8	31.0	20.4	18.4	32.8
West North Central-----	16.4	15.5	25.2	17.6	16.6	27.5	18.4	17.5	27.9	18.4	17.3	31.4	19.8	17.6	32.8
South Atlantic-----	19.4	16.3	26.9	20.1	16.6	28.6	20.9	17.3	30.0	22.1	18.0	32.6	22.9	18.6	34.1
East South Central-----	21.1	17.3	31.1	21.7	17.8	31.8	22.1	18.3	32.5	23.1	18.7	35.2	24.8	20.2	37.3
West South Central-----	19.1	17.3	26.0	20.4	18.6	27.1	20.2	18.2	27.9	22.0	19.6	31.4	21.9	19.0	33.4
Mountain-----	16.5	15.9	22.3	17.3	16.7	23.2	18.4	17.7	25.2	18.9	18.1	27.0	20.6	19.3	33.7
Pacific-----	14.9	14.3	17.9	16.0	15.3	19.9	16.8	16.4	19.4	17.4	16.7	21.9	18.3	17.6	23.0
New England:															
Maine-----	16.3	16.4	*4.5	18.4	19.5	*9.4	18.0	18.1	*13.2	21.0	21.0	*25.0	20.2	20.5	*11.6
New Hampshire-----	16.5	16.4	*28.5	16.6	16.7	*15.0	17.4	17.5	*7.1	18.0	18.0	*20.5	20.5	20.6	*17.4
Vermont-----	16.1	16.2	-	13.6	13.7	-	14.8	14.9	-	17.6	17.6	*19.2	20.0	19.9	*27.8
Massachusetts-----	15.5	14.4	27.2	14.7	14.2	21.6	16.7	16.1	25.9	16.8	16.0	31.4	18.3	17.9	24.3
Rhode Island-----	17.0	17.0	17.5	19.2	19.2	35.5	19.5	18.9	28.0	19.8	19.3	27.7	19.8	18.9	35.6
Connecticut-----	14.7	13.5	24.9	16.7	15.6	26.1	15.6	14.0	28.0	17.1	15.5	30.4	18.7	17.1	31.5
Middle Atlantic:															
New York-----	17.0	15.2	24.2	17.6	15.2	27.5	18.3	16.2	27.2	19.4	16.9	30.2	21.2	18.3	34.0
New Jersey-----	16.7	14.0	27.6	17.4	14.4	29.8	18.6	15.6	31.4	19.9	16.9	33.0	20.0	16.7	35.3
Pennsylvania-----	17.0	15.7	25.9	17.5	15.8	29.0	19.4	16.6	30.2	20.2	18.2	34.2	21.0	19.7	37.1
East North Central:															
Ohio-----	17.3	15.9	26.5	18.4	16.5	30.5	18.2	16.6	29.1	18.7	17.2	28.7	19.3	18.0	29.3
Indiana-----	18.3	16.8	31.2	19.7	17.7	26.3	19.8	17.4	31.6	19.4	18.5	27.8	20.5	19.2	33.3
Illinois-----	20.1	17.0	30.5	20.2	16.8	31.2	21.1	17.9	32.0	21.5	18.3	35.6	22.4	19.2	35.4
Michigan-----	18.2	15.4	30.0	18.4	15.6	30.7	19.4	17.2	30.1	20.5	18.6	30.4	20.5	18.3	32.6
Wisconsin-----	14.4	13.8	22.6	14.1	13.6	19.9	15.9	15.4	23.4	16.8	16.0	29.8	17.3	16.6	29.0
West North Central:															
Minnesota-----	15.2	15.0	18.9	17.6	17.5	21.4	17.1	16.8	27.1	17.4	17.3	24.0	16.9	16.7	22.0
Iowa-----	15.9	15.8	17.7	17.6	17.5	22.5	17.5	17.2	26.5	18.7	18.3	31.4	18.9	18.7	29.8
Missouri-----	17.8	15.9	27.2	18.0	15.7	29.2	20.1	18.5	27.8	19.5	17.0	33.4	21.1	18.5	35.7
North Dakota-----	18.4	15.8	*25.6	14.8	14.8	*17.9	15.3	14.7	*24.3	14.3	14.3	*14.3	16.7	*16.5	*20.2
South Dakota-----	18.4	16.3	31.5	19.8	17.6	35.9	18.2	16.5	30.0	19.1	16.7	37.3	20.0	18.7	29.9
Nebraska-----	16.1	15.8	20.6	16.7	15.5	34.4	18.1	17.3	30.0	19.4	18.5	34.6	17.1	15.8	39.2
Kansas-----	15.5	14.8	23.1	17.5	17.0	22.2	19.2	18.4	28.0	17.6	16.7	27.5	18.3	17.3	30.1
South Atlantic:															
Delaware-----	15.9	13.5	24.6	19.1	13.3	40.1	15.5	12.7	26.1	19.6	16.3	31.6	22.6	18.2	39.3
Maryland-----	15.5	13.6	21.0	16.0	13.8	22.3	18.1	14.6	28.7	19.4	16.4	29.0	19.6	16.3	30.4
District of Columbia-----	25.5	25.5	25.5	27.4	19.2	28.5	28.1	17.7	29.8	29.1	26.3	29.5	29.8	24.1	30.8
Virginia-----	18.3	15.8	26.6	20.5	17.5	30.2	20.6	17.9	29.7	20.6	17.0	33.3	22.1	18.9	33.2
West Virginia-----	19.0	18.4	32.6	19.3	18.7	31.9	21.0	20.6	29.1	23.0	22.8	27.7	23.0	22.4	35.5
North Carolina-----	21.6	18.1	29.4	23.2	19.3	32.0	21.9	17.7	31.9	24.2	19.3	36.1	25.0	19.9	37.5
South Carolina-----	22.7	17.8	30.3	22.5	16.9	31.5	21.8	16.4	30.8	22.9	18.2	31.1	24.1	18.8	33.8
Georgia-----	19.1	15.5	25.9	19.5	15.3	27.5	21.1	17.8	28.0	22.1	17.2	32.9	22.7	17.6	33.9
Florida-----	19.0	16.3	26.6	18.4	15.7	26.0	20.7	17.2	30.8	21.5	17.8	33.2	22.6	18.3	35.6
East South Central:															
Kentucky-----	16.8	16.3	22.5	17.7	17.2	22.6	18.9	18.1	26.9	19.6	18.8	27.8	20.9	20.5	29.3
Tennessee-----	20.3	18.1	28.0	21.0	17.4	33.7	20.5	18.8	27.1	21.3	18.8	30.6	21.9	18.9	33.4
Alabama-----	22.1	17.5	30.6	22.8	17.6	32.4	23.2	17.8	33.8	24.3	18.6	36.0	26.2	20.7	37.3
Mississippi-----	25.9	17.0	35.6	26.0	20.3	32.1	27.0	18.4	36.2	28.5	18.7	39.2	32.1	21.9	42.7
West South Central:															
Arkansas-----	19.6	16.7	27.6	17.6	17.0	19.4	20.5	18.2	27.7	21.6	18.3	31.1	21.1	18.2	30.0
Louisiana-----	20.6	17.1	25.9	22.0	18.5	27.5	22.1	18.0	28.8	24.5	19.8	32.3	24.6	18.2	35.2
Oklahoma-----	16.3	15.3	16.4	19.1	16.2	23.1	16.4	17.6	21.2	21.3	20.3	26.3	20.4	19.7	24.5
Texas-----	19.2	17.6	27.7	20.6	18.9	29.4	20.0	18.3	28.7	21.4	19.6	31.8	21.4	19.2	34.5
Mountain:															
Montana-----	19.5	18.7	25.0	21.2	20.3	29.5	21.3	21.3	21.4	21.5	21.2	24.7	21.0	20.5	26.2
Idaho-----	17.0	16.9	*21.6	16.9	16.2	*42.6	16.9	16.8	*19.7	17.1	17.3	*11.6	19.0	18.4	*42.7
Wyoming-----	18.4	18.7	*13.0	25.4	24.9	*33.6	24.5	24.0	*36.3	20.0	19.6	*27.6	27.3	26.5	*43.0
Colorado-----	16.7	16.2	23.2	17.1	17.1	17.7	18.2	18.3	17.2	19.9	19.7	25.5	20.4	19.8	30.6
New Mexico-----	20.1	19.0	25.7	18.3	17.6	22.5	20.6	18.9	30.3	21.0	19.5	28.9	24.0	21.4	33.7
Arizona-----	15.4	14.2	21.6	17.1	15.6	24.6	18.3	17.0	24.9	17.7	16.0	28.0	21.6	19.3	34.2
Utah-----	12.7	12.4	*20.5	14.0	13.9	*17.2	13.8	13.7	*16.1	14.9	14.9	*17.5	16.0	15.4	39.2
Nevada-----	19.0	19.6	15.6	16.4	16.0	18.7	22.7	20.4	36.2	24.0	22.2	37.0	18.7	18.4	20.2
Pacific:															
Washington-----	16.4	15.8	22.6	17.1	16.7	21.1	18.3	17.8	24.3	18.7	18.1	26.4	18.9	18.1	28.8
Oregon-----	15.1	15.0	17.6	16.6	16.4	20.8	18.4	18.3	19.4	15.9	16.0	14.1	17.5	17.3	22.7
California-----	14.5	13.9	18.3	15.6	14.8	20.2	16.4	15.8	20.2	17.2	16.5	22.1	18.3	17.5	24.1
Alaska-----	19.8	18.8	22.0	18.2	17.2	20.6	18.2	18.7	16.8	22.6	20.3	29.0	18.5	14.1	34.1
Hawaii-----	13.5	12.4	13.9	16.9	14.7	17.7	15.9	19.2	14.4	18.6	17.8	18.9	19.2	21.0	18.4

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

SECTION 2 - INFANT MORTALITY

2-7

Table 2-7. Neonatal Mortality Rates by Color: United States, Each Division and State, 1969-73

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1973 ¹			1972 ^{1,2}			1971 ¹			1970 ¹			1969		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	15.0	11.8	17.9	13.6	12.4	18.2	14.2	13.0	19.6	15.1	13.8	21.4	15.6	14.2	22.5
Geographic divisions:															
New England:															
New England-----	11.8	11.3	18.3	12.0	11.6	17.4	13.0	12.5	19.9	13.7	13.2	22.6	15.0	14.7	20.6
Middle Atlantic:															
Middle Atlantic-----	12.8	11.5	18.4	13.3	11.8	20.2	13.9	12.6	20.5	15.3	13.6	23.5	15.9	14.0	25.7
East North Central:															
East North Central-----	13.5	12.1	20.8	13.8	12.3	21.3	14.4	13.2	21.4	15.1	13.9	22.3	15.5	14.2	24.0
West North Central:															
West North Central-----	12.2	11.9	15.5	13.5	12.8	20.1	14.3	13.8	19.9	14.3	13.7	21.7	14.6	14.0	22.8
South Atlantic:															
South Atlantic-----	13.9	12.2	17.9	14.7	12.8	19.5	15.3	13.3	20.2	16.2	14.2	21.7	16.5	14.4	22.2
East South Central:															
East South Central-----	14.9	12.9	20.2	15.6	13.5	21.2	15.9	13.8	21.7	16.7	14.5	22.9	17.8	15.3	24.5
West South Central:															
West South Central-----	14.1	13.1	17.7	15.0	13.9	19.1	15.0	13.8	19.4	16.5	15.1	22.0	16.1	14.6	22.1
Mountain:															
Mountain-----	11.6	11.5	12.5	12.2	12.1	12.9	13.1	13.1	13.5	13.9	13.8	14.9	14.9	14.6	16.2
Pacific:															
Pacific-----	10.5	10.2	12.3	11.5	11.1	13.5	12.0	11.8	13.1	12.7	12.3	15.2	13.5	13.0	16.2
New England:															
Maine-----	11.6	11.7	*4.5	13.4	13.6	-	13.2	13.2	*13.2	16.1	16.1	*12.5	15.8	15.9	*11.5
New Hampshire-----	12.6	12.7	*9.4	12.0	12.2	-	13.4	13.4	*7.1	13.3	13.2	*20.5	15.6	15.8	-
Vermont-----	11.5	11.6	-	9.8	9.9	-	10.9	10.9	-	14.2	14.2	*19.2	16.4	16.4	27.8
Massachusetts-----	11.8	11.1	21.3	11.2	10.7	17.0	13.0	12.6	19.2	13.1	12.5	22.8	14.8	14.6	16.6
Rhode Island-----	13.6	13.6	*15.9	14.6	13.8	24.6	15.6	14.9	25.8	15.3	15.0	19.8	15.3	14.7	25.8
Connecticut-----	11.1	10.3	16.8	12.4	11.6	17.9	12.3	11.2	20.3	13.7	12.5	23.5	14.7	13.6	25.5
Middle Atlantic:															
New York-----	12.7	11.5	17.7	13.2	11.6	19.6	13.6	12.2	19.3	14.9	13.1	22.1	16.0	14.0	25.1
New Jersey-----	12.6	10.9	19.5	13.5	11.6	21.4	14.3	12.4	22.4	15.8	13.8	24.8	15.2	13.1	24.9
Pennsylvania-----	13.0	12.0	19.1	13.3	12.2	20.4	14.2	13.1	21.5	15.8	14.3	26.0	16.3	14.7	27.9
East North Central:															
Ohio-----	13.0	11.9	19.7	13.3	12.1	21.1	13.8	12.9	19.8	14.3	13.4	20.6	15.0	14.1	22.1
Indiana-----	13.7	12.7	22.1	14.6	14.1	19.0	14.5	13.6	23.2	14.9	14.3	20.6	15.5	14.6	23.7
Illinois-----	15.1	13.1	21.6	15.0	13.0	21.6	15.8	13.9	22.4	16.5	14.5	24.2	17.0	15.0	25.2
Michigan-----	13.5	11.7	21.3	13.9	11.9	22.9	14.8	13.3	21.8	15.6	14.5	21.7	15.6	14.0	24.4
Wisconsin-----	10.5	10.3	13.5	9.9	9.5	14.5	11.6	11.4	15.2	12.9	12.4	20.2	12.8	12.3	20.1
West North Central:															
Minnesota-----	11.4	11.5	9.7	13.4	13.3	15.8	13.2	12.9	20.2	13.7	13.6	17.1	13.4	13.4	14.1
Iowa-----	12.1	12.1	*12.6	14.2	14.1	17.3	13.7	13.6	19.0	15.1	14.9	23.7	14.9	14.7	20.5
Missouri-----	12.9	11.9	17.8	13.8	12.0	22.3	15.7	14.7	20.7	14.8	13.1	23.9	16.3	14.6	25.8
North Dakota-----	11.5	11.3	*14.8	10.5	10.7	*7.7	12.4	12.4	*12.9	11.6	11.8	*10.0	13.3	13.5	10.1
South Dakota-----	13.5	13.2	15.4	12.3	12.1	*13.5	13.1	13.0	14.3	13.1	13.0	*13.4	14.9	15.3	11.9
Nebraska-----	12.9	13.1	*10.3	12.9	12.1	26.1	14.0	13.7	18.0	15.4	15.0	21.9	13.5	12.6	28.3
Kansas-----	11.7	11.4	14.2	13.8	13.4	18.2	15.3	14.7	21.9	13.8	13.2	21.0	14.2	13.5	21.9
South Atlantic:															
Delaware-----	13.1	10.8	21.3	13.8	10.1	27.4	12.1	10.2	19.0	14.9	12.3	24.6	19.1	15.7	27.5
Maryland-----	11.2	9.9	15.0	11.5	10.2	15.6	13.5	11.2	20.4	14.5	12.6	20.3	14.6	12.6	21.0
District of Columbia-----	19.2	19.1	19.2	20.1	15.1	20.8	21.1	14.1	22.2	22.7	22.9	22.7	23.3	22.3	25.8
Virginia-----	15.9	12.3	19.0	18.0	13.8	23.3	15.7	13.8	21.8	16.1	13.8	24.3	16.7	14.7	25.5
West Virginia-----	13.9	13.6	21.5	16.0	15.5	27.3	16.2	15.9	23.1	17.6	17.5	20.0	17.3	17.0	22.4
North Carolina-----	15.5	13.6	19.7	16.8	14.9	21.3	18.1	13.9	21.3	17.9	15.3	24.3	17.3	15.1	22.9
South Carolina-----	15.4	13.3	18.7	15.2	12.6	19.3	15.0	12.9	18.4	15.2	14.1	17.3	15.3	13.6	16.2
Georgia-----	12.8	11.3	15.6	13.6	11.8	17.0	14.6	13.5	17.0	15.3	13.4	19.3	15.8	13.6	20.5
Florida-----	13.6	12.1	17.8	13.7	11.9	18.9	15.5	13.3	21.8	16.1	13.9	23.1	16.9	14.3	24.8
East South Central:															
Kentucky-----	12.4	12.0	16.1	13.1	12.8	15.8	13.7	13.1	20.4	13.9	13.5	18.7	15.3	15.2	17.3
Tennessee-----	15.0	13.6	19.9	15.2	12.8	24.6	15.2	14.0	19.5	16.2	14.8	21.3	16.2	14.1	24.0
Alabama-----	15.0	12.9	18.8	15.9	13.4	20.5	16.4	13.7	21.7	17.5	14.9	22.9	18.2	15.5	23.6
Mississippi-----	17.8	13.1	22.9	18.6	16.7	20.8	19.2	15.2	23.5	19.7	15.1	24.8	22.6	18.2	27.2
West South Central:															
Arkansas-----	14.4	12.9	19.0	13.0	12.7	13.7	14.9	14.1	17.4	15.5	14.3	19.1	14.2	13.1	17.6
Louisiana-----	15.3	13.6	17.8	16.7	14.4	20.3	16.7	14.3	20.6	18.6	15.7	23.5	17.9	14.8	23.1
Oklahoma-----	11.6	11.9	10.0	13.5	13.4	14.0	13.3	13.2	13.9	16.1	15.8	17.5	15.7	15.5	17.0
Texas-----	14.2	13.3	18.9	15.1	14.1	20.6	14.8	13.8	20.2	16.1	14.9	22.6	15.9	14.6	23.4
Mountain:															
Montana-----	14.2	14.3	*13.4	15.4	14.7	22.1	14.7	15.1	*11.1	15.9	15.9	*15.9	15.6	15.5	*16.1
Idaho-----	12.5	12.5	*13.5	11.0	10.7	*21.3	12.4	12.4	*14.0	13.1	13.3	*5.8	14.1	13.8	*27.4
Wyoming-----	14.3	14.7	*6.5	20.0	20.0	*20.1	18.5	18.4	*20.2	15.4	15.1	*20.7	22.8	22.1	*36.4
Colorado-----	12.1	11.8	16.0	12.8	12.7	13.3	13.4	13.5	12.4	15.0	15.1	13.7	15.3	14.9	22.6
New Mexico-----	12.7	12.7	12.7	13.5	14.1	10.0	14.9	14.7	16.2	14.6	14.3	17.2	16.3	15.8	19.0
Arizona-----	10.3	10.1	11.4	11.1	10.8	12.8	11.7	11.8	10.5	12.4	12.3	15.0	15.0	14.7	16.6
Utah-----	9.0	8.9	*12.1	9.7	9.8	*4.9	10.6	10.6	*10.4	11.1	11.2	*6.2	11.6	11.5	*13.6
Nevada-----	15.1	13.6	*10.7	11.5	11.3	*12.9	16.5	15.2	24.1	18.2	17.1	25.8	13.5	13.6	12.9
Pacific:															
Washington-----	11.6	11.2	15.6	12.2	12.3	11.8	12.4	12.2	14.8	13.4	13.3	13.9	13.5	13.0	19.7
Oregon-----	10.7	10.7	*11.5	10.7	10.8	*9.1	12.4	12.5	*11.1	10.9	11.1	*7.7	12.1	12.0	14.4
California-----	10.3	9.9	12.4	11.5	10.9	13.7	11.8	11.5	13.7	12.7	12.2	15.7	13.6	13.2	16.2
Alaska-----	13.6	14.4	12.0	11.0	10.6	11.3	12.9	13.3	11.7	14.6	14.6	14.5	12.7	9.9	22.7
Hawaii-----	10.9	10.5	11.1	13.6	12.0	14.3	12.2	15.8	10.7	14.7	14.5	14.8	15.1	16.7	14.5

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

SECTION 2 - INFANT MORTALITY

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1973

[Metropolitan areas are those defined by the Office of Management and Budget for 1973 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1973. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
50 largest U.S. SMSA's-----	23,953	17.0	17,617	12.5	Dayton, Ohio-----	205	16.1	149	11.8
Albany-Schenectady-Troy, N.Y.-----	165	15.8	124	11.9	Montgomery-----	149	16.7	108	12.1
Albany-----	61	17.9	47	13.8	Greene-----	29	15.6	22	11.8
Rensselaer-----	38	17.7	31	14.5	Miami-----	19	14.3	15	11.3
Schenectady-----	27	13.6	22	11.1	Preble-----	6	12.9	4	8.6
Montgomery-----	15	20.5	10	13.8	Denver-Boulder, Colo.-----	322	15.8	232	11.4
Saratoga-----	24	11.2	14	8.5	Boulder-----	31	15.0	22	10.6
Anaheim-Santa Ana-Garden Grove, Calif.-----	314	13.5	232	10.0	Denver-----	108	14.2	81	10.6
Orange-----	314	13.5	232	10.0	Adams-----	68	18.3	52	14.0
Atlanta, Ga.-----	508	17.0	367	12.3	Arapahoe-----	56	20.4	37	13.5
De Kalb-----	103	14.7	81	11.6	Gilpin-----	-	-	-	-
Fulton-----	211	21.3	149	15.1	Jefferson-----	59	14.2	40	9.6
Butts-----	6	26.8	4	17.9	Detroit, Mich.-----	1,560	19.8	1,022	14.9
Cherokee-----	9	13.3	6	8.9	Wayne-----	911	21.8	661	15.8
Clayton-----	34	13.8	24	9.7	Lapeer-----	14	14.4	7	7.2
Cobb-----	54	14.3	41	10.8	Livingston-----	13	12.6	9	8.7
Douglas-----	6	7.7	4	5.1	Macomb-----	168	17.8	136	14.4
Fayette-----	3	12.7	2	8.5	Oakland-----	221	16.7	178	13.5
Forsyth-----	11	31.3	9	25.6	St. Clair-----	33	16.2	31	15.2
Gwinnett-----	21	10.3	17	8.3	Greensboro-Winston-Salem-High Point, N.C.-----	224	20.9	171	16.0
Henry-----	13	28.1	6	13.0	Forsyth-----	63	20.1	53	16.9
Newton-----	18	29.5	12	19.7	Gulford-----	104	25.7	76	18.7
Paulding-----	3	8.6	2	5.7	Davidson-----	26	16.9	19	12.3
Rockdale-----	7	16.8	4	9.6	Randolph-----	21	17.0	15	12.2
Walton-----	9	17.0	6	11.4	Stokes-----	8	19.2	6	14.4
Baltimore, Md.-----	436	15.9	304	11.1	Yadkin-----	2	6.2	2	6.2
Baltimore (city)-----	254	21.3	177	14.9	Hartford, Conn.-----	139	14.0	103	10.4
Anne Arundel-----	53	11.5	35	7.2	Hartford-----	139	14.0	103	10.4
Baltimore-----	69	10.0	51	7.4	Houston, Tex.-----	890	17.6	498	12.7
Carroll-----	11	11.7	7	7.4	Harris-----	593	17.3	424	12.3
Harford-----	34	17.8	24	12.6	Brazoria-----	38	20.8	30	16.3
Howard-----	15	13.7	12	10.9	Fort Bend-----	28	22.0	22	17.3
Birmingham, Ala.-----	243	20.6	170	14.4	Liberty-----	10	18.4	8	13.1
Jefferson-----	189	20.1	131	13.9	Montgomery-----	19	17.8	13	12.1
St. Clair-----	10	18.3	5	9.2	Waller-----	2	11.1	1	5.6
Shelby-----	20	27.6	14	19.3	Indianapolis, Ind.-----	290	16.0	201	11.1
Walker-----	24	21.7	20	18.1	Marion-----	210	16.5	140	11.0
Boston, Mass.-----	630	15.6	493	12.2	Boone-----	5	11.2	4	8.9
Suffolk-----	211	22.9	168	18.2	Hamilton-----	11	12.2	8	6.9
Essex-----	119	15.0	89	12.6	Hancock-----	10	15.5	7	10.9
Middlesex-----	224	13.3	163	9.7	Hendricks-----	14	16.0	11	12.6
Norfolk-----	76	12.0	63	10.0	Johnson-----	15	13.8	11	10.1
Bridgeport, Conn.-----	135	14.6	100	10.8	Morgan-----	11	14.9	10	13.8
Fairfield-----	135	14.6	100	10.8	Shelby-----	14	22.5	10	16.1
Buffalo, N.Y.-----	279	16.7	210	12.6	Kansas City, Mo.-Kans.-----	323	16.5	213	10.9
Erie-----	227	16.7	170	12.5	Clay, Mo.-----	40	20.9	22	11.5
Niagara-----	52	16.9	40	13.0	Jackson, Mo.-----	167	16.8	109	11.0
Chicago, Ill.-----	2,284	21.1	1,713	15.8	Cass, Mo.-----	13	19.3	8	11.2
Cook-----	1,885	22.4	1,406	15.7	Platte, Mo.-----	9	15.9	6	10.6
Du Page-----	101	13.4	77	10.3	Ray, Mo.-----	4	15.8	2	7.9
Kane-----	83	19.1	72	16.5	Johnson, Kans.-----	35	11.2	29	9.3
Lake-----	85	14.1	58	9.9	Wyandotte, Kans.-----	55	17.6	37	11.8
McHenry-----	31	18.3	20	11.8	Los Angeles-Long Beach, Calif.-----	1,510	14.5	1,046	10.0
Will-----	101	21.7	80	17.2	Los Angeles-----	1,510	14.5	1,046	10.0
Cincinnati, Ohio-Ky.-Ind.-----	340	16.2	249	11.9	Louisville, Ky.-Ind.-----	230	16.4	170	12.2
Hamilton, Ohio-----	212	15.8	162	12.1	Jefferson, Ky.-----	177	16.0	132	11.9
Clermont, Ohio-----	32	19.1	23	13.8	Bullitt, Ky.-----	10	17.3	6	10.4
Warren, Ohio-----	18	12.7	12	8.5	Oldham, Ky.-----	2	9.9	2	9.9
Boone, Ky.-----	8	11.6	3	4.3	Clark, Ind.-----	24	18.2	17	12.9
Campbell, Ky.-----	20	16.0	13	10.4	Floyd, Ind.-----	17	20.5	13	15.7
Kenton, Ky.-----	42	20.4	29	14.1	Memphis, Tenn.-Ark.-Miss.-----	338	22.3	256	16.9
Dearborn, Ind.-----	8	17.8	7	15.6	Shelby, Tenn.-----	293	23.0	231	18.1
Cleveland, Ohio-----	465	17.1	341	12.6	Tipton, Tenn.-----	8	16.5	7	14.4
Cuyahoga-----	407	18.7	303	13.9	Crittenden, Ark.-----	24	22.8	10	9.5
Geauga-----	14	13.4	8	7.7	De Soto, Miss.-----	13	15.1	8	9.3
Lake-----	30	10.4	23	8.0	Miami, Fla.-----	283	16.0	194	11.0
Medina-----	14	9.8	7	4.9	Dade-----	283	16.0	194	11.0
Columbus, Ohio-----	286	17.1	196	11.7	Milwaukee, Wis.-----	298	15.1	220	11.2
Franklin-----	239	17.5	166	12.2	Milwaukee-----	226	15.2	160	10.8
Delaware-----	7	9.8	5	7.0	Ozaukee-----	14	19.4	13	18.0
Fairfield-----	25	20.0	17	13.6	Washington-----	25	21.0	19	16.0
Madison-----	5	11.3	2	4.5	Waukesha-----	33	11.1	28	9.5
Pickaway-----	10	15.8	6	6.3	Minneapolis-St. Paul, Minn.-Wis.-----	416	14.7	301	10.7
Dallas-Fort Worth, Tex.-----	606	19.2	586	14.0	Hennepin, Minn.-----	188	15.8	128	10.8
Dallas-----	447	16.3	318	13.0	Ramsey, Minn.-----	97	15.1	73	11.3
Tarrant-----	235	20.4	174	15.1	Anoka, Minn.-----	37	12.7	29	10.0
Collin-----	32	20.3	19	12.0	Carver, Minn.-----	8	16.2	8	16.2
Denton-----	13	9.7	11	8.2	Chisago, Minn.-----	6	20.8	4	13.9
Ellis-----	38	35.7	21	25.3	Dakota, Minn.-----	56	13.2	29	10.3
Hood-----	2	20.4	2	20.4	Scott, Minn.-----	10	17.1	10	17.1
Johnson-----	20	24.9	18	22.4	Washington, Minn.-----	18	12.0	11	7.3
Kaufman-----	10	16.2	9	16.4	Wright, Minn.-----	12	14.8	7	8.7
Parker-----	6	14.9	4	9.9	St. Croix, Wis.-----	4	6.7	3	5.1
Rockwall-----	2	18.5	1	9.3					
Wise-----	11	36.2	9	29.8					

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1973-Con.

[Metropolitan areas are those defined by the Office of Management and Budget for 1973 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census for 1973. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
Nassau-Suffolk, N.Y.	411	13.8	312	10.5	Sacramento, Calif.	139	13.5	120	10.2
Nassau	188	14.6	146	11.3	Sacramento	130	13.7	97	10.2
Suffolk	223	13.1	166	9.8	Placer	13	12.5	11	10.6
New Haven-West Haven, Conn.	141	15.4	104	11.3	Yolo	16	12.4	12	9.3
New Haven	141	15.4	104	11.3	St. Louis, Mo.-Ill.	682	18.6	475	13.3
New Orleans, La.	423	21.8	310	18.0	St. Louis (city), Mo.	250	27.3	172	18.8
Orleans	257	24.1	184	17.2	Franklin, Mo.	17	16.5	13	12.6
Jefferson	117	17.5	87	15.0	Jefferson, Mo.	19	9.6	14	7.1
St. Bernard	15	14.3	12	13.2	St. Charles, Mo.	31	16.4	26	13.7
St. Tammany	58	30.5	27	22.9	St. Louis, Mo.	169	13.9	125	10.3
New York, N.Y.-N.J.	2,309	18.0	1,712	13.3	Clinton, Ill.	8	16.5	5	10.3
New York (city), N.Y.	2,026	19.1	1,505	14.1	Madison, Ill.	54	14.7	38	10.3
Fulton, N.Y.	10	11.6	8	9.3	Monroe, Ill.	1	4.7	1	4.7
Rockland, N.Y.	28	9.3	19	6.3	St. Clair, Ill.	113	22.7	81	16.3
Westchester, N.Y.	141	14.7	106	11.0	Salt Lake City-Ogden, Utah	220	12.7	155	8.9
Bergen, N.J.	104	12.0	78	8.8	Salt Lake	140	12.3	100	8.8
Newark, N.J.	481	18.4	362	13.9	Weber	46	15.5	37	12.5
Essex	287	21.8	217	16.5	Davis	25	10.3	14	5.7
Morris	57	11.4	44	8.8	Tooele	9	17.3	4	7.7
Somerset	28	13.5	24	11.5	San Antonio, Tex.	326	17.6	249	13.4
Union	108	18.5	77	13.0	Bexar	312	17.8	238	13.6
Philadelphia, Pa.-N.J.	1,154	17.9	881	13.7	Comal	4	9.5	3	7.1
Philadelphia, Pa.	587	22.7	448	17.4	Guadalupe	10	15.0	8	12.0
Ducks, Pa.	82	13.1	63	10.1	San Diego, Calif.	319	14.6	216	9.9
Chester, Pa.	55	14.5	48	12.7	San Diego	319	14.6	216	9.9
Delaware, Pa.	85	12.1	64	9.1	San Francisco-Oakland, Calif.	530	14.2	386	10.2
Montgomery, Pa.	104	14.5	84	11.7	Alameda	214	15.0	149	10.5
Burlington, N.J.	77	15.7	59	12.0	San Francisco	125	16.1	88	11.3
Camden, N.J.	127	18.4	91	13.2	Contra Costa	85	13.5	71	10.1
Gloucester, N.J.	37	15.0	24	9.7	Marin	28	12.5	19	8.5
Phoenix, Ariz.	285	14.7	207	10.7	San Mateo	76	11.7	59	9.1
Maricopa	285	14.7	207	10.7	San Jose, Calif.	216	13.4	154	9.5
Pittsburgh, Pa.	464	17.3	359	13.4	Santa Clara	216	13.4	154	9.5
Allegheny	284	16.8	223	13.2	Seattle-Everett, Wash.	254	14.8	189	11.0
Beaver	53	21.3	37	14.9	King	196	14.7	146	11.0
Washington	52	18.7	41	14.7	Snohomish	58	15.3	43	11.3
Westmoreland	75	16.2	58	12.5	Tampa-St. Petersburg, Fla.	295	18.6	214	13.5
Portland, Oreg.-Wash.	201	14.0	141	9.9	Hillsborough	165	18.9	123	14.1
Multnomah, Oreg.	98	13.9	63	8.9	Pasco	22	17.9	16	13.0
Clackamas, Oreg.	32	12.9	25	10.1	Pinellas	108	18.2	75	12.6
Washington, Oreg.	35	13.7	29	11.3	Toledo, Ohio-Mich.	220	17.4	162	12.8
Clark, Wash.	36	16.1	24	10.7	Lucas, Ohio	140	17.7	102	12.9
Providence-Warwick-Pawtucket, R.I.	164	17.2	132	13.8	Fulton, Ohio	12	19.4	10	16.2
Kent	28	15.1	23	12.4	Ottawa, Ohio	17	27.8	12	19.6
Providence	125	17.3	98	13.7	Wood, Ohio	18	12.1	12	8.1
Bristol	11	22.4	10	20.3	Monroe, Mich.	33	16.5	26	13.0
Riverside-San Bernardino-Ontario, Calif.	287	15.9	218	12.1	Washington, D.C.-Md.-Va.	721	16.8	555	12.9
Riverside	115	15.7	86	12.0	District of Columbia	276	25.5	208	19.2
San Bernardino	172	16.0	130	12.1	Charles, Md.	11	11.7	8	8.5
Rochester, N.Y.	186	14.4	143	11.1	Montgomery, Md.	74	11.5	58	9.0
Monroe	141	15.2	108	11.7	Prince Georges, Md.	146	14.1	113	10.9
Livingston	6	8.4	5	7.0	Alexandria (city), Va.	53	28.1	39	20.7
Ontario	16	14.4	13	11.7	Arlington, Va.	32	15.6	26	12.7
Orleans	7	11.8	5	8.4	Fairfax, Va.	73	10.6	57	8.3
Wayne	16	13.3	12	10.0	London, Va.	11	15.0	9	12.3
					Prince William, Va.	45	16.1	37	13.2

²Figures are included for the cities of Fairfax and Falls Church.

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	UNITED STATES-----	55,581	5,054	17,589	5,448	3,552	1,726	1,034	828	628
2										
3	MALE-----	31,986	2,832	10,321	3,153	2,129	1,007	601	480	345
4	FEMALE-----	23,595	2,222	7,268	2,295	1,423	719	433	348	283
5	WHITE-----	40,239	3,828	12,822	4,120	2,788	1,290	790	618	447
6	MALE-----	23,414	2,148	7,579	2,406	1,680	766	481	363	248
7	FEMALE-----	16,825	1,680	5,243	1,714	1,108	524	309	255	199
8	NEGRO-----	14,411	1,141	4,525	1,264	719	405	232	200	171
9	MALE-----	8,043	634	2,600	709	421	225	112	108	91
10	FEMALE-----	6,368	507	1,925	555	298	180	120	92	80
11	OTHER RACES-----	931	85	242	64	45	31	12	10	10
12	MALE-----	529	50	142	38	28	16	8	9	4
	FEMALE-----	402	35	100	26	17	15	4	1	4
13	ALABAMA-----	1,314	99	329	163	93	43	22	18	16
14										
15	MALE-----	746	53	203	94	46	23	10	11	8
16	FEMALE-----	568	46	126	69	47	20	12	7	8
17	WHITE-----	680	55	199	93	54	22	16	9	6
18	MALE-----	413	34	127	57	32	12	8	5	5
19	FEMALE-----	267	21	72	36	22	10	8	4	1
20	NEGRO-----	694	44	130	70	39	21	6	9	10
21	MALE-----	333	19	76	37	14	11	2	6	3
22	FEMALE-----	301	25	54	33	25	10	4	3	7
23	OTHER RACES-----	-	-	-	-	-	-	-	-	-
24	MALE-----	-	-	-	-	-	-	-	-	-
	FEMALE-----	-	-	-	-	-	-	-	-	-
25	ALASKA-----	131	11	43	12	5	3	3	1	-
26										
27	MALE-----	73	6	23	8	4	2	2	-	-
28	FEMALE-----	58	5	20	4	1	1	1	1	-
29	WHITE-----	85	7	33	9	2	2	1	1	-
30	MALE-----	51	3	17	6	2	1	1	-	-
31	FEMALE-----	34	4	16	3	-	1	-	1	-
32	NEGRO-----	3	1	-	-	-	-	-	-	-
33	MALE-----	2	1	-	-	-	-	-	-	-
34	FEMALE-----	1	-	-	-	-	-	-	-	-
35	OTHER RACES-----	43	3	10	3	3	1	2	-	-
36	MALE-----	20	2	6	2	2	1	1	-	-
	FEMALE-----	23	1	4	1	1	-	1	-	-
37	ARIZONA-----	584	48	137	39	42	21	15	10	9
38										
39	MALE-----	329	28	78	22	23	9	6	6	7
40	FEMALE-----	255	20	59	17	19	12	9	4	2
41	WHITE-----	454	38	112	31	36	17	13	8	5
42	MALE-----	251	22	62	18	21	8	5	4	4
43	FEMALE-----	203	16	50	13	15	9	8	4	1
44	NEGRO-----	39	4	11	1	1	1	2	1	4
45	MALE-----	22	2	5	-	-	-	1	1	3
46	FEMALE-----	17	2	6	1	1	1	1	-	1
47	OTHER RACES-----	91	6	14	7	5	3	-	1	-
48	MALE-----	56	4	11	4	2	1	-	1	-
	FEMALE-----	35	2	3	3	3	2	-	-	-
49	ARKANSAS-----	658	51	204	70	57	19	5	17	7
50										
51	MALE-----	371	31	114	36	41	7	3	12	4
52	FEMALE-----	287	20	90	34	16	12	2	5	3
53	WHITE-----	418	31	132	49	44	11	4	11	4
54	MALE-----	238	17	75	26	33	5	3	10	3
55	FEMALE-----	180	14	57	23	11	6	1	1	1
56	NEGRO-----	239	20	71	21	13	8	1	6	3
57	MALE-----	132	14	38	10	8	2	-	2	1
58	FEMALE-----	107	6	33	11	5	6	1	4	2
59	OTHER RACES-----	1	-	1	-	-	-	-	-	-
60	MALE-----	1	-	1	-	-	-	-	-	-
	FEMALE-----	-	-	-	-	-	-	-	-	-
61	CALIFORNIA-----	4,333	414	1,227	349	265	146	90	65	47
62										
63	MALE-----	2,546	235	744	207	152	95	58	39	25
64	FEMALE-----	1,787	179	483	142	113	51	32	26	22
65	WHITE-----	3,515	344	981	289	214	125	74	56	38
66	MALE-----	2,063	196	584	175	121	80	49	34	19
67	FEMALE-----	1,452	148	397	114	93	45	25	22	19
68	NEGRO-----	693	57	210	52	47	18	14	8	6
69	MALE-----	405	30	138	27	28	13	7	4	4
70	FEMALE-----	288	27	72	25	19	5	7	4	2
71	OTHER RACES-----	125	13	36	8	4	3	2	1	3
72	MALE-----	78	9	22	5	3	2	2	1	2
	FEMALE-----	47	4	14	3	1	1	-	-	1

SECTION 2 - INFANT MORTALITY

2-11

and Sex: United States and Each State, 1973

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
35,859	2,424	1,311	1,070	40,664	3,791	2,908	2,141	1,475	1,079	865	670	541	486	478	493	1
20,868	1,362	712	593	23,535	2,121	1,699	1,231	829	597	499	387	317	251	258	262	2
14,991	1,062	599	477	17,129	1,670	1,209	910	646	482	366	283	224	235	220	221	3
26,703	1,818	938	742	30,201	2,512	1,937	1,444	982	726	589	453	368	351	328	348	4
15,671	1,047	518	411	17,647	1,438	1,149	853	553	412	336	268	217	185	167	189	5
11,032	771	420	331	12,554	1,074	788	591	429	314	253	185	151	166	161	159	6
8,657	570	356	315	9,898	1,209	914	642	441	324	254	197	155	116	140	121	7
4,900	300	182	176	5,558	643	511	354	251	172	149	109	90	56	85	65	8
3,757	270	174	139	4,340	566	403	288	190	152	105	88	65	45	55	56	9
499	36	17	13	565	70	57	55	52	29	22	20	18	19	10	14	10
297	15	12	6	330	40	39	24	25	13	14	10	10	10	6	8	11
202	21	5	7	235	30	18	31	27	16	8	10	8	9	4	6	12
783	51	31	25	890	101	71	58	54	33	16	30	25	12	12	12	13
448	29	22	11	510	56	36	33	33	16	12	15	14	7	8	6	14
335	22	9	14	380	45	35	25	21	17	4	15	11	5	4	6	15
454	27	11	9	501	46	31	21	21	15	2	15	9	8	4	7	16
280	19	9	5	313	27	19	9	14	7	1	9	6	4	1	3	17
174	8	2	4	188	19	12	12	7	8	1	6	3	4	3	4	18
329	24	20	16	389	55	40	37	33	18	14	15	16	4	8	5	19
168	10	13	6	197	29	17	24	19	9	11	6	8	3	7	3	20
161	14	7	10	192	26	23	13	14	9	3	9	8	1	1	2	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
78	5	4	3	90	10	8	4	2	4	1	3	3	3	3	-	25
45	4	4	2	55	3	4	3	1	-	-	2	1	2	2	-	26
33	1	-	1	35	7	4	1	1	4	1	1	2	1	1	-	27
55	5	3	2	65	5	6	2	-	2	1	1	1	1	1	-	28
30	4	3	2	39	3	3	2	-	-	-	1	1	1	1	-	29
25	1	-	-	26	2	3	-	2	1	1	-	-	-	-	-	30
1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	31
1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	32
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	33
22	-	1	1	24	4	2	2	2	2	-	1	2	2	2	-	34
14	-	1	-	15	-	1	1	1	-	-	-	1	1	1	-	35
8	-	-	1	9	4	1	1	1	2	-	1	2	1	1	-	36
321	39	18	13	391	45	39	21	15	19	12	13	6	8	9	6	37
179	17	7	7	210	25	28	9	7	12	9	9	6	5	5	4	38
142	22	11	6	181	20	11	12	8	7	3	4	-	3	4	2	39
260	35	15	12	322	36	30	16	8	11	7	9	3	6	3	3	40
144	15	5	7	171	18	23	8	4	8	4	7	3	3	1	1	41
116	20	10	5	151	18	7	8	4	3	3	2	-	3	2	2	42
25	2	1	-	28	3	-	1	1	-	1	-	2	-	3	-	43
12	1	-	-	13	3	-	-	1	-	1	-	2	-	2	-	44
13	1	1	-	15	-	-	1	-	-	-	-	-	-	1	-	45
36	2	2	1	41	6	9	4	6	8	4	4	1	2	3	3	46
23	1	2	-	26	4	5	1	2	4	4	2	1	2	2	3	47
13	1	-	1	15	2	4	3	4	4	-	2	-	-	1	-	48
430	26	15	14	485	40	25	31	19	12	12	15	5	6	6	2	49
248	12	10	9	279	18	15	16	11	5	8	9	5	2	2	1	50
182	14	5	5	206	22	10	15	8	7	4	6	-	4	4	1	51
286	17	10	8	321	22	17	14	11	8	6	10	3	2	3	1	52
172	9	5	4	190	9	10	7	4	3	5	6	3	-	1	-	53
114	8	5	4	131	13	7	7	7	5	1	4	-	2	2	1	54
143	9	5	6	163	18	8	17	8	4	6	5	2	4	3	1	55
75	3	5	5	88	9	5	9	7	2	3	3	2	2	1	1	56
68	6	-	1	75	9	3	8	1	2	3	2	-	2	2	-	57
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	58
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
2,603	227	138	90	3,058	308	270	186	123	89	72	53	50	43	38	43	61
1,555	124	83	48	1,810	191	156	104	70	51	44	31	28	18	24	19	62
1,040	103	55	42	1,268	117	114	82	53	38	28	22	22	25	14	24	63
2,121	190	118	74	2,503	237	213	148	92	70	59	43	40	38	32	40	64
1,258	105	73	40	1,476	149	121	82	49	43	37	27	24	17	21	17	65
863	85	45	34	1,027	88	92	66	43	27	22	16	16	21	11	23	66
412	33	14	12	471	64	49	32	23	17	11	9	7	5	4	1	67
251	18	5	6	280	36	29	20	15	8	6	4	3	1	2	1	68
161	15	9	6	191	28	20	12	8	9	5	5	4	4	2	-	69
70	4	6	4	84	7	8	6	6	-	1	-	1	-	1	1	70
46	1	5	2	54	6	6	2	2	-	1	-	1	-	1	1	71
24	3	1	2	30	1	2	4	2	2	1	1	2	-	1	1	72

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	COLORADO-----	642	60	200	59	28	24	10	10	6
2	MALE-----	366	34	111	37	14	12	7	6	3
3	FEMALE-----	276	26	89	22	14	12	3	4	3
4	WHITE-----	587	54	185	57	25	23	10	8	5
5	MALE-----	331	30	102	36	11	12	7	4	3
6	FEMALE-----	256	24	83	21	14	11	3	4	2
7	NEGRO-----	44	6	12	2	2	1	-	1	1
8	MALE-----	27	4	7	1	2	-	-	1	-
9	FEMALE-----	17	2	5	1	-	1	-	-	1
10	OTHER RACES-----	11	-	3	-	1	-	-	1	-
11	MALE-----	8	-	2	-	1	-	-	1	-
12	FEMALE-----	3	-	1	-	-	-	-	-	-
13	CONNECTICUT-----	551	53	206	40	24	19	4	10	5
14	MALE-----	304	27	112	21	14	11	2	6	3
15	FEMALE-----	247	26	94	19	10	8	2	4	2
16	WHITE-----	440	44	163	37	20	15	4	10	3
17	MALE-----	244	22	87	19	11	9	2	6	2
18	FEMALE-----	196	22	76	18	9	6	2	4	1
19	NEGRO-----	105	8	39	3	4	4	-	-	2
20	MALE-----	57	4	23	2	3	2	-	-	1
21	FEMALE-----	48	4	16	1	1	2	-	-	1
22	OTHER RACES-----	6	1	4	-	-	-	-	-	-
23	MALE-----	3	1	2	-	-	-	-	-	-
24	FEMALE-----	3	-	2	-	-	-	-	-	-
25	DELAWARE-----	131	9	48	20	10	8	2	4	1
26	MALE-----	82	6	31	12	6	3	2	3	1
27	FEMALE-----	49	3	17	8	4	5	-	1	-
28	WHITE-----	87	4	33	12	10	5	1	1	1
29	MALE-----	55	3	20	8	6	2	1	1	1
30	FEMALE-----	32	1	13	4	4	3	-	-	-
31	NEGRO-----	44	5	15	8	-	3	1	3	-
32	MALE-----	27	3	11	4	-	1	1	2	-
33	FEMALE-----	17	2	4	4	-	2	-	1	-
34	OTHER RACES-----	-	-	-	-	-	-	-	-	-
35	MALE-----	-	-	-	-	-	-	-	-	-
36	FEMALE-----	-	-	-	-	-	-	-	-	-
37	DISTRICT OF COLUMBIA-----	276	19	108	21	9	6	11	5	6
38	MALE-----	153	12	60	10	5	5	4	3	3
39	FEMALE-----	123	7	48	11	4	1	7	2	3
40	WHITE-----	36	1	10	6	4	-	-	1	-
41	MALE-----	19	1	4	3	2	-	-	1	-
42	FEMALE-----	17	-	6	3	2	-	-	-	-
43	NEGRO-----	239	18	97	15	5	6	11	4	6
44	MALE-----	133	11	55	7	3	5	4	2	3
45	FEMALE-----	106	7	42	8	2	1	7	2	3
46	OTHER RACES-----	1	-	1	-	-	-	-	-	-
47	MALE-----	1	-	1	-	-	-	-	-	-
48	FEMALE-----	-	-	-	-	-	-	-	-	-
49	FLORIDA-----	2,047	151	619	196	148	62	38	30	23
50	MALE-----	1,157	83	365	116	88	34	16	20	16
51	FEMALE-----	890	68	254	80	60	28	22	10	7
52	WHITE-----	1,295	97	395	144	101	32	27	22	15
53	MALE-----	738	51	233	85	59	19	13	15	11
54	FEMALE-----	557	46	162	59	42	13	14	7	4
55	NEGRO-----	749	54	223	52	47	29	11	7	8
56	MALE-----	417	32	132	31	29	14	3	4	5
57	FEMALE-----	332	22	91	21	18	15	8	3	3
58	OTHER RACES-----	3	-	1	-	-	1	-	1	-
59	MALE-----	2	-	-	-	-	1	-	1	-
60	FEMALE-----	1	-	1	-	-	-	-	-	-
61	GEORGIA-----	1,628	134	463	182	91	38	23	17	8
62	MALE-----	918	79	277	104	46	20	10	6	3
63	FEMALE-----	710	55	186	78	45	18	13	11	5
64	WHITE-----	866	77	264	114	57	25	13	10	4
65	MALE-----	495	42	165	68	31	14	6	6	2
66	FEMALE-----	371	35	99	46	26	11	7	4	2
67	NEGRO-----	762	57	199	68	34	13	10	7	4
68	MALE-----	423	37	112	36	15	6	4	-	1
69	FEMALE-----	339	20	87	32	19	7	6	7	3
70	OTHER RACES-----	-	-	-	-	-	-	-	-	-
71	MALE-----	-	-	-	-	-	-	-	-	-
72	FEMALE-----	-	-	-	-	-	-	-	-	-

2-13

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
397	37	18	13	465	40	41	23	20	18	10	6	5	3	3	8	1
224	19	8	5	254	27	21	14	12	14	7	5	3	1	2	4	2
173	18	10	8	209	13	20	9	8	4	3	2	2	2	1	4	3
367	35	17	8	427	39	34	17	18	17	6	5	3	3	3	8	4
205	18	7	3	233	26	17	10	10	13	7	5	3	1	2	4	5
162	17	10	5	194	13	17	7	8	4	3	2	2	2	1	4	6
25	2	1	5	33	1	4	4	1	1	-	-	-	-	-	-	7
15	1	1	2	19	1	1	4	1	1	-	-	-	-	-	-	8
10	1	-	3	14	-	3	-	-	-	-	-	-	-	-	-	9
5	-	-	-	5	-	3	2	1	-	-	-	-	-	-	-	10
4	-	-	-	4	-	3	-	1	-	-	-	-	-	-	-	11
1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	12
361	25	15	14	415	29	39	18	13	8	5	3	6	5	6	4	13
196	16	7	6	225	16	23	10	7	4	4	1	2	5	4	3	14
165	9	8	8	190	13	16	8	6	4	1	2	4	-	2	1	15
294	20	12	12	340	22	28	13	8	6	4	2	4	5	5	3	16
158	14	5	6	183	13	17	9	4	3	3	1	1	5	3	2	17
139	6	7	4	157	8	11	4	4	3	1	1	3	-	2	1	18
60	5	3	2	70	7	11	4	5	2	1	1	2	-	1	1	19
35	2	2	-	39	3	6	1	3	1	1	1	1	-	1	1	20
25	3	1	2	31	4	5	3	2	1	1	1	1	-	1	-	21
5	-	-	-	5	-	-	1	-	-	-	-	-	-	-	-	22
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	23
2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	24
102	-	5	1	108	3	6	4	1	3	3	-	2	-	1	-	25
64	-	2	-	66	2	4	2	1	2	3	-	1	-	1	-	26
38	-	3	1	42	1	2	2	-	1	-	-	1	-	-	-	27
67	-	2	1	70	2	5	4	-	2	2	-	1	-	-	-	28
42	-	1	-	43	1	4	2	-	1	2	-	1	-	1	-	29
25	-	1	1	27	1	1	2	-	1	1	-	-	-	-	-	30
35	-	3	1	38	1	1	-	1	1	1	-	1	-	-	-	31
22	-	1	-	23	1	-	-	1	1	1	-	-	-	-	-	32
13	-	2	-	15	-	1	-	-	-	-	-	1	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
185	14	4	5	208	18	16										

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	HAWAII-----	207	31	82	23	11	7	3	1	-
2										
3	MALE-----	119	15	46	15	9	2	-	1	-
4	FEMALE-----	88	16	36	8	2	5	3	-	-
5	WHITE-----	53	6	24	3	4	2	1	1	-
6	MALE-----	30	4	11	2	3	1	-	1	-
7	FEMALE-----	23	2	13	1	1	1	1	-	-
8	NEGRO-----	3	-	-	1	-	-	-	-	-
9	MALE-----	3	-	-	1	-	-	-	-	-
10	FEMALE-----	-	-	-	-	-	-	-	-	-
11	OTHER RACES-----	151	25	58	19	7	5	2	-	-
12	MALE-----	86	11	35	12	6	1	-	-	-
13	FEMALE-----	65	14	23	7	1	4	2	-	-
14										
15	IDAHO-----	247	32	61	31	17	6	3	4	5
16										
17	MALE-----	145	20	31	19	9	5	2	2	2
18	FEMALE-----	102	12	30	12	8	1	1	2	3
19	WHITE-----	239	32	58	29	17	6	3	4	5
20	MALE-----	138	20	28	18	9	5	2	2	2
21	FEMALE-----	101	12	30	11	8	1	1	2	3
22	NEGRO-----	3	-	2	1	-	-	-	-	-
23	MALE-----	3	-	2	1	-	-	-	-	-
24	FEMALE-----	-	-	-	-	-	-	-	-	-
25	OTHER RACES-----	5	-	1	1	-	-	-	-	-
26	MALE-----	4	-	1	-	-	-	-	-	-
27	FEMALE-----	1	-	-	1	-	-	-	-	-
28										
29	ILLINOIS-----	3,410	319	1,211	322	192	85	75	50	40
30										
31	MALE-----	1,986	178	712	180	118	50	48	27	20
32	FEMALE-----	1,424	141	499	142	74	35	27	23	20
33	WHITE-----	2,197	218	811	209	136	54	47	33	24
34	MALE-----	1,301	122	479	124	86	32	33	17	13
35	FEMALE-----	896	96	332	85	50	22	14	16	11
36	NEGRO-----	1,185	98	389	111	54	30	28	17	15
37	MALE-----	671	56	225	56	30	18	15	10	7
38	FEMALE-----	514	42	164	55	24	12	13	7	8
39	OTHER RACES-----	28	3	11	2	2	1	-	-	1
40	MALE-----	14	-	8	-	2	-	-	-	-
41	FEMALE-----	14	3	3	2	-	1	-	-	1
42										
43	INDIANA-----	1,536	139	501	174	105	42	14	21	18
44										
45	MALE-----	894	66	301	104	75	23	12	8	8
46	FEMALE-----	642	73	200	70	30	19	2	13	10
47	WHITE-----	1,258	108	412	145	90	37	14	20	18
48	MALE-----	743	48	255	86	64	22	12	8	8
49	FEMALE-----	515	60	157	59	26	15	2	12	10
50	NEGRO-----	275	29	89	29	15	5	-	1	-
51	MALE-----	150	18	46	18	11	1	-	-	-
52	FEMALE-----	125	11	43	11	4	4	-	1	-
53	OTHER RACES-----	3	2	-	-	-	-	-	-	-
54	MALE-----	1	-	-	-	-	-	-	-	-
55	FEMALE-----	2	2	-	-	-	-	-	-	-
56										
57	IONA-----	619	65	212	55	32	21	11	11	10
58										
59	MALE-----	383	40	135	34	22	11	8	5	7
60	FEMALE-----	236	25	77	21	10	10	3	6	3
61	WHITE-----	598	63	208	52	31	20	11	11	10
62	MALE-----	369	39	133	32	21	11	8	5	7
63	FEMALE-----	229	24	75	20	10	9	3	6	3
64	NEGRO-----	17	1	4	3	1	1	-	-	-
65	MALE-----	11	1	2	2	1	-	-	-	-
66	FEMALE-----	6	-	2	1	-	1	-	-	-
67	OTHER RACES-----	4	1	-	-	-	-	-	-	-
68	MALE-----	3	-	-	-	-	-	-	-	-
69	FEMALE-----	1	-	-	-	-	-	-	-	-
70										
71	KANSAS-----	498	45	172	51	46	16	6	4	4
72										
73	MALE-----	282	24	99	36	23	6	4	3	2
74	FEMALE-----	216	21	73	15	23	10	2	1	2
75	WHITE-----	433	40	152	46	43	14	5	4	4
76	MALE-----	248	22	89	33	20	4	4	3	2
77	FEMALE-----	185	18	63	13	23	10	1	1	2
78	NEGRO-----	62	5	18	5	3	2	1	-	-
79	MALE-----	32	2	9	3	3	2	-	-	-
80	FEMALE-----	30	3	9	2	-	-	1	-	-
81	OTHER RACES-----	3	-	2	-	-	-	-	-	-
82	MALE-----	2	-	1	-	-	-	-	-	-
83	FEMALE-----	1	-	1	-	-	-	-	-	-

2-15

[illegible]

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	KENTUCKY-----	903	83	279	103	62	21	16	13	12
2	MALE----	510	46	171	50	39	11	8	6	7
3	FEMALE--	393	37	108	53	23	10	8	7	5
4	WHITE-----	791	71	242	96	57	18	15	11	11
5	MALE----	447	38	146	48	36	10	7	6	6
6	FEMALE--	344	33	96	48	21	8	8	5	5
7	NEGRO-----	111	11	37	7	5	3	1	2	1
8	MALE----	62	7	25	2	3	1	1	-	1
9	FEMALE--	49	4	12	5	2	2	-	2	-
10	OTHER RACES-----	1	1	-	-	-	-	-	-	-
11	MALE----	1	-	-	-	-	-	-	-	-
12	FEMALE--	-	-	-	-	-	-	-	-	-
13	LOUISIANA-----	1,368	101	477	146	80	43	19	17	12
14	MALE----	777	62	273	80	46	27	12	9	5
15	FEMALE--	591	39	204	66	34	16	7	8	7
16	WHITE-----	687	44	253	92	49	27	11	6	7
17	MALE----	392	21	151	52	29	17	7	4	3
18	FEMALE--	295	23	102	40	20	10	4	2	4
19	NEGRO-----	679	57	223	54	31	16	8	11	5
20	MALE----	384	41	122	28	17	10	5	5	2
21	FEMALE--	295	16	101	26	14	6	3	6	3
22	OTHER RACES-----	2	-	1	-	-	-	-	-	-
23	MALE----	1	-	-	-	-	-	-	-	-
24	FEMALE--	1	-	1	-	-	-	-	-	-
25	MAINE-----	255	20	91	26	14	6	5	1	5
26	MALE----	144	10	50	18	7	3	4	1	1
27	FEMALE--	111	10	41	8	7	3	1	-	4
28	WHITE-----	254	20	91	26	13	6	5	1	5
29	MALE----	143	10	50	18	6	3	4	1	1
30	FEMALE--	111	10	41	8	7	3	1	-	4
31	NEGRO-----	-	-	-	-	-	-	-	-	-
32	MALE----	-	-	-	-	-	-	-	-	-
33	FEMALE--	-	-	-	-	-	-	-	-	-
34	OTHER RACES-----	1	-	-	-	1	-	-	-	-
35	MALE----	1	-	-	-	1	-	-	-	-
36	FEMALE--	-	-	-	-	-	-	-	-	-
37	MARYLAND-----	834	77	269	68	53	22	10	17	11
38	MALE----	459	31	169	38	24	14	6	7	6
39	FEMALE--	375	46	100	30	29	8	4	10	5
40	WHITE-----	537	54	164	48	40	13	7	12	10
41	MALE----	302	20	109	26	18	9	3	5	6
42	FEMALE--	235	34	55	22	22	4	4	7	4
43	NEGRO-----	291	22	103	20	13	9	3	4	1
44	MALE----	153	10	58	12	6	5	3	2	1
45	FEMALE--	138	12	45	8	7	4	-	1	-
46	OTHER RACES-----	6	1	2	-	-	-	-	1	-
47	MALE----	4	-	2	-	-	-	-	-	-
48	FEMALE--	2	-	-	-	-	-	-	1	-
49	MASSACHUSETTS-----	1,106	116	377	116	71	24	23	14	10
50	MALE----	658	66	228	66	38	15	16	9	5
51	FEMALE--	448	50	149	50	33	9	7	5	5
52	WHITE-----	967	96	325	102	63	24	21	12	10
53	MALE----	585	57	204	59	33	15	14	7	5
54	FEMALE--	382	39	121	43	30	9	7	5	5
55	NEGRO-----	134	18	50	14	8	-	2	2	-
56	MALE----	68	7	22	7	5	-	2	2	-
57	FEMALE--	66	11	28	7	3	-	-	-	-
58	OTHER RACES-----	5	2	2	-	-	-	-	-	-
59	MALE----	5	2	2	-	-	-	-	-	-
60	FEMALE--	-	-	-	-	-	-	-	-	-
61	MICHIGAN-----	2,569	256	892	242	161	69	46	33	24
62	MALE----	1,472	139	506	140	102	43	29	21	12
63	FEMALE--	1,097	117	386	102	59	26	17	12	12
64	WHITE-----	1,761	176	612	170	132	50	32	20	18
65	MALE----	1,032	100	345	102	84	31	22	13	10
66	FEMALE--	729	76	267	68	48	19	10	7	8
67	NEGRO-----	797	78	277	72	28	18	14	13	6
68	MALE----	431	37	158	38	17	11	7	8	2
69	FEMALE--	366	41	119	34	11	7	7	5	4
70	OTHER RACES-----	11	2	3	-	1	1	-	-	-
71	MALE----	9	2	3	-	1	-	-	-	-
72	FEMALE--	2	-	-	-	-	-	-	-	-

2-17

[illegible]

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	MINNESOTA-----	816	116	217	60	62	38	22	14	7
2										
3	MALE----	455	61	105	33	42	28	13	4	6
4	FEMALE----	361	55	112	27	20	10	9	10	1
5	WHITE-----	777	115	208	59	59	37	21	14	7
6	MALE----	429	61	97	33	40	27	12	4	6
7	FEMALE----	348	54	111	26	19	10	9	10	1
8	NEGRO-----	27	1	9	1	3	1	1	-	-
9	MALE----	19	-	8	-	2	1	1	-	-
10	FEMALE----	8	1	1	1	-	-	-	-	-
11	OTHER RACES-----	12	-	-	-	-	-	-	-	-
12	MALE----	7	-	-	-	-	-	-	-	-
	FEMALE----	5	-	-	-	-	-	-	-	-
13	MISSISSIPPI-----	1,157	81	335	140	70	33	13	16	10
14										
15	MALE----	651	43	190	84	45	23	7	10	7
16	FEMALE----	506	38	145	56	25	10	6	6	3
17	WHITE-----	394	23	140	54	37	10	5	5	-
18	MALE----	227	14	76	32	24	8	3	3	-
19	FEMALE----	167	9	64	22	13	2	2	2	-
20	NEGRO-----	761	58	195	86	33	23	8	11	10
21	MALE----	422	29	114	52	21	15	4	7	7
22	FEMALE----	339	29	81	34	12	8	4	4	3
23	OTHER RACES-----	2	-	-	-	-	-	-	-	-
24	MALE----	2	-	-	-	-	-	-	-	-
	FEMALE----	-	-	-	-	-	-	-	-	-
25	MISSOURI-----	1,227	106	349	141	99	37	19	20	16
26										
27	MALE----	719	62	218	77	55	22	8	8	10
28	FEMALE----	508	44	131	64	44	15	11	12	6
29	WHITE-----	912	92	254	112	77	27	14	17	12
30	MALE----	539	54	160	61	38	16	7	8	7
31	FEMALE----	373	38	94	51	39	11	7	9	5
32	NEGRO-----	311	14	93	29	22	9	5	3	4
33	MALE----	179	8	58	16	17	5	1	3	3
34	FEMALE----	132	6	35	13	5	4	4	3	1
35	OTHER RACES-----	4	-	2	-	-	1	-	-	-
36	MALE----	1	-	-	-	-	1	-	-	-
	FEMALE----	3	-	2	-	-	-	-	-	-
37	MONTANA-----	222	26	65	16	17	5	7	5	3
38										
39	MALE----	127	12	37	12	7	3	4	1	1
40	FEMALE----	95	14	28	4	10	2	3	4	2
41	WHITE-----	191	25	58	15	14	4	6	5	2
42	MALE----	109	11	34	11	5	3	4	1	1
43	FEMALE----	82	14	24	4	9	1	2	4	1
44	NEGRO-----	3	1	-	-	-	-	-	-	-
45	MALE----	3	1	-	-	-	-	-	-	-
46	FEMALE----	-	-	-	-	-	-	-	-	-
47	OTHER RACES-----	28	-	7	1	3	1	1	-	1
48	MALE----	15	-	3	1	2	-	-	-	-
	FEMALE----	13	-	4	-	1	1	1	-	1
49	NEBRASKA-----	368	39	123	43	20	15	4	8	10
50										
51	MALE----	229	24	79	28	13	9	2	5	5
52	FEMALE----	139	15	44	15	7	6	2	3	5
53	WHITE-----	338	37	119	41	19	12	3	7	9
54	MALE----	207	23	76	26	12	7	1	4	5
55	FEMALE----	131	14	43	15	7	5	2	3	4
56	NEGRO-----	22	2	4	1	1	2	1	1	-
57	MALE----	18	1	3	1	1	2	1	1	-
58	FEMALE----	4	1	1	-	-	-	-	-	-
59	OTHER RACES-----	8	-	-	1	-	1	-	-	1
60	MALE----	4	-	-	1	-	-	-	-	-
	FEMALE----	4	-	-	-	-	1	-	-	1
61	NEVADA-----	163	11	59	14	10	7	2	3	-
62										
63	MALE----	101	7	37	7	8	4	-	3	-
64	FEMALE----	62	4	22	7	2	3	2	-	-
65	WHITE-----	141	10	48	13	10	7	2	1	-
66	MALE----	87	6	32	6	8	4	-	1	-
67	FEMALE----	54	4	16	7	2	3	2	-	-
68	NEGRO-----	19	-	11	1	-	-	-	2	-
69	MALE----	13	-	5	1	-	-	-	-	-
70	FEMALE----	6	-	6	-	-	-	-	-	-
71	OTHER RACES-----	3	1	-	-	-	-	-	-	-
72	MALE----	1	1	-	-	-	-	-	-	-
	FEMALE----	2	-	-	-	-	-	-	-	-

2-19

[illegible]

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	NEW HAMPSHIRE-----	191	20	73	17	12	6	2	3	4
2										
3	MALE-----	105	12	37	11	6	3	1	2	2
4	WHITE-----	86	8	36	6	6	3	1	1	2
5	MALE-----	188	20	73	17	12	5	2	3	4
6	NEGRO-----	104	12	37	11	6	3	1	2	2
7	MALE-----	84	8	36	6	6	2	1	1	2
8	NEGRO-----	2	-	-	-	-	-	-	-	-
9	MALE-----	1	-	-	-	-	-	-	-	-
10	OTHER RACES-----	1	-	-	-	-	-	-	-	-
11	MALE-----	1	-	-	-	-	1	-	-	-
12	FEMALE-----	1	-	-	-	-	1	-	-	-
13	NEW JERSEY-----	1,603	132	562	155	93	49	30	34	17
14										
15	MALE-----	930	76	330	92	56	26	20	17	7
16	WHITE-----	673	56	232	63	37	23	10	17	10
17	MALE-----	1,068	99	385	100	70	33	21	18	9
18	NEGRO-----	637	57	230	66	40	19	13	7	3
19	MALE-----	431	42	155	34	30	14	8	11	6
20	NEGRO-----	516	32	173	54	22	15	8	15	8
21	MALE-----	280	18	97	26	16	6	6	9	4
22	OTHER RACES-----	236	14	76	28	6	9	2	6	4
23	MALE-----	19	1	4	1	1	1	1	1	1
24	FEMALE-----	13	1	3	-	-	1	1	1	-
25	NEW MEXICO-----	419	28	98	49	21	11	16	5	3
26										
27	MALE-----	234	20	56	32	8	4	11	3	1
28	WHITE-----	185	8	42	17	13	7	5	2	2
29	MALE-----	332	24	86	43	15	10	15	4	3
30	NEGRO-----	185	17	51	28	6	3	10	2	1
31	MALE-----	147	7	35	15	9	7	5	2	2
32	NEGRO-----	20	2	5	2	1	-	-	1	-
33	MALE-----	13	2	3	2	-	-	-	1	-
34	OTHER RACES-----	7	-	2	-	1	-	-	-	-
35	MALE-----	67	2	7	4	5	1	1	-	-
36	FEMALE-----	36	1	2	2	2	1	1	-	-
37	NEW YORK-----	4,068	387	1,326	391	270	142	86	51	31
38										
39	MALE-----	2,348	235	774	219	156	88	48	35	17
40	WHITE-----	1,720	152	552	172	114	54	38	16	14
41	MALE-----	2,886	265	930	290	225	108	57	35	22
42	NEGRO-----	1,667	162	545	156	129	68	33	24	11
43	MALE-----	1,219	103	385	134	96	40	24	11	11
44	NEGRO-----	1,147	121	386	98	44	32	29	16	8
45	MALE-----	663	72	225	61	26	18	15	11	5
46	OTHER RACES-----	484	49	161	37	18	14	14	5	3
47	MALE-----	35	1	10	3	1	2	-	-	1
48	FEMALE-----	18	1	4	2	1	2	-	-	1
49	NORTH CAROLINA-----	1,854	162	588	191	121	55	29	24	23
50										
51	MALE-----	1,018	85	328	104	76	29	16	21	9
52	WHITE-----	836	77	260	87	45	26	13	3	14
53	MALE-----	1,065	107	339	112	79	36	19	18	13
54	NEGRO-----	592	56	195	59	48	22	12	16	5
55	MALE-----	473	51	144	53	31	14	7	2	8
56	NEGRO-----	758	52	243	76	42	18	10	6	10
57	MALE-----	412	26	131	43	28	7	4	5	4
58	OTHER RACES-----	346	26	112	33	14	11	6	1	6
59	MALE-----	31	3	6	3	-	1	-	-	-
60	FEMALE-----	14	3	2	2	-	-	-	-	-
61	NORTH DAKOTA-----	159	21	49	7	10	2	2	2	2
62										
63	MALE-----	85	13	23	5	5	1	1	2	2
64	WHITE-----	74	8	26	2	5	1	1	-	-
65	MALE-----	140	20	42	7	9	2	2	1	2
66	NEGRO-----	80	12	29	5	5	1	1	1	2
67	MALE-----	60	8	22	2	4	1	1	-	-
68	OTHER RACES-----	1	1	-	-	-	-	-	-	-
69	MALE-----	1	1	-	-	-	-	-	-	-
70	FEMALE-----	-	-	-	-	-	-	-	-	-
71	OTHER RACES-----	18	-	7	-	1	-	-	1	-
72	MALE-----	4	-	3	-	-	-	-	1	-
	FEMALE-----	14	-	4	-	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

2-21

and Sex: United States and Each State, 1973-Con.

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
137	5	4	-	146	16	11	5	4	3	1	2	-	2	-	1	1
74	2	2	-	78	7	7	5	4	-	-	1	-	2	-	1	2
63	3	2	-	68	9	4	-	-	3	1	1	-	-	-	-	3
136	5	4	-	145	16	10	5	4	3	1	2	-	2	-	-	4
74	2	2	-	78	7	7	5	4	-	-	1	-	2	-	-	5
62	3	2	-	67	9	3	-	-	3	1	1	-	-	-	-	6
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	9
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12
1,072	72	38	26	1,208	96	72	65	43	31	22	12	17	11	14	12	13
624	33	25	18	700	53	42	41	25	19	14	8	8	8	6	6	14
448	39	13	8	508	43	30	24	18	12	8	4	9	3	8	6	15
735	56	22	17	830	51	41	45	24	21	14	7	8	9	10	8	16
435	24	15	13	487	32	22	28	15	17	11	6	3	6	5	5	17
300	32	7	4	343	19	19	17	9	4	3	1	5	3	5	3	18
327	13	16	9	365	43	30	19	19	10	7	5	9	2	3	4	19
182	7	10	5	204	19	20	12	10	2	3	2	5	2	-	1	20
145	6	6	4	161	24	10	7	9	8	4	3	4	-	3	3	21
10	3	-	-	13	2	1	-	-	-	1	-	-	-	1	-	22
7	2	-	-	9	2	-	1	-	-	-	-	-	-	-	-	23
3	1	-	-	4	-	1	-	-	-	1	-	-	-	-	-	24
231	22	8	4	265	31	15	27	25	18	9	8	5	5	4	7	25
135	11	5	1	152	21	8	17	7	8	7	5	2	2	2	3	26
96	11	3	3	113	10	7	10	18	10	2	3	3	3	2	4	27
200	14	5	3	222	26	10	18	17	15	5	3	3	5	2	4	28
118	8	3	1	130	17	3	11	5	7	3	3	1	2	1	2	29
82	6	2	2	92	9	7	7	12	8	2	2	2	3	1	2	30
11	3	1	-	15	1	-	-	1	1	1	1	-	-	-	-	31
8	2	1	-	11	1	-	-	-	-	1	-	-	-	-	-	32
3	1	-	-	4	-	-	-	1	1	-	1	-	-	-	-	33
20	5	2	1	28	4	5	9	7	2	3	2	2	-	2	3	34
9	1	1	-	11	3	5	6	2	1	3	2	1	-	1	1	35
11	4	1	1	17	1	-	3	5	1	-	-	1	-	1	2	36
2,684	170	100	85	3,039	277	198	135	89	75	63	41	43	32	37	39	37
1,572	84	53	49	1,758	154	111	75	55	44	42	20	26	18	20	25	38
1,112	86	47	36	1,281	123	87	60	34	31	21	21	17	14	17	14	39
1,932	115	70	59	2,176	180	133	103	67	48	45	26	31	19	30	28	40
1,128	57	39	31	1,255	103	75	62	39	29	29	13	17	12	16	17	41
804	58	31	28	921	77	58	41	28	19	16	13	14	7	14	11	42
734	52	30	26	842	94	64	31	20	25	17	15	11	11	7	10	43
433	26	14	18	491	50	35	13	15	14	13	7	8	5	4	8	44
301	26	16	8	351	44	29	18	15	11	4	8	3	6	3	2	45
18	3	-	-	21	3	1	1	2	2	1	-	1	2	-	1	46
11	1	-	-	12	1	1	-	1	1	-	-	1	1	-	-	47
7	2	-	-	9	2	-	1	1	1	1	-	-	1	-	1	48
1,193	65	38	35	1,331	135	117	71	48	32	32	27	20	12	19	10	49
668	38	19	20	745	64	70	44	24	13	11	15	11	9	7	5	50
525	27	19	15	586	71	47	27	24	19	21	12	9	3	12	5	51
723	43	19	18	803	58	60	33	27	21	16	11	13	5	11	7	52
413	28	11	9	461	32	33	18	13	7	4	5	7	5	4	3	53
310	15	8	9	342	26	27	15	14	14	12	6	6	-	7	4	54
457	21	19	17	514	68	56	37	18	10	15	15	7	7	8	3	55
248	10	8	11	277	30	37	25	9	5	7	9	4	4	3	2	56
209	11	11	6	237	38	19	12	9	5	8	6	3	3	5	1	57
13	1	-	-	14	9	1	1	3	1	1	1	-	-	-	-	58
7	-	-	-	7	2	-	1	2	1	-	1	-	-	-	-	59
6	1	-	-	7	7	1	-	1	-	1	-	-	-	-	-	60
95	8	2	7	112	12	5	9	8	4	1	3	1	-	1	3	61
52	3	-	5	60	8	3	1	5	1	1	2	1	-	1	2	62
43	5	2	2	52	4	2	8	3	3	-	1	-	-	-	1	63
85	8	1	7	101	11	5	7	5	3	1	3	1	-	1	2	64
47	3	-	5	55	8	3	1	5	1	1	2	1	-	1	2	65
38	5	1	2	46	3	2	6	-	2	-	1	-	-	-	-	66
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	67
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
9	-	1	-	10	1	-	-	3	1	-	-	-	-	-	1	70
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	71
5	-	1	-	6	1	-	-	3	1	-	-	-	-	-	1	72

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

AREA, RACE, AND SEX		TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	OHIO-----	2,788	258	923	267	165	77	71	53	32
2	MALE----	1,641	145	541	162	109	48	41	31	21
3	FEMALE----	1,147	113	382	105	56	29	30	22	11
4	WHITE-----	2,214	221	709	226	134	60	55	45	25
5	MALE----	1,310	126	423	134	90	34	34	28	16
6	FEMALE----	904	95	286	92	44	26	21	17	9
7	NEGRO-----	570	34	213	41	31	17	16	8	7
8	MALE----	329	17	118	28	19	14	7	3	5
9	FEMALE----	241	17	95	13	12	3	9	5	2
10	OTHER RACES-----	4	3	1	-	-	-	-	-	-
11	MALE----	2	2	-	-	-	-	-	-	-
12	FEMALE----	2	1	1	-	-	-	-	-	-
13	OKLAHOMA-----	664	66	196	74	52	18	9	7	5
14	MALE----	390	36	125	42	31	9	8	2	3
15	FEMALE----	274	30	71	32	21	9	1	5	2
16	WHITE-----	546	58	152	62	47	17	9	6	5
17	MALE----	324	32	95	35	28	9	8	2	3
18	FEMALE----	222	26	57	27	19	8	1	4	2
19	NEGRO-----	90	5	39	9	4	1	-	1	-
20	MALE----	47	1	25	4	2	-	-	-	-
21	FEMALE----	43	4	14	5	2	1	-	1	-
22	OTHER RACES-----	28	3	5	3	1	-	-	-	-
23	MALE----	19	3	5	3	1	-	-	-	-
24	FEMALE----	9	-	-	-	-	-	-	-	-
25	OREGON-----	466	64	124	40	23	16	12	7	7
26	MALE----	269	37	69	25	14	11	6	2	5
27	FEMALE----	197	27	55	15	9	5	6	5	2
28	WHITE-----	440	59	115	40	22	16	12	6	7
29	MALE----	252	34	65	25	13	11	6	2	5
30	FEMALE----	188	25	50	15	9	5	6	4	2
31	NEGRO-----	20	4	7	-	1	-	-	1	-
32	MALE----	13	2	3	-	1	-	-	-	-
33	FEMALE----	7	2	4	-	-	-	-	1	-
34	OTHER RACES-----	6	1	2	-	-	-	-	-	-
35	MALE----	4	1	1	-	-	-	-	-	-
36	FEMALE----	2	-	1	-	-	-	-	-	-
37	PENNSYLVANIA-----	2,612	261	928	238	152	67	53	36	29
38	MALE----	1,512	132	547	150	90	39	34	27	15
39	FEMALE----	1,100	129	381	88	62	28	19	9	14
40	WHITE-----	2,087	225	736	198	124	46	40	28	22
41	MALE----	1,221	118	439	124	73	28	28	23	11
42	FEMALE----	866	107	297	74	51	18	12	5	11
43	NEGRO-----	509	36	184	40	27	21	11	8	6
44	MALE----	281	14	104	26	16	11	4	4	3
45	FEMALE----	228	22	80	14	11	10	7	4	3
46	OTHER RACES-----	16	-	8	-	1	-	2	-	1
47	MALE----	10	-	4	-	1	-	2	-	1
48	FEMALE----	6	-	4	-	-	-	-	-	-
49	RHODE ISLAND-----	209	24	85	14	17	6	4	3	3
50	MALE----	134	16	57	5	10	3	3	3	1
51	FEMALE----	75	8	28	9	7	3	1	-	2
52	WHITE-----	194	23	76	14	16	6	4	3	2
53	MALE----	120	15	48	5	9	3	3	3	1
54	FEMALE----	74	8	28	9	7	3	1	-	1
55	NEGRO-----	13	1	8	-	-	-	-	-	-
56	MALE----	12	1	8	-	-	-	-	-	-
57	FEMALE----	1	-	-	-	-	-	-	-	-
58	OTHER RACES-----	2	-	1	-	1	-	-	-	1
59	MALE----	2	-	1	-	1	-	-	-	-
60	FEMALE----	-	-	-	-	-	-	-	-	-
61	SOUTH CAROLINA-----	1,111	87	313	141	60	34	13	9	12
62	MALE----	598	52	183	79	35	20	7	5	8
63	FEMALE----	513	35	130	62	25	14	6	4	4
64	WHITE-----	529	46	178	78	34	23	9	4	6
65	MALE----	292	30	88	44	19	14	4	3	4
66	FEMALE----	237	16	59	34	15	9	5	1	2
67	NEGRO-----	580	41	165	62	26	11	4	5	6
68	MALE----	304	22	94	34	16	6	3	2	4
69	FEMALE----	276	19	71	28	10	5	1	3	2
70	OTHER RACES-----	2	-	1	1	-	-	-	-	-
71	MALE----	2	-	1	1	-	-	-	-	-
72	FEMALE----	-	-	-	-	-	-	-	-	-

2-23

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
1,846	127	70	48	2,091	204	129	101	65	36	37	35	22	19	21	28	1
1,098	75	33	29	1,235	116	78	55	41	23	20	23	16	7	11	16	2
748	52	37	19	856	88	51	46	24	13	17	12	6	12	10	12	3
1,475	100	51	38	1,664	152	99	85	53	30	31	30	14	16	16	24	4
885	57	22	23	987	87	62	49	34	18	16	18	10	5	9	15	5
590	43	29	15	677	65	37	36	19	12	15	12	4	11	7	9	6
367	27	19	10	423	52	30	16	12	6	6	5	8	3	5	4	7
211	18	11	6	246	29	16	6	7	5	4	5	6	2	2	1	8
156	9	8	4	177	23	14	10	5	1	2	2	1	1	3	3	9
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	10
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	11
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	12
427	19	12	14	472	40	36	33	22	20	15	9	5	4	3	5	13
256	13	6	7	282	22	26	17	9	13	7	4	2	2	2	4	14
171	6	6	7	190	18	10	16	13	7	8	5	3	2	1	1	15
356	19	12	13	400	32	26	27	17	14	11	7	3	2	3	4	16
212	13	6	7	238	18	19	16	8	10	5	4	3	1	2	3	17
144	6	6	6	162	14	7	11	9	4	6	3	3	1	1	1	18
59	-	-	1	60	7	7	4	2	6	2	1	1	-	-	-	19
32	-	-	-	32	3	5	1	1	3	1	-	1	-	-	-	20
27	-	-	1	28	4	2	3	1	3	1	1	-	-	-	-	21
12	-	-	-	12	1	3	2	3	-	2	1	1	2	-	1	22
12	-	-	-	12	1	2	-	-	-	1	1	1	1	1	1	23
-	-	-	-	-	-	1	2	3	-	1	1	-	1	-	-	24
293	17	11	10	331	29	27	25	7	16	14	2	4	4	3	4	25
169	10	7	6	192	20	16	13	2	7	8	1	3	3	2	2	26
124	7	4	4	139	9	11	12	5	9	6	1	1	1	1	2	27
277	16	11	10	314	26	25	22	7	16	14	2	3	4	3	4	28
161	9	7	6	183	17	14	11	2	7	8	1	2	3	2	2	29
116	7	4	4	131	9	11	11	5	9	6	1	1	1	1	2	30
13	1	-	-	14	3	1	2	-	-	-	-	-	-	-	-	31
4	1	-	-	7	3	1	2	-	-	-	-	-	-	-	-	32
7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	33
3	-	-	-	3	-	-	1	-	-	-	-	1	-	-	-	34
2	-	-	-	2	-	1	-	-	-	-	-	1	-</			

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	SOUTH DAKOTA-----	197	23	52	20	16	9	4	3	2
2	MALE----	112	9	34	12	12	6	1	3	2
3	FEMALE--	85	14	18	8	4	3	3	-	-
4	WHITE-----	150	21	46	18	11	7	4	1	1
5	MALE----	87	8	30	11	10	4	1	1	1
6	FEMALE--	63	13	16	7	1	3	3	-	-
7	NEGRO-----	2	1	-	-	1	-	-	-	-
8	MALE----	2	1	-	-	1	-	-	-	-
9	FEMALE--	-	-	-	-	-	-	-	-	-
10	OTHER RACES-----	45	1	6	2	4	-	-	2	1
11	MALE----	23	-	4	1	1	2	-	2	1
12	FEMALE--	22	1	2	1	3	-	-	-	-
13	TENNESSEE-----	1,311	120	389	145	78	49	26	21	22
14	MALE----	748	65	221	94	48	30	17	10	14
15	FEMALE--	563	55	168	51	30	19	9	11	8
16	WHITE-----	909	89	261	109	57	29	18	17	17
17	MALE----	519	51	145	67	34	18	12	9	11
18	FEMALE--	390	38	116	42	23	11	6	8	6
19	NEGRO-----	401	31	127	36	21	20	8	4	5
20	MALE----	228	14	75	27	14	12	5	1	3
21	FEMALE--	173	17	52	9	7	8	3	3	2
22	OTHER RACES-----	1	-	1	-	-	-	-	-	-
23	MALE----	1	-	1	-	-	-	-	-	-
24	FEMALE--	-	-	-	-	-	-	-	-	-
25	TEXAS-----	4,026	267	1,280	400	302	154	76	71	64
26	MALE----	2,329	153	762	214	186	90	42	36	38
27	FEMALE--	1,697	114	518	186	116	64	34	35	26
28	WHITE-----	3,095	220	1,002	331	242	120	65	56	42
29	MALE----	1,803	129	599	182	154	72	38	26	25
30	FEMALE--	1,292	92	403	149	88	48	27	30	17
31	NEGRO-----	915	46	270	68	60	31	11	15	21
32	MALE----	518	25	158	32	32	16	4	10	12
33	FEMALE--	397	21	112	36	28	15	7	5	9
34	OTHER RACES-----	16	1	8	1	-	3	-	-	1
35	MALE----	8	-	5	-	-	2	-	-	1
36	FEMALE--	8	1	3	1	-	1	-	-	-
37	UTAH-----	354	40	77	34	28	19	9	4	4
38	MALE----	203	23	44	18	20	9	7	3	3
39	FEMALE--	151	17	33	16	8	10	2	1	1
40	WHITE-----	337	38	75	33	28	17	9	4	4
41	MALE----	194	22	44	17	20	9	7	3	3
42	FEMALE--	143	16	31	16	8	8	2	1	1
43	NEGRO-----	5	1	1	-	-	-	-	-	-
44	MALE----	1	-	-	-	-	-	-	-	-
45	FEMALE--	4	1	1	-	-	-	-	-	-
46	OTHER RACES-----	12	1	1	1	-	2	-	-	-
47	MALE----	8	1	-	1	-	-	-	-	-
48	FEMALE--	4	-	1	-	-	2	-	-	-
49	VERMONT-----	109	10	28	9	5	8	-	3	1
50	MALE----	63	3	14	6	4	5	-	2	-
51	FEMALE--	46	7	14	3	1	3	-	1	1
52	WHITE-----	109	10	28	9	5	8	-	3	1
53	MALE----	63	3	14	6	4	5	-	2	-
54	FEMALE--	46	7	14	3	1	3	-	1	1
55	NEGRO-----	-	-	-	-	-	-	-	-	-
56	MALE----	-	-	-	-	-	-	-	-	-
57	FEMALE--	-	-	-	-	-	-	-	-	-
58	OTHER RACES-----	-	-	-	-	-	-	-	-	-
59	MALE----	-	-	-	-	-	-	-	-	-
60	FEMALE--	-	-	-	-	-	-	-	-	-
61	VIRGINIA-----	1,316	142	431	120	90	41	32	20	17
62	MALE----	737	82	250	67	62	24	14	10	10
63	FEMALE--	579	60	181	53	28	17	18	10	7
64	WHITE-----	874	88	295	83	72	28	27	16	6
65	MALE----	503	46	181	46	53	17	14	9	3
66	FEMALE--	371	42	114	37	19	11	13	7	3
67	NEGRO-----	435	52	135	37	18	13	5	4	11
68	MALE----	230	35	69	21	9	7	-	1	7
69	FEMALE--	205	17	66	16	9	6	5	3	4
70	OTHER RACES-----	7	2	1	-	-	-	-	-	-
71	MALE----	4	1	-	-	-	-	-	-	-
72	FEMALE--	3	1	1	-	-	-	-	-	-

2-25

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
129	7	3	5	144	12	7	6	4	3	4	3	7	5	1	1	1
79	4	1	2	86	5	5	3	2	2	1	1	4	2	-	1	2
50	3	2	3	58	7	2	3	2	1	3	3	3	3	1	-	3
109	7	2	3	121	7	5	3	2	1	3	2	4	1	1	-	4
66	4	1	1	72	2	4	2	2	1	1	1	2	1	1	-	5
43	3	1	2	49	5	1	1	-	-	2	1	2	1	1	-	6
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	7
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
18	-	1	2	21	5	2	3	2	2	1	1	3	4	-	1	10
11	-	-	1	12	3	1	1	-	-	1	-	2	2	-	1	11
7	-	1	1	9	2	1	2	2	1	1	1	1	2	-	-	12
850	59	29	28	966	84	71	54	39	21	14	11	17	8	15	11	13
499	29	19	19	566	42	38	30	22	8	7	5	12	4	6	8	14
351	30	10	9	400	42	33	24	17	13	7	5	5	4	9	3	15
597	48	19	17	681	57	40	34	31	14	9	8	11	5	11	8	16
347	23	12	12	394	28	23	20	18	7	4	4	7	2	5	7	17
250	25	7	5	287	29	17	14	13	7	5	4	4	3	6	1	18
252	11	10	11	284	27	31	20	8	7	3	3	6	3	4	3	19
151	6	7	7	171	14	15	10	4	1	5	3	5	2	1	1	20
101	5	3	4	113	13	16	10	4	6	2	2	1	1	3	2	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
2,614	169	97	93	2,973	272	183	145	96	81	67	45	44	43	45	32	25
1,521	95	58	60	1,734	164	100	81	52	44	36	25	27	21	27	18	26
1,093	74	39	33	1,239	108	83	64	44	37	31	20	17	22	18	14	27
2,078	131	67	62	2,338	203	126	97	71	62	51	34	27	33	30	23	28
1,224	72	42	41	1,379	121	72	56	35	32	27	17	20	17	15	12	29
854	59	25	21	959	82	54	41	36	30	24	17	7	16	15	11	30
522	38	30	31	621	69	57	47	25	19	16	11	16	10	15	9	31
289	23	16	19	347	43	28	25	17	12	9	8	7	4	12	6	32
233	15	14	12	274	26	29	22	8	7	7	3	9	6	3	3	33
14	-	-	-	14	-	-	1	-	-	-	-	1	-	-	-	34
8	-															

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

	AREA, RACE, AND SEX	TOTAL, UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS	6 DAYS
1	WASHINGTON-----	782	55	224	64	56	39	17	12	8
2										
3	MALE----	455	39	128	41	28	15	6	9	3
4	FEMALE----	327	16	96	23	28	15	11	3	5
5	WHITE-----	689	48	196	58	47	29	16	11	8
6	MALE----	402	35	112	36	25	14	5	8	3
7	FEMALE----	287	13	84	22	22	15	11	3	5
8	NEGRO-----	46	2	16	5	7	1	1	-	-
9	MALE----	30	2	12	5	2	1	1	-	-
10	FEMALE----	16	-	4	-	5	-	-	-	-
11	OTHER RACES-----	47	5	12	1	2	-	-	1	-
12	MALE----	23	2	4	-	1	-	-	1	-
	FEMALE----	24	3	8	1	1	-	-	-	-
13	WEST VIRGINIA-----	524	41	184	64	36	11	6	5	1
14										
15	MALE----	313	22	109	38	18	7	4	4	-
16	FEMALE----	211	19	75	26	18	4	2	1	1
17	WHITE-----	486	38	168	62	34	11	6	5	1
18	MALE----	291	20	100	36	17	7	4	4	1
19	FEMALE----	195	18	68	26	17	4	2	1	1
20	NEGRO-----	37	3	15	2	2	-	-	-	-
21	MALE----	21	2	8	2	1	-	-	-	-
22	FEMALE----	16	1	7	-	1	-	-	-	-
23	OTHER RACES-----	1	-	1	-	-	-	-	-	-
24	MALE----	1	-	1	-	-	-	-	-	-
	FEMALE----	-	-	-	-	-	-	-	-	-
25	WISCONSIN-----	906	121	259	77	49	30	15	14	16
26										
27	MALE----	548	74	159	43	33	15	10	10	7
28	FEMALE----	358	47	100	34	16	15	5	4	9
29	WHITE-----	892	114	231	70	45	28	13	11	14
30	MALE----	486	70	142	38	31	13	8	8	6
31	FEMALE----	316	44	89	32	14	15	5	3	8
32	NEGRO-----	91	7	27	6	3	2	1	3	2
33	MALE----	56	4	16	4	2	2	1	2	1
34	FEMALE----	35	3	11	2	1	-	-	1	1
35	OTHER RACES-----	13	-	1	1	1	-	1	-	-
36	MALE----	8	-	1	-	-	-	1	-	-
	FEMALE----	7	-	-	-	1	-	-	-	-
37	WYOMING-----	112	13	44	9	2	6	1	2	-
38										
39	MALE----	58	3	25	6	1	5	1	1	-
40	FEMALE----	54	10	19	3	1	1	-	1	-
41	WHITE-----	108	13	44	7	2	6	1	2	-
42	MALE----	56	3	25	5	1	5	1	1	-
43	FEMALE----	52	10	19	2	1	1	-	1	-
44	NEGRO-----	2	-	-	1	-	-	-	-	-
45	MALE----	1	-	-	-	-	-	-	-	-
46	FEMALE----	1	-	-	-	-	-	-	-	-
47	OTHER RACES-----	2	-	-	1	-	-	-	-	-
48	MALE----	1	-	-	-	-	-	-	-	-
	FEMALE----	1	-	-	1	-	-	-	-	-

2-27

UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
466	40	31	16	553	60	46	46	22	16	11	5	6	8	5	4	1
269	24	18	10	321	35	31	26	15	7	6	2	3	3	3	3	2
197	16	13	6	232	25	15	20	7	9	5	3	3	5	2	1	3
413	36	29	11	489	52	41	38	19	14	10	4	6	8	5	3	4
238	22	17	7	284	29	29	22	12	7	6	2	3	3	3	2	5
175	14	12	4	205	23	12	16	7	7	4	2	3	5	2	1	6
32	1	-	4	37	2	1	4	1	-	-	1	-	-	-	-	7
23	1	-	2	26	1	-	2	1	-	-	-	-	-	-	-	8
9	-	-	2	11	1	1	2	-	-	-	1	-	-	-	-	9
21	3	2	1	27	6	4	4	2	2	1	-	-	-	-	1	10
8	1	1	1	11	5	2	2	2	-	-	-	-	-	-	1	11
13	2	1	-	16	1	2	2	-	2	1	-	-	-	-	-	12
348	20	5	11	384	33	30	24	16	10	8	5	9	2	2	1	13
202	13	2	7	224	20	24	15	7	6	5	2	6	1	2	1	14
146	7	3	4	160	13	6	9	9	4	3	3	3	2	-	-	15
325	18	5	11	359	29	26	23	16	10	8	3	7	1	2	1	16
188	12	2	7	209	16	22	15	7	6	5	2	5	1	2	1	17
137	6	3	4	150	13	4	8	9	4	3	4	2	1	-	-	18
22	2	-	-	24	4	4	1	-	-	-	2	2	-	-	-	19
13	1	-	-	14	4	2	-	-	-	-	1	1	-	-	-	20
9	1	-	-	10	-	2	1	-	-	-	2	1	-	-	-	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
581	38	24	17	660	60	55	36	25	17	8	10	10	9	8	8	25
351	26	14	5	396	35	34	24	15	12	5	5	7	6	5	4	26
230	12	10	12	264	25	21	12	10	10	3	5	3	3	3	4	27
526	35	21	16	598	48	46	31	24	13	6	7	8	7	8	6	28
316	23	12	5	356	31	28	22	15	8	5	3	5	5	5	4	29
210	12	9	11	242	17	18	9	15	3	3	3	3	2	3	2	30
51	3	3	1	58	11	7	5	1	3	2	1	1	1	-	1	31
32	3	2	-	37	4	5	2	-	3	2	1	1	1	-	-	32
19	-	1	1	21	7	2	3	1	-	-	-	-	-	-	1	33
4	-	-	-	4	1	2	-	-	1	-	2	1	1	-	1	34
3	-	-	-	3	1	1	-	-	1	-	-	1	-	-	-	35
1	-	-	-	1</												

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES													
BOTH SEXES													
UNDER 1 YEAR-----	55,581	5,204	4,517	4,693	4,537	4,574	4,353	4,789	4,664	4,534	4,621	4,466	4,629
WHITE-----	40,239	3,703	3,186	3,426	3,288	3,356	3,178	3,479	3,408	3,264	3,337	3,259	3,355
ALL OTHER--	15,342	1,501	1,331	1,267	1,249	1,218	1,175	1,310	1,256	1,270	1,284	1,207	1,274
UNDER 28 DAYS-----	40,664	3,467	3,076	3,352	3,331	3,480	3,356	3,808	3,665	3,477	3,375	3,133	3,144
WHITE-----	30,201	2,586	2,279	2,505	2,497	2,583	2,486	2,801	2,717	2,544	2,486	2,340	2,377
ALL OTHER--	10,463	881	797	847	834	897	870	1,007	948	933	889	793	767
UNDER 7 DAYS-----	35,859	3,049	2,701	2,966	2,953	3,119	2,981	3,365	3,246	3,056	2,939	2,753	2,731
WHITE-----	26,703	2,289	1,994	2,225	2,224	2,324	2,217	2,478	2,402	2,250	2,160	2,065	2,075
ALL OTHER--	9,156	760	707	741	729	795	764	887	844	806	779	688	656
UNDER 1 HOUR-----	5,054	432	344	437	440	436	408	456	451	436	437	374	403
WHITE-----	3,828	331	249	319	336	329	310	353	341	319	334	297	310
ALL OTHER--	1,226	101	95	118	104	107	98	103	110	117	103	77	93
1-23 HOURS-----	17,589	1,523	1,339	1,439	1,443	1,599	1,508	1,643	1,551	1,468	1,432	1,334	1,310
WHITE-----	12,822	1,099	983	1,069	1,049	1,176	1,096	1,181	1,103	1,097	1,037	967	965
ALL OTHER--	4,767	424	356	370	394	423	412	462	448	371	395	367	345
1 DAY-----	5,448	454	413	495	419	462	423	517	523	463	444	415	420
WHITE-----	4,120	353	314	380	337	357	313	387	403	324	325	314	313
ALL OTHER--	1,328	101	99	115	82	105	110	130	120	139	119	101	107
2 DAYS-----	3,552	292	305	273	286	287	287	329	311	324	282	283	293
WHITE-----	2,788	239	235	209	230	224	230	257	238	244	210	227	245
ALL OTHER--	764	53	70	64	56	63	57	72	73	80	72	56	48
3 DAYS-----	1,726	138	117	141	149	140	143	175	163	156	135	145	124
WHITE-----	1,290	111	80	109	113	102	106	129	127	114	94	111	94
ALL OTHER--	436	27	37	32	36	38	37	46	36	42	41	34	30
4 DAYS-----	1,034	89	74	74	86	88	83	111	96	91	91	70	81
WHITE-----	790	69	56	60	64	69	60	73	72	66	75	55	71
ALL OTHER--	244	20	18	14	22	19	23	38	24	25	16	15	10
5 DAYS-----	828	65	62	66	74	52	78	79	88	66	61	77	60
WHITE-----	618	47	47	46	57	31	65	59	70	48	43	56	49
ALL OTHER--	210	18	15	20	17	21	13	20	18	18	18	21	11
6 DAYS-----	628	56	47	41	56	55	51	55	63	52	57	55	40
WHITE-----	447	40	30	33	38	36	37	39	48	38	42	38	28
ALL OTHER--	181	16	17	8	18	19	14	16	15	14	15	17	12
7-13 DAYS-----	2,424	195	168	199	178	185	188	227	231	236	229	180	208
WHITE-----	1,818	146	131	146	133	134	130	164	183	174	181	134	162
ALL OTHER--	606	49	37	53	45	51	58	63	48	62	48	46	46
14-20 DAYS-----	1,311	114	119	110	99	115	97	120	99	107	113	107	111
WHITE-----	938	81	85	80	72	80	75	93	73	71	77	76	75
ALL OTHER--	373	33	34	30	27	35	22	27	26	36	36	31	36
21-27 DAYS-----	1,070	109	88	77	101	61	90	96	89	78	94	93	94
WHITE-----	742	70	69	54	68	45	64	66	59	49	68	65	65
ALL OTHER--	328	39	19	23	33	16	26	30	30	29	26	28	29
28-59 DAYS-----	3,791	426	372	333	282	289	268	293	263	291	321	315	338
WHITE-----	2,512	288	209	229	181	204	193	190	187	194	209	215	213
ALL OTHER--	1,279	138	163	104	101	85	75	103	76	97	112	100	125
2 MONTHS-----	2,908	338	255	285	266	178	182	140	208	216	241	299	300
WHITE-----	1,937	202	157	200	175	127	122	96	146	146	170	203	193
ALL OTHER--	971	136	98	85	91	51	60	44	62	70	71	96	107
3 MONTHS-----	2,141	268	204	205	180	172	119	120	124	148	180	194	227
WHITE-----	1,444	169	130	147	127	111	85	79	85	103	127	137	144
ALL OTHER--	697	99	74	58	53	61	34	41	39	45	53	57	83
4 MONTHS-----	1,475	169	162	130	121	116	92	87	92	71	122	139	174
WHITE-----	982	109	106	88	74	76	68	65	56	50	91	81	118
ALL OTHER--	493	60	56	42	47	40	24	22	36	21	31	58	56
5 MONTHS-----	1,079	119	129	87	85	67	75	80	56	75	88	104	114
WHITE-----	726	86	77	51	59	51	45	56	36	56	59	74	76
ALL OTHER--	353	33	52	36	26	16	30	24	20	19	29	30	38
6 MONTHS-----	865	111	94	79	66	70	64	63	51	50	55	62	100
WHITE-----	509	67	64	54	42	49	40	46	37	30	44	48	68
ALL OTHER--	276	44	30	25	24	21	24	17	14	20	11	14	32
7 MONTHS-----	670	81	49	63	53	63	50	56	41	45	49	52	68
WHITE-----	453	45	35	41	31	48	34	41	28	29	34	37	50
ALL OTHER--	217	36	14	22	22	15	16	15	13	16	15	15	18
8 MONTHS-----	541	71	63	51	42	38	32	28	48	36	42	46	44
WHITE-----	368	46	44	36	27	29	20	21	31	26	21	37	30
ALL OTHER--	173	25	19	15	15	9	12	7	17	10	21	9	14
9 MONTHS-----	486	56	37	31	41	34	42	45	45	39	49	31	36
WHITE-----	351	34	31	22	29	29	34	33	31	26	33	22	27
ALL OTHER--	135	22	6	9	12	5	8	12	14	13	16	9	9
10 MONTHS-----	478	48	41	38	39	34	38	36	36	44	47	40	37
WHITE-----	328	33	28	25	23	26	27	26	27	31	29	28	25
ALL OTHER--	150	15	13	13	16	8	11	10	9	13	18	12	12
11 MONTHS-----	483	50	35	39	31	33	35	33	35	42	52	51	47
WHITE-----	348	38	26	28	23	23	24	25	27	29	34	37	34
ALL OTHER--	135	12	9	11	8	10	11	8	8	13	18	14	13

SECTION 2 - INFANT MORTALITY

2-29

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES--CON.													
MALE													
UNDER 1 YEAR-----	31,986	3,014	2,614	2,701	2,593	2,690	2,540	2,705	2,646	2,614	2,663	2,511	2,695
WHITE-----	23,414	2,185	1,863	2,001	1,898	1,991	1,856	1,995	1,953	1,895	1,947	1,862	1,968
ALL OTHER-----	8,572	829	751	700	695	699	684	710	693	719	716	649	727
UNDER 28 DAYS-----	23,535	2,021	1,823	1,922	1,930	2,042	1,944	2,168	2,100	2,006	1,983	1,765	1,831
WHITE-----	17,647	1,533	1,349	1,454	1,464	1,532	1,444	1,618	1,563	1,480	1,480	1,340	1,390
ALL OTHER-----	5,888	488	474	468	466	510	500	550	537	526	503	425	441
UNDER 7 DAYS-----	20,868	1,797	1,615	1,717	1,706	1,851	1,730	1,925	1,868	1,766	1,726	1,564	1,603
WHITE-----	15,671	1,370	1,189	1,309	1,304	1,383	1,286	1,438	1,393	1,311	1,282	1,187	1,219
ALL OTHER-----	5,197	427	426	408	402	468	444	487	475	455	444	377	384
UNDER 1 HOUR-----	2,832	254	196	244	240	247	222	233	271	239	255	205	226
WHITE-----	2,148	204	145	179	182	186	165	179	204	172	195	162	175
ALL OTHER-----	684	50	51	65	58	61	57	54	67	67	60	43	51
1-23 HOURS-----	10,321	879	815	824	866	966	879	958	918	867	845	748	756
WHITE-----	7,579	646	596	623	637	709	640	696	658	655	614	547	558
ALL OTHER-----	2,742	233	219	201	229	257	239	262	260	212	231	201	198
1 DAY-----	3,153	274	248	300	226	268	248	298	287	265	260	234	245
WHITE-----	2,406	212	185	233	189	212	189	228	229	180	192	179	178
ALL OTHER-----	747	62	63	67	37	56	59	70	58	85	68	55	67
2 DAYS-----	2,129	179	177	176	176	170	174	191	174	183	166	170	193
WHITE-----	1,680	146	136	137	143	131	137	153	130	142	131	135	159
ALL OTHER-----	449	33	41	39	33	39	37	38	44	41	35	35	34
3 DAYS-----	1,007	90	74	85	84	85	70	94	92	92	78	86	77
WHITE-----	766	71	52	67	65	65	51	72	74	68	54	68	59
ALL OTHER-----	241	19	22	18	19	20	19	22	18	24	24	18	18
4 DAYS-----	601	50	40	38	46	55	59	70	52	55	51	40	45
WHITE-----	481	41	31	30	37	44	43	48	40	44	46	37	40
ALL OTHER-----	120	9	9	8	9	11	16	22	12	11	5	3	5
5 DAYS-----	480	39	34	33	42	32	50	49	45	35	36	49	36
WHITE-----	363	28	25	25	33	17	40	39	35	27	27	37	30
ALL OTHER-----	117	11	9	8	9	15	10	10	10	8	9	12	6
6 DAYS-----	345	32	31	17	26	28	28	32	29	30	35	32	25
WHITE-----	248	22	19	15	18	19	21	23	23	23	23	22	20
ALL OTHER-----	97	10	12	2	8	9	7	9	6	7	12	10	5
7-13 DAYS-----	1,362	97	97	105	106	99	105	133	129	137	135	100	119
WHITE-----	1,047	73	77	76	80	81	74	97	101	100	111	81	96
ALL OTHER-----	315	24	20	29	26	18	31	36	28	37	24	19	23
14-20 DAYS-----	712	73	65	55	56	60	54	58	54	63	65	52	57
WHITE-----	518	53	45	40	38	44	44	47	39	44	46	40	38
ALL OTHER-----	194	20	20	15	18	16	10	11	15	19	19	12	19
21-27 DAYS-----	593	54	46	45	62	32	55	52	49	40	57	49	52
WHITE-----	411	37	38	29	42	24	40	36	30	25	41	32	37
ALL OTHER-----	182	17	8	16	20	8	15	16	19	15	16	17	15
28-59 DAYS-----	2,121	247	198	189	160	166	156	153	155	155	182	173	187
WHITE-----	1,438	173	115	134	104	113	113	103	112	104	118	123	120
ALL OTHER-----	683	74	83	55	56	47	43	50	43	51	64	50	67
2 MONTHS-----	1,699	195	154	166	151	104	118	81	118	133	133	163	183
WHITE-----	1,149	121	99	123	98	73	78	57	85	92	97	110	116
ALL OTHER-----	550	74	55	43	53	31	40	24	33	41	36	53	67
3 MONTHS-----	1,231	157	123	118	100	103	68	67	69	90	93	113	130
WHITE-----	853	100	80	89	69	70	50	45	52	63	66	81	88
ALL OTHER-----	378	57	43	29	31	33	18	22	17	27	27	32	42
4 MONTHS-----	829	104	84	73	66	70	53	40	54	40	65	79	101
WHITE-----	553	68	56	47	43	43	40	28	33	32	49	47	67
ALL OTHER-----	276	36	28	26	23	27	13	12	21	8	16	32	34
5 MONTHS-----	597	63	62	52	42	37	45	53	24	46	45	62	66
WHITE-----	412	45	38	32	29	27	26	42	16	35	31	43	48
ALL OTHER-----	185	18	24	20	13	10	19	11	8	11	14	19	18
6 MONTH-----	499	63	52	45	34	43	42	36	25	29	28	40	62
WHITE-----	336	37	38	30	19	28	25	25	17	15	22	33	47
ALL OTHER-----	163	26	14	15	15	15	17	11	8	14	6	7	15
7 MONTHS-----	387	46	30	41	30	43	31	29	24	24	24	29	36
WHITE-----	268	27	23	25	16	35	20	20	19	17	18	22	26
ALL OTHER-----	119	19	7	16	14	8	11	9	5	7	6	7	10
8 MONTHS-----	317	41	34	37	23	26	17	16	26	18	25	25	29
WHITE-----	217	27	26	25	17	20	8	12	18	11	13	20	20
ALL OTHER-----	100	14	8	12	6	6	9	4	8	7	12	5	9
9 MONTHS-----	251	24	22	19	20	15	23	24	22	26	27	10	19
WHITE-----	185	14	18	14	15	13	21	20	17	16	16	8	13
ALL OTHER-----	66	10	4	5	5	2	2	4	5	10	11	2	6
10 MONTHS-----	258	27	19	18	21	21	22	22	15	25	29	18	21
WHITE-----	167	19	11	13	12	15	15	13	9	16	20	12	12
ALL OTHER-----	91	8	8	5	9	6	7	9	6	9	9	6	9
11 MONTHS-----	262	26	13	21	16	20	21	16	14	22	29	34	30
WHITE-----	189	21	10	15	12	16	16	12	12	14	17	23	21
ALL OTHER-----	73	5	3	6	4	4	5	4	2	8	12	11	9

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES--CON.													
FEMALE													
UNDER 1 YEAR-----	23,595	2,190	1,903	1,992	1,944	1,884	1,813	2,084	2,018	1,920	1,958	1,955	1,934
WHITE-----	16,825	1,518	1,323	1,425	1,390	1,365	1,322	1,484	1,455	1,369	1,390	1,397	1,387
ALL OTHER--	6,770	672	580	567	554	519	491	600	563	551	568	558	547
UNDER 28 DAYS-----	17,129	1,446	1,253	1,430	1,401	1,438	1,412	1,640	1,565	1,471	1,392	1,368	1,313
WHITE-----	12,554	1,053	930	1,051	1,033	1,051	1,042	1,183	1,154	1,064	1,006	1,000	987
ALL OTHER--	4,575	393	323	379	368	387	370	457	411	407	386	368	326
UNDER 7 DAYS-----	14,991	1,252	1,086	1,249	1,247	1,268	1,251	1,440	1,378	1,290	1,213	1,189	1,128
WHITE-----	11,032	919	805	916	920	941	931	1,040	1,009	939	878	878	856
ALL OTHER--	3,959	333	281	333	327	327	320	400	369	351	335	311	272
UNDER 1 HOUR-----	2,222	178	148	193	200	189	186	223	180	197	182	169	177
WHITE-----	1,680	127	104	140	154	143	145	174	137	147	139	135	135
ALL OTHER--	542	51	44	53	46	46	41	49	43	50	43	34	42
1-23 HOURS-----	7,268	644	524	615	577	633	629	685	633	601	587	586	554
WHITE-----	5,243	453	387	446	412	467	456	485	445	442	423	420	407
ALL OTHER--	2,025	191	137	169	165	166	173	200	188	159	164	166	147
1 DAY-----	2,295	180	165	195	193	194	175	219	236	198	184	181	175
WHITE-----	1,714	141	129	147	148	145	124	159	174	144	133	135	135
ALL OTHER--	581	39	36	48	45	49	51	60	62	54	51	46	40
2 DAYS-----	1,423	113	128	97	110	117	113	138	137	141	116	113	100
WHITE-----	1,108	93	99	72	87	93	93	104	108	102	79	92	86
ALL OTHER--	315	20	29	25	23	24	20	34	29	39	37	21	14
3 DAYS-----	719	48	43	56	65	55	73	81	71	64	57	59	47
WHITE-----	524	40	28	42	48	37	55	57	53	46	40	43	35
ALL OTHER--	195	8	15	14	17	18	18	24	18	18	17	16	12
4 DAYS-----	433	39	34	36	40	33	24	41	44	36	40	30	36
WHITE-----	309	28	25	30	27	25	17	25	32	22	29	18	31
ALL OTHER--	124	11	9	6	13	8	7	16	12	14	11	12	5
5 DAYS-----	348	26	28	33	32	20	28	30	43	31	25	28	24
WHITE-----	255	19	22	21	24	14	25	20	35	21	16	19	19
ALL OTHER--	93	7	6	12	8	6	3	10	8	10	9	9	5
6 DAYS-----	283	24	16	24	30	27	23	23	34	22	22	23	15
WHITE-----	199	18	11	18	20	17	16	16	25	15	19	16	8
ALL OTHER--	84	6	5	6	10	10	7	7	9	7	3	7	7
7-13 DAYS-----	1,062	98	71	94	72	86	83	94	102	99	94	80	89
WHITE-----	771	73	54	70	53	53	56	67	82	74	70	53	66
ALL OTHER--	291	25	17	24	19	33	27	27	20	25	24	27	23
14-20 DAYS-----	599	41	54	55	43	55	43	62	45	44	48	55	54
WHITE-----	420	28	40	40	34	36	31	46	34	27	31	36	37
ALL OTHER--	179	13	14	15	9	19	12	16	11	17	17	19	17
21-27 DAYS-----	477	55	42	32	39	29	35	44	40	38	37	44	42
WHITE-----	331	33	31	25	26	21	24	30	29	24	27	33	28
ALL OTHER--	146	22	11	7	13	8	11	14	11	14	10	11	14
28-59 DAYS-----	1,670	179	174	144	122	123	112	140	108	136	139	142	151
WHITE-----	1,074	115	94	95	77	85	80	87	75	92	91	92	93
ALL OTHER--	596	64	80	49	45	38	32	53	33	46	48	50	58
2 MONTHS-----	1,209	143	101	119	115	74	64	59	90	83	108	136	117
WHITE-----	788	81	58	77	77	54	44	39	61	54	73	93	77
ALL OTHER--	421	62	43	42	38	20	20	20	29	29	35	43	40
3 MONTHS-----	910	111	81	87	80	69	51	53	55	58	87	81	97
WHITE-----	591	69	50	58	58	41	35	34	33	40	61	56	56
ALL OTHER--	319	42	31	29	22	28	16	19	22	18	26	25	41
4 MONTHS-----	646	65	78	57	55	46	39	47	38	31	57	60	73
WHITE-----	429	41	50	41	31	33	28	37	23	18	42	34	51
ALL OTHER--	217	24	28	16	24	13	11	10	15	13	15	26	22
5 MONTHS-----	482	56	67	35	43	30	30	27	32	29	43	42	48
WHITE-----	314	41	39	19	30	24	19	14	20	21	28	31	28
ALL OTHER--	168	15	28	16	13	6	11	13	12	8	15	11	20
6 MONTHS-----	366	48	42	34	32	27	22	27	26	21	27	22	38
WHITE-----	253	30	26	24	23	21	15	21	20	15	22	15	21
ALL OTHER--	113	18	16	10	9	6	7	6	6	6	5	7	17
7 MONTHS-----	283	35	19	22	23	20	19	27	17	21	25	23	32
WHITE-----	185	18	12	16	15	13	14	21	9	12	16	15	24
ALL OTHER--	98	17	7	6	8	7	5	6	8	9	9	8	8
8 MONTHS-----	224	30	29	14	19	12	15	12	22	18	17	21	15
WHITE-----	151	19	18	11	10	9	12	9	13	15	8	17	10
ALL OTHER--	73	11	11	3	9	3	3	3	9	3	9	4	5
9 MONTHS-----	235	32	15	12	21	19	19	21	23	13	22	21	17
WHITE-----	166	20	13	8	14	16	13	13	14	10	17	14	14
ALL OTHER--	69	12	2	4	7	3	6	8	9	3	5	7	3
10 MONTHS-----	220	21	22	20	18	13	16	14	21	19	18	22	16
WHITE-----	161	14	17	12	11	11	12	13	18	15	9	16	13
ALL OTHER--	59	7	5	8	7	2	4	1	3	4	9	6	3
11 MONTHS-----	221	24	22	18	15	13	14	17	21	20	23	17	17
WHITE-----	159	17	16	13	11	7	8	13	15	15	17	14	13
ALL OTHER--	62	7	6	5	4	6	6	4	6	5	6	3	4

SECTION 2 · INFANT MORTALITY

2-31

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
ALABAMA													
UNDER 1 YEAR-----	1,314	143	133	107	100	92	107	100	104	109	112	102	105
WHITE-----	680	63	65	61	53	53	64	53	51	57	53	51	56
ALL OTHER-----	634	80	68	46	47	39	43	47	53	52	59	51	49
UNDER 28 DAYS-----	890	72	71	72	68	72	81	80	72	85	83	72	62
WHITE-----	501	40	44	42	39	44	51	43	34	46	42	40	36
ALL OTHER-----	389	32	27	30	29	28	30	37	38	39	41	32	26
ALASKA													
UNDER 1 YEAR-----	131	12	12	17	12	14	5	11	8	8	9	8	15
WHITE-----	85	9	7	9	6	11	4	5	6	6	6	7	9
ALL OTHER-----	46	3	5	8	6	3	1	6	2	2	3	1	6
UNDER 28 DAYS-----	90	9	6	13	7	8	5	7	6	6	6	6	11
WHITE-----	65	7	4	9	5	7	4	5	4	4	4	5	7
ALL OTHER-----	25	2	2	4	2	1	1	2	2	2	2	1	4
ARIZONA													
UNDER 1 YEAR-----	584	52	46	51	39	38	44	50	51	47	50	54	62
WHITE-----	454	40	34	41	34	28	35	35	41	35	41	43	47
ALL OTHER-----	130	12	12	10	5	10	9	15	10	12	9	11	15
UNDER 28 DAYS-----	391	28	26	30	24	27	33	36	41	29	38	34	45
WHITE-----	322	23	22	26	22	21	27	28	36	24	30	29	34
ALL OTHER-----	69	5	4	4	2	6	6	8	5	5	8	5	11
ARKANSAS													
UNDER 1 YEAR-----	658	61	58	47	58	61	48	45	53	56	72	52	47
WHITE-----	418	37	40	31	37	45	31	27	35	32	40	31	32
ALL OTHER-----	240	24	18	16	21	16	17	18	18	24	32	21	15
UNDER 28 DAYS-----	485	40	36	35	41	46	37	40	37	44	56	42	31
WHITE-----	321	27	26	26	26	37	24	22	26	25	34	25	23
ALL OTHER-----	164	13	10	9	15	9	13	18	11	19	22	17	8
CALIFORNIA													
UNDER 1 YEAR-----	4,333	414	338	356	342	342	320	362	387	363	382	373	354
WHITE-----	3,515	343	267	286	281	283	256	283	317	297	305	304	293
ALL OTHER-----	818	71	71	70	61	59	64	79	70	66	77	69	61
UNDER 28 DAYS-----	3,058	266	239	243	249	244	248	281	281	265	254	255	233
WHITE-----	2,503	216	194	195	214	203	196	225	235	217	206	208	194
ALL OTHER-----	555	50	45	48	35	41	52	56	46	48	48	47	39
COLORADO													
UNDER 1 YEAR-----	642	52	53	61	52	66	63	50	56	47	47	43	52
WHITE-----	587	48	48	55	45	61	57	48	51	40	44	39	51
ALL OTHER-----	55	4	5	6	7	5	6	2	5	7	3	4	1
UNDER 28 DAYS-----	465	38	36	47	36	46	52	38	40	33	32	35	32
WHITE-----	427	36	34	42	30	43	48	37	37	28	29	32	31
ALL OTHER-----	38	2	2	5	6	3	4	1	3	5	3	3	1
CONNECTICUT													
UNDER 1 YEAR-----	551	61	38	48	36	40	46	42	52	42	46	59	41
WHITE-----	440	50	30	31	29	30	39	38	36	33	38	52	34
ALL OTHER-----	111	11	8	17	7	10	7	4	16	9	8	7	7
UNDER 28 DAYS-----	415	45	28	41	28	33	40	36	42	30	18	48	26
WHITE-----	340	38	23	26	22	25	34	32	32	26	16	42	24
ALL OTHER-----	75	7	5	15	6	8	6	4	10	4	2	6	2
DELAWARE													
UNDER 1 YEAR-----	131	14	8	10	8	13	8	13	9	10	16	11	11
WHITE-----	87	10	3	7	5	12	7	6	7	4	13	8	5
ALL OTHER-----	44	4	5	3	3	1	1	7	2	6	3	3	6
UNDER 28 DAYS-----	108	11	7	9	8	9	5	12	7	8	15	6	11
WHITE-----	70	8	2	7	5	8	4	6	5	3	13	4	5
ALL OTHER-----	38	3	5	2	3	1	1	6	2	5	2	2	6
DISTRICT OF COLUMBIA													
UNDER 1 YEAR-----	276	26	29	15	22	20	30	21	19	24	22	27	21
WHITE-----	36	2	1	3	4	2	8	4	-	2	2	3	5
ALL OTHER-----	240	24	28	12	18	18	22	17	19	22	20	24	16
UNDER 28 DAYS-----	208	16	23	11	18	14	22	18	18	17	18	18	15
WHITE-----	27	-	1	2	4	2	7	3	-	2	1	2	3
ALL OTHER-----	181	16	22	9	14	12	15	15	18	15	17	16	12
FLORIDA													
UNDER 1 YEAR-----	2,047	192	165	136	146	163	172	186	170	190	163	170	194
WHITE-----	1,295	124	94	89	85	107	109	126	105	117	97	116	126
ALL OTHER-----	752	68	71	47	61	56	63	60	65	73	66	54	68
UNDER 28 DAYS-----	1,467	121	107	96	108	129	125	145	131	141	126	116	122
WHITE-----	964	85	77	69	59	87	85	103	81	86	69	83	80
ALL OTHER-----	503	36	30	27	49	42	40	42	50	55	57	33	42
GEORGIA													
UNDER 1 YEAR-----	1,628	168	126	150	125	133	121	136	130	151	153	116	119
WHITE-----	866	85	54	86	64	62	75	85	64	82	87	63	59
ALL OTHER-----	762	83	72	64	61	71	46	51	66	69	66	53	60
UNDER 28 DAYS-----	1,091	94	73	100	82	93	90	108	102	111	92	78	68
WHITE-----	633	56	44	60	50	45	58	66	53	62	53	47	39
ALL OTHER-----	458	38	29	40	32	48	32	42	49	49	39	31	29

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
HAWAII													
UNDER 1 YEAR-----	207	17	14	19	26	14	15	18	25	16	15	11	17
WHITE-----	53	4	2	2	5	5	2	4	9	8	2	4	6
ALL OTHER-----	154	13	12	17	21	9	13	14	16	8	13	7	11
UNDER 28 DAYS-----	168	13	12	14	22	12	10	14	20	16	12	9	14
WHITE-----	45	4	2	2	4	4	1	4	8	8	1	2	5
ALL OTHER-----	123	9	10	12	18	8	9	10	12	8	11	7	9
IDAHO													
UNDER 1 YEAR-----	247	18	21	31	24	21	18	16	16	18	20	22	22
WHITE-----	239	18	19	31	23	21	18	15	16	18	19	21	20
ALL OTHER-----	8	-	2	-	1	-	-	1	-	-	1	1	2
UNDER 28 DAYS-----	182	10	16	25	20	12	14	13	11	14	14	17	16
WHITE-----	177	10	15	25	19	12	14	12	11	14	13	17	15
ALL OTHER-----	5	-	1	-	1	-	-	1	-	-	1	-	1
ILLINOIS													
UNDER 1 YEAR-----	3,410	323	248	258	323	294	272	298	283	293	287	264	267
WHITE-----	2,197	210	150	178	191	183	177	182	193	183	195	179	176
ALL OTHER-----	1,213	113	98	80	132	111	95	116	90	110	92	85	91
UNDER 28 DAYS-----	2,550	225	188	195	253	220	218	248	214	225	205	175	184
WHITE-----	1,699	146	115	139	151	137	143	156	149	149	150	127	128
ALL OTHER-----	660	79	73	56	102	83	75	92	65	76	55	48	56
INDIANA													
UNDER 1 YEAR-----	1,536	142	106	133	142	127	122	132	135	104	135	126	132
WHITE-----	1,258	116	88	110	122	107	93	112	116	80	106	103	105
ALL OTHER-----	278	26	18	23	20	20	29	20	19	24	29	23	27
UNDER 28 DAYS-----	1,150	104	71	95	110	97	84	112	121	79	99	84	94
WHITE-----	953	84	58	81	96	78	64	94	105	61	86	73	73
ALL OTHER-----	197	20	13	14	14	19	20	18	16	18	13	11	21
IOWA													
UNDER 1 YEAR-----	619	52	53	49	63	60	45	58	50	52	45	48	44
WHITE-----	598	50	49	47	62	58	45	55	49	50	42	48	43
ALL OTHER-----	21	2	4	2	1	2	-	3	1	2	3	-	1
UNDER 28 DAYS-----	473	42	39	36	51	43	36	47	39	42	38	30	30
WHITE-----	458	41	36	34	50	42	36	45	38	41	36	30	29
ALL OTHER-----	15	1	3	2	1	1	-	2	1	1	2	-	1
KANSAS													
UNDER 1 YEAR-----	498	54	40	35	37	50	24	58	44	45	31	36	44
WHITE-----	433	50	32	27	31	42	20	53	40	39	26	32	41
ALL OTHER-----	65	4	8	8	6	8	4	5	4	6	5	4	3
UNDER 28 DAYS-----	375	33	30	22	32	39	17	50	38	38	23	25	28
WHITE-----	335	30	26	19	29	32	15	47	35	34	19	22	27
ALL OTHER-----	40	3	4	3	3	7	2	3	3	4	4	3	1
KENTUCKY													
UNDER 1 YEAR-----	903	78	82	85	78	65	67	86	68	69	76	69	80
WHITE-----	791	71	70	71	67	55	62	74	60	60	67	62	72
ALL OTHER-----	112	7	12	14	11	10	5	12	8	9	9	7	8
UNDER 28 DAYS-----	666	59	48	56	51	57	49	66	60	55	61	52	52
WHITE-----	586	54	43	46	44	47	45	56	53	49	53	48	48
ALL OTHER-----	80	5	5	10	7	10	4	10	7	6	8	4	4
LOUISIANA													
UNDER 1 YEAR-----	1,368	118	114	121	120	123	110	117	95	126	103	112	109
WHITE-----	687	44	60	61	73	71	48	64	49	56	47	67	47
ALL OTHER-----	681	74	54	60	47	52	62	53	46	70	56	45	62
UNDER 28 DAYS-----	1,015	66	81	90	87	97	75	104	74	105	88	81	67
WHITE-----	546	28	46	52	56	58	36	57	38	47	43	50	35
ALL OTHER-----	469	38	35	38	31	39	39	47	36	58	45	31	32
MAINE													
UNDER 1 YEAR-----	255	19	26	20	22	24	16	20	15	22	21	28	22
WHITE-----	254	19	26	20	22	23	16	20	15	22	21	28	22
ALL OTHER-----	1	-	-	-	-	1	-	-	-	-	-	-	-
UNDER 28 DAYS-----	182	14	19	15	17	16	10	15	13	17	13	18	15
WHITE-----	181	14	19	15	17	15	10	15	13	17	13	18	15
ALL OTHER-----	1	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND													
UNDER 1 YEAR-----	834	75	65	67	83	78	67	73	67	76	62	69	52
WHITE-----	537	50	44	42	56	54	46	38	46	44	40	46	31
ALL OTHER-----	297	25	21	25	27	24	21	35	21	32	22	23	21
UNDER 28 DAYS-----	602	38	48	47	59	62	51	57	52	54	45	51	38
WHITE-----	390	27	33	30	42	43	34	28	39	31	25	34	24
ALL OTHER-----	212	11	15	17	17	19	17	29	13	23	20	17	14
MASSACHUSETTS													
UNDER 1 YEAR-----	1,106	102	88	88	97	93	104	103	98	92	87	75	79
WHITE-----	967	86	75	73	83	85	92	91	89	79	81	64	69
ALL OTHER-----	139	16	13	15	14	8	12	12	9	13	6	11	10
UNDER 28 DAYS-----	855	80	63	67	75	69	81	87	82	80	64	54	53
WHITE-----	746	67	56	52	64	63	71	77	74	70	60	47	45
ALL OTHER-----	109	13	7	15	11	6	10	10	8	10	4	7	8

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MICHIGAN													
UNDER 1 YEAR-----	2,569	227	214	214	214	227	209	238	237	193	224	192	180
WHITE-----	1,761	148	130	150	143	153	145	161	166	141	154	134	136
ALL OTHER----	808	79	84	64	71	74	64	77	71	52	70	58	44
UNDER 28 DAYS-----	1,915	157	156	164	153	171	158	190	192	156	161	133	124
WHITE-----	1,341	108	98	115	109	114	114	131	131	113	118	90	100
ALL OTHER----	574	49	58	49	44	57	44	59	61	43	43	43	24
MINNESOTA													
UNDER 1 YEAR-----	816	79	68	60	85	85	55	71	72	59	52	59	71
WHITE-----	777	76	62	54	82	82	51	68	70	59	48	57	68
ALL OTHER----	39	3	6	6	3	3	4	3	2	-	4	2	3
UNDER 28 DAYS-----	612	59	41	47	68	68	37	53	54	50	40	43	52
WHITE-----	592	58	39	42	66	66	35	52	53	50	38	43	50
ALL OTHER----	20	1	2	5	2	2	2	1	1	-	2	-	2
MISSISSIPPI													
UNDER 1 YEAR-----	1,157	123	107	95	89	82	81	79	92	84	115	97	113
WHITE-----	394	44	38	27	32	34	30	13	32	34	39	36	35
ALL OTHER----	763	79	69	68	57	48	51	66	60	50	76	61	78
UNDER 28 DAYS-----	793	74	67	63	51	65	67	56	70	67	86	65	62
WHITE-----	303	33	30	21	21	27	27	9	25	29	31	27	23
ALL OTHER----	490	41	37	42	30	38	40	47	45	38	55	38	39
MISSOURI													
UNDER 1 YEAR-----	1,227	98	99	101	91	107	104	111	115	102	95	100	104
WHITE-----	912	74	73	81	71	80	73	78	88	70	72	76	76
ALL OTHER----	315	24	26	20	20	27	31	33	27	32	23	24	28
UNDER 28 DAYS-----	887	68	65	63	63	82	89	86	82	82	63	76	68
WHITE-----	681	56	49	50	50	61	64	63	69	60	49	60	50
ALL OTHER----	206	12	16	13	13	21	25	23	13	22	14	16	18
MONTANA													
UNDER 1 YEAR-----	222	13	9	25	22	16	25	26	15	10	15	27	19
WHITE-----	191	11	8	19	18	16	23	20	13	8	14	26	15
ALL OTHER----	31	2	1	6	4	-	2	6	2	2	1	1	4
UNDER 28 DAYS-----	162	7	8	19	22	13	17	20	11	7	6	20	12
WHITE-----	146	7	7	14	18	13	17	17	9	6	6	20	12
ALL OTHER----	16	-	1	5	4	-	-	3	2	1	-	-	-
NEBRASKA													
UNDER 1 YEAR-----	368	38	24	31	35	17	27	39	40	30	27	32	28
WHITE-----	338	35	23	29	32	15	26	35	39	26	25	28	25
ALL OTHER----	30	3	1	2	3	2	1	4	1	4	2	4	3
UNDER 28 DAYS-----	295	31	22	25	26	13	26	31	37	26	19	21	18
WHITE-----	260	30	21	23	26	13	25	28	36	23	17	21	17
ALL OTHER----	15	1	1	2	-	-	1	3	1	3	2	-	1
NEVADA													
UNDER 1 YEAR-----	163	11	10	13	18	16	16	18	8	4	22	10	17
WHITE-----	141	10	9	10	16	14	9	18	8	3	20	8	16
ALL OTHER----	22	1	1	3	2	2	7	-	-	1	2	2	1
UNDER 28 DAYS-----	113	7	6	6	14	12	13	15	8	2	12	7	11
WHITE-----	98	6	5	5	13	10	7	15	8	1	12	6	10
ALL OTHER----	15	1	1	1	1	2	6	-	-	1	-	1	1
NEW HAMPSHIRE													
UNDER 1 YEAR-----	191	12	18	16	15	18	13	11	21	14	16	16	21
WHITE-----	188	12	18	16	14	18	13	11	20	13	16	16	21
ALL OTHER----	3	-	-	-	1	-	-	-	1	1	-	-	-
UNDER 28 DAYS-----	146	9	14	10	8	17	11	10	17	8	13	9	20
WHITE-----	145	9	14	10	8	17	11	10	16	8	13	9	20
ALL OTHER----	1	-	-	-	-	-	-	-	1	-	-	-	-
NEW JERSEY													
UNDER 1 YEAR-----	1,603	165	130	138	119	134	148	147	125	112	120	131	134
WHITE-----	1,068	105	90	100	80	88	97	104	83	76	79	77	89
ALL OTHER----	535	60	40	38	39	46	51	43	42	36	41	54	45
UNDER 28 DAYS-----	1,208	122	95	96	86	101	115	121	110	86	92	91	93
WHITE-----	830	78	67	75	60	71	77	84	74	60	60	59	65
ALL OTHER----	378	44	28	21	26	30	38	37	36	26	32	32	28
NEW MEXICO													
UNDER 1 YEAR-----	419	41	37	30	28	27	32	30	28	39	49	44	34
WHITE-----	332	37	33	24	20	17	29	25	22	32	36	33	24
ALL OTHER----	87	4	4	6	8	10	3	5	6	7	13	11	10
UNDER 28 DAYS-----	265	22	19	20	18	18	23	20	20	26	29	32	18
WHITE-----	222	21	18	16	15	15	20	18	16	22	22	26	13
ALL OTHER----	43	1	1	4	3	3	3	2	4	4	7	6	5
NEW YORK													
UNDER 1 YEAR-----	4,068	381	329	351	312	329	330	359	321	345	330	327	324
WHITE-----	2,886	253	246	244	228	240	228	247	227	250	249	238	236
ALL OTHER----	1,182	128	83	107	84	89	102	112	94	95	81	89	88
UNDER 28 DAYS-----	3,039	272	232	257	224	258	257	279	258	263	259	234	246
WHITE-----	2,176	187	177	177	171	186	170	200	183	191	195	166	173
ALL OTHER----	863	85	55	80	53	72	87	79	75	72	64	68	73

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
NORTH CAROLINA													
UNDER 1 YEAR-----	1,854	177	162	152	167	137	145	154	129	150	138	162	181
WHITE-----	1,065	101	85	93	98	83	84	89	66	87	85	101	93
ALL OTHER-----	789	76	77	59	69	54	61	65	63	63	53	61	88
UNDER 28 DAYS-----	1,331	96	103	103	118	105	111	131	113	110	109	109	123
WHITE-----	803	60	60	62	75	67	70	78	57	63	67	71	73
ALL OTHER-----	528	36	43	41	43	38	41	53	56	47	42	38	50
NORTH DAKOTA													
UNDER 1 YEAR-----	159	18	12	14	9	11	16	17	12	9	11	14	16
WHITE-----	140	16	9	13	8	9	15	16	10	7	10	12	15
ALL OTHER-----	19	2	3	1	1	2	1	1	2	2	1	2	1
UNDER 28 DAYS-----	112	14	5	9	8	9	11	12	7	6	8	11	12
WHITE-----	101	12	4	9	7	7	11	12	6	5	7	9	12
ALL OTHER-----	11	2	1	-	1	2	-	-	1	1	1	2	-
OHIO													
UNDER 1 YEAR-----	2,788	262	202	246	242	237	216	222	239	217	236	204	265
WHITE-----	2,214	208	146	193	196	188	174	175	196	172	192	164	210
ALL OTHER-----	574	54	56	53	46	49	42	47	43	45	44	40	55
UNDER 28 DAYS-----	2,091	189	130	174	177	197	173	172	185	168	182	153	191
WHITE-----	1,664	154	93	137	143	157	140	133	152	131	152	121	151
ALL OTHER-----	427	35	37	37	34	40	33	39	33	37	30	32	40
OKLAHOMA													
UNDER 1 YEAR-----	664	51	45	58	59	50	40	74	60	55	41	65	66
WHITE-----	546	42	34	49	47	43	34	65	48	44	33	51	56
ALL OTHER-----	118	9	11	9	12	7	6	9	12	11	8	14	10
UNDER 28 DAYS-----	472	35	30	37	40	36	28	57	44	44	35	42	44
WHITE-----	400	31	24	34	34	32	24	59	39	35	28	32	37
ALL OTHER-----	72	4	6	3	6	4	4	7	5	9	7	10	7
OREGON													
UNDER 1 YEAR-----	466	48	31	46	39	39	40	46	31	27	39	45	35
WHITE-----	440	48	39	42	37	38	36	45	30	25	34	44	31
ALL OTHER-----	26	-	1	4	2	1	4	1	1	2	5	1	4
UNDER 28 DAYS-----	331	37	19	33	26	25	34	32	23	18	28	29	27
WHITE-----	314	37	18	30	24	25	31	32	22	18	25	28	24
ALL OTHER-----	17	-	1	3	2	-	3	-	1	-	3	1	3
PENNSYLVANIA													
UNDER 1 YEAR-----	2,612	232	214	244	196	189	212	229	217	242	229	229	179
WHITE-----	2,087	182	178	193	151	149	169	181	169	200	174	181	160
ALL OTHER-----	525	50	36	51	45	40	43	48	48	42	55	48	19
UNDER 28 DAYS-----	1,988	171	146	183	165	147	162	187	175	186	163	172	131
WHITE-----	1,601	137	124	146	127	115	131	147	141	157	122	136	118
ALL OTHER-----	387	34	22	37	38	32	31	40	34	29	41	36	13
RHODE ISLAND													
UNDER 1 YEAR-----	209	18	18	15	18	16	19	14	19	19	24	16	13
WHITE-----	194	13	16	15	17	16	19	14	14	18	24	15	13
ALL OTHER-----	15	5	2	-	1	-	-	-	5	1	-	1	-
UNDER 28 DAYS-----	167	16	12	11	17	12	14	13	18	15	22	9	8
WHITE-----	155	12	11	11	16	12	14	13	13	14	22	9	8
ALL OTHER-----	12	4	1	-	1	-	-	-	5	1	-	-	-
SOUTH CAROLINA													
UNDER 1 YEAR-----	1,111	110	86	116	84	95	72	86	86	86	89	99	102
WHITE-----	529	53	35	57	43	46	45	50	39	46	42	39	34
ALL OTHER-----	582	57	51	59	41	49	27	36	47	40	47	60	68
UNDER 28 DAYS-----	755	61	52	71	57	69	56	64	65	64	63	66	67
WHITE-----	395	36	23	38	31	37	36	42	28	36	32	30	26
ALL OTHER-----	360	25	29	33	26	32	20	22	37	28	31	36	41
SOUTH DAKOTA													
UNDER 1 YEAR-----	197	22	10	14	17	13	11	23	21	14	29	8	15
WHITE-----	150	18	9	13	11	10	9	18	15	10	17	7	13
ALL OTHER-----	47	4	1	1	6	3	2	5	6	4	12	1	2
UNDER 28 DAYS-----	144	18	6	9	10	12	9	18	15	10	22	5	10
WHITE-----	121	16	6	9	9	9	9	14	13	8	14	5	9
ALL OTHER-----	23	2	-	-	1	3	-	4	2	2	8	-	1
TENNESSEE													
UNDER 1 YEAR-----	1,311	120	128	120	107	109	83	106	111	91	103	119	114
WHITE-----	909	82	93	80	79	78	53	75	73	61	76	85	74
ALL OTHER-----	402	38	35	40	28	31	30	31	38	30	27	34	40
UNDER 28 DAYS-----	966	77	87	85	81	87	65	83	90	73	76	91	71
WHITE-----	681	53	66	57	61	63	44	59	62	48	58	63	47
ALL OTHER-----	285	24	21	28	20	24	21	24	28	25	18	28	24
TEXAS													
UNDER 1 YEAR-----	4,026	387	338	341	279	332	319	338	366	376	319	280	351
WHITE-----	3,095	294	250	266	216	251	243	261	292	297	241	222	262
ALL OTHER-----	931	93	88	75	63	81	76	77	74	79	78	58	89
UNDER 28 DAYS-----	2,973	247	240	254	206	250	250	269	297	290	238	196	236
WHITE-----	2,338	195	184	204	164	191	194	207	235	234	186	158	186
ALL OTHER-----	635	52	56	50	42	59	56	62	62	56	52	38	50

2-35

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1973-Con.

AREA, AGE, AND COLOR		TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UTAH														
UNDER 1 YEAR		354	31	33	39	21	25	36	34	27	28	29	28	23
	WHITE	337	26	31	39	21	23	36	32	23	28	28	28	22
	ALL OTHER	17	5	2	-	-	2	-	2	4	-	1	-	1
UNDER 28 DAYS		252	18	26	28	14	18	25	24	17	21	23	22	16
	WHITE	242	15	25	28	14	16	25	23	14	21	23	22	16
	ALL OTHER	10	3	1	-	-	2	-	1	3	-	-	-	-
VERMONT														
UNDER 1 YEAR		109	12	11	10	4	8	7	7	10	9	10	10	11
	WHITE	109	12	11	10	4	8	7	7	10	9	10	10	11
	ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDER 28 DAYS		78	8	7	8	4	7	5	6	7	6	7	5	8
	WHITE	78	8	7	8	4	7	5	6	7	6	7	5	8
	ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA														
UNDER 1 YEAR		1,316	123	98	117	120	104	86	109	115	92	122	109	121
	WHITE	874	82	66	83	77	70	54	71	71	62	83	61	94
	ALL OTHER	442	41	32	34	43	34	32	38	44	30	39	48	27
UNDER 28 DAYS		999	93	74	83	93	83	71	87	90	76	92	72	85
	WHITE	683	66	52	60	63	55	42	56	56	52	68	41	72
	ALL OTHER	316	27	22	23	30	28	29	31	34	24	24	31	13
WASHINGTON														
UNDER 1 YEAR		782	79	75	51	57	70	65	69	77	54	61	54	70
	WHITE	689	73	70	42	53	60	57	58	63	48	57	48	60
	ALL OTHER	93	6	5	9	4	10	8	11	14	6	4	6	10
UNDER 28 DAYS		553	52	51	34	39	53	51	48	53	36	48	35	53
	WHITE	489	48	48	28	37	44	44	41	45	32	46	29	47
	ALL OTHER	64	4	3	6	2	9	7	7	8	4	2	6	6
WEST VIRGINIA														
UNDER 1 YEAR		524	43	56	56	52	47	31	45	42	35	42	34	41
	WHITE	486	40	51	55	43	46	31	40	40	31	39	31	39
	ALL OTHER	38	3	5	1	9	1	-	5	2	4	3	3	2
UNDER 28 DAYS		384	29	32	45	38	34	26	39	30	22	30	28	31
	WHITE	359	26	29	44	31	33	26	35	29	21	29	25	31
	ALL OTHER	25	3	3	1	7	1	-	4	1	1	1	3	-
WISCONSIN														
UNDER 1 YEAR		906	82	80	65	71	83	78	78	86	72	72	62	77
	WHITE	802	71	76	57	61	74	71	70	79	57	60	53	73
	ALL OTHER	104	11	4	8	10	9	7	8	7	15	12	9	4
UNDER 28 DAYS		660	49	58	47	49	65	59	60	70	60	43	44	56
	WHITE	598	41	55	44	42	59	56	54	66	51	37	38	55
	ALL OTHER	62	8	3	3	7	6	3	6	4	9	6	6	1
WYOMING														
UNDER 1 YEAR		112	8	10	11	12	10	13	14	7	6	8	8	5
	WHITE	108	8	8	11	12	9	13	14	7	6	8	7	5
	ALL OTHER	4	-	2	-	-	1	-	-	-	-	-	1	-
UNDER 28 DAYS		87	5	6	9	10	8	10	11	6	5	6	7	4
	WHITE	85	5	5	9	10	8	10	11	6	5	6	6	4
	ALL OTHER	2	-	1	-	-	-	-	-	-	-	-	1	-

SECTION 2 - INFANT MORTALITY

2-37

Table 2-11. Infant Mortality Rates for 65 Selected Causes: United States, 1968-73

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1973 ¹	1972 ^{1,2}	1971 ¹	1970 ¹	1969	1968
All causes-----	1,771.8	1,847.0	1,911.7	2,001.1	2,085.2	2,178.0
Diarrheal diseases-----009	20.7	19.5	20.0	20.4	23.1	26.4
Whooping cough-----033	*0.2	*0.1	*0.4	*0.2	*0.3	0.8
Meningococcal infections-----036	2.9	2.9	3.6	3.3	3.9	4.5
Tetanus-----037	*0.1	-	*0.1	*0.2	*0.2	*0.1
Septicemia-----038	25.7	25.2	23.3	23.2	21.1	22.8
Viral diseases-----040-079	6.9	6.7	7.6	7.3	7.5	7.9
Congenital syphilis-----090	*0.3	*0.1	*0.2	*0.3	0.6	*0.4
Other infective and parasitic diseases-----Remainder of 000-136	5.1	6.0	5.4	6.2	6.8	7.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	4.3	4.6	4.3	4.4	4.5	4.7
Benign neoplasms and neoplasms of unspecified nature-----210-239	1.5	1.7	2.1	2.0	1.9	2.6
Diseases of thymus gland-----254	0.8	0.7	0.8	1.3	0.8	1.2
Cystic fibrosis-----273.0	2.5	2.8	3.0	3.1	3.5	3.6
Diseases of the blood and blood-forming organs-----280-289	7.5	6.7	6.1	5.9	4.4	4.2
Meningitis-----320	15.7	15.8	14.9	15.7	15.3	15.0
Other diseases of nervous system and sense organs-----321-399	13.3	15.0	12.8	15.0	13.3	13.9
Acute upper respiratory infections-----460-465	3.9	4.7	5.2	5.7	6.4	8.6
Bronchitis and bronchiolitis-----466,490,491	7.6	11.6	14.6	15.7	15.9	15.2
Influenza and pneumonia-----470-474,480-486	113.5	132.9	151.9	168.9	198.3	225.8
Influenza-----470-474	1.7	1.0	1.2	2.2	3.5	3.8
Pneumonia-----480-486	111.9	131.1	150.7	166.7	194.8	222.0
Other chronic interstitial pneumonia-----517	1.2	0.7	0.7	0.6	0.5	0.7
All other diseases of respiratory system-----492,493,500-516,518,519	16.8	15.9	17.0	18.0	16.6	16.0
Hernia and intestinal obstruction-----550-553,560	15.2	15.0	14.6	16.8	17.7	18.2
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----556,561,563	1.6	1.4	1.3	1.1	1.6	1.3
Other diseases of digestive system-----580-584,586,537,540-543,562,564-577	10.7	11.0	11.8	11.3	12.0	11.7
Congenital anomalies-----740-759	285.4	280.3	288.8	301.7	314.1	315.8
Anencephalus-----740	25.0	26.1	25.9	26.9	26.6	27.4
Spina bifida-----741	14.2	16.1	17.9	18.0	19.0	21.2
Congenital hydrocephalus-----742	14.0	15.2	14.7	15.1	17.0	15.1
Other congenital anomalies of central nervous system and eye-----743,744	10.8	10.3	12.3	11.6	12.8	12.3
Congenital anomalies of heart-----745	105.9	113.2	112.5	119.0	123.8	124.8
Other congenital anomalies of circulatory system-----747	20.5	16.4	22.1	19.8	18.9	21.2
Congenital anomalies of respiratory system-----748	19.3	13.6	13.0	11.8	14.0	12.9
Congenital anomalies of digestive system-----749-751	14.8	19.1	20.0	19.1	22.0	25.4
Congenital anomalies of genitourinary system-----752,753	10.3	11.1	10.5	10.0	11.3	11.4
Congenital anomalies of musculoskeletal system-----754-756	9.7	8.6	10.2	10.0	9.5	9.4
Down's disease-----759.3	3.0	3.1	3.2	3.6	3.8	3.4
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	31.7	31.4	30.4	30.0	29.4	27.3
Other and unspecified congenital anomalies-----745,757,758	6.2	6.1	7.1	6.8	6.0	5.7
Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	968.8	1,035.5	1,079.8	1,157.1	1,196.0	1,248.2
Chronic circulatory and genitourinary diseases in mother-----760	*0.3	*0.1	*0.2	*0.3	*0.5	0.6
Other maternal conditions unrelated to pregnancy-----761	9.1	9.8	10.6	12.3	13.4	15.2
Syphilis-----761.0	*0.0	-	*0.1	*0.2	*0.1	*0.1
Diabetes mellitus-----761.1	4.6	5.1	5.9	7.1	6.9	6.8
Rubella-----761.3	*0.3	*0.5	*0.5	*0.4	0.6	0.6
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	4.2	4.2	4.0	4.6	5.7	5.7
Toxemia of pregnancy-----762	4.4	4.1	5.2	5.3	4.9	6.5
Maternal antepartum and intrapartum infection-----763	6.1	6.0	6.5	7.5	6.7	7.1
Difficult labor-----764-768	14.3	17.1	14.8	18.0	24.1	20.4
With mention of birth injury (.0-.3)-----	4.1	5.0	4.8	8.6	10.6	6.1
Without mention of birth injury (.4-.9)-----	10.2	12.0	10.0	11.5	13.4	14.3
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	110.1	109.6	122.8	131.7	147.8	159.4
Conditions of placenta-----770	42.0	50.5	52.7	61.1	70.0	73.9
Conditions of umbilical cord-----771	9.4	12.1	11.5	12.2	13.7	11.9
Birth injury without mention of cause-----772	59.0	54.7	56.9	57.6	47.0	58.7
Hemolytic disease of newborn-----774,775	11.9	15.3	17.9	22.2	24.7	27.2
Kyline membrane disease-----776.1	142.4	143.8	140.6	142.1	153.5	130.0
Respiratory distress syndrome-----776.2	130.4	131.0	127.0	119.5	114.4	106.2
Asphyxia of newborn, unspecified-----776.9	171.5	205.7	230.2	252.9	266.3	292.9
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	20.5	20.9	19.4	20.4	22.3	21.6
Immaturity, unqualified-----777	171.2	191.2	207.7	234.6	248.5	269.1
Postmaturity-----778.1	*0.0	*0.1	*0.1	*0.1	*0.1	*0.1
Hemorrhagic disease of newborn-----778.2	14.4	13.7	11.3	13.2	12.0	12.5
All other conditions of newborn-----778.0,778.3,778.9	51.6	49.7	44.6	46.0	46.2	36.8
Symptoms and ill-defined conditions-----780-796	134.1	116.4	100.8	94.2	89.1	84.5
Accidents-----E800-E949	55.9	54.8	63.3	61.5	67.4	72.0
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	15.5	16.6	18.9	18.9	21.3	22.0
Accidental mechanical suffocation-----E913	10.7	12.5	15.3	15.2	17.2	21.7
Other accidental causes-----E800-E910,E914-E949	27.7	25.6	29.1	27.4	28.8	28.2
Homicide-----E960-E978	5.1	5.3	5.3	4.0	4.2	4.7
All other causes-----Residual	46.9	44.1	41.1	37.9	39.0	39.8

¹Excludes deaths of nonresidents of United States.

²Deaths based on 50-percent sample.

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth Revision]

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 1 YEAR--ALL CAUSES-----	55,581	5,204	4,517	4,693
2	DIARRHEAL DISEASES-----009	648	67	51	44
3	WHOOPING COUGH-----033	5	1	-	-
4	MENINGOCOCCAL INFECTIONS-----036	90	7	9	15
5	TETANUS-----037	3	1	-	-
6	SEPTICEMIA-----038	805	82	99	61
7	VIRAL DISEASES-----040-079	216	25	18	15
8	CONGENITAL SYPHILIS-----090	9	-	1	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	160	15	18	12
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	134	12	10	11
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	48	6	3	4
12	DISEASES OF THYMUS GLAND-----254	20	1	-	3
13	CYSTIC FIBROSIS-----273.0	77	7	12	7
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	236	26	23	14
15	MENINGITIS-----320	492	44	32	43
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	417	44	25	42
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	121	24	8	14
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	237	49	29	24
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	3,562	528	467	336
20	INFLUENZA-----470-474	52	21	16	4
21	PNEUMONIA-----480-486	3,510	507	451	332
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	38	3	-	3
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	526	52	46	49
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	477	50	41	42
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	49	2	4	5
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	335	35	35	28
27	CONGENITAL ANOMALIES-----740-759	8,953	787	719	798
28	ANENCEPHALUS-----740	784	53	60	72
29	SPINA BIFIDA-----741	445	33	37	49
30	CONGENITAL HYDROCEPHALUS-----742	439	39	34	40
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	338	39	16	31
32	CONGENITAL ANOMALIES OF HEART-----746	3,354	295	275	319
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	642	70	54	55
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	573	46	43	35
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	465	48	40	33
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	324	25	30	21
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	305	35	21	26
38	DOWN'S DISEASE-----759.3	95	11	13	6
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	994	78	79	95
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	195	15	17	16
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	30,391	2,586	2,258	2,486
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	9	-	-	1
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	287	27	33	31
44	SYPHILIS-----761.0	1	-	-	-
45	DIABETES MELLITUS-----761.1	143	16	14	15
46	RUBELLA-----761.3	10	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	133	11	19	16
48	TOXEMIA OF PREGNANCY-----762	139	10	14	13
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	190	14	16	17
50	DIFFICULT LABOR-----764-768	448	39	38	41
51	WITH MENTION OF BIRTH INJURY (.0-.3)	128	11	14	12
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	320	28	24	29
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,455	264	235	302
54	CONDITIONS OF PLACENTA-----770	1,318	91	107	84
55	CONDITIONS OF UMBILICAL CORD-----771	295	25	20	24
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,852	147	128	143
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	374	40	34	25
58	HYALINE MEMBRANE DISEASE-----776.1	4,467	376	308	320
59	RESPIRATORY DISTRESS SYNDROME-----776.2	4,091	356	304	334
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	5,380	493	417	466
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	644	59	39	54
62	IMMATURITY, UNQUALIFIED-----777	5,369	481	413	481
63	POSTMATURITY-----778.1	1	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	453	40	30	37
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,619	124	122	113
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	4,208	406	399	358
67	ACCIDENTS-----E800-E949	1,691	171	124	134
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	485	62	37	36
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	336	33	31	33
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	870	76	56	65
71	HOMICIDE-----E960-E978	161	24	14	21
72	ALL OTHER CAUSES-----RESIDUAL	1,472	145	112	124

From 65 Selected Causes, by Month: United States, 1973

International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
4,537	4,574	4,353	4,789	4,664	4,534	4,621	4,466	4,629	1
43	49	47	56	55	61	54	49	72	2
1	1	1	1	1	1	1	1	1	3
9	10	8	1	4	5	7	6	9	4
55	60	57	77	75	65	67	63	84	5
19	14	19	18	21	23	16	15	13	7
1	2	1	1	3	1	1	1	1	8
16	14	6	16	10	13	10	9	17	9
18	8	15	10	16	12	8	5	9	10
9	2	6	1	5	3	4	2	3	11
3	2	2	2	1	-	3	1	2	12
3	6	9	5	2	7	5	2	11	13
15	16	18	16	16	19	20	28	25	14
53	38	35	39	36	44	45	43	40	15
34	27	32	38	33	35	37	40	30	16
6	8	5	7	5	6	8	16	14	17
13	10	16	12	6	12	19	18	29	18
322	234	172	218	194	207	254	289	341	19
2	-	-	-	-	1	4	1	3	20
320	234	172	218	194	206	250	288	338	21
3	3	3	4	4	4	5	4	2	22
46	38	33	32	53	29	52	49	47	23
41	33	39	38	38	48	36	36	35	24
4	5	3	2	5	6	7	2	4	25
25	22	39	20	27	25	27	20	32	26
701	727	728	776	744	687	785	730	771	27
63	80	66	79	65	61	61	64	60	28
44	36	29	41	32	36	33	35	40	29
34	41	50	35	26	25	37	41	37	30
19	28	36	33	20	34	26	33	23	31
254	261	265	259	290	251	302	281	302	32
63	44	36	52	62	56	52	52	46	33
44	48	46	54	56	43	49	52	57	34
38	33	39	52	45	28	36	31	42	35
17	35	26	39	27	24	28	23	29	36
24	23	30	30	21	23	28	20	24	37
11	9	8	5	7	4	7	8	6	38
76	73	80	80	82	86	100	78	87	39
14	16	17	17	11	16	26	12	18	40
2,502	2,696	2,558	2,866	2,742	2,616	2,501	2,317	2,263	41
1	1	2	1	1	-	1	-	1	42
21	28	30	16	21	18	24	16	22	43
-	-	1	-	-	-	-	-	-	44
10	14	13	8	7	10	16	5	15	45
-	3	1	-	1	-	1	3	1	46
11	11	15	8	13	8	7	8	6	47
19	9	16	11	7	9	10	5	16	48
14	14	16	16	18	27	13	11	14	49
37	37	33	34	44	29	37	44	35	50
12	12	8	14	11	5	7	15	7	51
25	25	25	20	33	24	30	29	28	52
289	341	310	315	302	285	298	276	238	53
112	118	103	140	139	108	98	102	116	54
17	30	24	22	25	36	27	23	22	55
162	129	142	178	189	176	153	150	155	56
32	33	25	37	35	27	32	27	27	57
358	407	399	420	410	399	357	347	366	58
299	338	308	430	346	365	337	342	332	59
466	485	454	492	442	472	446	372	375	60
51	57	62	57	66	46	50	52	51	61
467	497	458	505	490	430	434	368	345	62
1	-	-	-	-	-	-	-	-	63
35	39	35	45	47	43	35	40	27	64
121	133	141	147	160	146	149	142	121	65
333	314	269	275	274	323	354	420	483	66
139	122	133	133	149	144	157	142	143	67
38	38	30	46	38	41	34	38	47	68
27	30	26	27	25	21	33	25	25	69
74	54	77	60	86	82	90	79	71	70
11	10	13	13	13	13	8	9	12	71
113	103	88	113	130	125	132	151	136	72

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth Revision]

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	UNDER 28 DAYS--ALL CAUSES-----	40,664	3,467	3,076	3,352
2	DIARRHEAL DISEASES-----009	274	16	14	17
3	WHOOPING COUGH-----033	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	9	1	1	1
5	TETANUS-----037	1	-	-	-
6	SEPTICEMIA-----038	585	57	32	45
7	VIRAL DISEASES-----040-079	69	5	4	5
8	CONGENITAL SYPHILIS-----090	8	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	53	4	4	3
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	26	2	3	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	23	3	2	3
12	DISEASES OF THYMUS GLAND-----254	2	-	-	-
13	CYSTIC FIBROSIS-----273.0	17	2	1	3
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	124	13	10	10
15	MENINGITIS-----320	183	9	11	12
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	42	8	3	8
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	6	2	1	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	23	4	3	2
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	975	105	94	80
20	INFLUENZA-----470-474	4	1	1	1
21	PNEUMONIA-----480-486	971	104	93	79
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	13	-	-	1
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	130	9	6	12
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	373	37	33	28
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	31	1	3	2
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	164	21	18	13
27	CONGENITAL ANOMALIES-----740-759	6,142	496	486	544
28	ANENCEPHALUS-----740	771	52	60	69
29	SPINA BIFIDA-----741	261	14	21	25
30	CONGENITAL HYDROCEPHALUS-----742	227	22	19	23
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	228	26	9	25
32	CONGENITAL ANOMALIES OF HEART-----746	2,055	156	168	192
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	420	48	30	32
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	428	33	35	27
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	252	24	22	23
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	261	19	21	16
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	255	27	18	22
38	DOWN'S DISEASE-----759.3	44	7	2	4
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	797	58	67	75
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	143	10	14	11
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	30,137	2,561	2,239	2,469
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	8	-	-	1
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	283	27	32	31
44	SYPHILIS-----761.0	1	-	-	-
45	DIABETES MELLITUS-----761.1	141	16	13	15
46	RUBELLA-----761.3	9	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	132	11	19	16
48	TOXEMIA OF PREGNANCY-----762	138	10	14	13
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	188	14	16	17
50	DIFFICULT LABOR-----764-768	444	38	38	41
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	128	11	14	12
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	316	27	24	29
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,443	264	235	302
54	CONDITIONS OF PLACENTA-----770	1,312	90	106	84
55	CONDITIONS OF UMBILICAL CORD-----771	293	25	20	24
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,838	142	128	143
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	370	39	34	25
58	HYALINE MEMBRANE DISEASE-----776.1	4,409	374	301	316
59	RESPIRATORY DISTRESS SYNDROME-----776.2	4,024	350	301	327
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	5,364	491	417	465
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	633	58	39	50
62	IMMATURITY, UNQUALIFIED-----777	5,339	477	408	481
63	POSTMATURITY-----778.1	1	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	451	39	30	37
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,599	123	120	112
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	615	54	57	47
67	ACCIDENTS-----E800-E949	180	17	16	13
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	67	8	6	3
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	29	3	5	1
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	84	6	5	9
71	HOMICIDE-----E960-E978	36	6	5	4
72	ALL OTHER CAUSES-----RESIDUAL	423	34	30	29

SECTION 2 - INFANT MORTALITY

2-41

From 65 Selected Causes, by Month: United States, 1973-Con.

International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
3,331	3,480	3,356	3,808	3,665	3,477	3,375	3,133	3,144	1
24	22	19	27	28	32	32	21	22	2
1	-	-	-	-	-	-	-	-	3
1	-	1	-	2	1	1	-	-	4
39	46	39	61	60	54	50	49	53	5
7	4	5	7	6	13	5	5	3	7
1	2	-	1	3	3	-	-	1	8
8	5	1	11	5	3	4	1	4	9
3	3	3	1	2	4	4	-	-	10
3	1	4	-	3	-	-	2	2	11
-	-	-	1	-	-	-	-	1	12
-	3	1	-	1	-	3	1	2	13
4	6	10	13	9	13	11	12	13	14
16	11	16	18	21	25	15	15	14	15
5	2	2	2	6	1	3	1	1	16
-	-	-	-	-	1	-	1	1	17
2	-	2	1	2	3	2	1	1	18
83	74	62	80	67	86	81	81	82	19
-	-	-	-	-	1	-	-	-	20
83	74	62	80	67	86	80	81	82	21
-	-	2	2	3	2	-	2	1	22
13	9	10	11	19	9	13	8	11	23
30	26	33	29	31	37	30	32	27	24
3	5	1	1	3	4	5	1	2	25
13	11	17	12	14	15	13	8	9	26
497	489	498	572	539	483	525	479	534	27
62	76	66	77	65	61	61	63	59	28
31	12	17	27	23	23	19	21	28	29
15	22	29	18	13	11	15	20	20	30
14	17	25	23	13	25	13	21	17	31
162	153	166	184	190	161	179	168	176	32
42	25	26	34	45	43	31	31	33	33
31	35	33	44	44	32	36	34	44	34
17	21	17	30	29	13	17	16	23	35
14	31	21	28	24	19	26	16	26	36
24	19	23	29	17	19	23	15	19	37
9	4	3	3	2	2	3	2	3	38
63	61	59	65	68	65	82	62	72	39
13	13	13	10	6	9	20	10	14	40
2,483	2,671	2,540	2,840	2,720	2,594	2,481	2,300	2,239	41
1	1	2	1	1	-	1	-	-	42
21	28	30	16	21	18	23	16	20	43
-	-	1	-	-	-	-	-	-	44
10	14	13	8	7	10	15	5	15	45
-	3	1	-	1	-	1	3	-	46
11	11	15	8	13	8	7	8	5	47
19	9	16	11	7	8	10	5	16	48
14	14	16	15	18	27	13	10	14	49
37	37	32	34	43	29	37	44	34	50
12	12	8	14	11	5	7	15	7	51
25	25	24	20	32	24	30	29	27	52
288	338	306	314	302	284	297	275	238	53
112	118	103	139	138	108	97	102	115	54
16	30	24	22	25	36	26	23	22	55
162	128	142	176	188	176	153	149	151	56
30	33	25	36	35	27	32	27	27	57
357	397	395	413	405	391	354	345	361	58
290	336	305	422	343	356	331	337	326	59
464	485	453	491	440	470	444	370	374	60
51	57	62	57	64	46	48	50	51	61
465	494	454	504	485	429	432	365	345	62
1	-	-	-	-	-	-	-	-	63
34	39	35	45	47	43	35	40	27	64
121	127	140	144	158	146	148	142	118	65
44	51	53	54	56	42	40	53	64	66
11	10	12	17	21	13	15	20	15	67
2	3	4	8	9	7	5	6	6	68
3	2	2	3	2	1	2	2	3	69
6	5	6	6	10	5	8	12	6	70
5	1	1	5	3	1	-	2	3	71
36	28	24	42	40	41	42	38	39	72

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth Revision]

CAUSE OF DEATH AND AGE		TOTAL	JANUARY	FEBRUARY	MARCH
1	28 DAYS TO 11 MONTHS--ALL CAUSES	14,917	1,737	1,441	1,341
2	DIARRHEAL DISEASES-----009	374	51	37	27
3	WHOOPING COUGH-----033	5	1	-	-
4	MENINGOCOCCAL INFECTIONS-----036	81	6	8	14
5	TETANUS-----037	2	1	-	-
6	SEPTICEMIA-----038	220	25	27	16
7	VIRAL DISEASES-----040-079	147	20	14	10
8	CONGENITAL SYPHILIS-----090	1	-	1	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	107	15	14	9
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	108	10	7	10
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	25	3	1	1
12	DISEASES OF THYMUS GLAND-----254	18	1	-	3
13	CYSTIC FIBROSIS-----273.0	60	5	11	4
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	112	13	13	4
15	MENINGITIS-----320	309	35	21	31
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	375	36	22	34
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	115	22	7	14
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	214	45	26	22
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	2,587	423	373	256
20	INFLUENZA-----470-474	48	20	15	3
21	PNEUMONIA-----480-486	2,539	403	358	253
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	25	3	-	2
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	396	43	40	37
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	104	13	8	14
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	18	1	1	3
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	171	14	17	15
27	CONGENITAL ANOMALIES-----740-759	2,811	291	233	254
28	ANENCEPHALUS-----740	13	1	-	3
29	SPINA BIFIDA-----741	184	19	16	24
30	CONGENITAL HYDROCEPHALUS-----742	212	17	15	17
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	110	13	7	6
32	CONGENITAL ANOMALIES OF HEART-----746	1,299	139	107	127
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	222	22	24	23
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	145	13	8	8
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	213	24	18	10
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	63	6	9	5
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	50	8	3	4
38	DOWN'S DISEASE-----759.3	51	4	11	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	197	20	12	20
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	52	5	3	5
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	254	25	19	17
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	4	-	1	-
44	SYPHILIS-----761.0	-	-	-	-
45	DIABETES MELLITUS-----761.1	2	-	1	-
46	RUBELLA-----761.3	1	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	-	-	-
48	TOXEMIA OF PREGNANCY-----762	1	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	2	-	-	-
50	DIFFICULT LABOR-----764-768	4	1	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	-	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	4	1	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	12	-	-	-
54	CONDITIONS OF PLACENTA-----770	6	1	1	-
55	CONDITIONS OF UMBILICAL CORD-----771	2	-	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	14	5	-	-
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	4	1	-	-
58	HYALINE MEMBRANE DISEASE-----776.1	58	2	7	4
59	RESPIRATORY DISTRESS SYNDROME-----776.2	67	6	3	7
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	16	2	-	1
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	11	1	-	4
62	IMMATURITY, UNQUALIFIED-----777	30	4	5	-
63	POSTMATURITY-----778.1	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	1	-	-
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	20	1	2	1
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	3,593	352	342	311
67	ACCIDENTS-----E800-E949	1,511	154	108	121
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	418	54	31	33
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	307	30	26	32
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	786	70	51	56
71	HOMICIDE-----E960-E978	125	18	9	17
72	ALL OTHER CAUSES-----RESIDUAL	1,049	111	82	95

SECTION 2 - INFANT MORTALITY

2-43

From 65 Selected Causes, by Month: United States, 1973-Con.

International Classification of Diseases, Adapted, 1965]

APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1,206	1,094	997	981	999	1,057	1,246	1,333	1,485	1
19	27	28	29	27	29	22	28	50	2
-	1	-	-	1	1	-	-	1	3
8	10	7	1	2	4	6	6	9	4
-	-	-	-	-	1	-	-	-	5
16	14	18	16	15	11	17	14	31	6
12	10	14	11	15	10	11	10	10	7
8	9	5	5	5	10	6	8	13	8
15	5	12	9	14	8	4	5	9	10
6	1	2	1	2	3	4	-	1	11
3	2	2	1	1	-	3	1	1	12
3	3	8	5	2	7	2	1	9	13
11	10	8	3	7	6	9	16	12	14
37	27	19	21	15	19	30	28	26	15
29	25	30	36	27	34	34	39	29	16
6	8	5	7	5	5	8	15	13	17
11	10	14	11	9	9	17	17	28	18
239	160	110	138	127	121	173	208	259	19
2	-	-	-	1	3	1	1	3	20
237	160	110	138	127	120	170	207	256	21
3	3	1	2	1	2	5	2	1	22
33	29	23	21	34	20	39	41	36	23
11	7	6	9	7	11	6	4	8	24
1	-	2	1	2	2	2	1	2	25
12	11	22	8	13	10	14	12	23	26
204	238	230	204	205	204	260	251	237	27
1	4	-	-	-	-	1	1	1	28
13	24	12	14	9	13	14	14	12	29
19	19	21	13	13	14	22	21	17	30
5	11	11	10	7	9	13	12	6	31
92	108	99	75	100	90	123	113	126	32
21	19	10	18	17	13	21	21	13	33
13	13	13	10	12	11	13	18	13	34
21	12	22	22	16	15	19	15	19	35
3	4	5	11	3	5	2	7	3	36
-	4	7	1	4	4	5	5	5	37
2	5	5	2	5	2	4	6	3	38
13	12	21	15	14	21	18	16	15	39
1	3	4	7	5	7	6	2	4	40
19	25	18	26	22	22	20	17	24	41
-	-	-	-	-	-	-	-	1	42
-	-	-	-	-	-	1	-	2	43
-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	1	-	-	45
-	-	-	-	-	-	-	-	1	46
-	-	-	-	-	-	-	-	1	47
-	-	-	-	-	1	-	-	-	48
-	-	-	1	-	1	-	1	-	49
-	-	1	-	1	-	-	-	1	50
-	-	-	-	-	-	-	-	-	51
-	-	1	-	1	-	-	-	1	52
1	3	4	1	-	1	1	1	-	53
1	-	-	1	1	-	1	-	1	54
-	-	-	-	-	-	1	-	-	55
2	1	-	2	1	-	-	1	4	56
1	10	4	1	-	-	-	-	-	57
9	2	3	7	5	8	3	2	5	58
2	-	1	8	3	9	6	5	6	59
2	-	-	1	2	2	2	2	1	60
-	-	-	-	2	-	2	2	-	61
2	3	4	1	5	1	2	3	-	62
-	-	-	-	-	-	-	-	-	63
1	-	-	-	-	-	-	-	-	64
-	6	1	3	2	-	1	-	3	65
289	263	216	221	218	281	314	367	419	66
128	112	121	116	128	131	142	122	128	67
36	35	26	38	29	34	29	32	41	68
24	28	24	24	23	20	31	23	22	69
68	49	71	54	76	77	82	67	65	70
6	9	12	8	10	12	8	7	9	71
77	75	64	71	90	84	90	113	97	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1985. Urban places in metropolitan counties are Technical

CAUSE OF DEATH	ALL INFANTS UNDER 1 YEAR					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES-----	55,581	31,499	24,082	36,220	26,857	9,363
2 DIARRHEAL DISEASES-----009	648	342	306	370	291	79
3 WHOOPING COUGH-----033	5	3	2	3	2	1
4 MENINGOCOCCAL INFECTIONS-----036	90	50	40	53	42	11
5 TETANUS-----037	3	1	2	2	1	1
6 SEPTICEMIA-----038	805	444	361	516	392	124
7 VIRAL DISEASES-----040-079	216	111	105	133	95	38
8 CONGENITAL SYPHILIS-----090	9	8	1	5	5	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	160	75	85	83	61	22
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	134	76	58	93	68	25
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	48	28	20	32	23	9
12 DISEASES OF THYMUS GLAND-----254	20	15	5	13	10	3
13 CYSTIC FIBROSIS-----273.0	77	38	39	48	31	17
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	236	122	114	150	101	49
15 MENINGITIS-----320	492	283	209	333	251	82
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	417	243	174	289	217	72
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	121	69	52	70	57	13
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	237	127	110	144	108	36
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	3,562	1,921	1,641	2,643	1,643	525
20 INFLUENZA-----470-474	52	17	35	20	13	7
21 PNEUMONIA-----480-486	3,510	1,904	1,606	2,148	1,630	518
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	38	16	22	24	12	12
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	526	288	238	313	233	80
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	477	289	188	332	251	81
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	49	25	24	28	20	8
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	335	202	133	235	180	55
27 CONGENITAL ANOMALIES-----740-759	8,953	4,932	4,021	5,970	4,250	1,720
28 ANENCEPHALUS-----740	784	440	344	552	381	171
29 SPINA BIFIDA-----741	445	205	240	254	166	88
30 CONGENITAL HYDROCEPHALUS-----742	439	250	189	295	213	82
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	338	178	160	215	153	62
32 CONGENITAL ANOMALIES OF HEART-----746	3,354	1,779	1,575	2,205	1,540	665
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	642	387	255	453	343	110
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	573	337	236	402	293	109
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	465	237	228	273	195	78
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	324	199	125	219	166	53
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	305	159	146	189	132	57
38 DOWN'S DISEASE-----759.3	95	58	37	68	51	17
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	994	590	404	722	522	200
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	195	113	82	123	95	28
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	30,391	17,480	12,911	19,987	14,869	5,118
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	9	5	4	4	2	2
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	287	156	131	176	128	48
44 SYPHILIS-----761.0	1	1	-	1	1	-
45 DIABETES MELLITUS-----761.1	143	74	69	79	56	23
46 RUBELLA-----761.3	10	6	4	6	5	1
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	133	75	58	90	66	24
48 TOXEMIA OF PREGNANCY-----762	139	79	60	84	63	21
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	190	123	67	140	106	34
50 DIFFICULT LABOR-----764-768	448	232	216	253	185	68
51 WITH MENTION OF BIRTH INJURY (.0-.3)-	128	68	60	74	57	17
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)-	320	164	156	179	128	51
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,455	1,979	1,476	2,269	1,679	590
54 CONDITIONS OF PLACENTA-----770	1,318	690	628	831	582	249
55 CONDITIONS OF UMBILICAL CORD-----771	295	156	139	177	129	48
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,852	1,098	754	1,298	954	344
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	374	191	183	239	160	79
58 HYALINE MEMBRANE DISEASE-----776.1	4,467	2,536	1,931	2,934	2,169	765
59 RESPIRATORY DISTRESS SYNDROME-----776.2	4,091	2,392	1,699	2,733	2,038	695
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	5,380	3,155	2,225	3,591	2,713	878
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	644	387	257	447	345	102
62 IMMATURE, UNQUALIFIED-----777	5,369	3,009	2,360	3,296	2,460	836
63 PCSTMATURITY-----778.1	1	1	-	1	1	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	453	282	171	322	246	76
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,619	1,009	610	1,192	909	283
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	4,208	2,433	1,775	2,733	2,071	662
67 ACCIDENTS-----E800-E949	1,691	854	837	980	680	300
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	485	277	208	282	217	65
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	336	141	195	167	100	67
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	870	436	434	531	363	168
71 HOMICIDE-----E960-E978	161	111	50	125	103	22
72 ALL OTHER CAUSES-----RESIDUAL	1,472	913	559	988	790	198

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1973

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Appendix

			WHITE INFANTS UNDER 1 YEAR									
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES			
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	
19,361	4,642	14,719	40,239	20,729	19,510	25,428	17,241	8,187	14,811	3,488	11,323	1
278	51	227	364	194	170	228	168	60	136	26	110	2
2	1	1	5	3	2	3	2	1	2	1	1	3
37	8	29	72	38	34	40	31	5	32	7	25	4
1	-	1	-	-	-	-	-	-	-	-	-	5
289	52	237	557	286	271	355	250	105	202	36	166	6
83	16	67	162	78	84	99	65	34	63	13	50	7
4	3	1	4	4	-	3	3	-	1	1	-	8
77	14	63	102	52	50	60	45	15	42	7	35	9
41	8	33	116	65	51	81	59	22	35	6	29	10
16	5	11	41	23	18	27	19	8	14	4	10	11
7	5	2	14	12	2	7	7	-	7	5	2	12
29	7	22	70	34	36	44	27	17	26	7	19	13
86	21	65	163	79	84	103	64	39	60	15	45	14
159	32	127	318	175	143	219	153	66	99	22	77	15
128	26	102	323	174	149	218	155	63	105	19	86	16
51	12	39	78	40	38	45	35	10	33	5	28	17
93	19	74	169	88	81	101	73	28	68	15	53	18
1,394	278	1,116	2,249	1,112	1,137	1,362	932	430	887	180	707	19
32	4	28	30	10	20	14	9	5	16	1	15	20
1,362	274	1,088	2,219	1,102	1,117	1,348	923	425	871	179	692	21
14	4	10	32	12	20	20	9	11	12	3	9	22
213	55	158	357	173	184	202	135	67	155	38	117	23
145	38	107	381	218	163	258	186	72	123	32	91	24
21	5	16	23	13	10	15	10	5	8	3	5	25
100	22	78	217	120	97	146	101	45	71	19	52	26
2,983	662	2,301	7,458	3,875	3,583	4,872	3,288	1,584	2,586	587	1,999	27
232	59	173	716	391	325	497	334	163	219	57	162	28
191	39	152	404	178	226	229	146	83	175	32	143	29
144	37	107	354	187	167	231	157	74	123	30	93	30
123	25	98	289	148	141	183	126	57	106	22	84	31
1,149	239	910	2,749	1,356	1,393	1,768	1,158	610	981	198	783	32
189	44	145	527	304	223	365	265	100	162	39	123	33
171	44	127	469	261	208	318	220	98	151	41	110	34
192	42	150	364	169	195	208	136	72	156	33	123	35
105	33	72	280	168	112	190	138	52	90	30	60	36
116	27	89	259	128	131	161	106	55	98	22	76	37
27	7	20	79	47	32	55	40	15	24	7	17	38
272	68	204	813	458	355	576	398	178	237	60	177	39
72	18	54	155	80	75	91	64	27	64	16	48	40
10,404	2,611	7,793	22,104	11,328	10,776	13,868	9,355	4,513	8,236	1,973	6,263	41
5	3	2	8	4	4	3	1	2	5	3	2	42
111	28	83	236	115	121	139	91	48	97	24	73	43
-	-	-	1	1	-	1	1	-	-	-	-	44
64	18	46	122	60	62	67	44	23	55	16	39	45
4	1	3	10	6	4	6	5	1	4	1	3	46
43	9	34	103	48	55	65	41	24	38	7	31	47
55	16	39	97	47	50	54	33	21	43	14	29	48
50	17	33	136	82	54	99	68	31	37	14	23	49
195	47	148	356	165	191	194	130	64	162	35	127	50
54	11	43	98	44	54	54	38	16	44	6	38	51
141	36	105	258	121	137	140	92	48	118	29	89	52
1,186	300	886	2,543	1,307	1,236	1,617	1,092	525	926	215	711	53
487	108	379	1,049	516	533	656	430	226	393	86	307	54
118	27	91	237	115	122	141	96	45	96	19	77	55
554	144	410	1,308	683	625	871	572	299	437	111	326	56
135	31	104	326	160	166	205	132	73	121	28	93	57
1,533	367	1,166	3,539	1,834	1,705	2,210	1,520	690	1,329	314	1,015	58
1,358	354	1,004	3,098	1,615	1,483	1,958	1,327	631	1,140	288	852	59
1,789	442	1,347	3,788	1,940	1,848	2,411	1,633	778	1,377	307	1,070	60
197	42	155	439	234	205	288	199	89	151	35	116	61
2,073	549	1,524	3,580	1,750	1,830	2,089	1,373	716	1,491	377	1,114	62
-	-	-	1	1	-	1	1	-	-	-	-	63
131	36	95	324	185	139	221	158	63	103	27	76	64
427	100	327	1,039	575	464	711	499	212	328	76	252	65
1,475	362	1,113	2,644	1,405	1,239	1,703	1,158	545	941	247	694	66
711	174	537	1,151	530	621	659	408	251	492	122	370	67
203	60	143	326	170	156	184	131	53	142	39	103	68
169	41	128	229	88	141	116	58	58	113	30	83	69
339	73	266	596	272	324	359	219	140	237	53	184	70
36	8	28	99	61	30	72	55	17	27	6	21	71
484	123	361	966	537	429	618	448	170	348	89	259	72

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for

Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are Technical

CAUSE OF DEATH	ALL OTHER INFANTS UNDER 1 YEAR					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES-----	15,342	10,770	4,572	10,792	9,616	1,176
2 DIARRHEAL DISEASES-----009	284	148	136	142	123	19
3 WHOOPING COUGH-----033	-	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	18	12	6	13	11	2
5 TETANUS-----037	3	1	2	2	1	1
6 SEPTICEMIA-----038	248	158	90	161	142	19
7 VIRAL DISEASES-----040-079	54	33	21	34	30	4
8 CONGENITAL SYPHILIS-----090	5	4	1	2	2	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	58	23	35	23	16	7
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	18	11	7	12	9	3
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	7	5	2	5	4	1
12 DISEASES OF THYMUS GLAND-----254	6	3	3	6	3	3
13 CYSTIC FIBROSIS-----273.0	7	4	3	4	4	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	73	43	30	47	37	10
15 MENINGITIS-----320	174	108	66	114	98	16
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	94	69	25	71	62	9
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	43	29	14	25	22	3
18 BRONCHITIS AND BRONCHIODITIS-----466,490,491	68	39	29	43	35	8
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	1,313	809	504	806	711	95
20 INFLUENZA-----470-474	22	7	15	6	4	2
21 PNEUMONIA-----480-486	1,291	802	489	800	707	93
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	6	4	2	4	3	1
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,519	169	115	54	111	98	13
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	96	71	25	74	65	9
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	26	12	14	13	10	3
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	118	82	36	89	79	10
27 CONGENITAL ANOMALIES-----740-759	1,495	1,057	438	1,098	962	136
28 ANENCEPHALUS-----740	68	49	19	55	47	8
29 SPINA BIFIDA-----741	41	27	14	25	20	5
30 CONGENITAL HYDROCEPHALUS-----742	85	63	22	64	56	8
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	49	30	19	32	27	5
32 CONGENITAL ANOMALIES OF HEART-----746	605	423	182	437	382	55
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	115	83	32	88	78	10
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	104	76	28	84	73	11
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	101	68	33	65	59	6
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	44	31	13	29	28	1
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	46	31	15	28	26	2
38 DOWN'S DISEASE-----759.3	16	11	5	13	11	2
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	181	132	49	146	124	22
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	40	33	7	32	31	1
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	8,287	6,152	2,135	6,119	5,514	605
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	1	-	1	1	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	51	41	10	37	37	-
44 SYPHILIS-----761.0	-	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	21	14	7	12	12	-
46 RUBELLA-----761.3	-	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	30	27	3	25	25	-
48 TOXEMIA OF PREGNANCY-----762	42	32	10	30	30	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	54	41	13	41	38	3
50 DIFFICULT LABOR-----764-768	92	67	25	59	55	4
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	30	24	6	20	19	1
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	62	43	19	39	36	3
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	912	672	240	652	587	65
54 CONDITIONS OF PLACENTA-----770	269	174	95	175	152	23
55 CONDITIONS OF UMBILICAL CORD-----771	58	41	17	36	33	3
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	544	415	129	427	382	45
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	48	31	17	34	28	6
58 HYALINE MEMBRANE DISEASE-----776.1	928	702	226	724	649	75
59 RESPIRATORY DISTRESS SYNDROME-----776.2	993	777	216	775	711	64
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,592	1,215	377	1,180	1,080	100
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	205	153	52	159	146	13
62 IMMATUREITY, UNQUALIFIED-----777	1,789	1,259	530	1,207	1,087	120
63 POSTMATUREITY-----778.1	-	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	129	97	32	101	88	13
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	580	434	146	481	410	71
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,564	1,028	536	1,030	913	117
67 ACCIDENTS-----E800-E949	540	324	216	321	272	49
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	159	107	52	98	86	12
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	107	53	54	51	42	9
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	274	164	110	172	144	28
71 HOMICIDE-----E960-E978	62	50	12	53	48	5
72 ALL OTHER CAUSES-----RESIDUAL	506	376	130	370	342	28

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1973-Con.

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Appendix

ALL INFANTS UNDER 28 DAYS											
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
4,550	1,154	3,396	40,664	23,233	17,431	26,731	19,816	6,915	13,933	3,417	10,516
142	25	117	274	165	109	193	146	47	81	19	62
5	1	4	9	7	2	6	5	1	3	2	1
1	-	1	1	1	-	1	1	-	-	-	-
87	16	71	585	323	262	381	287	94	204	36	168
20	3	17	69	36	33	47	31	16	22	5	17
3	2	1	8	7	1	5	5	-	3	2	1
35	7	28	53	28	25	29	22	7	24	6	18
6	2	4	26	15	11	16	11	5	10	4	6
2	1	1	23	14	9	17	11	6	6	3	3
-	-	-	2	2	-	1	1	-	1	1	-
3	-	3	17	9	8	8	4	2	9	3	6
26	6	20	124	60	64	77	50	27	47	10	37
60	10	50	183	111	72	130	99	31	53	12	41
23	7	16	42	25	17	25	22	3	17	3	14
18	7	11	6	3	3	4	3	1	2	-	2
25	4	21	23	12	11	11	8	3	12	4	8
507	98	409	975	544	431	611	468	143	364	76	288
16	3	13	4	3	1	4	3	1	1	-	20
491	95	396	971	541	430	607	465	142	364	76	288
2	1	1	13	5	8	7	4	3	6	1	5
58	17	41	130	78	52	73	59	14	57	19	38
22	6	16	373	227	146	263	200	63	110	27	83
13	2	11	31	16	15	19	13	6	12	3	9
29	3	26	164	113	51	123	102	21	41	11	30
397	95	302	6,142	3,402	2,740	4,113	2,944	1,169	2,029	458	1,571
13	2	11	771	437	334	545	378	167	226	59	167
16	7	9	261	121	140	146	97	49	115	24	91
21	7	14	227	128	99	152	110	42	75	18	57
17	3	14	228	117	111	136	98	40	90	19	71
168	41	127	2,055	1,089	966	1,342	942	406	713	147	566
27	5	22	420	250	170	298	228	70	122	22	100
20	3	17	428	247	181	292	212	80	136	35	101
36	9	27	252	117	135	145	99	46	107	18	89
15	3	12	261	163	98	183	138	45	78	25	53
18	5	13	255	137	118	159	114	45	96	23	73
3	-	3	44	23	21	30	21	5	14	2	12
35	8	27	797	485	312	587	431	156	210	54	156
8	2	6	143	88	55	96	76	20	47	12	35
2,168	638	1,530	30,137	17,329	12,808	19,812	14,735	5,077	13,325	2,594	7,731
-	-	-	8	4	4	3	1	2	5	3	2
14	4	10	283	154	129	175	127	48	108	27	81
9	2	7	141	73	68	79	56	23	62	17	45
-	-	-	9	5	4	5	4	1	4	1	3
5	2	3	132	75	57	90	66	24	42	9	33
12	2	10	138	78	60	83	62	21	55	16	39
13	3	10	188	122	66	139	105	34	49	17	32
33	12	21	444	229	215	250	182	68	194	47	147
10	5	5	128	68	60	74	57	17	54	11	43
23	7	16	316	161	155	176	125	51	140	36	104
260	85	175	3,443	1,971	1,472	2,258	1,671	587	1,185	300	885
94	22	72	1,312	687	625	828	580	248	484	107	377
22	8	14	293	155	138	176	128	48	117	27	90
117	33	84	1,838	1,092	746	1,292	950	342	546	142	404
14	3	11	370	190	180	237	159	78	133	31	102
204	53	151	4,409	2,502	1,907	2,893	2,141	752	1,516	361	1,155
218	66	152	4,024	2,346	1,678	2,681	1,995	686	1,343	351	992
412	135	277	5,364	3,146	2,218	3,580	2,704	876	1,784	442	1,342
46	7	39	633	382	251	439	340	99	194	42	152
582	172	410	5,339	2,990	2,349	3,275	2,443	832	2,064	547	1,517
-	-	-	1	1	-	1	1	-	-	-	-
28	9	19	451	281	170	321	245	76	130	36	94
99	24	75	1,599	999	600	1,181	901	280	418	98	320
534	115	419	615	331	284	367	282	85	248	49	199
219	52	167	180	92	88	101	70	31	79	22	57
61	21	40	67	34	33	31	24	7	36	10	26
56	11	45	29	12	17	12	8	4	17	4	13
102	20	82	84	46	38	58	38	20	26	8	18
9	2	7	36	22	14	23	18	5	13	4	9
136	34	102	423	256	167	268	213	55	155	43	112

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for

[Numbers after causes of death are category numbers of the Eighth Revision International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are Technical

CAUSE OF DEATH	WHITE INFANTS UNDER 28 DAYS					
	ALL COUNTIES			METROPOLITAN COUNTIES		
	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
1 ALL CAUSES-----	30,201	15,581	14,620	19,075	12,944	6,131
2 DIARRHEAL DISEASES-----009	160	94	66	115	82	33
3 WHOOPING COUGH-----033	-	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	8	6	2	5	4	1
5 TETANUS-----037	-	-	-	-	-	-
6 SEPTICEMIA-----038	413	209	204	263	184	79
7 VIRAL DISEASES-----040-079	58	27	31	38	23	15
8 CONGENITAL SYPHILIS-----090	3	3	-	3	3	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	40	20	20	23	18	5
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	23	13	10	13	9	4
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	19	11	8	14	9	5
12 DISEASES OF THYMUS GLAND-----254	1	1	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	15	8	7	7	5	2
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	97	45	52	59	36	23
15 MENINGITIS-----320	134	77	57	93	67	26
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	26	11	15	14	11	3
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	3	1	2	1	1	-
18 BRONCHITIS AND BRONCHOLITIS-----466,490,491	15	8	7	6	4	2
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	665	329	336	399	276	123
20 INFLUENZA-----470-474	3	2	1	3	2	1
21 PNEUMONIA-----480-486	662	327	335	396	274	122
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	12	5	7	7	4	3
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	96	50	46	46	35	11
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	306	178	128	211	153	58
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	17	10	7	11	7	4
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	98	66	32	74	58	16
27 CONGENITAL ANOMALIES-----740-759	5,217	2,729	2,488	3,409	2,317	1,092
28 ANENCEPHALUS-----703	703	388	315	490	331	159
29 SPINA BIFIDA-----741	238	106	132	133	86	47
30 CONGENITAL HYDROCEPHALUS-----742	191	100	91	123	84	39
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	198	98	100	116	81	35
32 CONGENITAL ANOMALIES OF HEART-----746	1,721	851	870	1,099	723	376
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	347	193	154	237	172	65
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	354	196	158	235	163	72
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	202	83	119	112	69	43
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	232	142	90	163	118	45
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	221	112	109	136	93	43
38 DOWN'S DISEASE-----759.3	40	21	19	28	19	9
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	657	377	280	467	328	139
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	113	62	51	70	50	20
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	21,926	11,226	10,700	13,746	9,269	4,477
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	7	3	4	2	-	2
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	232	113	119	138	90	48
44 SYPHILIS-----761.0	1	1	-	1	1	-
45 DIABETES MELLITUS-----761.1	120	59	61	67	44	23
46 RUBELLA-----761.3	9	5	4	5	4	1
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	102	48	54	65	41	24
48 TOXEMIA OF PREGNANCY-----762	96	46	50	53	32	21
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	135	81	54	98	67	31
50 DIFFICULT LABOR-----764-768	354	164	190	193	129	64
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	98	44	54	54	38	16
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	256	120	136	139	91	48
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	2,533	1,301	1,232	1,608	1,086	522
54 CONDITIONS OF PLACENTA-----770	1,046	514	532	654	429	225
55 CONDITIONS OF UMBILICAL CORD-----771	235	114	121	140	95	45
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,296	677	619	865	568	297
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	323	159	164	203	131	72
58 HYALINE MEMBRANE DISEASE-----776.1	3,498	1,813	1,685	2,183	1,505	678
59 RESPIRATORY DISTRESS SYNDROME-----776.2	3,048	1,582	1,466	1,920	1,297	623
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	3,777	1,935	1,842	2,404	1,628	776
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	432	230	202	282	195	87
62 IMMATURETY, UNQUALIFIED-----777	3,564	1,741	1,823	2,079	1,366	713
63 POSTMATURITY-----778.1	1	1	-	1	1	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	323	184	139	220	157	63
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,026	568	458	703	493	210
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	375	202	173	234	170	64
67 ACCIDENTS-----E800-E949	129	60	69	70	43	27
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	50	22	28	22	16	6
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	14	5	9	6	4	2
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	65	33	32	25	17	8
71 HOMICIDE-----E960-E978	26	13	13	14	10	4
72 ALL OTHER CAUSES-----RESIDUAL	319	179	140	200	146	54

Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1973-Con.

those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Appendix

ALL OTHER INFANTS UNDER 28 DAYS											
NONMETROPOLITAN COUNTIES			ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA	TOTAL	URBAN PLACES	BALANCE OF AREA
11,126	2,637	8,489	10,463	7,652	2,811	7,656	6,872	784	2,807	780	2,027
45	12	33	114	71	43	78	64	14	36	7	29
-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	1	1	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
150	25	125	172	114	58	118	103	15	54	11	43
20	4	16	11	9	2	9	8	1	2	1	1
-	-	-	-	-	-	-	-	-	-	-	-
17	2	15	13	8	5	6	4	2	7	4	3
10	4	6	3	2	1	3	2	1	-	-	-
5	2	3	4	3	1	3	2	1	1	1	-
1	1	-	1	1	-	1	1	-	-	-	-
8	3	5	2	1	1	1	1	-	1	1	-
38	9	29	27	15	12	18	14	4	9	1	8
41	10	31	49	34	15	37	32	5	12	2	10
12	-	12	16	14	2	11	11	-	5	3	2
2	-	2	3	2	1	3	2	1	-	-	-
9	4	5	8	4	4	5	4	1	3	-	-
266	53	213	310	215	95	212	192	20	98	23	75
-	-	-	1	1	-	1	1	-	-	-	-
266	53	213	309	214	95	211	191	20	98	23	75
5	1	4	1	-	1	-	-	-	1	-	1
50	15	35	34	28	6	27	24	3	7	4	3
95	25	70	67	49	18	52	47	5	15	2	13
6	3	3	14	6	8	8	6	2	6	-	6
24	8	16	66	47	19	49	44	5	17	3	14
1,808	412	1,396	925	673	252	704	627	77	221	46	175
213	57	156	68	49	19	55	47	8	13	2	11
105	20	85	23	15	8	13	11	2	10	4	6
68	16	52	36	28	8	29	26	3	7	2	5
82	17	65	30	19	11	22	17	5	8	2	6
622	128	494	334	238	96	243	219	24	91	19	72
110	21	89	73	57	16	61	56	5	12	1	11
119	33	86	74	51	23	57	49	8	17	2	15
90	14	76	50	34	16	33	30	3	17	4	13
69	24	45	29	21	8	20	20	0	9	1	8
85	19	66	34	25	9	23	21	2	11	7	7
12	2	10	4	2	2	2	2	-	2	-	2
190	49	141	140	108	32	120	103	17	20	5	15
43	12	31	30	26	4	26	26	-	4	-	4
8,180	1,957	6,223	8,211	6,103	2,108	6,066	5,466	600	2,145	697	1,508
5	3	2	1	1	-	1	1	-	-	-	-
94	23	71	51	41	10	37	37	-	14	4	10
-	-	-	-	-	-	-	-	-	-	-	-
53	15	38	21	14	7	12	12	-	9	2	7
4	1	3	-	-	-	-	-	-	-	-	-
37	7	30	30	27	3	25	25	-	5	2	3
43	14	29	42	32	10	30	30	-	12	2	10
37	14	23	53	41	12	41	38	3	12	3	9
161	35	126	90	65	25	57	53	4	33	12	21
44	6	38	30	24	6	20	19	1	10	5	5
117	29	88	60	41	19	37	34	3	23	7	16
925	215	710	910	670	240	650	585	65	260	85	175
392	85	307	266	173	93	174	151	23	92	22	70
95	19	76	58	41	17	36	33	3	22	8	14
431	109	322	542	415	127	427	382	45	115	33	82
120	28	92	47	31	16	34	28	6	13	3	10
1,215	308	1,007	911	689	222	710	636	74	201	53	148
1,128	285	843	976	764	212	761	698	63	215	66	149
1,373	307	1,066	1,587	1,211	376	1,176	1,076	100	411	135	276
150	35	115	201	152	49	157	145	12	44	7	37
1,485	375	1,110	1,775	1,249	526	1,196	1,077	119	579	172	407
-	-	-	-	-	-	-	-	-	-	-	-
103	27	76	128	97	31	101	88	13	27	9	18
323	75	248	573	431	142	478	408	70	95	23	72
141	32	109	240	129	111	133	112	21	107	17	90
59	17	42	51	32	19	31	27	4	20	5	15
28	6	22	17	12	5	9	8	1	8	4	4
8	3	5	15	7	8	6	6	-	9	1	8
23	8	15	19	13	6	16	13	3	3	-	3
12	3	9	10	9	1	9	8	1	1	1	-
119	33	86	104	77	27	68	67	1	36	10	26

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, BOTH SEXES--ALL CAUSES	55,581	5,054	17,589	5,448	3,552	1,726	1,034	828
2	DIARRHEAL DISEASES	009	648	-	2	6	12	15	21
3	WHOOPING COUGH	033	5	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS	036	90	-	-	1	1	-	1
5	TETANUS	037	3	-	-	-	-	-	-
6	SEPTICEMIA	038	805	11	68	53	61	48	39
7	VIRAL DISEASES	040-079	216	-	4	4	3	2	3
8	CONGENITAL SYPHILIS	090	9	-	5	1	-	1	-
9	OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	160	4	8	1	2	2	4
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	134	2	6	3	3	-	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	48	6	10	1	1	2	1
12	DISEASES OF THYMUS GLAND	254	20	-	-	1	-	-	-
13	CYSTIC FIBROSIS	273.0	77	-	2	-	1	2	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	236	3	26	11	21	17	5
15	MENINGITIS	320	492	-	3	10	18	16	16
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	417	3	11	4	5	3	1
17	ACUTE UPPER RESPIRATORY INFECTIONS	460-465	121	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS	466,490,491	237	-	3	-	2	1	2
19	INFLUENZA AND PNEUMONIA	470-474,480-486	3,562	26	159	126	93	58	30
20	INFLUENZA	470-474	52	-	-	-	-	-	-
21	PNEUMONIA	480-486	3,510	26	159	126	93	58	30
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	38	-	3	1	1	1	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	526	8	43	14	10	7	3
24	HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	477	37	169	64	44	12	7
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	49	-	-	1	-	2	4
26	OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	335	4	13	9	15	12	10
27	CONGENITAL ANOMALIES	740-759	8,953	939	1,857	584	544	357	220
28	ANENCEPHALUS	740	784	252	336	53	36	19	21
29	SPINA BIFIDA	741	445	32	57	21	10	11	2
30	CONGENITAL HYDROCEPHALUS	742	439	69	77	14	7	6	3
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	338	36	85	22	17	9	9
32	CONGENITAL ANOMALIES OF HEART	745-756	3,354	64	341	242	313	203	121
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	642	12	50	43	51	33	21
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	573	77	212	50	14	12	3
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	465	12	35	17	28	27	12
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	324	44	146	26	5	1	5
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	305	71	120	18	14	8	4
38	DOWNS DISEASE	759.3	95	10	15	2	1	2	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2, 759.4-759.9	994	224	329	67	41	19	14
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	195	36	54	9	7	7	3
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769.2, 769.4-772, 774-778	30,391	3,909	15,030	4,453	2,637	1,107	627
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	287	49	137	41	17	5	3
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	1	1	-	-	-	-	-
44	SYPHILIS	761.0	143	10	65	25	15	3	3
45	DIABETES MELLITUS	761.1	10	3	1	2	-	-	1
46	RUBELLA	761.3	133	35	71	14	2	2	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2, 761.4-761.7, 761.9	133	35	71	14	2	2	1
48	TOXEMIA OF PREGNANCY	762	139	37	49	22	14	2	4
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	190	69	82	16	9	-	6
50	DIFFICULT LABOR	764-768	448	119	198	51	38	14	5
51	WITH MENTION OF BIRTH INJURY (1.0-.3)	128	7	66	17	15	10	3	3
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)	320	112	132	34	23	4	2	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2, 769.4, 769.5, 769.9	3,455	691	2,008	346	184	75	31
54	CONDITIONS OF PLACENTA	770	1,318	428	673	124	43	18	4
55	CONDITIONS OF UMBILICAL CORD	771	295	105	122	29	23	5	3
56	BIRTH INJURY WITHOUT MENTION OF CAUSE	772	1,852	58	580	354	287	147	72
57	HEMOLYTIC DISEASE OF NEWBORN	774,775	374	74	171	36	38	15	12
58	HYALINE MEMBRANE DISEASE	776.1	4,467	56	1,614	1,102	728	277	143
59	RESPIRATORY DISTRESS SYNDROME	776.2	4,091	157	1,843	818	482	185	108
60	ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	5,380	695	3,039	698	339	154	96
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0, 776.3, 776.4	644	64	225	144	80	38	20
62	IMMATURITY, UNQUALIFIED	777	5,369	1,077	3,355	409	186	80	55
63	POSTMATURITY	778.1	1	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN	778.2	453	8	109	89	66	36	31
65	ALL OTHER CONDITIONS OF NEWBORN	778.0, 778.3, 778.9	1,619	220	819	173	103	56	34
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	4,208	52	106	39	30	17	14
67	ACCIDENTS	E800-E949	1,691	8	13	11	12	5	4
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911, E912	485	-	5	2	7	5	-
69	ACCIDENTAL MECHANICAL SUFFOCATION	E913	336	1	2	-	1	-	2
70	OTHER ACCIDENTAL CAUSES	E800-E910, E914-E949	870	7	6	9	4	-	2
71	HOMICIDE	E960-E978	161	18	-	4	1	1	2
72	ALL OTHER CAUSES	RESIDUAL	1,472	24	48	46	35	36	18

Causes, by Age, Color, and Sex: United States, 1973

Revision. International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
628	35,859	2,424	1,311	1,070	40,664	3,791	2,908	2,141	1,475	1,079	865	670	541	486	478	483	1
10	84	91	46	53	274	88	60	44	32	40	30	19	22	20	9	10	2
1	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	3
1	4	1	1	3	9	12	12	8	13	5	7	8	7	1	5	3	4
1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	5
34	359	139	47	40	585	75	36	33	8	18	16	8	9	3	8	6	6
3	21	24	15	9	69	37	19	20	11	8	13	4	7	8	12	8	7
1	7	-	-	1	8	-	-	-	1	-	-	-	-	-	-	-	8
1	23	9	13	8	53	24	10	13	11	10	4	7	8	6	10	4	9
1	18	4	3	1	26	8	14	7	8	9	8	9	10	12	10	13	10
-	21	1	-	1	23	4	5	5	3	-	1	-	1	3	3	-	11
-	1	-	-	1	2	2	4	8	3	1	-	-	-	-	-	-	12
2	11	3	2	1	17	8	5	12	12	6	5	1	4	3	2	2	13
4	90	19	9	6	124	27	12	15	11	7	8	5	5	3	9	10	14
10	78	34	47	24	183	60	53	36	27	27	35	15	16	16	13	11	15
1	31	5	2	4	42	55	45	46	37	29	36	29	20	26	28	24	16
1	1	1	3	1	6	23	25	23	11	10	3	4	3	5	3	5	17
2	10	2	4	7	23	29	35	39	29	22	12	9	7	9	14	9	18
21	547	151	128	149	975	667	561	419	275	183	126	92	77	54	60	73	19
21	-	2	2	-	4	5	3	7	7	4	7	6	2	-	4	3	20
21	547	149	126	149	971	662	558	412	268	179	119	86	75	54	56	70	21
-	7	2	3	1	13	6	7	3	4	3	-	-	1	-	-	-	22
-	91	10	16	13	130	107	77	51	37	42	27	16	9	12	10	8	23
2	339	16	12	6	373	30	15	15	11	6	6	5	4	3	4	5	24
7	17	5	6	3	31	10	2	-	1	2	1	1	1	-	-	-	25
8	81	43	24	16	164	45	25	18	24	11	4	8	13	9	7	7	26
132	4,828	677	347	290	6,142	787	484	355	272	199	186	149	106	102	87	84	27
10	737	22	7	5	771	6	-	4	3	-	-	-	-	-	-	-	28
5	144	43	32	42	261	61	25	22	11	16	12	12	8	8	6	3	29
3	180	24	12	11	227	57	35	22	14	21	15	8	7	8	13	12	30
3	186	20	10	12	228	28	15	15	9	13	6	5	6	4	4	5	31
77	1,462	325	150	118	2,055	331	232	168	147	84	88	73	49	52	38	37	32
13	243	93	49	35	420	82	41	26	23	10	18	8	4	3	3	4	33
1	373	25	14	16	428	43	39	27	13	7	3	4	1	5	2	1	34
5	156	46	28	22	252	50	18	17	16	23	20	18	13	16	12	10	35
1	230	16	9	6	261	25	12	9	-	3	3	5	3	1	1	1	36
3	244	4	4	3	255	13	10	7	7	4	2	1	1	2	2	1	37
-	34	5	2	3	44	7	10	5	7	6	4	3	7	-	-	2	38
9	718	43	24	12	797	65	39	28	18	10	10	11	4	3	4	5	39
2	121	11	6	5	143	19	8	5	4	2	5	1	3	-	2	3	40
350	28,565	1,011	373	188	30,137	138	53	22	13	11	7	6	1	2	-	1	41
8	-	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-	42
1	261	13	7	2	283	1	1	1	-	-	-	1	-	-	-	-	43
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
1	128	8	3	2	141	1	-	1	-	-	-	-	-	-	-	-	45
-	7	2	-	-	9	-	1	-	-	-	-	-	-	-	-	-	46
-	125	3	4	-	132	-	-	-	-	-	-	1	-	-	-	-	47
2	132	4	2	-	138	-	1	-	-	-	-	-	-	-	-	-	48
-	182	3	-	3	188	-	-	2	-	-	-	-	-	-	-	-	49
5	435	7	2	-	444	1	2	-	-	1	-	-	-	-	-	-	50
2	123	4	1	-	128	-	-	-	-	-	-	-	-	-	-	-	51
3	312	3	1	-	316	1	2	-	-	1	-	-	-	-	-	-	52
17	3,381	47	10	5	3,443	7	4	1	-	-	-	-	-	-	-	-	53
1	1,296	10	4	2	1,312	1	1	2	-	-	1	1	-	-	-	-	54
2	289	3	1	-	293	1	1	-	-	-	-	-	-	-	-	-	55
59	1,615	144	47	32	1,838	6	4	1	2	-	1	-	-	-	-	-	56
5	356	11	2	1	370	2	-	1	1	-	-	-	-	-	-	-	57
66	4,084	219	84	22	4,409	39	12	2	-	2	1	-	1	1	-	-	58
77	3,744	180	63	37	4,024	33	13	8	5	3	2	2	-	-	-	1	59
46	5,138	139	55	32	5,364	9	5	1	-	1	-	-	-	-	-	-	60
6	586	23	14	10	633	7	2	-	-	-	-	1	-	1	-	-	61
24	5,225	76	26	12	5,339	20	3	1	2	3	1	-	-	-	-	-	62
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
16	373	56	15	7	451	2	-	-	-	-	-	-	-	-	-	-	64
23	1,459	76	41	23	1,599	8	4	2	3	1	1	1	-	-	-	-	65
12	286	69	109	151	615	1,023	937	607	384	226	136	108	60	41	35	36	66
5	65	26	44	45	180	243	214	185	129	127	117	105	108	86	93	104	67
2	26	7	15	19	67	85	76	58	36	40	31	28	27	14	8	15	68
1	7	6	9	7	29	55	54	54	31	18	33	18	21	11	11	1	69
2	32	13	20	19	84	103	84	73	62	69	53	59	60	61	74	88	70
1	27	3	2	4	36	12	25	17	10	7	13	8	6	9	11	7	71
19	246	78	55	44	423	269	170	139	97	70	64	54	36	53	45	52	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, MALE--ALL CAUSES-----	31,986	2,832	10,321	3,153	2,129	1,007	601	480
2	DIARRHEAL DISEASES-----009	370	-	2	4	7	6	7	9
3	WHOOPING COUGH-----033	2	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	55	-	-	-	1	-	1	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	469	8	38	33	38	25	24	26
7	VIRAL DISEASES-----040-079	134	-	2	3	1	1	1	2
8	CONGENITAL SYPHILIS-----090	4	-	2	1	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	85	2	5	1	2	1	3	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	68	1	4	2	2	1	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	18	3	2	1	-	1	-	-
12	DISEASES OF THYRUS GLAND-----254	12	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	37	-	2	-	-	2	1	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	139	2	13	7	14	7	4	2
15	MENINGITIS-----320	277	-	2	6	8	9	9	3
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	242	2	7	-	3	3	1	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	74	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	146	-	2	-	2	-	2	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	2,019	18	94	72	50	32	15	18
20	INFLUENZA-----470-474	29	-	-	-	-	-	-	-
21	PNEUMONIA-----480-486	1,990	18	94	72	58	32	15	18
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	27	-	3	1	-	1	1	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	295	4	20	8	6	4	-	5
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	286	22	106	32	21	8	3	4
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	23	-	-	-	-	2	2	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	189	1	8	4	10	8	7	5
27	CONGENITAL ANOMALIES-----740-759	4,870	484	1,669	348	350	202	136	107
28	ANENCEPHALUS-----740	345	89	170	26	20	9	10	2
29	SPINA BIFIDA-----741	189	12	25	10	4	5	2	2
30	CONGENITAL HYDROCEPHALUS-----742	239	40	45	9	3	3	3	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	165	16	40	12	8	3	4	2
32	CONGENITAL ANOMALIES OF HEART-----746	1,881	42	192	163	227	124	74	58
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	364	7	23	30	33	19	16	11
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	357	44	141	28	8	7	3	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	258	6	22	8	17	12	5	17
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	220	32	107	14	4	1	5	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	168	35	70	10	6	4	3	-
38	DOWNS DISEASE-----759.3	47	5	8	1	1	1	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	523	132	198	31	17	10	8	8
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	114	24	28	6	2	4	3	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	17,736	2,233	8,836	2,571	1,555	665	366	264
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	6	1	3	1	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	157	31	75	23	11	2	1	5
44	SYPHILIS-----761.0	1	1	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	81	6	39	13	10	1	1	4
46	RUBELLA-----761.3	7	3	-	2	-	-	-	1
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	68	21	36	8	1	1	-	-
48	TOXEMIA OF PREGNANCY-----762	75	17	21	16	11	1	2	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	111	41	49	10	4	-	3	-
50	DIFFICULT LABOR-----764-768	263	68	119	29	22	10	4	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	69	3	31	12	9	7	3	2
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	194	65	88	17	13	3	1	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,930	374	1,130	196	99	45	19	13
54	CONDITIONS OF PLACENTA-----770	749	249	383	62	27	11	3	2
55	CONDITIONS OF UMBILICAL CORD-----771	159	59	66	9	17	3	2	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,094	31	351	207	178	86	36	32
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	200	37	95	19	19	10	6	3
58	HYALINE MEMBRANE DISEASE-----776.1	2,772	37	982	698	447	175	96	64
59	RESPIRATORY DISTRESS SYNDROME-----776.2	2,596	104	1,176	526	302	111	66	47
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	3,142	425	1,808	376	185	93	55	39
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	356	36	127	73	36	28	11	5
62	IMMATURITY, UNQUALIFIED-----777	2,977	590	1,923	196	98	40	28	22
63	PCSTMATURITY-----778.1	-	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	259	4	67	48	43	22	15	11
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	890	129	461	82	56	28	19	18
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	2,500	26	64	24	22	7	9	13
67	ACCIDENTS-----E800-E949	974	4	9	5	8	2	2	4
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	282	-	3	1	4	2	-	3
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	197	1	2	-	1	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	495	3	4	4	3	-	1	1
71	HOMICIDE-----E960-E978	81	13	-	2	-	-	1	-
72	ALL OTHER CAUSES-----RESIDUAL	854	9	31	28	21	20	6	15

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
345	20,868	1,362	712	593	23,535	2,121	1,699	1,231	829	597	499	387	317	251	258	262	1
8	43	48	26	28	145	50	36	31	16	23	19	15	14	11	4	6	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	2	-	1	2	5	6	1	7	1	3	3	6	5	1	5	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
21	213	80	24	25	342	40	21	18	5	11	12	3	6	3	6	2	6
1	11	13	10	4	38	25	13	16	8	5	6	2	5	3	6	7	7
-	3	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	8
1	15	3	5	5	28	14	7	5	7	4	4	5	3	3	4	1	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	10	3	3	-	16	3	5	3	6	5	5	7	2	4	5	7	10
-	7	1	-	-	8	-	4	2	-	-	1	-	1	1	1	-	11
-	-	-	-	1	1	-	3	4	3	1	-	-	-	-	-	-	12
2	9	3	2	-	14	6	-	5	3	3	-	-	1	3	-	-	13
3	52	9	5	3	69	14	8	8	3	4	2	1	3	3	5	7	14
5	42	17	29	17	105	32	31	22	15	16	22	8	9	7	6	4	15
1	17	4	1	3	25	27	28	29	31	14	19	15	10	13	19	12	16
1	1	-	1	-	2	18	13	11	6	8	3	2	3	3	1	4	17
1	7	1	2	1	11	17	18	20	21	14	9	6	5	8	10	7	18
13	320	80	76	91	567	353	348	243	146	95	70	55	49	25	30	38	19
-	-	1	2	-	3	2	2	5	1	3	6	3	1	-	2	1	20
13	320	79	74	91	564	351	346	238	145	92	64	52	48	25	28	37	21
-	6	2	1	1	10	5	5	2	2	1	-	-	1	-	-	1	22
-	47	5	10	7	69	54	46	29	20	24	17	8	7	10	7	4	23
-	196	9	6	4	215	20	12	9	9	4	3	5	3	2	2	2	24
4	9	2	2	1	14	7	-	-	-	-	1	1	-	-	-	-	25
8	51	16	13	7	87	34	15	10	15	6	2	4	7	4	2	3	26
63	2,759	369	168	152	3,448	417	241	181	128	95	95	77	50	50	47	41	27
4	330	8	-	3	341	-	-	2	2	-	-	-	-	-	-	-	28
3	63	24	15	13	115	26	8	9	4	5	5	5	2	3	5	2	29
1	105	13	4	6	128	29	16	14	7	10	3	6	3	5	8	10	30
-	85	11	7	8	111	15	7	5	4	8	2	4	4	1	2	2	31
32	912	173	82	65	1,232	178	119	80	66	39	48	33	23	26	20	17	32
9	148	51	22	19	240	53	18	13	11	5	10	6	2	2	2	2	33
1	234	17	8	12	271	23	19	18	9	4	2	4	1	4	1	1	34
3	90	28	16	12	146	28	9	12	8	13	12	8	6	7	6	3	35
-	165	9	3	4	181	14	8	7	-	2	3	3	1	1	-	-	36
3	131	2	1	1	135	6	9	5	4	3	2	1	1	1	1	1	37
-	16	2	2	2	22	3	7	2	5	3	1	3	-	-	-	-	38
5	409	23	6	6	444	30	14	11	5	2	5	6	3	-	2	1	39
2	71	8	2	1	82	12	7	3	3	1	3	-	2	-	-	1	40
191	16,681	596	208	103	17,588	79	30	12	8	9	4	3	1	2	-	-	41
-	5	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-	42
1	149	3	1	1	154	1	1	-	-	-	-	1	-	-	-	-	43
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
1	75	3	1	1	80	1	-	-	-	-	-	-	-	-	-	-	45
-	6	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	46
-	67	-	-	-	67	-	-	-	-	-	-	1	-	-	-	-	47
1	70	2	2	-	74	-	1	-	-	-	-	-	-	-	-	-	48
-	107	2	-	1	110	-	-	1	-	-	-	-	-	-	-	-	49
2	256	3	1	-	260	1	2	-	-	-	-	-	-	-	-	-	50
1	68	1	-	-	69	-	-	-	-	-	-	-	-	-	-	-	51
1	188	2	1	-	191	1	2	-	-	-	-	-	-	-	-	-	52
8	1,884	27	6	4	1,921	5	4	-	-	-	-	-	-	-	-	-	53
-	737	5	2	1	745	1	1	1	-	-	-	1	-	-	-	-	54
-	156	1	1	-	158	1	-	-	-	-	-	-	-	-	-	-	55
33	954	93	24	13	1,084	4	2	1	2	-	1	-	-	-	-	-	56
2	191	6	1	1	199	-	-	-	-	-	-	-	-	-	-	-	57
45	2,544	132	49	14	2,739	22	6	-	-	2	1	-	1	1	-	-	58
45	2,377	122	38	22	2,559	21	5	5	2	3	1	-	-	-	-	-	59
26	3,007	78	36	14	3,135	3	2	1	-	1	-	-	-	-	-	-	60
5	321	12	10	6	349	4	1	-	-	-	-	1	-	1	-	-	61
7	2,904	37	11	5	2,957	12	2	1	1	3	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
5	215	35	5	4	259	-	-	-	-	-	-	-	-	-	-	-	64
11	804	38	21	17	880	3	3	1	3	-	-	-	-	-	-	-	65
7	172	38	65	83	358	604	572	375	225	128	82	60	40	23	15	18	66
-	34	16	22	27	99	127	125	104	79	75	73	62	68	44	58	60	67
-	13	4	7	10	34	42	46	33	27	28	18	17	15	8	6	8	68
-	5	5	3	5	18	28	33	32	19	10	20	12	14	4	4	1	69
-	16	7	12	12	47	57	46	39	33	37	35	33	39	32	46	51	70
-	1	1	3	3	21	7	9	11	4	4	8	5	3	2	2	5	71
15	145	46	31	24	246	162	101	77	54	45	32	34	19	29	23	32	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	TOTAL, FEMALE-ALL CAUSES	23,595	2,222	7,268	2,295	1,423	719	433	348
2	DIARRHEAL DISEASES	009	-	-	2	5	9	14	9
3	WHOOPING COUGH	033	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS	036	-	-	1	-	-	-	-
5	TETANUS	037	-	-	-	-	-	-	-
6	SEPTICEMIA	038	3	30	20	23	23	15	19
7	VIRAL DISEASES	040-079	82	-	2	1	1	1	1
8	CONGENITAL SYPHILIS	090	5	-	3	-	1	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	75	2	3	-	1	1	1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	66	1	2	1	1	-	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	30	3	8	-	1	1	-
12	DISEASES OF THYMUS GLAND	254	8	-	1	-	-	-	-
13	CYSTIC FIBROSIS	273.0	40	-	-	1	-	1	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	97	1	13	4	7	10	1
15	MENINGITIS	320	215	-	1	4	10	7	2
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	175	1	4	4	2	-	3
17	ACUTE UPPER RESPIRATORY INFECTIONS	460-465	47	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS	466,490,491	91	-	1	-	1	-	-
19	INFLUENZA AND PNEUMONIA	470-474,480-486	1,543	8	65	54	35	26	15
20	INFLUENZA	470-474	23	-	-	-	-	-	-
21	PNEUMONIA	480-486	1,520	8	65	54	35	26	15
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	11	-	-	1	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	231	4	23	6	4	3	1
24	HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	191	15	63	32	23	4	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	26	-	-	1	-	-	2
26	OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	146	3	5	5	5	4	3
27	CONGENITAL ANOMALIES	740-759	4,083	455	788	236	194	155	84
28	ANENCEPHALUS	740	439	163	166	27	16	10	11
29	SPINA BIFIDA	741	256	20	32	11	6	3	4
30	CONGENITAL HYDROCEPHALUS	742	200	29	32	5	4	3	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	173	20	45	10	9	6	5
32	CONGENITAL ANOMALIES OF HEART	746	1,473	22	149	79	86	79	47
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	278	5	27	13	18	14	5
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	216	33	71	22	6	5	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-753	207	6	13	9	11	15	7
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	104	12	39	12	1	-	-
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	137	36	50	8	8	4	1
38	DOWN'S DISEASE	759.3	48	5	7	1	-	1	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	471	92	131	36	24	9	6
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	81	12	26	3	5	3	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769.2,769.4-772,774-778	12,655	1,676	6,194	1,882	1,082	442	261
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	3	-	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	130	18	62	18	6	3	2
44	SYPHILIS	761.0	-	-	-	-	-	-	-
45	DIABETES MELLITUS	761.1	62	4	26	12	5	2	2
46	RUBELLA	761.3	3	-	1	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	65	14	35	6	1	1	-
48	TOXEMIA OF PREGNANCY	762	64	20	28	6	3	1	2
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	79	28	33	6	5	-	3
50	DIFFICULT LABOR	764-768	185	51	79	22	16	4	1
51	WITH MENTION OF BIRTH INJURY (.0-.3)	769	59	4	35	5	6	3	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	770	126	47	44	17	10	1	2
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2,769.4,769.5,769.9	1,525	317	878	150	85	30	12
54	CONDITIONS OF PLACENTA	770	569	179	290	62	16	7	1
55	CONDITIONS OF UMBILICAL CORD	771	136	46	56	20	6	2	1
56	BIRTH INJURY WITHOUT MENTION OF CAUSE	772	758	27	229	147	109	61	36
57	HEMOLYTIC DISEASE OF NEWBORN	774,775	174	37	76	17	19	5	2
58	HYALINE MEMBRANE DISEASE	776.1	1,695	19	632	404	281	102	47
59	RESPIRATORY DISTRESS SYNDROME	776.2	1,495	53	667	292	180	74	42
60	ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	2,238	270	1,231	322	154	61	41
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	288	28	98	71	44	10	9
62	IMMATURITY, UNQUALIFIED	777	2,392	487	1,432	213	88	40	27
63	POSTMATURITY	778.1	1	1	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN	778.2	194	4	42	41	23	14	16
65	ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	729	91	358	91	47	28	15
66	SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	1,708	26	42	15	8	10	5
67	ACCIDENTS	E800-E949	717	4	4	6	4	3	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	203	-	2	1	3	3	-
69	ACCIDENTAL MECHANICAL SUFFOCATION	E913	139	-	-	-	-	-	1
70	OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	375	4	2	5	1	-	1
71	HOMICIDE	E960-E978	80	5	-	2	1	1	-
72	ALL OTHER CAUSES	RESIDUAL	618	15	17	18	14	16	5

SECTION 2 - INFANT MORTALITY

2-55

Causes, by Age, Color, and Sex: United States, 1973-Cont.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
283	14,991	1,062	599	477	17,129	1,670	1,209	910	646	482	366	283	224	235	220	221	1
2	41	43	20	25	129	38	24	13	16	17	11	4	8	9	5	4	2
1	2	1	—	1	4	1	1	1	—	—	—	—	—	—	—	—	3
1	2	1	—	—	6	6	5	4	4	2	4	2	2	—	—	2	4
13	146	59	23	15	243	35	15	15	3	7	4	5	3	—	2	4	6
2	10	11	5	5	31	12	6	4	3	3	7	2	2	5	6	1	7
—	4	—	—	—	4	—	—	—	1	—	—	—	—	—	—	—	8
—	8	6	8	3	25	10	3	8	4	6	—	2	5	3	6	3	9
1	8	1	—	1	10	5	9	4	2	4	3	2	8	8	5	6	10
—	14	—	—	1	15	4	1	3	3	—	—	—	—	2	2	—	11
—	1	—	—	—	1	2	1	4	—	—	—	—	—	—	—	—	12
—	2	—	—	1	3	2	5	7	9	3	3	—	1	3	2	2	13
1	38	10	4	3	55	13	4	7	3	3	1	2	2	—	4	3	14
5	36	17	18	7	78	28	22	14	12	11	13	7	7	9	7	7	15
—	14	1	1	1	17	28	17	17	6	15	17	14	10	13	9	12	16
—	—	1	2	1	4	5	12	12	5	2	—	2	—	2	2	1	17
1	3	1	2	6	12	12	17	19	8	8	3	3	2	1	4	2	18
8	227	71	52	58	408	314	213	176	129	88	56	37	28	29	30	35	19
—	—	1	—	—	1	3	1	2	6	1	1	3	1	—	2	2	20
8	227	70	52	58	407	311	212	174	123	87	55	34	27	29	28	33	21
—	1	—	—	—	3	1	2	1	2	2	—	—	—	—	—	—	22
—	44	5	6	6	61	53	31	22	17	18	10	8	2	2	3	4	23
2	143	7	6	2	158	10	3	6	2	2	3	—	1	1	2	3	24
3	8	3	4	2	17	3	2	—	1	2	—	—	1	—	—	—	25
—	30	27	11	9	77	11	10	8	9	5	2	4	6	5	5	4	26
69	2,069	308	179	138	2,694	370	243	174	144	104	91	72	56	52	40	43	27
6	407	14	7	2	430	6	—	2	1	—	—	—	—	—	—	—	28
2	81	19	17	29	146	35	17	13	7	11	7	7	6	5	1	1	29
2	75	11	8	5	99	28	19	8	7	11	12	2	4	3	5	2	30
3	101	9	3	4	117	13	8	10	5	5	4	1	2	3	2	3	31
45	550	152	68	53	823	153	113	88	81	45	40	40	26	26	18	20	32
4	95	42	27	16	180	29	23	13	12	5	8	2	2	1	1	2	33
—	139	8	6	4	157	20	20	9	4	3	1	—	—	1	1	—	34
2	66	18	12	10	106	22	9	5	8	10	8	10	7	9	6	7	35
1	65	7	6	2	80	11	4	2	—	1	—	2	2	—	1	1	36
—	113	2	3	2	120	7	1	2	3	1	—	—	1	1	1	—	37
—	10	3	—	1	22	4	3	3	2	3	4	2	4	—	—	1	38
4	309	20	18	6	353	35	25	17	13	8	5	5	1	3	2	4	39
—	50	3	4	4	61	7	1	2	1	1	2	1	1	—	2	2	40
159	11,884	415	165	85	12,549	59	23	10	5	2	3	3	—	—	—	1	41
—	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	42
—	112	10	6	1	129	—	—	1	—	—	—	—	—	—	—	—	43
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	44
—	53	5	2	1	61	—	—	1	—	—	—	—	—	—	—	—	45
—	1	2	—	—	3	—	—	—	—	—	—	—	—	—	—	—	46
—	58	3	4	—	65	—	—	—	—	—	—	—	—	—	—	—	47
1	62	2	—	—	64	—	—	—	—	—	—	—	—	—	—	—	48
—	75	1	—	2	78	—	—	1	—	—	—	—	—	—	—	—	49
3	179	4	1	—	184	—	—	—	—	1	—	—	—	—	—	—	50
1	55	3	1	—	59	—	—	—	—	—	—	—	—	—	—	—	51
2	124	1	—	—	125	—	—	—	—	1	—	—	—	—	—	—	52
9	1,497	20	4	1	1,522	2	—	1	—	—	—	—	—	—	—	—	53
1	559	5	2	1	567	—	—	1	—	—	1	—	—	—	—	—	54
2	133	2	—	—	135	—	1	—	—	—	—	—	—	—	—	—	55
26	461	51	23	19	754	2	2	—	—	—	—	—	—	—	—	—	56
3	165	5	1	—	171	2	—	—	1	—	—	—	—	—	—	—	57
21	1,540	87	35	8	1,670	17	6	2	—	—	—	—	—	—	—	—	58
32	1,367	58	25	15	1,465	12	8	3	3	—	1	2	—	—	—	1	59
20	2,131	61	19	18	2,229	6	3	—	—	—	—	—	—	—	—	—	60
1	265	11	4	4	284	3	1	—	—	—	—	—	—	—	—	—	61
17	2,321	39	15	7	2,382	8	1	—	1	—	—	—	—	—	—	—	62
—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	63
11	158	21	10	3	192	2	—	—	—	—	—	—	—	—	—	—	64
12	655	38	20	6	719	5	1	1	—	1	1	1	—	—	—	—	65
5	114	31	44	68	257	419	365	232	159	98	54	48	20	18	20	18	66
5	31	10	22	18	81	116	89	81	50	52	44	43	40	42	35	44	67
2	13	3	8	9	33	43	30	25	9	12	13	11	12	6	2	7	68
1	2	1	6	2	11	27	21	22	12	8	13	6	7	7	5	—	69
2	16	6	8	7	37	46	38	34	29	32	18	26	21	29	28	37	70
1	11	2	1	1	15	5	16	6	6	3	3	3	3	7	9	2	71
4	101	32	24	20	177	107	69	62	43	25	32	20	17	24	22	20	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, BOTH SEXES—ALL CAUSES	40,239	3,828	12,822	4,120	2,788	1,290	790	618
2	DIARRHEAL DISEASES—009	364	—	1	5	6	6	16	10
3	WHOOPING COUGH—033	5	—	—	—	—	—	—	—
4	MENINGOCOCCAL INFECTIONS—036	72	—	—	1	1	—	1	—
5	TETANUS—037	—	—	—	—	—	—	—	—
6	SEPTICEMIA—038	557	9	46	38	47	36	30	30
7	VIRAL DISEASES—040-079	162	—	4	4	3	2	2	3
8	CONGENITAL SYPHILIS—090	4	—	1	1	—	—	—	—
9	OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	102	3	8	1	2	1	2	1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	116	2	4	3	2	2	—	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	41	6	7	1	1	2	—	—
12	DISEASES OF THYROID GLAND—254	14	—	—	1	—	—	—	—
13	CYSTIC FIBROSIS—273.0	70	—	2	—	1	2	1	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	163	2	21	10	18	11	5	1
15	MEINGITIS—320	318	—	2	6	12	12	14	4
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	323	3	6	3	1	1	1	3
17	ACUTE UPPER RESPIRATORY INFECTIONS—460-465	78	—	—	—	—	—	—	—
18	BRONCHITIS AND BRONCHIOLITIS—466,490,491	169	—	2	—	2	1	2	—
19	INFLUENZA AND PNEUMONIA—470-474,480-486	2,249	21	113	85	67	42	23	24
20	INFLUENZA—470-474	30	—	—	—	—	—	—	—
21	PNEUMONIA—480-486	2,219	21	113	85	67	42	23	24
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	32	—	3	—	1	1	1	—
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492,493,500-516,519	357	6	37	10	8	3	1	5
24	HERNIA AND INTESTINAL OBSTRUCTION—550-553,560	381	31	143	56	36	10	5	1
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535,561,563	23	—	—	—	—	—	—	—
26	OTHER DISEASES OF DIGESTIVE SYSTEM—520-534,536,537,540-543,562,564-577	217	3	6	8	9	4	4	3
27	CONGENITAL ANOMALIES—740-759	7,458	823	1,580	481	471	293	193	161
28	ANENCEPHALUS—740	716	226	305	48	35	19	20	9
29	SPINA BIFIDA—741	404	29	50	20	10	11	2	5
30	CONGENITAL HYDROCEPHALUS—742	354	60	65	12	6	4	2	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743,744	289	30	75	21	14	6	8	3
32	CONGENITAL ANOMALIES OF HEART—746	2,749	52	283	197	271	172	105	87
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	527	11	37	33	41	25	20	15
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	469	67	176	40	12	6	2	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	364	11	30	14	24	18	11	15
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752,753	280	40	131	22	5	1	4	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	259	63	104	14	12	8	2	5
38	DOWNS DISEASE—759.3	79	10	13	2	1	2	2	2
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2,759.4-759.9	813	193	270	51	36	16	13	13
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745,757,758	155	31	41	7	4	5	2	3
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2,769.4-772,774-778	22,104	2,852	10,737	3,340	2,042	821	454	334
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	8	1	6	—	—	—	—	—
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	236	39	117	31	15	4	2	6
44	SYPHILIS—761.0	1	—	—	—	—	—	—	—
45	DIABETES MELLITUS—761.1	122	6	58	21	14	3	2	5
46	RUBELLA—761.3	10	3	1	2	—	—	—	1
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2,761.4-761.7,761.9	103	29	58	8	1	1	—	—
48	TOXEMIA OF PREGNANCY—762	97	23	34	17	8	1	4	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	136	46	61	12	7	—	5	—
50	DIFFICULT LABOR—764-768	356	95	152	48	27	11	5	4
51	WITH MENTION OF BIRTH INJURY (1.0-.3)—769	98	5	48	16	9	8	3	3
52	WITHOUT MENTION OF BIRTH INJURY (1.4-.9)—770	258	90	104	32	18	3	2	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2,769.4,769.5,769.9	2,543	523	1,444	269	142	54	22	19
54	CONDITIONS OF PLACENTA—770	1,049	358	533	89	33	15	3	—
55	CONDITIONS OF UMBILICAL CORD—771	237	83	97	26	18	4	2	—
56	BIRTH INJURY WITHOUT MENTION OF CAUSE—772	1,308	42	382	270	217	108	50	40
57	HEMOLYTIC DISEASE OF NEWBORN—774,775	326	67	153	28	32	11	10	5
58	HYALINE MEMBRANE DISEASE—776.1	3,539	32	1,258	896	595	228	111	80
59	RESPIRATORY DISTRESS SYNDROME—776.2	3,098	110	1,397	622	385	131	87	58
60	ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	3,788	481	2,167	478	246	105	62	50
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0,776.3,776.4	439	46	137	100	58	29	16	6
62	IMMATURITY, UNQUALIFIED—777	3,580	758	2,215	280	131	50	32	21
63	POSTMATURITY—778.1	1	1	—	—	—	—	—	—
64	HEMORRHAGIC DISEASE OF NEWBORN—778.2	324	8	77	60	48	29	22	16
65	ALL OTHER CONDITIONS OF NEWBORN—778.0,778.3,778.9	1,039	139	507	114	80	41	21	25
66	SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	2,644	25	58	19	16	9	11	8
67	ACCIDENTS—E800-E949	1,151	8	9	6	12	3	2	5
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911,E912	326	—	4	1	7	3	—	4
69	ACCIDENTAL MECHANICAL SUFFOCATION—E913	229	1	—	—	1	—	—	—
70	OTHER ACCIDENTAL CAUSES—E800-E910,E914-E949	596	7	5	5	4	—	2	1
71	HOMICIDE—E960-E978	99	12	—	3	1	1	—	—
72	ALL OTHER CAUSES—RESIDUAL	966	22	32	38	29	27	14	17

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
447	26,703	1,818	938	742	30,201	2,512	1,937	1,444	982	726	585	453	368	351	328	348	1
5	49	57	27	27	160	45	31	21	16	23	11	14	15	16	7	5	2
1	4	1	1	3	8	10	7	5	10	5	6	7	6	1	4	3	3
24	260	92	31	30	413	47	22	19	6	15	11	4	7	2	5	6	6
2	20	20	10	8	58	26	11	14	7	5	11	3	4	7	10	6	7
1	19	8	7	6	40	15	6	7	5	7	1	5	4	4	7	1	9
1	15	4	3	1	23	7	11	5	6	8	7	8	9	11	10	11	10
1	17	1	1	1	19	4	5	4	2	1	1	1	1	3	2	1	11
1	1	1	1	1	1	1	2	6	3	1	1	1	1	1	1	1	12
1	9	3	2	1	15	6	5	10	12	5	5	1	4	3	2	2	13
4	72	15	5	5	97	17	8	10	6	4	6	2	2	2	4	5	14
8	58	23	38	15	134	36	33	20	14	13	21	9	11	11	9	7	15
1	19	4	1	2	26	40	36	35	34	21	29	21	19	22	22	18	16
1	1	1	2	1	3	15	16	15	8	6	2	3	2	3	1	4	17
15	390	107	84	84	665	424	360	257	172	97	72	46	45	28	33	50	18
15	390	106	82	84	662	421	359	253	169	96	69	42	44	28	29	47	21
1	6	2	3	1	12	6	4	3	3	3	1	1	1	1	1	1	22
1	70	8	10	8	96	69	50	42	21	27	20	8	5	8	6	5	23
1	283	11	8	4	306	16	12	13	6	5	6	4	4	4	4	5	24
4	11	3	1	2	17	4	1	1	1	1	1	1	1	1	1	1	25
4	45	26	18	9	98	31	14	15	16	7	3	5	9	6	7	6	26
105	4,107	591	280	239	5,217	637	366	288	208	163	150	124	84	83	71	67	27
9	671	21	6	5	703	6	1	4	3	1	1	1	1	1	1	1	28
3	130	40	28	40	238	54	23	21	10	13	11	11	7	7	6	3	29
1	151	21	10	9	191	44	26	20	12	15	9	5	5	5	2	10	30
2	159	18	9	12	198	22	14	10	8	12	5	4	5	4	2	5	31
61	1,228	281	119	93	1,721	269	175	136	107	67	73	61	40	40	32	28	32
11	193	84	43	27	347	69	35	17	19	10	11	8	3	3	2	3	33
1	305	23	12	14	354	33	27	24	13	6	3	3	1	2	2	1	34
4	127	39	20	16	202	33	13	13	15	16	17	15	10	13	10	7	35
1	206	14	7	5	232	22	6	5	1	3	2	5	2	2	1	1	36
3	211	3	4	3	221	9	6	6	5	4	2	1	1	1	1	1	37
1	32	5	2	1	40	4	9	3	4	6	3	3	5	1	1	2	38
7	599	34	15	9	657	55	28	24	10	9	9	8	3	3	4	3	39
2	95	8	5	5	113	17	4	5	2	2	5	1	2	2	2	3	40
243	20,823	722	258	123	21,926	92	41	16	9	6	6	4	1	2	1	1	41
1	7	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	42
1	214	11	6	1	232	1	1	1	1	1	1	1	1	1	1	1	43
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	44
1	109	7	3	1	120	1	1	1	1	1	1	1	1	1	1	1	45
1	7	2	1	1	9	1	1	1	1	1	1	1	1	1	1	1	46
1	97	2	3	1	102	1	1	1	1	1	1	1	1	1	1	1	47
2	90	4	2	1	96	1	1	1	1	1	1	1	1	1	1	1	48
1	131	2	2	2	135	1	1	1	1	1	1	1	1	1	1	1	49
3	345	7	2	1	354	1	1	1	1	1	1	1	1	1	1	1	50
1	93	4	1	1	98	1	1	1	1	1	1	1	1	1	1	1	51
2	252	3	1	1	256	1	1	1	1	1	1	1	1	1	1	1	52
11	2,484	36	8	5	2,533	5	4	1	1	1	1	1	1	1	1	1	53
1	1,035	6	3	2	1,046	1	1	2	1	1	1	1	1	1	1	1	54
1	231	3	1	1	235	1	1	1	1	1	1	1	1	1	1	1	55
42	1,151	93	31	21	1,296	5	4	1	1	1	1	1	1	1	1	1	56
5	311	9	2	1	323	1	1	1	1	1	1	1	1	1	1	1	57
50	3,250	168	63	17	3,498	26	11	7	4	2	2	1	1	1	1	1	58
60	2,850	136	43	19	3,048	26	7	7	4	2	2	1	1	1	1	1	59
27	3,616	101	37	23	3,777	6	3	1	1	1	1	1	1	1	1	1	60
5	397	17	13	5	432	3	2	1	1	1	1	1	1	1	1	1	61
13	3,500	44	16	4	3,564	10	3	1	1	1	1	1	1	1	1	1	62
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	63
8	268	40	9	6	323	1	1	1	1	1	1	1	1	1	1	1	64
15	942	45	22	17	1,026	5	3	1	1	1	1	1	1	1	1	1	65
10	156	44	73	102	375	629	605	400	236	149	83	66	33	25	19	24	66
3	48	16	30	35	129	150	145	124	83	91	82	75	76	66	56	74	67
1	20	5	12	13	50	47	50	37	25	26	21	20	21	12	3	14	68
1	2	2	4	6	14	38	34	33	19	16	25	15	17	9	8	1	69
2	26	9	14	16	65	65	61	54	39	49	36	40	38	45	45	59	70
1	20	2	3	3	26	6	13	12	8	5	8	5	2	6	5	3	71
12	191	58	43	27	319	156	106	75	66	43	40	33	21	36	33	38	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, MALE--ALL CAUSES-----	23,414	2,148	7,579	2,406	1,680	766	481	363
2	DIARRHEAL DISEASES-----009	212	-	1	3	5	1	6	5
3	WHOOPING COUGH-----023	2	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	43	-	-	-	1	-	1	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	325	6	29	23	28	18	20	18
7	VIRAL DISEASES-----040-079	100	-	2	3	1	1	1	2
8	CONGENITAL SYPHILIS-----090	3	-	1	1	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	61	2	5	1	2	1	2	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	59	1	3	2	1	1	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	17	3	2	1	-	1	-	-
12	DISEASES OF THYMUS GLAND-----254	8	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273-0	32	-	2	-	-	-	-	2
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	93	1	9	7	12	3	4	1
15	MENINGITIS-----320	183	-	2	4	4	6	8	3
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	193	2	5	-	-	1	1	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	53	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	102	-	1	-	2	-	2	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,306	14	68	45	42	24	10	15
20	INFLUENZA-----470-474	20	-	-	-	-	-	-	-
21	PNEUMONIA-----480-486	1,286	14	68	45	42	24	10	15
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	22	-	3	-	-	1	1	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	210	4	16	6	4	2	-	4
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	226	18	90	26	18	8	2	1
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	11	-	-	-	-	-	2	1
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	116	1	5	4	4	2	5	2
27	CONGENITAL ANOMALIES-----740-759	4,090	420	517	295	307	164	122	85
28	ANENCEPHALUS-----740	311	75	154	24	19	9	10	2
29	SPINA BIFIDA-----741	168	10	21	9	4	5	2	2
30	CONGENITAL HYDROCEPHALUS-----742	194	35	39	7	3	2	2	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	139	11	36	12	6	1	4	1
32	CONGENITAL ANOMALIES OF HEART-----746	1,574	32	166	135	200	104	67	50
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	299	6	17	24	29	16	15	6
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	300	41	116	25	7	3	2	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	204	6	18	7	15	7	5	12
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	191	29	97	12	4	1	4	2
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	143	31	61	9	4	4	1	-
38	DOWN'S DISEASE-----759,3	39	5	6	1	1	1	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	435	117	164	25	13	8	8	6
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	93	22	22	5	2	3	2	2
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	13,041	1,643	6,359	1,945	1,211	506	280	201
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	5	1	3	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	126	24	60	18	10	1	1	4
44	SYPHILIS-----761.0	1	1	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	72	4	36	11	10	1	1	3
46	RUBELLA-----761.3	7	3	-	2	-	-	-	1
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	46	16	24	5	-	-	-	-
48	TOXEMIA OF PREGNANCY-----762	54	11	15	13	6	1	2	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	82	28	37	8	3	-	3	-
50	DIFFICULT LABOR-----764-768	215	57	93	26	17	8	4	2
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	57	3	24	11	6	6	3	2
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	158	54	69	15	11	2	1	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	1,429	288	809	154	81	33	15	10
54	CONDITIONS OF PLACENTA-----770	597	211	306	39	21	9	2	1
55	CONDITIONS OF UMBILICAL CORD-----771	128	47	53	7	15	2	1	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	768	21	224	158	136	66	27	23
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	180	35	86	17	16	8	5	3
58	HYALINE MEMBRANE DISEASE-----776.1	2,210	23	767	567	365	142	82	52
59	RESPIRATORY DISTRESS SYNDROME-----776.2	2,002	77	896	416	242	82	51	38
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	2,243	295	1,315	258	136	63	31	29
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	234	25	73	49	22	22	10	3
62	IMMATURITY, UNQUALIFIED-----777	1,996	417	1,279	126	68	26	21	11
63	POSTMATURITY-----778.1	-	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	190	4	45	36	31	20	11	10
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	582	79	298	53	42	23	14	15
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,610	12	35	11	14	6	7	7
67	ACCIDENTS-----E800-E949	687	4	6	2	8	2	1	4
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	202	-	3	-	4	2	-	3
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	132	1	-	-	1	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	353	3	3	2	3	-	1	1
71	HOMICIDE-----E960-E978	53	9	-	1	-	-	1	-
72	ALL OTHER CAUSES-----RESIDUAL	556	8	18	26	16	16	5	12

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
248	15,671	1,047	518	411	17,647	1,438	1,149	853	553	412	336	268	217	185	167	189	1
4	25	29	17	16	87	31	20	15	7	11	8	11	9	9	2	2	2
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3
-	2	-	-	2	4	5	4	2	8	3	2	5	4	1	4	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
14	156	54	15	16	241	25	13	10	4	10	7	2	5	2	4	2	6
1	11	10	7	3	31	18	9	13	5	3	5	1	3	3	4	5	7
1	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	8
1	14	3	3	4	24	9	5	4	4	3	1	4	1	2	3	1	9
-	8	3	3	-	14	2	4	2	6	4	4	7	2	3	5	6	10
-	7	1	-	-	8	-	4	1	-	-	1	-	1	1	1	-	11
-	-	-	-	-	-	-	1	3	3	1	-	-	-	-	-	-	12
1	7	3	2	-	12	4	-	5	3	2	2	1	3	-	-	-	13
3	40	8	3	2	53	9	5	5	5	1	6	2	1	2	1	3	14
3	30	11	26	11	78	18	19	14	7	8	15	4	7	6	4	3	15
1	10	3	-	2	15	20	23	22	30	10	15	11	10	12	15	10	16
-	-	-	1	-	1	13	10	7	5	5	2	2	2	2	1	3	17
1	6	-	1	1	8	14	13	13	15	10	7	4	2	5	7	4	18
9	227	59	53	53	392	235	229	152	88	56	39	28	29	15	17	26	19
-	-	1	2	-	3	2	1	3	1	1	3	2	1	-	2	1	20
9	227	58	51	53	389	233	228	149	87	55	36	26	28	15	15	25	21
-	5	2	1	1	9	5	3	2	1	1	-	-	-	-	-	1	22
-	36	4	8	6	54	39	31	25	11	17	12	3	4	7	3	2	23
-	163	6	5	2	176	11	9	8	5	3	3	4	3	-	2	2	24
2	5	2	1	-	8	3	-	-	-	-	-	-	-	-	-	-	25
4	27	6	12	3	48	24	6	7	10	5	1	3	4	3	2	3	26
51	2,361	329	129	130	2,949	331	184	148	101	84	77	68	41	38	36	33	27
3	296	8	-	3	307	-	-	2	2	-	-	-	-	-	-	-	28
2	55	22	12	12	101	23	8	9	3	4	4	5	2	2	5	2	29
-	89	11	2	5	107	21	15	13	6	8	2	3	1	5	5	8	30
-	71	10	6	8	95	11	7	4	3	7	1	3	4	1	1	2	31
27	781	156	62	55	1,054	143	86	66	50	36	41	29	21	20	16	12	32
7	120	48	20	15	203	41	16	8	10	5	5	6	1	2	1	1	33
1	196	15	7	11	229	16	17	16	9	4	2	3	1	1	1	1	34
3	73	24	11	9	117	20	5	9	7	9	11	8	5	3	5	3	35
-	149	7	2	3	161	13	5	3	-	2	2	3	1	1	-	-	36
3	113	2	1	1	117	5	6	4	3	3	2	1	-	1	-	1	37
-	14	2	2	1	19	2	6	1	4	3	-	1	2	-	-	1	38
3	344	18	3	6	371	25	10	10	2	2	4	6	2	-	2	1	39
2	60	6	1	1	68	11	3	3	2	1	3	-	1	-	-	1	40
137	12,282	440	143	69	12,934	56	22	10	6	5	3	2	1	2	-	-	41
-	4	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	42
-	118	3	1	1	123	1	1	-	-	-	-	1	-	-	-	-	43
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	66	3	1	1	71	1	-	-	-	-	-	-	-	-	-	-	45
-	6	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	46
-	45	-	-	-	45	-	-	-	-	-	-	1	-	-	-	-	47
1	49	2	2	-	53	-	1	-	-	-	-	-	-	-	-	-	48
-	79	1	-	1	81	-	-	1	-	-	-	-	-	-	-	-	49
2	209	3	1	-	213	1	1	-	-	-	-	-	-	-	-	-	50
1	56	1	-	-	57	-	-	-	-	-	-	-	-	-	-	-	51
1	153	2	1	-	156	1	1	-	-	-	-	-	-	-	-	-	52
4	1,394	20	4	4	1,422	3	4	-	-	-	-	-	-	-	-	-	53
-	589	4	2	1	596	-	-	1	-	-	-	-	-	-	-	-	54
-	125	1	1	-	127	1	-	-	-	-	-	-	-	-	-	-	55
25	680	58	15	7	760	3	2	-	2	-	-	1	-	-	-	-	56
2	172	5	1	1	179	-	-	1	-	-	-	-	-	-	-	-	57
36	2,034	101	40	13	2,188	13	5	-	-	1	-	-	1	-	-	-	58
35	1,837	100	23	11	1,971	19	2	5	2	2	1	-	-	-	-	-	59
17	2,144	58	26	10	2,238	2	1	1	-	1	-	-	-	-	-	-	60
4	208	10	9	2	229	2	1	-	-	-	-	1	-	-	-	-	61
3	1,951	24	6	2	1,983	8	2	1	1	1	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
3	160	24	2	4	190	-	-	-	-	-	-	-	-	-	-	-	64
5	529	26	10	12	577	2	2	-	1	-	-	-	-	-	-	-	65
6	90	25	47	48	218	385	381	262	137	86	52	36	21	13	7	12	66
-	27	10	16	22	75	88	87	74	53	51	49	45	51	36	33	45	67
-	12	3	6	8	29	27	29	23	20	20	11	13	13	7	2	8	68
-	2	1	1	5	9	18	22	19	10	9	14	11	12	3	4	1	69
-	13	6	9	9	37	43	36	32	23	22	24	21	26	26	27	36	70
-	11	1	1	2	15	4	7	7	2	3	5	3	2	2	1	2	71
10	111	38	24	17	190	89	59	42	36	30	20	22	11	21	15	21	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	WHITE, FEMALE—ALL CAUSES	16,825	1,680	5,243	1,714	1,108	524	309	255
2	DIARRHEAL DISEASES	152	—	—	2	1	5	10	5
3	WHOOPING COUGH	3	—	—	—	—	—	—	—
4	MENINGOCOCCAL INFECTIONS	29	—	—	1	—	—	—	—
5	TETANUS	—	—	—	—	—	—	—	—
6	SEPTICEMIA	232	3	17	15	19	18	10	12
7	VIRAL DISEASES	62	—	2	1	2	1	1	1
8	CONGENITAL SYPHILIS	1	—	—	—	—	—	—	—
9	OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	41	1	3	—	—	—	—	1
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	57	1	1	1	1	1	—	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	24	3	5	—	1	1	—	—
12	DISEASES OF THYROID GLAND	6	—	—	1	—	—	—	—
13	CYSTIC FIBROSIS	38	—	—	—	1	—	1	—
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	70	1	12	3	6	8	1	—
15	MENINGITIS	135	—	—	2	8	6	6	1
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	130	1	1	3	1	—	—	3
17	ACUTE UPPER RESPIRATORY INFECTIONS	25	—	—	—	—	—	—	—
18	BRONCHITIS AND BRONCHIOLITIS	67	—	1	—	—	1	—	—
19	INFLUENZA AND PNEUMONIA	943	7	45	40	25	18	13	9
20	PNEUMONIA	10	—	—	—	—	—	—	—
21	OTHER CHRONIC INTERSTITIAL PNEUMONIA	933	7	45	40	25	18	13	9
22	ALL OTHER DISEASES OF RESPIRATORY SYSTEM	10	—	—	—	1	—	—	—
23	HERNIA AND INTESTINAL OBSTRUCTION	147	2	21	4	4	—	1	1
24	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	155	13	53	30	18	2	3	—
25	OTHER DISEASES OF DIGESTIVE SYSTEM	12	—	—	—	—	—	2	2
26	CONGENITAL ANOMALIES	101	2	1	4	5	2	1	3
27	ANENCEPHALUS	3,368	403	663	186	164	129	71	76
28	SPINA BIFIDA	405	151	151	24	16	10	10	7
29	CONGENITAL HYDROCEPHALUS	236	19	29	11	6	6	—	3
30	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	160	25	26	5	3	2	—	—
31	CONGENITAL ANOMALIES OF HEART	150	19	39	9	8	5	4	2
32	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	1,175	20	117	62	71	68	38	37
33	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	228	5	20	9	12	9	5	9
34	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	169	26	60	15	5	3	—	—
35	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	160	5	12	7	9	11	6	3
36	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	89	11	34	10	1	—	—	—
37	OGHN'S DISEASE	116	32	43	5	8	4	1	2
38	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	40	5	7	1	—	—	—	—
39	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	759.0-759.2, 759.4-759.9	378	76	106	26	23	8	7
40	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2, 769.4-772, 774-778	62	9	19	2	2	2	—	1
41	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	9,063	1,209	4,378	1,395	831	315	174	133
42	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	3	—	—	—	—	—	—	—
43	SYPHILIS	110	15	57	13	5	3	1	2
44	DIABETES MELLITUS	761.0	—	—	—	—	—	—	—
45	RUBELLA	50	2	22	10	4	2	1	2
46	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.1	3	1	—	—	—	—	—
47	TOXEMIA OF PREGNANCY	761.2, 761.4-761.7, 761.9	57	13	34	3	1	—	—
48	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	762	43	12	19	4	2	—	1
49	DIFFICULT LABOR	763	54	18	24	4	—	2	—
50	WITH MENTION OF BIRTH INJURY (1.0-.3)	141	38	59	22	10	3	1	2
51	WITHOUT MENTION OF BIRTH INJURY (1.4-.9)	41	2	24	5	3	2	—	1
52	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	100	36	35	17	7	1	1	1
53	CONDITIONS OF PLACENTA	1,114	235	635	115	61	21	7	9
54	CONDITIONS OF UMBILICAL CORD	452	147	227	50	12	6	1	2
55	BIRTH INJURY WITHOUT MENTION OF CAUSE	770	109	36	44	15	3	2	—
56	HEMOLYTIC DISEASE OF NEWBORN	771	540	21	158	112	81	42	23
57	HYALINE MEMBRANE DISEASE	772	146	32	67	11	16	3	5
58	RESPIRATORY DISTRESS SYNDROME	774, 775	1,329	9	491	325	230	86	29
59	ASPHYXIA OF NEWBORN, UNSPECIFIED	776.1	1,096	33	501	206	143	49	36
60	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.2	1,545	186	852	220	110	42	31
61	IMMATURE, UNQUALIFIED	776.0, 776.3, 776.4	205	21	64	51	36	7	6
62	POSTMATURITY	777	1,584	341	936	154	63	24	11
63	HEMORRHAGIC DISEASE OF NEWBORN	778.1	1	1	—	—	—	—	—
64	ALL OTHER CONDITIONS OF NEWBORN	778.2	134	4	32	24	17	9	11
65	SYMPTOMS AND ILL-DEFINED CONDITIONS	778.0, 778.3, 778.9	457	60	209	61	38	18	7
66	ACCIDENTS	780-796	1,034	13	23	8	2	3	4
67	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E800-E949	464	4	3	4	4	1	1
68	ACCIDENTAL MECHANICAL SUFFOCATION	E911, E912	124	—	1	1	3	1	—
69	OTHER ACCIDENTAL CAUSES	E800-E910, E914-E949	97	—	—	—	—	—	—
70	HOMICIDE	E960-E978	243	4	2	3	1	—	—
71	ALL OTHER CAUSES	—RESIDUAL	46	3	—	—	—	—	—
72			410	14	14	12	13	11	5

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	1
199	11,032	771	420	331	12,554	1,074	788	591	429	314	253	185	191	166	161	159	1
1	24	28	10	11	73	14	11	6	9	12	3	3	6	7	5	3	2
1	2	1	1	1	4	5	1	1	1	2	4	2	2	2	1	2	3
1	2	1	1	1	4	5	3	3	2	2	4	2	2	2	1	2	4
10	104	38	16	14	172	22	9	9	2	5	4	2	2	2	1	4	5
1	9	10	3	5	27	8	2	1	2	2	6	2	1	4	6	1	7
1	5	5	4	2	16	6	1	3	1	4	1	1	3	2	4	1	8
1	7	1	1	1	9	5	7	3	1	4	3	1	7	8	5	5	9
1	10	1	1	1	11	4	1	3	2	1	1	1	1	2	1	1	10
1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	11
1	2	1	1	1	3	2	5	5	9	3	3	1	1	3	2	2	12
1	32	7	2	3	44	8	3	5	1	3	1	1	1	1	3	2	13
5	28	12	12	4	56	18	14	6	7	5	6	5	4	5	5	4	14
1	9	1	1	1	11	20	13	13	4	11	14	10	9	10	7	8	15
1	1	1	1	1	2	2	6	8	3	1	1	1	1	1	1	1	16
1	2	1	1	1	7	8	13	14	7	6	1	2	2	1	4	2	17
6	163	48	31	31	273	189	131	105	84	41	33	18	16	13	16	24	18
6	163	48	31	31	273	188	131	104	82	41	33	16	16	13	14	22	19
1	1	1	2	3	3	1	1	1	2	2	1	1	1	1	1	1	20
1	34	4	2	2	42	30	19	17	10	8	5	1	1	3	1	1	21
1	120	5	3	2	130	5	3	5	1	2	3	1	1	2	3	3	22
2	6	1	1	2	9	1	1	1	1	1	1	1	1	1	1	1	23
1	18	20	6	6	50	7	8	8	6	2	2	2	5	3	5	3	24
54	1,746	262	151	109	2,268	306	182	140	107	79	73	56	43	45	35	34	25
6	375	13	6	2	396	6	2	2	1	1	1	1	1	1	1	1	26
1	75	18	16	28	137	31	15	12	7	9	7	6	5	5	1	1	27
1	62	10	8	4	84	23	11	7	6	7	7	2	4	3	4	2	28
2	88	8	3	4	103	11	7	6	5	5	4	1	1	3	1	3	29
34	447	125	57	38	667	126	89	70	57	31	32	32	19	20	16	16	30
4	73	36	23	12	144	28	19	9	9	5	6	2	2	1	1	2	31
1	109	8	5	3	125	17	10	8	4	2	1	1	1	1	1	1	32
1	54	15	9	7	85	13	8	4	8	7	6	7	5	8	5	4	33
1	57	7	5	2	71	9	1	2	1	1	1	2	1	1	1	1	34
1	98	1	3	2	104	4	1	2	2	1	1	1	1	1	1	1	35
1	18	3	1	1	21	2	3	2	1	3	3	2	3	1	1	1	36
4	255	16	12	3	286	30	18	14	8	7	5	2	1	3	2	2	37
1	35	2	4	4	45	6	1	2	1	1	2	1	1	2	2	2	38
106	8,541	282	115	54	8,992	36	19	6	3	1	3	2	1	1	1	1	39
1	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	40
1	96	1	1	1	109	1	1	1	1	1	1	1	1	1	1	1	41
1	43	4	2	1	49	1	1	1	1	1	1	1	1	1	1	1	42
1	1	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	43
1	52	2	3	1	57	1	1	1	1	1	1	1	1	1	1	1	44
1	41	2	1	1	43	1	1	1	1	1	1	1	1	1	1	1	45
1	52	1	1	1	54	1	1	1	1	1	1	1	1	1	1	1	46
1	136	4	1	1	141	1	1	1	1	1	1	1	1	1	1	1	47
1	37	3	1	1	41	1	1	1	1	1	1	1	1	1	1	1	48
1	99	1	1	1	100	1	1	1	1	1	1	1	1	1	1	1	49
7	1,090	16	4	1	1,111	2	1	1	1	1	1	1	1	1	1	1	50
1	446	2	1	1	450	1	1	1	1	1	1	1	1	1	1	1	51
1	106	2	1	1	108	1	1	1	1	1	1	1	1	1	1	1	52
17	471	35	16	14	534	2	2	2	1	1	1	1	1	1	1	1	53
3	139	4	1	1	144	1	1	1	1	1	1	1	1	1	1	1	54
14	1,216	67	23	4	1,310	13	6	5	2	1	1	1	1	1	1	1	55
25	1,013	36	20	8	1,077	7	5	2	2	1	1	1	1	1	1	1	56
10	1,472	43	11	13	1,539	4	2	1	1	1	1	1	1	1	1	1	57
1	189	7	4	3	203	1	1	1	1	1	1	1	1	1	1	1	58
10	1,549	20	10	2	1,581	2	1	1	1	1	1	1	1	1	1	1	59
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	60
5	108	16	7	2	133	1	1	1	1	1	1	1	1	1	1	1	61
10	413	19	12	5	449	3	1	1	1	1	1	1	1	1	1	1	62
4	58	19	26	54	157	244	224	138	99	63	31	30	12	12	12	12	63
3	21	6	14	13	54	62	58	50	30	40	33	30	25	30	23	29	64
1	8	2	6	5	21	20	21	14	5	6	10	7	8	5	1	6	65
1	1	1	3	1	5	20	12	14	9	7	11	4	5	6	4	4	66
2	13	3	5	7	28	22	25	22	16	27	12	19	12	19	18	23	67
1	9	1	1	1	11	2	6	5	6	2	3	2	4	4	1	1	68
2	80	20	19	10	129	67	47	33	30	13	20	11	10	15	18	17	69

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, BOTH SEXES--ALL CAUSES-----	15,342	1,226	4,767	1,328	764	436	244	210
2	DIARRHEAL DISEASES-----009	284	-	1	1	6	9	5	8
3	WHOOPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	18	-	-	-	-	-	-	-
5	TETANUS-----037	3	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	248	2	22	15	14	12	9	15
7	VIRAL DISEASES-----040-079	54	-	-	-	-	-	-	-
8	CONGENITAL SYPHILIS-----090	5	-	4	-	-	1	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	58	1	-	-	-	1	2	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	18	-	2	-	1	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	7	-	3	-	-	-	1	-
12	DISEASES OF THYROID GLAND-----254	6	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	7	-	-	-	-	-	1	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	73	1	5	1	3	6	-	2
15	MENINGITIS-----320	174	-	1	4	6	4	2	1
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	94	-	5	1	4	2	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	43	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	68	-	1	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	1,313	5	46	41	26	16	7	10
20	INFLUENZA-----470-474	22	-	-	-	-	-	-	-
21	PNEUMONIA-----480-486	1,291	5	46	41	26	16	7	10
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	6	-	-	1	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	169	2	6	4	2	4	2	1
24	HEPATIC AND INTESTINAL OBSTRUCTION-----550-553,560	96	6	26	8	8	2	2	3
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	26	-	-	1	-	2	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	118	1	7	1	6	8	4	5
27	CONGENITAL ANOMALIES-----740-759	1,495	116	277	103	73	64	27	34
28	ANENCEPHALUS-----740	68	26	31	5	1	-	1	1
29	SPINA BIFIDA-----741	41	3	7	1	-	-	-	1
30	CONGENITAL HYDROCEPHALUS-----742	85	9	12	2	1	2	1	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	49	6	10	1	3	3	1	2
32	CONGENITAL ANOMALIES OF HEART-----746	405	12	58	45	42	31	16	14
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	115	1	13	10	10	8	1	5
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	104	10	36	10	2	6	1	3
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	101	1	5	3	4	9	1	5
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	44	4	15	4	-	-	1	-
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	46	8	16	4	2	-	2	1
38	DEHN'S DISEASE-----759.3	16	-	2	-	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	181	31	59	16	5	3	1	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	40	5	13	2	3	2	1	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	8,287	1,057	4,293	1,113	595	286	173	118
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	-	-	1	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	51	10	20	10	2	1	1	2
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	21	4	7	4	1	-	1	1
46	RUBELLA-----761.3	-	-	-	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	30	6	13	6	1	1	-	1
48	TOXEMIA OF PREGNANCY-----762	42	14	15	5	6	1	-	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	54	23	21	4	2	-	1	-
50	DIFFICULT LABOR-----764-768	92	24	46	3	11	3	-	1
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	30	2	18	1	6	2	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	62	22	28	2	5	1	-	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	912	168	564	77	42	21	9	10
54	CONDITIONS OF PLACENTA-----770	269	70	140	35	10	3	1	2
55	CONDITIONS OF UMBILICAL CORD-----771	58	22	25	3	5	1	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	544	16	198	84	70	39	22	18
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	48	7	18	8	6	4	2	-
58	HYALINE MEMBRANE DISEASE-----776.1	928	24	356	206	133	49	32	18
59	RESPIRATORY DISTRESS SYNDROME-----776.2	993	47	446	196	97	54	21	16
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	1,592	214	872	220	93	49	34	21
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	205	18	88	44	22	9	4	3
62	IMMATURITY, UNQUALIFIED-----777	1,789	319	1,140	129	55	30	23	18
63	POSTMATURITY-----778.1	-	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	129	-	32	29	18	7	9	2
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	580	81	312	59	23	15	13	6
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	1,564	27	48	20	14	8	3	8
67	ACCIDENTS-----E800-E949	540	-	4	5	-	2	2	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	159	-	1	1	-	2	-	1
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	107	-	1	4	-	-	2	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	274	-	1	-	-	-	-	1
71	HOMICIDE-----E960-E978	62	-	-	1	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	506	2	16	8	6	9	4	3

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
181	9,156	606	373	328	10,463	1,279	971	697	493	353	276	217	173	135	150	135	1
5	35	34	19	26	114	43	29	23	16	17	19	5	7	4	2	5	2
1	1	1	1	1	1	2	5	3	3	1	1	1	1	1	1	1	3
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
10	99	47	16	10	172	28	14	14	2	3	5	4	2	1	3	1	5
1	1	4	5	1	11	11	8	6	4	3	2	1	3	1	2	2	7
1	5	1	6	2	5	9	4	6	6	3	3	2	4	2	3	3	8
4	4	1	1	1	13	1	1	1	1	1	1	1	1	1	1	1	9
1	3	1	1	1	3	1	3	2	2	1	1	1	1	1	1	2	10
1	4	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	11
1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	12
1	2	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	13
2	18	4	4	1	27	10	4	5	5	3	2	3	3	1	5	5	14
2	20	11	9	9	49	24	20	16	13	14	14	6	5	5	4	4	15
1	12	1	1	2	16	15	9	11	3	8	7	8	1	4	6	6	16
1	1	1	1	1	3	8	9	8	3	4	1	1	1	2	2	1	17
1	2	1	2	3	8	7	9	12	7	6	4	3	3	3	3	3	18
6	157	44	44	65	310	243	201	162	103	86	54	46	32	26	27	23	19
6	157	43	44	65	309	241	199	159	99	83	50	44	31	26	27	23	20
1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	22
1	21	2	6	5	34	38	27	9	16	15	7	8	4	4	4	4	23
1	56	5	4	2	67	14	3	2	5	1	1	1	1	3	1	1	24
3	6	2	5	1	14	6	2	1	1	1	1	1	1	1	1	1	25
4	36	17	6	7	66	14	11	3	8	4	1	3	4	3	1	1	26
27	721	86	67	51	925	150	118	67	64	36	36	25	22	19	16	17	27
1	66	1	1	1	68	7	1	1	1	1	1	1	1	1	1	1	28
2	14	3	4	2	23	7	2	1	3	1	1	1	1	1	1	1	29
2	29	3	2	2	36	13	9	2	2	6	6	3	2	1	4	2	30
1	27	2	1	1	30	6	1	5	1	1	1	1	1	1	2	1	31
16	234	44	31	25	334	62	57	32	40	17	15	12	9	12	6	9	32
2	50	9	6	8	73	13	6	9	4	1	7	1	1	1	1	1	33
1	68	2	2	2	74	10	12	3	1	1	1	1	1	3	1	1	34
1	29	7	8	6	50	17	5	4	1	7	3	3	3	3	2	3	35
1	24	2	2	1	29	3	6	4	1	1	1	1	1	1	1	1	36
1	33	1	1	1	34	4	4	4	2	1	1	1	1	1	1	1	37
1	2	1	1	2	4	3	1	2	3	1	1	2	2	1	1	1	38
2	119	9	9	3	140	10	11	4	8	1	1	3	1	1	1	2	39
1	26	3	1	1	30	2	4	1	2	1	1	1	1	1	1	1	40
107	7,742	289	115	65	8,211	46	12	6	4	5	1	2	1	1	1	1	41
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	42
1	47	2	1	1	51	1	1	1	1	1	1	1	1	1	1	1	43
1	19	1	1	1	21	1	1	1	1	1	1	1	1	1	1	1	44
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	45
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46
1	28	1	1	1	30	1	1	1	1	1	1	1	1	1	1	1	47
1	42	1	1	1	42	1	1	1	1	1	1	1	1	1	1	1	48
1	51	1	1	1	53	1	1	1	1	1	1	1	1	1	1	1	49
2	90	1	1	1	90	1	1	1	1	1	1	1	1	1	1	1	50
1	30	1	1	1	30	1	1	1	1	1	1	1	1	1	1	1	51
1	60	1	1	1	60	1	1	1	1	1	1	1	1	1	1	1	52
6	897	11	2	1	910	2	1	1	1	1	1	1	1	1	1	1	53
1	261	4	1	1	266	1	1	1	1	1	1	1	1	1	1	1	54
1	58	1	1	1	58	1	1	1	1	1	1	1	1	1	1	1	55
17	464	51	16	11	542	1	1	1	1	1	1	1	1	1	1	1	56
1	45	2	1	1	47	1	1	1	1	1	1	1	1	1	1	1	57
16	834	51	21	5	911	13	1	2	1	1	1	1	1	1	1	1	58
17	894	44	20	18	976	7	6	1	1	1	1	1	1	1	1	1	59
19	1,522	38	18	9	1,587	3	2	1	1	1	1	1	1	1	1	1	60
1	189	6	1	5	201	4	1	1	1	1	1	1	1	1	1	1	61
11	1,725	32	10	8	1,775	10	1	1	1	2	1	1	1	1	1	1	62
8	105	16	6	1	128	1	1	1	1	1	1	1	1	1	1	1	63
8	517	31	19	6	573	3	1	1	2	1	1	1	1	1	1	1	64
2	130	25	36	49	240	394	332	207	148	77	53	42	27	16	16	12	66
2	17	10	14	10	51	93	69	61	46	36	35	30	32	20	37	30	67
1	6	2	3	6	17	38	26	21	11	14	10	8	6	2	5	1	68
1	5	4	5	1	15	17	20	21	12	2	8	3	4	2	3	1	69
1	6	4	6	3	19	38	23	19	23	20	17	19	22	16	29	29	70
1	7	2	1	1	10	6	12	5	2	2	5	3	4	3	6	4	71
7	55	20	12	17	104	113	64	64	31	27	24	21	15	17	12	14	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, MALE--ALL CAUSES-----	8,572	684	2,742	747	449	241	120	117
2	DIARRHEAL DISEASES-----009	158	-	1	1	2	5	1	4
3	WHOOPING COUGH-----033	-	-	-	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	12	-	-	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-	-	-	-
6	SEPTICEMIA-----038	144	2	9	10	10	7	4	8
7	VIRAL DISEASES-----040-079	34	-	-	-	-	-	-	-
8	CONGENITAL SYPHILIS-----090	1	-	1	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	24	-	-	-	-	-	1	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	9	-	1	-	1	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	-	-	-	-	-	-	-
12	DISEASES OF THYMUS GLAND-----254	4	-	-	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	5	-	-	-	-	-	1	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	46	1	4	-	2	4	-	1
15	MENINGITIS-----320	94	-	-	2	4	3	1	-
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	49	-	2	-	3	2	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	21	-	-	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	44	-	1	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	713	4	26	27	16	8	5	3
20	INFLUENZA-----470-474	9	-	-	-	-	-	-	-
21	PNEUMONIA-----480-486	704	4	26	27	16	8	5	3
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	5	-	-	1	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	85	-	4	2	2	2	-	1
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	60	4	16	6	3	-	1	3
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	12	-	-	-	-	2	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	73	-	3	-	6	6	2	3
27	CONGENITAL ANOMALIES-----740-759	780	64	152	53	43	30	14	22
28	ANENCEPHALUS-----740	34	14	16	2	1	-	-	-
29	SPINA BIFIDA-----741	21	2	4	1	-	-	-	-
30	CONGENITAL HYDROCEPHALUS-----742	45	5	6	2	-	1	1	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	26	5	4	-	2	2	-	1
32	CONGENITAL ANOMALIES OF HEART-----746	307	10	26	28	27	20	7	8
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	65	1	6	6	4	3	1	5
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	57	3	25	3	1	4	1	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	54	-	4	1	2	5	-	5
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	29	3	10	2	-	-	-	-
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	25	4	9	1	2	-	2	-
38	DOWN'S DISEASE-----759.3	8	-	2	-	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	88	15	34	6	4	2	-	2
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	21	2	6	1	-	1	1	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	4,695	590	2,477	626	344	159	86	63
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	-	-	1	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	31	7	15	5	1	1	-	1
44	SYPHILIS-----761.0	-	-	-	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	9	2	3	2	-	-	-	1
46	RUBELLA-----761.3	-	-	-	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.5	22	5	12	3	1	1	-	-
48	TOXEMIA OF PREGNANCY-----762	21	6	6	3	5	-	-	1
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	29	13	12	2	1	-	-	-
50	DIFFICULT LABOR-----764-768	48	11	26	3	5	2	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	12	-	7	1	3	1	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	36	11	19	2	2	1	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	501	86	321	42	18	12	4	3
54	CONDITIONS OF PLACENTA-----770	152	38	77	23	6	2	1	1
55	CONDITIONS OF UMBILICAL CORD-----771	31	12	13	2	2	1	1	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	326	10	127	49	42	20	9	9
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	20	2	9	2	3	2	1	-
58	HYALINE MEMBRANE DISEASE-----776.1	562	14	215	131	82	33	14	12
59	RESPIRATORY DISTRESS SYNDROME-----776.2	594	27	280	110	60	29	15	9
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	899	130	493	118	49	30	24	10
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	122	11	54	24	14	6	1	2
62	IMMATURITY, UNQUALIFIED-----777	981	173	644	70	30	14	7	11
63	POSTMATURITY-----778.1	-	-	-	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	69	-	22	12	12	2	4	1
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	308	50	163	29	14	5	5	3
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	890	14	29	13	8	1	2	4
67	ACCIDENTS-----E800-E949	287	-	3	3	-	-	1	-
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	80	-	-	1	-	-	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	65	-	2	-	-	-	1	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	142	-	1	2	-	-	-	-
71	HOMICIDE-----E960-E978	28	4	-	1	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	298	1	13	2	5	4	1	3

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
97	5,197	315	194	182	5,888	693	550	378	276	185	163	119	100	66	91	73	1
4	18	19	9	12	58	19	16	16	9	12	11	4	5	2	2	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	1	-	1	1	3	2	1	-	1	1	1	-	1	-	4
7	57	26	9	9	101	15	8	8	1	1	5	1	1	1	2	-	5
-	-	3	3	1	7	7	4	3	3	2	1	1	2	-	2	2	7
-	1	-	2	1	4	5	2	1	3	1	3	1	2	1	1	-	8
-	2	-	-	-	2	1	1	1	-	1	1	-	-	1	-	1	10
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	11
-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	12
1	2	-	-	-	2	5	-	-	-	1	-	-	-	-	-	-	13
2	12	1	2	1	16	5	3	3	3	3	1	1	1	1	4	4	14
-	12	6	3	6	27	14	12	8	8	8	7	4	2	1	2	1	15
-	7	1	1	1	10	7	5	7	1	4	4	4	-	1	4	2	16
1	1	-	-	-	1	5	3	4	1	3	1	-	1	1	-	1	17
-	1	1	1	-	3	3	5	7	6	4	2	2	3	3	3	3	18
4	93	21	23	38	175	118	119	91	58	39	31	27	20	10	13	12	19
-	-	-	-	-	-	-	1	2	-	2	3	1	-	-	-	-	20
4	93	21	23	38	175	118	118	89	58	37	28	26	20	10	13	12	21
-	1	-	-	-	1	-	2	-	1	-	-	-	1	-	-	-	22
-	11	1	2	1	15	15	15	4	9	7	5	5	3	3	4	-	23
-	33	3	1	2	39	9	3	1	4	1	-	1	-	2	-	-	24
2	4	-	1	1	6	4	-	-	-	-	1	1	-	-	-	-	25
4	24	10	1	4	39	10	9	3	5	1	1	1	3	1	-	-	26
12	398	40	39	22	499	86	57	33	27	11	18	9	9	12	11	8	27
1	34	-	-	-	34	-	-	-	-	-	-	-	-	-	-	-	28
1	8	2	3	1	14	3	-	-	1	1	1	-	-	1	-	-	29
1	16	2	2	1	21	8	1	1	1	2	1	3	2	-	3	2	30
-	14	1	1	-	16	4	-	1	1	1	1	1	-	-	1	1	31
5	131	17	20	10	178	35	33	14	16	3	3	4	2	6	4	5	32
2	28	3	2	4	37	12	2	5	1	-	5	-	1	-	1	1	33
-	38	2	1	1	42	7	2	2	-	-	-	1	-	3	-	-	34
-	17	4	5	3	29	8	4	3	1	4	1	-	1	2	1	-	35
-	16	2	1	1	20	1	3	4	-	-	1	-	-	-	-	-	36
-	18	-	-	-	18	1	3	1	1	-	-	-	-	-	1	-	37
-	2	-	-	1	3	1	1	1	1	-	-	-	1	-	-	-	38
2	65	5	3	-	73	5	4	1	3	-	1	-	1	-	-	-	39
-	11	2	1	-	14	1	4	-	1	-	-	-	1	-	-	-	40
54	4,399	156	65	34	4,654	23	8	2	2	4	1	1	-	-	-	-	41
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
1	31	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-	43
1	9	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	22	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	46
-	21	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	47
-	28	1	-	-	29	-	-	-	-	-	-	-	-	-	-	-	48
-	47	-	-	-	47	-	1	-	-	-	-	-	-	-	-	-	49
-	12	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	50
-	35	-	-	-	35	-	1	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
4	490	7	2	-	499	2	-	-	-	-	-	-	-	-	-	-	53
-	148	1	-	-	149	1	1	-	-	-	-	1	-	-	-	-	54
-	31	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-	55
8	274	35	9	6	324	1	-	1	-	-	-	-	-	-	-	-	56
-	19	1	-	-	20	-	-	-	-	-	-	-	-	-	-	-	57
9	510	31	9	1	551	9	1	-	-	1	-	-	-	-	-	-	58
10	540	22	15	11	588	2	3	-	-	1	-	-	-	-	-	-	59
9	863	20	10	4	897	1	1	-	-	-	-	-	-	-	-	-	60
1	113	2	1	4	120	2	-	-	-	-	-	-	-	-	-	-	61
4	953	13	5	3	974	4	-	-	-	2	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	55	11	3	-	69	-	-	-	-	-	-	-	-	-	-	-	64
6	275	12	11	5	303	1	1	1	2	-	-	-	-	-	-	-	65
1	74	13	18	35	140	219	191	113	88	42	30	24	19	10	8	6	66
-	7	6	6	5	24	39	38	30	26	24	24	17	17	8	25	15	67
-	1	1	1	2	5	15	17	10	7	8	7	4	2	1	4	-	68
-	3	4	2	-	9	10	11	13	9	1	6	1	2	1	2	-	69
-	3	1	3	3	10	14	10	7	10	15	11	12	13	6	19	15	70
-	5	-	-	1	6	3	2	4	2	1	3	2	1	-	1	3	71
5	34	8	7	7	56	73	42	35	18	15	12	12	8	8	8	11	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH, COLOR, AND SEX		TOTAL UNDER 1 YEAR	UNDER 1 HOUR	1-23 HOURS	1 DAY	2 DAYS	3 DAYS	4 DAYS	5 DAYS
1	ALL OTHER, FEMALE—ALL CAUSES—	6,770	542	2,025	581	315	195	124	93
2	DIARRHEAL DISEASES—009	126	—	—	—	4	4	4	4
3	WHOOPING COUGH—033	—	—	—	—	—	—	—	—
4	MENINGOCOCCAL INFECTIONS—036	6	—	—	—	—	—	—	—
5	TETANUS—037	3	—	—	—	—	—	—	—
6	SEPTICEMIA—038	104	—	13	5	4	5	5	7
7	VIRAL DISEASES—040-079	20	—	—	—	—	—	—	—
8	CONGENITAL SYPHILIS—090	4	—	3	—	—	1	—	—
9	OTHER INFECTIVE AND PARASITIC DISEASES—REMAINDER OF 000-136	34	1	—	—	—	1	1	—
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES—140-209	9	—	1	—	—	—	—	—
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE—210-239	6	—	3	—	—	—	1	—
12	DISEASES OF THYMUS GLAND—254	2	—	—	—	—	—	—	—
13	CYSTIC FIBROSIS—273.0	2	—	—	—	—	—	—	—
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS—280-289	27	—	1	1	1	2	—	1
15	MENINGITIS—320	80	—	1	2	2	1	1	1
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—321-389	45	—	3	1	1	—	—	—
17	ACUTE UPPER RESPIRATORY INFECTIONS—460-465	22	—	—	—	—	—	—	—
18	BRONCHITIS AND BRONCHIOLITIS—466, 490, 491	24	—	—	—	—	—	—	—
19	INFLUENZA AND PNEUMONIA—470-474, 480-486	600	1	20	14	10	8	2	7
20	INFLUENZA—470-474	13	—	—	—	—	—	—	—
21	PNEUMONIA—480-486	587	1	20	14	10	8	2	7
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA—517	1	—	—	—	—	—	—	—
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM—492, 493, 500-516, 518, 519	84	2	2	2	—	2	2	—
24	HERNIA AND INTESTINAL OBSTRUCTION—550-553, 560	36	2	10	2	5	2	1	—
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN—535, 561, 563	14	—	—	1	—	—	—	—
26	OTHER DISEASES OF DIGESTIVE SYSTEM—520-534, 536, 537, 540-543, 562, 564-577	45	1	4	1	—	2	2	2
27	CONGENITAL ANOMALIES—740-759	715	52	125	50	30	26	13	12
28	ANENCEPHALUS—740	34	12	15	3	—	—	1	1
29	SPINA BIFIDA—741	20	1	3	—	—	—	—	1
30	CONGENITAL HYDROCEPHALUS—742	40	4	6	—	1	1	—	1
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE—743, 744	23	1	6	1	1	1	1	1
32	CONGENITAL ANOMALIES OF HEART—746	298	2	32	17	15	11	9	6
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM—747	50	—	7	4	6	5	—	—
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM—748	47	7	11	7	1	—	—	2
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM—749-751	47	1	1	2	2	—	1	—
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM—752, 753	15	1	5	2	—	—	—	—
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM—754-756	21	4	7	3	—	—	—	1
38	DOWN'S DISEASE—759.3	8	—	—	—	—	—	—	—
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS—759.0-759.2, 759.4-759.9	93	16	25	10	1	1	1	—
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES—745, 757, 758	19	3	7	1	3	1	—	—
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY—760-769.2, 769.4-772, 774-778	3,592	467	1,816	487	251	127	87	55
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER—760	—	—	—	—	—	—	—	—
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761	20	3	5	3	1	—	1	1
44	SYPHILIS—761.0	—	—	—	—	—	—	—	—
45	DIABETES MELLITUS—761.1	12	2	4	2	1	—	1	—
46	RUBELLA—761.3	—	—	—	—	—	—	—	—
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY—761.2, 761.4-761.7, 761.9	8	1	1	3	—	—	—	1
48	TOXEMIA OF PREGNANCY—762	21	8	9	2	1	1	—	—
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION—763	25	10	9	2	1	—	1	—
50	DIFFICULT LABOR—764-768	44	13	20	—	6	1	—	1
51	WITH MENTION OF BIRTH INJURY (.0-.3)—	18	2	11	—	3	1	—	—
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)—	26	11	9	—	3	—	—	1
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH—769.0-769.2, 769.4, 769.5, 769.9	411	82	243	35	24	9	5	7
54	CONDITIONS OF PLACENTA—770	117	32	63	12	4	1	—	1
55	CONDITIONS OF UMBILICAL CORD—771	27	10	12	1	3	—	—	—
56	BIRTH INJURY WITHOUT MENTION OF CAUSE—772	218	6	71	35	28	19	13	9
57	HEMOLYTIC DISEASE OF NEWBORN—774, 775	28	5	9	6	3	2	1	—
58	HYALINE MEMBRANE DISEASE—776.1	366	10	141	75	51	16	18	6
59	RESPIRATORY DISTRESS SYNDROME—776.2	399	20	166	86	37	25	6	7
60	ASPHYXIA OF NEWBORN, UNSPECIFIED—776.9	693	84	379	102	44	19	10	11
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE—776.0, 776.3, 776.4	83	7	34	20	8	3	3	1
62	IMMATURITY, UNQUALIFIED—777	808	146	496	55	25	16	16	7
63	POSTMATURITY—778.1	—	—	—	—	—	—	—	—
64	HEMORRHAGIC DISEASE OF NEWBORN—778.2	60	—	10	17	6	5	5	1
65	ALL OTHER CONDITIONS OF NEWBORN—778.0, 778.3, 778.9	272	31	149	30	9	10	9	3
66	SYMPTOMS AND ILL-DEFINED CONDITIONS—780-796	674	13	19	7	6	7	1	2
67	ACCIDENTS—E800-E949	253	—	1	2	—	2	1	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION—E911, E912	79	—	1	—	—	2	—	1
69	ACCIDENTAL MECHANICAL SUFFOCATION—E913	42	—	—	—	—	—	—	—
70	OTHER ACCIDENTAL CAUSES—E800-E910, E914-E949	132	—	—	2	—	—	—	1
71	HOMICIDE—E960-E978	34	2	—	—	—	—	—	—
72	ALL OTHER CAUSES—RESIDUAL	208	1	3	6	1	5	3	—

Causes, by Age, Color, and Sex: United States, 1973-Con.

Revision, International Classification of Diseases, Adapted, 1965]

6 DAYS	UNDER 7 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 28 DAYS	28-59 DAYS	2 MONTHS	3 MONTHS	4 MONTHS	5 MONTHS	6 MONTHS	7 MONTHS	8 MONTHS	9 MONTHS	10 MONTHS	11 MONTHS	
84	3,959	291	179	146	4,575	596	421	319	217	168	113	98	73	69	59	62	1
1	17	15	10	14	56	24	13	7	7	5	8	1	2	2	-	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	5
3	42	21	7	1	71	13	6	6	1	2	-	3	1	-	1	-	6
1	1	1	2	-	4	4	4	3	1	1	1	-	1	1	-	-	7
-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	8
-	3	1	4	1	9	4	2	5	3	2	-	1	2	1	2	3	9
-	1	-	-	-	1	-	2	1	2	-	-	1	1	-	-	1	10
-	4	-	-	-	4	-	-	-	1	-	-	-	-	-	1	-	11
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	13
-	6	3	2	-	11	5	1	2	2	-	1	2	1	-	1	1	14
-	8	5	6	3	22	10	8	8	5	6	7	2	3	4	2	3	15
-	5	-	-	1	6	8	4	4	2	4	3	4	1	3	2	4	16
-	-	1	1	3	2	3	6	4	2	1	-	1	-	1	2	-	17
1	1	-	1	-	5	4	4	5	1	2	2	1	-	-	-	-	18
2	64	23	21	27	135	125	82	71	45	47	23	19	12	16	14	11	19
-	-	1	-	-	1	2	1	1	4	1	1	1	1	-	-	-	20
2	64	22	21	27	134	123	81	70	41	46	22	18	11	16	14	11	21
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	22
-	10	1	4	4	19	23	12	5	7	8	2	3	1	1	-	3	23
1	23	2	3	-	28	5	-	1	1	-	-	-	-	1	-	-	24
1	2	2	4	-	8	2	2	-	-	1	-	-	1	-	-	-	25
-	12	7	5	3	27	4	2	-	3	3	-	2	1	2	-	1	26
15	323	46	28	29	426	64	61	34	37	25	18	16	13	7	5	9	27
-	32	1	1	-	34	-	-	-	-	-	-	-	-	-	-	-	28
1	6	1	1	1	9	4	2	1	-	2	-	1	1	-	-	-	29
1	13	1	-	1	15	5	8	1	1	4	5	-	-	-	1	-	30
1	13	1	-	-	14	2	1	4	-	-	-	-	1	-	1	-	31
11	103	27	11	15	156	27	24	18	24	14	8	8	7	6	2	4	32
-	22	6	4	4	36	1	4	4	3	-	2	-	-	-	-	-	33
-	30	-	1	1	32	3	10	1	-	1	-	-	-	-	-	-	34
1	12	3	3	3	21	9	1	1	-	3	2	3	2	1	1	3	35
-	8	-	1	-	9	2	3	-	-	-	-	-	1	-	-	-	36
-	15	1	-	-	16	3	1	-	1	-	-	-	-	-	-	-	37
-	-	-	-	1	1	2	-	1	2	-	1	-	1	-	-	-	38
-	54	4	6	3	67	5	7	3	5	1	-	3	-	-	-	2	39
-	15	1	-	-	16	1	-	-	1	-	-	1	-	-	-	-	40
53	3,343	133	50	31	3,557	23	4	4	2	1	-	1	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	16	2	1	1	20	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	10	1	-	1	12	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	6	1	1	-	8	-	-	-	-	-	-	-	-	-	-	-	47
-	21	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	48
-	23	-	-	1	24	-	-	1	-	-	-	-	-	-	-	-	49
2	43	-	-	-	43	-	-	-	-	1	-	-	-	-	-	-	50
1	18	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	51
1	25	-	-	-	25	-	-	-	-	1	-	-	-	-	-	-	52
2	407	4	-	-	411	-	-	-	-	-	-	-	-	-	-	-	53
-	113	3	1	-	117	-	-	-	-	-	-	-	-	-	-	-	54
1	27	-	-	-	27	-	-	-	-	-	-	-	-	-	-	-	55
9	190	16	7	5	218	-	-	-	-	-	-	-	-	-	-	-	56
-	26	1	-	-	27	1	-	-	-	-	-	-	-	-	-	-	57
7	324	20	12	4	360	4	-	2	-	-	-	-	-	-	-	-	58
7	354	22	5	7	388	5	3	1	1	-	-	1	-	-	-	-	59
10	699	18	8	5	690	2	1	-	-	-	-	-	-	-	-	-	60
-	76	4	-	1	81	2	-	-	-	-	-	-	-	-	-	-	61
7	772	19	5	5	801	6	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
6	50	5	3	1	59	1	-	-	-	-	-	-	-	-	-	-	64
2	242	19	8	1	270	2	-	-	-	-	-	-	-	-	-	-	65
1	56	12	18	14	100	175	141	94	60	35	23	18	8	6	8	6	66
2	10	4	8	5	27	54	31	31	20	12	11	13	15	12	12	15	67
1	5	1	2	4	12	23	9	11	4	6	3	4	4	1	1	1	68
1	2	-	3	1	6	7	9	8	3	1	2	2	2	1	1	-	69
-	3	3	3	-	9	24	13	12	13	5	6	7	9	10	10	14	70
-	2	2	-	-	4	3	10	1	-	1	2	1	3	3	5	1	71
2	21	12	5	10	48	40	22	29	13	12	12	9	7	9	4	3	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TOTAL, UNDER 1 YEAR	UNITED STATES					
		UNDER 28 DAYS			28 DAYS-11 MONTHS		
		TOTAL	WHITE	ALL OTHER	TOTAL	WHITE	ALL OTHER
1 ALL CAUSES-----	55,581	40,664	30,201	10,463	14,917	10,038	4,879
2 DIARRHEAL DISEASES-----009	648	274	160	114	374	204	170
3 WHOOPING COUGH-----033	5	-	-	-	5	5	-
4 MENINGOCOCCAL INFECTIONS-----036	90	9	8	1	81	64	17
5 TETANUS-----037	3	1	-	1	2	-	2
6 SEPTICEMIA-----038	805	585	413	172	220	144	76
7 VIRAL DISEASES-----040-079	216	69	58	11	147	104	43
8 CONGENITAL SYPHILIS-----090	9	8	3	5	1	1	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	160	53	40	13	107	62	45
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	134	26	23	3	108	93	15
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	48	23	19	4	25	22	3
12 DISEASES OF THYMUS GLAND-----254	20	2	1	1	18	13	5
13 CYSTIC FIBROSIS-----273.0	77	17	15	2	60	55	5
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	236	124	97	27	112	66	46
15 MENINGITIS-----320	492	183	134	49	309	184	125
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	417	42	26	16	375	297	78
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	121	6	3	3	115	75	40
18 BRONCHITIS AND BRONCHIDITIS-----466,490,491	237	23	15	8	214	154	60
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	3,562	975	665	310	2,587	1,584	1,003
20 INFLUENZA-----470-474	52	4	3	1	48	27	21
21 PNEUMONIA-----480-486	3,510	971	662	309	2,539	1,557	982
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	38	13	12	1	25	20	5
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	526	130	96	34	396	261	135
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	477	373	306	67	104	75	29
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	49	31	17	14	18	6	12
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	335	164	98	66	171	119	52
27 CONGENITAL ANOMALIES-----740-759	8,953	6,142	5,217	925	2,811	2,241	570
28 ANENCEPHALUS-----740	784	771	703	68	13	13	-
29 SPINA BIFIDA-----741	445	261	238	23	184	166	18
30 CONGENITAL HYDROCEPHALUS-----742	439	227	191	36	212	163	49
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	338	228	198	30	110	91	19
32 CONGENITAL ANOMALIES OF HEART-----745	3,354	2,055	1,721	334	1,299	1,028	271
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----746	642	420	347	73	222	180	42
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	573	428	354	74	145	115	30
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	465	252	202	50	213	162	51
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	324	261	232	29	63	48	15
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	305	255	221	34	50	38	12
38 DOWN'S DISEASE-----759.3	95	44	40	4	51	39	12
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	994	797	657	140	197	156	41
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	195	143	113	30	52	42	10
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	30,391	30,137	21,926	8,211	254	178	76
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	9	8	7	1	1	1	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	287	283	232	51	4	4	-
44 SYPHILIS-----761.0	1	1	1	-	-	-	-
45 DIABETES MELLITUS-----761.1	143	141	120	21	2	2	-
46 RUBELLA-----761.3	10	9	9	-	1	1	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	133	132	102	30	1	1	-
48 TOXEMIA OF PREGNANCY-----762	139	138	96	42	1	1	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	190	188	135	53	2	1	1
50 DIFFICULT LABOR-----764-768	448	444	354	90	4	2	2
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	128	128	98	30	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	320	316	256	60	4	2	2
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	3,455	3,443	2,533	910	12	10	2
54 CONDITIONS OF PLACENTA-----770	1,318	1,312	1,046	266	6	3	3
55 CONDITIONS OF UMBILICAL CORD-----771	295	293	235	58	2	2	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	1,838	1,838	1,296	542	14	12	2
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	374	370	323	47	4	3	1
58 HYALINE MEMBRANE DISEASE-----776.1	4,467	4,409	3,498	911	58	41	17
59 RESPIRATORY DISTRESS SYNDROME-----776.2	4,091	4,024	3,048	976	67	50	17
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	5,380	5,364	3,777	1,587	16	11	5
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	644	633	432	201	11	7	4
62 IMMATURITY, UNQUALIFIED-----777	5,369	5,339	3,564	1,775	30	16	14
63 POSTMATURITY-----778.1	1	1	1	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	453	451	323	128	2	1	1
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	1,619	1,599	1,026	573	20	13	7
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	4,208	4,165	375	240	3,593	2,269	1,324
67 ACCIDENTS-----E800-E949	1,691	180	129	51	1,511	1,022	489
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	485	67	50	17	418	276	142
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	336	29	14	15	307	215	92
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	870	84	65	19	786	531	255
71 HOMICIDE-----E960-E978	161	36	26	10	125	73	52
72 ALL OTHER CAUSES-----RESIDUAL	1,472	423	319	104	1,049	647	402

SECTION 2 - INFANT MORTALITY

2-69

From 65 Selected Causes, by Color: United States and Each State, 1973

Revision International Classification of Diseases, Adapted, 1965]

ALABAMA					ALASKA					ARIZONA				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
1,314	501	389	179	245	131	65	25	20	21	584	322	69	132	61
31	5	12	-	14	1	-	-	1	-	14	5	1	4	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	6	9	3	1	2	1	1	-	-	17	11	4	2	-
6	1	-	3	2	-	-	-	-	-	7	1	-	5	1
9	-	2	3	4	-	-	-	-	-	6	2	-	2	2
6	1	1	3	1	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	3	1	-	-	-	-	-	2	-	-	2	-
8	5	1	1	1	2	-	2	-	-	1	1	-	-	-
14	2	1	3	8	1	-	1	-	-	6	3	-	1	2
8	1	1	5	1	-	-	-	-	-	5	-	-	2	3
5	-	-	2	3	-	-	-	-	-	1	-	-	-	1
4	-	-	3	1	2	-	-	2	-	5	1	-	2	1
105	11	16	25	53	12	1	2	2	7	29	8	3	8	10
3	-	-	1	2	-	-	-	-	-	1	-	-	1	-
102	11	16	24	51	12	1	2	2	7	28	8	3	7	10
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
10	-	1	3	6	1	-	-	-	1	4	1	-	2	1
14	5	3	4	2	-	-	-	-	-	6	5	-	1	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4	1	1	2	-	-	-	-	-	-	4	1	-	1	2
161	70	31	33	27	15	8	-	4	3	105	57	11	31	6
9	8	1	-	-	-	-	-	-	-	3	2	1	-	-
5	1	-	4	-	1	-	-	1	-	2	1	-	-	-
12	7	1	3	1	1	1	-	-	-	5	3	1	1	-
11	6	2	1	2	-	-	-	-	-	1	1	-	-	-
72	24	12	22	14	8	6	-	1	1	36	14	3	14	5
3	3	-	-	-	-	-	-	-	-	13	12	-	1	3
4	-	3	-	1	1	-	-	-	1	12	5	-	7	-
14	4	5	1	4	1	-	-	1	-	4	4	-	-	-
6	4	2	-	-	-	-	-	-	-	6	3	-	2	1
5	3	1	1	-	1	1	-	-	-	6	3	1	-	-
4	2	-	-	2	-	-	-	-	-	1	1	-	-	-
14	7	4	1	2	2	-	-	1	1	15	7	4	4	-
2	1	-	-	1	-	-	-	-	-	1	1	-	-	-
662	379	279	1	3	70	52	17	-	1	270	219	48	3	-
5	4	1	-	-	-	-	-	-	-	2	1	1	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	-	-	-	-	-	-	-	-	2	1	1	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
7	4	3	-	-	-	-	-	-	-	1	1	-	-	-
3	2	1	-	-	-	-	-	-	-	6	5	1	-	-
10	3	7	-	-	-	-	-	-	-	8	5	2	1	-
5	1	2	-	-	-	-	-	-	-	3	1	2	-	-
7	2	5	-	-	-	-	-	-	-	5	4	-	1	-
53	28	25	-	-	9	5	4	-	-	26	23	3	-	-
27	15	11	-	1	1	-	1	-	-	15	11	4	-	-
5	2	3	-	-	1	-	1	-	-	3	2	1	-	-
45	21	24	-	-	3	2	1	-	-	32	27	5	-	-
9	8	1	-	-	3	3	-	-	-	-	-	-	-	-
110	76	34	-	-	13	11	2	-	-	46	40	5	1	-
76	51	23	-	2	15	12	2	-	1	18	13	4	1	-
114	72	42	-	-	9	8	1	-	-	47	35	12	-	-
8	4	4	-	-	-	-	-	-	-	13	8	5	-	-
162	75	86	1	-	12	7	5	-	-	30	26	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	7	4	-	-	-	-	-	-	-	13	12	1	-	-
17	7	10	-	-	4	4	-	-	-	10	10	-	-	-
158	9	25	51	73	8	2	-	5	1	59	4	1	42	12
58	3	2	21	32	8	-	-	3	5	25	1	-	15	9
13	1	1	3	8	2	-	-	1	1	6	-	-	4	2
15	-	1	5	9	-	-	-	-	-	3	-	-	2	1
30	2	-	13	15	6	-	-	2	4	16	1	-	9	6
2	-	-	1	1	-	-	-	-	-	3	1	-	1	1
23	2	4	6	11	7	1	1	2	3	14	1	1	7	5

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TOTAL, UNDER 1 YEAR	ARKANSAS			
		UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	658	321	164	97	76
2 DIARRHEAL DISEASES-----009	7	1	1	1	4
3 WHOOPING COUGH-----023	2	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	2	1	-	1	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	12	5	5	2	-
7 VIRAL DISEASES-----040-079	2	1	-	1	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	3	-	-	2	1
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1	-	-	1	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	2	-	-	1	1
15 MENINGITIS-----320	9	3	-	2	4
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	6	-	1	4	1
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	2	-	-	1	1
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	39	4	4	15	16
20 INFLUENZA-----470-474	2	-	-	1	1
21 PNEUMONIA-----480-486	37	4	4	14	15
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	4	-	1	3	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	7	4	2	-	1
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	1	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	-	-	-	-	1
27 CONGENITAL ANOMALIES-----740-759	95	49	18	18	10
28 ANENCEPHALUS-----740	7	5	2	-	-
29 SPINA BIFIDA-----741	2	-	1	1	-
30 CONGENITAL HYDROCEPHALUS-----742	7	3	1	3	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	6	4	1	-	1
32 CONGENITAL ANOMALIES OF HEART-----746	32	13	4	10	5
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	4	3	1	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	8	3	3	1	1
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	7	3	1	2	1
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	2	2	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	6	4	2	-	-
38 DOWN'S DISEASE-----759.3	1	1	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	12	8	2	1	1
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	1	-	-	-	1
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	367	241	123	3	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	3	3	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	3	3	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	1	1	-	-	-
50 DIFFICULT LABOR-----764-768	4	4	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-	4	4	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	38	29	9	-	-
54 CONDITIONS OF PLACENTA-----770	11	11	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	1	-	1	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	16	8	7	1	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	6	4	2	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	64	46	18	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	37	26	11	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	73	48	24	1	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	7	4	3	-	-
62 IMMATURE, UNQUALIFIED-----777	68	40	28	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	7	2	5	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	31	15	15	1	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	46	6	6	18	16
67 ACCIDENTS-----E800-E949	25	1	1	16	7
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	8	-	1	6	1
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	9	-	-	6	3
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	8	1	-	4	3
71 HOMICIDE-----E960-E978	1	-	-	-	1
72 ALL OTHER CAUSES-----RESIDUAL	27	5	2	8	12

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

CALIFORNIA					COLORADO					CONNECTICUT				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
4,333	2,503	555	1,012	263	642	427	38	160	17	551	340	75	100	36
62	25	8	26	3	8	3	-	4	1	4	-	1	2	1
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
9	1	-	5	3	2	-	-	2	-	-	-	-	-	-
50	29	9	9	3	14	7	-	6	1	9	6	-	2	1
21	7	3	8	3	5	2	-	3	-	2	1	-	1	-
7	1	-	6	-	2	1	-	-	1	-	-	-	-	-
16	-	-	14	2	4	1	1	1	1	-	-	-	-	-
4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	-	-	2	-	2	-	-	2	-	-	-	-	-	-
23	9	1	9	4	5	4	-	1	-	2	1	-	1	-
34	13	2	15	4	3	1	-	2	-	1	1	-	-	-
43	1	-	37	5	4	1	1	2	-	7	1	1	7	-
13	-	-	12	1	1	-	-	1	-	-	-	-	-	-
24	1	-	18	5	2	-	-	2	-	-	-	-	-	-
311	99	16	171	65	41	11	1	27	2	25	3	6	12	4
4	1	-	2	1	1	-	-	1	-	-	-	-	-	-
307	58	16	169	64	40	11	1	26	2	25	3	6	12	4
4	1	-	3	-	-	-	-	-	-	-	-	-	-	-
47	8	4	27	8	3	-	1	2	-	11	2	-	5	4
48	37	3	5	3	4	3	-	1	-	4	2	2	-	-
4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
24	11	3	6	4	4	2	-	2	-	2	1	-	1	-
861	532	69	218	42	106	68	2	34	2	104	68	7	22	7
89	81	7	1	-	7	7	-	7	-	13	13	-	-	-
27	18	1	7	1	6	3	-	3	-	9	1	1	7	-
33	15	1	14	3	5	2	-	3	-	4	2	-	1	1
26	15	-	10	1	1	-	-	1	-	4	2	2	-	-
323	173	28	105	17	45	26	1	17	1	34	19	2	10	3
81	49	7	20	5	10	5	-	4	1	7	4	1	2	-
89	53	10	20	6	9	5	1	3	-	8	7	1	-	-
25	10	1	12	2	2	1	-	1	-	4	2	-	1	1
41	33	2	6	-	3	3	-	-	-	3	3	-	-	-
22	14	-	7	1	2	2	-	-	-	4	4	-	-	-
14	8	1	2	3	1	1	-	-	-	2	1	-	-	1
75	52	10	11	2	15	13	-	2	-	9	8	-	1	-
16	11	1	3	1	-	-	-	-	-	3	2	-	-	1
2,144	1,687	427	23	7	347	312	29	6	-	299	240	57	2	-
24	19	5	-	-	5	5	-	-	-	-	1	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	5	-	-	-	3	3	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	13	5	-	-	2	2	-	-	-	-	-	-	-	-
10	5	5	-	-	2	2	-	-	-	1	1	-	-	-
25	22	2	1	-	4	3	1	-	-	3	2	1	-	-
41	32	9	-	-	6	6	-	-	-	5	3	2	-	-
11	8	3	-	-	3	3	-	-	-	-	3	-	-	-
30	24	6	-	-	3	3	-	-	-	5	3	2	-	-
246	196	48	2	-	29	25	4	-	-	35	31	4	-	-
87	74	13	-	-	11	9	2	-	-	11	10	-	1	-
22	20	2	-	-	1	1	-	-	-	1	1	-	-	-
157	119	37	1	-	31	27	3	1	-	13	8	5	-	-
26	23	3	-	-	4	4	-	-	-	3	3	-	-	-
364	288	67	4	5	63	61	1	1	-	38	36	2	-	-
334	272	50	10	2	65	59	3	3	-	35	29	5	1	-
292	222	68	2	-	42	39	3	-	-	49	39	10	-	-
76	56	19	1	-	17	13	4	-	-	6	6	-	-	-
245	193	52	-	-	49	44	4	1	-	63	46	17	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	33	7	-	-	4	3	1	-	-	8	6	2	-	-
155	113	40	2	-	14	11	3	-	-	27	18	9	-	-
327	26	5	230	66	51	6	1	36	8	52	6	1	33	12
106	11	2	77	16	20	3	1	15	1	9	2	-	4	3
25	3	-	18	4	7	2	1	4	-	-	-	-	-	-
11	1	-	9	1	4	1	-	2	1	-	-	-	-	-
70	7	2	50	11	9	-	-	9	-	9	2	-	4	3
26	4	-	19	3	4	-	-	4	-	3	1	-	2	-
122	35	2	69	16	10	2	1	7	-	15	5	-	6	4

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH		DELAWARE				
		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
			WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES-----	131	70	38	17	6
2	DIARRHEAL DISEASES-----009	-	-	-	-	-
3	WHOOPING COUGH-----033	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	1	-	-	1	-
5	TETANUS-----037	-	-	-	-	-
6	SEPTICEMIA-----038	1	1	-	-	-
7	VIRAL DISEASES-----040-079	-	-	-	-	-
8	CONGENITAL SYPHILIS-----090	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12	DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	1	-	-	1	-
15	MENINGITIS-----320	1	-	-	1	-
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	-	-	-	-	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	2	-	-	1	1
20	INFLUENZA-----470-474	-	-	-	-	-
21	PNEUMONIA-----480-486	2	-	-	1	1
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	-	-	-	-	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	1	-	-	1	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	-	-	-	-	-
27	CONGENITAL ANOMALIES-----740-759	16	9	1	4	2
28	ANENCEPHALUS-----740	1	1	-	-	-
29	SPINA BIFIDA-----741	1	-	-	1	-
30	CONGENITAL HYDROCEPHALUS-----742	2	-	-	2	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	-	-	-	-	-
32	CONGENITAL ANOMALIES OF HEART-----746	3	3	-	-	-
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	2	1	1	-	-
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	1	-	-	-	1
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	1	-	-	1	-
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	2	1	-	-	1
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	-	-	-	-	-
38	DOWN'S DISEASE-----759.3	-	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	1	1	-	-	-
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	2	2	-	-	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY--760-769.2,769.4-772,774-778	93	58	35	-	-
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	2	2	-	-	-
44	SYPHILIS-----761.0	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	2	2	-	-	-
46	RUBELLA-----761.3	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48	TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	2	1	1	-	-
50	DIFFICULT LABOR-----764-768	-	-	-	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	-	-	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	-	-	-	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	11	8	3	-	-
54	CONDITIONS OF PLACENTA-----770	4	2	2	-	-
55	CONDITIONS OF UMBILICAL CORD-----771	1	1	-	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	11	8	3	-	-
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	2	1	1	-	-
58	HYALINE MEMBRANE DISEASE-----776.1	19	15	4	-	-
59	RESPIRATORY DISTRESS SYNDROME-----776.2	6	5	1	-	-
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	17	8	9	-	-
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	1	1	-	-	-
62	IMMATUREITY, UNQUALIFIED-----777	14	4	10	-	-
63	POSTMATURITY-----778.1	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	1	-	1	-	-
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	2	2	-	-	-
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	10	1	2	4	3
67	ACCIDENTS-----E800-E949	2	-	-	2	-
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	-	-	-	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	2	-	-	2	-
71	HOMICIDE-----E960-E978	-	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	3	1	-	2	-

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER	
276	27	181	9	59	2,047	964	503	331	249	1,628	633	458	233	304	1
2	-	1	-	1	28	7	8	6	7	26	-	6	3	17	2
1	-	-	-	1	3	-	-	2	1	5	-	-	-	1	3
1	-	1	-	-	30	13	8	3	6	30	11	11	3	5	6
-	-	-	-	-	3	-	-	2	1	9	2	-	3	4	7
2	-	1	-	1	9	1	1	4	4	7	2	1	-	5	8
1	-	-	-	1	5	-	1	4	-	5	3	-	1	1	10
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	2	-	-	2	-	2	-	1	1	-	13
1	-	-	1	-	10	2	1	2	5	1	1	-	-	3	14
2	-	1	-	1	12	5	1	3	3	19	3	4	3	9	15
-	-	-	-	-	10	1	-	5	4	10	-	-	8	2	16
-	-	-	-	-	5	-	-	2	3	3	-	-	1	2	17
5	1	3	1	-	12	1	-	6	5	9	-	-	6	3	18
-	-	-	-	-	146	24	15	52	55	189	17	12	56	104	19
5	1	3	1	-	2	-	-	1	1	3	-	-	-	3	20
-	-	-	-	-	144	24	15	51	54	186	17	12	56	101	21
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
2	2	-	-	2	16	-	1	6	9	15	3	2	4	6	23
-	-	-	-	-	10	7	2	1	-	7	3	3	1	-	24
-	-	-	-	-	1	-	-	-	1	3	-	2	-	1	25
-	-	-	-	-	18	5	4	8	1	7	1	1	3	2	26
30	7	11	4	8	340	178	47	82	33	231	99	54	54	24	27
3	-	3	-	-	22	18	4	-	-	16	16	-	-	-	28
-	-	-	-	-	28	9	4	14	1	14	8	2	4	-	29
1	1	-	-	-	23	9	1	10	3	15	6	2	3	4	30
1	-	1	-	-	10	5	2	2	1	11	5	3	2	1	31
14	5	2	2	5	138	72	19	30	17	86	31	18	26	11	32
1	-	1	-	-	18	8	3	3	4	23	10	6	4	3	33
2	-	1	-	1	21	13	4	4	-	8	2	4	2	-	34
2	1	-	-	1	19	9	1	7	2	11	2	2	5	2	35
-	-	-	-	-	13	7	3	2	1	6	2	2	1	1	36
-	-	-	-	-	10	6	-	2	2	7	1	5	1	-	37
-	-	-	-	-	2	2	-	-	-	3	1	-	1	1	38
3	-	2	-	1	26	16	4	4	2	27	13	9	4	1	39
3	-	1	2	-	10	4	2	4	-	4	2	1	1	-	40
176	17	157	1	1	1,10										

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

		HAWAII				
CAUSE OF DEATH		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
			WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES-----	207	45	123	8	31
2	DIARRHEAL DISEASES-----009	2	1	1	-	-
3	WHOOPING COUGH-----033	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5	TETANUS-----037	-	-	-	-	-
6	SEPTICEMIA-----038	2	-	2	-	-
7	VIRAL DISEASES-----040-079	1	1	-	-	-
8	CONGENITAL SYPHILIS-----090	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1	-	-	-	1
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12	DISEASES OF THYRUS GLAND-----254	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	1	-	-	-	1
15	MENINGITIS-----320	3	-	1	1	1
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	1	-	-	-	1
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	8	-	1	1	6
20	INFLUENZA-----470-474	-	-	-	-	-
21	PNEUMONIA-----480-486	8	-	1	1	6
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	2	-	1	1	-
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	1	-	-	-	1
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	1	-	-	1	-
27	CONGENITAL ANOMALIES-----740-759	41	5	23	3	10
28	ANENCEPHALUS-----740	4	-	4	-	-
29	SPINA BIFIDA-----741	1	-	-	-	1
30	CONGENITAL HYDROCEPHALUS-----742	1	-	1	-	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	1	-	-	1	-
32	CONGENITAL ANOMALIES OF HEART-----746	15	2	5	1	7
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	5	1	4	-	-
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	4	-	3	1	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	3	1	1	-	1
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	1	-	1	-	-
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	-	-	-	-	-
38	DOWN'S DISEASE-----759.3	1	1	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	4	-	3	-	1
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	1	-	1	-	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	123	38	85	-	-
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	1	-	1	-	-
44	SYPHILIS-----761.0	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	-	-	-	-	-
46	RUBELLA-----761.3	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	-	1	-	-
48	TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50	DIFFICULT LABOR-----764-768	1	1	-	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)	-	-	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4,.9)	1	1	-	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	14	2	12	-	-
54	CONDITIONS OF PLACENTA-----770	6	2	4	-	-
55	CONDITIONS OF UMBILICAL CORD-----771	2	1	1	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	8	1	7	-	-
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	3	-	3	-	-
58	HYALINE MEMBRANE DISEASE-----776.1	11	3	8	-	-
59	RESPIRATORY DISTRESS SYNDROME-----776.2	12	4	8	-	-
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	16	4	12	-	-
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	3	1	2	-	-
62	IMMATURITY, UNQUALIFIED-----777	35	12	23	-	-
63	POSTMATURITY-----778.1	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	1	1	-	-
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	9	6	3	-	-
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	11	-	4	1	6
67	ACCIDENTS-----E800-E949	4	-	1	-	3
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	-	-	-	-	-
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	-	-	-	-	-
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	4	-	1	-	3
71	HOMICIDE-----E960-E978	-	-	-	-	-
72	ALL OTHER CAUSES-----RESIDUAL	5	-	4	-	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision International Classification of Diseases, Adapted, 1965]

IDAHO					ILLINOIS					INDIANA				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
247	177	5	62	3	3,410	1,690	860	507	353	1,536	953	197	305	81
1	1	-	-	-	29	7	6	8	8	12	6	-	3	3
1	1	-	-	-	4	-	-	2	2	-	-	-	-	3
-	-	-	-	-	30	15	5	8	2	23	11	4	6	5
1	-	-	1	-	11	2	-	7	2	5	2	1	2	7
-	-	-	-	-	5	2	-	1	2	4	3	-	1	8
1	-	-	1	-	8	1	-	6	1	1	-	-	1	9
-	-	-	-	-	1	-	1	-	-	2	1	-	1	10
-	-	-	-	-	6	-	1	3	2	1	-	-	1	11
1	-	-	1	-	7	3	2	-	2	5	1	-	4	12
4	-	-	4	-	21	6	2	8	5	13	5	1	5	13
1	-	-	-	-	11	1	1	8	1	10	-	-	8	14
1	-	-	1	-	3	-	-	2	1	4	-	-	4	15
15	7	-	7	1	14	2	1	7	4	8	-	1	5	16
1	-	-	-	-	213	39	34	87	53	101	26	4	44	17
14	7	-	7	1	-	-	-	-	-	2	-	-	2	18
3	-	-	-	-	213	39	34	87	53	99	26	4	42	19
3	1	-	2	-	-	-	-	-	-	2	1	-	1	20
3	2	-	1	-	23	3	-	13	7	17	4	-	9	21
-	-	-	-	-	25	14	4	4	3	18	13	2	3	22
-	-	-	-	-	2	1	-	-	-	-	-	-	-	23
42	30	-	12	-	28	6	10	8	4	12	3	2	7	24
1	1	-	-	-	493	252	90	114	37	255	169	10	65	25
4	4	-	-	-	52	44	8	-	-	29	28	1	-	26
1	1	-	-	-	16	9	3	3	1	18	13	-	5	27
17	13	-	4	-	31	14	2	11	4	7	4	-	3	28
8	4	-	4	-	13	9	-	4	-	11	7	-	4	29
1	1	-	-	-	177	74	34	52	17	95	53	6	28	30
1	1	-	-	-	43	11	11	17	4	11	7	-	4	31
1	1	-	-	-	25	17	5	3	-	16	10	-	4	32
3	-	-	3	-	29	15	2	7	5	15	6	-	9	33
1	1	-	-	-	24	16	4	2	2	10	6	-	3	34
1	1	-	-	-	14	10	3	1	-	13	13	-	1	35
1	1	-	-	-	2	1	-	-	-	2	1	-	-	36
4	3	-	1	-	50	27	13	6	4	20	15	2	3	37
-	-	-	-	-	17	5	5	7	-	8	6	1	1	38
134	129	5	-	-	1,977	1,288	677	5	7	860	681	163	15	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	17	10	6	1	-	6	6	-	-	41
-	-	-	-	-	8	3	4	1	-	3	3	-	-	42
-	-	-	-	-	1	1	-	-	-	-	-	-	-	43
-	-	-	-	-	8	6	2	-	-	3	3	-	-	44
1	1	-	-	-	7	6	1	-	-	6	5	1	-	45
2	2	-	-	-	7	3	4	-	-	3	3	-	-	46
1	1	-	-	-	24	20	4	-	-	17	16	1	-	47
1	1	-	-	-	5	4	1	-	-	3	3	-	-	48
1	1	-	-	-	19	16	3	-	-	14	13	1	-	49
13	13	-	-	-	219	140	78	1	-	91	66	23	2	50
8	6	2	-	-	86	68	18	-	-	39	34	3	2	51
3	3	-	-	-	12	9	3	-	-	10	8	2	-	52
1	1	-	-	-	121	77	43	1	-	51	43	8	-	53
1	1	-	-	-	26	19	7	-	-	8	7	1	-	54
22	22	-	-	-	217	170	44	-	3	150	126	18	5	55
22	21	1	-	-	245	167	75	2	1	100	79	19	2	56
16	15	1	-	-	641	362	277	-	2	160	113	45	2	57
6	6	-	-	-	29	18	11	-	-	12	8	3	1	58
29	29	-	-	-	241	166	75	-	-	174	141	32	1	59
2	1	1	-	-	25	21	4	-	-	5	4	1	-	60
2	2	-	-	-	60	32	27	-	1	28	22	6	-	61
22	1	-	20	1	177	13	9	99	56	90	9	3	63	62
9	1	-	8	-	69	5	1	40	23	48	5	2	36	63
1	-	-	1	-	23	2	-	12	9	11	2	1	6	64
2	-	-	2	-	7	-	-	6	1	15	2	-	12	65
6	1	-	5	-	39	3	1	22	13	22	1	1	18	66
1	1	-	-	-	2	1	-	-	1	5	1	-	2	67
8	3	-	4	1	251	29	16	77	129	36	9	4	19	68

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TOTAL, UNDER 1 YEAR	IOWA			
		UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	619	458	15	140	6
2 DIARRHEAL DISEASES-----009	4	2	1	1	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	7	5	-	1	1
7 VIRAL DISEASES-----040-079	3	1	-	2	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2	2	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	-	-	2	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	-	-	1	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	2	2	-	-	-
15 MENINGITIS-----320	10	5	-	5	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHITOLITIS-----466,490,491	2	-	-	2	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	33	8	-	25	-
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	33	8	-	25	-
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	6	5	-	3	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	7	7	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	1	1	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	5	4	-	1	-
27 CONGENITAL ANOMALIES-----740-759	97	65	3	29	-
28 ANENCEPHALUS-----740	7	7	-	-	-
29 SPINA BIFIDA-----741	3	3	-	-	-
30 CONGENITAL HYDROCEPHALUS-----742	2	1	-	1	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	7	6	-	1	-
32 CONGENITAL ANOMALIES OF HEART-----746	38	21	-	17	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	8	5	1	2	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	6	5	-	1	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	5	2	-	3	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	3	2	-	1	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	3	3	-	-	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	13	10	2	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	2	-	-	2	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	346	334	10	2	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	6	6	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	2	2	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	4	4	-	-	-
48 TOXEMIA OF PREGNANCY-----762	2	1	-	1	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	2	2	-	-	-
50 DIFFICULT LABOR-----764-768	4	4	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	4	4	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	40	40	-	-	-
54 CONDITIONS OF PLACENTA-----770	18	18	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	4	4	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	13	13	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	5	5	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	61	59	1	1	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	41	39	2	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	48	46	2	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	5	5	-	-	-
62 IMMATUREITY, UNQUALIFIED-----777	70	67	3	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	7	6	1	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	20	19	1	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	60	8	-	49	3
67 ACCIDENTS-----E800-E949	19	6	1	10	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	4	2	-	1	1
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	4	1	1	1	1
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	11	3	-	8	-
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	8	3	-	5	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

KANSAS					KENTUCKY					LOUISIANA				
TOTAL UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
458	335	40	98	25	903	586	80	205	32	1,368	546	469	141	212
6	1	-	5	-	8	2	-	3	3	16	1	3	4	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	-	-	3	-	2	-	-	1	1
6	5	-	1	-	24	18	2	4	-	29	7	10	4	8
-	-	-	-	-	1	-	-	1	-	1	-	-	-	1
-	-	-	-	-	1	-	1	-	-	1	-	-	1	1
1	-	-	1	-	2	1	-	1	-	3	-	1	2	8
-	-	-	-	-	1	-	-	-	-	4	2	-	2	10
1	-	-	1	-	1	-	-	1	-	1	1	-	-	11
-	-	-	-	-	-	-	-	-	-	4	-	-	1	3
1	-	-	1	-	2	-	-	2	-	2	1	-	1	13
2	1	-	1	-	6	2	-	3	1	10	1	3	2	4
4	-	-	3	1	6	2	-	4	-	20	3	3	2	12
3	-	-	3	-	4	1	-	3	-	13	1	1	5	6
-	-	-	-	-	3	-	-	2	1	5	-	1	2	2
5	-	-	3	2	3	-	-	3	-	2	-	1	1	18
49	14	2	24	9	72	18	3	47	4	102	12	13	19	58
2	-	-	2	-	1	-	-	1	-	1	-	-	-	1
47	14	2	22	9	71	18	3	46	4	101	12	13	19	57
-	-	-	-	-	-	-	-	-	-	2	-	-	2	22
4	1	-	3	-	12	3	-	9	-	29	2	5	6	16
3	3	-	-	-	7	6	1	-	-	11	5	5	1	24
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1
2	2	-	-	-	5	3	-	2	-	19	2	7	6	25
84	57	6	19	2	154	104	4	43	3	205	91	48	35	31
8	6	-	2	-	16	16	-	-	-	19	17	2	-	28
1	1	-	-	-	15	12	-	3	-	8	5	2	1	29
4	3	-	1	-	9	6	-	3	-	8	1	3	-	4
2	2	-	-	-	7	5	-	1	1	12	8	1	1	31
24	15	3	5	1	52	27	2	21	2	87	25	21	27	32
6	3	1	2	-	9	3	-	6	-	11	4	4	1	33
4	4	-	-	-	8	6	1	1	-	7	6	1	-	34
7	3	-	4	-	10	8	-	2	-	17	6	3	3	5
9	7	-	2	-	1	1	-	-	-	8	6	2	-	36
2	2	-	-	-	3	3	-	-	-	8	5	1	1	37
1	-	-	1	-	-	-	-	-	-	2	-	-	1	38
12	9	2	-	1	19	15	-	4	-	16	7	7	-	39
4	2	-	2	-	5	2	1	2	-	2	1	1	-	40
283	248	32	2	1	479	412	63	2	2	772	408	355	4	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	9	8	-	1	-	4	3	1	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	1	-	-	-	4	4	-	-	-	3	2	1	-	44
-	-	-	-	-	2	2	-	-	-	-	-	-	-	45
1	1	-	-	-	3	2	-	1	-	1	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	8	4	4	-	48
1	-	1	-	-	3	3	-	-	-	4	1	3	-	49
4	4	-	-	-	7	6	1	-	-	14	9	5	-	50
1	1	-	-	-	5	4	1	-	-	3	3	-	-	51
3	3	-	-	-	2	2	-	-	-	11	6	5	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	28	-	-	-	66	58	8	-	-	73	37	36	-	53
13	13	-	-	-	24	23	1	-	-	29	18	11	-	54
2	1	1	-	-	5	5	-	-	-	4	2	2	-	55
12	9	2	1	-	24	19	5	-	-	72	23	49	-	56
3	3	-	-	-	11	10	1	-	-	14	11	1	2	57
71	61	10	-	-	66	61	4	-	1	122	80	42	-	58
37	33	4	-	-	62	51	10	1	-	92	57	33	1	59
43	39	3	-	1	84	73	11	-	-	116	75	41	-	60
3	3	-	-	-	4	4	-	-	-	15	4	11	-	61
50	39	11	-	-	90	71	19	-	-	142	64	75	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
5	5	-	-	-	4	3	-	-	1	16	10	6	-	64
8	7	-	1	-	19	16	3	-	-	47	10	35	1	65
20	1	-	13	6	58	6	3	36	13	31	2	3	11	66
18	1	-	13	4	30	4	1	24	1	39	-	2	17	67
6	1	-	4	1	10	1	1	7	1	12	-	-	6	68
6	-	-	4	2	6	-	-	6	-	8	-	1	4	69
6	-	-	5	1	14	3	-	11	-	19	-	1	7	70
-	-	-	-	-	3	-	1	1	1	9	-	2	2	71
6	1	-	5	-	17	4	1	9	3	34	7	5	10	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TOTAL UNDER 1 YEAR	MAINE			
		UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	255	181	1	73	-
2 DIARRHEAL DISEASES-----009	2	-	-	2	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	-	-	-	-	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	1	1	-	-	-
7 VIRAL DISEASES-----040-079	-	-	-	-	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	-	-	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1	-	-	1	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	1	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	1	-	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	-	-	-	-	-
15 MENINGITIS-----320	1	-	-	1	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	-	2	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	1	1	-	-	-
18 BRONCHITIS AND BRONCHIDITIS-----466,490,491	-	-	-	-	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	12	1	-	11	-
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	12	1	-	11	-
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	5	2	-	3	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	2	2	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	1	-	-	1	-
27 CONGENITAL ANOMALIES-----740-759	48	27	-	21	-
28 ANENCEPHALUS-----740	8	7	-	1	-
29 SPINA BIFIDA-----741	3	-	-	3	-
30 CONGENITAL HYDROCEPHALUS-----742	4	2	-	2	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	2	-	-	2	-
32 CONGENITAL ANOMALIES OF HEART-----746	13	8	-	5	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	-	-	-	-	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	1	-	-	1	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	3	2	-	1	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	3	1	-	2	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	5	4	-	1	-
38 DOWN'S DISEASE-----759.3	1	1	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	4	2	-	2	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	1	-	-	1	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	144	143	1	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	2	2	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	2	2	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48 TOXEMIA OF PREGNANCY-----762	1	1	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	1	1	-	-	-
50 DIFFICULT LABOR-----764-768	4	-	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	1	1	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	3	3	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	13	13	-	-	-
54 CONDITIONS OF PLACENTA-----770	11	11	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	2	2	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	3	3	-	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	-	-	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	20	19	1	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	10	10	-	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	38	38	-	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	1	1	-	-	-
62 IMMATUREITY, UNQUALIFIED-----777	32	32	-	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	1	1	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	5	5	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	24	2	-	22	-
67 ACCIDENTS-----E800-E949	5	-	-	5	-
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	2	-	-	2	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	1	-	-	1	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	2	-	-	2	-
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	4	1	-	3	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

MARYLAND					MASSACHUSETTS					MICHIGAN				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
834	390	212	147	85	1,106	746	109	221	30	2,569	1,341	574	420	234
8	2	5	1	—	10	5	3	1	1	16	5	4	6	1
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	3	4	3	3	11	8	—	2	1	25	12	9	3	1
4	2	1	—	1	5	—	—	5	—	10	2	—	6	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	5	2	1	1	1
2	—	—	2	—	4	1	—	3	—	7	2	—	4	1
—	—	—	—	—	2	1	—	1	—	3	—	—	3	—
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
5	2	—	2	1	1	—	—	1	—	—	—	—	—	—
2	2	—	—	—	12	4	—	7	1	11	5	3	3	—
10	1	2	4	3	9	4	—	3	2	20	9	—	9	2
6	—	—	6	—	9	1	—	8	—	14	1	—	6	7
3	1	—	2	—	3	—	—	3	—	5	—	—	4	1
3	—	—	2	1	4	—	—	4	—	9	—	1	6	2
25	2	2	12	9	86	16	3	55	12	125	19	10	62	34
2	—	—	2	—	—	—	—	—	—	1	—	—	1	—
23	2	2	10	9	86	16	3	55	12	124	19	10	61	34
—	—	—	—	—	1	—	—	1	—	4	1	—	2	1
4	1	—	2	—	27	4	—	21	2	18	3	2	9	4
8	3	1	2	2	11	7	2	2	—	26	17	6	1	2
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10	—	3	4	3	6	3	—	2	1	15	6	4	3	2
120	58	19	37	6	191	129	7	52	3	408	234	46	94	34
14	12	2	—	—	23	20	2	1	—	39	36	2	1	—
6	3	—	3	—	8	5	—	3	—	25	11	1	11	2
6	2	1	3	—	12	6	2	4	—	13	6	1	5	1
1	1	—	—	—	8	6	—	2	—	19	9	2	5	3
39	17	5	14	3	70	43	1	25	1	149	89	11	36	13
10	1	1	8	—	18	16	—	2	—	23	10	5	7	1
11	8	—	2	1	10	6	—	2	2	27	11	4	7	5
4	1	1	1	1	4	3	—	1	—	20	3	3	9	5
5	5	—	—	—	4	4	—	—	—	11	9	1	—	1
3	1	1	1	—	6	3	1	2	—	15	10	4	1	—
—	—	—	—	—	2	—	—	2	—	2	1	—	1	—
18	6	7	4	1	23	15	1	7	—	57	34	11	9	3
3	1	1	1	—	3	2	—	1	—	8	5	1	2	—
470	303	165	1	1	646	549	94	3	—	1,463	984	472	5	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	8	2	1	—	8	7	1	—	—	15	10	5	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	—	1	—	5	4	1	—	—	4	3	1	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	7	2	—	—	3	3	—	—	—	11	7	4	—	—
3	1	2	—	—	3	3	—	—	—	5	3	2	—	—
3	2	1	—	—	4	1	3	—	—	9	9	—	—	—
3	2	1	—	—	5	5	—	—	—	20	13	7	—	—
2	2	—	—	—	3	3	—	—	—	7	5	2	—	—
1	—	1	—	—	2	2	—	—	—	13	8	5	—	—
62	45	17	—	—	72	56	16	—	—	190	136	54	—	—
19	12	7	—	—	39	34	5	—	—	70	53	17	—	—
4	4	—	—	—	4	3	1	—	—	21	14	7	—	—
39	25	14	—	—	39	34	5	—	—	81	58	23	—	—
5	3	2	—	—	11	11	—	—	—	15	14	1	—	—
63	47	16	—	—	102	92	8	2	—	200	140	60	—	—
52	30	21	—	1	77	72	4	1	—	207	136	66	4	1
62	41	21	—	—	94	82	12	—	—	252	150	102	—	—
11	8	3	—	—	17	13	4	—	—	28	19	9	—	—
92	55	37	—	—	125	103	22	—	—	265	184	79	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	2	—	—	6	5	1	—	—	16	13	3	—	—
39	20	19	—	—	40	28	12	—	—	69	32	37	—	—
85	4	6	42	33	36	8	—	24	4	251	16	11	124	100
25	2	1	14	8	16	2	—	13	1	71	5	2	42	22
7	1	—	4	2	6	—	—	5	1	23	1	1	17	4
5	—	—	5	—	3	—	—	3	—	12	1	—	4	7
13	1	1	5	6	7	2	—	5	—	36	3	1	21	11
4	—	—	1	3	—	—	—	—	—	7	—	1	3	7
26	4	2	10	10	16	4	—	10	2	53	18	2	21	12

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	MINNESOTA				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	816	592	20	185	19
2 DIARRHEAL DISEASES-----009	9	7	-	1	1
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	1	-	-	1	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	11	9	-	2	-
7 VIRAL DISEASES-----040-079	6	1	-	5	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	2	1	-	1	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	1	1	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	1	1	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	4	3	-	1	-
15 MENINGITIS-----320	6	4	-	2	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	7	2	-	4	1
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	1	-	-	1	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	2	1	-	1	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	41	9	-	28	4
20 INFLUENZA-----470-474	2	-	-	1	1
21 PNEUMONIA-----480-486	39	9	-	27	3
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	16	4	-	12	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	11	10	-	1	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	4	1	-	3	-
27 CONGENITAL ANOMALIES-----740-759	154	106	5	41	2
28 ANENCEPHALUS-----740	18	16	1	1	-
29 SPINA BIFIDA-----741	8	4	-	4	-
30 CONGENITAL HYDROCEPHALUS-----742	10	5	-	4	1
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	5	4	-	-	1
32 CONGENITAL ANOMALIES OF HEART-----746	47	29	1	17	-
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	13	11	1	1	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	12	4	1	7	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	7	4	1	2	-
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	9	8	-	1	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	6	6	-	-	-
38 DOWN'S DISEASE-----759.3	4	2	-	2	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	14	12	-	2	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	1	1	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	437	411	14	12	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	8	8	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	6	6	-	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	2	2	-	-	-
48 TOXEMIA OF PREGNANCY-----762	3	3	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	4	4	-	-	-
50 DIFFICULT LABOR-----764-768	10	10	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	8	8	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	53	50	2	1	-
54 CONDITIONS OF PLACENTA-----770	21	21	-	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	8	7	-	1	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	27	24	1	2	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	7	7	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	85	80	3	2	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	42	40	1	1	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	59	56	2	1	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	14	12	-	2	-
62 IMMATUREITY, UNQUALIFIED-----777	65	61	2	2	-
63 POSTMATURITY-----778.1	7	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	7	7	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	24	21	3	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	63	13	1	43	6
67 ACCIDENTS-----E800-E949	17	3	-	11	3
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	3	-	-	2	1
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	5	1	-	3	1
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	9	2	-	6	1
71 HOMICIDE-----E960-E978	-	-	-	-	-
72 ALL OTHER CAUSES-----RESIDUAL	22	5	-	15	2

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH		NEBRASKA				
		TOTAL UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
			WHITE	ALL OTHER	WHITE	ALL OTHER
1	ALL CAUSES-----	368	280	15	58	15
2	DIARRHEAL DISEASES-----009	1	-	-	1	-
3	WHOOPING COUGH-----033	-	-	-	-	-
4	MENINGOCOCCAL INFECTIONS-----036	1	-	-	1	-
5	TETANUS-----037	-	-	-	-	-
6	SEPTICEMIA-----038	3	2	-	1	-
7	VIRAL DISEASES-----040-079	3	1	-	2	-
8	CONGENITAL SYPHILIS-----090	-	-	-	-	-
9	OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1	-	-	1	-
10	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	-	-	-	-	-
11	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12	DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13	CYSTIC FIBROSIS-----273.0	1	1	-	-	-
14	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	2	2	-	-	-
15	MENINGITIS-----320	3	-	-	2	1
16	OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	3	-	-	3	-
17	ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18	BRONCHITIS AND BRONCHIOLITIS-----466,490,491	-	-	-	-	-
19	INFLUENZA AND PNEUMONIA-----470-474,480-486	17	6	-	8	3
20	INFLUENZA-----470-474	-	-	-	-	-
21	PNEUMONIA-----480-486	17	6	-	8	3
22	OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23	ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	4	-	-	3	1
24	HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	6	3	1	2	-
25	GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26	OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	1	-	1	-	-
27	CONGENITAL ANOMALIES-----740-759	61	48	-	13	-
28	ANENCEPHALUS-----740	9	9	-	-	-
29	SPINA BIFIDA-----741	3	3	-	-	-
30	CONGENITAL HYDROCEPHALUS-----742	2	1	-	1	-
31	OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	4	2	-	2	-
32	CONGENITAL ANOMALIES OF HEART-----746	18	14	-	4	-
33	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	7	5	-	2	-
34	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	8	5	-	3	-
35	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	1	-	-	1	-
36	CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	1	1	-	-	-
37	CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	1	1	-	-	-
38	DOWN'S DISEASE-----759.3	-	-	-	-	-
39	OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	4	4	-	-	-
40	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	3	3	-	-	-
41	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	217	204	12	-	1
42	CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	1	-	-	-
43	OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	3	2	1	-	-
44	SYPHILIS-----761.0	-	-	-	-	-
45	DIABETES MELLITUS-----761.1	3	2	1	-	-
46	RUBELLA-----761.3	-	-	-	-	-
47	ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	-	-	-	-	-
48	TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49	MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	3	3	-	-	-
50	DIFFICULT LABOR-----764-768	8	8	-	-	-
51	WITH MENTION OF BIRTH INJURY (.0-.3)-----	1	1	-	-	-
52	WITHOUT MENTION OF BIRTH INJURY (.4-.9)-----	7	7	-	-	-
53	ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	48	47	1	-	-
54	CONDITIONS OF PLACENTA-----770	17	17	-	-	-
55	CONDITIONS OF UMBILICAL CORD-----771	2	2	-	-	-
56	BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	8	7	1	-	-
57	HEMOLYTIC DISEASE OF NEWBORN-----774,775	1	1	-	-	-
58	HYALINE MEMBRANE DISEASE-----776.1	33	31	2	-	-
59	RESPIRATORY DISTRESS SYNDROME-----776.2	30	25	4	-	1
60	ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	30	30	-	-	-
61	ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	2	2	-	-	-
62	IMMATURITY, UNQUALIFIED-----777	19	17	2	-	-
63	POSTMATURITY-----778.1	-	-	-	-	-
64	HEMORRHAGIC DISEASE OF NEWBORN-----778.2	2	1	1	-	-
65	ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	10	10	-	-	-
66	SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	18	6	-	8	4
67	ACCIDENTS-----E800-E949	14	1	-	11	2
68	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	6	1	-	4	1
69	ACCIDENTAL MECHANICAL SUFFOCATION-----E913	5	-	-	4	1
70	OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	3	-	-	3	-
71	HOMICIDE-----E960-E978	2	1	-	-	1
72	ALL OTHER CAUSES-----RESIDUAL	10	5	1	2	2

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
163	98	15	43	7	191	145	1	43	2	1,603	830	378	238	157
2	—	—	1	1	1	—	—	1	—	20	7	1	6	6
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	—	—	—	2	2	—	—	—	22	11	6	4	1
—	—	—	—	—	1	—	—	1	—	7	1	—	2	4
1	—	—	1	—	1	1	—	—	—	4	—	1	1	2
—	—	—	—	—	—	—	—	—	—	2	1	—	1	—
1	1	—	—	—	—	—	—	—	—	5	3	—	—	2
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
—	—	—	—	—	1	—	—	1	—	1	—	—	—	—
1	1	—	—	—	1	—	—	1	—	6	3	1	2	—
—	—	—	—	—	—	—	—	—	—	12	3	1	3	5
2	—	—	2	—	—	—	—	—	—	9	—	2	7	—
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	1	—	—	—	1
7	1	—	6	—	12	5	—	7	—	107	18	6	46	37
7	1	—	6	—	12	5	—	7	—	107	18	6	46	37
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	2	—	3	—	—	—	—	—	—	16	4	1	8	3
2	2	—	—	—	—	—	—	—	—	14	7	3	1	3
—	—	—	—	—	—	—	—	—	—	2	1	2	—	—
—	—	—	—	—	1	—	—	1	—	9	4	2	1	2
18	6	1	9	2	34	25	—	9	—	245	142	34	54	15
3	3	—	—	—	5	5	—	—	—	19	14	4	1	—
1	—	—	—	—	1	—	—	1	—	15	6	1	8	—
1	—	—	—	—	1	—	—	—	—	11	6	—	3	—
1	—	—	—	—	1	—	—	—	—	9	7	1	1	—
6	1	—	4	—	7	3	—	4	—	102	56	13	25	8
3	—	—	3	—	1	—	—	1	—	7	3	1	3	—
—	—	—	—	—	4	3	—	1	—	6	5	1	—	—
2	—	1	1	—	—	—	—	—	—	15	5	2	4	—
—	—	—	—	—	1	—	—	—	—	11	8	1	2	—
—	—	—	—	—	2	—	—	2	—	19	14	2	3	—
1	1	—	—	—	7	7	—	—	—	24	14	6	4	—
—	—	—	—	—	3	3	—	—	—	5	3	1	—	—
52	78	14	—	—	109	108	1	—	—	921	607	307	6	1
—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	7	6	1	—	—
—	—	—	—	—	—	—	—	—	—	6	6	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
1	1	—	—	—	—	—	—	—	—	3	2	1	—	—
—	—	—	—	—	—	—	—	—	—	6	4	2	—	—
—	—	—	—	—	—	—	—	—	—	12	5	7	—	—
—	—	—	—	—	—	—	—	—	—	3	1	2	—	—
—	—	—	—	—	—	—	—	—	—	9	4	5	—	—
10	7	3	—	—	16	16	—	—	—	88	71	17	—	—
5	4	1	—	—	2	2	—	—	—	31	21	9	—	—
1	1	—	—	—	1	1	—	—	—	9	5	4	—	—
5	5	—	—	—	11	11	—	—	—	49	20	28	1	—
3	3	—	—	—	2	2	—	—	—	19	17	2	—	—
19	15	4	—	—	17	17	—	—	—	105	78	26	1	—
12	12	—	—	—	14	14	—	—	—	142	102	39	1	—
15	14	1	—	—	18	17	1	—	—	189	121	67	1	—
2	2	—	—	—	2	2	—	—	—	20	9	10	1	—
16	12	4	—	—	18	18	—	—	—	168	107	61	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	1	—	—	4	4	—	—	—	12	9	3	—	—
2	2	—	—	—	3	3	—	—	—	60	30	30	—	—
17	2	—	12	3	19	—	—	18	1	127	12	7	58	50
7	2	—	5	—	4	1	—	2	1	45	3	3	24	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	—	—	—	12	2	—	7	3
1	1	—	—	—	—	—	—	1	—	6	—	—	3	3
5	—	—	5	—	3	1	—	1	1	27	1	3	14	9
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	1	—	1	1	5	3	—	2	—	26	3	2	11	10

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TOTAL, UNDER 1 YEAR	NEW MEXICO			
		UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	419	222	43	110	44
2 DIARRHEAL DISEASES-----099	13	1	2	5	5
3 WHOOPING COUGH-----033	1	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	1	-	-	1	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	6	3	1	-	2
7 VIRAL DISEASES-----040-079	1	-	1	-	-
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	4	2	-	1	1
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	-	-	2	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	-	-	-	-	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	1	-	-	-	1
15 MENINGITIS-----320	5	-	-	2	3
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	4	-	-	2	2
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	3	-	-	3	-
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	29	6	1	19	3
20 INFLUENZA-----470-474	-	-	-	-	-
21 PNEUMONIA-----480-486	29	6	1	19	3
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	-	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	7	-	2	3	2
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	4	4	-	-	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	5	2	-	2	1
27 CONGENITAL ANOMALIES-----740-759	79	45	5	22	7
28 ANENCEPHALUS-----740	6	6	-	-	-
29 SPINA BIFIDA-----741	1	-	-	1	-
30 CONGENITAL HYDROCEPHALUS-----742	5	2	1	2	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	1	1	-	-	-
32 CONGENITAL ANOMALIES OF HEART-----746	30	14	2	11	3
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	10	3	-	5	2
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	3	3	-	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	3	2	-	-	1
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	-	-	-	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	3	2	1	-	-
38 DOWN'S DISEASE-----759.3	2	-	1	1	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	15	12	-	2	1
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	-	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	182	153	29	-	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	2	2	-	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	-	-	-	-	-
46 RUBELLA-----761.3	1	1	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY-----762	-	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	-	-	-	-	-
50 DIFFICULT LABOR-----764-768	7	5	2	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.31)	1	-	1	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	6	5	1	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	12	10	2	-	-
54 CONDITIONS OF PLACENTA-----770	4	3	1	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	3	2	1	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	17	16	1	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	1	1	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	28	25	3	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	43	36	7	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	23	17	6	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	5	3	2	-	-
62 IMMATURITY, UNQUALIFIED-----777	26	25	1	-	-
63 PREMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	6	3	3	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	5	5	-	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	36	3	-	25	8
67 ACCIDENTS-----E800-E949	23	1	-	16	6
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	10	-	-	8	2
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	4	-	-	3	1
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	9	1	-	5	3
71 HOMICIDE-----E960-E978	1	-	-	1	-
72 ALL OTHER CAUSES-----RESIDUAL	13	2	2	6	3

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
4,068	2,176	863	710	319	1,854	803	528	262	261	159	101	11	39	8
32	10	8	10	4	22	2	4	6	10	3	1	-	2	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
8	1	-	6	1	5	-	-	4	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	32	14	13	3	21	8	8	2	3	3	2	-	1	-
6	4	1	1	-	11	1	-	3	7	1	1	-	-	-
3	1	2	2	-	-	-	-	-	-	-	-	-	-	-
6	2	1	3	-	7	1	3	1	2	-	-	-	-	-
6	1	-	5	-	6	-	-	5	1	-	-	-	-	-
3	-	-	3	-	3	-	1	1	1	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
5	-	1	4	-	1	-	-	1	-	-	-	-	-	-
20	10	3	5	2	3	-	1	1	1	3	1	-	1	1
35	10	3	16	6	20	3	4	9	4	-	-	-	-	-
39	1	-	31	7	12	1	3	7	1	1	-	-	1	-
5	-	-	4	1	2	-	-	-	2	-	-	-	-	-
19	-	-	14	7	7	1	1	4	2	2	1	-	1	-
251	47	27	104	73	94	14	8	30	42	14	1	-	10	3
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
251	47	27	104	73	93	14	8	29	42	14	1	-	10	3
4	1	-	2	1	1	-	-	1	-	-	-	-	-	-
28	3	5	12	8	14	1	-	5	8	-	-	-	-	-
35	21	4	9	1	13	6	3	2	2	2	2	-	-	-
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
24	9	5	7	3	15	2	5	4	4	-	-	-	-	-
674	362	78	185	49	269	137	39	58	35	27	13	1	11	2
57	53	4	7	2	21	18	3	-	-	-	-	-	-	-
22	4	-	-	-	24	16	-	6	2	-	-	-	-	-
26	8	3	11	4	14	3	3	6	2	2	2	-	-	-
32	14	1	16	1	11	3	3	2	-	-	-	-	-	-
250	102	31	90	27	101	47	15	26	13	12	5	-	6	1
58	32	9	10	7	14	7	2	3	2	1	-	-	1	-
47	25	6	14	2	11	7	2	2	-	-	-	-	-	-
35	14	2	18	1	18	5	7	2	4	4	3	-	1	-
16	12	2	10	-	10	4	2	2	2	-	-	-	1	-
17	14	1	1	1	8	4	1	2	1	1	-	-	-	1
8	3	1	3	1	1	-	-	-	1	1	-	-	1	-
89	64	10	12	3	28	16	1	6	5	2	1	-	1	-
17	9	7	1	-	8	4	-	1	3	3	2	1	-	-
2,323	1,607	692	16	8	1,037	607	426	4	-	87	77	10	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
15	11	4	-	-	8	5	3	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	5	1	-	-	4	2	2	-	-	1	-	1	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
5	6	3	-	-	3	2	1	-	-	-	-	-	-	-
7	4	3	-	-	10	8	2	-	-	-	-	-	-	-
10	7	3	-	-	3	-	3	-	-	-	-	-	-	-
23	17	5	-	1	15	8	7	-	-	-	-	-	-	-
6	4	2	-	-	4	2	2	-	-	-	-	-	-	-
17	13	3	-	1	11	6	5	-	-	-	-	-	-	-
240	154	86	-	-	114	64	49	1	-	11	10	1	-	-
85	69	16	-	-	36	25	11	-	-	3	3	-	-	-
18	14	4	-	-	8	8	-	-	-	1	1	-	-	-
147	111	35	1	-	57	38	19	-	-	4	4	-	-	-
31	26	4	1	-	15	12	3	-	-	-	-	-	-	-
295	221	68	6	-	105	80	25	-	-	17	15	2	-	-
404	279	121	3	1	140	86	53	1	-	17	17	-	-	-
392	277	113	1	1	200	112	88	-	-	9	7	2	-	-
42	26	16	-	-	21	12	9	-	-	1	1	-	-	-
415	260	148	2	5	229	112	116	1	-	17	14	3	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	23	10	-	-	7	3	3	1	-	3	2	1	-	-
165	107	56	2	-	68	33	35	-	-	3	3	-	-	-
314	28	16	166	104	183	6	13	66	98	11	2	-	8	1
67	5	1	42	19	51	3	3	24	21	4	-	-	3	1
21	-	-	12	9	12	1	1	2	8	1	-	-	-	1
12	1	1	10	-	7	1	-	6	-	1	-	-	-	-
34	4	-	20	10	32	1	2	16	13	2	-	-	2	-
10	2	-	5	3	4	2	-	1	1	-	-	-	-	-
87	18	2	46	21	51	8	5	25	13	1	-	-	1	-

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TOTAL, UNDER 1 YEAR	OPIC			
		UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	2,788	1,664	427	550	147
2 DIARRHEAL DISEASES	009	31	10	9	4
3 WHOOPING COUGH	033	2	1	1	1
4 MENINGOCOCCAL INFECTIONS	036	2	1	2	1
5 TETANUS	037	1	1	1	1
6 SEPTICEMIA	038	38	25	4	2
7 VIRAL DISEASES	040-079	7	2	1	1
8 CONGENITAL SYPHILIS	090	1	1	1	1
9 OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	3	1	3	1
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	5	2	2	1
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	2	1	1	1
12 DISEASES OF THYRUS GLAND	254	1	1	1	1
13 CYSTIC FIBROSIS	273.0	5	1	5	1
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	17	6	1	2
15 MENINGITIS	320	25	9	3	5
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	32	2	22	8
17 ACUTE UPPER RESPIRATORY INFECTIONS	460-465	26	1	2	12
18 BRONCHITIS AND BRONCHIOLITIS	466,490,491	17	1	12	4
19 INFLUENZA AND PNEUMONIA	470-474,480-486	189	36	12	30
20 INFLUENZA	470-474	1	1	1	1
21 PNEUMONIA	480-486	188	35	12	30
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	2	1	1	1
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,519	31	4	21	6
24 HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	14	10	1	1
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	1	1	1	1
26 OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	10	3	2	3
27 CONGENITAL ANOMALIES	740-759	467	304	25	13
28 ANENCEPHALUS	740	38	35	2	1
29 SPINA BIFIDA	741	23	13	1	1
30 CONGENITAL HYDROCEPHALUS	742	19	10	10	3
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	14	10	1	3
32 CONGENITAL ANOMALIES OF HEART	746	184	105	15	7
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	23	12	1	10
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	33	23	3	6
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	20	8	11	1
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	15	12	1	2
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	18	16	1	1
38 DOWN'S DISEASE	759.3	4	1	1	1
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	66	51	1	13
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	10	8	1	2
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769.2,769.4-772,774-778	1,590	1,209	359	18
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	2	2	1	1
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	19	17	2	1
44 SYPHILIS	761.0	11	11	1	1
45 DIABETES MELLITUS	761.1	11	11	1	1
46 RUBELLA	761.3	1	1	1	1
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	8	6	2	1
48 TOXEMIA OF PREGNANCY	762	4	1	3	1
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	14	12	2	1
50 DIFFICULT LABOR	764-768	28	25	1	1
51 WITH MENTION OF BIRTH INJURY (.0-.3)	764-768	5	5	1	1
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	764-768	23	20	1	1
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILD BIRTH	769.0-769.2,769.4,769.5,769.9	220	180	39	1
54 CONDITIONS OF PLACENTA	770	94	76	18	1
55 CONDITIONS OF UMBILICAL CORD	771	15	15	1	1
56 BIRTH INJURY WITHOUT MENTION OF CAUSE	772	72	54	18	1
57 HEMOLYTIC DISEASE OF NEWBORN	774,775	21	21	1	1
58 HYALINE MEMBRANE DISEASE	776.1	174	135	35	1
59 RESPIRATORY DISTRESS SYNDROME	776.2	226	167	52	7
60 ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	274	203	71	1
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	30	19	10	1
62 IMMATURE, UNQUALIFIED	777	275	198	73	2
63 POSTMATURE	778.1	1	1	1	1
64 HEMORRHAGIC DISEASE OF NEWBORN	778.2	29	19	10	1
65 ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	93	65	25	3
66 SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	143	16	5	29
67 ACCIDENTS	E800-E949	67	4	1	8
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	20	1	1	3
69 ACCIDENTAL MECHANICAL SUFFOCATION	E913	11	1	1	1
70 OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	36	3	1	5
71 HOMICIDE	E960-E978	8	3	1	1
72 ALL OTHER CAUSES	RESIDUAL	56	16	3	12

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision. International Classification of Diseases, Adapted, 1965]

OKLAHOMA					OREGON					PENNSYLVANIA				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
664	400	72	146	46	466	314	17	126	9	2,612	1,601	387	486	138
10	5	-	3	2	2	-	-	2	-	18	5	3	8	2
1	-	-	-	1	1	-	-	-	-	5	2	-	3	-
11	7	1	2	1	5	4	-	1	-	34	17	7	9	1
7	2	-	3	2	1	-	-	-	1	10	3	-	6	1
2	1	-	1	-	-	-	-	-	-	4	1	-	3	-
2	1	-	1	-	-	-	-	-	-	12	3	-	8	1
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	2	-	2	-	-	2	-	4	-	-	4	-
2	2	-	-	-	1	1	-	-	-	8	3	1	3	1
7	1	-	4	2	5	4	-	1	-	21	5	2	11	3
8	1	-	6	1	3	-	-	3	-	20	2	-	16	2
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-
3	-	-	2	1	3	-	-	3	-	11	1	-	10	-
45	12	1	23	9	8	4	-	4	-	124	37	7	66	14
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
44	12	1	23	8	7	4	-	3	-	124	37	7	66	14
-	-	-	-	-	1	1	-	-	-	4	2	-	2	-
5	3	-	1	1	5	1	-	4	-	22	5	2	13	2
7	6	-	1	-	4	3	-	1	-	18	13	1	1	3
-	-	-	-	-	1	-	-	1	-	3	3	-	-	-
4	2	-	2	-	-	-	-	-	-	12	2	-	9	1
98	59	3	29	7	92	67	-	24	1	426	254	30	126	16
8	8	-	-	-	6	6	-	-	-	42	41	1	-	-
7	4	-	2	1	6	5	-	1	-	17	6	4	7	-
4	5	1	3	1	3	1	-	2	-	23	11	1	8	3
9	5	-	3	-	5	4	-	-	-	15	7	-	7	1
37	19	1	15	2	37	24	-	13	-	160	80	9	66	5
8	5	-	2	1	9	6	-	3	-	20	13	2	5	-
11	9	-	2	-	8	5	-	2	1	25	17	2	4	2
1	-	-	-	1	2	1	-	1	-	27	14	3	7	3
-	-	-	-	-	4	3	-	-	-	19	12	1	5	1
2	1	-	1	-	6	6	-	-	-	14	10	1	3	-
1	-	-	1	-	-	-	-	-	-	5	1	-	4	-
6	5	1	-	-	4	4	-	-	-	53	37	6	9	1
4	3	-	-	1	2	2	-	-	-	6	5	-	1	-
357	284	66	5	2	231	213	17	1	-	1,526	1,196	325	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	2	2	-	-	-	14	14	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	9	9	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	5	5	-	-	-
4	4	-	-	-	1	1	-	-	-	7	6	1	-	-
4	3	1	-	-	1	1	-	-	-	5	4	1	-	-
4	4	-	-	-	3	3	-	-	-	27	24	3	-	-
1	1	-	-	-	-	-	-	-	-	9	7	2	-	-
3	3	-	-	-	3	3	-	-	-	18	17	1	-	-
41	33	7	1	-	38	35	3	-	-	148	120	28	-	-
8	6	2	-	-	12	12	-	-	-	93	83	10	-	-
7	6	1	-	-	3	3	-	-	-	16	14	2	-	-
22	17	4	1	-	9	9	-	-	-	83	63	20	-	-
4	4	-	-	-	-	-	-	-	-	19	17	2	-	-
54	41	11	1	1	29	29	-	-	-	203	152	49	2	-
51	43	5	2	1	33	30	2	1	-	202	159	41	1	1
66	52	14	-	-	48	43	5	-	-	308	256	51	1	-
14	10	4	-	-	2	2	-	-	-	35	28	7	-	-
62	47	15	-	-	35	30	5	-	-	241	169	72	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	5	-	-	-	4	4	-	-	-	22	17	5	-	-
9	7	2	-	-	11	9	2	-	-	103	70	33	-	-
48	4	-	35	9	79	10	-	62	7	179	16	5	94	64
22	2	1	13	6	10	2	-	8	-	64	7	-	46	11
4	-	1	2	1	2	2	-	-	-	17	4	-	10	3
4	-	-	2	2	1	-	-	-	-	15	1	-	11	3
14	2	-	9	3	7	-	-	7	-	32	2	-	25	5
1	-	-	-	1	1	1	-	-	-	11	2	-	3	6
19	6	-	12	1	11	3	-	8	-	74	22	4	39	9

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	RHODE ISLAND				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES	209	155	12	39	3
2 DIARRHEAL DISEASES	009	-	-	-	-
3 WHOOPING COUGH	033	-	-	-	-
4 MENINGOCOCCAL INFECTIONS	036	-	-	-	-
5 TETANUS	037	-	-	-	-
6 SEPTICEMIA	038	3	2	1	-
7 VIRAL DISEASES	040-079	1	-	1	-
8 CONGENITAL SYPHILIS	090	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES	REMAINDER OF 000-136	2	1	1	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES	140-209	-	-	-	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE	210-239	-	-	-	-
12 DISEASES OF THYMUS GLAND	254	-	-	-	-
13 CYSTIC FIBROSIS	273.0	1	-	1	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	280-289	-	-	-	-
15 MENINGITIS	320	1	-	1	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	321-389	-	-	-	-
17 ACUTE UPPER RESPIRATORY INFECTIONS	460-465	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS	466,490,491	-	-	-	-
19 INFLUENZA AND PNEUMONIA	470-474,480-486	7	4	2	1
20 INFLUENZA	470-474	-	-	-	-
21 PNEUMONIA	480-486	7	4	2	1
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA	517	-	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM	492,493,500-516,518,519	-	-	-	-
24 HERNIA AND INTESTINAL OBSTRUCTION	550-553,560	4	2	1	1
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN	535,561,563	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM	520-534,536,537,540-543,562,564-577	2	2	-	-
27 CONGENITAL ANOMALIES	740-759	45	35	1	9
28 ANENCEPHALUS	740	8	7	1	-
29 SPINA BIFIDA	741	1	1	-	-
30 CONGENITAL HYDROCEPHALUS	742	-	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE	743,744	1	-	1	-
32 CONGENITAL ANOMALIES OF HEART	746	11	10	1	1
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	747	3	2	1	-
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	748	5	5	-	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	749-751	6	3	-	3
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM	752,753	2	2	-	-
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM	754-756	2	1	1	-
38 DOWN'S DISEASE	759.3	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS	759.0-759.2,759.4-759.9	6	4	-	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	745,757,758	-	-	-	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	760-769.2,769.4-772,774-778	116	106	10	-
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER	760	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761	1	1	-	-
44 SYPHILIS	761.0	-	-	-	-
45 DIABETES MELLITUS	761.1	1	1	-	-
46 RUBELLA	761.3	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY	761.2,761.4-761.7,761.9	-	-	-	-
48 TOXEMIA OF PREGNANCY	762	-	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION	763	1	1	-	-
50 DIFFICULT LABOR	764-768	-	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)	-	-	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	-	-	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH	769.0-769.2,769.4,769.5,769.9	16	13	3	-
54 CONDITIONS OF PLACENTA	770	13	13	-	-
55 CONDITIONS OF UMBILICAL CORD	771	3	3	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE	772	6	5	1	-
57 HEMOLYTIC DISEASE OF NEWBORN	774,775	1	1	-	-
58 HYALINE MEMBRANE DISEASE	776.1	17	17	-	-
59 RESPIRATORY DISTRESS SYNDROME	776.2	9	9	-	-
60 ASPHYXIA OF NEWBORN, UNSPECIFIED	776.9	16	14	2	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE	776.0,776.3,776.4	2	2	-	-
62 IMMATUREITY, UNQUALIFIED	777	25	22	3	-
63 POSTMATURITY	778.1	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN	778.2	3	3	-	-
65 ALL OTHER CONDITIONS OF NEWBORN	778.0,778.3,778.9	3	2	1	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS	780-796	22	2	-	18
67 ACCIDENTS	E800-E949	3	-	-	3
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION	E911,E912	1	-	-	1
69 ACCIDENTAL MECHANICAL SUFFOCATION	E913	1	-	-	1
70 OTHER ACCIDENTAL CAUSES	E800-E910,E914-E949	1	-	-	1
71 HOMICIDE	E960-E978	-	-	-	-
72 ALL OTHER CAUSES	RESIDUAL	2	1	1	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision: International Classification of Diseases, Adapted, 1965]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
1,111	395	360	134	222	197	121	23	29	24	1,311	681	285	228	117
20	1	3	2	14	2	-	-	2	-	16	2	5	5	4
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	-	-	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	2	7	5	1	2	1	1	-	-	22	12	6	2	2
5	-	1	2	2	1	1	-	-	-	6	1	1	3	1
2	1	-	-	1	3	-	-	-	3	8	4	-	3	1
4	1	-	2	1	1	-	-	1	-	1	-	-	1	-
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	3	-	2	-	-	-	-	-	2	-	-	2	-
13	2	1	2	8	1	-	-	1	-	12	2	2	1	1
5	-	-	1	4	1	1	-	-	-	14	1	-	9	4
2	-	-	2	-	-	-	-	-	-	6	-	-	4	2
5	-	-	2	3	-	-	-	-	-	4	-	-	3	1
84	8	12	15	49	15	2	2	3	8	58	16	5	27	10
5	8	12	14	45	15	2	2	3	8	56	15	5	26	10
75	8	12	14	45	15	2	2	3	8	56	15	5	26	10
3	1	1	-	1	-	-	-	-	-	3	1	-	2	-
17	2	-	5	10	4	2	-	-	2	10	5	3	7	3
4	-	2	1	1	1	-	-	1	-	11	5	3	1	2
2	1	-	1	-	-	-	-	-	-	6	2	3	-	1
8	1	2	2	3	-	-	-	-	-	8	3	2	3	-
131	72	18	29	12	35	25	2	6	2	191	110	21	50	10
13	12	1	8	1	3	3	-	-	-	14	14	-	-	-
16	1	-	2	1	2	1	-	-	-	14	12	-	2	-
4	1	-	2	1	2	2	-	-	-	9	6	1	2	-
9	6	1	-	2	2	2	-	-	-	6	4	1	1	-
44	19	8	12	5	7	5	-	1	1	78	34	9	27	8
10	7	-	2	1	5	3	1	1	1	12	8	-	4	-
6	3	2	-	1	1	1	1	-	-	11	7	1	2	1
8	3	3	1	-	5	3	-	2	-	12	5	2	5	-
2	2	-	-	-	1	1	-	-	-	3	1	1	1	-
6	2	1	1	2	2	-	1	1	-	5	4	1	-	-
-	-	-	-	-	1	1	-	-	-	4	1	1	2	-
12	9	1	1	1	4	3	-	1	-	18	9	4	4	1
1	1	-	-	-	-	-	-	-	-	5	5	-	-	-
587	294	287	2	4	104	86	18	-	-	726	497	221	7	1
4	3	1	-	-	2	1	1	-	-	4	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	2	1	1	-	-	4	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	3	-	-	1	1	-	-	-	3	1	2	-	-
1	-	1	-	-	1	1	-	-	-	2	-	1	-	-
6	5	1	-	-	2	2	-	-	-	16	14	2	-	-
2	2	-	-	-	1	1	-	-	-	5	5	-	-	-
4	3	1	-	-	1	1	-	-	-	11	9	2	-	-
77	45	32	-	-	9	7	2	-	-	97	65	32	-	-
30	15	15	-	-	4	4	-	-	-	18	15	3	-	-
6	4	2	-	-	2	2	-	-	-	4	3	1	-	-
24	12	1	-	-	5	5	-	-	-	49	31	18	-	-
5	4	1	-	-	-	-	-	-	-	8	3	-	-	-
70	41	28	-	1	25	21	4	-	-	135	87	43	5	-
72	44	26	1	1	12	10	2	-	-	68	48	20	-	-
106	52	54	-	-	16	11	5	-	-	110	76	33	1	-
13	8	3	-	2	1	1	-	-	-	17	11	6	-	-
127	48	78	1	-	16	14	2	-	-	153	108	44	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	4	6	-	-	1	-	1	-	-	13	8	5	-	-
33	9	24	-	-	7	6	1	-	-	28	19	9	-	-
115	4	21	29	61	12	1	-	6	5	110	10	7	46	47
52	-	2	22	28	5	1	-	2	2	57	5	4	30	18
18	-	-	6	12	-	-	-	-	-	24	2	1	13	8
16	-	1	7	8	3	1	-	2	-	12	-	2	7	3
18	-	1	9	8	2	-	-	2	2	21	3	1	10	7
4	1	-	2	1	1	-	-	1	-	4	1	1	1	1
26	3	-	7	16	6	1	-	3	2	29	6	4	15	4

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	TEXAS				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	4,026	2,338	635	757	296
2 DIARRHEAL DISEASES-----009	78	16	9	37	16
3 WHOOPING COUGH-----033	1	1	1	1	1
4 MENINGOCOCCAL INFECTIONS-----036	11	1	1	7	2
5 TETANUS-----037	2	1	1	1	1
6 SEPTICEMIA-----038	63	33	10	15	5
7 VIRAL DISEASES-----040-079	21	8	1	10	2
8 CONGENITAL SYPHILIS-----090	2	2	1	1	1
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	17	2	1	10	4
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	6	1	1	4	1
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	7	2	1	5	1
12 DISEASES OF THYRUS GLAND-----254	2	1	1	1	1
13 CYSTIC FIBROSIS-----273.0	7	3	1	3	1
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	14	5	1	4	4
15 MENINGITIS-----320	53	14	8	18	13
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	33	4	2	24	3
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	8	1	1	4	3
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	19	2	1	10	7
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	313	74	40	141	58
20 INFLUENZA-----470-474	4	1	1	3	1
21 PNEUMONIA-----480-486	309	74	39	138	58
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	1	1	1	1	1
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	22	12	1	4	5
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	35	23	6	5	1
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	7	1	3	1	2
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	28	9	7	9	3
27 CONGENITAL ANOMALIES-----740-759	600	377	50	139	34
28 ANENCEPHALUS-----740	46	42	4	1	1
29 SPINA BIFIDA-----741	28	18	1	9	1
30 CONGENITAL HYDROCEPHALUS-----742	36	10	5	14	7
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	20	13	4	4	2
32 CONGENITAL ANOMALIES OF HEART-----746	215	137	9	56	13
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	44	24	3	13	4
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	39	30	5	3	1
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	26	11	2	12	1
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	24	16	2	5	1
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	23	20	2	1	1
38 DOWN'S DISEASE-----759.3	10	5	1	5	1
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	76	45	13	16	2
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	13	6	4	2	1
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	2,128	1,659	460	6	3
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	1	1	1	1	1
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	25	21	3	1	1
44 SYPHILIS-----761.0	1	1	1	1	1
45 DIABETES MELLITUS-----761.1	12	11	1	1	1
46 RUBELLA-----761.3	1	1	1	1	1
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	12	10	2	1	1
48 TOXEMIA OF PREGNANCY-----762	14	12	2	1	1
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	14	8	6	1	1
50 DIFFICULT LABOR-----764-768	23	19	4	1	1
51 WITH MENTION OF BIRTH INJURY (.0-.31)	6	5	1	1	1
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)	17	14	3	1	1
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	209	165	44	1	1
54 CONDITIONS OF PLACENTA-----770	81	65	16	1	1
55 CONDITIONS OF UMBILICAL CORD-----771	24	19	5	1	1
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	146	114	31	1	1
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	24	22	2	1	1
58 HYALINE MEMBRANE DISEASE-----776.1	414	336	75	1	2
59 RESPIRATORY DISTRESS SYNDROME-----776.2	286	229	55	1	1
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	353	286	67	1	1
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	39	30	9	1	1
62 IMMATURE, UNQUALIFIED-----777	340	232	106	2	1
63 POSTMATURITY-----778.1	1	1	1	1	1
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	34	27	7	1	1
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	102	74	28	1	1
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	235	47	16	114	58
67 ACCIDENTS-----E800-E949	190	13	10	126	41
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	61	8	6	34	13
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	38	1	3	30	5
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	91	5	1	62	23
71 HOMICIDE-----E960-E978	16	2	1	9	5
72 ALL OTHER CAUSES-----RESIDUAL	108	26	8	50	24

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State, 1973—Con.

Revision: International Classification of Diseases, Adapted, 1965]

UTAH					VERMONT					VIRGINIA				
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER
354	242	10	95	7	109	78	-	31	-	1,316	683	316	191	126
7	3	-	3	1	-	-	-	-	-	10	2	2	4	2
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
4	3	-	1	-	3	2	-	1	-	24	7	6	3	8
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-
1	-	-	1	-	-	-	-	-	-	5	1	1	1	2
1	-	-	1	-	-	-	-	-	-	4	-	-	3	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-
2	1	-	1	-	-	-	-	-	-	5	3	-	1	1
6	3	-	3	-	-	-	-	-	-	13	3	1	5	4
7	-	-	7	-	-	-	-	-	-	5	-	-	2	3
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
2	-	-	1	1	-	-	-	-	-	4	-	-	3	-
5	2	-	2	1	4	3	-	1	-	74	14	11	26	23
5	2	-	2	1	4	3	-	1	-	1	14	11	1	20
-	-	-	-	-	-	-	-	-	-	73	14	11	25	23
1	-	-	1	-	-	-	-	-	-	2	-	-	2	-
6	5	-	1	-	2	2	-	-	-	11	3	3	3	2
-	-	-	-	-	-	-	-	-	-	19	10	2	6	1
5	1	1	3	-	-	-	-	-	-	3	1	1	-	25
77	46	2	27	2	28	18	-	10	-	6	-	-	2	4
3	2	-	1	-	3	3	-	-	-	202	122	30	40	10
5	2	-	2	1	2	-	-	-	-	16	12	4	-	27
7	3	1	3	-	1	1	-	-	-	14	5	-	8	1
1	-	-	-	1	-	1	-	-	-	7	3	1	2	29
24	17	1	6	-	11	7	-	4	-	5	3	1	1	30
11	7	-	4	-	1	1	-	-	-	79	45	12	18	31
5	2	-	3	-	3	2	-	1	-	11	8	1	2	32
7	5	-	2	-	1	1	-	1	-	7	4	2	1	33
1	-	-	1	-	-	1	-	-	-	13	7	2	2	34
1	-	-	-	-	-	1	-	-	-	6	4	1	1	35
10	7	-	3	-	4	2	-	2	-	6	5	-	1	36
2	1	-	1	-	1	1	-	-	-	1	-	-	1	37
174	170	4	-	-	49	49	-	-	-	1	-	-	-	38
2	2	-	-	-	-	-	-	-	-	30	21	6	2	39
1	1	-	-	-	-	-	-	-	-	7	5	-	2	40
-	-	-	-	-	-	-	-	-	-	748	506	238	1	3
1	1	-	-	-	-	-	-	-	-	1	1	-	-	41
-	-	-	-	-	-	-	-	-	-	8	5	-	-	42
3	3	-	-	-	-	-	-	-	-	4	3	1	-	43
2	1	-	-	-	-	-	-	-	-	-	-	-	-	44
2	1	-	-	-	-	-	-	-	-	4	2	2	-	45
2	1	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	4	2	2	-	47
3	3	-	-	-	-	-	-	-	-	-	-	-	-	48
2	1	1	-	-	-	-	-	-	-	3	2	1	-	49
2	1	1	-	-	-	-	-	-	-	10	8	2	-	50
2	1	1	-	-	-	-	-	-	-	2	2	-	-	51
-	-	-	-	-	-	-	-	-	-	8	6	2	-	52
24	24	-	-	-	3	3	-	-	-	89	62	27	-	53
11	11	-	-	-	4	4	-	-	-	28	14	14	-	54
1	1	-	-	-	1	1	-	-	-	7	7	-	-	55
10	10	-	-	-	4	4	-	-	-	31	23	7	-	56
1	1	-	-	-	-	-	-	-	-	7	7	-	-	57
48	47	1	-	-	3	3	-	-	-	86	65	21	-	58
15	15	-	-	-	12	12	-	-	-	109	80	28	-	59
19	18	1	-	-	4	4	-	-	-	125	74	51	-	60
-	-	-	-	-	2	2	-	-	-	25	15	9	-	61
27	26	1	-	-	12	12	-	-	-	156	101	55	-	62
5	5	-	-	-	3	3	-	-	-	-	-	-	-	63
6	6	-	-	-	1	1	-	-	-	12	10	2	-	64
36	3	1	30	2	14	1	-	13	-	51	32	18	1	65
10	1	-	9	-	2	1	-	1	-	116	7	13	52	66
2	-	-	2	-	2	-	-	-	-	31	1	-	21	67
2	-	-	2	-	-	1	-	1	-	8	-	-	7	68
6	1	-	5	-	-	-	-	-	-	2	-	-	-	69
-	-	-	-	-	-	-	-	-	-	21	1	-	14	70
8	2	2	4	-	6	2	-	4	-	3	-	1	2	71
-	-	-	-	-	-	-	-	-	-	26	3	7	10	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

CAUSE OF DEATH	WASHINGTON				
	TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS	
		WHITE	ALL OTHER	WHITE	ALL OTHER
1 ALL CAUSES-----	782	489	64	200	29
2 DIARRHEAL DISEASES-----009	5	2	1	2	-
3 WHOOPING COUGH-----033	-	-	-	-	-
4 MENINGOCOCCAL INFECTIONS-----036	2	-	-	2	-
5 TETANUS-----037	-	-	-	-	-
6 SEPTICEMIA-----038	11	10	-	1	-
7 VIRAL DISEASES-----040-079	7	3	-	2	2
8 CONGENITAL SYPHILIS-----090	-	-	-	-	-
9 OTHER INFECTIVE AND PARASITIC DISEASES-----REMAINDER OF 000-136	1	1	-	-	-
10 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-----140-209	2	-	-	2	-
11 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE-----210-239	-	-	-	-	-
12 DISEASES OF THYMUS GLAND-----254	-	-	-	-	-
13 CYSTIC FIBROSIS-----273.0	2	-	-	2	-
14 DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS-----280-289	2	2	-	-	-
15 MENINGITIS-----320	3	-	-	3	-
16 OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-----321-389	2	-	1	1	-
17 ACUTE UPPER RESPIRATORY INFECTIONS-----460-465	-	-	-	-	-
18 BRONCHITIS AND BRONCHIOLITIS-----466,490,491	5	1	1	2	1
19 INFLUENZA AND PNEUMONIA-----470-474,480-486	40	6	1	29	4
20 INFLUENZA-----470-474	1	-	-	1	-
21 PNEUMONIA-----480-486	39	6	1	28	4
22 OTHER CHRONIC INTERSTITIAL PNEUMONIA-----517	2	2	-	-	-
23 ALL OTHER DISEASES OF RESPIRATORY SYSTEM-----492,493,500-516,518,519	7	2	-	5	-
24 HERNIA AND INTESTINAL OBSTRUCTION-----550-553,560	10	8	-	2	-
25 GASTRITIS, DUODENITIS, ENTERITIS, AND COLITIS OF NONINFECTIOUS ORIGIN-----535,561,563	-	-	-	-	-
26 OTHER DISEASES OF DIGESTIVE SYSTEM-----520-534,536,537,540-543,562,564-577	6	2	-	4	-
27 CONGENITAL ANOMALIES-----740-759	151	98	9	38	6
28 ANENCEPHALUS-----740	10	9	1	-	-
29 SPINA BIFIDA-----741	7	2	1	4	-
30 CONGENITAL HYDROCEPHALUS-----742	4	4	-	-	-
31 OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-----743,744	4	2	-	2	-
32 CONGENITAL ANOMALIES OF HEART-----746	65	35	5	22	3
33 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-----747	9	4	-	4	1
34 CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-----748	6	4	-	2	-
35 CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-----749-751	9	6	2	-	1
36 CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-----752,753	10	9	-	-	1
37 CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-----754-756	7	5	-	2	-
38 DOWN'S DISEASE-----759.3	-	-	-	-	-
39 OTHER CONGENITAL SYNDROMES AFFECTING MULTIPLE SYSTEMS-----759.0-759.2,759.4-759.9	17	16	-	1	-
40 OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-----745,757,758	3	2	-	1	-
41 CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY-----760-769.2,769.4-772,774-778	390	339	48	2	1
42 CHRONIC CIRCULATORY AND GENITOURINARY DISEASES IN MOTHER-----760	-	-	-	-	-
43 OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761	4	3	1	-	-
44 SYPHILIS-----761.0	-	-	-	-	-
45 DIABETES MELLITUS-----761.1	3	2	1	-	-
46 RUBELLA-----761.3	-	-	-	-	-
47 ALL OTHER MATERNAL CONDITIONS UNRELATED TO PREGNANCY-----761.2,761.4-761.7,761.9	1	1	-	-	-
48 TOXEMIA OF PREGNANCY-----762	2	2	-	-	-
49 MATERNAL ANTEPARTUM AND INTRAPARTUM INFECTION-----763	1	1	-	-	-
50 DIFFICULT LABOR-----764-768	6	6	-	-	-
51 WITH MENTION OF BIRTH INJURY (.0-.3)-----	2	2	-	-	-
52 WITHOUT MENTION OF BIRTH INJURY (.4,.9)-----	4	4	-	-	-
53 ALL OTHER COMPLICATIONS OF PREGNANCY AND CHILDBIRTH-----769.0-769.2,769.4,769.5,769.9	40	38	2	-	-
54 CONDITIONS OF PLACENTA-----770	21	16	5	-	-
55 CONDITIONS OF UMBILICAL CORD-----771	4	4	-	-	-
56 BIRTH INJURY WITHOUT MENTION OF CAUSE-----772	26	22	4	-	-
57 HEMOLYTIC DISEASE OF NEWBORN-----774,775	4	4	-	-	-
58 HYALINE MEMBRANE DISEASE-----776.1	50	45	5	-	-
59 RESPIRATORY DISTRESS SYNDROME-----776.2	89	78	8	2	1
60 ASPHYXIA OF NEWBORN, UNSPECIFIED-----776.9	66	58	8	-	-
61 ALL OTHER ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIABLE-----776.0,776.3,776.4	5	5	-	-	-
62 IMMATURITY, UNQUALIFIED-----777	55	44	11	-	-
63 POSTMATURITY-----778.1	-	-	-	-	-
64 HEMORRHAGIC DISEASE OF NEWBORN-----778.2	5	5	-	-	-
65 ALL OTHER CONDITIONS OF NEWBORN-----778.0,778.3,778.9	12	8	4	-	-
66 SYMPTOMS AND ILL-DEFINED CONDITIONS-----780-796	96	8	1	77	10
67 ACCIDENTS-----E800-E949	17	1	-	14	2
68 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION-----E911,E912	2	1	-	1	-
69 ACCIDENTAL MECHANICAL SUFFOCATION-----E913	3	-	-	3	-
70 OTHER ACCIDENTAL CAUSES-----E800-E910,E914-E949	12	-	-	10	2
71 HOMICIDE-----E960-E978	6	1	-	4	1
72 ALL OTHER CAUSES-----RESIDUAL	15	3	2	8	2

SECTION 2 - INFANT MORTALITY

2-93

From 65 Selected Causes, by Color: United States and Each State, 1973-Con.

Revision International Classification of Diseases, Adapted, 1965]

WEST VIRGINIA						WISCONSIN						WYOMING					
TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS		28 DAYS-11 MONTHS		TOTAL, UNDER 1 YEAR	UNDER 28 DAYS	
	WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER	WHITE	ALL OTHER		WHITE	ALL OTHER
524	359	25	127	13	906	598	62	204	42	112	85	2	23	2	1		
3	-	-	2	1	10	3	-	5	2	-	-	-	-	-	-	2	
1	-	-	1	-	3	1	-	2	-	-	-	-	-	-	-	3	
9	5	1	3	-	10	8	-	2	-	2	1	-	1	-	-	4	
4	2	-	2	-	2	-	-	2	-	-	-	-	-	-	-	5	
2	1	-	1	-	3	2	-	1	-	-	-	-	-	-	-	6	
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	7	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	9	
2	1	-	-	-	4	1	-	3	-	1	1	-	-	-	-	10	
2	-	-	1	1	5	1	1	2	1	1	-	-	-	-	-	11	
3	-	-	2	1	7	1	-	6	-	1	-	-	1	-	-	12	
1	-	-	1	-	3	-	-	3	-	-	-	-	-	-	-	13	
3	-	-	3	-	5	1	-	4	-	-	-	-	-	-	-	14	
40	15	-	22	3	38	5	3	24	6	8	-	-	8	-	-	15	
1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	16	
39	15	-	21	3	37	5	3	24	5	8	-	-	8	-	-	17	
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	18	
3	-	-	3	-	10	3	-	5	2	2	-	-	-	-	-	19	
2	1	-	1	-	9	8	-	1	-	1	-	-	1	-	-	20	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	21	
1	-	-	1	-	6	2	1	2	1	-	-	-	-	-	-	22	
88	45	3	37	3	173	117	10	45	1	15	11	-	3	1	-	23	
5	4	1	-	-	18	15	2	1	-	1	-	-	-	-	-	24	
4	3	-	1	-	8	5	-	3	-	-	-	-	-	-	-	25	
8	2	-	6	-	8	5	1	2	-	2	1	-	-	-	-	26	
2	1	-	1	-	8	5	-	3	-	2	2	-	-	-	-	27	
40	19	-	18	3	56	35	2	19	-	5	3	-	2	-	-	28	
4	2	-	2	-	12	9	1	2	-	1	-	-	1	-	-	29	
4	4	-	-	-	17	11	3	3	-	2	2	-	-	-	-	30	
8	5	-	3	-	12	6	-	5	1	1	1	-	-	-	-	31	
2	1	-	1	-	9	8	-	1	-	-	-	-	-	-	-	32	
1	-	-	-	-	4	1	-	3	-	-	-	-	-	-	-	33	
1	-	-	1	-	3	1	-	2	-	-	-	-	-	-	-	34	
8	4	1	3	-	17	15	1	1	-	1	1	-	-	-	-	35	
1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	36	
303	281	20	1	1	474	423	46	4	1	73	70	2	1	-	-	37	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38	
3	3	-	-	-	5	4	1	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	41	
3	3	-	-	-	4	3	1	-	-	-	-	-	-	-	-	42	
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	-	7	5	2	-	-	-	-	-	-	-	-	44	
6	5	1	-	-	8	8	-	-	-	1	1	-	-	-	-	45	
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	46	
5	5	-	-	-	6	6	-	-	-	1	1	-	-	-	-	47	
38	34	4	-	-	69	64	5	-	-	6	6	-	-	-	-	48	
13	12	1	-	-	32	31	1	-	-	2	2	-	-	-	-	49	
3	3	-	-	-	5	5	-	-	-	-	-	-	-	-	-	50	
15	15	-	-	-	44	39	5	-	-	4	3	1	-	-	-	51	
3	3	-	-	-	8	8	-	-	-	1	1	-	-	-	-	52	
22	19	2	1	-	53	49	4	-	-	20	19	1	-	-	-	53	
36	33	3	-	-	44	36	6	2	-	9	9	-	-	-	-	54	
72	66	6	-	-	63	54	9	-	-	10	9	-	1	-	-	55	
6	6	-	-	-	12	11	1	-	-	-	-	-	-	-	-	56	
71	68	2	-	1	81	75	6	-	-	18	18	-	-	-	-	57	
-	-	-	-	-	11	10	1	-	-	-	-	-	-	-	-	58	
1	1	-	-	-	32	24	5	2	1	2	2	-	-	-	-	59	
11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60	
29	3	-	26	-	81	4	-	60	17	6	1	-	5	-	-	61	
11	1	-	9	1	33	5	1	20	7	2	-	-	2	-	-	62	
3	-	-	3	-	8	1	-	7	-	-	-	-	-	-	-	63	
2	1	-	1	-	9	1	-	6	2	-	-	-	-	-	-	64	
6	-	-	5	1	16	3	1	7	5	-	-	-	2	-	-	65	
-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	66	
16	3	1	11	1	21	8	-	11	2	-	-	-	-	-	-	67	

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1973 ----	3-3
3-2. Fetal deaths and fetal-death ratios by color: United States, 1942-73 -----	3-4
3-3. Number and percent distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1973 -----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 40 reporting areas, 1973 -----	3-5
3-5. Fetal deaths and fetal-death rates, by plurality of birth, color, and sex: United States, 1973 -----	3-5
3-6. Fetal deaths by period of gestation and color, and fetal-death ratios by color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1973 -----	3-6
3-7. Fetal-death ratios by color: United States, each division and State, 1969-73	3-8
3-8. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1973 -----	3-9
3-9. Fetal deaths by month and color: United States and each State, 1973 -----	3-12
3-10. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1973 -----	3-16
3-11. Fetal deaths by age of mother and color: United States and each State, 1973	3-18
3-12. Fetal deaths by total-birth order and color: United States and each State, 1973 -----	3-22
3-13. Fetal deaths by attendant, gestation group, and color: United States and each State, 1973 -----	3-26
3-14. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1973 -----	3-29
3-15. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1973 -----	3-30
3-16. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1973 -----	3-31
3-17. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1973 -----	3-34

SECTION 3 - FETAL MORTALITY

3-3

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1973

[Data are by place of occurrence and include fetal deaths for nonresidents]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation ¹												Not stated
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over		
United States-----	...	61,069	15,776	4,446	4,841	4,280	3,942	5,011	2,043	5,323	3,347	2,373	1,511	8,176	
Alabama-----	Advanced to 5th month (20 weeks)	935	2	7	96	98	100	109	42	63	200	9	5	204	
Alaska-----	20 weeks or more ²	60	-	2	10	6	7	7	7	8	5	5	-	3	
Arizona-----	After 20 weeks	575	2	3	23	30	32	62	21	72	30	27	21	52	
Arkansas-----	All periods of gestation ³	408	44	10	41	44	51	44	24	26	104	5	1	54	
California-----	Advanced to 20th week ³	2,982	18	57	232	322	304	423	138	508	175	274	175	358	
Colorado-----	All periods of gestation ⁶	501	-	11	126	74	61	65	23	60	20	37	13	11	
Connecticut-----	20 weeks or more	390	-	1	41	36	42	53	25	64	50	23	2	53	
Delaware-----	20 weeks or more	65	-	-	3	7	8	10	8	18	14	1	2	16	
District of Columbia-----	After 5th month	269	6	8	32	33	29	54	13	47	11	17	9	40	
Florida-----	20 weeks or more	1,439	11	23	72	79	114	127	31	99	39	54	41	749	
Georgia-----	All periods of gestation ⁷	5,344	43,577	346	278	164	138	133	72	104	207	29	11	285	
Hawaii-----	All periods of gestation	512	458	191	108	27	27	26	6	28	5	12	4	20	
Idaho-----	After 20 weeks	126	-	1	20	10	8	6	2	13	11	4	-	51	
Illinois-----	20 weeks or more	2,155	17	51	223	237	219	329	100	373	119	163	118	206	
Indiana-----	20 weeks or more	929	5	10	42	57	57	78	33	91	54	54	42	408	
Iowa-----	20 weeks or more	572	1	-	32	38	46	59	15	73	26	40	29	13	
Kansas-----	Weight in excess of 350 grams	566	2	5	45	46	40	40	20	53	24	37	31	23	
Kentucky-----	20 weeks or more	705	2	12	43	69	77	94	29	106	58	48	34	153	
Louisiana-----	After 20 weeks	946	5	9	41	62	51	77	28	101	57	58	26	371	
Maine-----	All periods of gestation	202	47	10	10	13	13	10	7	22	7	13	5	85	
Maryland-----	20 weeks or more ⁸	559	1	1	56	70	67	82	27	96	34	51	28	46	
Massachusetts-----	20 weeks or more	789	2	8	40	60	62	74	14	80	19	44	25	361	
Michigan-----	Advanced through 20th week	1,673	19	28	114	153	176	216	86	271	99	135	107	269	
Minnesota-----	After 20 weeks	496	1	1	45	45	42	59	31	95	36	37	34	68	
Mississippi-----	All periods of gestation	2,430	41,002	267	167	129	89	129	30	155	32	55	44	311	
Missouri-----	After 20 weeks	606	8	5	49	67	70	106	29	100	40	59	40	233	
Montana-----	After 20 weeks	106	-	1	5	12	7	13	5	20	6	7	3	27	
Nebraska-----	Advanced to 20th week	250	1	7	24	28	23	37	12	54	12	20	20	12	
Nevada-----	After 20 weeks	112	1	1	3	4	7	9	4	13	5	7	9	43	
New Hampshire-----	Advanced to 20 weeks	85	1	1	5	2	5	7	3	9	2	3	-	47	
New Jersey-----	20 weeks or more	1,152	11	27	88	121	92	150	52	166	53	76	47	269	
New Mexico-----	After 20 weeks	212	1	2	20	21	18	28	13	27	45	11	3	23	
New York-----	All periods of gestation	12,562	46,719	901	597	467	369	447	161	457	150	211	133	1,751	
North Carolina-----	After 20 weeks	1,294	6	21	116	149	170	207	60	223	77	123	77	85	
North Dakota-----	Advanced to 20 weeks	90	1	-	9	13	8	8	4	17	5	12	3	10	
Ohio-----	20 weeks or more	1,796	8	28	131	156	159	235	71	246	92	109	73	489	
Oklahoma-----	20 weeks or more	469	2	6	31	49	41	79	15	52	29	33	29	105	
Oregon-----	All periods of gestation	619	4170	63	67	49	39	56	15	53	17	24	15	51	
Pennsylvania-----	After 16 weeks	4,363	9	1,767	970	325	235	274	189	241	356	92	25	11	
Rhode Island-----	20 weeks or more ²	226	101	17	9	13	17	15	7	15	7	4	1	22	
South Carolina-----	20 weeks or more (500 gram weight)	792	11	16	66	83	83	105	37	122	80	58	37	124	
South Dakota-----	20 weeks or more	117	3	4	7	11	9	23	5	22	10	6	8	10	
Tennessee-----	20 weeks or more	962	4	13	69	91	120	154	49	176	47	74	61	85	
Texas-----	20 weeks or more	2,632	-	-	277	375	331	344	332	267	566	69	29	22	
Utah-----	After 20 weeks	230	-	-	12	20	15	20	7	28	7	13	10	88	
Vermont-----	20 weeks or more ⁹	75	-	-	10	8	6	11	4	15	2	12	6	1	
Virginia-----	All periods of gestation	5,671	43,874	480	271	170	105	137	71	107	197	28	16	305	
Washington-----	20 weeks or more	435	1	5	24	36	43	42	80	68	16	30	22	128	
West Virginia-----	Advanced to 5th month ¹⁰	390	1	4	32	27	35	65	16	78	23	38	27	44	
Wisconsin-----	After 20 weeks	589	-	2	60	68	71	69	53	92	131	36	7	-	
Wyoming-----	After 20 weeks	54	1	3	3	7	6	5	2	9	5	7	3	3	

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.³Arkansas has had a form for confidential reporting of abortions beginning with data year 1971. The abortions reported on this form are not limited by legislation to those described as "induced." It is believed, therefore, that most spontaneous abortions occurring in this State are also reported on this form rather than on fetal death certificates. The introduction of this confidential form resulted in more complete reporting of all terminations of pregnancies.⁴For areas which report fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Total	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	4	-	-	1	3
Georgia-----	3,577	17	669	2,129	762
Hawaii-----	59	-	4	12	42
Maine-----	7	-	1	1	5
Mississippi-----	1,002	36	124	443	399
New York-----	6,719	114	1,119	3,513	1,973
Oregon-----	170	1	14	68	87
Virginia-----	3,974	23	905	2,122	924

For explanation of the deletion of Colorado from this list for 1973, see footnote 6.

⁵Further stipulated that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."⁶Although fetal deaths for all periods of gestation continue to be required for Colorado, only 11 fetal deaths under 20 weeks gestation are shown. This undercount is attributable to the fact that Colorado did not intend to forward any copies of fetal-death certificates for periods of gestation under 20 weeks to the National Center for Health Statistics for data year 1973. As a result the percentage of all fetal deaths under 20 weeks gestation decreased from 65 percent for 1972 to 2 percent for 1973.⁷A total of 2,715 deaths that should have been classified by NCHS as abortions have been erroneously included among the 5,344 fetal deaths reported for Georgia. It is believed that most of these abortions occurred before 20 weeks of gestation. The inclusion of these abortions, therefore, should not affect appreciably the data shown for fetal deaths of 20 weeks or more gestation.⁸Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."⁹Vermont changed its law as of July 1, 1973, so that only fetal deaths of 20 weeks or more gestation, or if gestational age is unknown, of 400 grams or more, or 15 ounces fetal weight or more, shall be reported. However, no reports of fetal deaths under 20 weeks gestation or under specified weights were received from Vermont for the first 6 months of 1973 by the National Center for Health Statistics.¹⁰Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-73

[Fetal deaths for 1969-73 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group]

Year	Number			Ratio		
	Total	White	All other	Total	White	All other
1973 ¹	36,309	27,433	10,876	12.2	10.8	18.6
1972 ¹	41,390	29,611	11,769	12.7	11.2	19.5
1971 ¹	47,618	34,309	13,310	13.4	11.8	21.2
1970 ¹	52,961	38,481	14,480	14.2	12.4	22.6
1969	50,749	37,091	13,658	14.1	12.4	22.5
1968	55,293	40,206	15,087	15.8	13.8	25.6
1967	54,934	39,500	15,434	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,859	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963 ²	64,640	45,485	17,075	15.8	13.7	26.7
1962 ²	66,421	47,326	17,128	15.9	13.9	26.7
1961	68,767	50,728	18,039	16.1	14.1	27.0
1960	68,480	50,894	17,586	16.1	14.1	26.8
1959	68,613	50,911	17,702	16.2	14.2	27.3
1958	69,335	51,969	17,366	16.5	14.5	27.5
1957	69,581	52,591	16,970	16.3	14.5	26.8
1956	68,639	51,885	16,754	16.5	14.6	27.2
1955	69,153	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,393	53,252	16,141	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,262	52,519	15,743	19.2	17.1	32.5
1949	70,594	54,114	16,470	19.8	17.5	34.6
1948	72,838	56,232	16,606	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	59,494	15,355	22.8	20.4	40.9
1945	65,515	51,242	14,271	23.9	21.4	42.0
1944	68,374	---	---	24.5	---	---
1943	71,875	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

¹Excludes fetal deaths among nonresidents of the United States.

²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-3. Number and Percent Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1973

[Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, and Virginia. However, Arkansas, Colorado, and Georgia are excluded from this table; see Technical Appendix]

Age of mother	Period of gestation ¹							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	20,782	12,699	5,532	2,501	100.0	100.0	100.0	100.0
Under 15 years	124	71	34	19	0.6	0.6	0.6	0.6
15-19 years	3,385	2,033	970	362	16.2	16.0	17.4	14.5
20-24 years	5,962	3,604	1,697	661	28.7	28.4	30.4	26.4
25-29 years	5,731	3,545	1,499	687	27.6	27.9	26.9	27.5
30-34 years	3,119	1,912	772	435	15.0	15.1	13.8	17.4
35-39 years	1,677	1,025	437	215	8.1	8.1	7.8	8.6
40-44 years	715	449	154	112	3.4	3.5	2.8	4.5
45-49 years	89	60	19	10	0.4	0.5	0.3	0.4

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 · FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 40 Reporting Areas, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. For list of States reporting legitimacy status, see Technical Appendix]

Age of mother and color	Number			Ratio		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
Total-----	26,427	21,041	5,386	12.6	11.6	19.5
Under 15 years-----	231	39	192	25.0	24.9	25.0
15-19 years-----	5,708	3,247	2,461	13.5	11.5	17.3
20-24 years-----	7,757	6,299	1,458	10.4	9.5	18.3
25-29 years-----	6,220	5,632	588	10.6	10.3	21.5
30-34 years-----	3,569	3,222	347	15.1	14.3	29.8
35-39 years-----	2,054	1,801	253	24.8	23.5	47.2
40 years and over-----	888	801	87	39.7	39.8	51.1
White-----	18,511	16,710	1,801	10.9	10.5	17.1
Under 15 years-----	69	28	41	20.2	21.2	19.5
15-19 years-----	3,444	2,587	857	11.7	10.7	16.0
20-24 years-----	5,439	4,988	451	9.0	8.7	14.6
25-29 years-----	4,866	4,653	213	9.7	9.5	19.0
30-34 years-----	2,663	2,537	126	13.3	13.0	27.5
35-39 years-----	1,412	1,329	83	21.2	20.6	39.7
40 years and over-----	618	588	30	35.4	35.1	42.9
All other-----	7,916	4,331	3,585	19.7	18.7	21.0
Under 15 years-----	162	11	151	27.8	44.2	27.1
15-19 years-----	2,264	660	1,604	17.5	16.3	18.1
20-24 years-----	2,318	1,311	1,007	17.0	14.9	20.6
25-29 years-----	1,354	979	375	18.3	17.0	23.2
30-34 years-----	906	685	221	25.0	23.5	31.3
35-39 years-----	642	472	170	40.1	37.1	52.0
40 years and over-----	270	213	57	55.0	54.5	56.8

¹Includes legitimacy not stated.

Table 3-5. Fetal Deaths and Fetal-Death Rates, by Plurality of Birth, Color, and Sex: United States, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Rates per 1,000 live births and fetal deaths in specified group]

Plurality of birth and color	Number				Rate ¹		
	Total	Male	Female	Sex not stated	Total	Male	Female
Total-----	30,309	19,422	17,246	1,641	12.1	12.5	11.6
Fetal deaths in single deliveries-----	35,773	18,092	16,135	1,546	11.5	11.8	11.1
Fetal deaths in twin deliveries-----	2,466	1,287	1,088	91	41.6	44.9	38.3
Fetal deaths in other plural deliveries-----	70	43	23	4	69.0	92.0	46.7
White-----	27,433	13,784	12,488	1,161	10.6	10.9	10.4
Fetal deaths in single deliveries-----	25,546	12,805	11,640	1,101	10.1	10.5	9.9
Fetal deaths in twin deliveries-----	1,824	941	827	56	39.4	41.7	37.1
Fetal deaths in other plural deliveries-----	63	39	21	4	78.0	105.3	53.5
All other-----	10,876	5,639	4,758	480	18.2	19.5	17.0
Fetal deaths in single deliveries-----	10,227	5,287	4,495	445	17.5	18.6	16.4
Fetal deaths in twin deliveries-----	642	346	261	35	49.5	56.7	42.4
Fetal deaths in other plural deliveries-----	7	5	2	-	34.0	48.5	19.4

¹Figures for sex not stated are distributed.

SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1973

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color		Fetal deaths					Fetal-death ratios
		Total	Period of gestation ¹				
			20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
United States-----		38,309	4,834	4,273	23,476	5,726	12.2
	White-----	27,433	3,126	2,865	17,392	4,030	10.8
	All other-----	10,876	1,708	1,388	6,084	1,696	18.6
Urban places-----		21,444	2,873	2,509	12,984	3,078	12.5
	White-----	15,872	1,564	1,489	8,831	1,988	10.7
	All other-----	7,572	1,309	1,020	4,153	1,090	18.1
Balance of area-----		16,865	1,961	1,764	10,492	2,649	11.8
	White-----	13,561	1,562	1,396	8,561	2,042	10.8
	All other-----	3,304	399	368	1,931	606	19.8
Metropolitan counties-----		25,424	3,476	2,962	15,386	3,600	12.1
	White-----	17,749	2,119	1,931	11,234	2,465	10.6
	All other-----	7,675	1,357	1,031	4,152	1,135	17.8
Urban places-----		18,561	2,559	2,189	11,213	2,600	12.6
	White-----	11,753	1,348	1,267	7,500	1,638	10.7
	All other-----	6,808	1,211	922	3,713	962	18.0
Balance of area-----		6,863	917	773	4,173	1,000	10.8
	White-----	5,996	771	664	3,734	827	10.3
	All other-----	867	146	109	439	173	16.8
Nonmetropolitan counties-----		12,885	1,358	1,311	6,090	2,126	12.6
	White-----	9,684	1,007	954	6,159	1,565	11.1
	All other-----	3,201	351	357	1,932	561	20.6
Urban places-----		2,983	314	320	1,771	478	12.3
	White-----	2,119	216	222	1,331	350	10.9
	All other-----	764	98	98	440	128	19.1
Balance of area-----		10,002	1,044	991	6,319	1,640	12.6
	White-----	7,565	791	732	4,027	1,215	11.2
	All other-----	2,437	253	259	1,492	435	21.1
New England-----		1,540	117	130	803	490	9.9
	White-----	1,385	104	113	737	431	9.5
	All other-----	155	13	17	66	59	14.3
Metropolitan counties-----		1,177	79	100	582	416	10.3
	White-----	1,039	68	86	523	362	10.0
	All other-----	138	11	14	59	54	14.1
Nonmetropolitan counties-----		363	39	30	221	74	8.6
	White-----	346	36	27	214	69	8.5
	All other-----	17	2	3	7	5	16.3
Middle Atlantic-----		6,865	1,536	916	3,943	470	14.1
	White-----	4,997	966	645	3,069	327	12.5
	All other-----	1,868	570	271	884	143	21.1
Metropolitan counties-----		5,775	1,344	766	3,288	377	14.6
	White-----	3,990	783	510	2,451	246	12.8
	All other-----	1,785	561	256	837	131	21.2
Nonmetropolitan counties-----		1,090	192	150	655	93	11.8
	White-----	1,007	183	136	608	81	11.4
	All other-----	83	9	15	47	12	18.9
East North Central-----		7,038	590	675	4,394	1,379	11.4
	White-----	5,247	392	448	3,320	1,087	10.2
	All other-----	1,791	198	227	1,074	292	17.6
Metropolitan counties-----		5,237	475	525	3,510	927	11.5
	White-----	3,546	281	307	2,291	667	9.9
	All other-----	1,691	194	218	1,019	260	17.5
Nonmetropolitan counties-----		1,801	115	150	1,084	452	10.9
	White-----	1,701	111	141	1,029	420	10.7
	All other-----	100	4	9	55	32	18.4
West North Central-----		2,428	214	245	1,809	360	10.2
	White-----	2,082	189	200	1,390	303	9.7
	All other-----	346	25	45	219	57	16.2
Metropolitan counties-----		1,209	109	137	779	184	10.2
	White-----	948	87	99	616	146	9.3
	All other-----	261	22	38	163	39	16.3
Nonmetropolitan counties-----		1,219	105	108	830	176	10.2
	White-----	1,134	102	101	774	157	10.0
	All other-----	85	3	7	56	19	16.1
South Atlantic-----		7,077	918	786	4,189	1,184	14.2
	White-----	4,113	495	424	2,551	643	11.6
	All other-----	2,964	423	362	1,638	541	20.2
Metropolitan counties-----		5,770	530	422	3,092	726	13.6
	White-----	2,161	283	225	1,245	408	11.2
	All other-----	1,609	247	197	847	318	19.3
Nonmetropolitan counties-----		5,307	388	364	2,097	458	14.8
	White-----	1,952	212	199	1,306	235	12.2
	All other-----	1,355	176	165	791	223	21.4

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-6. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Non-metropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1973-Con.

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios	
	Total	Period of gestation ¹					
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated		
East South Central-----	3,433	411	376	2,141	505	15.4	
	White-----	2,021	216	205	1,282	318	12.6
	All other-----	1,412	195	171	859	187	23.0
Metropolitan counties-----	1,230	175	166	742	147	13.7	
	White-----	702	84	86	432	100	11.2
	All other-----	528	91	80	310	47	19.1
Nonmetropolitan counties-----	2,203	236	210	1,399	358	16.7	
	White-----	1,319	132	119	850	218	13.4
	All other-----	884	104	91	549	140	26.1
West South Central-----	4,271	394	530	2,815	532	12.2	
	White-----	2,939	275	352	2,057	255	10.7
	All other-----	1,332	119	178	758	277	17.6
Metropolitan counties-----	2,759	269	368	1,810	312	11.9	
	White-----	1,893	180	237	1,347	129	10.4
	All other-----	866	89	131	463	183	17.4
Nonmetropolitan counties-----	1,512	125	162	1,005	220	12.7	
	White-----	1,046	95	115	710	126	11.2
	All other-----	466	30	47	295	94	18.0
Mountain-----	1,683	216	179	984	304	10.1	
	White-----	1,464	189	156	841	278	9.8
	All other-----	219	27	23	143	26	13.8
Metropolitan counties-----	955	130	113	572	140	10.1	
	White-----	865	113	100	515	135	9.9
	All other-----	92	17	13	57	5	13.3
Nonmetropolitan counties-----	728	86	66	412	164	10.2	
	White-----	601	76	56	326	143	9.6
	All other-----	127	10	10	86	21	14.1
Pacific-----	3,974	438	436	2,598	502	10.0	
	White-----	3,185	300	342	2,155	388	9.5
	All other-----	789	138	94	443	114	12.4
Metropolitan counties-----	3,312	365	365	2,211	371	9.9	
	White-----	2,607	240	281	1,814	272	9.3
	All other-----	705	125	84	397	99	12.6
Nonmetropolitan counties-----	662	73	71	387	131	10.5	
	White-----	578	60	61	341	116	10.4
	All other-----	84	13	10	46	15	11.4

¹ Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-7. Fetal-Death Ratios by Color: United States, Each Division and State, 1969-73

[Fetal deaths for 1969-73 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1973 ¹			1972 ¹			1971 ¹			1970 ¹			1969		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	12.2	10.8	18.6	12.7	11.2	19.5	13.4	11.8	21.2	14.2	12.4	22.6	14.1	12.4	22.5
Geographic divisions:															
New England:															
New England-----	9.9	9.5	14.5	10.0	9.7	14.6	11.8	11.4	17.1	12.2	11.8	17.9	11.6	11.1	18.1
Middle Atlantic:															
Middle Atlantic-----	14.1	12.5	21.1	14.0	12.4	21.5	15.1	12.2	25.4	18.3	15.1	33.9	17.2	15.2	27.9
East North Central:															
East North Central-----	11.4	10.2	17.6	12.1	10.7	19.3	12.9	11.8	19.0	15.0	11.8	20.2	15.0	11.7	20.9
West North Central:															
West North Central-----	10.2	9.7	16.2	10.9	10.3	16.7	11.6	11.1	16.8	11.7	11.1	16.3	11.8	11.3	16.8
South Atlantic:															
South Atlantic-----	14.2	11.6	20.2	14.7	12.2	20.7	15.2	12.7	21.5	15.7	13.3	21.7	15.5	12.8	22.5
East South Central:															
East South Central-----	15.4	12.6	25.0	15.8	12.9	25.4	16.3	13.4	25.9	16.0	13.4	26.0	16.8	13.1	27.0
West South Central:															
West South Central-----	12.2	10.7	17.6	12.6	10.9	18.8	13.1	11.5	19.2	13.4	11.8	19.6	13.7	11.6	22.3
Mountain:															
Mountain-----	10.1	9.8	15.8	12.0	11.5	17.3	12.0	11.5	16.3	12.3	12.0	15.8	13.3	12.8	18.8
Pacific:															
Pacific-----	10.0	9.5	12.4	10.4	9.8	13.7	10.9	10.2	15.3	11.3	10.6	15.0	11.7	11.0	15.6
New England:															
Maine-----	7.3	7.3	*4.5	6.8	6.9	-	8.8	8.7	*13.2	9.0	8.9	*16.7	6.9	6.7	*14.4
New Hampshire-----	7.4	7.4	*9.4	9.9	9.9	*7.5	9.7	9.8	*7.1	11.4	11.8	-	12.4	12.6	-
Vermont-----	11.7	11.6	*21.3	11.4	11.5	-	15.3	14.9	*105.3	14.1	14.2	-	18.8	18.8	*27.8
Massachusetts-----	10.5	10.2	14.9	10.1	9.9	12.9	12.2	11.9	16.2	12.5	12.0	20.2	11.4	10.8	20.7
Rhode Island-----	8.9	8.2	*17.3	9.7	8.9	*21.2	11.5	11.4	*14.0	12.9	12.6	*17.8	12.8	12.2	*25.3
Connecticut-----	10.5	10.1	13.7	11.0	10.2	16.4	12.3	11.6	18.4	12.4	11.9	16.5	11.8	11.4	15.4
Middle Atlantic:															
New York-----	15.2	12.3	16.8	13.8	12.4	19.3	14.2	10.3	30.4	20.1	15.8	38.3	19.2	16.9	29.8
New Jersey-----	12.1	11.0	16.6	12.1	10.8	17.2	14.8	12.7	25.6	15.4	13.6	25.4	13.2	11.5	21.2
Pennsylvania-----	16.6	13.7	35.7	15.4	13.1	30.8	16.9	14.5	32.3	17.2	14.9	32.8	16.5	14.7	29.3
East North Central:															
Ohio-----	11.0	10.1	16.8	11.9	10.9	18.3	12.5	11.8	16.9	13.0	12.1	19.4	12.6	11.5	20.5
Indiana-----	11.0	9.8	21.1	12.2	11.2	20.5	12.8	11.8	21.9	13.0	12.1	21.7	13.0	12.0	22.4
Illinois-----	12.5	10.6	18.7	13.0	10.9	19.8	14.3	12.4	20.9	14.1	12.4	20.8	13.6	11.9	20.5
Michigan-----	11.6	10.5	18.2	12.0	10.3	19.2	12.6	11.5	17.8	12.4	11.1	19.1	13.2	11.6	21.8
Wisconsin-----	9.4	9.1	13.0	10.2	9.5	18.6	11.1	10.9	14.8	11.1	10.4	22.0	11.7	11.3	18.1
West North Central:															
Minnesota-----	9.1	9.0	10.6	9.5	9.3	13.0	10.3	10.1	16.3	10.8	10.6	17.1	10.8	10.6	18.0
Iowa-----	9.6	9.4	*15.5	10.4	10.3	*12.1	11.3	11.3	*12.4	10.4	10.4	*11.0	10.5	10.2	20.5
Missouri-----	11.3	10.1	17.0	11.6	10.4	17.3	12.6	11.7	16.7	13.5	12.1	19.3	13.0	11.9	19.2
North Dakota-----	8.8	8.1	*18.2	10.5	10.3	*12.8	12.4	12.7	*6.6	12.2	12.2	*12.9	14.0	13.8	*16.8
South Dakota-----	10.7	9.6	17.4	13.6	12.8	19.5	12.4	11.4	19.8	13.4	12.1	23.8	10.8	10.1	16.4
Nebraska-----	10.3	9.9	18.5	10.7	10.6	*13.1	11.9	11.3	21.3	10.9	10.4	19.7	11.9	11.7	15.3
Kansas-----	11.2	10.6	17.5	11.8	11.0	19.9	11.4	10.8	17.6	11.4	11.0	15.7	12.7	12.1	20.2
South Atlantic:															
Delaware-----	10.3	8.7	16.2	10.4	9.0	15.8	14.8	12.3	24.2	13.5	12.9	15.8	12.7	10.5	20.8
Maryland-----	11.6	10.0	16.0	12.4	10.6	17.6	13.8	11.9	19.5	15.0	11.4	18.0	13.4	11.7	18.8
District of Columbia-----	18.2	22.7	17.5	16.7	15.8	16.9	19.0	17.2	19.3	17.3	12.7	18.0	21.0	15.9	21.8
Virginia-----	15.6	12.9	24.3	17.5	14.7	26.6	16.6	14.7	25.0	17.7	15.1	26.9	16.9	14.2	26.5
West Virginia-----	13.8	13.7	*16.3	14.8	14.4	22.0	13.9	13.6	20.9	15.9	15.4	26.2	15.1	14.9	17.8
North Carolina-----	14.9	12.3	20.6	14.6	12.3	19.8	15.4	12.4	22.5	16.0	13.3	22.5	18.4	13.1	24.5
South Carolina-----	16.0	11.8	22.4	16.0	11.7	22.8	15.3	11.7	21.3	15.4	12.7	20.1	16.3	11.7	24.0
Georgia-----	14.1	10.9	20.3	14.1	11.2	19.5	15.7	12.1	23.2	15.9	13.1	21.9	15.4	12.8	20.9
Florida-----	13.0	10.9	19.1	13.8	11.4	20.9	14.3	12.5	19.7	15.2	12.9	22.4	14.2	11.9	21.1
East South Central:															
Kentucky-----	12.8	12.0	20.7	12.5	11.9	17.6	13.3	12.8	18.4	13.4	12.9	18.9	12.0	11.8	14.2
Tennessee-----	13.8	12.6	18.2	13.7	12.2	18.8	14.4	12.9	20.1	15.4	13.6	22.2	15.6	12.8	28.0
Alabama-----	15.7	11.9	22.8	16.7	13.0	23.7	16.3	12.9	22.8	16.5	12.7	24.2	17.3	13.2	25.5
Mississippi-----	20.7	14.8	28.9	21.5	16.0	27.3	22.2	16.1	28.7	25.2	15.3	31.9	24.0	16.2	32.0
West South Central:															
Arkansas-----	12.2	9.9	18.8	12.5	10.0	20.1	13.9	11.7	20.3	14.6	11.7	23.2	14.2	11.2	22.9
Louisiana-----	12.5	9.1	17.7	13.1	9.2	19.3	14.1	10.5	20.0	13.2	9.5	19.2	14.9	9.9	23.2
Oklahoma-----	11.9	11.3	14.4	11.5	10.6	15.6	12.1	11.0	17.3	11.7	11.1	14.7	11.8	10.5	19.4
Texas-----	12.1	11.0	17.8	12.6	11.4	16.8	12.9	11.8	16.8	13.6	12.5	20.0	13.7	12.3	21.9
Mountain:															
Montana-----	9.5	8.2	18.4	11.2	10.3	19.4	10.4	10.2	*12.0	11.1	10.5	*18.8	11.5	11.5	*11.1
Idaho-----	9.3	8.7	*32.3	11.3	11.1	*16.0	10.3	10.3	*19.7	10.1	10.1	*8.7	10.1	9.8	*21.3
Wyoming-----	9.4	9.5	*8.5	10.8	10.4	*20.1	11.8	10.4	*44.4	12.6	12.6	*13.8	16.2	14.9	*39.7
Colorado-----	12.2	12.1	14.3	15.8	15.2	25.2	15.6	15.5	18.0	16.3	15.4	31.2	18.7	17.8	34.8
New Mexico-----	10.2	9.5	13.9	12.3	11.1	19.1	11.9	10.9	18.0	11.6	11.2	13.9	13.4	12.9	16.5
Arizona-----	9.7	9.4	11.6	10.7	10.3	12.7	11.0	10.3	14.7	10.4	10.4	10.8	12.0	11.3	15.9
Utah-----	7.8	7.7	*10.9	9.8	9.6	*11.0	9.6	8.7	*9.2	11.1	11.0	*13.7	9.8	9.7	*12.0
Nevada-----	13.3	12.6	16.4	11.5	9.7	21.6	11.6	10.4	18.4	12.8	12.2	17.2	10.2	9.6	*13.7
Pacific:															
Washington-----	9.1	9.0	9.3	8.7	8.4	12.9	10.3	9.8	16.7	10.5	10.1	16.3	10.8	10.6	13.5
Oregon-----	10.7	10.7	*12.2	13.3	13.1	15.6	12.0	12.0	*13.2	12.8	12.6	17.1	13.5	13.3	17.2
California-----	9.7	9.3	12.2	10.0	9.6	12.4	10.6	9.8	14.7	10.9	10.5	14.6	11.4	10.8	15.6
Alaska-----	9.2	9.8	*8.1	8.7	6.2	14.9	8.2	7.9	*9.1	11.7	12.1	10.5	9.6	7.6	16.7
Hawaii-----	16.1	17.9	15.3	19.4	21.6	18.5	19.6	22.4	18.4	18.1	22.3	16.4	16.2	17.1	15.9

¹Excludes fetal deaths among nonresidents of the United States.

²This State requires reporting of all fetal deaths regardless of period of gestation.

³Copies of certificates for fetal deaths under 20 weeks gestation for 1973 were not forwarded by Colorado to the National Center for Health Statistics.

3-9.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident. Data by place of residence exclude deaths occurring in the United States to nonresidents; however, data by place of occurrence include deaths to nonresidents.]

[illegible]

SECTION 3 - FETAL MORTALITY

Table 3-8. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1973-Con.

[See headnote at beginning of table]

State of occurrence	Fetal deaths of interstate nonresidents by State of residence—Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Mo.	Mass.	Mich.	Minn.	Miss.	Md.	Mont.	Nebr.	Nev.	N.H.	N.J.	New Mex.	
United States-----	47	37	21	26	24	12	7	94	10	26	16	35	29	4	8	8	15	63	12	
Alabama-----	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arizona-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
Arkansas-----	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	
California-----	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	
Colorado-----	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	
Connecticut-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Delaware-----	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	
District of Columbia-----	-	-	-	-	-	-	-	78	-	-	-	-	-	-	-	-	-	-	-	
Florida-----	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	3	-	
Georgia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Idaho-----	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	
Illinois-----	15	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
Indiana-----	5	-	-	1	4	-	-	-	-	8	-	-	1	-	-	-	-	-	-	
Iowa-----	12	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	-	-	-	
Kansas-----	-	-	-	-	-	-	-	-	-	-	-	-	18	-	2	-	-	-	-	
Kentucky-----	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Louisiana-----	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	
Maine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Maryland-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Massachusetts-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	12	1	-	
Michigan-----	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Minnesota-----	-	-	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
Mississippi-----	1	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Missouri-----	22	-	1	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Montana-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nebraska-----	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Hampshire-----	-	-	-	-	-	-	5	-	-	2	-	-	-	-	-	-	-	-	-	
New Jersey-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New York-----	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	15	-	
North Carolina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Dakota-----	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	
Ohio-----	-	8	-	-	9	-	-	-	-	8	-	-	-	-	-	-	-	-	-	
Oklahoma-----	-	-	-	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pennsylvania-----	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	41	-	
Rhode Island-----	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	
South Carolina-----	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
South Dakota-----	-	-	1	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	
Tennessee-----	-	1	-	-	5	-	-	-	-	-	-	19	-	-	-	-	-	-	-	
Texas-----	-	-	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-	6	
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	
Vermont-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Virginia-----	-	-	-	-	-	-	-	6	-	1	-	-	-	-	-	1	-	1	-	
Washington-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
West Virginia-----	-	-	-	-	5	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Wisconsin-----	-	-	2	-	-	-	-	-	-	5	7	-	-	-	-	-	-	-	-	
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

3-11

[See headnote at beginning of table]

State of occurrence	Fetal deaths of interstate nonresidents by State of residence--Con.																				Non-residents of United States
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.		
United States-----	30	33	3	57	31	6	33	10	34	11	23	20	4	9	46	14	32	18	7	97	
Alabama-----	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	10	
Arizona-----	-	-	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Arkansas-----	-	-	-	1	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	2	
California-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Colorado-----	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	
Connecticut-----	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Delaware-----	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
District of Columbia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	
Florida-----	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	5	
Georgia-----	2	3	-	-	-	-	-	-	19	-	2	1	-	-	-	-	-	-	-	-	
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	
Idaho-----	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	
Illinois-----	-	-	-	9	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	
Indiana-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Iowa-----	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Kansas-----	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kentucky-----	-	2	-	3	-	-	-	-	-	-	8	-	-	-	2	-	2	-	-	-	
Louisiana-----	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Maine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Maryland-----	1	-	-	1	-	-	3	-	-	-	-	-	-	-	7	-	10	-	-	-	
Massachusetts-----	1	-	-	-	-	-	1	10	-	-	-	-	-	3	-	-	-	-	-	-	
Michigan-----	1	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	2	1	1	
Minnesota-----	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	12	-	-	
Mississippi-----	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
Missouri-----	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Montana-----	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Nebraska-----	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Hampshire-----	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	
New Jersey-----	9	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	
New York-----	1	...	1	1	1	-	10	-	-	1	-	-	-	-	-	1	-	-	-	1	
North Carolina-----	1	-	-	-	-	-	-	-	-	9	-	4	-	-	5	-	-	-	-	-	
North Dakota-----	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	
Ohio-----	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	7	-	-	1	
Oklahoma-----	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	
Pennsylvania-----	6	-	-	15	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	1	
Rhode Island-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Carolina-----	-	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
South Dakota-----	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tennessee-----	-	3	-	1	-	-	-	-	1	-	-	-	-	-	10	-	-	-	-	-	
Texas-----	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75	
Utah-----	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	1	
Vermont-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Virginia-----	-	16	-	1	-	-	2	-	2	-	2	-	-	-	-	-	11	-	-	-	
Washington-----	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Virginia-----	-	-	-	20	-	-	5	-	-	-	-	-	-	-	4	-	-	-	-	-	
Wisconsin-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
UNITED STATES-----	38,309	3,276	2,909	3,141	3,115	3,195	3,229	3,455	3,407	3,325	3,230	3,072	2,955
WHITE-----	27,433	2,377	2,120	2,248	2,278	2,257	2,282	2,445	2,389	2,370	2,321	2,182	2,164
ALL OTHER--	10,876	899	789	893	837	938	947	1,010	1,018	955	909	890	791
ALABAMA-----	934	78	69	85	64	77	78	77	97	80	76	81	72
WHITE-----	462	32	37	41	33	42	41	38	46	43	31	40	38
ALL OTHER--	472	46	32	44	31	35	37	39	51	37	45	41	34
ALASKA-----	61	5	6	5	2	7	5	2	7	4	6	5	7
WHITE-----	44	5	5	5	1	5	2	-	4	4	5	2	6
ALL OTHER--	17	-	1	-	1	2	3	2	3	-	1	3	1
ARIZONA-----	368	38	24	28	30	28	36	37	28	39	30	30	20
WHITE-----	298	29	21	25	26	22	29	25	19	32	26	26	18
ALL OTHER--	70	9	3	3	4	6	7	12	9	7	4	4	2
ARKANSAS-----	409	38	37	33	27	38	31	33	39	29	41	28	35
WHITE-----	247	30	22	21	15	23	21	20	20	18	24	16	17
ALL OTHER--	162	8	15	12	12	15	10	13	19	11	17	12	18
CALIFORNIA-----	2,904	233	219	256	236	232	231	273	281	242	235	246	220
WHITE-----	2,358	182	181	210	197	189	187	228	214	198	201	190	181
ALL OTHER--	546	51	38	46	39	43	44	45	67	44	34	56	39
COLORADO-----	472	47	56	39	45	41	34	33	43	27	37	35	35
WHITE-----	438	41	53	34	43	39	34	32	37	26	36	29	34
ALL OTHER--	34	6	3	5	2	2	-	1	6	1	1	6	1
CONNECTICUT-----	395	33	30	33	38	31	22	51	32	24	33	38	30
WHITE-----	334	26	27	29	34	24	16	43	27	21	26	35	26
ALL OTHER--	61	7	3	4	4	7	6	8	5	3	7	3	4
DELAWARE-----	85	7	3	9	10	4	6	3	10	2	11	13	7
WHITE-----	56	6	2	5	6	2	5	2	5	2	7	10	4
ALL OTHER--	29	1	1	4	4	2	1	1	5	-	4	3	3
DISTRICT OF COLUMBIA-----	197	18	9	19	20	13	17	18	10	16	17	17	23
WHITE-----	32	-	-	3	5	2	3	3	-	3	4	2	7
ALL OTHER--	165	18	9	16	15	11	14	15	10	13	13	15	16
FLORIDA-----	1,406	108	100	102	106	95	121	142	121	141	144	113	113
WHITE-----	866	70	67	65	70	60	73	80	72	83	84	65	77
ALL OTHER--	540	38	33	37	36	35	48	62	49	58	60	48	36
GEORGIA-----	1,205	113	98	86	93	92	95	101	109	110	116	104	88
WHITE-----	608	57	50	49	50	48	49	51	51	60	60	44	39
ALL OTHER--	597	56	48	37	43	44	46	50	58	50	56	60	49
HAWAII-----	247	19	16	28	13	22	14	22	19	24	22	25	23
WHITE-----	77	4	5	13	3	6	6	6	9	2	8	7	8
ALL OTHER--	170	15	11	15	10	16	8	16	10	22	14	18	15

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
IDAHO-----	135	13	13	14	7	11	16	12	9	15	10	9	6
WHITE-----	123	13	11	14	5	10	13	12	9	14	10	7	5
ALL OTHER--	12	-	2	-	2	1	3	-	-	1	-	2	1
ILLINOIS-----	2,109	165	156	188	171	186	170	180	213	193	183	164	140
WHITE-----	1,366	110	104	112	99	120	103	121	142	126	132	109	88
ALL OTHER--	743	55	52	76	72	66	67	59	71	67	51	55	52
INDIANA-----	922	89	65	66	61	71	88	98	82	78	64	92	68
WHITE-----	734	69	56	51	51	60	65	73	67	58	53	81	50
ALL OTHER--	188	20	9	15	10	11	23	25	15	20	11	11	18
IOWA-----	373	15	20	40	37	27	38	43	30	29	34	22	38
WHITE-----	357	14	20	39	36	25	36	42	27	29	33	22	34
ALL OTHER--	16	1	-	1	1	2	2	1	3	-	1	-	4
KANSAS-----	359	25	26	29	25	33	26	43	30	43	26	25	28
WHITE-----	310	20	25	24	22	30	20	38	25	39	24	20	23
ALL OTHER--	49	5	1	5	3	3	6	5	5	4	2	5	5
KENTUCKY-----	685	69	49	56	54	73	64	58	65	47	53	46	51
WHITE-----	582	55	38	51	48	54	55	47	56	40	50	41	47
ALL OTHER--	103	14	11	5	6	19	9	11	9	7	3	5	4
LOUISIANA-----	832	68	77	51	44	75	64	61	81	102	70	70	69
WHITE-----	366	29	47	16	24	25	25	22	32	49	32	33	32
ALL OTHER--	466	39	30	35	20	50	39	39	49	53	38	37	37
MAINE-----	114	11	10	10	11	11	5	2	14	7	18	3	12
WHITE-----	113	11	10	10	10	11	5	2	14	7	18	3	12
ALL OTHER--	1	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND-----	624	52	49	51	52	50	41	53	54	53	57	61	51
WHITE-----	397	36	32	37	36	29	26	35	33	32	28	42	31
ALL OTHER--	227	16	17	14	16	21	15	18	21	21	29	19	20
MASSACHUSETTS-----	757	52	63	70	82	65	68	60	64	51	53	69	60
WHITE-----	681	47	51	57	76	52	67	56	59	48	49	59	60
ALL OTHER--	76	5	12	13	6	13	1	4	5	3	4	10	-
MICHIGAN-----	1,637	144	127	126	156	128	142	157	137	140	120	122	138
WHITE-----	1,201	102	96	96	131	87	85	124	105	96	89	91	99
ALL OTHER--	436	42	31	30	25	41	57	33	32	44	31	31	39
MINNESOTA-----	487	40	38	24	36	37	46	48	52	48	43	46	29
WHITE-----	465	38	36	23	33	34	45	42	51	46	42	46	29
ALL OTHER--	22	2	2	1	3	3	1	6	1	2	1	-	-
MISSISSIPPI-----	921	73	81	72	81	95	82	76	68	73	99	65	56
WHITE-----	345	33	28	35	31	39	25	24	20	32	32	26	20
ALL OTHER--	576	40	53	37	50	56	57	52	48	41	67	39	36

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Month and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
MISSOURI-----	775	71	50	58	51	69	78	69	82	67	49	60	71
WHITE-----	578	57	36	46	34	57	60	45	59	54	36	39	55
ALL OTHER--	197	14	14	12	17	12	18	24	23	13	13	21	16
MONTANA-----	106	9	8	10	10	6	13	10	5	6	8	16	5
WHITE-----	84	7	6	7	8	6	10	9	4	5	5	14	3
ALL OTHER--	22	2	2	3	2	-	3	1	1	1	3	2	2
NEBRASKA-----	235	20	23	24	15	19	19	17	16	23	17	20	22
WHITE-----	211	15	21	21	14	19	17	17	15	19	15	16	22
ALL OTHER--	24	5	2	3	1	-	2	-	1	4	2	4	-
NEVADA-----	114	11	7	10	10	11	13	9	10	11	9	8	5
WHITE-----	91	9	6	8	8	10	8	8	8	7	8	7	4
ALL OTHER--	23	2	1	2	2	1	5	1	2	4	1	1	1
NEW HAMPSHIRE-----	86	7	7	4	12	6	6	8	7	11	9	4	5
WHITE-----	85	7	7	4	12	5	6	8	7	11	9	4	5
ALL OTHER--	1	-	-	-	-	1	-	-	-	-	-	-	-
NEW JERSEY-----	1,161	102	105	93	75	109	99	113	96	98	92	92	87
WHITE-----	839	72	64	73	53	72	73	72	70	77	74	71	68
ALL OTHER--	322	30	41	20	22	37	26	41	26	21	18	21	19
NEW MEXICO-----	213	29	17	17	23	14	15	23	14	19	17	12	13
WHITE-----	166	25	14	10	18	10	12	17	8	16	17	7	12
ALL OTHER--	47	4	3	7	5	4	3	6	6	3	-	5	1
NEW YORK-----	3,163	285	247	277	248	277	291	255	279	266	251	245	242
WHITE-----	2,341	228	191	196	185	190	225	179	208	198	173	178	190
ALL OTHER--	822	57	56	81	63	87	66	76	71	68	78	67	52
NORTH CAROLINA-----	1,277	108	93	93	82	107	111	120	103	128	118	101	113
WHITE-----	724	66	52	54	46	64	63	64	59	67	71	63	55
ALL OTHER--	553	42	41	39	36	43	48	56	44	61	47	38	58
NORTH DAKOTA-----	85	6	8	5	9	9	12	1	10	7	6	3	9
WHITE-----	73	6	6	5	6	9	11	1	9	6	4	1	9
ALL OTHER--	12	-	2	-	3	-	1	-	1	1	2	2	-
OHIO-----	1,778	160	112	127	137	159	170	158	159	140	154	148	154
WHITE-----	1,414	132	87	97	108	125	140	124	123	109	125	115	129
ALL OTHER--	364	28	25	30	29	34	30	34	36	31	29	33	25
OKLAHOMA-----	484	40	21	31	43	29	33	49	42	48	56	44	48
WHITE-----	380	32	16	22	28	26	23	40	31	40	47	34	41
ALL OTHER--	104	8	5	9	15	3	10	9	11	8	9	10	7
OREGON-----	331	30	32	46	38	24	25	22	28	23	24	22	17
WHITE-----	313	30	30	43	35	21	25	20	25	23	24	21	16
ALL OTHER--	18	-	2	3	3	3	-	2	3	-	-	1	1

3-15

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
PENNSYLVANIA-----	2,541	212	187	224	205	210	213	218	220	210	224	228	190
WHITE-----	1,817	142	138	155	139	159	149	167	161	157	153	161	136
ALL OTHER--	724	70	49	69	66	51	64	51	59	53	71	67	54
RHODE ISLAND-----	109	11	13	5	10	5	9	4	6	11	4	25	6
WHITE-----	94	10	12	4	6	2	8	4	6	11	3	22	6
ALL OTHER--	15	1	1	1	4	3	1	-	-	-	1	3	-
SOUTH CAROLINA-----	783	70	58	60	65	65	61	75	81	65	59	55	69
WHITE-----	352	36	25	28	31	29	26	41	35	30	26	17	28
ALL OTHER--	431	34	33	32	34	36	35	34	46	35	33	38	41
SOUTH DAKOTA-----	114	14	6	9	10	8	13	9	3	13	9	13	7
WHITE-----	88	9	5	6	8	8	7	7	3	10	7	12	6
ALL OTHER--	26	5	1	3	2	-	6	2	-	3	2	1	1
TENNESSEE-----	893	84	64	83	69	78	82	83	79	79	77	55	60
WHITE-----	632	66	43	62	48	53	62	55	56	46	55	44	42
ALL OTHER--	261	18	21	21	21	25	20	28	23	33	22	11	18
TEXAS-----	2,546	221	193	203	212	202	216	255	222	226	231	166	199
WHITE-----	1,946	185	153	147	165	153	160	183	154	168	187	126	165
ALL OTHER--	600	36	40	56	47	49	56	72	68	58	44	40	34
UTAH-----	218	22	14	16	27	21	12	14	15	25	14	22	16
WHITE-----	209	21	14	13	26	21	12	14	13	25	14	20	16
ALL OTHER--	9	1	-	3	1	-	-	-	2	-	-	2	-
VERMONT-----	79	9	6	10	11	2	3	14	4	3	5	7	5
WHITE-----	78	9	6	10	11	2	2	14	4	3	5	7	5
ALL OTHER--	1	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA-----	1,119	91	84	95	112	83	88	126	91	89	87	91	82
WHITE-----	716	55	59	54	72	52	54	81	58	53	58	58	62
ALL OTHER--	403	36	25	41	40	31	34	45	33	36	29	33	20
WASHINGTON-----	431	31	38	38	42	28	37	31	42	41	34	34	35
WHITE-----	393	26	35	37	39	24	32	28	40	36	32	31	33
ALL OTHER--	38	5	3	1	3	4	5	3	2	5	2	3	2
WEST VIRGINIA-----	381	33	23	42	30	48	25	37	35	34	30	22	22
WHITE-----	362	32	23	41	28	46	23	35	32	32	28	20	22
ALL OTHER--	19	1	-	1	2	2	2	2	3	2	2	2	-
WISCONSIN-----	592	44	48	37	57	61	43	43	60	58	46	46	49
WHITE-----	532	38	44	36	54	53	36	37	54	52	40	44	44
ALL OTHER--	60	6	4	1	3	8	7	6	6	6	6	2	5
WYOMING-----	57	3	4	4	11	3	2	9	3	7	2	4	5
WHITE-----	55	3	3	4	11	3	2	9	3	7	1	4	5
ALL OTHER--	2	-	1	-	-	-	-	-	-	-	1	-	-

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	38,309	13,864	7,859	4,938	2,997	1,924	1,182	836	1,660	3,043
Under 15 years	287	260	13	1	-	-	-	-	-	23
15-19 years	7,791	5,398	1,306	303	76	12	6	5	1	686
20-24 years	11,282	4,810	3,077	1,485	589	247	79	51	14	952
25-29 years	9,376	2,348	2,338	1,768	1,039	590	279	157	159	721
30-34 years	5,314	735	805	945	762	591	396	253	437	361
35-39 years	2,991	229	251	341	408	344	310	267	243	198
40-44 years	1,136	79	67	91	110	120	103	107	83	76
45-49 years	122	5	4	7	15	20	9	8	44	12
Male	19,422	7,097	3,932	2,497	1,498	972	605	418	885	1,518
Under 15 years	155	136	7	-	-	-	-	-	-	12
15-19 years	4,038	2,798	674	158	37	6	1	-	1	362
20-24 years	5,669	2,429	1,521	779	293	116	45	18	6	462
25-29 years	4,634	1,184	1,143	869	505	299	136	86	73	360
30-34 years	2,734	400	415	468	399	292	204	132	235	191
35-39 years	1,540	120	133	170	199	163	129	129	146	91
40-44 years	600	48	39	48	60	69	57	41	203	36
45-49 years	52	2	3	4	5	7	3	3	21	4
Female	17,246	6,303	3,557	2,210	1,349	856	524	372	725	1,350
Under 15 years	129	113	6	1	-	-	-	-	-	9
15-19 years	3,441	2,412	585	132	37	6	4	3	-	262
20-24 years	5,128	2,219	1,423	636	264	116	30	11	7	423
25-29 years	4,306	1,108	1,069	809	479	269	126	64	60	322
30-34 years	2,340	315	355	432	319	264	176	119	190	170
35-39 years	1,345	103	112	161	196	140	129	116	279	99
40-44 years	492	51	26	37	46	49	44	55	167	37
45-49 years	64	2	1	2	8	12	5	4	22	8
Sex not stated	1,641	464	370	231	150	96	53	46	50	181
Under 15 years	13	11	-	-	-	-	-	-	-	2
15-19 years	312	168	67	12	2	-	1	-	-	42
20-24 years	464	162	133	69	32	15	4	2	1	67
25-29 years	436	76	128	88	55	22	17	8	5	39
30-34 years	240	20	35	46	44	35	16	12	12	20
35-39 years	106	6	6	10	13	21	12	12	18	8
40-44 years	44	-	3	6	4	2	2	11	13	3
45-49 years	6	1	-	1	-	1	1	1	1	-
White	27,433	10,079	5,818	3,681	2,194	1,359	780	539	910	2,064
Under 15 years	95	78	4	1	-	-	-	-	-	10
15-19 years	4,760	3,481	689	132	28	5	1	1	-	423
20-24 years	8,102	3,719	2,248	964	349	131	33	13	5	640
25-29 years	7,456	1,965	1,973	1,467	794	397	165	80	62	533
30-34 years	4,028	587	654	780	597	452	285	173	232	269
35-39 years	2,121	180	198	271	327	261	212	192	346	134
40-44 years	803	66	48	73	87	97	77	75	231	49
45-49 years	90	3	4	3	12	16	7	4	34	7
Male	13,784	5,125	2,881	1,864	1,087	676	394	276	475	1,006
Under 15 years	35	30	1	-	-	-	-	-	-	4
15-19 years	2,462	1,790	365	76	12	3	-	-	-	216
20-24 years	4,044	1,880	1,090	504	171	56	17	6	1	309
25-29 years	3,640	970	956	724	379	197	79	45	28	262
30-34 years	2,057	312	333	383	314	226	146	89	124	130
35-39 years	1,093	93	108	137	159	132	108	107	188	62
40-44 years	414	39	25	38	48	57	43	27	117	20
45-49 years	39	1	3	2	5	5	1	2	17	3
Female	12,488	4,632	2,663	1,650	994	620	354	233	403	939
Under 15 years	51	43	3	1	-	-	-	-	-	4
15-19 years	2,128	1,582	293	52	16	2	1	1	-	181
20-24 years	3,728	1,709	1,066	412	158	70	14	7	3	290
25-29 years	5,441	928	905	670	373	185	78	31	20	243
30-34 years	1,785	261	290	356	247	199	131	77	102	122
35-39 years	949	82	85	126	157	114	94	76	149	66
40-44 years	359	27	20	32	36	40	33	40	102	29
45-49 years	47	1	1	1	7	10	5	1	17	4
Sex not stated	1,161	322	274	177	113	63	32	29	32	119
Under 15 years	7	5	-	-	-	-	-	-	-	2
15-19 years	170	109	31	4	-	-	-	-	-	26
20-24 years	330	121	92	48	20	5	2	-	1	41
25-29 years	555	67	112	73	42	15	10	4	4	28
30-34 years	186	14	51	41	36	27	8	7	6	16
35-39 years	79	5	5	8	12	15	10	9	9	6
40-44 years	30	-	3	3	3	-	1	8	12	-
45-49 years	4	1	-	-	-	1	1	-	-	-
All other	10,876	3,785	2,041	1,247	803	565	402	298	750	985
Under 15 years	204	182	9	-	-	-	-	-	-	13
15-19 years	3,031	1,917	617	171	48	7	5	2	1	263
20-24 years	3,180	1,091	829	519	240	116	46	18	9	312
25-29 years	1,940	383	365	299	245	193	114	77	76	186
30-34 years	1,286	148	149	166	185	139	111	90	205	113
35-39 years	870	49	53	70	81	83	98	75	297	64
40-44 years	333	13	19	18	23	23	26	32	152	27
45-49 years	32	2	-	4	1	4	2	4	10	5

SECTION 3 - FETAL MORTALITY

3-17

Table 3-10. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1973-Con.

[See headnote at beginning of table]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
All other--Con.										
Male-----	5,638	1,972	1,051	633	411	296	211	142	410	512
Under 15 years-----	120	106	6	-	-	-	-	-	-	8
15-19 years-----	1,576	1,008	309	83	25	3	1	-	1	146
20-24 years-----	1,625	539	431	275	122	60	28	12	5	153
25-29 years-----	994	194	187	145	126	102	57	40	45	89
30-34 years-----	677	88	80	85	85	66	58	43	111	61
35-39 years-----	447	27	25	33	41	51	51	32	158	29
40-44 years-----	186	9	13	10	12	12	14	14	86	16
45-49 years-----	13	1	-	2	-	2	2	1	4	1
Female-----	4,758	1,671	894	560	355	236	170	139	322	411
Under 15 years-----	78	70	3	-	-	-	-	-	-	5
15-19 years-----	1,313	830	272	80	21	4	3	2	-	101
20-24 years-----	1,401	511	357	224	106	46	16	4	4	133
25-29 years-----	865	160	164	139	106	94	50	33	30	79
30-34 years-----	555	54	65	76	72	65	45	42	88	48
35-39 years-----	396	21	27	35	39	26	45	40	130	33
40-44 years-----	133	4	6	5	10	9	11	15	65	8
45-49 years-----	17	1	-	1	1	2	-	3	5	4
Sex not stated-----	480	142	96	54	37	33	21	17	18	62
Under 15 years-----	6	6	-	-	-	-	-	-	-	-
15-19 years-----	142	79	36	8	2	-	1	-	-	16
20-24 years-----	154	41	41	20	12	10	2	2	-	26
25-29 years-----	81	9	14	15	13	7	7	4	1	11
30-34 years-----	54	6	4	5	8	8	8	5	6	4
35-39 years-----	27	1	1	2	1	6	2	3	9	2
40-44 years-----	14	-	-	3	1	2	1	3	1	3
45-49 years-----	2	-	-	1	-	-	-	-	1	-

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES	38,309	297	7,791	11,282	9,376	5,314	2,991	1,136	122
WHITE	27,433	93	4,760	8,102	7,436	4,028	2,121	803	90
ALL OTHER	10,876	204	3,031	3,180	1,940	1,286	870	333	32
ALABAMA	934	14	250	274	173	107	74	39	3
WHITE	462	3	105	149	116	44	30	15	-
ALL OTHER	472	11	145	125	57	63	44	24	3
ALASKA	61	-	5	23	15	14	2	2	-
WHITE	44	-	3	18	12	8	2	1	-
ALL OTHER	17	-	2	5	3	6	-	1	-
ARIZONA	368	1	54	123	86	54	40	9	1
WHITE	298	1	41	93	77	47	30	8	1
ALL OTHER	70	-	13	30	9	7	10	1	-
ARKANSAS	409	5	108	148	76	41	19	11	1
WHITE	247	-	56	102	52	22	10	4	1
ALL OTHER	162	5	52	46	24	19	9	7	-
CALIFORNIA	2,904	15	513	870	767	412	229	92	6
WHITE	2,358	8	368	714	670	339	185	71	3
ALL OTHER	546	7	145	156	97	73	44	21	3
COLORADO	472	1	89	150	122	72	29	8	1
WHITE	438	1	84	139	115	63	27	8	1
ALL OTHER	34	-	5	11	7	9	2	-	-
CONNECTICUT	395	5	51	94	124	73	32	13	3
WHITE	334	3	38	75	112	64	27	12	3
ALL OTHER	61	2	13	19	12	9	5	1	-
DELAWARE	85	-	14	31	15	19	3	2	1
WHITE	56	-	8	17	10	18	2	1	-
ALL OTHER	29	-	6	14	5	1	1	1	1
DISTRICT OF COLUMBIA	197	2	49	56	44	32	12	2	-
WHITE	32	-	4	5	8	11	2	2	-
ALL OTHER	165	2	45	51	36	21	10	-	-
FLORIDA	1,406	22	363	389	318	174	107	32	1
WHITE	866	7	185	275	216	107	56	20	-
ALL OTHER	540	15	178	114	102	67	51	12	1
GEORGIA	1,205	11	311	360	255	163	70	34	1
WHITE	608	1	121	186	165	86	34	15	-
ALL OTHER	597	10	190	174	90	77	36	19	1
HAWAII	247	2	52	89	55	30	14	5	-
WHITE	77	-	15	34	16	9	2	1	-
ALL OTHER	170	2	37	55	39	21	12	4	-

Table 3-II. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IDAHO-----	135	1	22	46	31	21	13	1	-
WHITE-----	123	1	20	42	28	20	11	1	-
ALL OTHER--	12	-	2	4	3	1	2	-	-
ILLINOIS-----	2,109	19	400	579	551	294	182	77	7
WHITE-----	1,366	4	197	372	403	208	123	53	6
ALL OTHER--	743	15	203	207	148	86	59	24	1
INDIANA-----	922	9	213	296	202	108	69	22	3
WHITE-----	734	3	158	238	177	90	49	17	2
ALL OTHER--	188	6	55	58	25	18	20	5	1
IOWA-----	373	1	64	112	98	57	27	13	1
WHITE-----	357	1	60	108	94	54	26	13	1
ALL OTHER--	16	-	4	4	4	3	1	-	-
KANSAS-----	359	1	88	103	93	42	28	4	-
WHITE-----	310	1	67	90	85	37	27	3	-
ALL OTHER--	49	-	21	13	8	5	1	1	-
KENTUCKY-----	685	5	152	202	157	86	68	14	1
WHITE-----	582	2	123	168	146	71	59	12	1
ALL OTHER--	103	3	29	34	11	15	9	2	-
LOUISIANA-----	832	6	177	244	171	125	78	27	4
WHITE-----	366	1	68	104	80	61	34	8	2
ALL OTHER--	466	5	109	140	83	64	44	19	2
MAINE-----	114	-	18	36	26	22	9	2	1
WHITE-----	113	-	18	36	26	22	8	2	1
ALL OTHER--	1	-	-	-	-	-	1	-	-
MARYLAND-----	624	3	125	174	171	101	32	16	2
WHITE-----	397	-	54	110	126	76	20	10	1
ALL OTHER--	227	3	71	64	45	25	12	6	1
MASSACHUSETTS-----	757	2	116	211	201	128	76	17	6
WHITE-----	681	1	102	191	176	116	72	17	6
ALL OTHER--	76	1	14	20	25	12	4	-	-
MICHIGAN-----	1,637	11	353	479	373	241	119	54	7
WHITE-----	1,201	2	241	343	303	192	79	37	4
ALL OTHER--	436	9	112	136	70	49	40	17	3
MINNESOTA-----	487	1	73	129	149	80	33	21	1
WHITE-----	465	-	68	122	149	73	31	21	1
ALL OTHER--	22	1	5	7	-	7	2	-	-
MISSISSIPPI-----	921	16	242	277	187	90	76	31	2
WHITE-----	345	3	61	125	99	36	14	6	1
ALL OTHER--	576	13	181	152	88	54	62	25	1

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
MISSOURI-----	775	9	165	214	174	104	77	29	3
WHITE-----	578	1	117	165	142	72	56	23	2
ALL OTHER--	197	8	48	49	32	32	21	6	1
MONTANA-----	106	-	18	39	26	10	9	3	1
WHITE-----	84	-	12	36	20	7	7	1	1
ALL OTHER--	22	-	6	3	6	3	2	2	-
NEBRASKA-----	235	-	44	88	57	28	11	5	2
WHITE-----	211	-	39	80	52	25	10	4	1
ALL OTHER--	24	-	5	8	5	3	1	1	1
NEVADA-----	114	-	26	27	32	15	12	2	-
WHITE-----	91	-	21	21	27	13	8	1	-
ALL OTHER--	23	-	5	6	5	2	4	1	-
NEW HAMPSHIRE-----	86	1	18	29	22	9	6	1	-
WHITE-----	85	1	18	28	22	9	6	1	-
ALL OTHER--	1	-	-	1	-	-	-	-	-
NEW JERSEY-----	1,161	7	178	282	367	189	90	42	6
WHITE-----	839	2	99	188	300	150	64	32	4
ALL OTHER--	322	5	79	94	67	39	26	10	2
NEW MEXICO-----	213	1	42	66	53	21	28	2	-
WHITE-----	166	-	32	58	42	16	16	2	-
ALL OTHER--	47	1	10	8	11	5	12	-	-
NEW YORK-----	3,163	11	398	902	967	501	275	98	11
WHITE-----	2,341	3	242	654	766	390	203	74	9
ALL OTHER--	822	8	156	248	201	111	72	24	2
NORTH CAROLINA-----	1,277	12	311	400	292	162	74	25	1
WHITE-----	724	3	152	227	193	105	35	9	-
ALL OTHER--	553	9	159	173	99	57	39	16	1
NORTH DAKOTA-----	85	-	15	22	20	10	14	4	-
WHITE-----	73	-	11	18	18	8	14	4	-
ALL OTHER--	12	-	4	4	2	2	-	-	-
OHIO-----	1,778	10	338	567	431	247	138	44	3
WHITE-----	1,414	5	235	454	364	204	112	37	3
ALL OTHER--	364	5	103	113	67	43	26	7	-
OKLAHOMA-----	484	-	110	164	101	64	32	10	3
WHITE-----	380	-	90	133	79	50	21	4	3
ALL OTHER--	104	-	20	31	22	14	11	6	-
OREGON-----	331	2	64	108	94	38	16	7	2
WHITE-----	313	2	57	102	92	35	16	7	2
ALL OTHER--	18	-	7	6	2	3	-	-	-

SECTION 3 - FETAL MORTALITY

3-21

Table 3-II. Fetal Deaths by Age of Mother and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA AND COLOR	TOTAL	AGE OF MOTHER							
		UNDER 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
PENNSYLVANIA-----	2,541	36	577	701	574	371	191	82	9
WHITE-----	1,817	7	328	476	468	309	153	69	7
ALL OTHER-----	724	29	249	225	106	62	38	13	2
RHODE ISLAND-----	109	-	22	35	26	15	7	4	-
WHITE-----	94	-	15	32	25	11	7	4	-
ALL OTHER-----	15	-	7	3	1	4	-	-	-
SOUTH CAROLINA-----	783	9	200	227	177	90	56	23	1
WHITE-----	352	3	75	99	97	50	21	7	-
ALL OTHER-----	431	6	125	128	80	40	35	16	1
SOUTH DAKOTA-----	114	-	20	32	29	17	9	7	-
WHITE-----	88	-	14	27	23	14	4	6	-
ALL OTHER-----	26	-	6	5	6	3	5	1	-
TENNESSEE-----	893	7	208	252	219	107	72	25	3
WHITE-----	632	1	141	172	174	80	51	12	1
ALL OTHER-----	261	6	67	80	45	27	21	13	2
TEXAS-----	2,546	28	545	747	548	347	221	99	11
WHITE-----	1,946	17	370	569	444	275	178	82	11
ALL OTHER-----	600	11	175	178	104	72	43	17	-
UTAH-----	218	-	31	68	58	30	21	9	1
WHITE-----	209	-	27	65	57	30	20	9	1
ALL OTHER-----	9	-	4	3	1	-	1	-	-
VERMONT-----	79	2	15	21	22	12	4	2	1
WHITE-----	78	2	15	20	22	12	4	2	1
ALL OTHER-----	1	-	-	1	-	-	-	-	-
VIRGINIA-----	1,119	6	260	378	236	140	71	24	4
WHITE-----	716	1	131	247	172	97	49	17	2
ALL OTHER-----	403	5	129	131	64	43	22	7	2
WASHINGTON-----	431	2	65	123	144	58	25	12	2
WHITE-----	393	2	59	109	134	57	21	9	2
ALL OTHER-----	38	-	6	14	10	1	4	3	-
WEST VIRGINIA-----	381	1	91	112	80	40	39	15	3
WHITE-----	362	-	84	105	79	40	36	15	3
ALL OTHER-----	19	1	7	7	1	-	3	-	-
WISCONSIN-----	592	-	115	159	155	98	50	13	2
WHITE-----	532	-	98	137	145	90	47	13	2
ALL OTHER-----	60	-	17	22	10	8	3	-	-
WYOMING-----	57	-	13	24	12	5	2	1	-
WHITE-----	55	-	13	24	10	5	2	1	-
ALL OTHER-----	2	-	-	-	2	-	-	-	-

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths. For the District of Columbia and the States of Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin, however, the fetal-death certificate provides total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation; see Technical Appendix]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
UNITED STATES-----	38,309	13,864	7,859	4,938	2,997	1,924	1,182	836	1,660	3,049
WHITE-----	27,433	10,079	5,818	3,691	2,194	1,359	780	538	910	2,044
ALL OTHER-----	10,876	3,785	2,041	1,247	803	565	402	298	750	985
ALABAMA-----	934	377	162	106	70	35	32	30	71	51
WHITE-----	462	199	81	65	38	18	14	13	9	25
ALL OTHER-----	472	178	81	41	32	17	18	17	62	26
ALASKA-----	61	22	15	6	7	7	-	1	2	1
WHITE-----	44	15	13	6	6	3	-	1	-	-
ALL OTHER-----	17	7	2	-	1	4	-	-	2	1
ARIZONA-----	368	121	70	56	39	29	11	8	26	8
WHITE-----	298	100	56	45	34	23	8	7	17	8
ALL OTHER-----	70	21	14	11	5	6	3	1	9	-
ARKANSAS-----	409	152	100	49	27	18	14	11	29	9
WHITE-----	247	92	63	37	14	13	7	6	8	7
ALL OTHER-----	162	60	37	12	13	5	7	5	21	2
CALIFORNIA-----	2,904	1,226	663	352	199	121	70	52	98	123
WHITE-----	2,358	986	546	295	165	107	58	36	80	85
ALL OTHER-----	546	240	117	57	34	14	12	16	18	38
COLORADO-----	472	174	105	77	39	24	11	12	11	19
WHITE-----	438	168	99	72	29	22	10	12	10	16
ALL OTHER-----	34	6	6	5	10	2	1	-	1	3
CONNECTICUT-----	395	119	75	60	33	13	10	4	11	70
WHITE-----	334	98	67	50	27	13	8	2	7	62
ALL OTHER-----	61	21	8	10	6	-	2	2	4	8
DELAWARE-----	85	26	12	10	8	6	5	2	-	16
WHITE-----	56	14	11	6	6	3	3	2	-	11
ALL OTHER-----	29	12	1	4	2	3	2	-	-	5
DISTRICT OF COLUMBIA-----	197	82	50	24	14	8	4	1	6	8
WHITE-----	32	13	6	7	4	1	-	-	1	-
ALL OTHER-----	165	69	44	17	10	7	4	1	5	8
FLORIDA-----	1,406	488	254	151	89	59	34	30	53	248
WHITE-----	866	322	168	106	62	27	17	13	14	137
ALL OTHER-----	540	166	86	45	27	32	17	17	39	111
GEORGIA-----	1,205	478	226	144	85	69	46	28	64	65
WHITE-----	608	240	125	82	35	36	24	12	18	36
ALL OTHER-----	597	238	101	62	50	33	22	16	46	29
HAWAII-----	247	123	33	39	22	15	4	2	4	5
WHITE-----	77	37	17	13	7	3	-	-	-	-
ALL OTHER-----	170	86	16	26	15	12	4	2	4	5

SECTION 3 - FETAL MORTALITY

3-23

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973-Con.

[See headnote at beginning of table]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
IDAHO-----	135	56	18	18	15	10	8	2	1	7
WHITE-----	123	52	16	18	12	8	8	1	1	7
ALL OTHER--	12	4	2	-	3	2	-	1	-	-
ILLINOIS-----	2,109	720	428	304	189	115	82	43	131	97
WHITE-----	1,366	484	278	190	130	73	53	30	67	61
ALL OTHER--	743	236	150	114	59	42	29	13	64	36
INDIANA-----	922	262	147	113	59	43	23	23	32	220
WHITE-----	734	219	130	90	53	35	17	15	18	157
ALL OTHER--	188	43	17	23	6	8	6	8	14	63
IOWA-----	373	127	85	61	45	20	9	4	18	4
WHITE-----	357	120	83	59	42	20	7	4	18	4
ALL OTHER--	16	7	2	2	3	-	2	-	-	-
KANSAS-----	359	143	88	50	28	16	7	13	8	6
WHITE-----	310	126	76	41	25	14	5	12	7	4
ALL OTHER--	49	17	12	9	3	2	2	1	1	2
KENTUCKY-----	685	261	143	80	65	37	23	27	30	19
WHITE-----	582	226	122	67	54	32	20	20	26	15
ALL OTHER--	103	35	21	13	11	5	3	7	4	4
LOUISIANA-----	832	219	131	83	61	47	20	21	47	203
WHITE-----	366	117	77	47	32	26	9	13	11	34
ALL OTHER--	466	102	54	36	29	21	11	8	36	169
MAINE-----	114	35	29	17	11	4	4	1	4	9
WHITE-----	113	35	29	17	11	4	4	1	3	9
ALL OTHER--	1	-	-	-	-	-	-	-	1	-
MARYLAND-----	624	273	147	72	45	25	16	12	14	20
WHITE-----	397	169	99	51	32	13	10	6	8	9
ALL OTHER--	227	104	48	21	13	12	6	6	6	11
MASSACHUSETTS-----	757	219	127	72	47	31	11	9	21	220
WHITE-----	681	206	113	68	44	31	9	9	18	183
ALL OTHER--	76	13	14	4	3	-	2	-	3	37
MICHIGAN-----	1,637	619	345	230	149	92	58	36	62	46
WHITE-----	1,201	466	252	169	110	69	37	27	35	36
ALL OTHER--	436	153	93	61	39	23	21	9	27	10
MINNESOTA-----	487	175	101	73	36	25	14	11	27	25
WHITE-----	465	167	99	72	33	23	13	11	24	23
ALL OTHER--	22	8	2	1	3	2	1	-	3	2
MISSISSIPPI-----	921	328	182	107	60	46	39	33	102	24
WHITE-----	345	130	89	56	23	14	11	5	9	8
ALL OTHER--	576	198	93	51	37	32	28	28	93	16

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973-Con.

[See headnote at beginning of table]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
MISSOURI-----	775	282	145	89	57	47	18	25	40	72
WHITE-----	578	218	111	65	38	37	14	12	23	60
ALL OTHER--	197	64	34	24	19	10	4	13	17	12
MONTANA-----	106	42	20	15	9	2	5	4	6	3
WHITE-----	84	36	18	10	6	1	4	3	3	3
ALL OTHER--	22	6	2	5	3	1	1	1	3	-
NEBRASKA-----	235	98	45	40	22	12	1	7	3	7
WHITE-----	211	90	44	35	15	11	1	6	3	6
ALL OTHER--	24	8	1	5	7	1	-	1	-	1
NEVADA-----	114	38	34	15	10	8	1	2	2	4
WHITE-----	91	31	26	15	9	5	-	1	-	4
ALL OTHER--	23	7	8	-	1	3	1	1	2	-
NEW HAMPSHIRE-----	86	22	13	8	7	2	1	-	1	32
WHITE-----	85	22	13	8	7	2	1	-	1	31
ALL OTHER--	1	-	-	-	-	-	-	-	-	1
NEW JERSEY-----	1,161	369	261	159	94	51	39	17	43	128
WHITE-----	839	265	195	124	66	38	24	13	23	91
ALL OTHER--	322	104	66	35	28	13	15	4	20	37
NEW MEXICO-----	213	75	43	25	18	9	6	6	11	20
WHITE-----	166	64	33	22	15	7	5	4	3	13
ALL OTHER--	47	11	10	3	3	2	1	2	8	7
NEW YORK-----	3,163	765	672	445	279	192	83	80	101	546
WHITE-----	2,341	607	505	334	208	138	55	58	74	362
ALL OTHER--	822	158	167	111	71	54	28	22	27	184
NORTH CAROLINA-----	1,277	524	296	178	102	57	43	23	46	8
WHITE-----	724	309	182	109	58	28	16	7	11	4
ALL OTHER--	553	215	114	69	44	29	27	16	35	4
NORTH DAKOTA-----	85	27	23	8	6	1	5	4	9	2
WHITE-----	73	24	17	7	6	1	5	4	8	1
ALL OTHER--	12	3	6	1	-	-	-	-	1	1
OHIO-----	1,778	589	367	233	119	103	61	36	68	202
WHITE-----	1,414	473	286	182	95	85	45	25	53	170
ALL OTHER--	364	116	81	51	24	18	16	11	15	32
OKLAHOMA-----	484	163	96	50	35	21	19	7	15	78
WHITE-----	380	137	78	40	28	14	15	3	5	60
ALL OTHER--	104	26	18	10	7	7	4	4	10	18
OREGON-----	331	110	75	39	30	10	10	5	6	46
WHITE-----	313	99	71	38	30	9	9	5	6	46
ALL OTHER--	18	11	4	1	-	1	1	-	-	-

Table 3-12. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1973-Con.

[See headnote at beginning of table]

AREA AND COLOR	TOTAL	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 AND OVER	NOT STATED
PENNSYLVANIA-----	2,541	989	534	381	221	131	87	46	82	70
WHITE-----	1,817	699	364	286	173	87	63	35	58	52
ALL OTHER--	724	290	170	95	48	44	24	11	24	18
RHODE ISLAND-----	109	41	27	11	6	6	4	2	7	5
WHITE-----	94	32	24	11	6	5	3	2	6	5
ALL OTHER--	15	9	3	-	-	1	1	-	1	-
SOUTH CAROLINA-----	783	297	160	96	62	40	29	16	43	40
WHITE-----	352	152	86	48	25	13	6	4	6	12
ALL OTHER--	431	145	74	48	37	27	23	12	37	28
SOUTH DAKOTA-----	114	33	22	16	13	6	4	7	8	5
WHITE-----	88	28	21	12	10	5	2	3	5	2
ALL OTHER--	26	5	1	4	3	1	2	4	3	3
TENNESSEE-----	893	373	190	120	58	45	27	12	27	41
WHITE-----	632	262	144	97	45	28	13	5	7	31
ALL OTHER--	261	111	46	23	13	17	14	7	20	10
TEXAS-----	2,546	1,107	511	303	183	125	82	56	160	19
WHITE-----	1,946	830	400	237	143	98	61	42	122	13
ALL OTHER--	600	277	111	66	40	27	21	14	38	6
UTAH-----	218	45	30	32	20	10	9	7	12	53
WHITE-----	209	43	27	30	20	10	9	7	11	52
ALL OTHER--	9	2	3	2	-	-	-	-	1	1
VERMONT-----	79	33	15	8	5	5	2	2	3	6
WHITE-----	78	33	14	8	5	5	2	2	3	6
ALL OTHER--	1	-	1	-	-	-	-	-	-	-
VIRGINIA-----	1,119	416	242	151	87	47	43	23	31	79
WHITE-----	716	272	160	94	51	28	32	11	14	54
ALL OTHER--	403	144	82	57	36	19	11	12	17	25
WASHINGTON-----	431	164	99	43	25	19	13	13	19	36
WHITE-----	393	152	93	40	24	17	11	12	15	29
ALL OTHER--	38	12	6	3	1	2	2	1	4	7
WEST VIRGINIA-----	381	145	79	49	35	20	14	7	18	14
WHITE-----	362	135	76	45	35	20	14	7	17	13
ALL OTHER--	19	10	3	4	-	-	-	-	1	1
WISCONSIN-----	592	265	115	66	44	37	18	13	25	9
WHITE-----	532	240	106	61	40	33	15	9	22	6
ALL OTHER--	60	25	9	5	4	4	3	4	3	3
WYOMING-----	57	27	9	4	8	3	3	-	2	1
WHITE-----	55	25	9	4	8	3	3	-	2	1
ALL OTHER--	2	2	-	-	-	-	-	-	-	-

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1973

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ¹			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
UNITED STATES-----	38,309	37,452	391	123	9,107	8,864	138	15	23,476	23,063	167	89
WHITE-----	27,433	26,976	233	12	6,011	5,866	95	1	17,392	17,207	86	9
ALL OTHER-----	10,876	10,476	158	111	3,096	2,998	43	14	6,084	5,856	81	80
ALABAMA-----	934	874	7	39	199	186	3	8	532	494	3	25
WHITE-----	462	452	3	-	95	92	2	-	266	261	-	-
ALL OTHER-----	472	422	4	39	104	94	1	8	266	233	3	25
ALASKA-----	61	57	1	1	18	17	-	-	40	38	1	1
WHITE-----	44	43	1	-	14	14	-	-	28	27	1	-
ALL OTHER-----	17	14	-	1	4	3	-	-	12	11	-	1
ARIZONA-----	368	363	1	2	52	52	-	-	265	260	1	2
WHITE-----	298	295	-	2	41	41	-	-	218	215	-	2
ALL OTHER-----	70	68	1	-	11	11	-	-	47	45	1	-
ARKANSAS-----	409	396	3	1	92	91	-	-	275	266	2	1
WHITE-----	247	242	1	-	57	57	-	-	156	154	-	-
ALL OTHER-----	162	154	2	1	35	34	-	-	119	112	2	1
CALIFORNIA-----	2,904	2,856	12	-	555	546	4	-	1,994	1,976	6	-
WHITE-----	2,358	2,317	9	-	428	421	3	-	1,660	1,646	4	-
ALL OTHER-----	546	539	3	-	127	125	1	-	334	330	2	-
COLORADO-----	472	459	9	1	191	182	6	-	276	272	3	1
WHITE-----	438	426	9	1	175	167	6	-	258	254	3	1
ALL OTHER-----	34	33	-	-	16	15	-	-	18	18	-	-
CONNECTICUT-----	395	388	7	-	80	78	2	-	262	258	4	-
WHITE-----	334	328	6	-	69	67	2	-	224	220	4	-
ALL OTHER-----	61	60	1	-	11	11	-	-	38	38	-	-
DELAWARE-----	85	83	-	-	12	12	-	-	58	56	-	-
WHITE-----	56	54	-	-	10	10	-	-	35	33	-	-
ALL OTHER-----	29	29	-	-	2	2	-	-	23	23	-	-
DISTRICT OF COLUMBIA-----	197	192	4	-	49	49	-	-	123	119	3	-
WHITE-----	32	31	-	-	7	7	-	-	18	17	-	-
ALL OTHER-----	165	161	4	-	42	42	-	-	105	102	3	-
FLORIDA-----	1,406	1,371	16	8	155	147	4	2	510	500	4	4
WHITE-----	866	851	9	-	109	104	3	-	332	329	3	-
ALL OTHER-----	540	520	7	8	46	43	1	2	178	171	1	4
GEORGIA-----	1,205	1,120	12	5	431	399	5	-	672	626	6	5
WHITE-----	608	579	2	1	192	178	-	-	362	351	2	1
ALL OTHER-----	597	541	10	4	239	221	5	-	310	275	4	4
HAWAII-----	247	244	3	-	131	128	3	-	109	109	-	-
WHITE-----	77	77	-	-	42	42	-	-	33	33	-	-
ALL OTHER-----	170	167	3	-	89	86	3	-	76	76	-	-
IDAHO-----	135	132	2	1	35	33	2	-	50	50	-	-
WHITE-----	123	120	2	1	31	29	2	-	43	43	-	-
ALL OTHER-----	12	12	-	-	4	4	-	-	7	7	-	-
ILLINOIS-----	2,109	2,086	19	-	460	451	9	-	1,438	1,433	5	-
WHITE-----	1,366	1,351	11	-	267	260	7	-	947	945	2	-
ALL OTHER-----	743	735	8	-	193	191	2	-	491	488	3	-
INDIANA-----	922	903	10	-	113	106	3	-	403	399	3	-
WHITE-----	734	716	9	-	98	91	3	-	341	337	3	-
ALL OTHER-----	188	187	1	-	15	15	-	-	62	62	-	-
IOWA-----	373	369	4	-	72	70	2	-	287	286	1	-
WHITE-----	357	354	3	-	69	68	1	-	275	274	1	-
ALL OTHER-----	16	15	1	-	3	2	1	-	12	12	-	-
KANSAS-----	359	355	4	-	87	86	1	-	242	240	2	-
WHITE-----	310	306	4	-	74	73	1	-	212	210	2	-
ALL OTHER-----	49	49	-	-	13	13	-	-	30	30	-	-
KENTUCKY-----	685	672	9	1	108	106	1	-	426	419	4	1
WHITE-----	582	572	6	1	86	84	1	-	360	355	2	1
ALL OTHER-----	103	100	3	-	22	22	-	-	66	64	2	-
LOUISIANA-----	832	793	21	-	107	95	6	-	363	357	5	-
WHITE-----	366	356	5	-	48	46	1	-	196	194	2	-
ALL OTHER-----	466	437	16	-	59	49	5	-	167	163	3	-
MAINE-----	114	112	2	-	23	22	1	-	79	79	-	-
WHITE-----	113	111	2	-	23	22	1	-	78	78	-	-
ALL OTHER-----	1	1	-	-	-	-	-	-	1	1	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ¹			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
MARYLAND-----	624	615	6	-	137	133	3	-	427	424	2	-
WHITE-----	397	393	3	-	80	79	1	-	284	283	1	-
ALL OTHER--	227	222	3	-	57	54	2	-	143	141	1	-
MASSACHUSETTS-----	757	742	8	-	98	94	4	-	310	305	2	-
WHITE-----	681	667	7	-	86	82	4	-	289	285	1	-
ALL OTHER--	76	75	1	-	12	12	-	-	21	20	1	-
MICHIGAN-----	1,637	1,621	13	-	267	260	4	-	1,100	1,096	4	-
WHITE-----	1,201	1,190	10	-	166	161	4	-	819	816	3	-
ALL OTHER--	436	431	3	-	101	99	-	-	281	280	1	-
MINNESOTA-----	487	480	3	-	90	88	1	-	334	332	1	-
WHITE-----	465	459	2	-	88	86	1	-	318	316	1	-
ALL OTHER--	22	21	1	-	2	2	-	-	16	16	-	-
MISSISSIPPI-----	921	880	12	27	309	299	4	4	540	515	6	19
WHITE-----	345	340	4	1	133	129	4	-	187	187	-	-
ALL OTHER--	576	540	8	26	176	170	-	4	353	328	6	19
MISSOURI-----	775	764	6	-	119	116	3	-	436	432	1	-
WHITE-----	578	567	6	-	78	75	3	-	316	312	1	-
ALL OTHER--	197	197	-	-	41	41	-	-	120	120	-	-
MONTANA-----	106	106	-	-	18	18	-	-	60	60	-	-
WHITE-----	84	84	-	-	15	15	-	-	44	44	-	-
ALL OTHER--	22	22	-	-	3	3	-	-	16	16	-	-
NEBRASKA-----	235	233	2	-	49	49	-	-	174	173	1	-
WHITE-----	211	210	1	-	43	43	-	-	159	158	1	-
ALL OTHER--	24	23	1	-	6	6	-	-	15	15	-	-
NEVADA-----	114	111	-	-	16	15	-	-	54	53	-	-
WHITE-----	91	88	-	-	11	10	-	-	41	40	-	-
ALL OTHER--	23	23	-	-	5	5	-	-	13	13	-	-
NEW HAMPSHIRE-----	86	85	1	-	6	6	-	-	35	35	-	-
WHITE-----	85	84	1	-	6	6	-	-	35	35	-	-
ALL OTHER--	1	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY-----	1,161	1,143	8	-	235	228	5	-	658	654	1	-
WHITE-----	839	825	5	-	159	154	3	-	502	499	1	-
ALL OTHER--	322	318	3	-	76	74	2	-	156	155	-	-
NEW MEXICO-----	213	208	2	-	41	41	-	-	148	144	1	-
WHITE-----	166	163	2	-	33	33	-	-	111	109	1	-
ALL OTHER--	47	45	-	-	8	8	-	-	37	35	-	-
NEW YORK-----	3,163	3,132	22	-	1,056	1,042	11	-	1,920	1,906	9	-
WHITE-----	2,341	2,323	11	-	786	776	8	-	1,418	1,413	1	-
ALL OTHER--	822	809	11	-	270	266	3	-	502	493	8	-
NORTH CAROLINA-----	1,277	1,237	25	9	270	259	8	-	949	925	14	8
WHITE-----	724	716	4	-	129	128	-	-	573	568	3	-
ALL OTHER--	553	521	21	9	141	131	8	-	376	357	11	8
NORTH DAKOTA-----	85	82	3	-	21	21	-	-	56	55	1	-
WHITE-----	73	70	3	-	21	21	-	-	48	47	1	-
ALL OTHER--	12	12	-	-	-	-	-	-	8	8	-	-
OHIO-----	1,778	1,755	12	-	297	291	4	-	991	986	3	-
WHITE-----	1,414	1,399	8	-	200	197	2	-	792	788	2	-
ALL OTHER--	364	356	4	-	97	94	2	-	199	198	1	-
OKLAHOMA-----	484	471	3	-	84	82	-	-	295	291	1	-
WHITE-----	380	369	3	-	69	68	-	-	232	228	1	-
ALL OTHER--	104	102	-	-	15	14	-	-	63	63	-	-
OREGON-----	331	325	5	-	107	106	1	-	211	207	4	-
WHITE-----	313	308	4	-	100	100	-	-	202	198	4	-
ALL OTHER--	18	17	1	-	7	6	1	-	9	9	-	-
PENNSYLVANIA-----	2,541	2,481	44	-	1,161	1,139	19	-	1,365	1,327	25	-
WHITE-----	1,817	1,768	37	-	666	645	18	-	1,139	1,111	19	-
ALL OTHER--	724	713	7	-	495	494	1	-	226	216	6	-
RHODE ISLAND-----	109	109	-	-	23	23	-	-	60	60	-	-
WHITE-----	94	94	-	-	17	17	-	-	54	54	-	-
ALL OTHER--	15	15	-	-	6	6	-	-	6	6	-	-
SOUTH CAROLINA-----	783	747	10	17	156	153	1	-	508	487	5	12
WHITE-----	352	347	3	1	66	64	1	-	246	244	1	1
ALL OTHER--	431	400	7	16	90	89	-	-	262	243	4	11
SOUTH DAKOTA-----	114	112	2	-	21	21	-	-	80	79	1	-
WHITE-----	88	87	1	-	16	16	-	-	62	62	-	-
ALL OTHER--	26	25	1	-	5	5	-	-	18	17	1	-

SEE FOOTNOTES AT END OF TABLE.

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1973-Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II--FETAL DEATHS OF 20-27 WEEKS GESTATION ¹				GROUP III--FETAL DEATHS OF 28 WEEKS GESTATION OR MORE ¹			
	TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²			TOTAL	ATTENDANT ²		
		IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL			IN HOSPITAL ³	NOT IN HOSPITAL	
			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE			PHYSICIAN	MIDWIFE
TENNESSEE-----	893	886	5	-	171	171	-	-	643	639	4	-
WHITE-----	632	630	1	-	107	107	-	-	469	469	-	-
ALL OTHER-----	261	256	4	-	64	64	-	-	174	170	4	-
TEXAS-----	2,546	2,487	15	11	641	627	7	1	1,882	1,839	6	10
WHITE-----	1,946	1,909	8	4	453	445	4	1	1,473	1,446	2	3
ALL OTHER-----	600	578	7	7	188	182	3	-	409	393	4	7
UTAH-----	218	210	6	-	29	29	-	-	93	90	2	-
WHITE-----	209	201	6	-	27	27	-	-	89	86	2	-
ALL OTHER-----	9	9	-	-	2	2	-	-	4	4	-	-
VERMONT-----	79	77	1	-	17	16	-	-	57	56	1	-
WHITE-----	78	76	1	-	16	15	-	-	57	56	1	-
ALL OTHER-----	1	1	-	-	1	1	-	-	-	-	-	-
VIRGINIA-----	1,119	1,087	21	-	439	428	8	-	658	637	13	-
WHITE-----	716	705	10	-	276	270	6	-	428	423	4	-
ALL OTHER-----	403	382	11	-	163	158	2	-	230	214	9	-
WASHINGTON-----	431	423	3	-	63	61	1	-	244	240	1	-
WHITE-----	393	386	3	-	58	57	1	-	232	228	1	-
ALL OTHER-----	38	37	-	-	5	4	-	-	12	12	-	-
WEST VIRGINIA-----	381	375	2	-	55	53	1	-	284	283	1	-
WHITE-----	362	356	2	-	50	48	1	-	273	272	1	-
ALL OTHER-----	19	19	-	-	5	5	-	-	11	11	-	-
WISCONSIN-----	592	586	5	-	128	126	1	-	462	458	4	-
WHITE-----	532	526	5	-	109	107	1	-	421	417	4	-
ALL OTHER-----	60	60	-	-	19	19	-	-	41	41	-	-
WYOMING-----	57	57	-	-	13	13	-	-	38	38	-	-
WHITE-----	55	55	-	-	12	12	-	-	37	37	-	-
ALL OTHER-----	2	2	-	-	1	1	-	-	1	1	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.²Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."³Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

Table 3-14. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Plurality of birth, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Total-----	38,309	3,675	6,871	4,038	3,712	3,716	3,560	3,399	2,074	791	366	243	5,864
Fetal deaths in single deliveries-----	35,773	3,144	6,292	3,752	3,421	3,474	3,409	3,348	2,063	785	364	240	5,481
Fetal deaths in twin deliveries-----	2,466	519	558	279	282	236	150	50	11	6	2	3	370
Fetal deaths in other plural deliveries-----	70	12	21	7	9	6	1	1	-	-	-	-	13
Male-----	19,422	1,696	3,662	2,045	1,942	1,899	1,785	1,683	1,161	452	226	157	2,514
Fetal deaths in single deliveries-----	18,092	1,619	3,350	1,909	1,778	1,771	1,706	1,646	1,156	452	225	155	2,325
Fetal deaths in twin deliveries-----	1,287	267	302	131	158	123	79	37	5	-	1	2	182
Fetal deaths in other plural deliveries-----	43	10	10	5	6	5	-	-	-	-	-	-	7
Female-----	17,246	1,503	3,079	1,900	1,734	1,799	1,768	1,708	910	338	139	84	2,225
Fetal deaths in single deliveries-----	16,135	1,279	2,919	1,813	1,608	1,686	1,686	1,694	904	332	138	83	2,004
Fetal deaths in twin deliveries-----	1,088	222	249	145	123	112	71	13	6	6	1	1	139
Fetal deaths in other plural deliveries-----	23	2	11	2	3	1	1	1	-	-	-	-	2
Sex not stated-----	1,641	276	131	33	36	18	7	6	3	1	1	2	1,125
Fetal deaths in single deliveries-----	1,546	246	124	30	35	17	7	6	3	1	1	2	1,072
Fetal deaths in twin deliveries-----	91	30	7	3	1	1	-	-	-	-	-	-	49
Fetal deaths in other plural deliveries-----	4	-	-	-	-	-	-	-	-	-	-	-	4
White-----	27,433	2,412	4,447	2,854	2,629	2,699	2,665	2,610	1,666	604	261	160	4,426
Fetal deaths in single deliveries-----	25,546	2,032	4,045	2,641	2,404	2,506	2,545	2,566	1,655	600	261	157	4,134
Fetal deaths in twin deliveries-----	1,624	369	365	207	217	187	119	43	11	4	-	3	279
Fetal deaths in other plural deliveries-----	63	11	17	6	8	6	1	1	-	-	-	-	13
Male-----	13,784	1,224	2,597	1,425	1,378	1,389	1,304	1,274	912	338	162	109	1,872
Fetal deaths in single deliveries-----	12,805	1,024	2,183	1,324	1,260	1,290	1,241	1,241	907	338	162	107	1,728
Fetal deaths in twin deliveries-----	941	190	206	96	113	94	63	33	5	-	-	2	137
Fetal deaths in other plural deliveries-----	38	10	6	5	5	5	-	-	-	-	-	-	7
Female-----	12,488	1,087	1,980	1,407	1,229	1,296	1,357	1,333	751	266	99	50	1,683
Fetal deaths in single deliveries-----	11,640	877	1,796	1,298	1,123	1,203	1,300	1,322	745	262	99	49	1,566
Fetal deaths in twin deliveries-----	827	159	173	108	103	92	56	10	6	4	-	1	115
Fetal deaths in other plural deliveries-----	21	1	11	1	3	1	1	1	-	-	-	-	2
Sex not stated-----	1,161	151	70	22	22	14	4	3	3	-	-	1	871
Fetal deaths in single deliveries-----	1,101	131	66	19	21	13	4	3	3	-	-	1	840
Fetal deaths in twin deliveries-----	58	20	4	3	1	1	-	-	-	-	-	-	27
Fetal deaths in other plural deliveries-----	4	-	-	-	-	-	-	-	-	-	-	-	4
All other-----	10,876	1,263	2,424	1,184	1,083	1,017	895	789	408	187	105	83	1,458
Fetal deaths in single deliveries-----	10,227	1,112	2,247	1,111	1,017	968	864	782	408	185	103	83	1,347
Fetal deaths in twin deliveries-----	642	160	173	72	65	49	31	7	-	2	2	-	91
Fetal deaths in other plural deliveries-----	7	1	4	1	1	-	-	-	-	-	-	-	-
Male-----	5,538	672	1,265	620	564	510	481	409	249	114	64	48	642
Fetal deaths in single deliveries-----	5,287	595	1,167	595	518	481	465	405	249	114	63	48	597
Fetal deaths in twin deliveries-----	346	77	94	35	45	29	16	4	-	-	1	-	45
Fetal deaths in other plural deliveries-----	5	-	4	-	1	-	-	-	-	-	-	-	-
Female-----	4,758	466	1,098	553	505	503	411	375	159	72	40	34	542
Fetal deaths in single deliveries-----	4,495	402	1,022	515	485	483	386	372	159	70	39	34	518
Fetal deaths in twin deliveries-----	261	63	76	37	20	20	15	3	-	2	1	-	24
Fetal deaths in other plural deliveries-----	2	1	-	1	-	-	-	-	-	-	-	-	-
Sex not stated-----	490	125	61	11	14	4	3	5	-	1	1	1	254
Fetal deaths in single deliveries-----	445	115	59	11	14	4	3	5	-	1	1	1	232
Fetal deaths in twin deliveries-----	35	10	3	-	-	-	-	-	-	-	-	-	22
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-15. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1973

Plurality of birth, color, and sex	Total	Period of gestation ²								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total-----	38,309	4,834	4,273	3,931	5,001	2,023	5,317	3,321	3,883	5,726
Fetal deaths in single deliveries-----	35,775	4,432	3,851	3,623	4,696	1,880	4,960	3,155	3,776	5,400
Fetal deaths in twin deliveries-----	2,466	395	404	295	299	142	346	163	106	318
Fetal deaths in other plural deliveries-----	70	9	18	13	6	1	11	3	1	8
Male-----	19,422	2,517	2,188	2,039	2,547	1,056	2,727	1,702	1,882	2,964
Fetal deaths in single deliveries-----	18,092	2,090	1,972	1,874	2,387	985	2,539	1,614	1,822	2,809
Fetal deaths in twin deliveries-----	1,287	222	204	158	156	70	180	86	59	152
Fetal deaths in other plural deliveries-----	43	5	12	7	4	1	8	2	1	3
Female-----	17,245	1,871	1,751	1,740	2,349	942	2,548	1,602	1,974	2,669
Fetal deaths in single deliveries-----	16,155	1,522	1,566	1,606	2,212	872	2,393	1,528	1,930	2,506
Fetal deaths in twin deliveries-----	1,088	147	179	128	156	70	153	73	44	158
Fetal deaths in other plural deliveries-----	25	2	6	6	1	-	2	1	-	5
Sex not stated-----	1,841	845	334	152	105	25	42	17	27	93
Fetal deaths in single deliveries-----	1,546	820	313	143	97	23	28	13	24	85
Fetal deaths in twin deliveries-----	91	24	21	9	7	2	13	4	3	8
Fetal deaths in other plural deliveries-----	4	2	-	-	1	-	1	-	-	-
White-----	27,453	3,126	2,885	2,697	3,585	1,497	4,028	2,479	3,106	4,030
Fetal deaths in single deliveries-----	25,546	2,858	2,577	2,466	3,354	1,383	3,727	2,365	3,022	3,794
Fetal deaths in twin deliveries-----	1,824	260	290	221	228	114	291	111	83	228
Fetal deaths in other plural deliveries-----	65	8	18	10	5	-	10	3	1	8
Male-----	13,784	1,487	1,470	1,380	1,829	765	2,042	1,252	1,470	2,089
Fetal deaths in single deliveries-----	12,805	1,332	1,311	1,264	1,708	712	1,885	1,195	1,426	1,974
Fetal deaths in twin deliveries-----	941	150	147	112	117	53	152	55	43	112
Fetal deaths in other plural deliveries-----	38	5	12	4	4	-	7	2	1	3
Female-----	12,488	1,080	1,159	1,195	1,677	716	1,955	1,217	1,613	1,876
Fetal deaths in single deliveries-----	11,640	976	1,025	1,088	1,574	656	1,825	1,163	1,576	1,759
Fetal deaths in twin deliveries-----	827	105	128	101	103	60	130	53	37	112
Fetal deaths in other plural deliveries-----	21	1	6	6	-	-	2	1	-	5
Sex not stated-----	1,161	559	256	122	79	16	31	10	23	65
Fetal deaths in single deliveries-----	1,101	550	241	114	72	15	21	7	20	61
Fetal deaths in twin deliveries-----	56	7	15	8	6	1	9	3	3	4
Fetal deaths in other plural deliveries-----	4	2	-	-	1	-	1	-	-	-
All other-----	10,876	1,708	1,388	1,254	1,416	526	1,289	842	777	1,696
Fetal deaths in single deliveries-----	10,227	1,574	1,274	1,157	1,342	497	1,233	790	754	1,606
Fetal deaths in twin deliveries-----	642	133	114	74	75	28	55	52	23	90
Fetal deaths in other plural deliveries-----	7	1	-	3	1	1	1	-	-	-
Male-----	5,638	630	719	639	718	291	685	450	412	675
Fetal deaths in single deliveries-----	5,287	759	661	610	679	273	656	419	396	635
Fetal deaths in twin deliveries-----	346	72	57	46	39	17	28	31	16	40
Fetal deaths in other plural deliveries-----	5	-	-	3	-	1	1	-	-	-
Female-----	4,758	591	592	545	672	226	593	365	361	793
Fetal deaths in single deliveries-----	4,495	546	541	518	638	216	570	365	354	747
Fetal deaths in twin deliveries-----	261	44	51	27	33	10	23	20	7	46
Fetal deaths in other plural deliveries-----	2	1	-	-	1	-	-	-	-	-
Sex not stated-----	480	287	78	30	26	9	11	7	4	28
Fetal deaths in single deliveries-----	445	270	72	29	25	8	7	6	4	24
Fetal deaths in twin deliveries-----	35	17	6	1	1	1	4	1	-	4
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-

²Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1973

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
UNITED STATES	38,309	3,675	6,871	4,038	3,712	3,716	3,560	3,399	2,074	791	366	243	5,864
WHITE	27,433	2,412	4,447	2,854	2,629	2,699	2,665	2,610	1,666	604	261	160	4,426
ALL OTHER	10,876	1,263	2,424	1,184	1,083	1,017	895	789	408	187	105	83	1,438
MALE	19,422	1,896	3,662	2,045	1,942	1,899	1,785	1,683	1,161	452	226	157	2,514
WHITE	13,784	1,224	2,397	1,425	1,378	1,389	1,304	1,274	912	338	162	109	1,872
ALL OTHER	5,638	672	1,265	620	564	510	481	409	249	114	64	48	642
FEMALE	17,246	1,503	3,078	1,960	1,734	1,799	1,768	1,708	910	338	139	84	2,225
WHITE	12,488	1,037	1,980	1,407	1,229	1,296	1,357	1,333	751	266	99	50	1,683
ALL OTHER	4,758	466	1,098	553	505	503	411	375	159	72	40	34	542
SEX NOT STATED	1,641	276	131	33	36	18	7	8	3	1	1	2	1,125
WHITE	1,161	151	70	22	22	14	4	3	3	1	1	1	871
ALL OTHER	480	125	61	11	14	4	3	5	1	1	1	1	254
ALABAMA	934	57	197	89	111	103	82	75	48	21	15	10	126
WHITE	462	33	103	48	48	56	38	42	25	11	6	2	50
ALL OTHER	472	24	94	41	63	47	44	33	23	10	9	8	76
ALASKA	61	7	6	5	7	11	4	5	2	1	-	-	13
WHITE	44	7	6	4	4	9	3	3	1	1	-	-	6
ALL OTHER	17	-	-	1	3	2	1	2	1	-	-	-	7
ARIZONA	368	20	57	45	44	40	50	32	24	11	5	2	38
WHITE	298	14	44	39	34	32	43	26	21	10	4	2	29
ALL OTHER	70	6	13	6	10	8	7	6	3	1	1	-	9
ARKANSAS	409	22	76	61	44	33	34	49	26	6	4	3	51
WHITE	247	12	43	39	24	15	18	34	18	3	2	2	37
ALL OTHER	162	10	33	22	20	18	16	15	8	3	2	1	14
CALIFORNIA	2,904	189	603	325	320	325	336	310	193	61	35	22	185
WHITE	2,358	147	465	265	257	265	288	263	175	52	28	18	135
ALL OTHER	546	42	138	60	63	60	48	47	18	9	7	4	50
COLORADO	472	61	70	33	35	34	38	19	11	4	2	-	163
WHITE	438	54	63	27	33	33	36	18	10	4	2	-	156
ALL OTHER	34	7	7	6	2	1	2	1	1	-	-	-	7
CONNECTICUT	395	32	77	48	39	51	45	41	23	4	3	1	31
WHITE	334	25	69	41	32	43	39	34	22	3	2	1	23
ALL OTHER	61	7	8	7	7	8	6	7	1	1	1	-	8
DELAWARE	85	4	10	10	8	14	9	9	4	4	-	-	13
WHITE	56	3	7	7	6	9	6	4	4	2	-	-	8
ALL OTHER	29	1	3	3	2	5	3	5	-	2	-	-	5
DISTRICT OF COLUMBIA	197	15	49	25	25	22	24	14	7	1	2	-	13
WHITE	32	2	7	2	5	6	5	-	1	1	-	-	3
ALL OTHER	165	13	42	23	20	16	19	14	6	-	2	-	10
FLORIDA	1,406	79	262	163	145	135	118	121	55	27	13	4	284
WHITE	866	49	159	101	90	93	74	87	36	14	9	1	153
ALL OTHER	540	30	103	62	55	42	44	34	19	13	4	3	131
GEORGIA	1,205	137	229	125	113	94	106	108	37	28	9	7	212
WHITE	608	65	80	77	55	47	60	68	16	16	2	1	121
ALL OTHER	597	72	149	48	58	47	46	40	21	12	7	6	91
HAWAII	247	92	39	10	18	16	10	9	9	1	-	-	43
WHITE	77	24	17	2	4	3	3	1	7	1	-	-	15
ALL OTHER	170	68	22	8	14	13	7	8	2	-	-	-	28
IDAHO	135	7	16	16	4	10	8	6	3	3	3	-	59
WHITE	123	7	13	15	2	8	7	5	2	3	3	-	58
ALL OTHER	12	-	3	1	2	2	1	1	1	-	-	-	1
ILLINOIS	2,109	189	472	261	202	233	210	187	145	42	26	12	130
WHITE	1,366	123	257	159	126	151	148	133	110	30	17	6	106
ALL OTHER	743	66	215	102	76	82	62	54	35	12	9	6	24
INDIANA	922	48	118	76	74	70	65	90	46	26	9	11	289
WHITE	734	36	89	60	58	60	48	82	40	20	6	10	225
ALL OTHER	188	12	29	16	16	10	17	8	6	6	3	1	64
IOWA	373	39	49	43	43	37	44	46	27	7	8	5	25
WHITE	357	39	47	40	38	35	44	45	26	6	7	5	25
ALL OTHER	16	-	2	3	5	2	-	1	1	1	1	-	-
KANSAS	359	40	67	53	29	29	46	33	24	15	3	2	18
WHITE	310	34	56	45	28	26	38	28	21	15	3	2	14
ALL OTHER	49	6	11	8	1	3	8	5	3	-	-	-	4
KENTUCKY	685	52	120	80	71	81	60	64	45	17	8	1	86
WHITE	582	44	91	62	64	74	51	53	41	16	8	1	77
ALL OTHER	103	8	29	18	7	7	9	11	4	1	-	-	9

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
LOUISIANA-----	832	29	164	118	87	80	83	82	45	19	12	5	108
WHITE-----	366	16	65	45	34	39	35	38	28	9	5	3	49
ALL OTHER-----	466	13	99	73	53	41	48	44	17	10	7	2	59
MAINE-----	114	7	10	15	9	13	10	12	3	5	2	1	27
WHITE-----	113	7	10	15	9	13	10	12	3	5	2	1	26
ALL OTHER-----	1	-	-	-	-	-	-	-	-	-	-	-	1
MARYLAND-----	624	64	150	82	67	80	57	42	28	15	5	4	30
WHITE-----	397	43	78	46	43	54	43	35	21	10	4	3	17
ALL OTHER-----	227	21	72	36	24	26	14	7	7	5	1	1	13
MASSACHUSETTS-----	757	61	156	106	107	73	43	58	30	16	4	1	102
WHITE-----	681	56	135	98	97	69	42	54	27	16	3	1	83
ALL OTHER-----	76	5	21	8	10	4	1	4	3	-	1	-	19
MICHIGAN-----	1,637	133	286	178	175	164	125	153	106	45	15	10	247
WHITE-----	1,201	95	181	126	126	117	96	124	83	34	9	6	204
ALL OTHER-----	436	38	105	52	49	47	29	29	23	11	6	4	43
MINNESOTA-----	487	38	83	36	42	36	50	42	38	13	4	3	102
WHITE-----	465	37	79	34	38	33	49	41	37	13	4	3	97
ALL OTHER-----	22	1	4	2	4	3	1	1	1	-	-	-	5
MISSISSIPPI-----	921	84	126	75	68	81	72	79	46	20	9	9	252
WHITE-----	345	28	39	20	25	30	20	28	25	4	3	2	121
ALL OTHER-----	576	56	87	55	43	51	52	51	21	16	6	7	131
MISSOURI-----	775	42	120	81	74	63	75	71	32	16	4	4	193
WHITE-----	578	31	79	51	54	42	54	55	25	14	4	2	167
ALL OTHER-----	197	11	41	30	20	21	21	16	7	2	-	2	26
MONTANA-----	106	7	22	7	7	10	10	13	4	1	-	-	25
WHITE-----	84	6	20	7	3	9	6	9	2	1	-	-	21
ALL OTHER-----	22	1	2	-	4	1	4	4	2	-	-	-	4
NEBRASKA-----	235	22	46	22	20	20	30	32	11	6	2	-	24
WHITE-----	211	21	39	22	15	19	28	29	10	5	2	-	21
ALL OTHER-----	24	1	7	-	5	1	2	3	1	1	-	-	3
NEVADA-----	114	7	16	12	8	9	13	12	2	3	1	-	31
WHITE-----	91	6	10	10	7	6	10	8	2	3	-	-	29
ALL OTHER-----	23	1	6	2	1	3	3	4	-	-	1	-	2
NEW HAMPSHIRE-----	86	5	4	8	3	10	3	5	3	1	-	-	44
WHITE-----	85	4	4	8	3	10	3	5	3	1	-	-	44
ALL OTHER-----	1	1	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY-----	1,161	107	223	134	113	93	111	118	70	17	3	11	161
WHITE-----	839	81	146	98	84	67	87	91	49	16	3	8	109
ALL OTHER-----	322	26	77	36	29	26	24	27	21	1	-	3	52
NEW MEXICO-----	213	9	33	21	25	27	22	17	14	10	3	-	32
WHITE-----	166	6	28	18	21	18	17	10	9	7	3	-	29
ALL OTHER-----	47	3	5	3	4	9	5	7	5	3	-	-	3
NEW YORK-----	3,183	301	469	263	268	241	237	214	122	41	15	18	974
WHITE-----	2,341	229	305	181	185	162	175	163	95	29	10	12	795
ALL OTHER-----	822	72	164	82	83	79	62	51	27	12	5	6	179
NORTH CAROLINA-----	1,277	105	269	148	146	155	131	124	86	23	17	9	64
WHITE-----	724	47	141	78	88	82	83	73	64	14	11	6	37
ALL OTHER-----	553	58	128	70	58	73	48	51	22	9	6	3	27
NORTH DAKOTA-----	85	13	10	5	9	9	8	8	2	2	3	1	15
WHITE-----	73	12	8	5	7	9	7	8	1	1	3	-	12
ALL OTHER-----	12	1	2	-	2	-	1	-	1	1	-	1	3
OHIO-----	1,778	144	297	168	169	167	154	146	103	30	16	12	372
WHITE-----	1,414	104	199	138	132	135	130	126	89	25	12	10	314
ALL OTHER-----	364	40	98	30	37	32	24	20	14	5	4	2	58
OKLAHOMA-----	484	37	83	49	54	40	52	39	31	11	3	7	78
WHITE-----	380	33	62	34	42	31	43	28	27	7	2	5	66
ALL OTHER-----	104	4	21	15	12	9	9	11	4	4	1	2	12
OREGON-----	331	36	44	26	24	33	26	20	8	5	-	1	108
WHITE-----	313	32	42	23	23	31	23	18	8	5	-	1	107
ALL OTHER-----	18	4	2	3	1	2	3	2	-	-	-	-	1
PENNSYLVANIA-----	2,541	768	460	237	165	202	217	172	115	41	17	13	134
WHITE-----	1,817	409	299	189	126	173	182	152	105	36	15	9	122
ALL OTHER-----	724	359	161	48	39	29	35	20	10	5	2	4	12
RHODE ISLAND-----	109	13	23	16	14	9	4	10	4	-	1	-	15
WHITE-----	94	8	19	15	13	9	3	9	4	-	-	-	14
ALL OTHER-----	15	5	4	1	1	-	1	1	-	-	1	-	1
SOUTH CAROLINA-----	783	59	125	65	77	62	70	83	36	12	9	5	180
WHITE-----	352	28	58	38	42	31	27	44	21	7	3	2	51
ALL OTHER-----	431	31	67	27	35	31	43	39	15	5	6	3	129

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-16. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

AREA, COLOR, AND SEX	TOTAL	BIRTH WEIGHT ¹											NOT STATED
		500 GRAMS OR LESS	501-1,000 GRAMS	1,001-1,500 GRAMS	1,501-2,000 GRAMS	2,001-2,500 GRAMS	2,501-3,000 GRAMS	3,001-3,500 GRAMS	3,501-4,000 GRAMS	4,001-4,500 GRAMS	4,501-5,000 GRAMS	5,001 GRAMS OR MORE	
SOUTH DAKOTA	114	13	11	12	13	12	12	7	8	4	-	-	22
WHITE	88	10	9	6	10	10	8	5	8	4	-	-	18
ALL OTHER	26	3	2	6	3	2	4	2	-	-	-	-	4
TENNESSEE	893	71	186	102	114	83	100	90	50	22	11	8	56
WHITE	632	49	116	65	83	57	74	70	45	16	5	4	48
ALL OTHER	261	22	70	37	31	26	26	20	5	6	6	4	8
TEXAS	2,546	164	521	300	277	319	290	268	179	65	38	25	100
WHITE	1,946	120	347	225	218	246	236	209	151	55	35	21	83
ALL OTHER	600	44	174	75	59	73	54	59	28	10	3	4	17
UTAH	218	6	16	10	11	7	14	14	7	1	1	2	129
WHITE	209	6	14	10	10	6	14	13	7	1	1	2	125
ALL OTHER	9	-	2	-	1	1	-	1	-	-	-	-	4
VERMONT	79	6	9	6	6	9	15	7	3	-	2	1	15
WHITE	78	6	8	6	6	9	15	7	3	-	2	1	15
ALL OTHER	1	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA	1,119	147	161	108	90	107	98	78	55	20	6	7	234
WHITE	716	85	89	61	61	69	65	61	39	14	3	1	168
ALL OTHER	403	62	72	47	37	38	33	17	16	6	3	6	66
WASHINGTON	431	19	59	53	37	40	32	42	25	9	5	2	108
WHITE	393	18	51	48	33	37	29	40	24	9	5	2	97
ALL OTHER	38	1	8	5	4	3	3	2	1	-	-	-	11
WEST VIRGINIA	381	22	61	31	36	46	36	44	31	5	5	1	63
WHITE	362	20	54	30	34	43	36	42	31	5	5	1	61
ALL OTHER	19	2	7	1	2	3	-	2	-	-	-	-	2
WISCONSIN	592	43	101	69	53	73	68	75	42	28	7	3	30
WHITE	532	38	87	64	46	63	63	73	38	24	7	3	26
ALL OTHER	60	5	14	5	7	10	5	2	4	4	-	-	4
WYOMING	57	3	10	7	4	5	3	4	6	4	1	-	10
WHITE	55	3	10	7	3	5	3	4	6	4	1	-	9
ALL OTHER	2	-	-	-	1	-	-	-	-	-	-	-	1

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1973

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
UNITED STATES-----	38,309	4,834	4,273	3,931	5,001	2,023	5,317	3,321	3,883	5,726
WHITE-----	27,433	3,126	2,885	2,697	3,585	1,497	4,028	2,479	3,106	4,030
ALL OTHER--	10,876	1,708	1,388	1,234	1,416	526	1,289	842	777	1,696
MALE-----	19,422	2,317	2,188	2,039	2,547	1,056	2,727	1,702	1,882	2,964
WHITE-----	13,784	1,487	1,470	1,380	1,829	765	2,042	1,252	1,470	2,089
ALL OTHER--	5,638	830	718	659	718	291	685	450	412	875
FEMALE-----	17,246	1,671	1,751	1,740	2,349	942	2,548	1,602	1,974	2,669
WHITE-----	12,488	1,080	1,159	1,195	1,677	716	1,955	1,217	1,613	1,876
ALL OTHER--	4,758	591	592	545	672	226	593	385	361	793
SEX NOT STATED-----	1,641	846	334	152	105	25	42	17	27	93
WHITE-----	1,161	559	256	122	79	16	31	10	23	65
ALL OTHER--	480	287	78	30	26	9	11	7	4	28
ALABAMA-----	934	97	102	103	108	42	63	201	15	203
WHITE-----	462	45	50	49	56	15	41	92	13	101
ALL OTHER--	472	52	52	54	52	27	22	109	2	102
ALASKA-----	61	11	7	7	7	7	8	5	6	3
WHITE-----	44	9	5	6	6	2	6	4	4	2
ALL OTHER--	17	2	2	1	1	5	2	1	2	1
ARIZONA-----	368	22	30	33	62	20	74	30	46	51
WHITE-----	298	18	23	26	48	16	64	25	39	39
ALL OTHER--	70	4	7	7	14	4	10	5	7	12
ARKANSAS-----	409	41	51	58	50	22	33	101	11	42
WHITE-----	247	24	33	32	24	13	20	61	6	34
ALL OTHER--	162	17	18	26	26	9	13	40	5	8
CALIFORNIA-----	2,904	234	321	300	421	139	508	176	450	355
WHITE-----	2,358	175	253	231	346	118	429	146	390	270
ALL OTHER--	546	59	68	69	75	21	79	30	60	85
COLORADO-----	472	120	71	60	64	24	59	20	49	5
WHITE-----	438	111	64	51	62	23	55	20	47	5
ALL OTHER--	34	9	7	9	2	1	4	-	2	-
CONNECTICUT-----	395	45	35	42	56	25	64	50	25	53
WHITE-----	334	40	29	33	47	23	54	44	23	41
ALL OTHER--	61	5	6	9	9	2	10	6	2	12
DELAWARE-----	85	4	8	8	11	6	16	14	3	15
WHITE-----	56	4	6	5	7	3	10	7	3	11
ALL OTHER--	29	-	2	3	4	3	6	7	-	4
DISTRICT OF COLUMBIA-----	197	23	26	24	34	11	27	8	19	25
WHITE-----	32	3	4	4	6	2	3	-	3	7
ALL OTHER--	165	20	22	20	28	9	24	8	16	18
FLORIDA-----	1,406	71	84	115	127	32	99	42	95	741
WHITE-----	866	43	66	67	70	23	64	36	72	425
ALL OTHER--	540	28	18	48	57	9	35	6	23	316
GEORGIA-----	1,205	273	158	136	134	71	96	195	40	102
WHITE-----	608	126	66	60	74	33	62	107	26	54
ALL OTHER--	597	147	92	76	60	38	34	88	14	48
HAWAII-----	247	104	27	28	26	6	28	5	16	7
WHITE-----	77	32	10	8	8	1	9	1	6	2
ALL OTHER--	170	72	17	20	18	5	19	4	10	5
IDAHO-----	135	23	12	9	9	3	13	11	5	50
WHITE-----	123	22	9	8	8	3	11	9	4	49
ALL OTHER--	12	1	3	1	1	-	2	2	1	1
ILLINOIS-----	2,109	221	239	224	330	100	379	121	284	211
WHITE-----	1,366	127	140	130	222	66	249	73	207	152
ALL OTHER--	743	94	99	94	108	34	130	48	77	59
INDIANA-----	922	51	62	53	78	31	94	53	94	406
WHITE-----	734	44	54	43	61	27	81	47	82	295
ALL OTHER--	188	7	8	10	17	4	13	6	12	111
IOWA-----	373	34	38	46	60	15	71	27	68	14
WHITE-----	357	33	36	43	55	15	71	27	64	13
ALL OTHER--	16	1	2	3	5	-	-	-	4	1
KANSAS-----	359	42	45	37	38	20	55	24	68	30
WHITE-----	310	35	39	32	36	16	47	21	60	24
ALL OTHER--	49	7	6	5	2	4	8	3	8	6
KENTUCKY-----	685	43	65	78	92	30	106	38	82	151
WHITE-----	582	32	54	66	76	26	93	28	71	134
ALL OTHER--	103	11	11	12	16	4	13	10	11	15

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
LOUISIANA-----	832	42	65	54	78	28	102	37	64	362
WHITE-----	366	23	25	32	35	12	68	20	29	122
ALL OTHER--	466	19	40	22	43	16	34	17	35	240
MAINE-----	114	10	13	15	10	6	22	8	18	12
WHITE-----	113	10	13	15	10	6	21	8	18	12
ALL OTHER--	1	-	-	-	-	-	1	-	-	-
MARYLAND-----	624	59	78	73	95	29	112	37	81	60
WHITE-----	397	37	43	36	66	21	75	25	61	33
ALL OTHER--	227	22	35	37	29	8	37	12	20	27
MASSACHUSETTS-----	757	40	58	58	72	14	81	17	68	349
WHITE-----	681	35	51	53	66	12	80	15	63	306
ALL OTHER--	76	5	7	5	6	2	1	2	5	43
MICHIGAN-----	1,637	115	152	175	218	87	273	102	245	270
WHITE-----	1,201	70	96	124	159	64	206	80	186	216
ALL OTHER--	436	45	56	51	59	23	67	22	59	54
MINNESOTA-----	487	44	46	41	58	33	91	40	71	63
WHITE-----	465	44	44	40	53	32	85	40	68	59
ALL OTHER--	22	-	2	1	5	1	6	-	3	4
MISSISSIPPI-----	921	186	123	85	131	29	160	34	101	72
WHITE-----	345	89	44	24	44	9	51	11	48	25
ALL OTHER--	576	97	79	61	87	20	109	23	53	47
MISSOURI-----	775	52	67	72	105	31	93	40	95	220
WHITE-----	578	40	38	50	73	22	64	31	76	184
ALL OTHER--	197	12	29	22	32	9	29	9	19	36
MONTANA-----	106	5	13	6	13	4	20	7	10	28
WHITE-----	84	4	11	5	12	3	14	5	5	25
ALL OTHER--	22	1	2	1	1	1	6	2	5	3
NEBRASKA-----	235	23	26	22	37	11	56	11	37	12
WHITE-----	211	20	23	18	36	11	50	11	33	9
ALL OTHER--	24	3	3	4	1	-	6	-	4	3
NEVADA-----	114	11	5	8	10	4	13	5	14	44
WHITE-----	91	6	5	5	10	3	9	3	11	39
ALL OTHER--	23	5	-	3	-	1	4	2	3	5
NEW HAMPSHIRE-----	86	5	1	6	6	4	11	3	5	45
WHITE-----	85	5	1	6	6	4	11	3	5	44
ALL OTHER--	1	-	-	-	-	-	-	-	-	1
NEW JERSEY-----	1,161	109	126	97	158	52	173	56	122	268
WHITE-----	839	75	84	70	122	40	121	48	101	178
ALL OTHER--	322	34	42	27	36	12	52	8	21	90
NEW MEXICO-----	213	20	21	21	27	13	25	45	17	24
WHITE-----	166	15	18	17	21	10	17	33	13	22
ALL OTHER--	47	5	3	4	6	3	8	12	4	2
NEW YORK-----	3,163	584	472	367	442	160	455	150	346	187
WHITE-----	2,341	446	340	265	307	124	335	117	270	137
ALL OTHER--	822	138	132	102	135	36	120	33	76	50
NORTH CAROLINA-----	1,277	119	151	164	210	69	226	80	200	58
WHITE-----	724	53	76	90	120	35	147	49	132	22
ALL OTHER--	553	66	75	74	90	34	79	31	68	36
NORTH DAKOTA-----	85	9	12	7	10	4	17	4	14	8
WHITE-----	73	9	12	6	9	2	16	2	13	4
ALL OTHER--	12	-	-	1	1	2	1	2	1	4
OHIO-----	1,778	143	154	164	236	72	245	91	183	490
WHITE-----	1,414	96	104	125	187	60	198	76	146	422
ALL OTHER--	364	47	50	39	49	12	47	15	37	68
OKLAHOMA-----	484	34	50	43	81	19	52	36	64	105
WHITE-----	380	26	43	29	65	15	40	31	52	79
ALL OTHER--	104	8	7	14	16	4	12	5	12	26
OREGON-----	331	62	45	39	51	13	53	17	38	13
WHITE-----	313	59	41	36	50	13	51	16	36	11
ALL OTHER--	18	3	4	3	1	-	2	1	2	2
PENNSYLVANIA-----	2,541	843	318	227	270	159	242	349	118	15
WHITE-----	1,817	445	221	170	211	132	206	310	110	12
ALL OTHER--	724	398	97	57	59	27	36	39	8	3
RHODE ISLAND-----	109	8	15	16	14	7	12	7	4	26
WHITE-----	94	6	11	15	12	7	12	4	4	23
ALL OTHER--	15	2	4	1	2	-	-	3	-	3
SOUTH CAROLINA-----	783	70	86	86	105	37	126	57	97	119
WHITE-----	352	25	41	33	48	16	57	33	59	40
ALL OTHER--	431	45	45	53	57	21	69	24	38	79

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-17. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1973-Con.

AREA, COLOR, AND SEX	TOTAL	PERIOD OF GESTATION ¹								
		20-23 WEEKS	24-27 WEEKS	28-31 WEEKS	32-35 WEEKS	36 WEEKS	37-39 WEEKS	40 WEEKS	41 WEEKS OR MORE	NOT STATED
SOUTH DAKOTA-----	114	10	11	9	21	5	22	10	13	13
WHITE-----	88	8	8	7	16	3	17	9	10	10
ALL OTHER--	26	2	3	2	5	2	5	1	3	3
TENNESSEE-----	893	85	86	117	148	47	166	44	121	79
WHITE-----	632	50	57	72	108	31	119	34	105	56
ALL OTHER--	261	35	29	45	40	16	47	10	16	23
TEXAS-----	2,546	277	364	317	339	310	284	535	97	23
WHITE-----	1,946	202	251	236	254	245	234	426	78	20
ALL OTHER--	600	75	113	81	85	65	50	109	19	3
UTAH-----	218	11	18	11	18	7	27	7	23	96
WHITE-----	209	10	17	11	17	7	25	6	23	93
ALL OTHER--	9	1	1	-	1	-	2	1	-	3
VERMONT-----	79	9	8	7	12	4	15	2	17	5
WHITE-----	78	8	8	7	12	4	15	2	17	5
ALL OTHER--	1	1	-	-	-	-	-	-	-	-
VIRGINIA-----	1,119	271	168	106	135	70	104	195	48	22
WHITE-----	716	178	98	62	74	46	78	125	43	12
ALL OTHER--	403	93	70	44	61	24	26	70	5	10
WASHINGTON-----	431	27	36	44	44	20	68	16	52	124
WHITE-----	393	25	33	38	42	18	68	16	50	103
ALL OTHER--	38	2	3	6	2	2	-	-	2	21
WEST VIRGINIA-----	381	28	27	34	66	17	75	25	67	42
WHITE-----	362	26	24	29	64	17	73	24	66	39
ALL OTHER--	19	2	3	5	2	-	2	1	1	3
WISCONSIN-----	592	60	68	72	69	52	94	128	47	2
WHITE-----	532	55	54	70	59	46	88	113	45	2
ALL OTHER--	60	5	14	2	10	6	6	15	2	-
WYOMING-----	57	4	9	7	5	2	9	5	10	6
WHITE-----	55	3	9	7	5	2	8	5	10	6
ALL OTHER--	2	1	-	-	-	-	1	-	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

Section 4. Accident Mortality

Table	Page
4-1. Deaths from motor vehicle accidents, by person injured, cause of death, color, and sex: United States, 1973 -----	4-2
4-2. Deaths from motor vehicle accidents, by person injured, age, race, and sex: United States, 1973 -----	4-4
4-3. Deaths from motor vehicle accidents, by person injured, color, and sex: United States and each State, 1973 -----	4-12
4-4. Deaths from accidental poisoning, by age, color, and sex: United States, 1973 -----	4-17
4-5. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1973 -----	4-21
4-6. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1973 -----	4-32
4-7. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1973 -----	4-36
	4-1

SECTION 4 - ACCIDENT MORTALITY

Table 4-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Color, and Sex: United States, 1973

[Includes each three-digit category from E810 to E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Person injured									
			Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor-cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Un-specified person
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E819	Motor vehicle traffic accidents-----	54,347	17,386	10,342	1,831	282	2	20	890	9,043	53	14,386
	Male-----	39,052	14,171	5,354	1,891	136	1	9	703	6,313	45	10,429
	Female-----	15,295	3,215	4,988	40	146	1	11	187	2,730	8	3,959
	White-----Male-----	33,587	12,472	4,465	1,781	131	1	8	620	4,629	42	9,227
	Female-----	15,368	2,930	4,292	39	140	1	11	175	2,225	8	3,546
	All other-----Male-----	5,465	1,699	889	100	5	-	1	83	1,484	3	1,202
	Female-----	1,927	285	696	1	6	-	-	11	505	-	423
E810	Involving collision with train-----	1,194	533	231	24	5	-	-	1	2	1	397
	Male-----	845	418	111	24	3	-	-	-	1	1	285
	Female-----	351	115	120	-	2	-	-	1	1	-	112
	White-----Male-----	763	376	97	24	3	-	-	-	1	1	260
	Female-----	510	109	100	-	2	-	-	1	1	-	97
	All other-----Male-----	81	42	14	-	-	-	-	-	-	-	25
	Female-----	41	6	20	-	-	-	-	-	-	-	15
E811	Involving collision with streetcar-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E812	Involving collision with another motor vehicle-----	20,521	8,783	5,771	1,188	197	1	-	1	42	7	4,531
	Male-----	13,824	6,871	2,520	1,163	90	-	-	-	34	6	3,140
	Female-----	6,697	1,912	3,251	25	107	1	-	1	8	1	1,391
	White-----Male-----	12,267	6,085	2,115	1,098	85	-	-	-	31	4	2,949
	Female-----	6,042	1,755	2,869	25	103	1	-	1	7	1	1,280
	All other-----Male-----	1,557	786	405	65	5	-	-	-	3	2	291
	Female-----	855	157	382	-	4	-	-	-	1	-	111
E813	Involving collision with other vehicle-----	1,003	2	1	2	-	-	14	877	2	-	105
	Male-----	768	2	-	2	-	-	5	694	1	-	84
	Female-----	235	-	1	-	-	-	9	183	1	-	21
	White-----Male-----	699	2	-	2	-	-	4	612	1	-	78
	Female-----	203	-	1	-	-	-	9	173	1	-	19
	All other-----Male-----	89	-	-	-	-	-	1	82	-	-	6
	Female-----	12	-	-	-	-	-	10	-	-	-	2
E814	Involving collision with pedestrian-----	8,991	1	3	2	-	1	1	2	8,978	1	2
	Male-----	6,274	1	3	2	-	1	1	2	8,262	1	1
	Female-----	2,717	-	-	-	-	-	-	-	2,716	-	1
	White-----Male-----	4,795	1	3	1	-	1	1	2	4,784	1	1
	Female-----	2,215	-	-	-	-	-	-	-	2,215	-	1
	All other-----Male-----	1,479	-	-	1	-	-	-	-	1,478	-	-
	Female-----	501	-	-	-	-	-	-	-	501	-	-
E815	Other accidents involving collisions-----	5,883	2,919	1,421	289	29	-	2	-	3	31	1,189
	Male-----	4,703	2,503	904	283	19	-	-	-	1	26	987
	Female-----	1,180	416	517	6	10	-	2	-	2	5	222
	White-----Male-----	4,166	2,214	773	267	19	-	-	-	1	26	886
	Female-----	1,037	332	430	6	8	-	2	-	-	5	204
	All other-----Male-----	557	289	151	16	-	-	-	-	-	-	101
	Female-----	143	34	87	-	2	-	-	-	2	-	18
E816	Noncollision accident due to loss of control-----	8,944	4,609	2,167	360	35	-	1	7	6	6	1,753
	Male-----	7,066	3,339	1,376	353	19	-	1	5	5	5	1,383
	Female-----	1,858	670	791	7	16	-	-	2	1	1	370
	White-----Male-----	6,114	3,414	1,109	337	19	-	1	4	3	4	1,223
	Female-----	1,574	594	634	6	16	-	-	1	-	1	322
	All other-----Male-----	972	525	267	16	-	-	-	1	2	1	180
	Female-----	284	76	157	1	-	-	-	1	1	-	48
E817	Noncollision accident while boarding or alighting-----	15	2	7	-	-	-	-	-	-	1	5
	Male-----	9	2	4	-	-	-	-	-	-	-	3
	Female-----	6	-	3	-	-	-	-	-	-	1	2
	White-----Male-----	8	2	3	-	-	-	-	-	-	-	3
	Female-----	6	-	3	-	-	-	-	-	-	1	2
	All other-----Male-----	1	-	1	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E818	Other noncollision accidents-----	614	62	282	21	11	-	1	1	10	2	424
	Male-----	607	58	175	20	3	-	1	1	9	2	340
	Female-----	207	6	107	1	8	-	-	-	1	-	84
	White-----Male-----	534	48	153	20	3	-	1	1	8	2	298
	Female-----	172	5	89	1	8	-	-	-	1	-	68
	All other-----Male-----	73	8	22	-	-	-	-	-	1	-	42
	Female-----	35	1	18	-	-	-	-	-	-	-	16
E819	Of unspecified nature-----	6,982	475	459	45	5	-	1	1	-	4	5,992
	Male-----	4,919	379	261	44	2	-	1	1	-	4	4,226
	Female-----	2,064	96	198	1	3	-	-	-	-	-	1,766
	White-----Male-----	4,242	330	213	42	2	-	1	1	-	4	3,649
	Female-----	1,808	85	166	1	3	-	-	-	-	-	1,553
	All other-----Male-----	676	49	49	2	-	-	-	-	-	-	577
	Female-----	256	11	32	-	-	-	-	-	-	-	213

Table 4-1. Deaths From Motor Vehicle Accidents, by Person Injured, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category from E810 to E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Person injured									
			Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor-cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Un-specified person
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E820-E823	Motor vehicle nontraffic accidents-----	1,164	107	65	74	3	-	-	7	584	3	321
	Male-----	889	98	41	71	3	-	-	4	388	3	271
	Female-----	275	9	24	3	-	-	-	3	186	-	50
	White-----	783	92	38	69	3	-	-	3	339	3	236
	Female-----	243	8	20	3	-	-	-	3	169	-	40
	All other-----	106	6	3	2	-	-	-	1	59	-	35
	Female-----	32	1	4	-	-	-	-	-	17	-	10
E820	Involving collision with moving object-----	639	17	5	16	1	-	-	6	553	-	41
	Male-----	453	16	4	16	1	-	-	3	376	-	37
	Female-----	186	1	1	-	-	-	-	3	177	-	4
	White-----	394	16	4	18	1	-	-	2	320	-	35
	Female-----	169	1	1	-	-	-	-	3	160	-	4
	All other-----	59	-	-	-	-	-	-	1	56	-	2
	Female-----	17	-	-	-	-	-	-	-	17	-	-
E821	Involving collision with stationary object-----	83	22	4	17	1	-	-	-	5	-	34
	Male-----	71	19	4	15	1	-	-	-	2	-	30
	Female-----	12	3	-	2	-	-	-	-	3	-	4
	White-----	66	17	4	13	1	-	-	-	2	-	29
	Female-----	11	3	-	2	-	-	-	-	3	-	3
	All other-----	5	2	-	2	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	1
E822	While boarding or alighting-----	9	-	1	-	-	-	-	-	1	-	7
	Male-----	3	-	1	-	-	-	-	-	-	-	2
	Female-----	6	-	-	-	-	-	-	-	1	-	5
	White-----	3	-	1	-	-	-	-	-	-	-	2
	Female-----	6	-	-	-	-	-	-	-	1	-	5
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E823	Of other and unspecified nature-----	433	68	55	41	1	-	-	1	25	3	239
	Male-----	362	63	32	40	1	-	-	1	20	3	202
	Female-----	71	5	23	1	-	-	-	-	5	-	37
	White-----	320	58	29	40	1	-	-	1	17	3	170
	Female-----	57	4	19	1	-	-	-	-	5	-	28
	All other-----	42	4	3	-	-	-	-	-	3	-	32
	Female-----	14	1	4	-	-	-	-	-	-	-	9

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classifi-

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All motor vehicle accidents----- (B310-B323)	55,511	326	361	449	432	410	1,988	2,006	2,118	9,309
2	Male-----	39,941	171	211	249	273	254	1,158	1,232	1,432	6,922
3	Female-----	15,570	155	170	200	159	156	840	774	686	2,387
4	White-----	34,370	180	163	200	194	181	888	973	1,242	6,350
5	Female-----	13,611	119	134	156	124	121	654	609	610	2,181
6	Negro-----	4,808	16	44	43	69	70	242	246	178	460
7	Female-----	1,627	29	32	40	31	30	182	145	70	167
8	Other races-----	763	5	4	6	10	3	28	13	18	112
9	Female-----	332	7	4	4	4	5	24	20	6	39
10	Driver of motor vehicle other than motorcycle (.0)-----	17,493	1	2	-	2	2	7	7	40	2,574
11	Male-----	14,269	1	2	-	2	1	6	6	37	2,110
12	Female-----	3,224	-	-	-	-	1	1	1	3	464
13	White-----	12,564	1	2	-	2	1	6	4	34	1,943
14	Female-----	2,933	-	-	-	-	1	1	1	3	439
15	Negro-----	1,469	-	-	-	-	-	-	1	2	131
16	Female-----	239	-	-	-	-	-	-	-	-	22
17	Other races-----	216	-	-	-	-	-	-	1	1	36
18	Female-----	47	-	-	-	-	-	-	-	-	3
19	Passenger in motor vehicle other than motorcycle (.1)-----	10,407	228	132	147	134	106	747	440	605	2,433
20	Male-----	5,395	121	67	72	68	51	379	254	353	1,472
21	Female-----	5,012	107	65	75	66	55	369	206	252	961
22	White-----	4,504	105	48	62	53	35	303	200	295	1,334
23	Female-----	4,312	84	50	60	50	47	291	172	225	885
24	Negro-----	744	12	16	8	12	16	64	28	49	111
25	Female-----	580	21	12	14	15	6	88	29	26	76
26	Other races-----	147	4	3	2	3	-	12	6	9	27
27	Female-----	120	2	3	1	1	2	9	5	1	20
28	Motorcyclist (.2)-----	2,005	-	-	-	-	-	-	-	11	621
29	Male-----	1,962	-	-	-	-	-	-	-	11	97
30	Female-----	43	-	-	-	-	-	-	-	-	10
31	White-----	1,960	-	-	-	-	-	-	-	11	94
32	Female-----	42	-	-	-	-	-	-	-	-	7
33	Negro-----	92	-	-	-	-	-	-	-	-	3
34	Female-----	1	-	-	-	-	-	-	-	-	15
35	Other races-----	10	-	-	-	-	-	-	-	-	6
36	Female-----	-	-	-	-	-	-	-	-	-	-
37	Passenger on motorcycle (.3)-----	285	-	-	3	1	2	6	10	28	111
38	Male-----	139	-	-	2	1	1	4	9	19	57
39	Female-----	146	-	-	1	-	1	2	1	9	54

4-5

cation of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
8,728	5,115	5,507	2,738	2,655	2,741	2,703	2,433	2,339	2,038	1,854	1,588	1,053	448	109	8	1	29	1
6,986	4,023	2,692	2,080	1,922	1,967	1,904	1,702	1,536	1,281	1,118	969	643	294	75	4	-	21	2
1,737	1,090	815	678	733	774	799	731	603	757	736	619	410	154	34	4	1	8	3
6,112	3,419	2,269	1,674	1,562	1,655	1,553	1,462	1,287	1,083	983	890	602	227	72	3	-	14	4
1,491	926	670	556	625	658	683	655	740	690	685	592	396	149	31	3	1	6	5
716	493	364	341	322	290	314	213	216	176	122	64	32	16	2	1	-	6	6
189	122	119	102	83	99	97	70	59	53	47	19	12	5	3	-	-	2	7
158	111	89	45	38	22	37	27	33	22	15	15	9	1	1	-	-	1	8
57	42	26	20	25	17	17	6	4	14	4	8	2	-	-	1	-	-	9
3,212	2,115	1,477	1,164	1,092	1,140	1,016	984	807	644	497	391	218	83	23	-	-	2	10
2,763	1,740	1,215	947	869	904	803	785	623	491	380	314	189	74	21	-	-	2	11
449	375	262	217	233	236	213	199	184	153	117	77	29	9	2	-	-	-	12
2,440	1,494	1,037	799	723	785	701	686	547	444	338	297	181	73	21	-	-	2	13
405	331	233	193	206	203	189	184	174	147	115	75	28	9	2	-	-	-	14
276	202	157	134	129	111	94	79	69	44	39	15	5	1	-	-	-	-	15
34	35	24	21	20	29	21	14	9	5	2	2	1	-	-	-	-	-	16
47	44	21	15	7	8	10	7	3	3	2	3	-	-	-	-	-	-	17
10	9	5	3	7	4	3	1	1	1	-	-	-	-	-	-	-	-	18
1,531	720	445	358	371	390	408	339	375	348	315	277	185	100	17	1	-	4	19
974	426	238	169	168	158	170	117	124	126	106	83	51	40	4	-	-	3	20
557	294	205	189	203	232	238	222	251	222	209	194	134	60	13	1	-	1	21
799	333	192	118	124	129	118	95	102	106	92	74	49	37	4	-	-	-	22
467	242	162	134	161	194	193	200	229	205	194	163	126	56	12	1	-	-	23
148	76	37	40	37	28	48	15	19	16	13	9	1	2	-	-	-	3	24
70	41	36	46	29	31	56	22	21	14	14	8	7	4	1	-	-	1	25
27	17	9	11	7	1	4	7	3	4	1	-	1	1	-	-	-	-	26
20	11	7	9	13	7	9	-	1	3	1	3	1	-	-	-	-	-	27
575	308	172	98	48	21													

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Motor Vehicle Accidents, by Person

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification]

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
All motor vehicle accidents--Con.											
1	Unspecified person (.9)-----	14,719	83	90	57	57	57	304	229	393	2,669
2	Male-----	10,700	45	24	35	29	29	162	124	254	2,015
3	Female-----	4,019	38	26	22	28	28	142	105	139	654
4	White-----	9,463	41	21	25	20	23	130	101	229	1,863
5	Female-----	5,586	28	22	20	24	24	118	80	127	597
6	Negro-----	1,040	3	3	8	9	5	28	23	22	123
7	Female-----	348	6	4	2	3	4	19	19	11	46
8	Other races-----	197	1	-	2	-	1	4	-	3	29
9	Female-----	85	4	-	-	1	-	5	6	1	9
10	Motor vehicle traffic accidents----- (E810-E819)	54,347	318	273	383	404	378	1,756	1,947	2,063	9,175
11	Male-----	39,052	168	150	218	254	236	1,026	1,195	1,385	6,807
12	Female-----	15,295	150	123	165	150	142	730	752	678	2,368
13	White-----	35,587	148	111	177	161	163	790	946	1,202	6,240
14	Female-----	15,368	116	97	124	117	110	564	589	604	2,162
15	Negro-----	4,716	15	35	36	64	70	220	239	186	456
16	Female-----	1,603	28	23	38	29	28	146	143	69	167
17	Other races-----	749	5	4	5	9	3	26	10	17	111
18	Female-----	324	6	3	3	4	4	20	20	5	89
19	Driver of motor vehicle other than motorcycle (.0)-----	17,386	1	1	-	1	2	5	7	37	2,561
20	Male-----	14,171	1	1	-	1	1	4	6	34	2,098
21	Female-----	3,215	-	-	-	-	1	1	1	3	463
22	White-----	12,472	1	1	-	1	1	4	4	31	1,931
23	Female-----	2,930	-	-	-	-	1	1	1	3	436
24	Negro-----	1,484	-	-	-	-	-	-	1	2	131
25	Female-----	238	-	-	-	-	-	-	-	-	22
26	Other races-----	215	-	-	-	-	-	-	1	1	36
27	Female-----	47	-	-	-	-	-	-	-	-	3
28	Passenger in motor vehicle other than motorcycle (.1)-----	10,342	227	129	145	131	105	735	434	600	2,419
29	Male-----	5,354	121	67	72	66	51	377	230	348	1,463
30	Female-----	4,988	106	62	71	65	54	358	204	252	956
31	White-----	4,486	105	48	62	51	35	301	196	291	1,325
32	Female-----	4,292	83	48	57	50	46	284	170	225	860
33	Negro-----	741	12	16	8	12	16	64	28	48	111
34	Female-----	576	21	11	13	14	6	65	29	26	76
35	Other races-----	147	4	3	2	3	-	12	6	9	27
36	Female-----	120	2	3	1	1	2	9	5	1	20
37	Motorcyclist (.2)-----	1,931	-	-	-	-	-	-	9	99	597
38	Male-----	1,691	-	-	-	-	-	-	9	93	597
39	Female-----	40	-	-	-	-	-	-	-	6	10
40	White-----	1,791	-	-	-	-	-	-	9	90	566
41	Female-----	39	-	-	-	-	-	-	-	6	10
42	Negro-----	90	-	-	-	-	-	-	-	3	15
43	Female-----	1	-	-	-	-	-	-	-	-	-
44	Other races-----	10	-	-	-	-	-	-	-	-	6
45	Female-----	-	-	-	-	-	-	-	-	-	-
46	Passenger on motorcycle (.3)-----	282	-	-	3	1	1	5	9	28	110
47	Male-----	156	-	-	2	1	1	3	8	19	56
48	Female-----	146	-	-	1	-	1	2	1	9	54
49	White-----	131	-	-	2	1	1	3	8	18	53
50	Female-----	140	-	-	1	-	1	2	1	9	54
51	Negro-----	5	-	-	-	-	-	-	-	1	3
52	Female-----	4	-	-	-	-	-	-	-	-	-
53	Other races-----	-	-	-	-	-	-	-	-	-	-
54	Female-----	2	-	-	-	-	-	-	-	-	-
55	Occupant of streetcar (.4)-----	2	-	-	-	-	-	-	-	-	-
56	Male-----	1	-	-	-	-	-	-	-	-	-
57	Female-----	1	-	-	-	-	-	-	-	-	-
58	White-----	1	-	-	-	-	-	-	-	-	-
59	Female-----	1	-	-	-	-	-	-	-	-	-
60	Negro-----	-	-	-	-	-	-	-	-	-	-
61	Female-----	-	-	-	-	-	-	-	-	-	-
62	Other races-----	-	-	-	-	-	-	-	-	-	-
63	Female-----	-	-	-	-	-	-	-	-	-	-
64	Rider of animal or occupant of animal-drawn vehicle (.5)-----	20	-	-	-	-	-	-	1	12	1
65	Male-----	9	-	-	-	-	-	-	1	4	-
66	Female-----	11	-	-	-	-	-	-	-	8	1
67	White-----	8	-	-	-	-	-	-	1	3	-
68	Female-----	11	-	-	-	-	-	-	-	8	1
69	Negro-----	1	-	-	-	-	-	-	-	1	-
70	Female-----	-	-	-	-	-	-	-	-	-	-
71	Other races-----	-	-	-	-	-	-	-	-	-	-
72	Female-----	-	-	-	-	-	-	-	-	-	-
73	Pedal cyclist (.6)-----	890	-	1	4	4	13	22	173	369	168
74	Male-----	703	-	1	3	4	12	20	132	296	132
75	Female-----	187	-	-	1	-	1	2	41	73	36
76	White-----	620	-	1	3	2	9	15	115	266	121
77	Female-----	176	-	-	1	-	1	2	38	67	36
78	Negro-----	75	-	-	-	1	3	4	17	27	11
79	Female-----	11	-	-	-	-	-	-	3	6	-
80	Other races-----	8	-	-	-	1	-	1	-	3	-
81	Female-----	-	-	-	-	-	-	-	-	-	-
82	Pedestrian (.7)-----	9,043	9	94	180	216	207	706	1,091	536	698
83	Male-----	6,513	2	59	110	157	146	474	689	346	497
84	Female-----	2,730	7	35	70	59	61	232	402	190	201
85	White-----	4,829	2	42	66	107	98	335	515	279	419
86	Female-----	2,225	5	27	45	44	39	180	300	180	173
87	Negro-----	1,308	-	16	23	45	46	130	171	65	64
88	Female-----	432	2	8	23	13	20	66	93	26	21
89	Other races-----	176	-	1	1	5	2	9	3	2	14
90	Female-----	73	-	-	2	2	2	6	9	4	7

SECTION 4 - ACCIDENT MORTALITY

4-7

Injured, Age, Race, and Sex: United States, 1973-Con.

cation of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,671	1,488	1,045	738	724	735	742	839	813	518	474	395	229	81	21	3	-	8	1
2,130	1,185	790	558	529	546	528	431	385	318	280	248	140	54	18	1	-	4	2
941	303	255	180	195	169	214	208	228	200	194	147	89	27	3	2	-	4	3
1,901	1,027	682	475	454	473	448	366	356	267	252	234	133	51	18	-	-	3	4
464	262	210	188	179	166	197	167	214	185	178	143	86	27	2	2	-	4	5
175	125	92	75	64	67	67	43	43	27	12	7	3	-	1	1	-	1	6
60	28	37	16	14	16	14	19	12	10	14	3	3	-	1	-	-	-	7
54	33	16	10	11	6	13	2	6	7	1	2	-	-	-	-	-	-	8
17	13	8	4	2	5	3	2	2	5	2	1	-	-	-	-	-	-	9
8,612	5,050	3,438	2,694	2,613	2,699	2,643	2,386	2,283	1,997	1,816	1,569	1,030	437	103	7	1	29	10
6,884	3,963	2,631	2,023	1,885	1,933	1,855	1,661	1,488	1,254	1,089	955	634	288	71	4	-	21	11
1,728	1,087	807	671	728	768	788	725	795	743	727	613	396	149	32	3	1	8	12
6,018	3,366	2,213	1,648	1,529	1,625	1,508	1,423	1,247	1,059	956	878	593	271	68	3	-	14	13
1,483	923	663	550	620	651	673	650	733	676	676	587	382	144	29	2	1	6	14
708	487	359	330	319	287	310	211	212	173	120	62	32	16	2	1	-	6	15
189	122	118	101	83	99	98	69	63	47	18	12	5	3	3	-	-	2	16
158	110	89	45	37	21	37	27	29	22	13	15	9	1	1	-	-	1	17
56	42	26	20	25	16	17	6	3	14	4	8	2	-	-	1	-	-	18
3,195	2,103	1,466	1,158	1,086	1,133	1,010	978	801	641	492	369	216	85	23	-	-	2	19
2,747	1,729	1,204	943	853	898	797	779	617	488	376	313	188	74	21	-	-	2	20
448	374	262	215	235	235	213	199	184	153	116	76	28	9	2	-	-	-	21
2,424	1,484	1,027	795	717	780	685	680	545	441	334	296	180	73	21	-	-	2	22
404	330	233	192	206	202	189	184	174	147	114	74	27	9	2	-	-	-	23
276	201	156	133	129	110	94	79	68	44	39	15	5	1	-	-	-	-	24
34	35	24	20	20	29	21	14	9	5	2	2	1	-	-	-	-	-	25
47	44	21	15	7	8	8	10	3	3	3	2	3	-	-	-	-	-	26
10	9	5	3	7	4	3	1	1	1	-	-	-	-	-	-	-	-	27
1,520	719	438	357	370	369	407	339	373	345	315	277	185	100	16	1	-	4	28
965	425	256	168	167	157	170	116	122	124	106	83	51	40	3	-	-	3	29
555	294	202	189	203	232	237	222	251	221	209	194	134	60	13	1	-	1	30
792	332	180	117	123	128	118	94	100	104	92	74	49	37	3	-	-	-	31
465	242	159	134	161	194	193	200	229	204	194	183	126	56	12	1	-	-	32
146	76	37	40	37	28	48	15	19	16	13	9	1	2	-	-	-	3	33
70	41	36	46	29	31	35	22	21	14	14	8	7	4	1	-	-	1	34
27	17	9	11	7	1	4	7	3	4	1	-	1	1	-	-	-	-	35
20	11	7	9	13	7	9	-	1	3	1	3	1	-	-	-	-	-	36
564	296	161	95	43	20	21	11	7	2	4	1	-	1	-	-	-	-	37
554	293	157	92	42	19	21	11	7	1	4	1	-	-	-	-	-	-	38
10	3	4	3	1	1	-	-	-	1	-	-	-	1	-	-	-	-	39
531	270	143	80	40	18	20	11	7	1	4	1	-	-	-	-	-	-	40
10	2	4	3	1	1	-	-	-	1	-	-	-	1	-	-	-	-	41
19	23	14	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	42
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
70	27	8	12	7	4	1	1	-	-	-	-	-	-	-	-	-	-	46
32	10	-	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-	47
39	17	8	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	48
51	10	-	1	2	3	1	1	1	-	-	-	-	-	-	-	-	-	49
37	17	7	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	50
1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	64
1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	65
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	67
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
44	27	9	8	10	9	11	7	6	9	9	6	2	1	-	-	-	-	73
32	21	7	6	9	4	8	4	5	9	9	6	2	1	-	-	-	-	74
12	6	2	2	1	5	3	3	3	-	-	-	-	-	-	-	-	-	75
30	20	5	4	6	3	7	4	3	7	6	5	2	1	-	-	-	-	76
12	6	2	2	1	5	2	2	1	2	2	1	-	-	-	-	-	-	77
1	1	1	2	2	1	1	1	2	-	-	-	-	-	-	-	-	-	78
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	79
1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
589	409	331	341	385	420	465	417	497	486	530	503	400	175	44	4	1	15	82
464	318	255	268	293	316	341	324	363	317	322	307	254	120	30	3	-	12	83
125	91	76	73	92	104	124	93	134	189	208	196	146	55	14	1	1	3	84
345	238	183	188	198	230	229	243	268	241	278	269	230	110	27	3	-	9	85
92	65	49	54	71	82	95	77	117	140	190	186	144	54	13	-	1	2	86
94	63	60	73	66	80	100	73	82	68	39	27	19	10	2	-	-	2	87
25	17	21	15	19	21	27	13	17	24	17	6	1	1	1	-	-	1	88
25	17	12	9	11	6	12	8	15	8	7	11	5	-	1	-	-	1	89
8	9	6	4	2	1	2	3	-	5	1	4	1	-	-	1	-	-	90

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases.]

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
Motor vehicle traffic accidents--Con.											
1	Other specified persons (.8)-----	53	-	-	-	-	-	-	4	13	10
2	Male-----	45	-	-	-	-	-	-	3	12	7
3	Female-----	8	-	-	-	-	-	-	1	1	3
4	White-----Male-----	42	-	-	-	-	-	-	2	12	6
5	Female-----	8	-	-	-	-	-	-	1	1	3
6	Negro-----Male-----	3	-	-	-	-	-	-	1	-	1
7	Female-----	-	-	-	-	-	-	-	-	-	-
8	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
9	Female-----	-	-	-	-	-	-	-	-	-	-
10	Unspecified person (.9)-----	14,398	81	46	53	51	50	283	219	369	2,611
11	Male-----	10,429	44	22	31	25	26	149	117	233	1,967
12	Female-----	3,969	37	26	22	26	24	135	102	136	644
13	White-----Male-----	9,227	40	19	24	19	20	122	96	212	1,819
14	Female-----	3,546	28	22	20	23	22	115	78	125	587
15	Negro-----Male-----	1,009	3	3	5	6	5	22	21	19	120
16	Female-----	541	5	4	2	2	2	15	18	11	48
17	Other races--Male-----	193	1	-	2	-	1	4	-	2	28
18	Female-----	82	4	-	-	1	-	5	6	-	9
19	Motor vehicle nontraffic accidents----- (E820-E925)	1,164	8	108	66	28	32	242	59	55	134
20	Male-----	889	3	61	31	19	18	132	37	47	115
21	Female-----	275	5	47	35	9	14	110	22	8	19
22	White-----Male-----	763	2	52	23	13	18	108	27	40	110
23	Female-----	243	3	37	32	7	11	90	20	8	19
24	Negro-----Male-----	92	1	9	7	5	-	22	7	6	4
25	Female-----	24	1	9	2	2	2	16	2	1	-
26	Other races--Male-----	14	-	-	1	1	-	2	3	1	1
27	Female-----	8	1	1	1	-	1	4	-	1	-
28	Driver of motor vehicle other than motorcycle (.0)-----	107	-	1	-	1	-	2	-	3	13
29	Male-----	98	-	1	-	1	-	2	-	3	12
30	Female-----	9	-	-	-	-	-	-	-	-	1
31	White-----Male-----	92	-	1	-	1	-	2	-	3	12
32	Female-----	8	-	-	-	-	-	-	-	-	1
33	Negro-----Male-----	5	-	-	-	-	-	-	-	-	-
34	Female-----	1	-	-	-	-	-	-	-	-	-
35	Other races--Male-----	1	-	-	-	-	-	-	-	-	-
36	Female-----	-	-	-	-	-	-	-	-	-	-
37	Passenger in motor vehicle other than motorcycle (.1)-----	65	1	3	4	3	1	12	6	5	14
38	Male-----	41	-	-	-	2	-	2	4	5	9
39	Female-----	24	1	3	4	1	1	10	2	-	5
40	White-----Male-----	38	-	-	-	2	-	2	4	4	9
41	Female-----	20	1	2	3	-	1	7	2	-	5
42	Negro-----Male-----	3	-	-	-	-	-	-	-	1	-
43	Female-----	4	-	1	1	1	-	3	-	-	-
44	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
45	Female-----	-	-	-	-	-	-	-	-	-	-
46	Motorcyclist (.2)-----	74	-	-	-	-	-	-	2	5	24
47	Male-----	71	-	-	-	-	-	-	2	4	24
48	Female-----	3	-	-	-	-	-	-	-	1	-
49	White-----Male-----	69	-	-	-	-	-	-	2	4	24
50	Female-----	3	-	-	-	-	-	-	-	1	-
51	Negro-----Male-----	2	-	-	-	-	-	-	-	-	-
52	Female-----	-	-	-	-	-	-	-	-	-	-
53	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
54	Female-----	-	-	-	-	-	-	-	-	-	-
55	Passenger on motorcycle (.3)-----	3	-	-	-	-	1	1	1	-	1
56	Male-----	3	-	-	-	-	1	1	1	-	1
57	Female-----	-	-	-	-	-	-	-	-	-	-
58	White-----Male-----	3	-	-	-	-	1	1	1	-	1
59	Female-----	-	-	-	-	-	-	-	-	-	-
60	Negro-----Male-----	-	-	-	-	-	-	-	-	-	-
61	Female-----	-	-	-	-	-	-	-	-	-	-
62	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
63	Female-----	-	-	-	-	-	-	-	-	-	-
64	Occupant of streetcar (.4)-----	-	-	-	-	-	-	-	-	-	-
65	Male-----	-	-	-	-	-	-	-	-	-	-
66	Female-----	-	-	-	-	-	-	-	-	-	-
67	White-----Male-----	-	-	-	-	-	-	-	-	-	-
68	Female-----	-	-	-	-	-	-	-	-	-	-
69	Negro-----Male-----	-	-	-	-	-	-	-	-	-	-
70	Female-----	-	-	-	-	-	-	-	-	-	-
71	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
72	Female-----	-	-	-	-	-	-	-	-	-	-
73	Rider of animal or occupant of animal-drawn vehicle (.5)-----	-	-	-	-	-	-	-	-	-	-
74	Male-----	-	-	-	-	-	-	-	-	-	-
75	Female-----	-	-	-	-	-	-	-	-	-	-
76	White-----Male-----	-	-	-	-	-	-	-	-	-	-
77	Female-----	-	-	-	-	-	-	-	-	-	-
78	Negro-----Male-----	-	-	-	-	-	-	-	-	-	-
79	Female-----	-	-	-	-	-	-	-	-	-	-
80	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
81	Female-----	-	-	-	-	-	-	-	-	-	-
82	Pedal cyclist (.6)-----	7	-	-	-	1	-	1	3	2	-
83	Male-----	4	-	-	-	1	-	1	2	1	-
84	Female-----	3	-	-	-	-	-	-	1	1	-
85	White-----Male-----	3	-	-	-	-	-	-	2	1	-
86	Female-----	3	-	-	-	-	-	-	1	1	-
87	Negro-----Male-----	1	-	-	-	1	-	1	-	-	-
88	Female-----	-	-	-	-	-	-	-	-	-	-
89	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
90	Female-----	-	-	-	-	-	-	-	-	-	-

4-9

cation of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	6	1	-	1	1	2	5	2	-	1	1	-	-	1	-	-	-	1
5	6	1	-	1	-	1	5	2	-	1	-	-	-	1	-	-	-	2
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	3
5	6	1	-	1	-	1	4	2	-	1	-	-	-	1	-	-	-	4
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	5
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
2,623	1,463	1,023	723	711	721	725	629	597	514	465	390	226	77	19	2	-	8	10
2,084	1,161	770	545	518	535	516	421	372	315	271	244	138	53	16	1	-	4	11
539	302	253	178	193	186	209	208	225	199	194	146	88	24	3	1	-	-	12
1,659	1,006	663	465	444	462	437	376	326	265	243	232	131	50	16	-	-	3	13
462	261	209	156	177	164	192	187	212	184	178	143	85	24	2	1	-	4	14
171	123	91	70	63	67	66	43	41	43	27	10	7	3	-	1	-	1	15
60	28	36	18	14	18	14	19	12	10	14	2	3	-	1	-	-	-	16
54	32	16	10	11	6	13	2	5	7	1	2	-	-	-	-	-	-	17
17	13	8	4	2	4	3	2	1	5	2	1	-	-	-	-	-	-	18
111	63	69	44	42	42	60	47	56	41	39	20	23	11	6	1	-	-	19
102	60	61	37	37	34	49	41	48	27	29	14	9	6	4	-	-	-	20
9	3	8	7	5	8	11	6	8	14	9	6	14	5	2	1	-	-	21
94	53	56	26	33	30	45	39	40	24	27	12	9	6	4	-	-	-	22
8	3	7	6	5	7	10	5	7	14	9	5	14	5	2	1	-	-	23
8	6	5	11	3	3	4	2	4	3	2	2	-	-	-	-	-	-	24
-	1	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	25
-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	-	26
1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	27
17	12	11	6	6	7	6	6	6	3	5	2	2	-	-	-	-	-	28
16	11	11	4	6	6	6	6	6	3	4	1	1	-	-	-	-	-	29
1	1	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-	-	30
16	10	10	3	6	5	6	6	4	3	4	1	1	-	-	-	-	-	31
1	1	1	1	1	1	1	-	-	1	1	1	1	-	-	-	-	-	32
-	1																	

Table 4-2. Deaths From Motor Vehicle Accidents, by Person

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classifi-

[illegible]

4-11

cation of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

[illegible]

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor-cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States	55,511	17,493	10,407	2,005	285	2	20	897	9,627	56	14,719
Male	39,941	14,269	5,395	1,962	139	1	9	707	6,711	48	10,700
Female	15,570	3,224	5,012	45	146	1	11	190	2,916	8	4,019
White	34,370	12,564	4,504	1,860	134	1	8	623	5,183	45	9,463
Female	13,611	2,938	4,312	42	140	1	11	179	2,394	8	3,536
All other	5,571	1,705	891	102	5	-	1	84	1,843	3	1,237
Female	1,959	296	700	1	6	-	-	11	522	-	433
Alabama	1,399	461	245	38	3	-	1	12	212	-	427
Male	1,080	378	137	38	1	-	-	12	165	-	329
Female	339	83	108	-	2	-	1	-	47	-	98
White	781	298	103	34	1	-	-	8	98	-	239
Female	272	72	87	-	2	-	1	-	31	-	79
All other	279	80	34	4	-	-	-	4	67	-	60
Female	67	11	21	-	-	-	-	-	16	-	19
Alaska	72	4	7	2	-	-	-	1	5	-	53
Male	50	3	4	2	-	-	-	1	4	-	36
Female	22	1	3	-	-	-	-	-	1	-	17
White	38	2	3	2	-	-	-	1	1	-	29
Female	16	1	2	-	-	-	-	-	1	-	12
All other	12	1	1	-	-	-	-	-	3	-	7
Female	6	-	1	-	-	-	-	-	-	-	5
Arizona	892	342	216	40	4	-	-	13	172	1	104
Male	639	275	113	39	3	-	-	9	123	1	76
Female	253	67	103	1	1	-	-	4	49	-	28
White	485	235	86	39	3	-	-	8	75	1	38
Female	192	61	75	1	1	-	-	4	33	-	17
All other	154	40	27	-	-	-	-	1	48	-	39
Female	61	6	23	-	-	-	-	-	16	-	11
Arkansas	676	44	48	9	-	-	-	7	81	-	497
Male	473	36	22	9	-	-	-	5	59	-	342
Female	203	8	26	-	-	-	-	2	22	-	145
White	390	34	19	9	-	-	-	2	41	-	285
Female	156	7	15	-	-	-	-	2	13	-	119
All other	83	2	3	-	-	-	-	3	18	-	57
Female	47	1	11	-	-	-	-	-	9	-	26
California	5,188	1,681	1,088	340	51	-	1	113	922	11	912
Male	3,749	1,345	576	328	32	-	-	91	647	9	721
Female	1,440	336	512	12	19	-	1	22	275	2	261
White	3,408	1,238	512	311	32	-	-	83	564	9	659
Female	1,288	305	449	12	19	-	1	21	241	2	239
All other	341	107	64	17	-	-	-	6	85	-	62
Female	152	31	69	-	-	-	-	1	34	-	23
Colorado	663	88	56	19	3	-	-	9	92	1	395
Male	477	70	27	19	1	-	-	7	66	-	297
Female	186	18	29	-	2	-	-	2	26	1	108
White	464	68	26	19	1	-	-	6	64	-	280
Female	177	16	28	-	2	-	-	2	26	1	102
All other	13	2	1	-	-	-	-	1	2	-	7
Female	9	2	1	-	-	-	-	-	-	-	6
Connecticut	550	166	86	42	2	-	-	7	103	-	144
Male	416	143	53	41	-	-	-	6	71	-	102
Female	134	23	33	1	2	-	-	1	32	-	42
White	384	131	47	40	-	-	-	6	64	-	96
Female	129	22	30	1	2	-	-	1	32	-	41
All other	32	12	6	1	-	-	-	-	7	-	6
Female	5	1	3	-	-	-	-	-	-	-	1
Delaware	125	42	25	6	-	-	-	2	21	1	28
Male	97	33	15	6	-	-	-	1	21	1	20
Female	28	9	10	-	-	-	-	1	-	-	8
White	81	30	12	5	-	-	-	1	15	1	17
Female	25	8	9	-	-	-	-	1	-	-	7
All other	16	3	3	1	-	-	-	-	6	-	3
Female	3	1	1	-	-	-	-	-	-	-	1
District of Columbia	99	23	16	3	-	-	-	2	28	-	27
Male	71	20	9	3	-	-	-	1	20	-	19
Female	28	3	7	-	-	-	-	1	8	-	9
White	17	6	2	1	-	-	-	-	3	-	5
Female	8	3	7	-	-	-	-	-	-	-	2
All other	54	14	7	2	-	-	-	1	17	-	13
Female	20	-	4	-	-	-	-	1	8	-	7
Florida	2,579	851	509	100	10	-	5	64	543	-	517
Male	1,763	614	244	100	3	-	2	52	369	-	379
Female	816	217	265	-	7	-	3	12	174	-	138
White	1,453	526	191	85	3	-	2	45	220	-	331
Female	698	190	226	-	6	-	3	11	141	-	121
All other	310	88	53	5	-	-	-	7	109	-	48
Female	118	27	39	-	1	-	-	1	33	-	17

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia-----	1,810	848	417	82	11	-	-	22	290	4	156
Male-----	1,350	698	228	78	8	-	-	19	205	3	110
Female-----	460	150	189	3	3	-	-	3	85	1	26
White-----	1,011	542	170	73	8	-	-	13	121	3	81
Female-----	367	136	146	3	3	-	-	2	53	1	23
All other-----	339	156	58	6	-	-	-	6	84	-	29
Female-----	93	14	43	-	-	-	-	1	32	-	3
Hawaii-----	135	54	35	1	-	-	-	3	21	-	21
Male-----	91	41	20	1	-	-	-	3	11	-	15
Female-----	44	13	15	-	-	-	-	-	10	-	6
White-----	32	15	6	1	-	-	-	1	5	-	4
Female-----	15	7	2	-	-	-	-	-	3	-	3
All other-----	59	26	14	-	-	-	-	2	6	-	11
Female-----	29	6	13	-	-	-	-	-	7	-	3
Idaho-----	320	25	16	1	-	-	-	2	30	-	246
Male-----	208	21	8	1	-	-	-	2	17	-	159
Female-----	112	4	8	-	-	-	-	-	13	-	87
White-----	198	21	7	1	-	-	-	2	14	-	153
Female-----	105	3	7	-	-	-	-	-	12	-	83
All other-----	10	-	1	-	-	-	-	-	3	-	6
Female-----	7	1	1	-	-	-	-	-	1	-	4
Illinois-----	2,469	439	306	55	8	-	-	36	415	2	1,210
Male-----	1,753	355	155	53	1	-	-	31	286	2	870
Female-----	716	84	151	2	7	-	-	5	127	-	340
White-----	1,560	312	122	50	2	-	-	28	226	2	919
Female-----	654	78	131	2	7	-	-	5	109	-	322
All other-----	193	43	33	3	-	-	-	3	60	-	51
Female-----	62	6	20	-	-	-	-	-	18	-	18
Indiana-----	1,569	232	142	18	9	-	2	20	180	2	964
Male-----	1,084	189	67	17	3	-	1	14	131	2	680
Female-----	485	43	75	1	6	-	1	6	49	-	304
White-----	1,030	182	60	15	3	-	1	13	121	1	634
Female-----	469	43	69	1	6	-	1	6	44	-	299
All other-----	54	7	7	2	-	-	-	1	10	1	26
Female-----	16	-	6	-	-	-	-	-	5	-	5
Iowa-----	853	427	208	50	5	-	1	11	68	1	82
Male-----	617	354	99	50	4	-	-	7	43	-	60
Female-----	236	73	109	-	1	-	1	-	25	1	22
White-----	612	351	97	50	4	-	-	7	43	-	60
Female-----	233	73	108	-	-	-	1	4	25	1	21
All other-----	5	3	2	-	-	-	-	-	-	-	-
Female-----	3	-	1	-	1	-	-	-	-	-	1
Kansas-----	648	210	128	33	4	-	-	4	58	-	221
Male-----	460	174	83	23	3	-	-	3	43	-	151
Female-----	188	36	85	-	1	-	-	1	15	-	70
White-----	437	169	58	22	3	-	-	3	40	-	142
Female-----	179	36	62	-	1	-	-	1	14	-	65
All other-----	23	5	5	1	-	-	-	-	3	-	9
Female-----	9	-	3	-	-	-	-	-	1	-	5
Kentucky-----	1,128	464	289	30	8	-	-	17	186	-	134
Male-----	827	390	155	30	4	-	-	15	133	-	100
Female-----	301	74	134	-	4	-	-	2	53	-	34
White-----	770	367	145	29	3	-	-	13	120	-	93
Female-----	282	67	139	-	3	-	-	2	48	-	33
All other-----	57	23	10	1	1	-	-	2	13	-	7
Female-----	19	7	5	-	1	-	-	-	5	-	1
Louisiana-----	1,132	206	126	26	2	-	1	13	178	-	580
Male-----	639	173	70	26	1	-	1	10	123	-	435
Female-----	293	33	56	-	1	-	-	3	55	-	145
White-----	560	127	44	24	1	-	1	9	72	-	282
Female-----	216	28	38	-	1	-	-	2	34	-	113
All other-----	279	46	26	2	-	-	-	1	51	-	153
Female-----	77	5	18	-	-	-	-	1	21	-	32
Maine-----	256	85	47	11	-	-	-	6	42	-	45
Male-----	167	69	28	10	-	-	-	4	24	-	32
Female-----	69	16	19	1	-	-	-	2	18	-	13
White-----	163	68	28	10	-	-	-	4	23	-	30
Female-----	68	15	19	1	-	-	-	2	18	-	13
All other-----	4	1	-	-	-	-	-	-	1	-	2
Female-----	1	1	-	-	-	-	-	-	-	-	-
Maryland-----	854	259	162	22	3	-	1	14	195	1	197
Male-----	617	215	88	22	1	-	1	13	136	-	141
Female-----	237	44	74	-	2	-	-	1	59	1	56
White-----	492	176	71	17	1	-	1	11	93	-	122
Female-----	185	38	56	-	2	-	-	1	40	1	45
All other-----	128	39	17	5	-	-	-	2	43	-	19
Female-----	54	6	18	-	-	-	-	-	19	-	11

SECTION 4 · ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motor-cyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Massachusetts-----	1,043	387	247	58	8	-	-	16	253	-	73
Male-----	754	311	145	39	5	-	-	12	168	-	58
Female-----	289	76	102	-	3	-	-	4	87	-	17
White-----	728	302	143	57	5	-	-	12	154	-	55
Female-----	280	72	98	-	3	-	-	4	86	-	16
All other-----	26	9	2	2	-	-	-	-	12	-	1
Female-----	9	4	3	-	-	-	-	-	1	-	1
Michigan-----	2,282	829	432	130	26	-	1	67	379	3	415
Male-----	1,606	664	199	127	13	-	1	56	254	3	289
Female-----	676	165	233	3	13	-	-	11	125	-	126
White-----	1,441	602	172	120	13	-	1	51	207	3	272
Female-----	609	151	203	3	13	-	-	11	112	-	116
All other-----	185	62	27	7	-	-	-	5	47	-	17
Female-----	67	14	30	-	-	-	-	-	13	-	10
Minnesota-----	1,048	417	244	44	6	-	-	18	170	2	147
Male-----	732	347	111	44	2	-	-	13	110	2	103
Female-----	316	70	133	-	4	-	-	5	60	-	44
White-----	708	339	104	44	2	-	-	13	103	2	101
Female-----	305	69	129	-	4	-	-	5	56	-	42
All other-----	24	8	7	-	-	-	-	-	7	-	2
Female-----	11	1	4	-	-	-	-	-	4	-	2
Mississippi-----	933	369	184	28	4	-	-	8	137	-	203
Male-----	710	323	109	27	1	-	-	5	103	-	142
Female-----	223	46	75	1	3	-	-	3	34	-	61
White-----	452	221	62	27	1	-	-	3	50	-	88
Female-----	152	40	53	1	3	-	-	2	13	-	40
All other-----	250	102	47	-	-	-	-	2	53	-	54
Female-----	71	6	22	-	-	-	-	1	21	-	21
Missouri-----	1,453	652	369	49	7	-	-	13	189	1	173
Male-----	1,049	540	186	49	5	-	-	10	129	1	119
Female-----	404	112	183	-	2	-	-	3	50	-	54
White-----	974	515	176	47	5	-	-	10	115	1	105
Female-----	369	107	188	-	2	-	-	2	45	-	45
All other-----	75	25	10	2	-	-	-	-	24	-	14
Female-----	35	5	15	-	-	-	-	1	5	-	9
Montana-----	320	161	78	12	-	-	-	5	39	-	25
Male-----	245	133	45	11	-	-	-	3	34	-	19
Female-----	75	28	33	1	-	-	-	2	5	-	6
White-----	211	118	35	11	-	-	-	3	29	-	15
Female-----	60	26	23	1	-	-	-	2	3	-	5
All other-----	34	15	10	-	-	-	-	-	5	-	4
Female-----	15	2	10	-	-	-	-	-	2	-	1
Nebraska-----	425	216	89	20	-	-	-	5	63	-	32
Male-----	312	175	48	19	-	-	-	5	44	-	21
Female-----	113	41	41	1	-	-	-	-	19	-	11
White-----	304	173	47	19	-	-	-	4	42	-	19
Female-----	109	40	39	1	-	-	-	1	18	-	11
All other-----	8	2	1	-	-	-	-	1	2	-	2
Female-----	4	1	2	-	-	-	-	-	1	-	-
Nevada-----	212	54	30	-	3	-	-	2	36	-	87
Male-----	150	44	11	-	3	-	-	-	26	-	66
Female-----	62	10	19	-	-	-	-	2	10	-	21
White-----	134	42	9	-	2	-	-	-	21	-	60
Female-----	57	10	18	-	-	-	-	2	7	-	20
All other-----	16	2	2	-	1	-	-	-	6	-	6
Female-----	5	-	1	-	-	-	-	-	3	-	1
New Hampshire-----	144	42	30	7	2	-	1	2	27	1	32
Male-----	104	31	15	7	1	-	-	2	23	1	24
Female-----	40	11	15	-	1	-	1	-	4	-	8
White-----	104	31	15	7	1	-	-	2	23	1	24
Female-----	38	10	14	-	1	-	1	-	4	-	8
All other-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	2	1	1	-	-	-	-	-	-	-	-
New Jersey-----	1,321	547	278	45	5	-	-	29	326	-	91
Male-----	926	446	143	45	2	-	-	21	208	-	61
Female-----	395	101	135	-	3	-	-	8	118	-	30
White-----	790	394	122	39	2	-	-	20	180	-	53
Female-----	341	91	114	-	3	-	-	8	107	-	18
All other-----	156	52	21	6	-	-	-	1	46	-	8
Female-----	34	10	21	-	-	-	-	-	11	-	12
New Mexico-----	571	223	128	21	2	-	-	7	118	-	72
Male-----	438	189	77	19	1	-	-	6	93	-	53
Female-----	133	34	51	2	1	-	-	1	25	-	19
White-----	329	157	58	18	1	-	-	6	54	-	35
Female-----	98	31	35	2	1	-	-	1	15	-	13
All other-----	110	32	19	1	1	-	-	-	39	-	19
Female-----	35	3	16	-	-	-	-	-	10	-	6

SECTION 4 - ACCIDENT MORTALITY

4-15

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New York-----	5,083	729	492	62	14	1	-	75	902	8	800
Male-----	2,159	596	229	61	7	-	-	60	607	7	592
Female-----	924	133	263	1	7	1	-	15	295	1	208
White-----	1,867	519	198	57	6	-	-	55	477	5	550
Female-----	826	123	236	1	6	1	-	15	249	1	194
All other-----	292	77	31	4	1	-	-	5	130	2	42
Female-----	98	10	27	-	1	-	-	-	46	-	14
North Carolina-----	1,879	797	464	66	7	-	1	25	356	3	160
Male-----	1,402	644	280	66	2	-	1	16	266	2	125
Female-----	477	153	184	-	5	-	-	9	90	1	35
White-----	949	473	173	59	2	-	-	12	141	2	87
Female-----	341	124	131	-	5	-	-	7	51	1	22
All other-----	453	171	107	7	-	-	1	4	125	-	36
Female-----	156	29	53	-	-	-	-	2	39	-	13
North Dakota-----	219	109	64	13	1	-	-	1	19	1	11
Male-----	163	92	34	13	-	-	-	1	13	1	9
Female-----	56	17	30	-	1	-	-	-	6	-	2
White-----	146	86	29	13	-	-	-	1	9	1	9
Female-----	49	15	28	-	1	-	-	-	4	-	1
All other-----	15	6	5	-	-	-	-	-	4	-	-
Female-----	7	2	2	-	-	-	-	-	2	-	1
Ohio-----	2,340	484	330	73	7	-	1	35	378	3	1,029
Male-----	1,685	405	176	70	3	-	-	29	249	3	750
Female-----	655	79	154	3	4	-	1	6	129	-	279
White-----	1,540	363	157	67	3	-	-	28	202	3	717
Female-----	606	75	139	3	4	-	1	6	114	-	263
All other-----	145	42	19	3	-	-	-	1	47	-	33
Female-----	50	4	15	-	-	-	-	-	15	-	16
Oklahoma-----	787	48	36	4	1	-	-	5	118	-	575
Male-----	548	38	13	4	1	-	-	4	83	-	405
Female-----	239	10	23	-	-	-	-	1	35	-	170
White-----	468	36	13	2	1	-	-	2	65	-	349
Female-----	215	9	22	-	-	-	-	1	31	-	152
All other-----	80	2	-	2	-	-	-	2	18	-	56
Female-----	24	1	1	-	-	-	-	-	4	-	18
Oregon-----	661	175	102	21	2	-	1	10	97	-	253
Male-----	451	133	52	20	2	-	-	7	66	-	171
Female-----	210	42	50	1	-	-	1	3	31	-	82
White-----	437	131	48	20	2	-	-	7	62	-	167
Female-----	200	39	48	1	-	-	1	3	30	-	78
All other-----	14	2	4	-	-	-	-	-	4	-	4
Female-----	10	3	2	-	-	-	-	-	1	-	4
Pennsylvania-----	2,549	498	321	70	9	-	1	36	523	3	1,068
Male-----	1,857	415	151	67	5	-	1	29	367	3	819
Female-----	692	83	170	3	4	-	-	7	156	-	269
White-----	1,708	372	125	64	5	-	1	25	321	3	792
Female-----	625	74	147	3	4	-	-	7	135	-	255
All other-----	149	43	26	3	-	-	-	4	46	-	27
Female-----	67	9	23	-	-	-	-	-	21	-	14
Rhode Island-----	154	22	16	3	3	-	-	1	30	-	79
Male-----	118	20	14	3	-	-	-	1	21	-	59
Female-----	36	2	2	-	3	-	-	-	9	-	20
White-----	107	19	11	3	-	-	-	1	20	-	53
Female-----	34	2	1	-	3	-	-	-	9	-	19
All other-----	11	1	3	-	-	-	-	-	1	-	6
Female-----	2	-	1	-	-	-	-	-	-	-	1
South Carolina-----	968	336	201	23	1	-	-	18	175	-	214
Male-----	724	284	122	22	-	-	-	15	123	-	158
Female-----	244	52	79	1	1	-	-	3	52	-	56
White-----	465	192	92	21	-	-	-	8	47	-	115
Female-----	163	42	57	1	1	-	-	1	21	-	40
All other-----	259	92	40	1	-	-	-	7	76	-	43
Female-----	81	10	22	-	-	-	-	2	31	-	16
South Dakota-----	268	131	77	12	1	-	-	5	24	-	18
Male-----	194	115	36	12	1	-	-	4	16	-	10
Female-----	74	16	41	-	-	-	-	1	8	-	8
White-----	169	98	26	11	1	-	-	4	10	-	9
Female-----	57	14	34	-	-	-	-	1	4	-	4
All other-----	35	17	10	1	-	-	-	-	6	-	1
Female-----	17	2	7	-	-	-	-	-	4	-	4
Tennessee-----	1,433	632	361	86	11	-	-	16	197	-	130
Male-----	1,063	530	190	83	6	-	-	14	150	-	90
Female-----	370	102	171	3	5	-	-	2	47	-	40
White-----	926	478	162	80	6	-	-	12	111	-	77
Female-----	315	93	139	2	4	-	-	2	43	-	32
All other-----	137	52	28	3	-	-	-	2	39	-	13
Female-----	55	9	32	1	1	-	-	-	4	-	8

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Texas-----	3,680	1,592	972	122	18	1	2	42	578	1	322
Male-----	2,596	1,296	497	120	6	1	1	33	403	1	239
Female-----	1,054	296	475	2	12	-	1	9	175	-	84
White-----	2,250	1,152	423	110	5	1	1	29	314	1	214
Male-----	929	271	414	2	12	-	1	9	145	-	75
All other-----	346	144	74	10	1	-	-	4	89	-	24
Female-----	125	25	61	-	-	-	-	-	30	-	9
Utah-----	358	151	106	20	4	-	-	3	45	1	28
Male-----	243	125	49	20	1	-	-	2	27	1	20
Female-----	115	26	57	-	3	-	-	1	18	-	8
White-----	230	117	45	20	1	-	-	2	24	1	20
Male-----	109	27	53	-	3	-	-	1	17	-	8
Female-----	13	6	4	-	-	-	-	-	3	-	-
All other-----	6	1	4	-	-	-	-	-	1	-	-
Female-----	6	1	4	-	-	-	-	-	1	-	-
Vermont-----	123	26	13	3	-	-	-	5	28	-	48
Male-----	93	20	7	3	-	-	-	3	17	-	43
Female-----	30	6	6	-	-	-	-	2	11	-	5
White-----	91	19	6	3	-	-	-	3	17	-	43
Male-----	29	6	5	-	-	-	-	2	11	-	5
Female-----	2	1	1	-	-	-	-	-	-	-	-
All other-----	1	-	1	-	-	-	-	-	-	-	-
Female-----	1	-	1	-	-	-	-	-	-	-	-
Virginia-----	1,259	164	134	19	7	-	-	17	210	1	606
Male-----	925	133	67	19	3	-	-	14	160	1	529
Female-----	313	31	67	-	4	-	-	3	50	-	159
White-----	695	111	54	19	3	-	-	12	105	1	392
Male-----	239	28	52	-	4	-	-	3	33	-	119
Female-----	230	22	13	-	-	-	-	2	57	-	136
All other-----	74	3	15	-	-	-	-	-	17	-	59
Female-----	74	3	15	-	-	-	-	-	17	-	59
Washington-----	870	224	151	22	4	-	-	15	124	-	330
Male-----	597	172	73	22	1	-	-	7	75	-	237
Female-----	283	52	78	-	3	-	-	8	49	-	93
White-----	545	161	68	22	1	-	-	7	68	-	218
Male-----	266	50	75	-	2	-	-	8	45	-	86
Female-----	42	11	5	-	-	-	-	-	7	-	19
All other-----	17	2	3	-	1	-	-	-	4	-	7
Female-----	17	2	3	-	1	-	-	-	4	-	7
West Virginia-----	469	36	16	2	1	-	-	1	75	-	338
Male-----	345	32	7	2	1	-	-	1	50	-	252
Female-----	124	4	9	-	-	-	-	-	25	-	86
White-----	330	32	7	2	1	-	-	1	48	-	239
Male-----	118	4	8	-	-	-	-	-	24	-	82
Female-----	15	-	-	-	-	-	-	-	2	-	13
All other-----	6	-	1	-	-	-	-	-	1	-	4
Female-----	6	-	1	-	-	-	-	-	1	-	4
Wisconsin-----	1,155	491	261	49	8	-	-	37	147	4	158
Male-----	843	406	125	49	2	-	-	28	105	4	124
Female-----	312	85	136	-	6	-	-	9	42	-	34
White-----	816	396	123	49	2	-	-	26	96	4	119
Male-----	299	83	131	-	6	-	-	9	37	-	33
Female-----	27	8	2	-	-	-	-	2	9	-	6
All other-----	15	2	5	-	-	-	-	-	5	-	1
Female-----	15	2	5	-	-	-	-	-	5	-	1
Wyoming-----	157	20	9	2	-	-	-	-	24	-	102
Male-----	111	16	3	2	-	-	-	-	16	-	74
Female-----	46	4	6	-	-	-	-	-	8	-	28
White-----	99	15	2	2	-	-	-	-	12	-	68
Male-----	42	3	6	-	-	-	-	-	7	-	26
Female-----	12	1	1	-	-	-	-	-	4	-	6
All other-----	4	1	-	-	-	-	-	-	1	-	-
Female-----	4	1	-	-	-	-	-	-	1	-	-

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850-E859	Accidental poisoning by drugs and medicaments-----	2,444	12	46	23	16	5	102	23	829	863	394	233	-
	Male-----	1,526	5	26	8	7	2	48	13	634	584	160	87	-
	Female-----	918	7	20	15	9	3	54	10	195	279	234	146	-
	White-----	1,222	2	17	5	6	2	32	9	512	455	141	73	-
	Female-----	751	5	14	14	7	2	42	6	129	222	221	131	-
	All other-----	304	3	9	3	1	-	16	4	122	129	19	14	-
	Female-----	167	2	6	1	2	1	12	4	66	57	13	15	-
E850	By antibiotics and other anti-infectives-----	21	-	2	1	1	-	4	1	3	2	7	4	-
	Male-----	13	-	1	1	1	-	3	1	2	1	4	2	-
	Female-----	8	-	1	-	-	-	1	-	1	1	3	2	-
	White-----	5	-	1	-	-	-	1	1	-	1	1	1	-
	Female-----	5	-	1	-	-	-	1	-	-	1	3	-	-
	All other-----	8	-	-	1	1	-	2	-	2	-	3	1	-
	Female-----	3	-	-	-	-	-	-	-	1	-	-	2	-
.0	Penicillin, any-----	1	-	1	-	-	-	1	-	-	-	-	-	-
	Male-----	1	-	1	-	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	-	1	-	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	20	-	1	1	1	-	3	1	3	2	7	4	-
	Male-----	12	-	-	1	1	-	2	1	2	1	4	2	-
	Female-----	8	-	1	-	-	-	1	-	1	1	3	2	-
	White-----	4	-	-	-	-	-	-	1	-	1	1	1	-
	Female-----	5	-	1	-	-	-	1	-	-	1	3	-	-
	All other-----	8	-	-	1	1	-	2	-	2	-	3	1	-
	Female-----	3	-	-	-	-	-	-	-	1	-	-	2	-
E851	By hormones and synthetic substitutes-----	23	-	-	-	-	-	-	-	-	4	7	12	-
	Male-----	9	-	-	-	-	-	-	-	-	3	1	5	-
	Female-----	14	-	-	-	-	-	-	-	-	1	6	7	-
	White-----	6	-	-	-	-	-	-	-	-	1	1	4	-
	Female-----	11	-	-	-	-	-	-	-	-	1	6	4	-
	All other-----	3	-	-	-	-	-	-	-	-	2	-	1	-
	Female-----	3	-	-	-	-	-	-	-	-	-	-	8	-
.6	Progestogens-----	1	-	-	-	-	-	-	-	-	1	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	1	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	1	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	22	-	-	-	-	-	-	-	-	3	7	12	-
	Male-----	9	-	-	-	-	-	-	-	-	3	1	5	-
	Female-----	13	-	-	-	-	-	-	-	-	-	6	7	-
	White-----	6	-	-	-	-	-	-	-	-	1	1	4	-
	Female-----	10	-	-	-	-	-	-	-	-	-	6	4	-
	All other-----	3	-	-	-	-	-	-	-	-	2	-	1	-
	Female-----	3	-	-	-	-	-	-	-	-	-	-	3	-
E852	By primarily systemic and hematologic agents-----	44	2	9	2	1	-	14	1	3	5	9	12	-
	Male-----	24	2	6	-	-	-	8	1	-	2	5	6	-
	Female-----	20	-	3	2	1	-	6	-	3	3	4	4	-
	White-----	17	1	4	-	-	-	5	1	-	2	3	6	-
	Female-----	18	-	1	2	1	-	4	-	3	3	4	4	-
	All other-----	7	1	2	-	-	-	3	-	-	-	2	2	-
	Female-----	2	-	2	-	-	-	2	-	-	-	-	-	-
E853	By analgesics and antipyretics-----	827	6	14	13	2	2	37	3	362	339	64	22	-
	Male-----	635	1	9	3	1	-	14	1	298	275	36	11	-
	Female-----	192	5	5	10	1	2	23	2	64	64	28	11	-
	White-----	480	-	6	1	1	-	8	1	234	198	30	9	-
	Female-----	133	4	4	9	1	2	20	-	39	42	22	10	-
	All other-----	155	1	3	2	-	-	6	-	64	77	6	2	-
	Female-----	59	1	1	1	-	-	3	2	25	22	6	1	-
.1	Salicylates and congeners-----	95	5	12	6	1	2	26	1	4	22	27	15	-
	Male-----	43	1	7	-	1	-	9	1	1	12	15	10	-
	Female-----	47	4	5	6	-	2	17	-	3	10	12	5	-
	White-----	40	-	6	-	1	-	7	1	-	8	15	9	-
	Female-----	38	3	4	6	-	2	15	-	-	9	9	4	-
	All other-----	8	1	1	-	-	-	2	-	1	4	-	1	-
	Female-----	9	1	1	-	-	-	2	-	2	1	3	1	-
.0,.2-.9	All other analgesics and antipyretics-----	733	1	2	7	1	-	11	2	358	317	37	7	-
	Male-----	597	-	2	3	-	-	5	-	297	263	21	1	-
	Female-----	145	1	-	4	1	-	6	2	61	54	16	6	-
	White-----	440	-	-	1	-	-	1	-	234	190	15	-	-
	Female-----	95	1	-	3	1	-	5	-	38	33	13	6	-
	All other-----	147	-	2	2	-	-	4	-	63	73	6	1	-
	Female-----	50	-	-	1	-	-	1	2	23	21	3	-	-
E854	By other sedatives and hypnotics-----	596	3	-	1	2	-	6	7	210	201	121	51	-
	Male-----	341	1	-	1	1	-	3	4	148	124	47	15	-
	Female-----	255	2	-	-	1	-	3	3	62	77	74	36	-
	White-----	292	-	-	1	1	-	2	1	117	103	45	14	-
	Female-----	210	1	-	-	1	-	2	2	39	59	73	35	-
	All other-----	59	1	-	-	-	-	1	3	31	21	2	1	-
	Female-----	45	1	-	-	-	-	1	1	23	18	1	1	-

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
.0	By other sedatives and hypnotics--Con.													
	Barbiturates-----	362	3	-	-	2	-	5	5	107	118	92	35	-
	Male-----	179	1	-	-	1	-	2	2	64	63	38	10	-
	Female-----	183	2	-	-	1	-	3	3	43	55	54	25	-
	White-----Male-----	163	-	-	-	1	-	1	-	58	57	54	25	-
	Female-----	149	1	-	-	1	-	2	2	28	39	54	24	-
	All other--Male-----	16	1	-	-	-	-	1	2	6	6	1	-	-
.1-.9	Female-----	54	1	-	-	-	-	1	1	15	16	-	1	-
	All other sedatives and hypnotics-----	254	-	-	1	-	-	1	2	103	63	29	16	-
	Male-----	182	-	-	1	-	-	1	2	94	61	9	5	-
	Female-----	72	-	-	-	-	-	-	-	13	22	20	11	-
	White-----Male-----	119	-	-	1	-	-	1	1	59	46	8	4	-
	Female-----	61	-	-	-	-	-	-	-	11	20	19	11	-
	All other--Male-----	45	-	-	-	-	-	-	1	25	15	1	1	-
E855	Female-----	11	-	-	-	-	-	-	-	8	2	1	-	-
	By autonomic nervous system and psychotherapeutic drugs--	139	1	9	2	3	1	16	4	21	50	40	8	-
	Male-----	62	1	5	1	1	1	9	1	10	25	14	3	-
	Female-----	77	-	4	1	2	7	7	3	11	25	26	5	-
	White-----Male-----	51	1	2	1	1	1	6	1	9	20	13	3	-
	Female-----	69	-	3	1	2	-	6	2	9	22	26	5	-
	All other--Male-----	11	-	3	-	-	-	3	-	2	5	1	-	-
.1	Female-----	8	-	1	-	-	-	1	1	3	3	-	-	-
	Tranquilizers-----	87	1	1	1	-	-	3	1	13	31	32	7	-
	Male-----	40	1	1	-	-	-	2	-	7	17	11	3	-
	Female-----	47	-	-	1	-	-	1	1	6	14	21	4	-
	White-----Male-----	34	1	1	-	-	-	2	-	5	14	10	3	-
	Female-----	45	-	-	1	-	-	1	1	5	13	21	4	-
	All other--Male-----	6	-	-	-	-	-	-	-	2	3	1	-	-
.0, .2-.9	Female-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	All other autonomic nervous system and psychotherapeutic drugs-----	52	-	8	1	3	1	13	3	8	19	8	1	-
	Male-----	22	-	4	1	1	1	7	1	3	8	3	-	-
	Female-----	30	-	4	-	2	-	6	2	5	11	5	1	-
	White-----Male-----	17	-	1	1	1	1	4	1	3	6	3	-	-
	Female-----	24	-	3	-	2	-	5	1	3	9	5	1	-
	All other--Male-----	5	-	3	-	-	-	3	-	-	2	-	-	-
E856	Female-----	6	-	1	-	-	-	1	1	2	2	-	-	-
	By other central nervous system depressants and stimulants-----	36	-	1	-	1	1	3	-	18	11	3	1	-
	Male-----	22	-	1	-	-	1	2	-	12	7	1	-	-
	Female-----	14	-	-	-	1	-	1	-	6	4	2	1	-
	White-----Male-----	20	-	1	-	-	1	2	-	11	6	1	-	-
	Female-----	12	-	-	-	-	-	-	-	5	4	2	1	-
	All other--Male-----	2	-	-	-	-	-	-	-	1	1	-	-	-
.4	Female-----	2	-	-	-	1	-	1	-	1	-	-	-	-
	Amphetamine-----	21	-	-	-	-	-	-	-	14	6	1	-	-
	Male-----	14	-	-	-	-	-	-	-	9	4	1	-	-
	Female-----	7	-	-	-	-	-	-	-	5	2	-	-	-
	White-----Male-----	12	-	-	-	-	-	-	-	8	3	1	-	-
	Female-----	6	-	-	-	-	-	-	-	1	1	-	-	-
	All other--Male-----	2	-	-	-	-	-	-	-	1	1	-	-	-
.0-.3, .8, .9	Female-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	All other central nervous system depressants and stimulants-----	15	-	1	-	1	1	3	-	4	5	2	1	-
	Male-----	8	-	1	-	-	1	2	-	3	3	2	-	-
	Female-----	7	-	-	-	1	-	1	-	1	2	2	1	-
	White-----Male-----	8	-	1	-	-	1	2	-	3	3	2	1	-
	Female-----	6	-	-	-	-	-	-	-	1	2	2	1	-
	All other--Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E857	Female-----	1	-	-	-	1	-	1	-	-	-	-	-	-
	By cardiovascular drugs-----	123	-	2	1	-	-	3	-	1	4	22	93	-
	Male-----	46	-	1	-	-	-	1	-	1	2	11	32	-
	Female-----	77	-	1	1	-	-	2	-	1	2	11	61	-
	White-----Male-----	39	-	1	-	-	-	1	-	1	2	9	26	-
	Female-----	64	-	-	1	-	-	1	-	-	1	9	54	-
	All other--Male-----	8	-	-	-	-	-	-	-	-	-	2	6	-
E858	Female-----	13	-	1	-	-	-	1	-	1	1	3	7	-
	By gastrointestinal drugs-----	9	-	1	2	3	-	6	-	-	2	-	1	-
	Male-----	5	-	-	1	2	-	3	-	-	-	-	-	-
	Female-----	6	-	1	1	1	-	3	-	-	2	-	1	-
	White-----Male-----	3	-	-	1	2	-	3	-	-	-	-	-	-
	Female-----	5	-	-	1	1	-	2	-	-	2	-	1	-
	All other--Male-----	-	-	-	-	1	-	-	-	-	-	-	-	-
E859	Female-----	1	-	1	-	-	-	1	-	-	-	-	-	-
	By other and unspecified drugs and medicaments-----	626	-	8	1	3	1	13	7	211	245	121	29	-
	Male-----	371	-	3	1	1	-	5	5	154	145	41	11	-
	Female-----	255	-	5	-	2	1	8	2	47	100	80	18	-
	White-----Male-----	320	-	2	1	1	-	4	4	142	122	38	10	-
	Female-----	224	-	5	-	1	-	6	2	35	87	77	17	-
	All other--Male-----	51	-	1	-	-	-	1	1	22	25	3	1	-
E860-E869	Female-----	31	-	-	-	1	1	2	-	12	15	5	1	-
	Accidental poisoning by other solid and liquid substances-----	1,239	4	28	10	3	2	47	23	159	352	471	187	-
	Male-----	828	1	18	9	1	1	30	18	125	232	293	130	-
	Female-----	411	3	10	1	2	1	17	5	54	120	178	57	-
	White-----Male-----	659	1	7	6	1	1	15	11	102	173	235	123	-
	Female-----	330	-	4	1	1	-	6	3	26	89	155	51	-
	All other--Male-----	169	-	11	3	1	-	15	7	23	59	58	7	-
	Female-----	61	3	6	-	1	1	11	2	8	31	23	6	-

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E860	By alcohol-----	533	-	-	-	-	-	-	4	20	113	180	16	-
	Male-----	234	-	-	-	-	-	-	2	16	86	118	12	-
	Female-----	99	-	-	-	-	-	-	2	4	27	62	4	-
	White-----	151	-	-	-	-	-	-	2	8	55	79	9	-
	Female-----	67	-	-	-	-	-	-	1	3	14	47	2	-
	All other-----	85	-	-	-	-	-	-	-	8	33	39	3	-
	Female-----	32	-	-	-	-	-	-	1	1	13	15	2	-
E861	By cleansing and polishing agents-----	10	-	6	-	-	-	6	1	-	1	2	-	-
	Male-----	5	-	3	-	-	-	3	1	-	-	1	-	-
	Female-----	5	-	3	-	-	-	3	-	-	1	1	-	-
	White-----	2	-	1	-	-	-	1	-	-	-	1	-	-
	Female-----	3	-	1	-	-	-	1	-	-	1	1	-	-
	All other-----	3	-	2	-	-	-	2	1	-	-	-	-	-
	Female-----	2	-	2	-	-	-	2	-	-	-	-	-	-
E862	By disinfectants-----	2	-	-	-	-	-	-	1	1	-	-	-	-
	Male-----	2	-	-	-	-	-	-	1	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	2	-	-	-	-	-	-	1	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E863	By paints and varnishes-----	1	-	-	1	-	-	1	-	-	-	-	-	-
	Male-----	1	-	-	1	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	-	-	1	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	41	2	12	1	-	1	16	6	4	2	9	4	-
	Male-----	33	1	9	1	-	-	11	5	4	2	9	2	-
	Female-----	8	1	3	-	-	1	5	1	-	-	-	2	-
	White-----	23	1	4	1	-	-	6	2	4	2	7	2	-
	Female-----	4	-	1	-	-	-	1	1	-	-	-	2	-
	All other-----	10	-	5	-	-	-	5	3	-	-	2	-	-
	Female-----	4	1	2	-	-	1	4	-	-	-	-	-	-
E865	By pesticides, fertilizers, or plant foods-----	32	1	5	3	1	-	10	3	5	5	4	5	-
	Male-----	25	-	4	3	1	-	8	3	2	5	4	3	-
	Female-----	7	1	1	-	-	-	2	-	3	-	-	2	-
	White-----	15	-	1	3	-	-	4	-	1	5	2	3	-
	Female-----	6	-	1	-	-	-	1	-	3	-	-	2	-
	All other-----	10	-	3	-	1	-	4	3	1	-	2	-	-
	Female-----	1	1	-	-	-	-	1	-	-	-	-	-	-
E866	By heavy metals and their fumes-----	21	-	2	1	1	-	4	-	2	3	9	3	-
	Male-----	17	-	1	1	-	-	2	-	2	3	8	2	-
	Female-----	4	-	1	-	1	-	2	-	-	-	1	1	-
	White-----	13	-	1	-	-	-	1	-	1	2	7	2	-
	Female-----	2	-	-	-	1	-	1	-	-	-	-	1	-
	All other-----	4	-	1	-	-	-	1	-	1	1	1	-	-
	Female-----	2	-	1	-	-	-	1	-	-	-	1	-	-
E867	By corrosives and caustics not elsewhere classifiable-----	15	1	1	-	1	-	3	-	1	1	5	5	-
	Male-----	9	-	1	-	-	-	1	-	1	1	3	3	-
	Female-----	6	1	-	-	1	-	2	-	-	-	2	2	-
	White-----	7	-	-	-	-	-	-	-	-	1	3	3	-
	Female-----	1	-	-	-	-	-	-	-	-	-	-	1	-
	All other-----	2	-	1	-	-	-	1	-	1	-	-	-	-
	Female-----	5	1	-	-	1	-	2	-	-	-	2	1	-
E868	By noxious foodstuffs and poisonous plants-----	3	-	-	1	-	-	1	1	-	1	-	-	-
	Male-----	3	-	-	1	-	-	1	1	-	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	3	-	-	1	-	-	1	1	-	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	781	-	2	3	-	1	6	7	126	226	262	154	-
	Male-----	499	-	-	2	-	1	3	5	99	134	150	108	-
	Female-----	282	-	2	1	-	-	3	2	27	92	112	46	-
	White-----	442	-	-	-	-	1	1	5	87	109	136	104	-
	Female-----	247	-	1	1	-	-	2	1	20	74	107	43	-
	All other-----	57	-	-	2	-	-	2	-	12	25	14	4	-
	Female-----	35	-	1	-	-	-	1	1	7	18	5	3	-
E870-E877	Accidental poisoning by gases and vapors-----	1,652	22	6	8	1	4	41	71	471	464	393	211	1
	Male-----	1,217	15	5	7	-	4	29	43	338	369	293	144	1
	Female-----	435	9	1	1	1	-	12	28	133	95	100	67	-
	White-----	1,042	11	4	4	-	3	22	37	294	306	258	124	1
	Female-----	352	3	1	1	-	-	5	26	95	88	81	60	-
	All other-----	175	2	1	3	-	1	7	6	44	63	35	20	-
	Female-----	83	6	-	-	1	-	7	2	39	10	19	7	-
E870	By gas distributed by pipeline-----	108	-	1	3	-	-	4	6	25	20	23	30	-
	Male-----	78	-	1	2	-	-	3	5	21	16	15	18	-
	Female-----	30	-	-	1	-	-	1	1	4	4	8	12	-
	White-----	60	-	1	2	-	-	3	5	16	12	12	12	-
	Female-----	23	-	-	1	-	-	1	1	4	3	5	9	-
	All other-----	18	-	-	-	-	-	-	-	5	4	3	6	-
	Female-----	7	-	-	-	-	-	-	-	-	1	3	3	-

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E871	By liquefied petroleum gas distributed in mobile containers-----	25	1	-	-	-	1	2	1	8	9	2	3	-
	Male-----	21	1	-	-	-	1	2	1	8	9	1	3	-
	Female-----	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	18	1	-	-	-	1	2	-	8	4	1	3	-
	Female-----	4	-	-	-	-	-	-	-	-	3	1	-	-
	All other-----	3	-	-	-	-	-	-	1	-	2	-	-	-
E872	By other utility gases-----	12	-	-	-	-	-	-	-	1	2	6	3	-
	Male-----	9	-	-	-	-	-	-	-	1	2	4	2	-
	Female-----	3	-	-	-	-	-	-	-	-	-	2	1	-
	White-----	8	-	-	-	-	-	-	-	1	1	4	2	-
	Female-----	3	-	-	-	-	-	-	-	-	-	2	1	-
	All other-----	1	-	-	-	-	-	-	-	-	1	-	-	-
E873	By motor vehicle exhaust gas-----	792	3	-	1	-	-	4	16	248	269	194	62	-
	Male-----	580	1	-	1	-	-	2	7	166	212	147	46	-
	Female-----	212	2	-	-	-	-	2	9	82	56	47	16	-
	White-----	503	-	-	-	-	-	-	7	141	183	129	43	-
	Female-----	171	1	-	-	-	-	1	8	56	50	40	16	-
	All other-----	77	1	-	1	-	-	2	-	25	29	18	3	-
E874	By carbon monoxide from incomplete combustion of domestic fuels-----	127	1	3	2	-	1	7	13	27	19	29	31	1
	Male-----	81	1	3	2	-	1	7	6	14	13	21	19	1
	Female-----	46	-	-	-	-	-	-	7	13	6	8	12	-
	White-----	67	1	2	1	-	1	5	4	12	10	19	16	1
	Female-----	39	-	-	-	-	-	-	7	11	6	6	9	-
	All other-----	14	-	1	1	-	-	2	2	2	3	2	3	-
E875	By other carbon monoxide-----	330	2	1	-	-	-	3	17	84	98	82	46	-
	Male-----	241	1	-	-	-	-	1	13	59	77	59	32	-
	Female-----	89	1	1	-	-	-	2	4	25	21	23	14	-
	White-----	200	1	-	-	-	-	1	10	50	63	50	26	-
	Female-----	71	-	1	-	-	-	1	4	15	18	19	14	-
	All other-----	41	-	-	-	-	-	-	3	9	14	9	6	-
E876	By other gases and vapors-----	225	14	-	2	1	2	19	17	74	41	45	29	-
	Male-----	180	8	-	2	-	2	12	11	66	36	36	19	-
	Female-----	45	6	-	-	1	-	7	6	8	5	9	10	-
	White-----	161	7	-	1	-	1	9	11	63	27	34	17	-
	Female-----	36	2	-	-	-	-	2	5	8	5	7	9	-
	All other-----	19	1	-	1	-	1	3	-	3	9	2	2	-
E877	By unspecified gases and vapors-----	53	1	1	-	-	-	2	1	4	7	12	7	-
	Male-----	27	1	1	-	-	-	2	-	3	7	10	5	-
	Female-----	6	-	-	-	-	-	-	1	1	-	2	2	-
	White-----	25	1	1	-	-	-	2	-	3	6	9	5	-
	Female-----	5	-	-	-	-	-	-	1	1	-	1	2	-
	All other-----	2	-	-	-	-	-	-	-	-	1	1	-	-

SECTION 4 - ACCIDENT MORTALITY

4-21

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E850-E859	Accidental poisoning by drugs and medicaments-----	2,444	1,118	1	1	-	3	35	99	31	73	1,083
	Male-----	1,526	672	1	1	-	3	26	79	22	57	663
	Female-----	918	446	-	-	-	-	7	20	9	16	420
	White-----	1,222	562	1	1	-	3	22	63	18	47	515
	Female-----	751	365	-	-	-	-	2	20	6	12	346
	All other-----	304	120	-	-	-	-	6	16	4	10	148
	Female-----	167	81	-	-	-	-	5	-	3	4	74
E850	By antibiotics and other anti-infectives-----	21	5	-	-	-	-	-	-	-	-	16
	Male-----	13	4	-	-	-	-	-	-	-	-	9
	Female-----	8	1	-	-	-	-	-	-	-	-	7
	White-----	5	1	-	-	-	-	-	-	-	-	4
	Female-----	5	1	-	-	-	-	-	-	-	-	4
	All other-----	9	3	-	-	-	-	-	-	-	-	3
	Female-----	3	-	-	-	-	-	-	-	-	-	3
.0	Penicillin, any-----	1	1	-	-	-	-	-	-	-	-	-
	Male-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	20	4	-	-	-	-	-	-	-	-	16
	Male-----	12	3	-	-	-	-	-	-	-	-	9
	Female-----	8	1	-	-	-	-	-	-	-	-	7
	White-----	4	-	-	-	-	-	-	-	-	-	4
	Female-----	5	1	-	-	-	-	-	-	-	-	4
	All other-----	9	3	-	-	-	-	-	-	-	-	5
	Female-----	3	-	-	-	-	-	-	-	-	-	3
E851	By hormones and synthetic substitutes-----	23	6	-	-	-	-	-	-	-	-	17
	Male-----	9	3	-	-	-	-	-	-	-	-	6
	Female-----	14	3	-	-	-	-	-	-	-	-	11
	White-----	6	1	-	-	-	-	-	-	-	-	5
	Female-----	11	3	-	-	-	-	-	-	-	-	8
	All other-----	3	2	-	-	-	-	-	-	-	-	1
	Female-----	3	-	-	-	-	-	-	-	-	-	3
.6	Progestogens-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	22	6	-	-	-	-	-	-	-	-	16
	Male-----	9	3	-	-	-	-	-	-	-	-	6
	Female-----	13	3	-	-	-	-	-	-	-	-	10
	White-----	6	1	-	-	-	-	-	-	-	-	5
	Female-----	10	3	-	-	-	-	-	-	-	-	7
	All other-----	3	2	-	-	-	-	-	-	-	-	1
	Female-----	3	-	-	-	-	-	-	-	-	-	3
E852	By primarily systemic and hematologic agents-----	44	17	-	-	-	-	-	-	-	-	27
	Male-----	24	8	-	-	-	-	-	-	-	-	16
	Female-----	20	9	-	-	-	-	-	-	-	-	11
	White-----	17	6	-	-	-	-	-	-	-	-	11
	Female-----	18	8	-	-	-	-	-	-	-	-	10
	All other-----	7	2	-	-	-	-	-	-	-	-	5
	Female-----	2	1	-	-	-	-	-	-	-	-	1
E853	By analgesics and antipyretics-----	627	394	-	1	-	-	19	41	12	43	317
	Male-----	635	292	-	1	-	-	17	38	7	36	246
	Female-----	192	102	-	-	-	-	2	3	5	7	71
	White-----	480	218	-	1	-	-	12	25	5	30	169
	Female-----	133	71	-	-	-	-	5	5	3	4	50
	All other-----	155	74	-	-	-	-	5	11	2	6	57
	Female-----	59	31	-	-	-	-	2	-	2	3	21
.1	Salicylates and congeners-----	95	42	-	-	-	-	-	1	1	-	51
	Male-----	48	19	-	-	-	-	-	1	1	-	27
	Female-----	47	23	-	-	-	-	-	-	-	-	24
	White-----	40	13	-	-	-	-	-	1	1	-	25
	Female-----	38	18	-	-	-	-	-	-	-	-	20
	All other-----	8	6	-	-	-	-	-	-	-	-	2
	Female-----	9	5	-	-	-	-	-	-	-	-	4
.0,.2-.9	All other analgesics and antipyretics-----	732	362	-	1	-	-	19	40	11	43	266
	Male-----	587	273	-	1	-	-	17	35	6	36	219
	Female-----	145	79	-	-	-	-	2	5	5	7	47
	White-----	440	205	-	1	-	-	12	24	4	30	164
	Female-----	95	53	-	-	-	-	5	5	3	4	30
	All other-----	147	68	-	-	-	-	5	11	2	6	55
	Female-----	50	26	-	-	-	-	2	-	2	3	17
E854	By other sedatives and hypnotics-----	596	313	1	-	-	1	4	27	7	12	231
	Male-----	341	185	1	-	-	1	3	21	6	10	144
	Female-----	255	158	-	-	-	-	1	6	1	2	87
	White-----	282	139	1	-	-	1	2	20	6	8	105
	Female-----	210	129	-	-	-	-	-	6	1	2	72
	All other-----	59	16	-	-	-	-	1	1	-	2	39
	Female-----	45	29	-	-	-	-	1	-	-	-	15

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
.0	By other sedatives and hypnotics--Con.											
	Barbiturates-----	362	219	-	-	-	-	3	17	6	7	110
	Male-----	179	102	-	-	-	-	2	12	5	6	52
	Female-----	183	117	-	-	-	-	1	5	1	1	58
	White-----	163	93	-	-	-	-	2	12	5	5	46
	Female-----	149	94	-	-	-	-	-	5	1	1	49
	All other-----	16	9	-	-	-	-	-	-	-	1	6
	Female-----	34	23	-	-	-	-	1	-	-	-	10
.1-.9	All other sedatives and hypnotics-----	234	94	1	-	-	1	1	10	1	5	121
	Male-----	162	53	1	-	-	1	1	9	1	4	92
	Female-----	72	41	-	-	-	-	-	1	-	1	29
	White-----	119	46	1	-	-	1	-	8	1	3	59
	Female-----	61	35	-	-	-	-	-	1	-	1	24
	All other-----	43	7	-	-	-	-	1	1	-	1	33
	Female-----	11	6	-	-	-	-	-	-	-	-	5
E855	By autonomic nervous system and psychotherapeutic drugs-----	139	74	-	-	-	-	1	3	4	5	52
	Male-----	62	31	-	-	-	-	1	2	3	3	22
	Female-----	77	43	-	-	-	-	-	1	1	2	30
	White-----	51	29	-	-	-	-	1	-	2	1	16
	Female-----	69	39	-	-	-	-	-	1	1	1	26
	All other-----	11	2	-	-	-	-	-	2	1	2	4
	Female-----	8	5	-	-	-	-	-	-	-	1	2
.1	Tranquilizers-----	87	46	-	-	-	-	1	2	4	4	39
	Male-----	40	20	-	-	-	-	1	1	3	3	12
	Female-----	47	26	-	-	-	-	-	1	1	1	16
	White-----	34	19	-	-	-	-	1	-	2	1	11
	Female-----	45	25	-	-	-	-	-	1	1	1	17
	All other-----	6	1	-	-	-	-	-	1	1	2	1
	Female-----	2	1	-	-	-	-	-	-	-	-	1
.0, .2-.9	All other autonomic nervous system and psychotherapeutic drugs-----	52	28	-	-	-	-	-	1	-	1	22
	Male-----	22	11	-	-	-	-	-	1	-	-	10
	Female-----	30	17	-	-	-	-	-	-	-	1	12
	White-----	17	10	-	-	-	-	-	-	-	-	7
	Female-----	24	15	-	-	-	-	-	-	-	-	11
	All other-----	5	1	-	-	-	-	-	1	-	-	3
	Female-----	6	4	-	-	-	-	-	-	-	1	1
E856	By other central nervous system depressants and stimulants-----	36	19	-	-	-	-	-	3	-	2	12
	Male-----	22	12	-	-	-	-	-	2	-	2	6
	Female-----	14	7	-	-	-	-	-	1	-	-	6
	White-----	20	10	-	-	-	-	-	2	-	2	6
	Female-----	12	7	-	-	-	-	-	1	-	-	4
	All other-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	-	-	-	-	-	-	-	2
.4	Amphetamine-----	21	11	-	-	-	-	-	2	-	2	6
	Male-----	14	7	-	-	-	-	-	1	-	2	4
	Female-----	7	4	-	-	-	-	-	1	-	-	2
	White-----	12	5	-	-	-	-	-	1	-	2	4
	Female-----	6	4	-	-	-	-	-	1	-	-	1
	All other-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
.0-.5, .6, .9	All other central nervous system depressants and stimulants--	15	8	-	-	-	-	-	1	-	-	6
	Male-----	8	5	-	-	-	-	-	1	-	-	2
	Female-----	7	3	-	-	-	-	-	-	-	-	4
	White-----	8	5	-	-	-	-	-	1	-	-	2
	Female-----	6	3	-	-	-	-	-	-	-	-	3
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
E857	By cardiovascular drugs-----	123	4	-	-	-	-	-	-	2	-	117
	Male-----	46	-	-	-	-	-	-	-	1	-	45
	Female-----	77	4	-	-	-	-	-	-	1	-	72
	White-----	39	-	-	-	-	-	-	-	1	-	37
	Female-----	64	4	-	-	-	-	-	-	-	-	60
	All other-----	8	-	-	-	-	-	-	-	-	-	8
	Female-----	13	-	-	-	-	-	-	-	1	-	12
E858	By gastrointestinal drugs-----	9	4	-	-	-	-	-	-	-	1	4
	Male-----	3	2	-	-	-	-	-	-	-	1	-
	Female-----	6	2	-	-	-	-	-	-	-	-	4
	White-----	3	1	-	-	-	-	-	-	-	1	4
	Female-----	5	-	-	-	-	-	-	-	-	-	-
	All other-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	-
E859	By other and unspecified drugs and medicaments-----	626	282	-	-	-	2	11	25	6	10	290
	Male-----	371	165	-	-	-	2	7	18	5	5	169
	Female-----	255	117	-	-	-	-	4	7	1	5	121
	White-----	320	146	-	-	-	2	7	16	4	5	140
	Female-----	224	103	-	-	-	-	2	7	1	5	106
	All other-----	51	19	-	-	-	-	-	2	1	-	29
	Female-----	31	14	-	-	-	-	2	-	-	-	13

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-23

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E860-E869	Accidental poisoning by other solid and liquid substances-----	1,239	508	7	-	8	3	22	36	17	42	596
	Male-----	828	290	6	-	7	3	18	29	14	32	429
	Female-----	411	218	1	-	1	-	4	7	3	10	167
	White-----	659	226	4	-	5	1	10	25	12	26	360
	Female-----	350	161	1	-	1	-	4	4	1	6	132
	All other-----	169	64	2	-	2	2	8	4	2	6	79
	Female-----	81	37	-	-	-	-	-	3	2	4	35
E860	By alcohol-----	353	142	-	-	1	1	3	11	4	10	161
	Male-----	234	91	-	-	1	1	3	10	4	7	117
	Female-----	99	51	-	-	-	-	-	1	-	3	44
	White-----	151	61	-	-	1	-	1	10	3	5	70
	Female-----	67	38	-	-	-	-	-	1	-	1	27
	All other-----	85	30	-	-	-	1	2	-	1	2	47
	Female-----	32	13	-	-	-	-	-	-	-	2	17
E861	By cleansing and polishing agents-----	10	9	-	-	-	-	-	-	-	-	1
	Male-----	5	5	-	-	-	-	-	-	-	-	-
	Female-----	5	4	-	-	-	-	-	-	-	-	1
	White-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	3	2	-	-	-	-	-	-	-	-	1
	All other-----	3	3	-	-	-	-	-	-	-	-	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-
E862	By disinfectants-----	2	-	-	-	1	-	-	-	1	-	-
	Male-----	2	-	-	-	1	-	-	-	1	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	2	-	-	-	1	-	-	-	1	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E863	By paints and varnishes-----	1	1	-	-	-	-	-	-	-	-	-
	Male-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	1	1	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	41	20	1	-	3	-	2	1	1	-	13
	Male-----	33	15	1	-	2	-	1	1	1	-	12
	Female-----	8	5	-	-	1	-	1	-	-	-	1
	White-----	23	11	1	-	1	-	-	-	1	-	9
	Female-----	4	2	-	-	-	-	1	-	-	-	-
	All other-----	10	4	-	-	1	-	1	1	-	-	3
	Female-----	4	3	-	-	-	-	-	-	-	-	1
E865	By pesticides, fertilizers, or plant foods-----	32	12	2	-	2	-	-	-	-	5	11
	Male-----	25	9	2	-	2	-	-	-	-	5	8
	Female-----	7	4	-	-	-	-	-	-	-	3	3
	White-----	15	6	-	-	2	-	-	-	-	3	4
	Female-----	6	4	-	-	-	-	-	-	-	-	2
	All other-----	10	2	2	-	-	-	-	-	-	2	4
	Female-----	1	-	-	-	-	-	-	-	-	-	1
E866	By heavy metals and their fumes-----	21	8	-	-	-	-	-	-	1	1	11
	Male-----	17	6	-	-	-	-	-	-	1	1	8
	Female-----	4	2	-	-	-	-	-	-	-	-	2
	White-----	13	5	-	-	-	-	-	-	1	1	6
	Female-----	2	1	-	-	-	-	-	-	-	-	1
	All other-----	4	1	-	-	-	-	-	-	-	-	3
	Female-----	2	1	-	-	-	-	-	-	-	-	1
E867	By corrosives and caustics not elsewhere classifiable-----	15	10	-	-	-	-	-	1	1	-	3
	Male-----	9	6	-	-	-	-	-	1	-	-	2
	Female-----	6	4	-	-	-	-	-	-	1	-	1
	White-----	7	4	-	-	-	-	-	1	-	-	2
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	All other-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	5	3	-	-	-	-	-	-	1	-	1
E868	By noxious foodstuffs and poisonous plants-----	3	1	1	-	-	-	-	-	-	-	1
	Male-----	3	1	1	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	3	1	1	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	781	305	3	-	1	2	17	23	9	26	395
	Male-----	499	157	2	-	1	2	14	17	7	19	280
	Female-----	282	148	1	-	-	-	3	6	2	7	115
	White-----	442	155	2	-	-	1	9	14	6	17	258
	Female-----	247	133	1	-	-	-	3	3	1	5	101
	All other-----	57	22	-	-	1	1	5	3	1	2	22
	Female-----	35	15	-	-	-	-	-	3	1	2	14

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Places not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E870-E877	Accidental poisoning by gases and vapors-----	1,652	672	21	6	76	18	147	50	7	218	430
	Male-----	1,217	479	14	6	66	9	110	40	6	173	314
	Female-----	435	193	7	-	10	7	37	10	1	45	125
	White-----Male-----	1,042	410	13	6	56	7	96	35	6	150	263
	Female-----	352	164	7	-	9	6	25	7	1	33	100
	All other-----Male-----	175	69	1	-	10	2	14	5	-	23	51
	Female-----	83	29	-	-	1	1	12	3	-	12	25
E870	By gas distributed by pipeline-----	108	83	2	-	1	1	-	3	1	3	14
	Male-----	78	58	2	-	1	1	-	3	1	2	10
	Female-----	30	25	-	-	-	-	-	-	-	1	4
	White-----Male-----	60	47	2	-	1	1	-	3	1	1	4
	Female-----	23	20	-	-	-	-	-	-	-	-	3
	All other-----Male-----	18	11	-	-	-	-	-	-	-	1	6
	Female-----	7	5	-	-	-	-	-	-	-	1	1
E871	By liquefied petroleum gas distributed in mobile containers-----	25	13	-	-	-	-	1	-	-	7	4
	Male-----	21	12	-	-	-	-	1	-	-	6	2
	Female-----	4	1	-	-	-	-	-	-	-	1	2
	White-----Male-----	18	9	-	-	-	-	1	-	-	6	2
	Female-----	4	1	-	-	-	-	-	-	-	1	2
	All other-----Male-----	3	3	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E872	By other utility gases-----	12	9	-	-	-	-	-	1	-	-	2
	Male-----	9	6	-	-	-	-	-	1	-	-	2
	Female-----	3	3	-	-	-	-	-	-	-	-	-
	White-----Male-----	8	6	-	-	-	-	-	1	-	-	1
	Female-----	3	3	-	-	-	-	-	-	-	-	-
	All other-----Male-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E873	By motor vehicle exhaust gas-----	792	298	12	-	49	11	126	25	1	146	124
	Male-----	590	219	5	-	39	6	92	19	1	107	92
	Female-----	212	79	7	-	10	5	34	6	-	33	32
	White-----Male-----	503	188	5	-	31	6	82	14	1	90	76
	Female-----	171	71	7	-	9	5	22	3	-	23	25
	All other-----Male-----	77	21	-	-	8	-	10	5	-	17	18
	Female-----	41	8	-	-	1	-	12	3	-	10	7
E874	By carbon monoxide from incomplete combustion of domestic fuels-----	127	98	-	-	-	-	-	5	1	6	17
	Male-----	81	61	-	-	-	-	-	4	1	4	11
	Female-----	46	37	-	-	-	-	-	1	-	2	6
	White-----Male-----	67	47	-	-	-	-	-	4	1	4	11
	Female-----	39	30	-	-	-	-	-	1	-	2	6
	All other-----Male-----	14	14	-	-	-	-	-	-	-	-	-
	Female-----	7	7	-	-	-	-	-	-	-	-	-
E875	By other carbon monoxide-----	330	99	3	3	7	3	9	6	-	23	177
	Male-----	241	67	3	3	7	1	7	5	-	21	127
	Female-----	89	32	-	-	-	2	2	1	-	2	50
	White-----Male-----	200	51	2	3	6	-	5	5	-	18	110
	Female-----	71	26	-	-	-	1	2	1	-	1	40
	All other-----Male-----	41	16	1	-	1	1	2	-	-	3	17
	Female-----	18	6	-	-	-	1	-	-	-	1	10
E876	By other gases and vapors-----	225	61	4	2	14	1	10	9	1	30	93
	Male-----	180	47	4	2	14	1	9	7	1	30	63
	Female-----	45	14	-	-	-	-	1	2	-	-	28
	White-----Male-----	161	43	4	2	13	-	7	7	1	28	66
	Female-----	36	11	-	-	-	-	1	2	-	-	22
	All other-----Male-----	19	4	-	-	1	1	2	-	-	2	9
	Female-----	9	3	-	-	-	-	-	-	-	-	6
E877	By unspecified gases and vapors-----	33	11	-	1	5	-	1	1	3	3	8
	Male-----	27	9	-	1	5	-	1	1	2	3	5
	Female-----	6	2	-	-	-	-	-	-	1	-	3
	White-----Male-----	25	9	-	1	5	-	1	1	2	3	3
	Female-----	5	2	-	-	-	-	-	-	1	-	2
	All other-----Male-----	2	-	-	-	-	-	-	-	-	-	2
	Female-----	1	-	-	-	-	-	-	-	-	-	1
E880-E887	Accidental falls-----	16,506	6,989	119	7	346	45	616	475	2,341	814	4,774
	Male-----	8,307	3,231	105	6	338	37	477	370	918	672	2,153
	Female-----	8,199	3,758	14	1	8	8	139	105	1,423	142	2,621
	White-----Male-----	7,348	2,833	95	6	269	32	374	333	879	577	1,330
	Female-----	7,718	3,452	13	1	8	8	130	102	1,372	133	2,499
	All other-----Male-----	959	398	10	-	49	5	103	37	39	95	223
	Female-----	481	286	1	-	-	-	9	3	51	9	122
E880	Fall on or from stairs or steps-----	1,505	1,196	6	-	5	2	11	103	28	58	96
	Male-----	888	667	5	-	3	1	7	75	19	42	69
	Female-----	617	529	1	-	2	1	4	28	9	16	27
	White-----Male-----	747	560	5	-	1	1	3	69	15	33	60
	Female-----	574	493	1	-	2	1	3	27	8	15	24
	All other-----Male-----	141	107	-	-	2	-	4	6	4	9	9
	Female-----	43	36	-	-	-	-	1	1	1	1	3

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-25

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E881	Fall on or from ladder or scaffolding-----	406	173	7	-	90	1	7	31	3	54	40
	Male-----	384	156	7	-	90	1	6	30	3	53	39
	Female-----	22	17	-	-	-	-	1	1	-	1	2
	White-----	353	144	7	-	85	1	6	26	3	49	32
	Female-----	21	17	-	-	-	-	-	1	-	1	2
	All other-----	31	12	-	-	5	-	-	4	-	4	6
	Female-----	1	-	-	-	-	-	1	-	-	-	-
E882	Fall from or out of building or other structure-----	734	299	19	-	80	8	35	72	33	127	61
	Male-----	626	228	18	-	77	8	34	65	24	116	56
	Female-----	108	71	1	-	3	-	1	7	9	11	5
	White-----	515	177	18	-	65	6	25	60	21	100	43
	Female-----	79	46	1	-	3	-	1	7	8	9	4
	All other-----	111	51	-	-	12	2	9	5	3	16	13
	Female-----	29	25	-	-	-	-	-	-	1	2	1
E883	Fall into hole or other opening in surface-----	183	18	9	4	30	5	8	24	6	61	18
	Male-----	170	12	8	4	30	5	4	23	6	60	18
	Female-----	13	6	1	-	-	-	1	1	-	1	-
	White-----	145	11	7	4	29	4	1	15	6	50	14
	Female-----	12	5	1	-	-	-	1	4	-	1	-
	All other-----	25	1	1	-	1	1	3	4	-	10	4
	Female-----	1	1	-	-	-	-	-	-	-	-	-
E884	Other falls from one level to another-----	1,442	436	46	1	69	15	45	58	397	245	129
	Male-----	924	235	39	-	69	10	41	50	171	213	96
	Female-----	518	201	7	1	-	5	4	8	226	33	33
	White-----	807	195	32	-	54	10	36	45	161	194	78
	Female-----	464	170	6	1	-	5	4	7	213	29	29
	All other-----	117	40	7	-	15	-	3	5	10	19	18
	Female-----	54	31	1	-	-	-	-	1	13	4	4
E885	Fall on same level from slipping, stumbling, or tripping-----	838	357	2	1	5	4	54	15	132	25	43
	Male-----	279	139	2	1	5	3	36	6	46	17	24
	Female-----	359	218	-	-	-	1	18	9	86	8	19
	White-----	258	134	2	1	4	2	33	5	43	12	22
	Female-----	344	209	-	-	-	1	17	9	84	8	16
	All other-----	21	5	-	-	1	1	3	1	3	5	2
	Female-----	15	9	-	-	-	-	1	-	2	-	3
E886	Fall on same level from collision with or pushing or shoving by another person-----	24	3	-	-	-	1	4	7	7	1	1
	Male-----	17	1	-	-	-	1	2	6	5	1	1
	Female-----	7	2	-	-	-	-	2	1	2	-	-
	White-----	15	1	-	-	-	1	1	5	5	1	1
	Female-----	6	1	-	-	-	-	2	1	2	-	-
	All other-----	2	-	-	-	-	-	1	1	-	-	-
	Female-----	1	1	-	-	-	-	-	-	-	-	-
E887	Other and unspecified falls-----	11,574	4,487	30	1	67	9	452	165	1,735	242	4,386
	Male-----	5,019	1,793	26	1	64	6	347	115	644	170	1,851
	Female-----	6,555	2,694	4	-	3	1	105	50	1,091	72	2,535
	White-----	4,508	1,611	24	1	51	7	267	104	625	138	1,690
	Female-----	6,218	2,511	4	-	3	1	99	49	1,057	70	2,424
	All other-----	511	182	2	-	13	1	80	11	19	32	171
	Female-----	337	183	-	-	-	-	6	1	34	2	111
E890-E899	Accidents caused by fires and flames-----	6,503	5,470	40	-	94	1	19	184	135	156	404
	Male-----	3,695	3,117	37	-	93	-	18	156	95	135	244
	Female-----	2,808	2,353	3	-	1	1	1	28	40	21	160
	White-----	2,870	2,240	32	-	81	-	17	158	74	107	181
	Female-----	1,910	1,735	3	-	1	1	1	25	51	18	95
	All other-----	1,025	677	5	-	12	-	1	18	21	28	68
	Female-----	696	618	-	-	-	-	-	3	9	3	65
E890	By conflagration in private dwelling-----	4,286	4,273	-	-	-	-	-	-	-	13	-
	Male-----	2,484	2,474	-	-	-	-	-	-	-	10	-
	Female-----	1,802	1,799	-	-	-	-	-	-	-	3	-
	White-----	1,768	1,769	-	-	-	-	-	-	-	9	-
	Female-----	1,318	1,315	-	-	-	-	-	-	-	3	-
	All other-----	716	715	-	-	-	-	-	-	-	1	-
	Female-----	484	484	-	-	-	-	-	-	-	-	-
E891	By conflagration in other building or structure-----	269	12	6	-	23	-	-	130	46	39	11
	Male-----	221	11	7	-	22	-	-	104	34	38	7
	Female-----	48	1	1	-	1	-	-	26	12	3	4
	White-----	183	9	6	-	16	-	-	94	24	29	5
	Female-----	39	1	1	-	1	-	-	23	7	3	3
	All other-----	38	2	1	-	6	-	-	10	10	7	2
	Female-----	9	-	-	-	-	-	-	3	5	-	1
E892	By conflagration not in building or structure-----	62	8	10	-	4	-	8	3	1	20	8
	Male-----	54	5	10	-	4	-	7	3	-	18	7
	Female-----	8	3	-	-	-	-	1	-	1	2	1
	White-----	49	5	9	-	4	-	6	3	-	16	6
	Female-----	8	3	-	-	-	-	1	-	1	2	1
	All other-----	5	-	1	-	-	-	1	-	-	2	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Indus- trial place	Place for recrea- tion or sport	Street and highway	Public build- ing	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E893	By ignition of clothing-----	517	422	9	-	5	-	1	7	29	15	29
	Male-----	224	150	8	-	5	-	1	7	21	13	19
	Female-----	293	272	1	-	-	-	-	-	8	2	10
	White-----	162	104	8	-	5	-	1	4	19	10	11
	Female-----	218	202	1	-	-	-	-	-	7	2	6
	All other-----	62	46	-	-	-	-	-	3	2	3	8
	Female-----	75	70	-	-	-	-	-	-	1	-	4
E894	By ignition of highly inflammable material-----	254	151	4	-	46	-	3	15	3	15	17
	Male-----	203	109	4	-	46	-	3	14	1	12	14
	Female-----	51	42	-	-	-	-	-	1	2	3	3
	White-----	166	85	4	-	42	-	3	12	-	8	12
	Female-----	37	31	-	-	-	-	-	1	2	3	-
	All other-----	37	24	-	-	4	-	-	2	1	4	2
	Female-----	14	11	-	-	-	-	-	-	-	-	3
E895	By controlled fire in private dwelling-----	76	76	-	-	-	-	-	-	-	-	-
	Male-----	37	37	-	-	-	-	-	-	-	-	-
	Female-----	39	39	-	-	-	-	-	-	-	-	-
	White-----	23	23	-	-	-	-	-	-	-	-	-
	Female-----	27	27	-	-	-	-	-	-	-	-	-
	All other-----	14	14	-	-	-	-	-	-	-	-	-
	Female-----	12	12	-	-	-	-	-	-	-	-	-
E896	By controlled fire in other building or structure-----	11	2	3	-	3	-	-	-	1	-	2
	Male-----	9	1	2	-	3	-	-	-	1	-	2
	Female-----	2	1	1	-	-	-	-	-	-	-	-
	White-----	7	-	1	-	3	-	-	-	1	-	2
	Female-----	1	-	1	-	-	-	-	-	-	-	-
	All other-----	2	1	1	-	-	-	-	-	-	-	-
	Female-----	1	1	-	-	-	-	-	-	-	-	-
E897	By controlled fire not in building or structure-----	25	14	1	-	1	-	-	1	-	7	1
	Male-----	18	9	1	-	1	-	-	1	-	6	-
	Female-----	7	5	-	-	-	-	-	-	-	1	1
	White-----	14	9	-	-	-	-	-	1	-	4	-
	Female-----	7	5	-	-	-	-	-	-	-	1	1
	All other-----	4	-	1	-	1	-	-	-	-	2	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E898	By other specified fires or flames-----	414	301	-	-	3	1	1	21	39	20	28
	Male-----	290	204	-	-	3	-	1	20	26	19	18
	Female-----	124	97	-	-	-	1	-	1	13	2	10
	White-----	231	165	-	-	3	-	1	17	21	15	9
	Female-----	109	86	-	-	-	1	-	1	10	1	10
	All other-----	59	39	-	-	-	-	-	3	5	3	9
	Female-----	15	11	-	-	-	-	-	-	3	1	-
E899	By unspecified fire-----	599	211	5	-	9	-	6	7	16	27	303
	Male-----	555	117	5	-	9	-	6	7	12	22	177
	Female-----	234	94	-	-	-	-	-	-	4	5	131
	White-----	267	81	4	-	8	-	6	7	9	16	136
	Female-----	146	65	-	-	-	-	-	-	4	3	74
	All other-----	88	36	1	-	1	-	-	-	3	6	41
	Female-----	88	29	-	-	-	-	-	-	-	2	57
E900-E909	Accidents due to natural and environmental factors-----	1,546	173	126	2	22	33	69	32	9	222	636
	Male-----	1,002	112	105	2	18	27	70	27	4	183	454
	Female-----	546	61	23	-	4	6	19	5	5	39	194
	White-----	741	80	92	2	13	26	50	18	3	151	306
	Female-----	265	51	22	-	2	6	16	3	3	36	126
	All other-----	261	32	13	-	5	1	20	9	1	32	149
	Female-----	81	10	1	-	2	-	3	2	2	3	58
E900	Excessive heat-----	181	15	3	1	6	2	9	3	3	15	124
	Male-----	118	10	3	1	6	2	6	3	2	11	74
	Female-----	63	5	-	-	-	-	3	-	1	4	50
	White-----	100	9	2	1	5	2	5	2	1	11	62
	Female-----	50	3	-	-	-	-	2	-	1	4	40
	All other-----	18	1	1	-	1	-	1	1	1	-	12
	Female-----	15	2	-	-	-	-	1	-	-	-	10
E901	Excessive cold-----	381	55	15	1	4	1	24	6	6	59	210
	Male-----	298	43	12	1	4	1	18	5	2	53	153
	Female-----	83	12	3	-	-	-	6	1	4	6	51
	White-----	159	21	7	1	3	1	7	1	2	36	80
	Female-----	53	9	3	-	-	-	4	-	2	6	29
	All other-----	139	22	5	-	1	-	11	4	-	17	79
	Female-----	30	3	-	-	-	-	2	1	2	-	22
E902	High and low air pressure-----	13	-	-	-	-	-	-	-	-	8	5
	Male-----	9	-	-	-	-	-	-	-	-	7	2
	Female-----	4	-	-	-	-	-	-	-	-	1	3
	White-----	8	-	-	-	-	-	-	-	-	6	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	1	-
	Female-----	4	-	-	-	-	-	-	-	-	1	3

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-27

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1985. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E903	Effects of travel and motion-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E904	Hunger, thirst, exposure, and neglect-----	240	11	4	-	-	2	4	1	-	27	191
	Male-----	183	8	3	-	-	2	4	1	-	23	142
	Female-----	57	3	1	-	-	-	-	-	-	4	49
	White-----	124	4	2	-	-	1	4	-	-	15	98
	Female-----	41	3	1	-	-	-	-	-	-	3	34
	All other-----	59	4	1	-	-	1	-	1	-	8	44
	Male-----	16	-	-	-	-	-	-	-	-	1	15
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E905	Bites and stings of venomous animals and insects-----	49	3	11	-	-	1	3	1	-	7	23
	Male-----	40	3	10	-	-	-	3	1	-	7	16
	Female-----	9	-	1	-	-	1	-	-	-	-	7
	White-----	38	3	9	-	-	-	3	1	-	7	15
	Female-----	6	-	1	-	-	1	-	-	-	-	4
	All other-----	2	-	1	-	-	-	-	-	-	-	1
	Male-----	3	-	-	-	-	-	-	-	-	-	3
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E906	Other accidents caused by animals-----	164	20	71	-	3	15	8	4	-	22	23
	Male-----	120	11	55	-	3	11	5	3	-	17	15
	Female-----	44	9	16	-	-	4	1	1	-	5	8
	White-----	112	10	53	-	3	11	4	3	-	16	12
	Female-----	42	8	15	-	-	4	1	1	-	5	8
	All other-----	8	1	2	-	-	-	1	-	-	1	3
	Male-----	2	1	1	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E907	Lightning-----	124	13	22	-	4	11	8	10	-	40	16
	Male-----	110	8	21	-	4	11	8	8	-	34	16
	Female-----	14	5	1	-	-	-	-	2	-	6	-
	White-----	93	5	18	-	2	11	6	6	-	30	15
	Female-----	14	5	1	-	-	-	-	2	-	6	-
	All other-----	17	3	3	-	2	-	2	2	-	4	1
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E908	Cataclysm-----	193	56	2	-	5	-	35	6	-	43	46
	Male-----	122	29	1	-	1	-	26	5	-	30	30
	Female-----	71	27	1	-	4	-	9	1	-	13	16
	White-----	108	28	1	-	-	-	21	4	-	29	22
	Female-----	59	23	1	-	2	-	8	-	-	12	11
	All other-----	17	1	-	-	1	-	5	1	-	1	8
	Male-----	13	4	-	-	2	-	-	1	-	1	5
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E909	Accidents due to other natural and environmental factors-----	3	-	-	-	-	1	-	1	-	1	-
	Male-----	2	-	-	-	-	-	-	1	-	1	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	White-----	2	-	-	-	-	-	-	1	-	1	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E910-E929	Other accidents-----	21,936	4,374	1,453	201	1,426	428	594	555	357	5,760	6,788
	Male-----	17,631	3,080	1,365	193	1,408	364	543	452	195	5,136	4,897
	Female-----	4,305	1,294	90	8	18	64	51	103	162	624	1,891
	White-----	14,253	2,522	1,228	173	1,209	279	460	379	175	3,986	3,840
	Female-----	3,450	1,040	87	5	15	50	43	90	146	485	1,468
	All other-----	3,378	558	135	20	198	85	83	73	20	1,148	1,057
	Male-----	855	254	3	3	2	14	8	13	16	159	403
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E910	Accidental drowning and submersion-----	7,152	789	262	57	44	341	47	99	28	4,316	1,169
	Male-----	5,983	483	231	52	42	283	41	82	19	3,775	975
	Female-----	1,169	306	31	5	2	58	6	17	9	541	194
	White-----	4,471	404	166	41	30	208	28	51	14	2,803	726
	Female-----	932	259	30	2	2	44	6	14	9	414	152
	All other-----	1,512	79	65	11	12	75	13	31	5	972	249
	Male-----	237	47	1	3	-	14	-	3	-	127	42
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.0	In recreational activities-----	2,210	49	96	34	7	126	8	28	3	1,713	146
	Male-----	1,994	40	93	31	7	108	8	26	3	1,552	126
	Female-----	216	9	3	3	-	18	-	2	-	161	20
	White-----	1,461	35	66	25	5	83	5	13	2	1,142	85
	Female-----	163	6	3	1	-	16	-	1	-	118	18
	All other-----	535	5	27	6	2	25	3	13	1	410	41
	Male-----	53	3	-	2	-	2	-	1	-	43	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	4,942	740	166	23	37	215	39	71	25	2,603	1,023
	Male-----	3,968	443	158	21	35	175	33	56	16	2,223	849
	Female-----	953	297	28	2	2	40	6	15	9	380	174
	White-----	3,010	369	100	16	25	125	23	38	12	1,661	641
	Female-----	769	253	27	1	2	28	6	13	9	286	134
	All other-----	979	74	39	5	10	50	10	18	4	562	208
	Male-----	164	44	1	1	-	12	-	2	-	84	40
	Female-----	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Indus- trial place	Place for recreation or sport	Street and highway	Public building	Resi- dent insti- tution	Other speci- fied places	Place not speci- fied
			(0)	(1)	(2)	(5)	(4)	(5)	(6)	(7)	(8)	(9)
E911	Inhalation and ingestion of food causing obstruction or suffocation-----	2,210	465	1	1	8	5	11	134	205	46	1,334
	Male-----	1,313	268	1	1	8	4	6	89	101	37	707
	Female-----	897	197	-	-	-	1	5	45	104	9	537
	White-----	1,081	209	1	1	7	4	7	85	96	30	651
	Female-----	731	158	-	-	-	1	2	45	96	9	421
	All other-----	222	59	-	-	1	-	1	5	5	7	146
	Female-----	166	59	-	-	-	-	1	1	5	1	116
E912	Inhalation and ingestion of other object causing obstruction or suffocation-----	903	91	1	-	3	-	6	2	11	5	684
	Male-----	467	54	1	-	3	-	4	1	7	4	393
	Female-----	336	37	-	-	-	-	2	1	4	1	291
	White-----	369	38	1	-	3	-	4	1	7	3	312
	Female-----	260	32	-	-	-	-	2	1	3	1	221
	All other-----	98	16	-	-	-	-	-	-	-	1	81
	Female-----	76	5	-	-	-	-	-	-	1	-	70
E913	Accidental mechanical suffocation-----	1,109	531	49	16	79	2	18	10	21	102	261
	Male-----	850	361	43	15	76	2	17	8	7	93	208
	Female-----	279	170	6	1	3	-	1	2	14	9	73
	White-----	690	295	42	13	58	2	15	6	3	84	172
	Female-----	221	131	6	1	3	-	-	1	11	8	60
	All other-----	140	66	1	2	18	-	2	2	4	9	36
	Female-----	58	39	-	-	-	-	1	1	3	1	13
.0	In bed or cradle-----	287	209	-	-	-	-	-	-	8	5	65
	Male-----	152	108	-	-	-	-	-	-	3	3	39
	Female-----	135	101	-	-	-	-	-	-	5	2	27
	White-----	106	74	-	-	-	-	-	-	1	3	28
	Female-----	97	74	-	-	-	-	-	-	3	1	19
	All other-----	46	34	-	-	-	-	-	-	2	-	10
	Female-----	38	27	-	-	-	-	-	-	2	1	8
.9	Other and unspecified-----	822	322	49	16	79	2	18	10	13	97	216
	Male-----	678	253	43	15	76	2	17	8	4	90	170
	Female-----	144	69	6	1	3	-	1	2	9	7	46
	White-----	584	221	42	13	58	2	15	6	2	81	144
	Female-----	124	57	6	1	3	-	-	1	8	7	41
	All other-----	94	32	1	2	18	-	2	2	9	26	26
	Female-----	20	12	-	-	-	-	1	1	1	-	5
E914	Foreign body accidentally entering eye and adnexa-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E915	Foreign bodies accidentally entering other orifices-----	61	9	-	-	-	-	1	-	3	-	49
	Male-----	36	1	-	-	-	-	1	-	1	-	33
	Female-----	25	8	-	-	-	-	-	-	2	-	15
	White-----	30	1	-	-	-	-	1	-	1	-	27
	Female-----	20	6	-	-	-	-	-	-	2	-	12
	All other-----	6	-	-	-	-	-	-	-	-	-	6
	Female-----	5	2	-	-	-	-	-	-	-	-	3
E916	Struck accidentally by falling objects-----	1,196	244	117	48	270	8	86	39	6	265	113
	Male-----	1,134	215	114	48	269	6	81	34	4	256	107
	Female-----	62	29	3	-	1	2	5	5	2	9	6
	White-----	997	198	107	47	246	5	71	30	4	219	60
	Female-----	53	25	3	-	-	2	4	3	2	9	5
	All other-----	137	27	7	1	23	1	10	4	-	37	27
	Female-----	9	4	-	-	1	-	1	2	-	-	1
E917	Striking against or struck accidentally by objects-----	882	160	171	12	185	25	52	46	22	139	70
	Male-----	775	107	180	11	185	23	47	39	13	128	62
	Female-----	107	53	11	1	-	2	5	7	9	11	8
	White-----	689	93	149	11	165	20	44	35	12	103	51
	Female-----	93	49	11	1	-	2	3	6	7	8	6
	All other-----	86	14	11	-	20	3	3	4	1	19	11
	Female-----	14	4	-	-	-	-	2	1	2	3	2
E918	Caught accidentally in or between objects-----	598	40	138	22	222	1	23	24	4	73	51
	Male-----	575	34	130	22	221	1	23	23	1	73	47
	Female-----	23	6	8	-	1	-	-	1	3	-	4
	White-----	500	30	120	19	184	1	23	19	1	66	37
	Female-----	19	5	8	-	1	-	-	1	2	-	2
	All other-----	75	4	10	3	37	-	-	4	-	7	10
	Female-----	4	1	-	-	-	-	-	-	1	-	2
E919	Overexertion and strenuous movements-----	5	-	1	-	-	-	-	-	-	2	3
	Male-----	5	-	1	-	-	-	-	-	-	2	2
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	4	-	1	-	-	-	-	-	-	1	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	1	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-29

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
E920	Accident caused by cutting or piercing instrument-----	133	60	9	-	17	-	5	6	-	15	21
	Male-----	99	39	6	-	16	-	5	3	-	14	16
	Female-----	34	21	3	-	1	-	-	3	-	1	5
	White-----	72	30	5	-	12	-	5	3	-	9	8
	Female-----	22	13	3	-	1	-	-	1	-	1	3
	All other-----	27	9	1	-	4	-	-	-	-	5	8
	Female-----	12	8	-	-	-	-	-	2	-	-	2
.0	Powered hand tool-----	7	2	1	-	-	-	1	-	-	-	1
	Male-----	6	1	1	-	-	-	1	-	-	2	1
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	White-----	5	1	1	-	-	-	1	-	-	1	1
	Female-----	1	1	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.1	Other hand tools-----	18	9	2	-	-	-	-	2	-	1	4
	Male-----	12	7	1	-	-	-	-	-	-	1	3
	Female-----	6	2	1	-	-	-	-	2	-	-	1
	White-----	7	5	1	-	-	-	-	-	-	1	-
	Female-----	4	2	1	-	-	-	-	-	-	-	1
	All other-----	5	2	-	-	-	-	-	-	-	-	3
	Female-----	2	-	-	-	-	-	-	2	-	-	-
.2	Other machinery-----	18	3	2	-	10	-	-	-	-	2	1
	Male-----	18	3	2	-	10	-	-	-	-	2	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	13	3	2	-	6	-	-	-	-	1	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	5	-	-	-	4	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	67	38	3	-	5	-	3	4	-	7	7
	Male-----	48	24	1	-	5	-	3	3	-	6	6
	Female-----	19	14	2	-	-	-	-	1	-	1	1
	White-----	36	17	-	-	5	-	3	3	-	4	4
	Female-----	15	8	2	-	-	-	-	1	-	1	1
	All other-----	12	7	1	-	-	-	-	-	-	2	2
	Female-----	6	6	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	23	8	1	-	2	-	1	-	-	3	8
	Male-----	15	4	1	-	1	-	1	-	-	3	5
	Female-----	8	4	-	-	1	-	-	-	-	-	3
	White-----	11	4	1	-	1	-	1	-	-	2	2
	Female-----	4	2	-	-	1	-	-	-	-	-	1
	All other-----	4	-	-	-	-	-	-	-	-	1	3
	Female-----	4	2	-	-	-	-	-	-	-	-	2
E921	Accident caused by explosion of pressure vessel-----	73	14	4	-	24	-	1	9	-	10	11
	Male-----	67	9	4	-	25	-	1	9	-	10	11
	Female-----	6	5	-	-	1	-	-	-	-	-	-
	White-----	54	9	2	-	17	-	-	9	-	9	8
	Female-----	6	5	-	-	1	-	-	-	-	-	-
	All other-----	13	-	2	-	6	-	1	-	-	1	3
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.0	Boiler-----	19	8	1	-	4	-	-	1	-	-	5
	Male-----	16	5	1	-	4	-	-	1	-	-	5
	Female-----	3	3	-	-	-	-	-	-	-	-	-
	White-----	13	5	-	-	4	-	-	1	-	-	3
	Female-----	3	3	-	-	-	-	-	-	-	-	-
	All other-----	3	-	1	-	-	-	-	-	-	-	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.1	Gas cylinder-----	14	1	-	-	5	-	-	2	-	4	2
	Male-----	14	1	-	-	5	-	-	2	-	4	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	11	1	-	-	3	-	-	2	-	3	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	3	-	-	-	2	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	40	5	3	-	15	-	1	6	-	6	4
	Male-----	37	3	3	-	14	-	1	6	-	6	4
	Female-----	3	2	-	-	1	-	-	-	-	-	-
	White-----	30	3	2	-	10	-	-	6	-	6	3
	Female-----	3	2	-	-	1	-	-	-	-	-	-
	All other-----	7	-	1	-	4	-	1	-	-	-	1
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E922	Accident caused by firearm missile-----	2,618	1,089	146	2	14	10	111	61	6	342	837
	Male-----	2,269	891	140	2	14	10	98	59	4	327	724
	Female-----	349	198	6	-	-	-	13	2	2	15	113
	White-----	1,754	688	128	2	15	8	69	46	2	284	516
	Female-----	254	147	4	-	-	-	10	1	2	11	79
	All other-----	515	205	12	-	1	2	29	13	2	43	208
	Female-----	95	51	2	-	-	-	3	1	-	4	34

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	Accident caused by firearm missile-Con.											
.0	Accidentally self-inflicted-----	516	276	24	-	-	1	21	10	2	67	115
	Male-----	481	254	24	-	-	1	21	10	2	64	105
	Female-----	35	22	-	-	-	-	-	-	-	3	10
	White-----	397	207	21	-	-	1	14	8	1	53	92
	Female-----	28	17	-	-	-	-	-	-	-	3	8
	All other-----	84	47	3	-	-	-	7	2	1	11	13
	Female-----	7	5	-	-	-	-	-	-	-	-	2
.9	Other and unspecified-----	2,102	815	122	2	14	9	90	51	4	275	722
	Male-----	1,789	637	116	2	14	9	77	49	2	263	619
	Female-----	314	176	6	-	-	-	13	2	2	12	103
	White-----	1,357	479	107	2	13	7	55	39	1	231	424
	Female-----	226	130	4	-	-	-	10	1	2	8	71
	All other-----	431	158	9	-	1	2	22	11	1	52	195
	Female-----	88	46	2	-	-	-	3	1	-	4	32
E923	Accident caused by explosive material-----	512	197	12	6	129	-	6	30	-	73	50
	Male-----	414	124	11	5	123	-	6	33	-	69	43
	Female-----	98	73	1	1	6	-	-	6	-	4	7
	White-----	358	100	11	5	110	-	4	29	-	60	39
	Female-----	76	56	1	1	5	-	-	5	-	4	4
	All other-----	56	24	-	-	13	-	2	4	-	9	4
	Female-----	22	17	-	-	1	-	-	1	-	-	3
.0	Fireworks-----	5	1	-	-	1	-	-	-	-	2	1
	Male-----	4	1	-	-	1	-	-	-	-	1	1
	Female-----	1	-	-	-	-	-	-	-	-	1	-
	White-----	4	1	-	-	1	-	-	-	-	1	1
	Female-----	1	-	-	-	-	-	-	-	-	1	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.1	Blasting material-----	21	1	1	2	7	-	1	1	-	3	5
	Male-----	17	1	1	2	3	-	1	1	-	3	5
	Female-----	4	-	-	-	4	-	-	-	-	-	-
	White-----	17	1	1	2	3	-	1	1	-	3	5
	Female-----	3	-	-	-	3	-	-	-	-	-	-
	All other-----	1	-	-	-	1	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.2	Explosive gas-----	234	110	6	3	34	-	1	22	-	36	22
	Male-----	181	70	6	2	34	-	1	18	-	33	17
	Female-----	53	40	-	1	-	-	-	4	-	3	5
	White-----	155	56	6	2	30	-	-	17	-	31	13
	Female-----	46	34	-	1	-	-	-	3	-	3	4
	All other-----	26	14	-	-	4	-	1	1	-	2	4
	Female-----	8	6	-	-	-	-	-	1	-	-	1
.8	Other-----	65	18	2	-	19	-	1	4	-	15	6
	Male-----	60	15	1	-	19	-	1	3	-	15	6
	Female-----	5	3	1	-	-	-	-	1	-	-	-
	White-----	51	12	1	-	17	-	1	2	-	12	6
	Female-----	5	3	1	-	-	-	-	1	-	-	-
	All other-----	9	3	-	-	2	-	-	1	-	3	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	187	67	3	1	69	-	3	12	-	17	16
	Male-----	152	37	3	1	66	-	3	11	-	17	14
	Female-----	35	30	-	-	2	-	-	1	-	-	2
	White-----	151	30	3	1	69	-	2	9	-	13	14
	Female-----	22	19	-	-	2	-	-	1	-	-	-
	All other-----	21	7	-	-	7	-	1	2	-	4	-
	Female-----	15	11	-	-	-	-	-	-	-	-	2
E924	Accident caused by hot substance, corrosive liquid, and steam-----	279	173	1	4	34	-	1	12	17	11	26
	Male-----	169	90	1	4	34	-	1	7	11	9	12
	Female-----	111	83	-	-	-	-	-	5	6	3	14
	White-----	129	88	1	3	28	-	1	6	10	5	7
	Female-----	83	63	-	-	-	-	-	5	5	1	9
	All other-----	39	22	-	1	6	-	-	1	1	3	5
	Female-----	28	20	-	-	-	-	-	-	1	2	5
E925	Accident caused by electric current-----	1,149	303	72	7	174	6	92	42	6	186	281
	Male-----	1,085	288	72	7	174	6	91	40	6	182	263
	Female-----	64	45	-	-	-	-	1	2	-	4	12
	White-----	1,018	242	71	7	161	6	85	37	6	150	253
	Female-----	56	39	-	-	-	-	1	2	-	4	10
	All other-----	67	16	1	-	13	-	6	3	-	12	16
	Female-----	8	6	-	-	-	-	-	-	-	-	2
.0	Home wiring and appliance-----	232	232	-	-	-	-	-	-	-	-	-
	Male-----	193	193	-	-	-	-	-	-	-	-	-
	Female-----	39	39	-	-	-	-	-	-	-	-	-
	White-----	183	183	-	-	-	-	-	-	-	-	-
	Female-----	33	33	-	-	-	-	-	-	-	-	-
	All other-----	10	10	-	-	-	-	-	-	-	-	-
	Female-----	6	6	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1973-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
.1	Accident caused by electric current--Con.											
	Industrial wiring and appliance-----	181	-	-	7	174	-	-	-	-	-	-
	Male-----	181	-	-	7	174	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	168	-	-	7	161	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	13	-	-	-	13	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	564	71	72	-	-	6	92	42	6	166	109
	Male-----	549	65	72	-	-	6	91	40	6	162	107
	Female-----	15	6	-	-	-	-	1	2	-	4	2
	White-----	515	59	71	-	-	6	85	37	6	150	101
	Male-----	14	6	-	-	-	-	1	2	-	4	1
	Female-----	34	6	1	-	-	-	6	3	-	12	6
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	172	-	-	-	-	-	-	-	-	-	172
.9	Male-----	162	-	-	-	-	-	-	-	-	-	162
	Female-----	10	-	-	-	-	-	-	-	-	-	10
	White-----	152	-	-	-	-	-	-	-	-	-	152
	Male-----	9	-	-	-	-	-	-	-	-	-	9
	Female-----	10	-	-	-	-	-	-	-	-	-	10
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
E926	Accident caused by radiation-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-
.0	Nonionizing-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-
.1	Ionizing-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-
E927	Vehicle accidents not elsewhere classifiable-----	171	8	7	12	33	18	25	3	1	45	19
	Male-----	158	5	7	12	33	17	22	3	1	40	18
	Female-----	13	3	-	-	-	1	3	-	-	5	1
	White-----	142	5	7	11	28	14	20	3	1	37	16
	Male-----	13	3	-	-	-	1	3	-	-	5	1
	Female-----	16	-	-	1	5	3	2	-	-	3	2
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-
E928	Machinery accidents not elsewhere classifiable-----	884	74	447	9	125	5	50	9	1	87	77
	Male-----	853	71	426	9	124	5	50	9	1	85	75
	Female-----	31	3	21	-	1	-	-	-	-	4	2
	White-----	775	66	403	8	100	4	46	6	1	71	70
	Male-----	30	3	21	-	1	-	-	-	-	4	1
	Female-----	78	5	23	1	24	1	4	3	-	12	5
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-
E929	Other and unspecified accidents-----	2,100	127	15	5	65	7	59	20	26	63	1,713
	Male-----	1,400	70	15	5	63	7	47	14	19	55	1,105
	Female-----	700	57	-	-	2	-	12	6	7	8	608
	White-----	1,110	58	15	5	47	7	37	13	17	48	865
	Male-----	581	46	-	-	2	-	12	5	7	7	502
	Female-----	290	12	2	-	16	-	10	1	2	7	240
	All other-----	119	11	-	-	-	-	-	1	-	1	106
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification]

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (E850-E929)-----	51,628	1,304	850	1,301	434	3,889	1,566	2,013	3,889
2	Male-----	34,406	768	495	810	266	2,337	1,089	1,565	3,348
3	Female-----	17,222	536	357	491	168	1,552	477	448	541
4	White-----	28,135	509	358	638	210	1,715	806	1,170	2,734
5	Female-----	14,776	324	251	344	114	1,033	354	343	423
6	Negro-----	5,698	247	125	155	55	562	262	379	560
7	Female-----	2,267	186	98	151	54	479	118	97	104
8	Other races-----	573	12	10	17	1	40	22	16	54
9	Female-----	179	16	8	16	-	40	5	8	14
10	Home ¹ (0)-----	19,284	705	553	784	250	2,292	609	566	780
11	Male-----	10,981	410	311	464	133	1,318	357	383	588
12	Female-----	8,303	295	242	320	117	974	252	183	192
13	White-----	8,865	259	218	340	98	913	257	304	495
14	Female-----	6,988	179	165	207	75	626	176	143	147
15	Negro-----	1,971	145	91	114	34	384	95	76	95
16	Female-----	1,248	108	72	106	42	328	76	30	39
17	Other races-----	147	6	4	10	1	21	5	3	8
18	Female-----	67	8	5	7	-	20	-	1	4
19	Farm ² (1)-----	1,769	1	25	42	21	69	113	146	194
20	Male-----	1,631	17	17	30	14	61	94	125	160
21	Female-----	138	1	8	12	7	28	19	21	14
22	White-----	1,465	-	15	30	14	59	84	102	157
23	Female-----	133	1	8	12	7	28	19	21	12
24	Negro-----	148	-	1	-	-	1	8	22	23
25	Female-----	4	-	-	-	-	-	-	-	2
26	Other races-----	16	-	1	-	-	1	2	1	-
27	Female-----	1	-	-	-	-	-	-	-	-
28	Mine and quarry (2)-----	217	-	-	-	-	-	8	8	31
29	Male-----	208	-	-	-	-	-	6	6	29
30	Female-----	9	-	-	-	-	-	2	2	2
31	White-----	188	-	-	-	-	-	3	4	26
32	Female-----	6	-	-	-	-	-	2	2	2
33	Negro-----	17	-	-	-	-	-	3	2	3
34	Female-----	3	-	-	-	-	-	2	2	-
35	Other races-----	3	-	-	-	-	-	-	-	-
36	Female-----	-	-	-	-	-	-	-	-	-
37	Industrial place (3)-----	1,972	-	-	5	-	5	12	26	151
38	Male-----	1,930	-	-	4	-	4	9	22	145
39	Female-----	42	-	-	1	-	1	3	4	6
40	White-----	1,653	-	-	4	-	4	8	19	124
41	Female-----	37	-	-	1	-	1	3	4	5
42	Negro-----	253	-	-	-	-	-	-	3	19
43	Female-----	5	-	-	-	-	-	-	-	1
44	Other races-----	24	-	-	-	-	-	1	-	2
45	Female-----	-	-	-	-	-	-	-	-	-
46	Place for recreation or sport (4)-----	529	1	10	25	8	44	47	76	128
47	Male-----	443	7	7	21	7	35	31	59	111
48	Female-----	86	1	3	4	1	9	16	17	17
49	White-----	348	-	6	17	4	27	24	47	87
50	Female-----	71	1	3	4	3	8	14	13	14
51	Negro-----	88	-	1	4	3	8	6	11	23
52	Female-----	12	-	-	-	1	1	1	3	3
53	Other races-----	7	-	-	-	-	-	1	1	1
54	Female-----	3	-	-	-	-	-	1	1	-
55	Street and highway (5)-----	1,522	7	5	8	2	22	31	25	150
56	Male-----	1,264	2	2	5	1	10	23	21	125
57	Female-----	258	5	3	3	1	12	8	4	25
58	White-----	1,029	1	2	4	1	8	16	26	112
59	Female-----	221	3	1	3	1	8	7	2	12
60	Negro-----	211	1	-	1	-	2	7	5	13
61	Female-----	35	1	2	-	-	3	1	2	3
62	Other races-----	24	-	-	-	-	-	-	-	1
63	Female-----	2	1	-	-	-	1	-	-	-
64	Public building (6)-----	1,431	1	4	16	8	29	30	65	142
65	Male-----	1,153	1	1	10	7	19	24	49	123
66	Female-----	278	3	3	6	1	10	6	16	19
67	White-----	991	1	1	10	7	19	18	35	95
68	Female-----	251	-	2	5	1	8	4	14	16
69	Negro-----	140	-	-	-	-	-	4	13	26
70	Female-----	24	-	1	-	-	1	2	2	2
71	Other races-----	22	-	-	-	-	2	2	1	2
72	Female-----	3	-	-	1	-	1	-	-	1
73	Resident institution (7)-----	2,697	5	1	1	-	7	11	12	30
74	Male-----	1,254	2	-	-	-	2	7	4	20
75	Female-----	1,643	3	1	1	-	5	4	8	10
76	White-----	1,167	1	-	-	-	1	5	3	18
77	Female-----	1,560	2	-	1	-	3	3	7	9
78	Negro-----	74	1	-	-	-	1	2	1	1
79	Female-----	76	1	1	-	-	2	1	-	1
80	Other races-----	13	-	-	-	-	-	-	-	1
81	Female-----	7	-	-	-	-	-	-	1	-
82	Other specified places (8)-----	7,285	23	85	209	79	396	456	670	1,410
83	Male-----	6,388	15	53	154	61	283	361	565	1,300
84	Female-----	897	8	32	55	18	113	95	105	110
85	White-----	5,046	11	45	136	51	243	250	407	1,049
86	Female-----	723	6	28	51	15	99	72	70	86
87	Negro-----	1,198	3	5	15	10	53	102	149	228
88	Female-----	162	2	4	4	5	15	21	32	20
89	Other races-----	144	1	3	5	-	7	9	9	23
90	Female-----	12	-	-	-	-	-	2	3	4

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

of Accident, Age, Race, and Sex: United States, 1973

of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3,526	2,653	1,968	1,907	2,103	2,417	2,601	2,640	2,775	2,560	2,629	3,165	3,656	3,263	1,792	477	96	43	1
3,013	2,250	1,632	1,519	1,630	1,825	1,935	1,963	1,964	1,645	1,517	1,551	1,536	1,251	617	159	25	35	2
515	403	336	388	473	592	666	677	811	915	1,112	1,614	2,130	2,012	1,175	518	71	8	3
2,426	1,768	1,277	1,182	1,265	1,435	1,573	1,642	1,650	1,419	1,300	1,400	1,422	1,182	562	146	21	23	4
362	307	251	297	357	503	556	612	689	797	961	1,494	2,002	1,927	1,129	305	59	5	5
530	418	316	306	324	355	337	299	286	205	189	154	99	61	51	11	4	11	6
137	85	75	81	106	85	102	63	104	113	146	113	113	78	43	11	11	3	7
57	84	39	31	43	35	25	22	28	21	29	17	15	8	4	2	1	1	8
14	11	10	10	10	4	8	2	8	5	5	7	5	7	3	2	-	-	9
918	767	543	572	727	695	993	1,013	1,135	1,168	1,172	1,362	1,524	1,363	673	168	37	7	11
681	573	381	377	490	568	603	625	723	658	619	686	606	508	254	62	8	8	11
237	194	162	195	247	327	390	386	412	510	553	756	916	855	459	106	28	4	12
552	451	287	278	366	440	474	518	604	585	507	559	547	478	216	55	5	2	13
174	145	127	160	187	271	333	355	360	439	470	673	847	813	416	100	22	2	14
111	113	88	93	108	120	126	105	112	83	99	60	53	28	14	6	3	1	15
62	45	31	33	56	54	55	32	50	67	80	60	69	59	21	4	7	2	16
18	9	6	6	8	8	2	2	7	10	13	7	6	2	4	1	-	-	17
1	4	4	2	4	2	3	1	2	4	3	3	3	3	2	2	-	-	18
106	94	80	61	91	99	97	131	125	108	93	68	45	21	5	1	-	2	19
99	90	75	60	87	92	94	124	123	105	89	65	42	18	5	1	-	2	20
7	4	5	1	4	7	7	7	2	3	4	3	3	3	3	-	-	21	21
88	75	65	55	74	86	85	116	115	100	79	63	41	15	5	-	-	1	22
6	4	5	1	3	7	3	7	2	3	3	3	3	3	-	-	-	23	23
11	10	7	5	10	6	9	7	7	5	10	1	1	3	-	-	-	24	24
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	25	25
-	5	3	-	3	-	-	1	1	-	-	1	-	-	-	-	-	26	26
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27	27
27	18																	

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

(Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification)

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Place not specified (9)-----	14,722	561	167	211	66	1,005	249	409	875
2	Male-----	9,154	339	102	122	43	605	177	321	727
3	Female-----	5,568	223	65	89	23	400	72	88	146
4	White-----Male-----	7,385	236	73	97	35	441	140	223	581
5	Female-----	4,786	132	44	60	17	253	54	69	108
6	Negro-----Male-----	1,598	97	27	21	8	153	35	97	130
7	Female-----	698	84	18	21	6	129	16	17	33
8	Other races--Male-----	171	5	2	4	-	11	2	1	16
9	Female-----	84	7	3	8	-	18	2	2	5

SECTION 4 - ACCIDENT MORTALITY

4-35

of Accident, Age, Race, and Sex: United States, 1973-Con.

of Diseases, [Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
939	658	506	507	547	640	690	712	838	789	858	1,107	1,316	1,157	673	194	39	18	1
776	555	404	386	389	455	459	527	540	501	481	508	563	452	223	57	12	16	2
161	125	102	121	159	187	191	185	298	288	375	599	755	705	450	137	27	2	3
596	362	304	267	291	344	390	427	440	422	421	454	526	425	214	55	12	10	4
107	91	69	82	118	161	150	160	260	254	325	554	714	678	454	151	24	2	5
170	130	86	65	67	94	101	85	90	74	51	50	32	22	8	2	-	5	6
41	27	23	33	55	24	38	24	42	33	51	42	37	24	15	6	2	-	7
12	25	12	14	11	15	8	7	10	5	9	4	5	5	-	-	-	1	8
13	5	4	6	5	2	3	1	6	1	1	3	2	3	1	-	1	-	9

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
United States-----	51,628	19,284	1,769	217	1,972	529	1,522	1,431	2,897	7,285	14,722
Male-----	34,406	10,981	1,631	208	1,930	443	1,264	1,153	1,254	6,398	9,154
Female-----	17,222	8,303	138	9	42	88	258	278	1,643	897	5,568
White-----	28,135	8,853	1,465	188	1,653	348	1,029	991	1,167	5,046	7,385
Female-----	14,776	6,988	135	6	37	71	221	241	1,560	723	4,786
All other-----	6,271	2,118	166	20	277	95	235	162	87	1,542	1,769
Female-----	2,446	1,315	5	3	5	15	37	27	83	174	782
Alabama-----	1,113	338	33	2	37	4	28	10	21	142	493
Male-----	775	188	32	2	36	3	23	9	13	129	340
Female-----	338	150	1	-	1	1	5	1	8	13	159
White-----	471	103	25	1	30	1	20	6	10	78	197
Female-----	228	80	1	-	1	-	3	1	6	10	116
All other-----	304	85	7	1	6	2	3	3	3	51	143
Female-----	110	60	-	-	-	1	2	-	2	3	42
Alaska-----	200	28	-	-	3	-	4	2	-	30	133
Male-----	152	21	-	-	3	-	4	1	-	25	99
Female-----	48	7	-	-	-	-	-	1	-	5	35
White-----	79	6	-	-	2	-	2	-	-	14	55
Female-----	17	1	-	-	-	-	-	1	-	4	11
All other-----	73	15	-	-	1	-	2	1	-	11	43
Female-----	31	6	-	-	-	-	-	-	-	1	24
Arizona-----	570	218	11	6	34	10	21	20	19	92	139
Male-----	441	144	11	6	34	9	19	19	15	85	99
Female-----	129	74	-	-	-	1	2	1	4	7	40
White-----	354	127	11	6	31	8	14	15	11	59	72
Female-----	111	68	-	-	-	1	1	1	4	5	31
All other-----	87	17	-	-	3	1	5	4	4	26	27
Female-----	18	6	-	-	-	-	1	-	-	2	9
Arkansas-----	661	175	27	3	21	1	6	6	17	83	324
Male-----	449	96	24	2	21	1	5	5	8	76	208
Female-----	212	74	3	1	-	-	1	1	9	7	116
White-----	328	67	22	1	17	1	5	4	8	54	149
Female-----	169	58	3	-	-	-	1	1	9	5	92
All other-----	121	32	2	1	4	-	-	1	-	22	59
Female-----	43	18	-	1	-	-	-	-	-	2	24
California-----	5,054	2,409	59	4	112	45	172	201	411	792	849
Male-----	3,325	1,375	54	3	109	41	143	166	189	630	553
Female-----	1,729	1,034	5	1	5	4	29	35	222	102	294
White-----	2,889	1,175	50	3	105	32	127	147	181	604	469
Female-----	1,555	921	5	1	3	4	24	31	213	91	262
All other-----	436	202	4	-	6	9	18	18	8	86	86
Female-----	174	113	-	-	-	-	5	4	9	11	32
Colorado-----	576	171	23	6	26	3	14	18	44	90	181
Male-----	380	100	18	6	26	3	12	16	12	80	107
Female-----	196	71	5	-	-	-	2	2	32	10	74
White-----	368	98	18	6	26	3	12	16	12	78	101
Female-----	189	70	5	-	-	-	2	2	32	10	69
All other-----	12	4	-	-	-	-	-	-	-	2	6
Female-----	7	1	-	-	-	-	-	-	-	-	-
Connecticut-----	517	218	7	-	18	4	15	14	37	66	140
Male-----	326	126	6	-	15	4	12	11	16	56	80
Female-----	191	92	1	-	1	-	3	3	21	10	60
White-----	293	108	6	-	15	3	12	10	16	49	75
Female-----	181	85	1	-	1	-	2	3	21	9	59
All other-----	35	16	-	-	-	1	-	1	-	8	6
Female-----	10	7	-	-	-	-	1	-	-	1	1
Delaware-----	147	44	2	-	4	5	4	2	4	27	55
Male-----	100	22	2	-	4	2	3	-	-	24	43
Female-----	47	22	-	-	-	3	1	2	4	3	12
White-----	81	19	2	-	4	1	3	-	-	21	31
Female-----	39	17	-	-	-	2	1	2	4	3	10
All other-----	19	5	-	-	-	1	-	-	-	3	12
Female-----	8	5	-	-	-	1	-	-	-	-	2
District of Columbia-----	235	94	-	1	3	-	6	3	17	33	70
Male-----	156	59	-	1	3	-	6	2	9	28	43
Female-----	79	35	-	-	-	-	-	1	8	5	30
White-----	33	11	-	-	-	-	-	1	6	5	10
Female-----	40	15	-	-	-	-	-	1	3	3	18
All other-----	123	48	-	1	3	-	6	1	3	23	38
Female-----	39	20	-	-	-	-	-	-	5	2	12
Florida-----	2,118	815	36	10	79	33	85	90	94	439	449
Male-----	1,424	470	35	9	79	28	56	61	35	397	264
Female-----	894	343	1	1	-	5	9	19	59	72	185
White-----	1,060	364	20	5	67	17	40	53	53	252	209
Female-----	570	278	1	1	-	4	7	17	57	49	156
All other-----	364	106	15	4	12	11	16	8	2	135	55
Female-----	124	65	-	-	-	1	2	2	2	23	23

See footnotes at end of table.

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places ³	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Georgia-----	1,486	659	56	1	66	9	62	33	48	246	306
Male-----	1,046	398	52	1	64	6	53	26	23	221	202
Female-----	440	261	4	-	2	3	9	7	25	25	104
White-----	666	262	31	-	37	4	51	14	22	135	130
Female-----	307	183	3	-	2	4	4	7	24	15	87
All other-----	360	136	21	1	27	2	22	12	1	86	72
Female-----	133	78	1	-	-	1	5	-	1	10	37
Hawaii-----	138	47	2	1	13	-	6	6	9	36	18
Male-----	109	31	2	1	13	-	6	5	5	35	11
Female-----	29	16	-	-	-	-	-	1	4	1	7
White-----	25	6	1	-	-	-	1	1	4	10	2
Female-----	11	8	-	-	-	-	-	-	2	-	1
All other-----	84	25	1	1	13	-	5	4	1	25	9
Female-----	18	8	-	-	-	-	-	1	2	1	6
Idaho-----	216	59	16	-	7	2	3	2	12	50	66
Male-----	150	33	14	-	7	-	2	1	6	44	43
Female-----	66	25	2	-	-	2	1	1	6	6	23
White-----	144	32	14	-	7	-	2	1	6	41	41
Female-----	66	25	2	-	-	2	1	1	6	6	23
All other-----	6	1	-	-	-	-	-	-	-	3	2
Female-----	-	-	-	-	-	-	-	-	-	-	-
Illinois-----	2,289	880	85	13	135	39	76	91	98	343	549
Male-----	1,601	529	79	13	131	34	61	72	51	297	334
Female-----	688	351	6	-	4	5	15	19	47	46	215
White-----	1,297	405	79	12	106	27	44	58	43	237	286
Female-----	588	271	6	-	3	4	10	16	42	38	198
All other-----	304	124	-	1	28	7	17	14	9	60	48
Female-----	100	60	-	-	1	1	5	3	5	6	17
Indiana-----	1,218	416	56	9	63	13	37	36	45	118	425
Male-----	813	260	53	9	62	11	33	31	14	107	233
Female-----	405	156	3	-	1	2	4	5	31	11	192
White-----	740	227	51	9	59	10	31	29	14	99	212
Female-----	381	143	3	-	1	2	4	5	28	9	196
All other-----	73	33	2	-	4	1	2	2	-	8	21
Female-----	24	13	-	-	-	-	-	-	3	2	6
Iowa-----	744	200	86	3	19	13	12	25	30	93	263
Male-----	495	115	84	3	19	11	10	16	16	74	147
Female-----	249	85	2	-	-	2	2	9	14	19	116
White-----	484	113	84	3	18	10	10	16	16	72	142
Female-----	245	85	2	-	-	2	2	9	14	19	115
All other-----	11	2	-	-	1	1	-	-	-	2	5
Female-----	3	2	-	-	-	-	-	-	-	-	1
Kansas-----	621	182	56	3	16	5	15	16	41	71	216
Male-----	386	96	49	3	16	4	10	13	16	59	120
Female-----	235	86	7	-	-	1	5	3	25	12	96
White-----	357	90	49	3	15	3	8	12	15	50	112
Female-----	228	84	7	-	-	1	5	3	25	11	92
All other-----	29	6	-	-	1	1	2	1	1	9	8
Female-----	7	2	-	-	-	-	-	-	-	1	4
Kentucky-----	992	352	81	20	44	7	32	20	45	110	261
Male-----	683	203	74	20	43	5	28	18	24	91	177
Female-----	309	149	7	-	1	2	4	2	21	19	104
White-----	621	177	70	20	43	4	28	18	23	79	159
Female-----	293	138	7	-	1	2	4	2	20	19	100
All other-----	62	26	4	-	-	1	-	-	1	12	18
Female-----	16	11	-	-	-	-	-	-	1	-	4
Louisiana-----	1,147	315	21	1	48	9	23	29	29	245	427
Male-----	813	189	20	1	48	6	21	26	13	215	269
Female-----	334	126	1	-	-	3	2	3	11	30	158
White-----	500	108	13	-	35	3	10	22	17	131	161
Female-----	212	70	1	-	-	3	-	3	9	21	105
All other-----	313	81	7	1	13	3	11	4	1	84	108
Female-----	122	56	-	-	-	-	2	-	2	9	53
Maine-----	264	112	6	-	7	3	7	8	8	46	67
Male-----	172	59	8	-	7	2	6	7	1	43	41
Female-----	92	53	-	-	-	1	1	1	7	3	26
White-----	171	58	6	-	7	2	6	7	1	43	41
Female-----	91	53	-	-	-	1	1	1	7	3	25
All other-----	1	1	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	-	-	-	-	-	1
Maryland-----	791	315	25	1	26	3	31	16	46	143	185
Male-----	509	160	24	1	25	2	23	14	24	126	110
Female-----	282	155	1	-	1	1	8	2	22	17	75
White-----	394	123	21	1	19	1	16	13	21	89	90
Female-----	225	124	1	-	1	1	7	-	18	16	57
All other-----	115	37	3	-	6	1	7	1	3	37	20
Female-----	57	31	-	-	-	-	1	2	4	1	18
Massachusetts-----	1,465	568	-	1	44	12	38	46	168	171	417
Male-----	879	289	-	1	44	8	28	35	69	148	256
Female-----	586	279	-	-	-	4	9	11	99	23	161
White-----	836	276	-	1	43	8	28	35	67	134	243
Female-----	570	274	-	-	-	3	9	11	96	22	153
All other-----	43	13	-	-	1	-	-	-	2	14	13
Female-----	16	5	-	-	-	1	-	-	1	1	8

See footnotes at end of table.

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Michigan-----	2,041	725	44	7	60	28	67	52	69	224	765
Male-----	1,367	436	42	7	59	25	55	43	26	197	479
Female-----	674	289	2	-	1	3	14	9	43	27	286
White-----	1,129	386	41	7	56	19	43	36	25	157	409
Female-----	581	250	2	-	1	3	12	8	40	18	267
All other-----	238	100	1	-	3	5	10	7	1	40	70
Female-----	95	59	-	-	-	-	2	-	1	3	19
Minnesota-----	922	316	60	7	18	7	27	23	69	111	285
Male-----	645	194	56	7	17	7	21	18	32	105	186
Female-----	279	122	4	-	1	-	6	5	36	6	99
White-----	622	184	58	7	17	7	18	16	32	104	181
Female-----	274	120	4	-	1	-	6	5	36	6	96
All other-----	21	10	-	-	-	-	3	2	-	1	5
Female-----	5	2	-	-	-	-	-	-	-	-	3
Mississippi-----	864	285	40	-	32	3	23	14	11	108	348
Male-----	628	171	38	-	32	3	21	11	5	98	249
Female-----	236	114	2	-	-	-	2	3	6	10	99
White-----	356	84	20	-	21	-	13	10	4	47	137
Female-----	117	44	-	-	-	-	1	1	6	5	60
All other-----	292	87	18	-	11	3	8	1	1	51	112
Female-----	119	70	2	-	-	-	1	2	-	5	39
Missouri-----	1,320	566	85	6	51	6	34	29	119	122	305
Male-----	657	320	82	6	48	5	31	21	55	112	177
Female-----	463	246	3	-	3	1	3	8	63	10	126
White-----	726	259	79	5	41	5	26	18	53	85	155
Female-----	407	212	3	-	3	1	3	8	60	8	109
All other-----	131	61	3	1	7	-	8	3	2	27	22
Female-----	56	34	-	-	-	-	-	-	3	2	17
Montana-----	247	94	18	1	12	-	7	2	14	35	64
Male-----	163	54	18	1	12	-	4	2	8	31	33
Female-----	84	40	-	-	-	-	3	-	6	4	31
White-----	150	50	17	-	11	-	4	2	8	30	28
Female-----	78	38	-	-	-	-	3	-	6	3	28
All other-----	13	4	1	1	1	-	-	-	-	1	5
Female-----	6	2	-	-	-	-	-	-	-	1	3
Nebraska-----	419	161	52	3	10	4	14	9	55	34	73
Male-----	276	97	45	1	10	3	12	8	22	29	50
Female-----	143	64	7	-	-	-	2	1	31	6	29
White-----	266	95	44	1	10	3	10	7	22	27	49
Female-----	138	62	7	2	-	-	2	1	31	6	26
All other-----	10	4	1	-	-	-	2	1	-	1	1
Female-----	5	2	-	-	-	-	-	-	-	-	3
Nevada-----	150	51	1	-	5	2	5	4	-	27	55
Male-----	110	34	1	-	5	2	4	4	-	22	38
Female-----	40	17	-	-	-	-	1	-	-	5	17
White-----	103	32	1	-	5	2	4	4	-	20	35
Female-----	38	15	-	-	-	-	1	-	-	5	17
All other-----	7	2	-	-	-	-	-	-	-	2	3
Female-----	2	2	-	-	-	-	-	-	-	-	-
New Hampshire-----	194	77	-	1	3	5	4	11	20	28	45
Male-----	109	34	-	1	3	4	2	9	6	24	26
Female-----	65	43	-	-	-	1	2	2	14	4	19
White-----	107	32	-	1	3	4	2	9	6	24	26
Female-----	85	43	-	-	-	1	2	2	14	4	19
All other-----	2	2	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	1,394	598	5	1	66	6	45	43	95	171	374
Male-----	877	301	5	1	66	5	39	35	35	149	241
Female-----	517	297	-	-	-	1	6	8	60	22	133
White-----	683	249	5	1	50	5	28	30	27	105	183
Female-----	434	242	-	-	-	1	5	7	55	17	107
All other-----	194	52	-	-	16	11	5	8	44	58	58
Female-----	83	45	-	-	-	1	1	1	5	5	26
New Mexico-----	566	95	6	3	20	12	13	6	7	63	141
Male-----	285	67	5	3	20	11	10	5	5	53	104
Female-----	85	28	1	-	-	1	3	1	2	10	37
White-----	222	54	3	3	18	9	7	5	4	40	79
Female-----	71	24	1	-	-	1	3	1	2	8	31
All other-----	61	15	2	-	2	2	3	-	1	13	25
Female-----	12	4	-	-	-	-	-	-	-	2	6
New York-----	5,211	1,063	41	4	100	31	75	62	237	348	1,250
Male-----	1,945	540	37	4	98	27	56	46	97	299	741
Female-----	1,266	523	4	-	2	4	19	16	140	49	509
White-----	1,683	479	34	4	83	22	49	43	89	242	638
Female-----	1,129	471	4	-	2	3	18	15	133	38	445
All other-----	262	61	3	-	15	5	7	3	8	57	103
Female-----	137	52	-	-	-	1	1	1	7	11	64
North Carolina-----	1,534	514	79	1	65	20	30	35	29	190	573
Male-----	1,080	325	76	1	64	17	26	32	16	174	349
Female-----	454	189	2	-	1	3	4	3	12	16	224
White-----	728	220	45	1	47	14	21	25	13	114	228
Female-----	320	124	1	-	1	2	3	3	10	13	163
All other-----	352	105	31	-	17	3	5	7	3	60	121
Female-----	134	65	11	-	-	1	1	-	2	3	61

See footnotes at end of table.

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1966. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
North Dakota-----	140	49	18	1	1	3	10	4	17	20	17
Male-----	104	33	17	1	1	2	9	3	7	16	15
Female-----	36	16	1	-	-	1	1	1	10	4	2
White-----	93	30	16	-	1	1	8	3	7	14	13
Female-----	30	13	1	-	-	-	1	1	10	2	2
All other-----	11	3	1	1	-	1	1	-	-	2	2
Female-----	6	3	-	-	-	1	-	-	-	2	-
Ohio-----	2,350	978	63	7	94	25	61	79	163	251	631
Male-----	1,434	556	52	7	92	19	47	64	55	214	348
Female-----	916	440	11	-	2	6	14	15	108	37	283
White-----	1,228	444	51	7	80	13	38	50	51	189	305
Female-----	835	390	11	-	2	6	13	13	103	34	263
All other-----	206	92	1	-	12	6	9	14	4	25	43
Female-----	81	50	-	-	-	-	1	2	5	3	20
Oklahoma-----	796	242	50	2	38	4	17	27	31	86	299
Male-----	534	148	48	2	38	3	14	21	16	74	172
Female-----	262	94	4	-	-	1	3	5	15	12	127
White-----	475	132	44	2	36	2	13	19	15	65	147
Female-----	224	60	4	-	-	1	3	5	11	11	105
All other-----	59	16	2	-	2	1	1	2	1	9	25
Female-----	38	14	-	-	-	-	-	1	-	1	22
Oregon-----	581	211	21	1	30	9	24	9	44	133	99
Male-----	410	119	18	1	30	8	23	7	21	120	63
Female-----	171	92	3	-	-	1	1	2	23	13	36
White-----	392	113	18	1	30	6	23	6	20	112	63
Female-----	168	91	3	-	-	1	1	2	23	11	36
All other-----	18	6	-	-	-	2	-	1	1	8	-
Female-----	3	1	-	-	-	-	-	-	-	2	-
Pennsylvania-----	2,573	984	78	16	99	14	108	66	94	306	608
Male-----	1,633	519	71	15	97	13	88	52	53	267	458
Female-----	940	465	7	1	2	1	20	14	41	39	350
White-----	1,408	414	69	15	84	10	74	44	48	245	405
Female-----	944	402	7	1	1	1	18	12	40	30	332
All other-----	225	105	2	-	13	3	14	8	5	22	53
Female-----	96	63	-	-	1	-	2	2	1	9	18
Rhode Island-----	234	101	-	-	5	2	11	8	33	21	53
Male-----	119	48	-	-	5	1	8	6	9	15	29
Female-----	115	53	-	-	-	1	3	2	24	6	24
White-----	111	46	-	-	4	1	7	6	9	11	27
Female-----	115	55	-	-	-	1	3	2	24	6	24
All other-----	8	-	-	-	1	-	1	-	-	4	2
Female-----	-	-	-	-	-	-	-	-	-	-	-
South Carolina-----	918	326	25	3	32	8	20	24	21	131	328
Male-----	648	202	25	3	30	6	17	20	9	117	219
Female-----	270	124	-	-	2	2	3	4	12	14	109
White-----	568	120	14	-	19	4	9	16	8	60	118
Female-----	164	68	-	-	-	2	3	3	11	6	71
All other-----	280	82	11	3	11	2	8	4	1	57	101
Female-----	106	56	-	-	2	-	-	1	1	8	38
South Dakota-----	218	74	29	-	8	2	13	3	24	35	30
Male-----	160	46	27	-	8	2	11	1	11	33	21
Female-----	58	28	2	-	-	-	2	2	13	2	9
White-----	131	41	26	-	8	2	10	-	10	21	13
Female-----	50	22	2	-	-	-	2	2	12	2	8
All other-----	29	5	1	-	-	-	1	1	1	12	8
Female-----	8	6	-	-	-	-	-	-	1	-	1
Tennessee-----	1,108	487	65	3	40	5	36	37	56	142	237
Male-----	745	265	60	3	39	5	28	30	21	132	164
Female-----	363	224	5	-	1	-	8	7	35	10	73
White-----	608	212	55	2	32	4	23	23	20	102	135
Female-----	296	180	5	-	1	-	7	6	32	7	58
All other-----	137	51	5	1	7	1	5	7	1	30	29
Female-----	67	44	-	-	-	-	1	1	3	3	15
Texas-----	3,083	1,077	105	9	164	62	88	70	172	581	755
Male-----	2,107	588	95	7	157	55	74	59	57	519	496
Female-----	976	489	10	2	7	7	14	11	115	62	259
White-----	1,748	485	85	5	154	40	61	56	51	415	416
Female-----	810	397	9	-	6	4	12	10	107	48	217
All other-----	359	103	10	2	23	15	13	3	6	104	80
Female-----	166	92	1	2	1	3	2	1	8	14	42
Utah-----	285	83	11	5	18	2	9	10	22	53	72
Male-----	197	48	9	5	17	2	8	8	13	48	59
Female-----	88	35	2	-	1	-	1	2	9	5	33
White-----	189	46	9	5	17	2	7	8	13	46	56
Female-----	86	35	2	-	1	-	1	2	8	5	32
All other-----	8	2	-	-	-	-	1	-	-	2	3
Female-----	2	-	-	-	-	-	-	-	1	-	1
Vermont-----	133	38	11	-	5	-	-	7	6	18	48
Male-----	89	21	9	-	5	-	-	5	4	17	28
Female-----	44	17	2	-	-	-	-	2	2	1	20
White-----	89	21	9	-	5	-	-	5	4	17	28
Female-----	44	17	2	-	-	-	-	2	2	1	20
All other-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1973-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(a)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Virginia-----	1,409	594	43	19	54	2	33	34	87	180	373
Male-----	922	328	37	18	51	2	27	29	33	151	246
Female-----	487	256	6	1	3	-	6	5	54	29	127
White-----	661	228	32	18	44	1	17	19	30	109	163
Male-----	374	194	6	1	3	-	6	5	43	20	91
Female-----	281	100	5	-	7	1	10	10	3	42	83
All other-----	113	62	-	-	-	-	-	-	6	9	36
Washington-----	866	355	20	2	46	8	28	39	73	169	148
Male-----	597	193	18	2	46	5	26	31	51	148	97
Female-----	269	140	2	-	-	3	2	8	42	21	51
White-----	546	176	18	2	44	3	24	24	29	134	92
Male-----	251	130	2	-	-	2	2	7	42	18	48
Female-----	51	17	-	-	2	2	2	7	2	14	5
All other-----	18	10	-	-	-	1	-	1	-	3	3
West Virginia-----	565	157	38	22	28	1	12	11	8	61	219
Male-----	424	109	38	22	28	1	11	9	5	52	149
Female-----	141	58	-	-	-	-	1	2	1	9	70
White-----	404	100	38	22	27	1	11	9	5	49	142
Male-----	126	52	-	-	-	-	-	2	1	7	64
Female-----	20	9	-	-	1	-	-	-	-	3	7
All other-----	15	6	-	-	-	-	1	-	-	2	6
Wisconsin-----	1,015	397	68	6	42	36	25	26	78	128	219
Male-----	672	217	60	6	40	23	23	17	36	112	133
Female-----	343	170	8	-	2	8	2	9	42	16	86
White-----	653	207	60	6	40	28	22	17	36	109	128
Male-----	332	165	8	-	2	6	2	8	42	14	85
Female-----	19	10	-	-	-	-	1	-	-	3	5
All other-----	11	5	-	-	-	2	-	1	-	2	1
Wyoming-----	130	40	6	2	3	2	6	3	7	23	38
Male-----	89	26	5	2	3	2	6	3	2	21	19
Female-----	41	14	1	-	-	-	-	-	5	2	19
White-----	85	25	3	2	3	2	6	3	2	20	19
Male-----	38	13	1	-	-	-	-	-	6	2	17
Female-----	4	1	2	-	-	-	-	-	-	1	-
All other-----	3	1	-	-	-	-	-	-	-	-	2

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

Section 5. Life Tables

	Page
Explanation of the columns of the life table -----	5-2
 Tables	
5-1. Abridged life tables by color and sex: United States, 1973 -----	5-4
5-2. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1973 -----	5-7
5-3. Expectation of life at single years of age, by color and sex: United States, 1973 -----	5-8
5-4. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1973 -----	5-9
5-5. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-73 -----	5-11

Explanation of the Columns of the Life Table

Column 1—Age interval (x to $x + n$).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying (${}_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0111—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 11 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 98,022 will complete the first year of life and enter the second; 97,674 will begin the sixth year; 96,405 will reach age 20; and 13,662 will live to age 85.

Column 4—Number dying (${}_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 1,978 die in the first year of life, 348 in the succeeding 4 years, 1,068 in the 5-year period between exact ages 20 and 25, and 13,662 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (${}_nL_x$ and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual

left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 479,389. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 479,389 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,808,611 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,756,651.

Column 7—Average remaining lifetime (${}_xe'_x$).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 479,389 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 96,405 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,808,611) in column 6 is

the total number of years lived after attaining age 20 by the 96,405 reaching that age. This number of years divided by the number of persons (4,808,611 divided by 96,405) gives 49.9 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing that the average remaining lifetime of white persons is greater than for those in the all other category, one should not conclude that the oldest ages reached by

white persons necessarily exceed those attained by the most long-lived of the all other group. The difference in the average length of life results from the fact that a greater proportion of all other persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among all other persons; yet the average length of life remaining at age 65 is nearly the same for both groups.

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1973

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAIN- ING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
$x \text{ to } x+n$	nq_x	l_x	$n d_x$	nL_x	T_x	e_x
TOTAL						
0-1	0.0176	100,000	1,763	98,436	7,134,067	71.3
1-5	.0032	98,237	312	392,201	7,035,631	71.6
5-10	.0021	97,925	203	489,077	6,643,430	67.8
10-15	.0020	97,722	198	488,163	6,154,353	63.0
15-20	.0056	97,524	544	486,372	5,666,190	58.1
20-25	.0073	96,980	710	483,157	5,179,818	53.4
25-30	.0072	96,270	688	479,654	4,696,661	48.8
30-35	.0083	95,582	789	476,029	4,217,007	44.1
35-40	.0117	94,793	1,109	471,376	3,740,978	39.5
40-45	.0176	93,684	1,651	464,587	3,269,602	34.9
45-50	.0278	92,033	2,559	454,233	2,805,015	30.5
50-55	.0408	89,474	3,655	438,772	2,350,782	26.3
55-60	.0638	85,819	5,472	416,170	1,912,010	22.3
60-65	.0929	80,347	7,466	383,968	1,495,840	18.6
65-70	.1314	72,881	9,577	341,370	1,111,872	15.3
70-75	.1948	63,304	12,334	286,576	770,502	12.2
75-80	.2885	50,970	14,707	218,708	483,926	9.5
80-85	.3914	36,263	14,192	145,115	265,218	7.3
85 AND OVER	1.0000	22,071	22,071	120,103	120,103	5.4
MALE						
0-1	0.0198	100,000	1,978	98,241	6,756,651	67.6
1-5	.0035	98,022	348	391,259	6,658,410	67.9
5-10	.0024	97,674	236	487,740	6,267,151	64.2
10-15	.0026	97,438	251	486,640	5,779,411	59.3
15-20	.0080	97,187	782	484,160	5,292,771	54.5
20-25	.0111	96,405	1,068	479,389	4,808,611	49.9
25-30	.0103	95,337	983	474,222	4,329,222	45.4
30-35	.0111	94,354	1,047	469,259	3,855,000	40.9
35-40	.0151	93,307	1,411	463,244	3,385,741	36.3
40-45	.0225	91,896	2,066	454,698	2,922,497	31.8
45-50	.0360	89,830	3,238	441,672	2,467,799	27.5
50-55	.0538	86,592	4,656	422,019	2,026,127	23.4
55-60	.0854	81,936	6,996	393,097	1,604,108	19.6
60-65	.1266	74,940	9,490	351,961	1,211,011	16.2
65-70	.1795	65,450	11,750	298,605	859,050	13.1
70-75	.2564	53,700	13,771	234,454	560,445	10.4
75-80	.3610	39,929	14,416	163,517	325,991	8.2
80-85	.4645	25,513	11,851	96,792	162,474	6.4
85 AND OVER	1.0000	13,662	13,662	65,682	65,682	4.8
FEMALE						
0-1	0.0154	100,000	1,536	98,641	7,527,880	75.3
1-5	.0028	98,464	275	393,190	7,429,239	75.5
5-10	.0017	98,189	169	490,482	7,036,049	71.7
10-15	.0015	98,020	143	489,761	6,545,567	66.8
15-20	.0031	97,877	299	488,685	6,055,806	61.9
20-25	.0036	97,578	352	487,040	5,567,121	57.1
25-30	.0040	97,226	393	485,191	5,080,081	52.3
30-35	.0055	96,833	532	482,909	4,594,890	47.5
35-40	.0084	96,301	812	479,607	4,111,981	42.7
40-45	.0130	95,489	1,238	474,555	3,632,374	38.0
45-50	.0200	94,251	1,888	466,843	3,157,819	33.5
50-55	.0287	92,363	2,652	455,552	2,690,976	29.1
55-60	.0436	89,711	3,911	439,370	2,235,424	24.9
60-65	.0625	85,800	5,361	416,373	1,796,054	20.9
65-70	.0910	80,439	7,321	384,903	1,379,681	17.2
70-75	.1468	73,118	10,735	340,102	994,778	13.6
75-80	.2366	62,383	14,762	276,405	654,676	10.5
80-85	.3450	47,621	16,429	196,873	378,271	7.9
85 AND OVER	1.0000	31,192	31,192	181,398	181,398	5.8

SECTION 5 - LIFE TABLES

5-5

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1973-Con.

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to x+n	nq_x	l_x	nd_x	L_x	T_x	e_x
WHITE						
0-1	0.0155	100,000	1,550	98,611	7,216,607	72.2
1-5	.0029	98,450	281	393,136	7,117,996	72.3
5-10	.0019	98,169	191	490,331	6,724,860	68.5
10-15	.0019	97,978	189	489,464	6,234,529	63.6
15-20	.0054	97,789	527	487,730	5,745,065	58.7
20-25	.0065	97,262	632	484,745	5,257,335	54.1
25-30	.0060	96,630	584	481,699	4,772,590	49.4
30-35	.0068	96,046	655	478,669	4,290,891	44.7
35-40	.0097	95,391	929	474,797	3,812,222	40.0
40-45	.0152	94,462	1,439	468,993	3,337,425	35.3
45-50	.0249	93,023	2,317	459,767	2,868,432	30.8
50-55	.0375	90,706	3,403	445,542	2,408,664	26.6
55-60	.0601	87,303	5,250	424,158	1,964,123	22.5
60-65	.0890	82,053	7,301	392,965	1,538,965	18.8
65-70	.1279	74,752	9,558	350,860	1,146,000	15.3
70-75	.1887	65,194	12,305	296,210	795,140	12.2
75-80	.2875	52,889	15,205	227,144	498,930	9.4
80-85	.3965	37,684	14,941	150,307	271,786	7.2
85 AND OVER	1.0000	22,743	22,743	121,479	121,479	5.3
WHITE, MALE						
0-1	0.0175	100,000	1,754	98,425	6,842,189	68.4
1-5	.0032	98,246	313	392,252	6,743,764	68.6
5-10	.0023	97,933	221	489,076	6,351,512	64.9
10-15	.0024	97,712	237	488,043	5,862,436	60.0
15-20	.0078	97,475	761	485,643	5,374,393	55.1
20-25	.0099	96,714	956	481,191	4,888,750	50.5
25-30	.0086	95,758	826	476,704	4,407,559	46.0
30-35	.0091	94,932	864	472,590	3,930,855	41.4
35-40	.0125	94,068	1,179	467,604	3,458,265	36.8
40-45	.0195	92,889	1,815	460,272	2,990,661	32.2
45-50	.0325	91,074	2,963	448,558	2,530,389	27.8
50-55	.0499	88,111	4,393	430,257	2,081,831	23.6
55-60	.0814	83,718	6,812	402,493	1,651,574	19.7
60-65	.1228	76,906	9,447	361,948	1,249,081	16.2
65-70	.1769	67,459	11,935	308,271	887,133	13.2
70-75	.2524	55,524	14,014	243,082	578,862	10.4
75-80	.3616	41,510	15,011	169,970	335,780	8.1
80-85	.4718	26,499	12,503	100,005	165,810	6.3
85 AND OVER	1.0000	13,996	13,996	65,805	65,805	4.7
WHITE, FEMALE						
0-1	0.0133	100,000	1,334	98,808	7,607,651	76.1
1-5	.0025	98,666	246	394,076	7,508,843	76.1
5-10	.0016	98,420	160	491,664	7,114,767	72.3
10-15	.0014	98,260	138	490,973	6,623,103	67.4
15-20	.0029	98,122	284	489,939	6,132,130	62.5
20-25	.0031	97,838	305	488,445	5,642,191	57.7
25-30	.0034	97,533	336	486,857	5,153,746	52.8
30-35	.0046	97,197	444	484,938	4,666,889	48.0
35-40	.0070	96,753	678	482,187	4,181,951	43.2
40-45	.0110	96,075	1,060	477,917	3,699,764	38.5
45-50	.0177	95,015	1,677	471,168	3,221,847	33.9
50-55	.0259	93,338	2,414	460,995	2,750,679	29.5
55-60	.0402	90,924	3,658	446,073	2,289,684	25.2
60-65	.0583	87,266	5,091	424,436	1,843,611	21.1
65-70	.0866	82,175	7,120	394,165	1,419,175	17.3
70-75	.1396	75,055	10,476	350,530	1,025,010	13.7
75-80	.2348	64,579	15,166	286,504	674,480	10.4
80-85	.3490	49,413	17,245	203,799	387,976	7.9
85 AND OVER	1.0000	32,168	32,168	184,177	184,177	5.7

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1973-Con.

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAIN- ING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
x to $x+n$	nq_x	l_x	nd_x	nL_x	T_x	e_x
ALL OTHER						
0-1	0.0276	100,000	2,757	97,616	6,590,158	65.9
1-5	.0048	97,243	470	387,800	6,492,542	66.8
5-10	.0027	96,773	264	483,142	6,104,742	63.1
10-15	.0026	96,509	249	481,979	5,621,600	58.2
15-20	.0067	96,260	647	479,849	5,139,621	53.4
20-25	.0125	95,613	1,198	475,229	4,659,772	48.7
25-30	.0152	94,415	1,435	468,638	4,184,543	44.3
30-35	.0182	92,980	1,690	460,883	3,715,905	40.0
35-40	.0254	91,290	2,314	450,997	3,255,022	35.7
40-45	.0348	88,976	3,099	437,503	2,804,025	31.5
45-50	.0512	85,877	4,398	419,010	2,366,522	27.6
50-55	.0694	81,479	5,655	393,971	1,947,512	23.9
55-60	.0988	75,824	7,492	361,057	1,553,541	20.5
60-65	.1286	68,332	8,790	320,149	1,192,484	17.5
65-70	.1633	59,542	9,720	273,643	872,335	14.7
70-75	.2581	49,822	12,860	216,686	598,692	12.0
75-80	.3013	36,962	11,135	156,682	382,006	10.3
80-85	.3287	25,827	8,489	107,414	225,324	8.7
85 AND OVER	1.0000	17,338	17,338	117,910	117,910	6.8
ALL OTHER, MALE						
0-1	0.0304	100,000	3,040	97,368	6,186,532	61.9
1-5	.0054	96,960	525	386,526	6,089,164	62.8
5-10	.0033	96,435	316	481,325	5,702,638	59.1
10-15	.0034	96,119	326	479,868	5,221,313	54.3
15-20	.0095	95,793	908	476,941	4,741,445	49.5
20-25	.0191	94,885	1,810	470,123	4,264,504	44.9
25-30	.0235	93,075	2,186	460,068	3,794,381	40.8
30-35	.0260	90,889	2,363	448,775	3,334,313	36.7
35-40	.0347	88,526	3,074	435,364	2,885,538	32.6
40-45	.0453	85,452	3,873	418,035	2,450,174	28.7
45-50	.0657	81,579	5,357	395,230	2,032,139	24.9
50-55	.0883	76,222	6,733	365,069	1,636,909	21.5
55-60	.1252	69,489	8,699	326,382	1,271,840	18.3
60-65	.1614	60,790	9,811	280,014	945,458	15.6
65-70	.2029	50,979	10,342	229,168	665,444	13.1
70-75	.2943	40,637	11,961	172,633	436,276	10.7
75-80	.3541	28,676	10,155	117,474	263,643	9.2
80-85	.3815	18,521	7,065	74,373	146,169	7.9
85 AND OVER	1.0000	11,456	11,456	71,796	71,796	6.3
ALL OTHER, FEMALE						
0-1	0.0247	100,000	2,466	97,871	7,006,271	70.1
1-5	.0043	97,534	415	389,105	6,908,400	70.8
5-10	.0022	97,119	211	485,005	6,519,295	67.1
10-15	.0018	96,908	171	484,139	6,034,290	62.3
15-20	.0040	96,737	385	482,818	5,550,151	57.4
20-25	.0066	96,352	636	480,270	5,067,333	52.6
25-30	.0081	95,716	771	476,772	4,587,063	47.9
30-35	.0115	94,945	1,091	472,160	4,110,291	43.3
35-40	.0176	93,854	1,652	465,388	3,638,131	38.8
40-45	.0260	92,202	2,395	455,307	3,172,743	34.4
45-50	.0386	89,807	3,466	440,868	2,717,436	30.3
50-55	.0525	86,341	4,533	420,984	2,276,568	26.4
55-60	.0753	81,808	6,161	394,257	1,855,584	22.7
60-65	.0996	75,647	7,538	359,716	1,461,327	19.3
65-70	.1302	68,109	8,868	318,691	1,101,611	16.2
70-75	.2256	59,241	13,367	262,951	782,920	13.2
75-80	.2585	45,874	11,857	199,732	519,969	11.3
80-85	.2904	34,017	9,877	145,025	320,237	9.4
85 AND OVER	1.0000	24,140	24,140	175,212	175,212	7.3

Table 5-2. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1973

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,237	98,022	98,464	98,450	98,246	98,666	97,243	96,960	97,534
2	98,119	97,895	98,356	98,348	98,137	98,572	97,048	96,744	97,360
3	98,039	97,807	98,284	98,275	98,056	98,508	96,931	96,620	97,250
4	97,978	97,735	98,234	98,218	97,990	98,462	96,845	96,518	97,181
5	97,925	97,674	98,189	98,169	97,933	98,420	96,773	96,435	97,119
6	97,864	97,596	98,145	98,113	97,861	98,381	96,685	96,320	97,056
7	97,816	97,538	98,107	98,068	97,806	98,345	96,622	96,243	97,007
8	97,778	97,496	98,074	98,032	97,766	98,313	96,576	96,191	96,968
9	97,748	97,464	98,045	98,003	97,736	98,285	96,540	96,153	96,936
10	97,722	97,438	98,020	97,978	97,712	98,260	96,509	96,119	96,908
11	97,697	97,412	97,997	97,954	97,689	98,237	96,476	96,080	96,881
12	97,669	97,380	97,973	97,928	97,660	98,214	96,438	96,032	96,853
13	97,634	97,336	97,947	97,895	97,619	98,189	96,391	95,970	96,821
14	97,587	97,273	97,916	97,850	97,559	98,159	96,332	95,891	96,783
15	97,524	97,187	97,877	97,789	97,475	98,122	96,260	95,793	96,737
16	97,443	97,075	97,829	97,710	97,364	98,076	96,172	95,673	96,681
17	97,345	96,936	97,773	97,613	97,227	98,022	96,065	95,528	96,615
18	97,232	96,774	97,711	97,502	97,068	97,962	95,938	95,352	96,538
19	97,109	96,596	97,645	97,384	96,895	97,900	95,788	95,139	96,450
20	96,980	96,405	97,578	97,262	96,714	97,838	95,613	94,885	96,352
21	96,845	96,203	97,510	97,138	96,527	97,777	95,412	94,587	96,242
22	96,703	95,989	97,441	97,010	96,333	97,716	95,186	94,248	96,121
23	96,558	95,769	97,370	96,881	96,137	97,656	94,940	93,876	95,991
24	96,413	95,550	97,298	96,754	95,944	97,595	94,681	93,482	95,855
25	96,270	95,337	97,224	96,630	95,758	97,533	94,415	93,075	95,716
26	96,131	95,132	97,152	96,510	95,582	97,470	94,140	92,656	95,575
27	95,994	94,934	97,077	96,393	95,414	97,405	93,863	92,224	95,430
28	95,859	94,740	97,000	96,278	95,252	97,339	93,576	91,783	95,278
29	95,722	94,548	96,919	96,163	95,092	97,270	93,282	91,337	95,117
30	95,582	94,354	96,833	96,046	94,932	97,197	92,980	90,889	94,945
31	95,438	94,158	96,742	95,926	94,770	97,120	92,671	90,440	94,760
32	95,289	93,958	96,644	95,802	94,605	97,038	92,353	89,989	94,561
33	95,134	93,752	96,539	95,673	94,435	96,951	92,021	89,527	94,345
34	94,969	93,536	96,425	95,537	94,257	96,856	91,668	89,042	94,110
35	94,793	93,307	96,301	95,391	94,068	96,753	91,290	88,526	93,854
36	94,604	93,063	96,165	95,234	93,867	96,640	90,884	87,974	93,575
37	94,399	92,801	96,017	95,064	93,650	96,517	90,448	87,387	93,271
38	94,178	92,520	95,856	94,879	93,416	96,382	89,984	86,766	92,941
39	93,940	92,219	95,680	94,679	93,163	96,235	89,493	86,122	92,585
40	93,684	91,896	95,489	94,462	92,889	96,075	88,976	85,452	92,202
41	93,408	91,550	95,282	94,226	92,592	95,900	88,433	84,758	91,792
42	93,109	91,177	95,057	93,968	92,268	95,710	87,859	84,035	91,352
43	92,783	90,770	94,812	93,685	91,911	95,501	87,248	83,273	90,878
44	92,426	90,323	94,544	93,371	91,515	95,270	86,590	82,458	90,364
45	92,033	89,830	94,251	93,023	91,074	95,015	85,877	81,579	89,807
46	91,601	89,285	93,929	92,637	90,583	94,733	85,105	80,630	89,202
47	91,127	88,687	93,578	92,211	90,039	94,423	84,274	79,613	88,549
48	90,613	88,037	93,199	91,746	89,444	94,086	83,388	78,533	87,851
49	90,062	87,338	92,794	91,244	88,801	93,724	82,455	77,401	87,114
50	89,474	86,592	92,363	90,706	88,111	93,338	81,479	76,222	86,341
51	88,849	85,798	91,906	90,132	87,372	92,927	80,463	75,000	85,533
52	88,181	84,949	91,419	89,515	86,578	92,487	79,402	73,730	84,686
53	87,461	84,032	90,896	88,846	85,715	92,012	78,284	72,399	83,791
54	86,677	83,032	90,329	88,112	84,766	91,493	77,095	70,989	82,835
55	85,819	81,936	89,711	87,303	83,718	90,924	75,824	69,489	81,808
56	84,882	80,739	89,038	86,414	82,566	90,301	74,468	67,895	80,707
57	83,866	79,441	88,310	85,444	81,309	89,622	73,031	66,215	79,534
58	82,771	78,041	87,526	84,393	79,946	88,888	71,522	64,460	78,295
59	81,598	76,540	86,689	83,262	78,478	88,102	69,952	62,647	76,997
60	80,347	74,940	85,800	82,053	76,906	87,266	68,332	60,790	75,647
61	79,016	73,238	84,854	80,763	75,227	86,375	66,657	58,890	74,237
62	77,602	71,435	83,846	79,388	73,442	85,423	64,926	56,948	72,763
63	76,107	69,533	82,775	77,928	71,551	84,408	63,153	54,974	71,240
64	74,533	67,537	81,640	76,383	69,556	83,327	61,355	52,982	69,686
65	72,881	65,450	80,439	74,752	67,459	82,175	59,542	50,979	68,109
66	71,152	63,276	79,169	73,034	65,263	80,947	57,732	48,980	66,530
67	69,342	61,018	77,821	71,226	62,970	79,635	55,915	46,983	64,934
68	67,439	58,672	76,378	69,322	60,582	78,225	54,037	44,954	63,248
69	65,430	56,233	74,816	67,313	58,099	76,703	52,022	42,848	61,372
70	63,304	53,700	73,118	65,194	55,524	75,055	49,822	40,637	59,241
71	61,064	51,082	71,282	62,971	52,867	73,282	47,418	38,312	56,828
72	58,715	48,389	69,306	60,644	50,127	71,377	44,845	35,898	54,175
73	56,253	45,627	67,174	58,199	47,334	69,312	42,179	33,445	51,380
74	53,671	42,803	64,870	55,617	44,457	67,053	39,525	31,020	48,579
75	50,970	39,929	62,383	52,889	41,510	64,579	36,962	28,676	45,874
76	48,160	37,020	59,717	50,022	38,508	61,888	34,527	26,439	43,309
77	45,259	34,097	56,885	47,036	35,474	58,956	32,219	24,313	40,877
78	42,290	31,186	53,908	43,961	32,439	55,931	30,016	22,290	38,543
79	39,282	28,315	50,811	40,832	29,436	52,726	27,890	20,360	36,265
80	36,263	25,513	47,621	37,684	26,499	49,413	25,827	18,521	34,017
81	33,264	22,811	44,365	34,549	23,663	46,023	23,831	16,781	31,796
82	30,314	20,241	41,069	31,460	20,962	42,582	21,926	15,162	29,629
83	27,445	17,836	37,758	28,445	18,429	39,114	20,160	13,700	27,571
84	24,687	15,631	34,458	25,531	16,096	35,637	18,601	12,444	25,704
85	22,071	13,662	31,192	22,743	13,996	32,168	17,338	11,456	24,140

SECTION 5 - LIFE TABLES

Table 5-3. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1973

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	71.3	67.6	75.3	72.2	68.4	76.1	65.9	61.9	70.1
1	71.6	67.9	75.5	72.3	68.6	76.2	66.8	62.8	70.8
2	70.7	67.0	74.5	71.4	67.7	75.2	65.9	61.9	70.0
3	69.8	66.1	73.6	70.4	66.8	74.2	65.0	61.0	69.0
4	68.8	65.1	72.6	69.5	65.8	73.3	64.0	60.1	68.1
5	67.8	64.2	71.7	68.5	64.9	72.3	63.1	59.1	67.1
6	66.9	63.2	70.7	67.5	63.9	71.3	62.1	58.2	66.2
7	65.9	62.3	69.7	66.6	62.9	70.3	61.2	57.2	65.2
8	64.9	61.3	68.7	65.6	62.0	69.4	60.2	56.3	64.2
9	64.0	60.3	67.8	64.6	61.0	68.4	59.2	55.3	63.3
10	63.0	59.3	66.8	63.6	60.0	67.4	58.2	54.3	62.3
11	62.0	58.3	65.8	62.6	59.0	66.4	57.3	53.3	61.3
12	61.0	57.3	64.8	61.7	58.0	65.4	56.3	52.4	60.3
13	60.0	56.4	63.8	60.7	57.1	64.5	55.3	51.4	59.3
14	59.1	55.4	62.8	59.7	56.1	63.5	54.4	50.4	58.3
15	58.1	54.5	61.9	58.7	55.1	62.5	53.4	49.5	57.4
16	57.1	53.5	60.9	57.8	54.2	61.5	52.4	48.6	56.4
17	56.2	52.6	59.9	56.9	53.3	60.6	51.5	47.6	55.4
18	55.3	51.7	59.0	55.9	52.4	59.6	50.6	46.7	54.5
19	54.3	50.8	58.0	55.0	51.5	58.6	49.6	45.8	53.5
20	53.4	49.9	57.1	54.1	50.5	57.7	48.7	44.9	52.6
21	52.5	49.0	56.1	53.1	49.6	56.7	47.8	44.1	51.7
22	51.6	48.1	55.1	52.2	48.7	55.7	46.9	43.2	50.7
23	50.6	47.2	54.2	51.3	47.8	54.8	46.1	42.4	49.8
24	49.7	46.3	53.2	50.3	46.9	53.8	45.2	41.6	48.9
25	48.8	45.4	52.3	49.4	46.0	52.8	44.3	40.8	47.9
26	47.9	44.5	51.3	48.5	45.1	51.9	43.4	39.9	47.0
27	46.9	43.6	50.3	47.5	44.2	50.9	42.6	39.1	46.1
28	46.0	42.7	49.4	46.6	43.3	49.9	41.7	38.3	45.1
29	45.1	41.8	48.4	45.6	42.3	49.0	40.8	37.5	44.2
30	44.1	40.9	47.5	44.7	41.4	48.0	40.0	36.7	43.3
31	43.2	39.9	46.5	43.7	40.5	47.1	39.1	35.9	42.4
32	42.3	39.0	45.5	42.8	39.5	46.1	38.2	35.0	41.5
33	41.3	38.1	44.6	41.8	38.6	45.1	37.4	34.2	40.6
34	40.4	37.2	43.6	40.9	37.7	44.2	36.5	33.4	39.7
35	39.5	36.3	42.7	40.0	36.8	43.2	35.7	32.6	38.8
36	38.5	35.4	41.8	39.0	35.8	42.3	34.8	31.8	37.9
37	37.6	34.5	40.8	38.1	34.9	41.3	34.0	31.0	37.0
38	36.7	33.6	39.9	37.2	34.0	40.4	33.2	30.2	36.1
39	35.8	32.7	39.0	36.2	33.1	39.4	32.3	29.4	35.3
40	34.9	31.8	38.0	35.3	32.2	38.5	31.5	28.7	34.4
41	34.0	30.9	37.1	34.4	31.3	37.6	30.7	27.9	33.6
42	33.1	30.0	36.2	33.5	30.4	36.7	29.9	27.1	32.7
43	32.2	29.2	35.3	32.6	29.5	35.7	29.1	26.4	31.9
44	31.3	28.3	34.4	31.7	28.6	34.8	28.3	25.6	31.1
45	30.5	27.5	33.5	30.8	27.8	33.9	27.6	24.9	30.3
46	29.6	26.6	32.6	30.0	26.9	33.0	26.8	24.2	29.5
47	28.8	25.8	31.7	29.1	26.1	32.1	26.1	23.5	28.7
48	27.9	25.0	30.9	28.2	25.3	31.2	25.3	22.8	27.9
49	27.1	24.2	30.0	27.4	24.4	30.3	24.6	22.1	27.1
50	26.3	23.4	29.1	26.6	23.6	29.5	23.9	21.5	26.4
51	25.5	22.6	28.3	25.7	22.8	28.6	23.2	20.8	25.6
52	24.6	21.8	27.4	24.9	22.0	27.7	22.5	20.2	24.9
53	23.8	21.1	26.6	24.1	21.2	26.9	21.8	19.5	24.1
54	23.1	20.3	25.7	23.3	20.5	26.0	21.1	18.9	23.4
55	22.3	19.6	24.9	22.5	19.7	25.2	20.5	18.3	22.7
56	21.5	18.9	24.1	21.7	19.0	24.4	19.9	17.7	22.0
57	20.8	18.2	23.3	21.0	18.3	23.5	19.2	17.2	21.3
58	20.0	17.5	22.5	20.2	17.6	22.7	18.6	16.6	20.6
59	19.3	16.8	21.7	19.5	16.9	21.9	18.0	16.1	20.0
60	18.6	16.2	20.9	18.8	16.2	21.1	17.5	15.6	19.3
61	17.9	15.5	20.2	18.0	15.6	20.3	16.9	15.0	18.7
62	17.2	14.9	19.4	17.4	15.0	19.6	16.3	14.5	18.0
63	16.6	14.3	18.6	16.7	14.3	18.8	15.8	14.0	17.4
64	15.9	13.7	17.9	16.0	13.7	18.0	15.2	13.5	16.8
65	15.3	13.1	17.2	15.3	13.2	17.3	14.7	13.1	16.2
66	14.6	12.6	16.4	14.7	12.6	16.5	14.1	12.6	15.5
67	14.0	12.0	15.7	14.0	12.0	15.8	13.5	12.1	14.9
68	13.4	11.5	15.0	13.4	11.5	15.1	13.0	11.6	14.3
69	12.8	10.9	14.3	12.8	10.9	14.4	12.5	11.2	13.7
70	12.2	10.4	13.6	12.2	10.4	13.7	12.0	10.7	13.2
71	11.6	9.9	12.9	11.6	9.9	13.0	11.6	10.4	12.8
72	11.0	9.5	12.3	11.0	9.4	12.3	11.2	10.0	12.4
73	10.5	9.0	11.7	10.5	9.0	11.7	10.9	9.7	12.0
74	10.0	8.6	11.1	9.9	8.5	11.0	10.6	9.5	11.7
75	9.5	8.2	10.5	9.4	8.1	10.4	10.3	9.2	11.3
76	9.0	7.8	9.9	8.9	7.7	9.9	10.0	8.9	11.0
77	8.6	7.4	9.4	8.5	7.3	9.3	9.7	8.7	10.6
78	8.1	7.0	8.9	8.0	6.9	8.8	9.4	8.4	10.2
79	7.7	6.7	8.4	7.6	6.6	8.3	9.0	8.1	9.8
80	7.3	6.4	7.9	7.2	6.3	7.9	8.7	7.9	9.4
81	6.9	6.1	7.5	6.8	5.9	7.4	8.4	7.6	9.0
82	6.6	5.8	7.1	6.4	5.6	7.0	8.1	7.4	8.6
83	6.2	5.5	6.6	6.1	5.3	6.5	7.7	7.1	8.2
84	5.8	5.1	6.2	5.7	5.0	6.1	7.3	6.8	7.8
85	5.4	4.8	5.8	5.3	4.7	5.7	6.8	6.3	7.3

SECTION 5 - LIFE TABLES

5-9

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1973

[Alaska and Hawaii included beginning in 1959. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding "All other" population]

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								
	1973 ¹	1972 ^{1,2}	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,246	98,176	97,408	96,931	95,188	93,768	91,975	87,674	86,655
5	97,933	97,853	97,015	96,403	94,150	91,738	88,842	82,972	80,864
10	97,712	97,633	96,758	96,069	93,601	90,810	87,530	81,519	79,109
15	97,475	97,395	96,503	95,728	93,089	90,074	86,546	80,549	78,037
20	96,714	96,660	95,908	95,104	92,293	88,904	84,997	79,116	76,376
25	95,758	95,733	95,106	94,294	91,241	87,371	83,061	77,047	73,907
30	94,932	94,934	94,401	93,489	90,092	85,707	80,888	74,810	71,219
35	94,068	94,089	93,589	92,543	88,713	83,812	78,441	72,108	68,245
40	92,889	92,935	92,427	91,173	86,880	81,457	75,733	68,848	64,954
45	91,074	91,095	90,533	89,002	84,285	78,345	72,696	65,115	61,369
50	88,111	88,082	87,424	85,601	80,521	74,288	69,107	60,741	57,274
55	83,718	83,540	82,463	80,496	75,156	68,981	64,574	55,622	52,491
60	76,906	76,627	75,485	73,172	67,787	61,933	58,498	48,987	46,452
65	67,459	67,009	65,834	63,541	58,305	52,964	50,663	40,862	39,245
70	55,524	54,995	53,825	51,735	46,739	41,880	40,873	31,527	30,640
75	41,510	40,835	40,207	38,104	33,404	29,471	29,205	21,585	21,387
80	26,499	26,037	25,993	24,005	19,860	17,221	17,655	12,160	12,266
85	13,996	13,683	13,065	12,015	9,013	7,572	8,154	5,145	5,252
ALL OTHER, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	96,960	96,814	95,301	94,911	91,696	91,268	89,499	78,065	74,674
5	96,435	96,313	94,570	93,921	89,920	88,412	85,195	68,589	64,385
10	96,119	96,037	94,234	93,453	89,211	87,311	83,768	66,377	61,730
15	95,793	95,743	93,874	92,965	88,417	86,152	82,332	64,478	59,667
20	94,885	94,748	93,108	91,941	86,770	83,621	79,057	61,426	56,733
25	93,075	92,791	91,825	90,285	84,055	79,516	74,540	57,736	53,285
30	90,889	90,623	90,270	88,327	80,865	75,083	70,344	54,073	49,867
35	88,526	88,107	88,331	85,940	77,185	70,049	65,873	49,865	46,541
40	85,452	84,870	85,744	82,832	72,830	64,710	61,353	45,414	42,989
45	81,579	80,761	82,075	78,686	67,514	58,432	56,589	40,563	39,230
50	76,222	75,204	77,239	72,891	60,766	51,748	51,880	35,427	34,766
55	69,489	68,443	70,351	65,122	52,867	44,436	46,581	29,754	29,987
60	60,790	59,789	61,669	55,535	44,370	36,790	40,506	23,750	24,194
65	50,979	50,182	51,392	45,198	35,912	29,314	34,042	17,806	19,015
70	40,637	39,738	39,914	35,018	27,688	21,741	26,923	12,295	13,829
75	26,676	25,252	29,064	25,472	19,765	14,419	18,054	7,494	8,892
80	18,221	18,277	19,994	16,904	12,352	8,239	11,615	3,894	4,831
85	11,456	11,293	11,620	9,898	6,492	3,660	5,605	1,747	2,030
WHITE, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,666	98,630	98,036	97,645	96,211	95,037	93,008	89,774	88,939
5	98,420	98,378	97,709	97,199	95,309	93,216	90,721	85,349	83,426
10	98,260	98,214	97,525	96,960	94,890	92,466	89,564	83,979	81,723
15	98,122	98,073	97,375	96,756	94,534	91,894	88,712	83,093	80,680
20	97,838	97,788	97,135	96,454	94,584	90,939	87,281	81,750	78,978
25	97,533	97,474	96,844	96,072	93,228	89,524	85,163	79,865	76,588
30	97,197	97,135	96,499	95,605	92,320	87,972	82,740	77,676	73,887
35	96,753	96,674	96,026	94,977	91,211	86,248	80,206	75,200	70,971
40	96,075	95,987	95,326	94,080	89,805	84,256	77,624	72,425	67,935
45	95,015	94,894	94,228	92,725	87,920	81,780	74,871	69,341	64,677
50	93,338	93,184	92,522	90,685	85,267	78,572	71,547	65,629	61,005
55	90,924	90,759	89,967	87,699	81,520	74,321	67,323	61,053	56,509
60	87,266	87,110	86,339	83,279	76,200	68,462	61,704	54,900	50,752
65	82,175	82,014	80,739	76,773	68,701	60,499	54,299	47,086	43,806
70	75,055	74,644	72,507	67,545	58,363	49,932	44,638	37,482	35,206
75	64,579	63,860	60,461	54,397	44,685	37,024	32,777	26,569	25,362
80	49,413	48,782	44,676	38,026	28,882	23,053	20,492	15,929	15,349
85	32,168	31,545	26,046	21,348	14,487	10,937	9,909	7,152	7,149
ALL OTHER, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,534	97,380	96,172	95,913	93,318	92,796	91,251	81,493	78,525
5	97,119	96,952	95,543	95,055	91,710	90,185	87,149	72,768	68,056
10	96,908	96,742	95,265	94,679	91,092	89,201	85,607	70,508	65,111
15	96,737	96,561	95,057	94,343	90,363	88,088	83,954	68,218	62,384
20	96,352	96,180	94,660	93,544	88,505	85,078	80,154	64,764	59,053
25	95,716	95,542	94,005	92,336	85,561	81,067	75,359	61,430	55,795
30	94,945	94,704	93,070	90,799	83,147	76,816	70,633	58,281	52,773
35	93,854	93,551	91,670	88,805	75,879	72,192	65,857	54,595	49,567
40	92,202	91,873	89,676	86,052	75,908	67,271	61,130	50,568	46,146
45	89,807	89,376	86,793	82,257	71,061	61,365	56,230	45,947	42,279
50	86,341	85,904	82,979	77,007	64,886	54,920	50,780	40,886	37,681
55	81,808	81,368	77,362	70,196	57,419	47,074	44,742	35,415	33,124
60	75,647	75,314	69,941	61,758	49,102	38,761	37,954	28,908	27,524
65	68,109	67,663	60,825	52,358	40,718	30,852	31,044	22,302	21,995
70	59,241	58,429	51,274	42,612	32,579	23,341	24,107	15,871	16,140
75	45,874	45,831	40,540	32,981	24,668	16,576	17,216	10,657	11,066
80	34,017	34,436	30,315	23,712	17,157	10,822	11,151	6,324	6,708
85	24,140	24,258	19,744	15,550	10,658	6,033	5,972	3,029	3,567

See footnotes at end of table.

SECTION 5 - LIFE TABLES

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1973-Con.

[See headnote at beginning of table]

AGE, COLOR, AND SEX	AVERAGE NUMBER OF YEARS OF LIFE REMAINING (2)								
	1973 ¹	1972 ^{1,2}	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0-----	68.4	68.3	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1-----	68.6	68.5	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5-----	64.9	64.7	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10-----	60.0	59.9	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15-----	55.1	55.0	54.93	54.18	52.33	50.39	49.74	46.91	46.25
20-----	50.5	50.4	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25-----	46.0	45.9	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30-----	41.4	41.3	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35-----	36.8	36.6	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40-----	32.2	32.0	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45-----	27.8	27.6	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50-----	23.6	23.5	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55-----	19.7	19.6	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60-----	16.2	16.1	16.01	15.76	15.05	14.72	15.25	13.98	14.35
65-----	13.2	13.1	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70-----	10.4	10.4	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75-----	8.1	8.1	7.92	7.77	7.17	7.02	7.30	6.75	6.84
80-----	6.3	6.3	6.09	5.88	5.38	5.47	5.70	5.09	5.10
85-----	4.7	4.7	4.34	4.35	4.02	3.99	4.06	3.88	3.81
ALL OTHER, MALE									
0-----	61.9	61.5	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1-----	62.8	62.5	63.50	61.06	54.05	51.08	51.63	42.53	42.46
5-----	59.1	58.8	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10-----	54.3	54.0	55.19	52.96	48.54	44.27	45.99	40.65	41.90
15-----	49.5	49.1	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20-----	44.9	44.6	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25-----	40.8	40.5	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30-----	36.7	36.4	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35-----	32.6	32.4	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40-----	28.7	28.5	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45-----	24.9	24.8	24.89	23.59	22.02	20.59	23.55	18.85	20.09
50-----	21.5	21.4	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55-----	18.3	18.3	18.11	17.34	16.67	15.46	17.50	13.82	14.69
60-----	15.6	15.6	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65-----	13.1	13.1	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70-----	10.7	10.8	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75-----	9.2	9.3	8.93	8.83	8.09	6.99	7.61	6.58	6.60
80-----	7.9	8.0	6.87	7.07	6.46	5.42	5.83	5.53	5.12
85-----	6.3	6.4	5.08	5.38	5.08	4.30	4.53	4.48	4.04
WHITE, FEMALE									
0-----	76.1	75.9	74.19	72.02	67.29	62.67	58.53	53.62	51.08
1-----	76.1	75.9	74.68	72.77	68.93	64.93	61.51	58.69	56.39
5-----	72.3	72.1	70.92	69.05	65.57	62.17	59.43	57.67	56.03
10-----	67.4	67.2	66.05	64.26	60.85	57.65	55.17	53.57	52.15
15-----	62.5	62.3	61.15	59.39	56.07	53.00	50.67	49.12	47.79
20-----	57.7	57.5	56.29	54.56	51.38	48.52	46.46	44.88	43.77
25-----	52.8	52.7	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30-----	48.0	47.9	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35-----	43.2	43.1	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40-----	38.5	38.4	37.13	35.64	33.25	31.52	30.94	29.26	29.17
45-----	33.9	33.8	32.53	31.12	28.90	27.39	26.98	25.45	25.51
50-----	29.5	29.3	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55-----	25.2	25.1	23.81	22.58	20.73	19.60	19.40	18.18	18.43
60-----	21.1	21.0	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65-----	17.3	17.1	15.88	15.00	13.56	12.81	12.75	11.97	12.23
70-----	13.7	13.6	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75-----	10.4	10.4	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80-----	7.9	7.8	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85-----	5.7	5.7	4.66	4.83	4.34	4.24	4.24	4.06	4.10
ALL OTHER, FEMALE									
0-----	70.1	69.9	66.47	62.70	55.51	49.51	46.92	37.67	35.04
1-----	70.8	70.8	68.10	64.37	58.47	52.33	50.39	45.15	43.54
5-----	67.1	67.1	64.54	60.93	55.47	49.81	48.70	46.42	46.04
10-----	62.3	62.2	59.72	56.17	50.83	45.33	44.54	42.84	43.02
15-----	57.4	57.3	54.85	51.36	46.22	40.87	40.36	39.18	39.79
20-----	52.6	52.5	50.07	46.77	42.14	37.22	37.15	36.14	36.89
25-----	47.9	47.9	45.40	42.35	38.31	33.93	34.35	32.97	33.90
30-----	43.3	43.3	40.83	38.02	34.52	30.67	31.48	29.61	30.70
35-----	38.8	38.8	36.41	33.82	30.83	27.47	28.58	26.44	27.52
40-----	34.4	34.4	32.16	29.82	27.31	24.30	25.60	23.34	24.37
45-----	30.3	30.3	28.14	26.07	24.00	21.39	22.61	20.43	21.36
50-----	26.4	26.4	24.31	22.67	21.04	18.60	19.76	17.65	18.67
55-----	22.7	22.8	20.89	19.62	18.44	16.27	17.09	14.98	15.88
60-----	19.3	19.4	17.83	16.95	16.14	14.22	14.69	12.78	13.60
65-----	16.2	16.3	15.12	14.54	13.95	12.24	12.41	10.82	11.38
70-----	13.2	13.5	12.46	12.29	11.81	10.38	10.25	9.22	9.62
75-----	11.3	11.5	10.10	10.15	9.80	8.62	8.37	7.55	7.90
80-----	9.4	9.4	7.66	8.15	8.00	6.90	6.58	6.05	6.48
85-----	7.3	7.4	5.44	6.15	6.38	5.48	5.22	5.09	5.10

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.

Table 5-5. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-73

[Estimates based on life table values shown in table 5-4]

AREA AND YEAR	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
UNITED STATES									
1973 ¹	71.3	67.6	75.3	72.2	68.4	76.1	65.9	61.9	70.1
1972 ^{1,2}	71.1	67.4	75.1	72.0	68.3	75.9	65.6	61.5	69.9
1971 ¹	71.1	67.4	75.0	72.0	68.3	75.8	65.6	61.6	69.7
1970 ¹	70.9	67.1	74.8	71.7	68.0	75.6	65.3	61.3	69.4
1969	70.4	66.8	74.3	71.3	67.8	75.1	64.3	60.5	68.4
1968	70.2	66.6	74.0	71.1	67.5	74.9	63.7	60.1	67.5
1967	70.5	67.0	74.2	71.3	67.8	75.1	64.6	61.1	68.2
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	73.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 ³	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962 ³	70.0	66.8	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.9	67.0
1960	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.9	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.9	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.8	70.5	67.4	73.7	63.7	61.4	66.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	58.1	56.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.3	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Excludes deaths of nonresidents of the United States.²Deaths based on a 50-percent sample.³Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page		Page
Sources of data -----	6-3	Mortality by month and date of death	6-18
Death and fetal-death statistics ----	6-3		
Standard certificates -----	6-3		
History -----	6-5	Quality of data -----	6-19
Classification of data -----	6-6	Completeness of registration -----	6-19
Classification by occurrence and residence -----	6-6	Massachusetts data -----	6-19
Geographic classification -----	6-7	Quality control procedures -----	6-19
Age -----	6-8	Estimates of errors arising from 50-percent sample for 1972 -----	6-20
Race and color -----	6-8	Computation of rates and other measures -----	6-20
Fetal deaths -----	6-9	Population bases -----	6-20
Cause of death -----	6-12	Age-adjusted death rates -----	6-21
Maternal deaths -----	6-18		
Report of autopsy -----	6-18	Symbols used in tables -----	6-21
 Figures			
6-A. Standard Certificate of Death -----			6-4
6-B. Standard Certificate of Fetal Death -----			6-5
 Population tables			
6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1973 -----			6-22
6-2. Estimates of total resident population of the United States, by age, race, and sex: July 1, 1973 -----			6-23
6-3. Estimates of total resident population by age, for the United States, each division and State, Guam, Puerto Rico, and Virgin Islands: July 1, 1973 -----			6-24

SECTION 6 - TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Mortality statistics for 1973 are again, as for all previous years except 1972, based on information from all death records received by the National Center for Health Statistics (NCHS). The records are furnished by all States, the District of Columbia, and the independent registration areas of New York City and New Orleans. Mortality statistics for 1972 were based on information obtained from a 50-percent sample of death records instead of from all records. The reduction to a 50-percent sample resulted from personnel and budgetary restrictions and was in effect only for 1972. Fetal-death statistics for 1973 were based, as always, on all fetal-death records received.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, and Guam in the statistical tabulations, in this report *United States* refers only to the aggregate of the 50 States and the District of Columbia.

Death statistics for Puerto Rico, the Virgin Islands, and Guam were not included for 1972 but have been restored in this 1973 report. The Virgin Islands was admitted to the "registration area" for deaths in 1924; Puerto Rico, in 1932; and Guam, in 1970. Tabulations for Puerto Rico and the Virgin Islands have been regularly shown in the annual volumes from the year of their admission through 1971, except for the years 1967 through 1969. Tabulations for Guam have been included only for the years 1970 and 1971. Information for 1972 for these three areas is published in the respective annual vital statistics reports of the Department of Health of the Commonwealth of Puerto Rico, the Department of Health of the Virgin Islands, and the Department of Public Health and Social Services of the Government of Guam.

Another change from procedures for prior years, begun for 1971 and continued for 1972 and 1973, is that tabulations of deaths are based on information from two sources. Before 1971 tabulations of deaths and fetal deaths were based solely on information obtained from copies of the original certificates. The information from these copies was edited, classified, and tabulated. For 1960 and for each year thereafter through 1970 all mortality information taken from

these records has been transferred by NCHS to magnetic tape for computer processing.

However, beginning with 1971 mortality tabulations, except those for cause of death and fetal deaths, are based on information derived from computer tapes of data coded by an increasing number of States and provided to NCHS through the Cooperative Health Statistics System. The year in which utilization of State-coded data was begun is shown below for each of the nine States now furnishing such data.

1973

Colorado
Michigan
New York (except New York City)

1972

Maine
Missouri
New Hampshire
Rhode Island
Vermont

1971

Florida

For the remaining 41 States, the District of Columbia, and the independent registration areas of New York City and New Orleans, mortality statistics for 1973, including cause-of-death and fetal-death statistics, are again based on information obtained directly from copies of the original certificates received from the registration offices. The registration cities for 1973 were New Orleans and New York City (five boroughs).

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the

registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting

or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the standard certificates of death and fetal death have been recommended for State use beginning January 1, 1968. These standard certificates are shown in figures 6-A and 6-B. The certificate of death shown in figure 6-A is for use by either a physician or a medical examiner or coroner.

Two other forms of the Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one while the other is

FIGURE 6-A

FORM APPROVED
BUREAU NO. 68-81901

(PHYSICIAN, MEDICAL EXAMINER OR CORONER)
U.S. STANDARD
CERTIFICATE OF DEATH

U.S. GOVERNMENT PRINTING OFFICE 1967 OF-241-659

TYPE, OR PRINT IN PERMANENT INK
SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER

STATE FILE NUMBER

DECEASED

1. DECEASED—NAME FIRST MIDDLE LAST 2. SEX 3. DATE OF DEATH (MONTH, DAY, YEAR)

4. RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) 5a. AGE—LAST BIRTHDAY (YEARS) 5b. MONTHS 5c. DAYS 6. DATE OF BIRTH (MONTH, DAY, YEAR) 7a. COUNTY OF DEATH

8. CITY, TOWN, OR LOCATION OF DEATH 9. INSIDE CITY LIMITS (SPECIFY YES OR NO) 10. HOSPITAL OR OTHER INSTITUTION—NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)

11. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY) 12. CITIZEN OF WHAT COUNTRY 13. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY) 14. SURVIVING SPOUSE (IF WIFE, GIVE MAIDEN NAME)

15. SOCIAL SECURITY NUMBER 16. USUAL OCCUPATION (GIVE KIND OF WORK DONE DURING MOST OF WORKING LIFE, EVEN IF RETIRED) 17. KIND OF BUSINESS OR INDUSTRY

18. RESIDENCE—STATE 19. COUNTY 20. CITY, TOWN, OR LOCATION 21. INSIDE CITY LIMITS (SPECIFY YES OR NO) 22. STREET AND NUMBER

PARENTS

23. FATHER—NAME FIRST MIDDLE LAST 24. MOTHER—MAIDEN NAME FIRST MIDDLE LAST

25. INFORMANT—NAME 26. MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

CAUSE

PART I. DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c))

27. IMMEDIATE CAUSE

28. (a) DUE TO, OR AS A CONSEQUENCE OF: 29. (b) DUE TO, OR AS A CONSEQUENCE OF: 30. (c) DUE TO, OR AS A CONSEQUENCE OF:

CONDITIONS, IF ANY, WHICH GAVE RISE TO IMMEDIATE CAUSE (a), (b), OR (c), STATING THE UNDERLYING CAUSE LAST

PART II. OTHER SIGNIFICANT CONDITIONS: CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a), (b), OR (c)

31. ACCIDENT, SUICIDE, HOMICIDE, OR UNDETERMINED (SPECIFY) 32. DATE OF INJURY (MONTH, DAY, YEAR) 33. HOUR 34. HOW INJURY OCCURRED (ENTER NATURE OF INJURY IN PART I OR PART II, ITEM 18)

35. INJURY AT WORK (SPECIFY YES OR NO) 36. PLACE OF INJURY AT HOME, FARM, STREET, FACTORY, OFFICE BLDG., ETC. (SPECIFY) 37. LOCATION (STREET OR R.F.D. NO., CITY OR TOWN, STATE)

38. CERTIFICATION—PHYSICIAN: 39. MONTH DAY YEAR 40. MONTH DAY YEAR 41. AND LAST SAW HIM/HER ALIVE ON MONTH DAY YEAR 42. I DID/DID NOT VIEW THE BODY AFTER DEATH. 43. DEATH OCCURRED AT THE PLACE, ON THE DATE, AND, TO THE BEST OF MY KNOWLEDGE, DUE TO THE CAUSE(S) STATED.

44. CERTIFICATION—MEDICAL EXAMINER OR CORONER: ON THE BASIS OF THE EXAMINATION OF THE BODY AND/OR THE INVESTIGATION, IN MY OPINION, DEATH OCCURRED ON THE DATE AND DUE TO THE CAUSE(S) STATED.

45. CERTIFIER—NAME (TYPE OR PRINT) 46. SIGNATURE 47. DEGREE OR TITLE 48. DATE SIGNED (MONTH, DAY, YEAR)

49. MAILING ADDRESS—CERTIFIER 50. STREET OR R.F.D. NO. 51. CITY OR TOWN 52. STATE 53. ZIP

BURIAL

54. BURIAL, CREMATION, REMOVAL (SPECIFY) 55. CEMETERY OR CREMATORY—NAME 56. LOCATION 57. CITY OR TOWN 58. STATE

59. DATE (MONTH, DAY, YEAR) 60. FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

61. FUNERAL DIRECTOR—SIGNATURE 62. REGISTRAR—SIGNATURE 63. DATE RECEIVED BY LOCAL REGISTRAR

PHS-792-1 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

designed for the medical examiner's or coroner's signature.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and in-

cluding the census of 1900, but because of the time interval between the occurrence of a death and census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities

FIGURE 6-B

FORM APPROVED
BUDGET BUREAU NO. 68-81902

U.S. STANDARD
CERTIFICATE OF FETAL DEATH

TYPE, OR PRINT IN PERMANENT INK
SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER

STATE FILE NUMBER

FETUS

1. FETUS—NAME FIRST MIDDLE LAST

2a. DATE OF DELIVERY (MONTH, DAY, YEAR)

2b. HOUR

3. SEX

4a. THIS DELIVERY—SINGLE, TWIN, TRIPLET, ETC. (SPECIFY)

4b. IF NOT SINGLE DELIVERY BORN FIRST, SECOND, THIRD, ETC. (SPECIFY)

5a. COUNTY OF DELIVERY

6a. CITY, TOWN, OR LOCATION OF DELIVERY

6b. INSIDE CITY LIMITS (SPECIFY YES OR NO)

6c. HOSPITAL—NAME (IF NOT IN HOSPITAL, GIVE STREET AND NUMBER)

MOTHER

7a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST

7b. AGE (AT TIME OF THIS DELIVERY)

7c. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

8a. RESIDENCE—STATE

8b. COUNTY

8c. CITY, TOWN, OR LOCATION

8d. INSIDE CITY LIMITS (SPECIFY YES OR NO)

8e. STREET AND NUMBER

FATHER

9a. FATHER—NAME FIRST MIDDLE LAST

9b. AGE (AT TIME OF THIS DELIVERY)

9c. STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

CAUSE

10. PART I. FETAL DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c))

10a. FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH

10b. IMMEDIATE CAUSE

10c. DUE TO, OR AS A CONSEQUENCE OF:

10d. FETAL AND/OR MATERNAL CONDITIONS, IN ANY, GIVING RISE TO THE IMMEDIATE CAUSE

10e. DUE TO, OR AS A CONSEQUENCE OF:

10f. DUE TO, OR AS A CONSEQUENCE OF:

10g. SPECIFY FETAL OR MATERNAL

11. PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER, CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (c)

11a. CONDITIONS CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (c)

11b. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (SPECIFY)

11c. AUTOPSY (SPECIFY YES OR NO)

11d. IF YES, WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH

CERTIFIER

12a. I CERTIFY THAT THIS DELIVERY OCCURRED ON THE DATE STATED ABOVE AND THE FETUS WAS BORN DEAD

12b. SIGNATURE

12c. DATE SIGNED (MONTH, DAY, YEAR)

12d. ATTENDANT—M.D., D.O., MIDWIFE, OTHER (SPECIFY)

12e. CERTIFIER—MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

12f. AUTHORIZED OFFICIAL (IF DELIVERY NOT ATTENDED BY PHYSICIAN)

12g. SIGNATURE

BURIAL

13a. BURIAL, CREMATION, OR REMOVAL (SPECIFY)

13b. CEMETERY OR CREMATORY—NAME

13c. LOCATION (CITY OR TOWN, STATE)

13d. DATE (MONTH, DAY, YEAR)

13e. FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

13f. FUNERAL DIRECTOR—SIGNATURE

13g. REGISTRAR—SIGNATURE

13h. DATE RECEIVED BY LOCAL REGISTRAR (MONTH, DAY, YEAR)

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

FATHER

14a. RACE—FATHER

14b. EDUCATION—SPECIFY HIGHEST GRADE COMPLETED

14c. PREVIOUS DELIVERIES—HOW MANY OTHER CHILDREN

14d. ARE NOW LIVING

14e. WERE BORN ALIVE—NOW DEAD

14f. WERE BORN DEAD (FETAL DEATH AT ANY TIME AFTER CONCEPTION)

MOTHER

15a. RACE—MOTHER

15b. EDUCATION—SPECIFY HIGHEST GRADE COMPLETED

15c. DATE OF LAST LIVE BIRTH (MONTH, DAY, YEAR)

15d. DATE OF LAST FETAL DEATH (MONTH, DAY, YEAR)

15e. DATE LAST NORMAL MENSTRUATION BEGAN (MONTH, DAY, YEAR)

15f. MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2D, ETC. (SPECIFY))

15g. PRENATAL VISITS TOTAL NUMBER

15h. LEGITIMATE (SPECIFY YES OR NO)

15i. BIRTH WEIGHT

15j. MULTIPLE BIRTHS (ENTER STATE FILE NUMBER FOR MATERNAL LIVE BIRTH(S))

15k. FETAL DEATH(S)

15l. COMPLICATIONS RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE")

15m. BIRTH INJURIES TO FETUS (DESCRIBE OR WRITE "NONE")

15n. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (DESCRIBE OR WRITE "NONE")

15o. COMPLICATIONS NOT RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE")

15p. COMPLICATIONS OF LABOR (DESCRIBE OR WRITE "NONE")

15q. GPO : 1967 OF-241-562

included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922 statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of the States included in the registration system. Both registration areas included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 3, "Classification and Encoder Instructions for Live Births and Fetal-Death Records, 1973," and Part 4, "Demographic Classification and Encoder Instructions for Death Records, 1973."

The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for the United States and specified geographic areas in this report are by place of residence unless stated as by place of occurrence. Before 1970 resident mortality statistics for the United States included all deaths occurring in the 50 States and the District of Columbia, with deaths of "non-residents of the United States" assigned to place of death. "Deaths of nonresidents of the United States" refers to deaths that occur in the United States to nonresident aliens, nationals residing abroad, and residents of Puerto Rico, the Virgin Islands, and other possessions of the United States.

Tables by place of occurrence, on the other hand, include both deaths to residents and to nonresidents of the United States. Consequently for each year during 1970-73, the total number of deaths in the United States by place of occurrence is somewhat greater

than the total by place of residence. For 1973 this difference amounts to 2,123 deaths.

Mortality statistics by place of occurrence are shown in tables 1-10, 1-19, 1-20, 1-30, 3-1, 3-8, 7-1, and 7-7.

Except for the years 1964 and 1965, deaths to nonresidents of the United States occurring in the United States have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965 deaths occurring in the United States to nonresidents of the United States were allocated as deaths to residents of the balance of the county in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.¹

A comparison of the results of this study of deaths with those for a previous matched record study of births² shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously.

The geographic codes assigned by the National Center for Health Statistics during data reduction of

source information on birth, death, and fetal death records are given in *Vital Statistics Instruction Manual*, Part 8, "Vital Records Geographic Classification, 1970."

For 1973 there is also available upon request an unpublished computer listing of the geographic codes contained in the computer tapes. The 13-digit codes in this listing are not the same codes as the five-digit codes for the State-city or State-balance of county in the above-mentioned manual entitled "Vital Records Geographic Classification, 1970." Instead each of these 13-digit codes is a conversion of the two five-digit codes into a combination code for the State-county-city (seven-digits), together with codes for "population size," SMSA's and MSEA's, and metropolitan and nonmetropolitan counties. This listing for 1973 is the same as that used for 1970-72. It is planned to use it also for each of the remaining years in this decade.

Standard metropolitan statistical areas.—Except in the New England States, a standard metropolitan statistical area (SMSA) is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1970 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metropolitan in character and are socially and economically integrated with the central city or cities.³

In New England the U.S. Office of Management and Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the U.S. Bureau of the Census, which is made up of county units, is used.⁴

For tables in this report numbered 7-4 and 7-8 the SMSA's and their component counties are those established by the U.S. Office of Management and

¹ National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 30. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1969.

² National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950, *Vital Statistics—Special Reports*, Vol. 47, No. 12. Public Health Service. Washington, D.C. Mar. 1962.

³ For a more complete discussion, see U.S. Bureau of the Census, *U.S. Census of Population, 1970, Number of Inhabitants*, Final Report, PC(1)-A1, United States Summary, Washington, U.S. Government Printing Office, 1971, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1967.

⁴ For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

Budget as of 1970 (except in the New England States) and used by the U.S. Bureau of the Census.

Tables numbered 1-18 and 2-8, however, are limited to the 50 largest SMSA's and MSEA's (in the New England States) established by the Office of Management and Budget for 1973. These 50 largest units and their component counties for 1973 are the same as those for 1971 and 1972.

But the list of 50 largest units for 1971-73 differs from the list for 1970. Moreover the county components for some of the SMSA's and MSEA's that appear on both lists are different for 1971-73 from the components for 1970.

As a result, sometimes the number of deaths shown for the same-named SMSA or MSEA in tables 7-4 and 7-8 based on units established for 1970 will differ from the number of deaths shown in tables 1-18 and 2-8 based on units established for 1971-73.

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁵

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital Statistics data for cities and certain other urban places in 1973 are classified according to the population enumerated in the 1970 Census of Population. In this report "Population-size groups" refers to two groups, "Urban places" and "Balance of area." "Urban places" consists of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Vir-

ginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

Before 1964 places were classified as "urban" or "rural." The Technical Appendixes for earlier years discuss the previous classification system.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States in 1973 are classified by race for vital statistics into white, Negro, Indian, Chinese, Japanese, and other races.

The category "white" includes in addition to persons reported as "white," those reported as Mexican, Puerto Rican, Cuban, and all other Caucasians. The category Indian includes "American," "Alaskan," "Canadian," "Eskimo," and "Aleut." If the racial entry on the death certificate indicates a mixture of Hawaiian and any other race, the entry is coded to Hawaiian. If the race is given as a mixture of white and any other race, the entry is coded to the appropriate other race. If a mixture of races other than white is given (except Hawaiian), the entry is coded to the first race listed. This procedure for coding the first race listed has been in use for each year of the period 1969-73. Prior to 1969 if the entry for race was a mixture of Negro and any other race, except Hawaiian, the entry was coded to Negro.

Most of the tables in this report, however, do not show data for this extended classification by race. In some tables the divisions are "white," "Negro," and "other." In other tables where the main purpose is to isolate the major group, the classifications are simply "white" and "all other."

Race not stated.—For 1973 the number of death records for which the race was not stated was 6,877 or 0.3 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment is made to white; if the code is other than white, the assignment is made to Negro. For years prior to 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962-64.

⁵See footnote 3.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item.

Adjustments made in vital statistics to take into account the omission of the race item in New Jersey for part of the certificates filed during 1962-64 are described in the Technical Appendix of *Vital Statistics of the United States* for each of these data years.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."⁶ The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.⁷

⁶ National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service, Washington. U.S. Government Printing Office, Oct. 1950.

⁷ For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

- Less than 20 completed weeks of gestation
(early fetal deaths) Group I
- 20 completed weeks of gestation but less
than 28 (intermediate fetal deaths) Group II
- 28 completed weeks of gestation and over
(late fetal deaths) Group III
- Gestation period not classifiable in groups
I, II, and III Group IV

Until 1939 the nationally recommended procedure for registration of fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.⁸

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to maximize the comparability of data by year and by State, most of the tables in Section 3 are based on fetal deaths occurring at gestations of 20 weeks or more. These tables also include fetal deaths of not stated or unknown gestation for those States

⁸ Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

requiring registration at 20 weeks or more only. Before 1969 all fetal deaths of unknown gestation were included. Beginning with 1969 fetal deaths of not stated gestation were excluded for States requiring registration of all products of conception, unless there was evidence, such as high birth weight, that those fetuses were of 20 weeks or more gestation.

The data in table 3-3 include only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, and Virginia. However, Arkansas, Colorado, and Georgia are excluded from this table.

Arkansas has had a form for confidential reporting of abortions beginning with data year 1971. The abortions reported on this form are not limited by legislation to those described as "induced." It is believed, therefore, that most spontaneous abortions occurring in this State are also reported on this form rather than on fetal-death certificates. The introduction of this confidential form resulted in more complete reporting of all terminations of pregnancies.

Although fetal deaths for all periods of gestation continue to be required for Colorado, only 11 fetal deaths under 20 weeks gestation are shown. This undercount is attributable to the fact that Colorado did not intend to forward any copies of fetal-death certificates for periods of gestation under 20 weeks to the National Center for Health Statistics for data year 1973. As a result the percentage of all fetal deaths under 20 weeks gestation decreased from 65 percent for 1972 to 2 percent for 1973.

A total of 2,716 deaths that should have been classified by NCHS as abortions have been erroneously included among the 5,344 fetal deaths reported for Georgia in table 3-1. It is believed that most of these abortions occurred before 20 weeks of gestation. The inclusion of these abortions, therefore, should not affect appreciably the data shown for fetal deaths of 20 weeks or more gestation.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal deaths.

Massachusetts.—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the city of Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties

and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, and by about 23 percent for 1966.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irrespective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks
- 6 months to 24-27 weeks
- 7 months to 28-31 weeks
- 8 months to 32-35 weeks
- 9 months to 40 weeks
- 10 months and over to 43 weeks and over

With the adoption of the 1968 revision of the fetal-death certificate and the increased use of the first day of LMP by the reporting areas, the errors in reporting length of gestation have been minimized. The proportion of fetal deaths assigned to gestation of 36 and 40 weeks has diminished, while the proportion of gestations of 37-39 weeks and 41 weeks and gestation length not stated has increased. In 1973 the areas using LMP were as follows:

Alaska	Maine	North Dakota
Arizona	Maryland	Ohio
California	Massachusetts	Oklahoma
Colorado	Michigan	Oregon
District of Columbia	Minnesota	Rhode Island
Florida	Mississippi	South Carolina
Hawaii	Missouri	South Dakota
Illinois	Montana	Tennessee
Indiana	Nebraska	Utah
Iowa	Nevada	Vermont
Kansas	New Hampshire	Washington
Kentucky	New Jersey	West Virginia
Louisiana	New York	Wyoming
	North Carolina	

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric

system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents of the gram intervals in pounds and ounces are as follows:

500 grams or less	=	1 lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,001 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. or more

Race and color.—The race of the fetus is ordinarily classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with one exception: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated to the specific race of the fetus on the preceding record.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 and 1968 revisions of the Standard Certificate of Fetal Death, the item on previous fetal loss included all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration States requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of live birth and fetal death in use during 1973.

Alaska	Maine	Ohio
Arizona	Maryland	Oklahoma
Arkansas	Massachusetts	Oregon
Colorado	Michigan	Pennsylvania
Connecticut	Minnesota	Rhode Island
Delaware	Mississippi	South Carolina
Florida	Missouri	South Dakota
Georgia	Montana	Utah
Hawaii	Nebraska	Vermont
Illinois	Nevada	Virginia
Indiana	New Hampshire	Washington
Iowa	New Jersey	West Virginia
Kansas	New York	Wyoming
Kentucky	North Carolina	
Louisiana	North Dakota	

The total number of fetal deaths shown in tables 3-10 and 3-12 is limited to those with stated or presumed period of gestation of 20 weeks or more. The determination, however, of the total-birth order for these fetal deaths is based on the number of previous live births and fetal deaths for all periods of gestation, except for those live births and fetal deaths occurring to residents of the District of Columbia and the following seven States: Alabama, California, Idaho, New Mexico, Tennessee, Texas, and Wisconsin. The fetal-death certificates of these States provide total-birth order information only for previous live births and fetal deaths of 20 weeks or more gestation.

Thus the total-birth order for the District of Columbia and these seven States is based on fewer fetal deaths than would be the case if their fetal-death certificates had requested the number of previous fetal deaths for all periods of gestation, as do the certificates used by the other 43 States. It follows, therefore, that the total-birth order given in table 3-12 for these 43 States is not strictly comparable with that given for the District of Columbia and the remaining seven States.

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1973. These States are as follows:

Alabama	Hawaii	Minnesota
Alaska	Illinois	Mississippi
Arizona	Indiana	Missouri
Colorado	Iowa	Nebraska
Delaware	Kansas	Nevada
District of Columbia	Kentucky	New Hampshire
Florida	Louisiana	New Jersey
Georgia	Maine	North Carolina
	Michigan	North Dakota

Oklahoma	South Dakota	Washington
Oregon	Tennessee	West Virginia
Pennsylvania	Texas	Wisconsin
Rhode Island	Utah	Wyoming
South Carolina	Virginia	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Underregistration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 10 years of age or age 50 years and above, the age of the mother is considered not stated and is assigned as follows: Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and having the same total-birth order (total of fetal deaths and live births).

Cause of death

Beginning with data year 1968 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*,⁹ which is based on the 1965 Revision of the International Classification of Diseases (ICD).¹⁰ The ICDA gives greater detail and specificity in some categories than is provided by the Eighth Revision of the ICD. Complete correspondence between these two classifications was maintained at the three-digit level, but new four-digit subdivisions were created in various parts of the ICDA. Where necessary, existing four-digit subdivisions are renumbered to accommodate the additional subcategories in logical sequence. In the ICDA, subdivisions which do not correspond exactly with the ICD are identified by asterisks. In this report the four-digit subcategory numbers which

differ from those in the ICD are also shown with asterisks.

In addition to specifying that the Classification be used, the World Health Organization recommended special lists for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the List of 150 Causes for Tabulation of Morbidity and Mortality; List B, the List of 50 Causes for Tabulation of Mortality; and List P, the List of 100 Causes for Tabulation of Perinatal Morbidity and Mortality. The recommended tabulation lists have been modified for use in the National Center for Health Statistics.

The Each-Cause List is made up of each three-digit category of the Detailed List to which deaths may be assigned and each four-digit subcategory of the ICDA to which deaths may be assigned. For category 412 the fourth digits .1, .2, .3, and .4 are used instead of the fourth digits .0 and .9 which appear in the ICDA. The each-cause table (1-23) does not show the fourth-digit subcategories provided for Motor vehicle accidents (E810-E823). However, these subcategories, which identify persons injured, are shown in the accident tables (Section 4). Special fifth-digit subcategories are also used in the accident tables to identify place of accident when deaths from non-transport accidents are shown.

The List of 281 Selected Causes of Death is an extension of List A designed so that with one exception the original groups can be obtained by combining titles. The individual titles in List A for Certain causes of mortality in early infancy are shown as one group title in tables using the List of 281 Selected Causes. The individual categories are shown in tables using the List of 65 Selected Causes of Infant Death, which was created by extending some titles in List P and by combining others. Titles in List P not shown in this list may be found in the each-cause table with the exception of causes of death in List P that are applicable only to fetal deaths.

The List of 69 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately. These causes are Cholera, Typhoid fever, Plague, Diphtheria, Smallpox, Typhus and other rickettsioses, and Malaria.

The List of 34 Selected Causes of Death for Detailed Geographic Areas was created by combining titles in the List of 69 Selected Causes.

These lists were designed to be as comparable as possible to the NCHS lists most recently in use under the Seventh Revision. In several instances this could not be done. No attempt will be made here to enumerate these changes. However, the following changes

⁹National Center for Health Statistics: *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office. 1967.

¹⁰World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Eighth Revision Conference, 1965. Geneva. World Health Organization, 1967.

are especially worth noting. The group title Major cardiovascular diseases (ICDA Nos. 390-448) includes all of the titles in "Section VII. Diseases of the circulatory system" of the Eighth Revision except the following one: Diseases of veins and lymphatics and other diseases of circulatory system (ICDA Nos. 450-458).

The most nearly comparable group title in the Seventh Revision is Diseases of cardiovascular system (ICD Nos. 330-334, 400-468).

Both of these group titles include the first and third leading causes of death—Diseases of heart (ICDA Nos. 390-398, 402, 404, 410-429) and Cerebrovascular diseases (ICDA Nos. 430-438). They also both include Diseases of arteries, arterioles, and capillaries (ICDA Nos. 440-448). The comparable title in the Seventh Revision for these latter diseases is Diseases of arteries (ICD Nos. 450-456). But the group title Diseases of cardiovascular system (ICD Nos. 330-334, 400-468) in the Seventh Revision includes also the title Diseases of veins and other diseases of circulatory system (ICD Nos. 460-468). These diseases of veins and other diseases of circulatory system (assigned by the Eighth Revision to ICDA Nos. 450-458) are not included, however, under the Eighth Revision group title Major cardiovascular diseases (ICDA Nos. 390-448).

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends is not considered a problem of great concern. Van Buren described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death.¹¹ Dunn and Shackley measured the change in mortality statistics by cause due to the Fifth Revision.¹² This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in

evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revisions.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided

¹¹ U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics—Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

¹² U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics—Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

by the number of deaths assigned to that cause using the Fifth Revision.^{13, 14}

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with the population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁵ were integrated into the manual.¹⁶ Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume 1, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for

which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selecting of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in "Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."¹⁷

Eighth Revision.—The Eighth Revision contains major modifications in several sections of the lists. Also, the international rules for selecting the underlying cause have been simplified. In addition, changes have been introduced in the special rules and decisions which adapt the coding procedures to reporting practices in the United States.

The Detailed List of the Eighth Revision consists of 671 categories of diseases and morbid conditions, 182 categories for classification of the external cause of injury, and 187 categories for characterization of injuries according to the nature of the lesion. These

¹³National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*. Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

¹⁴National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

¹⁵World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, *Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva. World Health Organization, 1953.

¹⁶World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955. Geneva. World Health Organization, 1957.

¹⁷National Center for Health Statistics: Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

detailed categories are designated by three-digit numbers. There are also four-digit subcategories in the ICDA that provide further specificity or more information regarding etiology or manifestations of the disease. The Classification is arranged in 17 main sections, or chapters. The important changes are summarized for each of these sections in the introduction to the ICDA, pages xxiv-xxviii. Following are some of the many changes made:

Infective and parasitic diseases.—In the Seventh Revision, list titles for diarrheal conditions were scattered over several sections of the Classification. In the Eighth Revision all the Seventh Revision subdivisions for these conditions, including those for infants, are brought together under one category, Diarrheal diseases (009).

Diseases of the nervous system and sense organs.—Vascular lesions affecting central nervous system (330-334) in the Seventh Revision has been transferred in the Eighth Revision to Section VII, Diseases of the circulatory system, where they appear as Cerebrovascular diseases (430-438).

Certain causes of perinatal morbidity and mortality.—This section represents an integration of Section XV (Certain diseases of early infancy) and Classification of causes of stillbirth (Y30-Y39) in the Seventh Revision. The age qualifications used in previous revisions to classify the same conditions in or outside this section have been deleted. For example, Pneumonia of newborn (763) of the Seventh Revision is no longer in this section. Instead, it is included in the Eighth Revision with Pneumonia (480-486), to which pneumonias are assigned without regard to age.

Accidents, poisonings, and violence.—A new subsection (E980-E989) has been introduced for the classification of deaths where it was not possible for the certifier to determine whether the injuries were accidentally or purposely inflicted.

Comparability between the Eighth and Seventh Revisions.—In order to measure the degree of discontinuity in cause-of-death statistics resulting from the introduction of the Eighth Revision, provisional estimates of selected comparability ratios based on dual coding of a stratified sample of 1966 death certificates by the Seventh and Eighth Revisions of the International Classification of Diseases were computed. These ratios appear in the *Monthly Vital Statistics Report* of the National Center for Health Statistics, Volume 17, Number 8, Supplement; and in *Comparability of mortality statistics for the Seventh and Eighth Revisions of the International Classifi-*

cation of Diseases, United States, Vital and Health Statistics, Series 2, No. 66, DHEW Pub. No. (HRA) 76-1340.

Coding in 1973.—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures.¹⁸ The significant coding changes for 1973 are concerned with the “sudden infant death syndrome” (SIDS).

SIDS, frequently called “crib death” or “cot death,” has been defined as the sudden and unexpected death of a previously healthy infant (usually between 1 and 6 months of age) which remains unexplained after careful post mortem studies. SIDS almost always occurs during sleep periods. This phenomenon seldom occurs in an infant under 1 month or over 1 year of age. There are no specific symptoms identifiable with SIDS. Therefore SIDS cannot be predicted, even by a physician, and in the light of present knowledge SIDS cannot be prevented. An autopsy usually reveals congestion and edema of the lungs and minor inflammatory changes in the respiratory system. In about 85 percent of the cases intrathoracic petechial hemorrhages are found. However, evidence of a conventionally accepted lethal lesion(s) is lacking. Because of these characteristic features, experts and researchers in the field consider SIDS a clearly identifiable distinctive entity even though the cause and mechanism of death remain unknown.

Estimates of the number of SIDS deaths vary, but the figure most commonly quoted by researchers is about 10,000. Efforts to obtain accurate data on the incidence of SIDS have been hampered by a number of factors. Among these are

1. The failure of a number of physicians, coroners, and medical examiners to diagnose and/or report SIDS as the cause of death,
2. The lack of uniformity in the terminology used to describe SIDS,
3. The absence of a category in the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States* (ICDA), which identifies SIDS,

¹⁸National Center for Health Statistics: Vital statistics, instructions for classifying the underlying cause of death, 1973. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1973.

4. The reluctance on the part of certifiers to report conditions that they feel may be regarded as unacceptable by vital statistics offices, and

5. The reporting of conditions, including incidental autopsy findings, that were in fact unrelated to death on the certificates of death for infants who actually died from SIDS.

NCCHS has modified the ICDA and the procedures for classifying information recorded on the death certificate to facilitate the identification and analysis of data related to known and suspected cases of SIDS.

Three fourth-digit subdivisions have been created under ICDA category 795 (Sudden death). These subdivisions together with the inclusion terms are as follows:

- *795.0 Sudden infant death syndrome, under 1 year of age
 - Acute fatal infant syndrome
 - Cause unknown
 - Cot or crib death
 - Died without sign of disease, so stated
 - Found dead (in bed, cot, cradle, crib, etc.) (infant)
 - Infant found in bed
 - Other unknown and unspecified causes, so stated
 - SDII, SID, SIDS, SUD, SUDI, SUID
 - Sudden death (in infancy) (infant) (syndrome) (unattended) (unexpected) (unexplained)
 - Undetermined (cause) (in infancy) (infant)
 - Unexpected death (in infancy) (infant)
 - Unexplained death (in infancy) (infant)
 - Unknown (cause)
- *795.1 Sudden death syndrome, 1 year of age
 - The same terms listed under *795.0 when age is 1 year
- *795.2 All other sudden deaths, age 2 years and over
 - Died suddenly Fell dead
 - Dropped dead Sudden death

It should be noted that two of the above subdivisions (i.e., *795.0 and *795.1) include several terms that were previously included under ICDA categories 796.2, Found dead (cause unknown), 796.3, Died without sign of disease, and 796.9, Other unknown and unspecified causes. The decision to include these terms in the categories that have been created for Sudden infant death syndrome, under 1 year of age, and Sudden death syndrome, 1 year of age, was made after consultation with experts in the field. This decision was based on conclusions drawn from a recent study that relatively few infant deaths that were not sudden and unexpected are certified as found dead, "died without sign of disease," or other unknown and unspecified causes.

The third subdivision (i.e., *795.2) does not include terms previously classifiable to ICDA cate-

gories 796.2, 796.3, or 796.9. Coders should continue to classify these terms to categories 796.2, 796.3, and 796.9 if the decedent was 2 years of age or over.

A distinction has been made between Sudden infant death syndrome, under 1 year of age, and Sudden death syndrome, 1 year of age (but less than 2), because there is some difference of opinion about whether SIDS does in fact occur at ages 1 year and above. National data for 1973, the first year NCCHS used the new coding rules, show 3,264 and 75 deaths coded to categories *795.0 and *795.1, respectively.

Apparently, some vital statistics offices have, perhaps unintentionally, created the impression that SIDS is not an acceptable cause of death. This is unfortunate since it is important that SIDS be cited officially as the cause of death when the certifier believes this to be the case. This diagnosis as well as other terms that are being used to describe SIDS should be accepted as a valid cause of death without querying the certifier. Past experience has shown that some certifiers are reluctant to use terminology that they have reason to believe will be queried by vital statistics offices.

Other significant coding changes during the Eighth Revision.—Beginning with 1969 a special four-digit subcategory Chronic obstructive lung disease (*519.3) has been added to obtain the number of certificates on which medical certifiers have entered this more general term rather than a more specific diagnosis of chronic bronchitis, emphysema, or asthma. The number of certificates assigned to (*519.3) increased from 2,704 for 1969 to 11,334 for 1973. It is necessary to add together the number of deaths assigned to this new four-digit category and the number of deaths assigned to Bronchitis, emphysema, and asthma (ICDA Nos. 490-493) to obtain a measure of mortality from all chronic obstructive lung diseases.

To provide that deaths would not be assigned to Chronic obstructive lung disease (*519.3) if a more specific diagnosis such as chronic bronchitis, emphysema, or asthma also appeared on the death certificate, the coding procedures were updated for 1971 and 1972 data years in accordance with the linkages below:

- *519.3 Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema
- Excludes* conditions in *519.3 with conditions in:
 - 490 Bronchitis (491)(Chronic bronchitis)
 - 491 (Chronic bronchitis)(491)
 - 492 (Emphysema)(492)
 - 493 (Asthma)(493)

But the limitation imposed by these linkage provisions did not alter the upward trend in the number of

deaths assigned to Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (*519.3). The number of deaths assigned to (*519.3) increased from 6,321 for 1971 to 11,334 for 1973.

Under the Eighth Revision of the ICDA, deaths assigned to "chronic obstructive lung disease," or "chronic obstructive pulmonary disease," were assigned to Other diseases of lung (ICDA No. 519.2). Despite the transfer of these deaths from this category to the new category Chronic obstructive lung disease (*No. 519.3), the number of deaths assigned to Other diseases of lung (ICDA No. 519.2) also continued to increase—from 1,306 deaths for 1969 to 1,845 for 1973.

Also beginning with 1971 a special four-digit subcategory (*E854.8) has been added to identify "Acute narcotism, not otherwise specified," whether or not the circumstances were undetermined. Also, a preference will be given to Drug dependence (ICDA No. 304) when a statement of drug dependence or a synonymous term appears on the certificate with mention of poisoning by certain addictive drugs.

In addition, beginning with 1971, the term cerebral sclerosis (general) is classified to Generalized ischemic cerebrovascular disease (ICDA No. 437) rather than to Other demyelinating diseases of central nervous system (ICDA No. 341). As a result of this transfer the number of deaths assigned to this latter category decreased from 569 for 1970 to 96 for 1971.

Since 1968 the use of an automated system for obtaining the underlying cause requires special coding procedures in NCHS. (See Quality Control Procedures under Quality of Data.) The automated system was designed to assign the underlying cause according to the international rules just as if a manual process were to be used.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot

study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁹

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to the hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."²⁰

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Eighth Revision category numbers 780-792, 795, and 796, which are the rubrics for symptoms and ill-defined conditions. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity

¹⁹ For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, pp. 1376-1387.

²⁰ Moriyama, I. M., and others: Evaluations of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1973, 1.5 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.4 to 7.2 percent.

Ranking causes of death.—The causes included in the List of 69 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular diseases and Symptoms and ill-defined conditions, are not ranked. In addition, category titles that begin with the words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Complications of pregnancy, childbirth, and the puerperium (630-678).

Report of autopsy

Prior to 1972 the last year for which autopsy data were tabulated was 1958. Again for 1973, as for 1972, all registration States and cities requested information on the death certificate as to whether autopsies were performed. For 1973 autopsies were reported, however, on only 369,655 death certificates (18.7 percent of the total, table 1-28). All but nine registration areas (New York City and Alabama, Delaware, Georgia, Idaho, Massachusetts, Pennsylvania, Texas, and Virginia) also requested for 1973 information on nearly all their certificates as to whether the autopsy findings were used in determining the causes of death.

The distribution of deaths for which autopsies were performed according to the entry for the item "autopsy findings used" was as shown in the table below.

Data presented in table 1-29 on "findings used" refer not to all deaths for which autopsies were performed (369,655) but only to those for which information on "findings used" was also requested on the

Entry for item "autopsy findings used"	Number	Percent
All autopsies	369,655	100.0
Autopsy findings used	207,283	56.0
Autopsy findings not used	15,388	4.1
Item not checked	62,283	16.8
Item not on certificate	84,701	22.9

certificates (284,954 deaths for which autopsies were performed).

For only eight of the cause-of-death categories shown in table 1-29 were autopsies reported as performed for 50 percent or more of all deaths: Bacillary dysentery and amebiasis; Meningococcal infections; Meningitis; Abortions; Other complications of pregnancy, childbirth, and the puerperium; Congenital anomalies; Homicide; and Other external causes.

There were nine other categories for which 40 percent or more death certificates reported autopsies. Autopsies were reported for only 11.6 percent of the major cardiovascular diseases. Among all causes other than the major cardiovascular group, autopsies were reported for 26.6 percent of all deaths.

Mortality by month and date of death

Deaths by month have been regularly tabulated and published in the annual report for each year beginning with data year 1900. For 1973 deaths by month are shown in this report in tables 1-20, 1-21, 1-24, 1-30, 2-10, 2-12, and 3-9.

Death rates by month reflect most clearly the influence of the respiratory diseases. Again for 1973, as for each year since the early 1920's, when the summer peak of mortality was eliminated, the curve of mortality falls to a low during the summer months, and reaches a peak during the winter months. The curve by month for the number of deaths from influenza and pneumonia for 1973 parallels quite closely the curve by month for the number of deaths from all causes. By far the greatest number of deaths from influenza and pneumonia occurred in January for 1973 (table 1-24).

The year 1972 was the first data year for which not only month of death but also date of death were published (table 1-30). Unpublished data for selected causes, by date of death, however, for 1962 are available in NCHS.

Number of deaths by date of death in this report are shown for 1973 for the total number of deaths and for the number of deaths for the following three causes, for which the greatest general interest in date of occurrence of death has been expressed: Motor vehicle accidents, Suicide, and Homicide.

These data in table 1-30 show the frequency distribution of deaths for the selected causes by day of week. They also make it possible to identify holidays with peak numbers of deaths from specified causes.

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.²¹ A similar situation may exist in other States.

As stated above, reporting requirements for fetal deaths vary from State to State, and registration is probably incomplete in all areas.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts,

²¹Tennessee Department of Public Health: Results of survey of death-registration completeness. *The Spotlight*, Jan. 1954.

primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

Demographic items on the death certificates.—As indicated above, for 1973 the mortality data for these items were obtained from two sources: (1) microfilm images of the original certificates furnished by 41 States, the District of Columbia, New Orleans, and New York City; and (2) records on data tape furnished by the remaining nine States. For the 41 States, the District of Columbia, New Orleans, and New York City, that send only microfilm images of the original certificates, the demographic items on a 10-percent sample of the certificates were dependently verified. For the six States (Florida, Maine, Missouri, New Hampshire, Rhode Island, and Vermont) that furnished records on data tape prior to 1973 the demographic items on a 10-percent sample of the records were independently verified. For the three States (Michigan, Colorado, and New York, exclusive of New York City) that furnished records on data tape for the first time for 1973, the demographic items were independently verified for a 50-percent sample for the first 3 months, and for a 10-percent sample for the last 9 months of 1973.

Except for cause-of-death coding discussed below, the above-mentioned verification procedures involve controlling two types of error (coding and entering into the data record tape) at the same time, and the error rates are a combined measure of both types. While it may be assumed that the entering errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. This type of error is partially controlled by reverifying randomly selected lots from each operator's work.

Medical items on the death certificate.—The "Automated Classification of Medical Entities" (ACME), a computer system for assigning the underlying cause of death which was introduced in 1968, was used for assigning the 1973 underlying causes of death.²² The ACME rules for coding conditions are very specific, fewer in number, and far less compli-

²²Automated Classification of Medical Entities (ACME) for Selection of Causes of Death. Unpublished paper presented at the annual meeting of the American Public Health Association, Houston, Tex., Oct. 1970.

cated than the international rules for selecting the underlying cause of death.²³

The coder produces condition codes which the ACME computer program matches against decision tables to select the underlying cause of death for each record according to the international rules. These decision tables serve two primary purposes. They provide a comprehensive guide for the relationship between conditions classifiable to different categories in ICDA when applying rules of selection and modification, and they also provide decisions used when the underlying cause is assigned by the ACME system. The tables were developed from the decisions and conclusions employed by NCHS in arriving at the underlying causes of death. Relationships between medical conditions involve varying or contradictory opinions. Therefore further refinements of the decision tables will be required periodically.

The decision table instruction manual for 1970-71²⁴ was again used for 1973.

Medical items were coded for 100 percent of death records. The medical items on a 10-percent sample of the records were dependently verified.

For cause-of-death coding, systematic errors in coding infrequent events are controlled by listing the rare and impossible codes from the computer and re-verifying the cause-of-death assignment.

Demographic items on fetal-death certificates.—As stated above, fetal-death certificates for 1973 are based on all fetal-death records received. Moreover the coding and entering on data tape of fetal-death records was verified completely because of their relatively small number. (Again for 1973, as for prior years, medical items on the fetal-death certificates were not coded.)

Other control procedures.—After completing coding and entering on data tape, record counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

Estimates of errors arising from 50-percent sample for 1972

Death statistics for 1972 in this report (excluding fetal-death statistics) are based on a 50-percent sample of all deaths occurring in the 50 States and the District of Columbia.

A description of the sample design and a table of the percent errors of the estimated numbers of deaths by size of estimate and total deaths in the area are shown in the Technical Appendix of *Vital Statistics of the United States*, Volume II, Part A, 1972.

COMPUTATION OF RATES AND OTHER MEASURES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, 1960, and 1970 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1973.—Estimates of the total resident population of the United States by age, race, and sex in 1973 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 519, and are shown in table 6-2. Total estimated populations for States shown in table 6-3 are published in Series P-25, Number 518; populations by broad age groups were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

The populations of the 50 largest SMSA's and their component counties were obtained from the Bureau of the Census for July 1, 1973, as shown in selected reports from Series P-26.

Population estimates for 1971.—The rates by age, color, and sex in Section 1 of *Vital Statistics of the United States, 1971*, were based on provisional estimates of the 1971 population; but the life table values for 1971 in Section 5 were based on revised estimates of the 1971 population. These revised estimates are also shown in table 2 of the reference cited above for 1973 populations (*Current Population Reports*, Series P-25, No. 519, Washington, D.C., 1974). These revised estimates differed considerably from the provisional estimates for a number of age-color-sex groups. Table 6-4 of the report for 1971 shows, for example, that the revised estimates are 7

²³National Center for Health Statistics: Vital statistics, instructions for classifying the underlying cause of death, 1973. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1973.

²⁴National Center for Health Statistics: Vital statistics, ICDA Eighth Revision decision tables for classifying underlying causes of death, 1970-1971. *NCHS Instruction Manual*, Part 2a. Public Health Service. Rockville, Md., 1972.

to 25 percent lower than the provisional estimates for persons other than white in the youngest (under 10 years) and oldest (80 years and over) age groups. The limited number of statistics for 1971 shown in this report are based on the revised populations. Also available in NCHS is a set of unpublished trend tables for which the rates for 1971 are based on the revised population. These tables include age-color-sex-cause specific death rates for both the List of 69 Selected Causes of Death and the List of 281 Selected Causes of Death.

Population estimates for 1961-69.—Comparison of revised populations for 1969 (and several earlier years since 1960) with the provisional populations which were used to calculate annual death rates for these same age, color, and sex groups indicated a similar problem. Caution should be exercised in utilizing death rates published in Section 1 and life expectancy values in Section 5 of the 1969 and other volumes until such time as revised rates are published.

Rates and ratios based on live births.—Infant, neonatal, and maternal mortality rates, and fetal-death rates and ratios are computed on the basis of the estimated number of live births instead of the estimated population under 1 year of age.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used

to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

SYMBOLS USED IN TABLES

Data not available.....	---
Category not applicable.....	...
Quantity zero.....	-
Quantity more than 0 but less than 0.05....	0.0
Figure does not meet standards of reliability or precision	*

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1973

[Population enumerated as of April 1 for 1940, 1950, 1960, and 1970 and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ¹		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1973	210,404,000	209,851,000	1935	127,562,000	127,250,232
1972	208,842,000	208,230,000	1934	126,485,000	126,375,773
1971	207,045,000	206,212,000	1933	125,690,000	125,578,763
1970	204,270,000	203,211,926	1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1969	203,119,000	201,921,000	1931	124,149,000	124,039,648	46	117,455,229	47	118,149,997
1968	201,186,000	199,861,000	1930	123,188,000	123,076,761	46	116,544,946	47	117,238,278
1967	199,118,000	197,885,000	1929	---	121,769,939	46	115,317,480	46	115,317,480
1966	196,842,000	195,857,000	1928	---	120,501,115	44	113,656,160	44	113,656,160
1965	194,585,000	193,618,000	1927	---	119,038,062	40	104,320,830	42	107,084,532
1964	192,119,000	191,371,000	1926	---	117,389,225	35	90,400,590	41	103,822,683
1963	189,417,000	188,658,000	1925	---	115,831,963	33	88,294,564	40	102,031,555
1962	186,666,000	185,880,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1961	183,766,000	183,057,000	1923	---	111,949,945	30	81,072,123	38	96,788,197
1960	180,007,000	179,325,175	1922	---	110,054,778	30	78,560,746	37	92,702,801
1959	177,264,000	176,513,000	1921	---	108,541,469	27	70,807,090	34	87,814,447
1958	174,141,000	173,320,000	1920	---	106,466,420	23	63,597,307	34	86,070,262
1957	171,274,000	170,371,000	1919	---	104,612,110	22	61,212,076	33	83,157,991
1956	168,221,000	167,306,000	1918	105,063,000	103,202,801	20	55,153,782	30	75,008,412
1955	165,275,000	164,308,000	1917	103,414,000	103,265,913	20	55,197,852	27	70,234,770
1954	162,391,000	161,164,000	1916	---	101,965,964	11	32,944,013	26	66,971,177
1953	159,565,000	158,242,000	1915	---	100,549,013	10	31,036,697	24	61,604,847
1952	156,954,000	155,887,000	1914	---	99,117,567	24	60,963,509
1951	154,287,000	153,310,000	1913	---	97,226,814	23	59,156,740
1950	151,132,000	150,897,561	1912	---	95,351,500	22	54,841,700
1949	149,189,000	148,665,000	1911	---	93,867,814	22	53,929,044
1948	146,651,000	146,033,000	1910	---	92,406,536	20	47,470,437
1947	144,126,000	143,446,000	1909	---	90,491,525	18	44,223,513
1946	141,389,000	140,054,000	1908	---	88,708,976	17	38,634,759
1945	139,928,000	138,481,000	1907	---	87,000,271	16	34,552,857
1944	138,397,000	137,885,000	1906	---	85,436,556	15	33,782,293
1943	136,739,000	136,245,000	1905	---	83,819,666	10	21,767,390
1942	134,660,000	133,920,000	1904	---	82,164,974	10	21,332,570
1941	133,402,000	133,121,000	1903	---	80,632,152	10	20,943,222
1940	131,820,000	131,689,275	1902	---	79,180,196	10	20,592,007
1939	131,028,000	130,879,718	1901	---	77,585,128	10	20,237,453
1938	129,969,000	129,824,939	1900	---	76,094,134	10	19,965,446
1937	128,961,000	128,824,829							
1936	126,191,000	126,053,180							

¹Alaska included beginning 1959 and Hawaii, 1960.²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: The populations in this table were published by the U.S. Bureau of the Census, unless otherwise specified, in Current Population Reports, Series P-25. The numbers of these reports together with the years for which data were furnished are shown below:

Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number	Year for which data were furnished	Series P-25 number
1971-73	519	1966	352	1920-29	VSR ^b
1970	CP ^a	1960-65	321	1917-19	499 and VSR ^b
1969	441	1951-59	310	1900-1916	VSR ^b
1968	416	1940-50	499		
1967	365	1930-39	499 and VSR ^b		

^aU.S. Bureau of the Census, U.S. Census of Population: 1970, Number of Inhabitants, Final Report PC (1)-A 1, United States Summary, 1971.^bNational Office of Vital Statistics, Vital Statistics Rates in the United States, 1900-1940, 1947.

SECTION 6 - TECHNICAL APPENDIX

6-23

Table 6-2. Estimates of Total Resident Population of the United States, by Age, Race, and Sex: July 1, 1973

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Age	Total			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Negro		
							Both sexes	Male	Female	Both sexes	Male	Female
All ages-----	209,851,000	102,229,000	107,622,000	183,049,000	89,424,000	93,625,000	26,802,000	12,805,000	13,996,000	23,801,000	11,337,000	12,464,000
Under 1 year-----	3,079,000	1,574,000	1,504,000	2,571,000	1,318,000	1,253,000	508,000	257,000	251,000	482,000	228,000	224,000
1-4 years-----	13,635,000	6,957,000	6,678,000	11,402,000	5,836,000	5,566,000	2,233,000	1,121,000	1,112,000	1,999,000	1,005,000	996,000
5-9 years-----	18,105,000	9,227,000	8,878,000	15,209,000	7,774,000	7,435,000	2,896,000	1,453,000	1,443,000	2,597,000	1,302,000	1,295,000
10-14 years-----	20,878,000	10,638,000	10,240,000	17,677,000	9,032,000	8,645,000	3,201,000	1,606,000	1,595,000	2,904,000	1,456,000	1,448,000
15-19 years-----	20,478,000	10,360,000	10,118,000	17,482,000	8,868,000	8,614,000	2,996,000	1,492,000	1,505,000	2,697,000	1,341,000	1,356,000
20-24 years-----	18,083,000	8,963,000	9,120,000	15,635,000	7,805,000	7,832,000	2,448,000	1,160,000	1,288,000	2,147,000	1,017,000	1,130,000
25-29 years-----	15,476,000	7,856,000	7,619,000	13,606,000	6,795,000	6,813,000	1,870,000	863,000	1,006,000	1,600,000	741,000	860,000
30-34 years-----	12,979,000	6,384,000	6,595,000	11,340,000	5,632,000	5,708,000	1,638,000	752,000	886,000	1,395,000	635,000	760,000
35-39 years-----	11,217,000	5,462,000	5,755,000	9,817,000	4,831,000	4,986,000	1,400,000	631,000	769,000	1,224,000	551,000	673,000
40-44 years-----	11,519,000	5,621,000	5,898,000	10,128,000	4,988,000	5,140,000	1,391,000	635,000	756,000	1,206,000	550,000	656,000
45-49 years-----	11,957,000	5,784,000	6,173,000	10,655,000	5,180,000	5,475,000	1,302,000	604,000	697,000	1,144,000	530,000	613,000
50-54 years-----	11,948,000	5,701,000	6,147,000	10,626,000	5,130,000	5,496,000	1,222,000	571,000	651,000	1,094,000	508,000	586,000
55-59 years-----	10,164,000	4,854,000	5,310,000	9,228,000	4,419,000	4,809,000	936,000	435,000	501,000	846,000	390,000	456,000
60-64 years-----	9,104,000	4,245,000	4,859,000	8,216,000	3,835,000	4,381,000	889,000	410,000	478,000	813,000	368,000	445,000
65-69 years-----	7,612,000	3,383,000	4,229,000	6,860,000	3,049,000	3,811,000	751,000	334,000	417,000	691,000	300,000	391,000
70-74 years-----	5,605,000	2,367,000	3,238,000	5,130,000	2,152,000	2,979,000	474,000	216,000	259,000	420,000	187,000	233,000
75-79 years-----	3,816,000	1,559,000	2,257,000	3,612,000	1,429,000	2,185,000	303,000	131,000	172,000	268,000	114,000	153,000
80-84 years-----	2,567,000	947,000	1,619,000	2,365,000	865,000	1,500,000	202,000	82,000	120,000	180,000	71,000	109,000
85 years and over-----	1,830,000	545,000	1,085,000	1,490,000	493,000	997,000	140,000	53,000	86,000	125,000	45,000	80,000

Source: U.S. Bureau of Census: Current Population Reports, Series P-25, No. 519.

Table 6-3. Estimates of Total Resident Population by Age, for the United States, Each Division and State, Guam, Puerto Rico, and Virgin Islands: July 1, 1973

[Figures include Armed Forces stationed in each area, and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States ¹	209,851,000	16,714,000	59,462,000	69,273,000	43,074,000	21,329,000
Geographic divisions:						
New England:						
Maine	1,029,000	82,000	296,000	319,000	210,000	121,000
New Hampshire	791,000	63,000	225,000	282,000	156,000	84,000
Vermont	464,000	39,000	137,000	152,000	87,000	50,000
Massachusetts	5,818,000	418,000	1,614,000	1,902,000	1,232,000	652,000
Rhode Island	973,000	71,000	283,000	315,000	216,000	109,000
Connecticut	3,076,000	222,000	861,000	1,006,000	681,000	306,000
Middle Atlantic:						
New York	18,265,000	1,350,000	4,875,000	6,015,000	4,037,000	1,987,000
New Jersey	7,561,000	542,000	2,036,000	2,574,000	1,675,000	734,000
Pennsylvania	11,902,000	857,000	3,233,000	3,719,000	2,769,000	1,223,000
East North Central:						
Ohio	10,731,000	874,000	3,086,000	3,518,000	2,205,000	1,037,000
Indiana	5,516,000	444,000	1,550,000	1,757,000	1,052,000	513,000
Illinois	11,236,000	901,000	3,175,000	3,685,000	2,351,000	1,125,000
Michigan	9,044,000	762,000	2,719,000	2,892,000	1,784,000	797,000
Wisconsin	4,569,000	350,000	1,366,000	1,455,000	905,000	435,000
West North Central:						
Minnesota	3,897,000	305,000	1,170,000	1,260,000	736,000	425,000
Iowa	2,904,000	219,000	835,000	899,000	594,000	357,000
Missouri	4,757,000	364,000	1,320,000	1,512,000	977,000	503,000
North Dakota	640,000	50,000	185,000	198,000	127,000	70,000
South Dakota	885,000	54,000	205,000	203,000	138,000	63,000
Nebraska	1,542,000	120,000	441,000	489,000	304,000	183,000
Kansas	2,279,000	170,000	634,000	736,000	462,000	277,000
South Atlantic:						
Delaware	576,000	46,000	171,000	197,000	114,000	47,000
Maryland	4,070,000	314,000	1,192,000	1,413,000	824,000	320,000
District of Columbia	746,000	58,000	189,000	280,000	149,000	71,000
Virginia	4,811,000	385,000	1,380,000	1,693,000	956,000	509,000
West Virginia	1,784,000	143,000	488,000	557,000	402,000	204,000
North Carolina	5,273,000	444,000	1,505,000	1,823,000	1,045,000	456,000
South Carolina	2,726,000	243,000	824,000	854,000	512,000	212,000
Georgia	4,786,000	431,000	1,405,000	1,652,000	896,000	402,000
Florida	7,678,000	555,000	1,960,000	2,515,000	1,661,000	1,190,000
East South Central:						
Kentucky	3,342,000	277,000	959,000	1,086,000	666,000	255,000
Tennessee	4,126,000	333,000	1,149,000	1,320,000	841,000	414,000
Alabama	3,559,000	305,000	1,036,000	1,140,000	704,000	357,000
Mississippi	2,281,000	216,000	703,000	701,000	419,000	242,000
West South Central:						
Arkansas	2,037,000	167,000	569,000	625,000	419,000	238,000
Louisiana	3,764,000	340,000	1,177,000	1,220,000	698,000	320,000
Oklahoma	2,665,000	209,000	724,000	880,000	548,000	321,000
Texas	11,794,000	1,052,000	3,430,000	3,996,000	2,231,000	1,034,000
Mountain:						
Montana	721,000	57,000	217,000	228,000	147,000	71,000
Idaho	770,000	69,000	232,000	242,000	152,000	74,000
Wyoming	355,000	30,000	104,000	116,000	72,000	32,000
Colorado	2,437,000	199,000	711,000	878,000	449,000	200,000
New Mexico	1,106,000	103,000	359,000	365,000	198,000	82,000
Arizona	2,058,000	184,000	607,000	675,000	338,000	196,000
Utah	1,157,000	127,000	369,000	384,000	191,000	85,000
Nevada	548,000	45,000	157,000	194,000	114,000	38,000
Pacific:						
Washington	3,429,000	284,000	969,000	1,162,000	693,000	344,000
Oregon	2,225,000	167,000	612,000	731,000	470,000	245,000
California	20,601,000	1,585,000	5,662,000	7,217,000	4,203,000	1,923,000
Alaska	350,000	35,000	110,000	131,000	46,000	8,000
Hawaii	832,000	74,000	245,000	304,000	157,000	51,000
Guam	100,000					
Puerto Rico	2,851,000					
Virgin Islands	82,600					

¹Excludes Guam, Puerto Rico, and Virgin Islands.

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, Nos. 518 and 603, and official records.